

new/usr/src/cmd/nsadmin/Makefile

```
*****
1979 Thu Nov 28 11:13:28 2013
new/usr/src/cmd/nsadmin/Makefile
3395 add /etc/profile.d and /etc/.login.d
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #

26 PROG= profile .login ksh.kshrc system
27 PROGSKEL= local.login local.profile local.cshrc .profile
28 PROGROOT= .profile .bashrc

30 include ../Makefile.cmd

32 ROOTROOT= ${ROOT}/root
33 ROOTETCCSH= ${ROOTETC}/csh
34 ROOTETCCSHELLLOGIND= ${ROOTETC}/csh/login.d
35 ROOTETCPROFILED= ${ROOTETC}/profile.d
36 #endif /* ! codereview */
37 ROOTETCSKEL= ${ROOTETC}/skel
38 ROOTETCSKELPROG= ${PROGSKEL}:%=${ROOTETCSKEL}:%
39 ROOTROOTPROG= ${PROGROOT}:%=${ROOTROOT}:%
40 FILEMODE= 0644

42 CLOBBERFILES = profile .bashrc .profile .login

44 .login: login.csh
45     $(RM) .login;
46     $(CP) login.csh .login

48 profile: etc-profile.sh
49     $(RM) profile
50     $(CP) etc-profile.sh $@

52 .profile: dot-profile.sh
53     $(RM) .profile
54     $(CP) dot-profile.sh $@

56 .bashrc: bashrc.sh
57     $(RM) .bashrc
58     $(CP) bashrc.sh $@

60 .KEEP_STATE:
```

1

new/usr/src/cmd/nsadmin/Makefile

```
62 all: $(PROG) $(PROGSKEL)

64 $(ROOTROOT)% \
65 $(ROOTETCSKEL)%: %
66     $(INS.file)

68 $(ROOTROOT) \
69 $(ROOTETCCSH) \
70 $(ROOTETCCSHELLLOGIND) \
71 $(ROOTETCPROFILED) \
72 #endif /* ! codereview */
73 $(ROOTETCSKEL):
74     $(INS.dir)

76 install: all $(ROOTETCCSH) $(ROOTETCCSHELLLOGIND) $(ROOTETCPROFILED) $(ROOTETCSKEL)
77 install: all $(ROOTETCSKEL) $(ROOTETCPROG) $(ROOTETCSKELPROG) $(ROOTROOTPROG)

78 clean:

80 clobber:
81     $(RM) $(CLOBBERFILES)

83 lint:
```

2

```
new/usr/src/cmd/nsadmin/etc-profile.sh
```

```
*****
1830 Thu Nov 28 11:13:29 2013
new/usr/src/cmd/nsadmin/etc-profile.sh
3395 add /etc/profile.d and /etc/.login.d
*****
```

1 #  
2 # CDDL HEADER START  
3 #  
4 # The contents of this file are subject to the terms of the  
5 # Common Development and Distribution License (the "License").  
6 # You may not use this file except in compliance with the License.  
7 #  
8 # You can obtain a copy of the license at [usr/src/OPENSOLARIS.LICENSE](#)  
9 # or <http://www.opensolaris.org/os/licensing>.  
10 # See the License for the specific language governing permissions  
11 # and limitations under the License.  
12 #  
13 # When distributing Covered Code, include this CDDL HEADER in each  
14 # file and include the License file at [usr/src/OPENSOLARIS.LICENSE](#).  
15 # If applicable, add the following below this CDDL HEADER, with the  
16 # fields enclosed by brackets "[]" replaced with your own identifying  
17 # information: Portions Copyright [yyyy] [name of copyright owner]  
18 #  
19 # CDDL HEADER END  
20 #  
21 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.  
22 # Use is subject to license terms.  
23 #  
24 # Copyright 2013 Alexander Pyhalov. All rights reserved.  
25 #  
26 #endif /\* ! codereview \*/  
  
28 # The profile that all logins get before using their own .profile.  
  
30 trap "" 2 3  
31 export LOGNAME PATH  
  
33 if [ "\$TERM" = "" ]  
34 then  
35 if /bin/i386  
36 then  
37 TERM=sun-color  
38 else  
39 TERM=sun  
40 fi  
41 export TERM  
42 fi  
  
44 #  
45 # Login and -su shells get /etc/profile services.  
45 # -rsh is given its environment in its .profile.  
  
47 case "\$0" in  
48 -sh | -ksh | -ksh93 | -jsh | -bash | -zsh)  
50 if [ ! -f .hushlogin ]  
51 then  
52 /usr/sbin/quota  
53 # Allow the user to break the Message-Of-The-Day only.  
54 trap "trap '' 2" 2  
55 /bin/cat -s /etc/motd  
56 trap "" 2  
  
58 /bin/mail -E  
59 case \$? in  
60 0) echo "You have new mail."  
61

```
1
```

```
new/usr/src/cmd/nsadmin/etc-profile.sh
```

```
62 ;;  
63 2) echo "You have mail."  
64 ;;  
65 esac  
66 fi  
67 if [ -d /etc/profile.d -a ! -f "${HOME}/.limited_profile" ]  
68 then  
69     for file in /etc/profile.d/*.* ; do  
70         if [ -f "$file" -a -r "$file" ]  
71         then  
72             source "$file"  
73         fi  
74     done  
75     unset file  
76 #endif /* ! codereview */  
77 fi  
78 esac  
80 umask 022  
81 trap 2 3
```

```
2
```

new/usr/src/cmd/nsadmin/ksh.kshrc

```
*****
3187 Thu Nov 28 11:13:29 2013
new/usr/src/cmd/nsadmin/ksh.kshrc
3395 add /etc/profile.d and /etc/.login.d
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #

27 #
28 # This file is sourced by interactive ksh93 shells before ${HOME}/.kshrc
29 #

31 # Enable "gmacs"+"multiline" editor mode if the user did not set an
32 # input mode yet (for example via ${EDITOR}, ${VISUAL} or any
33 # "set -o" flag)
34 if [[ "$set" != ~((Er)--(gmacs|emacs|vi)( .*)| ) ]] ; then
35     set -o gmacs
36     # enable multiline input mode
37     set -o multiline
38     # enable globstar mode (match subdirs with **/)
39     set -o globstar
40 fi
41 # enable multiline input mode
42 set -o multiline
43 # enable globstar mode (match subdirs with **/)
44 set -o globstar
45 #endif /* ! codereview */

46 # Set a default prompt (<username>@<hostname>:<path><"($|#) ">) if
47 # then variable does not exist in the environment.
48 #
49 # Algorithm:
50 # 1. Define "ellipsis", either Unicode #2026 for unicode locales
51 # and "..." otherwise
52 # ([ ${LC_ALL}/${LANG} = ~(Elr)(.*UTF-8.*|/*UTF-8) ])
53 # ensures that the pattern matches the leftmost sequence
54 # containing *.UTF-8, allowing to match either LC_ALL or
55 # LANG when LC_ALL is not set)
56 # 2. If PWD is within HOME replace value of HOME with '~'
57 # If the PWD is longer than 30 characters shorten it to 30 chars
58 # print '#' for user "root" and '$' for normal users
59 # Notes:
60 # - printf "%*s\r%" COLUMNS "" # is used at the beginning to
```

1

new/usr/src/cmd/nsadmin/ksh.kshrc

```
58 # work around a bug in the "multiline" handling code which
59 # causes the shell to override its own prompt when the edit
60 # line overflows (this happens if the terminal cursor
61 # position is not 0 when PS1 is printed).
62 # - PS1 will initially be empty until either...
63 #   a) ... someone sets the variable
64 #       or
65 #   b) ... the prompt is displayed for the first time (default is
66 #       '$' for normal users and '#' for user "root")
67 # - The statement below will not work if someone sources /etc/ksh.kshrc
68 # unless PS1 gets "unset" first.
69 # - Make sure to use absolute paths (e.g. /usr/bin/hostname) to make
70 #   sure PS1 works in cases where PATH does not contain /usr/bin/
71 if [[ "$set" != ~((E)PS1= && "${PS1}" == '') ]] ; then
72     PS1=$(set +o xtrace +o errexit
73             printf "%*s\r%" COLUMNS ""
74             printf "%s@%s:" "${LOGNAME}" "$(/usr/bin/hostname)"
75             ellip="${{
76                 [[ ${LC_ALL}/${LANG} = ~(Elr)(.*UTF-8.*|/*UTF-8) ]]
77                 printf "\u2026\n" || print "..."; }
78             p=${PWD/~((E)${HOME})/\~}"
79             (( ${#p} > 30 )) &&
80                 print -r -n -- "${ellip}${p:${#p}-30:30}" ||
81                 print -r -n -- "${p}"
82             [[ "${LOGNAME}" == "root" ]] && print -n "# " || print -n "\$ "
83         )
84 fi
```

2

new/usr/src/cmd/nsadmin/login.csh

```
*****
1895 Thu Nov 28 11:13:29 2013
new/usr/src/cmd/nsadmin/login.csh
3395 add /etc/profile.d and /etc/.login.d
*****
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License, Version 1.0 only
5 # (the "License"). You may not use this file except in compliance
6 # with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 1998 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
24 # Copyright 2013 Alexander Pyhalov. All rights reserved.
25 #
26 #ident "%Z%%M% %I%      %E% SMI"
27 # The initial machine wide defaults for csh.
28
29 if ( $?TERM == 0 ) then
30     if { /bin/i386 } then
31         setenv TERM sun-color
32     else
33         setenv TERM sun
34     endif
35 else
36     if ( $TERM == "" ) then
37         if { /bin/i386 } then
38             setenv TERM sun-color
39         else
40             setenv TERM sun
41         endif
42     endif
43 endif
44
45 if ( ! -e .hushlogin ) then
46     /usr/sbin/quota
47     /bin/cat -s /etc/motd
48     /bin/mail -E
49     switch ( $status )
50     case 0:
51         echo "You have new mail."
52         breaksw;
53     case 2:
54         echo "You have mail."
55         breaksw;
56     endsw
57 endif
58
59 if ( -d /etc/csh/login.d && ! -f "${HOME}/.limited_profile" ) then
60     if ($?nonomatch) then
```

1

new/usr/src/cmd/nsadmin/login.csh

```
61             set old=$nonomatch
62         else
63             unset old
64         endif
65         set nonomatch=1
66         foreach file ( /etc/csh/login.d/*.csh )
67             if ( "$file" == "/etc/csh/login.d/*.csh" ) then
68                 break
69             endif
70             if ( -f "$file" && -r "$file" ) then
71                 source "$file"
72             endif
73         end
74         if (?old) then
75             set nonomatch="$old"
76             unset old
77         else
78             unset nonomatch
79         endif
80         unset file
81 #endif /* ! codereview */
82 endif
```

2

new/usr/src/pkg/manifests/SUNWcs.mf

```
*****
89741 Thu Nov 28 11:13:30 2013
new/usr/src/pkg/manifests/SUNWcs.mf
3395 add /etc/profile.d and /etc/.login.d
*****
```

1 #  
2 # CDDL HEADER START  
3 #  
4 # The contents of this file are subject to the terms of the  
5 # Common Development and Distribution License (the "License").  
6 # You may not use this file except in compliance with the License.  
7 #  
8 # You can obtain a copy of the license at [usr/src/OPENSOLARIS.LICENSE](#)  
9 # or <http://www.opensolaris.org/os/licensing>.  
10 # See the License for the specific language governing permissions  
11 # and limitations under the License.  
12 #  
13 # When distributing Covered Code, include this CDDL HEADER in each  
14 # file and include the License file at [usr/src/OPENSOLARIS.LICENSE](#).  
15 # If applicable, add the following below this CDDL HEADER, with the  
16 # fields enclosed by brackets "[]" replaced with your own identifying  
17 # information: Portions Copyright [yyyy] [name of copyright owner]  
18 #  
19 # CDDL HEADER END  
20 #  
  
22 #  
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.  
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.  
25 # Copyright (c) 2013 Gary Mills  
26 #  
28 <include SUNWcs.man1.inc>  
29 <include SUNWcs.man1m.inc>  
30 <include SUNWcs.man4.inc>  
31 <include SUNWcs.man5.inc>  
32 <include SUNWcs.man7d.inc>  
33 <include SUNWcs.man7fs.inc>  
34 set name=pkg.fmri value=pkg:/SUNWcs@\$(PKGVERS)  
35 set name=pkg.description \  
36 value="core software for a specific instruction-set architecture"  
37 set name=pkg.summary value="Core Solaris"  
38 set name=info.classification value=org.opensolaris.category.2008:System/Core  
39 set name=variant.arch value=\$(ARCH)  
40 dir path=dev group=sys  
41 dir path=etc group=sys  
42 dir path=etc/csh group=sys  
43 dir path=etc/csh/login.d group=sys  
44 #endif /\* ! codereview \*/  
45 dir path=etc/cron.d group=sys  
46 dir path=etc/crypto group=sys  
47 dir path=etc/crypto/certs group=sys  
48 dir path=etc/crypto/crls group=sys  
49 dir path=etc/default group=sys  
50 dir path=etc/dev group=sys  
51 dir path=etc/devices group=sys  
52 dir path=etc/dfs group=sys  
53 dir path=etc/dhcp group=sys  
54 dir path=etc/fs group=sys  
55 dir path=etc/fs/dev group=sys  
56 dir path=etc/fs/hsfs group=sys  
57 dir path=etc/fs/ufs group=sys  
58 dir path=etc/ftpd group=sys  
59 dir path=etc/inet group=sys  
60 dir path=etc/init.d group=sys  
61 dir path=etc/lib group=sys

1

new/usr/src/pkg/manifests/SUNWcs.mf

```
62 dir path=etc/logadm.d group=sys  
63 dir path=etc/mail group=mail  
64 dir path=etc/net group=sys  
65 dir path=etc/net/ticlts group=sys  
66 dir path=etc/net/tictcs group=sys  
67 dir path=etc/net/tictots group=sys  
68 dir path=etc/opt group=sys  
69 dir path=etc/profile.d group=sys  
70 #endif /* ! codereview */  
71 dir path=etc/rc0.d group=sys  
72 dir path=etc/rc1.d group=sys  
73 dir path=etc/rc2.d group=sys  
74 dir path=etc/rc3.d group=sys  
75 dir path=etc/rcS.d group=sys  
76 dir path=etc/rpcsec group=sys  
77 dir path=etc/saf  
78 dir path=etc/saf/zsmon group=sys  
79 dir path=etc/sasl group=sys  
80 dir path=etc/security group=sys  
81 dir path=etc/security/audit group=sys  
82 dir path=etc/security/audit/localhost group=sys  
83 dir path=etc/security/auth_attr.d group=sys  
84 dir path=etc/security/dev group=sys  
85 dir path=etc/security/exec_attr.d group=sys  
86 dir path=etc/security/lib group=sys  
87 dir path=etc/security/prof_attr.d group=sys  
88 dir path=etc/skel group=sys  
89 dir path=etc/svc group=sys  
90 dir path=etc/svc/profile group=sys  
91 dir path=etc/svc/profile/site group=sys  
92 dir path=etc/svc/volatile group=sys  
93 dir path=etc/sysevent group=sys  
94 dir path=etc/sysevent/config group=sys  
95 dir path=etc/tm group=sys  
96 dir path=etc/user_attr.d group=sys  
97 dir path=export group=sys  
98 dir path=home group=root mode=0555  
99 dir path=lib  
100 dir path=lib/crypto  
101 dir path=lib/inet  
102 dir path=lib/svc  
103 dir path=lib/svc/bin  
104 dir path=lib/svc/capture  
105 dir path=lib/svc/manifest group=sys  
106 dir path=lib/svc/manifest/application group=sys  
107 dir path=lib/svc/manifest/application/management group=sys  
108 dir path=lib/svc/manifest/application/security group=sys  
109 dir path=lib/svc/manifest/device group=sys  
110 dir path=lib/svc/manifest/milestone group=sys  
111 dir path=lib/svc/manifest/network group=sys  
112 dir path=lib/svc/manifest/network/dns group=sys  
113 dir path=lib/svc/manifest/network/ipsec group=sys  
114 dir path=lib/svc/manifest/network/ldap group=sys  
115 dir path=lib/svc/manifest/network/routing group=sys  
116 dir path=lib/svc/manifest/network/rpc group=sys  
117 dir path=lib/svc/manifest/network/shares group=sys  
118 dir path=lib/svc/manifest/network/ssl group=sys  
119 dir path=lib/svc/manifest/platform group=sys  
120 $(sparc_ONLY)dir path=lib/svc/manifest/platform/sun4u group=sys  
121 dir path=lib/svc/manifest/site group=sys  
122 dir path=lib/svc/manifest/system group=sys  
123 dir path=lib/svc/manifest/system/device group=sys  
124 dir path=lib/svc/manifest/system/filesystem group=sys  
125 dir path=lib/svc/manifest/system/security group=sys  
126 dir path=lib/svc/manifest/system/svc group=sys  
127 dir path=lib/svc/method
```

2

```

128 dir path=lib/svc/monitor
129 dir path=lib/svc/seed
130 dir path=lib/svc/share
131 dir path=mnt group=sys
132 dir path=opt group=sys
133 dir path=proc group=root mode=0555
134 dir path=root group=root mode=0700
135 dir path=sbin group=sys
136 dir path=system group=root
137 dir path=system/contract group=root mode=0555
138 dir path=system/object group=root mode=0555
139 dir path=tmp group=sys mode=1777
140 dir path=usr group=sys
141 dir path=usr/bin
142 dir path=usr/bin/$(ARCH32)
143 dir path=usr/bin/$(ARCH64)
144 dir path=usr/ccs
145 dir path=usr/ccs/bin
146 dir path=usr/demo
147 dir path=usr/games
148 dir path=usr/has
149 dir path=usr/has/bin
150 dir path=usr/has/lib
151 dir path=usr/has/man
152 dir path=usr/has/man/man1has
153 dir path=usr/kernel group=sys
154 dir path=usr/kernel/drv group=sys
155 dir path=usr/kernel/drv/$(ARCH64) group=sys
156 dir path=usr/kernel/exec group=sys
157 dir path=usr/kernel/exec/$(ARCH64) group=sys
158 dir path=usr/kernel/fs group=sys
159 dir path=usr/kernel/fs/$(ARCH64) group=sys
160 dir path=usr/kernel/pcbe group=sys
161 dir path=usr/kernel/pcbe/$(ARCH64) group=sys
162 dir path=usr/kernel/sched group=sys
163 dir path=usr/kernel/sched/$(ARCH64) group=sys
164 dir path=usr/kernel/strmod group=sys
165 dir path=usr/kernel/strmod/$(ARCH64) group=sys
166 dir path=usr/kernel/sys group=sys
167 dir path=usr/kernel/sys/$(ARCH64) group=sys
168 dir path=usr/kvm
169 dir path=usr/lib
170 dir path=usr/lib/$(ARCH64)
171 dir path=usr/lib/audit
172 dir path=usr/lib/class
173 dir path=usr/lib/class/FX
174 dir path=usr/lib/class/IA
175 dir path=usr/lib/class/RT
176 dir path=usr/lib/class/SDC
177 dir path=usr/lib/class/TS
178 dir path=usr/lib/crypto
179 dir path=usr/lib/devfsadm group=sys
180 dir path=usr/lib/devfsadm/linkmod group=sys
181 dir path=usr/lib/fs group=sys
182 dir path=usr/lib/fs/autofs group=sys
183 dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
184 dir path=usr/lib/fs/cachefs group=sys
185 dir path=usr/lib/fs/ctfs group=sys
186 dir path=usr/lib/fs/dev group=sys
187 dir path=usr/lib/fs/fd group=sys
188 dir path=usr/lib/fs/hsfs group=sys
189 dir path=usr/lib/fs/lofs group=sys
190 dir path=usr/lib/fs/mntfs group=sys
191 dir path=usr/lib/fs/nfs group=sys
192 dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
193 dir path=usr/lib/fs/objfs group=sys

```

```

194 dir path=usr/lib/fs/proc group=sys
195 dir path=usr/lib/fs/sharefs group=sys
196 dir path=usr/lib/fs/tmpfs group=sys
197 dir path=usr/lib/fs/ufs group=sys
198 dir path=usr/lib/help
199 dir path=usr/lib/help/auths
200 dir path=usr/lib/help/auths/locale
201 dir path=usr/lib/help/auths/locale/C
202 dir path=usr/lib/help/profiles
203 dir path=usr/lib/help/profiles/locale
204 dir path=usr/lib/help/profiles/locale/C
205 dir path=usr/lib/iconv
206 dir path=usr/lib/inet
207 dir path=usr/lib/inet/$(ARCH32)
208 dir path=usr/lib/inet/$(ARCH64)
209 dir path=usr/lib/inet/dhcp
210 dir path=usr/lib/inet/dhcp/nsu
211 dir path=usr/lib/inet/dhcp/svc
212 dir path=usr/lib/locale
213 dir path=usr/lib/locale/C
214 dir path=usr/lib/locale/C/LC_COLLATE
215 dir path=usr/lib/locale/C/LC_CTYPE
216 dir path=usr/lib/locale/C/LC_MESSAGES
217 dir path=usr/lib/locale/C/LC_MONETARY
218 dir path=usr/lib/locale/C/LC_NUMERIC
219 dir path=usr/lib/locale/C/LC_TIME
220 dir path=usr/lib/netsvc group=sys
221 dir path=usr/lib/pci
222 dir path=usr/lib/rctl
223 dir path=usr/lib/rctl/modules
224 dir path=usr/lib/rctl/scripts
225 dir path=usr/lib/reparse
226 dir path=usr/lib/saf
227 dir path=usr/lib/secure
228 dir path=usr/lib/secure/$(ARCH64)
229 dir path=usr/lib/security
230 dir path=usr/lib/sysevent
231 dir path=usr/lib/sysevent/modules
232 dir path=usr/net group=sys
233 dir path=usr/net/nls group=sys
234 dir path=usr/net/servers group=sys
235 dir path=usr/old
236 dir path=usr/platform group=sys
237 dir path=usr/sadm
238 dir path=usr/sadm/bin
239 dir path=usr/sadm/install
240 dir path=usr/sadm/install/scripts
241 dir path=usr/sbin
242 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
243 dir path=usr/sbin/$(ARCH64)
244 dir path=usr/share
245 dir path=usr/share/doc group=other
246 dir path=usr/share/doc/ksh
247 dir path=usr/share/doc/ksh/images
248 dir path=usr/share/doc/ksh/images/callouts
249 dir path=usr/share/lib
250 dir path=usr/share/lib/mailx
251 dir path=usr/share/lib/pub
252 dir path=usr/share/lib/tabset
253 dir path=usr/share/lib/xml group=sys
254 dir path=usr/share/lib/xml/dtd group=sys
255 dir path=usr/share/lib/xml/style group=sys
256 dir path=usr/share/man
257 dir path=usr/share/man/man1
258 dir path=usr/share/man/man1m
259 dir path=usr/share/man/man4

```

```

260 dir path=usr/share/man/man5
261 dir path=usr/share/man/man7d
262 dir path=usr/share/man/man7fs
263 dir path=usr/share/src group=sys
264 dir path=var group=sys
265 dir path=var/adm group=sys mode=0775
266 dir path=var/adm/exact group=adm owner=adm
267 dir path=var/adm/log group=adm owner=adm
268 dir path=var/adm/streams group=sys
269 dir path=var/audit group=sys
270 dir path=var/cores group=sys
271 dir path=var/cron group=sys
272 dir path=var/games
273 dir path=var/imap group=daemon owner=daemon
274 dir path=var/inet group=sys
275 dir path=var/ld
276 dir path=var/ld/$(ARCH64)
277 dir path=var/log group=sys
278 dir path=var/logadm
279 dir path=var/mail group=mail mode=1777
280 dir path=var/mail/:saved group=mail mode=0775
281 dir path=var/news
282 dir path=var/opt group=sys
283 dir path=var/preserve mode=1777
284 dir path=var/run group=sys
285 dir path=var/sadm group=sys
286 dir path=var/sadm/system group=sys
287 dir path=var/sadm/system/admin group=sys
288 dir path=var/saf
289 dir path=var/saf/zsmon group=sys
290 dir path=var/spool
291 dir path=var/spool/cron group=sys
292 dir path=var/spool/cron/atjobs group=sys
293 dir path=var/spool/cron/crontabs group=sys
294 dir path=var/spool/locks group=uucp owner=uucp
295 dir path=var/svc group=sys
296 dir path=var/svc/log group=sys
297 dir path=var/svc/manifest group=sys
298 dir path=var/svc/manifest/application group=sys
299 dir path=var/svc/manifest/application/management group=sys
300 dir path=var/svc/manifest/application/print group=sys
301 dir path=var/svc/manifest/application/security group=sys
302 dir path=var/svc/manifest/device group=sys
303 dir path=var/svc/manifest/milestone group=sys
304 dir path=var/svc/manifest/network group=sys
305 dir path=var/svc/manifest/network/dns group=sys
306 dir path=var/svc/manifest/network/ipsecd group=sys
307 dir path=var/svc/manifest/network/ldap group=sys
308 dir path=var/svc/manifest/network/nfs group=sys
309 dir path=var/svc/manifest/network/nis group=sys
310 dir path=var/svc/manifest/network/routing group=sys
311 dir path=var/svc/manifest/network/rpc group=sys
312 dir path=var/svc/manifest/network/security group=sys
313 dir path=var/svc/manifest/network/shares group=sys
314 dir path=var/svc/manifest/network/ssl group=sys
315 dir path=var/svc/manifest/platform group=sys
316 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4u group=sys
317 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4v group=sys
318 dir path=var/svc/manifest/site group=sys
319 dir path=var/svc/manifest/system group=sys
320 dir path=var/svc/manifest/system/device group=sys
321 dir path=var/svc/manifest/system/filesystem group=sys
322 dir path=var/svc/manifest/system/security group=sys
323 dir path=var/svc/manifest/system/svc group=sys
324 dir path=var/svc/profile group=sys
325 dir path=var/tmp group=sys mode=1777

```

```

326 driver name=dump perms="dump 0660 root sys"
327 driver name=fssnap \
328     policy="ctl read_priv_set=sys_config write_priv_set=sys_config" \
329     perms="* 0640 root sys" perms="ctl 0666 root sys"
330 driver name=kstat perms="* 0666 root sys"
331 driver name=ksyms perms="* 0666 root sys"
332 driver name=logindmux
333 driver name=ptm clone_perms="ptmx 0666 root sys"
334 driver name=pts perms="* 0644 root sys" perms="0 0620 root tty" \
335     perms="1 0620 root tty" perms="2 0620 root tty" perms="3 0620 root tty"
336 file path=/etc/.login group=sys preserve=renameweb
337 file path=/etc/cron.d.proto group=sys mode=0744
338 file path=/etc/cron.d/at.deny group=sys preserve=true
339 file path=/etc/cron.d/cron.deny group=sys preserve=true
340 file path=/etc/cron.d/queuedefs group=sys
341 file path=/etc/crypto/kmf.conf group=sys preserve=true
342 file path=/etc/crypto/pkcs11.conf group=sys preserve=true
343 file path=/etc/datemsk group=sys mode=0444
344 file path=/etc/default/cron group=sys preserve=true
345 file path=/etc/default/devfsadm group=sys preserve=true
346 file path=/etc/default/fx group=sys preserve=true
347 file path=/etc/default/init group=sys preserve=true
348 file path=/etc/default/keyserv group=sys preserve=true
349 file path=/etc/default/login group=sys preserve=true
350 file path=/etc/default/nss group=sys preserve=true
351 file path=/etc/default/passwd group=sys preserve=true
352 file path=/etc/default/su group=sys preserve=true
353 file path=/etc/default/syslogd group=sys preserve=true
354 file path=/etc/default/tar group=sys preserve=true
355 file path=/etc/default/useradd group=sys preserve=true
356 file path=/etc/default/utmpd group=sys preserve=true
357 file path=/etc/dev/reserved_devnames group=sys preserve=true
358 file path=/etc/device.tab group=root mode=0444 preserve=true
359 file path=/etc/dfs/dfstab group=sys preserve=true
360 file path=/etc/dfs/fstypes group=root preserve=true
361 file path=/etc/dfs/sharetab group=root mode=0444 preserve=true
362 file path=/etc/dgroup.tab group=sys mode=0444 preserve=true
363 file path=/etc/dhcp/inittab group=sys preserve=true
364 file path=/etc/dhcp/inittab6 group=sys preserve=true
365 file path=/etc/dumpdates group=sys mode=0664 preserve=true
366 file path=/etc/format.dat group=sys preserve=true
367 file path=/etc/fs/dev/mount mode=0555
368 file path=/etc/fs/hfs/mount mode=0555
369 file path=/etc/fs/ufs/mount mode=0555
370 file path=/etc/ftp/ftpusers group=sys preserve=true
371 file path=/etc/group group=sys preserve=true
372 file path=/etc/inet/hosts group=sys preserve=true
373 file path=/etc/inet/inetd.conf group=sys preserve=true
374 file path=/etc/inet/ipaddrsel.conf group=sys preserve=true
375 file path=/etc/inet/netmasks group=sys preserve=true
376 file path=/etc/inet/networks group=sys preserve=true
377 file path=/etc/inet/protocols group=sys preserve=true
378 file path=/etc/inet/services group=sys preserve=true
379 file path=/etc/inet/wanboot.conf.sample group=sys mode=0444
380 file path=/etc/init.d/PRESERVE group=sys mode=0744 preserve=true
381 file path=/etc/init.d/README group=sys preserve=true
382 file path=/etc/init.d/cachefs.daemon group=sys mode=0744 preserve=true
383 file path=/etc/init.d/ldap.client group=sys mode=0744
384 file path=/etc/init.d/nsqd group=sys mode=0744
385 file path=/etc/init.d/syssetup group=sys mode=0744 preserve=true
386 file path=/etc/init.d/ufs_quota group=sys mode=0744 preserve=true
387 file path=/etc/inittab group=sys preserve=true
388 file path=/etc/iocctl.syscon group=sys preserve=true
389 file path=/etc/ksh.kshrc group=sys preserve=renameold
390 file path=/etc/logadm.conf group=sys preserve=true timestamp=19700101T000000Z
391 file path=/etc/logindevperm group=sys preserve=true

```

```

392 file path=/etc/magic mode=0444
393 file path=/etc/mail/mailx.rc preserve=true
394 file path=/etc/mailcap preserve=true
395 file path=/etc/mime.types preserve=true
396 file path=/etc/mnttab group=root mode=0444 preserve=true
397 file path=/etc/motd group=sys preserve=true
398 file path=/etc/net/tictls/hosts group=sys
399 file path=/etc/net/tictls/services group=sys preserve=true
400 file path=/etc/net/tictots/hosts group=sys
401 file path=/etc/net/tictots/services group=sys preserve=true
402 file path=/etc/net/tictotsord/hosts group=sys
403 file path=/etc/net/tictotsord/services group=sys preserve=true
404 file path=/etc/netconfig group=sys preserve=true
405 file path=/etc/nscd.conf group=sys preserve=true
406 file path=/etc/nsswitch.ad group=sys
407 file path=/etc/nsswitch.conf group=sys preserve=true
408 file path=/etc/nsswitch.dns group=sys
409 file path=/etc/nsswitch.files group=sys
410 file path=/etc/nsswitch.ldap group=sys
411 file path=/etc/pam.conf group=sys preserve=true
412 file path=/etc/passwd group=sys preserve=true
413 file path=/etc/profile group=sys preserve=renamenew
42 file path=/etc/profile group=sys preserve=true
414 file path=/etc/project group=sys preserve=true
415 file path=/etc/rc2.d/README group=sys
416 file path=/etc/rc3.d/README group=sys
417 file path=/etc/rcS.d/README group=sys
418 file path=/etc/remote preserve=true
419 file path=/etc/rpc group=sys preserve=true
420 file path=/etc/saf/_sactab group=sys preserve=true
421 file path=/etc/saf/_sysconfig group=sys preserve=true
422 file path=/etc/saf/zsmmon/_pmtab group=sys preserve=true
423 file path=/etc/security/audit_class group=sys preserve=renamenew
424 file path=/etc/security/audit_event group=sys preserve=renamenew
425 file path=/etc/security/audit_warn group=sys mode=0740 preserve=renamenew
426 file path=/etc/security/auth_attr group=sys preserve=true \
427 timestamp=19700101T000000Z
428 file path=/etc/security/auth_attr.d/SUNWcs group=sys
429 file path=/etc/security/crypt.conf group=sys preserve=renamenew
430 file path=/etc/security/dev/audio mode=0400
431 file path=/etc/security/dev/fd0 mode=0400
432 file path=/etc/security/dev/sr0 mode=0400
433 file path=/etc/security/dev/st0 mode=0400
434 file path=/etc/security/dev/st1 mode=0400
435 file path=/etc/security/exec_attr group=sys preserve=true \
436 timestamp=19700101T000000Z
437 file path=/etc/security/exec_attr.d/SUNWcs group=sys
438 file path=/etc/security/kmpolicy.xml
439 file path=/etc/security/lib/audio_clean group=sys mode=0555
440 file path=/etc/security/lib/fd_clean group=sys mode=0555
441 file path=/etc/security/lib/sr_clean group=sys mode=0555
442 file path=/etc/security/lib/st_clean group=sys mode=0555
443 file path=/etc/security/policy.conf group=sys preserve=true
444 file path=/etc/security/priv_names group=sys preserve=renamold
445 file path=/etc/security/prof_attr group=sys preserve=true \
446 timestamp=19700101T000000Z
447 file path=/etc/security/prof_attr.d/SUNWcs group=sys
448 file path=/etc/shadow group=sys mode=0400 preserve=true
449 file path=/etc/skel/.profile group=other preserve=true
450 file path=/etc/skel/local.cshrc group=sys preserve=true
451 file path=/etc/skel/local.login group=sys preserve=true
452 file path=/etc/skel/local.profile group=sys preserve=true
453 file path=/etc/svc/profile/generic_limited_net.xml group=sys mode=0444
454 file path=/etc/svc/profile/generic_open.xml group=sys mode=0444
455 file path=/etc/svc/profile/inetd_generic.xml group=sys mode=0444
456 file path=/etc/svc/profile/inetd_upgrade.xml group=sys mode=0444

```

```

457 file path=/etc/svc/profile/ns_dns.xml group=sys mode=0444
458 file path=/etc/svc/profile/ns_files.xml group=sys mode=0444
459 file path=/etc/svc/profile/ns_ldap.xml group=sys mode=0444
460 file path=/etc/svc/profile/ns_nis.xml group=sys mode=0444
461 file path=/etc/svc/profile/ns_none.xml group=sys mode=0444
462 $(sparc_ONLY)file path=/etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml \
463 group=sys mode=0444
464 $(sparc_ONLY)file path=/etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml \
465 group=sys mode=0444
466 $(sparc_ONLY)file path=/etc/svc/profile/platform_SUNW,Sun-Fire-880.xml \
467 group=sys mode=0444
468 $(sparc_ONLY)file path=/etc/svc/profile/platform_SUNW,Sun-Fire.xml group=sys \
469 mode=0444
470 $(sparc_ONLY)file \
471 path=/etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml group=sys \
472 mode=0444
473 $(sparc_ONLY)file \
474 path=/etc/svc/profile/platform_SUNW,UltraSPARC-III-Netract.xml group=sys \
475 mode=0444
476 file path=/etc/svc/profile/platform_none.xml group=sys mode=0444
477 $(sparc_ONLY)file path=/etc/svc/profile/platform_sun4v.xml group=sys mode=0444
478 file path=/etc/sysevent/config/README group=sys mode=0444
479 file path=/etc/sysevent/config/SUNW,EC_dr,ESC_dr_req,sysevent.conf group=sys
480 file path=/etc/syslog.conf group=sys preserve=true
481 file path=/etc/ttysrchd group=sys preserve=true
482 file path=/etc/ttysrch group=sys preserve=true
483 file path=/etc/user_attr group=sys preserve=true timestamp=19700101T000000Z
484 file path=/etc/user_attr.d/SUNWcs group=sys
485 file path=/etc/vfstab group=sys preserve=true
486 file path=lib/inet/in.mpathd mode=0555
487 file path=lib/inet/ipmgmtd mode=0555
488 file path=lib/inet/netcfgd mode=0555
489 file path=lib/inet/nwamd mode=0555
490 file path=lib/svc/bin/lsvcrun group=sys mode=0555
491 file path=lib/svc/bin/mfstscan group=sys mode=0555
492 file path=lib/svc/bin/restore_repository group=sys mode=0555
493 file path=lib/svc/bin/sqlite group=sys mode=0555
494 file path=lib/svc/bin/svc.configd group=sys mode=0555
495 file path=lib/svc/bin/svc.ipfd group=sys mode=0555
496 file path=lib/svc/bin/svc.startd group=sys mode=0555
497 file path=lib/svc/manifest/milestone/multi-user-server.xml group=sys mode=0444
498 file path=lib/svc/manifest/milestone/multi-user.xml group=sys mode=0444
499 file path=lib/svc/manifest/milestone/name-services.xml group=sys mode=0444
500 file path=lib/svc/manifest/milestone/network.xml group=sys mode=0444
501 file path=lib/svc/manifest/milestone/single-user.xml group=sys mode=0444
502 file path=lib/svc/manifest/milestone/sysconfig.xml group=sys mode=0444
503 file path=lib/svc/manifest/network/dlmgmt.xml group=sys mode=0444
504 file path=lib/svc/manifest/network/dns/client.xml group=sys mode=0444
505 file path=lib/svc/manifest/network/dns/install.xml group=sys mode=0444
506 file path=lib/svc/manifest/network/forwarding.xml group=sys mode=0444
507 file path=lib/svc/manifest/network/inetd-upgrade.xml group=sys mode=0444
508 file path=lib/svc/manifest/network/inetd.xml group=sys mode=0444
509 file path=lib/svc/manifest/network/ipsec/ike.xml group=sys mode=0444
510 file path=lib/svc/manifest/network/ipsec/ipsecalgs.xml group=sys mode=0444
511 file path=lib/svc/manifest/network/ipsec/manual-key.xml group=sys mode=0444
512 file path=lib/svc/manifest/network/ipsec/policy.xml group=sys mode=0444
513 file path=lib/svc/manifest/network/ldap/client.xml group=sys mode=0444
514 file path=lib/svc/manifest/network/network-initial.xml group=sys mode=0444
515 file path=lib/svc/manifest/network/network-install.xml group=sys mode=0444
516 file path=lib/svc/manifest/network/network-ipmgmt.xml group=sys mode=0444
517 file path=lib/svc/manifest/network/network-ipqos.xml group=sys mode=0444
518 file path=lib/svc/manifest/network/network-iputn.xml group=sys mode=0444
519 file path=lib/svc/manifest/network/network-location.xml group=sys mode=0444
520 file path=lib/svc/manifest/network/network-loopback.xml group=sys mode=0444
521 file path=lib/svc/manifest/network/network-netcfg.xml group=sys mode=0444
522 file path=lib/svc/manifest/network/network-netmask.xml group=sys mode=0444

```

```

523 file path=lib/svc/manifest/network/network-physical.xml group=sys mode=0444
524 file path=lib/svc/manifest/network/network-routing-setup.xml group=sys \
525     mode=0444
526 file path=lib/svc/manifest/network/network-service.xml group=sys mode=0444
527 file path=lib/svc/manifest/network/routing/legacy-routing.xml group=sys \
528     mode=0444
529 file path=lib/svc/manifest/network/rpc/bind.xml group=sys mode=0444
530 file path=lib/svc/manifest/network/rpc/keyserv.xml group=sys mode=0444
531 file path=lib/svc/manifest/network/shares/group.xml group=sys mode=0444
532 file path=lib/svc/manifest/network/shares/reparsed.xml group=sys mode=0444
533 file path=lib/svc/manifest/network/socket-filter-kssl.xml group=sys mode=0444
534 file path=lib/svc/manifest/network/ssl/kssl-proxy.xml group=sys mode=0444
535 file path=lib/svc/manifest/system/auditd.xml group=sys mode=0444
536 file path=lib/svc/manifest/system/auditset.xml group=sys mode=0444
537 file path=lib/svc/manifest/system/boot-archive-update.xml group=sys mode=0444
538 file path=lib/svc/manifest/system/boot-archive.xml group=sys mode=0444
539 file path=lib/svc/manifest/system/boot-config.xml group=sys mode=0444
540 file path=lib/svc/manifest/system/consadm.xml group=sys mode=0444
541 file path=lib/svc/manifest/system/console-login.xml group=sys mode=0444
542 file path=lib/svc/manifest/system/coreadm.xml group=sys mode=0444
543 file path=lib/svc/manifest/system/cron.xml group=sys mode=0444
544 file path=lib/svc/manifest/system/cryptosvc.xml group=sys mode=0444
545 file path=lib/svc/manifest/system/device/allocate.xml group=sys mode=0444
546 file path=lib/svc/manifest/system/device/devices-audio.xml group=sys mode=0444
547 file path=lib/svc/manifest/system/device/devices-local.xml group=sys mode=0444
548 file path=lib/svc/manifest/system/device/mpxio-upgrade.xml group=sys mode=0444
549 file path=lib/svc/manifest/system/early-manifest-import.xml group=sys \
550     mode=0444
551 file path=lib/svc/manifest/system/extended-accounting.xml group=sys mode=0444
552 file path=lib/svc/manifest/system/filesystem/local-fs.xml group=sys mode=0444
553 file path=lib/svc/manifest/system/filesystem/minimal-fs.xml group=sys \
554     mode=0444
555 file path=lib/svc/manifest/system/filesystem/root-fs.xml group=sys mode=0444
556 file path=lib/svc/manifest/system/filesystem/usr-fs.xml group=sys mode=0444
557 $(i386_ONLY)file path=lib/svc/manifest/system/hostid.xml group=sys mode=0444
558 file path=lib/svc/manifest/system/hotplug.xml group=sys mode=0444
559 file path=lib/svc/manifest/system/identity.xml group=sys mode=0444
560 file path=lib/svc/manifest/system/idmap.xml group=sys mode=0444
561 file path=lib/svc/manifest/system/keymap.xml group=sys mode=0444
562 file path=lib/svc/manifest/system/logadm-upgrade.xml group=sys mode=0444
563 file path=lib/svc/manifest/system/manifest-import.xml group=sys mode=0444
564 file path=lib/svc/manifest/system/name-service-cache.xml group=sys mode=0444
565 file path=lib/svc/manifest/system/pfexecd.xml group=sys mode=0444
566 file path=lib/svc/manifest/system/rbac.xml group=sys mode=0444
567 file path=lib/svc/manifest/system/rmtmpfiles.xml group=sys mode=0444
568 file path=lib/svc/manifest/system/sac.xml group=sys mode=0444
569 file path=lib/svc/manifest/system/svc/global.xml group=sys mode=0444
570 file path=lib/svc/manifest/system/svc/restarter.xml group=sys mode=0444
571 file path=lib/svc/manifest/system/system-log.xml group=sys mode=0444
572 file path=lib/svc/manifest/system/utmp.xml group=sys mode=0444
573 file path=lib/svc/manifest/system/vtdaemon.xml group=sys mode=0444
574 file path=lib/svc/method/boot-archive mode=0555
575 file path=lib/svc/method/boot-archive-update mode=0555
576 file path=lib/svc/method/console-login mode=0555
577 file path=lib/svc/method/devices-audio mode=0555
578 file path=lib/svc/method/devices-local mode=0555
579 file path=lib/svc/method/dns-install mode=0555
580 file path=lib/svc/method/fs-local mode=0555
581 file path=lib/svc/method/fs-minimal mode=0555
582 file path=lib/svc/method/fs-root mode=0555
583 file path=lib/svc/method/fs-user mode=0555
584 file path=lib/svc/method/identity-domain mode=0555
585 file path=lib/svc/method/identity-node mode=0555
586 file path=lib/svc/method/inetd-upgrade mode=0555
587 file path=lib/svc/method/keymap mode=0555
588 file path=lib/svc/method/ldap-client mode=0555

```

```

589 file path=lib/svc/method/logadm-upgrade mode=0555
590 file path=lib/svc/method/manifest-import mode=0555
591 file path=lib/svc/method/mpxio-upgrade mode=0555
592 file path=lib/svc/method/net-init mode=0555
593 file path=lib/svc/method/net-install mode=0555
594 file path=lib/svc/method/net-ipmgmt mode=0555
595 file path=lib/svc/method/net-ipqos mode=0555
596 file path=lib/svc/method/net-iptun mode=0555
597 file path=lib/svc/method/net-loc mode=0555
598 file path=lib/svc/method/net-loopback mode=0555
599 file path=lib/svc/method/net-netmask mode=0555
600 file path=lib/svc/method/net-nwam mode=0555
601 file path=lib/svc/method/net-physical mode=0555
602 file path=lib/svc/method/net-routing-setup mode=0555
603 file path=lib/svc/method/net-svc mode=0555
604 file path=lib/svc/method/rmtmpfiles mode=0555
605 file path=lib/svc/method/rpc-bind mode=0555
606 file path=lib/svc/method/svc-allocate mode=0555
607 file path=lib/svc/method/svc-auditd mode=0555
608 file path=lib/svc/method/svc-auditset mode=0555
609 file path=lib/svc/method/svc-boot-config mode=0555
610 file path=lib/svc/method/svc-consadm mode=0555
611 file path=lib/svc/method/svc-cron mode=0555
612 file path=lib/svc/method/svc-dlmgmtd mode=0555
613 file path=lib/svc/method/svc-forwarding mode=0555
614 $(i386_ONLY)file path=lib/svc/method/svc-hostid mode=0555
615 file path=lib/svc/method/svc-hotplug mode=0555
616 file path=lib/svc/method/svc-legacy-routing mode=0555
617 file path=lib/svc/method/svc-nscd mode=0555
618 file path=lib/svc/method/svc-rbac mode=0555
619 file path=lib/svc/method/svc-sockfilter mode=0555
620 file path=lib/svc/method/svc-utmpd mode=0555
621 file path=lib/svc/method/system-log mode=0555
622 file path=lib/svc/method/vtdaemon mode=0555
623 file path=lib/svc/method/yp mode=0555
624 # global.db is not needed in non-global zones, and it's pretty large.
625 file path=lib/svc/seed/global.db group=sys mode=0444 \
626     variant.opensolaris.zone=global
627 # symmetrically, nonglobal.db is not needed in global zones.
628 file path=lib/svc/seed/nonglobal.db group=sys mode=0444 \
629     variant.opensolaris.zone=nonglobal
630 file path=lib/svc/share/README mode=0444
631 file path=lib/svc/share/fs_include.sh mode=0444
632 file path=lib/svc/share/iphf_include.sh mode=0444
633 file path=lib/svc/share/mfsthistory mode=0444
634 file path=lib/svc/share/net_include.sh mode=0444
635 file path=lib/svc/share/routing_include.sh mode=0444
636 file path=lib/svc/share/smfc_include.sh mode=0444
637 file path=root/.bashrc group=root preserve=true
638 file path=root/.profile group=root preserve=true
639 file path=sbin/autopush mode=0555
640 $(i386_ONLY)file path=sbin/biosdev mode=0555
641 file path=sbin/bootadm mode=0555
642 file path=sbin/cryptoadm mode=0555
643 file path=sbin/devprop mode=0555
644 file path=sbin/dhcpagent mode=0555
645 file path=sbin/dhcpinfo mode=0555
646 file path=sbin/dlmgmtd mode=0555
647 file path=sbin/fdisk mode=0555
648 file path=sbin/fiocompress mode=0555
649 file path=sbin/hostconfig mode=0555
650 file path=sbin/ifconfig mode=0555
651 file path=sbin/iffparse mode=0555
652 file path=sbin/init group=sys mode=0555
653 $(i386_ONLY)file path=sbin/installgrub group=sys mode=0555
654 file path=sbin/ipmpstat mode=0555

```

```

655 file path=sbin/mount mode=0555
656 file path=sbin/mountall group=sys mode=0555
657 file path=sbin/netstrategy mode=0555
658 file path=sbin/rc0 group=sys mode=0744
659 file path=sbin/rc1 group=sys mode=0744
660 file path=sbin/rc2 group=sys mode=0744
661 file path=sbin/rc3 group=sys mode=0744
662 file path=sbin/rcS group=sys mode=0744
663 file path=sbin/route mode=0555
664 file path=sbin/routeadm mode=0555
665 file path=sbin/soconfig mode=0555
666 file path=sbin/su.static group=sys mode=0555
667 file path=sbin/sulogin mode=0555
668 file path=sbin/swapadm group=sys mode=0744
669 file path=sbin/sync mode=0555
670 file path=sbin/tzreload mode=0555
671 file path=sbin/uadmin group=sys mode=0555
672 file path=sbin/umount mode=0555
673 file path=sbin/umountall group=sys mode=0555
674 file path=sbin/uname mode=0555
675 file path=sbin/wusbadm mode=0555
676 file path=sbin/zonename mode=0555
677 $(i386_ONLY)file path=usr/bin/$(ARCH32)/amt mode=0555
678 file path=usr/bin/$(ARCH32)/decrypt mode=0555
679 file path=usr/bin/$(ARCH32)/digest mode=0555
680 file path=usr/bin/$(ARCH32)/ksh93 mode=0555
681 $(i386_ONLY)file path=usr/bin/$(ARCH32)/newtask group=sys mode=4555
682 $(i386_ONLY)file path=usr/bin/$(ARCH32)/nohup mode=0555
683 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prctl mode=0555
684 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prstat mode=0555
685 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ps mode=0555
686 file path=usr/bin/$(ARCH32)/savecore mode=0555
687 $(i386_ONLY)file path=usr/bin/$(ARCH32)/setuname mode=0555
688 $(i386_ONLY)file path=usr/bin/$(ARCH32)/uptime mode=4555
689 file path=usr/bin/$(ARCH64)/amt mode=0555
690 file path=usr/bin/$(ARCH64)/crle mode=0555
691 file path=usr/bin/$(ARCH64)/decrypt mode=0555
692 file path=usr/bin/$(ARCH64)/digest mode=0555
693 file path=usr/bin/$(ARCH64)/ksh93 mode=0555
694 file path=usr/bin/$(ARCH64)/ls mode=0555
695 file path=usr/bin/$(ARCH64)/moe mode=0555
696 file path=usr/bin/$(ARCH64)/newtask group=sys mode=4555
697 file path=usr/bin/$(ARCH64)/nohup mode=0555
698 file path=usr/bin/$(ARCH64)/prctl mode=0555
699 file path=usr/bin/$(ARCH64)/prstat mode=0555
700 file path=usr/bin/$(ARCH64)/ps mode=0555
701 file path=usr/bin/$(ARCH64)/savecore mode=0555
702 file path=usr/bin/$(ARCH64)/setuname mode=0555
703 file path=usr/bin/$(ARCH64)/uptime mode=4555
704 $(i386_ONLY)file path=usr/bin/addbadsec mode=0555
705 file path=usr/bin/alias mode=0555
706 file path=usr/bin/amt mode=0555
707 file path=usr/bin/arch mode=0555
708 file path=usr/bin/at group=sys mode=4755
709 file path=usr/bin/atq group=sys mode=4755
710 file path=usr/bin/atrm group=sys mode=4755
711 file path=usr/bin/auths mode=0555
712 file path=usr/bin/basename mode=0555
713 file path=usr/bin/busstat mode=0555
714 file path=usr/bin/captoinfo mode=0555
715 file path=usr/bin/cat mode=0555
716 file path=usr/bin/chgrp mode=0555
717 file path=usr/bin/chmod mode=0555
718 file path=usr/bin/chown mode=0555
719 file path=usr/bin/ckdate mode=0555
720 file path=usr/bin/ckgid mode=0555

```

```

721 file path=usr/bin/ckint mode=0555
722 file path=usr/bin/ckitem mode=0555
723 file path=usr/bin/ckkeywd mode=0555
724 file path=usr/bin/ckpath mode=0555
725 file path=usr/bin/ckrange mode=0555
726 file path=usr/bin/ckstr mode=0555
727 file path=usr/bin/cktime mode=0555
728 file path=usr/bin/ckuid mode=0555
729 file path=usr/bin/ckyorn mode=0555
730 file path=usr/bin/clear mode=0555
731 file path=usr/bin/coreadm mode=0555
732 file path=usr/bin/cp mode=0555
733 file path=usr/bin/cpio mode=0555
734 file path=usr/bin/crle mode=0555
735 file path=usr/bin/crontab mode=4555
736 file path=usr/bin/crypt mode=0555
737 file path=usr/bin/csh mode=0555
738 file path=usr/bin/ctrun mode=0555
739 file path=usr/bin/ctstat mode=0555
740 file path=usr/bin/ctwatch mode=0555
741 file path=usr/bin/date mode=0555
742 file path=usr/bin/dd mode=0555
743 file path=usr/bin/devattr mode=0555
744 file path=usr/bin/devfree mode=0555
745 file path=usr/bin/devreserv mode=0555
746 file path=usr/bin/dirname mode=0555
747 $(i386_ONLY)file path=usr/bin/diskscan mode=0555
748 file path=usr/bin/domainname mode=0555
749 file path=usr/bin/du mode=0555
750 file path=usr/bin/dumpcs mode=0555
751 file path=usr/bin/dumpkeys mode=0555
752 file path=usr/bin/echo mode=0555
753 file path=usr/bin/ed mode=0555
754 file path=usr/bin/egrep mode=0555
755 file path=usr/bin/eject mode=0555
756 file path=usr/bin/env mode=0555
757 file path=usr/bin/expr mode=0555
758 file path=usr/bin/false mode=0555
759 file path=usr/bin/fdetach mode=0555
760 file path=usr/bin/fdformat mode=4555
761 file path=usr/bin/fgrep mode=0555
762 file path=usr/bin/file mode=0555
763 file path=usr/bin/find mode=0555
764 file path=usr/bin/fmt mode=0555
765 file path=usr/bin/fmtmsg mode=0555
766 file path=usr/bin/fold mode=0555
767 file path=usr/bin/fsstat mode=0555
768 file path=usr/bin/genconvtbl mode=0555
769 file path=usr/bin/getconf mode=0555
770 file path=usr/bin/getdev mode=0555
771 file path=usr/bin/getdgrp mode=0555
772 file path=usr/bin/getent mode=0555
773 file path=usr/bin/getfacl mode=0555
774 file path=usr/bin/getopt mode=0555
775 file path=usr/bin/gettext mode=0555
776 file path=usr/bin/getvol mode=0555
777 file path=usr/bin/grep mode=0555
778 file path=usr/bin/groups mode=0555
779 file path=usr/bin/head mode=0555
780 file path=usr/bin/hostid mode=0555
781 file path=usr/bin/hostname mode=0555
782 file path=usr/bin/i286 mode=0555
783 file path=usr/bin/iconv mode=0555
784 file path=usr/bin/id mode=0555
785 file path=usr/bin/infocmp mode=0555
786 file path=usr/bin/iostat mode=0555

```

```

787 file path=usr/bin/isainfo mode=0555
788 file path=usr/bin/isalist mode=0555
789 file path=usr/bin/kbd mode=0555
790 file path=usr/bin/keylogin mode=0555
791 file path=usr/bin/keylogout mode=0555
792 file path=usr/bin/kmfcfg mode=0555
793 file path=usr/bin/kvmstat mode=0555
794 file path=usr/bin/line mode=0555
795 file path=usr/bin/listdgrp mode=0555
796 file path=usr/bin/listusers mode=0555
797 file path=usr/bin/loadkeys mode=0555
798 file path=usr/bin/logger mode=0555
799 file path=usr/bin/login mode=4555
800 file path=usr/bin/logins mode=0750
801 file path=usr/bin/ls mode=0555
802 file path=usr/bin/m4 mode=0555
803 file path=usr/bin/mach mode=0555
804 file path=usr/bin/mail group=mail mode=2511
805 file path=usr/bin/mailx group=mail mode=2511
806 file path=usr/bin/makedev mode=0555
807 file path=usr/bin/mess mode=0555
808 file path=usr/bin/mkdir mode=0555
809 file path=usr/bin/mkpwdict mode=0555
810 file path=usr/bin/mktemp mode=0555
811 file path=usr/bin/moe mode=0555
812 file path=usr/bin/more mode=0555
813 file path=usr/bin/mpstat mode=0555
814 file path=usr/bin/mt mode=0555
815 file path=usr/bin/netstat mode=0555
816 file path=usr/bin/newgrp group=sys mode=4755
817 file path=usr/bin/nice mode=0555
818 file path=usr/bin/optisa mode=0555
819 file path=usr/bin/pagesize mode=0555
820 file path=usr/bin/passwd group=sys mode=6555
821 file path=usr/bin/pathchk mode=0555
822 file path=usr/bin/pax mode=0555
823 file path=usr/bin/pfexec mode=0555
824 file path=usr/bin/pg mode=0555
825 file path=usr/bin/pgrep mode=0555
826 file path=usr/bin/pktool mode=0555
827 file path=usr/bin/pr mode=0555
828 file path=usr/bin/printf mode=0555
829 file path=usr/bin/priocntl mode=0555
830 file path=usr/bin/profiles mode=0555
831 file path=usr/bin/projects mode=0555
832 file path=usr/bin/putdev mode=0555
833 file path=usr/bin/putdgrp mode=0555
834 file path=usr/bin/pwd mode=0555
835 file path=usr/bin/renice mode=0555
836 file path=usr/bin/rm mode=0555
837 file path=usr/bin/rmdir mode=0555
838 file path=usr/bin/roles mode=0555
839 file path=usr/bin/rpoinfo mode=0555
840 file path=usr/bin/runat mode=0555
841 file path=usr/bin/script mode=0555
842 file path=usr/bin/sed mode=0555
843 file path=usr/bin/setfacl mode=0555
844 file path=usr/bin/setpgrp group=sys mode=0555
845 file path=usr/bin/settime mode=0555
846 file path=usr/bin/shcomp mode=0555
847 file path=usr/bin/strchg group=root mode=0555
848 file path=usr/bin/strconf group=root mode=0555
849 file path=usr/bin/stty mode=0555
850 file path=usr/bin/su group=sys mode=4555
851 file path=usr/bin/svcprop mode=0555
852 file path=usr/bin/svcs mode=0555

```

```

853 file path=usr/bin/tabs mode=0555
854 file path=usr/bin/tail mode=0555
855 file path=usr/bin/tic mode=0555
856 file path=usr/bin/time mode=0555
857 file path=usr/bin/tip mode=4511 owner=uucp
858 file path=usr/bin/tpmadm mode=0555
859 file path=usr/bin/tput mode=0555
860 file path=usr/bin/tr mode=0555
861 file path=usr/bin>true mode=0555
862 file path=usr/bin/tty mode=0555
863 file path=usr/bin/tzselect mode=0555
864 file path=usr/bin/userattr mode=0555
865 file path=usr/bin/vmstat mode=0555
866 file path=usr/bin/which mode=0555
867 file path=usr/bin/who mode=0555
868 file path=usr/bin/wracct mode=0555
869 file path=usr/bin/write group=tty mode=2555
870 file path=usr/bin/xargs mode=0555
871 file path=usr/bin/xstr mode=0555
872 file path=usr/has/bin/edit mode=0555
873 file path=usr/has/bin/sh mode=0555
874 file path=usr/has/man/man1has/edit.1has
875 file path=usr/has/man/man1has/ex.lhas
876 file path=usr/has/man/man1has/sh.lhas
877 file path=usr/has/man/man1has/vi.lhas
878 file path=usr/kernel/drv/$(ARCH64)/dump group=sys
879 file path=usr/kernel/drv/$(ARCH64)/fssnap group=sys
880 file path=usr/kernel/drv/$(ARCH64)/kstat group=sys
881 file path=usr/kernel/drv/$(ARCH64)/ksyms group=sys
882 file path=usr/kernel/drv/$(ARCH64)/logindmux group=sys
883 file path=usr/kernel/drv/$(ARCH64)/ptm group=sys
884 file path=usr/kernel/drv/$(ARCH64)/pts group=sys
885 $(i386_ONLY)file path=usr/kernel/drv/dump group=sys
886 file path=usr/kernel/drv/dump.conf group=sys
887 $(i386_ONLY)file path=usr/kernel/drv/fssnap group=sys
888 file path=usr/kernel/drv/fssnap.conf group=sys
889 $(i386_ONLY)file path=usr/kernel/drv/kstat group=sys
890 file path=usr/kernel/drv/kstat.conf group=sys
891 $(i386_ONLY)file path=usr/kernel/drv/ksyms group=sys
892 file path=usr/kernel/drv/ksyms.conf group=sys
893 $(i386_ONLY)file path=usr/kernel/drv/logindmux group=sys
894 file path=usr/kernel/drv/logindmux.conf group=sys
895 $(i386_ONLY)file path=usr/kernel/drv/ptm group=sys
896 file path=usr/kernel/drv/ptm.conf group=sys
897 $(i386_ONLY)file path=usr/kernel/drv/pts group=sys
898 file path=usr/kernel/drv/pts.conf group=sys
899 file path=usr/kernel/exec/$(ARCH64)/javaexec group=sys mode=0755
900 file path=usr/kernel/exec/$(ARCH64)/shbinexec group=sys mode=0755
901 $(i386_ONLY)file path=usr/kernel/exec/javaexec group=sys mode=0755
902 $(i386_ONLY)file path=usr/kernel/exec/shbinexec group=sys mode=0755
903 file path=usr/kernel/fs/$(ARCH64)/fdfs group=sys mode=0755
904 file path=usr/kernel/fs/$(ARCH64)/pcfs group=sys mode=0755
905 $(i386_ONLY)file path=usr/kernel/fs/fdfs group=sys mode=0755
906 $(i386_ONLY)file path=usr/kernel/fs/pcfs group=sys mode=0755
907 file path=usr/kernel/sched/$(ARCH64)/FX group=sys mode=0755
908 file path=usr/kernel/sched/$(ARCH64)/FX_DPTBL group=sys mode=0755
909 file path=usr/kernel/sched/$(ARCH64)/IA group=sys mode=0755
910 file path=usr/kernel/sched/$(ARCH64)/RT group=sys mode=0755
911 file path=usr/kernel/sched/$(ARCH64)/RT_DPTBL group=sys mode=0755
912 $(i386_ONLY)file path=usr/kernel/sched/FX group=sys mode=0755
913 $(i386_ONLY)file path=usr/kernel/sched/FX_DPTBL group=sys mode=0755
914 $(i386_ONLY)file path=usr/kernel/sched/IA group=sys mode=0755
915 $(i386_ONLY)file path=usr/kernel/sched/RT group=sys mode=0755
916 $(i386_ONLY)file path=usr/kernel/sched/RT_DPTBL group=sys mode=0755
917 file path=usr/kernel/strmod/$(ARCH64)/cryptmod group=sys mode=0755
918 file path=usr/kernel/strmod/$(ARCH64)/rlmod group=sys mode=0755

```

```

919 file path=usr/kernel/strmod/$(ARCH64)/telmod group=sys mode=0755
920 $(i386_ONLY)file path=usr/kernel/strmod/cryptmod group=sys mode=0755
921 $(i386_ONLY)file path=usr/kernel/strmod/r1lmod group=sys mode=0755
922 $(i386_ONLY)file path=usr/kernel/strmod/telmod group=sys mode=0755
923 file path=usr/kernel/sys/$(ARCH64)/acctctl group=sys mode=0755
924 file path=usr/kernel/sys/$(ARCH64)/exactctsys group=sys mode=0755
925 file path=usr/kernel/sys/$(ARCH64)/sysacct group=sys mode=0755
926 $(i386_ONLY)file path=usr/kernel/sys/acctctl group=sys mode=0755
927 $(i386_ONLY)file path=usr/kernel/sys/exactctsys group=sys mode=0755
928 $(i386_ONLY)file path=usr/kernel/sys/sysacct group=sys mode=0755
929 file path=usr/kvm/README group=sys
930 file path=usr/lib/$(ARCH64)/libshare.so.1
931 file path=usr/lib/audit/audit_record_attr mode=0444
932 file path=usr/lib/calprog mode=0555
933 file path=usr/lib/class/FX/FXdispadmin mode=0555
934 file path=usr/lib/class/FX/FXpriocntl mode=0555
935 file path=usr/lib/class/IA/IAdispadmin mode=0555
936 file path=usr/lib/class/IA/IApriocntl mode=0555
937 file path=usr/lib/class/RT/RTdispadmin mode=0555
938 file path=usr/lib/class/RT/RTpriocntl mode=0555
939 file path=usr/lib/class/SDC/SDCdispadmin mode=0555
940 file path=usr/lib/class/SDC/SDCpriocntl mode=0555
941 file path=usr/lib/class/TS/TSdispadmin mode=0555
942 file path=usr/lib/class/TS/TPriocntl mode=0555
943 file path=usr/lib/devfsadm/linkmod/SUNW_audio_link.so group=sys
944 file path=usr/lib/devfsadm/linkmod/SUNW_cfg_link.so group=sys
945 file path=usr/lib/devfsadm/linkmod/SUNW_disk_link.so group=sys
946 file path=usr/lib/devfsadm/linkmod/SUNW_fssnap_link.so group=sys
947 file path=usr/lib/devfsadm/linkmod/SUNW_ieee1394_link.so group=sys
948 file path=usr/lib/devfsadm/linkmod/SUNW_lofi_link.so group=sys
949 file path=usr/lib/devfsadm/linkmod/SUNW_md_link.so group=sys
950 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link.so group=sys
951 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link_$(ARCH).so group=sys
952 file path=usr/lib/devfsadm/linkmod/SUNW_port_link.so group=sys
953 file path=usr/lib/devfsadm/linkmod/SUNW_ramdisk_link.so group=sys
954 file path=usr/lib/devfsadm/linkmod/SUNW_sgen_link.so group=sys
955 file path=usr/lib/devfsadm/linkmod/SUNW_smp_link.so group=sys
956 file path=usr/lib/devfsadm/linkmod/SUNW_tape_link.so group=sys
957 file path=usr/lib/devfsadm/linkmod/SUNW_usb_link.so group=sys
958 $(i386_ONLY)file path=usr/lib/devfsadm/linkmod/SUNW_xen_link.so group=sys
959 file path=usr/lib/diffh mode=0555
960 file path=usr/lib/exrecover mode=0555
961 file path=usr/lib/exrecover mode=0555
962 file path=usr/lib/fs/cachefs/cachefsd mode=0555
963 file path=usr/lib/fs/cachefs/cachefslog mode=0555
964 file path=usr/lib/fs/cachefs/cachefspack mode=0555
965 file path=usr/lib/fs/cachefs/cacheftsize mode=0555
966 file path=usr/lib/fs/cachefs/cacheswssize mode=0555
967 file path=usr/lib/fs/cachefs/cfsadmin mode=0555
968 file path=usr/lib/fs/cachefs/cfsfstype mode=0555
969 file path=usr/lib/fs/cachefs/cfstagchk mode=0555
970 file path=usr/lib/fs/cachefs/dfshares mode=0555
971 file path=usr/lib/fs/cachefs/fscck mode=0555
972 file path=usr/lib/fs/cachefs/mount mode=0555
973 file path=usr/lib/fs/cachefs/share mode=0555
974 file path=usr/lib/fs/cachefs/umount mode=0555
975 file path=usr/lib/fs/cachefs/unshare mode=0555
976 file path=usr/lib/fs/ctfs/mount mode=0555
977 file path=usr/lib/fs/fd/mount mode=0555
978 file path=usr/lib/fs/hfs/fstyp.so.1 mode=0555
979 file path=usr/lib/fs/hfs/labelit mode=0555
980 file path=usr/lib/fs/lofs/mount mode=0555
981 file path=usr/lib/fs/mntfs/mount mode=0555
982 file path=usr/lib/fs/objfs/mount mode=0555
983 file path=usr/lib/fs/proc/mount mode=0555
984 file path=usr/lib/fs/sharefs/mount mode=0555

```

```

985 file path=usr/lib/fs/tmpfs/mount mode=0555
986 file path=usr/lib/fs/ufs/clri mode=0555
987 file path=usr/lib/fs/ufs/df mode=0555
988 file path=usr/lib/fs/ufs/edquota mode=0555
989 file path=usr/lib/fs/ufs/ff mode=0555
990 file path=usr/lib/fs/ufs/fsck mode=0555
991 file path=usr/lib/fs/ufs/fsckall mode=0555
992 file path=usr/lib/fs/ufs/fsdb mode=0555
993 file path=usr/lib/fs/ufs/fsirand mode=0555
994 file path=usr/lib/fs/ufs/fssnap mode=0555
995 file path=usr/lib/fs/ufs/fstyp.so.1 mode=0555
996 file path=usr/lib/fs/ufs/labelit mode=0555
997 file path=usr/lib/fs/ufs/lockfs mode=0555
998 file path=usr/lib/fs/ufs/mkfs mode=0555
999 file path=usr/lib/fs/ufs/ncheck mode=0555
1000 file path=usr/lib/fs/ufs/newfs mode=0555
1001 file path=usr/lib/fs/ufs/quot mode=0555
1002 file path=usr/lib/fs/ufs/quota mode=4555
1003 file path=usr/lib/fs/ufs/quotacheck mode=0555
1004 file path=usr/lib/fs/ufs/quotaoff mode=0555
1005 file path=usr/lib/fs/ufs/repquota mode=0555
1006 file path=usr/lib/fs/ufs/tunefs mode=0555
1007 file path=usr/lib/fs/ufs/ufsdump mode=4555
1008 file path=usr/lib/fs/ufs/ufsrestore mode=4555
1009 file path=usr/lib/fs/ufs/volcopy mode=0555
1010 file path=usr/lib/getoptcvt mode=0555
1011 file path=usr/lib/help/auths/locale/C/AllSolAuthsHeader.html
1012 file path=usr/lib/help/auths/locale/C/AuditHeader.html
1013 file path=usr/lib/help/auths/locale/C/AuthJobsAdmin.html
1014 file path=usr/lib/help/auths/locale/C/AuthJobsUser.html
1015 file path=usr/lib/help/auths/locale/C/AuthProfmgrAssign.html
1016 file path=usr/lib/help/auths/locale/C/AuthProfmgrDelegate.html
1017 file path=usr/lib/help/auths/locale/C/AuthProfmgrExecattrWrite.html
1018 file path=usr/lib/help/auths/locale/C/AuthProfmgrRead.html
1019 file path=usr/lib/help/auths/locale/C/AuthProfmgrWrite.html
1020 file path=usr/lib/help/auths/locale/C/AuthReadNDMP.html
1021 file path=usr/lib/help/auths/locale/C/AuthReadSMB.html
1022 file path=usr/lib/help/auths/locale/C/AuthRoleAssign.html
1023 file path=usr/lib/help/auths/locale/C/AuthRoleDelegate.html
1024 file path=usr/lib/help/auths/locale/C/AuthRoleWrite.html
1025 file path=usr/lib/help/auths/locale/C/BindStates.html
1026 file path=usr/lib/help/auths/locale/C/DevAllocHeader.html
1027 file path=usr/lib/help/auths/locale/C/DevAllocate.html
1028 file path=usr/lib/help/auths/locale/C/DevConfig.html
1029 file path=usr/lib/help/auths/locale/C/DevGrant.html
1030 file path=usr/lib/help/auths/locale/C/DevRevoke.html
1031 file path=usr/lib/help/auths/locale/C/DhcpmgrHeader.html
1032 file path=usr/lib/help/auths/locale/C/DhcpmgrWrite.html
1033 file path=usr/lib/help/auths/locale/C/HotplugHeader.html
1034 file path=usr/lib/help/auths/locale/C/HotplugModify.html
1035 file path=usr/lib/help/auths/locale/C/IdmapRules.html
1036 file path=usr/lib/help/auths/locale/C/JobHeader.html
1037 file path=usr/lib/help/auths/locale/C/JobsGrant.html
1038 file path=usr/lib/help/auths/locale/C/LinkSecurity.html
1039 file path=usr/lib/help/auths/locale/C/LoginEnable.html
1040 file path=usr/lib/help/auths/locale/C/LoginHeader.html
1041 file path=usr/lib/help/auths/locale/C/LoginRemote.html
1042 file path=usr/lib/help/auths/locale/C/NetworkAutoconfRead.html
1043 file path=usr/lib/help/auths/locale/C/NetworkAutoconfSelect.html
1044 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWlan.html
1045 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWrite.html
1046 file path=usr/lib/help/auths/locale/C/NetworkHeader.html
1047 file path=usr/lib/help/auths/locale/C/NetworkILBconf.html
1048 file path=usr/lib/help/auths/locale/C/NetworkILBenable.html
1049 file path=usr/lib/help/auths/locale/C/NetworkInterfaceConfig.html
1050 file path=usr/lib/help/auths/locale/C/NetworkVRP.html

```

```

1051 file path=usr/lib/help/auths/locale/C/PriAdmin.html
1052 file path=usr/lib/help/auths/locale/C/ProfmgrHeader.html
1053 file path=usr/lib/help/auths/locale/C/RoleHeader.html
1054 file path=usr/lib/help/auths/locale/C/SmfAllocate.html
1055 file path=usr/lib/help/auths/locale/C/SmfAutofsStates.html
1056 file path=usr/lib/help/auths/locale/C/SmfCoreadmStates.html
1057 file path=usr/lib/help/auths/locale/C/SmfCronStates.html
1058 file path=usr/lib/help/auths/locale/C/SmfExAcctFlowStates.html
1059 file path=usr/lib/help/auths/locale/C/SmfExAcctNetStates.html
1060 file path=usr/lib/help/auths/locale/C/SmfExAcctProcessStates.html
1061 file path=usr/lib/help/auths/locale/C/SmfExAcctTaskStates.html
1062 file path=usr/lib/help/auths/locale/C/SmfHeader.html
1063 file path=usr/lib/help/auths/locale/C/SmfILBStates.html
1064 file path=usr/lib/help/auths/locale/C/SmfIPsecStates.html
1065 file path=usr/lib/help/auths/locale/C/SmfIdmapStates.html
1066 file path=usr/lib/help/auths/locale/C/SmfInetdStates.html
1067 file path=usr/lib/help/auths/locale/C/SmfLocationStates.html
1068 file path=usr/lib/help/auths/locale/C/SmfMDNSStates.html
1069 file path=usr/lib/help/auths/locale/C/SmfManageAudit.html
1070 file path=usr/lib/help/auths/locale/C/SmfManageHeader.html
1071 file path=usr/lib/help/auths/locale/C/SmfManageHotplug.html
1072 file path=usr/lib/help/auths/locale/C/SmfManageZFSsnap.html
1073 file path=usr/lib/help/auths/locale/C/SmfModifyAppl.html
1074 file path=usr/lib/help/auths/locale/C/SmfModifyDepend.html
1075 file path=usr/lib/help/auths/locale/C/SmfModifyFramework.html
1076 file path=usr/lib/help/auths/locale/C/SmfModifyHeader.html
1077 file path=usr/lib/help/auths/locale/C/SmfModifyMethod.html
1078 file path=usr/lib/help/auths/locale/C/SmfNADDStates.html
1079 file path=usr/lib/help/auths/locale/C/SmfNDMPStates.html
1080 file path=usr/lib/help/auths/locale/C/SmfNWAMStates.html
1081 file path=usr/lib/help/auths/locale/C/SmfNscdStates.html
1082 file path=usr/lib/help/auths/locale/C/SmfPowerStates.html
1083 file path=usr/lib/help/auths/locale/C/SmfReparseStates.html
1084 file path=usr/lib/help/auths/locale/C/SmfRoutingStates.html
1085 file path=usr/lib/help/auths/locale/C/SmfSMBFSStates.html
1086 file path=usr/lib/help/auths/locale/C/SmfSMBStates.html
1087 file path=usr/lib/help/auths/locale/C/SmfSendmailStates.html
1088 file path=usr/lib/help/auths/locale/C/SmfSshStates.html
1089 file path=usr/lib/help/auths/locale/C/SmfSyslogStates.html
1090 file path=usr/lib/help/auths/locale/C/SmfVRRPStates.html
1091 file path=usr/lib/help/auths/locale/C/SmfValueAudit.html
1092 file path=usr/lib/help/auths/locale/C/SmfValueCoreadm.html
1093 file path=usr/lib/help/auths/locale/C/SmfValueExAcctFlow.html
1094 file path=usr/lib/help/auths/locale/C/SmfValueExAcctNet.html
1095 file path=usr/lib/help/auths/locale/C/SmfValueExAcctProcess.html
1096 file path=usr/lib/help/auths/locale/C/SmfValueExAcctTask.html
1097 file path=usr/lib/help/auths/locale/C/SmfValueFirewall.html
1098 file path=usr/lib/help/auths/locale/C/SmfValueHeader.html
1099 file path=usr/lib/help/auths/locale/C/SmfValueIPsec.html
1100 file path=usr/lib/help/auths/locale/C/SmfValueIdmap.html
1101 file path=usr/lib/help/auths/locale/C/SmfValueInetd.html
1102 file path=usr/lib/help/auths/locale/C/SmfValueMDNS.html
1103 file path=usr/lib/help/auths/locale/C/SmfValueNADD.html
1104 file path=usr/lib/help/auths/locale/C/SmfValueNDMP.html
1105 file path=usr/lib/help/auths/locale/C/SmfValueNWAM.html
1106 file path=usr/lib/help/auths/locale/C/SmfValueRouting.html
1107 file path=usr/lib/help/auths/locale/C/SmfValueSMB.html
1108 file path=usr/lib/help/auths/locale/C/SmfValueVscan.html
1109 file path=usr/lib/help/auths/locale/C/SmfValueVt.html
1110 file path=usr/lib/help/auths/locale/C/SmfVscanStates.html
1111 file path=usr/lib/help/auths/locale/C/SmfVtStates.html
1112 file path=usr/lib/help/auths/locale/C/SmfWpaStates.html
1113 file path=usr/lib/help/auths/locale/C/SysCpuPowerMgmt.html
1114 file path=usr/lib/help/auths/locale/C/SysDate.html
1115 file path=usr/lib/help/auths/locale/C/SysHeader.html
1116 file path=usr/lib/help/auths/locale/C/SysMaintenance.html

```

```

1117 file path=usr/lib/help/auths/locale/C/SysPowerMgmtBrightness.html
1118 file path=usr/lib/help/auths/locale/C/SysPowerMgmtHeader.html
1119 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspend.html
1120 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoDisk.html
1121 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoRAM.html
1122 file path=usr/lib/help/auths/locale/C/SysShutdown.html
1123 file path=usr/lib/help/auths/locale/C/SysSysevenRead.html
1124 file path=usr/lib/help/auths/locale/C/SysSysevenWrite.html
1125 file path=usr/lib/help/auths/locale/C/WifiConfig.html
1126 file path=usr/lib/help/auths/locale/C/WifiWep.html
1127 file path=usr/lib/help/auths/locale/C/ZoneCloneFrom.html
1128 file path=usr/lib/help/auths/locale/C/ZoneHeader.html
1129 file path=usr/lib/help/auths/locale/C/ZoneLogin.html
1130 file path=usr/lib/help/auths/locale/C/ZoneManage.html
1131 file path=usr/lib/help/profiles/locale/C/RtAcctadm.html
1132 file path=usr/lib/help/profiles/locale/C/RtAll.html
1133 file path=usr/lib/help/profiles/locale/C/RtAuditCfg.html
1134 file path=usr/lib/help/profiles/locale/C/RtAuditCtrl.html
1135 file path=usr/lib/help/profiles/locale/C/RtAuditReview.html
1136 file path=usr/lib/help/profiles/locale/C/RtCPUPowerManagement.html
1137 file path=usr/lib/help/profiles/locale/C/RtConsUser.html
1138 file path=usr/lib/help/profiles/locale/C/RtContractObserver.html
1139 file path=usr/lib/help/profiles/locale/C/RtCronMngmnt.html
1140 file path=usr/lib/help/profiles/locale/C/RtCryptoMngmnt.html
1141 file path=usr/lib/help/profiles/locale/C/RtDCHPMngmnt.html
1142 file path=usr/lib/help/profiles/locale/C/RtDataAdmin.html
1143 file path=usr/lib/help/profiles/locale/C/RtDefault.html
1144 file path=usr/lib/help/profiles/locale/C/RtDeviceMngmnt.html
1145 file path=usr/lib/help/profiles/locale/C/RtDeviceSecurity.html
1146 file path=usr/lib/help/profiles/locale/C/RtExAcctFlow.html
1147 file path=usr/lib/help/profiles/locale/C/RtExAcctNet.html
1148 file path=usr/lib/help/profiles/locale/C/RtExAcctProcess.html
1149 file path=usr/lib/help/profiles/locale/C/RtExAcctTask.html
1150 file path=usr/lib/help/profiles/locale/C/RtFTPMngmnt.html
1151 file path=usr/lib/help/profiles/locale/C/RtFileSysMngmnt.html
1152 file path=usr/lib/help/profiles/locale/C/RtFileSysSecurity.html
1153 file path=usr/lib/help/profiles/locale/C/RtHotplugMngmnt.html
1154 file path=usr/lib/help/profiles/locale/C/RtIPIfilterMngmnt.html
1155 file path=usr/lib/help/profiles/locale/C/RtIdmapMngmnt.html
1156 file path=usr/lib/help/profiles/locale/C/RtIdmapNameRulesMngmnt.html
1157 file path=usr/lib/help/profiles/locale/C/RtInetdMngmnt.html
1158 file path=usr/lib/help/profiles/locale/C/RtKerberosClntrMngmnt.html
1159 file path=usr/lib/help/profiles/locale/C/RtKerberosSrvrMngmnt.html
1160 file path=usr/lib/help/profiles/locale/C/RtLogMngmnt.html
1161 file path=usr/lib/help/profiles/locale/C/RtMailMngmnt.html
1162 file path=usr/lib/help/profiles/locale/C/RtMaintAndRepair.html
1163 file path=usr/lib/help/profiles/locale/C/RtMediaBkup.html
1164 file path=usr/lib/help/profiles/locale/C/RtMediaCtlg.html
1165 file path=usr/lib/help/profiles/locale/C/RtMediaRestore.html
1166 file path=usr/lib/help/profiles/locale/C/RtNDMPMngmnt.html
1167 file path=usr/lib/help/profiles/locale/C/RtNameServiceAdmin.html
1168 file path=usr/lib/help/profiles/locale/C/RtNameServiceSecure.html
1169 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfAdmin.html
1170 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfUser.html
1171 file path=usr/lib/help/profiles/locale/C/RtNetILB.html
1172 file path=usr/lib/help/profiles/locale/C/RtNetIPsec.html
1173 file path=usr/lib/help/profiles/locale/C/RtNetLinkSecure.html
1174 file path=usr/lib/help/profiles/locale/C/RtNetMngmnt.html
1175 file path=usr/lib/help/profiles/locale/C/RtNetObservability.html
1176 file path=usr/lib/help/profiles/locale/C/RtNetSecure.html
1177 file path=usr/lib/help/profiles/locale/C/RtNetVRRP.html
1178 file path=usr/lib/help/profiles/locale/C/RtNetWifiMngmnt.html
1179 file path=usr/lib/help/profiles/locale/C/RtNetWifiSecure.html
1180 file path=usr/lib/help/profiles/locale/C/RtObAccessMngmnt.html
1181 file path=usr/lib/help/profiles/locale/C/RtOperator.html
1182 file path=usr/lib/help/profiles/locale/C/RtPriAdmin.html

```

```

1183 file path=usr/lib/help/profiles/locale/C/RtPrntAdmin.html
1184 file path=usr/lib/help/profiles/locale/C/RtProcManagement.html
1185 file path=usr/lib/help/profiles/locale/C/RtReparseMngmnt.html
1186 file path=usr/lib/help/profiles/locale/C/RtReservedProfile.html
1187 file path=usr/lib/help/profiles/locale/C/RtRightsDelegate.html
1188 file path=usr/lib/help/profiles/locale/C/RtSMBFSMngmnt.html
1189 file path=usr/lib/help/profiles/locale/C/RtSMBMngmnt.html
1190 file path=usr/lib/help/profiles/locale/C/RtSoftwareInstall.html
1191 file path=usr/lib/help/profiles/locale/C/RtSysAdmin.html
1192 file path=usr/lib/help/profiles/locale/C/RtSysEvMngmnt.html
1193 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmt.html
1194 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtBrightness.html
1195 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspend.html
1196 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoDisk.html
1197 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoRAM.html
1198 file path=usr/lib/help/profiles/locale/C/RtUserMngmnt.html
1199 file path=usr/lib/help/profiles/locale/C/RtUserSecurity.html
1200 file path=usr/lib/help/profiles/locale/C/RtVscanMngmnt.html
1201 file path=usr/lib/help/profiles/locale/C/RtZFSFileSysMngmnt.html
1202 file path=usr/lib/help/profiles/locale/C/RtZFSStorageMngmnt.html
1203 file path=usr/lib/help/profiles/locale/C/RtZoneMngmnt.html
1204 file path=usr/lib/help/profiles/locale/C/RtZoneSecurity.html
1205 file path=usr/lib/hotplugged mode=0555
1206 file path=usr/lib/iconv/646da.8859.t mode=0444
1207 file path=usr/lib/iconv/646de.8859.t mode=0444
1208 file path=usr/lib/iconv/646en.8859.t mode=0444
1209 file path=usr/lib/iconv/646es.8859.t mode=0444
1210 file path=usr/lib/iconv/646fr.8859.t mode=0444
1211 file path=usr/lib/iconv/646it.8859.t mode=0444
1212 file path=usr/lib/iconv/646sv.8859.t mode=0444
1213 file path=usr/lib/iconv/8859.646.t mode=0444
1214 file path=usr/lib/iconv/8859.646da.t mode=0444
1215 file path=usr/lib/iconv/8859.646de.t mode=0444
1216 file path=usr/lib/iconv/8859.646en.t mode=0444
1217 file path=usr/lib/iconv/8859.646es.t mode=0444
1218 file path=usr/lib/iconv/8859.646fr.t mode=0444
1219 file path=usr/lib/iconv/8859.646it.t mode=0444
1220 file path=usr/lib/iconv/8859.646sv.t mode=0444
1221 file path=usr/lib/iconv/iconv_data mode=0444
1222 file path=usr/lib/idmapd mode=0555
1223 file path=usr/lib/inet/$(ARCH32)/in.iked mode=0555
1224 file path=usr/lib/inet/$(ARCH64)/in.iked mode=0555
1225 file path=usr/lib/inet/certdb mode=0555
1226 file path=usr/lib/inet/certlocal mode=0555
1227 file path=usr/lib/inet/certrldb mode=0555
1228 file path=usr/lib/inet/inetd mode=0555
1229 file path=usr/lib/intrd mode=0555
1230 file path=usr/lib/isaexec mode=0555
1231 file path=usr/lib/kssladm mode=0555
1232 $(sparc_ONLY)file path=usr/lib/ld.so
1233 file path=usr/lib/libshare.so.1
1234 file path=usr/lib/makekey mode=0555
1235 file path=usr/lib/more.help
1236 file path=usr/lib/newsyslog group=sys mode=0555
1237 file path=usr/lib/passmgmt group=sys mode=0555
1238 file path=usr/lib/pci/pcidr mode=0555
1239 file path=usr/lib/pci/pcidr_plugin.so
1240 file path=usr/lib/pfexecd mode=0555
1241 file path=usr/lib/plateexec mode=0555
1242 file path=usr/lib/rcm/modules/SUNW_aggr_rcm.so mode=0555
1243 file path=usr/lib/rcm/modules/SUNW_cluster_rcm.so mode=0555
1244 file path=usr/lib/rcm/modules/SUNW_dump_rcm.so mode=0555
1245 file path=usr/lib/rcm/modules/SUNW_filesys_rcm.so mode=0555
1246 file path=usr/lib/rcm/modules/SUNW_ibpart_rcm.so mode=0555
1247 file path=usr/lib/rcm/modules/SUNW_ip_anon_rcm.so mode=0555
1248 file path=usr/lib/rcm/modules/SUNW_ip_rcm.so mode=0555

```

```

1249 file path=usr/lib/rcm/modules/SUNW_mprio_rcm.so mode=0555
1250 file path=usr/lib/rcm/modules/SUNW_network_rcm.so mode=0555
1251 file path=usr/lib/rcm/modules/SUNW_swap_rcm.so mode=0555
1252 $(sparc_ONLY)file path=usr/lib/rcm/modules/SUNW_ttymux_rcm.so mode=0555
1253 file path=usr/lib/rcm/modules/SUNW_vlan_rcm.so mode=0555
1254 file path=usr/lib/rcm/modules/SUNW_vnic_rcm.so mode=0555
1255 file path=usr/lib/rcm_daemon mode=0555
1256 file path=usr/lib/reparse/reparsed group=sys mode=0555
1257 file path=usr/lib/saf/listen group=sys mode=0755
1258 file path=usr/lib/saf/nlps_server group=sys mode=0755
1259 file path=usr/lib/saf/sac group=sys mode=0555
1260 file path=usr/lib/saf/ttymon group=sys mode=0555
1261 file path=usr/lib/sysevent/modules/datalink_mod.so
1262 file path=usr/lib/sysevent/modules/devfsadmd_mod.so
1263 file path=usr/lib/sysevent/modules/sysevent_conf_mod.so
1264 file path=usr/lib/sysevent/modules/sysevent_reg_mod.so
1265 file path=usr/lib/sysevent/syseventconfd mode=0555
1266 file path=usr/lib/sysevent/syseventd mode=0555
1267 file path=usr/lib/utmp_update mode=4555
1268 file path=usr/lib/utmpd mode=0555
1269 file path=usr/lib/vtdaemon mode=0555
1270 file path=usr/lib/vtinfo mode=0555
1271 file path=usr/lib/vtxlock mode=0555
1272 file path=usr/sadm/bin/puttext mode=0555
1273 file path=usr/sadm/install/miniroot.db group=sys mode=0444
1274 file path=usr/sadm/install/scripts/i.ipsecalgs group=sys mode=0555
1275 file path=usr/sadm/install/scripts/i.kcfconf group=sys mode=0555
1276 file path=usr/sadm/install/scripts/i.kmfconf group=sys mode=0555
1277 file path=usr/sadm/install/scripts/i.manifest group=sys mode=0555
1278 file path=usr/sadm/install/scripts/i.pcks1lconf group=sys mode=0555
1279 file path=usr/sadm/install/scripts/i.rbac group=sys mode=0555
1280 file path=usr/sadm/install/scripts/r.ipsecalgs group=sys mode=0555
1281 file path=usr/sadm/install/scripts/r.kcfconf group=sys mode=0555
1282 file path=usr/sadm/install/scripts/r.kmfconf group=sys mode=0555
1283 file path=usr/sadm/install/scripts/r.manifest group=sys mode=0555
1284 file path=usr/sadm/install/scripts/r.pcks1lconf group=sys mode=0555
1285 file path=usr/sadm/install/scripts/r.rbac group=sys mode=0555
1286 file path=usr/sadm/ugdates mode=0444
1287 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/add_drv group=sys mode=0555
1288 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modinfo group=sys mode=0555
1289 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modload group=sys mode=0555
1290 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modunload group=sys mode=0555
1291 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/pbind group=sys mode=0555
1292 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/prtconf group=sys mode=2555
1293 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/psrset group=sys mode=0555
1294 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/rem_drv group=sys mode=0555
1295 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/swap group=sys mode=2555
1296 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/sysdef group=sys mode=2555
1297 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/update_drv group=sys mode=0555
1298 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/whodo mode=4555
1299 file path=usr/sbin/$(ARCH64)/add_drv group=sys mode=0555
1300 file path=usr/sbin/$(ARCH64)/modinfo group=sys mode=0555
1301 file path=usr/sbin/$(ARCH64)/modload group=sys mode=0555
1302 file path=usr/sbin/$(ARCH64)/modunload group=sys mode=0555
1303 file path=usr/sbin/$(ARCH64)/pbind group=sys mode=0555
1304 file path=usr/sbin/$(ARCH64)/prtconf group=sys mode=2555
1305 file path=usr/sbin/$(ARCH64)/psrset group=sys mode=0555
1306 file path=usr/sbin/$(ARCH64)/rem_drv group=sys mode=0555
1307 file path=usr/sbin/$(ARCH64)/swap group=sys mode=2555
1308 file path=usr/sbin/$(ARCH64)/sysdef group=sys mode=2555
1309 file path=usr/sbin/$(ARCH64)/update_drv group=sys mode=0555
1310 file path=usr/sbin/$(ARCH64)/whodo mode=4555
1311 file path=usr/sbin/6to4relay mode=0555
1312 file path=usr/sbin/acctadm mode=0555
1313 file path=usr/sbin/allocate mode=4555
1314 file path=usr/sbin/arp mode=0555

```

```

1315 file path=usr/sbin/audit mode=0555
1316 file path=usr/sbin/auditconfig mode=0555
1317 file path=usr/sbin/auditd mode=0555
1318 file path=usr/sbin/auditrecord mode=0555
1319 file path=usr/sbin/auditreduce mode=0555
1320 file path=usr/sbin/auditstat mode=0555
1321 file path=usr/sbin/cfgadm mode=0555
1322 file path=usr/sbin/chroot mode=0555
1323 file path=usr/sbin/clear_locks mode=0555
1324 file path=usr/sbin/clinfo mode=0555
1325 file path=usr/sbin/clri mode=0555
1326 file path=usr/sbin/consadm group=sys mode=0555
1327 file path=usr/sbin/cron group=sys mode=0555
1328 file path=usr/sbin/devfsadm group=sys mode=0755
1329 file path=usr/sbin/devinfo mode=0555
1330 file path=usr/sbin/df mode=0555
1331 file path=usr/sbin/dfmounts mode=0555
1332 file path=usr/sbin/dispatcher mode=0555
1333 file path=usr/sbin/dminfo mode=0555
1334 file path=usr/sbin/dumpadm mode=0555
1335 file path=usr/sbin/eeprom group=sys mode=2555
1336 file path=usr/sbin/ff mode=0555
1337 file path=usr/sbin/fmthard group=sys mode=0555
1338 file path=usr/sbin/format mode=0555
1339 file path=usr/sbin/fsck mode=0555
1340 file path=usr/sbin/fstyp group=sys mode=0555
1341 file path=usr/sbin/fuser mode=0555
1342 file path=usr/sbin/getdevpolicy group=sys mode=0555
1343 file path=usr/sbin/getmajor group=sys mode=0755
1344 file path=usr/sbin/groupadd group=sys mode=0555
1345 file path=usr/sbin/groupdel group=sys mode=0555
1346 file path=usr/sbin/groupmod group=sys mode=0555
1347 file path=usr/sbin/grpcck mode=0555
1348 file path=usr/sbin/halt mode=0755
1349 file path=usr/sbin/hotplug mode=0555
1350 file path=usr/sbin/idmap mode=0555
1351 file path=usr/sbin/if_mpadmin mode=0555
1352 file path=usr/sbin/ikeadm mode=0555
1353 file path=usr/sbin/ikecert mode=0555
1354 file path=usr/sbin/inetadm mode=0555
1355 file path=usr/sbin/inetconv mode=0555
1356 file path=usr/sbin/install mode=0555
1357 file path=usr/sbin/installboot group=sys mode=0555
1358 file path=usr/sbin/ipaddrsel mode=0555
1359 file path=usr/sbin/ipseccalgs mode=0555
1360 file path=usr/sbin/ipseccconf mode=0555
1361 file path=usr/sbin/ipseckeyp mode=0555
1362 file path=usr/sbin/keyserv group=sys mode=0555
1363 file path=usr/sbin/killall mode=0555
1364 file path=usr/sbin/ksslcfg mode=0555
1365 file path=usr/sbin/link mode=0555
1366 file path=usr/sbin/locator mode=0555
1367 file path=usr/sbin/lofiadm mode=0555
1368 file path=usr/sbin/logadm mode=0555
1369 file path=usr/sbin/makedbm mode=0555
1370 file path=usr/sbin/mkdevalloc mode=0555
1371 file path=usr/sbin/mkfile mode=0555
1372 file path=usr/sbin/mknod mode=0555
1373 file path=usr/sbin/mountall group=sys mode=0555
1374 file path=usr/sbin/msgid mode=0555
1375 file path=usr/sbin/mvmdir mode=0555
1376 file path=usr/sbin/ndd mode=0555
1377 file path=usr/sbin/nlsadmin group=adm mode=0755
1378 file path=usr/sbin/nscd mode=0555
1379 file path=usr/sbin/nwamadm mode=0555
1380 file path=usr/sbin/nwamcfg mode=0555

```

```

1381 file path=usr/sbin/pmadm group=sys mode=0555
1382 file path=usr/sbin/praudit mode=0555
1383 $(i386_ONLY)file path=usr/sbin/prtdiag group=sys mode=2755
1384 file path=usr/sbin/prvtoc group=sys mode=0555
1385 file path=usr/sbin/psradm group=sys mode=0555
1386 file path=usr/sbin/psrinfo group=sys mode=0555
1387 file path=usr/sbin/pwck mode=0555
1388 file path=usr/sbin/pwconv group=sys mode=0555
1389 file path=usr/sbin/raidctl mode=0555
1390 file path=usr/sbin/ramdiskadm mode=0555
1391 file path=usr/sbin/rctladm mode=0555
1392 file path=usr/sbin/root_archive group=sys mode=0555
1393 file path=usr/sbin/rpcbind mode=0555
1394 $(i386_ONLY)file path=usr/sbin/rte mode=0555
1395 file path=usr/sbin/sacadm group=sys mode=4755
1396 file path=usr/sbin/setmnt mode=0555
1397 file path=usr/sbin/shareall mode=0555
1398 file path=usr/sbin/sharectl mode=0555
1399 file path=usr/sbin/sharemgr mode=0555
1400 file path=usr/sbin/shutdown group=sys mode=0755
1401 file path=usr/sbin/smbios mode=0555
1402 file path=usr/sbin/stmsboot mode=0555
1403 file path=usr/sbin/strace group=sys mode=0555
1404 file path=usr/sbin/strclean group=sys mode=0555
1405 file path=usr/sbin/strerr group=sys mode=0555
1406 file path=usr/sbin/sttydefs group=sys mode=0755
1407 file path=usr/sbin/svcadm mode=0555
1408 file path=usr/sbin/svccfg mode=0555
1409 file path=usr/sbin/syncinit mode=0555
1410 file path=usr/sbin/syncloop mode=0555
1411 file path=usr/sbin/syncstat mode=0555
1412 file path=usr/sbin/syseventadm group=sys mode=0555
1413 file path=usr/sbin/syslogd group=sys mode=0555
1414 file path=usr/sbin/tar mode=0555
1415 file path=usr/sbin/traceroute mode=4555
1416 file path=usr/sbin/trapstat mode=0555
1417 file path=usr/sbin/ttymadm group=sys mode=0755
1418 $(i386_ONLY)file path=usr/sbin/ucodeadm mode=0555
1419 file path=usr/sbin/umountall group=sys mode=0555
1420 file path=usr/sbin/unlink mode=0555
1421 file path=usr/sbin/unshareall mode=0555
1422 file path=usr/sbin/useradd group=sys mode=0555
1423 file path=usr/sbin/userdel group=sys mode=0555
1424 file path=usr/sbin/usermod group=sys mode=0555
1425 $(sparc_ONLY)file path=usr/sbin/virtinfo mode=0555
1426 file path=usr/sbin/volcopy mode=0555
1427 file path=usr/sbin/wall group=tty mode=2555
1428 file path=usr/sbin/zdump mode=0555
1429 file path=usr/sbin/zic mode=0555
1430 file path=usr/share/doc/ksh/COMPATIBILITY
1431 file path=usr/share/doc/ksh/DESIGN
1432 file path=usr/share/doc/ksh/OBSOLETE
1433 file path=usr/share/doc/ksh/README
1434 file path=usr/share/doc/ksh/RELEASE
1435 file path=usr/share/doc/ksh/TYPES
1436 file path=usr/share/doc/ksh/images/callouts/1.png
1437 file path=usr/share/doc/ksh/images/callouts/10.png
1438 file path=usr/share/doc/ksh/images/callouts/2.png
1439 file path=usr/share/doc/ksh/images/callouts/3.png
1440 file path=usr/share/doc/ksh/images/callouts/4.png
1441 file path=usr/share/doc/ksh/images/callouts/5.png
1442 file path=usr/share/doc/ksh/images/callouts/6.png
1443 file path=usr/share/doc/ksh/images/callouts/7.png
1444 file path=usr/share/doc/ksh/images/callouts/8.png
1445 file path=usr/share/doc/ksh/images/callouts/9.png
1446 file path=usr/share/doc/ksh/images/tag_bourne.png

```

```

1447 file path=usr/share/doc/ksh/images/tag_i18n.png
1448 file path=usr/share/doc/ksh/images/tag_ksh.png
1449 file path=usr/share/doc/ksh/images/tag_ksh88.png
1450 file path=usr/share/doc/ksh/images/tag_ksh93.png
1451 file path=usr/share/doc/ksh/images/tag_l10n.png
1452 file path=usr/share/doc/ksh/images/tag_perf.png
1453 file path=usr/share/doc/ksh/shell_styleguide.docbook
1454 file path=usr/share/doc/ksh/shell_styleguide.html
1455 file path=usr/share/lib/mailx/mailx.help
1456 file path=usr/share/lib/mailx/mailx.help.~
1457 file path=usr/share/lib/tabset/3101
1458 file path=usr/share/lib/tabset/beehive
1459 file path=usr/share/lib/tabset/hds
1460 file path=usr/share/lib/tabset/hds3
1461 file path=usr/share/lib/tabset/std
1462 file path=usr/share/lib/tabset/stdcrt
1463 file path=usr/share/lib/tabset/teleray
1464 file path=usr/share/lib/tabset/vt100
1465 file path=usr/share/lib/tabset/wyse-adds
1466 file path=usr/share/lib/tabset/xerox1720
1467 file path=usr/share/lib/termcap
1468 file path=usr/share/lib/unittab
1469 file path=usr/share/lib/xml/dtd/adt_record.dtd.1
1470 file path=usr/share/lib/xml/dtd/kmfpolicy.dtd
1471 file path=usr/share/lib/xml/dtd/service_bundle.dtd.1 group=sys
1472 file path=usr/share/lib/xml/style/adt_record.xsl.1
1473 file path=var/adm/aculog mode=0600 owner=uucp preserve=true
1474 file path=var/adm/spellhist mode=0666 preserve=true
1475 file path=var/adm/utmpx preserve=true
1476 file path=var/adm/utmpx group=adm owner=adm preserve=true
1477 file path=var/log/authlog group=sys mode=0600 preserve=true
1478 file path=var/log/syslog group=sys preserve=true
1479 file path=var/sadm/system/admin/default_java group=sys mode=0444
1480 file path=var/saf/zsmon/log group=sys preserve=true
1481 file path=var/spool/cron/crontabs/adm group=sys mode=0600 preserve=true
1482 file path=var/spool/cron/crontabs/root group=sys mode=0600 preserve=true
1483 hardlink path=etc/rc2.d/S20syssetup target=../../etc/init.d/syssetup
1484 hardlink path=etc/rc2.d/S73cachefs.daemon \
1485     target=../../etc/init.d/cachefs.daemon
1486 hardlink path=etc/rc2.d/S89PRESERVE target=../../etc/init.d/PRESERVE
1487 $(sparc_ONLY)hardlink path=etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml \
1488     target=/platform_SUNW,Sun-Fire-880.xml
1489 $(sparc_ONLY)hardlink \
1490     path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml \
1491     target=/platform_SUNW,UltraSPARC-IIi-Netract.xml
1492 $(sparc_ONLY)hardlink \
1493     path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml \
1494     target=/platform_SUNW,UltraSPARC-IIi-Netract.xml
1495 hardlink path=sbin/rc5 target=../sbin/rc0
1496 hardlink path=sbin/rc6 target=../sbin/rc0
1497 hardlink path=usr/bin/$(ARCH32)/encrypt target=decrypt
1498 hardlink path=usr/bin/$(ARCH32)/ksh target=ksh93
1499 hardlink path=usr/bin/$(ARCH32)/mac target=digest
1500 hardlink path=usr/bin/$(ARCH32)/rksh target=ksh93
1501 hardlink path=usr/bin/$(ARCH32)/rksh93 target=ksh93
1502 $(i386_ONLY)hardlink path=usr/bin/$(ARCH32)/w target=uptime
1503 hardlink path=usr/bin/$(ARCH64)/encrypt target=decrypt
1504 hardlink path=usr/bin/$(ARCH64)/ksh target=ksh93
1505 hardlink path=usr/bin/$(ARCH64)/mac target=digest
1506 hardlink path=usr/bin/$(ARCH64)/rksh target=ksh93
1507 hardlink path=usr/bin/$(ARCH64)/rksh93 target=ksh93
1508 hardlink path=usr/bin/bg target=.../usr/bin/alias
1509 hardlink path=usr/bin/cd target=.../usr/bin/alias
1510 hardlink path=usr/bin/csum target=.../usr/bin/alias
1511 hardlink path=usr/bin/cksum target=.../usr/bin/alias
1512 hardlink path=usr/bin/cmp target=.../usr/bin/alias

```

```

1513 hardlink path=usr/bin/comm target=.../usr/bin/alias
1514 hardlink path=usr/bin/command target=.../usr/bin/alias
1515 hardlink path=usr/bin/cut target=.../usr/bin/alias
1516 hardlink path=usr/bin/decrypt target=.../usr/lib/isaexec
1517 hardlink path=usr/bin/digest target=.../usr/lib/isaexec
1518 hardlink path=usr/bin/dispid target=.../usr/bin/ckgid
1519 hardlink path=usr/bin/dispid target=.../usr/bin/ckuid
1520 hardlink path=usr/bin/edit target=.../has/bin/edit
1521 hardlink path=usr/bin/encrypt target=.../usr/lib/isaexec
1522 hardlink path=usr/bin/fc target=.../usr/bin/alias
1523 hardlink path=usr/bin/fc target=.../usr/bin/alias
1524 hardlink path=usr/bin/getopts target=.../usr/bin/alias
1525 hardlink path=usr/bin/hash target=.../usr/bin/alias
1526 hardlink path=usr/bin/i386 target=.../usr/bin/i286
1527 hardlink path=usr/bin/i486 target=.../usr/bin/i286
1528 hardlink path=usr/bin/i860 target=.../usr/bin/i286
1529 hardlink path=usr/bin/i86pc target=.../usr/bin/i286
1530 hardlink path=usr/bin/iAPX286 target=.../usr/bin/i286
1531 hardlink path=usr/bin/jobs target=.../usr/bin/alias
1532 hardlink path=usr/bin/join target=.../usr/bin/alias
1533 hardlink path=usr/bin/kill target=.../usr/bin/alias
1534 hardlink path=usr/bin/ksh target=.../usr/lib/isaexec
1535 hardlink path=usr/bin/ksh93 target=.../usr/lib/isaexec
1536 hardlink path=usr/bin/ln target=.../usr/bin/cp
1537 hardlink path=usr/bin/lnname target=.../usr/bin/alias
1538 hardlink path=usr/bin/m68k target=.../usr/bin/i286
1539 hardlink path=usr/bin/mac target=.../usr/lib/isaexec
1540 hardlink path=usr/bin/mc68000 target=.../usr/bin/i286
1541 hardlink path=usr/bin/mc68010 target=.../usr/bin/i286
1542 hardlink path=usr/bin/mc68020 target=.../usr/bin/i286
1543 hardlink path=usr/bin/mc68030 target=.../usr/bin/i286
1544 hardlink path=usr/bin/mc68040 target=.../usr/bin/i286
1545 hardlink path=usr/bin/mv target=.../usr/bin/cp
1546 hardlink path=usr/bin/newtask target=.../usr/lib/isaexec
1547 hardlink path=usr/bin/nohup target=.../usr/lib/isaexec
1548 hardlink path=usr/bin/page target=.../usr/bin/more
1549 hardlink path=usr/bin/paste target=.../usr/bin/alias
1550 hardlink path=usr/bin/pdpll target=.../usr/bin/i286
1551 hardlink path=usr/bin/pfbash target=.../usr/bin/pfexec
1552 hardlink path=usr/bin/pfcsh target=.../usr/bin/pfexec
1553 hardlink path=usr/bin/pfksh target=.../usr/bin/pfexec
1554 hardlink path=usr/bin/pfksh93 target=.../usr/bin/pfexec
1555 hardlink path=usr/bin/pfrksh target=.../usr/bin/pfexec
1556 hardlink path=usr/bin/pfrksh93 target=.../usr/bin/pfexec
1557 hardlink path=usr/bin/pfsh target=.../usr/bin/pfexec
1558 hardlink path=usr/bin/pftcsh target=.../usr/bin/pfexec
1559 hardlink path=usr/bin/pfzsh target=.../usr/bin/pfexec
1560 hardlink path=usr/bin/pkill target=.../usr/bin/pgrep
1561 hardlink path=usr/bin/prctl target=.../usr/lib/isaexec
1562 hardlink path=usr/bin/print target=.../usr/bin/alias
1563 hardlink path=usr/bin/prstat target=.../usr/lib/isaexec
1564 hardlink path=usr/bin/ps target=.../usr/lib/isaexec
1565 hardlink path=usr/bin/read target=.../usr/bin/alias
1566 hardlink path=usr/bin/red target=.../usr/bin/ed
1567 hardlink path=usr/bin/rev target=.../usr/bin/alias
1568 hardlink path=usr/bin/rksh target=.../usr/lib/isaexec
1569 hardlink path=usr/bin/rksh93 target=.../usr/lib/isaexec
1570 hardlink path=usr/bin/savecore target=.../usr/lib/isaexec
1571 hardlink path=usr/bin/setuname target=.../usr/lib/isaexec
1572 hardlink path=usr/bin/sleep target=.../usr/bin/alias
1573 hardlink path=usr/bin/sparc target=.../usr/bin/i286
1574 hardlink path=usr/bin/sum target=.../usr/bin/alias
1575 hardlink path=usr/bin/sun target=.../usr/bin/i286
1576 hardlink path=usr/bin/sun2 target=.../usr/bin/i286
1577 hardlink path=usr/bin/sun3 target=.../usr/bin/i286
1578 hardlink path=usr/bin/sun3x target=.../usr/bin/i286

```

```

1579 hardlink path=usr/bin/sun4 target=../../usr/bin/i286
1580 hardlink path=usr/bin/sun4c target=../../usr/bin/i286
1581 hardlink path=usr/bin/sun4d target=../../usr/bin/i286
1582 hardlink path=usr/bin/sun4e target=../../usr/bin/i286
1583 hardlink path=usr/bin/sun4m target=../../usr/bin/i286
1584 hardlink path=usr/bin/tee target=../../usr/bin/alias
1585 hardlink path=usr/bin/test target=../../usr/bin/alias
1586 hardlink path=usr/bin/touch target=../../usr/bin/settime
1587 hardlink path=usr/bin/type target=../../usr/bin/alias
1588 hardlink path=usr/bin/u370 target=../../usr/bin/i286
1589 hardlink path=usr/bin/u3b target=../../usr/bin/i286
1590 hardlink path=usr/bin/u3b15 target=../../usr/bin/i286
1591 hardlink path=usr/bin/u3b2 target=../../usr/bin/i286
1592 hardlink path=usr/bin/u3b5 target=../../usr/bin/i286
1593 hardlink path=usr/bin/ulimit target=../../usr/bin/alias
1594 hardlink path=usr/bin/umask target=../../usr/bin/alias
1595 hardlink path=usr/bin/unalias target=../../usr/bin/alias
1596 hardlink path=usr/bin/uniq target=../../usr/bin/alias
1597 hardlink path=usr/bin/uptime target=../../usr/lib/isaexec
1598 hardlink path=usr/bin/vax target=../../usr/bin/i286
1599 hardlink path=usr/bin/vedit target=../bin/edit
1600 hardlink path=usr/bin/w target=../../usr/lib/isaexec
1601 hardlink path=usr/bin/wait target=../../usr/bin/alias
1602 hardlink path=usr/bin/wc target=../../usr/bin/alias
1603 hardlink path=usr/bin/ex target=edit
1604 hardlink path=usr/bin/pfsh target=../../bin/pfexec
1605 hardlink path=usr/bin/vedit target=edit
1606 hardlink path=usr/bin/vi target=edit
1607 hardlink path=usr/bin/view target=edit
1608 hardlink path=usr/lib/fs/hfs/fstyp target=../../sbin/fstyp
1609 hardlink path=usr/lib/fs/ufs/dcopy target=../../../../../usr/lib/fs/ufs/clri
1610 hardlink path=usr/lib/fs/ufs/fstyp target=../../../../../sbin/fstyp
1611 hardlink path=usr/lib/fs/ufs/quotaon \
1612     target=../../../../usr/lib/fs/ufs/quotaoff
1613 hardlink path=usr/lib/inet/in.iked target=../../../../../usr/lib/isaexec
1614 hardlink path=usr/sadm/bin/dispgid target=../../../../usr/bin/ckgid
1615 hardlink path=usr/sadm/bin/dispuid target=../../../../usr/bin/ckuid
1616 hardlink path=usr/sadm/bin/errange target=../../../../usr/bin/ckrange
1617 hardlink path=usr/sadm/bin/errdate target=../../../../usr/bin/ckdate
1618 hardlink path=usr/sadm/bin/errgid target=../../../../usr/bin/ckgid
1619 hardlink path=usr/sadm/bin/errint target=../../../../usr/bin/ckint
1620 hardlink path=usr/sadm/bin/erritem target=../../../../usr/bin/ckitem
1621 hardlink path=usr/sadm/bin/errpath target=../../../../usr/bin/ckpath
1622 hardlink path=usr/sadm/bin/errstr target=../../../../usr/bin/ckstr
1623 hardlink path=usr/sadm/bin/errtime target=../../../../usr/bin/cktime
1624 hardlink path=usr/sadm/bin/erruid target=../../../../usr/bin/ckuid
1625 hardlink path=usr/sadm/bin/erryorn target=../../../../usr/bin/ckyorn
1626 hardlink path=usr/sadm/bin/helpdate target=../../../../usr/bin/ckdate
1627 hardlink path=usr/sadm/bin/helpgid target=../../../../usr/bin/ckgid
1628 hardlink path=usr/sadm/bin/helpint target=../../../../usr/bin/ckint
1629 hardlink path=usr/sadm/bin/helpitem target=../../../../usr/bin/ckitem
1630 hardlink path=usr/sadm/bin/helppath target=../../../../usr/bin/ckpath
1631 hardlink path=usr/sadm/bin/helprange target=../../../../usr/bin/ckrange
1632 hardlink path=usr/sadm/bin/helpstr target=../../../../usr/bin/ckstr
1633 hardlink path=usr/sadm/bin/helptime target=../../../../usr/bin/cktime
1634 hardlink path=usr/sadm/bin/helpuid target=../../../../usr/bin/ckuid
1635 hardlink path=usr/sadm/bin/helpyorn target=../../../../usr/bin/ckyorn
1636 hardlink path=usr/sadm/bin/validate target=../../../../usr/bin/ckdate
1637 hardlink path=usr/sadm/bin/valgid target=../../../../usr/bin/ckgid
1638 hardlink path=usr/sadm/bin/valint target=../../../../usr/bin/ckint
1639 hardlink path=usr/sadm/bin/valpath target=../../../../usr/bin/ckpath
1640 hardlink path=usr/sadm/bin/valrange target=../../../../usr/bin/ckrange
1641 hardlink path=usr/sadm/bin/valstr target=../../../../usr/bin/ckstr
1642 hardlink path=usr/sadm/bin/valtime target=../../../../usr/bin/cktime
1643 hardlink path=usr/sadm/bin/valuid target=../../../../usr/bin/ckuid
1644 hardlink path=usr/sadm/bin/valyorn target=../../../../usr/bin/ckyorn

```

```

1645 hardlink path=usr/sbin/add_drv target=../../usr/lib/isaexec
1646 hardlink path=usr/sbin/audlinks target=../devfsadm
1647 hardlink path=usr/sbin/consadmd target=../../usr/sbin/consadm
1648 hardlink path=usr/sbin/deallocate target=../../usr/sbin/allocate
1649 hardlink path=usr/sbin/devlinks target=../devfsadm
1650 hardlink path=usr/sbin/dfshares target=../../usr/sbin/dfmounts
1651 hardlink path=usr/sbin/disks target=../devfsadm
1652 hardlink path=usr/sbin/drvcconfig target=../devfsadm
1653 hardlink path=usr/sbin/list_devices target=../../usr/sbin/allocate
1654 hardlink path=usr/sbin/mkdevmaps target=../../usr/sbin/mkdevalloc
1655 hardlink path=usr/sbin/modinfo target=../../usr/lib/isaexec
1656 hardlink path=usr/sbin/modload target=../../usr/lib/isaexec
1657 hardlink path=usr/sbin/modunload target=../../usr/lib/isaexec
1658 hardlink path=usr/sbin/pbind target=../../usr/lib/isaexec
1659 hardlink path=usr/sbin/ports target=../devfsadm
1660 hardlink path=usr/sbin/poweroff target=../halt
1661 hardlink path=usr/sbin/prtconf target=../../usr/lib/isaexec
1662 $(sparc_ONLY)hardlink path=usr/sbin/prtdiag target=../../usr/lib/plateexec
1663 hardlink path=usr/sbin/psrset target=../../usr/lib/isaexec
1664 hardlink path=usr/sbin/reboot target=../halt
1665 hardlink path=usr/sbin/rem_dry target=../../usr/lib/isaexec
1666 hardlink path=usr/sbin/roleadd target=../../usr/sbin/useradd
1667 hardlink path=usr/sbin/roledel target=../../usr/sbin/userdel
1668 hardlink path=usr/sbin/rolemod target=../../usr/sbin/usermod
1669 hardlink path=usr/sbin/share target=../../usr/sbin/sharemgr
1670 hardlink path=usr/sbin/swap target=../../usr/lib/isaexec
1671 hardlink path=usr/sbin/sysdef target=../../usr/lib/isaexec
1672 hardlink path=usr/sbin/tapes target=../devfsadm
1673 hardlink path=usr/sbin/unshare target=../../usr/sbin/sharemgr
1674 hardlink path=usr/sbin/update_drv target=../../usr/lib/isaexec
1675 hardlink path=usr/sbin/whodo target=../../usr/lib/isaexec
1676 legacy pkg=SUNWCsr \
1677     desc="core software for a specific instruction-set architecture" \
1678     name="Core Solaris, (Root)"
1679 legacy pkg=SUNWCSu \
1680     desc="core software for a specific instruction-set architecture" \
1681     name="Core Solaris, (User)"
1682 legacy pkg=SUNWftp desc="FTP Server Configuration Files" \
1683     name="FTP Server, (Root)"
1684 license cr_Sun license=cr_Sun
1685 license lic_CDDL license=lic_CDDL
1686 license usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE \
1687     license=usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE
1688 license usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE \
1689     license=usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE
1690 license usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.arp \
1691     license=usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.arp
1692 license usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.route \
1693     license=usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.route
1694 license usr/src/cmd/cmd-inet/usr.sbin/ifconfig/THIRDPARTYLICENSE \
1695     license=usr/src/cmd/cmd-inet/usr.sbin/ifconfig/THIRDPARTYLICENSE
1696 license usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/LICENSE \
1697     license=usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/LICENSE
1698 license usr/src/cmd/cmd-inet/usr.sbin/traceroute/THIRDPARTYLICENSE \
1699     license=usr/src/cmd/cmd-inet/usr.sbin/traceroute/THIRDPARTYLICENSE
1700 license usr/src/cmd/cron/THIRDPARTYLICENSE \
1701     license=usr/src/cmd/cron/THIRDPARTYLICENSE
1702 license usr/src/cmd/csh/THIRDPARTYLICENSE \
1703     license=usr/src/cmd/csh/THIRDPARTYLICENSE
1704 license usr/src/cmd/eeprom/THIRDPARTYLICENSE \
1705     license=usr/src/cmd/eeprom/THIRDPARTYLICENSE
1706 license usr/src/fs.d/ufs/THIRDPARTYLICENSE \
1707     license=usr/src/cmd/fs.d/ufs/THIRDPARTYLICENSE
1708 license usr/src/cmd/mt/THIRDPARTYLICENSE \
1709     license=usr/src/cmd/mt/THIRDPARTYLICENSE
1710 license usr/src/cmd/script/THIRDPARTYLICENSE \

```

```

1711     license=usr/src/cmd/script/THIRDPARTYLICENSE
1712 link path=usr/src/cmd/sed/THIRDPARTYLICENSE \
1713     license=usr/src/cmd/sed/THIRDPARTYLICENSE
1714 link path=usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE \
1715     license=usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE
1716 link path=usr/src/cmd/tail/THIRDPARTYLICENSE \
1717     license=usr/src/cmd/tail/THIRDPARTYLICENSE
1718 link path=usr/src/cmd/tip/THIRDPARTYLICENSE \
1719     license=usr/src/cmd/tip/THIRDPARTYLICENSE
1720 link path=usr/src/cmd/tr/THIRDPARTYLICENSE \
1721     license=usr/src/cmd/tr/THIRDPARTYLICENSE
1722 link path=usr/src/cmd/vi/THIRDPARTYLICENSE \
1723     license=usr/src/cmd/vi/THIRDPARTYLICENSE
1724 link path=usr/src/cmd/which/THIRDPARTYLICENSE \
1725     license=usr/src/cmd/which/THIRDPARTYLICENSE
1726 link path=usr/src/cmd/xstr/THIRDPARTYLICENSE \
1727     license=usr/src/cmd/xstr/THIRDPARTYLICENSE
1728 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
1729 link path=bin target=../usr/bin
1730 link path=etc/TIMEZONE target=../default/init
1731 link path=etc/autopush target=../sbin/autopush
1732 link path=etc/cfgadm target=../usr/sbin/cfgadm
1733 link path=etc/clri target=../usr/sbin/clri
1734 link path=etc/cron target=../usr/sbin/cron
1735 link path=etc/dcopy target=../usr/sbin/dcopy
1736 link path=etc/ff target=../usr/sbin/ff
1737 link path=etc/fmthard target=../usr/sbin/fmthard
1738 link path=etc/format target=../usr/sbin/format
1739 link path=etc/fsck target=../usr/sbin/fsck
1740 link path=etc/fsdb target=../usr/sbin/fsdb
1741 link path=etc/fstyp target=../usr/sbin/fstyp
1742 link path=etc/getty target=../usr/lib/saf/ttymon
1743 link path=etc/grpck target=../usr/sbin/grpck
1744 link path=etc/halt target=../usr/sbin/halt
1745 link path=etc/hosts target=../inet/hosts
1746 link path=etc/inet/ipnodes target=../hosts
1747 link path=etc/inetd.conf target=../inet/inetd.conf
1748 link path=etc/init target=../sbin/init
1749 link path=etc/install target=../usr/sbin/install
1750 link path=etc/killall target=../usr/sbin/killall
1751 link path=etc/labelit target=../usr/sbin/labelit
1752 link path=etc/lib/ld.so.1 target=../lib/ld.so.1
1753 link path=etc/lib/libdl.so.1 target=../lib/libdl.so.1
1754 link path=etc/lib/nss_files.so.1 target=../lib/nss_files.so.1
1755 link path=etc/log target=../var/adm/log
1756 link path=etc/mkfs target=../usr/sbin/mkfs
1757 link path=etc/mknod target=../usr/sbin/mknod
1758 link path=etc/mount target=../sbin/mount
1759 link path=etc/mountall target=../sbin/mountall
1760 link path=etc/ncheck target=../usr/sbin/ncheck
1761 link path=etc/netmasks target=../inet/netmasks
1762 link path=etc/networks target=../inet/networks
1763 link path=etc/protocols target=../inet/protocols
1764 link path=etc/prtconf target=../usr/sbin/prtconf
1765 link path=etc/prtvtoe target=../usr/sbin/prtvtoe
1766 link path=etc/rc0 target=../sbin/rc0
1767 link path=etc/rc1 target=../sbin/rc1
1768 link path=etc/rc2 target=../sbin/rc2
1769 link path=etc/rc3 target=../sbin/rc3
1770 link path=etc/rc5 target=../sbin/rc5
1771 link path=etc/rc6 target=../sbin/rc6
1772 link path=etc/rcS target=../sbin/rcS
1773 link path=etc/reboot target=../usr/sbin/halt
1774 link path=etc/security/audit/localhost/files target=../../../../var/audit
1775 link path=etc/services target=../inet/services
1776 link path=etc/setmnt target=../usr/sbin/setmnt

```

```

1777 link path=etc/shutdown target=../usr/sbin/shutdown
1778 link path=etc/sulogin target=../sbin/sulogin
1779 link path=etc/swap target=../usr/sbin/swap
1780 link path=etc/swapadd target=../sbin/swapadd
1781 link path=etc/sysdef target=../usr/sbin/sysdef
1782 link path=etc/tar target=../usr/sbin/tar
1783 link path=etc/telinit target=../sbin/init
1784 link path=etc/uadmin target=../sbin/uadmin
1785 link path=etc/umount target=../sbin/umount
1786 link path=etc/umountall target=../sbin/umountall
1787 link path=etc/utmpx target=../var/adm/utmpx
1788 link path=etc/volcopy target=../usr/sbin/volcopy
1789 link path=etc/wall target=../usr/sbin/wall
1790 link path=etc/whodo target=../usr/sbin/whodo
1791 link path=etc/wtmpx target=../var/adm/wtmpx
1792 link path=sbin/in.mpathd target=../lib/inet/in.mpathd
1793 link path=sbin/jsh target=../usr/bin/ksh93
1794 link path=sbin/pfsh target=../usr/bin/pfexec
1795 link path=sbin/sh target=../usr/bin/$(ARCH32)/ksh93
1796 link path=sbin-su target=../usr/bin/su
1797 link path=usr/adm target=../var/adm
1798 link path=usr/bin/cachefs pack target=../lib/fs/cachefs/cachefs pack
1799 link path=usr/bin/cachefsstat target=../lib/fs/cachefs/cachefs stat
1800 link path=usr/bin/df target=../sbin/df
1801 link path=usr/bin/jsh target=ksh93
1802 link path=usr/bin/pwconv target=../sbin/pwconv
1803 link path=usr/bin/rmail target=../mail
1804 link path=usr/bin/sh target=../$(ARCH32)/ksh93
1805 link path=usr/bin/strclean target=../sbin/strclean
1806 link path=usr/bin/strerr target=../sbin/strerr
1807 link path=usr/bin/sync target=../sbin/sync
1808 link path=usr/bin/tar target=../sbin/tar
1809 link path=usr/bin/uname target=../sbin/ uname
1810 link path=usr/ccs/bin/m4 target=../bin/m4
1811 link path=usr/has/bin/jsh target=sh
1812 link path=usr/has/lib/rsh target=../bin/sh
1813 link path=usr/lib/$(ARCH64)/ld.so.1 target=...../lib/$(ARCH64)/ld.so.1
1814 link path=usr/lib/cron target=../etc/cron.d
1815 link path=usr/lib/devfsadm/devfsadm target=../sbin/devfsadm
1816 link path=usr/lib/embedded_su target=../bin/su
1817 link path=usr/lib/dev/mount target=...../etc/fs/dev/mount
1818 link path=usr/lib/fs/hfs/mount target=...../etc/fs/hfs/mount
1819 link path=usr/lib/fs/ufs/mount target=...../etc/fs/ufs/mount
1820 link path=usr/lib/inet/in.mpathd target=...../lib/inet/in.mpathd
1821 link path=usr/lib/ld.so.1 target=../lib/ld.so.1
1822 link path=usr/lib/locale/POSIX target=../C
1823 link path=usr/lib/rsh target=../bin/ksh93
1824 link path=usr/lib/secure/32 target=.
1825 link path=usr/lib/secure/64 target=../$(ARCH64)
1826 link path=usr/lib/wusbd target=../sbin/wusbd
1827 link path=usr/mail target=../var/mail
1828 link path=usr/net/nls/listen target=../lib/saf/listen
1829 link path=usr/net/nls/nlps_server target=../lib/saf/nlps_server
1830 link path=usr/news target=../var/news
1831 link path=usr/preserve target=../var/preserve
1832 link path=usr/pub target=../share/lib/pub
1833 link path=usr/sbin/autopush target=../sbin/autopush
1834 link path=usr/sbin/bootadm target=../sbin/bootadm
1835 link path=usr/sbin/cachefslog target=../lib/fs/cachefs/cachefs log
1836 link path=usr/sbin/cachefswssize target=../lib/fs/cachefs/cachefswssize
1837 link path=usr/sbin/cfsadmin target=../lib/fs/cachefs/cfsadmin
1838 link path=usr/sbin/cryptoadm target=../sbin/cryptoadm
1839 link path=usr/sbin/dcropy target=../clri
1840 link path=usr/sbin/devnm target=../df
1841 link path=usr/sbin/dladm target=../sbin/dladm
1842 link path=usr/sbin/dlstat target=../sbin/dlstat

```

```
1843 link path=usr/sbin/edquota target=../lib/fs/ufs/edquota
1844 link path=usr/sbin/fdisk target=../../sbin/fdisk
1845 link path=usr/sbin/fiocompress target=../../sbin/fiocompress
1846 link path=usr/sbin/flowadm target=../../sbin/flowadm
1847 link path=usr/sbin/flowstat target=../../sbin/flowstat
1848 link path=usr/sbin/fsdb target=./clri
1849 link path=usr/sbin/fsirand target=../lib/fs/ufs/fsirand
1850 link path=usr/sbin/fssnap target=./clri
1851 link path=usr/sbin/hostconfig target=../../sbin/hostconfig
1852 link path=usr/sbin/ifconfig target=../../sbin/ifconfig
1853 link path=usr/sbin/inetd target=../lib/inet/inetd
1854 link path=usr/sbin/init target=../../sbin/init
1855 $(i386_ONLY)link path=usr/sbin/installgrub target=../../sbin/installgrub
1856 link path=usr/sbin/ipadm target=../../sbin/ipadm
1857 link path=usr/sbin/ipmapstat target=../../sbin/ipmapstat
1858 link path=usr/sbin/labelit target=./clri
1859 link path=usr/sbin/lockfs target=../lib/fs/ufs/lockfs
1860 link path=usr/sbin/mkfs target=./clri
1861 link path=usr/sbin/mount target=../../sbin/mount
1862 link path=usr/sbin/ncheck target=./ff
1863 link path=usr/sbin/newfs target=../lib/fs/ufs/newfs
1864 link path=usr/sbin/quot target=../lib/fs/ufs/quot
1865 link path=usr/sbin/quota target=../lib/fs/ufs/quota
1866 link path=usr/sbin/quotacheck target=../lib/fs/ufs/quotacheck
1867 link path=usr/sbin/quotaoff target=../lib/fs/ufs/quotaoff
1868 link path=usr/sbin/quotaon target=../lib/fs/ufs/quotaon
1869 link path=usr/sbin/repquota target=../lib/fs/ufs/repquota
1870 link path=usr/sbin/route target=../../sbin/route
1871 link path=usr/sbin/routeadm target=../../sbin/routeadm
1872 link path=usr/sbin/sync target=../../sbin/sync
1873 link path=usr/sbin/tunefs target=../lib/fs/ufs/tunefs
1874 link path=usr/sbin/tzreload target=../../sbin/tzreload
1875 link path=usr/sbin/uadmin target=../../sbin/uadmin
1876 link path=usr/sbin/ufsdump target=../lib/fs/ufs/ufsdump
1877 link path=usr/sbin/ufsrestore target=../lib/fs/ufs/ufsrestore
1878 link path=usr/sbin/umount target=../../sbin/umount
1879 link path=usr/sbin/wusbadm target=../../sbin/wusbadm
1880 link path=usr/spool target=../var/spool
1881 link path=usr/src target=../share/src
1882 link path=usr/tmp target=../var/tmp
1883 link path=var/ld/32 target=.
1884 link path=var/ld/64 target=$(ARCH64)
1885 #
1886 # The bootadm binary needs the etc/release file.
1887 #
1888 depend fmri=release/name type=require
1889 #
1890 # intrd and others use the illumos-defaulted perl interpreter
1891 #
1892 depend fmri=runtime/perl-510 type=require
1893 #
1894 # The loadkeys binary needs the keytables.
1895 #
1896 depend fmri=system/data/keyboard/keytables type=require
1897 #
1898 # Depend on terminfo data.
1899 #
1900 depend fmri=system/data/terminfo type=require
1901 #
1902 # Depend on zoneinfo data.
1903 #
1904 depend fmri=system/data/zoneinfo type=require
```