

```

*****
27822 Tue Oct 7 19:19:26 2014
new/exception_lists/packaging
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 #endif /* ! codereview */
28 #
29 #
30 #
31 # Exception List for validate_pkg
32 #
33 #
34 #
35 # The following entries are built in the /proto area
36 # but not included in any packages - this is intentional.
37 #
38 usr/include/auth_list.h
39 usr/include/bsm/audit_door_infc.h
40 usr/include/bsm/audit_private.h
41 usr/include/bsm/devalloc.h
42 usr/include/getxby_door.h
43 usr/include/passwdutil.h
44 usr/include/priv_utils.h
45 usr/include/rpcsvc/daemon_utils.h
46 usr/include/rpcsvc/svc_dg_priv.h
47 usr/include/security/pam_impl.h
48 usr/include/sys/clock_impl.h
49 usr/include/sys/ieeefp.h
50 usr/include/sys/winlockio.h
51 usr/include/scsi/plugins/ses/vendor/sun_impl.h
52 #
53 # Private/Internal libraries of the Cryptographic Framework.
54 #
55 lib/libkcf.so
56 lib/libl1lib-l1elfsign
57 lib/libl1lib-l1elfsign.ln
58 lib/libl1lib-l1kcf
59 lib/libl1lib-l1kcf.ln

```

```

60 usr/include/libelfsign.h
61 usr/lib/libl1lib-l1softcrypto
62 usr/lib/libl1lib-l1softcrypto.ln
63 usr/lib/amd64/libl1lib-l1softcrypto.ln i386
64 usr/lib/sparcv9/libl1lib-l1softcrypto.ln sparc
65 #
66 #
67 # The following files are used by the DHCP service, the
68 # standalone's DHCP implementation, and the kernel (nfs_dlboot).
69 # They contain interfaces which are currently private.
70 #
71 usr/include/dhcp_svc_confkey.h
72 usr/include/dhcp_svc_confopt.h
73 usr/include/dhcp_svc_private.h
74 usr/include/dhcp_symbol.h
75 usr/include/sys/sunos_dhcp_class.h
76 #
77 # Private MAC driver header files
78 #
79 usr/include/inet/iptun.h
80 usr/include/sys/aggr_impl.h
81 usr/include/sys/aggr.h
82 usr/include/sys/dld_impl.h
83 usr/include/sys/dld_ioc.h
84 usr/include/sys/dls_impl.h
85 usr/include/sys/dls.h
86 usr/include/sys/mac_client_impl.h
87 usr/include/sys/mac_client.h
88 usr/include/sys/mac_flow_impl.h
89 usr/include/sys/mac_impl.h
90 usr/include/sys/mac_soft_ring.h
91 usr/include/sys/mac_stat.h
92 #
93 # Private GLDv3 userland libraries and headers
94 #
95 usr/include/libdladm_impl.h
96 usr/include/libdlaggr.h
97 usr/include/libdlether.h
98 usr/include/libdlflow_impl.h
99 usr/include/libdlflow.h
100 usr/include/libdliptun.h
101 usr/include/libdlmgt.h
102 usr/include/libdlsim.h
103 usr/include/libdlstat.h
104 #
105 # Virtual Network Interface Card (VNIC)
106 #
107 usr/include/sys/vnic.h
108 usr/include/sys/vnic_impl.h
109 #
110 # Private libipadm lint library and header files
111 #
112 usr/include/ipadm_ipngmt.h
113 usr/include/ipadm_ndpd.h
114 usr/include/libipadm.h
115 lib/libipadm
116 lib/libipadm.ln
117 lib/libipadm.so
118 #
119 # Private libsocket header file

```

new/exception_lists/packaging

3

```

120 #
121 usr/include/libsocket_priv.h
122 #
123 # IKE and IPsec support library exceptions. The IKE support
124 # library contains exclusively private interfaces, as does
125 # libipsecutil. My apologies for the glut of header files here.
126 #
127 usr/include/errfp.h
128 usr/include/ikedoor.h
129 usr/include/ipsec_util.h
130 usr/lib/libike.so
131 usr/lib/amd64/libike.so          i386
132 usr/lib/sparcv9/libike.so      sparc
133 usr/lib/libipsecutil.so
134 usr/lib/amd64/libipsecutil.so  i386
135 usr/lib/sparcv9/libipsecutil.so sparc
136 usr/lib/llib-like
137 usr/lib/llib-like.ln
138 usr/lib/amd64/llib-like.ln    i386
139 usr/lib/sparcv9/llib-like.ln  sparc
140 usr/lib/llib-lipsecutil
141 usr/lib/llib-lipsecutil.ln
142 usr/lib/amd64/llib-lipsecutil.ln i386
143 usr/lib/sparcv9/llib-lipsecutil.ln sparc
144 #
145 usr/include/inet/ip_impl.h
146 usr/include/inet/ip_ndp.h
147 usr/include/inet/ip2mac_impl.h
148 usr/include/inet/ip2mac.h
149 usr/include/inet/rawip_impl.h
150 usr/include/inet/tcp_impl.h
151 usr/include/inet/udp_impl.h
152 usr/include/libmail.h
153 usr/include/libnwam_priv.h
154 usr/include/protocols/ripngd.h
155 usr/include/s_string.h
156 usr/include/sys/logindmux_impl.h
157 usr/include/sys/vgareg.h
158 #
159 # Some IPsec headers can't be shipped lest we hit export controls...
160 #
161 usr/include/inet/ipsec_impl.h
162 usr/include/inet/ipsec_info.h
163 usr/include/inet/ipsecah.h
164 usr/include/inet/ipsecesp.h
165 usr/include/inet/keysock.h
166 usr/include/inet/sadb.h
167 usr/include/sys/sha1_consts.h
168 usr/include/sys/sha2_consts.h
169 #
170 #
171 # Filtering out directories not shipped
172 #
173 usr/4lib          i386
174 #
175 # These files contain definitions shared privately between the kernel
176 # and libc. There is no reason for them to be part of a package that
177 # a customer should ever see. They are installed in the proto area by
178 # the uts build because libc and other components, like truss, are
179 # dependent upon their contents and should not have their own copies.
180 #
181 usr/include/sys/libc_kernel.h
182 usr/include/sys/synch32.h
183 #
184 # These files are installed in the proto area by the build of libproc for
185 # the benefit of the builds of cmd/truss, cmd/gcore and cmd/ptools, which

```

new/exception_lists/packaging

4

```

186 # use libproc as their common process-control library. These are not
187 # interfaces for customer use, so the files are excluded from packaging.
188 #
189 lib/llib-lproc
190 lib/llib-lproc.ln
191 lib/amd64/llib-lproc.ln      i386
192 lib/sparcv9/llib-lproc.ln   sparc
193 usr/include/libproc.h
194 #
195 # Private interfaces for libdisasm
196 #
197 usr/include/libdisasm.h
198 usr/lib/llib-ldisasm
199 usr/lib/llib-ldisasm.ln
200 usr/lib/amd64/llib-ldisasm.ln i386
201 usr/lib/sparcv9/llib-ldisasm.ln sparc
202 #
203 # Private interfaces for libraidcfg
204 #
205 usr/include/raidcfg_spi.h
206 usr/include/raidcfg.h
207 usr/lib/libraidcfg.so
208 usr/lib/amd64/libraidcfg.so   i386
209 usr/lib/sparcv9/libraidcfg.so sparc
210 usr/lib/llib-lraidcfg
211 usr/lib/llib-lraidcfg.ln
212 usr/lib/amd64/llib-lraidcfg.ln i386
213 usr/lib/sparcv9/llib-lraidcfg.ln sparc
214 #
215 # This file is used for private communication between mdb, drv/kmdb, and
216 # misc/kmdb. The interfaces described herein are not intended for customer
217 # use, and are thus excluded from packaging.
218 #
219 usr/include/sys/kmdb.h
220 #
221 # These files are installed in the proto area by the build of libdhcpage
222 # and libdhcputil for the benefit of DHCP-related networking commands such
223 # as dhcpage, dhcpageinfo, ifconfig, and netstat. These are not interfaces
224 # for customer use, so the files are excluded from packaging.
225 #
226 lib/libdhcpage.so
227 lib/libdhcputil.so
228 lib/amd64/libdhcputil.so      i386
229 lib/sparcv9/libdhcputil.so    sparc
230 lib/llib-ldhcpage
231 lib/llib-ldhcpage.ln
232 lib/llib-ldhcputil
233 lib/llib-ldhcputil.ln
234 lib/amd64/llib-ldhcputil.ln  i386
235 lib/sparcv9/llib-ldhcputil.ln sparc
236 usr/include/dhcp_hostconf.h
237 usr/include/dhcp_impl.h
238 usr/include/dhcp_inittab.h
239 usr/include/dhcp_stable.h
240 usr/include/dhcp_symbol_common.h
241 usr/include/dhcpage_ipc.h
242 usr/include/dhcpage_util.h
243 usr/include/dhcpage.h
244 usr/lib/libdhcpage.so
245 usr/lib/libdhcputil.so
246 usr/lib/amd64/libdhcputil.so  i386
247 usr/lib/sparcv9/libdhcputil.so sparc
248 usr/lib/llib-ldhcpage
249 usr/lib/llib-ldhcpage.ln
250 usr/lib/llib-ldhcputil
251 usr/lib/llib-ldhcputil.ln

```

new/exception_lists/packaging

5

```

252 usr/lib/amd64/llib-ldhcputil.ln      i386
253 usr/lib/sparcv9/llib-ldhcputil.ln    sparcv9
254 #
255 # These files are installed in the proto area by the build of libinstzones
256 # and libpkg
257 #
258 usr/lib/llib-linstzones
259 usr/lib/llib-linstzones.ln
260 usr/lib/amd64/llib-linstzones.ln      i386
261 usr/lib/sparcv9/llib-linstzones.ln    sparcv9
262 usr/lib/llib-lpkg
263 usr/lib/llib-lpkg.ln
264 #
265 # Don't ship header files private to libipmp and in.mpathd
266 #
267 usr/include/ipmp_query_impl.h
268 #
269 # These files are installed in the proto area by the build of libinetsvc,
270 # an inetd-specific library shared by inetd, inetadm and inetconv. Only
271 # the shared object is shipped.
272 #
273 usr/include/inetsvc.h
274 usr/lib/libinetsvc.so
275 usr/lib/llib-linetsvc
276 usr/lib/llib-linetsvc.ln
277 #
278 # These files are installed in the proto area by the build of libinetutil,
279 # a general purpose library for the benefit of internet utilities. Only
280 # the shared object is shipped.
281 #
282 lib/libinetutil.so
283 lib/amd64/libinetutil.so                i386
284 lib/sparcv9/libinetutil.so             sparcv9
285 lib/llib-linetutil
286 lib/llib-linetutil.ln
287 lib/amd64/llib-linetutil.ln           i386
288 lib/sparcv9/llib-linetutil.ln         sparcv9
289 usr/include/libinetutil.h
290 usr/include/netinet/inetutil.h
291 usr/include/ofmt.h
292 usr/lib/libinetutil.so
293 usr/lib/amd64/libinetutil.so            i386
294 usr/lib/sparcv9/libinetutil.so         sparcv9
295 usr/lib/llib-linetutil
296 usr/lib/llib-linetutil.ln
297 usr/lib/amd64/llib-linetutil.ln       i386
298 usr/lib/sparcv9/llib-linetutil.ln     sparcv9
299 #
300 # Miscellaneous kernel interfaces or kernel-<->user interfaces that are
301 # consolidation private and we do not want to export at this time.
302 #
303 usr/include/sys/cryptmod.h
304 usr/include/sys/dumpadm.h
305 usr/include/sys/ontrap.h
306 usr/include/sys/sysmsg_impl.h
307 usr/include/sys/vlan.h
308 #
309 # These files are installed in the proto area so lvm can use
310 # them during the build process.
311 #
312 lib/llib-lmeta
313 lib/llib-lmeta.ln
314 usr/include/sdssc.h
315 usr/lib/llib-lmeta
316 usr/lib/llib-lmeta.ln
317 #

```

new/exception_lists/packaging

6

```

318 # non-public pci header
319 #
320 usr/include/sys/pci_impl.h
321 usr/include/sys/pci_tools.h
322 #
323 # Exception list for RCM project, included by librcm and rcm_daemon
324 #
325 usr/include/librcm_event.h
326 usr/include/librcm_impl.h
327 #
328 # MDB deliverables that are not yet public
329 #
330 usr/lib/mdb/proc/mdb_test.so
331 usr/lib/mdb/proc/sparcv9/mdb_test.so    sparcv9
332 #
333 # SNCA project exception list
334 #
335 usr/include/inet/kssl/kssl.h
336 usr/include/inet/kssl/ksslimpl.h
337 usr/include/inet/kssl/ksslproto.h
338 usr/include/inet/nca
339 #
340 # these are "removed" from the source product build because the only
341 # packages that currently deliver them are removed.
342 # they really should't be in here.
343 #
344 etc/sfw
345 #
346 # Entries for the libmech_krb5 symlink, which has been included
347 # for build purposes only, not delivered to customers.
348 #
349 usr/lib/gss/libmech_krb5.so
350 usr/lib/amd64/gss/libmech_krb5.so       i386
351 usr/lib/sparcv9/gss/libmech_krb5.so     sparcv9
352 usr/lib/libmech_krb5.so
353 usr/lib/amd64/libmech_krb5.so           i386
354 usr/lib/sparcv9/libmech_krb5.so         sparcv9
355 #
356 # Entries for headers from efcodes project which user does not need to see
357 #
358 usr/platform/sun4u/include/sys/fc_plat.h      sparcv9
359 usr/platform/sun4u/include/sys/efcodes.h      sparcv9
360 #
361 # Private net80211 headers
362 #
363 usr/include/sys/net80211_crypto.h
364 usr/include/sys/net80211_ht.h
365 usr/include/sys/net80211_proto.h
366 usr/include/sys/net80211.h
367 #
368 usr/include/net/wpa.h
369 #
370 # PPPoE files not delivered to customers.
371 #
372 usr/include/net/pppoe.h
373 usr/include/net/sppptun.h
374 #
375 # Simnet
376 #
377 usr/include/net/simnet.h
378 #
379 # Bridging internal data structures
380 #
381 usr/include/net/bridge_impl.h
382 #
383 # User-<->kernel interface used by cfgadm/USB only

```

new/exception_lists/packaging

7

```

384 #
385 usr/include/sys/usb/hubd/hubd_impl.h
386 #
387 # User<->kernel interface used by cfgadm/SATA only
388 #
389 usr/include/sys/sata/sata_cfgadm.h          i386
390 #
391 # Private ucured kernel header
392 #
393 usr/include/sys/ucured.h
394 #
395 # Private and/or platform-specific smf(5) files
396 #
397 lib/librestart.so
398 lib/llib-lrestart
399 lib/llib-lrestart.ln
400 lib/amd64/llib-lrestart.ln          i386
401 lib/sparcv9/llib-lrestart.ln       sparc
402 usr/include/libcontract_priv.h
403 usr/include/librestart_priv.h
404 usr/include/librestart.h
405 usr/lib/librestart.so
406 usr/lib/sparcv9/librestart.so       sparc
407 lib/svc/manifest/platform/sun4u    i386
408 lib/svc/manifest/platform/sun4v    i386
409 var/svc/manifest/platform/sun4u    i386
410 var/svc/manifest/platform/sun4v    i386
411 etc/svc/profile/platform_sun4v.xml  i386
412 etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml i386
413 etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml i386
414 etc/svc/profile/platform_SUNW,Sun-Fire-880.xml i386
415 etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml i386
416 etc/svc/profile/platform_SUNW,Sun-Fire.xml i386
417 etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml i386
418 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml i386
419 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml i386
420 etc/svc/profile/platform_SUNW,UltraSPARC-IIi-Netract.xml i386
421 #
422 # Private libuutil files
423 #
424 lib/libuutil.so
425 lib/llib-luutil
426 lib/llib-luutil.ln
427 lib/sparcv9/llib-luutil.ln         sparc
428 usr/include/libuutil_impl.h
429 usr/lib/libuutil.so
430 usr/lib/sparcv9/libuutil.so         sparc
431 #
432 # Private Multidata file.
433 #
434 usr/include/sys/multidata_impl.h
435 #
436 # The following files are used by wanboot.
437 # They contain interfaces which are currently private.
438 #
439 usr/include/sys/wanboot_impl.h
440 usr/include/wanboot
441 usr/include/wanbootutil.h
442 #
443 # Even though all the objects built under usr/src/stand are later glommed
444 # together into a couple of second-stage boot loaders, we dump the static
445 # archives and lint libraries into $(ROOT)/stand for intermediate use
446 # (e.g., for lint, linking the second-stage boot loaders, ...). Since
447 # these are merely intermediate objects, they do not need to be packaged.
448 #
449 stand                               sparc

```

new/exception_lists/packaging

8

```

450 #
451 # Private KCF header files
452 #
453 usr/include/sys/crypto/elfsign.h
454 usr/include/sys/crypto/impl.h
455 usr/include/sys/crypto/ops_impl.h
456 usr/include/sys/crypto/sched_impl.h
457 #
458 # The following files are installed in the proto area
459 # by the build of libavl (AVL Tree Interface Library).
460 # libavl contains interfaces which are all private interfaces.
461 #
462 lib/libavl.so
463 lib/amd64/libavl.so                 i386
464 lib/sparcv9/libavl.so               sparc
465 lib/llib-lavl
466 lib/llib-lavl.ln
467 lib/amd64/llib-lavl.ln             i386
468 lib/sparcv9/llib-lavl.ln           sparc
469 usr/lib/libavl.so
470 usr/lib/amd64/libavl.so             i386
471 usr/lib/sparcv9/libavl.so           sparc
472 usr/lib/llib-lavl
473 usr/lib/llib-lavl.ln
474 usr/lib/amd64/llib-lavl.ln         i386
475 usr/lib/sparcv9/llib-lavl.ln       sparc
476 #
477 # The following files are installed in the proto area
478 # by the build of libcmdutils (Command Utilities Library).
479 # libcmdutils contains interfaces which are all private interfaces.
480 #
481 lib/libcmdutils.so
482 lib/amd64/libcmdutils.so            i386
483 lib/sparcv9/libcmdutils.so          sparc
484 lib/llib-lcmdutils
485 lib/llib-lcmdutils.ln
486 lib/amd64/llib-lcmdutils.ln        i386
487 lib/sparcv9/llib-lcmdutils.ln      sparc
488 usr/include/libcmdutils.h
489 usr/lib/libcmdutils.so
490 usr/lib/amd64/libcmdutils.so         i386
491 usr/lib/sparcv9/libcmdutils.so       sparc
492 usr/lib/llib-lcmdutils
493 usr/lib/llib-lcmdutils.ln
494 usr/lib/amd64/llib-lcmdutils.ln    i386
495 usr/lib/sparcv9/llib-lcmdutils.ln   sparc
496 #
497 # Private interfaces in libsec
498 #
499 usr/include/aclutils.h
500 #
501 # USB skeleton driver stays in sync with the rest of USB but doesn't ship.
502 #
503 kernel/drv/usbskel                  i386
504 kernel/drv/amd64/usbskel             i386
505 kernel/drv/sparcv9/usbskel           sparc
506 kernel/drv/usbskel.conf
507 #
508 # Consolidation and Sun private libdevid interfaces
509 # Public libdevid interfaces provided by devid.h
510 #
511 usr/include/sys/libdevid.h
512 #
513 # The following files are installed in the proto area by the build of
514 # libprtdiag. libprtdiag contains interfaces which are all private.
515 # Only the shared object is shipped.

```

```

516 #
517 usr/platform/sun4u/lib/llib-lprtdiag          sparc
518 usr/platform/sun4u/lib/llib-lprtdiag.ln      sparc
519 usr/platform/sun4v/lib/llib-lprtdiag.ln      sparc
520 #
521 # The following files are installed in the proto area by the build of
522 # mdesc driver in sun4v. These header files are used on in the build
523 # and do not need to be shipped to customers.
524 #
525 usr/include/sys/mdesc.h                       sparc
526 usr/include/sys/mdesc_impl.h                 sparc
527 usr/platform/sun4v/include/sys/mach_descrip.h sparc
528 #
529 # The following files are installed in the proto area by the build of
530 # libpcp. libpcp contains interfaces which are all private.
531 # Only the shared object is shipped.
532 #
533 usr/platform/sun4v/lib/llib-lpcp.ln           sparc
534 usr/platform/SUNW,Netra-CP3060/lib/llib-lpcp.ln sparc
535 usr/platform/SUNW,Netra-CP3260/lib/llib-lpcp.ln sparc
536 usr/platform/SUNW,Netra-T5220/lib/llib-lpcp.ln sparc
537 usr/platform/SUNW,Netra-T5440/lib/llib-lpcp.ln sparc
538 usr/platform/SUNW,SPARC-Enterprise-T5120/lib/llib-lpcp.ln sparc
539 usr/platform/SUNW,Sun-Blade-T6300/lib/llib-lpcp.ln sparc
540 usr/platform/SUNW,Sun-Blade-T6320/lib/llib-lpcp.ln sparc
541 usr/platform/SUNW,Sun-Fire-T200/lib/llib-lpcp.ln sparc
542 usr/platform/SUNW,T5140/lib/llib-lpcp.ln      sparc
543 usr/platform/SUNW,USBRDT-5240/lib/llib-lpcp.ln sparc
544 #
545 # ZFS internal tools and lint libraries
546 #
547 usr/lib/llib-lzfs_jni
548 usr/lib/llib-lzfs_jni.ln
549 usr/lib/amd64/llib-lzfs_jni.ln                i386
550 usr/lib/sparcv9/llib-lzfs_jni.ln              sparc
551 usr/lib/llib-lzpool
552 usr/lib/llib-lzpool.ln                        i386
553 usr/lib/amd64/llib-lzpool.ln                  i386
554 usr/lib/sparcv9/llib-lzpool.ln                sparc
555 #
556 # ZFS JNI headers
557 #
558 usr/include/libzfs_jni_dataset.h
559 usr/include/libzfs_jni_disk.h
560 usr/include/libzfs_jni_diskmgt.h
561 usr/include/libzfs_jni_ipool.h
562 usr/include/libzfs_jni_main.h
563 usr/include/libzfs_jni_pool.h
564 usr/include/libzfs_jni_property.h
565 usr/include/libzfs_jni_util.h
566 #
567 # These files are installed in the proto area for Solaris scsi_vhci driver
568 # (for MPAPI support) and should not be shipped
569 #
570 usr/include/sys/scsi/adapters/mpapi_impl.h
571 usr/include/sys/scsi/adapters/mpapi_scsi_vhci.h
572 #
573 # This library is installed in the proto area by the build of libdisasm, and is
574 # only used when building the KMDB disasm module.
575 #
576 usr/lib/libstanddisasm.so
577 usr/lib/amd64/libstanddisasm.so                i386
578 usr/lib/sparcv9/libstanddisasm.so              sparc
579 #
580 # TSol: tsol doesn't ship lint source, and tsnet isn't for customers at all.
581 #

```

```

582 lib/libtsnet.so
583 usr/lib/llib-ltsnet
584 usr/lib/llib-ltsol
585 #
586 # nss interfaces shared between libnsl and other ON libraries.
587 #
588 usr/include/nss.h
589 #
590 # AT&T AST (ksh93) files which are currently needed only to build OS/Net
591 # (msgcc&co.)
592 # libast
593 usr/lib/libast.so
594 usr/lib/amd64/libast.so                        i386
595 usr/lib/sparcv9/libast.so                      sparc
596 usr/lib/llib-last
597 usr/lib/llib-last.ln
598 usr/lib/amd64/llib-last.ln                    i386
599 usr/lib/sparcv9/llib-last.ln                  sparc
600 # libcmd
601 usr/lib/llib-lcmd
602 usr/lib/llib-lcmd.ln
603 usr/lib/amd64/llib-lcmd.ln                    i386
604 usr/lib/sparcv9/llib-lcmd.ln                  sparc
605 # libdll
606 usr/lib/libdll.so
607 usr/lib/amd64/libdll.so                        i386
608 usr/lib/sparcv9/libdll.so                      sparc
609 usr/lib/llib-ldll
610 usr/lib/llib-ldll.ln
611 usr/lib/amd64/llib-ldll.ln                    i386
612 usr/lib/sparcv9/llib-ldll.ln                  sparc
613 # libpp (a helper library needed by AST's msgcc)
614 usr/lib/libpp.so
615 usr/lib/llib-lpp
616 usr/lib/llib-lpp.ln
617 usr/lib/locale/C/LC_MESSAGES/libpp
618 # libshell
619 usr/lib/libshell.so
620 usr/lib/amd64/libshell.so                       i386
621 usr/lib/sparcv9/libshell.so                     sparc
622 usr/lib/llib-lshell
623 usr/lib/llib-lshell.ln
624 usr/lib/amd64/llib-lshell.ln                  i386
625 usr/lib/sparcv9/llib-lshell.ln                sparc
626 # libsum
627 usr/lib/libsum.so
628 usr/lib/amd64/libsum.so                         i386
629 usr/lib/sparcv9/libsum.so                       sparc
630 usr/lib/llib-lsum
631 usr/lib/llib-lsum.ln
632 usr/lib/amd64/llib-lsum.ln                     i386
633 usr/lib/sparcv9/llib-lsum.ln                   sparc
634 #
635 # This file is used in ON to build DSCP clients. It is not for customers.
636 #
637 usr/include/libdscp.h                          sparc
638 #
639 # These files are used by the iSCSI Target and the iSCSI Initiator
640 #
641 usr/include/sys/iscsi_protocol.h
642 usr/include/sys/iscsi_authclient.h
643 usr/include/sys/iscsi_authclientglue.h
644 #
645 # These files are used by the COMSTAR iSCSI target port provider
646 #
647 usr/include/sys/idm

```

```

648 usr/include/sys/iscsit/chap.h
649 usr/include/sys/iscsit/iscsi_if.h
650 usr/include/sys/iscsit/isns_protocol.h
651 usr/include/sys/iscsit/radius_packet.h
652 usr/include/sys/iscsit/radius_protocol.h
653 #
654 # libshare is private and the 64-bit sharemgr is not delivered.
655 #
656 usr/lib/libshare.so
657 usr/lib/amd64/libshare.so          i386
658 usr/lib/sparcv9/libshare.so       sparc
659 usr/lib/fs/autofs/libshare_autofs.so
660 usr/lib/fs/autofs/amd64/libshare_autofs.so          i386
661 usr/lib/fs/autofs/sparcv9/libshare_autofs.so       sparc
662 usr/lib/fs/nfs/libshare_nfs.so
663 usr/lib/fs/nfs/amd64/libshare_nfs.so          i386
664 usr/lib/fs/nfs/sparcv9/libshare_nfs.so         sparc
665 usr/lib/fs/smb/libshare_smb.so
666 usr/lib/fs/smb/amd64/libshare_smb.so          i386
667 usr/lib/fs/smb/sparcv9/libshare_smb.so        sparc
668 usr/lib/fs/smbfs/libshare_smbfs.so
669 usr/lib/fs/smbfs/amd64/libshare_smbfs.so       i386
670 usr/lib/fs/smbfs/sparcv9/libshare_smbfs.so     sparc
671 usr/include/libshare_impl.h
672 usr/include/scfutil.h
673 #
674 # These files are installed in the proto area by the build of libpri for
675 # the benefit of the builds of FMA libldom, Zeus, picld plugins, and/or
676 # other libpri consumers. However, the libpri interfaces are private to
677 # Sun (Consolidation Private) and not intended for customer use. So these
678 # files (the symlink and the lint library) are excluded from packaging.
679 #
680 usr/lib/libpri.so                  sparc
681 usr/lib/llib-lpri                 sparc
682 usr/lib/llib-lpri.ln              sparc
683 usr/lib/sparcv9/libpri.so          sparc
684 usr/lib/sparcv9/llib-lpri.ln      sparc
685 #
686 # These files are installed in the proto area by the build of libds for
687 # the benefit of the builds of sun4v IO FMA and/or other libds
688 # consumers. However, the libds interfaces are private to Sun
689 # (Consolidation Private) and not intended for customer use. So these
690 # files (the symlink and the lint library) are excluded from packaging.
691 #
692 usr/lib/libds.so                   sparc
693 usr/lib/sparcv9/libds.so           sparc
694 usr/lib/llib-lds                  sparc
695 usr/lib/llib-lds.ln               sparc
696 usr/lib/sparcv9/llib-lds.ln       sparc
697 usr/lib/libdscfg.so
698 usr/lib/llib-ldscfg.ln
699 usr/platform/sun4v/include/sys/libds.h sparc
700 usr/platform/sun4v/include/sys/vlds.h sparc
701 #
702 # Private/Internal u8_textprep header file. Do not ship.
703 #
704 usr/include/sys/u8_textprep_data.h
705 #
706 # SQLite is private, used by SMF (svc.configd), idmapd and libsmb.
707 #
708 usr/include/sqlite
709 usr/lib/libsqlite-native.o
710 usr/lib/libsqlite.o
711 usr/lib/llib-libsqli.ln
712 usr/lib/smbdrv/libsqlite.so
713 #

```

```

714 # Private/Internal kiconv header files. Do not ship.
715 #
716 usr/include/sys/kiconv_big5_utf8.h
717 usr/include/sys/kiconv_cck_common.h
718 usr/include/sys/kiconv_cp950hkscs_utf8.h
719 usr/include/sys/kiconv_emeal.h
720 usr/include/sys/kiconv_emea2.h
721 usr/include/sys/kiconv_euckr_utf8.h
722 usr/include/sys/kiconv_euctw_utf8.h
723 usr/include/sys/kiconv_gb18030_utf8.h
724 usr/include/sys/kiconv_gb2312_utf8.h
725 usr/include/sys/kiconv_hkscs_utf8.h
726 usr/include/sys/kiconv_ja_jis_to_unicode.h
727 usr/include/sys/kiconv_ja_unicode_to_jis.h
728 usr/include/sys/kiconv_ja.h
729 usr/include/sys/kiconv_ko.h
730 usr/include/sys/kiconv_latin1.h
731 usr/include/sys/kiconv_sc.h
732 usr/include/sys/kiconv_tc.h
733 usr/include/sys/kiconv_uhc_utf8.h
734 usr/include/sys/kiconv_utf8_big5.h
735 usr/include/sys/kiconv_utf8_cp950hkscs.h
736 usr/include/sys/kiconv_utf8_euckr.h
737 usr/include/sys/kiconv_utf8_euctw.h
738 usr/include/sys/kiconv_utf8_gb18030.h
739 usr/include/sys/kiconv_utf8_gb2312.h
740 usr/include/sys/kiconv_utf8_hkscs.h
741 usr/include/sys/kiconv_utf8_uhc.h
742 #
743 # At this time, the ttydefs.cleanup file is only useful on sun4u systems
744 #
745 etc/flash/postdeployment/ttydefs.cleanup          i386
746 #
747 # This header file is shared only between the power commands and
748 # ppm/srn modules # and should not be in any package
749 #
750 usr/include/sys/srn.h
751 #
752 # Private/Internal header files of smbsrv. Do not ship.
753 #
754 usr/include/smb
755 usr/include/smbsrv
756 #
757 # Private/Internal dtrace scripts of smbsrv. Do not ship.
758 #
759 usr/lib/smbsrv/dtrace
760 #
761 # Private/Internal (lint) libraries of smbsrv. Do not ship.
762 #
763 usr/lib/reparse/llib-lreparse_smb
764 usr/lib/reparse/llib-lreparse_smb.ln
765 usr/lib/smbsrv/llib-lmlrpc
766 usr/lib/smbsrv/llib-lmlrpc.ln
767 usr/lib/smbsrv/llib-lmlsvc
768 usr/lib/smbsrv/llib-lmlsvc.ln
769 usr/lib/smbsrv/llib-lsmb
770 usr/lib/smbsrv/llib-lsmb.ln
771 usr/lib/smbsrv/llib-lsmbns
772 usr/lib/smbsrv/llib-lsmbns.ln
773 #
774 #
775 # Private/Internal 64-bit libraries of smbsrv. Do not ship.
776 #
777 usr/lib/smbsrv/amd64                i386
778 usr/lib/smbsrv/sparcv9              sparc

```

new/exception_lists/packaging

13

```

780 usr/lib/reparse/amd64/libreparse_smb.so          i386
781 usr/lib/reparse/amd64/libreparse_smb.so.1       i386
782 usr/lib/reparse/amd64/llib-lreparse_smb.ln      i386
783 usr/lib/reparse/sparcv9/libreparse_smb.so       sparc
784 usr/lib/reparse/sparcv9/libreparse_smb.so.1     sparc
785 usr/lib/reparse/sparcv9/llib-lreparse_smb.ln   sparc
786 #
787 # Private dirent, extended to include flags, for use by SMB server
788 #
789 usr/include/sys/extdirent.h
790 #
791 # Private header files for vscan service
792 #
793 usr/include/libvscan.h
794 usr/include/sys/vscan.h
795 #
796 # libvscan is private
797 #
798 usr/lib/vscan/llib-lvscan
799 usr/lib/vscan/llib-lvscan.ln
800 #
801 # i86hvm is not a full platform. It is just a home for paravirtualized
802 # drivers. There is no usr/ component to this sub-platform, but the
803 # directory is created in the proto area to keep other tools happy.
804 #
805 usr/platform/i86hvm                                i386
806 #
807 # Private sdcard framework headers
808 #
809 usr/include/sys/sdcard
810 #
811 # libsbmbfs is private
812 #
813 usr/include/netsmb
814 usr/lib/libsbmbfs.so                                i386
815 usr/lib/amd64/libsbmbfs.so                          i386
816 usr/lib/sparcv9/libsbmbfs.so                        sparc
817 usr/lib/llib-lsbmbfs
818 usr/lib/llib-lsbmbfs.ln
819 usr/lib/amd64/llib-lsbmbfs.ln                      i386
820 usr/lib/sparcv9/llib-lsbmbfs.ln                    sparc
821 #
822 # demo & test program for smbfs (private) ACL support
823 #
824 usr/lib/fs/smbfs/chacl
825 usr/lib/fs/smbfs/lsacl
826 usr/lib/fs/smbfs/testnp
827 #
828 # FC related files
829 kernel/kmdb/fcipc                                  i386
830 kernel/kmdb/amd64/fcipc                             i386
831 kernel/kmdb/sparcv9/fcipc                          sparc
832 kernel/kmdb/fcpc                                   i386
833 kernel/kmdb/amd64/fcpc                             i386
834 kernel/kmdb/sparcv9/fcpc                           sparc
835 kernel/kmdb/fctl                                  i386
836 kernel/kmdb/amd64/fctl                             i386
837 kernel/kmdb/sparcv9/fctl                           sparc
838 kernel/kmdb/qlc                                   i386
839 kernel/kmdb/amd64/qlc                              i386
840 kernel/kmdb/sparcv9/qlc                            sparc
841 lib/llib-la5k                                     sparc
842 lib/llib-la5k.ln                                  sparc
843 lib/sparcv9/llib-la5k.ln                           sparc
844 lib/llib-lg_fc                                    sparc
845 lib/llib-lg_fc.ln                                 sparc

```

new/exception_lists/packaging

14

```

846 lib/sparcv9/llib-lg_fc.ln                        sparc
847 usr/include/a_state.h                             sparc
848 usr/include/a5k.h                                  sparc
849 usr/include/exec.h                                 sparc
850 usr/include/g_scsi.h                               sparc
851 usr/include/g_state.h                             sparc
852 usr/include/gfc.h                                  sparc
853 usr/include/l_common.h                            sparc
854 usr/include/l_error.h                             sparc
855 usr/include/rom.h                                  sparc
856 usr/include/stgcom.h                              sparc
857 usr/include/sys/fibre-channel
858 usr/lib/llib-lHBAAPI
859 usr/lib/llib-lHBAAPI.ln
860 usr/lib/amd64/llib-lHBAAPI.ln                     i386
861 usr/lib/sparcv9/llib-lHBAAPI.ln                   sparc
862 #
863 usr/bin/dscfgcli
864 usr/bin/sd_diag
865 usr/bin/sd_stats
866 usr/include/nsctl.h
867 usr/include/sys/ncall
868 usr/include/sys/nsc_ddi.h
869 usr/include/sys/nsc_thread.h
870 usr/include/sys/nsctl
871 usr/include/sys/nskernd.h
872 usr/include/sys/unistat
873 usr/lib/libnsctl.so
874 usr/lib/librdc.so
875 usr/lib/libunistat.so
876 usr/lib/llib-lnsctl.ln
877 usr/lib/llib-lrdc.ln
878 usr/lib/llib-lunistat.ln
879 #
880 # These files are used by the iSCSI initiator only.
881 # No reason to ship them.
882 #
883 usr/include/sys/scsi/adapters/iscsi_door.h
884 usr/include/sys/scsi/adapters/iscsi_if.h
885 #
886 # sbd ioctl hdr
887 #
888 usr/include/sys/stmf_sbd_ioctl.h
889 #
890 # proxy port provider interface
891 #
892 usr/include/sys/pppt_ic_if.h
893 usr/include/sys/pppt_ioctl.h
894 #
895 # proxy daemon lint library
896 #
897 usr/lib/llib-lstmfproxy
898 usr/lib/llib-lstmfproxy.ln
899 usr/lib/amd64/llib-lstmfproxy.ln                   i386
900 usr/lib/sparcv9/llib-lstmfproxy.ln                 sparc
901 #
902 # portable object file and dictionary used by libfmd_msg test
903 #
904 usr/lib/fm/dict/TEST.dict
905 usr/lib/locale/C/LC_MESSAGES/TEST.mo
906 usr/lib/locale/C/LC_MESSAGES/TEST.po
907 #
908 # Private idmap RPC protocol
909 #
910 usr/include/rpcsvc/idmap_prot.h
911 usr/include/rpcsvc/idmap_prot.x

```

new/exception_lists/packaging

15

```

912 #
913 # Private idmap directory API
914 #
915 usr/include/directory.h
916 #
917 # librstp is private for bridging
918 #
919 usr/include/stp_bpdu.h
920 usr/include/stp_in.h
921 usr/include/stp_vectors.h
922 usr/lib/librstp.so
923 usr/lib/llib-lrstp
924 usr/lib/llib-lrstp.ln
925 #
926 # Private nvfru API
927 #
928 usr/include/nvfru.h
929 #
930 # vrrp
931 #
932 usr/include/libvrrpadm.h
933 usr/lib/libvrrpadm.so
934 usr/lib/amd64/libvrrpadm.so          i386
935 usr/lib/sparcv9/libvrrpadm.so      sparc
936 usr/lib/llib-lvrrpadm
937 usr/lib/llib-lvrrpadm.ln
938 usr/lib/amd64/llib-lvrrpadm.ln    i386
939 usr/lib/sparcv9/llib-lvrrpadm.ln  sparc
940 #
941 # This is only used during the -t tools build
942 #
943 opt/onbld/bin/i386/elfsign         i386
944 opt/onbld/bin/sparc/elfsign       sparc
945 opt/onbld/bin/i386/mandoc         i386
946 opt/onbld/bin/sparc/mandoc       sparc

948 #
949 # Private libdwarf
950 #
951 opt/onbld/lib/i386/libdwarf.so     i386
952 opt/onbld/lib/sparc/libdwarf.so   sparc

954 #
955 # Private socket filter API
956 #
957 usr/include/sys/sockfilter.h
958 #
959 # We don't actually validate license action payloads, and the license
960 # staging area is provided as a separate basedir for package
961 # publication. The net result is that everything therein should be
962 # ignored for packaging validation.
963 #
964 licenses
965 #
966 # Libbe is private
967 #
968 usr/include/libbe_priv.h
969 #
970 # ipmi is at present only useful on i386, but for historical reasons is
971 # delivered on SPARC and used by the build.
972 #
973 usr/include/sys/ipmi.h            sparc

975 #
976 # libsaveargs is private
977 #

```

new/exception_lists/packaging

16

```

978 usr/include/saveargs.h          i386
979 usr/lib/amd64/libsaveargs.so     i386
980 usr/lib/amd64/libstandsaveargs.so i386
981 usr/lib/amd64/llib-lsaveargs.ln i386

983 #
984 # libpcidb is private
985 #
986 usr/include/pcidb.h
987 usr/lib/amd64/libpcidb.so        i386
988 usr/lib/amd64/llib-lpcidb.ln    i386
989 usr/lib/sparcv9/libpcidb.so      sparc
990 usr/lib/sparcv9/llib-lpcidb.ln  sparc
991 usr/lib/libpcidb.so
992 usr/lib/llib-lpcidb
993 usr/lib/llib-lpcidb.ln

```



```

*****
8598 Tue Oct 7 19:19:26 2014
new/usr/src/Makefile.lint
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright (c) 2012 by Delphix. All rights reserved.
24 #
25 # include global definitions
26 include Makefile.master
27 #
28 #
29 # As pieces are made lint-clean, add them here so the nightly build
30 # can be used to keep them that way.
31 #
32 COMMON_SUBDIRS = \
33     cmd/acctadm \
34     cmd/asa \
35     cmd/amt \
36     cmd/audio/audiocpl \
37     cmd/audio/audiotest \
38     cmd/audit \
39     cmd/auditconfig \
40     cmd/auditd \
41     cmd/auditreduce \
42     cmd/auditstat \
43     cmd/auths \
44     cmd/autopush \
45     cmd/availdevs \
46     cmd/avs \
47     cmd/awk \
48     cmd/banner \
49     cmd/bart \
50     cmd/basename \
51     cmd/bdiff \
52     cmd/bfs \
53     cmd/busstat \
54     cmd/boot \
55     cmd/cal \
56     cmd/captoinfo \
57     cmd/cat \
58     cmd/cdrw \
59     cmd/cfgadm \

```

```

60     cmd/checkeq \
61     cmd/checknr \
62     cmd/chgrp \
63     cmd/chmod \
64     cmd/chown \
65     cmd/chroot \
66     cmd/clinfo \
67     cmd/cmd-crypto \
68     cmd/cmd-inet/lib \
69     cmd/cmd-inet/lib/netcfgd \
70     cmd/cmd-inet/lib/nwamd \
71     cmd/cmd-inet/sbin \
72     cmd/cmd-inet/usr.bin \
73     cmd/cmd-inet/usr.lib/bridged \
74     cmd/cmd-inet/usr.lib/dsvclockd \
74     cmd/cmd-inet/usr.lib/ilbd \
76     cmd/cmd-inet/usr.lib/in.dhcpd \
75     cmd/cmd-inet/usr.lib/in.mpathd \
76     cmd/cmd-inet/usr.lib/in.ndpd \
77     cmd/cmd-inet/usr.lib/inetd \
78     cmd/cmd-inet/usr.lib/pppoe \
79     cmd/cmd-inet/usr.lib/slpd \
80     cmd/cmd-inet/usr.lib/vrrpd \
81     cmd/cmd-inet/usr.lib/wpad \
82     cmd/cmd-inet/usr.lib/wanboot \
83     cmd/cmd-inet/usr.sadm \
84     cmd/cmd-inet/usr.sbin \
85     cmd/cmd-inet/usr.sbin/ilbadm \
86     cmd/cmd-inet/usr.sbin/nwamadm \
87     cmd/cmd-inet/usr.sbin/nwamcfg \
88     cmd/col \
89     cmd/compress \
90     cmd/consadm \
91     cmd/coreadm \
92     cmd/cpc \
93     cmd/cpio \
94     cmd/crypt \
95     cmd/csplit \
96     cmd/ctrun \
97     cmd/ctstat \
98     cmd/ctwatch \
99     cmd/date \
100    cmd/dd \
101    cmd/deroff \
102    cmd/devctl \
103    cmd/devfsadm \
104    cmd/devinfo \
105    cmd/devmgmt \
106    cmd/devprop \
107    cmd/dfs.cmds \
108    cmd/diff3 \
109    cmd/dis \
110    cmd/dirname \
111    cmd/diskscan \
112    cmd/dispadm \
113    cmd/dladm \
114    cmd/dlmgmt \
115    cmd/dtrace \
116    cmd/du \
117    cmd/dumpadm \
118    cmd/dumpcs \
119    cmd/echo \
120    cmd/eject \
121    cmd/emul64iopl \
122    cmd/env \
123    cmd/expand \

```

new/usr/src/Makefile.lint

```

124 cmd/fcinfo \
125 cmd/fdetach \
126 cmd/fdformat \
127 cmd/fdisk \
128 cmd/fgrep \
129 cmd/file \
130 cmd/find \
131 cmd/fmthard \
132 cmd/fmtmsg \
133 cmd/fold \
134 cmd/fm \
135 cmd/format \
136 cmd/fs.d/fd \
137 cmd/fs.d/lofs/mount \
138 cmd/fs.d/mntfs \
139 cmd/fs.d/pcfs/mount \
140 cmd/fs.d/proc \
141 cmd/fs.d/tmpfs \
142 cmd/fs.d/udfs/mount \
143 cmd/fs.d/ufs/mount \
144 cmd/fs.d/ufs/fsirand \
145 cmd/fs.d/zfs/fstyp \
146 cmd/fwflash \
147 cmd/fuser \
148 cmd/gcore \
149 cmd/genmsg \
150 cmd/getconf \
151 cmd/getdevpolicy \
152 cmd/getfacl \
153 cmd/getopt \
154 cmd/gettext \
155 cmd/grep \
156 cmd/grep_xpg4 \
157 cmd/groups \
158 cmd/halt \
159 cmd/head \
160 cmd/hostid \
161 cmd/hostname \
162 cmd/hotplug \
163 cmd/hotplugd \
164 cmd/idmap \
165 cmd/init \
166 cmd/intrstat \
167 cmd/ipcrm \
168 cmd/ipcs \
169 cmd/isaexec \
170 cmd/isalist \
171 cmd/iscsiadm \
172 cmd/iscsid \
173 cmd/iscsitsvc \
174 cmd/isns \
175 cmd/itadm \
176 cmd/kbd \
177 cmd/killall \
178 cmd/ldap \
179 cmd/last \
180 cmd/lastcomm \
181 cmd/ldapcachemgr \
182 cmd/line \
183 cmd/link \
184 cmd/locator \
185 cmd/localedef \
186 cmd/lockstat \
187 cmd/lofiadm \
188 cmd/logadm \
189 cmd/logger \

```

3

new/usr/src/Makefile.lint

```

190 cmd/login \
191 cmd/logins \
192 cmd/ls \
193 cmd/luxadm \
194 cmd/lvm \
195 cmd/machid \
196 cmd/makekey \
197 cmd/mdb \
198 cmd/mesg \
199 cmd/mkdir \
200 cmd/mkfifo \
201 cmd/mkfile \
202 cmd/mkmsgs \
203 cmd/mknod \
204 cmd/mpathadm \
205 cmd/modload \
206 cmd/msgfmt \
207 cmd/msgid \
208 cmd/mt \
209 cmd/mv \
210 cmd/ndmpadm \
211 cmd/ndmpd \
212 cmd/ndmpstat \
213 cmd/newform \
214 cmd/newgrp \
215 cmd/newtask \
216 cmd/nice \
217 cmd/nl \
218 cmd/nohup \
219 cmd/nscd \
220 cmd/od \
221 cmd/pagesize \
222 cmd/passwd \
223 cmd/pathchk \
224 cmd/pbind \
225 cmd/pcidr \
226 cmd/pcitool \
227 cmd/pfexec \
228 cmd/pgrep \
229 cmd/picl/picld \
230 cmd/picl/prtpicl \
231 cmd/plockstat \
232 cmd/pools \
233 cmd/power \
234 cmd/powertop \
235 cmd/printf \
236 cmd/latencytop \
237 cmd/ppgsz \
238 cmd/praudit \
239 cmd/prctl \
240 cmd/priocntl \
241 cmd/profiles \
242 cmd/prstat \
243 cmd/prtconf \
244 cmd/prtdiag \
245 cmd/prtvtoc \
246 cmd/ps \
247 cmd/psradm \
248 cmd/psrinfo \
249 cmd/psrset \
250 cmd/ptools \
251 cmd/pwck \
252 cmd/pwconv \
253 cmd/ramdiskadm \
254 cmd/raidctl \
255 cmd/rcap \

```

4

new/usr/src/Makefile.lint

```

256 cmd/rcm_daemon \
257 cmd/rctladm \
258 cmd/renice \
259 cmd/rm \
260 cmd/rmdir \
261 cmd/rmformat \
262 cmd/rmt \
263 cmd/roles \
264 cmd/rpcgen \
265 cmd/rpcsvc/rpc.bootparamd \
266 cmd/runat \
267 cmd/savecore \
268 cmd/sbdadm \
269 cmd/sdpadm \
270 cmd/sed \
271 cmd/setpgrp \
272 cmd/smbios \
273 cmd/sgs \
274 cmd/smsrv \
275 cmd/smserverd \
276 cmd/sort \
277 cmd/split \
278 cmd/srptadm \
279 cmd/srptsvc \
280 cmd/ssh \
281 cmd/stat \
282 cmd/stmfadm \
283 cmd/stmfsvc \
284 cmd/stmsboot \
285 cmd/streams/strcmd \
286 cmd/strings \
287 cmd/su \
288 cmd/sulogin \
289 cmd/svc \
290 cmd/swap \
291 cmd/sync \
292 cmd/syseventadm \
293 cmd/syseventd \
294 cmd/syslogd \
295 cmd/tabs \
296 cmd/tail \
297 cmd/th_tools \
298 cmd/tip \
299 cmd/touch \
300 cmd/tr \
301 cmd/truss \
302 cmd/tty \
303 cmd/tzreload \
304 cmd/uadmin \
305 cmd/ul \
306 cmd/userattr \
307 cmd/users \
308 cmd/utmp_update \
309 cmd/utmpd \
310 cmd/valtools \
311 cmd/vrrpadm \
312 cmd/vt \
313 cmd/wall \
314 cmd/who \
315 cmd/whodo \
316 cmd/wracct \
317 cmd/wusbadm \
318 cmd/xargs \
319 cmd/xstr \
320 cmd/yes \
321 cmd/yppasswd \

```

5

new/usr/src/Makefile.lint

```

322 cmd/zdb \
323 cmd/zdump \
324 cmd/zfs \
325 cmd/zhack \
326 cmd/zinject \
327 cmd/zlogin \
328 cmd/zoneadm \
329 cmd/zoneadm \
330 cmd/zonecfg \
331 cmd/zonename \
332 cmd/zpool \
333 cmd/zlook \
334 cmd/zttest \
335 lib/abi \
336 lib/auditd_plugins \
337 lib/libbe \
338 lib/pylibbe \
339 lib/brand/snl \
340 lib/brand/solaris10 \
341 lib/crypt_modules \
342 lib/extendedFILE \
343 lib/libadm \
344 lib/libadutils \
345 lib/libadt_jni \
346 lib/libaio \
347 lib/libavl \
348 lib/libbrand \
349 lib/libbsdmalloc \
350 lib/libbsm \
351 lib/libc \
352 lib/libc_db \
353 lib/libcfdgm \
354 lib/libcmdutils \
355 lib/libcommutil \
356 lib/libcontract \
357 lib/libcryptoutil \
358 lib/libctf \
359 lib/libdevice \
360 lib/libdevinfo \
361 lib/libdevinfo \
362 lib/libdhcpagent \
363 lib/libdhcpcdu \
364 lib/libdhcpsvc \
365 lib/libdhcputil \
366 lib/libdisasm \
367 lib/libdiskmgt \
368 lib/libdladm \
369 lib/libdlpi \
370 lib/libdoor \
371 lib/libdscfg \
372 lib/libdtrace \
373 lib/libefi \
374 lib/libelfsign \
375 lib/libexacct \
376 lib/libfcoe \
377 lib/libgen \
378 lib/libgrubmgt \
379 lib/libgss \
380 lib/libhotplug \
381 lib/libidmap \
382 lib/libilb \
383 lib/libinetsvc \
384 lib/libinetutil \
385 lib/libinstzones \

```

6

new/usr/src/Makefile.lint

```

386 lib/libbipmp \
387 lib/libbipp \
388 lib/libbipsecutil \
389 lib/libbiscsit \
390 lib/libbkmf \
391 lib/libkstat \
392 lib/liblgrp \
393 lib/liblrm \
394 lib/libmalloc \
395 lib/libmapmalloc \
396 lib/libmapid \
397 lib/libmd \
398 lib/libmp \
399 lib/libmtmalloc \
400 lib/libndmp \
401 lib/libnsctl \
402 lib/libnsl \
403 lib/libnvpair \
404 lib/libnwam \
405 lib/libpam \
406 lib/libpctx \
407 lib/libpicl \
408 lib/libpicltree \
409 lib/libpkg \
410 lib/libpool \
411 lib/libproc \
412 lib/libpthread \
413 lib/libraidcfg \
414 lib/librcm \
415 lib/librdc \
416 lib/libreparse \
417 lib/librestart \
418 lib/librstp \
419 lib/librt \
420 lib/libscf \
421 lib/libsec \
422 lib/libsecdb \
423 lib/libsendfile \
424 lib/libsip \
425 lib/libshare \
426 lib/libslldap \
427 lib/libslp \
428 lib/libsmvfs \
429 lib/libsmbios \
430 lib/libsmmedia \
431 lib/libsrpt \
432 lib/libstmf \
433 lib/libsun_ima \
434 lib/libsysevent \
435 lib/libthread \
436 lib/libtsnet \
437 lib/libtsol \
438 lib/libumem \
439 lib/libunistat \
440 lib/libuuid \
441 lib/libuutil \
442 lib/libvrrpadm \
443 lib/libwanboot \
444 lib/libwanbootutil \
445 lib/libxnet \
446 lib/libzfs \
447 lib/libzfs_jni \
448 lib/libzonecfg \
449 lib/libzoneinfo \
450 lib/lvm \
451 lib/madv \

```

7

new/usr/src/Makefile.lint

```

452 lib/mpss \
453 lib/nametoaddr \
454 lib/ncad_addr \
455 lib/nsswitch \
456 lib/pam_modules \
457 lib/passwdutil \
458 lib/pkcs11 \
459 lib/print \
460 lib/raidcfg_plugins \
461 lib/scsi \
462 lib/smsrv \
463 lib/fm \
464 lib/udapl \
465 lib/watchmalloc \
466 psm \
467 test \
468 ucbscmd/basename \
469 ucbscmd/biff \
470 ucbscmd/echo \
471 ucbscmd/groups \
472 ucbscmd/mkstr \
473 ucbscmd/printenv \
474 ucbscmd/sum \
475 ucbscmd/test \
476 ucbscmd/users \
477 ucbscmd/whoami

479 i386_SUBDIRS= \
480 cmd/acpihpd \
481 cmd/biosdev \
482 cmd/rtc \
483 cmd/ucodeadm \
484 lib/cfgadm_plugins/sata \
485 lib/cfgadm_plugins/sbd \
486 lib/libfdisk

488 sparc_SUBDIRS= \
489 cmd/datadm \
490 cmd/dcs \
491 cmd/drd \
492 cmd/fruadm \
493 cmd/ldmad \
494 cmd/prtdscpl \
495 cmd/prtfru \
496 cmd/sckmd \
497 cmd/virtinfo \
498 cmd/vntsd \
499 lib/libds \
500 lib/libdscpl \
501 lib/libpri \
502 lib/libpcp \
503 lib/libtsalarm \
504 lib/libvl2n \
505 lib/storage \
506 stand

508 LINTSUBDIRS= $(COMMON_SUBDIRS) $(($(MACH)_SUBDIRS)

510 .PARALLEL: $(LINTSUBDIRS)

512 lint: uts .WAIT subdirs

514 subdirs: $(LINTSUBDIRS)

516 uts $(LINTSUBDIRS): FRC
517 @cd $@; pwd; $(MAKE) lint

```

8

new/usr/src/Makefile.lint

9

519 FRC:

```

*****
69972 Tue Oct 7 19:19:27 2014
new/usr/src/Targetdirs
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2011, Richard Lowe
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 # Copyright (c) 2013 RackTop Systems.
27 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
28 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
29 #endif /* ! codereview */
30 #
31 #
32 #
33 # It is easier to think in terms of directory names without the ROOT macro
34 # prefix. ROOTDIRS is TARGETDIRS with ROOT prefixes. It is necessary
35 # to work with ROOT prefixes when controlling conditional assignments.
36 #
37 #
38 DIRLINKS=      $(SYM.DIRS)
39 $(BUILDD64)    DIRLINKS += $(SYM.DIRS64)
40 #
41 FILELINKS=     $(SYM.USRCCSLIB) $(SYM.USRLIB)
42 $(BUILDD64)    FILELINKS += $(SYM.USRCCSLIB64) $(SYM.USRLIB64)
43 #
44 TARGETDIRS=    $(DIRS)
45 $(BUILDD64)    TARGETDIRS += $(DIRS64)
46 #
47 TARGETDIRS    += $(FILELINKS) $(DIRLINKS)
48 #
49 i386_DIRS=     \
50     /boot/acpi          \
51     /boot/acpi/tables  \
52     /boot/grub          \
53     /boot/grub/bin     \
54     /platform/i86pc    \
55     /usr/lib/xen       \
56     /usr/lib/xen/bin   \
57 #
58 sparc_DIRS=    \
59     /usr/lib/ldoms

```

```

61 sparc_64ONLY= $(POUND_SIGN)
62 64ONLY=  $(($(MACH)_64ONLY)

64 $(64ONLY) MACH32_DIRS=/usr/ucb/$(MACH32)

66 DIRS= \
67     /boot \
68     /boot/solaris \
69     /boot/solaris/bin \
70     $$((MACH)_DIRS) \
71     /dev \
72     /dev/dsk \
73     /dev/fd \
74     /dev/ipnet \
75     /dev/net \
76     /dev/rdisk \
77     /dev/rmt \
78     /dev/pts \
79     /dev/sad \
80     /dev/swap \
81     /dev/term \
82     /dev/vt \
83     /dev/zcons \
84     /devices \
85     /devices/pseudo \
86     /etc \
87     /etc/brand \
88     /etc/brand/solaris10 \
89     /etc/cron.d \
90     /etc/crypto \
91     /etc/crypto/certs \
92     /etc/crypto/crls \
93     /etc/dbus-1 \
94     /etc/dbus-1/system.d \
95     /etc/default \
96     /etc/devices \
97     /etc/dev \
98     /etc/dfs \
99     /etc/dladm \
100    /etc/fs \
101    /etc/fs/nfs \
102    /etc/fs/zfs \
103    /etc/ftpd \
104    /etc/hal \
105    /etc/hal/fdi \
106    /etc/hal/fdi/information \
107    /etc/hal/fdi/information/10freedesktop \
108    /etc/hal/fdi/information/20thirdparty \
109    /etc/hal/fdi/information/30user \
110    /etc/hal/fdi/policy \
111    /etc/hal/fdi/policy/10osvendor \
112    /etc/hal/fdi/policy/20thirdparty \
113    /etc/hal/fdi/policy/30user \
114    /etc/hal/fdi/preprobe \
115    /etc/hal/fdi/preprobe/10osvendor \
116    /etc/hal/fdi/preprobe/20thirdparty \
117    /etc/hal/fdi/preprobe/30user \
118    /etc/ipadm \
119    /etc/iscsi \
120    /etc/rpcsec \
121    /etc/security \
122    /etc/security/auth_attr.d \
123    /etc/security/exec_attr.d \
124    /etc/security/prof_attr.d \
125    /etc/security/tsol \

```

```

126 /etc/gss \
127 /etc/init.d \
128 /etc/dhncp \
129 /etc/lib \
130 /etc/mail \
131 /etc/mail/cf \
132 /etc/mail/cf/cf \
133 /etc/mail/cf/domain \
134 /etc/mail/cf/feature \
135 /etc/mail/cf/m4 \
136 /etc/mail/cf/mailler \
137 /etc/mail/cf/ostype \
138 /etc/mail/cf/sh \
139 /etc/net-snmp \
140 /etc/net-snmp/snmp \
141 /etc/opt \
142 /etc/rc0.d \
143 /etc/rc1.d \
144 /etc/rc2.d \
145 /etc/rc3.d \
146 /etc/rcS.d \
147 /etc/saf \
148 /etc/sasl \
149 /etc/sfw \
150 /etc/skel \
151 /etc/svc \
152 /etc/svc/profile \
153 /etc/svc/profile/site \
154 /etc/svc/volatile \
155 /etc/tm \
156 /etc/usb \
157 /etc/user_attr.d \
158 /etc/zfs \
159 /etc/zones \
160 /export \
161 /home \
162 /lib \
163 /lib/crypto \
164 /lib/inet \
165 /lib/fm \
166 /lib/secure \
167 /lib/svc \
168 /lib/svc/bin \
169 /lib/svc/capture \
170 /lib/svc/manifest \
171 /lib/svc/manifest/milestone \
172 /lib/svc/manifest/device \
173 /lib/svc/manifest/system \
174 /lib/svc/manifest/system/device \
175 /lib/svc/manifest/system/filesystem \
176 /lib/svc/manifest/system/security \
177 /lib/svc/manifest/system/svc \
178 /lib/svc/manifest/network \
179 /lib/svc/manifest/network/dns \
180 /lib/svc/manifest/network/ipsec \
181 /lib/svc/manifest/network/ldap \
182 /lib/svc/manifest/network/nfs \
183 /lib/svc/manifest/network/nis \
184 /lib/svc/manifest/network/rpc \
185 /lib/svc/manifest/network/security \
186 /lib/svc/manifest/network/shares \
187 /lib/svc/manifest/network/ssl \
188 /lib/svc/manifest/application \
189 /lib/svc/manifest/application/management \
190 /lib/svc/manifest/application/security \
191 /lib/svc/manifest/application/print \

```

```

192 /lib/svc/manifest/platform \
193 /lib/svc/manifest/platform/sun4u \
194 /lib/svc/manifest/platform/sun4v \
195 /lib/svc/manifest/site \
196 /lib/svc/method \
197 /lib/svc/monitor \
198 /lib/svc/seed \
199 /lib/svc/share \
200 /kernel \
201 /mnt \
202 /opt \
203 /platform \
204 /proc \
205 /root \
206 /sbin \
207 /system \
208 /system/contract \
209 /system/object \
210 /tmp \
211 /usr \
212 /usr/4lib \
213 /usr/ast \
214 /usr/ast/bin \
215 /usr/bin \
216 /usr/bin/$(MACH32) \
217 /usr/ccs \
218 /usr/ccs/bin \
219 /usr/ccs/lib \
220 /usr/demo \
221 /usr/demo/SOUND \
222 /usr/games \
223 /usr/has \
224 /usr/has/bin \
225 /usr/has/lib \
226 /usr/has/man \
227 /usr/has/man/manlhas \
228 /usr/include \
229 /usr/include/ast \
230 /usr/include/fm \
231 /usr/include/gssapi \
232 /usr/include/hal \
233 /usr/include/kerberosv5 \
234 /usr/include/libmilter \
235 /usr/include/libpolkit \
236 /usr/include/sasl \
237 /usr/include/scsi \
238 /usr/include/security \
239 /usr/include/sys/crypto \
240 /usr/include/tsol \
241 /usr/kernel \
242 /usr/kvm \
243 /usr/lib \
244 /usr/lib/abi \
245 /usr/lib/brand \
246 /usr/lib/brand/ipkg \
247 /usr/lib/brand/labeled \
248 /usr/lib/brand/shared \
249 /usr/lib/brand/sn1 \
250 /usr/lib/brand/solaris10 \
251 /usr/lib/class \
252 /usr/lib/class/FSS \
253 /usr/lib/class/FX \
254 /usr/lib/class/TA \
255 /usr/lib/class/RT \
256 /usr/lib/class/SDC \
257 /usr/lib/class/TS \

```

```

258 /usr/lib/crypto \
259 /usr/lib/drv \
260 /usr/lib/elfedit \
261 /usr/lib/fm \
262 /usr/lib/font \
263 /usr/lib/fs \
264 /usr/lib/fs/nfs \
265 /usr/lib/fs/proc \
266 /usr/lib/fs/smb \
267 /usr/lib/fs/zfs \
268 /usr/lib/gss \
269 /usr/lib/hal \
270 /usr/lib/inet \
271 /usr/lib/inet/dhcp \
272 /usr/lib/inet/dhcp/nsu \
273 /usr/lib/inet/dhcp/svc \
274 /usr/lib/inet/dhcp/svcadm \
275 /usr/lib/inet/ilb \
276 /usr/lib/inet/${MACH32} \
277 /usr/lib/inet/wanboot \
278 /usr/lib/krb5 \
279 /usr/lib/link_audit \
280 /usr/lib/libp \
281 /usr/lib/lwp \
282 /usr/lib/mdb \
283 /usr/lib/mdb/kvm \
284 /usr/lib/mdb/proc \
285 /usr/lib/nfs \
286 /usr/net \
287 /usr/net/servers \
288 /usr/lib/pool \
289 /usr/lib/python2.6 \
290 /usr/lib/python2.6/vendor-packages \
291 /usr/lib/python2.6/vendor-packages/64 \
292 /usr/lib/python2.6/vendor-packages/solaris \
293 /usr/lib/python2.6/vendor-packages/zfs \
294 /usr/lib/python2.6/vendor-packages/beadm \
295 /usr/lib/rcap \
296 /usr/lib/rcap/${MACH32} \
297 /usr/lib/sa \
298 /usr/lib/saf \
299 /usr/lib/sasl \
300 /usr/lib/scsi \
301 /usr/lib/secure \
302 /usr/lib/security \
303 /usr/lib/smbsrv \
304 /usr/lib/vscan \
305 /usr/lib/zfs \
306 /usr/lib/zones \
307 /usr/old \
308 /usr/platform \
309 /usr/proc \
310 /usr/proc/bin \
311 /usr/sadm \
312 /usr/sadm/install \
313 /usr/sadm/install/bin \
314 /usr/sadm/install/scripts \
315 /usr/sbin \
316 /usr/sbin/${MACH32} \
317 /usr/share \
318 /usr/share/applications \
319 /usr/share/audio \
320 /usr/share/audio/samples \
321 /usr/share/audio/samples/au \
322 /usr/share/gnome \
323 /usr/share/gnome/autostart \

```

```

324 /usr/share/hwdata \
325 /usr/share/lib \
326 /usr/share/lib/ccs \
327 /usr/share/lib/tmac \
328 /usr/share/lib/ldif \
329 /usr/share/lib/xml \
330 /usr/share/lib/xml/dtd \
331 /usr/share/man \
332 /usr/share/man/man1 \
333 /usr/share/man/man1b \
334 /usr/share/man/man1c \
335 /usr/share/man/man1m \
336 /usr/share/man/man2 \
337 /usr/share/man/man3 \
338 /usr/share/man/man3bsm \
339 /usr/share/man/man3c \
340 /usr/share/man/man3c_db \
341 /usr/share/man/man3cfgadm \
342 /usr/share/man/man3commutil \
343 /usr/share/man/man3contract \
344 /usr/share/man/man3cpc \
345 /usr/share/man/man3curses \
346 /usr/share/man/man3dat \
347 /usr/share/man/man3devid \
348 /usr/share/man/man3devinfo \
349 /usr/share/man/man3dlpi \
350 /usr/share/man/man3dns_sd \
351 /usr/share/man/man3elf \
352 /usr/share/man/man3exacct \
353 /usr/share/man/man3ext \
354 /usr/share/man/man3fcoe \
355 /usr/share/man/man3fstyp \
356 /usr/share/man/man3gen \
357 /usr/share/man/man3gss \
358 /usr/share/man/man3head \
359 /usr/share/man/man3iscsit \
360 /usr/share/man/man3kstat \
361 /usr/share/man/man3kvm \
362 /usr/share/man/man3ldap \
363 /usr/share/man/man3lgrp \
364 /usr/share/man/man3lib \
365 /usr/share/man/man3mail \
366 /usr/share/man/man3malloc \
367 /usr/share/man/man3mp \
368 /usr/share/man/man3mpapi \
369 /usr/share/man/man3nsl \
370 /usr/share/man/man3nvpair \
371 /usr/share/man/man3pam \
372 /usr/share/man/man3papi \
373 /usr/share/man/man3perl \
374 /usr/share/man/man3picl \
375 /usr/share/man/man3picltree \
376 /usr/share/man/man3pool \
377 /usr/share/man/man3proc \
378 /usr/share/man/man3project \
379 /usr/share/man/man3resolv \
380 /usr/share/man/man3rpc \
381 /usr/share/man/man3rsm \
382 /usr/share/man/man3sasl \
383 /usr/share/man/man3scf \
384 /usr/share/man/man3sec \
385 /usr/share/man/man3secdb \
386 /usr/share/man/man3sip \
387 /usr/share/man/man3slp \
388 /usr/share/man/man3socket \
389 /usr/share/man/man3stmf \

```


new/usr/src/Targetdirs

7

```

386 /usr/share/man/man3sysevent \
387 /usr/share/man/man3tecla \
388 /usr/share/man/man3tnf \
389 /usr/share/man/man3tsol \
390 /usr/share/man/man3uuid \
391 /usr/share/man/man3volmgt \
392 /usr/share/man/man3xcurses \
393 /usr/share/man/man3xnet \
394 /usr/share/man/man4 \
395 /usr/share/man/man5 \
396 /usr/share/man/man7 \
397 /usr/share/man/man7d \
398 /usr/share/man/man7fs \
399 /usr/share/man/man7i \
400 /usr/share/man/man7ipp \
401 /usr/share/man/man7m \
402 /usr/share/man/man7p \
403 /usr/share/man/man9 \
404 /usr/share/man/man9e \
405 /usr/share/man/man9f \
406 /usr/share/man/man9p \
407 /usr/share/man/man9s \
408 /usr/share/src \
409 /usr/snadm \
410 /usr/snadm/lib \
411 /usr/ucb \
412 $(MACH32_DIRS) \
413 /usr/ucblib \
414 /usr/xpg4 \
415 /usr/xpg4/bin \
416 /usr/xpg4/include \
417 /usr/xpg4/lib \
418 /usr/xpg6 \
419 /usr/xpg6/bin \
420 /var \
421 /var/adm \
422 /var/adm/exacct \
423 /var/adm/log \
424 /var/adm/pool \
425 /var/adm/sa \
426 /var/adm/sm.bin \
427 /var/adm/streams \
428 /var/cores \
429 /var/cron \
430 /var/db \
431 /var/db/ipf \
432 /var/games \
433 /var/idmap \
434 /var/krb5 \
435 /var/krb5/rcache \
436 /var/krb5/rcache/root \
437 /var/ld \
438 /var/log \
439 /var/log/pool \
440 /var/logadm \
441 /var/mail \
442 /var/news \
443 /var/opt \
444 /var/preserve \
445 /var/run \
446 /var/saf \
447 /var/sadm \
448 /var/sadm/install \
449 /var/sadm/install/admin \
450 /var/sadm/install/logs \
451 /var/sadm/pkg \

```

new/usr/src/Targetdirs

8

```

452 /var/sadm/security \
453 /var/smb \
454 /var/smb/cvol \
455 /var/smb/cvol/windows \
456 /var/smb/cvol/windows/system32 \
457 /var/smb/cvol/windows/system32/vss \
458 /var/spool \
459 /var/spool/cron \
460 /var/spool/cron/atjobs \
461 /var/spool/cron/crontabs \
462 /var/spool/lp \
463 /var/spool/pkg \
464 /var/spool/uucp \
465 /var/spool/uucppublic \
466 /var/svc \
467 /var/svc/log \
468 /var/svc/manifest \
469 /var/svc/manifest/milestone \
470 /var/svc/manifest/device \
471 /var/svc/manifest/system \
472 /var/svc/manifest/system/device \
473 /var/svc/manifest/system/filesystem \
474 /var/svc/manifest/system/security \
475 /var/svc/manifest/system/svc \
476 /var/svc/manifest/network \
477 /var/svc/manifest/network/dns \
478 /var/svc/manifest/network/ipsec \
479 /var/svc/manifest/network/ldap \
480 /var/svc/manifest/network/nfs \
481 /var/svc/manifest/network/nis \
482 /var/svc/manifest/network/rpc \
483 /var/svc/manifest/network/routing \
484 /var/svc/manifest/network/security \
485 /var/svc/manifest/network/shares \
486 /var/svc/manifest/network/ssl \
487 /var/svc/manifest/application \
488 /var/svc/manifest/application/management \
489 /var/svc/manifest/application/print \
490 /var/svc/manifest/application/security \
491 /var/svc/manifest/platform \
492 /var/svc/manifest/platform/sun4u \
493 /var/svc/manifest/platform/sun4v \
494 /var/svc/manifest/site \
495 /var/svc/profile \
496 /var/uucp \
497 /var/tmp \
498 /var/tsol \
499 /var/tsol/doors

501 sparcv9_DIRS64= \
502 /platform/sun4u \
503 /platform/sun4u/lib \
504 /platform/sun4u/lib/$(MACH64) \
505 /usr/platform/sun4u \
506 /usr/platform/sun4u/sbin \
507 /usr/platform/sun4u/lib \
508 /platform/sun4v/lib \
509 /platform/sun4v/lib/$(MACH64) \
510 /usr/platform/sun4v/sbin \
511 /usr/platform/sun4v/lib \
512 /usr/platform/sun4u-us3/lib \
513 /usr/platform/sun4u-opl/lib

515 amd64_DIRS64= \
516 /platform/i86pc/amd64

```

```

518 DIRS64= \
519   ${$(MACH64)_DIRS64} \
520   /lib/${MACH64} \
521   /lib/crypto/${MACH64} \
522   /lib/fm/${MACH64} \
523   /lib/secure/${MACH64} \
524   /usr/bin/${MACH64} \
525   /usr/ccs/bin/${MACH64} \
526   /usr/ccs/lib/${MACH64} \
527   /usr/lib/${MACH64} \
528   /usr/lib/${MACH64}/gss \
529   /usr/lib/brand/sn1/${MACH64} \
530   /usr/lib/brand/solaris10/${MACH64} \
531   /usr/lib/elfedit/${MACH64} \
532   /usr/lib/fm/${MACH64} \
533   /usr/lib/fs/nfs/${MACH64} \
534   /usr/lib/fs/smb/${MACH64} \
535   /usr/lib/inet/${MACH64} \
536   /usr/lib/krb5/${MACH64} \
537   /usr/lib/libp/${MACH64} \
538   /usr/lib/link_audit/${MACH64} \
539   /usr/lib/lwp/${MACH64} \
540   /usr/lib/mdb/kvm/${MACH64} \
541   /usr/lib/mdb/proc/${MACH64} \
542   /usr/lib/rcap/${MACH64} \
543   /usr/lib/sasl/${MACH64} \
544   /usr/lib/scsi/${MACH64} \
545   /usr/lib/secure/${MACH64} \
546   /usr/lib/security/${MACH64} \
547   /usr/lib/smbsrv/${MACH64} \
548   /usr/lib/abi/${MACH64} \
549   /usr/sbin/${MACH64} \
550   /usr/ucb/${MACH64} \
551   /usr/ucb/lib/${MACH64} \
552   /usr/xpg4/lib/${MACH64} \
553   /var/ld/${MACH64}

555 # /var/mail/:saved is built directly by the rootdirs target in
556 # /usr/src/Makefile because of the colon in its name.

558 # macros for symbolic links
559 SYM.DIRS= \
560   /bin \
561   /dev/stdin \
562   /dev/stdout \
563   /dev/stderr \
564   /etc/lib/ld.so.1 \
565   /etc/lib/libdl.so.1 \
566   /etc/lib/nss_files.so.1 \
567   /etc/log \
568   /lib/32 \
569   /lib/crypto/32 \
570   /lib/secure/32 \
571   /usr/adm \
572   /usr/spool \
573   /usr/lib/tmac \
574   /usr/ccs/lib/link_audit \
575   /usr/news \
576   /usr/preserve \
577   /usr/lib/32 \
578   /usr/lib/cron \
579   /usr/lib/elfedit/32 \
580   /usr/lib/libp/32 \
581   /usr/lib/lwp/32 \
582   /usr/lib/link_audit/32 \
583   /usr/lib/secure/32 \

```

```

584   /usr/mail \
585   /usr/man \
586   /usr/pub \
587   /usr/src \
588   /usr/tmp \
589   /usr/ucb/lib/32 \
590   /var/ld/32

592 sparc_SYM.DIRS64=

594 SYM.DIRS64= \
595   ${$(MACH)_SYM.DIRS64} \
596   /lib/64 \
597   /lib/crypto/64 \
598   /lib/secure/64 \
599   /usr/lib/64 \
600   /usr/lib/brand/sn1/64 \
601   /usr/lib/brand/solaris10/64 \
602   /usr/lib/elfedit/64 \
603   /usr/lib/libp/64 \
604   /usr/lib/link_audit/64 \
605   /usr/lib/lwp/64 \
606   /usr/lib/secure/64 \
607   /usr/lib/security/64 \
608   /usr/xpg4/lib/64 \
609   /var/ld/64 \
610   /usr/ucb/lib/64

612 # prepend the ROOT prefix

614 ROOTDIRS=      ${TARGETDIRS:%=${ROOT}%}

616 # conditional assignments
617 #
618 # Target directories with non-default values for owner and group must
619 # be referenced here, using their fully-prefixed names, and the non-
620 # default values assigned.  If a directory is mentioned above and not
621 # mentioned below, it has default values for attributes.
622 #
623 # The default value for DIRMODE is specified in usr/src/Makefile.master.
624 #

626 ${ROOT}/var/adm \
627 ${ROOT}/var/adm/sa :=          DIRMODE= 775

629 ${ROOT}/var/spool/lp:=        DIRMODE= 775

631 # file mode
632 #
633 ${ROOT}/tmp \
634 ${ROOT}/var/krb5/rcache \
635 ${ROOT}/var/preserve \
636 ${ROOT}/var/spool/pkg \
637 ${ROOT}/var/spool/uucppublic \
638 ${ROOT}/var/tmp:=            DIRMODE= 1777

640 ${ROOT}/root:=              DIRMODE= 700

642 ${ROOT}/var/krb5/rcache/root:= DIRMODE= 700

645 #
646 # These permissions must match those set
647 # in the package manifests.
648 #
649 ${ROOT}/var/sadm/pkg \

```

new/usr/src/Targetdirs

```

650 $(ROOT)/var/sadm/security \
651 $(ROOT)/var/sadm/install/logs :=          DIRMODE= 555

654 #
655 # These permissions must match the ones set
656 # internally by fdfs and autofs.
657 #
658 $(ROOT)/dev/fd \
659 $(ROOT)/home:=          DIRMODE= 555

661 $(ROOT)/var/mail:=          DIRMODE=1777

663 $(ROOT)/proc:=          DIRMODE= 555

665 $(ROOT)/system/contract:=          DIRMODE= 555
666 $(ROOT)/system/object:=          DIRMODE= 555

668 # symlink assignments, LINKDEST is the value of the symlink
669 #
670 $(ROOT)/usr/lib/cron:=          LINKDEST=../etc/cron.d
671 $(ROOT)/bin:=          LINKDEST=usr/bin
672 $(ROOT)/lib/32:=          LINKDEST=.
673 $(ROOT)/lib/crypto/32:=          LINKDEST=.
674 $(ROOT)/lib/secure/32:=          LINKDEST=.
675 $(ROOT)/dev/stdin:=          LINKDEST=fd/0
676 $(ROOT)/dev/stdout:=          LINKDEST=fd/1
677 $(ROOT)/dev/stderr:=          LINKDEST=fd/2
678 $(ROOT)/usr/pub:=          LINKDEST=share/lib/pub
679 $(ROOT)/usr/man:=          LINKDEST=share/man
680 $(ROOT)/usr/src:=          LINKDEST=share/src
681 $(ROOT)/usr/adm:=          LINKDEST=../var/adm
682 $(ROOT)/etc/lib/ld.so.1:=          LINKDEST=../lib/ld.so.1
683 $(ROOT)/etc/lib/libdl.so.1:=          LINKDEST=../lib/libdl.so.1
684 $(ROOT)/etc/lib/nss_files.so.1:=          LINKDEST=../lib/nss_files.so.1
685 $(ROOT)/etc/log:=          LINKDEST=../var/adm/log
686 $(ROOT)/usr/mail:=          LINKDEST=../var/mail
687 $(ROOT)/usr/news:=          LINKDEST=../var/news
688 $(ROOT)/usr/preserve:=          LINKDEST=../var/preserve
689 $(ROOT)/usr/spool:=          LINKDEST=../var/spool
690 $(ROOT)/usr/tmp:=          LINKDEST=../var/tmp
691 $(ROOT)/usr/lib/tmac:=          LINKDEST=../share/lib/tmac
692 $(ROOT)/usr/lib/32:=          LINKDEST=.
693 $(ROOT)/usr/lib/elfedit/32:=          LINKDEST=.
694 $(ROOT)/usr/lib/libp/32:=          LINKDEST=.
695 $(ROOT)/usr/lib/lwp/32:=          LINKDEST=.
696 $(ROOT)/usr/lib/link_audit/32:=          LINKDEST=.
697 $(ROOT)/usr/lib/secure/32:=          LINKDEST=.
698 $(ROOT)/usr/ccs/lib/link_audit:=          LINKDEST=../lib/link_audit
699 $(ROOT)/usr/lib/ld/32:=          LINKDEST=.
700 $(ROOT)/usr/ucb/lib/32:=          LINKDEST=.

703 $(BUILD64) $(ROOT)/lib/64:=          LINKDEST=$(MACH64)
704 $(BUILD64) $(ROOT)/lib/crypto/64:=          LINKDEST=$(MACH64)
705 $(BUILD64) $(ROOT)/lib/secure/64:=          LINKDEST=$(MACH64)
706 $(BUILD64) $(ROOT)/usr/lib/64:=          LINKDEST=$(MACH64)
707 $(BUILD64) $(ROOT)/usr/lib/elfedit/64:=          LINKDEST=$(MACH64)
708 $(BUILD64) $(ROOT)/usr/lib/brand/snl/64:=          LINKDEST=$(MACH64)
709 $(BUILD64) $(ROOT)/usr/lib/brand/solaris10/64:=          LINKDEST=$(MACH64)
710 $(BUILD64) $(ROOT)/usr/lib/libp/64:=          LINKDEST=$(MACH64)
711 $(BUILD64) $(ROOT)/usr/lib/lwp/64:=          LINKDEST=$(MACH64)
712 $(BUILD64) $(ROOT)/usr/lib/link_audit/64:=          LINKDEST=$(MACH64)
713 $(BUILD64) $(ROOT)/usr/lib/secure/64:=          LINKDEST=$(MACH64)
714 $(BUILD64) $(ROOT)/usr/lib/security/64:=          LINKDEST=$(MACH64)
715 $(BUILD64) $(ROOT)/usr/xpg4/lib/64:=          LINKDEST=$(MACH64)

```

11

new/usr/src/Targetdirs

```

716 $(BUILD64) $(ROOT)/var/ld/64:=          LINKDEST=$(MACH64)
717 $(BUILD64) $(ROOT)/usr/ucb/lib/64:=          LINKDEST=$(MACH64)

719 #
720 # Installing a directory symlink calls for overriding INS.dir to install
721 # a symlink.
722 #
723 $(DIRLINKS:%=$(ROOT)%):= \
724   INS.dir= -$(RM) -r %@; $(SYMLINK) $(LINKDEST) $@

726 # Special symlinks to populate usr/ccs/lib, whose objects
727 # have actually been moved to usr/lib
728 # Rather than adding another set of rules, we add usr/lib/lwp files here
729 $(ROOT)/usr/ccs/lib/libcurses.so:=          REALPATH=../../../../lib/libcurses.so.1
730 $(ROOT)/usr/ccs/lib/llib-lcurses:=          REALPATH=../../../../lib/llib-lcurses
731 $(ROOT)/usr/ccs/lib/llib-lcurses.ln:=          REALPATH=../../../../lib/llib-lcurses.ln
732 $(ROOT)/usr/ccs/lib/libform.so:=          REALPATH=../../../../lib/libform.so.1
733 $(ROOT)/usr/ccs/lib/llib-lform:=          REALPATH=../../../../lib/llib-lform
734 $(ROOT)/usr/ccs/lib/llib-lform.ln:=          REALPATH=../../../../lib/llib-lform.ln
735 $(ROOT)/usr/ccs/lib/libgen.so:=          REALPATH=../../../../lib/libgen.so.1
736 $(ROOT)/usr/ccs/lib/llib-lgen:=          REALPATH=../../../../lib/llib-lgen
737 $(ROOT)/usr/ccs/lib/llib-lgen.ln:=          REALPATH=../../../../lib/llib-lgen.ln
738 $(ROOT)/usr/ccs/lib/libmalloc.so:=          REALPATH=../../../../lib/libmalloc.so.1
739 $(ROOT)/usr/ccs/lib/libmenu.so:=          REALPATH=../../../../lib/libmenu.so.1
740 $(ROOT)/usr/ccs/lib/llib-lmenu:=          REALPATH=../../../../lib/llib-lmenu
741 $(ROOT)/usr/ccs/lib/llib-lmenu.ln:=          REALPATH=../../../../lib/llib-lmenu.ln
742 $(ROOT)/usr/ccs/lib/libpanel.so:=          REALPATH=../../../../lib/libpanel.so.1
743 $(ROOT)/usr/ccs/lib/llib-lpanel:=          REALPATH=../../../../lib/llib-lpanel
744 $(ROOT)/usr/ccs/lib/llib-lpanel.ln:=          REALPATH=../../../../lib/llib-lpanel.ln
745 $(ROOT)/usr/ccs/lib/libtermcap.so:=          REALPATH=../../../../lib/libcurses.so.1
746 $(ROOT)/usr/ccs/lib/llib-ltermcap:=          REALPATH=../../../../lib/llib-lcurses
747 $(ROOT)/usr/ccs/lib/llib-ltermcap.ln:=          REALPATH=../../../../lib/llib-lcurses.ln
748 $(ROOT)/usr/ccs/lib/libtermcap.so:=          REALPATH=../../../../lib/libtermcap.so.1
749 $(ROOT)/usr/ccs/lib/llib-ltermcap:=          REALPATH=../../../../lib/llib-ltermcap
750 $(ROOT)/usr/ccs/lib/llib-ltermcap.ln:=          REALPATH=../../../../lib/llib-ltermcap.ln
751 $(ROOT)/usr/ccs/lib/values-Xa.o:=          REALPATH=../../../../lib/values-Xa.o
752 $(ROOT)/usr/ccs/lib/values-Xc.o:=          REALPATH=../../../../lib/values-Xc.o
753 $(ROOT)/usr/ccs/lib/values-Xs.o:=          REALPATH=../../../../lib/values-Xs.o
754 $(ROOT)/usr/ccs/lib/values-Xt.o:=          REALPATH=../../../../lib/values-Xt.o
755 $(ROOT)/usr/ccs/lib/values-xpg4.o:=          REALPATH=../../../../lib/values-xpg4.o
756 $(ROOT)/usr/ccs/lib/values-xpg6.o:=          REALPATH=../../../../lib/values-xpg6.o
757 $(ROOT)/usr/ccs/lib/libl.so:=          REALPATH=../../../../lib/libl.so.1
758 $(ROOT)/usr/ccs/lib/llib-ll.ln:=          REALPATH=../../../../lib/llib-ll.ln
759 $(ROOT)/usr/ccs/lib/liby.so:=          REALPATH=../../../../lib/liby.so.1
760 $(ROOT)/usr/ccs/lib/llib-ly.ln:=          REALPATH=../../../../lib/llib-ly.ln
761 $(ROOT)/usr/lib/libp/libc.so.1:=          REALPATH=../../../../lib/libc.so.1
762 $(ROOT)/usr/lib/lwp/libthread.so.1:=          REALPATH=../libthread.so.1
763 $(ROOT)/usr/lib/lwp/libthread_db.so.1:=          REALPATH=../libthread_db.so.1

765 # symlinks to populate usr/ccs/lib/$(MACH64)
766 $(ROOT)/usr/ccs/lib/$(MACH64)/libcurses.so:= \
767   REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
768 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lcurses.ln:= \
769   REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
770 $(ROOT)/usr/ccs/lib/$(MACH64)/libform.so:= \
771   REALPATH=../../../../lib/$(MACH64)/libform.so.1
772 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lform.ln:= \
773   REALPATH=../../../../lib/$(MACH64)/llib-lform.ln
774 $(ROOT)/usr/ccs/lib/$(MACH64)/libgen.so:= \
775   REALPATH=../../../../lib/$(MACH64)/libgen.so.1
776 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lgen.ln:= \
777   REALPATH=../../../../lib/$(MACH64)/llib-lgen.ln
778 $(ROOT)/usr/ccs/lib/$(MACH64)/libmalloc.so:= \
779   REALPATH=../../../../lib/$(MACH64)/libmalloc.so.1
780 $(ROOT)/usr/ccs/lib/$(MACH64)/libmenu.so:= \
781   REALPATH=../../../../lib/$(MACH64)/libmenu.so.1

```

12

```

782 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lmenu.ln:= \
783     REALPATH=../../../../lib/$(MACH64)/llib-lmenu.ln
784 $(ROOT)/usr/ccs/lib/$(MACH64)/libpanel.so:= \
785     REALPATH=../../../../lib/$(MACH64)/libpanel.so.1
786 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lpanel.ln:= \
787     REALPATH=../../../../lib/$(MACH64)/llib-lpanel.ln
788 $(ROOT)/usr/ccs/lib/$(MACH64)/libterm.lib.so:= \
789     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
790 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lterm.lib.ln:= \
791     REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
792 $(ROOT)/usr/ccs/lib/$(MACH64)/libtermcap.so:= \
793     REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
794 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ltermcap.ln:= \
795     REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
796 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xa.o:= \
797     REALPATH=../../../../lib/$(MACH64)/values-Xa.o
798 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xc.o:= \
799     REALPATH=../../../../lib/$(MACH64)/values-Xc.o
800 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xs.o:= \
801     REALPATH=../../../../lib/$(MACH64)/values-Xs.o
802 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xt.o:= \
803     REALPATH=../../../../lib/$(MACH64)/values-Xt.o
804 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg4.o:= \
805     REALPATH=../../../../lib/$(MACH64)/values-xpg4.o
806 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg6.o:= \
807     REALPATH=../../../../lib/$(MACH64)/values-xpg6.o
808 $(ROOT)/usr/ccs/lib/$(MACH64)/libl.so:= \
809     REALPATH=../../../../lib/$(MACH64)/libl.so.1
810 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ll.ln:= \
811     REALPATH=../../../../lib/$(MACH64)/llib-ll.ln
812 $(ROOT)/usr/ccs/lib/$(MACH64)/liby.so:= \
813     REALPATH=../../../../lib/$(MACH64)/liby.so.1
814 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ly.ln:= \
815     REALPATH=../../../../lib/$(MACH64)/llib-ly.ln
816 $(ROOT)/usr/lib/libp/$(MACH64)/libc.so.1:= \
817     REALPATH=../../../../lib/$(MACH64)/libc.so.1
818 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread.so.1:= \
819     REALPATH=../../../../$(MACH64)/libthread.so.1
820 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread_db.so.1:= \
821     REALPATH=../../../../$(MACH64)/libthread_db.so.1

823 SYM.USRCCSLIB= \
824     /usr/ccs/lib/libcurses.so \
825     /usr/ccs/lib/llib-lcurses \
826     /usr/ccs/lib/llib-lcurses.ln \
827     /usr/ccs/lib/libform.so \
828     /usr/ccs/lib/llib-lform \
829     /usr/ccs/lib/llib-lform.ln \
830     /usr/ccs/lib/libgen.so \
831     /usr/ccs/lib/llib-lgen \
832     /usr/ccs/lib/llib-lgen.ln \
833     /usr/ccs/lib/libmalloc.so \
834     /usr/ccs/lib/libmenu.so \
835     /usr/ccs/lib/llib-lmenu \
836     /usr/ccs/lib/llib-lmenu.ln \
837     /usr/ccs/lib/libpanel.so \
838     /usr/ccs/lib/llib-lpanel \
839     /usr/ccs/lib/llib-lpanel.ln \
840     /usr/ccs/lib/libterm.lib.so \
841     /usr/ccs/lib/llib-lterm.lib \
842     /usr/ccs/lib/llib-lterm.lib.ln \
843     /usr/ccs/lib/libtermcap.so \
844     /usr/ccs/lib/llib-ltermcap \
845     /usr/ccs/lib/llib-ltermcap.ln \
846     /usr/ccs/lib/values-Xa.o \
847     /usr/ccs/lib/values-Xc.o \

```

```

848     /usr/ccs/lib/values-Xs.o \
849     /usr/ccs/lib/values-Xt.o \
850     /usr/ccs/lib/values-xpg4.o \
851     /usr/ccs/lib/values-xpg6.o \
852     /usr/ccs/lib/libl.so \
853     /usr/ccs/lib/llib-ll.ln \
854     /usr/ccs/lib/liby.so \
855     /usr/ccs/lib/llib-ly.ln \
856     /usr/lib/libp/libc.so.1 \
857     /usr/lib/lwp/libthread.so.1 \
858     /usr/lib/lwp/libthread_db.so.1

860 SYM.USRCCSLIB64= \
861     /usr/ccs/lib/$(MACH64)/libcurses.so \
862     /usr/ccs/lib/$(MACH64)/llib-lcurses.ln \
863     /usr/ccs/lib/$(MACH64)/libform.so \
864     /usr/ccs/lib/$(MACH64)/llib-lform.ln \
865     /usr/ccs/lib/$(MACH64)/libgen.so \
866     /usr/ccs/lib/$(MACH64)/llib-lgen.ln \
867     /usr/ccs/lib/$(MACH64)/libmalloc.so \
868     /usr/ccs/lib/$(MACH64)/libmenu.so \
869     /usr/ccs/lib/$(MACH64)/llib-lmenu.ln \
870     /usr/ccs/lib/$(MACH64)/libpanel.so \
871     /usr/ccs/lib/$(MACH64)/llib-lpanel.ln \
872     /usr/ccs/lib/$(MACH64)/libterm.lib.so \
873     /usr/ccs/lib/$(MACH64)/llib-lterm.lib \
874     /usr/ccs/lib/$(MACH64)/libtermcap.so \
875     /usr/ccs/lib/$(MACH64)/llib-ltermcap.ln \
876     /usr/ccs/lib/$(MACH64)/values-Xa.o \
877     /usr/ccs/lib/$(MACH64)/values-Xc.o \
878     /usr/ccs/lib/$(MACH64)/values-Xs.o \
879     /usr/ccs/lib/$(MACH64)/values-Xt.o \
880     /usr/ccs/lib/$(MACH64)/values-xpg4.o \
881     /usr/ccs/lib/$(MACH64)/values-xpg6.o \
882     /usr/ccs/lib/$(MACH64)/libl.so \
883     /usr/ccs/lib/$(MACH64)/llib-ll.ln \
884     /usr/ccs/lib/$(MACH64)/liby.so \
885     /usr/ccs/lib/$(MACH64)/llib-ly.ln \
886     /usr/lib/libp/$(MACH64)/libc.so.1 \
887     /usr/lib/lwp/$(MACH64)/libthread.so.1 \
888     /usr/lib/lwp/$(MACH64)/libthread_db.so.1

890 # Special symlinks to direct libraries that have been moved
891 # from /usr/lib to /lib in order to live in the root filesystem.
892 $(ROOT)/lib/libposix4.so.1:= REALPATH=librt.so.1
893 $(ROOT)/lib/libposix4.so:= REALPATH=libposix4.so.1
894 $(ROOT)/lib/llib-lposix4:= REALPATH=llib-lrt
895 $(ROOT)/lib/llib-lposix4.ln:= REALPATH=llib-lrt.ln
896 $(ROOT)/lib/libthread_db.so.1:= REALPATH=libc_db.so.1
897 $(ROOT)/lib/libthread_db.so:= REALPATH=libc_db.so.1
898 $(ROOT)/usr/lib/ld.so.1:= REALPATH=../../../../lib/ld.so.1
899 $(ROOT)/usr/lib/libadm.so.1:= REALPATH=../../../../lib/libadm.so.1
900 $(ROOT)/usr/lib/libadm.so:= REALPATH=../../../../lib/libadm.so.1
901 $(ROOT)/usr/lib/libaio.so.1:= REALPATH=../../../../lib/libaio.so.1
902 $(ROOT)/usr/lib/libaio.so:= REALPATH=../../../../lib/libaio.so.1
903 $(ROOT)/usr/lib/libavl.so.1:= REALPATH=../../../../lib/libavl.so.1
904 $(ROOT)/usr/lib/libavl.so:= REALPATH=../../../../lib/libavl.so.1
905 $(ROOT)/usr/lib/libbsm.so.1:= REALPATH=../../../../lib/libbsm.so.1
906 $(ROOT)/usr/lib/libbsm.so:= REALPATH=../../../../lib/libbsm.so.1
907 $(ROOT)/usr/lib/libc.so.1:= REALPATH=../../../../lib/libc.so.1
908 $(ROOT)/usr/lib/libc.so:= REALPATH=../../../../lib/libc.so.1
909 $(ROOT)/usr/lib/libc_db.so.1:= REALPATH=../../../../lib/libc_db.so.1
910 $(ROOT)/usr/lib/libc_db.so:= REALPATH=../../../../lib/libc_db.so.1
911 $(ROOT)/usr/lib/libcmdutils.so.1:= REALPATH=../../../../lib/libcmdutils.so.1
912 $(ROOT)/usr/lib/libcmdutils.so:= REALPATH=../../../../lib/libcmdutils.so.1
913 $(ROOT)/usr/lib/libcontract.so.1:= REALPATH=../../../../lib/libcontract.so.1

```

```

914 $(ROOT)/usr/lib/libcontract.so:= REALPATH=../../../../lib/libcontract.so.1
915 $(ROOT)/usr/lib/libcryptoutil.so.1:= REALPATH=../../../../lib/libcryptoutil.so.1
916 $(ROOT)/usr/lib/libcryptoutil.so:= REALPATH=../../../../lib/libcryptoutil.so.1
917 $(ROOT)/usr/lib/libctff.so.1:= REALPATH=../../../../lib/libctff.so.1
918 $(ROOT)/usr/lib/libctff.so:= REALPATH=../../../../lib/libctff.so.1
919 $(ROOT)/usr/lib/libcurses.so.1:= REALPATH=../../../../lib/libcurses.so.1
920 $(ROOT)/usr/lib/libcurses.so:= REALPATH=../../../../lib/libcurses.so.1
921 $(ROOT)/usr/lib/libdevice.so.1:= REALPATH=../../../../lib/libdevice.so.1
922 $(ROOT)/usr/lib/libdevice.so:= REALPATH=../../../../lib/libdevice.so.1
923 $(ROOT)/usr/lib/libdevld.so.1:= REALPATH=../../../../lib/libdevld.so.1
924 $(ROOT)/usr/lib/libdevld.so:= REALPATH=../../../../lib/libdevld.so.1
925 $(ROOT)/usr/lib/libdevinfo.so.1:= REALPATH=../../../../lib/libdevinfo.so.1
926 $(ROOT)/usr/lib/libdevinfo.so:= REALPATH=../../../../lib/libdevinfo.so.1
927 $(ROOT)/usr/lib/libdhcpcagent.so.1:= REALPATH=../../../../lib/libdhcpcagent.so.1
928 $(ROOT)/usr/lib/libdhcpcagent.so:= REALPATH=../../../../lib/libdhcpcagent.so.1
929 $(ROOT)/usr/lib/libdhcputil.so.1:= REALPATH=../../../../lib/libdhcputil.so.1
930 $(ROOT)/usr/lib/libdhcputil.so:= REALPATH=../../../../lib/libdhcputil.so.1
931 $(ROOT)/usr/lib/libdl.so.1:= REALPATH=../../../../lib/libdl.so.1
932 $(ROOT)/usr/lib/libdl.so:= REALPATH=../../../../lib/libdl.so.1
933 $(ROOT)/usr/lib/libdmpi.so.1:= REALPATH=../../../../lib/libdmpi.so.1
934 $(ROOT)/usr/lib/libdmpi.so:= REALPATH=../../../../lib/libdmpi.so.1
935 $(ROOT)/usr/lib/libdoor.so.1:= REALPATH=../../../../lib/libdoor.so.1
936 $(ROOT)/usr/lib/libdoor.so:= REALPATH=../../../../lib/libdoor.so.1
937 $(ROOT)/usr/lib/libefi.so.1:= REALPATH=../../../../lib/libefi.so.1
938 $(ROOT)/usr/lib/libefi.so:= REALPATH=../../../../lib/libefi.so.1
939 $(ROOT)/usr/lib/libelf.so.1:= REALPATH=../../../../lib/libelf.so.1
940 $(ROOT)/usr/lib/libelf.so:= REALPATH=../../../../lib/libelf.so.1
941 $(ROOT)/usr/lib/libfdisk.so.1:= REALPATH=../../../../lib/libfdisk.so.1
942 $(ROOT)/usr/lib/libfdisk.so:= REALPATH=../../../../lib/libfdisk.so.1
943 $(ROOT)/usr/lib/libgen.so.1:= REALPATH=../../../../lib/libgen.so.1
944 $(ROOT)/usr/lib/libgen.so:= REALPATH=../../../../lib/libgen.so.1
945 $(ROOT)/usr/lib/libinetutil.so.1:= REALPATH=../../../../lib/libinetutil.so.1
946 $(ROOT)/usr/lib/libinetutil.so:= REALPATH=../../../../lib/libinetutil.so.1
947 $(ROOT)/usr/lib/libintl.so.1:= REALPATH=../../../../lib/libintl.so.1
948 $(ROOT)/usr/lib/libintl.so:= REALPATH=../../../../lib/libintl.so.1
949 $(ROOT)/usr/lib/libkmf.so.1:= REALPATH=../../../../lib/libkmf.so.1
950 $(ROOT)/usr/lib/libkmf.so:= REALPATH=../../../../lib/libkmf.so.1
951 $(ROOT)/usr/lib/libkmfberder.so.1:= REALPATH=../../../../lib/libkmfberder.so.1
952 $(ROOT)/usr/lib/libkmfberder.so:= REALPATH=../../../../lib/libkmfberder.so.1
953 $(ROOT)/usr/lib/libkstat.so.1:= REALPATH=../../../../lib/libkstat.so.1
954 $(ROOT)/usr/lib/libkstat.so:= REALPATH=../../../../lib/libkstat.so.1
955 $(ROOT)/usr/lib/liblddbg.so.4:= REALPATH=../../../../lib/liblddbg.so.4
956 $(ROOT)/usr/lib/libmd.so.1:= REALPATH=../../../../lib/libmd.so.1
957 $(ROOT)/usr/lib/libmd.so:= REALPATH=../../../../lib/libmd.so.1
958 $(ROOT)/usr/lib/libmd5.so.1:= REALPATH=../../../../lib/libmd5.so.1
959 $(ROOT)/usr/lib/libmd5.so:= REALPATH=../../../../lib/libmd5.so.1
960 $(ROOT)/usr/lib/libmeta.so.1:= REALPATH=../../../../lib/libmeta.so.1
961 $(ROOT)/usr/lib/libmeta.so:= REALPATH=../../../../lib/libmeta.so.1
962 $(ROOT)/usr/lib/libmp.so.1:= REALPATH=../../../../lib/libmp.so.1
963 $(ROOT)/usr/lib/libmp.so.2:= REALPATH=../../../../lib/libmp.so.2
964 $(ROOT)/usr/lib/libmp.so:= REALPATH=../../../../lib/libmp.so.2
965 $(ROOT)/usr/lib/libnsl.so.1:= REALPATH=../../../../lib/libnsl.so.1
966 $(ROOT)/usr/lib/libnsl.so:= REALPATH=../../../../lib/libnsl.so.1
967 $(ROOT)/usr/lib/libnvpair.so.1:= REALPATH=../../../../lib/libnvpair.so.1
968 $(ROOT)/usr/lib/libnvpair.so:= REALPATH=../../../../lib/libnvpair.so.1
969 $(ROOT)/usr/lib/libpam.so.1:= REALPATH=../../../../lib/libpam.so.1
970 $(ROOT)/usr/lib/libpam.so:= REALPATH=../../../../lib/libpam.so.1
971 $(ROOT)/usr/lib/libposix4.so.1:= REALPATH=../../../../lib/librt.so.1
972 $(ROOT)/usr/lib/libposix4.so:= REALPATH=../../../../lib/librt.so.1
973 $(ROOT)/usr/lib/libproc.so.1:= REALPATH=../../../../lib/libproc.so.1
974 $(ROOT)/usr/lib/libproc.so:= REALPATH=../../../../lib/libproc.so.1
975 $(ROOT)/usr/lib/libpthread.so.1:= REALPATH=../../../../lib/libpthread.so.1
976 $(ROOT)/usr/lib/libpthread.so:= REALPATH=../../../../lib/libpthread.so.1
977 $(ROOT)/usr/lib/librcm.so.1:= REALPATH=../../../../lib/librcm.so.1
978 $(ROOT)/usr/lib/librcm.so:= REALPATH=../../../../lib/librcm.so.1
979 $(ROOT)/usr/lib/libresolv.so.1:= REALPATH=../../../../lib/libresolv.so.1

```

```

980 $(ROOT)/usr/lib/libresolv.so.2:= REALPATH=../../../../lib/libresolv.so.2
981 $(ROOT)/usr/lib/libresolv.so:= REALPATH=../../../../lib/libresolv.so.2
982 $(ROOT)/usr/lib/librestart.so.1:= REALPATH=../../../../lib/librestart.so.1
983 $(ROOT)/usr/lib/librestart.so:= REALPATH=../../../../lib/librestart.so.1
984 $(ROOT)/usr/lib/librpcsvc.so.1:= REALPATH=../../../../lib/librpcsvc.so.1
985 $(ROOT)/usr/lib/librpcsvc.so:= REALPATH=../../../../lib/librpcsvc.so.1
986 $(ROOT)/usr/lib/librt.so.1:= REALPATH=../../../../lib/librt.so.1
987 $(ROOT)/usr/lib/librt.so:= REALPATH=../../../../lib/librt.so.1
988 $(ROOT)/usr/lib/librtld.so.1:= REALPATH=../../../../lib/librtld.so.1
989 $(ROOT)/usr/lib/librtld_db.so.1:= REALPATH=../../../../lib/librtld_db.so.1
990 $(ROOT)/usr/lib/librtld_db.so:= REALPATH=../../../../lib/librtld_db.so.1
991 $(ROOT)/usr/lib/libscf.so.1:= REALPATH=../../../../lib/libscf.so.1
992 $(ROOT)/usr/lib/libscf.so:= REALPATH=../../../../lib/libscf.so.1
993 $(ROOT)/usr/lib/libsec.so.1:= REALPATH=../../../../lib/libsec.so.1
994 $(ROOT)/usr/lib/libsec.so:= REALPATH=../../../../lib/libsec.so.1
995 $(ROOT)/usr/lib/libsecdb.so.1:= REALPATH=../../../../lib/libsecdb.so.1
996 $(ROOT)/usr/lib/libsecdb.so:= REALPATH=../../../../lib/libsecdb.so.1
997 $(ROOT)/usr/lib/libsendfile.so.1:= REALPATH=../../../../lib/libsendfile.so.1
998 $(ROOT)/usr/lib/libsendfile.so:= REALPATH=../../../../lib/libsendfile.so.1
999 $(ROOT)/usr/lib/libsocket.so.1:= REALPATH=../../../../lib/libsocket.so.1
1000 $(ROOT)/usr/lib/libsocket.so:= REALPATH=../../../../lib/libsocket.so.1
1001 $(ROOT)/usr/lib/libsysevent.so.1:= REALPATH=../../../../lib/libsysevent.so.1
1002 $(ROOT)/usr/lib/libsysevent.so:= REALPATH=../../../../lib/libsysevent.so.1
1003 $(ROOT)/usr/lib/libtermcap.so.1:= REALPATH=../../../../lib/libtermcap.so.1
1004 $(ROOT)/usr/lib/libtermcap.so:= REALPATH=../../../../lib/libtermcap.so.1
1005 $(ROOT)/usr/lib/libtermplib.so.1:= REALPATH=../../../../lib/libcurses.so.1
1006 $(ROOT)/usr/lib/libtermplib.so:= REALPATH=../../../../lib/libcurses.so.1
1007 $(ROOT)/usr/lib/libthread.so.1:= REALPATH=../../../../lib/libthread.so.1
1008 $(ROOT)/usr/lib/libthread.so:= REALPATH=../../../../lib/libthread.so.1
1009 $(ROOT)/usr/lib/libthread_db.so.1:= REALPATH=../../../../lib/libc_db.so.1
1010 $(ROOT)/usr/lib/libthread_db.so:= REALPATH=../../../../lib/libc_db.so.1
1011 $(ROOT)/usr/lib/libtsnet.so.1:= REALPATH=../../../../lib/libtsnet.so.1
1012 $(ROOT)/usr/lib/libtsnet.so:= REALPATH=../../../../lib/libtsnet.so.1
1013 $(ROOT)/usr/lib/libtsol.so.2:= REALPATH=../../../../lib/libtsol.so.2
1014 $(ROOT)/usr/lib/libtsol.so:= REALPATH=../../../../lib/libtsol.so.2
1015 $(ROOT)/usr/lib/libumem.so.1:= REALPATH=../../../../lib/libumem.so.1
1016 $(ROOT)/usr/lib/libumem.so:= REALPATH=../../../../lib/libumem.so.1
1017 $(ROOT)/usr/lib/libuuid.so.1:= REALPATH=../../../../lib/libuuid.so.1
1018 $(ROOT)/usr/lib/libuuid.so:= REALPATH=../../../../lib/libuuid.so.1
1019 $(ROOT)/usr/lib/libuutil.so.1:= REALPATH=../../../../lib/libuutil.so.1
1020 $(ROOT)/usr/lib/libuutil.so:= REALPATH=../../../../lib/libuutil.so.1
1021 $(ROOT)/usr/lib/libw.so.1:= REALPATH=../../../../lib/libw.so.1
1022 $(ROOT)/usr/lib/libw.so:= REALPATH=../../../../lib/libw.so.1
1023 $(ROOT)/usr/lib/libxnet.so.1:= REALPATH=../../../../lib/libxnet.so.1
1024 $(ROOT)/usr/lib/libxnet.so:= REALPATH=../../../../lib/libxnet.so.1
1025 $(ROOT)/usr/lib/libzfs.so.1:= REALPATH=../../../../lib/libzfs.so.1
1026 $(ROOT)/usr/lib/libzfs.so:= REALPATH=../../../../lib/libzfs.so.1
1027 $(ROOT)/usr/lib/libzfs_core.so.1:= REALPATH=../../../../lib/libzfs_core.so.1
1028 $(ROOT)/usr/lib/libzfs_core.so:= REALPATH=../../../../lib/libzfs_core.so.1
1029 $(ROOT)/usr/lib/llib-ladm.ln:= REALPATH=../../../../lib/llib-ladm.ln
1030 $(ROOT)/usr/lib/llib-ladm:= REALPATH=../../../../lib/llib-ladm
1031 $(ROOT)/usr/lib/llib-lai.ln:= REALPATH=../../../../lib/llib-lai.ln
1032 $(ROOT)/usr/lib/llib-lai:= REALPATH=../../../../lib/llib-lai
1033 $(ROOT)/usr/lib/llib-lavl.ln:= REALPATH=../../../../lib/llib-lavl.ln
1034 $(ROOT)/usr/lib/llib-lavl:= REALPATH=../../../../lib/llib-lavl
1035 $(ROOT)/usr/lib/llib-lbsm.ln:= REALPATH=../../../../lib/llib-lbsm.ln
1036 $(ROOT)/usr/lib/llib-lbsm:= REALPATH=../../../../lib/llib-lbsm
1037 $(ROOT)/usr/lib/llib-lc.ln:= REALPATH=../../../../lib/llib-lc.ln
1038 $(ROOT)/usr/lib/llib-lc:= REALPATH=../../../../lib/llib-lc
1039 $(ROOT)/usr/lib/llib-lcmdutils.ln:= REALPATH=../../../../lib/llib-lcmdutils.ln
1040 $(ROOT)/usr/lib/llib-lcmdutils:= REALPATH=../../../../lib/llib-lcmdutils
1041 $(ROOT)/usr/lib/llib-lcontract.ln:= REALPATH=../../../../lib/llib-lcontract.ln
1042 $(ROOT)/usr/lib/llib-lcontract:= REALPATH=../../../../lib/llib-lcontract
1043 $(ROOT)/usr/lib/llib-lctf.ln:= REALPATH=../../../../lib/llib-lctf.ln
1044 $(ROOT)/usr/lib/llib-lctf:= REALPATH=../../../../lib/llib-lctf
1045 $(ROOT)/usr/lib/llib-lcurses.ln:= REALPATH=../../../../lib/llib-lcurses.ln

```

```

1046 $(ROOT)/usr/lib/llib-lcurses:= REALPATH=../../../../lib/llib-lcurses
1047 $(ROOT)/usr/lib/llib-ldevice.ln:= REALPATH=../../../../lib/llib-ldevice.ln
1048 $(ROOT)/usr/lib/llib-ldevice:= REALPATH=../../../../lib/llib-ldevice
1049 $(ROOT)/usr/lib/llib-ldevid.ln:= REALPATH=../../../../lib/llib-ldevid.ln
1050 $(ROOT)/usr/lib/llib-ldevid:= REALPATH=../../../../lib/llib-ldevid
1051 $(ROOT)/usr/lib/llib-ldevinfo.ln:= REALPATH=../../../../lib/llib-ldevinfo.ln
1052 $(ROOT)/usr/lib/llib-ldevinfo:= REALPATH=../../../../lib/llib-ldevinfo
1053 $(ROOT)/usr/lib/llib-ldhcpagent.ln:= REALPATH=../../../../lib/llib-ldhcpagent.ln
1054 $(ROOT)/usr/lib/llib-ldhcpagent:= REALPATH=../../../../lib/llib-ldhcpagent
1055 $(ROOT)/usr/lib/llib-ldhcputil.ln:= REALPATH=../../../../lib/llib-ldhcputil.ln
1056 $(ROOT)/usr/lib/llib-ldhcputil:= REALPATH=../../../../lib/llib-ldhcputil
1057 $(ROOT)/usr/lib/llib-ldl.ln:= REALPATH=../../../../lib/llib-ldl.ln
1058 $(ROOT)/usr/lib/llib-ldl:= REALPATH=../../../../lib/llib-ldl
1059 $(ROOT)/usr/lib/llib-ldoor.ln:= REALPATH=../../../../lib/llib-ldoor.ln
1060 $(ROOT)/usr/lib/llib-ldoor:= REALPATH=../../../../lib/llib-ldoor
1061 $(ROOT)/usr/lib/llib-lefi.ln:= REALPATH=../../../../lib/llib-lefi.ln
1062 $(ROOT)/usr/lib/llib-lefi:= REALPATH=../../../../lib/llib-lefi
1063 $(ROOT)/usr/lib/llib-lelf.ln:= REALPATH=../../../../lib/llib-lelf.ln
1064 $(ROOT)/usr/lib/llib-lelf:= REALPATH=../../../../lib/llib-lelf
1065 $(ROOT)/usr/lib/llib-lfdisk.ln:= REALPATH=../../../../lib/llib-lfdisk.ln
1066 $(ROOT)/usr/lib/llib-lfdisk:= REALPATH=../../../../lib/llib-lfdisk
1067 $(ROOT)/usr/lib/llib-lgen.ln:= REALPATH=../../../../lib/llib-lgen.ln
1068 $(ROOT)/usr/lib/llib-lgen:= REALPATH=../../../../lib/llib-lgen
1069 $(ROOT)/usr/lib/llib-linetutil.ln:= REALPATH=../../../../lib/llib-linetutil.ln
1070 $(ROOT)/usr/lib/llib-linetutil:= REALPATH=../../../../lib/llib-linetutil
1071 $(ROOT)/usr/lib/llib-lintl.ln:= REALPATH=../../../../lib/llib-lintl.ln
1072 $(ROOT)/usr/lib/llib-lintl:= REALPATH=../../../../lib/llib-lintl
1073 $(ROOT)/usr/lib/llib-lkstat.ln:= REALPATH=../../../../lib/llib-lkstat.ln
1074 $(ROOT)/usr/lib/llib-lkstat:= REALPATH=../../../../lib/llib-lkstat
1075 $(ROOT)/usr/lib/llib-lmd5.ln:= REALPATH=../../../../lib/llib-lmd5.ln
1076 $(ROOT)/usr/lib/llib-lmd5:= REALPATH=../../../../lib/llib-lmd5
1077 $(ROOT)/usr/lib/llib-lmeta.ln:= REALPATH=../../../../lib/llib-lmeta.ln
1078 $(ROOT)/usr/lib/llib-lmeta:= REALPATH=../../../../lib/llib-lmeta
1079 $(ROOT)/usr/lib/llib-lnsl.ln:= REALPATH=../../../../lib/llib-lnsl.ln
1080 $(ROOT)/usr/lib/llib-lnsl:= REALPATH=../../../../lib/llib-lnsl
1081 $(ROOT)/usr/lib/llib-lnvpair.ln:= REALPATH=../../../../lib/llib-lnvpair.ln
1082 $(ROOT)/usr/lib/llib-lnvpair:= REALPATH=../../../../lib/llib-lnvpair
1083 $(ROOT)/usr/lib/llib-lpam.ln:= REALPATH=../../../../lib/llib-lpam.ln
1084 $(ROOT)/usr/lib/llib-lpam:= REALPATH=../../../../lib/llib-lpam
1085 $(ROOT)/usr/lib/llib-lposix4.ln:= REALPATH=../../../../lib/llib-lrt.ln
1086 $(ROOT)/usr/lib/llib-lposix4:= REALPATH=../../../../lib/llib-lrt
1087 $(ROOT)/usr/lib/llib-lpthead.ln:= REALPATH=../../../../lib/llib-lpthead.ln
1088 $(ROOT)/usr/lib/llib-lpthead:= REALPATH=../../../../lib/llib-lpthead
1089 $(ROOT)/usr/lib/llib-lresolv.ln:= REALPATH=../../../../lib/llib-lresolv.ln
1090 $(ROOT)/usr/lib/llib-lresolv:= REALPATH=../../../../lib/llib-lresolv
1091 $(ROOT)/usr/lib/llib-lrpcsvc.ln:= REALPATH=../../../../lib/llib-lrpcsvc.ln
1092 $(ROOT)/usr/lib/llib-lrpcsvc:= REALPATH=../../../../lib/llib-lrpcsvc
1093 $(ROOT)/usr/lib/llib-lrt.ln:= REALPATH=../../../../lib/llib-lrt.ln
1094 $(ROOT)/usr/lib/llib-lrt:= REALPATH=../../../../lib/llib-lrt
1095 $(ROOT)/usr/lib/llib-lrtdb.ln:= REALPATH=../../../../lib/llib-lrtdb.ln
1096 $(ROOT)/usr/lib/llib-lrtdb:= REALPATH=../../../../lib/llib-lrtdb
1097 $(ROOT)/usr/lib/llib-lscf.ln:= REALPATH=../../../../lib/llib-lscf.ln
1098 $(ROOT)/usr/lib/llib-lscf:= REALPATH=../../../../lib/llib-lscf
1099 $(ROOT)/usr/lib/llib-lsec.ln:= REALPATH=../../../../lib/llib-lsec.ln
1100 $(ROOT)/usr/lib/llib-lsec:= REALPATH=../../../../lib/llib-lsec
1101 $(ROOT)/usr/lib/llib-lsecdb.ln:= REALPATH=../../../../lib/llib-lsecdb.ln
1102 $(ROOT)/usr/lib/llib-lsecdb:= REALPATH=../../../../lib/llib-lsecdb
1103 $(ROOT)/usr/lib/llib-lsendfile.ln:= REALPATH=../../../../lib/llib-lsendfile.ln
1104 $(ROOT)/usr/lib/llib-lsendfile:= REALPATH=../../../../lib/llib-lsendfile
1105 $(ROOT)/usr/lib/llib-lsocket.ln:= REALPATH=../../../../lib/llib-lsocket.ln
1106 $(ROOT)/usr/lib/llib-lsocket:= REALPATH=../../../../lib/llib-lsocket
1107 $(ROOT)/usr/lib/llib-lsysevent.ln:= REALPATH=../../../../lib/llib-lsysevent.ln
1108 $(ROOT)/usr/lib/llib-lsysevent:= REALPATH=../../../../lib/llib-lsysevent
1109 $(ROOT)/usr/lib/llib-ltermcap.ln:= REALPATH=../../../../lib/llib-ltermcap.ln
1110 $(ROOT)/usr/lib/llib-ltermcap:= REALPATH=../../../../lib/llib-ltermcap
1111 $(ROOT)/usr/lib/llib-ltermplib.ln:= REALPATH=../../../../lib/llib-lcurses.ln

```

```

1112 $(ROOT)/usr/lib/llib-ltermplib:= REALPATH=../../../../lib/llib-lcurses
1113 $(ROOT)/usr/lib/llib-lthread.ln:= REALPATH=../../../../lib/llib-lthread.ln
1114 $(ROOT)/usr/lib/llib-lthread:= REALPATH=../../../../lib/llib-lthread
1115 $(ROOT)/usr/lib/llib-lthread_db.ln:= REALPATH=../../../../lib/llib-lc_db.ln
1116 $(ROOT)/usr/lib/llib-lthread_db:= REALPATH=../../../../lib/llib-lc_db
1117 $(ROOT)/usr/lib/llib-ltsnet.ln:= REALPATH=../../../../lib/llib-ltsnet.ln
1118 $(ROOT)/usr/lib/llib-ltsnet:= REALPATH=../../../../lib/llib-ltsnet
1119 $(ROOT)/usr/lib/llib-ltsol.ln:= REALPATH=../../../../lib/llib-ltsol.ln
1120 $(ROOT)/usr/lib/llib-ltsol:= REALPATH=../../../../lib/llib-ltsol
1121 $(ROOT)/usr/lib/llib-lumem.ln:= REALPATH=../../../../lib/llib-lumem.ln
1122 $(ROOT)/usr/lib/llib-lumem:= REALPATH=../../../../lib/llib-lumem
1123 $(ROOT)/usr/lib/llib-luuid.ln:= REALPATH=../../../../lib/llib-luuid.ln
1124 $(ROOT)/usr/lib/llib-luuid:= REALPATH=../../../../lib/llib-luuid
1125 $(ROOT)/usr/lib/llib-lxnet.ln:= REALPATH=../../../../lib/llib-lxnet.ln
1126 $(ROOT)/usr/lib/llib-lxnet:= REALPATH=../../../../lib/llib-lxnet
1127 $(ROOT)/usr/lib/llib-lzfs.ln:= REALPATH=../../../../lib/llib-lzfs.ln
1128 $(ROOT)/usr/lib/llib-lzfs:= REALPATH=../../../../lib/llib-lzfs
1129 $(ROOT)/usr/lib/llib-lzfs_core.ln:= REALPATH=../../../../lib/llib-lzfs_core.ln
1130 $(ROOT)/usr/lib/llib-lzfs_core:= REALPATH=../../../../lib/llib-lzfs_core
1131 $(ROOT)/usr/lib/nss_compat.so.1:= REALPATH=../../../../lib/nss_compat.so.1
1132 $(ROOT)/usr/lib/nss_dns.so.1:= REALPATH=../../../../lib/nss_dns.so.1
1133 $(ROOT)/usr/lib/nss_files.so.1:= REALPATH=../../../../lib/nss_files.so.1
1134 $(ROOT)/usr/lib/nss_nis.so.1:= REALPATH=../../../../lib/nss_nis.so.1
1135 $(ROOT)/usr/lib/nss_user.so.1:= REALPATH=../../../../lib/nss_user.so.1
1136 $(ROOT)/usr/lib/fm/libfmevent.so.1:= REALPATH=../../../../lib/fm/libfmevent.so.1
1137 $(ROOT)/usr/lib/fm/libfmevent.so:= REALPATH=../../../../lib/fm/libfmevent.so.1
1138 $(ROOT)/usr/lib/fm/llib-lfmevent.ln:= REALPATH=../../../../lib/fm/llib-lfmevent.l
1139 $(ROOT)/usr/lib/fm/llib-lfmevent:= REALPATH=../../../../lib/fm/llib-lfmevent

1141 $(ROOT)/lib/$(MACH64)/libposix4.so.1:= \
1142 REALPATH=librt.so.1
1143 $(ROOT)/lib/$(MACH64)/libposix4.so:= \
1144 REALPATH=librt.so.1
1145 $(ROOT)/lib/$(MACH64)/liblposix4.ln:= \
1146 REALPATH=liblrt.ln
1147 $(ROOT)/lib/$(MACH64)/libthread_db.so.1:= \
1148 REALPATH=libc_db.so.1
1149 $(ROOT)/lib/$(MACH64)/libthread_db.so:= \
1150 REALPATH=libc_db.so.1
1151 $(ROOT)/usr/lib/$(MACH64)/ld.so.1:= \
1152 REALPATH=../../../../lib/$(MACH64)/ld.so.1
1153 $(ROOT)/usr/lib/$(MACH64)/libadm.so.1:= \
1154 REALPATH=../../../../lib/$(MACH64)/libadm.so.1
1155 $(ROOT)/usr/lib/$(MACH64)/libadm.so:= \
1156 REALPATH=../../../../lib/$(MACH64)/libadm.so.1
1157 $(ROOT)/usr/lib/$(MACH64)/libaio.so.1:= \
1158 REALPATH=../../../../lib/$(MACH64)/libaio.so.1
1159 $(ROOT)/usr/lib/$(MACH64)/libaio.so:= \
1160 REALPATH=../../../../lib/$(MACH64)/libaio.so.1
1161 $(ROOT)/usr/lib/$(MACH64)/libavl.so.1:= \
1162 REALPATH=../../../../lib/$(MACH64)/libavl.so.1
1163 $(ROOT)/usr/lib/$(MACH64)/libavl.so:= \
1164 REALPATH=../../../../lib/$(MACH64)/libavl.so.1
1165 $(ROOT)/usr/lib/$(MACH64)/libbsm.so.1:= \
1166 REALPATH=../../../../lib/$(MACH64)/libbsm.so.1
1167 $(ROOT)/usr/lib/$(MACH64)/libbsm.so:= \
1168 REALPATH=../../../../lib/$(MACH64)/libbsm.so.1
1169 $(ROOT)/usr/lib/$(MACH64)/libc.so.1:= \
1170 REALPATH=../../../../lib/$(MACH64)/libc.so.1
1171 $(ROOT)/usr/lib/$(MACH64)/libc.so:= \
1172 REALPATH=../../../../lib/$(MACH64)/libc.so.1
1173 $(ROOT)/usr/lib/$(MACH64)/libc_db.so.1:= \
1174 REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1175 $(ROOT)/usr/lib/$(MACH64)/libc_db.so:= \
1176 REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1177 $(ROOT)/usr/lib/$(MACH64)/libcmdutils.so.1:= \

```

```

1178     REALPATH=../../../../lib/$(MACH64)/libcmdutils.so.1
1179 $(ROOT)/usr/lib/$(MACH64)/libcmdutils.so:= \
1180     REALPATH=../../../../lib/$(MACH64)/libcmdutils.so.1
1181 $(ROOT)/usr/lib/$(MACH64)/libcontract.so.1:= \
1182     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1183 $(ROOT)/usr/lib/$(MACH64)/libcontract.so:= \
1184     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1185 $(ROOT)/usr/lib/$(MACH64)/libctf.so.1:= \
1186     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1187 $(ROOT)/usr/lib/$(MACH64)/libctf.so:= \
1188     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1189 $(ROOT)/usr/lib/$(MACH64)/libcurses.so.1:= \
1190     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1191 $(ROOT)/usr/lib/$(MACH64)/libcurses.so:= \
1192     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1193 $(ROOT)/usr/lib/$(MACH64)/libdevice.so.1:= \
1194     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1195 $(ROOT)/usr/lib/$(MACH64)/libdevice.so:= \
1196     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1197 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so.1:= \
1198     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1199 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so:= \
1200     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1201 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so.1:= \
1202     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1203 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so:= \
1204     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1205 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so.1:= \
1206     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1207 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so:= \
1208     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1209 $(ROOT)/usr/lib/$(MACH64)/libdl.so.1:= \
1210     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1211 $(ROOT)/usr/lib/$(MACH64)/libdl.so:= \
1212     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1213 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so.1:= \
1214     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1215 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so:= \
1216     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1217 $(ROOT)/usr/lib/$(MACH64)/libdoor.so.1:= \
1218     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1219 $(ROOT)/usr/lib/$(MACH64)/libdoor.so:= \
1220     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1221 $(ROOT)/usr/lib/$(MACH64)/libefi.so.1:= \
1222     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1223 $(ROOT)/usr/lib/$(MACH64)/libefi.so:= \
1224     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1225 $(ROOT)/usr/lib/$(MACH64)/libelf.so.1:= \
1226     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1227 $(ROOT)/usr/lib/$(MACH64)/libelf.so:= \
1228     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1229 $(ROOT)/usr/lib/$(MACH64)/libgen.so.1:= \
1230     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
1231 $(ROOT)/usr/lib/$(MACH64)/libgen.so:= \
1232     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
1233 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so.1:= \
1234     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1235 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so:= \
1236     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1237 $(ROOT)/usr/lib/$(MACH64)/libintl.so.1:= \
1238     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1239 $(ROOT)/usr/lib/$(MACH64)/libintl.so:= \
1240     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1241 $(ROOT)/usr/lib/$(MACH64)/libkstat.so.1:= \
1242     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1243 $(ROOT)/usr/lib/$(MACH64)/libkstat.so:= \

```

```

1244     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1245 $(ROOT)/usr/lib/$(MACH64)/liblddbg.so.4:= \
1246     REALPATH=../../../../lib/$(MACH64)/liblddbg.so.4
1247 $(ROOT)/usr/lib/$(MACH64)/libmd.so.1:= \
1248     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1249 $(ROOT)/usr/lib/$(MACH64)/libmd.so:= \
1250     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1251 $(ROOT)/usr/lib/$(MACH64)/libmd5.so.1:= \
1252     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1253 $(ROOT)/usr/lib/$(MACH64)/libmd5.so:= \
1254     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1255 $(ROOT)/usr/lib/$(MACH64)/libmp.so.2:= \
1256     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1257 $(ROOT)/usr/lib/$(MACH64)/libmp.so:= \
1258     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1259 $(ROOT)/usr/lib/$(MACH64)/libnsl.so.1:= \
1260     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1261 $(ROOT)/usr/lib/$(MACH64)/libnsl.so:= \
1262     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1263 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so.1:= \
1264     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1265 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so:= \
1266     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1267 $(ROOT)/usr/lib/$(MACH64)/libpam.so.1:= \
1268     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1269 $(ROOT)/usr/lib/$(MACH64)/libpam.so:= \
1270     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1271 $(ROOT)/usr/lib/$(MACH64)/libposix4.so.1:= \
1272     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1273 $(ROOT)/usr/lib/$(MACH64)/libposix4.so:= \
1274     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1275 $(ROOT)/usr/lib/$(MACH64)/libproc.so.1:= \
1276     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1277 $(ROOT)/usr/lib/$(MACH64)/libproc.so:= \
1278     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1279 $(ROOT)/usr/lib/$(MACH64)/libpthread.so.1:= \
1280     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1281 $(ROOT)/usr/lib/$(MACH64)/libpthread.so:= \
1282     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1283 $(ROOT)/usr/lib/$(MACH64)/librcm.so.1:= \
1284     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1285 $(ROOT)/usr/lib/$(MACH64)/librcm.so:= \
1286     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1287 $(ROOT)/usr/lib/$(MACH64)/libresolv.so.2:= \
1288     REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
1289 $(ROOT)/usr/lib/$(MACH64)/libresolv.so:= \
1290     REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
1291 $(ROOT)/usr/lib/$(MACH64)/librestart.so.1:= \
1292     REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1293 $(ROOT)/usr/lib/$(MACH64)/librestart.so:= \
1294     REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1295 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so.1:= \
1296     REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1297 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so:= \
1298     REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1299 $(ROOT)/usr/lib/$(MACH64)/librt.so.1:= \
1300     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1301 $(ROOT)/usr/lib/$(MACH64)/librt.so:= \
1302     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1303 $(ROOT)/usr/lib/$(MACH64)/librtld.so.1:= \
1304     REALPATH=../../../../lib/$(MACH64)/librtld.so.1
1305 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so.1:= \
1306     REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1307 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so:= \
1308     REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1309 $(ROOT)/usr/lib/$(MACH64)/libscf.so.1:= \

```

```

1310 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1311 $(ROOT)/usr/lib/$(MACH64)/libscf.so:= \
1312 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1313 $(ROOT)/usr/lib/$(MACH64)/libsec.so.1:= \
1314 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1315 $(ROOT)/usr/lib/$(MACH64)/libsec.so:= \
1316 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1317 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so.1:= \
1318 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1319 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so:= \
1320 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1321 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so.1:= \
1322 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1323 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so:= \
1324 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1325 $(ROOT)/usr/lib/$(MACH64)/libsocket.so.1:= \
1326 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1327 $(ROOT)/usr/lib/$(MACH64)/libsocket.so:= \
1328 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1329 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so.1:= \
1330 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1331 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so:= \
1332 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1333 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so.1:= \
1334 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1335 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so:= \
1336 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1337 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so.1:= \
1338 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1339 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so:= \
1340 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1341 $(ROOT)/usr/lib/$(MACH64)/libthread.so.1:= \
1342 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1343 $(ROOT)/usr/lib/$(MACH64)/libthread.so:= \
1344 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1345 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so.1:= \
1346 REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1
1347 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so:= \
1348 REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1
1349 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so.1:= \
1350 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1351 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so:= \
1352 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1353 $(ROOT)/usr/lib/$(MACH64)/libtsol.so.2:= \
1354 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2
1355 $(ROOT)/usr/lib/$(MACH64)/libtsol.so:= \
1356 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2
1357 $(ROOT)/usr/lib/$(MACH64)/libumem.so.1:= \
1358 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1359 $(ROOT)/usr/lib/$(MACH64)/libumem.so:= \
1360 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1361 $(ROOT)/usr/lib/$(MACH64)/libuuid.so.1:= \
1362 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1363 $(ROOT)/usr/lib/$(MACH64)/libuuid.so:= \
1364 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1365 $(ROOT)/usr/lib/$(MACH64)/libuutil.so.1:= \
1366 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1367 $(ROOT)/usr/lib/$(MACH64)/libuutil.so:= \
1368 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1369 $(ROOT)/usr/lib/$(MACH64)/libw.so.1:= \
1370 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1371 $(ROOT)/usr/lib/$(MACH64)/libw.so:= \
1372 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1373 $(ROOT)/usr/lib/$(MACH64)/libxnet.so.1:= \
1374 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1375 $(ROOT)/usr/lib/$(MACH64)/libxnet.so:= \

```

```

1376 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1377 $(ROOT)/usr/lib/$(MACH64)/libzfs.so:= \
1378 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1379 $(ROOT)/usr/lib/$(MACH64)/libzfs.so.1:= \
1380 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1381 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so:= \
1382 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1383 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so.1:= \
1384 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1385 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so.1:= \
1386 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1387 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so:= \
1388 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1389 $(ROOT)/usr/lib/$(MACH64)/llib-ladm.ln:= \
1390 REALPATH=../../../../lib/$(MACH64)/llib-ladm.ln
1391 $(ROOT)/usr/lib/$(MACH64)/llib-laio.ln:= \
1392 REALPATH=../../../../lib/$(MACH64)/llib-laio.ln
1393 $(ROOT)/usr/lib/$(MACH64)/llib-lavl.ln:= \
1394 REALPATH=../../../../lib/$(MACH64)/llib-lavl.ln
1395 $(ROOT)/usr/lib/$(MACH64)/llib-lbsm.ln:= \
1396 REALPATH=../../../../lib/$(MACH64)/llib-lbsm.ln
1397 $(ROOT)/usr/lib/$(MACH64)/llib-lc.ln:= \
1398 REALPATH=../../../../lib/$(MACH64)/llib-lc.ln
1399 $(ROOT)/usr/lib/$(MACH64)/llib-lcmdutils.ln:= \
1400 REALPATH=../../../../lib/$(MACH64)/llib-lcmdutils.ln
1401 $(ROOT)/usr/lib/$(MACH64)/llib-lcontract.ln:= \
1402 REALPATH=../../../../lib/$(MACH64)/llib-lcontract.ln
1403 $(ROOT)/usr/lib/$(MACH64)/llib-lctf.ln:= \
1404 REALPATH=../../../../lib/$(MACH64)/llib-lctf.ln
1405 $(ROOT)/usr/lib/$(MACH64)/llib-lcurses.ln:= \
1406 REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
1407 $(ROOT)/usr/lib/$(MACH64)/llib-ldevice.ln:= \
1408 REALPATH=../../../../lib/$(MACH64)/llib-ldevice.ln
1409 $(ROOT)/usr/lib/$(MACH64)/llib-ldevid.ln:= \
1410 REALPATH=../../../../lib/$(MACH64)/llib-ldevid.ln
1411 $(ROOT)/usr/lib/$(MACH64)/llib-ldevinfo.ln:= \
1412 REALPATH=../../../../lib/$(MACH64)/llib-ldevinfo.ln
1413 $(ROOT)/usr/lib/$(MACH64)/llib-ldhcputil.ln:= \
1414 REALPATH=../../../../lib/$(MACH64)/llib-ldhcputil.ln
1415 $(ROOT)/usr/lib/$(MACH64)/llib-ldl.ln:= \
1416 REALPATH=../../../../lib/$(MACH64)/llib-ldl.ln
1417 $(ROOT)/usr/lib/$(MACH64)/llib-ldoor.ln:= \
1418 REALPATH=../../../../lib/$(MACH64)/llib-ldoor.ln
1419 $(ROOT)/usr/lib/$(MACH64)/llib-lefi.ln:= \
1420 REALPATH=../../../../lib/$(MACH64)/llib-lefi.ln
1421 $(ROOT)/usr/lib/$(MACH64)/llib-lelf.ln:= \
1422 REALPATH=../../../../lib/$(MACH64)/llib-lelf.ln
1423 $(ROOT)/usr/lib/$(MACH64)/llib-lgen.ln:= \
1424 REALPATH=../../../../lib/$(MACH64)/llib-lgen.ln
1425 $(ROOT)/usr/lib/$(MACH64)/llib-linetutil.ln:= \
1426 REALPATH=../../../../lib/$(MACH64)/llib-linetutil.ln
1427 $(ROOT)/usr/lib/$(MACH64)/llib-lintl.ln:= \
1428 REALPATH=../../../../lib/$(MACH64)/llib-lintl.ln
1429 $(ROOT)/usr/lib/$(MACH64)/llib-lkstat.ln:= \
1430 REALPATH=../../../../lib/$(MACH64)/llib-lkstat.ln
1431 $(ROOT)/usr/lib/$(MACH64)/llib-lmd5.ln:= \
1432 REALPATH=../../../../lib/$(MACH64)/llib-lmd5.ln
1433 $(ROOT)/usr/lib/$(MACH64)/llib-lnsl.ln:= \
1434 REALPATH=../../../../lib/$(MACH64)/llib-lnsl.ln
1435 $(ROOT)/usr/lib/$(MACH64)/llib-lnvpair.ln:= \
1436 REALPATH=../../../../lib/$(MACH64)/llib-lnvpair.ln
1437 $(ROOT)/usr/lib/$(MACH64)/llib-lpam.ln:= \
1438 REALPATH=../../../../lib/$(MACH64)/llib-lpam.ln
1439 $(ROOT)/usr/lib/$(MACH64)/llib-lposix4.ln:= \
1440 REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1441 $(ROOT)/usr/lib/$(MACH64)/llib-lpthread.ln:= \

```



```

1442 REALPATH=../../../../lib/$(MACH64)/llib-lpthread.ln
1443 $(ROOT)/usr/lib/$(MACH64)/llib-lresolv.ln:= \
1444 REALPATH=../../../../lib/$(MACH64)/llib-lresolv.ln
1445 $(ROOT)/usr/lib/$(MACH64)/llib-lrpsvc.ln:= \
1446 REALPATH=../../../../lib/$(MACH64)/llib-lrpsvc.ln
1447 $(ROOT)/usr/lib/$(MACH64)/llib-lrt.ln:= \
1448 REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1449 $(ROOT)/usr/lib/$(MACH64)/llib-lrtld_db.ln:= \
1450 REALPATH=../../../../lib/$(MACH64)/llib-lrtld_db.ln
1451 $(ROOT)/usr/lib/$(MACH64)/llib-lscf.ln:= \
1452 REALPATH=../../../../lib/$(MACH64)/llib-lscf.ln
1453 $(ROOT)/usr/lib/$(MACH64)/llib-lsec.ln:= \
1454 REALPATH=../../../../lib/$(MACH64)/llib-lsec.ln
1455 $(ROOT)/usr/lib/$(MACH64)/llib-lsecdb.ln:= \
1456 REALPATH=../../../../lib/$(MACH64)/llib-lsecdb.ln
1457 $(ROOT)/usr/lib/$(MACH64)/llib-lsendfile.ln:= \
1458 REALPATH=../../../../lib/$(MACH64)/llib-lsendfile.ln
1459 $(ROOT)/usr/lib/$(MACH64)/llib-lsocket.ln:= \
1460 REALPATH=../../../../lib/$(MACH64)/llib-lsocket.ln
1461 $(ROOT)/usr/lib/$(MACH64)/llib-lsysevent.ln:= \
1462 REALPATH=../../../../lib/$(MACH64)/llib-lsysevent.ln
1463 $(ROOT)/usr/lib/$(MACH64)/llib-ltermcap.ln:= \
1464 REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
1465 $(ROOT)/usr/lib/$(MACH64)/llib-ltermcap.ln:= \
1466 REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
1467 $(ROOT)/usr/lib/$(MACH64)/llib-lthread.ln:= \
1468 REALPATH=../../../../lib/$(MACH64)/llib-lthread.ln
1469 $(ROOT)/usr/lib/$(MACH64)/llib-lthread_db.ln:= \
1470 REALPATH=../../../../lib/$(MACH64)/llib-lc_db.ln
1471 $(ROOT)/usr/lib/$(MACH64)/llib-ltsnet.ln:= \
1472 REALPATH=../../../../lib/$(MACH64)/llib-ltsnet.ln
1473 $(ROOT)/usr/lib/$(MACH64)/llib-ltsol.ln:= \
1474 REALPATH=../../../../lib/$(MACH64)/llib-ltsol.ln
1475 $(ROOT)/usr/lib/$(MACH64)/llib-lumem.ln:= \
1476 REALPATH=../../../../lib/$(MACH64)/llib-lumem.ln
1477 $(ROOT)/usr/lib/$(MACH64)/llib-luuid.ln:= \
1478 REALPATH=../../../../lib/$(MACH64)/llib-luuid.ln
1479 $(ROOT)/usr/lib/$(MACH64)/llib-lxnet.ln:= \
1480 REALPATH=../../../../lib/$(MACH64)/llib-lxnet.ln
1481 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs.ln:= \
1482 REALPATH=../../../../lib/$(MACH64)/llib-lzfs.ln
1483 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs_core.ln:= \
1484 REALPATH=../../../../lib/$(MACH64)/llib-lzfs_core.ln
1485 $(ROOT)/usr/lib/$(MACH64)/llib-lfdisk.ln:= \
1486 REALPATH=../../../../lib/$(MACH64)/llib-lfdisk.ln
1487 $(ROOT)/usr/lib/$(MACH64)/nss_compat.so.1:= \
1488 REALPATH=../../../../lib/$(MACH64)/nss_compat.so.1
1489 $(ROOT)/usr/lib/$(MACH64)/nss_dns.so.1:= \
1490 REALPATH=../../../../lib/$(MACH64)/nss_dns.so.1
1491 $(ROOT)/usr/lib/$(MACH64)/nss_files.so.1:= \
1492 REALPATH=../../../../lib/$(MACH64)/nss_files.so.1
1493 $(ROOT)/usr/lib/$(MACH64)/nss_nis.so.1:= \
1494 REALPATH=../../../../lib/$(MACH64)/nss_nis.so.1
1495 $(ROOT)/usr/lib/$(MACH64)/nss_user.so.1:= \
1496 REALPATH=../../../../lib/$(MACH64)/nss_user.so.1
1497 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so.1:= \
1498 REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1499 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so:= \
1500 REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1501 $(ROOT)/usr/lib/fm/$(MACH64)/llib-lfmevent.ln:= \
1502 REALPATH=../../../../lib/fm/$(MACH64)/llib-lfmevent.ln

1504 i386_SYM.USRLIB= \
1505 /usr/lib/libfdisk.so \
1506 /usr/lib/libfdisk.so.1 \
1507 /usr/lib/llib-lfdisk \

```

```

1508 /usr/lib/llib-lfdisk.ln

1510 SYM.USRLIB= \
1511 $(MACH)_SYM.USRLIB) \
1512 /lib/libposix4.so \
1513 /lib/libposix4.so.1 \
1514 /lib/llib-lposix4 \
1515 /lib/llib-lposix4.ln \
1516 /lib/libthread_db.so \
1517 /lib/libthread_db.so.1 \
1518 /usr/lib/ld.so.1 \
1519 /usr/lib/libadm.so \
1520 /usr/lib/libadm.so.1 \
1521 /usr/lib/libaio.so \
1522 /usr/lib/libaio.so.1 \
1523 /usr/lib/libavl.so \
1524 /usr/lib/libavl.so.1 \
1525 /usr/lib/libbsm.so \
1526 /usr/lib/libbsm.so.1 \
1527 /usr/lib/libc.so \
1528 /usr/lib/libc.so.1 \
1529 /usr/lib/libc_db.so \
1530 /usr/lib/libc_db.so.1 \
1531 /usr/lib/libcmdutils.so \
1532 /usr/lib/libcmdutils.so.1 \
1533 /usr/lib/libcontract.so \
1534 /usr/lib/libcontract.so.1 \
1535 /usr/lib/libctf.so \
1536 /usr/lib/libctf.so.1 \
1537 /usr/lib/libcurses.so \
1538 /usr/lib/libcurses.so.1 \
1539 /usr/lib/libdevice.so \
1540 /usr/lib/libdevice.so.1 \
1541 /usr/lib/libdevid.so \
1542 /usr/lib/libdevid.so.1 \
1543 /usr/lib/libdevinfo.so \
1544 /usr/lib/libdevinfo.so.1 \
1545 /usr/lib/libdhcpcagent.so \
1546 /usr/lib/libdhcpcagent.so.1 \
1547 /usr/lib/libdhcputil.so \
1548 /usr/lib/libdhcputil.so.1 \
1549 /usr/lib/libdl.so \
1550 /usr/lib/libdl.so.1 \
1551 /usr/lib/libdmpi.so \
1552 /usr/lib/libdmpi.so.1 \
1553 /usr/lib/libdoor.so \
1554 /usr/lib/libdoor.so.1 \
1555 /usr/lib/libefi.so \
1556 /usr/lib/libefi.so.1 \
1557 /usr/lib/libelf.so \
1558 /usr/lib/libelf.so.1 \
1559 /usr/lib/libgen.so \
1560 /usr/lib/libgen.so.1 \
1561 /usr/lib/libinetutil.so \
1562 /usr/lib/libinetutil.so.1 \
1563 /usr/lib/libintl.so \
1564 /usr/lib/libintl.so.1 \
1565 /usr/lib/libkstat.so \
1566 /usr/lib/libkstat.so.1 \
1567 /usr/lib/liblddbg.so.4 \
1568 /usr/lib/libmd.so \
1569 /usr/lib/libmd.so.1 \
1570 /usr/lib/libmd5.so \
1571 /usr/lib/libmd5.so.1 \
1572 /usr/lib/libmeta.so \
1573 /usr/lib/libmeta.so.1 \

```

```

1574 /usr/lib/libbmp.so \
1575 /usr/lib/libbmp.so.1 \
1576 /usr/lib/libbmp.so.2 \
1577 /usr/lib/libnsl.so \
1578 /usr/lib/libnsl.so.1 \
1579 /usr/lib/libnvpair.so \
1580 /usr/lib/libnvpair.so.1 \
1581 /usr/lib/libpam.so \
1582 /usr/lib/libpam.so.1 \
1583 /usr/lib/libposix4.so \
1584 /usr/lib/libposix4.so.1 \
1585 /usr/lib/libproc.so \
1586 /usr/lib/libproc.so.1 \
1587 /usr/lib/libpthread.so \
1588 /usr/lib/libpthread.so.1 \
1589 /usr/lib/librcm.so \
1590 /usr/lib/librcm.so.1 \
1591 /usr/lib/libresolv.so \
1592 /usr/lib/libresolv.so.1 \
1593 /usr/lib/libresolv.so.2 \
1594 /usr/lib/librestart.so \
1595 /usr/lib/librestart.so.1 \
1596 /usr/lib/librpsvc.so \
1597 /usr/lib/librpsvc.so.1 \
1598 /usr/lib/librt.so \
1599 /usr/lib/librt.so.1 \
1600 /usr/lib/librtld.so.1 \
1601 /usr/lib/librtld_db.so \
1602 /usr/lib/librtld_db.so.1 \
1603 /usr/lib/libscf.so \
1604 /usr/lib/libscf.so.1 \
1605 /usr/lib/libsec.so \
1606 /usr/lib/libsec.so.1 \
1607 /usr/lib/libsecdb.so \
1608 /usr/lib/libsecdb.so.1 \
1609 /usr/lib/libsendfile.so \
1610 /usr/lib/libsendfile.so.1 \
1611 /usr/lib/libsocket.so \
1612 /usr/lib/libsocket.so.1 \
1613 /usr/lib/libsysevent.so \
1614 /usr/lib/libsysevent.so.1 \
1615 /usr/lib/libtermcap.so \
1616 /usr/lib/libtermcap.so.1 \
1617 /usr/lib/libtermplib.so \
1618 /usr/lib/libtermplib.so.1 \
1619 /usr/lib/libthread.so \
1620 /usr/lib/libthread.so.1 \
1621 /usr/lib/libthread_db.so \
1622 /usr/lib/libthread_db.so.1 \
1623 /usr/lib/libtsnet.so \
1624 /usr/lib/libtsnet.so.1 \
1625 /usr/lib/libtsol.so \
1626 /usr/lib/libtsol.so.2 \
1627 /usr/lib/libumem.so \
1628 /usr/lib/libumem.so.1 \
1629 /usr/lib/libuuid.so \
1630 /usr/lib/libuuid.so.1 \
1631 /usr/lib/libutil.so \
1632 /usr/lib/libutil.so.1 \
1633 /usr/lib/libw.so \
1634 /usr/lib/libw.so.1 \
1635 /usr/lib/libxnet.so \
1636 /usr/lib/libxnet.so.1 \
1637 /usr/lib/libzfs.so \
1638 /usr/lib/libzfs.so.1 \
1639 /usr/lib/libzfs_core.so \

```

```

1640 /usr/lib/libzfs_core.so.1 \
1641 /usr/lib/libzfs_ladm \
1642 /usr/lib/libzfs_ladm.ln \
1643 /usr/lib/libzfs_laio \
1644 /usr/lib/libzfs_laio.ln \
1645 /usr/lib/libzfs_lavl \
1646 /usr/lib/libzfs_lavl.ln \
1647 /usr/lib/libzfs_lbsm \
1648 /usr/lib/libzfs_lbsm.ln \
1649 /usr/lib/libzfs_lc \
1650 /usr/lib/libzfs_lc.ln \
1651 /usr/lib/libzfs_lcmdutils \
1652 /usr/lib/libzfs_lcmdutils.ln \
1653 /usr/lib/libzfs_lcontract \
1654 /usr/lib/libzfs_lcontract.ln \
1655 /usr/lib/libzfs_lctf \
1656 /usr/lib/libzfs_lctf.ln \
1657 /usr/lib/libzfs_lurses \
1658 /usr/lib/libzfs_lurses.ln \
1659 /usr/lib/libzfs_ldevice \
1660 /usr/lib/libzfs_ldevice.ln \
1661 /usr/lib/libzfs_ldevid \
1662 /usr/lib/libzfs_ldevid.ln \
1663 /usr/lib/libzfs_ldevinfo \
1664 /usr/lib/libzfs_ldevinfo.ln \
1665 /usr/lib/libzfs_ldhcapagent \
1666 /usr/lib/libzfs_ldhcapagent.ln \
1667 /usr/lib/libzfs_ldhcaputil \
1668 /usr/lib/libzfs_ldhcaputil.ln \
1669 /usr/lib/libzfs_ldl \
1670 /usr/lib/libzfs_ldl.ln \
1671 /usr/lib/libzfs_ldoor \
1672 /usr/lib/libzfs_ldoor.ln \
1673 /usr/lib/libzfs_lefi \
1674 /usr/lib/libzfs_lefi.ln \
1675 /usr/lib/libzfs_lelf \
1676 /usr/lib/libzfs_lelf.ln \
1677 /usr/lib/libzfs_lgen \
1678 /usr/lib/libzfs_lgen.ln \
1679 /usr/lib/libzfs_linetutil \
1680 /usr/lib/libzfs_linetutil.ln \
1681 /usr/lib/libzfs_lint1 \
1682 /usr/lib/libzfs_lint1.ln \
1683 /usr/lib/libzfs_lkstat \
1684 /usr/lib/libzfs_lkstat.ln \
1685 /usr/lib/libzfs_lmd5 \
1686 /usr/lib/libzfs_lmd5.ln \
1687 /usr/lib/libzfs_lmeta \
1688 /usr/lib/libzfs_lmeta.ln \
1689 /usr/lib/libzfs_lnsl \
1690 /usr/lib/libzfs_lnsl.ln \
1691 /usr/lib/libzfs_lnvpair \
1692 /usr/lib/libzfs_lnvpair.ln \
1693 /usr/lib/libzfs_lpam \
1694 /usr/lib/libzfs_lpam.ln \
1695 /usr/lib/libzfs_lposix4 \
1696 /usr/lib/libzfs_lposix4.ln \
1697 /usr/lib/libzfs_lpthread \
1698 /usr/lib/libzfs_lpthread.ln \
1699 /usr/lib/libzfs_lresolv \
1700 /usr/lib/libzfs_lresolv.ln \
1701 /usr/lib/libzfs_lrpsvc \
1702 /usr/lib/libzfs_lrpsvc.ln \
1703 /usr/lib/libzfs_lrt \
1704 /usr/lib/libzfs_lrt.ln \
1705 /usr/lib/libzfs_lrtld_db \

```

```

1706 /usr/lib/llib-lrtld_db.ln \
1707 /usr/lib/llib-lscf \
1708 /usr/lib/llib-lscf.ln \
1709 /usr/lib/llib-lsec \
1710 /usr/lib/llib-lsec.ln \
1711 /usr/lib/llib-lsecdb \
1712 /usr/lib/llib-lsecdb.ln \
1713 /usr/lib/llib-lsendfile \
1714 /usr/lib/llib-lsendfile.ln \
1715 /usr/lib/llib-lsocket \
1716 /usr/lib/llib-lsocket.ln \
1717 /usr/lib/llib-lsysevent \
1718 /usr/lib/llib-lsysevent.ln \
1719 /usr/lib/llib-ltermcap \
1720 /usr/lib/llib-ltermcap.ln \
1721 /usr/lib/llib-ltermplib \
1722 /usr/lib/llib-ltermplib.ln \
1723 /usr/lib/llib-lthread \
1724 /usr/lib/llib-lthread.ln \
1725 /usr/lib/llib-lthread_db \
1726 /usr/lib/llib-lthread_db.ln \
1727 /usr/lib/llib-ltsnet \
1728 /usr/lib/llib-ltsnet.ln \
1729 /usr/lib/llib-ltsol \
1730 /usr/lib/llib-ltsol.ln \
1731 /usr/lib/llib-lumem \
1732 /usr/lib/llib-lumem.ln \
1733 /usr/lib/llib-luuid \
1734 /usr/lib/llib-luuid.ln \
1735 /usr/lib/llib-lxnet \
1736 /usr/lib/llib-lxnet.ln \
1737 /usr/lib/llib-lzfs \
1738 /usr/lib/llib-lzfs.ln \
1739 /usr/lib/llib-lzfs_core \
1740 /usr/lib/llib-lzfs_core.ln \
1741 /usr/lib/nss_compat.so.1 \
1742 /usr/lib/nss_dns.so.1 \
1743 /usr/lib/nss_files.so.1 \
1744 /usr/lib/nss_nis.so.1 \
1745 /usr/lib/nss_user.so.1 \
1746 /usr/lib/fm/libfmevent.so \
1747 /usr/lib/fm/libfmevent.so.1 \
1748 /usr/lib/fm/llib-lfmevent \
1749 /usr/lib/fm/llib-lfmevent.ln

1751 sparcv9_SYM.USRLIB64=

1753 amd64_SYM.USRLIB64= \
1754 /usr/lib/amd64/libfdisk.so \
1755 /usr/lib/amd64/libfdisk.so.1 \
1756 /usr/lib/amd64/llib-lfdisk.ln

1759 SYM.USRLIB64= \
1760 $(MACH64)_SYM.USRLIB64 \
1761 /lib/$(MACH64)/libposix4.so \
1762 /lib/$(MACH64)/libposix4.so.1 \
1763 /lib/$(MACH64)/llib-lposix4.ln \
1764 /lib/$(MACH64)/libthread_db.so \
1765 /lib/$(MACH64)/libthread_db.so.1 \
1766 /usr/lib/$(MACH64)/ld.so.1 \
1767 /usr/lib/$(MACH64)/libadm.so \
1768 /usr/lib/$(MACH64)/libadm.so.1 \
1769 /usr/lib/$(MACH64)/libaio.so \
1770 /usr/lib/$(MACH64)/libaio.so.1 \
1771 /usr/lib/$(MACH64)/libavl.so \

```

```

1772 /usr/lib/$(MACH64)/libavl.so.1 \
1773 /usr/lib/$(MACH64)/libbsm.so \
1774 /usr/lib/$(MACH64)/libbsm.so.1 \
1775 /usr/lib/$(MACH64)/libc.so \
1776 /usr/lib/$(MACH64)/libc.so.1 \
1777 /usr/lib/$(MACH64)/libc_db.so \
1778 /usr/lib/$(MACH64)/libc_db.so.1 \
1779 /usr/lib/$(MACH64)/libcmdutils.so \
1780 /usr/lib/$(MACH64)/libcmdutils.so.1 \
1781 /usr/lib/$(MACH64)/libcontract.so \
1782 /usr/lib/$(MACH64)/libcontract.so.1 \
1783 /usr/lib/$(MACH64)/libctf.so \
1784 /usr/lib/$(MACH64)/libctf.so.1 \
1785 /usr/lib/$(MACH64)/libcurses.so \
1786 /usr/lib/$(MACH64)/libcurses.so.1 \
1787 /usr/lib/$(MACH64)/libdevice.so \
1788 /usr/lib/$(MACH64)/libdevice.so.1 \
1789 /usr/lib/$(MACH64)/libdevvid.so \
1790 /usr/lib/$(MACH64)/libdevvid.so.1 \
1791 /usr/lib/$(MACH64)/libdevinfo.so \
1792 /usr/lib/$(MACH64)/libdevinfo.so.1 \
1793 /usr/lib/$(MACH64)/libdhcputil.so \
1794 /usr/lib/$(MACH64)/libdhcputil.so.1 \
1795 /usr/lib/$(MACH64)/libdl.so \
1796 /usr/lib/$(MACH64)/libdl.so.1 \
1797 /usr/lib/$(MACH64)/libdlpi.so \
1798 /usr/lib/$(MACH64)/libdlpi.so.1 \
1799 /usr/lib/$(MACH64)/libdoor.so \
1800 /usr/lib/$(MACH64)/libdoor.so.1 \
1801 /usr/lib/$(MACH64)/libefi.so \
1802 /usr/lib/$(MACH64)/libefi.so.1 \
1803 /usr/lib/$(MACH64)/libelf.so \
1804 /usr/lib/$(MACH64)/libelf.so.1 \
1805 /usr/lib/$(MACH64)/libgen.so \
1806 /usr/lib/$(MACH64)/libgen.so.1 \
1807 /usr/lib/$(MACH64)/libinetutil.so \
1808 /usr/lib/$(MACH64)/libinetutil.so.1 \
1809 /usr/lib/$(MACH64)/libintl.so \
1810 /usr/lib/$(MACH64)/libintl.so.1 \
1811 /usr/lib/$(MACH64)/libkstat.so \
1812 /usr/lib/$(MACH64)/libkstat.so.1 \
1813 /usr/lib/$(MACH64)/liblddbg.so.4 \
1814 /usr/lib/$(MACH64)/libmd.so \
1815 /usr/lib/$(MACH64)/libmd.so.1 \
1816 /usr/lib/$(MACH64)/libmd5.so \
1817 /usr/lib/$(MACH64)/libmd5.so.1 \
1818 /usr/lib/$(MACH64)/libmp.so \
1819 /usr/lib/$(MACH64)/libmp.so.2 \
1820 /usr/lib/$(MACH64)/libnsl.so \
1821 /usr/lib/$(MACH64)/libnsl.so.1 \
1822 /usr/lib/$(MACH64)/libnvpair.so \
1823 /usr/lib/$(MACH64)/libnvpair.so.1 \
1824 /usr/lib/$(MACH64)/libpam.so \
1825 /usr/lib/$(MACH64)/libpam.so.1 \
1826 /usr/lib/$(MACH64)/libposix4.so \
1827 /usr/lib/$(MACH64)/libposix4.so.1 \
1828 /usr/lib/$(MACH64)/libproc.so \
1829 /usr/lib/$(MACH64)/libproc.so.1 \
1830 /usr/lib/$(MACH64)/libpthread.so \
1831 /usr/lib/$(MACH64)/libpthread.so.1 \
1832 /usr/lib/$(MACH64)/librcm.so \
1833 /usr/lib/$(MACH64)/librcm.so.1 \
1834 /usr/lib/$(MACH64)/libresolv.so \
1835 /usr/lib/$(MACH64)/libresolv.so.2 \
1836 /usr/lib/$(MACH64)/librestart.so \
1837 /usr/lib/$(MACH64)/librestart.so.1 \

```

```

1838 /usr/lib/$(MACH64)/librpcsvc.so \
1839 /usr/lib/$(MACH64)/librpcsvc.so.1 \
1840 /usr/lib/$(MACH64)/librt.so \
1841 /usr/lib/$(MACH64)/librt.so.1 \
1842 /usr/lib/$(MACH64)/librtld.so.1 \
1843 /usr/lib/$(MACH64)/librtld_db.so \
1844 /usr/lib/$(MACH64)/librtld_db.so.1 \
1845 /usr/lib/$(MACH64)/libscf.so \
1846 /usr/lib/$(MACH64)/libscf.so.1 \
1847 /usr/lib/$(MACH64)/libsec.so \
1848 /usr/lib/$(MACH64)/libsec.so.1 \
1849 /usr/lib/$(MACH64)/libsecdb.so \
1850 /usr/lib/$(MACH64)/libsecdb.so.1 \
1851 /usr/lib/$(MACH64)/libsndfile.so \
1852 /usr/lib/$(MACH64)/libsndfile.so.1 \
1853 /usr/lib/$(MACH64)/libsocket.so \
1854 /usr/lib/$(MACH64)/libsocket.so.1 \
1855 /usr/lib/$(MACH64)/libsysevent.so \
1856 /usr/lib/$(MACH64)/libsysevent.so.1 \
1857 /usr/lib/$(MACH64)/libtermcap.so \
1858 /usr/lib/$(MACH64)/libtermcap.so.1 \
1859 /usr/lib/$(MACH64)/libtermplib.so \
1860 /usr/lib/$(MACH64)/libtermplib.so.1 \
1861 /usr/lib/$(MACH64)/libthread.so \
1862 /usr/lib/$(MACH64)/libthread.so.1 \
1863 /usr/lib/$(MACH64)/libthread_db.so \
1864 /usr/lib/$(MACH64)/libthread_db.so.1 \
1865 /usr/lib/$(MACH64)/libtsnet.so \
1866 /usr/lib/$(MACH64)/libtsnet.so.1 \
1867 /usr/lib/$(MACH64)/libtsol.so \
1868 /usr/lib/$(MACH64)/libtsol.so.2 \
1869 /usr/lib/$(MACH64)/libumem.so \
1870 /usr/lib/$(MACH64)/libumem.so.1 \
1871 /usr/lib/$(MACH64)/libuuid.so \
1872 /usr/lib/$(MACH64)/libuuid.so.1 \
1873 /usr/lib/$(MACH64)/libuutil.so \
1874 /usr/lib/$(MACH64)/libuutil.so.1 \
1875 /usr/lib/$(MACH64)/libw.so \
1876 /usr/lib/$(MACH64)/libw.so.1 \
1877 /usr/lib/$(MACH64)/libxnet.so \
1878 /usr/lib/$(MACH64)/libxnet.so.1 \
1879 /usr/lib/$(MACH64)/libzfs.so \
1880 /usr/lib/$(MACH64)/libzfs.so.1 \
1881 /usr/lib/$(MACH64)/libzfs_core.so \
1882 /usr/lib/$(MACH64)/libzfs_core.so.1 \
1883 /usr/lib/$(MACH64)/llib-ladm.ln \
1884 /usr/lib/$(MACH64)/llib-laio.ln \
1885 /usr/lib/$(MACH64)/llib-lavl.ln \
1886 /usr/lib/$(MACH64)/llib-lbsm.ln \
1887 /usr/lib/$(MACH64)/llib-lc.ln \
1888 /usr/lib/$(MACH64)/llib-lcmdutils.ln \
1889 /usr/lib/$(MACH64)/llib-lcontract.ln \
1890 /usr/lib/$(MACH64)/llib-lctf.ln \
1891 /usr/lib/$(MACH64)/llib-lcurses.ln \
1892 /usr/lib/$(MACH64)/llib-ldevice.ln \
1893 /usr/lib/$(MACH64)/llib-ldevvid.ln \
1894 /usr/lib/$(MACH64)/llib-ldevinfo.ln \
1895 /usr/lib/$(MACH64)/llib-ldhcputil.ln \
1896 /usr/lib/$(MACH64)/llib-ld1.ln \
1897 /usr/lib/$(MACH64)/llib-ldoor.ln \
1898 /usr/lib/$(MACH64)/llib-lefi.ln \
1899 /usr/lib/$(MACH64)/llib-lelf.ln \
1900 /usr/lib/$(MACH64)/llib-lgen.ln \
1901 /usr/lib/$(MACH64)/llib-linetutil.ln \
1902 /usr/lib/$(MACH64)/llib-lintl.ln \
1903 /usr/lib/$(MACH64)/llib-lkstat.ln \

```

```

1904 /usr/lib/$(MACH64)/llib-lmd5.ln \
1905 /usr/lib/$(MACH64)/llib-lnsl.ln \
1906 /usr/lib/$(MACH64)/llib-lnvpair.ln \
1907 /usr/lib/$(MACH64)/llib-lpam.ln \
1908 /usr/lib/$(MACH64)/llib-lposix4.ln \
1909 /usr/lib/$(MACH64)/llib-lpthread.ln \
1910 /usr/lib/$(MACH64)/llib-lresolv.ln \
1911 /usr/lib/$(MACH64)/llib-lrpcsvc.ln \
1912 /usr/lib/$(MACH64)/llib-lrt.ln \
1913 /usr/lib/$(MACH64)/llib-lrtld_db.ln \
1914 /usr/lib/$(MACH64)/llib-lscf.ln \
1915 /usr/lib/$(MACH64)/llib-lsec.ln \
1916 /usr/lib/$(MACH64)/llib-lsecdb.ln \
1917 /usr/lib/$(MACH64)/llib-lsndfile.ln \
1918 /usr/lib/$(MACH64)/llib-lsocket.ln \
1919 /usr/lib/$(MACH64)/llib-lsysevent.ln \
1920 /usr/lib/$(MACH64)/llib-ltermcap.ln \
1921 /usr/lib/$(MACH64)/llib-ltermplib.ln \
1922 /usr/lib/$(MACH64)/llib-lthread.ln \
1923 /usr/lib/$(MACH64)/llib-lthread_db.ln \
1924 /usr/lib/$(MACH64)/llib-ltsnet.ln \
1925 /usr/lib/$(MACH64)/llib-ltsol.ln \
1926 /usr/lib/$(MACH64)/llib-lumem.ln \
1927 /usr/lib/$(MACH64)/llib-luuid.ln \
1928 /usr/lib/$(MACH64)/llib-lxnet.ln \
1929 /usr/lib/$(MACH64)/llib-lzfs.ln \
1930 /usr/lib/$(MACH64)/llib-lzfs_core.ln \
1931 /usr/lib/$(MACH64)/nss_compat.so.1 \
1932 /usr/lib/$(MACH64)/nss_dns.so.1 \
1933 /usr/lib/$(MACH64)/nss_files.so.1 \
1934 /usr/lib/$(MACH64)/nss_nis.so.1 \
1935 /usr/lib/$(MACH64)/nss_user.so.1 \
1936 /usr/lib/fm/$(MACH64)/libfmevent.so \
1937 /usr/lib/fm/$(MACH64)/libfmevent.so.1 \
1938 /usr/lib/fm/$(MACH64)/llib-lfmevent.ln

1940 #
1941 # usr/src/Makefile uses INS.dir for any member of ROOTDIRS, the fact
1942 # these are symlinks to files has no bearing on this.
1943 #
1944 $(FILELINKS:%=$(ROOT)%):= \
1945     INS.dir= -$(RM) @$; $(SYMLINK) $(REALPATH) @$

```

```

*****
4064 Tue Oct 7 19:19:27 2014
new/usr/src/cmd/Makefile.check
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 # Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24 #endif /* ! codereview */

26 include ../Makefile.master

28 #
29 # Commands providing manifests must offer a check target. A recursive check
30 # target across all commands directories is not currently provided.
31 #
32 MANIFEST_TOPDIRS=
33     acctadm
34     auditd
35     bnu
36     consadm
37     coreadm
38     cron
39     cvcd
40     dispadmin
41     drd
42     dumpadm
43     fcinfo
44     fcoesvc
45     fm
46     ibd_upgrade
47     intrd
48     iscsid
49     iscsitsvc
50     kbd
51     keyserv
52     ldapcachemgr
53     ldmad
54     lms
55     dlmgmt
56     ndmpd
57     nscd
58     oplhpd
59     pools

```

```

60     power
61     rexd
62     rmvolmgr
63     rpcbind
64     rpcsvc
65     sa
66     saf
67     sckmd
68     sf880drd
69     smserverd
70     stmfproxy
71     stmfsvc
72     stmsboot
73     syseventd
74     syslogd
75     utmpd
76     vntsd
77     ypcmd
78     zoneadm
79     zoneadmd

81 MANIFEST_SUBDIRS=
82     boot/scripts
83     cmd-crypto/scripts
84     cmd-inet/usr.lib/ilbd
85     cmd-inet/usr.lib/in.chargend
86     cmd-inet/usr.lib/in.daytimed
23     cmd-inet/usr.lib/in.dhcpd
87     cmd-inet/usr.lib/in.discardd
88     cmd-inet/usr.lib/in.echod
89     cmd-inet/usr.lib/in.ndpd
90     cmd-inet/usr.lib/in.ripngd
91     cmd-inet/usr.lib/in.timed
92     cmd-inet/usr.lib/inetd
93     cmd-inet/usr.lib/mdnsd
94     cmd-inet/usr.lib/slpd
95     cmd-inet/usr.lib/vrrpd
96     cmd-inet/usr.lib/wpad
97     cmd-inet/usr.sbin
98     cmd-inet/usr.sbin/in.rdisc
99     cmd-inet/usr.sbin/in.routed
100    cmd-inet/usr.sbin/in.talkd
101    cmd-inet/usr.sbin/ipsecutils
102    cmd-inet/usr.sbin/kssl/ksslcfg
103    cmd-inet/usr.sbin/routeadm
104    dcs/sparc/sun4u
105    dfs.cmds/sharemgr
106    fs.d/autofs
107    fs.d/nfs/svc
108    fs.d/smbclnt/svc
109    gss/gssd
110    hal/addons/network-devices
111    hal/hald/solaris
112    halt/smf.$(MACH)
113    hostid/smf
114    idmap/idmapd
115    ipf/svc
116    isns/isnsd
117    krb5/kadmin/server
118    krb5/krb5kdc
119    krb5/kwarn
120    krb5/slave
121    lp/cmd/lpsched
122    lvm/rpc.mdcommd
123    lvm/rpc.metad
124    lvm/rpc.metamedd

```

new/usr/src/cmd/Makefile.check

3

```
125     lvm/rpc.metamhd           \/
126     lvm/md_monitord          \/
127     lvm/util                  \/
128     picl/picld                \/
129     pools/poold              \/
130     print/bsd-sysv-commands   \/
131     print/ppdmgr              \/
132     rcap/rcapd                \/
133     rpcsvc/rpc.bootparamd     \/
134     sendmail/lib              \/
135     smbstrv/smbd              \/
136     ssh/etc                   \/
137     svc/milestone             \/
138     tsol/labeld               \/
139     tsol/tncctl               \/
140     tsol/tnd                  \/
141     tsol/tsol-zones           \/
142     vscan/vscand              \/
143     xvm/ipagent               \/
144     ypcmd/yppasswd            \/
145     ypcmd/ypupdated           \/
146     zonestat/zonestatd       \/

148 MISC_SUBDIRS= \
149     dtrace/test/tst \
150     sgs

152 .KEEP_STATE:

154 # Manifests cannot be checked in parallel, because we are using the global
155 # repository that is in $(SRC)/cmd/svc/seed/global.db. This is a
156 # repository that is built from the manifests in this workspace, whereas
157 # the build machine's repository may be out of sync with these manifests.
158 # Because we are using a private repository, svccfg-native must start up a
159 # private copy of configd-native. We cannot have multiple copies of
160 # configd-native trying to access global.db simultaneously.

162 .NO_PARALLEL:

164 check: svccfg_check $(MANIFEST_TOPDIRS) $(MANIFEST_SUBDIRS) $(MISC_SUBDIRS)

166 svccfg_check:
167     @$(ECHO) "building requirements for svccfg check ..."; \
168     (cd $(SRC)/cmd/svc/seed && pwd && $(MAKE) $(MFLAGS) global.db)

170 $(MANIFEST_TOPDIRS) $(MANIFEST_SUBDIRS) $(MISC_SUBDIRS): FRC
171     @cd $@; pwd; $(MAKE) check

173 FRC:
```

new/usr/src/cmd/cmd-inet/Makefile

1

```
*****
1603 Tue Oct 7 19:19:27 2014
new/usr/src/cmd/cmd-inet/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24 #endif /* ! codereview */
25 #

27 include      ../Makefile.cmd

29 SUBDIRS=      etc lib sbin usr.bin usr.sbin usr.lib usr.sadm
30 MSGSUBDIRS=   usr.bin usr.sbin usr.lib
31 POFILES=      usr.bin/usr.bin.po usr.sbin/usr.sbin.po
23 MSGSUBDIRS=   usr.bin usr.sbin usr.lib usr.sadm
24 POFILES=      usr.bin/usr.bin.po usr.sbin/usr.sbin.po usr.sadm/usr.sadm.po
32 POFILE=      cmd-inet.po

34 all:=         TARGET= all
35 install:=     TARGET= install
36 clean:=       TARGET= clean
37 clobber:=     TARGET= clobber
38 lint:=        TARGET= lint
39 _msg:=        TARGET= _msg

41 .KEEP_STATE:

43 .PARALLEL:    $(SUBDIRS)

45 all clean install lint: $(SUBDIRS)

47 clobber:      $(SUBDIRS) local_clobber

49 local_clobber:
50      $(RM) $(CLOBBERFILES)

52 _msg: $(MSGSUBDIRS)
53      $(RM) $(POFILE)
54      $(CAT) $(POFILES) > $(POFILE)
55      $(RM) $(MSGDOMAIN)/$(POFILE)
56      $(CP) $(POFILE) $(MSGDOMAIN)
```

new/usr/src/cmd/cmd-inet/Makefile

2

```
58 $(SUBDIRS): FRC
59      @cd $@; pwd; $(MAKE) $(TARGET)

61 FRC:
```



```

*****
1367 Tue Oct 7 19:19:29 2014
new/usr/src/cmd/cmd-inet/usr.sadm/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 1999-2003 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
26 # ident "%Z%M% %I% %E% SMI"
27 #
28 # cmd/cmd-inet/usr.sadm/Makefile

30 SUBDIRS1= dhcpgmr
30 SUBDIRS2= scripts

32 include ../../Makefile.cmd
34 #
35 # Message catalog
36 #
37 POFILES= dhcpgmr/lib/dhcpgmr.po
38 POFILE= usr.sadm.po

34 all:= TARGET= all
35 install:= TARGET= install
36 clean:= TARGET= clean
37 clobber:= TARGET= clobber
38 lint:= TARGET= lint
45 _msg:= TARGET= _msg

40 .KEEP_STATE:

42 .PARALLEL: $(SUBDIRS1) $(SUBDIRS2)

44 all clean clobber lint: $(SUBDIRS1)

46 install: $(SUBDIRS1) $(SUBDIRS2)

55 #
56 # message catalog
57 #
58 _msg: $(SUBDIRS1) .WAIT $(POFILE)

```

```

60 $(POFILE): $(POFILES)
61 $(RM) $@
62 cat $(POFILES) > $@

48 $(SUBDIRS1) $(SUBDIRS2): FRC
49 @cd $@; pwd; $(MAKE) $(TARGET)

51 FRC:

```

```

*****
8603 Tue Oct 7 19:19:48 2014
new/usr/src/cmd/cmd-inet/usr.sbin/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25 #
26 SYNCPROG=      syncinit syncloop syncstat
27 DHCPPROGRAM=   dhcpconfig dhctadm pntadm
28
29 PROG=          6to4relay arp gettable if_mpadm \
30               in.comsat in.fingerd in.rarpd in.rxeccd in.rlogind \
31               in.rshd in.rwhod in.telnetd in.tftpd ipaddrsel \
32               ndd $(SYNCPROG) wanbootutil
33               ndd $(SYNCPROG) $(DHCPPROGRAM) wanbootutil
34
35 MANIFEST=      rarp.xml telnet.xml comsat.xml finger.xml \
36               login.xml shell.xml rxeccd.xml socket-filter-kssl.xml
37
38 SVCMETHOD=     svc-sockfilter
39
40 ROOTFS_PROG=   hostconfig route soconfig
41 SBINLINKS=     hostconfig route
42
43 RPCSVCPROG=    hostconfig
44 AUDITPROG=     in.rxeccd in.rlogind in.rshd in.telnetd
45 PAMPROG=       in.rxeccd in.rlogind in.rshd in.telnetd
46 SOCKETPROG=    6to4relay arp gettable hostconfig if_mpadm in.comsat \
47               in.fingerd in.rarpd in.rxeccd in.rlogind in.rshd \
48               in.rwhod in.telnetd in.tftpd ipaddrsel route
49 NSLPROG=       6to4relay arp gettable hostconfig in.comsat in.rarpd \
50               in.rxeccd in.rlogind in.rshd in.rwhod in.telnetd \
51               in.tftpd ipaddrsel route
52 CMDPROG=       in.telnetd
53 K5PROGS=       in.telnetd in.rlogind in.rshd
54 TSNETPROG=     route
55 DLADMPROG=     6to4relay
56 DEFAULTFILES= telnetd.dfl
57
58 PROGSRC=       $(PROG:%=%.c)
59 TFTPDOBJ=      in.tftpd.o tftpsubs.o
60 OTHERSRC=      ../usr.bin/tftp/tftpsubs.c

```

```

58 K5RLOGINOBJ=  in.rlogind.o
59 K5RSHDOBJ=    in.rshd.o
60 K5TELNETOBJ=  in.telnetd.o
61 SRCS=         $(PROGSRC) $(OTHERSRC)
62
63 SUBDIRS=      bootconfchk htable ifconfig ilbadm in.rdisc in.routed \
64               in.talkd inetadm inetconv ipadm impstat ipqosconf ipsecutils \
65               kssl/kssladm kssl/ksslcfg nwamadm nwamcfg ping routeadm \
66               snoop sppptun traceroute wifonfig
67
68 MSGSUBDIRS=   bootconfchk htable ifconfig ilbadm in.routed in.talkd \
69               inetadm inetconv ipadm impstat ipqosconf ipsecutils \
70               kssl/ksslcfg nwamadm nwamcfg routeadm sppptun snoop wifonfig
71
72 # As programs get lint-clean, add them here and to the 'lint' target.
73 # Eventually this hack should go away, and all in PROG should be
74 # lint-clean.
75 LINTCLEAN=    6to4relay arp in.rlogind in.rshd in.telnetd in.tftpd \
76               ipaddrsel route \
77               in.rarpd if_mpadm $(SYNCPROG)
78 # Likewise, as subdirs get lint-clean, add them here. Once
79 # they're all clean, replace the dependency of the lint target
80 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
81 # for the lint rule.
82 LINTSUBDIRS=  bootconfchk ilbadm in.rdisc in.routed in.talkd inetadm \
83               inetconv impstat ipqosconf ipsecutils kssl/kssladm \
84               kssl/ksslcfg nwamadm nwamcfg ping routeadm sppptun traceroute \
85               wifonfig
86 # And as programs are verified not to attempt to write into constants,
87 # -xstrconst should be used to ensure they stay that way.
88 CONSTCLEAN=
89
90 include ../Makefile.cmd
91 ROOTMANIFESTDIR= $(ROOTSVCNETWORK)
92 $(ROOTMANIFEST) := FILEMODE= 444
93 include ../Makefile.cmd-inet
94
95 ROOTSBINPROG = $(ROOTFS_PROG:%=$(ROOTSBIN)/%)
96 ROOTUSRSBINLINKS = $(SBINLINKS:%=$(ROOTUSRSBIN)/%)
97
98 COMMONOBJ=     addr_match.o kcmd.o store_forw_creds.o
99 COMMONSRC=     $(COMMONOBJ:%.o=$(CMDINETCOMMONDIR)/%.c)
100 SRCS+=         $(COMMONSRC)
101
102 CERRWARN +=   _gcc=-Wno-implicit-function-declaration
103 CERRWARN +=   _gcc=-Wno-uninitialized
104 CERRWARN +=   _gcc=-Wno-unused-variable
105 CERRWARN +=   _gcc=-Wno-unused-function
106 CERRWARN +=   _gcc=-Wno-parentheses
107 CERRWARN +=   _gcc=-Wno-char-subscripts
108 CERRWARN +=   _gcc=-Wno-extra
109 CERRWARN +=   _gcc=-Wno-address
110
111 #
112 # Message catalog
113 #
114 POFILES=      6to4relay.po if_mpadm.po in.comsat.po ipaddrsel.po route.po \
115               soconfig.po
116 POFILE=       usr.sbin.po
117
118 all:=         TARGET= all
119 install:=     TARGET= install
120 clean:=       TARGET= clean
121 clobber:=     TARGET= clobber
122 lint:=        TARGET= lint
123 _msg:=        TARGET= _msg

```

```

125 CLOBBERFILES += $(ROOTFS_PROG) $(PROG)
126 CLEANFILES += $(COMMONOBS) $(K5RLOGINOBS) $(K5RSHDOBS) $(TFTPDOBS) \
127     $(K5TELNETOBS)

129 CPPFLAGS += -DSYSV -DBSD_COMP -I$(CMDINETCOMMONDIR) -I

131 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
132 K5LIBS=

134 # Eventually just plain CFLAGS should be += -v, but not until all in
135 # PROGS are lint clean.
136 $(LINTCLEAN)      := CFLAGS += $(CCVERBOSE)
137 $(CONSTCLEAN)    := CFLAGS += $(XSTRCONST)

139 $(SYNCPROG)       := LDLIBS += -ldlpi
140 $(SOCKETPROG)    := LDLIBS += -lsocket
141 $(NSLPROG)       := LDLIBS += -lnsl
142 $(AUDITPROG)     := LDLIBS += -lbsd
143 $(PAMPROG)       := LDLIBS += -lpam
144 $(RPCSVCPROG)    := LDLIBS += -lrpcsvc
145 $(K5PROGS)       := LDFLAGS += $(KRUNPATH) \
146     -L$(ROOT)$(KLIBDIR_DO) -L$(ROOT)$(KLIBDIR_GL)
147 $(K5PROGS)        := K5LIBS= -lmech_krb5
148 $(K5PROGS)        := CPPFLAGS += -I$(SRC)/head \
149     -I$(SRC)/uts/common/ \
150     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
151     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
152     -I$(SRC)/lib/pam_modules/krb5
153 LDLIBS += $(K5LIBS)
154 $(TSNETPROG)     := LDLIBS += -ltsnet
155 $(DLADMPROG)     := LDLIBS += -ldladm

157 in.rarpd         := LDLIBS += -linetutil -ldlpi
158 if_mpadm         := LDLIBS += -linetutil -lipmp
159 if_mpadm.po      := XGETFLAGS += -a
160 route            := CPPFLAGS += -DNDEBUG
161 ndd               := LDLIBS += -ldladm -lipadm
162 gettable in.comsat := LDFLAGS += $(MAPFILE.NGB:%=-M%)

164 .KEEP_STATE:

166 .PARALLEL:

168 all: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) THIRDPARTYLICENSE.arp

170 #
171 # message catalog
172 #
173 _msg: $(MSGSUBDIRS) $(POFILE)

175 syncutil: $(SYNCPROG)

177 $(POFILE): $(POFILES)
178     $(RM) $@
179     cat $(POFILES) > $@

181 %.o: $(CMDINETCOMMONDIR)/%.c
182     $(COMPILE.c) -o $@ $<

184 in.telnetd: $(K5TELNETOBS)
185     $(LINK.c) $(K5TELNETOBS) -o $@ $(LDLIBS)
186     $(POST_PROCESS)

188 in.rlogind: $(K5RLOGINOBS) $(COMMONOBS)
189     $(LINK.c) $(K5RLOGINOBS) $(COMMONOBS) -o $@ $(LDLIBS)

```

```

190     $(POST_PROCESS)

192 in.rshd: $(K5RSHDOBS) $(COMMONOBS)
193     $(LINK.c) $(K5RSHDOBS) $(COMMONOBS) -o $@ $(LDLIBS)
194     $(POST_PROCESS)

196 in.tftpd: $(TFTPDOBS)
197     $(LINK.c) $(TFTPDOBS) -o $@ $(LDLIBS)
198     $(POST_PROCESS)

200 tftpsubs.o: $(OTHERSRC)
201     $(COMPILE.c) $(OTHERSRC) -o $@
202     $(POST_PROCESS_O)

204 $(ROOTUSRSBINLINKS):
205     -$(RM) $@; $(SYMLINK) ../../sbin/$(@F) $@

207 install: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) .WAIT $(ROOTUSRSBINPROG) \
208     $(ROOTSBINPROG) $(ROOTUSRSBINLINKS) $(ROOTETCDEFAULTFILES) \
209     $(ROOTMANIFEST) $(ROOTSVCMETHOD) THIRDPARTYLICENSE.arp

211 THIRDPARTYLICENSE.arp: arp.c
212     $(SED) -n '/University of California/,/SUCH DAMAGE/p' arp.c > $@

214 CLOBBERFILES += THIRDPARTYLICENSE.arp

216 #
217 # The reason this rule checks for the existence of the
218 # Makefile is that some of the directories do not exist
219 # in our exportable source builds.
220 #
221 $(SUBDIRS): FRC
222     @if [ -f $@/Makefile ]; then \
223         cd $@; pwd; $(MAKE) $(TARGET); \
224     else \
225         true; \
226     fi

228 FRC:

230 check: $(CHKMANIFEST)

232 clean: $(SUBDIRS) clean_local
233 clean_local:
234     $(RM) $(CLEANFILES)

236 clobber: $(SUBDIRS) clobber_local
237 clobber_local: clean_local
238     $(RM) $(CLOBBERFILES)

240 lint: $(LINTSUBDIRS)
241     $(LINT.c) 6to4relay.c $(LDLIBS) -lsocket -ldladm
242     $(LINT.c) arp.c $(LDLIBS) -lsocket -lnsl
243     @# $(LINT.c) in.rexecd.c $(LDLIBS) -lbsd -lpam
244     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
245     -I$(SRC)/head -I$(SRC)/uts/common/ \
246     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
247     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
248     -I$(SRC)/lib/pam_modules/krb5 \
249     in.rlogind.c $(COMMONSRCS) $(LDLIBS) -lbsd -lpam -lsocket -lnsl
250     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
251     -I$(SRC)/head -I$(SRC)/uts/common/ \
252     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
253     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
254     -I$(SRC)/lib/pam_modules/krb5 \
255     in.rshd.c $(COMMONSRCS) $(LDLIBS) -lbsd -lpam -lsocket -lnsl

```

```
256 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 \  
257 -erroff=E_GLOBAL_COULD_BE_STATIC2 \  
258 -I$(SRC)/head -I$(SRC)/uts/common/ \  
259 -I$(SRC)/uts/common/gssapi/mechs/krb5/include \  
260 -I$(SRC)/lib/gss_mechs/mech_krb5/include \  
261 -I$(SRC)/lib/pam_modules/krb5 \  
262 in.telnetd.c $(LDLIBS) -lbsd -lpam -lsocket -lnsl \  
263 $(LINT.c) if_mpadm.c $(LDLIBS) -lsocket -lnsl -lipmp -linetutil \  
264 $(LINT.c) ipaddrsel.c $(LDLIBS) -lsocket -lnsl \  
265 $(LINT.c) route.c $(LDLIBS) -lsocket -lnsl -ltsnet \  
266 $(LINT.c) syncinit.c $(LDLIBS) -ldlpi \  
267 $(LINT.c) syncloop.c $(LDLIBS) -ldlpi \  
268 $(LINT.c) syncstat.c $(LDLIBS) -ldlpi \  
269 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 in.rarpd.c $(LDLIBS) \  
270 -lsocket -lnsl \  
271 $(LINT.c) in.tftpd.c ../usr.bin/tftp/tftpsubs.c $(LDLIBS) \  
272 -lsocket -lnsl
```

new/usr/src/cmd/initpkg/init.d/Makefile

1

2156 Tue Oct 7 19:19:48 2014

new/usr/src/cmd/initpkg/init.d/Makefile

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 #
28 include      ../../Makefile.cmd
29
30 sparc_PROG=
31 i386_PROG=
32
33 PROG=        \
34             README          \
35             cacheofs.daemon \
36             devlinks        \
37             dhcp            \
38             drvconfig       \
39             ldap.client     \
40             nfs.server      \
41             nscd            \
42             sendmail        \
43             slpd            \
44             syssetup        \
45             uucp            \
46             ${$(MACH)_PROG}
47
48 OTHERPROG=   README.rcS README.rc2 README.rc3
49
50 ROOTETCINITD=  $(ROOTETC)/init.d
51 ROOTETCRCSD=  $(ROOTETC)/rcS.d
52 ROOTETCRC0D=  $(ROOTETC)/rc0.d
53 ROOTETCRC1D=  $(ROOTETC)/rc1.d
54 ROOTETCRC2D=  $(ROOTETC)/rc2.d
55 ROOTETCRC3D=  $(ROOTETC)/rc3.d
56
57 DIRS=        $(ROOTETCINITD) \
58             $(ROOTETCRCSD) \
```

new/usr/src/cmd/initpkg/init.d/Makefile

2

```
59             $(ROOTETCRC0D) \
60             $(ROOTETCRC1D) \
61             $(ROOTETCRC2D) \
62             $(ROOTETCRC3D)
63
64 ROOTETCINITDPROG=  $(PROG:%=$(ROOTETCINITD)/%)
65
66 DIRMODE = 0755
67 FILEMODE = 0744
68 $(ROOTETCINITD)/README :=      FILEMODE = 0644
69 $(ROOTETCRCSD)/README :=      FILEMODE = 0644
70 $(ROOTETCRC2D)/README :=      FILEMODE = 0644
71 $(ROOTETCRC3D)/README :=      FILEMODE = 0644
72
73 .KEEP_STATE:
74
75 all:          $(PROG)
76
77 # Don't re-install directories already installed by Targetdirs
78 #$(DIRS):
79 #          $(INS.dir)
80
81 $(ROOTETCINITD)/%:  %
82                   $(INS.file)
83
84 $(ROOTETCRCSD)/%:  %.rcS
85                   $(INS.rename)
86
87 $(ROOTETCRC2D)/%:  %.rc2
88                   $(INS.rename)
89
90 $(ROOTETCRC3D)/%:  %.rc3
91                   $(INS.rename)
92
93 install:        all $(ROOTETCINITDPROG) \
94                 $(ROOTETCRCSD)/README \
95                 $(ROOTETCRC2D)/README \
96                 $(ROOTETCRC3D)/README
97
98 lint:
99
100 clean:
101
102 clobber:
```

```

*****
13389 Tue Oct 7 19:19:49 2014
new/usr/src/lib/Makefile
4174 Torch the old and unmaintained Sun-dhccp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
26 # Copyright (c) 2013 Gary Mills
27 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
28 #endif /* ! codereview */

30 include ../Makefile.master

32 # Note that libcurses installs commands along with its library.
33 # This is a minor bug which probably should be fixed.
34 # Note also that a few extra libraries are kept in cmd source.
35 #
36 # Certain libraries are linked with, hence depend on, other libraries.
37 #
38 # Although we have historically used .WAIT to express dependencies, it
39 # reduces the amount of parallelism and thus lengthens the time it
40 # takes to build the libraries. Thus, we now require that any new
41 # libraries explicitly call out their dependencies. Eventually, all
42 # the library dependencies will be called out explicitly. See
43 # "Library interdependencies" near the end of this file.
44 #
45 # Aside from explicit dependencies (and legacy .WAITs), all libraries
46 # are built in parallel.
47 #
48 .PARALLEL:

50 SUBDIRS= \
51     common .WAIT \
52     ../cmd/sgs/libconv .WAIT \
53     ../cmd/sgs/libdl

55 SUBDIRS += \
56     libc .WAIT \
57     ../cmd/sgs/libelf .WAIT \
58     c_synonyms \
59     libmd

```

```

60     libmd5 \
61     librms \
62     libmp .WAIT \
63     libnsl \
64     libsecdb .WAIT \
65     librpcsvc \
66     libsocket .WAIT \
67     libsctp \
68     libsip \
69     libcommutil \
70     libresolv \
71     libresolv2 .WAIT \
72     libw .WAIT \
73     libintl .WAIT \
74     ../cmd/sgs/librtld_db \
75     libaio \
76     libast \
77     libdll \
78     libcmd \
79     libshell \
80     libsum \
81     librt \
82     libadm \
83     libctf \
84     libdtrace \
85     libdtrace_jni \
86     libcurses \
87     libtermcap \
88     libgen \
89     libgss \
90     libpam \
91     libuuid \
92     libthread \
93     libpthread .WAIT \
94     libslp \
95     libbsdmalloc \
96     libdoor \
97     libdevinfo \
98     libdladm \
99     libdlpi \
100    libeti \
101    libcrypt \
102    libdns_sd \
103    libefi \
104    libfstyp \
105    libwanboot \
106    libwanbootutil \
107    libcryptoutil \
108    libinetutil \
109    libipadm \
110    libipd \
111    libipmp \
112    libiscsit \
113    libkmf \
114    libkstat \
115    libkvm \
116    liblm \
117    libmalloc \
118    libmapmalloc \
119    libmtmalloc \
120    libnls \
121    libnwam \
122    libsbios \
123    libtecla \
124    libumem \
125    libnvpair .WAIT \

```

```

126 libexacct \
127 libsas1 \
128 libldap5 \
129 libslldap .WAIT \
130 libbsm \
131 libsys \
132 libsysevent \
133 libnisdb \
134 libpool \
135 libpp \
136 libproc \
137 libproject \
138 libsendfile \
139 nametoaddr \
140 ncad_addr \
141 hbaapi \
142 smhba \
143 sun_fc \
144 sun_sas \
145 gss_mechs/mech_krb5 .WAIT \
146 libkrb5 .WAIT \
147 krb5 .WAIT \
148 libsmvfs \
149 libfcoe \
150 libsrpt \
151 libstmf \
152 libstmfproxy \
153 libnsctl \
154 libunistat \
155 libdscfg \
156 librdc \
157 libinstzones \
158 libpkg \
159 libpcidb

161 SUBDIRS += \
162 passwdutil \
163 pam_modules \
164 crypt_modules \
165 libadt_jni \
166 abi \
167 auditd_plugins \
168 libvolmgt \
169 libdevice \
170 libdevid \
27 libdhcpsvc
171 libc_db \
172 libndmp \
173 libsec \
174 libtnfprobe \
175 libtnf \
176 libtnfctl \
177 libdhcpagent
35 libdhcpdu
178 libdhcputil \
179 libxnet \
180 libipsecutil \
181 nsswitch \
182 print \
183 libuutil \
184 libscf \
185 libinetsvc \
186 librestart \
187 libsched \
188 libelfsign \
189 pkcs11 .WAIT \

```

```

190 libpctx .WAIT \
191 libcpc \
192 getloginx \
193 watchmalloc \
194 extendedFILE \
195 madv \
196 mpss \
197 libdisasm \
198 libwrap \
199 libxcurses \
200 libxcurses2 \
201 libbrand .WAIT \
202 libzonecfg \
203 libzoneinfo \
204 libzonestat \
205 libtsnet \
206 libtsol \
207 gss_mechs/mech_spnego \
208 gss_mechs/mech_dummy \
209 gss_mechs/mech_dh \
210 rpcsec_gss \
211 libraidcfg .WAIT \
212 librcm .WAIT \
213 libcfgadm .WAIT \
214 libpicl .WAIT \
215 libpicltree .WAIT \
216 raidcfg_plugins \
217 cfgadm_plugins \
218 libmail \
219 lvm \
220 libsmmedia \
221 libipp \
222 libdiskmgt \
223 liblgrp \
224 libfsmgt \
225 fm \
226 libavl \
227 libcmdutils \
228 libcontract \
229 ./cmd/sendmail/libmilter \
230 sasl_plugins \
231 udapl \
232 libzpool \
233 libzfs_core \
234 libzfs \
235 libbe \
236 pylibbe \
237 libzfs_jni \
238 pyzfs \
239 pysolaris \
240 libmapid \
241 brand \
242 policykit \
243 hal \
244 libshare \
245 libsqlite \
246 libidmap \
247 libadutils \
248 libipmi \
249 libexacct/demo \
250 libvrrpadm \
251 libvscan \
252 libgrubmgmt \
253 smbdrv \
254 libilb \
255 scsi \

```

new/usr/src/lib/Makefile

```

256     libima           \
257     libsun_ima      \
258     mpapi           \
259     librstp         \
260     libreparsed     \
261     libhotplug      \
262     libfruutils     .WAIT  \
263     libfru          \
264     ${$(MACH)_SUBDIRS}

266 i386_SUBDIRS=      \
267     libfdisk        \
268     libsaveargs

270 sparc_SUBDIRS= .WAIT \
271     efcodes         \
272     libds           \
273     libdscp        \
274     libprtdiag     .WAIT  \
275     libprtdiag_psr \
276     libpri         \
277     librsc         \
278     storage        \
279     libpcp         \
280     libtsalarm     \
281     libvl2n

283 FM_sparc_DEPLIBS= libpri

285 fm:
286     libexacct      \
287     libipmi        \
288     libzfs         \
289     scsi           \
290     ${FM_${$(MACH)_DEPLIBS}

292 #
293 # Create a special version of $(SUBDIRS) with no .WAIT's, for use with the
294 # clean and clobber targets (for more information, see those targets, below).
295 #
296 NOWAIT_SUBDIRS= $(SUBDIRS:.WAIT=)

298 DCSSUBDIRS =      \
299     lvm

301 MSGSUBDIRS=      \
302     abi             \
303     auditd_plugins \
304     brand           \
305     cfgadm_plugins \
306     gss_mechs/mech_dh \
307     gss_mechs/mech_krb5 \
308     krb5            \
309     libast          \
310     libbsm         \
311     libc           \
312     libcfgadm      \
313     libcmd         \
314     libcontract    \
315     libcurses      \
316     libdhcpcsvc    \
317     libdhcputil    \
318     libipsecutil   \
319     libdiskmgt     \
320     libdladm       \
321     libd11

```

5

new/usr/src/lib/Makefile

```

321     libgrubmgmt    \
322     libgss         \
323     libidmap       \
324     libipmp        \
325     libilb         \
326     libinetutil    \
327     libinstzones   \
328     libipadm       \
329     libnsl         \
330     libnwam        \
331     libpam         \
332     libpicl        \
333     libpool        \
334     libpkg         \
335     libpp          \
336     libscf         \
337     libsas1        \
338     libldap5       \
339     libsecdb       \
340     libshare       \
341     libshell       \
342     libslldap     \
343     libslp         \
344     libsmbfs       \
345     libsmmedia     \
346     libsum         \
347     libtsol        \
348     libuutil       \
349     libvrrpadm     \
350     libvscan       \
351     libwanboot     \
352     libwanbootutil \
353     libzfs         \
354     libzonecfg     \
355     lvm            \
356     madv           \
357     mpss           \
358     pam_modules    \
359     pyzfs          \
360     pysolaris      \
361     rpcsec_gss     \
362     libreparsed    \
363 MSGSUBDIRS +=      \
364     ${$(MACH)_MSGSUBDIRS}

366 sparc_MSGSUBDIRS= \
367     libprtdiag     \
368     libprtdiag_psr

370 i386_MSGSUBDIRS= libfdisk

372 HDRSUBDIRS=      \
373     auditd_plugins \
374     libast         \
375     libbrand       \
376     libbsm        \
377     libc           \
378     libcmd         \
379     libcmdutils    \
380     libcommputil   \
381     libcontract    \
382     libcpc         \
383     libctf         \
384     libcurses      \
385     libtermcap     \
386     libcryptoutil

```

6

new/usr/src/lib/Makefile

7

```

387 libdevice //
388 libdevid //
389 libdevinfo //
390 libdiskmgt //
391 libdladm //
392 libdll //
393 libdlpi //
394 libdhcpagent //
254 libdhcpsvc //
395 libdhcputil //
396 libdisasm //
397 libdns_sd //
398 libdscfg //
399 libdtrace //
400 libdtrace_jni //
401 libelfsign //
402 libeti //
403 libfru //
404 libfstyp //
405 libgen //
406 libipadm //
407 libipd //
408 libipseutil //
409 libinetsvc //
410 libinetutil //
411 libinstzones //
412 libipmi //
413 libipmp //
414 libipp //
415 libiscsit //
416 libkstat //
417 libkvm //
418 libmail //
419 libmd //
420 libmtmalloc //
421 libndmp //
422 libnvpair //
423 libnsctl //
424 libnsl //
425 libnwam //
426 libpam //
427 libpcidb //
428 libpctx //
429 libpicl //
430 libpicltree //
431 libpool //
432 libpp //
433 libproc //
434 libraidcfg //
435 librcm //
436 librdc //
437 libscf //
438 libsip //
439 libsbios //
440 librestart //
441 librpcsvc //
442 librsm //
443 librstp //
444 libsas1 //
445 libsec //
446 libshell //
447 libslp //
448 libsmmedia //
449 libsocket //
450 libsqlite //
451 libfcoe //

```

new/usr/src/lib/Makefile

8

```

452 libsrpt //
453 libstmf //
454 libstmfproxy //
455 libsum //
456 libsysevent //
457 libtecla //
458 libtnf //
459 libtnfctl //
460 libtnfprobe //
461 libtsnet //
462 libtsol //
463 libvrrpadm //
464 libvolmgt //
465 libumem //
466 libunistat //
467 libuutil //
468 libwanboot //
469 libwanbootutil //
470 libwrap //
471 libxcurses2 //
472 libzfs //
473 libzfs_core //
474 libzfs_jni //
475 libzoneinfo //
476 libzonestat //
477 hal //
478 policykit //
479 lvm //
480 pkcs11 //
481 passwdutil //
482 ../cmd/sendmail/libmilter //
483 fm //
484 udapl //
485 libmapid //
486 libkrb5 //
487 libsmbfs //
488 libshare //
489 libidmap //
490 libvscan //
491 libgrubmgmt //
492 smbsrv //
493 libilb //
494 scsi //
495 hbaapi //
496 smhba //
497 libima //
498 libsun_ima //
499 mpapi //
500 libreparse //
501 $(MACH)_HDRSUBDIRS //

503 i386_HDRSUBDIRS= //
504 libfdisk //
505 libsaveargs //

507 sparc_HDRSUBDIRS= //
508 libds //
509 libdscp //
510 libpri //
511 libvl2n //
512 storage //

514 all := TARGET= all
515 check := TARGET= check
516 clean := TARGET= clean
517 clobber := TARGET= clobber

```

```

518 install := TARGET= install
519 install_h := TARGET= install_h
520 lint := TARGET= lint
521 _dc := TARGET= _dc
522 _msg := TARGET= _msg

524 .KEEP_STATE:

526 #
527 # For the all and install targets, we clearly must respect library
528 # dependencies so that the libraries link correctly. However, for
529 # the remaining targets (check, clean, clobber, install_h, lint, _dc
530 # and _msg), libraries do not have any dependencies on one another
531 # and thus respecting dependencies just slows down the build.
532 # As such, for these rules, we use pattern replacement to explicitly
533 # avoid triggering the dependency information. Note that for clean,
534 # clobber and lint, we must use $(NOWAIT_SUBDIRS) rather than
535 # $(SUBDIRS), to prevent '.WAIT' from expanding to '.WAIT-noddepend'.
536 #

538 all: $(SUBDIRS)

540 install: $(SUBDIRS) .WAIT install_extra

542 # extra libraries kept in other source areas
543 install_extra:
544     @cd ../cmd/sgs; pwd; $(MAKE) install_lib
545     @pwd

547 clean clobber lint: $(NOWAIT_SUBDIRS:%=%-nodepend)

549 install_h check: $(HDRSUBDIRS:%=%-nodepend)

551 _msg: $(MSGSUBDIRS:%=%-nodepend) .WAIT _dc

553 _dc: $(DCSUBDIRS:%=%-nodepend)

555 #
556 # Library interdependencies are called out explicitly here
557 #
558 auditd_plugins: libbsm libnsl libsecdb
559 gss_mechs/mech_krb5: libgss libnsl libsocket libresolv pkcs11
560 libadt_jni: libbsm
561 libast: libsocket
562 libadutils: libldap5 libresolv libsocket libnsl
563 nsswitch: libadutils libidmap
564 libbe: libzfs
565 libbsm: libtsol
566 libcmd: libsum libast libsocket libnsl
567 libcmdutils: libavl
568 libcontract: libnvpair
569 libdevinfo: libdevinfo
570 libdevinfo: libnvpair libsec
571 libdhcpageant: libsocket libdhcputil libuuid libdlpi libcontract
572 libdhcpcsvc: libinetutil
573 libdhcputil: libnsl libgen libinetutil libdlpi
574 libdladm: libdevinfo libinetutil libsocket libscf librcm libnvpair \
575 libxacct libnsl libkstat libcurses
576 libdll: libast
577 libdlpi: libinetutil libdladm
578 libds: libsysevent
579 libdscfg: libnsctl libunistat libsocket libnsl
580 libdtrace: libproc libgen libctf
581 libdtrace_jni: libuutil libdtrace
582 libefi: libuuid
583 libfstyp: libnvpair

```

```

583 libelfsign: libcryptoutil libkmf
584 libidmap: libadutils libldap5 libavl libsldap libuutil
585 libipadm: libnsl libinetutil libsocket libdlpi libnvpair libdhcpageant \
586 libdladm libsecdb
587 libiscsit: libc libnvpair libstmf libuuid libnsl
588 libkmf: libcryptoutil pkcs11
589 libnsl: libmd5
590 libmapid: libresolv
591 librdc: libsocket libnsl libnsctl libunistat libdscfg
592 libuuid: libdlpi
593 libinetutil: libsocket
594 libipsecutil: libtecla libsocket
595 libinstzones: libzonecfg libcontract
596 libpkg: libwanboot libscf libadm
597 libnwm: libscf
598 libsecdb: libnsl
599 libsasl: libgss libsocket pkcs11 libmd
600 sasl_plugins: pkcs11 libgss libsocket libsasl
601 libscpt: libsocket
602 libshell: libast libcmd libdll libsocket libsecdb
603 libsip: libmd5
604 libsmfbs: libcmdutils libsocket libnsl libkrb5
605 libsocket: libnsl
606 libstmfproxy: libstmf libsocket libnsl libpthread
607 libsum: libast
608 libsysevent: libsecdb
609 libldap5: libsasl libsocket libnsl libmd
610 libsldap: libldap5 libtsol libnsl libc libscf libresolv
611 libpool: libnvpair libxacct
612 libpp: libast
613 libzonecfg: libc libsocket libnsl libuuid libnvpair libsysevent libsec \
614 libbrand libpool libscf
615 libproc: ../cmd/sgs/librtld_db ../cmd/sgs/libelf libctf libsavargs
616 libproject: libpool libproc libsecdb
617 libtermcap: libcurses
618 libtsnet: libnsl libtsol libsecdb
619 libwrap: libnsl libsocket
620 libwanboot: libnvpair libresolv libnsl libsocket libdevinfo libinetutil \
621 libdhcputil
622 libwanbootutil: libnsl
623 pam_modules: libproject passwdutil smbsrv
624 libscf: libuutil libmd libgen libsmbios libnsl
625 libnetsvc: libscf
626 librestart: libuutil libscf
627 libsavargs: libdisasm
628 ../cmd/sgs/libdl: ../cmd/sgs/libconv
629 ../cmd/sgs/libelf: ../cmd/sgs/libconv
630 pkcs11: libcryptoutil
631 print: libldap5
632 udapl/udapl_tavor: udapl/libdat
633 libzfs: libdevinfo libgen libnvpair libuutil \
634 libadm libavl libefi libidmap libmd libzfs_core
635 libzfs_core: libnvpair
636 libzfs_jni: libdiskmgt libnvpair libzfs
637 libzpool: libavl libumem libnvpair libcmdutils
638 libsec: libavl libidmap
639 brand: libc libsocket
640 libshare: libscf libzfs libuuid libfsmgt libsecdb libumem libsmfbs
641 libxacct/demo: libxacct libproject libsocket libnsl
642 libtsalarm: libpcp
643 smbsrv: libsocket libnsl libmd libxnet libpthread librt \
644 libshare libidmap pkcs11 libsqlite libcryptoutil \
645 librepase libcmdutils
646 libv12n: libds libuuid
647 libvrrpadm: libsocket libdladm libscf
648 libvscan: libscf

```

```
649 libfru:      libfruutils
650 scsi:        libnvpair libfru
651 mpapi:       libpthread libdevinfo libsysevent libnvpair
652 sun_fc:      libdevinfo libsysevent libnvpair
653 libsun_ima:  libdevinfo libsysevent libnsl
654 sun_sas:    libdevinfo libsysevent libnvpair libkstat libdevid
655 libgrubmgmt: libdevinfo libzfs libfstyp
656 pylibbe:    libbe libzfs
657 pyzfs:      libnvpair libzfs
658 pysolaris:  libsec libidmap
659 libreparse: libnvpair
660 libhotplug: libnvpair
661 cfgadm_plugins: libhotplug
662 libilb:     libsocket
663 $(INTEL_BUILD)libdiskmgmt:libfdisk

665 #
666 # The reason this rule checks for the existence of the
667 # Makefile is that some of the directories do not exist
668 # in certain situations (e.g., exportable source builds,
669 # OpenSolaris).
670 #
671 $(SUBDIRS): FRC
672     @if [ -f $@/Makefile ]; then \
673         cd $@; pwd; $(MAKE) $(TARGET); \
674     else \
675         true; \
676     fi

678 $(SUBDIRS:%=%-nodepend):
679     @if [ -f $@:%-nodepend=%/Makefile ]; then \
680         cd $@:%-nodepend=%; pwd; $(MAKE) $(TARGET); \
681     else \
682         true; \
683     fi

685 FRC:
```

```

*****
4011 Tue Oct 7 19:19:53 2014
new/usr/src/lib/libdhcputil/common/dhcp_symbol.h
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 /*
2  * CDDL HEADER START
3  *
4  * The contents of this file are subject to the terms of the
5  * Common Development and Distribution License (the "License").
6  * You may not use this file except in compliance with the License.
7  *
8  * You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9  * or http://www.opensolaris.org/os/licensing.
10 * See the License for the specific language governing permissions
11 * and limitations under the License.
12 *
13 * When distributing Covered Code, include this CDDL HEADER in each
14 * file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 * If applicable, add the following below this CDDL HEADER, with the
16 * fields enclosed by brackets "[]" replaced with your own identifying
17 * information: Portions Copyright [yyyy] [name of copyright owner]
18 *
19 * CDDL HEADER END
20 */
21 /*
22 * Copyright 2014 Garrett D'Amore <garrett@damore.org>
23 *
24 #endif /* ! codereview */
25 * Copyright 2007 Sun Microsystems, Inc. All rights reserved.
26 * Use is subject to license terms.
27 */

29 #ifndef _DHCP_SYMBOL_H
30 #define _DHCP_SYMBOL_H

22 #pragma ident "%Z%M% %I% %E% SMI"

32 /*
33 * This file, along with <dhcp_symbol_common.h>, contains the DHCP symbol
34 * constants and the definitions for the external interfaces to the parsing
35 * logic (contained in dhcp_symbol.c) for symbol definitions. These
36 * definitions can and should be used by all consumers of DHCP symbols.
37 */

39 #include <sys/types.h>
32 #include <dhcp_svc_private.h>
40 #include <dhcp_symbol_common.h>

42 #ifdef __cplusplus
43 extern "C" {
44 #endif

46 /*
47 * Vendor class length (and implicitly, the number of classes)
48 */
49 #define DSYM_CLASS_SIZE 128 /* Single class max */
42 #define DSYM_CLASS_SIZE DSVC_MAX_MACSYM_LEN /* Single class max */
50 #define DSYM_MAX_CLASS_SIZE (DSYM_CLASS_SIZE * 10) /* At least 10 */

52 /*
53 * Maximum symbol length
46 * Maximum symbol length is defined by the libdhcpsvc.
54 */

```

```

55 #define DSYM_MAX_SYM_LEN 128
48 #define DSYM_MAX_SYM_LEN DSVC_MAX_MACSYM_LEN

57 /*
58 * symbol parsing error codes
59 */
60 typedef enum {
61     DSYM_SUCCESS,
62     DSYM_SYNTAX_ERROR,
63     DSYM_NULL_FIELD,
64     DSYM_TOO_MANY_FIELDS,
65     DSYM_CODE_OUT_OF_RANGE,
66     DSYM_VALUE_OUT_OF_RANGE,
67     DSYM_INVALID_CAT,
68     DSYM_INVALID_TYPE,
69     DSYM_EXCEEDS_CLASS_SIZE,
70     DSYM_EXCEEDS_MAX_CLASS_SIZE,
71     DSYM_NO_MEMORY,
72     DSYM_INVALID_FIELD_NUM
73 } dsym_errcode_t;
_____ unchanged_portion_omitted

```

```

*****
14473 Tue Oct 7 19:19:53 2014
new/usr/src/man/man1m/Makefile
4174 Torch the old and unmaintained Sun-dhccp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 #
17 #
18 include $(SRC)//Makefile.master
19 #
20 MANSECT= 1m
21 #
22 _MANFILES= 6to4relay.1m //
23 //
24 //
25 //
26 //
27 //
28 //
29 //
30 //
31 //
32 //
33 //
34 //
35 //
36 //
37 //
38 //
39 //
40 //
41 //
42 //
43 //
44 //
45 //
46 //
47 //
48 //
49 //
50 //
51 //
52 //
53 //
54 //
55 //
56 //
57 //
58 //
59 //

```

```

60 //
61 //
62 //
63 //
64 //
65 //
66 //
67 //
68 //
69 //
70 //
71 //
72 //
73 //
74 //
75 //
76 //
77 //
78 //
79 //
80 //
81 //
82 //
83 //
84 //
85 //
86 //
87 //
88 //
89 //
90 //
91 //
92 //
93 //
94 //
95 //
96 //
97 //
98 //
99 //
100 //
101 //
102 //
103 //
104 //
105 //
106 //
107 //
108 //
109 //
110 //
111 //
112 //
113 //
114 //
115 //
116 //
117 //
118 //
119 //
120 //
121 //
122 //
123 //
124 //
125 //

```

```

122      dtrace.lm      //
123      dumpadm.lm    //
124      editmap.lm    //
125      edquota.lm   //
126      eeprom.lm    //
127      embedded_su.lm //
128      etrn.lm      //
129      fcinfo.lm    //
130      fdetach.lm   //
131      fdisk.lm     //
132      ff.lm        //
133      ff_ufs.lm    //
134      fiocompress.lm //
135      flowadm.lm   //
136      fmadm.lm    //
137      fmd.lm       //
138      fmdump.lm   //
139      fmstat.lm   //
140      fmthard.lm  //
141      format.lm   //
142      fruadm.lm   //
143      fsck.lm     //
144      fsck_cacheufs.lm //
145      fsck_pcfs.lm //
146      fsck_udfs.lm //
147      fsck_ufs.lm //
148      fsdb.lm     //
149      fsdb_udfs.lm //
150      fsdb_ufs.lm //
151      fsirand.lm  //
152      fssnap.lm   //
153      fssnap_ufs.lm //
154      fsstat.lm  //
155      fstyp.lm   //
156      fuser.lm   //
157      fwflash.lm //
158      fwtmp.lm   //
159      getdev.lm  //
160      getdevpolicy.lm //
161      getdgrp.lm //
162      getent.lm  //
163      gettable.lm //
164      getty.lm   //
165      getvol.lm  //
166      groupadd.lm //
167      groupdel.lm //
168      groupmod.lm //
169      growfs.lm  //
170      gsscred.lm //
171      gssd.lm   //
172      hal-device.lm //
173      hal-fdi-validate.lm //
174      hal-find.lm //
175      hal-get-property.lm //
176      hald.lm   //
177      halt.lm   //
178      hextoalabel.lm //
179      hostconfig.lm //
180      htable.lm //
181      ickey.lm  //
182      id.lm     //
183      idmap.lm //
184      idmapd.lm //
185      idconfig.lm //
186      if_mpadm.lm //
187      ifconfig.lm //

```

```

188      ifparse.lm //
189      iiadm.lm   //
190      iicpbmp.lm //
191      iicpshd.lm //
192      ikeadm.lm //
193      ikecert.lm //
194      in.chargend.lm //
195      in.comsat.lm //
196      in.daytimed.lm //
201      in.dhcpd.lm //
197      in.discardd.lm //
198      in.echod.lm //
199      in.fingerd.lm //
200      in.iked.lm //
201      in.lpd.lm //
202      in.mpathd.lm //
203      in.ndpd.lm //
204      in.rarpd.lm //
205      in.rdisc.lm //
206      in.rexecd.lm //
207      in.ripngd.lm //
208      in.rlogind.lm //
209      in.routed.lm //
210      in.rshd.lm //
211      in.rwhod.lm //
212      in.talkd.lm //
213      in.telnetd.lm //
214      in.tftpd.lm //
215      in.timed.lm //
216      in.uucpd.lm //
217      inetadm.lm //
218      inetconv.lm //
219      inetd.lm   //
220      infocomp.lm //
221      init.lm    //
222      inityp2l.lm //
223      install.lm //
224      installf.lm //
225      installgrub.lm //
226      intrd.lm  //
227      intrstat.lm //
228      iostat.lm //
229      ipaddrsel.lm //
230      ipadm.lm  //
231      ipdadm.lm //
232      ipf.lm    //
233      ipfs.lm  //
234      ipfstat.lm //
235      ipmon.lm //
236      ipmpstat.lm //
237      ipnat.lm //
238      ippool.lm //
239      ipqosconf.lm //
240      ipsecalgs.lm //
241      ipsecconf.lm //
242      ipseckey.lm //
243      iscsiadm.lm //
244      isns.lm   //
245      isnsadm.lm //
246      itadm.lm //
247      k5srvutil.lm //
248      kadb.lm  //
249      kadmin.lm //
250      kadmin.d.lm //
251      kclient.lm //
252      kdb5_ldap_util.lm //

```

```

253 kdb5_util.lm //
254 kdcmgr.lm //
255 kernel.lm //
256 keyserv.lm //
257 killall.lm //
258 kprop.lm //
259 kpropd.lm //
260 kproplog.lm //
261 krb5kdc.lm //
262 ksslcfg.lm //
263 kstat.lm //
264 ktkt_warnd.lm //
265 labelit.lm //
266 labelit_hfs.lm //
267 labelit_ufs.lm //
268 labelit_ufs.lm //
269 latencytop.lm //
270 ldap_cachemgr.lm //
271 ldapaddent.lm //
272 ldapclient.lm //
273 link.lm //
274 listdgrp.lm //
275 listen.lm //
276 locator.lm //
277 lockfs.lm //
278 lockstat.lm //
279 lofiadm.lm //
280 logadm.lm //
281 logins.lm //
282 lpadm.lm //
283 lpfilter.lm //
284 lpforms.lm //
285 lpget.lm //
286 lpmove.lm //
287 lpsched.lm //
288 lpset.lm //
289 lpshut.lm //
290 lpssystem.lm //
291 lpusers.lm //
292 luxadm.lm //
293 mail.local.lm //
294 makedbm.lm //
295 makemap.lm //
296 mdmonitord.lm //
297 medstat.lm //
298 metaclear.lm //
299 metadb.lm //
300 metadevadm.lm //
301 metahs.lm //
302 metaimport.lm //
303 metainit.lm //
304 metaoffline.lm //
305 metaparam.lm //
306 metarecover.lm //
307 metarename.lm //
308 metareplace.lm //
309 metaroot.lm //
310 metaset.lm //
311 metassist.lm //
312 metastat.lm //
313 metasync.lm //
314 metattach.lm //
315 mkdevalloc.lm //
316 mkdevmaps.lm //
317 mkfifo.lm //
318 mkfile.lm //

```

```

319 mkfs.lm //
320 mkfs_pcfs.lm //
321 mkfs_udfs.lm //
322 mkfs_ufs.lm //
323 mknod.lm //
324 mkpwdict.lm //
325 modinfo.lm //
326 modload.lm //
327 modunload.lm //
328 mount.lm //
329 mount_cacheufs.lm //
330 mount_hfs.lm //
331 mount_nfs.lm //
332 mount_pcfs.lm //
333 mount_smbfs.lm //
334 mount_tmpfs.lm //
335 mount_udfs.lm //
336 mount_ufs.lm //
337 mountall.lm //
338 mountd.lm //
339 mpathadm.lm //
340 mpstat.lm //
341 msgid.lm //
342 mvdir.lm //
343 ncaconfd.lm //
344 ncheck.lm //
345 ncheck_ufs.lm //
346 ndd.lm //
347 ndmpadm.lm //
348 ndmpd.lm //
349 ndmpstat.lm //
350 netstat.lm //
351 netstrategy.lm //
352 newaliases.lm //
353 newfs.lm //
354 newkey.lm //
355 nfs4cbd.lm //
356 nfsd.lm //
357 nfslogd.lm //
358 nfsmapid.lm //
359 nfsstat.lm //
360 nlsadmin.lm //
361 nscadm.lm //
362 nscd.lm //
363 nwamd.lm //
364 passmgmt.lm //
365 pbind.lm //
366 picld.lm //
367 ping.lm //
368 pkgadd.lm //
369 pkgadm.lm //
370 pkgask.lm //
371 pkgchk.lm //
372 pkgrm.lm //
373 plockstat.lm //
374 pmadm.lm //
375 pmconfig.lm //
381 pntadm.lm //
376 polkit-is-privileged.lm //
377 pooladm.lm //
378 poolbind.lm //
379 poolcfg.lm //
380 poold.lm //
381 poolstat.lm //
382 ports.lm //
383 powerd.lm //

```

```

384      powertop.1m      //
385      pppmgr.1m       //
386      pppd.1m         //
387      pppdump.1m      //
388      pppoec.1m        //
389      pppoed.1m        //
390      pppstats.1m     //
391      praudit.1m      //
392      print-service.1m //
393      printmgr.1m     //
394      projadd.1m      //
395      projdel.1m      //
396      projmod.1m      //
397      prstat.1m       //
398      prtconf.1m      //
399      prtdiag.1m      //
400      prtfru.1m       //
401      prtpicl.1m      //
402      prtvtoc.1m     //
403      psradm.1m       //
404      psrinfo.1m     //
405      psrset.1m       //
406      putdev.1m       //
407      putdgrp.1m     //
408      pwck.1m         //
409      pwconv.1m       //
410      quot.1m         //
411      quota.1m        //
412      quotacheck.1m  //
413      quotaon.1m     //
414      raidctl.1m     //
415      ramdiskadm.1m  //
416      rcapadm.1m     //
417      rcapd.1m       //
418      rctladm.1m     //
419      rdate.1m        //
420      reboot.1m      //
421      rem_drv.1m      //
422      remove_allocatable.1m //
423      removef.1m     //
424      repquota.1m    //
425      rmmount.1m     //
426      rmt.1m         //
427      rmvolmgr.1m    //
428      roleadd.1m     //
429      roledel.1m     //
430      rolemod.1m     //
431      root_archive.1m //
432      route.1m       //
433      routeadm.1m    //
434      rpc.bootparamd.1m //
435      rpc.mdcmmnd.1m //
436      rpc.metad.1m   //
437      rpc.metamedd.1m //
438      rpc.metamhd.1m //
439      rpc.rexd.1m    //
440      rpc.rstatd.1m  //
441      rpc.rusersd.1m //
442      rpc.rwalld.1m  //
443      rpc.smsvervd.1m //
444      rpc.sprayd.1m  //
445      rpc.yppasswdd.1m //
446      rpc.yppupdatd.1m //
447      rpcbind.1m     //
448      rpcinfo.1m     //
449      rquotad.1m     //

```

```

450      rsh.1m          //
451      rtc.1m          //
452      rtquery.1m     //
453      runacct.1m     //
454      rwall.1m       //
455      sac.1m          //
456      sacadm.1m      //
457      saf.1m          //
458      sar.1m          //
459      sasinfo.1m     //
460      savecore.1m   //
461      sbdadm.1m      //
462      scadm.1m       //
463      scmadm.1m     //
464      sdpadm.1m     //
465      sendmail.1m   //
466      setuname.1m   //
467      sftp-server.1m //
468      share.1m       //
469      share_nfs.1m  //
470      shareall.1m   //
471      sharectl.1m   //
472      sharemgr.1m   //
473      showmount.1m  //
474      shutdown.1m   //
475      slpd.1m        //
476      smbadm.1m     //
477      smbd.1m        //
478      smbiod.1m     //
479      smbios.1m     //
480      smbstat.1m    //
481      smrsh.1m      //
482      smtnrddb.1m   //
483      smtnrntp.1m   //
484      smtnzonecfg.1m //
485      sndradm.1m    //
486      sndrd.1m      //
487      sndrsyncd.1m  //
488      snoop.1m      //
489      soconfig.1m   //
490      sppptun.1m    //
491      spray.1m       //
492      ssh-keysign.1m //
493      sshd.1m       //
494      statd.1m      //
495      stmfadm.1m    //
496      stmsboot.1m   //
497      strace.1m     //
498      strclean.1m   //
499      strerr.1m     //
500      sttydefs.1m   //
501      su.1m         //
502      sulogin.1m    //
503      svadm.1m      //
504      svc.configd.1m //
505      svc.ipfd.1m   //
506      svc.startd.1m //
507      svcadm.1m     //
508      svccfg.1m     //
509      swap.1m       //
510      sync.1m       //
511      syncinit.1m   //
512      syncloop.1m   //
513      syncstat.1m   //
514      sysdef.1m     //
515      syseventadm.1m //

```



```

516 syseventconfd.1m //
517 syseventd.1m //
518 syslogd.1m //
519 tapes.1m //
520 tcpd.1m //
521 tcpdchk.1m //
522 tcpdmatch.1m //
523 th_define.1m //
524 th_manage.1m //
525 tic.1m //
526 tnchkdb.1m //
527 tnctl.1m //
528 tnd.1m //
529 tninfo.1m //
530 tpmadm.1m //
531 traceroute.1m //
532 trapstat.1m //
533 ttyadm.1m //
534 ttymon.1m //
535 tuneufs.1m //
536 txzonemgr.1m //
537 tzselect.1m //
538 uadmin.1m //
539 ucodeadm.1m //
540 ufsdump.1m //
541 ufsrestore.1m //
542 unshare.1m //
543 unshare_nfs.1m //
544 update_drv.1m //
545 updatehome.1m //
546 useradd.1m //
547 userdel.1m //
548 usermod.1m //
549 utmpd.1m //
550 uucheck.1m //
551 uucico.1m //
552 uucleanup.1m //
553 uusched.1m //
554 uuxqt.1m //
555 vmstat.1m //
556 volcopy.1m //
557 volcopy_ufs.1m //
558 vscanadm.1m //
559 vscand.1m //
560 wall.1m //
561 wanboot_keygen.1m //
562 wanboot_keygmt.1m //
563 wanboot_pl2split.1m //
564 wanbootutil.1m //
565 whodo.1m //
566 wificonfig.1m //
567 wpad.1m //
568 wracct.1m //
569 wusbadm.1m //
570 ypbind.1m //
571 ypinit.1m //
572 ypmake.1m //
573 ypmap2src.1m //
574 yppoll.1m //
575 yppush.1m //
576 ypserv.1m //
577 ypset.1m //
578 ypstart.1m //
579 ypxfr.1m //
580 zdb.1m //
581 zdump.1m //

```

```

582 zfs.1m //
583 zic.1m //
584 zoneadm.1m //
585 zoneadm.1m //
586 zonecfg.1m //
587 zpool.1m //
588 zstreamdump.1m //

590 i386_MANFILES= //
591 lms.1m //

593 sparc_MANFILES= //
594 dcs.1m //
595 drd.1m //
596 efdaemon.1m //
597 ldmad.1m //
598 monitor.1m //
599 obpsym.1m //
600 oplhpd.1m //
601 prtdscp.1m //
602 sckmd.1m //
603 sf880drd.1m //
604 vntsd.1m //

606 MANLINKS= //
607 acctcon1.1m //
608 acctcon2.1m //
609 acctdisk.1m //
610 acctdusg.1m //
611 acctprcl.1m //
612 acctproc2.1m //
613 acctwtmp.1m //
614 bootparamd.1m //
615 chargefee.1m //
616 ckpact.1m //
617 closewtmp.1m //
618 comsat.1m //
619 dcopy.1m //
620 devfsadmd.1m //
621 dodisk.1m //
622 fcadm.1m //
623 fingerd.1m //
624 grpck.1m //
625 hal-find-by-capability.1m //
626 hal-find-by-property.1m //
627 hal-set-property.1m //
628 intro.1m //
629 kadmin.local.1m //
630 lastlogin.1m //
631 metadetach.1m //
632 metaonline.1m //
633 monacct.1m //
634 nulladm.1m //
635 poweroff.1m //
636 prctmp.1m //
637 prdaily.1m //
638 prtacct.1m //
639 quotaoff.1m //
640 rarpd.1m //
641 rdisc.1m //
642 reject.1m //
643 restricted_shell.1m //
644 rexd.1m //
645 rexecd.1m //
646 rlogind.1m //
647 routed.1m //

```

```

648          rshd.lm          \/
649          rstatd.lm       \/
650          rusersd.lm      \/
651          rwall.lm        \/
652          rwhod.lm        \/
653          sal.lm          \/
654          sa2.lm          \/
655          sadc.lm         \/
656          shutacct.lm     \/
657          sprayd.lm       \/
658          startup.lm      \/
659          talkd.lm        \/
660          telinit.lm      \/
661          telnetd.lm      \/
662          tftpd.lm        \/
663          turnacct.lm     \/
664          umount.lm       \/
665          umount_smbfs.lm \/
666          umountall.lm   \/
667          unlink.lm       \/
668          unshareall.lm   \/
669          utmp2wtmp.lm    \/
670          uucpd.lm        \/
671          uutry.lm        \/
672          wtmpfix.lm      \/
673          yppasswdd.lm    \/
674          ypstop.lm       \/
675          yppupdated.lm   \/
676          ypxfr_1perday.lm \/
677          ypxfr_1perhour.lm \/
678          ypxfr_2perday.lm \/
679          ypxfrd.lm       \/

681 MANFILES=      $(MANFILES) $(MACH)_MANFILES

683 intro.lm          := LINKSRC = Intro.lm

685 uutry.lm          := LINKSRC = Uutry.lm

687 reject.lm        := LINKSRC = accept.lm

689 acctdisk.lm       := LINKSRC = acct.lm
690 acctdusg.lm       := LINKSRC = acct.lm
691 accton.lm          := LINKSRC = acct.lm
692 acctwtmp.lm       := LINKSRC = acct.lm
693 closetmp.lm       := LINKSRC = acct.lm
694 utmp2wtmp.lm      := LINKSRC = acct.lm

696 acctcon1.lm       := LINKSRC = acctcon.lm
697 acctcon2.lm       := LINKSRC = acctcon.lm

699 acctprc1.lm       := LINKSRC = acctprc.lm
700 acctprc2.lm       := LINKSRC = acctprc.lm

702 chargefee.lm     := LINKSRC = acctsh.lm
703 ckpacct.lm        := LINKSRC = acctsh.lm
704 dodisk.lm         := LINKSRC = acctsh.lm
705 lastlogin.lm     := LINKSRC = acctsh.lm
706 monacct.lm        := LINKSRC = acctsh.lm
707 nulladm.lm        := LINKSRC = acctsh.lm
708 prctmp.lm         := LINKSRC = acctsh.lm
709 prdaily.lm        := LINKSRC = acctsh.lm
710 prtacct.lm        := LINKSRC = acctsh.lm
711 shutacct.lm       := LINKSRC = acctsh.lm
712 startup.lm        := LINKSRC = acctsh.lm
713 turnacct.lm       := LINKSRC = acctsh.lm

```

```

715 dcopy.lm          := LINKSRC = clri.lm

717 devfsadmd.lm     := LINKSRC = devfsadm.lm

719 fcadm.lm          := LINKSRC = fcinfo.lm

721 wttmpfix.lm       := LINKSRC = ftwtmp.lm

723 hal-find-by-capability.lm := LINKSRC = hal-find.lm
724 hal-find-by-property.lm  := LINKSRC = hal-find.lm

726 hal-set-property.lm    := LINKSRC = hal-get-property.lm

728 poweroff.lm           := LINKSRC = halt.lm

730 comsat.lm              := LINKSRC = in.comsat.lm
731 fingerd.lm             := LINKSRC = in.fingerd.lm
732 rarpd.lm                := LINKSRC = in.rarpd.lm
733 rdisc.lm                := LINKSRC = in.rdisc.lm
734 rexecd.lm              := LINKSRC = in.rexecd.lm
735 rlogind.lm             := LINKSRC = in.rlogind.lm
736 routed.lm              := LINKSRC = in.routed.lm
737 rshd.lm                 := LINKSRC = in.rshd.lm
738 rwhod.lm                := LINKSRC = in.rwhod.lm
739 talkd.lm                := LINKSRC = in.talkd.lm
740 telnetd.lm              := LINKSRC = in.telnetd.lm
741 tftpd.lm                := LINKSRC = in.tftpd.lm
742 uucpd.lm                := LINKSRC = in.uucpd.lm

744 telinit.lm            := LINKSRC = init.lm

746 kadmin.local.lm      := LINKSRC = kadmin.lm

748 unlink.lm             := LINKSRC = link.lm

750 metaonline.lm        := LINKSRC = metaoffline.lm

752 metadetach.lm       := LINKSRC = metattach.lm

754 umount.lm            := LINKSRC = mount.lm

756 umount_smbfs.lm     := LINKSRC = mount_smbfs.lm

758 umountall.lm         := LINKSRC = mountall.lm

760 grpck.lm              := LINKSRC = pwck.lm

762 quotaoff.lm          := LINKSRC = quotaon.lm

764 bootparamd.lm        := LINKSRC = rpc.bootparamd.lm
765 rexd.lm                := LINKSRC = rpc.rexd.lm
766 rstatd.lm              := LINKSRC = rpc.rstatd.lm
767 rusersd.lm             := LINKSRC = rpc.rusersd.lm
768 rwall.lm                := LINKSRC = rpc.rwall.lm
769 sprayd.lm              := LINKSRC = rpc.sprayd.lm
770 yppasswdd.lm           := LINKSRC = rpc.yppasswdd.lm
771 yppupdated.lm          := LINKSRC = rpc.yppupdated.lm

773 restricted_shell.lm  := LINKSRC = rsh.lm

775 sal.lm                 := LINKSRC = sar.lm
776 sa2.lm                 := LINKSRC = sar.lm
777 sadc.lm                 := LINKSRC = sar.lm

779 unshareall.lm        := LINKSRC = shareall.lm

```

```
781 ypxfrd.lm           := LINKSRC = ypserv.lm
783 ypstop.lm          := LINKSRC = ypstart.lm
785 ypxfr_1perday.lm    := LINKSRC = ypxfr.lm
786 ypxfr_1perhour.lm  := LINKSRC = ypxfr.lm
787 ypxfr_2perday.lm   := LINKSRC = ypxfr.lm

790 .KEEP_STATE:
792 include             $(SRC)/man/Makefile.man
794 install:           $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
5498 Tue Oct 7 19:19:54 2014
new/usr/src/man/man4/Makefile
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 #
17 include      $(SRC)/Makefile.master
19 MANSECT=     4
21 _MANFILES=   Intro.4
22              NISLDAPmapping.4
23              a.out.4
24              admin.4
25              alias.4
26              aliases.4
27              au.4
28              audit.log.4
29              audit_class.4
30              audit_control.4
31              audit_event.4
32              audit_user.4
33              auth_attr.4
34              autofs.4
35              bart_manifest.4
36              bart_rules.4
37              bootparams.4
38              cardbus.4
39              compver.4
40              contents.4
41              contract.4
42              copyright.4
43              core.4
44              crypt.conf.4
45              crypto_certs.4
46              d_passwd.4
47              dacf.conf.4
48              dat.conf.4
49              default_fs.4
50              defaultdomain.4
51              defaultrouter.4
52              depend.4
53              device_allocate.4
54              device_contract.4
55              device_maps.4
56              devices.4
57              dfstab.4
58              dhcp_inittab.4
59              dhcp_network.4

```

```

60              dhcpcsvc.conf.4
61              dhcptab.4
62              dialups.4
63              dir_ufs.4
64              driver.conf.4
65              ds.log.4
66              ethers.4
67              exec_attr.4
68              fdi.4
69              format.dat.4
70              fspec.4
71              fstypes.4
72              ftp.4
73              ftpusers.4
74              fx_dptbl.4
75              gateways.4
76              group.4
77              gsscred.conf.4
78              hba.conf.4
79              holidays.4
80              hosts.4
81              hosts.equiv.4
82              hosts_access.4
83              hosts_options.4
84              ib.4
85              ike.config.4
86              ike.preshared.4
87              inet_type.4
88              inetd.conf.4
89              init.4
90              init.d.4
91              inittab.4
92              ipaddrsel.conf.4
93              ipnodes.4
94              issue.4
95              kadm5.acl.4
96              kdc.conf.4
97              keytables.4
98              krb5.conf.4
99              ldapfilter.conf.4
100             ldapsearchprefs.conf.4
101             ldaptemplates.conf.4
102             logadm.conf.4
103             logindevperm.4
104             loginlog.4
105             magic.4
106             md.tab.4
107             mddb.cf.4
108             mech.4
109             meddb.4
110             mnttab.4
111             mod_ipp.4
112             mpapi.conf.4
113             nca.if.4
114             ncad_addr.4
115             ncakmod.conf.4
116             ncalogd.conf.4
117             ncaport.conf.4
118             ndmp.4
119             ndpd.conf.4
120             netconfig.4
121             netgroup.4
122             netid.4

```

```

123         nfs.4
124         nfslog.conf.4
125         nfssec.conf.4
126         nodename.4
127         nologin.4
128         note.4
129         notrouter.4
130         nscd.conf.4
131         nsmbrc.4
132         nss.4
133         nsswitch.conf.4
134         packingrules.4
135         pam.conf.4
136         passwd.4
137         path_to_inst.4
138         pci.4
139         phones.4
140         pkginfo.4
141         pkgmap.4
142         policy.conf.4
143         power.conf.4
144         printers.4
145         printers.conf.4
146         priv_names.4
147         proc.4
148         process.4
149         prof_attr.4
150         profile.4
151         project.4
152         protocols.4
153         prototype.4
154         pseudo.4
155         publickey.4
156         queuedefs.4
157         rcmscript.4
158         rdc.cf.4
159         remote.4
160         resolv.conf.4
161         rmtab.4
162         rpc.4
163         rt_dptbl.4
164         sasl_appname.conf.4
165         scsi.4
166         securenets.4
167         sel_config.4
168         sendmail.4
169         service_bundle.4
170         service_provider.conf.4
171         services.4
172         shadow.4
173         sharetab.4
174         shells.4
175         slp.conf.4
176         slpd.reg.4
177         smb.4
178         smbautohome.4
179         smhba.conf.4
180         sndr.4
181         sock2path.d.4
182         space.4
183         ssh_config.4
184         sshd_config.4
185         sulog.4
186         syslog.conf.4
187         system.4
188         term.4

```

```

189         terminfo.4
190         timezone.4
191         tnfn_kernel_probes.4
192         ts_dptbl.4
193         ttydefs.4
194         ttysrch.4
195         ufsdump.4
196         updaters.4
197         user_attr.4
198         utmp.4
199         utmpx.4
200         vfstab.4
201         volume-config.4
202         volume-request.4
203         wanboot.conf.4
204         warn.conf.4
205         ypfiles.4
206         yppasswdd.4
207         ypserv.4
208         zoneinfo.4

210 sparc_MANFILES= sbus.4

212 i386_MANFILES= sysbus.4

214 _MANLINKS= addresses.4
215             devid_cache.4
216             devname_cache.4
217             dir.4
218             dumpdates.4
219             fbtabs.4
220             forward.4
221             fs.4
222             hosts.allow.4
223             hosts.deny.4
224             intro.4
225             md.cf.4
226             mdi_ib_cache.4
227             mdi_scsi_vhci_cache.4
228             pci_unitaddr_persistent.4
229             pcie.4
230             qop.4
231             rhosts.4
232             sendmail.cf.4
233             snapshot_cache.4
234             submit.cf.4
235             volume-defaults.4
236             wtmp.4
237             wtmpx.4

239 i386_MANLINKS= isa.4

241 MANFILES=    $( _MANFILES ) $( $(MACH)_MANFILES )
242 MANLINKS=    $( _MANLINKS ) $( $(MACH)_MANLINKS )

244 intro.4      := LINKSRC = Intro.4

246 addresses.4 := LINKSRC = aliases.4
247 forward.4   := LINKSRC = aliases.4

249 fs.4        := LINKSRC = default_fs.4

251 devid_cache.4 := LINKSRC = devices.4
252 devname_cache.4 := LINKSRC = devices.4
253 mdi_ib_cache.4 := LINKSRC = devices.4
254 mdi_scsi_vhci_cache.4 := LINKSRC = devices.4

```

new/usr/src/man/man4/Makefile

5

```
255 pci_unitaddr_persistent.4 := LINKSRC = devices.4
256 snapshot_cache.4        := LINKSRC = devices.4

258 dir.4                    := LINKSRC = dir_ufs.4

260 rhosts.4                := LINKSRC = hosts_equiv.4

262 hosts.allow.4           := LINKSRC = hosts_access.4
263 hosts.deny.4           := LINKSRC = hosts_access.4

265 fbtabs.4                := LINKSRC = logindevperm.4

267 md.cf.4                 := LINKSRC = md.tab.4

269 qop.4                   := LINKSRC = mech.4

271 pcie.4                  := LINKSRC = pci.4

273 sendmail.cf.4           := LINKSRC = sendmail.4
274 submit.cf.4            := LINKSRC = sendmail.4

276 isa.4                   := LINKSRC = sysbus.4

278 dumpdates.4             := LINKSRC = ufsdump.4

280 wtmp.4                  := LINKSRC = utmp.4

282 wtmpx.4                 := LINKSRC = utmpx.4

284 volume-defaults.4      := LINKSRC = volume-request.4

286 .KEEP_STATE:

288 include                  $(SRC)/man/Makefile.man

290 install:                 $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
4027 Tue Oct 7 19:19:54 2014
new/usr/src/man/man5/Makefile
4174 Torch the old and unmaintained Sun-dhccp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012 by Delphix. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #
18 #
19 include      $(SRC)/Makefile.master
20 #
21 MANSECT=     5
22 #
23 MANFILES=    Intro.5           //
24              acl.5             //
25              ad.5              //
26              ascii.5          //
27              attributes.5     //
28              audit_binfile.5  //
29              audit_remote.5   //
30              audit_syslog.5   //
31              brands.5        //
32              cancellation.5   //
33              charmap.5       //
34              condition.5     //
35              crypt_bsdbf.5    //
36              crypt_bsdmd5.5   //
37              crypt_sha256.5   //
38              crypt_sha512.5   //
39              crypt_sunmd5.5   //
40              crypt_unix.5     //
41              device_clean.5   //
42              dhcp.5          //
43              dhcp_modules.5   //
44              environ.5       //
45              eqn.5           //
46              eqnchar.5       //
47              extendedFILE.5   //
48              filesystem.5     //
49              fnmatch.5       //
50              formats.5       //
51              fsattr.5        //
52              grub.5          //
53              gss_auth_rules.5 //
54              hal.5           //
55              iconv.5         //
56              iconv_unicode.5  //
57              ieee802.3.5     //
58              ieee802.11.5    //
59              ipfilter.5      //

```

```

59          isalist.5           //
60          kerberos.5          //
61          krb5_auth_rules.5   //
62          krb5envvar.5        //
63          largefile.5         //
64          lf64.5              //
65          lfcompile.5         //
66          lfcompile64.5       //
67          locale.5            //
68          man.5                //
69          mandoc_char.5       //
70          mandoc_roff.5       //
71          mdoc.5              //
72          me.5                 //
73          mech_spnego.5       //
74          mm.5                 //
75          ms.5                //
76          mutex.5             //
77          nfssec.5            //
78          pam_allow.5         //
79          pam_authtok_check.5 //
80          pam_authtok_get.5   //
81          pam_authtok_store.5 //
82          pam_deny.5          //
83          pam_dhkeys.5        //
84          pam_dial_auth.5     //
85          pam_krb5.5          //
86          pam_krb5_migrate.5  //
87          pam_ldap.5         //
88          pam_list.5          //
89          pam_passwd_auth.5   //
90          pam_rhosts_auth.5   //
91          pam_roles.5         //
92          pam_sample.5        //
93          pam_smb_passwd.5    //
94          pam_smbfs_login.5   //
95          pam_tsol_account.5  //
96          pam_unix_account.5  //
97          pam_unix_auth.5     //
98          pam_unix_cred.5     //
99          pam_unix_session.5  //
100         pkcs11_kernel.5     //
101         pkcs11_softtoken.5  //
102         pkcs11_tpm.5        //
103         privileges.5        //
104         prof.5              //
105         rbac.5               //
106         regex.5             //
107         regexp.5            //
108         resource_controls.5  //
109         smf.5                //
110         smf_bootstrap.5     //
111         smf_method.5        //
112         smf_restarter.5     //
113         smf_security.5      //
114         smf_template.5     //
115         standards.5         //
116         sticky.5           //
117         tbl.5                //
118         tecla.5             //
119         term.5              //
120         threads.5           //
121         trusted_extensions.5 //
122         vgrinddefs.5        //
123         zones.5             //
124         zpool-features.5    //

```

```

126 MANLINKS=      ANSI.5      \|
127                C++.5      \|
128                C.5        \|
129                CSI.5      \|
130                ISO.5      \|
131                MT-Level.5  \|
132                POSIX.1.5  \|
133                POSIX.2.5  \|
134                POSIX.5    \|
135                RBAC.5     \|
136                SUS.5      \|
137                SUSv2.5    \|
138                SUSv3.5    \|
139                SVID.5     \|
140                SVID3.5    \|
141                XNS.5      \|
142                XNS4.5     \|
143                XNS5.5     \|
144                XPG.5      \|
145                XPG3.5     \|
146                XPG4.5     \|
147                XPG4v2.5   \|
148                advance.5  \|
149                architecture.5 \|
150                availability.5 \|
151                compile.5  \|
152                intro.5    \|
153                pthreads.5 \|
154                stability.5 \|
155                standard.5 \|
156                step.5     \|
157                teclarc.5  \|

159 intro.5        := LINKSRC = Intro.5

161 CSI.5           := LINKSRC = attributes.5
162 MT-Level.5     := LINKSRC = attributes.5
163 architecture.5 := LINKSRC = attributes.5
164 availability.5 := LINKSRC = attributes.5
165 stability.5    := LINKSRC = attributes.5
166 standard.5     := LINKSRC = attributes.5

168 RBAC.5         := LINKSRC = rbac.5

170 advance.5      := LINKSRC = regexp.5
171 compile.5      := LINKSRC = regexp.5
172 step.5         := LINKSRC = regexp.5

174 ANSI.5         := LINKSRC = standards.5
175 C++.5          := LINKSRC = standards.5
176 C.5           := LINKSRC = standards.5
177 ISO.5          := LINKSRC = standards.5
178 POSIX.1.5     := LINKSRC = standards.5
179 POSIX.2.5     := LINKSRC = standards.5
180 POSIX.5       := LINKSRC = standards.5
181 SUS.5         := LINKSRC = standards.5
182 SUSv2.5       := LINKSRC = standards.5
183 SUSv3.5       := LINKSRC = standards.5
184 SVID.5        := LINKSRC = standards.5
185 SVID3.5       := LINKSRC = standards.5
186 XNS.5         := LINKSRC = standards.5
187 XNS4.5        := LINKSRC = standards.5
188 XNS5.5        := LINKSRC = standards.5
189 XPG.5         := LINKSRC = standards.5
190 XPG3.5        := LINKSRC = standards.5

```

```

191 XPG4.5         := LINKSRC = standards.5
192 XPG4v2.5      := LINKSRC = standards.5

194 teclarc.5     := LINKSRC = tecla.5

196 pthreads.5   := LINKSRC = threads.5

198 .KEEP_STATE:

200 include       $(SRC)/man/Makefile.man

202 install:      $(ROOTMANFILES) $(ROOTMANLINKS)

```



```

*****
3620 Tue Oct 7 19:19:54 2014
new/usr/src/man/man5/dhcp.5
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 \" te
2 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
3 #endif /* ! codereview */
4 .\" Copyright (c) 2001, Sun Microsystems, Inc. All Rights Reserved.
5 .\" The contents of this file are subject to the terms of the Common Development
6 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
7 .\" When distributing Covered Code, include this CDDL HEADER in each file and in
8 .TH DHCP 5 "Aug 15, 2014"
9 .SH NAME
10 dhcp \- Dynamic Host Configuration Protocol
11 .SH DESCRIPTION
12 .sp
13 .LP
14 Dynamic Host Configuration Protocol (\fBDHCP\fR) enables host systems in a
15 \fBTCP/IP\fR network to be configured automatically for the network as they
16 boot. \fBDHCP\fR uses a client/server mechanism: servers store configuration
17 information for clients, and provide that information upon a client's request.
18 The information can include the client's \fBIP\fR address and information about
19 network services available to the client.
20 .sp
21 .LP
22 This manual page provides a brief summary of the \fBDHCP\fR
23 This manual page provides a brief summary of the Solaris \fBDHCP\fR
24 implementation.
25 .SS "DHCP Client"
26 .SS "Solaris DHCP Client"
27 .sp
28 .LP
29 The DHCP client is implemented as background daemon,
30 The Solaris DHCP client is implemented as background daemon,
31 \fBdhcpcat\fR(1M).
32 .sp
33 .LP
34 For IPv4, this daemon is started automatically during bootup if there exists at
35 least one \fBdhcpcat.\fR interface file in \fB/etc\fR. Only interfaces with a
36 corresponding \fB/etc/dhcp.\fR interface file are
37 automatically configured during boot.
38 .sp
39 .LP
40 For IPv6, this daemon is started automatically when commanded by \fBin.ndpd\fR
41 (based on IPv6 Routing Advertisement messages). No
42 \fB/etc/dhcp.\fR interface file is necessary, but such a file can be used
43 to specify an interface as "primary," provided that IPv4 DHCP is also in use.
44 .sp
45 .LP
46 Network parameters needed for system configuration during bootup are extracted
47 from the information received by the daemon through the use of the
48 \fBdhcpcat(1M)\fR command. The daemon's default behavior can be altered by
49 changing the tunables in the \fB/etc/default/dhcpcat\fR file. The daemon is
50 controlled by the \fBdhcpcat(1M)\fR utility. Check the status of the daemon
51 using the \fBnetstat(1M)\fR and \fBdhcpcat(1M)\fR commands.
52 .SS "Solaris DHCP Server"
53 .sp
54 .LP
55 The Solaris \fBDHCP\fR server is implemented as a background daemon,
56 \fBin.dhcpd\fR(1M). This daemon can deliver network configuration information
57 to either \fBBOOTP\fR or \fBDHCP\fR clients. The Solaris \fBDHCP\fR service can
58 be managed using the \fBdhcpcmgr\fR(1M) \fBGUI\fR or the command line utilities

```

```

50 \fBdhcpcmgr\fR(1M), \fBdhtadm\fR(1M), and \fBpntadm\fR(1M).
51 .SS "DHCP Configuration Tables"
52 .sp
53 .LP
54 The Solaris \fBDHCP\fR server stores client configuration information in the
55 following two types of tables:
56 .sp
57 .ne 2
58 .na
59 \fBdhcpcat\fR tables\fR
60 .ad
61 .RS 23n
62 Contain macros and options (also known as symbols), used to construct a package
63 of configuration information to send to each \fBDHCP\fR client. There exists
64 only one \fBdhcpcat\fR for the \fBDHCP\fR service. The \fBdhcpcat(4)\fR can be
65 viewed and modified using the \fBdhtadm\fR(1M) command or \fBdhcpcmgr\fR(1M)
66 graphical utility. See \fBdhcpcat(4)\fR for more information about the syntax
67 of \fBdhcpcat\fR records. See \fBdhcp_inittab(4)\fR for more information about
68 the \fBDHCP\fR options and symbols.
69 .RE
70 .sp
71 .ne 2
72 .na
73 \fBdhcpcat\fR network tables\fR
74 .ad
75 .RS 23n
76 \fBDHCP\fR network tables, which contain mappings of client \fBID\fRs to
77 \fBIP\fR addresses and parameters associated with those addresses. Network
78 tables are named with the \fBIP\fR address of the network, and can be created,
79 viewed, and modified using the \fBpntadm\fR command or \fBdhcpcmgr\fR graphical
80 utility. See \fBdhcp_network(4)\fR for more information about network tables.
81 .RE
82 .SH SEE ALSO
83 .sp
84 .LP
85 \fBdhcpcinfo(1), \fBdhcpcagent(1M),
86 \fBdhcpcmgr(1M),
87 \fBin.ndpd(1M), \fBnetstat(1M),
88 \fBsyslog(3C),
89 \fBdhcpcinfo(1), \fBdhcpcagent(1M), \fBdhcpcmgr(1M),
90 \fBdhtadm(1M), \fBdhcpcat(1M), \fBin.dhcpd(1M),
91 \fBin.ndpd(1M), \fBnetstat(1M), \fBpntadm(1M), \fBsyslog(3C),
92 \fBdhcp_network(4), \fBdhcpcat(4), \fBdhcpcsvc.conf(4),
93 \fBdhcp_inittab(4), \fBndpd.conf(4), \fBdhcp_modules(5)
94 .sp
95 .LP
96 \fBISolaris DHCP Service Developer's Guide\fR
97 .sp
98 .LP
99 Alexander, S., and R. Droms. \fBIRFC 2132, DHCP Options and BOOTP Vendor
100 Extensions\fR. Silicon Graphics, Inc. Bucknell University. March 1997.
101 .sp
102 .LP
103 Droms, R. \fBIRFC 1534, Interoperation Between DHCP and BOOTP\fR. Bucknell
104 University. October 1993.
105 .sp
106 .LP
107 Droms, R. \fBIRFC 2131, Dynamic Host Configuration Protocol\fR. Bucknell
108 University. March 1997.
109 .sp
110 .LP
111 Wimer, W. \fBIRFC 1542, Clarifications and Extensions for the Bootstrap
112 Protocol\fR. Carnegie Mellon University. October 1993.

```

63 .LP
64 Lemon, T. and B. Sommerfeld. \fIRFC 4361, Node-specific Client Identifiers for
65 Dynamic Host Configuration Protocol Version Four (DHCPv4)\fR. Nominum and Sun
66 Microsystems. February 2006.
116 .sp
67 .LP
68 Droms, R. \fIRFC 3315, Dynamic Host Configuration Protocol for IPv6
69 (DHCPv6)\fR. Cisco Systems. July 2003.

```

*****
89609 Tue Oct 7 19:19:54 2014
new/usr/src/pkg/manifests/SUNWcs.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright (c) 2013 Gary Mills
26 #
27 #
28 <include SUNWcs.man1.inc>
29 <include SUNWcs.man1m.inc>
30 <include SUNWcs.man4.inc>
31 <include SUNWcs.man5.inc>
32 <include SUNWcs.man7d.inc>
33 <include SUNWcs.man7fs.inc>
34 set name=pkg.fmri value=pkg:/SUNWcs@$(PKGVERS)
35 set name=pkg.description \
36     value="core software for a specific instruction-set architecture"
37 set name=pkg.summary value="Core Solaris"
38 set name=info.classification value=org.opensolaris.category.2008:System/Core
39 set name=variant.arch value=$(ARCH)
40 dir path=dev group=sys
41 dir path=etc group=sys
42 dir path=etc/cron.d group=sys
43 dir path=etc/crypto group=sys
44 dir path=etc/crypto/certs group=sys
45 dir path=etc/crypto/crls group=sys
46 dir path=etc/default group=sys
47 dir path=etc/dev group=sys
48 dir path=etc/devices group=sys
49 dir path=etc/dfs group=sys
50 dir path=etc/dhcp group=sys
51 dir path=etc/fs group=sys
52 dir path=etc/fs/dev group=sys
53 dir path=etc/fs/hsfs group=sys
54 dir path=etc/fs/ufs group=sys
55 dir path=etc/ftpd group=sys
56 dir path=etc/inet group=sys
57 dir path=etc/init.d group=sys
58 dir path=etc/lib group=sys
59 dir path=etc/logadm.d group=sys

```

```

60 dir path=etc/mail group=mail
61 dir path=etc/net group=sys
62 dir path=etc/net/ticlts group=sys
63 dir path=etc/net/ticots group=sys
64 dir path=etc/net/ticotsord group=sys
65 dir path=etc/opt group=sys
66 dir path=etc/rc0.d group=sys
67 dir path=etc/rc1.d group=sys
68 dir path=etc/rc2.d group=sys
69 dir path=etc/rc3.d group=sys
70 dir path=etc/rcS.d group=sys
71 dir path=etc/rpcsec group=sys
72 dir path=etc/saf
73 dir path=etc/saf/zsmon group=sys
74 dir path=etc/sasl group=sys
75 dir path=etc/security group=sys
76 dir path=etc/security/audit group=sys
77 dir path=etc/security/audit/localhost group=sys
78 dir path=etc/security/auth_attr.d group=sys
79 dir path=etc/security/dev group=sys
80 dir path=etc/security/exec_attr.d group=sys
81 dir path=etc/security/lib group=sys
82 dir path=etc/security/prof_attr.d group=sys
83 dir path=etc/skel group=sys
84 dir path=etc/svc group=sys
85 dir path=etc/svc/profile group=sys
86 dir path=etc/svc/profile/site group=sys
87 dir path=etc/svc/volatile group=sys
88 dir path=etc/sysevent group=sys
89 dir path=etc/sysevent/config group=sys
90 dir path=etc/tm group=sys
91 dir path=etc/user_attr.d group=sys
92 dir path=export group=sys
93 dir path=home group=root mode=0555
94 dir path=lib
95 dir path=lib/crypto
96 dir path=lib/inet
97 dir path=lib/svc
98 dir path=lib/svc/bin
99 dir path=lib/svc/capture
100 dir path=lib/svc/manifest group=sys
101 dir path=lib/svc/manifest/application group=sys
102 dir path=lib/svc/manifest/application/management group=sys
103 dir path=lib/svc/manifest/application/security group=sys
104 dir path=lib/svc/manifest/device group=sys
105 dir path=lib/svc/manifest/milestone group=sys
106 dir path=lib/svc/manifest/network group=sys
107 dir path=lib/svc/manifest/network/dns group=sys
108 dir path=lib/svc/manifest/network/ipsec group=sys
109 dir path=lib/svc/manifest/network/ldap group=sys
110 dir path=lib/svc/manifest/network/routing group=sys
111 dir path=lib/svc/manifest/network/rpc group=sys
112 dir path=lib/svc/manifest/network/shares group=sys
113 dir path=lib/svc/manifest/network/ssl group=sys
114 dir path=lib/svc/manifest/platform group=sys
115 $(sparc_ONLY)dir path=lib/svc/manifest/platform/sun4u group=sys
116 dir path=lib/svc/manifest/site group=sys
117 dir path=lib/svc/manifest/system group=sys
118 dir path=lib/svc/manifest/system/device group=sys
119 dir path=lib/svc/manifest/system/filesystem group=sys
120 dir path=lib/svc/manifest/system/security group=sys
121 dir path=lib/svc/manifest/system/svc group=sys
122 dir path=lib/svc/method
123 dir path=lib/svc/monitor
124 dir path=lib/svc/seed
125 dir path=lib/svc/share

```

```

126 dir path=mnt group=sys
127 dir path=opt group=sys
128 dir path=proc group=root mode=0555
129 dir path=root group=root mode=0700
130 dir path=sbin group=sys
131 dir path=system group=root
132 dir path=system/contract group=root mode=0555
133 dir path=system/object group=root mode=0555
134 dir path=tmp group=sys mode=1777
135 dir path=usr group=sys
136 dir path=usr/bin
137 dir path=usr/bin/$(ARCH32)
138 dir path=usr/bin/$(ARCH64)
139 dir path=usr/ccs
140 dir path=usr/ccs/bin
141 dir path=usr/demo
142 dir path=usr/games
143 dir path=usr/has
144 dir path=usr/has/bin
145 dir path=usr/has/lib
146 dir path=usr/has/man
147 dir path=usr/has/man/manlhas
148 dir path=usr/kernel group=sys
149 dir path=usr/kernel/drv group=sys
150 dir path=usr/kernel/drv/$(ARCH64) group=sys
151 dir path=usr/kernel/exec group=sys
152 dir path=usr/kernel/exec/$(ARCH64) group=sys
153 dir path=usr/kernel/fs group=sys
154 dir path=usr/kernel/fs/$(ARCH64) group=sys
155 dir path=usr/kernel/pcbe group=sys
156 dir path=usr/kernel/pcbe/$(ARCH64) group=sys
157 dir path=usr/kernel/sched group=sys
158 dir path=usr/kernel/sched/$(ARCH64) group=sys
159 dir path=usr/kernel/strmod group=sys
160 dir path=usr/kernel/strmod/$(ARCH64) group=sys
161 dir path=usr/kernel/sys group=sys
162 dir path=usr/kernel/sys/$(ARCH64) group=sys
163 dir path=usr/kvm
164 dir path=usr/lib
165 dir path=usr/lib/$(ARCH64)
166 dir path=usr/lib/audit
167 dir path=usr/lib/class
168 dir path=usr/lib/class/FX
169 dir path=usr/lib/class/IA
170 dir path=usr/lib/class/RT
171 dir path=usr/lib/class/SDC
172 dir path=usr/lib/class/TS
173 dir path=usr/lib/crypto
174 dir path=usr/lib/devfsadm group=sys
175 dir path=usr/lib/devfsadm/linkmod group=sys
176 dir path=usr/lib/fs group=sys
177 dir path=usr/lib/fs/autofs group=sys
178 dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
179 dir path=usr/lib/fs/cachefs group=sys
180 dir path=usr/lib/fs/ctfs group=sys
181 dir path=usr/lib/fs/dev group=sys
182 dir path=usr/lib/fs/fd group=sys
183 dir path=usr/lib/fs/hsfs group=sys
184 dir path=usr/lib/fs/lofs group=sys
185 dir path=usr/lib/fs/mntfs group=sys
186 dir path=usr/lib/fs/nfs group=sys
187 dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
188 dir path=usr/lib/fs/objfs group=sys
189 dir path=usr/lib/fs/proc group=sys
190 dir path=usr/lib/fs/sharefs group=sys
191 dir path=usr/lib/fs/tmpfs group=sys

```

```

192 dir path=usr/lib/fs/ufs group=sys
193 dir path=usr/lib/help
194 dir path=usr/lib/help/auths
195 dir path=usr/lib/help/auths/locale
196 dir path=usr/lib/help/auths/locale/C
197 dir path=usr/lib/help/profiles
198 dir path=usr/lib/help/profiles/locale
199 dir path=usr/lib/help/profiles/locale/C
200 dir path=usr/lib/iconv
201 dir path=usr/lib/inet
202 dir path=usr/lib/inet/$(ARCH32)
203 dir path=usr/lib/inet/$(ARCH64)
204 dir path=usr/lib/inet/dhcp
205 dir path=usr/lib/inet/dhcp/nsu
206 dir path=usr/lib/inet/dhcp/svc
204 dir path=usr/lib/locale
205 dir path=usr/lib/locale/C
206 dir path=usr/lib/locale/C/LC_COLLATE
207 dir path=usr/lib/locale/C/LC_CTYPE
208 dir path=usr/lib/locale/C/LC_MESSAGES
209 dir path=usr/lib/locale/C/LC_MONETARY
210 dir path=usr/lib/locale/C/LC_NUMERIC
211 dir path=usr/lib/locale/C/LC_TIME
212 dir path=usr/lib/netsvc group=sys
213 dir path=usr/lib/pci
214 dir path=usr/lib/rcm
215 dir path=usr/lib/rcm/modules
216 dir path=usr/lib/rcm/scripts
217 dir path=usr/lib/reparse
218 dir path=usr/lib/saf
219 dir path=usr/lib/secure
220 dir path=usr/lib/secure/$(ARCH64)
221 dir path=usr/lib/security
222 dir path=usr/lib/sysevent
223 dir path=usr/lib/sysevent/modules
224 dir path=usr/net group=sys
225 dir path=usr/net/nls group=sys
226 dir path=usr/net/servers group=sys
227 dir path=usr/old
228 dir path=usr/platform group=sys
229 dir path=usr/sadm
230 dir path=usr/sadm/bin
231 dir path=usr/sadm/install
232 dir path=usr/sadm/install/scripts
233 dir path=usr/sbin
234 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
235 dir path=usr/sbin/$(ARCH64)
236 dir path=usr/share
237 dir path=usr/share/doc group=other
238 dir path=usr/share/doc/ksh
239 dir path=usr/share/doc/ksh/images
240 dir path=usr/share/doc/ksh/images/callouts
241 dir path=usr/share/lib
242 dir path=usr/share/lib/mailx
243 dir path=usr/share/lib/pub
244 dir path=usr/share/lib/tabset
245 dir path=usr/share/lib/xml group=sys
246 dir path=usr/share/lib/xml/dtd group=sys
247 dir path=usr/share/lib/xml/style group=sys
248 dir path=usr/share/man
249 dir path=usr/share/man/man1
250 dir path=usr/share/man/man1m
251 dir path=usr/share/man/man4
252 dir path=usr/share/man/man5
253 dir path=usr/share/man/man7d
254 dir path=usr/share/man/man7fs

```

new/usr/src/pkg/manifests/SUNWcs.mf

```

255 dir path=usr/share/src group=sys
256 dir path=var group=sys
257 dir path=var/adm group=sys mode=0775
258 dir path=var/adm/exacct group=adm owner=adm
259 dir path=var/adm/log group=adm owner=adm
260 dir path=var/adm/streams group=sys
261 dir path=var/audit group=sys
262 dir path=var/cores group=sys
263 dir path=var/cron group=sys
264 dir path=var/games
265 dir path=var/ldap group=daemon owner=daemon
266 dir path=var/inet group=sys
267 dir path=var/ld
268 dir path=var/ld/$(ARCH64)
269 dir path=var/log group=sys
270 dir path=var/logadm
271 dir path=var/mail group=mail mode=1777
272 dir path=var/mail/:saved group=mail mode=0775
273 dir path=var/news
274 dir path=var/opt group=sys
275 dir path=var/preserve mode=1777
276 dir path=var/run group=sys
277 dir path=var/sadm group=sys
278 dir path=var/sadm/system group=sys
279 dir path=var/sadm/system/admin group=sys
280 dir path=var/saf
281 dir path=var/saf/zsmon group=sys
282 dir path=var/spool
283 dir path=var/spool/cron group=sys
284 dir path=var/spool/cron/atjobs group=sys
285 dir path=var/spool/cron/crontabs group=sys
286 dir path=var/spool/locks group=uucp owner=uucp
287 dir path=var/svc group=sys
288 dir path=var/svc/log group=sys
289 dir path=var/svc/manifest group=sys
290 dir path=var/svc/manifest/application group=sys
291 dir path=var/svc/manifest/application/management group=sys
292 dir path=var/svc/manifest/application/print group=sys
293 dir path=var/svc/manifest/application/security group=sys
294 dir path=var/svc/manifest/device group=sys
295 dir path=var/svc/manifest/milestone group=sys
296 dir path=var/svc/manifest/network group=sys
297 dir path=var/svc/manifest/network/dns group=sys
298 dir path=var/svc/manifest/network/ipsec group=sys
299 dir path=var/svc/manifest/network/ldap group=sys
300 dir path=var/svc/manifest/network/nfs group=sys
301 dir path=var/svc/manifest/network/nis group=sys
302 dir path=var/svc/manifest/network/routing group=sys
303 dir path=var/svc/manifest/network/rpc group=sys
304 dir path=var/svc/manifest/network/security group=sys
305 dir path=var/svc/manifest/network/shares group=sys
306 dir path=var/svc/manifest/network/ssl group=sys
307 dir path=var/svc/manifest/platform group=sys
308 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4u group=sys
309 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4v group=sys
310 dir path=var/svc/manifest/site group=sys
311 dir path=var/svc/manifest/system group=sys
312 dir path=var/svc/manifest/system/device group=sys
313 dir path=var/svc/manifest/system/filesystem group=sys
314 dir path=var/svc/manifest/system/security group=sys
315 dir path=var/svc/manifest/system/svc group=sys
316 dir path=var/svc/profile group=sys
317 dir path=var/tmp group=sys mode=1777
318 driver name=dump perms="dump 0660 root sys"
319 driver name=fssnap \
320     policy="ctl read_priv_set=sys_config write_priv_set=sys_config" \

```

5

new/usr/src/pkg/manifests/SUNWcs.mf

```

321     perms="* 0640 root sys" perms="ctl 0666 root sys"
322 driver name=kstat perms="* 0666 root sys"
323 driver name=ksyms perms="* 0666 root sys"
324 driver name=logindmux
325 driver name=ptm clone_perms="ptmx 0666 root sys"
326 driver name=pts perms="* 0644 root sys" perms="0 0620 root tty" \
327     perms="1 0620 root tty" perms="2 0620 root tty" perms="3 0620 root tty"
328 file path=etc/.login group=sys preserve=renamene
329 file path=etc/cron.d/.proto group=sys mode=0744
330 file path=etc/cron.d/at.deny group=sys preserve=true
331 file path=etc/cron.d/cron.deny group=sys preserve=true
332 file path=etc/cron.d/queuedefs group=sys
333 file path=etc/crypto/kmf.conf group=sys preserve=true
334 file path=etc/crypto/pkcs11.conf group=sys preserve=true
335 file path=etc/datensk group=sys mode=0444
336 file path=etc/default/cron group=sys preserve=true
337 file path=etc/default/devfsadm group=sys preserve=true
338 file path=etc/default/fs group=sys preserve=true
339 file path=etc/default/init group=sys preserve=true
340 file path=etc/default/keyserd group=sys preserve=true
341 file path=etc/default/login group=sys preserve=true
342 file path=etc/default/nss group=sys preserve=true
343 file path=etc/default/passwd group=sys preserve=true
344 file path=etc/default/su group=sys preserve=true
345 file path=etc/default/syslogd group=sys preserve=true
346 file path=etc/default/tar group=sys preserve=true
347 file path=etc/default/useradd group=sys preserve=true
348 file path=etc/default/utmpd group=sys preserve=true
349 file path=etc/dev/reserved_devnames group=sys preserve=true
350 file path=etc/device.tab group=root mode=0444 preserve=true
351 file path=etc/dfs/dfstab group=sys preserve=true
352 file path=etc/dfs/fstypes group=root preserve=true
353 file path=etc/dfs/sharetab group=root mode=0444 preserve=true
354 file path=etc/dgrouptab group=sys mode=0444 preserve=true
355 file path=etc/dhcp/inittab group=sys preserve=true
356 file path=etc/dhcp/inittab6 group=sys preserve=true
357 file path=etc/dumpdates group=sys mode=0664 preserve=true
358 file path=etc/format.dat group=sys preserve=true
359 file path=etc/fs/dev/mount mode=0555
360 file path=etc/fs/hfs/mount mode=0555
361 file path=etc/fs/ufs/mount mode=0555
362 file path=etc/ftpd/ftpusers group=sys preserve=true
363 file path=etc/group group=sys preserve=true
364 file path=etc/inet/hosts group=sys preserve=true
365 file path=etc/inet/inetd.conf group=sys preserve=true
366 file path=etc/inet/ipaddrsel.conf group=sys preserve=true
367 file path=etc/inet/netmasks group=sys preserve=true
368 file path=etc/inet/networks group=sys preserve=true
369 file path=etc/inet/protocols group=sys preserve=true
370 file path=etc/inet/services group=sys preserve=true
371 file path=etc/inet/wanboot.conf.sample group=sys mode=0444
372 file path=etc/init.d/PRESERVE group=sys mode=0744 preserve=true
373 file path=etc/init.d/README group=sys preserve=true
374 file path=etc/init.d/cacheofs.daemon group=sys mode=0744 preserve=true
375 file path=etc/init.d/ldap.client group=sys mode=0744
376 file path=etc/init.d/nscd group=sys mode=0744
377 file path=etc/init.d/syssetup group=sys mode=0744 preserve=true
378 file path=etc/init.d/ufs_quota group=sys mode=0744 preserve=true
379 file path=etc/inittab group=sys preserve=true
380 file path=etc/ioctl.syscon group=sys preserve=true
381 file path=etc/ksh.kshrc group=sys preserve=renameold
382 file path=etc/logadm.conf group=sys preserve=true timestamp=19700101T000000Z
383 file path=etc/logindevperm group=sys preserve=true
384 file path=etc/magic mode=0444
385 file path=etc/mail/mailx.rc preserve=true
386 file path=etc/mailcap preserve=true

```

6

```

387 file path=etc/mime.types preserve=true
388 file path=etc/mnttab group=root mode=0444 preserve=true
389 file path=etc/motd group=sys preserve=true
390 file path=etc/net/ticlts/hosts group=sys
391 file path=etc/net/ticlts/services group=sys preserve=true
392 file path=etc/net/ticots/hosts group=sys
393 file path=etc/net/ticots/services group=sys preserve=true
394 file path=etc/net/ticotsord/hosts group=sys
395 file path=etc/net/ticotsord/services group=sys preserve=true
396 file path=etc/netconfig group=sys preserve=true
397 file path=etc/nscd.conf group=sys preserve=true
398 file path=etc/nsswitch.ad group=sys
399 file path=etc/nsswitch.conf group=sys preserve=true
400 file path=etc/nsswitch.dns group=sys
401 file path=etc/nsswitch.files group=sys
402 file path=etc/nsswitch.ldap group=sys
403 file path=etc/pam.conf group=sys preserve=true
404 file path=etc/passwd group=sys preserve=true
405 file path=etc/profile group=sys preserve=true
406 file path=etc/project group=sys preserve=true
407 file path=etc/rc2.d/README group=sys
408 file path=etc/rc3.d/README group=sys
409 file path=etc/rcS.d/README group=sys
410 file path=etc/remote preserve=true
411 file path=etc/rpc group=sys preserve=true
412 file path=etc/saf/_sactab group=sys preserve=true
413 file path=etc/saf/_sysconfig group=sys preserve=true
414 file path=etc/saf/zsmon/_pmtab group=sys preserve=true
415 file path=etc/security/audit_class group=sys preserve=renamew
416 file path=etc/security/audit_event group=sys preserve=renamew
417 file path=etc/security/audit_warn group=sys mode=0740 preserve=renamew
418 file path=etc/security/auth_attr group=sys preserve=true \
419     timestamp=19700101T000000Z
420 file path=etc/security/auth_attr.d/SUNWcs group=sys
421 file path=etc/security/crypt.conf group=sys preserve=renamew
422 file path=etc/security/dev/audio mode=0400
423 file path=etc/security/dev/fd0 mode=0400
424 file path=etc/security/dev/sr0 mode=0400
425 file path=etc/security/dev/st0 mode=0400
426 file path=etc/security/dev/st1 mode=0400
427 file path=etc/security/exec_attr group=sys preserve=true \
428     timestamp=19700101T000000Z
429 file path=etc/security/exec_attr.d/SUNWcs group=sys
430 file path=etc/security/kmfpolicy.xml
431 file path=etc/security/lib/audio_clean group=sys mode=0555
432 file path=etc/security/lib/fd_clean group=sys mode=0555
433 file path=etc/security/lib/sr_clean group=sys mode=0555
434 file path=etc/security/lib/st_clean group=sys mode=0555
435 file path=etc/security/policy.conf group=sys preserve=true
436 file path=etc/security/priv_names group=sys preserve=renameold
437 file path=etc/security/prof_attr group=sys preserve=true \
438     timestamp=19700101T000000Z
439 file path=etc/security/prof_attr.d/SUNWcs group=sys
440 file path=etc/shadow group=sys mode=0400 preserve=true
441 file path=etc/skel/.profile group=other preserve=true
442 file path=etc/skel/local.cshrc group=sys preserve=true
443 file path=etc/skel/local.login group=sys preserve=true
444 file path=etc/skel/local.profile group=sys preserve=true
445 file path=etc/svc/profile/generic_limited_net.xml group=sys mode=0444
446 file path=etc/svc/profile/generic_open.xml group=sys mode=0444
447 file path=etc/svc/profile/inetd_generic.xml group=sys mode=0444
448 file path=etc/svc/profile/inetd_upgrade.xml group=sys mode=0444
449 file path=etc/svc/profile/ns_dns.xml group=sys mode=0444
450 file path=etc/svc/profile/ns_files.xml group=sys mode=0444
451 file path=etc/svc/profile/ns_ldap.xml group=sys mode=0444
452 file path=etc/svc/profile/ns_nis.xml group=sys mode=0444

```

```

453 file path=etc/svc/profile/ns_none.xml group=sys mode=0444
454 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml \
455     group=sys mode=0444
456 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml \
457     group=sys mode=0444
458 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-880.xml \
459     group=sys mode=0444
460 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire.xml group=sys \
461     mode=0444
462 $(sparc_ONLY)file \
463     path=etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml group=sys \
464     mode=0444
465 $(sparc_ONLY)file \
466     path=etc/svc/profile/platform_SUNW,UltraSPARC-III-Netrtract.xml group=sys \
467     mode=0444
468 file path=etc/svc/profile/platform_none.xml group=sys mode=0444
469 $(sparc_ONLY)file path=etc/svc/profile/platform_sun4v.xml group=sys mode=0444
470 file path=etc/sysevent/config/README group=sys mode=0444
471 file path=etc/sysevent/config/SUNW,EC_dr,ESC_dr_req,sysevent.conf group=sys
472 file path=etc/syslog.conf group=sys preserve=true
473 file path=etc/ttydefs group=sys preserve=true
474 file path=etc/ttysrchr group=sys preserve=true
475 file path=etc/user_attr group=sys preserve=true timestamp=19700101T000000Z
476 file path=etc/user_attr.d/SUNWcs group=sys
477 file path=etc/vfstab group=sys preserve=true
478 file path=lib/inet/in.mpathd mode=0555
479 file path=lib/inet/ipmgmt mode=0555
480 file path=lib/inet/netcfgd mode=0555
481 file path=lib/inet/nwamd mode=0555
482 file path=lib/svc/bin/lsvcrun group=sys mode=0555
483 file path=lib/svc/bin/mfstsca group=sys mode=0555
484 file path=lib/svc/bin/restore_repository group=sys mode=0555
485 file path=lib/svc/bin/sqlite group=sys mode=0555
486 file path=lib/svc/bin/svc.configd group=sys mode=0555
487 file path=lib/svc/bin/svc.ipfd group=sys mode=0555
488 file path=lib/svc/bin/svc.startd group=sys mode=0555
489 file path=lib/svc/manifest/milestone/multi-user-server.xml group=sys mode=0444
490 file path=lib/svc/manifest/milestone/multi-user.xml group=sys mode=0444
491 file path=lib/svc/manifest/milestone/name-services.xml group=sys mode=0444
492 file path=lib/svc/manifest/milestone/network.xml group=sys mode=0444
493 file path=lib/svc/manifest/milestone/single-user.xml group=sys mode=0444
494 file path=lib/svc/manifest/milestone/sysconfig.xml group=sys mode=0444
495 file path=lib/svc/manifest/network/dmngmt.xml group=sys mode=0444
496 file path=lib/svc/manifest/network/dns/client.xml group=sys mode=0444
497 file path=lib/svc/manifest/network/dns/install.xml group=sys mode=0444
498 file path=lib/svc/manifest/network/forwarding.xml group=sys mode=0444
499 file path=lib/svc/manifest/network/inetd-upgrade.xml group=sys mode=0444
500 file path=lib/svc/manifest/network/inetd.xml group=sys mode=0444
501 file path=lib/svc/manifest/network/ipsec/ike.xml group=sys mode=0444
502 file path=lib/svc/manifest/network/ipsec/ipsecalgs.xml group=sys mode=0444
503 file path=lib/svc/manifest/network/ipsec/manual-key.xml group=sys mode=0444
504 file path=lib/svc/manifest/network/ipsec/policy.xml group=sys mode=0444
505 file path=lib/svc/manifest/network/ldap/client.xml group=sys mode=0444
506 file path=lib/svc/manifest/network/network-initial.xml group=sys mode=0444
507 file path=lib/svc/manifest/network/network-install.xml group=sys mode=0444
508 file path=lib/svc/manifest/network/network-ipmgmt.xml group=sys mode=0444
509 file path=lib/svc/manifest/network/network-ipqos.xml group=sys mode=0444
510 file path=lib/svc/manifest/network/network-iptun.xml group=sys mode=0444
511 file path=lib/svc/manifest/network/network-location.xml group=sys mode=0444
512 file path=lib/svc/manifest/network/network-loopback.xml group=sys mode=0444
513 file path=lib/svc/manifest/network/network-netcfg.xml group=sys mode=0444
514 file path=lib/svc/manifest/network/network-netmask.xml group=sys mode=0444
515 file path=lib/svc/manifest/network/network-physical.xml group=sys mode=0444
516 file path=lib/svc/manifest/network/network-routing-setup.xml group=sys \
517     mode=0444
518 file path=lib/svc/manifest/network/network-service.xml group=sys mode=0444

```

```

519 file path=lib/svc/manifest/network/routing/legacy-routing.xml group=sys \
520     mode=0444
521 file path=lib/svc/manifest/network/rpc/bind.xml group=sys mode=0444
522 file path=lib/svc/manifest/network/rpc/keyserv.xml group=sys mode=0444
523 file path=lib/svc/manifest/network/shares/group.xml group=sys mode=0444
524 file path=lib/svc/manifest/network/shares/reparsed.xml group=sys mode=0444
525 file path=lib/svc/manifest/network/socket-filter-kssl.xml group=sys mode=0444
526 file path=lib/svc/manifest/network/ssl/kssl-proxy.xml group=sys mode=0444
527 file path=lib/svc/manifest/system/auditd.xml group=sys mode=0444
528 file path=lib/svc/manifest/system/auditset.xml group=sys mode=0444
529 file path=lib/svc/manifest/system/boot-archive-update.xml group=sys mode=0444
530 file path=lib/svc/manifest/system/boot-archive.xml group=sys mode=0444
531 file path=lib/svc/manifest/system/boot-config.xml group=sys mode=0444
532 file path=lib/svc/manifest/system/consadm.xml group=sys mode=0444
533 file path=lib/svc/manifest/system/console-login.xml group=sys mode=0444
534 file path=lib/svc/manifest/system/coreadm.xml group=sys mode=0444
535 file path=lib/svc/manifest/system/cron.xml group=sys mode=0444
536 file path=lib/svc/manifest/system/cryptosvc.xml group=sys mode=0444
537 file path=lib/svc/manifest/system/device/allocate.xml group=sys mode=0444
538 file path=lib/svc/manifest/system/device/devices-audio.xml group=sys mode=0444
539 file path=lib/svc/manifest/system/device/devices-local.xml group=sys mode=0444
540 file path=lib/svc/manifest/system/device/mpxio-upgrade.xml group=sys mode=0444
541 file path=lib/svc/manifest/system/early-manifest-import.xml group=sys \
542     mode=0444
543 file path=lib/svc/manifest/system/extended-accounting.xml group=sys mode=0444
544 file path=lib/svc/manifest/system/filesystem/local-fs.xml group=sys mode=0444
545 file path=lib/svc/manifest/system/filesystem/minimal-fs.xml group=sys \
546     mode=0444
547 file path=lib/svc/manifest/system/filesystem/root-fs.xml group=sys mode=0444
548 file path=lib/svc/manifest/system/filesystem/usr-fs.xml group=sys mode=0444
549 $(i386_ONLY)file path=lib/svc/manifest/system/hostid.xml group=sys mode=0444
550 file path=lib/svc/manifest/system/hotplug.xml group=sys mode=0444
551 file path=lib/svc/manifest/system/identity.xml group=sys mode=0444
552 file path=lib/svc/manifest/system/idmap.xml group=sys mode=0444
553 file path=lib/svc/manifest/system/keymap.xml group=sys mode=0444
554 file path=lib/svc/manifest/system/logadm-upgrade.xml group=sys mode=0444
555 file path=lib/svc/manifest/system/manifest-import.xml group=sys mode=0444
556 file path=lib/svc/manifest/system/name-service-cache.xml group=sys mode=0444
557 file path=lib/svc/manifest/system/pfexecd.xml group=sys mode=0444
558 file path=lib/svc/manifest/system/rbac.xml group=sys mode=0444
559 file path=lib/svc/manifest/system/rmtmpfiles.xml group=sys mode=0444
560 file path=lib/svc/manifest/system/sac.xml group=sys mode=0444
561 file path=lib/svc/manifest/system/svc/global.xml group=sys mode=0444
562 file path=lib/svc/manifest/system/svc/restarter.xml group=sys mode=0444
563 file path=lib/svc/manifest/system/system-log.xml group=sys mode=0444
564 file path=lib/svc/manifest/system/utmp.xml group=sys mode=0444
565 file path=lib/svc/manifest/system/vtdaemon.xml group=sys mode=0444
566 file path=lib/svc/method/boot-archive mode=0555
567 file path=lib/svc/method/boot-archive-update mode=0555
568 file path=lib/svc/method/console-login mode=0555
569 file path=lib/svc/method/devices-audio mode=0555
570 file path=lib/svc/method/devices-local mode=0555
571 file path=lib/svc/method/dns-install mode=0555
572 file path=lib/svc/method/fs-local mode=0555
573 file path=lib/svc/method/fs-minimal mode=0555
574 file path=lib/svc/method/fs-root mode=0555
575 file path=lib/svc/method/fs-usr mode=0555
576 file path=lib/svc/method/identity-domain mode=0555
577 file path=lib/svc/method/identity-node mode=0555
578 file path=lib/svc/method/inetd-upgrade mode=0555
579 file path=lib/svc/method/keymap mode=0555
580 file path=lib/svc/method/ldap-client mode=0555
581 file path=lib/svc/method/logadm-upgrade mode=0555
582 file path=lib/svc/method/manifest-import mode=0555
583 file path=lib/svc/method/mpxio-upgrade mode=0555
584 file path=lib/svc/method/net-init mode=0555

```

```

585 file path=lib/svc/method/net-install mode=0555
586 file path=lib/svc/method/net-ipmgmt mode=0555
587 file path=lib/svc/method/net-ipqos mode=0555
588 file path=lib/svc/method/net-iptun mode=0555
589 file path=lib/svc/method/net-loc mode=0555
590 file path=lib/svc/method/net-loopback mode=0555
591 file path=lib/svc/method/net-netmask mode=0555
592 file path=lib/svc/method/net-nwam mode=0555
593 file path=lib/svc/method/net-physical mode=0555
594 file path=lib/svc/method/net-routing-setup mode=0555
595 file path=lib/svc/method/net-svc mode=0555
596 file path=lib/svc/method/rmtmpfiles mode=0555
597 file path=lib/svc/method/rpc-bind mode=0555
598 file path=lib/svc/method/svc-allocate mode=0555
599 file path=lib/svc/method/svc-auditd mode=0555
600 file path=lib/svc/method/svc-auditset mode=0555
601 file path=lib/svc/method/svc-boot-config mode=0555
602 file path=lib/svc/method/svc-consadm mode=0555
603 file path=lib/svc/method/svc-cron mode=0555
604 file path=lib/svc/method/svc-dlmgmt mode=0555
605 file path=lib/svc/method/svc-forwarding mode=0555
606 $(i386_ONLY)file path=lib/svc/method/svc-hostid mode=0555
607 file path=lib/svc/method/svc-hotplug mode=0555
608 file path=lib/svc/method/svc-legacy-routing mode=0555
609 file path=lib/svc/method/svc-nscd mode=0555
610 file path=lib/svc/method/svc-rbac mode=0555
611 file path=lib/svc/method/svc-sockfilter mode=0555
612 file path=lib/svc/method/svc-utmpd mode=0555
613 file path=lib/svc/method/system-log mode=0555
614 file path=lib/svc/method/vtdaemon mode=0555
615 file path=lib/svc/method/yp mode=0555
616 # global.db is not needed in non-global zones, and it's pretty large.
617 file path=lib/svc/seed/global.db group=sys mode=0444 \
618     variant.opensolaris.zone=global
619 # symmetrically, nonglobal.db is not needed in global zones.
620 file path=lib/svc/seed/nonglobal.db group=sys mode=0444 \
621     variant.opensolaris.zone=nonglobal
622 file path=lib/svc/share/README mode=0444
623 file path=lib/svc/share/fs_include.sh mode=0444
624 file path=lib/svc/share/ipf_include.sh mode=0444
625 file path=lib/svc/share/mfsthistory mode=0444
626 file path=lib/svc/share/net_include.sh mode=0444
627 file path=lib/svc/share/routing_include.sh mode=0444
628 file path=lib/svc/share/smf_include.sh mode=0444
629 file path=root/.bashrc group=root preserve=true
630 file path=root/.profile group=root preserve=true
631 file path=sbin/autopush mode=0555
632 $(i386_ONLY)file path=sbin/biosdev mode=0555
633 file path=sbin/bootadm mode=0555
634 file path=sbin/cryptoadm mode=0555
635 file path=sbin/devprop mode=0555
636 file path=sbin/dhccpagent mode=0555
637 file path=sbin/dhccpinfo mode=0555
638 file path=sbin/dlmgmt mode=0555
639 file path=sbin/fdisk mode=0555
640 file path=sbin/fiocompress mode=0555
641 file path=sbin/hostconfig mode=0555
642 file path=sbin/ifconfig mode=0555
643 file path=sbin/ifparse mode=0555
644 file path=sbin/init group=sys mode=0555
645 $(i386_ONLY)file path=sbin/installgrub group=sys mode=0555
646 file path=sbin/ipmpstat mode=0555
647 file path=sbin/mount mode=0555
648 file path=sbin/mountall group=sys mode=0555
649 file path=sbin/netstrategy mode=0555
650 file path=sbin/rc0 group=sys mode=0744

```

```

651 file path=sbin/rc1 group=sys mode=0744
652 file path=sbin/rc2 group=sys mode=0744
653 file path=sbin/rc3 group=sys mode=0744
654 file path=sbin/rcS group=sys mode=0744
655 file path=sbin/route mode=0555
656 file path=sbin/routeadm mode=0555
657 file path=sbin/soconfig mode=0555
658 file path=sbin/su.static group=sys mode=0555
659 file path=sbin/sulogin mode=0555
660 file path=sbin/swapadd group=sys mode=0744
661 file path=sbin/sync mode=0555
662 file path=sbin/tzreload mode=0555
663 file path=sbin/uadmin group=sys mode=0555
664 file path=sbin/umount mode=0555
665 file path=sbin/umountall group=sys mode=0555
666 file path=sbin/uname mode=0555
667 file path=sbin/wusbadm mode=0555
668 file path=sbin/zonename mode=0555
669 $(i386_ONLY)file path=usr/bin/$(ARCH32)/amt mode=0555
670 file path=usr/bin/$(ARCH32)/decrypt mode=0555
671 file path=usr/bin/$(ARCH32)/digest mode=0555
672 file path=usr/bin/$(ARCH32)/ksh93 mode=0555
673 $(i386_ONLY)file path=usr/bin/$(ARCH32)/newtask group=sys mode=4555
674 $(i386_ONLY)file path=usr/bin/$(ARCH32)/nohup mode=0555
675 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prctl mode=0555
676 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prstat mode=0555
677 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ps mode=0555
678 file path=usr/bin/$(ARCH32)/savecore mode=0555
679 $(i386_ONLY)file path=usr/bin/$(ARCH32)/setuname mode=0555
680 $(i386_ONLY)file path=usr/bin/$(ARCH32)/uptime mode=4555
681 file path=usr/bin/$(ARCH64)/amt mode=0555
682 file path=usr/bin/$(ARCH64)/crle mode=0555
683 file path=usr/bin/$(ARCH64)/decrypt mode=0555
684 file path=usr/bin/$(ARCH64)/digest mode=0555
685 file path=usr/bin/$(ARCH64)/ksh93 mode=0555
686 file path=usr/bin/$(ARCH64)/ls mode=0555
687 file path=usr/bin/$(ARCH64)/moe mode=0555
688 file path=usr/bin/$(ARCH64)/newtask group=sys mode=4555
689 file path=usr/bin/$(ARCH64)/nohup mode=0555
690 file path=usr/bin/$(ARCH64)/prctl mode=0555
691 file path=usr/bin/$(ARCH64)/prstat mode=0555
692 file path=usr/bin/$(ARCH64)/ps mode=0555
693 file path=usr/bin/$(ARCH64)/savecore mode=0555
694 file path=usr/bin/$(ARCH64)/setuname mode=0555
695 file path=usr/bin/$(ARCH64)/uptime mode=4555
696 $(i386_ONLY)file path=usr/bin/addbadsec mode=0555
697 file path=usr/bin/alias mode=0555
698 file path=usr/bin/amt mode=0555
699 file path=usr/bin/arch mode=0555
700 file path=usr/bin/at group=sys mode=4755
701 file path=usr/bin/atq group=sys mode=4755
702 file path=usr/bin/atrm group=sys mode=4755
703 file path=usr/bin/auths mode=0555
704 file path=usr/bin/basename mode=0555
705 file path=usr/bin/busstat mode=0555
706 file path=usr/bin/captoinfo mode=0555
707 file path=usr/bin/cat mode=0555
708 file path=usr/bin/chgrp mode=0555
709 file path=usr/bin/chmod mode=0555
710 file path=usr/bin/chown mode=0555
711 file path=usr/bin/ckdate mode=0555
712 file path=usr/bin/ckgid mode=0555
713 file path=usr/bin/ckint mode=0555
714 file path=usr/bin/ckitem mode=0555
715 file path=usr/bin/ckkeywd mode=0555
716 file path=usr/bin/ckpath mode=0555

```

```

717 file path=usr/bin/ckrange mode=0555
718 file path=usr/bin/ckstr mode=0555
719 file path=usr/bin/cktime mode=0555
720 file path=usr/bin/ckuid mode=0555
721 file path=usr/bin/ckyorn mode=0555
722 file path=usr/bin/clear mode=0555
723 file path=usr/bin/coreadm mode=0555
724 file path=usr/bin/cp mode=0555
725 file path=usr/bin/cpio mode=0555
726 file path=usr/bin/crle mode=0555
727 file path=usr/bin/crontab mode=4555
728 file path=usr/bin/crypt mode=0555
729 file path=usr/bin/csh mode=0555
730 file path=usr/bin/ctrun mode=0555
731 file path=usr/bin/ctstat mode=0555
732 file path=usr/bin/ctwatch mode=0555
733 file path=usr/bin/date mode=0555
734 file path=usr/bin/dd mode=0555
735 file path=usr/bin/devattr mode=0555
736 file path=usr/bin/devfree mode=0555
737 file path=usr/bin/devreserv mode=0555
738 file path=usr/bin/dirname mode=0555
739 $(i386_ONLY)file path=usr/bin/diskscan mode=0555
740 file path=usr/bin/domainname mode=0555
741 file path=usr/bin/du mode=0555
742 file path=usr/bin/dumpcs mode=0555
743 file path=usr/bin/dumpkeys mode=0555
744 file path=usr/bin/echo mode=0555
745 file path=usr/bin/ed mode=0555
746 file path=usr/bin/egrep mode=0555
747 file path=usr/bin/eject mode=0555
748 file path=usr/bin/env mode=0555
749 file path=usr/bin/expr mode=0555
750 file path=usr/bin/false mode=0555
751 file path=usr/bin/fdetach mode=0555
752 file path=usr/bin/fdformat mode=4555
753 file path=usr/bin/fgrep mode=0555
754 file path=usr/bin/file mode=0555
755 file path=usr/bin/find mode=0555
756 file path=usr/bin/fmt mode=0555
757 file path=usr/bin/fmtmsg mode=0555
758 file path=usr/bin/fold mode=0555
759 file path=usr/bin/fsstat mode=0555
760 file path=usr/bin/geniconvtbl mode=0555
761 file path=usr/bin/getconf mode=0555
762 file path=usr/bin/getdev mode=0555
763 file path=usr/bin/getdgrp mode=0555
764 file path=usr/bin/getent mode=0555
765 file path=usr/bin/getfacl mode=0555
766 file path=usr/bin/getopt mode=0555
767 file path=usr/bin/gettext mode=0555
768 file path=usr/bin/getvol mode=0555
769 file path=usr/bin/grep mode=0555
770 file path=usr/bin/groups mode=0555
771 file path=usr/bin/head mode=0555
772 file path=usr/bin/hostid mode=0555
773 file path=usr/bin/hostname mode=0555
774 file path=usr/bin/i286 mode=0555
775 file path=usr/bin/iconv mode=0555
776 file path=usr/bin/id mode=0555
777 file path=usr/bin/infocmp mode=0555
778 file path=usr/bin/iostat mode=0555
779 file path=usr/bin/isainfo mode=0555
780 file path=usr/bin/isalist mode=0555
781 file path=usr/bin/kbd mode=0555
782 file path=usr/bin/keylogin mode=0555

```



```

783 file path=usr/bin/keylogout mode=0555
784 file path=usr/bin/kmfcfg mode=0555
785 file path=usr/bin/kvostat mode=0555
786 file path=usr/bin/line mode=0555
787 file path=usr/bin/listdgrp mode=0555
788 file path=usr/bin/listusers mode=0555
789 file path=usr/bin/loadkeys mode=0555
790 file path=usr/bin/logger mode=0555
791 file path=usr/bin/login mode=4555
792 file path=usr/bin/logins mode=0750
793 file path=usr/bin/ls mode=0555
794 file path=usr/bin/m4 mode=0555
795 file path=usr/bin/mach mode=0555
796 file path=usr/bin/mail group=mail mode=2511
797 file path=usr/bin/mailx group=mail mode=2511
798 file path=usr/bin/makedev mode=0555
799 file path=usr/bin/mesg mode=0555
800 file path=usr/bin/mkdir mode=0555
801 file path=usr/bin/mkpwdict mode=0555
802 file path=usr/bin/mktemp mode=0555
803 file path=usr/bin/moe mode=0555
804 file path=usr/bin/more mode=0555
805 file path=usr/bin/mpstat mode=0555
806 file path=usr/bin/mt mode=0555
807 file path=usr/bin/netstat mode=0555
808 file path=usr/bin/newgrp group=sys mode=4755
809 file path=usr/bin/nice mode=0555
810 file path=usr/bin/optisa mode=0555
811 file path=usr/bin/pagesize mode=0555
812 file path=usr/bin/passwd group=sys mode=6555
813 file path=usr/bin/pathchk mode=0555
814 file path=usr/bin/pax mode=0555
815 file path=usr/bin/pfexec mode=0555
816 file path=usr/bin/pg mode=0555
817 file path=usr/bin/pgrep mode=0555
818 file path=usr/bin/pktool mode=0555
819 file path=usr/bin/pr mode=0555
820 file path=usr/bin/printf mode=0555
821 file path=usr/bin/priocntl mode=0555
822 file path=usr/bin/profiles mode=0555
823 file path=usr/bin/projects mode=0555
824 file path=usr/bin/putdev mode=0555
825 file path=usr/bin/putdgrp mode=0555
826 file path=usr/bin/pwd mode=0555
827 file path=usr/bin/renice mode=0555
828 file path=usr/bin/rm mode=0555
829 file path=usr/bin/rmdir mode=0555
830 file path=usr/bin/roles mode=0555
831 file path=usr/bin/rpcinfo mode=0555
832 file path=usr/bin/runat mode=0555
833 file path=usr/bin/script mode=0555
834 file path=usr/bin/sed mode=0555
835 file path=usr/bin/setfacl mode=0555
836 file path=usr/bin/setpgrp group=sys mode=0555
837 file path=usr/bin/settime mode=0555
838 file path=usr/bin/shcomp mode=0555
839 file path=usr/bin/strchg group=root mode=0555
840 file path=usr/bin/strconf group=root mode=0555
841 file path=usr/bin/stty mode=0555
842 file path=usr/bin/su group=sys mode=4555
843 file path=usr/bin/svccprop mode=0555
844 file path=usr/bin/svcs mode=0555
845 file path=usr/bin/tabs mode=0555
846 file path=usr/bin/tail mode=0555
847 file path=usr/bin/tic mode=0555
848 file path=usr/bin/time mode=0555

```

```

849 file path=usr/bin/tip mode=4511 owner=uucp
850 file path=usr/bin/tpmadm mode=0555
851 file path=usr/bin/tput mode=0555
852 file path=usr/bin/tr mode=0555
853 file path=usr/bin/true mode=0555
854 file path=usr/bin/tty mode=0555
855 file path=usr/bin/tzselect mode=0555
856 file path=usr/bin/userattr mode=0555
857 file path=usr/bin/vmstat mode=0555
858 file path=usr/bin/which mode=0555
859 file path=usr/bin/who mode=0555
860 file path=usr/bin/wracct mode=0555
861 file path=usr/bin/write group=tty mode=2555
862 file path=usr/bin/xargs mode=0555
863 file path=usr/bin/xstr mode=0555
864 file path=usr/has/bin/edit mode=0555
865 file path=usr/has/bin/sh mode=0555
866 file path=usr/has/man/man1has/edit.lhas
867 file path=usr/has/man/man1has/ex.lhas
868 file path=usr/has/man/man1has/sh.lhas
869 file path=usr/has/man/man1has/vi.lhas
870 file path=usr/kernel/drv/$(ARCH64)/dump group=sys
871 file path=usr/kernel/drv/$(ARCH64)/fssnap group=sys
872 file path=usr/kernel/drv/$(ARCH64)/kstat group=sys
873 file path=usr/kernel/drv/$(ARCH64)/ksyms group=sys
874 file path=usr/kernel/drv/$(ARCH64)/logindmux group=sys
875 file path=usr/kernel/drv/$(ARCH64)/ptm group=sys
876 file path=usr/kernel/drv/$(ARCH64)/pts group=sys
877 $(i386_ONLY)file path=usr/kernel/drv/dump group=sys
878 file path=usr/kernel/drv/dump.conf group=sys
879 $(i386_ONLY)file path=usr/kernel/drv/fssnap group=sys
880 file path=usr/kernel/drv/fssnap.conf group=sys
881 $(i386_ONLY)file path=usr/kernel/drv/kstat group=sys
882 file path=usr/kernel/drv/kstat.conf group=sys
883 $(i386_ONLY)file path=usr/kernel/drv/ksyms group=sys
884 file path=usr/kernel/drv/ksyms.conf group=sys
885 $(i386_ONLY)file path=usr/kernel/drv/logindmux group=sys
886 file path=usr/kernel/drv/logindmux.conf group=sys
887 $(i386_ONLY)file path=usr/kernel/drv/ptm group=sys
888 file path=usr/kernel/drv/ptm.conf group=sys
889 $(i386_ONLY)file path=usr/kernel/drv/pts group=sys
890 file path=usr/kernel/drv/pts.conf group=sys
891 file path=usr/kernel/exec/$(ARCH64)/javaexec group=sys mode=0755
892 file path=usr/kernel/exec/$(ARCH64)/shbinexec group=sys mode=0755
893 $(i386_ONLY)file path=usr/kernel/exec/javaexec group=sys mode=0755
894 $(i386_ONLY)file path=usr/kernel/exec/shbinexec group=sys mode=0755
895 file path=usr/kernel/fs/$(ARCH64)/fdfs group=sys mode=0755
896 file path=usr/kernel/fs/$(ARCH64)/pcfs group=sys mode=0755
897 $(i386_ONLY)file path=usr/kernel/fs/fdfs group=sys mode=0755
898 $(i386_ONLY)file path=usr/kernel/fs/pcfs group=sys mode=0755
899 file path=usr/kernel/sched/$(ARCH64)/FX group=sys mode=0755
900 file path=usr/kernel/sched/$(ARCH64)/FX_DPTBL group=sys mode=0755
901 file path=usr/kernel/sched/$(ARCH64)/IA group=sys mode=0755
902 file path=usr/kernel/sched/$(ARCH64)/RT group=sys mode=0755
903 file path=usr/kernel/sched/$(ARCH64)/RT_DPTBL group=sys mode=0755
904 $(i386_ONLY)file path=usr/kernel/sched/FX group=sys mode=0755
905 $(i386_ONLY)file path=usr/kernel/sched/FX_DPTBL group=sys mode=0755
906 $(i386_ONLY)file path=usr/kernel/sched/IA group=sys mode=0755
907 $(i386_ONLY)file path=usr/kernel/sched/RT group=sys mode=0755
908 $(i386_ONLY)file path=usr/kernel/sched/RT_DPTBL group=sys mode=0755
909 file path=usr/kernel/strmod/$(ARCH64)/cryptmod group=sys mode=0755
910 file path=usr/kernel/strmod/$(ARCH64)/rlmod group=sys mode=0755
911 file path=usr/kernel/strmod/$(ARCH64)/telmod group=sys mode=0755
912 $(i386_ONLY)file path=usr/kernel/strmod/cryptmod group=sys mode=0755
913 $(i386_ONLY)file path=usr/kernel/strmod/rlmod group=sys mode=0755
914 $(i386_ONLY)file path=usr/kernel/strmod/telmod group=sys mode=0755

```

```

915 file path=usr/kernel/sys/$(ARCH64)/acctctl group=sys mode=0755
916 file path=usr/kernel/sys/$(ARCH64)/exacctsys group=sys mode=0755
917 file path=usr/kernel/sys/$(ARCH64)/sysacct group=sys mode=0755
918 $(i386_ONLY)file path=usr/kernel/sys/acctctl group=sys mode=0755
919 $(i386_ONLY)file path=usr/kernel/sys/exacctsys group=sys mode=0755
920 $(i386_ONLY)file path=usr/kernel/sys/sysacct group=sys mode=0755
921 file path=usr/kvm/README group=sys
922 file path=usr/lib/$(ARCH64)/libshare.so.1
923 file path=usr/lib/audit/audit_record_attr mode=0444
924 file path=usr/lib/calprog mode=0555
925 file path=usr/lib/class/FX/FXdispadmin mode=0555
926 file path=usr/lib/class/FX/FXprioctl mode=0555
927 file path=usr/lib/class/IA/IAdispadmin mode=0555
928 file path=usr/lib/class/IA/IAprioctl mode=0555
929 file path=usr/lib/class/RT/RTdispadmin mode=0555
930 file path=usr/lib/class/RT/RTprioctl mode=0555
931 file path=usr/lib/class/SDC/SDCdispadmin mode=0555
932 file path=usr/lib/class/SDC/SDCprioctl mode=0555
933 file path=usr/lib/class/TS/TSdispadmin mode=0555
934 file path=usr/lib/class/TS/TSprioctl mode=0555
935 file path=usr/lib/devfsadm/linkmod/SUNW_audio_link.so group=sys
936 file path=usr/lib/devfsadm/linkmod/SUNW_cfg_link.so group=sys
937 file path=usr/lib/devfsadm/linkmod/SUNW_disk_link.so group=sys
938 file path=usr/lib/devfsadm/linkmod/SUNW_fssnap_link.so group=sys
939 file path=usr/lib/devfsadm/linkmod/SUNW_ieeel394_link.so group=sys
940 file path=usr/lib/devfsadm/linkmod/SUNW_lofi_link.so group=sys
941 file path=usr/lib/devfsadm/linkmod/SUNW_md_link.so group=sys
942 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link.so group=sys
943 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link_$(ARCH).so group=sys
944 file path=usr/lib/devfsadm/linkmod/SUNW_port_link.so group=sys
945 file path=usr/lib/devfsadm/linkmod/SUNW_ramdisk_link.so group=sys
946 file path=usr/lib/devfsadm/linkmod/SUNW_sgen_link.so group=sys
947 file path=usr/lib/devfsadm/linkmod/SUNW_smp_link.so group=sys
948 file path=usr/lib/devfsadm/linkmod/SUNW_tape_link.so group=sys
949 file path=usr/lib/devfsadm/linkmod/SUNW_usb_link.so group=sys
950 $(i386_ONLY)file path=usr/lib/devfsadm/linkmod/SUNW_xen_link.so group=sys
951 file path=usr/lib/diffh mode=0555
952 file path=usr/lib/expreserve mode=0555
953 file path=usr/lib/exrecovery mode=0555
954 file path=usr/lib/fs/cachefs/cachefsd mode=0555
955 file path=usr/lib/fs/cachefs/cachefslog mode=0555
956 file path=usr/lib/fs/cachefs/cachefspack mode=0555
957 file path=usr/lib/fs/cachefs/cachefsstat mode=0555
958 file path=usr/lib/fs/cachefs/cachefswssize mode=0555
959 file path=usr/lib/fs/cachefs/cfsadmin mode=0555
960 file path=usr/lib/fs/cachefs/cfsfstype mode=0555
961 file path=usr/lib/fs/cachefs/cfstagchk mode=0555
962 file path=usr/lib/fs/cachefs/dfshares mode=0555
963 file path=usr/lib/fs/cachefs/fsck mode=0555
964 file path=usr/lib/fs/cachefs/mount mode=0555
965 file path=usr/lib/fs/cachefs/share mode=0555
966 file path=usr/lib/fs/cachefs/umount mode=0555
967 file path=usr/lib/fs/cachefs/unshare mode=0555
968 file path=usr/lib/fs/ctfs/mount mode=0555
969 file path=usr/lib/fs/fd/mount mode=0555
970 file path=usr/lib/fs/hsfs/fstyp.so.1 mode=0555
971 file path=usr/lib/fs/hsfs/labelit mode=0555
972 file path=usr/lib/fs/lofs/mount mode=0555
973 file path=usr/lib/fs/mntfs/mount mode=0555
974 file path=usr/lib/fs/objfs/mount mode=0555
975 file path=usr/lib/fs/proc/mount mode=0555
976 file path=usr/lib/fs/sharefs/mount mode=0555
977 file path=usr/lib/fs/tmpfs/mount mode=0555
978 file path=usr/lib/fs/ufs/clri mode=0555
979 file path=usr/lib/fs/ufs/df mode=0555
980 file path=usr/lib/fs/ufs/edquota mode=0555

```

```

981 file path=usr/lib/fs/ufs/ff mode=0555
982 file path=usr/lib/fs/ufs/fsck mode=0555
983 file path=usr/lib/fs/ufs/fsckall mode=0555
984 file path=usr/lib/fs/ufs/fsdb mode=0555
985 file path=usr/lib/fs/ufs/fsirand mode=0555
986 file path=usr/lib/fs/ufs/fssnap mode=0555
987 file path=usr/lib/fs/ufs/fstyp.so.1 mode=0555
988 file path=usr/lib/fs/ufs/labelit mode=0555
989 file path=usr/lib/fs/ufs/lockfs mode=0555
990 file path=usr/lib/fs/ufs/mkfs mode=0555
991 file path=usr/lib/fs/ufs/ncheck mode=0555
992 file path=usr/lib/fs/ufs/newfs mode=0555
993 file path=usr/lib/fs/ufs/quot mode=0555
994 file path=usr/lib/fs/ufs/quot mode=4555
995 file path=usr/lib/fs/ufs/quotacheck mode=0555
996 file path=usr/lib/fs/ufs/quotaooff mode=0555
997 file path=usr/lib/fs/ufs/repquota mode=0555
998 file path=usr/lib/fs/ufs/tunefs mode=0555
999 file path=usr/lib/fs/ufs/ufsdump mode=4555
1000 file path=usr/lib/fs/ufs/ufsrestore mode=4555
1001 file path=usr/lib/fs/ufs/volcopy mode=0555
1002 file path=usr/lib/getoptcvt mode=0555
1003 file path=usr/lib/help/auths/locale/C/AllSolAuthsHeader.html
1004 file path=usr/lib/help/auths/locale/C/AuditHeader.html
1005 file path=usr/lib/help/auths/locale/C/AuthJobsAdmin.html
1006 file path=usr/lib/help/auths/locale/C/AuthJobsUser.html
1007 file path=usr/lib/help/auths/locale/C/AuthProfmgrAssign.html
1008 file path=usr/lib/help/auths/locale/C/AuthProfmgrDelegate.html
1009 file path=usr/lib/help/auths/locale/C/AuthProfmgrExecattrWrite.html
1010 file path=usr/lib/help/auths/locale/C/AuthProfmgrRead.html
1011 file path=usr/lib/help/auths/locale/C/AuthProfmgrWrite.html
1012 file path=usr/lib/help/auths/locale/C/AuthReadNDMP.html
1013 file path=usr/lib/help/auths/locale/C/AuthReadSMB.html
1014 file path=usr/lib/help/auths/locale/C/AuthRoleAssign.html
1015 file path=usr/lib/help/auths/locale/C/AuthRoleDelegate.html
1016 file path=usr/lib/help/auths/locale/C/AuthRoleWrite.html
1017 file path=usr/lib/help/auths/locale/C/BindStates.html
1018 file path=usr/lib/help/auths/locale/C/DevAllocHeader.html
1019 file path=usr/lib/help/auths/locale/C/DevAllocate.html
1020 file path=usr/lib/help/auths/locale/C/DevConfig.html
1021 file path=usr/lib/help/auths/locale/C/DevGrant.html
1022 file path=usr/lib/help/auths/locale/C/DevRevoke.html
1023 file path=usr/lib/help/auths/locale/C/DhccpMgrHeader.html
1024 file path=usr/lib/help/auths/locale/C/DhccpMgrWrite.html
1025 file path=usr/lib/help/auths/locale/C/HotplugHeader.html
1026 file path=usr/lib/help/auths/locale/C/HotplugModify.html
1027 file path=usr/lib/help/auths/locale/C/IdmapRules.html
1028 file path=usr/lib/help/auths/locale/C/JobHeader.html
1029 file path=usr/lib/help/auths/locale/C/JobGrant.html
1030 file path=usr/lib/help/auths/locale/C/LinkSecurity.html
1031 file path=usr/lib/help/auths/locale/C/LoginEnable.html
1032 file path=usr/lib/help/auths/locale/C/LoginHeader.html
1033 file path=usr/lib/help/auths/locale/C/LoginRemote.html
1034 file path=usr/lib/help/auths/locale/C/NetworkAutoconfRead.html
1035 file path=usr/lib/help/auths/locale/C/NetworkAutoconfSelect.html
1036 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWlan.html
1037 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWrite.html
1038 file path=usr/lib/help/auths/locale/C/NetworkHeader.html
1039 file path=usr/lib/help/auths/locale/C/NetworkILBconf.html
1040 file path=usr/lib/help/auths/locale/C/NetworkILBenable.html
1041 file path=usr/lib/help/auths/locale/C/NetworkInterfaceConfig.html
1042 file path=usr/lib/help/auths/locale/C/NetworkVRRP.html
1043 file path=usr/lib/help/auths/locale/C/PriAdmin.html
1044 file path=usr/lib/help/auths/locale/C/ProfmgrHeader.html
1045 file path=usr/lib/help/auths/locale/C/RoleHeader.html
1046 file path=usr/lib/help/auths/locale/C/SmfAllocate.html

```

1047 file path=usr/lib/help/auths/locale/C/SmfAutofsStates.html
 1048 file path=usr/lib/help/auths/locale/C/SmfCoreadmStates.html
 1049 file path=usr/lib/help/auths/locale/C/SmfCronStates.html
 1050 file path=usr/lib/help/auths/locale/C/SmfExAcctFlowStates.html
 1051 file path=usr/lib/help/auths/locale/C/SmfExAcctNetStates.html
 1052 file path=usr/lib/help/auths/locale/C/SmfExAcctProcessStates.html
 1053 file path=usr/lib/help/auths/locale/C/SmfExAcctTaskStates.html
 1054 file path=usr/lib/help/auths/locale/C/SmfHeader.html
 1055 file path=usr/lib/help/auths/locale/C/SmfILBStates.html
 1056 file path=usr/lib/help/auths/locale/C/SmfIPsecStates.html
 1057 file path=usr/lib/help/auths/locale/C/SmfIdmapStates.html
 1058 file path=usr/lib/help/auths/locale/C/SmfInetdStates.html
 1059 file path=usr/lib/help/auths/locale/C/SmfLocationStates.html
 1060 file path=usr/lib/help/auths/locale/C/SmfMDNSStates.html
 1061 file path=usr/lib/help/auths/locale/C/SmfManageAudit.html
 1062 file path=usr/lib/help/auths/locale/C/SmfManageHeader.html
 1063 file path=usr/lib/help/auths/locale/C/SmfManageHotplug.html
 1064 file path=usr/lib/help/auths/locale/C/SmfManageZFSSnap.html
 1065 file path=usr/lib/help/auths/locale/C/SmfModifyAppl.html
 1066 file path=usr/lib/help/auths/locale/C/SmfModifyDepend.html
 1067 file path=usr/lib/help/auths/locale/C/SmfModifyFramework.html
 1068 file path=usr/lib/help/auths/locale/C/SmfModifyHeader.html
 1069 file path=usr/lib/help/auths/locale/C/SmfModifyMethod.html
 1070 file path=usr/lib/help/auths/locale/C/SmfNADDStates.html
 1071 file path=usr/lib/help/auths/locale/C/SmfNDMPStates.html
 1072 file path=usr/lib/help/auths/locale/C/SmfNWAMStates.html
 1073 file path=usr/lib/help/auths/locale/C/SmfNscdStates.html
 1074 file path=usr/lib/help/auths/locale/C/SmfPowerStates.html
 1075 file path=usr/lib/help/auths/locale/C/SmfReparseStates.html
 1076 file path=usr/lib/help/auths/locale/C/SmfRoutingStates.html
 1077 file path=usr/lib/help/auths/locale/C/SmfSMBFSStates.html
 1078 file path=usr/lib/help/auths/locale/C/SmfSMBStates.html
 1079 file path=usr/lib/help/auths/locale/C/SmfSendmailStates.html
 1080 file path=usr/lib/help/auths/locale/C/SmfSshStates.html
 1081 file path=usr/lib/help/auths/locale/C/SmfSyslogStates.html
 1082 file path=usr/lib/help/auths/locale/C/SmfVRRPStates.html
 1083 file path=usr/lib/help/auths/locale/C/SmfValueAudit.html
 1084 file path=usr/lib/help/auths/locale/C/SmfValueCoreadm.html
 1085 file path=usr/lib/help/auths/locale/C/SmfValueExAcctFlow.html
 1086 file path=usr/lib/help/auths/locale/C/SmfValueExAcctNet.html
 1087 file path=usr/lib/help/auths/locale/C/SmfValueExAcctProcess.html
 1088 file path=usr/lib/help/auths/locale/C/SmfValueExAcctTask.html
 1089 file path=usr/lib/help/auths/locale/C/SmfValueFirewall.html
 1090 file path=usr/lib/help/auths/locale/C/SmfValueHeader.html
 1091 file path=usr/lib/help/auths/locale/C/SmfValueIPsec.html
 1092 file path=usr/lib/help/auths/locale/C/SmfValueIdmap.html
 1093 file path=usr/lib/help/auths/locale/C/SmfValueInetd.html
 1094 file path=usr/lib/help/auths/locale/C/SmfValueMDNS.html
 1095 file path=usr/lib/help/auths/locale/C/SmfValueNADD.html
 1096 file path=usr/lib/help/auths/locale/C/SmfValueNDMP.html
 1097 file path=usr/lib/help/auths/locale/C/SmfValueNWAM.html
 1098 file path=usr/lib/help/auths/locale/C/SmfValueRouting.html
 1099 file path=usr/lib/help/auths/locale/C/SmfValueSMB.html
 1100 file path=usr/lib/help/auths/locale/C/SmfValueVscan.html
 1101 file path=usr/lib/help/auths/locale/C/SmfValueVt.html
 1102 file path=usr/lib/help/auths/locale/C/SmfVscanStates.html
 1103 file path=usr/lib/help/auths/locale/C/SmfVtStates.html
 1104 file path=usr/lib/help/auths/locale/C/SmfWpaStates.html
 1105 file path=usr/lib/help/auths/locale/C/SysCpuPowerMgmt.html
 1106 file path=usr/lib/help/auths/locale/C/SysDate.html
 1107 file path=usr/lib/help/auths/locale/C/SysHeader.html
 1108 file path=usr/lib/help/auths/locale/C/SysMaintenance.html
 1109 file path=usr/lib/help/auths/locale/C/SysPowerMgmtBrightness.html
 1110 file path=usr/lib/help/auths/locale/C/SysPowerMgmtHeader.html
 1111 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspend.html
 1112 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoDisk.html

1113 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoRAM.html
 1114 file path=usr/lib/help/auths/locale/C/SysShutdown.html
 1115 file path=usr/lib/help/auths/locale/C/SysSyseventRead.html
 1116 file path=usr/lib/help/auths/locale/C/SysSyseventWrite.html
 1117 file path=usr/lib/help/auths/locale/C/WifiConfig.html
 1118 file path=usr/lib/help/auths/locale/C/WifiWep.html
 1119 file path=usr/lib/help/auths/locale/C/ZoneCloneFrom.html
 1120 file path=usr/lib/help/auths/locale/C/ZoneHeader.html
 1121 file path=usr/lib/help/auths/locale/C/ZoneLogin.html
 1122 file path=usr/lib/help/auths/locale/C/ZoneManage.html
 1123 file path=usr/lib/help/profiles/locale/C/RtAcctadm.html
 1124 file path=usr/lib/help/profiles/locale/C/RtAll.html
 1125 file path=usr/lib/help/profiles/locale/C/RtAuditCfg.html
 1126 file path=usr/lib/help/profiles/locale/C/RtAuditCtrl.html
 1127 file path=usr/lib/help/profiles/locale/C/RtAuditReview.html
 1128 file path=usr/lib/help/profiles/locale/C/RtCPUPowerManagement.html
 1129 file path=usr/lib/help/profiles/locale/C/RtConsUser.html
 1130 file path=usr/lib/help/profiles/locale/C/RtContractObserver.html
 1131 file path=usr/lib/help/profiles/locale/C/RtCronMngmnt.html
 1132 file path=usr/lib/help/profiles/locale/C/RtCryptoMngmnt.html
 1133 file path=usr/lib/help/profiles/locale/C/RtDHCPMngmnt.html
 1134 file path=usr/lib/help/profiles/locale/C/RtDatAdmin.html
 1135 file path=usr/lib/help/profiles/locale/C/RtDefault.html
 1136 file path=usr/lib/help/profiles/locale/C/RtDeviceMngmnt.html
 1137 file path=usr/lib/help/profiles/locale/C/RtDeviceSecurity.html
 1138 file path=usr/lib/help/profiles/locale/C/RtExAcctFlow.html
 1139 file path=usr/lib/help/profiles/locale/C/RtExAcctNet.html
 1140 file path=usr/lib/help/profiles/locale/C/RtExAcctProcess.html
 1141 file path=usr/lib/help/profiles/locale/C/RtExAcctTask.html
 1142 file path=usr/lib/help/profiles/locale/C/RtFTPMngmnt.html
 1143 file path=usr/lib/help/profiles/locale/C/RtFileSysMngmnt.html
 1144 file path=usr/lib/help/profiles/locale/C/RtFileSysSecurity.html
 1145 file path=usr/lib/help/profiles/locale/C/RtHotplugMngmnt.html
 1146 file path=usr/lib/help/profiles/locale/C/RtIPFilterMngmnt.html
 1147 file path=usr/lib/help/profiles/locale/C/RtIdmapMngmnt.html
 1148 file path=usr/lib/help/profiles/locale/C/RtIdmapNameRulesMngmnt.html
 1149 file path=usr/lib/help/profiles/locale/C/RtInetdMngmnt.html
 1150 file path=usr/lib/help/profiles/locale/C/RtKerberosClnMngmnt.html
 1151 file path=usr/lib/help/profiles/locale/C/RtKerberosSrvrMngmnt.html
 1152 file path=usr/lib/help/profiles/locale/C/RtLogMngmnt.html
 1153 file path=usr/lib/help/profiles/locale/C/RtMailMngmnt.html
 1154 file path=usr/lib/help/profiles/locale/C/RtMaintAndRepair.html
 1155 file path=usr/lib/help/profiles/locale/C/RtMediaBkup.html
 1156 file path=usr/lib/help/profiles/locale/C/RtMediaCtlg.html
 1157 file path=usr/lib/help/profiles/locale/C/RtMediaRestore.html
 1158 file path=usr/lib/help/profiles/locale/C/RtNDMPMngmnt.html
 1159 file path=usr/lib/help/profiles/locale/C/RtNameServiceAdmin.html
 1160 file path=usr/lib/help/profiles/locale/C/RtNameServiceSecure.html
 1161 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfAdmin.html
 1162 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfUser.html
 1163 file path=usr/lib/help/profiles/locale/C/RtNetILB.html
 1164 file path=usr/lib/help/profiles/locale/C/RtNetIPsec.html
 1165 file path=usr/lib/help/profiles/locale/C/RtNetLinkSecure.html
 1166 file path=usr/lib/help/profiles/locale/C/RtNetMngmnt.html
 1167 file path=usr/lib/help/profiles/locale/C/RtNetObservability.html
 1168 file path=usr/lib/help/profiles/locale/C/RtNetSecure.html
 1169 file path=usr/lib/help/profiles/locale/C/RtNetVRRP.html
 1170 file path=usr/lib/help/profiles/locale/C/RtNetWifiMngmnt.html
 1171 file path=usr/lib/help/profiles/locale/C/RtNetWifiSecure.html
 1172 file path=usr/lib/help/profiles/locale/C/RtObAccessMngmnt.html
 1173 file path=usr/lib/help/profiles/locale/C/RtOperator.html
 1174 file path=usr/lib/help/profiles/locale/C/RtPriAdmin.html
 1175 file path=usr/lib/help/profiles/locale/C/RtPrntAdmin.html
 1176 file path=usr/lib/help/profiles/locale/C/RtProcManagement.html
 1177 file path=usr/lib/help/profiles/locale/C/RtReparseMngmnt.html
 1178 file path=usr/lib/help/profiles/locale/C/RtReservedProfile.html

```

1179 file path=usr/lib/help/profiles/locale/C/RtRightsDelegate.html
1180 file path=usr/lib/help/profiles/locale/C/RtSMBFSMngmnt.html
1181 file path=usr/lib/help/profiles/locale/C/RtSMBMngmnt.html
1182 file path=usr/lib/help/profiles/locale/C/RtSoftwareInstall.html
1183 file path=usr/lib/help/profiles/locale/C/RtSysAdmin.html
1184 file path=usr/lib/help/profiles/locale/C/RtSysEvMngmnt.html
1185 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmt.html
1186 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtBrightness.html
1187 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspend.html
1188 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoDisk.html
1189 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoRAM.html
1190 file path=usr/lib/help/profiles/locale/C/RtUserMngmnt.html
1191 file path=usr/lib/help/profiles/locale/C/RtUserSecurity.html
1192 file path=usr/lib/help/profiles/locale/C/RtVscanMngmnt.html
1193 file path=usr/lib/help/profiles/locale/C/RtZFSFileSysMngmnt.html
1194 file path=usr/lib/help/profiles/locale/C/RtZFSStorageMngmnt.html
1195 file path=usr/lib/help/profiles/locale/C/RtZoneMngmnt.html
1196 file path=usr/lib/help/profiles/locale/C/RtZoneSecurity.html
1197 file path=usr/lib/help/hotplugd mode=0555
1198 file path=usr/lib/iconv/646da.8859.t mode=0444
1199 file path=usr/lib/iconv/646de.8859.t mode=0444
1200 file path=usr/lib/iconv/646en.8859.t mode=0444
1201 file path=usr/lib/iconv/646es.8859.t mode=0444
1202 file path=usr/lib/iconv/646fr.8859.t mode=0444
1203 file path=usr/lib/iconv/646it.8859.t mode=0444
1204 file path=usr/lib/iconv/646sv.8859.t mode=0444
1205 file path=usr/lib/iconv/8859.646.t mode=0444
1206 file path=usr/lib/iconv/8859.646da.t mode=0444
1207 file path=usr/lib/iconv/8859.646de.t mode=0444
1208 file path=usr/lib/iconv/8859.646en.t mode=0444
1209 file path=usr/lib/iconv/8859.646es.t mode=0444
1210 file path=usr/lib/iconv/8859.646fr.t mode=0444
1211 file path=usr/lib/iconv/8859.646it.t mode=0444
1212 file path=usr/lib/iconv/8859.646sv.t mode=0444
1213 file path=usr/lib/iconv/iconv_data mode=0444
1214 file path=usr/lib/idmapd mode=0555
1215 file path=usr/lib/inet/$(ARCH32)/in.iked mode=0555
1216 file path=usr/lib/inet/$(ARCH64)/in.iked mode=0555
1217 file path=usr/lib/inet/certdb mode=0555
1218 file path=usr/lib/inet/certlocal mode=0555
1219 file path=usr/lib/inet/certrldb mode=0555
1220 file path=usr/lib/inet/inetd mode=0555
1221 file path=usr/lib/intrd mode=0555
1222 file path=usr/lib/isaexec mode=0555
1223 file path=usr/lib/kssladm mode=0555
1224 $(sparc_ONLY)file path=usr/lib/ld.so
1225 file path=usr/lib/libshare.so.1
1226 file path=usr/lib/makekey mode=0555
1227 file path=usr/lib/more.help
1228 file path=usr/lib/newsyslog group=sys mode=0555
1229 file path=usr/lib/passmgmt group=sys mode=0555
1230 file path=usr/lib/pci/pcidr mode=0555
1231 file path=usr/lib/pci/pcidr_plugin.so
1232 file path=usr/lib/pfexecd mode=0555
1233 file path=usr/lib/platexec mode=0555
1234 file path=usr/lib/rcm/modules/SUNW_aggr_rcm.so mode=0555
1235 file path=usr/lib/rcm/modules/SUNW_cluster_rcm.so mode=0555
1236 file path=usr/lib/rcm/modules/SUNW_dump_rcm.so mode=0555
1237 file path=usr/lib/rcm/modules/SUNW_filesys_rcm.so mode=0555
1238 file path=usr/lib/rcm/modules/SUNW_ibpart_rcm.so mode=0555
1239 file path=usr/lib/rcm/modules/SUNW_ip_anon_rcm.so mode=0555
1240 file path=usr/lib/rcm/modules/SUNW_ip_rcm.so mode=0555
1241 file path=usr/lib/rcm/modules/SUNW_mpxio_rcm.so mode=0555
1242 file path=usr/lib/rcm/modules/SUNW_network_rcm.so mode=0555
1243 file path=usr/lib/rcm/modules/SUNW_swap_rcm.so mode=0555
1244 $(sparc_ONLY)file path=usr/lib/rcm/modules/SUNW_ttymux_rcm.so mode=0555

```

```

1245 file path=usr/lib/rcm/modules/SUNW_vlan_rcm.so mode=0555
1246 file path=usr/lib/rcm/modules/SUNW_vnic_rcm.so mode=0555
1247 file path=usr/lib/rcm/rcm_daemon mode=0555
1248 file path=usr/lib/reparse/reparsed_group=sys mode=0555
1249 file path=usr/lib/saf/listen group=sys mode=0755
1250 file path=usr/lib/saf/nlps_server group=sys mode=0755
1251 file path=usr/lib/saf/sac group=sys mode=0555
1252 file path=usr/lib/saf/ttymon group=sys mode=0555
1253 file path=usr/lib/sysevent/modules/datalink_mod.so
1254 file path=usr/lib/sysevent/modules/devfsadmd_mod.so
1255 file path=usr/lib/sysevent/modules/sysevent_conf_mod.so
1256 file path=usr/lib/sysevent/modules/sysevent_reg_mod.so
1257 file path=usr/lib/sysevent/syseventconfd mode=0555
1258 file path=usr/lib/sysevent/syseventd mode=0555
1259 file path=usr/lib/utmp_update mode=4555
1260 file path=usr/lib/utmpd mode=0555
1261 file path=usr/lib/vtdaemon mode=0555
1262 file path=usr/lib/vtinfo mode=0555
1263 file path=usr/lib/vtxlock mode=0555
1264 file path=usr/sadm/bin/puttext mode=0555
1265 file path=usr/sadm/install/miniroot.db group=sys mode=0444
1266 file path=usr/sadm/install/scripts/i.ipsecalgs group=sys mode=0555
1267 file path=usr/sadm/install/scripts/i.kcfcconf group=sys mode=0555
1268 file path=usr/sadm/install/scripts/i.kmfcconf group=sys mode=0555
1269 file path=usr/sadm/install/scripts/i.manifest group=sys mode=0555
1270 file path=usr/sadm/install/scripts/i.pkcs11conf group=sys mode=0555
1271 file path=usr/sadm/install/scripts/i.rbac group=sys mode=0555
1272 file path=usr/sadm/install/scripts/r.ipsecalgs group=sys mode=0555
1273 file path=usr/sadm/install/scripts/r.kcfcconf group=sys mode=0555
1274 file path=usr/sadm/install/scripts/r.kmfcconf group=sys mode=0555
1275 file path=usr/sadm/install/scripts/r.manifest group=sys mode=0555
1276 file path=usr/sadm/install/scripts/r.pkcs11conf group=sys mode=0555
1277 file path=usr/sadm/install/scripts/r.rbac group=sys mode=0555
1278 file path=usr/sadm/updates mode=0444
1279 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/add_drv group=sys mode=0555
1280 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modinfo group=sys mode=0555
1281 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modload group=sys mode=0555
1282 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modunload group=sys mode=0555
1283 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/pbind group=sys mode=0555
1284 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/prtconf group=sys mode=2555
1285 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/psrset group=sys mode=0555
1286 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/rem_drv group=sys mode=0555
1287 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/swap group=sys mode=2555
1288 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/sysdef group=sys mode=2555
1289 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/update_drv group=sys mode=0555
1290 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/whodo mode=4555
1291 file path=usr/sbin/$(ARCH64)/add_drv group=sys mode=0555
1292 file path=usr/sbin/$(ARCH64)/modinfo group=sys mode=0555
1293 file path=usr/sbin/$(ARCH64)/modload group=sys mode=0555
1294 file path=usr/sbin/$(ARCH64)/modunload group=sys mode=0555
1295 file path=usr/sbin/$(ARCH64)/pbind group=sys mode=0555
1296 file path=usr/sbin/$(ARCH64)/prtconf group=sys mode=2555
1297 file path=usr/sbin/$(ARCH64)/psrset group=sys mode=0555
1298 file path=usr/sbin/$(ARCH64)/rem_drv group=sys mode=0555
1299 file path=usr/sbin/$(ARCH64)/swap group=sys mode=2555
1300 file path=usr/sbin/$(ARCH64)/sysdef group=sys mode=2555
1301 file path=usr/sbin/$(ARCH64)/update_drv group=sys mode=0555
1302 file path=usr/sbin/$(ARCH64)/whodo mode=4555
1303 file path=usr/sbin/6to4relay mode=0555
1304 file path=usr/sbin/acctadm mode=0555
1305 file path=usr/sbin/allocate mode=4555
1306 file path=usr/sbin/arp mode=0555
1307 file path=usr/sbin/audit mode=0555
1308 file path=usr/sbin/auditconfig mode=0555
1309 file path=usr/sbin/auditd mode=0555
1310 file path=usr/sbin/auditrecord mode=0555

```

1311 file path=usr/sbin/auditreduce mode=0555
 1312 file path=usr/sbin/auditstat mode=0555
 1313 file path=usr/sbin/cfgadm mode=0555
 1314 file path=usr/sbin/chroot mode=0555
 1315 file path=usr/sbin/clear_locks mode=0555
 1316 file path=usr/sbin/clinfo mode=0555
 1317 file path=usr/sbin/clri mode=0555
 1318 file path=usr/sbin/consadm group=sys mode=0555
 1319 file path=usr/sbin/cron group=sys mode=0555
 1320 file path=usr/sbin/devfsadm group=sys mode=0755
 1321 file path=usr/sbin/devinfo mode=0555
 1322 file path=usr/sbin/df mode=0555
 1323 file path=usr/sbin/dfmounts mode=0555
 1324 file path=usr/sbin/dispadmin mode=0555
 1325 file path=usr/sbin/dminfo mode=0555
 1326 file path=usr/sbin/dumpadm mode=0555
 1327 file path=usr/sbin/eeprom group=sys mode=2555
 1328 file path=usr/sbin/ff mode=0555
 1329 file path=usr/sbin/fmthard group=sys mode=0555
 1330 file path=usr/sbin/format mode=0555
 1331 file path=usr/sbin/fsck mode=0555
 1332 file path=usr/sbin/fstyp group=sys mode=0555
 1333 file path=usr/sbin/fuser mode=0555
 1334 file path=usr/sbin/getdevpolicy group=sys mode=0555
 1335 file path=usr/sbin/getmajor group=sys mode=0755
 1336 file path=usr/sbin/groupadd group=sys mode=0555
 1337 file path=usr/sbin/groupdel group=sys mode=0555
 1338 file path=usr/sbin/groupmod group=sys mode=0555
 1339 file path=usr/sbin/grpck mode=0555
 1340 file path=usr/sbin/halt mode=0755
 1341 file path=usr/sbin/hotplug mode=0555
 1342 file path=usr/sbin/idmap mode=0555
 1343 file path=usr/sbin/if_mpadm mode=0555
 1344 file path=usr/sbin/ikeadm mode=0555
 1345 file path=usr/sbin/ikecert mode=0555
 1346 file path=usr/sbin/inetadm mode=0555
 1347 file path=usr/sbin/inetconv mode=0555
 1348 file path=usr/sbin/install mode=0555
 1349 file path=usr/sbin/installboot group=sys mode=0555
 1350 file path=usr/sbin/ipaddrsel mode=0555
 1351 file path=usr/sbin/ipsecalgs mode=0555
 1352 file path=usr/sbin/ipsecconf mode=0555
 1353 file path=usr/sbin/ipseckey mode=0555
 1354 file path=usr/sbin/keyserv group=sys mode=0555
 1355 file path=usr/sbin/killall mode=0555
 1356 file path=usr/sbin/ksslcfg mode=0555
 1357 file path=usr/sbin/link mode=0555
 1358 file path=usr/sbin/locator mode=0555
 1359 file path=usr/sbin/lofiadm mode=0555
 1360 file path=usr/sbin/logadm mode=0555
 1361 file path=usr/sbin/makedbm mode=0555
 1362 file path=usr/sbin/mkdevalloc mode=0555
 1363 file path=usr/sbin/mkfile mode=0555
 1364 file path=usr/sbin/mknod mode=0555
 1365 file path=usr/sbin/mountall group=sys mode=0555
 1366 file path=usr/sbin/msgid mode=0555
 1367 file path=usr/sbin/mvdir mode=0555
 1368 file path=usr/sbin/ndd mode=0555
 1369 file path=usr/sbin/nlsadmin group=adm mode=0755
 1370 file path=usr/sbin/nscd mode=0555
 1371 file path=usr/sbin/nwamadm mode=0555
 1372 file path=usr/sbin/nwamcfg mode=0555
 1373 file path=usr/sbin/pmadm group=sys mode=0555
 1374 file path=usr/sbin/praudit mode=0555
 1375 \$(i386_ONLY)file path=usr/sbin/prtdiag group=sys mode=2755
 1376 file path=usr/sbin/prtvoc group=sys mode=0555

1377 file path=usr/sbin/psradm group=sys mode=0555
 1378 file path=usr/sbin/psrinfo group=sys mode=0555
 1379 file path=usr/sbin/pwck mode=0555
 1380 file path=usr/sbin/pwconv group=sys mode=0555
 1381 file path=usr/sbin/raidctl mode=0555
 1382 file path=usr/sbin/ramdiskadm mode=0555
 1383 file path=usr/sbin/rctladm mode=0555
 1384 file path=usr/sbin/root_archive group=sys mode=0555
 1385 file path=usr/sbin/rpcbind mode=0555
 1386 \$(i386_ONLY)file path=usr/sbin/rtc mode=0555
 1387 file path=usr/sbin/sacadm group=sys mode=4755
 1388 file path=usr/sbin/setmnt mode=0555
 1389 file path=usr/sbin/shareall mode=0555
 1390 file path=usr/sbin/sharectl mode=0555
 1391 file path=usr/sbin/sharemgr mode=0555
 1392 file path=usr/sbin/shutdown group=sys mode=0755
 1393 file path=usr/sbin/smbios mode=0555
 1394 file path=usr/sbin/stmsboot mode=0555
 1395 file path=usr/sbin/strace group=sys mode=0555
 1396 file path=usr/sbin/strclean group=sys mode=0555
 1397 file path=usr/sbin/strerr group=sys mode=0555
 1398 file path=usr/sbin/sttydefs group=sys mode=0755
 1399 file path=usr/sbin/svcadm mode=0555
 1400 file path=usr/sbin/svccfg mode=0555
 1401 file path=usr/sbin/syncinit mode=0555
 1402 file path=usr/sbin/syncloop mode=0555
 1403 file path=usr/sbin/syncstat mode=0555
 1404 file path=usr/sbin/syseventadm group=sys mode=0555
 1405 file path=usr/sbin/syslogd group=sys mode=0555
 1406 file path=usr/sbin/tar mode=0555
 1407 file path=usr/sbin/traceroute mode=4555
 1408 file path=usr/sbin/trapstat mode=0555
 1409 file path=usr/sbin/ttyadm group=sys mode=0755
 1410 \$(i386_ONLY)file path=usr/sbin/ucodeadm mode=0555
 1411 file path=usr/sbin/umountall group=sys mode=0555
 1412 file path=usr/sbin/unlink mode=0555
 1413 file path=usr/sbin/unshareall mode=0555
 1414 file path=usr/sbin/useradd group=sys mode=0555
 1415 file path=usr/sbin/userdel group=sys mode=0555
 1416 file path=usr/sbin/usermod group=sys mode=0555
 1417 \$(sparc_ONLY)file path=usr/sbin/virtinfo mode=0555
 1418 file path=usr/sbin/volcopy mode=0555
 1419 file path=usr/sbin/wall group=tty mode=2555
 1420 file path=usr/sbin/zdump mode=0555
 1421 file path=usr/sbin/zic mode=0555
 1422 file path=usr/share/doc/ksh/COMPATIBILITY
 1423 file path=usr/share/doc/ksh/DESIGN
 1424 file path=usr/share/doc/ksh/OBSOLETE
 1425 file path=usr/share/doc/ksh/README
 1426 file path=usr/share/doc/ksh/RELEASE
 1427 file path=usr/share/doc/ksh/TYPES
 1428 file path=usr/share/doc/ksh/images/callouts/1.png
 1429 file path=usr/share/doc/ksh/images/callouts/10.png
 1430 file path=usr/share/doc/ksh/images/callouts/2.png
 1431 file path=usr/share/doc/ksh/images/callouts/3.png
 1432 file path=usr/share/doc/ksh/images/callouts/4.png
 1433 file path=usr/share/doc/ksh/images/callouts/5.png
 1434 file path=usr/share/doc/ksh/images/callouts/6.png
 1435 file path=usr/share/doc/ksh/images/callouts/7.png
 1436 file path=usr/share/doc/ksh/images/callouts/8.png
 1437 file path=usr/share/doc/ksh/images/callouts/9.png
 1438 file path=usr/share/doc/ksh/images/tag_bourne.png
 1439 file path=usr/share/doc/ksh/images/tag_il8n.png
 1440 file path=usr/share/doc/ksh/images/tag_ksh.png
 1441 file path=usr/share/doc/ksh/images/tag_ksh88.png
 1442 file path=usr/share/doc/ksh/images/tag_ksh93.png

```

1443 file path=usr/share/doc/ksh/images/tag_ll10n.png
1444 file path=usr/share/doc/ksh/images/tag_perf.png
1445 file path=usr/share/doc/ksh/shell_styleguide.docbook
1446 file path=usr/share/doc/ksh/shell_styleguide.html
1447 file path=usr/share/lib/mailx/mailx.help
1448 file path=usr/share/lib/mailx/mailx.help.~
1449 file path=usr/share/lib/tabset/3101
1450 file path=usr/share/lib/tabset/bee hive
1451 file path=usr/share/lib/tabset/hds
1452 file path=usr/share/lib/tabset/hds3
1453 file path=usr/share/lib/tabset/std
1454 file path=usr/share/lib/tabset/stdcrt
1455 file path=usr/share/lib/tabset/teleray
1456 file path=usr/share/lib/tabset/vt100
1457 file path=usr/share/lib/tabset/wyse-adds
1458 file path=usr/share/lib/tabset/xerox1720
1459 file path=usr/share/lib/termcap
1460 file path=usr/share/lib/unittab
1461 file path=usr/share/lib/xml/dtd/adt_record.dtd.1
1462 file path=usr/share/lib/xml/dtd/kmfpolicy.dtd
1463 file path=usr/share/lib/xml/dtd/service_bundle.dtd.1 group=sys
1464 file path=usr/share/lib/xml/style/adt_record.xsl.1
1465 file path=var/adm/aculog mode=0600 owner=uucp preserve=true
1466 file path=var/adm/spellhist mode=0666 preserve=true
1467 file path=var/adm/utmpx preserve=true
1468 file path=var/adm/wtmpx group=adm owner=adm preserve=true
1469 file path=var/log/authlog group=sys mode=0600 preserve=true
1470 file path=var/log/syslog group=sys preserve=true
1471 file path=var/sadm/system/admin/default_java group=sys mode=0444
1472 file path=var/saf/zsmon/log group=sys preserve=true
1473 file path=var/spool/cron/crontabs/adm group=sys mode=0600 preserve=true
1474 file path=var/spool/cron/crontabs/root group=sys mode=0600 preserve=true
1475 hardlink path=etc/rc2.d/S20syssetup target=../etc/init.d/syssetup
1476 hardlink path=etc/rc2.d/S73cachefs.daemon \
1477 target=../etc/init.d/cachefs.daemon
1478 hardlink path=etc/rc2.d/S89PRESERVE target=../etc/init.d/PRESERVE
1479 $(sparc_ONLY)hardlink path=etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml \
1480 target=platform_SUNW,Sun-Fire-880.xml
1481 $(sparc_ONLY)hardlink \
1482 path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-Netract-40.xml \
1483 target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1484 $(sparc_ONLY)hardlink \
1485 path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-Netract-60.xml \
1486 target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1487 hardlink path=sbin/rc5 target=../sbin/rc0
1488 hardlink path=sbin/rc6 target=../sbin/rc0
1489 hardlink path=usr/bin/$(ARCH32)/encrypt target=decrypt
1490 hardlink path=usr/bin/$(ARCH32)/ksh target=ksh93
1491 hardlink path=usr/bin/$(ARCH32)/mac target=digest
1492 hardlink path=usr/bin/$(ARCH32)/rksh target=ksh93
1493 hardlink path=usr/bin/$(ARCH32)/rksh93 target=ksh93
1494 $(i386_ONLY)hardlink path=usr/bin/$(ARCH32)/w target=uptime
1495 hardlink path=usr/bin/$(ARCH64)/encrypt target=decrypt
1496 hardlink path=usr/bin/$(ARCH64)/ksh target=ksh93
1497 hardlink path=usr/bin/$(ARCH64)/mac target=digest
1498 hardlink path=usr/bin/$(ARCH64)/rksh target=ksh93
1499 hardlink path=usr/bin/$(ARCH64)/rksh93 target=ksh93
1500 hardlink path=usr/bin/$(ARCH64)/w target=uptime
1501 hardlink path=usr/bin/bg target=../usr/bin/alias
1502 hardlink path=usr/bin/cd target=../usr/bin/alias
1503 hardlink path=usr/bin/cksum target=../usr/bin/alias
1504 hardlink path=usr/bin/cmp target=../usr/bin/alias
1505 hardlink path=usr/bin/comm target=../usr/bin/alias
1506 hardlink path=usr/bin/command target=../usr/bin/alias
1507 hardlink path=usr/bin/cut target=../usr/bin/alias
1508 hardlink path=usr/bin/decrypt target=../usr/lib/isaexec

```

```

1509 hardlink path=usr/bin/digest target=../usr/lib/isaexec
1510 hardlink path=usr/bin/dispgid target=../usr/bin/ckgid
1511 hardlink path=usr/bin/dispuid target=../usr/bin/ckuid
1512 hardlink path=usr/bin/edit target=../has/bin/edit
1513 hardlink path=usr/bin/encrypt target=../usr/lib/isaexec
1514 hardlink path=usr/bin/fc target=../usr/bin/alias
1515 hardlink path=usr/bin/fg target=../usr/bin/alias
1516 hardlink path=usr/bin/getopts target=../usr/bin/alias
1517 hardlink path=usr/bin/hash target=../usr/bin/alias
1518 hardlink path=usr/bin/i386 target=../usr/bin/i286
1519 hardlink path=usr/bin/i486 target=../usr/bin/i286
1520 hardlink path=usr/bin/i860 target=../usr/bin/i286
1521 hardlink path=usr/bin/i86pc target=../usr/bin/i286
1522 hardlink path=usr/bin/iAPX286 target=../usr/bin/i286
1523 hardlink path=usr/bin/jobs target=../usr/bin/alias
1524 hardlink path=usr/bin/join target=../usr/bin/alias
1525 hardlink path=usr/bin/kill target=../usr/bin/alias
1526 hardlink path=usr/bin/ksh target=../usr/lib/isaexec
1527 hardlink path=usr/bin/ksh93 target=../usr/lib/isaexec
1528 hardlink path=usr/bin/ln target=../usr/bin/cp
1529 hardlink path=usr/bin/logname target=../usr/bin/alias
1530 hardlink path=usr/bin/m68k target=../usr/bin/i286
1531 hardlink path=usr/bin/mac target=../usr/lib/isaexec
1532 hardlink path=usr/bin/mc68000 target=../usr/bin/i286
1533 hardlink path=usr/bin/mc68010 target=../usr/bin/i286
1534 hardlink path=usr/bin/mc68020 target=../usr/bin/i286
1535 hardlink path=usr/bin/mc68030 target=../usr/bin/i286
1536 hardlink path=usr/bin/mc68040 target=../usr/bin/i286
1537 hardlink path=usr/bin/mv target=../usr/bin/cp
1538 hardlink path=usr/bin/newtask target=../usr/lib/isaexec
1539 hardlink path=usr/bin/nohup target=../usr/lib/isaexec
1540 hardlink path=usr/bin/page target=../usr/bin/more
1541 hardlink path=usr/bin/paste target=../usr/bin/alias
1542 hardlink path=usr/bin/pdp11 target=../usr/bin/i286
1543 hardlink path=usr/bin/pfbash target=../usr/bin/pfexec
1544 hardlink path=usr/bin/pfcsh target=../usr/bin/pfexec
1545 hardlink path=usr/bin/pfksh target=../usr/bin/pfexec
1546 hardlink path=usr/bin/pfksh93 target=../usr/bin/pfexec
1547 hardlink path=usr/bin/pfrksh target=../usr/bin/pfexec
1548 hardlink path=usr/bin/pfrksh93 target=../usr/bin/pfexec
1549 hardlink path=usr/bin/pfsh target=../usr/bin/pfexec
1550 hardlink path=usr/bin/pftcsh target=../usr/bin/pfexec
1551 hardlink path=usr/bin/pfzsh target=../usr/bin/pfexec
1552 hardlink path=usr/bin/pkill target=../usr/bin/pgrep
1553 hardlink path=usr/bin/prctl target=../usr/lib/isaexec
1554 hardlink path=usr/bin/print target=../usr/bin/alias
1555 hardlink path=usr/bin/prstat target=../usr/lib/isaexec
1556 hardlink path=usr/bin/ps target=../usr/lib/isaexec
1557 hardlink path=usr/bin/read target=../usr/bin/alias
1558 hardlink path=usr/bin/red target=../usr/bin/ed
1559 hardlink path=usr/bin/rev target=../usr/bin/alias
1560 hardlink path=usr/bin/rksh target=../usr/lib/isaexec
1561 hardlink path=usr/bin/rksh93 target=../usr/lib/isaexec
1562 hardlink path=usr/bin/savecore target=../usr/lib/isaexec
1563 hardlink path=usr/bin/setuname target=../usr/lib/isaexec
1564 hardlink path=usr/bin/sleep target=../usr/bin/alias
1565 hardlink path=usr/bin/sparc target=../usr/bin/i286
1566 hardlink path=usr/bin/sum target=../usr/bin/alias
1567 hardlink path=usr/bin/sun target=../usr/bin/i286
1568 hardlink path=usr/bin/sun2 target=../usr/bin/i286
1569 hardlink path=usr/bin/sun3 target=../usr/bin/i286
1570 hardlink path=usr/bin/sun3x target=../usr/bin/i286
1571 hardlink path=usr/bin/sun4 target=../usr/bin/i286
1572 hardlink path=usr/bin/sun4c target=../usr/bin/i286
1573 hardlink path=usr/bin/sun4d target=../usr/bin/i286
1574 hardlink path=usr/bin/sun4e target=../usr/bin/i286

```

```

1575 hardlink path=usr/bin/sun4m target=../usr/bin/i286
1576 hardlink path=usr/bin/tee target=../usr/bin/alias
1577 hardlink path=usr/bin/test target=../usr/bin/alias
1578 hardlink path=usr/bin/touch target=../usr/bin/settime
1579 hardlink path=usr/bin/type target=../usr/bin/alias
1580 hardlink path=usr/bin/u370 target=../usr/bin/i286
1581 hardlink path=usr/bin/u3b target=../usr/bin/i286
1582 hardlink path=usr/bin/u3b15 target=../usr/bin/i286
1583 hardlink path=usr/bin/u3b2 target=../usr/bin/i286
1584 hardlink path=usr/bin/u3b5 target=../usr/bin/i286
1585 hardlink path=usr/bin/ulimit target=../usr/bin/alias
1586 hardlink path=usr/bin/umask target=../usr/bin/alias
1587 hardlink path=usr/bin/unalias target=../usr/bin/alias
1588 hardlink path=usr/bin/uniq target=../usr/bin/alias
1589 hardlink path=usr/bin/uptime target=../usr/lib/isaexec
1590 hardlink path=usr/bin/vax target=../usr/bin/i286
1591 hardlink path=usr/bin/vedit target=../usr/bin/edit
1592 hardlink path=usr/bin/w target=../usr/lib/isaexec
1593 hardlink path=usr/bin/wait target=../usr/bin/alias
1594 hardlink path=usr/bin/wc target=../usr/bin/alias
1595 hardlink path=usr/has/bin/ex target=edit
1596 hardlink path=usr/has/bin/pfsh target=../usr/bin/pfexec
1597 hardlink path=usr/has/bin/vedit target=edit
1598 hardlink path=usr/has/bin/vi target=edit
1599 hardlink path=usr/has/bin/view target=edit
1600 hardlink path=usr/lib/fs/hfs/fstyp target=../usr/sbin/fstyp
1601 hardlink path=usr/lib/fs/ufs/dcopy target=../usr/lib/fs/ufs/clri
1602 hardlink path=usr/lib/fs/ufs/fstyp target=../usr/sbin/fstyp
1603 hardlink path=usr/lib/fs/ufs/quotao \
1604   target=../usr/lib/fs/ufs/quotaooff
1605 hardlink path=usr/lib/inet/in.iked target=../usr/lib/isaexec
1606 hardlink path=usr/sadm/bin/dispgid target=../usr/bin/ckgid
1607 hardlink path=usr/sadm/bin/dispuid target=../usr/bin/ckuid
1608 hardlink path=usr/sadm/bin/errange target=../usr/bin/ckrange
1609 hardlink path=usr/sadm/bin/errdate target=../usr/bin/ckdate
1610 hardlink path=usr/sadm/bin/errgid target=../usr/bin/ckgid
1611 hardlink path=usr/sadm/bin/errint target=../usr/bin/ckint
1612 hardlink path=usr/sadm/bin/erritem target=../usr/bin/ckitem
1613 hardlink path=usr/sadm/bin/errpath target=../usr/bin/ckpath
1614 hardlink path=usr/sadm/bin/errstr target=../usr/bin/ckstr
1615 hardlink path=usr/sadm/bin/errtime target=../usr/bin/cktime
1616 hardlink path=usr/sadm/bin/erruid target=../usr/bin/ckuid
1617 hardlink path=usr/sadm/bin/erryoorn target=../usr/bin/ckyoorn
1618 hardlink path=usr/sadm/bin/helpdate target=../usr/bin/ckdate
1619 hardlink path=usr/sadm/bin/helpgid target=../usr/bin/ckgid
1620 hardlink path=usr/sadm/bin/helpint target=../usr/bin/ckint
1621 hardlink path=usr/sadm/bin/helpitem target=../usr/bin/ckitem
1622 hardlink path=usr/sadm/bin/helppath target=../usr/bin/ckpath
1623 hardlink path=usr/sadm/bin/helpprange target=../usr/bin/ckrange
1624 hardlink path=usr/sadm/bin/helpstr target=../usr/bin/ckstr
1625 hardlink path=usr/sadm/bin/helptime target=../usr/bin/cktime
1626 hardlink path=usr/sadm/bin/helpuid target=../usr/bin/ckuid
1627 hardlink path=usr/sadm/bin/helpyoorn target=../usr/bin/ckyoorn
1628 hardlink path=usr/sadm/bin/valdate target=../usr/bin/ckdate
1629 hardlink path=usr/sadm/bin/valgid target=../usr/bin/ckgid
1630 hardlink path=usr/sadm/bin/valint target=../usr/bin/ckint
1631 hardlink path=usr/sadm/bin/valpath target=../usr/bin/ckpath
1632 hardlink path=usr/sadm/bin/valrange target=../usr/bin/ckrange
1633 hardlink path=usr/sadm/bin/valstr target=../usr/bin/ckstr
1634 hardlink path=usr/sadm/bin/valtime target=../usr/bin/cktime
1635 hardlink path=usr/sadm/bin/valuid target=../usr/bin/ckuid
1636 hardlink path=usr/sadm/bin/valyoorn target=../usr/bin/ckyoorn
1637 hardlink path=usr/sbin/add_drv target=../usr/lib/isaexec
1638 hardlink path=usr/sbin/audlinks target=../devfsadm
1639 hardlink path=usr/sbin/consadm target=../usr/sbin/consadm
1640 hardlink path=usr/sbin/deallocate target=../usr/sbin/allocate

```

```

1641 hardlink path=usr/sbin/devlinks target=../devfsadm
1642 hardlink path=usr/sbin/dfshares target=../usr/sbin/dfmounts
1643 hardlink path=usr/sbin/disks target=../devfsadm
1644 hardlink path=usr/sbin/drvconfig target=../devfsadm
1645 hardlink path=usr/sbin/list_devices target=../usr/sbin/allocate
1646 hardlink path=usr/sbin/mkdevmaps target=../usr/sbin/mkdevalloc
1647 hardlink path=usr/sbin/modinfo target=../usr/lib/isaexec
1648 hardlink path=usr/sbin/modload target=../usr/lib/isaexec
1649 hardlink path=usr/sbin/modunload target=../usr/lib/isaexec
1650 hardlink path=usr/sbin/pbind target=../usr/lib/isaexec
1651 hardlink path=usr/sbin/ports target=../devfsadm
1652 hardlink path=usr/sbin/poweroff target=../halt
1653 hardlink path=usr/sbin/prtconf target=../usr/lib/isaexec
1654 $(sparc_ONLY)hardlink path=usr/sbin/prtdiag target=../usr/lib/platexec
1655 hardlink path=usr/sbin/psrset target=../usr/lib/isaexec
1656 hardlink path=usr/sbin/reboot target=../halt
1657 hardlink path=usr/sbin/rem_drv target=../usr/lib/isaexec
1658 hardlink path=usr/sbin/roleadd target=../usr/sbin/useradd
1659 hardlink path=usr/sbin/roledel target=../usr/sbin/userdel
1660 hardlink path=usr/sbin/rolemod target=../usr/sbin/usermod
1661 hardlink path=usr/sbin/share target=../usr/sbin/sharemgr
1662 hardlink path=usr/sbin/swap target=../usr/lib/isaexec
1663 hardlink path=usr/sbin/sysdef target=../usr/lib/isaexec
1664 hardlink path=usr/sbin/tapes target=../devfsadm
1665 hardlink path=usr/sbin/unshare target=../usr/sbin/sharemgr
1666 hardlink path=usr/sbin/update_drv target=../usr/lib/isaexec
1667 hardlink path=usr/sbin/whodo target=../usr/lib/isaexec
1668 legacy pkg=SUNWcsu \
1669   desc="core software for a specific instruction-set architecture" \
1670   name="Core Solaris, (Root)"
1671 legacy pkg=SUNWcsu \
1672   desc="core software for a specific instruction-set architecture" \
1673   name="Core Solaris, (Usr)"
1674 legacy pkg=SUNWfptr desc="FTP Server Configuration Files" \
1675   name="FTP Server, (Root)"
1676 license cr_Sun license=cr_Sun
1677 license lic_CDDL license=lic_CDDL
1678 license usr/src/cmd/inet/sbin/ifparse/THIRDPARTYLICENSE \
1679   license=usr/src/cmd/inet/sbin/ifparse/THIRDPARTYLICENSE
1680 license usr/src/cmd/inet/usr.lib.in.mpathd/THIRDPARTYLICENSE \
1681   license=usr/src/cmd/inet/usr.lib.in.mpathd/THIRDPARTYLICENSE
1682 license usr/src/cmd/inet/usr/sbin/THIRDPARTYLICENSE.arp \
1683   license=usr/src/cmd/inet/usr/sbin/THIRDPARTYLICENSE.arp
1684 license usr/src/cmd/inet/usr/sbin/THIRDPARTYLICENSE.route \
1685   license=usr/src/cmd/inet/usr/sbin/THIRDPARTYLICENSE.route
1686 license usr/src/cmd/inet/usr/sbin/ifconfig/THIRDPARTYLICENSE \
1687   license=usr/src/cmd/inet/usr/sbin/ifconfig/THIRDPARTYLICENSE
1688 license usr/src/cmd/inet/usr/sbin/traceroute/THIRDPARTYLICENSE \
1689   license=usr/src/cmd/inet/usr/sbin/traceroute/THIRDPARTYLICENSE
1690 license usr/src/cmd/cron/THIRDPARTYLICENSE \
1691   license=usr/src/cmd/cron/THIRDPARTYLICENSE
1692 license usr/src/cmd/csh/THIRDPARTYLICENSE \
1693   license=usr/src/cmd/csh/THIRDPARTYLICENSE
1694 license usr/src/cmd/EEPROM/THIRDPARTYLICENSE \
1695   license=usr/src/cmd/EEPROM/THIRDPARTYLICENSE
1696 license usr/src/cmd/fs.d/ufs/THIRDPARTYLICENSE \
1697   license=usr/src/cmd/fs.d/ufs/THIRDPARTYLICENSE
1698 license usr/src/cmd/mt/THIRDPARTYLICENSE \
1699   license=usr/src/cmd/mt/THIRDPARTYLICENSE
1700 license usr/src/cmd/script/THIRDPARTYLICENSE \
1701   license=usr/src/cmd/script/THIRDPARTYLICENSE
1702 license usr/src/cmd/sed/THIRDPARTYLICENSE \
1703   license=usr/src/cmd/sed/THIRDPARTYLICENSE
1704 license usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE \
1705   license=usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE
1706 license usr/src/cmd/tail/THIRDPARTYLICENSE \

```

```

1707 license=usr/src/cmd/tail/THIRDPARTYLICENSE
1708 license usr/src/cmd/tip/THIRDPARTYLICENSE \
1709 license=usr/src/cmd/tip/THIRDPARTYLICENSE
1710 license usr/src/cmd/tr/THIRDPARTYLICENSE \
1711 license=usr/src/cmd/tr/THIRDPARTYLICENSE
1712 license usr/src/cmd/vi/THIRDPARTYLICENSE \
1713 license=usr/src/cmd/vi/THIRDPARTYLICENSE
1714 license usr/src/cmd/which/THIRDPARTYLICENSE \
1715 license=usr/src/cmd/which/THIRDPARTYLICENSE
1716 license usr/src/cmd/xstr/THIRDPARTYLICENSE \
1717 license=usr/src/cmd/xstr/THIRDPARTYLICENSE
1718 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
1719 link path=bin target=./usr/bin
1720 link path=etc/TIMEZONE target=./default/init
1721 link path=etc/autopush target=./sbin/autopush
1722 link path=etc/cfgadm target=./usr/sbin/cfgadm
1723 link path=etc/clri target=./usr/sbin/clri
1724 link path=etc/cron target=./usr/sbin/cron
1725 link path=etc/dcopy target=./usr/sbin/dcopy
1726 link path=etc/ff target=./usr/sbin/ff
1727 link path=etc/fmthard target=./usr/sbin/fmthard
1728 link path=etc/format target=./usr/sbin/format
1729 link path=etc/fsck target=./usr/sbin/fsck
1730 link path=etc/fsdb target=./usr/sbin/fsdb
1731 link path=etc/fstyp target=./usr/sbin/fstyp
1732 link path=etc/ftusers target=./ftpd/ftusers
1733 link path=etc/getty target=./usr/lib/saf/ttymon
1734 link path=etc/grpck target=./usr/sbin/grpck
1735 link path=etc/halt target=./usr/sbin/halt
1736 link path=etc/hosts target=./inet/hosts
1737 link path=etc/inet/ipnodes target=./hosts
1738 link path=etc/inetd.conf target=./inet/inetd.conf
1739 link path=etc/init target=./sbin/init
1740 link path=etc/install target=./usr/sbin/install
1741 link path=etc/killall target=./usr/sbin/killall
1742 link path=etc/labelit target=./usr/sbin/labelit
1743 link path=etc/lib/ld.so.1 target=./lib/ld.so.1
1744 link path=etc/lib/libdl.so.1 target=./lib/libdl.so.1
1745 link path=etc/lib/nss_files.so.1 target=./lib/nss_files.so.1
1746 link path=etc/log target=./var/adm/log
1747 link path=etc/mkfs target=./usr/sbin/mkfs
1748 link path=etc/mknod target=./usr/sbin/mknod
1749 link path=etc/mount target=./sbin/mount
1750 link path=etc/mountall target=./sbin/mountall
1751 link path=etc/ncheck target=./usr/sbin/ncheck
1752 link path=etc/netmasks target=./inet/netmasks
1753 link path=etc/networks target=./inet/networks
1754 link path=etc/protocols target=./inet/protocols
1755 link path=etc/prtconf target=./usr/sbin/prtconf
1756 link path=etc/prvtoc target=./usr/sbin/prvtoc
1757 link path=etc/rc0 target=./sbin/rc0
1758 link path=etc/rc1 target=./sbin/rc1
1759 link path=etc/rc2 target=./sbin/rc2
1760 link path=etc/rc3 target=./sbin/rc3
1761 link path=etc/rc5 target=./sbin/rc5
1762 link path=etc/rc6 target=./sbin/rc6
1763 link path=etc/rcS target=./sbin/rcS
1764 link path=etc/reboot target=./usr/sbin/halt
1765 link path=etc/security/audit/localhost/files target=./lib/audit
1766 link path=etc/services target=./inet/services
1767 link path=etc/setmnt target=./usr/sbin/setmnt
1768 link path=etc/shutdown target=./usr/sbin/shutdown
1769 link path=etc/sulogin target=./sbin/sulogin
1770 link path=etc/swap target=./usr/sbin/swap
1771 link path=etc/swapadd target=./sbin/swapadd
1772 link path=etc/sysdef target=./usr/sbin/sysdef

```

```

1773 link path=etc/tar target=./usr/sbin/tar
1774 link path=etc/telinit target=./sbin/init
1775 link path=etc/uadmin target=./sbin/uadmin
1776 link path=etc/umount target=./sbin/umount
1777 link path=etc/umountall target=./sbin/umountall
1778 link path=etc/utmpx target=./var/adm/utmpx
1779 link path=etc/volcopy target=./usr/sbin/volcopy
1780 link path=etc/wall target=./usr/sbin/wall
1781 link path=etc/whodo target=./usr/sbin/whodo
1782 link path=etc/wtmpx target=./var/adm/wtmpx
1783 link path=sbin/in.mpathd target=./lib/inet/in.mpathd
1784 link path=sbin/jsh target=./usr/bin/ksh93
1785 link path=sbin/pfsh target=./usr/bin/pfexec
1786 link path=sbin/sh target=./usr/bin/$(ARCH32)/ksh93
1787 link path=sbin/su target=./usr/bin/su
1788 link path=usr/adm target=./var/adm
1789 link path=usr/bin/cachefspack target=./lib/fs/cachefs/cachefspack
1790 link path=usr/bin/cachefsstat target=./lib/fs/cachefs/cachefsstat
1791 link path=usr/bin/df target=./sbin/df
1792 link path=usr/bin/jsh target=ksh93
1793 link path=usr/bin/pwconv target=./sbin/pwconv
1794 link path=usr/bin/rmail target=./mail
1795 link path=usr/bin/sh target=$(ARCH32)/ksh93
1796 link path=usr/bin/strclean target=./sbin/strclean
1797 link path=usr/bin/strerr target=./sbin/strerr
1798 link path=usr/bin/sync target=./sbin/sync
1799 link path=usr/bin/tar target=./sbin/tar
1800 link path=usr/bin/uname target=./sbin/uname
1801 link path=usr/ccs/bin/m4 target=./bin/m4
1802 link path=usr/has/bin/jsh target=sh
1803 link path=usr/has/lib/rsh target=./bin/sh
1804 link path=usr/lib/$(ARCH64)/ld.so.1 target=./lib/$(ARCH64)/ld.so.1
1805 link path=usr/lib/cron target=./etc/cron.d
1806 link path=usr/lib/devfsadm/devfsadm target=./sbin/devfsadm
1807 link path=usr/lib/embedded_su target=./bin/su
1808 link path=usr/lib/fs/dev/mount target=./etc/fs/dev/mount
1809 link path=usr/lib/fs/hsfs/mount target=./etc/fs/hsfs/mount
1810 link path=usr/lib/fs/ufs/mount target=./etc/fs/ufs/mount
1811 link path=usr/lib/inet/in.mpathd target=./lib/inet/in.mpathd
1812 link path=usr/lib/ld.so.1 target=./lib/ld.so.1
1813 link path=usr/lib/locale/POSIX target=./C
1814 link path=usr/lib/rsh target=./bin/ksh93
1815 link path=usr/lib/secure/32 target=.
1816 link path=usr/lib/secure/64 target=$(ARCH64)
1817 link path=usr/lib/wusbd target=./sbin/wusbdadm
1818 link path=usr/mail target=./var/mail
1819 link path=usr/net/nls/listen target=./lib/saf/listen
1820 link path=usr/net/nls/nlps_server target=./lib/saf/nlps_server
1821 link path=usr/news target=./var/news
1822 link path=usr/preserve target=./var/preserve
1823 link path=usr/pub target=./share/lib/pub
1824 link path=usr/sbin/autopush target=./sbin/autopush
1825 link path=usr/sbin/bootadm target=./sbin/bootadm
1826 link path=usr/sbin/cachefslog target=./lib/fs/cachefs/cachefslog
1827 link path=usr/sbin/cachefswsize target=./lib/fs/cachefs/cachefswsize
1828 link path=usr/sbin/cfsadmin target=./lib/fs/cachefs/cfsadmin
1829 link path=usr/sbin/cryptoadm target=./sbin/cryptoadm
1830 link path=usr/sbin/dcopy target=./clri
1831 link path=usr/sbin/devnm target=./df
1832 link path=usr/sbin/dladm target=./sbin/dladm
1833 link path=usr/sbin/dlstat target=./sbin/dlstat
1834 link path=usr/sbin/edquota target=./lib/fs/ufs/edquota
1835 link path=usr/sbin/fdisk target=./sbin/fdisk
1836 link path=usr/sbin/fiocompress target=./sbin/fiocompress
1837 link path=usr/sbin/flowadm target=./sbin/flowadm
1838 link path=usr/sbin/flowstat target=./sbin/flowstat

```



```
1839 link path=usr/sbin/fsdb target=./clri
1840 link path=usr/sbin/fsirand target=../lib/fs/ufs/fsirand
1841 link path=usr/sbin/fssnap target=./clri
1842 link path=usr/sbin/hostconfig target=../sbin/hostconfig
1843 link path=usr/sbin/ifconfig target=../sbin/ifconfig
1844 link path=usr/sbin/inetd target=../lib/inet/inetd
1845 link path=usr/sbin/init target=../sbin/init
1846 $(i386_ONLY)link path=usr/sbin/installgrub target=../sbin/installgrub
1847 link path=usr/sbin/ipadm target=../sbin/ipadm
1848 link path=usr/sbin/impstat target=../sbin/impstat
1849 link path=usr/sbin/labelit target=./clri
1850 link path=usr/sbin/lockfs target=../lib/fs/ufs/lockfs
1851 link path=usr/sbin/mkfs target=./clri
1852 link path=usr/sbin/mount target=../sbin/mount
1853 link path=usr/sbin/ncheck target=./ff
1854 link path=usr/sbin/newfs target=../lib/fs/ufs/newfs
1855 link path=usr/sbin/quot target=../lib/fs/ufs/quot
1856 link path=usr/sbin/quota target=../lib/fs/ufs/quota
1857 link path=usr/sbin/quotacheck target=../lib/fs/ufs/quotacheck
1858 link path=usr/sbin/quotaoff target=../lib/fs/ufs/quotaoff
1859 link path=usr/sbin/quotaon target=../lib/fs/ufs/quotaon
1860 link path=usr/sbin/repquota target=../lib/fs/ufs/repquota
1861 link path=usr/sbin/route target=../sbin/route
1862 link path=usr/sbin/routeadm target=../sbin/routeadm
1863 link path=usr/sbin/sync target=../sbin/sync
1864 link path=usr/sbin/tunefs target=../lib/fs/ufs/tunefs
1865 link path=usr/sbin/tzreload target=../sbin/tzreload
1866 link path=usr/sbin/uadmin target=../sbin/uadmin
1867 link path=usr/sbin/ufsdump target=../lib/fs/ufs/ufsdump
1868 link path=usr/sbin/ufsrestore target=../lib/fs/ufs/ufsrestore
1869 link path=usr/sbin/umount target=../sbin/umount
1870 link path=usr/sbin/wusbadm target=../sbin/wusbadm
1871 link path=usr/spool target=./var/spool
1872 link path=usr/src target=./share/src
1873 link path=usr/tmp target=./var/tmp
1874 link path=var/ld/32 target=.
1875 link path=var/ld/64 target=$(ARCH64)
1876 #
1877 # The bootadm binary needs the etc/release file.
1878 #
1879 depend fmri=release/name type=require
1880 #
1881 # intrd and others use the illumos-defaulted perl interpreter
1882 #
1883 depend fmri=runtime/perl$(PERL_PKGVERS) type=require
1884 #
1885 # intrd uses sun-solaris Perl modules
1886 #
1887 depend fmri=runtime/perl$(PERL_PKGVERS)/module/sun-solaris type=require
1888 #
1889 # The loadkeys binary needs the keytables.
1890 #
1891 depend fmri=system/data/keyboard/keytables type=require
1892 #
1893 # Depend on terminfo data.
1894 #
1895 depend fmri=system/data/terminfo type=require
1896 #
1897 # Depend on zoneinfo data.
1898 #
1899 depend fmri=system/data/zoneinfo type=require
```

```

*****
17533 Tue Oct 7 19:19:55 2014
new/usr/src/pkg/manifests/consolidation-osnet-osnet-message-files.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24 #endif /* ! codereview */

26 set name=pkg.fmri \
27     value=pkg:/consolidation/osnet/osnet-message-files@$(PKGVERS)
28 set name=pkg.description \
29     value="localizable message files for the OS-Networking consolidation"
30 set name=pkg.summary value="Localizable ON message files"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:Development/System

34 #
35 # This package should not have automated dependencies generated because
36 # it provides messages only.
37 #
38 set name=org.opensolaris.nodepend value=true
39 set name=variant.arch value=$(ARCH)
40 dir path=usr group=sys
41 dir path=usr/lib
42 dir path=usr/lib/help
43 dir path=usr/lib/help/auths
44 dir path=usr/lib/help/auths/locale
45 dir path=usr/lib/help/profiles
46 dir path=usr/lib/help/profiles/locale
47 dir path=usr/lib/locale
48 dir path=usr/lib/locale/C
49 dir path=usr/lib/locale/C/LC_MESSAGES
50 dir path=usr/lib/locale/C/LC_TIME
51 dir path=usr/share
52 dir path=usr/share/lib
53 dir path=usr/share/lib/locale
54 dir path=usr/share/lib/locale/com
55 dir path=usr/share/lib/locale/com/sun
56 dir path=usr/share/lib/locale/com/sun/admin
57 dir path=usr/share/lib/locale/com/sun/admin/pm
58 dir path=usr/share/lib/locale/com/sun/admin/pm/client
23 dir path=usr/share/lib/locale/com/sun/dhcppmgr

```

```

24 dir path=usr/share/lib/locale/com/sun/dhcppmgr/bridge
25 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli
26 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/common
27 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppbatch
28 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppconfig
29 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhtadm
30 dir path=usr/share/lib/locale/com/sun/dhcppmgr/cli/pntadm
31 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client
32 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWbinfiles
33 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWfiles
34 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/help
35 dir path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art
36 dir path=usr/share/lib/locale/com/sun/dhcppmgr/common
37 dir path=usr/share/lib/locale/com/sun/dhcppmgr/data
38 dir path=usr/share/lib/locale/com/sun/dhcppmgr/ui
59 dir path=usr/share/lib/locale/com/sun/slp
60 file path=usr/lib/help/auths/locale/AllSolAuthsHeader.html
61 file path=usr/lib/help/auths/locale/AuditHeader.html
62 file path=usr/lib/help/auths/locale/AuthJobsAdmin.html
63 file path=usr/lib/help/auths/locale/AuthJobsUser.html
64 file path=usr/lib/help/auths/locale/AuthProfmgrAssign.html
65 file path=usr/lib/help/auths/locale/AuthProfmgrDelegate.html
66 file path=usr/lib/help/auths/locale/AuthProfmgrExecattrWrite.html
67 file path=usr/lib/help/auths/locale/AuthProfmgrRead.html
68 file path=usr/lib/help/auths/locale/AuthProfmgrWrite.html
69 file path=usr/lib/help/auths/locale/AuthReadNDMP.html
70 file path=usr/lib/help/auths/locale/AuthReadSMB.html
71 file path=usr/lib/help/auths/locale/AuthRoleAssign.html
72 file path=usr/lib/help/auths/locale/AuthRoleDelegate.html
73 file path=usr/lib/help/auths/locale/AuthRoleWrite.html
74 file path=usr/lib/help/auths/locale/BindStates.html
75 file path=usr/lib/help/auths/locale/DevAllocHeader.html
76 file path=usr/lib/help/auths/locale/DevAllocate.html
77 file path=usr/lib/help/auths/locale/DevCDRW.html
78 file path=usr/lib/help/auths/locale/DevConfig.html
79 file path=usr/lib/help/auths/locale/DevGrant.html
80 file path=usr/lib/help/auths/locale/DevRevoke.html
81 file path=usr/lib/help/auths/locale/DhcppmgrHeader.html
82 file path=usr/lib/help/auths/locale/DhcppmgrWrite.html
83 file path=usr/lib/help/auths/locale/FileChown.html
84 file path=usr/lib/help/auths/locale/FileHeader.html
85 file path=usr/lib/help/auths/locale/FileOwner.html
86 file path=usr/lib/help/auths/locale/HotplugHeader.html
87 file path=usr/lib/help/auths/locale/HotplugModify.html
88 file path=usr/lib/help/auths/locale/IdmapRules.html
89 file path=usr/lib/help/auths/locale/JobHeader.html
90 file path=usr/lib/help/auths/locale/JobsGrant.html
91 file path=usr/lib/help/auths/locale/LabelFileDowngrade.html
92 file path=usr/lib/help/auths/locale/LabelFileUpgrade.html
93 file path=usr/lib/help/auths/locale/LabelHeader.html
94 file path=usr/lib/help/auths/locale/LabelPrint.html
95 file path=usr/lib/help/auths/locale/LabelRange.html
96 file path=usr/lib/help/auths/locale/LabelServer.html
97 file path=usr/lib/help/auths/locale/LabelWinDowngrade.html
98 file path=usr/lib/help/auths/locale/LabelWinNoView.html
99 file path=usr/lib/help/auths/locale/LabelWinUpgrade.html
100 file path=usr/lib/help/auths/locale/LinkSecurity.html
101 file path=usr/lib/help/auths/locale/LoginEnable.html
102 file path=usr/lib/help/auths/locale/LoginHeader.html
103 file path=usr/lib/help/auths/locale/LoginRemote.html
104 file path=usr/lib/help/auths/locale/MailHeader.html
105 file path=usr/lib/help/auths/locale/MailQueue.html
106 file path=usr/lib/help/auths/locale/NetworkAutoconfRead.html
107 file path=usr/lib/help/auths/locale/NetworkAutoconfSelect.html
108 file path=usr/lib/help/auths/locale/NetworkAutoconfWlan.html
109 file path=usr/lib/help/auths/locale/NetworkAutoconfWrite.html

```

110 file path=usr/lib/help/auths/locale/NetworkHeader.html
111 file path=usr/lib/help/auths/locale/NetworkILBoconf.html
112 file path=usr/lib/help/auths/locale/NetworkILBInterface.html
113 file path=usr/lib/help/auths/locale/NetworkInterfaceConfig.html
114 file path=usr/lib/help/auths/locale/NetworkVRRP.html
115 file path=usr/lib/help/auths/locale/PriAdmin.html
116 file path=usr/lib/help/auths/locale/PrintAdmin.html
117 file path=usr/lib/help/auths/locale/PrintCancel.html
118 file path=usr/lib/help/auths/locale/PrintHeader.html
119 file path=usr/lib/help/auths/locale/PrintList.html
120 file path=usr/lib/help/auths/locale/PrintNoBanner.html
121 file path=usr/lib/help/auths/locale/PrintPs.html
122 file path=usr/lib/help/auths/locale/PrintUnlabeled.html
123 file path=usr/lib/help/auths/locale/ProfmgrHeader.html
124 file path=usr/lib/help/auths/locale/RoleHeader.html
125 file path=usr/lib/help/auths/locale/SmfAllocate.html
126 file path=usr/lib/help/auths/locale/SmfAutofsStates.html
127 file path=usr/lib/help/auths/locale/SmfCoreadmStates.html
128 file path=usr/lib/help/auths/locale/SmfCronStates.html
129 file path=usr/lib/help/auths/locale/SmfExAcctFlowStates.html
130 file path=usr/lib/help/auths/locale/SmfExAcctNetStates.html
131 file path=usr/lib/help/auths/locale/SmfExAcctProcessStates.html
132 file path=usr/lib/help/auths/locale/SmfExAcctTaskStates.html
133 file path=usr/lib/help/auths/locale/SmfHeader.html
134 file path=usr/lib/help/auths/locale/SmfILBStates.html
135 file path=usr/lib/help/auths/locale/SmfIPsecStates.html
136 file path=usr/lib/help/auths/locale/SmfIdmapStates.html
137 file path=usr/lib/help/auths/locale/SmfInetdStates.html
138 file path=usr/lib/help/auths/locale/SmfLocationStates.html
139 file path=usr/lib/help/auths/locale/SmfMDNSStates.html
140 file path=usr/lib/help/auths/locale/SmfManageAudit.html
141 file path=usr/lib/help/auths/locale/SmfManageHeader.html
142 file path=usr/lib/help/auths/locale/SmfManageHotplug.html
143 file path=usr/lib/help/auths/locale/SmfManageZFSNap.html
144 file path=usr/lib/help/auths/locale/SmfModifyAppl.html
145 file path=usr/lib/help/auths/locale/SmfModifyDepend.html
146 file path=usr/lib/help/auths/locale/SmfModifyFramework.html
147 file path=usr/lib/help/auths/locale/SmfModifyHeader.html
148 file path=usr/lib/help/auths/locale/SmfModifyMethod.html
149 file path=usr/lib/help/auths/locale/SmfNADDStates.html
150 file path=usr/lib/help/auths/locale/SmfNDMPStates.html
151 file path=usr/lib/help/auths/locale/SmfNWAMStates.html
152 file path=usr/lib/help/auths/locale/SmfNscdStates.html
153 file path=usr/lib/help/auths/locale/SmfPowerStates.html
154 file path=usr/lib/help/auths/locale/SmfReparseStates.html
155 file path=usr/lib/help/auths/locale/SmfRoutingStates.html
156 file path=usr/lib/help/auths/locale/SmfSMBFSStates.html
157 file path=usr/lib/help/auths/locale/SmfSMBStates.html
158 file path=usr/lib/help/auths/locale/SmfSendmailStates.html
159 file path=usr/lib/help/auths/locale/SmfSshStates.html
160 file path=usr/lib/help/auths/locale/SmfSyslogStates.html
161 file path=usr/lib/help/auths/locale/SmfVRRPStates.html
162 file path=usr/lib/help/auths/locale/SmfValueAudit.html
163 file path=usr/lib/help/auths/locale/SmfValueCoreadm.html
164 file path=usr/lib/help/auths/locale/SmfValueExAcctFlow.html
165 file path=usr/lib/help/auths/locale/SmfValueExAcctNet.html
166 file path=usr/lib/help/auths/locale/SmfValueExAcctProcess.html
167 file path=usr/lib/help/auths/locale/SmfValueExAcctTask.html
168 file path=usr/lib/help/auths/locale/SmfValueFirewall.html
169 file path=usr/lib/help/auths/locale/SmfValueHeader.html
170 file path=usr/lib/help/auths/locale/SmfValueIPsec.html
171 file path=usr/lib/help/auths/locale/SmfValueIdmap.html
172 file path=usr/lib/help/auths/locale/SmfValueInetd.html
173 file path=usr/lib/help/auths/locale/SmfValueMDNS.html
174 file path=usr/lib/help/auths/locale/SmfValueNADD.html
175 file path=usr/lib/help/auths/locale/SmfValueNDMP.html

176 file path=usr/lib/help/auths/locale/SmfValueNWAM.html
177 file path=usr/lib/help/auths/locale/SmfValueRouting.html
178 file path=usr/lib/help/auths/locale/SmfValueSMB.html
179 file path=usr/lib/help/auths/locale/SmfValueVscan.html
180 file path=usr/lib/help/auths/locale/SmfValueVt.html
181 file path=usr/lib/help/auths/locale/SmfVscanStates.html
182 file path=usr/lib/help/auths/locale/SmfVtStates.html
183 file path=usr/lib/help/auths/locale/SmfWpaStates.html
184 file path=usr/lib/help/auths/locale/SysCpuPowerMgmt.html
185 file path=usr/lib/help/auths/locale/SysDate.html
186 file path=usr/lib/help/auths/locale/SysHeader.html
187 file path=usr/lib/help/auths/locale/SysMaintenance.html
188 file path=usr/lib/help/auths/locale/SysPowerMgmtBrightness.html
189 file path=usr/lib/help/auths/locale/SysPowerMgmtHeader.html
190 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspend.html
191 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspendtoDisk.html
192 file path=usr/lib/help/auths/locale/SysPowerMgmtSuspendtoRAM.html
193 file path=usr/lib/help/auths/locale/SysShutdown.html
194 file path=usr/lib/help/auths/locale/SysSyseventRead.html
195 file path=usr/lib/help/auths/locale/SysSyseventWrite.html
196 file path=usr/lib/help/auths/locale/TNDAemon.html
197 file path=usr/lib/help/auths/locale/TNctl.html
198 file path=usr/lib/help/auths/locale/ValueTND.html
199 file path=usr/lib/help/auths/locale/WifiConfig.html
200 file path=usr/lib/help/auths/locale/WifiWep.html
201 file path=usr/lib/help/auths/locale/ZoneCloneFrom.html
202 file path=usr/lib/help/auths/locale/ZoneHeader.html
203 file path=usr/lib/help/auths/locale/ZoneLogin.html
204 file path=usr/lib/help/auths/locale/ZoneManage.html
205 file path=usr/lib/help/profiles/locale/RtAcctadm.html
206 file path=usr/lib/help/profiles/locale/RtAll.html
207 file path=usr/lib/help/profiles/locale/RtAuditCfg.html
208 file path=usr/lib/help/profiles/locale/RtAuditCtrl.html
209 file path=usr/lib/help/profiles/locale/RtAuditReview.html
210 file path=usr/lib/help/profiles/locale/RtCPUPowerManagement.html
211 file path=usr/lib/help/profiles/locale/RtConsUser.html
212 file path=usr/lib/help/profiles/locale/RtContractObserver.html
213 file path=usr/lib/help/profiles/locale/RtCronMngmnt.html
214 file path=usr/lib/help/profiles/locale/RtCryptoMngmnt.html
215 file path=usr/lib/help/profiles/locale/RtDHCPMngmnt.html
216 file path=usr/lib/help/profiles/locale/RtDatAdmin.html
217 file path=usr/lib/help/profiles/locale/RtDefault.html
218 file path=usr/lib/help/profiles/locale/RtDeviceMngmnt.html
219 file path=usr/lib/help/profiles/locale/RtDeviceSecurity.html
220 file path=usr/lib/help/profiles/locale/RtExAcctFlow.html
221 file path=usr/lib/help/profiles/locale/RtExAcctNet.html
222 file path=usr/lib/help/profiles/locale/RtExAcctProcess.html
223 file path=usr/lib/help/profiles/locale/RtExAcctTask.html
224 file path=usr/lib/help/profiles/locale/RtFTPMngmnt.html
225 file path=usr/lib/help/profiles/locale/RtFileSysMngmnt.html
226 file path=usr/lib/help/profiles/locale/RtFileSysSecurity.html
227 file path=usr/lib/help/profiles/locale/RtHotplugMngmnt.html
228 file path=usr/lib/help/profiles/locale/RtIPFilterMngmnt.html
229 file path=usr/lib/help/profiles/locale/RtIdmapMngmnt.html
230 file path=usr/lib/help/profiles/locale/RtIdmapNameRulesMngmnt.html
231 file path=usr/lib/help/profiles/locale/RtInetdMngmnt.html
232 file path=usr/lib/help/profiles/locale/RtInfoSec.html
233 file path=usr/lib/help/profiles/locale/RtKerberosCIntMngmnt.html
234 file path=usr/lib/help/profiles/locale/RtKerberosSrvrMngmnt.html
235 file path=usr/lib/help/profiles/locale/RtLogMngmnt.html
236 file path=usr/lib/help/profiles/locale/RtMailMngmnt.html
237 file path=usr/lib/help/profiles/locale/RtMaintAndRepair.html
238 file path=usr/lib/help/profiles/locale/RtMediaBkup.html
239 file path=usr/lib/help/profiles/locale/RtMediaCtlg.html
240 file path=usr/lib/help/profiles/locale/RtMediaRestore.html
241 file path=usr/lib/help/profiles/locale/RtNDMPMngmnt.html

```

242 file path=usr/lib/help/profiles/locale/RtNameServiceAdmin.html
243 file path=usr/lib/help/profiles/locale/RtNameServiceSecure.html
244 file path=usr/lib/help/profiles/locale/RtNetAutoconfAdmin.html
245 file path=usr/lib/help/profiles/locale/RtNetAutoconfUser.html
246 file path=usr/lib/help/profiles/locale/RtNetILB.html
247 file path=usr/lib/help/profiles/locale/RtNetIPsec.html
248 file path=usr/lib/help/profiles/locale/RtNetLinkSecure.html
249 file path=usr/lib/help/profiles/locale/RtNetMngmnt.html
250 file path=usr/lib/help/profiles/locale/RtNetObservability.html
251 file path=usr/lib/help/profiles/locale/RtNetSecure.html
252 file path=usr/lib/help/profiles/locale/RtNetVRRP.html
253 file path=usr/lib/help/profiles/locale/RtNetWifiMngmnt.html
254 file path=usr/lib/help/profiles/locale/RtNetWifiSecure.html
255 file path=usr/lib/help/profiles/locale/RtObAccessMngmnt.html
256 file path=usr/lib/help/profiles/locale/RtObjectLabelMngmnt.html
257 file path=usr/lib/help/profiles/locale/RtOperator.html
258 file path=usr/lib/help/profiles/locale/RtOutsideAccred.html
259 file path=usr/lib/help/profiles/locale/RtPriAdmin.html
260 file path=usr/lib/help/profiles/locale/RtPrntAdmin.html
261 file path=usr/lib/help/profiles/locale/RtProcManagement.html
262 file path=usr/lib/help/profiles/locale/RtRepairMngmnt.html
263 file path=usr/lib/help/profiles/locale/RtReservedProfile.html
264 file path=usr/lib/help/profiles/locale/RtRightsDelegate.html
265 file path=usr/lib/help/profiles/locale/RtSMBFSMngmnt.html
266 file path=usr/lib/help/profiles/locale/RtSMBMngmnt.html
267 file path=usr/lib/help/profiles/locale/RtSoftwareInstall.html
268 file path=usr/lib/help/profiles/locale/RtSysAdmin.html
269 file path=usr/lib/help/profiles/locale/RtSysEvMngmnt.html
270 file path=usr/lib/help/profiles/locale/RtSysPowerMgmt.html
271 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtBrightness.html
272 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspend.html
273 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspendtoDisk.html
274 file path=usr/lib/help/profiles/locale/RtSysPowerMgmtSuspendtoRAM.html
275 file path=usr/lib/help/profiles/locale/RtUserMngmnt.html
276 file path=usr/lib/help/profiles/locale/RtUserSecurity.html
277 file path=usr/lib/help/profiles/locale/RtVscanMngmnt.html
278 file path=usr/lib/help/profiles/locale/RtZFSFileSysMngmnt.html
279 file path=usr/lib/help/profiles/locale/RtZFSStorageMngmnt.html
280 file path=usr/lib/help/profiles/locale/RtZoneMngmnt.html
281 file path=usr/lib/help/profiles/locale/RtZoneSecurity.html
282 file path=usr/lib/locale/C/LC_MESSAGES/AMD.po
283 file path=usr/lib/locale/C/LC_MESSAGES/DISK.po
284 file path=usr/lib/locale/C/LC_MESSAGES/FMD.po
285 file path=usr/lib/locale/C/LC_MESSAGES/FMNOTIFY.po
286 file path=usr/lib/locale/C/LC_MESSAGES/GMCA.po
287 file path=usr/lib/locale/C/LC_MESSAGES/INTEL.po
288 file path=usr/lib/locale/C/LC_MESSAGES/NXGE.po
289 file path=usr/lib/locale/C/LC_MESSAGES/PCI.po
290 file path=usr/lib/locale/C/LC_MESSAGES/PCIEX.po
291 file path=usr/lib/locale/C/LC_MESSAGES/SCA1000.po
292 file path=usr/lib/locale/C/LC_MESSAGES/SCA500.po
293 file path=usr/lib/locale/C/LC_MESSAGES/SCF.po
294 file path=usr/lib/locale/C/LC_MESSAGES/SENSOR.po
295 file path=usr/lib/locale/C/LC_MESSAGES/SMF.po
296 file path=usr/lib/locale/C/LC_MESSAGES/STORAGE.po
297 file path=usr/lib/locale/C/LC_MESSAGES/SUN4.po
298 file path=usr/lib/locale/C/LC_MESSAGES/SUN4U.po
299 file path=usr/lib/locale/C/LC_MESSAGES/SUN4V.po
300 file path=usr/lib/locale/C/LC_MESSAGES/SUNOS.po
301 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_ADMIN.po group=sys
302 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_LINFO group=sys
303 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_NETRPC.po group=sys
304 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_OSCMD.po group=sys
305 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_OSLIB.po group=sys
306 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_SGS.po group=sys
307 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_SYSPAM.po group=sys

```

```

308 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_UCBCMD.po group=sys
309 file path=usr/lib/locale/C/LC_MESSAGES/SUNW_OST_ZONEINFO.po group=sys
310 file path=usr/lib/locale/C/LC_MESSAGES/ZFS.po
311 file path=usr/lib/locale/C/LC_MESSAGES/libast group=sys
312 file path=usr/lib/locale/C/LC_MESSAGES/libcmd group=sys
313 file path=usr/lib/locale/C/LC_MESSAGES/libdll group=sys
314 file path=usr/lib/locale/C/LC_MESSAGES/libshell group=sys
315 file path=usr/lib/locale/C/LC_MESSAGES/libsum group=sys
316 file path=usr/lib/locale/C/LC_MESSAGES/magic group=sys
317 file path=usr/lib/locale/C/LC_MESSAGES/mailx.help group=sys
318 file path=usr/lib/locale/C/LC_MESSAGES/more.help group=sys
319 file path=usr/lib/locale/C/LC_MESSAGES/priv_names group=sys
320 file path=usr/lib/locale/C/LC_MESSAGES/uxlibc.src group=sys
321 file path=usr/lib/locale/C/LC_TIME/SUNW_OST_OSCMD.po group=sys
322 file path=usr/lib/locale/C/LC_TIME/SUNW_OST_OSLIB.po group=sys
323 file path=usr/share/lib/locale/com/sun/admin/pm/client/pmHelpResources.java \
324 group=lp
325 file path=usr/share/lib/locale/com/sun/admin/pm/client/pmResources.java \
326 group=lp
307 file \
308 path=usr/share/lib/locale/com/sun/dhcppmgr/bridge/ResourceBundle.properties
309 file \
310 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/common/ResourceBundle.properti
311 file \
312 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppbatch/ResourceBundle.prope
313 file \
314 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhcppconfig/ResourceBundle.prop
315 file \
316 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/dhtadm/ResourceBundle.properti
317 file \
318 path=usr/share/lib/locale/com/sun/dhcppmgr/cli/pntadm/ResourceBundle.properti
319 file \
320 path=usr/share/lib/locale/com/sun/dhcppmgr/client/OptionDescriptions.properti
321 file \
322 path=usr/share/lib/locale/com/sun/dhcppmgr/client/ResourceBundle.properties
323 file \
324 path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWbinfiles/ResourceBundle
325 file \
326 path=usr/share/lib/locale/com/sun/dhcppmgr/client/SUNWfiles/ResourceBundle.pr
327 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/bannersmc.gif
328 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/dot1.gif
329 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/dot2.gif
330 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/folder.gif
331 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/macro2.gif
332 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/macroflow.gif
333 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/art/tip2.gif
334 file \
335 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_create.html
336 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_del.html
337 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_dup.html
338 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_how.html
339 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_mod.html
340 file \
341 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_multi.html
342 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_ref.html
343 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_rel.html
344 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_view.html
345 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_addr_wiz.html
346 file \
347 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_config_wiz.html
348 file \
349 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_convert_wiz.html
350 file \
351 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_export_wiz.html
352 file \
353 path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_import_wiz.html

```

```
354 file \
355   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_create.html
356 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_del.html
357 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_dup.html
358 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_how.html
359 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_mod.html
360 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_ref.html
361 file \
362   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macro_view.html
363 file \
364   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_macros_about.html
365 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_hlp.html
366 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_how.html
367 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_idx.html
368 file \
369   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_menus.html
370 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_main_top.html
371 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_del.html
372 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_ref.html
373 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_net_wiz.html
374 file \
375   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_create.htm
376 file \
377   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_del.html
378 file \
379   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_dup.html
380 file \
381   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_how.html
382 file \
383   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_mod.html
384 file \
385   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_ref.html
386 file \
387   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_tags.html
388 file \
389   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_option_view.html
390 file \
391   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_choose.html
392 file \
393   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_config.html
394 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_dis.html
395 file \
396   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_enable.html
397 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_how.html
398 file path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_ref.html
399 file \
400   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_serv.html
401 file \
402   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_relay_unconfig.ht
403 file \
404   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_server_serv.html
405 file \
406   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_server_unconfig.h
407 file \
408   path=usr/share/lib/locale/com/sun/dhcppmgr/client/help/dhcp_solaris_about.htm
409 file \
410   path=usr/share/lib/locale/com/sun/dhcppmgr/common/ResourceBundle.properties
411 file path=usr/share/lib/locale/com/sun/dhcppmgr/data/ResourceBundle.properties
412 file path=usr/share/lib/locale/com/sun/dhcppmgr/ui/ResourceBundle.properties
427 file path=usr/share/lib/locale/com/sun/slp/ClientLib_en.properties group=sys
428 file path=usr/share/lib/locale/com/sun/slp/Server_en.properties group=sys
429 legacy pkg=SUNW0on arch=all \
430   desc="localizable message files for the OS-Networking consolidation" \
431   name="Localizable ON message files" version=11.11,REV=2009.11.10
432 license cr_Sun license=cr_Sun
433 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/network-dhcp-dhcpmgr.mf

1

```
*****
1062 Tue Oct 7 19:19:55 2014
new/usr/src/pkg/manifests/network-dhcp-dhcpmgr.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jeffpc@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/network/dhcp/dhcpmgr@$(PKGVERS)
29 set name=pkg.obsolete value=true
24 set name=pkg.description \
25 value="Graphical management interface for the DHCP server"
26 set name=pkg.summary value="DHCP Manager"
27 set name=info.classification \
28 value=org.opensolaris.category.2008:System/Services
30 set name=variant.arch value=$(ARCH)
30 dir path=usr group=sys
31 dir path=usr/sadm
32 dir path=usr/sadm/admin
33 dir path=usr/sadm/admin/bin
34 dir path=usr/sadm/admin/dhcpmgr
35 dir path=usr/sadm/admin/dhcpmgr/help
36 dir path=usr/sadm/admin/dhcpmgr/help/art
37 dir path=usr/share/man/man1m
38 file path=usr/sadm/admin/bin/dhcpmgr mode=0555
39 file path=usr/sadm/admin/dhcpmgr/SUNWfiles.jar mode=0444
40 file path=usr/sadm/admin/dhcpmgr/dhcpmgr.jar mode=0444
41 file path=usr/sadm/admin/dhcpmgr/dhcpmgr.so.1 mode=0755
42 file path=usr/sadm/admin/dhcpmgr/help/art/bannersmc.gif mode=0444
43 file path=usr/sadm/admin/dhcpmgr/help/art/dot1.gif mode=0444
44 file path=usr/sadm/admin/dhcpmgr/help/art/dot2.gif mode=0444
45 file path=usr/sadm/admin/dhcpmgr/help/art/folder.gif mode=0444
46 file path=usr/sadm/admin/dhcpmgr/help/art/macro2.gif mode=0444
47 file path=usr/sadm/admin/dhcpmgr/help/art/macroflow.gif mode=0444
48 file path=usr/sadm/admin/dhcpmgr/help/art/tip2.gif mode=0444
49 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_create.html mode=0444
50 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_del.html mode=0444
51 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_dup.html mode=0444
52 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_how.html mode=0444
53 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_mod.html mode=0444
```

new/usr/src/pkg/manifests/network-dhcp-dhcpmgr.mf

2

```
54 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_multi.html mode=0444
55 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_ref.html mode=0444
56 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_rel.html mode=0444
57 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_view.html mode=0444
58 file path=usr/sadm/admin/dhcpmgr/help/dhcp_addr_wiz.html mode=0444
59 file path=usr/sadm/admin/dhcpmgr/help/dhcp_config_wiz.html mode=0444
60 file path=usr/sadm/admin/dhcpmgr/help/dhcp_convert_wiz.html mode=0444
61 file path=usr/sadm/admin/dhcpmgr/help/dhcp_export_wiz.html mode=0444
62 file path=usr/sadm/admin/dhcpmgr/help/dhcp_import_wiz.html mode=0444
63 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_create.html mode=0444
64 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_del.html mode=0444
65 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_dup.html mode=0444
66 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_how.html mode=0444
67 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_mod.html mode=0444
68 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_ref.html mode=0444
69 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macro_view.html mode=0444
70 file path=usr/sadm/admin/dhcpmgr/help/dhcp_macros_about.html mode=0444
71 file path=usr/sadm/admin/dhcpmgr/help/dhcp_main_hlp.html mode=0444
72 file path=usr/sadm/admin/dhcpmgr/help/dhcp_main_how.html mode=0444
73 file path=usr/sadm/admin/dhcpmgr/help/dhcp_main_idx.html mode=0444
74 file path=usr/sadm/admin/dhcpmgr/help/dhcp_main_menus.html mode=0444
75 file path=usr/sadm/admin/dhcpmgr/help/dhcp_main_top.html mode=0444
76 file path=usr/sadm/admin/dhcpmgr/help/dhcp_net_del.html mode=0444
77 file path=usr/sadm/admin/dhcpmgr/help/dhcp_net_ref.html mode=0444
78 file path=usr/sadm/admin/dhcpmgr/help/dhcp_net_wiz.html mode=0444
79 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_create.html mode=0444
80 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_del.html mode=0444
81 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_dup.html mode=0444
82 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_how.html mode=0444
83 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_mod.html mode=0444
84 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_ref.html mode=0444
85 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_tags.html mode=0444
86 file path=usr/sadm/admin/dhcpmgr/help/dhcp_option_view.html mode=0444
87 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_choose.html mode=0444
88 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_config.html mode=0444
89 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_dis.html mode=0444
90 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_enable.html mode=0444
91 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_how.html mode=0444
92 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_ref.html mode=0444
93 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_serv.html mode=0444
94 file path=usr/sadm/admin/dhcpmgr/help/dhcp_relay_unconfig.html mode=0444
95 file path=usr/sadm/admin/dhcpmgr/help/dhcp_server_serv.html mode=0444
96 file path=usr/sadm/admin/dhcpmgr/help/dhcp_server_unconfig.html mode=0444
97 file path=usr/sadm/admin/dhcpmgr/help/dhcp_solaris_about.html mode=0444
98 file path=usr/share/man/man1m/dhcpmgr.1m
99 legacy pkg=SUNWdhcm desc="Graphical management interface for the DHCP server" \
100 name="DHCP Manager"
101 license cr_Sun license=cr_Sun
102 license lic_CDDL license=lic_CDDL
103 link path=usr/sbin/dhcpmgr target=../sadm/admin/bin/dhcpmgr
104 depend fmri=runtime/java type=require
```

new/usr/src/pkg/manifests/service-network-dhcp-datastore-binfiles.mf

1

1087 Tue Oct 7 19:19:55 2014

new/usr/src/pkg/manifests/service-network-dhcp-datastore-binfiles.mf

4174 Torch the old and unmaintained Sun-dhcp

Reviewed by: Josef Sipek <jeffpc@josefsipek.net>

Reviewed by: Garrett D'Amore <garrett@damore.org>

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29     value=pkg:/service/network/dhcp/datastore/binfiles@$(PKGVERS)
30 set name=pkg.obsolete value=true
31 set name=pkg.description \
32     value="Binary File Format Public module exporting Version 1 of the Service P
33 set name=pkg.summary \
34     value="Binary File Format Data Module for BOOTP/DHCP Services"
35 set name=info.classification \
36     value=org.opensolaris.category.2008:System/Services
37 set name=variant.arch value=$(ARCH)
38 dir path=usr group=sys
39 dir path=usr/lib
40 dir path=usr/lib/inet
41 dir path=usr/lib/inet/dhcp
42 dir path=usr/lib/inet/dhcp/svc
43 dir path=usr/sadm
44 dir path=usr/sadm/admin
45 dir path=usr/sadm/admin/dhcpmgr
46 file path=usr/lib/inet/dhcp/svc/ds_SUNWbinfiles.so.1
47 file path=usr/sadm/admin/dhcpmgr/SUNWbinfiles.jar mode=0444
48 legacy pkg=SUNWdhcsb \
49     desc="Binary File Format Public module exporting Version 1 of the Service Pr
50     name="Binary File Format Data Module for BOOTP/DHCP Services"
51 license cr_Sun license=cr_Sun
52 license lic_CDDL license=lic_CDDL
53 link path=usr/lib/inet/dhcp/svc/ds_SUNWbinfiles.so \
54     target=./ds_SUNWbinfiles.so.1
```

new/usr/src/pkg/manifests/service-network-dhcp.mf

1

```
*****
1062 Tue Oct 7 19:19:55 2014
new/usr/src/pkg/manifests/service-network-dhcp.mf
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jefffp@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/service/network/dhcp@$(PKGVERS)
29 set name=pkg.obsolete value=true
24 set name=pkg.description \
25 value="Usr filesystem portion of the SunOS BOOTP/DHCP service, which uses th
26 set name=pkg.summary value="BOOTP/DHCP Server Services"
27 set name=info.classification \
28 value=org.opensolaris.category.2008:System/Services
30 set name=variant.arch value=$(ARCH)
30 dir path=etc group=sys
31 dir path=etc/inet group=sys
32 dir path=etc/init.d group=sys
33 dir path=lib
34 dir path=lib/svc
35 dir path=lib/svc/manifest group=sys
36 dir path=lib/svc/manifest/network group=sys
37 dir path=usr group=sys
38 dir path=usr/include
39 dir path=usr/lib
40 dir path=usr/lib/inet
41 dir path=usr/lib/inet/dhcp
42 dir path=usr/lib/inet/dhcp/nsu
43 dir path=usr/lib/inet/dhcp/svc
44 dir path=usr/lib/inet/dhcp/svcadm
45 dir path=usr/sbin
46 dir path=usr/share/man
47 dir path=usr/share/man/man1m
48 dir path=usr/share/man/man5
49 file path=etc/init.d/dhcp group=sys mode=0744
50 file path=lib/svc/manifest/network/dhcp-server.xml group=sys mode=0444
51 file path=usr/include/dhcp_svc_public.h
52 file path=usr/lib/inet/dhcp/nsu/rfc2136.so.1
53 file path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so.0
```

new/usr/src/pkg/manifests/service-network-dhcp.mf

2

```
54 file path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so.1
55 file path=usr/lib/inet/dhcp/svcadm/dhcppcli.jar mode=0444
56 file path=usr/lib/inet/dhcp/svcadm/dhcppcommon.jar mode=0444
57 file path=usr/lib/inet/dhcp/svcadm/dhcpconfig mode=0555
58 file path=usr/lib/inet/dhcp/svcadm/dhcppsvc.jar mode=0444
59 file path=usr/lib/inet/dhcp/svcadm/dhtadm mode=0555
60 file path=usr/lib/inet/dhcp/svcadm/pntadm mode=0555
61 file path=usr/lib/inet/dsvclckd mode=0555
62 file path=usr/lib/inet/in.dhcpd mode=0555
63 file path=usr/lib/libdhcppsvc.so.1
64 file path=usr/sbin/dhcpconfig mode=0555
65 file path=usr/sbin/dhtadm mode=0555
66 file path=usr/sbin/pntadm mode=0555
67 file path=usr/share/man/man1m/dhcpconfig.1m
68 file path=usr/share/man/man1m/dhtadm.1m
69 file path=usr/share/man/man1m/dsvclckd.1m
70 file path=usr/share/man/man1m/in.dhcpd.1m
71 file path=usr/share/man/man1m/pntadm.1m
72 file path=usr/share/man/man4/dhcp_network.4
73 file path=usr/share/man/man4/dhcppsvc.conf.4
74 file path=usr/share/man/man4/dhcptab.4
75 file path=usr/share/man/man5/dhcp_modules.5
76 legacy pkg=SUNWdhcsr \
77 desc="Root filesystem portion of the SunOS BOOTP/DHCP service, which uses th
78 name="BOOTP/DHCP Server Services, (Root)"
79 legacy pkg=SUNWdhcsu \
80 desc="Usr filesystem portion of the SunOS BOOTP/DHCP service, which uses the
81 name="BOOTP/DHCP Server Services, (Usr)"
82 license cr_Sun license=cr_Sun
83 license lic_CDDL license=lic_CDDL
84 license usr/src/cmd/cmd-inet/usr.lib/in.dhcpd/THIRDPARTYLICENSE \
85 license=usr/src/cmd/cmd-inet/usr.lib/in.dhcpd/THIRDPARTYLICENSE
86 link path=usr/lib/inet/dhcp/svc/ds_SUNWfiles.so target=./ds_SUNWfiles.so.1
87 depend fmri=network/dhcp/dhcpmgr type=require
88 depend fmri=network/ftp type=require
89 depend fmri=runtime/java type=require
```


new/usr/src/tools/findunref/exception_list.open

1

```
*****
7680 Tue Oct 7 19:19:55 2014
new/usr/src/tools/findunref/exception_list.open
4174 Torch the old and unmaintained Sun-dhcp
Reviewed by: Josef Sipek <jefffp@josefsipek.net>
Reviewed by: Garrett D'Amore <garrett@damore.org>
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2014 Gary Mills
23 #
24 # Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
26 #endif /* ! codereview */
27 #
28 #
29 # open-tree exception list
30 #
31 # See README.exception_lists for details
32 #
33 #
34 #
35 # Ignore oddly-named text files scattered about -- someday these should be
36 # suffixed with .txt so we don't have to list them.
37 #
38 ./usr/src/cmd/oawk/EXPLAIN
39 ./usr/src/cmd/vi/port/ex.news
40 ./usr/src/cmd/ssh/doc
41 #
42 #
43 # Ignore everything under trees that may be resynched from outside ON.
44 #
45 ./usr/src/cmd/perl
46 ./usr/src/cmd/sqlite
47 ./usr/src/lib/libsqlite
48 ./usr/src/cmd/tcpd
49 ./usr/src/grub
50 ./usr/src/uts/intel/sys/acpi
51 #
52 #
53 # Ignore ksh93/ast-related files that are only used to resync our build
54 # configuration with upstream.
55 #
56 ./usr/src/lib/libast/*/src/lib/libast/FEATURE
57 ./usr/src/lib/libast/*/src/lib/libast/ast_namval.h
58 ./usr/src/lib/libast/common/comp/conf.*
```

new/usr/src/tools/findunref/exception_list.open

2

```
59 ./usr/src/lib/libast/common/features
60 ./usr/src/lib/libast/common/include/ast_windows.h
61 ./usr/src/lib/libast/common/port/lc.tab
62 ./usr/src/lib/libast/common/port/lcgen.c
63 ./usr/src/lib/libcmd/*/src/lib/libcmd/FEATURE
64 ./usr/src/lib/libcmd/common/features
65 ./usr/src/lib/libdll/*/src/lib/libdll/FEATURE
66 ./usr/src/lib/libdll/common/features
67 ./usr/src/lib/libpp/*pp.*
68 ./usr/src/lib/libpp/common/gentab.sh
69 ./usr/src/lib/libpp/common/ppsym.c
70 ./usr/src/lib/libpp/i386/ppdebug.h
71 ./usr/src/lib/libpp/sparc/ppdebug.h
72 ./usr/src/lib/libshell/*/src/cmd/ksh93/FEATURE
73 ./usr/src/lib/libshell/common/data/math.tab
74 ./usr/src/lib/libshell/common/features
75 ./usr/src/lib/libshell/misc/buildksh93.sh
76 ./usr/src/lib/libshell/misc/buildksh93.readme
77 #
78 #
79 # Ignore ksh93/ast-related "iffe" (if feature enabled) probe
80 #
81 ./usr/src/lib/libsum/common/features/sum
82 #
83 #
84 # Ignore ksh93/ast-related upstream source, currently superseded by
85 # a per-platform version of sum.h, since we use libmd.so.1 for some
86 # ciphers.
87 #
88 ./usr/src/lib/libsum/common/sum.h
89 #
90 #
91 # Ignore ksh93/ast-related test programs.
92 #
93 ./usr/src/cmd/ast/msgcc/msgcc.tst
94 ./usr/src/lib/libast/common/port/astmath.c
95 #
96 #
97 # Ignore ksh93/ast-related source components that are not currently
98 # used but may be useful later.
99 #
100 ./usr/src/lib/libcmd/common/cksum.c
101 ./usr/src/lib/libcmd/common/md5sum.c
102 ./usr/src/lib/libcmd/common/sum.c
103 ./usr/src/lib/libshell/common/bltins/mksservice.c
104 ./usr/src/lib/libshell/common/data/bash_pre_rc.sh
105 ./usr/src/lib/libshell/common/include/env.h
106 ./usr/src/lib/libshell/common/sh/bash.c
107 ./usr/src/lib/libshell/common/sh/env.c
108 ./usr/src/lib/libshell/common/sh/shcomp.c
109 ./usr/src/lib/libshell/common/sh/suid_exec.c
110 #
111 #
112 # Ignore any files built as part of the nightly program itself.
113 #
114 # ISUSED - let checkpaths know that the next entry is good.
115 ./usr/src/*.out
116 # ISUSED - let checkpaths know that the next entry is good.
117 ./usr/src/*.ref
118 #
119 #
120 # Ignore internal test directories and test programs.
121 #
122 */tests
123 */test
124 *Test.java
```

```

125 *_test.[ch]
126 ./usr/src/cmd/ldap/common/*test.c
127 ./usr/src/cmd/logadm/tester
128 ./usr/src/cmd/print/printmgr/com/sun/admin/pm/client/helptools/extract
129 ./usr/src/cmd/print/printmgr/com/sun/admin/pm/server/pmtest
130 ./usr/src/cmd/sendmail/libsm/t-*.c
131 ./usr/src/cmd/sort/common/convert.c
132 ./usr/src/cmd/sort/common/invoke.c
133 ./usr/src/lib/crypt_modules/sha256/test.c
134 ./usr/src/lib/efcode/fcode_test
135 ./usr/src/lib/libkvm/common/test.c
136 ./usr/src/lib/libsaveargs/tests/

138 #
139 # Ignore debugging code.
140 #
141 ./usr/src/cmd/fs.d/pcfs/fsck/inject.c
142 ./usr/src/cmd/sort/common/statistics.c

144 #
145 # Ignore internal packages, scripts, and tools that are intentionally not
146 # built or used during a nightly.
147 #
148 ./usr/src/cmd/sgs/packages
149 ./usr/src/cmd/sgs/rtld.4.x
150 ./usr/src/prototypes
151 ./usr/src/cmd/pools/poold/com/sun/solaris/**/package.html
152 ./usr/src/uts/intel/io/acpica/cmp_ca.sh

154 #
155 # Ignore files that are only used by internal packages.
156 #
157 ./usr/src/cmd/sgs/**/*chk.msg

159 #
160 # Ignore files that get used during a EXPORT_SRC or CRYPT_SRC build only.
161 #
162 ./usr/src/lib/gss_mechs/mech_dh/backend/mapfile-vers
163 ./usr/src/lib/gss_mechs/mech_dh/dhl024/mapfile-vers
164 ./usr/src/lib/gss_mechs/mech_dh/dhl92/mapfile-vers
165 ./usr/src/lib/gss_mechs/mech_dh/dh640/mapfile-vers

167 #
168 # Ignore Makefiles which are used by developers but not used by nightly
169 # itself. This is a questionable practice, since they tend to rot.
170 #
171 ./usr/src/cmd/syslogd/sparcv9/Makefile
172 ./usr/src/uts/sparc/uhci/Makefile
173 ./usr/src/lib/pam_modules/smb/amd64/Makefile
174 ./usr/src/lib/pam_modules/smb/sparcv9/Makefile
175 ./usr/src/cmd/isns/isnsd/xml_def/isnsmgmtSchema.xsd

177 #
178 # Ignore dtrace scripts only used by developers
179 #
180 ./usr/src/cmd/vscan/vscand/vscan.d

182 #
183 # Ignore sample source code.
184 #
185 ./usr/src/cmd/sendmail/libmilter/example.c
184 ./usr/src/lib/libdhcpsvc/modules/templates

187 #
188 # Ignore .xcl files that aren't used because the program is statically linked.
189 #

```

```

190 ./usr/src/cmd/cmd-inet/sbin/dhcpagent/dhcpagent.xcl

192 #
193 # Ignore sendmail files included for completeness' sake, but which won't
194 # be used until certain _FFR (for future release) #define's go live.
195 #
196 ./usr/src/cmd/sendmail/src/statusd_shm.h

198 #
199 # Ignore files originally supplied by ISC (Internet Software Consortium)
200 # as part of a BIND release.
201 #
202 ./usr/src/lib/libresolv2/common/irs/getaddrinfo.c
203 ./usr/src/lib/libresolv2/common/irs/nis_p.h
204 ./usr/src/lib/libresolv2/common/resolv/res_mkupdate.h
205 ./usr/src/lib/libresolv2/include/err.h

207 #
208 # Ignore mont_mulf.c. It is used as a starting point for some hand optimized
209 # assembly files. We keep it around for future reference.
210 #
211 ./usr/src/common/bignum/mont_mulf.c

213 #
214 # Ignore the sparc Makefiles for x86-only drivers;
215 # they're used to build warlock only.
216 #
217 ./usr/src/uts/sparc/sata/Makefile
218 ./usr/src/uts/sparc/si3124/Makefile
219 ./usr/src/uts/sparc/nv_sata/Makefile
220 ./usr/src/uts/sparc/ahci/Makefile

222 #
223 # Ignore uttrack.c. It is provided as part of the standard
224 # ACPI CA source code but provides optional resource tracking
225 # functionality which is not used.
226 #
227 ./usr/src/uts/intel/io/acpica/utilities/uttrack.c

229 #
230 # Ignore any files that get used during a gcc build only.
231 #
232 ./usr/src/cmd/sgs/rtld/common/mapfile-order-gcc

234 #
235 # The sharemgr command is built 32-bit only by default, but support
236 # for building 64-bit is latent in the Makefiles.
237 #
238 ./usr/src/cmd/dfs.cmds/sharemgr/amd64/Makefile
239 ./usr/src/cmd/dfs.cmds/sharemgr/sparcv9/Makefile

241 #
242 # Legitimately unreferenced license/copying files. Please include
243 # explanatory comments when adding items here.
244 #

246 #
247 # OPENSOLARIS.LICENSE needs to remain in usr/src as long as it is
248 # referenced in the CDDL headers.
249 #
250 ./usr/src/OPENSOLARIS.LICENSE

252 # Though "COPYING" is usually used as a filename for GPL, the license
253 # information for openssh is actually found in usr/src/cmd/ssh/doc/LICENSE.
254 # The COPYING.Ylonen file is merely additional information.
255 #

```

new/usr/src/tools/findunref/exception_list.open

5

256 ./usr/src/cmd/ssh/doc/COPYING.Ylonen

258 #

259 # This covers header files that are not delivered.

260 #

261 ./usr/src/uts/common/xen/public/COPYING

263 #

264 # ld tests which are not currently delivered

265 #

266 ./usr/src/cmd/sgs/test

267 ./usr/src/cmd/mdb/test