

new././illumos.sh

1

8491 Wed Nov 12 17:44:33 2014

new././illumos.sh

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
22 # Copyright 2010, 2011 Nexenta Systems, Inc. All rights reserved.
23 # Copyright 2012 Joshua M. Clulow <josh@sysmgr.org>
24 #
25 #
26 # Configuration variables for the runtime environment of the nightly
27 # build script and other tools for construction and packaging of
28 # releases.
29 # This example is suitable for building an illumos workspace, which
30 # will contain the resulting archives. It is based off the onnv
31 # release. It sets NIGHTLY_OPTIONS to make nightly do:
32 #   DEBUG build only (-D, -F)
33 #   do not bringover from the parent (-n)
34 #   runs 'make check' (-C)
35 #   checks for new interfaces in libraries (-A)
36 #   runs lint in usr/src (-l plus the LINTDIRS variable)
37 #   sends mail on completion (-m and the MAILTO variable)
38 #   creates packages for PIT/RE (-p)
39 #   checks for changes in ELF runpaths (-r)
40 #   build and use this workspace's tools in $SRC/tools (-t)
41 #
42 # - This file is sourced by "bldenv.sh" and "nightly.sh" and should not
43 #   be executed directly.
44 # - This script is only interpreted by ksh93 and explicitly allows the
45 #   use of ksh93 language extensions.
46 #
47 export NIGHTLY_OPTIONS='-nCmprt'
48 #
49 #
50 # -- PLEASE READ THIS --
51 #
52 # The variables GATE and CODEMGR_WS must always be customised to
53 # match your workspace/gate location!!
54 #
55 # -- PLEASE READ THIS --
56 #
57 #
58 # This is a variable for the rest of the script - GATE doesn't matter to
59 # nightly itself
60 export GATE=illumos-gate
```

new././illumos.sh

2

```
62 # CODEMGR_WS - where is your workspace at (or what should nightly name it)
63 export CODEMGR_WS=/code/illumos/deploy/illumos-gate
64 #
65 # Maximum number of dmake jobs. The recommended number is 2 + NCPUS,
66 # where NCPUS is the number of logical CPUs on your build system.
67 function maxjobs
68 {
69     nameref maxjobs=$1
70     integer ncpu
71     integer -r min_mem_per_job=512 # minimum amount of memory for a job
72 #
73     ncpu=$(builtin getconf ; getconf 'NPROCESSORS_ONLN')
74     (( maxjobs=ncpu + 2 ))
75 #
76     # Throttle number of parallel jobs launched by dmake to a value which
77     # guarantees that all jobs have enough memory. This was added to avoid
78     # excessive paging/swapping in cases of virtual machine installations
79     # which have lots of CPUs but not enough memory assigned to handle
80     # that many parallel jobs
81     if [[ $(/usr/sbin/prtconf 2>'/'dev/null') == ~(E)Memory\ size:\ ([[[:digit
82         integer max_jobs_per_memory # parallel jobs which fit into physi
83         integer physical_memory # physical memory installed
84 #
85     # The array ".sh.match" contains the contents of capturing
86     # brackets in the last regex, .sh.match[1] will contain
87     # the value matched by ([[[:digit:]]+), i.e. the amount of
88     # memory installed
89     physical_memory="10#${.sh.match[1]}"
90 #
91     ((
92         max_jobs_per_memory=round(physical_memory/min_mem_per_jo
93         maxjobs=fmax(2, fmin(maxjobs, max_jobs_per_memory))
94     ))
95     fi
96 #
97     return 0
98 }
99 #
100 maxjobs DMAKE_MAX_JOBS # "DMAKE_MAX_JOBS" passed as ksh(1) name reference
101 export DMAKE_MAX_JOBS
102 #
103 # path to onbld tool binaries
104 ONBLD_BIN='/opt/onbld/bin'
105 #
106 # PARENT_WS is used to determine the parent of this workspace. This is
107 # for the options that deal with the parent workspace (such as where the
108 # proto area will go).
109 export PARENT_WS=''
110 #
111 # CLONE_WS is the workspace nightly should do a bringover from.
112 export CLONE_WS='ssh://anonhg@hg.illumos.org/illumos-gate'
113 #
114 # The bringover, if any, is done as STAFFER.
115 # Set STAFFER to your own login as gatekeeper or developer
116 # The point is to use group "staff" and avoid referencing the parent
117 # workspace as root.
118 # Some scripts optionally send mail messages to MAILTO.
119 #
120 export STAFFER=$LOGNAME
121 export MAILTO=$STAFFER
122 #
123 # If you wish the mail messages to be From: an arbitrary address, export
124 # MAILFROM.
125 #export MAILFROM="user@example.com"
126 #
127 # The project (see project(4)) under which to run this build. If not
```

new././illumos.sh

3

```
128 # specified, the build is simply run in a new task in the current project.
129 export BUILD_PROJECT=''

131 # You should not need to change the next three lines
132 export ATLOG="$CODEMGR_WS/log"
133 export LOGFILE="$ATLOG/nightly.log"
134 export MACH="$(uname -p)"

136 #
137 # The following two macros are the closed/crypto binaries. Once
138 # illumos has totally freed itself, we can remove these references.
139 #
140 # Location of encumbered binaries.
141 export ON_CLOSED_BINS="$CODEMGR_WS/closed"
142 # Location of signed cryptographic binaries.
143 export ON_CRYPTO_BINS="$CODEMGR_WS/on-crypto.$MACH.tar.bz2"

145 # REF_PROTO_LIST - for comparing the list of stuff in your proto area
146 # with. Generally this should be left alone, since you want to see differences
147 # from your parent (the gate).
148 #
149 export REF_PROTO_LIST="$PARENT_WS/usr/src/proto_list_${MACH}"

152 export ROOT="$CODEMGR_WS/proto/root_${MACH}"
153 export SRC="$CODEMGR_WS/usr/src"
154 export MULTI_PROTO="no"

156 #
157 # build environment variables, including version info for mcs, motd,
158 # motd, uname and boot messages. Mostly you shouldn't change this except
159 # when the release slips (nah) or you move an environment file to a new
160 # release
161 #
162 export VERSION="$GATE"

164 #
165 # the RELEASE and RELEASE_DATE variables are set in Makefile.master;
166 # there might be special reasons to override them here, but that
167 # should not be the case in general
168 #
169 # export RELEASE='5.11'
170 # export RELEASE_DATE='October 2007'

172 # proto area in parent for optionally depositing a copy of headers and
173 # libraries corresponding to the protolibs target
174 # not applicable given the NIGHTLY_OPTIONS
175 #
176 export PARENT_ROOT="$PARENT_WS/proto/root_${MACH}"
177 export PARENT_TOOLS_ROOT="$PARENT_WS/usr/src/tools/proto/root_${MACH}-nd"

179 # Package creation variables. You probably shouldn't change these,
180 # either.
181 #
182 # PKGARCHIVE determines where the repository will be created.
183 #
184 # PKGPUBLISHER_REDIS controls the publisher setting for the repository.
185 #
186 export PKGARCHIVE="{CODEMGR_WS}/packages/${MACH}/nightly"
187 # export PKGPUBLISHER_REDIS='on-redis'

189 # Package manifest format version.
190 export PKGFMT_OUTPUT='v1'

192 # we want make to do as much as it can, just in case there's more than
193 # one problem.
```

new././illumos.sh

4

```
194 export MAKEFLAGS='k'

196 # Magic variable to prevent the devpro compilers/teamware from sending
197 # mail back to devpro on every use.
198 export UT_NO_USAGE_TRACKING='1'

200 # Build tools - don't change these unless you know what you're doing. These
201 # variables allows you to get the compilers and onbld files locally or
202 # through cache. Set BUILD_TOOLS to pull everything from one location.
203 # Alternately, you can set ONBLD_TOOLS to where you keep the contents of
204 # SUNWonbld and SPRO_ROOT to where you keep the compilers. SPRO_ROOT
205 # exists to make it easier to test new versions of the compiler.
206 export BUILD_TOOLS='/opt'
207 #export ONBLD_TOOLS='/opt/onbld'
208 export SPRO_ROOT=/opt
209 export SPRO_VROOT=/opt/sunstudio12.1

211 # This goes along with lint - it is a series of the form "A [y|n]" which
212 # means "go to directory A and run 'make lint'" Then mail me (y) the
213 # difference in the lint output. 'y' should only be used if the area you're
214 # linting is actually lint clean or you'll get lots of mail.
215 # You shouldn't need to change this though.
216 #export LINTDIRS="$SRC y"

218 # Set this flag to 'n' to disable the automatic validation of the dmake
219 # version in use. The default is to check it.
220 #CHECK_DMAKE='y'

222 # Set this flag to 'n' to disable the use of 'checkpaths'. The default,
223 # if the 'N' option is not specified, is to run this test.
224 #CHECK_PATHS='y'

226 # POST_NIGHTLY can be any command to be run at the end of nightly. See
227 # nightly(1) for interactions between environment variables and this command.
228 #POST_NIGHTLY=

230 # Uncomment this to disable support for SMB printing.
231 # export ENABLE_SMB_PRINTING='#'
232 export __GNUC=''
233 export CW_NO_SHADOW=1
234 export ONNV_BUILDNUM=152.0.0
235 #endif /* ! codereview */
```

new/usr/src/man/man1m/Makefile

1

14493 Wed Nov 12 17:44:33 2014

new/usr/src/man/man1m/Makefile

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #endif /* ! codereview */
18 #
```

```
20 include      $(SRC)//Makefile.master
```

```
22 MANSECT=      1m
```

```
24 _MANFILES=    6to4relay.1m      \
25                Intro.1m         \
26                Uutry.1m          \
27                accept.1m         \
28                acct.1m           \
29                acctadm.1m        \
30                acctcms.1m        \
31                acctcon.1m        \
32                acctmerg.1m       \
33                acctprc.1m        \
34                acctsh.1m         \
35                adbgcn.1m         \
36                add_allocatable.1m \
37                add_drv.1m        \
38                addbadsec.1m      \
39                arcstat.1m        \
40                arp.1m            \
41                atohexlabel.1m    \
42                audit.1m          \
43                audit_warn.1m     \
44                auditconfig.1m    \
45                auditd.1m         \
46                auditrecord.1m    \
47                auditreduce.1m    \
48                auditstat.1m      \
49                automount.1m      \
50                automountd.1m     \
51                autopush.1m       \
52                bart.1m           \
53                beadm.1m          \
54                boot.1m           \
55                bootadm.1m        \
56                bootconfchk.1m    \
57                busstat.1m        \
58                cachebsd.1m       \
59                cachebslog.1m     \
60                cachebspack.1m    \
61                cachebsstat.1m    \
```

new/usr/src/man/man1m/Makefile

2

```
62                cachebswsize.1m  \
63                captainfo.1m     \
64                catman.1m        \
65                cfgadm.1m        \
66                cfgadm_ac.1m     \
67                cfgadm_cardbus.1m \
68                cfgadm_fp.1m     \
69                cfgadm_ib.1m     \
70                cfgadm_pci.1m    \
71                cfgadm_sata.1m   \
72                cfgadm_sbd.1m    \
73                cfgadm_scsi.1m   \
74                cfgadm_sysctrl.1m \
75                cfsadmin.1m      \
76                chat.1m          \
77                check-hostname.1m \
78                check-permissions.1m \
79                chroot.1m        \
80                clear_locks.1m   \
81                clinfo.1m        \
82                clri.1m          \
83                consadm.1m       \
84                conv_lp.1m       \
85                conv_lpd.1m      \
86                coreadm.1m       \
87                cpustat.1m       \
88                cron.1m          \
89                cryptoadm.1m     \
90                datadm.1m        \
91                dd.1m            \
92                devattr.1m       \
93                devfree.1m       \
94                devfsadm.1m      \
95                device_remap.1m  \
96                devinfo.1m       \
97                devlinks.1m      \
98                devnm.1m         \
99                devprop.1m       \
100                devreserv.1m    \
101                df.1m            \
102                df_ufs.1m        \
103                dfmounts.1m      \
104                dfmounts_nfs.1m  \
105                dfshares.1m      \
106                dfshares_nfs.1m  \
107                dhcpagent.1m     \
108                disks.1m         \
109                diskscan.1m      \
110                dispadmin.1m     \
111                dladm.1m         \
112                dlmgmt.1m        \
113                dmesg.1m         \
114                dminfo.1m        \
115                dns-sd.1m        \
116                domainname.1m   \
117                drvconfig.1m     \
118                dsbitmap.1m      \
119                dscfg.1m         \
120                dscfgadm.1m      \
121                dscfglockd.1m    \
122                dsstat.1m        \
123                dtrace.1m        \
124                dumpadm.1m       \
125                editmap.1m       \
126                edquota.1m       \
```

new/usr/src/man/man1m/Makefile

```
127      eeprom.1m      //
128      embedded_su.1m  //
129      etrn.1m         //
130      fcinfo.1m       //
131      fdetach.1m      //
132      fdisk.1m        //
133      ff.1m           //
134      ff_ufs.1m       //
135      fiocompress.1m  //
136      flowadm.1m      //
137      fmadm.1m        //
138      fmd.1m          //
139      fmdump.1m       //
140      fmstat.1m       //
141      fmthard.1m      //
142      format.1m       //
143      fruadm.1m       //
144      fsck.1m         //
145      fsck_cacheofs.1m //
146      fsck_pcfs.1m    //
147      fsck_udfs.1m    //
148      fsck_ufs.1m     //
149      fsdb.1m         //
150      fsdb_udfs.1m    //
151      fsdb_ufs.1m     //
152      fsirand.1m      //
153      fssnap.1m       //
154      fssnap_ufs.1m   //
155      fsstat.1m       //
156      fstyp.1m        //
157      fuser.1m        //
158      fwflash.1m      //
159      fwtmp.1m        //
160      getdev.1m       //
161      getdevpolicy.1m //
162      getdgrp.1m      //
163      getent.1m       //
164      getty.1m        //
165      getvol.1m       //
166      groupadd.1m     //
167      groupdel.1m     //
168      groupmod.1m     //
169      growfs.1m       //
170      gsscred.1m      //
171      gssd.1m         //
172      hal-device.1m   //
173      hal-fdi-validate.1m //
174      hal-find.1m     //
175      hal-get-property.1m //
176      hald.1m         //
177      halt.1m         //
178      hextoalabel.1m  //
179      hostconfig.1m   //
180      ickey.1m        //
181      id.1m           //
182      idmap.1m        //
183      idmapd.1m       //
184      idsconfig.1m    //
185      if_mpadm.1m     //
186      ifconfig.1m     //
187      ifparse.1m      //
188      iiadm.1m        //
189      iicpbmp.1m      //
190      iicpshd.1m      //
191      ikeadm.1m       //
192      ikecert.1m     //
```

3

new/usr/src/man/man1m/Makefile

```
193      in.chargend.1m  //
194      in.comsat.1m    //
195      in.daytimed.1m  //
196      in.discardd.1m  //
197      in.echod.1m     //
198      in.fingerd.1m   //
199      in.iked.1m      //
200      in.lpd.1m       //
201      in.mpathd.1m    //
202      in.ndpd.1m      //
203      in.rarpd.1m     //
204      in.rdisc.1m     //
205      in.rexecd.1m    //
206      in.ripngd.1m    //
207      in.rlogind.1m   //
208      in.routed.1m    //
209      in.rshd.1m      //
210      in.rwhod.1m     //
211      in.talkd.1m     //
212      in.telnetd.1m   //
213      in.tftpd.1m     //
214      in.timed.1m     //
215      in.uucpd.1m     //
216      inetadm.1m      //
217      inetconv.1m     //
218      inetd.1m        //
219      infocmp.1m      //
220      init.1m         //
221      inityp2l.1m     //
222      install.1m      //
223      installf.1m     //
224      installgrub.1m  //
225      intrd.1m        //
226      intrstat.1m     //
227      iostat.1m       //
228      ipaddrsel.1m    //
229      ipadm.1m        //
230      ipdadm.1m       //
231      ipf.1m          //
232      ipfs.1m         //
233      ipfstat.1m      //
234      ipmon.1m        //
235      ipmpstat.1m     //
236      ipnat.1m        //
237      ippool.1m       //
238      ipqosconf.1m    //
239      ipsecalgs.1m    //
240      ipsecconf.1m    //
241      ipseckey.1m     //
242      iscsiadm.1m     //
243      isns.1m         //
244      isnsadm.1m      //
245      itadm.1m        //
246      k5srvutil.1m    //
247      kadb.1m         //
248      kadmin.1m       //
249      kadmind.1m      //
250      kclient.1m      //
251      kdb5_ldap_util.1m //
252      kdb5_util.1m    //
253      kdcmgr.1m       //
254      kernel.1m       //
255      keyserv.1m      //
256      killall.1m      //
257      kprop.1m        //
258      kpropd.1m       //
```

4

```

259      kproplog.1m      //
260      krb5kdc.1m       //
261      ksslcfg.1m       //
262      kstat.1m         //
263      ktkk_warnd.1m    //
264      labelit.1m       //
265      labelit_hfs.1m   //
266      labelit_udfs.1m  //
267      labelit_ufs.1m   //
268      latencytop.1m    //
269      ldap_cachemgr.1m //
270      ldapaddent.1m    //
271      ldapclient.1m    //
272      link.1m          //
273      listdgrp.1m      //
274      listen.1m        //
275      locator.1m       //
276      lockfs.1m        //
277      lockstat.1m      //
278      lofiadm.1m       //
279      logadm.1m        //
280      logins.1m        //
281      lpadmin.1m       //
282      lpfilter.1m      //
283      lpforms.1m       //
284      lpget.1m         //
285      lpmove.1m        //
286      lpsched.1m       //
287      lpset.1m         //
288      lpshut.1m        //
289      lpsystem.1m      //
290      lpusers.1m       //
291      luxadm.1m        //
292      mail.local.1m    //
293      mailwrapper.1m   //
294      makedbm.1m       //
295      makemap.1m       //
296      mdmonitord.1m    //
297      medstat.1m       //
298      metaclear.1m     //
299      metadb.1m        //
300      metadevadm.1m    //
301      metahs.1m        //
302      metaimport.1m    //
303      metainit.1m      //
304      metaoffline.1m   //
305      metaparam.1m     //
306      metarecover.1m   //
307      metarename.1m    //
308      metareplace.1m   //
309      metaroot.1m      //
310      metaset.1m       //
311      metassist.1m     //
312      metastat.1m      //
313      metasync.1m      //
314      metattach.1m     //
315      mkdevalloc.1m    //
316      mkdevmaps.1m     //
317      mkfifo.1m        //
318      mkfile.1m        //
319      mkfs.1m          //
320      mkfs_pcfs.1m     //
321      mkfs_udfs.1m     //
322      mkfs_ufs.1m      //
323      mknod.1m         //
324      mkpwdict.1m      //

```

```

325      modinfo.1m       //
326      modload.1m       //
327      modunload.1m     //
328      mount.1m         //
329      mount_cachefs.1m //
330      mount_hfs.1m     //
331      mount_nfs.1m     //
332      mount_pcfs.1m    //
333      mount_smbfs.1m   //
334      mount_tmpfs.1m   //
335      mount_udfs.1m    //
336      mount_ufs.1m     //
337      mountall.1m      //
338      mouted.1m        //
339      mpathadm.1m      //
340      mpstat.1m        //
341      msgid.1m         //
342      mvdir.1m         //
343      ncaconfd.1m      //
344      ncheck.1m        //
345      ncheck_ufs.1m    //
346      ndd.1m           //
347      ndmpadm.1m       //
348      ndmpd.1m         //
349      ndmpstat.1m      //
350      netstat.1m       //
351      netstrategy.1m   //
352      newaliases.1m    //
353      newfs.1m         //
354      newkey.1m        //
355      nfs4cbd.1m       //
356      nfsd.1m          //
357      nfslogd.1m       //
358      nfsmapid.1m      //
359      nfsstat.1m       //
360      nlsadmin.1m      //
361      nscadm.1m        //
362      nscd.1m          //
363      nwamd.1m         //
364      passmgmt.1m      //
365      pbind.1m         //
366      picld.1m         //
367      ping.1m          //
368      pkgadd.1m        //
369      pkgadm.1m        //
370      pkgask.1m        //
371      pkgchk.1m        //
372      pkgrm.1m         //
373      plockstat.1m     //
374      pmadm.1m         //
375      pmconfig.1m      //
376      polkit-is-privileged.1m //
377      pooladm.1m       //
378      poolbind.1m      //
379      poolcfg.1m       //
380      poolld.1m        //
381      poolstat.1m      //
382      ports.1m         //
383      powerd.1m        //
384      powertop.1m      //
385      pppmgr.1m        //
386      pppd.1m          //
387      pppdump.1m       //
388      pppoe.1m         //
389      pppoe.1m         //
390      pppstats.1m      //

```

```

391      praudit.1m      //
392      print-service.1m //
393      printmgr.1m     //
394      projadd.1m      //
395      projdel.1m      //
396      projmod.1m      //
397      prstat.1m       //
398      prtconf.1m      //
399      prtdiag.1m      //
400      prtfpu.1m       //
401      prtpicl.1m      //
402      prvtoc.1m       //
403      psradm.1m       //
404      psrinfo.1m      //
405      psrset.1m       //
406      putdev.1m       //
407      putdgrp.1m      //
408      pwck.1m         //
409      pwconv.1m       //
410      quot.1m         //
411      quota.1m        //
412      quotacheck.1m   //
413      quotaon.1m      //
414      raidctl.1m      //
415      ramdiskadm.1m   //
416      rcapadm.1m      //
417      rcapd.1m        //
418      rctladm.1m      //
419      rdate.1m        //
420      reboot.1m       //
421      rem_drv.1m      //
422      remove_allocatable.1m //
423      removef.1m      //
424      repquota.1m     //
425      rmmount.1m      //
426      rmt.1m          //
427      rmvolmgr.1m     //
428      roleadd.1m      //
429      roledel.1m      //
430      rolemod.1m      //
431      root_archive.1m //
432      route.1m        //
433      routeadm.1m     //
434      rpc.bootparamd.1m //
435      rpc.mdcommd.1m   //
436      rpc.metad.1m     //
437      rpc.metamedd.1m  //
438      rpc.metamhd.1m   //
439      rpc.rexd.1m      //
440      rpc.rstatd.1m    //
441      rpc.rusersd.1m   //
442      rpc.rwalld.1m    //
443      rpc.smsserverd.1m //
444      rpc.sprayd.1m    //
445      rpc.yppasswdd.1m //
446      rpc.yppupdated.1m //
447      rpcbind.1m       //
448      rpcinfo.1m       //
449      rquotad.1m       //
450      rsh.1m           //
451      rtc.1m           //
452      rtquery.1m       //
453      runacct.1m       //
454      rwall.1m         //
455      sac.1m           //
456      sacadm.1m        //

```

```

457      saf.1m          //
458      sar.1m          //
459      sasinfo.1m      //
460      savecore.1m     //
461      sbdadm.1m       //
462      scadm.1m        //
463      scmadm.1m       //
464      sdpadm.1m       //
465      sendmail.1m     //
466      setuname.1m     //
467      sftp-server.1m  //
468      share.1m        //
469      share_nfs.1m    //
470      shareall.1m     //
471      sharectl.1m     //
472      sharemgr.1m     //
473      showmount.1m    //
474      shutdown.1m     //
475      slpd.1m         //
476      smbadm.1m       //
477      smbd.1m         //
478      smbiod.1m       //
479      smbios.1m       //
480      smbstat.1m      //
481      smrsh.1m        //
482      smtnrddb.1m     //
483      smtnrhttp.1m    //
484      smtnzonecfg.1m  //
485      sndradm.1m      //
486      sndrd.1m        //
487      sndrsyncd.1m    //
488      snoop.1m        //
489      soconfig.1m     //
490      sppptun.1m      //
491      spray.1m         //
492      ssh-keysign.1m  //
493      sshd.1m         //
494      statd.1m        //
495      stmfadm.1m      //
496      stmsboot.1m     //
497      strace.1m       //
498      strclean.1m     //
499      strerr.1m       //
500      sttydefs.1m     //
501      su.1m           //
502      sulogin.1m      //
503      svadm.1m        //
504      svc.configd.1m  //
505      svc.ipfd.1m     //
506      svc.startd.1m   //
507      svcadm.1m       //
508      svccfg.1m       //
509      swap.1m         //
510      sync.1m         //
511      syncinit.1m     //
512      syncloop.1m     //
513      syncstat.1m     //
514      sysdef.1m       //
515      syseventadm.1m  //
516      syseventconfd.1m //
517      syseventd.1m    //
518      syslogd.1m      //
519      tapes.1m        //
520      tcpd.1m         //
521      tcpdchk.1m      //
522      tcpdmatch.1m    //

```

new/usr/src/man/man1m/Makefile

```

523      th_define.1m      \
524      th_manage.1m     \
525      tic.1m           \
526      tnchkdb.1m       \
527      tnctl.1m         \
528      tnd.1m           \
529      tninfo.1m        \
530      tpmadm.1m        \
531      traceroute.1m    \
532      trapstat.1m      \
533      ttyadm.1m        \
534      ttymon.1m        \
535      tune.1m          \
536      txzonemgr.1m     \
537      tzselect.1m      \
538      uadmin.1m        \
539      ucodeadm.1m      \
540      ufsdump.1m       \
541      ufsrestore.1m    \
542      unshare.1m       \
543      unshare_nfs.1m   \
544      update_drv.1m    \
545      updatehome.1m    \
546      useradd.1m       \
547      userdel.1m       \
548      usermod.1m       \
549      utmpd.1m         \
550      uucheck.1m       \
551      uucico.1m        \
552      uucleanup.1m     \
553      uusched.1m       \
554      uuxqt.1m         \
555      vmstat.1m        \
556      volcopy.1m       \
557      volcopy_ufs.1m   \
558      vscanadm.1m      \
559      vscand.1m        \
560      wall.1m          \
561      wanboot_keygen.1m \
562      wanboot_keymgmt.1m \
563      wanboot_p12split.1m \
564      wanbootutil.1m   \
565      whodo.1m         \
566      wificonfig.1m    \
567      wpad.1m          \
568      wracct.1m        \
569      wusbadm.1m       \
570      ypbind.1m        \
571      ypinit.1m        \
572      ypmake.1m        \
573      ypmmap2src.1m    \
574      yppoll.1m        \
575      yppush.1m        \
576      ypserv.1m        \
577      ypset.1m         \
578      ypstart.1m       \
579      ypxfr.1m         \
580      zdb.1m           \
581      zdump.1m         \
582      zfs.1m           \
583      zic.1m           \
584      zoneadm.1m       \
585      zoneadm.1m       \
586      zonecfg.1m       \
587      zpool.1m         \
588      zstreamdump.1m

```

9

new/usr/src/man/man1m/Makefile

```

590 i386_MANFILES=      \
591      lms.1m          \
592      \
593 sparc_MANFILES=      \
594      dcs.1m          \
595      drd.1m          \
596      efdaemon.1m     \
597      ldmd.1m         \
598      monitor.1m      \
599      obpsym.1m       \
600      oplhpd.1m       \
601      prtdsc.1m       \
602      sckmd.1m        \
603      sf880drd.1m     \
604      vntsd.1m        \
605      \
606 MANLINKS=            \
607      acctcon1.1m     \
608      acctcon2.1m     \
609      acctdisk.1m     \
610      acctdusg.1m     \
611      accton.1m       \
612      acctprcl.1m     \
613      acctprc2.1m     \
614      acctwtm.1m      \
615      bootparamd.1m   \
616      chargefee.1m    \
617      ckpacct.1m      \
618      closewtm.1m     \
619      comsat.1m       \
620      dcopy.1m        \
621      devfsadmd.1m    \
622      dodisk.1m       \
623      fcdm.1m         \
624      fingerd.1m      \
625      grpck.1m        \
626      hal-find-by-capability.1m \
627      hal-find-by-property.1m \
628      hal-set-property.1m \
629      intro.1m        \
630      kadmin.local.1m \
631      lastlogin.1m    \
632      metadetach.1m   \
633      metaonline.1m   \
634      monacct.1m      \
635      nulladm.1m      \
636      poweroff.1m     \
637      prctmp.1m       \
638      prdaily.1m      \
639      prtacct.1m      \
640      quotaoff.1m     \
641      rarpd.1m        \
642      rdisc.1m        \
643      reject.1m       \
644      restricted_shell.1m \
645      rexd.1m         \
646      rexecd.1m       \
647      rlogind.1m      \
648      routed.1m       \
649      rshd.1m         \
650      rstatd.1m       \
651      rusersd.1m      \
652      rwall.1m        \
653      rwhod.1m        \
654      sal.1m          \
655      sa2.1m

```

10

new/usr/src/man/man1m/Makefile

11

```

655      sadc.1m          \
656      shutacct.1m      \
657      sprayd.1m        \
658      startup.1m       \
659      talkd.1m         \
660      telinit.1m       \
661      telnetd.1m       \
662      tftpd.1m         \
663      turnacct.1m      \
664      umount.1m        \
665      umount_smbfs.1m  \
666      umountall.1m     \
667      unlink.1m        \
668      unshareall.1m    \
669      utmp2wtmp.1m     \
670      uucpd.1m         \
671      uutry.1m         \
672      wtmpfix.1m       \
673      yppasswdd.1m     \
674      ypstop.1m        \
675      ypupdated.1m     \
676      ypxfr_1perday.1m \
677      ypxfr_1perhour.1m \
678      ypxfr_2perday.1m \
679      ypxfrd.1m        \

681 MANFILES=      ${_MANFILES} ${$(MACH)_MANFILES}

683 intro.1m        := LINKSRC = Intro.1m

685 uutry.1m        := LINKSRC = Uutry.1m

687 reject.1m       := LINKSRC = accept.1m

689 acctdisk.1m     := LINKSRC = acct.1m
690 acctdusg.1m     := LINKSRC = acct.1m
691 accton.1m        := LINKSRC = acct.1m
692 acctwtmp.1m     := LINKSRC = acct.1m
693 closewtmp.1m    := LINKSRC = acct.1m
694 utmp2wtmp.1m    := LINKSRC = acct.1m

696 acctcon1.1m     := LINKSRC = acctcon.1m
697 acctcon2.1m     := LINKSRC = acctcon.1m

699 acctprc1.1m     := LINKSRC = acctprc.1m
700 acctprc2.1m     := LINKSRC = acctprc.1m

702 chargefee.1m    := LINKSRC = acctsh.1m
703 ckpacct.1m      := LINKSRC = acctsh.1m
704 dodisk.1m       := LINKSRC = acctsh.1m
705 lastlogin.1m    := LINKSRC = acctsh.1m
706 monacct.1m      := LINKSRC = acctsh.1m
707 nulladm.1m      := LINKSRC = acctsh.1m
708 prctmp.1m       := LINKSRC = acctsh.1m
709 prdaily.1m      := LINKSRC = acctsh.1m
710 prtacct.1m      := LINKSRC = acctsh.1m
711 shutacct.1m     := LINKSRC = acctsh.1m
712 startup.1m      := LINKSRC = acctsh.1m
713 turnacct.1m     := LINKSRC = acctsh.1m

715 dcopy.1m        := LINKSRC = clri.1m

717 devfsadm.1m     := LINKSRC = devfsadm.1m

719 fcadm.1m        := LINKSRC = fcinfo.1m

```

new/usr/src/man/man1m/Makefile

12

```

721 wtmpfix.1m       := LINKSRC = fwtmp.1m

723 hal-find-by-capability.1m := LINKSRC = hal-find.1m
724 hal-find-by-property.1m  := LINKSRC = hal-find.1m

726 hal-set-property.1m     := LINKSRC = hal-get-property.1m

728 poweroff.1m            := LINKSRC = halt.1m

730 comsat.1m              := LINKSRC = in.comsat.1m
731 fingerd.1m             := LINKSRC = in.fingerd.1m
732 rarpd.1m               := LINKSRC = in.rarpd.1m
733 rdisc.1m               := LINKSRC = in.rdisc.1m
734 rexecd.1m              := LINKSRC = in.rexecd.1m
735 rlogind.1m             := LINKSRC = in.rlogind.1m
736 routed.1m              := LINKSRC = in.routed.1m
737 rshd.1m                := LINKSRC = in.rshd.1m
738 rwhod.1m               := LINKSRC = in.rwhod.1m
739 talkd.1m               := LINKSRC = in.talkd.1m
740 telnetd.1m             := LINKSRC = in.telnetd.1m
741 tftpd.1m               := LINKSRC = in.tftpd.1m
742 uucpd.1m               := LINKSRC = in.uucpd.1m

744 telinit.1m           := LINKSRC = init.1m

746 kadmin.local.1m      := LINKSRC = kadmin.1m

748 unlink.1m            := LINKSRC = link.1m

750 metaonline.1m        := LINKSRC = metaoffline.1m

752 metadetach.1m       := LINKSRC = metattach.1m

754 umount.1m            := LINKSRC = mount.1m

756 umount_smbfs.1m      := LINKSRC = mount_smbfs.1m

758 umountall.1m         := LINKSRC = mountall.1m

760 grpck.1m             := LINKSRC = pwck.1m

762 quotaoff.1m          := LINKSRC = quotaon.1m

764 bootparamd.1m        := LINKSRC = rpc.bootparamd.1m
765 rexd.1m               := LINKSRC = rpc.rexd.1m
766 rstatd.1m             := LINKSRC = rpc.rstatd.1m
767 rusersd.1m            := LINKSRC = rpc.rusersd.1m
768 rwalld.1m             := LINKSRC = rpc.rwalld.1m
769 sprayd.1m             := LINKSRC = rpc.sprayd.1m
770 yppasswdd.1m          := LINKSRC = rpc.yppasswdd.1m
771 ypupdated.1m          := LINKSRC = rpc.ypupdated.1m

773 restricted_shell.1m   := LINKSRC = rsh.1m

775 sa1.1m                := LINKSRC = sar.1m
776 sa2.1m                := LINKSRC = sar.1m
777 sadc.1m               := LINKSRC = sar.1m

779 unshareall.1m        := LINKSRC = shareall.1m

781 ypxfrd.1m             := LINKSRC = ypserv.1m

783 ypstop.1m            := LINKSRC = ypstart.1m

785 ypxfr_1perday.1m      := LINKSRC = ypxfr.1m
786 ypxfr_1perhour.1m    := LINKSRC = ypxfr.1m

```


new/usr/src/man/man1m/Makefile

13

```
787 ypxfr_2perday.lm          := LINKSRC = ypxfr.lm
```

```
790 .KEEP_STATE:
```

```
792 include      $(SRC)/man/Makefile.man
```

```
794 install:     $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/man/man4/Makefile

1

5569 Wed Nov 12 17:44:34 2014

new/usr/src/man/man4/Makefile

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
14 #endif /* ! codereview */
15 # Copyright 2011, Richard Lowe
16 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
17 #
```

```
19 include      $(SRC)/Makefile.master
```

```
21 MANSECT=      4
```

```
23 _MANFILES=    Intro.4          \
24               NISLDAPmapping.4 \
25               a.out.4           \
26               admin.4           \
27               alias.4           \
28               aliases.4         \
29               au.4              \
30               audit.log.4       \
31               audit_class.4     \
32               audit_control.4   \
33               audit_event.4     \
34               audit_user.4      \
35               auth_attr.4       \
36               autofs.4          \
37               bart_manifest.4   \
38               bart_rules.4      \
39               bootparams.4      \
40               cardbus.4         \
41               compver.4         \
42               contents.4        \
43               contract.4        \
44               copyright.4       \
45               core.4            \
46               crypt.conf.4      \
47               crypto_certs.4    \
48               ctf.4             \
49               d_passwd.4        \
50               dacf.conf.4       \
51               dat.conf.4        \
52               default_fs.4      \
53               defaultdomain.4   \
54               defaultrouter.4   \
55               depend.4          \
56               device_allocate.4 \
57               device_contract.4 \
58               device_maps.4     \
59               devices.4         \
60               dfstab.4          \
61               dhcp_inittab.4    \
```

new/usr/src/man/man4/Makefile

2

```
61 dialups.4      \
62 dir_ufs.4      \
63 driver.conf.4  \
64 ds.log.4       \
65 ethers.4       \
66 exec_attr.4    \
67 fdi.4          \
68 format.dat.4   \
69 fspec.4        \
70 fstypes.4      \
71 ftp.4          \
72 ftpusers.4     \
73 fx_dptbl.4     \
74 gateways.4     \
75 group.4        \
76 gsscred.conf.4 \
77 hba.conf.4     \
78 holidays.4    \
79 hosts.4        \
80 hosts.equiv.4  \
81 hosts_access.4 \
82 hosts_options.4 \
83 ib.4           \
84 ike.config.4   \
85 ike.preshared.4 \
86 inet_type.4    \
87 inetd.conf.4   \
88 init.4         \
89 init.d.4       \
90 inittab.4      \
91 ipaddrsel.conf.4 \
92 ipnodes.4      \
93 issue.4        \
94 kadm5.acl.4    \
95 kdc.conf.4     \
96 keytables.4    \
97 krb5.conf.4    \
98 ldapfilter.conf.4 \
99 ldapsearchprefs.conf.4 \
100 ldaptemplates.conf.4 \
101 logadm.conf.4  \
102 logindevperm.4 \
103 loginlog.4     \
104 magic.4        \
105 mailer.conf.4  \
106 md.tab.4       \
107 mddb.cf.4      \
108 mech.4         \
109 meddb.4        \
110 mnttab.4       \
111 mod_ipp.4      \
112 mpapi.conf.4   \
113 nca.if.4       \
114 ncad_addr.4    \
115 ncakmod.conf.4 \
116 ncalogd.conf.4 \
117 ncaport.conf.4 \
118 ndmp.4         \
119 ndpd.conf.4    \
120 netconfig.4    \
121 netgroup.4     \
122 netid.4        \
123 netmasks.4    \
124 netrc.4        \
125 networks.4    \
126 nfs.4          \
```

```

127         nfslog.conf.4           \
128         nfssec.conf.4           \
129         nodename.4              \
130         nologin.4               \
131         note.4                  \
132         notrouter.4             \
133         nsd.conf.4              \
134         nsmbrc.4                \
135         nss.4                   \
136         nsswitch.conf.4         \
137         packingrules.4          \
138         pam.conf.4              \
139         passwd.4                \
140         path_to_inst.4          \
141         pci.4                   \
142         phones.4                \
143         pkginfo.4               \
144         pkgmap.4                \
145         policy.conf.4           \
146         power.conf.4            \
147         printers.4              \
148         printers.conf.4         \
149         priv_names.4            \
150         proc.4                  \
151         process.4               \
152         prof_attr.4             \
153         profile.4               \
154         project.4               \
155         protocols.4             \
156         prototype.4             \
157         pseudo.4                \
158         publickey.4             \
159         queuedefs.4             \
160         rcmscript.4             \
161         rdc.cf.4                \
162         remote.4                \
163         resolv.conf.4           \
164         rmtab.4                 \
165         rpc.4                   \
166         rt_dptbl.4              \
167         sasl_appname.conf.4      \
168         scsi.4                  \
169         securenets.4           \
170         sel_config.4            \
171         sendmail.4              \
172         service_bundle.4        \
173         service_provider.conf.4 \
174         services.4              \
175         shadow.4                \
176         sharetab.4              \
177         shells.4                \
178         slp.conf.4               \
179         slpd.reg.4              \
180         smb.4                   \
181         smbautohome.4           \
182         smhba.conf.4            \
183         sndr.4                  \
184         sock2path.d.4           \
185         space.4                 \
186         ssh_config.4            \
187         sshd_config.4           \
188         sulog.4                 \
189         syslog.conf.4           \
190         system.4                \
191         term.4                  \
192         terminfo.4              \

```

```

193         timezone.4              \
194         tnf_kernel_probes.4     \
195         ts_dptbl.4              \
196         ttydefs.4               \
197         ttysrch.4               \
198         ufsdump.4               \
199         updaters.4              \
200         user_attr.4             \
201         utmp.4                  \
202         utmpx.4                 \
203         vfstab.4                \
204         volume-config.4         \
205         volume-request.4        \
206         wanboot.conf.4          \
207         warn.conf.4             \
208         ypfiles.4               \
209         yppasswdd.4             \
210         ypserv.4                \
211         zoneinfo.4              \
213         sparc_MANFILES=        sbus.4
215         i386_MANFILES=         sysbus.4
217         _MANLINKS=             addresses.4 \
218                                devid_cache.4 \
219                                devname_cache.4 \
220                                dir.4 \
221                                dumpdates.4 \
222                                fbtabs.4 \
223                                forward.4 \
224                                fs.4 \
225                                hosts.allow.4 \
226                                hosts.deny.4 \
227                                intro.4 \
228                                md.cf.4 \
229                                mdi_ib_cache.4 \
230                                mdi_scsi_vhci_cache.4 \
231                                pci_unitaddr_persistent.4 \
232                                pcie.4 \
233                                qop.4 \
234                                rhosts.4 \
235                                sendmail.cf.4 \
236                                snapshot_cache.4 \
237                                submit.cf.4 \
238                                volume-defaults.4 \
239                                wtmp.4 \
240                                wtmpx.4
242         i386_MANLINKS=         isa.4
244         MANFILES=              $( _MANFILES ) $( $(MACH)_MANFILES )
245         MANLINKS=              $( _MANLINKS ) $( $(MACH)_MANLINKS )
247         intro.4                 := LINKSRC = Intro.4
249         addresses.4             := LINKSRC = aliases.4
250         forward.4               := LINKSRC = aliases.4
252         fs.4                     := LINKSRC = default_fs.4
254         devid_cache.4           := LINKSRC = devices.4
255         devname_cache.4         := LINKSRC = devices.4
256         mdi_ib_cache.4          := LINKSRC = devices.4
257         mdi_scsi_vhci_cache.4   := LINKSRC = devices.4
258         pci_unitaddr_persistent.4 := LINKSRC = devices.4

```

```
259 snapshot_cache.4      := LINKSRC = devices.4
261 dir.4                  := LINKSRC = dir_ufs.4
263 rhosts.4               := LINKSRC = hosts.equiv.4
265 hosts.allow.4          := LINKSRC = hosts_access.4
266 hosts.deny.4           := LINKSRC = hosts_access.4
268 fbtabs.4               := LINKSRC = logindevperm.4
270 md.cf.4                := LINKSRC = md.tab.4
272 qop.4                  := LINKSRC = mech.4
274 pcie.4                 := LINKSRC = pci.4
276 sendmail.cf.4          := LINKSRC = sendmail.4
277 submit.cf.4            := LINKSRC = sendmail.4
279 isa.4                  := LINKSRC = sysbus.4
281 dumpdates.4            := LINKSRC = ufsdump.4
283 wtmp.4                 := LINKSRC = utmp.4
285 wtmpx.4                := LINKSRC = utmpx.4
287 volume-defaults.4      := LINKSRC = volume-request.4
289 .KEEP_STATE:
291 include                $(SRC)/man/Makefile.man
293 install:                $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/man/man7d/Makefile

1

4549 Wed Nov 12 17:44:34 2014

new/usr/src/man/man7d/Makefile

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
```

18 include \$(SRC)/Makefile.master

20 MANSECT= 7d

```
22 _MANFILES= aac.7d \
23 afe.7d \
24 audio.7d \
25 audiol575.7d \
26 audioens.7d \
27 audiol.7d \
28 audiopl6x.7d \
29 audiopci.7d \
30 audiot.7d \
31 avl394.7d \
32 bge.7d \
33 blkdev.7d \
34 bscv.7d \
35 chxge.7d \
36 console.7d \
37 cpuid.7d \
38 dca.7d \
39 dcaml394.7d \
40 devinfo.7d \
41 dmfe.7d \
42 dtrace.7d \
43 ehci.7d \
44 fasttrap.7d \
45 fbt.7d \
46 fcip.7d \
47 fcoe.7d \
48 fcoei.7d \
49 fcoet.7d \
50 fcp.7d \
51 fctl.7d \
52 fd.7d \
53 fp.7d \
54 gld.7d \
55 hci1394.7d \
56 hermon.7d \
57 hid.7d \
58 hme.7d \
59 hubd.7d \
60 hwahc.7d \
61 hwarc.7d \
```

new/usr/src/man/man7d/Makefile

2

```
62 hxge.7d \
63 ib.7d \
64 ibcm.7d \
65 ibd.7d \
66 ibdm.7d \
67 ibdma.7d \
68 ibtl.7d \
69 ieee1394.7d \
70 igb.7d \
71 ii.7d \
72 ipnet.7d \
73 iscsi.7d \
74 iser.7d \
75 ixgbe.7d \
76 kmdb.7d \
77 kstat.7d \
78 ksyms.7d \
79 llcl.7d \
80 lockstat.7d \
81 lofi.7d \
82 log.7d \
83 md.7d \
84 mediator.7d \
85 mem.7d \
86 mpt_sas.7d \
87 mr_sas.7d \
88 msglog.7d \
89 mt.7d \
90 mxfe.7d \
91 myri10ge.7d \
92 null.7d \
93 nulldriver.7d \
94 nxge.7d \
95 ohci.7d \
96 openprom.7d \
97 pcic.7d \
98 pcmcia.7d \
99 physmem.7d \
100 pm.7d \
101 poll.7d \
102 profile.7d \
103 ptm.7d \
104 pts.7d \
105 pty.7d \
106 qlc.7d \
107 ramdisk.7d \
108 random.7d \
109 rge.7d \
110 rtls.7d \
111 sad.7d \
112 sata.7d \
113 scsa1394.7d \
114 scsa2usb.7d \
115 sd.7d \
116 sdp.7d \
117 sdt.7d \
118 ses.7d \
119 sfe.7d \
120 sgen.7d \
121 srpt.7d \
122 st.7d \
123 sv.7d \
124 sysmsg.7d \
125 systrace.7d \
126 ticlts.7d \
127 tty.7d \
```

new/usr/src/man/man7d/Makefile

```

126          ttymux.7d      \
127          tzmon.7d       \
128          ugen.7d        \
129          uhci.7d        \
130          usb_ac.7d      \
131          usb_as.7d      \
132          usb_ia.7d      \
133          usb_mid.7d     \
134          usba.7d        \
135          usbftdi.7d     \
136          usbpri.7d      \
137          usbsacm.7d     \
138          usbsksp.7d     \
139          usbsprl.7d     \
140          usbvc.7d       \
141          uwba.7d        \
142          virtualkm.7d   \
143          vni.7d         \
144          vr.7d          \
145          wscons.7d      \
146          wusb_ca.7d     \
147          wusb_df.7d     \
148          xge.7d         \
149          yge.7d         \
150          zcons.7d       \
151          zero.7d        \

153 sparc_MANFILES= audiocs.7d \
154                  bbc_beep.7d \
155                  ctsmc.7d    \
156                  cvc.7d      \
157                  cvcredir.7d \
158                  dad.7d      \
159                  dm2s.7d     \
160                  dr.7d       \
161                  eri.7d      \
162                  fas.7d      \
163                  gpio_87317.7d \
164                  grbeep.7d   \
165                  idn.7d      \
166                  mc-opl.7d   \
167                  n2rng.7d    \
168                  ncp.7d      \
169                  ntwdt.7d    \
170                  oplkmdrv.7d \
171                  oplmsu.7d   \
172                  oplpanel.7d \
173                  pcicmu.7d   \
174                  pcipsy.7d   \
175                  pcisch.7d   \
176                  schpc.7d    \
177                  sf.7d       \
178                  smbus.7d    \
179                  socal.7d    \
180                  ssd.7d      \
181                  su.7d       \
182                  todopl.7d   \
183                  tsalarm.7d  \
184                  zs.7d       \
185                  zsh.7d      \

187 i386_MANFILES= ahci.7d \
188                 amd8111s.7d \
189                 amr.7d \
190                 arcmsr.7d \
191                 arn.7d \

```

3

new/usr/src/man/man7d/Makefile

```

192          asy.7d        \
193          ata.7d        \
194          atge.7d       \
195          ath.7d        \
196          atu.7d        \
197          audio810.7d   \
198          audiocmi.7d   \
199          audiocmihd.7d \
200          audioemu10k.7d \
201          audiohd.7d    \
202          audioixp.7d   \
203          audiosolo.7d  \
204          audiovia823x.7d \
205          audiovia97.7d \
206          bcm_sata.7d   \
207          bfe.7d        \
208          cmdk.7d       \
209          cpgary3.7d     \
210          dnet.7d       \
211          ecpp.7d       \
212          elxl.7d       \
213          heci.7d       \
214          i915.7d       \
215          ipmi.7d       \
216          iprb.7d       \
217          ipw.7d        \
218          iwh.7d        \
219          iwi.7d        \
220          mega_sas.7d   \
221          npe.7d        \
222          ntxn.7d       \
223          nv_sata.7d    \
224          pcn.7d        \
225          radeon.7d     \
226          ral.7d        \
227          rtw.7d        \
228          rum.7d        \
229          rwd.7d        \
230          rwn.7d        \
231          sda.7d        \
232          sdhost.7d     \
233          si3124.7d     \
234          skd.7d        \
235          smbios.7d     \
236          uath.7d       \
237          ural.7d       \
238          urtw.7d       \
239          wpi.7d        \
240          zyd.7d        \

242 _MANLINKS= 1394.7d \
243            allkmem.7d \
244            bscbus.7d  \
245            fdc.7d     \
246            firewire.7d \
247            hwal480_fw.7d \
248            i2bsc.7d   \
249            kmem.7d    \
250            lo0.7d     \
251            ticots.7d  \
252            ticotsord.7d \
253            urandom.7d \
254            usb.7d     \
255            uwb.7d     \

257 sparc_MANLINKS= drmach.7d \

```

4

new/usr/src/man/man7d/Makefile

5

```
258          ngdr.7d      \
259          ngdrmach.7d

261 MANFILES =      $( _MANFILES ) $( $(MACH)_MANFILES )
262 MANLINKS =      $( _MANLINKS ) $( $(MACH)_MANLINKS )

264 bscbus.7d       := LINKSRC = bscv.7d
265 i2bsc.7d        := LINKSRC = bscv.7d

267 drmach.7d       := LINKSRC = dr.7d
268 ngdr.7d          := LINKSRC = dr.7d
269 ngdrmach.7d      := LINKSRC = dr.7d

271 fdc.7d          := LINKSRC = fd.7d

273 ieee1394.7d     := LINKSRC = ieee1394.7d
274 firewire.7d     := LINKSRC = ieee1394.7d

276 lo0.7d          := LINKSRC = ipnet.7d

278 allkmem.7d       := LINKSRC = mem.7d
279 kmem.7d          := LINKSRC = mem.7d

281 urandom.7d       := LINKSRC = random.7d

283 ticots.7d        := LINKSRC = ticlts.7d
284 ticotsord.7d     := LINKSRC = ticlts.7d

286 usb.7d           := LINKSRC = usba.7d

288 uwb.7d           := LINKSRC = uwba.7d

290 hwa1480_fw.7d    := LINKSRC = wusb_df.7d

292 .KEEP_STATE:

294 include          $(SRC)/man/Makefile.man

296 install:         $(ROOTMANFILES) $(ROOTMANLINKS)
```

4576 Wed Nov 12 17:44:34 2014

new/usr/src/man/man7d/Makefile.orig

5075 EOF cardbus & pcmcia

```

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #

```

```

18 include      $(SRC)/Makefile.master

```

```

20 MANSECT=      7d

```

```

22 _MANFILES=    aac.7d      \
23               afe.7d      \
24               audio.7d     \
25               audio1575.7d \
26               audioens.7d  \
27               audiols.7d   \
28               audiop16x.7d \
29               audiopci.7d  \
30               audiotls.7d  \
31               av1394.7d    \
32               bge.7d       \
33               blkdev.7d    \
34               bscv.7d      \
35               chxge.7d     \
36               console.7d   \
37               cpuid.7d     \
38               dca.7d       \
39               dcam1394.7d   \
40               devinfo.7d   \
41               dmfe.7d      \
42               dtrace.7d    \
43               ehci.7d      \
44               fasttrap.7d  \
45               fbt.7d       \
46               fcip.7d      \
47               fcoe.7d      \
48               fcoei.7d     \
49               fcoet.7d     \
50               fcp.7d       \
51               fctl.7d      \
52               fd.7d        \
53               fp.7d        \
54               gld.7d       \
55               hci1394.7d   \
56               hermon.7d    \
57               hid.7d       \
58               hme.7d       \
59               hubd.7d      \
60               hwahc.7d     \
61               hwarc.7d     \

```

```

62             hxge.7d      \
63             ib.7d        \
64             ibcm.7d      \
65             ibd.7d       \
66             ibdm.7d      \
67             ibdma.7d     \
68             ibtl.7d      \
69             ieee1394.7d  \
70             igb.7d       \
71             ii.7d        \
72             ipnet.7d     \
73             iscsi.7d     \
74             iser.7d      \
75             ixgbe.7d     \
76             kmdb.7d      \
77             kstat.7d     \
78             ksyms.7d     \
79             llcl.7d      \
80             lockstat.7d  \
81             lofi.7d      \
82             log.7d       \
83             md.7d        \
84             mediator.7d  \
85             mem.7d       \
86             mpt_sas.7d   \
87             mr_sas.7d    \
88             msglog.7d    \
89             mt.7d        \
90             mxfe.7d      \
91             myri10ge.7d  \
92             null.7d      \
93             nulldriver.7d \
94             nxge.7d      \
95             ohci.7d      \
96             openprom.7d  \
97             pcic.7d      \
98             pcmcia.7d    \
99             physmem.7d   \
100            pm.7d         \
101            poll.7d       \
102            profile.7d    \
103            ptm.7d        \
104            pts.7d        \
105            pty.7d        \
106            qlc.7d        \
107            ramdisk.7d    \
108            random.7d     \
109            rge.7d        \
110            rtls.7d       \
111            sad.7d        \
112            sata.7d       \
113            scsa1394.7d   \
114            scsa2usb.7d   \
115            sd.7d         \
116            sdp.7d        \
117            sdt.7d        \
118            ses.7d        \
119            sfe.7d        \
120            sgen.7d       \
121            srpt.7d       \
122            st.7d         \
123            sv.7d         \
124            sysmsg.7d     \
125            systrace.7d   \
126            ticlts.7d     \
127            tty.7d        \

```



```

128         ttymux.7d      \
129         tzmon.7d       \
130         ugen.7d        \
131         uhci.7d        \
132         usb_ac.7d      \
133         usb_as.7d      \
134         usb_ia.7d      \
135         usb_mid.7d     \
136         usba.7d        \
137         usbftdi.7d     \
138         usbprn.7d      \
139         usbsacm.7d     \
140         usbsksp.7d     \
141         usbsprl.7d     \
142         usbvc.7d       \
143         uwba.7d        \
144         virtualkm.7d   \
145         vni.7d         \
146         vr.7d          \
147         wscons.7d     \
148         wusb_ca.7d     \
149         wusb_df.7d     \
150         xge.7d         \
151         yge.7d         \
152         zcons.7d       \
153         zero.7d        \
154
155 sparc_MANFILES= audiocs.7d \
156                 bbc_beep.7d \
157                 ctsmc.7d   \
158                 cvc.7d     \
159                 cvcredir.7d \
160                 dad.7d     \
161                 dm2s.7d    \
162                 dr.7d      \
163                 eri.7d     \
164                 fas.7d     \
165                 gpio_87317.7d \
166                 grbeep.7d  \
167                 idn.7d     \
168                 mc-opl.7d  \
169                 n2rng.7d   \
170                 ncp.7d     \
171                 ntwdt.7d   \
172                 oplkmdrv.7d \
173                 oplmsu.7d  \
174                 oplpanel.7d \
175                 pcicmu.7d  \
176                 pcipsy.7d  \
177                 pcisch.7d  \
178                 schpc.7d   \
179                 sf.7d      \
180                 smbus.7d   \
181                 socal.7d   \
182                 ssd.7d     \
183                 su.7d      \
184                 todopl.7d  \
185                 tsalarm.7d \
186                 zs.7d      \
187                 zsh.7d     \
188
189 i386_MANFILES= ahci.7d \
190                 amd8111s.7d \
191                 amr.7d \
192                 arcmsr.7d \
193                 arn.7d \

```

```

194         asy.7d      \
195         ata.7d      \
196         atge.7d     \
197         ath.7d      \
198         atu.7d      \
199         audio810.7d \
200         audiocmi.7d \
201         audiocmihd.7d \
202         audioemu10k.7d \
203         audiohd.7d  \
204         audioixp.7d \
205         audiosolo.7d \
206         audiovia823x.7d \
207         audiovia97.7d \
208         bcm_sata.7d \
209         bfe.7d      \
210         cmdk.7d     \
211         cpqary3.7d  \
212         dnet.7d     \
213         ecpp.7d     \
214         elxl.7d     \
215         heci.7d     \
216         i915.7d     \
217         ipmi.7d     \
218         iprb.7d     \
219         ipw.7d      \
220         iwh.7d      \
221         iwi.7d      \
222         mega_sas.7d \
223         npe.7d      \
224         ntxn.7d     \
225         nv_sata.7d  \
226         pcn.7d      \
227         radeon.7d   \
228         ral.7d      \
229         rtw.7d      \
230         rum.7d      \
231         rwd.7d      \
232         rwn.7d      \
233         sda.7d      \
234         sdhost.7d   \
235         si3124.7d   \
236         skd.7d      \
237         smbios.7d   \
238         uath.7d     \
239         ural.7d     \
240         urtw.7d     \
241         wpi.7d      \
242         zyd.7d      \
243
244 _MANLINKS= 1394.7d \
245            allkmem.7d \
246            bscbus.7d \
247            fdcc.7d \
248            firewire.7d \
249            hwa1480_fw.7d \
250            i2bsc.7d \
251            kmem.7d \
252            lo0.7d \
253            ticots.7d \
254            ticotsord.7d \
255            urandom.7d \
256            usb.7d \
257            uwb.7d \
258
259 sparc_MANLINKS= drmach.7d \

```

```
260         ngdr.7d      \
261         ngdrmach.7d

263 MANFILES =      $(_MANFILES) $($(MACH)_MANFILES)
264 MANLINKS =      $(_MANLINKS) $($(MACH)_MANLINKS)

266 bscbus.7d       := LINKSRC = bscv.7d
267 i2bsc.7d        := LINKSRC = bscv.7d

269 drmach.7d       := LINKSRC = dr.7d
270 ngdr.7d         := LINKSRC = dr.7d
271 ngdrmach.7d     := LINKSRC = dr.7d

273 fdc.7d         := LINKSRC = fd.7d

275 i394.7d         := LINKSRC = ieee1394.7d
276 firewire.7d    := LINKSRC = ieee1394.7d

278 lo0.7d         := LINKSRC = ipnet.7d

280 allkmem.7d      := LINKSRC = mem.7d
281 kmem.7d        := LINKSRC = mem.7d

283 urandom.7d     := LINKSRC = random.7d

285 ticots.7d      := LINKSRC = ticlts.7d
286 ticotsord.7d   := LINKSRC = ticlts.7d

288 usb.7d         := LINKSRC = usba.7d

290 uwb.7d         := LINKSRC = uwba.7d

292 hwa1480_fw.7d  := LINKSRC = wusb_df.7d

294 .KEEP_STATE:

296 include        $(SRC)/man/Makefile.man

298 install:       $(ROOTMANFILES) $(ROOTMANLINKS)
299 #endif /* ! codereview */
```

25229 Wed Nov 12 17:44:34 2014

new/usr/src/man/man9f/Intro.9f

5075 EOF cardbus & pcmcia

```

1  \" te
1  \" Copyright 2014 Garrett D'Amore <garrett@damore.org>
2  \" Copyright (c) 2005, Sun Microsystems, Inc., All Rights Reserved
3  \" The contents of this file are subject to the terms of the Common Development
4  \" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
5  \" When distributing Covered Code, include this CDDL HEADER in each file and in
6  .Dd \"Aug 08, 2014\"
7  .Dt INTRO 9F
8  .Os
9  .Sh NAME
10 .Nm Intro ,
11 .Nm intro
12 .Nd introduction to DDI/DKI functions
13 .Sh DESCRIPTION
14   .TH INTRO 9F \"Feb 06, 2012\"
15   .SH NAME
16   Intro, intro \- introduction to DDI/DKI functions
17   .SH DESCRIPTION
18   .sp
19   .LP
20   Section 9F describes the kernel functions available for use by device drivers.
21   .See
22   .Xr Intro 9E
23   for an overview of device driver interfaces.
24   .Lp
25   See \fBIntro\fR(9E) for an overview of device driver interfaces.
26   .sp
27   .LP
28   In this section, the information for each driver function is organized under
29   the following headings:
30   .B1 -bullet -offset indent
31   .It
32   .Sy NAME
33   summarizes the function's purpose.
34   .It
35   .Sy SYNOPSIS
36   shows the syntax of the function's entry point in the source
37   code.
38   .Li #include
39   directives are shown for required headers.
40   .It
41   .Sy INTERFACE LEVEL
42   describes any architecture dependencies.
43   .It
44   .Sy ARGUMENTS
45   describes any arguments required to invoke the function.
46   .It
47   .Sy DESCRIPTION
48   describes general information about the function.
49   .It
50   .Sy RETURN VALUES
51   describes the return values and messages that can
52   .RS +4
53   .TP
54   .ie t \(\bu
55   .el o
56   23 \fBNAME\fR summarizes the function's purpose.
57   .RE
58   .RS +4
59   .TP
60   .ie t \(\bu

```

```

28 .el o
29 \fBSYNOPSIS\fR shows the syntax of the function's entry point in the source
30 code. \fB#include\fR directives are shown for required headers.
31 .RE
32 .RS +4
33 .TP
34 .ie t \(\bu
35 .el o
36 \fBINTERFACE\fR \fBLEVEL\fR describes any architecture dependencies.
37 .RE
38 .RS +4
39 .TP
40 .ie t \(\bu
41 .el o
42 \fBARGUMENTS\fR describes any arguments required to invoke the function.
43 .RE
44 .RS +4
45 .TP
46 .ie t \(\bu
47 .el o
48 \fBDESCRIPTION\fR describes general information about the function.
49 .RE
50 .RS +4
51 .TP
52 .ie t \(\bu
53 .el o
54 \fBRETURN\fR \fBVALUES\fR describes the return values and messages that can
55 result from invoking the function.
56 .It
57 .Sy CONTEXT
58 indicates from which driver context (user, kernel, interrupt, or
59 .RE
60 .RS +4
61 .TP
62 .ie t \(\bu
63 .el o
64 \fBCONTEXT\fR indicates from which driver context (user, kernel, interrupt, or
65 high-level interrupt) the function can be called.
66 .Lp
67 A driver function has
68 .Em user context
69 if it was directly invoked because of
70 a user thread. The
71 .Xr read 9E
72 entry point of the driver, invoked by a
73 .Xr read 2
74 system call, has user context.
75 .Lp
76 A driver function has
77 .Em kernel context
78 if was invoked by some other part of
79 the kernel. In a block device driver, the
80 .Xr strategy 9E
81 entry point may be
82 .RE
83 .RS +4
84 .TP
85 .ie t \(\bu
86 .el o
87 A driver function has \fBuser context\fR if it was directly invoked because of
88 a user thread. The \fBread\fR(9E) entry point of the driver, invoked by a
89 \fBread\fR(2) system call, has user context.
90 .RE
91 .RS +4
92 .TP
93 .ie t \(\bu

```

```

75 .el o
76 A driver function has \fIkernel context\fR if was invoked by some other part of
77 the kernel. In a block device driver, the \fBstrategy\fR(9E) entry point may be
78 called by the page daemon to write pages to the device. The page daemon has no
79 relation to the current user thread, so in this case
80 .Xr strategy 9E
81 has kernel context.
82 .Lp
83 .Em Interrupt context
84 is kernel context, but also has an interrupt level
85 relation to the current user thread, so in this case \fBstrategy\fR(9E) has
86 kernel context.
87 .RE
88 .RS +4
89 .TP
90 .ie t \(bu
91 .el o
92 \fIInterrupt context\fR is kernel context, but also has an interrupt level
93 associated with it. Driver interrupt routines have interrupt context.
94 .Lp
95 .sp
96 Note that a mutex acquired in user or kernel context that can also be acquired
97 in interrupt context means that the user or kernel context thread holding that
98 mutex is subject to all the restrictions imposed by interrupt context, for the
99 duration of the ownership of that mutex. Please see the
100 .Xr mutex 9F
101 man page for a more complete discussion of proper mutex handling for drivers.
102 .Lp
103 .Em High-level interrupt context
104 is a more restricted form of interrupt
105 duration of the ownership of that mutex. Please see the \fBmutex\fR(9F) man
106 page for a more complete discussion of proper mutex handling for drivers.
107 .RE
108 .RS +4
109 .TP
110 .ie t \(bu
111 .el o
112 \fIHigh-level interrupt context\fR is a more restricted form of interrupt
113 context. If a driver interrupt priority returned from
114 .Xr ddi_intr_get_pri 9F
115 is greater than the priority returned from
116 .Xr ddi_intr_get_hilevel_pri 9F
117 this indicates the interrupt handler will
118 \fBddi_intr_get_pri\fR(9F) is greater than the priority returned from
119 \fBddi_intr_get_hilevel_pri\fR(9F) this indicates the interrupt handler will
120 run in high-level interrupt context. These interrupt routines are only allowed
121 to call
122 .Xr ddi_intr_trigger_softint 9F ,
123 .Xr mutex_enter 9F ,
124 and
125 .Xr mutex_exit 9F .
126 Furthermore,
127 .Xr mutex_enter 9F
128 and
129 .Xr mutex_exit 9F
130 may only be called on mutexes initialized with the
131 interrupt priority returned by
132 .Xr ddi_intr_get_pri 9F .
133 .It
134 .Sy SEE ALSO
135 indicates functions that are related by usage and sources, and
136 to call \fBddi_intr_trigger_softint\fR(9F), \fBmutex_enter\fR(9F), and
137 \fBmutex_exit\fR(9F). Furthermore, \fBmutex_enter\fR(9F) and
138 \fBmutex_exit\fR(9F) may only be called on mutexes initialized with the
139 interrupt priority returned by \fBddi_intr_get_pri\fR(9F).
140 .RE

```

```

109 .RS +4
110 .TP
111 .ie t \(bu
112 .el o
113 \fBSEE ALSO\fR indicates functions that are related by usage and sources, and
114 which can be referred to for further information.
115 .It
116 .Sy EXAMPLES
117 shows how the function can be used in driver code.
118 .El
119 .Lp
120 Every driver MUST include
121 .In sys/ddi.h
122 and
123 .In sys/sunddi.h ,
124 in that order, and as the last files the driver includes.
125 .Sh STREAMS KERNEL FUNCTION SUMMARY
126 .RE
127 .RS +4
128 .TP
129 .ie t \(bu
130 .el o
131 \fBEXAMPLES\fR shows how the function can be used in driver code.
132 .RE
133 .sp
134 .Lp
135 Every driver MUST include <\fBsys/ddi.h\fR> and <\fBsys/sunddi.h\fR>, in that
136 order, and as the last files the driver includes.
137 .Sh STREAMS KERNEL FUNCTION SUMMARY
138 .sp
139 .LP
140 The following table summarizes the STREAMS functions described in this section.
141 .Bl -column usb_pipe_get_max_bulk_transfer_size
142 .It Sy Routine Sy Type
143 .It Sy adjmsg DDI/DKI
144 .It Sy allocb DDI/DKI
145 .It Sy allocb_tmpl Solaris DDI
146 .It Sy backq DDI/DKI
147 .It Sy bcanput DDI/DKI
148 .It Sy bcanputnext DDI/DKI
149 .It Sy bufcall DDI/DKI
150 .It Sy canput DDI/DKI
151 .It Sy canputnext DDI/DKI
152 .It Sy clrbuf DDI/DKI
153 .It Sy copyb DDI/DKI
154 .It Sy copymsg DDI/DKI
155 .It Sy DB_BASE Solaris DDI
156 .It Sy DB_LIM Solaris DDI
157 .It Sy DB_REF Solaris DDI
158 .It Sy DB_TYPE Solaris DDI
159 .It Sy datamsg DDI/DKI
160 .It Sy dupb DDI/DKI
161 .It Sy dupmsg DDI/DKI
162 .It Sy enableok DDI/DKI
163 .It Sy esballoc DDI/DKI
164 .It Sy esbcall DDI/DKI
165 .It Sy flushband DDI/DKI
166 .It Sy flushq DDI/DKI
167 .It Sy freeb DDI/DKI
168 .It Sy freemsg DDI/DKI
169 .It Sy freezestr DDI/DKI
170 .It Sy getq DDI/DKI
171 .It Sy IOC_CONVERT_FROM Solaris DDI
172 .It Sy insq DDI/DKI
173 .It Sy linkb DDI/DKI
174 .It Sy MBLKHEAD Solaris DDI

```

```

150 .It Sy MBLKIN Solaris DDI
151 .It Sy MBLKL Solaris DDI
152 .It Sy MBLKSIZE Solaris DDI
153 .It Sy MBLKTAIL Solaris DDI
154 .It Sy mcopyin Solaris DDI
155 .It Sy mcopymsg Solaris DDI
156 .It Sy mcopyout Solaris DDI
157 .It Sy merror Solaris DDI
158 .It Sy mexchange Solaris DDI
159 .It Sy mioc2ack Solaris DDI
160 .It Sy miocack Solaris DDI
161 .It Sy mexchange Solaris DDI
162 .It Sy miocpullup Solaris DDI
163 .It Sy mkiocb Solaris DDI
164 .It Sy msgdsize DDI/DKI
165 .It Sy msgpullup DDI/DKI
166 .It Sy msgsize Solaris DDI
167 .It Sy mt-streams Solaris DDI
168 .It Sy noenable DDI/DKI
169 .It Sy OTHERQ DDI/DKI
170 .It Sy pullupmsg DDI/DKI
171 .It Sy put DDI/DKI
172 .It Sy putbq DDI/DKI
173 .It Sy putctl DDI/DKI
174 .It Sy putctl1 DDI/DKI
175 .It Sy putnext DDI/DKI
176 .It Sy putnextctl DDI/DKI
177 .It Sy putq DDI/DKI
178 .It Sy qassociate Solaris DDI
179 .It Sy qbufcall Solaris DDI
180 .It Sy qenable DDI/DKI
181 .It Sy qprocson DDI/DKI
182 .It Sy qprocsoff DDI/DKI
183 .It Sy qreply DDI/DKI
184 .It Sy qsize DDI/DKI
185 .It Sy qtimeout Solaris DDI
186 .It Sy qunbufcall Solaris DDI
187 .It Sy quntimeout Solaris DDI
188 .It Sy qwait Solaris DDI
189 .It Sy qwait_sig Solaris DDI
190 .It Sy qwriter Solaris DDI
191 .It Sy RD DDI/DKI
192 .It Sy rmvb DDI/DKI
193 .It Sy rmvq DDI/DKI
194 .It Sy SAMESTR DDI/DKI
195 .It Sy strlog DDI/DKI
196 .It Sy strqget DDI/DKI
197 .It Sy strqset DDI/DKI
198 .It Sy testb DDI/DKI
199 .It Sy unbufcall DDI/DKI
200 .It Sy unfreezestr DDI/DKI
201 .It Sy unlinkb DDI/DKI
202 .It Sy WR DDI/DKI
203 .El
204 .Lp
130 .sp
132 .sp
133 .TS
134 c c
135 l l .
136 Routine Type
137 -
138 \fBadjmsg\fR DDI/DKI
139 \fBallocb\fR DDI/DKI
140 \fBallocb_tmpl\fR Solaris DDI

```

```

141 \fBbackq\fR DDI/DKI
142 \fBbcanput\fR DDI/DKI
143 \fBbcanputnext\fR DDI/DKI
144 \fBbufcall\fR DDI/DKI
145 \fBcanput\fR DDI/DKI
146 \fBcanputnext\fR DDI/DKI
147 \fBclrbuf\fR DDI/DKI
148 \fBcopyb\fR DDI/DKI
149 \fBcopymsg\fR DDI/DKI
150 \fBDB_BASE\fR Solaris DDI
151 \fBDB_LIM\fR Solaris DDI
152 \fBDB_REF\fR Solaris DDI
153 \fBDB_TYPE\fR Solaris DDI
154 \fBdatmsg\fR DDI/DKI
155 \fBdupb\fR DDI/DKI
156 \fBdupmsg\fR DDI/DKI
157 \fBenableok\fR DDI/DKI
158 \fBesballocc\fR DDI/DKI
159 \fBesbbcall\fR DDI/DKI
160 \fBflushband\fR DDI/DKI
161 \fBflushq\fR DDI/DKI
162 \fBfreeb\fR DDI/DKI
163 \fBfreemsg\fR DDI/DKI
164 \fBfreezestr\fR DDI/DKI
165 \fBgsetq\fR DDI/DKI
166 \fBIOC_CONVERT_FROM\fR Solaris DDI
167 \fBinq\fR DDI/DKI
168 \fBlinkb\fR DDI/DKI
169 \fBMBLKHEAD\fR Solaris DDI
170 \fBMBLKIN\fR Solaris DDI
171 \fBMBLKL\fR Solaris DDI
172 \fBMBLKSIZE\fR Solaris DDI
173 \fBMBLKTAIL\fR Solaris DDI
174 \fBmcopyin\fR Solaris DDI
175 \fBmcopymsg\fR Solaris DDI
176 \fBmcopyout\fR Solaris DDI
177 \fBmerror\fR Solaris DDI
178 \fBmexchange\fR Solaris DDI
179 \fBmioc2ack\fR Solaris DDI
180 \fBmiocack\fR Solaris DDI
181 \fBmexchange\fR Solaris DDI
182 \fBmiocpullup\fR Solaris DDI
183 \fBmkiocb\fR Solaris DDI
184 \fBmsgdsize\fR DDI/DKI
185 \fBmsgpullup\fR DDI/DKI
186 \fBmsgsize\fR Solaris DDI
187 \fBmt-streams\fR Solaris DDI
188 \fBnoenable\fR DDI/DKI
189 \fBOTHERQ\fR DDI/DKI
190 \fBpullupmsg\fR DDI/DKI
191 \fBput\fR DDI/DKI
192 \fBputbq\fR DDI/DKI
193 \fBputctl\fR DDI/DKI
194 \fBputctl1\fR DDI/DKI
195 \fBputnext\fR DDI/DKI
196 \fBputnextctl\fR DDI/DKI
197 \fBputq\fR DDI/DKI
198 \fBqassociate\fR Solaris DDI
199 \fBqbufcall\fR Solaris DDI
200 \fBqenable\fR DDI/DKI
201 \fBqprocson\fR DDI/DKI
202 \fBqprocsoff\fR DDI/DKI
203 \fBqreply\fR DDI/DKI
204 \fBqsize\fR DDI/DKI
205 \fBqtimeout\fR Solaris DDI
206 \fBqunbufcall\fR Solaris DDI

```

```

207 \fBquntimeout\fR      Solaris DDI
208 \fBqwait\fR             Solaris DDI
209 \fBqwait_sig\fR          Solaris DDI
210 \fBqwriter\fR            Solaris DDI
211 \fBRD\fR                 DDI/DKI
212 \fBrmvb\fR               DDI/DKI
213 \fBrmvq\fR               DDI/DKI
214 \fBSAMESTR\fR            DDI/DKI
215 \fBstrlog\fR             DDI/DKI
216 \fBstrqget\fR            DDI/DKI
217 \fBstrqset\fR            DDI/DKI
218 \fBtestb\fR              DDI/DKI
219 \fBunbufcall\fR           DDI/DKI
220 \fBunfreezestr\fR        DDI/DKI
221 \fBunlinkb\fR            DDI/DKI
222 \fBWR\fR                 DDI/DKI
223 .TE

```

```

225 .sp
226 .LP
227 The following table summarizes the functions not specific to STREAMS.

```

```

206 .Bl -column usb_pipe_get_max_bulk_transfer_size

```

```

207 .It Sy Routine Sy Type
208 .It Sy ASSERT      DDI/DKI
209 .It Sy anocancel    Solaris DDI
210 .It Sy aphysio      Solaris DDI
211 .It Sy atomic_add   DDI/DKI
212 .It Sy atomic_and   DDI/DKI
213 .It Sy atomic_bits  DDI/DKI
214 .It Sy atomic_cas   DDI/DKI
215 .It Sy atomic_dec   DDI/DKI
216 .It Sy atomic_inc   DDI/DKI
217 .It Sy atomic_ops   DDI/DKI
218 .It Sy atomic_or    DDI/DKI
219 .It Sy atomic_swap  DDI/DKI
220 .It Sy bcmp         DDI/DKI
221 .It Sy bcopy        DDI/DKI
222 .It Sy biocloner    Solaris DDI
223 .It Sy biodone      DDI/DKI
224 .It Sy biofini      Solaris DDI
225 .It Sy bioinit      Solaris DDI
226 .It Sy biomodified   Solaris DDI
227 .It Sy biosize      Solaris DDI
228 .It Sy bioerror     Solaris DDI
229 .It Sy bioreset     Solaris DDI
230 .It Sy biowait      DDI/DKI
231 .It Sy bp_copyin    DDI/DKI
232 .It Sy bp_copyout   DDI/DKI
233 .It Sy bp_mapin     DDI/DKI
234 .It Sy bp_mapout    DDI/DKI
235 .It Sy btop         DDI/DKI
236 .It Sy btopr        DDI/DKI
237 .It Sy bzero        DDI/DKI
238 .It Sy cmn_err       DDI/DKI
239 .It Sy condvar       Solaris DDI
240 .It Sy copyin        DDI/DKI
241 .It Sy copyout       DDI/DKI
242 .It Sy cv_broadcast  Solaris DDI
243 .It Sy cv_destroy    Solaris DDI
244 .It Sy cv_init       Solaris DDI
245 .It Sy cv_signal     Solaris DDI
246 .It Sy cv_timedwait Solaris DDI
247 .It Sy cv_wait       Solaris DDI
248 .It Sy cv_wait_sig   Solaris DDI
249 .It Sy ddi_add_event_handler Solaris DDI
250 .It Sy ddi_add_intr  Solaris DDI

```

```

251 .It Sy ddi_add_softintr Solaris DDI
252 .It Sy ddi_binding_name Solaris DDI
253 .It Sy ddi_btop Solaris DDI
254 .It Sy ddi_btopr      Solaris DDI
255 .It Sy ddi_can_receive_sig Solaris DDI
256 .It Sy ddi_check_acc_handle Solaris DDI
257 .It Sy ddi_copyin      Solaris DDI
258 .It Sy ddi_copyout     Solaris DDI
259 .It Sy ddi_create_minor_node Solaris DDI
260 .It Sy ddi_cred Solaris DDI
261 .It Sy ddi_dev_is_sid Solaris DDI
262 .It Sy ddi_dev_nintrs Solaris DDI
263 .It Sy ddi_dev_nregs Solaris DDI
264 .It Sy ddi_dev_regsize Solaris DDI
265 .It Sy ddi_device_copy Solaris DDI
266 .It Sy ddi_device_zero Solaris DDI
267 .It Sy ddi_devmap_segmap Solaris DDI
268 .It Sy ddi_dma_addr_bind_handle Solaris DDI
269 .It Sy ddi_dma_alloc_handle Solaris DDI
270 .It Sy ddi_dma_buf_bind_handle Solaris DDI
271 .It Sy ddi_dma_burstsizes Solaris DDI
272 .It Sy ddi_dma_free_handle Solaris DDI
273 .It Sy ddi_dma_getwin Solaris DDI
274 .It Sy ddi_dma_mem_alloc Solaris DDI
275 .It Sy ddi_dma_mem_free Solaris DDI
276 .It Sy ddi_dma_nextcookie Solaris DDI
277 .It Sy ddi_dma_numwin Solaris DDI
278 .It Sy ddi_dma_set_sbus64 Solaris DDI
279 .It Sy ddi_dma_sync Solaris DDI
280 .It Sy ddi_dma_unbind_handle Solaris DDI
281 .It Sy ddi_dmae Solaris x86 DDI
282 .It Sy ddi_dmae_1stparty Solaris x86 DDI
283 .It Sy ddi_dmae_alloc Solaris x86 DDI
284 .It Sy ddi_dmae_disable Solaris x86 DDI
285 .It Sy ddi_dmae_enable Solaris x86 DDI
286 .It Sy ddi_dmae_getattr Solaris x86 DDI
287 .It Sy ddi_dmae_getcnt Solaris x86 DDI
288 .It Sy ddi_dmae_getlim Solaris x86 DDI
289 .It Sy ddi_dmae_prog Solaris x86 DDI
290 .It Sy ddi_dmae_release Solaris x86 DDI
291 .It Sy ddi_dmae_stop Solaris x86 DDI
292 .It Sy ddi_driver_major Solaris DDI
293 .It Sy ddi_driver_name Solaris DDI
294 .It Sy ddi_enter_critical Solaris DDI
295 .It Sy ddi_exit_critical Solaris DDI
296 .It Sy ddi_ffs Solaris DDI
297 .It Sy ddi_fls Solaris DDI
298 .It Sy ddi_fm_acc_err_clear Solaris DDI
299 .It Sy ddi_fm_acc_err_get Solaris DDI
300 .It Sy ddi_fm_ereport_post Solaris DDI
301 .It Sy ddi_fm_handler_register Solaris DDI
302 .It Sy ddi_fm_init Solaris DDI
303 .It Sy ddi_fm_service_impact Solaris DDI
304 .It Sy ddi_get16 Solaris DDI
305 .It Sy ddi_get32 Solaris DDI
306 .It Sy ddi_get64 Solaris DDI
307 .It Sy ddi_get8 Solaris DDI
308 .It Sy ddi_get_cred Solaris DDI
309 .It Sy ddi_get_devstate Solaris DDI
310 .It Sy ddi_get_driver_private Solaris DDI
311 .It Sy ddi_get_eventcookie Solaris DDI
312 .It Sy ddi_get_iblock_cookie Solaris DDI
313 .It Sy ddi_get_iminor Solaris DDI
314 .It Sy ddi_get_instance Solaris DDI
315 .It Sy ddi_get_kt_did Solaris DDI
316 .It Sy ddi_get_lbolt Solaris DDI

```

```

317 .It Sy ddi_get_name      Solaris DDI
318 .It Sy ddi_get_parent    Solaris DDI
319 .It Sy ddi_get_pid        Solaris DDI
320 .It Sy ddi_get_soft_iblock_cookie      Solaris DDI
321 .It Sy ddi_get_soft_state      Solaris DDI
322 .It Sy ddi_getb Solaris DDI
323 .It Sy ddi_getl Solaris DDI
324 .It Sy ddi_getll      Solaris DDI
325 .It Sy ddi_getlongprop      Solaris DDI
326 .It Sy ddi_getlongprop_buf      Solaris DDI
327 .It Sy ddi_getprop      Solaris DDI
328 .It Sy ddi_getproplen      Solaris DDI
329 .It Sy ddi_getw Solaris DDI
330 .It Sy ddi_intr_add_handler      Solaris DDI
331 .It Sy ddi_intr_add_softint      Solaris DDI
332 .It Sy ddi_intr_alloc      Solaris DDI
333 .It Sy ddi_intr_block_disable      Solaris DDI
334 .It Sy ddi_intr_block_enable      Solaris DDI
335 .It Sy ddi_intr_clr_mask      Solaris DDI
336 .It Sy ddi_intr_dup_handler      Solaris DDI
337 .It Sy ddi_intr_disable      Solaris DDI
338 .It Sy ddi_intr_enable      Solaris DDI
339 .It Sy ddi_intr_free      Solaris DDI
340 .It Sy ddi_intr_get_cap      Solaris DDI
341 .It Sy ddi_intr_get_hilevel_pri      Solaris DDI
342 .It Sy ddi_intr_get_navail      Solaris DDI
343 .It Sy ddi_intr_get_nintrs      Solaris DDI
344 .It Sy ddi_intr_get_pending      Solaris DDI
345 .It Sy ddi_intr_get_pri      Solaris DDI
346 .It Sy ddi_intr_get_softint_pri      Solaris DDI
347 .It Sy ddi_intr_get_supported_types      Solaris DDI
348 .It Sy ddi_intr_remove_handler      Solaris DDI
349 .It Sy ddi_intr_remove_softint      Solaris DDI
350 .It Sy ddi_intr_set_cap      Solaris DDI
351 .It Sy ddi_intr_set_mask      Solaris DDI
352 .It Sy ddi_intr_set_pri      Solaris DDI
353 .It Sy ddi_intr_set_softint_pri      Solaris DDI
354 .It Sy ddi_intr_trigger_softint      Solaris DDI
355 .It Sy ddi_io_getl6      Solaris DDI
356 .It Sy ddi_io_get32      Solaris DDI
357 .It Sy ddi_io_get8      Solaris DDI
358 .It Sy ddi_io_getb      Solaris DDI
359 .It Sy ddi_io_getl      Solaris DDI
360 .It Sy ddi_io_getw      Solaris DDI
361 .It Sy ddi_io_putl6      Solaris DDI
362 .It Sy ddi_io_put32      Solaris DDI
363 .It Sy ddi_io_put8      Solaris DDI
364 .It Sy ddi_io_putb      Solaris DDI
365 .It Sy ddi_io_putl      Solaris DDI
366 .It Sy ddi_io_putw      Solaris DDI
367 .It Sy ddi_io_rep_getl6      Solaris DDI
368 .It Sy ddi_io_rep_get32      Solaris DDI
369 .It Sy ddi_io_rep_get8      Solaris DDI
370 .It Sy ddi_io_rep_getb      Solaris DDI
371 .It Sy ddi_io_rep_getl      Solaris DDI
372 .It Sy ddi_io_rep_getw      Solaris DDI
373 .It Sy ddi_io_rep_putl6      Solaris DDI
374 .It Sy ddi_io_rep_put32      Solaris DDI
375 .It Sy ddi_io_rep_put8      Solaris DDI
376 .It Sy ddi_io_rep_putb      Solaris DDI
377 .It Sy ddi_io_rep_putl      Solaris DDI
378 .It Sy ddi_io_rep_putw      Solaris DDI
379 .It Sy ddi_iomin      Solaris DDI
380 .It Sy ddi_log_sysevent      Solaris DDI
381 .It Sy ddi_map_regs      Solaris DDI
382 .It Sy ddi_mapdev      Solaris DDI

```

```

383 .It Sy ddi_mapdev_intercept      Solaris DDI
384 .It Sy ddi_mapdev_nointercept      Solaris DDI
385 .It Sy ddi_mapdev_set_device_acc_attr      Solaris DDI
386 .It Sy ddi_mem_getl6      Solaris DDI
387 .It Sy ddi_mem_get32      Solaris DDI
388 .It Sy ddi_mem_get64      Solaris DDI
389 .It Sy ddi_mem_get8      Solaris DDI
390 .It Sy ddi_mem_getb      Solaris DDI
391 .It Sy ddi_mem_getl      Solaris DDI
392 .It Sy ddi_mem_getll      Solaris DDI
393 .It Sy ddi_mem_getw      Solaris DDI
394 .It Sy ddi_mem_putl6      Solaris DDI
395 .It Sy ddi_mem_put32      Solaris DDI
396 .It Sy ddi_mem_put64      Solaris DDI
397 .It Sy ddi_mem_put8      Solaris DDI
398 .It Sy ddi_mem_putb      Solaris DDI
399 .It Sy ddi_mem_putl      Solaris DDI
400 .It Sy ddi_mem_putll      Solaris DDI
401 .It Sy ddi_mem_putw      Solaris DDI
402 .It Sy ddi_mem_rep_getl6      Solaris DDI
403 .It Sy ddi_mem_rep_get32      Solaris DDI
404 .It Sy ddi_mem_rep_get64      Solaris DDI
405 .It Sy ddi_mem_rep_get8      Solaris DDI
406 .It Sy ddi_mem_rep_getb      Solaris DDI
407 .It Sy ddi_mem_rep_getl      Solaris DDI
408 .It Sy ddi_mem_rep_getll      Solaris DDI
409 .It Sy ddi_mem_rep_getw      Solaris DDI
410 .It Sy ddi_mem_rep_putl6      Solaris DDI
411 .It Sy ddi_mem_rep_put32      Solaris DDI
412 .It Sy ddi_mem_rep_put64      Solaris DDI
413 .It Sy ddi_mem_rep_put8      Solaris DDI
414 .It Sy ddi_mem_rep_putb      Solaris DDI
415 .It Sy ddi_mem_rep_putl      Solaris DDI
416 .It Sy ddi_mem_rep_putll      Solaris DDI
417 .It Sy ddi_mem_rep_putw      Solaris DDI
418 .It Sy ddi_mmap_get_model      Solaris DDI
419 .It Sy ddi_model_convert_from      Solaris DDI
420 .It Sy ddi_modopen      Solaris DDI
421 .It Sy ddi_no_info      Solaris DDI
422 .It Sy ddi_node_name      Solaris DDI
423 .It Sy ddi_peekl6      Solaris DDI
424 .It Sy ddi_peek32      Solaris DDI
425 .It Sy ddi_peek64      Solaris DDI
426 .It Sy ddi_peek8      Solaris DDI
427 .It Sy ddi_peekc      Solaris DDI
428 .It Sy ddi_peekd      Solaris DDI
429 .It Sy ddi_peekl      Solaris DDI
430 .It Sy ddi_peeks      Solaris DDI
431 .It Sy ddi_periodic_add      Solaris DDI
432 .It Sy ddi_periodic_delete      Solaris DDI
433 .It Sy ddi_poke16      Solaris DDI
434 .It Sy ddi_poke32      Solaris DDI
435 .It Sy ddi_poke64      Solaris DDI
436 .It Sy ddi_poke8      Solaris DDI
437 .It Sy ddi_pokec      Solaris DDI
438 .It Sy ddi_poked      Solaris DDI
439 .It Sy ddi_pokel      Solaris DDI
440 .It Sy ddi_pokes      Solaris DDI
441 .It Sy ddi_prop_create      Solaris DDI
442 .It Sy ddi_prop_exists      Solaris DDI
443 .It Sy ddi_prop_free      Solaris DDI
444 .It Sy ddi_prop_get_int      Solaris DDI
445 .It Sy ddi_prop_lookup      Solaris DDI
446 .It Sy ddi_prop_lookup_byte_array      Solaris DDI
447 .It Sy ddi_prop_lookup_int_array      Solaris DDI
448 .It Sy ddi_prop_lookup_string      Solaris DDI

```

```

449 .It Sy ddi_prop_lookup_string_array Solaris DDI
450 .It Sy ddi_prop_modify Solaris DDI
451 .It Sy ddi_prop_op Solaris DDI
452 .It Sy ddi_prop_remove Solaris DDI
453 .It Sy ddi_prop_remove_all Solaris DDI
454 .It Sy ddi_prop_undefine Solaris DDI
455 .It Sy ddi_prop_update Solaris DDI
456 .It Sy ddi_prop_update_byte_array Solaris DDI
457 .It Sy ddi_prop_update_int Solaris DDI
458 .It Sy ddi_prop_update_int_array Solaris DDI
459 .It Sy ddi_prop_update_string Solaris DDI
460 .It Sy ddi_prop_update_string_array Solaris DDI
461 .It Sy ddi_ptob Solaris DDI
462 .It Sy ddi_put16 Solaris DDI
463 .It Sy ddi_put32 Solaris DDI
464 .It Sy ddi_put64 Solaris DDI
465 .It Sy ddi_put8 Solaris DDI
466 .It Sy ddi_putb Solaris DDI
467 .It Sy ddi_putl Solaris DDI
468 .It Sy ddi_putll Solaris DDI
469 .It Sy ddi_putw Solaris DDI
470 .It Sy ddi_regs_map_free Solaris DDI
471 .It Sy ddi_regs_map_setup Solaris DDI
472 .It Sy ddi_remove_event_handler Solaris DDI
473 .It Sy ddi_remove_intr Solaris DDI
474 .It Sy ddi_remove_minor_node Solaris DDI
475 .It Sy ddi_remove_softintr Solaris DDI
476 .It Sy ddi_removing_power Solaris DDI
477 .It Sy ddi_rep_get16 Solaris DDI
478 .It Sy ddi_rep_get32 Solaris DDI
479 .It Sy ddi_rep_get64 Solaris DDI
480 .It Sy ddi_rep_get8 Solaris DDI
481 .It Sy ddi_rep_getb Solaris DDI
482 .It Sy ddi_rep_getl Solaris DDI
483 .It Sy ddi_rep_getll Solaris DDI
484 .It Sy ddi_rep_getw Solaris DDI
485 .It Sy ddi_rep_put16 Solaris DDI
486 .It Sy ddi_rep_put32 Solaris DDI
487 .It Sy ddi_rep_put64 Solaris DDI
488 .It Sy ddi_rep_put8 Solaris DDI
489 .It Sy ddi_rep_putb Solaris DDI
490 .It Sy ddi_rep_putl Solaris DDI
491 .It Sy ddi_rep_putll Solaris DDI
492 .It Sy ddi_rep_putw Solaris DDI
493 .It Sy ddi_report_dev Solaris DDI
494 .It Sy ddi_root_node Solaris DDI
495 .It Sy ddi_segmap Solaris DDI
496 .It Sy ddi_segmap_setup Solaris DDI
497 .It Sy ddi_set_driver_private Solaris DDI
498 .It Sy ddi_slaveonly Solaris DDI
499 .It Sy ddi_soft_state Solaris DDI
500 .It Sy ddi_soft_state_fini Solaris DDI
501 .It Sy ddi_soft_state_free Solaris DDI
502 .It Sy ddi_soft_state_init Solaris DDI
503 .It Sy ddi_soft_state_zalloc Solaris DDI
504 .It Sy ddi_strl0l Solaris DDI
505 .It Sy ddi_strloul Solaris DDI
506 .It Sy ddi_trigger_softintr Solaris DDI
507 .It Sy ddi_umem_alloc Solaris DDI
508 .It Sy ddi_umem_free Solaris DDI
509 .It Sy ddi_umem_iosetup Solaris DDI
510 .It Sy ddi_umem_lock Solaris DDI
511 .It Sy ddi_unmap_regs Solaris DDI
512 .It Sy delay DDI/DKI
513 .It Sy devmap_default_access Solaris DDI
514 .It Sy devmap_devmem_setup Solaris DDI

```

```

515 .It Sy devmap_do_ctxmgt Solaris DDI
516 .It Sy devmap_load Solaris DDI
517 .It Sy devmap_set_ctx_timeout Solaris DDI
518 .It Sy devmap_setup Solaris DDI
519 .It Sy devmap_umem_setup Solaris DDI
520 .It Sy devmap_unload Solaris DDI
521 .It Sy disksort Solaris DDI
522 .It Sy dlbindack Solaris DDI
523 .It Sy drv_getparm DDI/DKI
524 .It Sy drv_hztousec DDI/DKI
525 .It Sy drv_priv DDI/DKI
526 .It Sy drv_usecsthz DDI/DKI
527 .It Sy drv_usecwait DDI/DKI
528 .It Sy free_pktiopb Solaris DDI
529 .It Sy freerbuf DDI/DKI
530 .It Sy get_pktiopb Solaris DDI
531 .It Sy geterror DDI/DKI
532 .It Sy gethrtime DDI/DKI
533 .It Sy getmajor DDI/DKI
534 .It Sy getminor DDI/DKI
535 .It Sy getrbuf DDI/DKI
536 .It Sy gld Solaris DDI
537 .It Sy hat_getkpfnum DKI only
538 .It Sy id32_alloc Solaris DDI
539 .It Sy inb Solaris x86 DDI
540 .It Sy inl Solaris x86 DDI
541 .It Sy inw Solaris x86 DDI
542 .It Sy kiconv Solaris DDI
543 .It Sy kiconv_close Solaris DDI
544 .It Sy kiconv_open Solaris DDI
545 .It Sy kiconvstr Solaris DDI
546 .It Sy kmem_alloc DDI/DKI
547 .It Sy kmem_cache_create Solaris DDI
548 .It Sy kmem_free DDI/DKI
549 .It Sy kmem_zalloc DDI/DKI
550 .It Sy kstat_create Solaris DDI
551 .It Sy kstat_delete Solaris DDI
552 .It Sy kstat_install Solaris DDI
553 .It Sy kstat_named_init Solaris DDI
554 .It Sy kstat_queue Solaris DDI
555 .It Sy kstat_runq_back_to_waitq Solaris DDI
556 .It Sy kstat_runq_enter Solaris DDI
557 .It Sy kstat_runq_exit Solaris DDI
558 .It Sy kstat_waitq_enter Solaris DDI
559 .It Sy kstat_waitq_exit Solaris DDI
560 .It Sy kstat_waitq_to_runq Solaris DDI
561 .It Sy ldi_add_event_handler Solaris DDI
562 .It Sy ldi_aread Solaris DDI
563 .It Sy ldi_devmap Solaris DDI
564 .It Sy ldi_dump Solaris DDI
565 .It Sy ldi_ev_finalize Solaris DDI
566 .It Sy ldi_ev_get_cookie Solaris DDI
567 .It Sy ldi_ev_get_type Solaris DDI
568 .It Sy ldi_ev_notify Solaris DDI
569 .It Sy ldi_ev_register_callbacks Solaris DDI
570 .It Sy ldi_ev_remove_callbacks Solaris DDI
571 .It Sy ldi_get_dev Solaris DDI
572 .It Sy ldi_get_eventcookie Solaris DDI
573 .It Sy ldi_get_size Solaris DDI
574 .It Sy ldi_ident_from_dev Solaris DDI
575 .It Sy ldi_ioctl Solaris DDI
576 .It Sy ldi_open_by_dev Solaris DDI
577 .It Sy ldi_poll Solaris DDI
578 .It Sy ldi_prop_exists Solaris DDI
579 .It Sy ldi_prop_get_int Solaris DDI
580 .It Sy ldi_prop_get_lookup_int_array Solaris DDI

```



```

581 .It Sy ldi_putmsg Solaris DDI
582 .It Sy ldi_read Solaris DDI
583 .It Sy ldi_remove_event_handler Solaris DDI
584 .It Sy ldi_strategy Solaris DDI
585 .It Sy makecom_g0 Solaris DDI
586 .It Sy makecom_g0_s Solaris DDI
587 .It Sy makecom_g1 Solaris DDI
588 .It Sy makecom_g5 Solaris DDI
589 .It Sy makedevice DDI/DKI
590 .It Sy max DDI/DKI
591 .It Sy membar_ops Solaris DDI
592 .It Sy memchr Solaris DDI
593 .It Sy min DDI/DKI
594 .It Sy minphys Solaris DDI
595 .It Sy mod_info Solaris DDI
596 .It Sy mod_install Solaris DDI
597 .It Sy mod_remove Solaris DDI
598 .It Sy mutex_destroy Solaris DDI
599 .It Sy mutex_enter Solaris DDI
600 .It Sy mutex_exit Solaris DDI
601 .It Sy mutex_init Solaris DDI
602 .It Sy mutex_owned Solaris DDI
603 .It Sy mutex_tryenter Solaris DDI
604 .It Sy nochpoll Solaris DDI
605 .It Sy nodev DDI/DKI
606 .It Sy nullddev DDI/DKI
607 .It Sy numtos Solaris DDI
608 .It Sy nvlist_add_boolean Solaris DDI
609 .It Sy nvlist_alloc Solaris DDI
610 .It Sy nvlist_lookup_boolean Solaris DDI
611 .It Sy nvlist_lookup_nvpair Solaris DDI
612 .It Sy nvlist_next_nvpair Solaris DDI
613 .It Sy nvlist_remove Solaris DDI
614 .It Sy nvlist_value_byte Solaris DDI
615 .It Sy outb Solaris x86 DDI
616 .It Sy outl Solaris x86 DDI
617 .It Sy outw Solaris x86 DDI
618 .It Sy pci_config_get16 Solaris DDI
619 .It Sy pci_config_get32 Solaris DDI
620 .It Sy pci_config_get64 Solaris DDI
621 .It Sy pci_config_get8 Solaris DDI
622 .It Sy pci_config_getb Solaris DDI
623 .It Sy pci_config_getl Solaris DDI
624 .It Sy pci_config_getw Solaris DDI
625 .It Sy pci_config_put16 Solaris DDI
626 .It Sy pci_config_put32 Solaris DDI
627 .It Sy pci_config_put64 Solaris DDI
628 .It Sy pci_config_put8 Solaris DDI
629 .It Sy pci_config_putb Solaris DDI
630 .It Sy pci_config_putl Solaris DDI
631 .It Sy pci_config_putw Solaris DDI
632 .It Sy pci_config_setup Solaris DDI
633 .It Sy pci_config_teardown Solaris DDI
634 .It Sy pci_ereport_setup Solaris DDI
635 .It Sy pci_report_pmcap Solaris DDI
636 .It Sy pci_save_config_regs Solaris DDI
637 .It Sy physio Solaris DDI
638 .It Sy pm_busy_component Solaris DDI
639 .It Sy pm_power_has_changed Solaris DDI
640 .It Sy pm_raise_power Solaris DDI
641 .It Sy pm_trans_check Solaris DDI
642 .It Sy pollwakeup DDI/DKI
643 .It Sy pci_config_teardown Solaris DDI
644 .It Sy pci_config_teardown Solaris DDI
645 .It Sy priv_getbyname Solaris DDI
646 .It Sy priv_policy Solaris DDI

```

```

647 .It Sy proc_signal Solaris DDI
648 .It Sy proc_unref Solaris DDI
649 .It Sy ptob DDI/DKI
650 .It Sy repinsb Solaris x86 DDI
651 .It Sy repinsd Solaris x86 DDI
652 .It Sy repinsw Solaris x86 DDI
653 .It Sy repoutsb Solaris x86 DDI
654 .It Sy repoutsd Solaris x86 DDI
655 .It Sy repoutsw Solaris x86 DDI
656 .It Sy rmalloc DDI/DKI
657 .It Sy rmalloc_wait DDI/DKI
658 .It Sy rmallocmap DDI/DKI
659 .It Sy rmallocmap_wait DDI/DKI
660 .It Sy rmfree DDI/DKI
661 .It Sy rmfreemap DDI/DKI
662 .It Sy rw_destroy Solaris DDI
663 .It Sy rw_downgrade Solaris DDI
664 .It Sy rw_enter Solaris DDI
665 .It Sy rw_exit Solaris DDI
666 .It Sy rw_init Solaris DDI
667 .It Sy rw_read_locked Solaris DDI
668 .It Sy rw_tryenter Solaris DDI
669 .It Sy rw_tryupgrade Solaris DDI
670 .It Sy scsi_abort Solaris DDI
671 .It Sy scsi_alloc_consistent_buf Solaris DDI
672 .It Sy scsi_cname Solaris DDI
673 .It Sy scsi_destroy_pkt Solaris DDI
674 .It Sy scsi_dmafree Solaris DDI
675 .It Sy scsi_dmaget Solaris DDI
676 .It Sy scsi_dname Solaris DDI
677 .It Sy scsi_errmsg Solaris DDI
678 .It Sy scsi_ext_sense_fields Solaris DDI
679 .It Sy scsi_find_sense_descr Solaris DDI
680 .It Sy scsi_free_consistent_buf Solaris DDI
681 .It Sy scsi_get_device_type_scsi_options Solaris DDI
682 .It Sy scsi_get_device_type_string Solaris DDI
683 .It Sy scsi_hba_attach_setup Solaris DDI
684 .It Sy scsi_hba_detach Solaris DDI
685 .It Sy scsi_hba_fini Solaris DDI
686 .It Sy scsi_hba_init Solaris DDI
687 .It Sy scsi_hba_lookup_capstr Solaris DDI
688 .It Sy scsi_hba_pkt_alloc Solaris DDI
689 .It Sy scsi_hba_pkt_free Solaris DDI
690 .It Sy scsi_hba_probe Solaris DDI
691 .It Sy scsi_hba_tran_alloc Solaris DDI
692 .It Sy scsi_hba_tran_free Solaris DDI
693 .It Sy scsi_ifgetcap Solaris DDI
694 .It Sy scsi_ifsetcap Solaris DDI
695 .It Sy scsi_init_pkt Solaris DDI
696 .It Sy scsi_log Solaris DDI
697 .It Sy scsi_mname Solaris DDI
698 .It Sy scsi_pktalloc Solaris DDI
699 .It Sy scsi_pktfree Solaris DDI
700 .It Sy scsi_poll Solaris DDI
701 .It Sy scsi_probe Solaris DDI
702 .It Sy scsi_realloc Solaris DDI
703 .It Sy scsi_reset Solaris DDI
704 .It Sy scsi_reset_notify Solaris DDI
705 .It Sy scsi_resfree Solaris DDI
706 .It Sy scsi_rname Solaris DDI
707 .It Sy scsi_sense_key Solaris DDI
708 .It Sy scsi_setup_cdb Solaris DDI
709 .It Sy scsi_slave Solaris DDI
710 .It Sy scsi_sname Solaris DDI
711 .It Sy scsi_sync_pkt Solaris DDI
712 .It Sy scsi_transport Solaris DDI

```

```

713 .It Sy scsi_unprobe Solaris DDI
714 .It Sy scsi_unslave Solaris DDI
715 .It Sy scsi_validate_sense Solaris DDI
716 .It Sy scsi_vu_errmsg Solaris DDI
717 .It Sy sema_destroy Solaris DDI
718 .It Sy sema_init Solaris DDI
719 .It Sy sema_p Solaris DDI
720 .It Sy sema_p_sig Solaris DDI
721 .It Sy sema_tryr Solaris DDI
722 .It Sy sema_v Solaris DDI
723 .It Sy sprintf Solaris DDI
724 .It Sy stoi Solaris DDI
725 .It Sy strchr Solaris DDI
726 .It Sy strcmp Solaris DDI
727 .It Sy strcpy Solaris DDI
728 .It Sy strlen Solaris DDI
729 .It Sy strncmp Solaris DDI
730 .It Sy strncpy Solaris DDI
731 .It Sy STRUCT_DECL Solaris DDI
732 .It Sy swab DDI/DKI
733 .It Sy taskq Solaris DDI
734 .It Sy timeout DDI/DKI
735 .It Sy u8_strcmp Solaris DDI
736 .It Sy u8_textprep_str Solaris DDI
737 .It Sy u8_validate Solaris DDI
738 .It Sy uconv_ul6tou32 Solaris DDI
739 .It Sy uiomove DDI/DKI
740 .It Sy untimeout DDI/DKI
741 .It Sy ureadc DDI/DKI
742 .It Sy usb_alloc_request Solaris DDI
743 .It Sy usb_client_attach Solaris DDI
744 .It Sy usb_clr_feature Solaris DDI
745 .It Sy usb_create_pm_components Solaris DDI
746 .It Sy usb_get_addr Solaris DDI
747 .It Sy usb_get_alt_if Solaris DDI
748 .It Sy usb_get_cfg Solaris DDI
749 .It Sy usb_get_current_frame_number Solaris DDI
750 .It Sy usb_get_dev_data Solaris DDI
751 .It Sy usb_get_max_pkts_per_ioc_request Solaris DDI
752 .It Sy usb_get_status Solaris DDI
753 .It Sy usb_get_string_desc Solaris DDI
754 .It Sy usb_handle_remote_wakeup Solaris DDI
755 .It Sy usb_lookup_ep_data Solaris DDI
756 .It Sy usb_parse_data Solaris DDI
757 .It Sy usb_pipe_bulk_xfer Solaris DDI
758 .It Sy usb_pipe_close Solaris DDI
759 .It Sy usb_pipe_ctrl_xfer Solaris DDI
760 .It Sy usb_pipe_drain_reqs Solaris DDI
761 .It Sy usb_pipe_get_max_bulk_transfer_size Solaris DDI
762 .It Sy usb_pipe_get_state Solaris DDI
763 .It Sy usb_pipe_intr_xfer Solaris DDI
764 .It Sy usb_pipe_isoc_xfer Solaris DDI
765 .It Sy usb_pipe_open Solaris DDI
766 .It Sy usb_pipe_reset Solaris DDI
767 .It Sy usb_pipe_set_private Solaris DDI
768 .It Sy usb_register_hotplug_cbs Solaris DDI
769 .It Sy usb_reset_device Solaris DDI
770 .It Sy uwritec DDI/DKI
771 .It Sy va_arg Solaris DDI
772 .It Sy va_end Solaris DDI
773 .It Sy va_start Solaris DDI
774 .It Sy vcmn_err DDI/DKI
775 .It Sy vsprintf Solaris DDI
776 .El
777 .Sh SEE ALSO
778 .Xr Intro 9E ,

```

```

779 .Xr mutex 9F
228 .sp

230 .sp
231 .TS
232 c c
233 l l .
234 Routine Type
235 -
236 \fBASSERT\fR DDI/DKI
237 \fBBanocancel\fR Solaris DDI
238 \fBbaphysio\fR Solaris DDI
239 \fBBatomic_add\fR DDI/DKI
240 \fBBatomic_and\fR DDI/DKI
241 \fBBatomic_bits\fR DDI/DKI
242 \fBBatomic_cas\fR DDI/DKI
243 \fBBatomic_dec\fR DDI/DKI
244 \fBBatomic_inc\fR DDI/DKI
245 \fBBatomic_ops\fR DDI/DKI
246 \fBBatomic_or\fR DDI/DKI
247 \fBBatomic_swap\fR DDI/DKI
248 \fBBbcmp\fR DDI/DKI
249 \fBBbcopy\fR DDI/DKI
250 \fBBbioclone\fR Solaris DDI
251 \fBBbiodone\fR DDI/DKI
252 \fBBbiofini\fR Solaris DDI
253 \fBBbioinit\fR Solaris DDI
254 \fBBbiomodified\fR Solaris DDI
255 \fBBbiosize\fR Solaris DDI
256 \fBBbioerror\fR Solaris DDI
257 \fBBbioreset\fR Solaris DDI
258 \fBBbiowait\fR DDI/DKI
259 \fBBbp_copyin\fR DDI/DKI
260 \fBBbp_copyout\fR DDI/DKI
261 \fBBbp_mapin\fR DDI/DKI
262 \fBBbp_mapout\fR DDI/DKI
263 \fBBbtop\fR DDI/DKI
264 \fBBbtopr\fR DDI/DKI
265 \fBBbzero\fR DDI/DKI
266 \fBBcmn_err\fR DDI/DKI
267 \fBBcondvar\fR Solaris DDI
268 \fBBcopyin\fR DDI/DKI
269 \fBBcopyout\fR DDI/DKI
270 \fBBcsx_AccessConfigurationRegister\fR Solaris DDI
271 \fBBcsx_ConvertSize\fR Solaris DDI
272 \fBBcsx_ConvertSpeed\fR Solaris DDI
273 \fBBcsx_CS_DDI_Info\fR Solaris DDI
274 \fBBcsx_DeregisterClient\fR Solaris DDI
275 \fBBcsx_DupHandle\fR Solaris DDI
276 \fBBcsx_Error2Text\fR Solaris DDI
277 \fBBcsx_Event2Text\fR Solaris DDI
278 \fBBcsx_FreeHandle\fR Solaris DDI
279 \fBBcsx_Get8\fR Solaris DDI
280 \fBBcsx_GetFirstClient\fR Solaris DDI
281 \fBBcsx_GetFirstTuple\fR Solaris DDI
282 \fBBcsx_GetHandleOffset\fR Solaris DDI
283 \fBBcsx_GetMappedAddr\fR Solaris DDI
284 \fBBcsx_GetStatus\fR Solaris DDI
285 \fBBcsx_GetTupleData\fR Solaris DDI
286 \fBBcsx_MakeDeviceNode\fR Solaris DDI
287 \fBBcsx_MapLogSocket\fR Solaris DDI
288 \fBBcsx_MapMemPage\fR Solaris DDI
289 \fBBcsx_ModifyConfiguration\fR Solaris DDI
290 \fBBcsx_ModifyWindow\fR Solaris DDI
291 \fBBcsx_Parse_CISTPL_BATTERY\fR Solaris DDI
292 \fBBcsx_Parse_CISTPL_BYTEORDER\fR Solaris DDI

```

```

293 \fBcsx_Parse_CISTPL_CFTABLE_ENTRY\fr Solaris DDI
294 \fBcsx_Parse_CISTPL_CONFIG\fr Solaris DDI
295 \fBcsx_Parse_CISTPL_DATE\fr Solaris DDI
296 \fBcsx_Parse_CISTPL_DEVICE\fr Solaris DDI
297 \fBcsx_Parse_CISTPL_DEVICEGEO\fr Solaris DDI
298 \fBcsx_Parse_CISTPL_DEVICEGEO_A\fr Solaris DDI
299 \fBcsx_Parse_CISTPL_FORMAT\fr Solaris DDI
300 \fBcsx_Parse_CISTPL_FUNC\fr Solaris DDI
301 \fBcsx_Parse_CISTPL_FUNCID\fr Solaris DDI
302 \fBcsx_Parse_CISTPL_GEOMETRY\fr Solaris DDI
303 \fBcsx_Parse_CISTPL_JEDEC_C\fr Solaris DDI
304 \fBcsx_Parse_CISTPL_LINKTARGET\fr Solaris DDI
305 \fBcsx_Parse_CISTPL_LONGLINK_A\fr Solaris DDI
306 \fBcsx_Parse_CISTPL_LONGLINK_MFC\fr Solaris DDI
307 \fBcsx_Parse_CISTPL_MANFID\fr Solaris DDI
308 \fBcsx_Parse_CISTPL_ORG\fr Solaris DDI
309 \fBcsx_Parse_CISTPL_SPCL\fr Solaris DDI
310 \fBcsx_Parse_CISTPL_SWIL\fr Solaris DDI
311 \fBcsx_Parse_CISTPL_VERS_1\fr Solaris DDI
312 \fBcsx_Parse_CISTPL_VERS_2\fr Solaris DDI
313 \fBcsx_ParseTuple\fr Solaris DDI
314 \fBcsx_Put8\fr Solaris DDI
315 \fBcsx_RegisterClient\fr Solaris DDI
316 \fBcsx_ReleaseConfiguration\fr Solaris DDI
317 \fBcsx_RepGet8\fr Solaris DDI
318 \fBcsx_RepPut8\fr Solaris DDI
319 \fBcsx_RequestConfiguration\fr Solaris DDI
320 \fBcsx_RequestIO\fr Solaris DDI
321 \fBcsx_RequestIRQ\fr Solaris DDI
322 \fBcsx_RequestSocketMask\fr Solaris DDI
323 \fBcsx_RequestWindow\fr Solaris DDI
324 \fBcsx_ResetFunction\fr Solaris DDI
325 \fBcsx_SetEventMask\fr Solaris DDI
326 \fBcsx_SetHandleOffset\fr Solaris DDI
327 \fBcsx_ValidateCIS\fr Solaris DDI
328 \fBcv_broadcast\fr Solaris DDI
329 \fBcv_destroy\fr Solaris DDI
330 \fBcv_init\fr Solaris DDI
331 \fBcv_signal\fr Solaris DDI
332 \fBcv_timedwait\fr Solaris DDI
333 \fBcv_wait\fr Solaris DDI
334 \fBcv_wait_sig\fr Solaris DDI
335 \fBddi_add_event_handler\fr Solaris DDI
336 \fBddi_add_intr\fr Solaris DDI
337 \fBddi_add_softintr\fr Solaris DDI
338 \fBddi_binding_name\fr Solaris DDI
339 \fBddi_btop\fr Solaris DDI
340 \fBddi_btopr\fr Solaris DDI
341 \fBddi_can_receive_sig\fr Solaris DDI
342 \fBddi_check_acc_handle\fr Solaris DDI
343 \fBddi_copyin\fr Solaris DDI
344 \fBddi_copyout\fr Solaris DDI
345 \fBddi_create_minor_node\fr Solaris DDI
346 \fBddi_cred\fr Solaris DDI
347 \fBddi_dev_is_sid\fr Solaris DDI
348 \fBddi_dev_nintrs\fr Solaris DDI
349 \fBddi_dev_nregs\fr Solaris DDI
350 \fBddi_dev_regsize\fr Solaris DDI
351 \fBddi_device_copy\fr Solaris DDI
352 \fBddi_device_zero\fr Solaris DDI
353 \fBddi_devmap_segmap\fr Solaris DDI
354 \fBddi_dma_addr_bind_handle\fr Solaris DDI
355 \fBddi_dma_alloc_handle\fr Solaris DDI
356 \fBddi_dma_buf_bind_handle\fr Solaris DDI
357 \fBddi_dma_burstsizes\fr Solaris DDI
358 \fBddi_dma_free_handle\fr Solaris DDI

```

```

359 \fBddi_dma_getwin\fr Solaris DDI
360 \fBddi_dma_mem_alloc\fr Solaris DDI
361 \fBddi_dma_mem_free\fr Solaris DDI
362 \fBddi_dma_nextcookie\fr Solaris DDI
363 \fBddi_dma_numwin\fr Solaris DDI
364 \fBddi_dma_set_sbus64\fr Solaris DDI
365 \fBddi_dma_sync\fr Solaris DDI
366 \fBddi_dma_unbind_handle\fr Solaris DDI
367 \fBddi_dmae\fr Solaris x86 DDI
368 \fBddi_dmae_1stparty\fr Solaris x86 DDI
369 \fBddi_dmae_alloc\fr Solaris x86 DDI
370 \fBddi_dmae_disable\fr Solaris x86 DDI
371 \fBddi_dmae_enable\fr Solaris x86 DDI
372 \fBddi_dmae_getattr\fr Solaris x86 DDI
373 \fBddi_dmae_getcnt\fr Solaris x86 DDI
374 \fBddi_dmae_getlim\fr Solaris x86 DDI
375 \fBddi_dmae_prog\fr Solaris x86 DDI
376 \fBddi_dmae_release\fr Solaris x86 DDI
377 \fBddi_dmae_stop\fr Solaris x86 DDI
378 \fBddi_driver_major\fr Solaris DDI
379 \fBddi_driver_name\fr Solaris DDI
380 \fBddi_enter_critical\fr Solaris DDI
381 \fBddi_exit_critical\fr Solaris DDI
382 \fBddi_ffs\fr Solaris DDI
383 \fBddi_fls\fr Solaris DDI
384 \fBddi_fm_acc_err_clear\fr Solaris DDI
385 \fBddi_fm_acc_err_get\fr Solaris DDI
386 \fBddi_fm_ereport_post\fr Solaris DDI
387 \fBddi_fm_handler_register\fr Solaris DDI
388 \fBddi_fm_init\fr Solaris DDI
389 \fBddi_fm_service_impact\fr Solaris DDI
390 \fBddi_get16\fr Solaris DDI
391 \fBddi_get32\fr Solaris DDI
392 \fBddi_get64\fr Solaris DDI
393 \fBddi_get8\fr Solaris DDI
394 \fBddi_get_cred\fr Solaris DDI
395 \fBddi_get_devstate\fr Solaris DDI
396 \fBddi_get_driver_private\fr Solaris DDI
397 \fBddi_get_eventcookie\fr Solaris DDI
398 \fBddi_get_iblock_cookie\fr Solaris DDI
399 \fBddi_get_iminor\fr Solaris DDI
400 \fBddi_get_instance\fr Solaris DDI
401 \fBddi_get_kt_did\fr Solaris DDI
402 \fBddi_get_lbolt\fr Solaris DDI
403 \fBddi_get_name\fr Solaris DDI
404 \fBddi_get_parent\fr Solaris DDI
405 \fBddi_get_pid\fr Solaris DDI
406 \fBddi_get_soft_iblock_cookie\fr Solaris DDI
407 \fBddi_get_soft_state\fr Solaris DDI
408 \fBddi_getb\fr Solaris DDI
409 \fBddi_getl\fr Solaris DDI
410 \fBddi_getll\fr Solaris DDI
411 \fBddi_getlongprop\fr Solaris DDI
412 \fBddi_getlongprop_buf\fr Solaris DDI
413 \fBddi_getprop\fr Solaris DDI
414 \fBddi_getpropflen\fr Solaris DDI
415 \fBddi_getw\fr Solaris DDI
416 \fBddi_intr_add_handler\fr Solaris DDI
417 \fBddi_intr_add_softint\fr Solaris DDI
418 \fBddi_intr_alloc\fr Solaris DDI
419 \fBddi_intr_block_disable\fr Solaris DDI
420 \fBddi_intr_block_enable\fr Solaris DDI
421 \fBddi_intr_clr_mask\fr Solaris DDI
422 \fBddi_intr_dup_handler\fr Solaris DDI
423 \fBddi_intr_disable\fr Solaris DDI
424 \fBddi_intr_enable\fr Solaris DDI

```

```

425 \fBddi_intr_free\fR      Solaris DDI
426 \fBddi_intr_get_cap\fR    Solaris DDI
427 \fBddi_intr_get_hilevel_pri\fR Solaris DDI
428 \fBddi_intr_get_navail\fR  Solaris DDI
429 \fBddi_intr_get_nintrs\fR  Solaris DDI
430 \fBddi_intr_get_pending\fR  Solaris DDI
431 \fBddi_intr_get_pri\fR     Solaris DDI
432 \fBddi_intr_get_softint_pri\fR Solaris DDI
433 \fBddi_intr_get_supported_types\fR Solaris DDI
434 \fBddi_intr_remove_handler\fR Solaris DDI
435 \fBddi_intr_remove_softint\fR Solaris DDI
436 \fBddi_intr_set_cap\fR     Solaris DDI
437 \fBddi_intr_set_mask\fR    Solaris DDI
438 \fBddi_intr_set_pri\fR     Solaris DDI
439 \fBddi_intr_set_softint_pri\fR Solaris DDI
440 \fBddi_intr_trigger_softint\fR Solaris DDI
441 \fBddi_io_get16\fR         Solaris DDI
442 \fBddi_io_get32\fR         Solaris DDI
443 \fBddi_io_get8\fR          Solaris DDI
444 \fBddi_io_getb\fR          Solaris DDI
445 \fBddi_io_getl\fR          Solaris DDI
446 \fBddi_io_getw\fR          Solaris DDI
447 \fBddi_io_put16\fR         Solaris DDI
448 \fBddi_io_put32\fR         Solaris DDI
449 \fBddi_io_put8\fR          Solaris DDI
450 \fBddi_io_putb\fR          Solaris DDI
451 \fBddi_io_putl\fR          Solaris DDI
452 \fBddi_io_putw\fR          Solaris DDI
453 \fBddi_io_rep_get16\fR     Solaris DDI
454 \fBddi_io_rep_get32\fR     Solaris DDI
455 \fBddi_io_rep_get8\fR      Solaris DDI
456 \fBddi_io_rep_getb\fR      Solaris DDI
457 \fBddi_io_rep_getl\fR      Solaris DDI
458 \fBddi_io_rep_getw\fR      Solaris DDI
459 \fBddi_io_rep_put16\fR     Solaris DDI
460 \fBddi_io_rep_put32\fR     Solaris DDI
461 \fBddi_io_rep_put8\fR      Solaris DDI
462 \fBddi_io_rep_putb\fR      Solaris DDI
463 \fBddi_io_rep_putl\fR      Solaris DDI
464 \fBddi_io_rep_putw\fR      Solaris DDI
465 \fBddi_iomin\fR            Solaris DDI
466 \fBddi_log_sysevent\fR     Solaris DDI
467 \fBddi_map_regs\fR         Solaris DDI
468 \fBddi_mapdev\fR           Solaris DDI
469 \fBddi_mapdev_intercept\fR  Solaris DDI
470 \fBddi_mapdev_nointercept\fR Solaris DDI
471 \fBddi_mapdev_set_device_acc_attr\fR Solaris DDI
472 \fBddi_mem_get16\fR        Solaris DDI
473 \fBddi_mem_get32\fR        Solaris DDI
474 \fBddi_mem_get64\fR        Solaris DDI
475 \fBddi_mem_get8\fR         Solaris DDI
476 \fBddi_mem_getb\fR         Solaris DDI
477 \fBddi_mem_getl\fR         Solaris DDI
478 \fBddi_mem_getll\fR        Solaris DDI
479 \fBddi_mem_getw\fR         Solaris DDI
480 \fBddi_mem_put16\fR        Solaris DDI
481 \fBddi_mem_put32\fR        Solaris DDI
482 \fBddi_mem_put64\fR        Solaris DDI
483 \fBddi_mem_put8\fR         Solaris DDI
484 \fBddi_mem_putb\fR         Solaris DDI
485 \fBddi_mem_putl\fR         Solaris DDI
486 \fBddi_mem_putll\fR        Solaris DDI
487 \fBddi_mem_putw\fR         Solaris DDI
488 \fBddi_mem_rep_get16\fR    Solaris DDI
489 \fBddi_mem_rep_get32\fR    Solaris DDI
490 \fBddi_mem_rep_get64\fR    Solaris DDI

```

```

491 \fBddi_mem_rep_get8\fR    Solaris DDI
492 \fBddi_mem_rep_getb\fR    Solaris DDI
493 \fBddi_mem_rep_getl\fR    Solaris DDI
494 \fBddi_mem_rep_getll\fR   Solaris DDI
495 \fBddi_mem_rep_getw\fR    Solaris DDI
496 \fBddi_mem_rep_put16\fR   Solaris DDI
497 \fBddi_mem_rep_put32\fR   Solaris DDI
498 \fBddi_mem_rep_put64\fR   Solaris DDI
499 \fBddi_mem_rep_put8\fR    Solaris DDI
500 \fBddi_mem_rep_putb\fR    Solaris DDI
501 \fBddi_mem_rep_putl\fR    Solaris DDI
502 \fBddi_mem_rep_putll\fR   Solaris DDI
503 \fBddi_mem_rep_putw\fR    Solaris DDI
504 \fBddi_mmap_get_model\fR   Solaris DDI
505 \fBddi_model_convert_from\fR Solaris DDI
506 \fBddi_modopen\fR         Solaris DDI
507 \fBddi_no_info\fR          Solaris DDI
508 \fBddi_node_name\fR        Solaris DDI
509 \fBddi_peek16\fR           Solaris DDI
510 \fBddi_peek32\fR           Solaris DDI
511 \fBddi_peek64\fR           Solaris DDI
512 \fBddi_peek8\fR           Solaris DDI
513 \fBddi_peekc\fR           Solaris DDI
514 \fBddi_peekd\fR           Solaris DDI
515 \fBddi_peekl\fR           Solaris DDI
516 \fBddi_peeks\fR           Solaris DDI
517 \fBddi_periodic_add\fR     Solaris DDI
518 \fBddi_periodic_delete\fR  Solaris DDI
519 \fBddi_poke16\fR           Solaris DDI
520 \fBddi_poke32\fR           Solaris DDI
521 \fBddi_poke64\fR           Solaris DDI
522 \fBddi_poke8\fR           Solaris DDI
523 \fBddi_pokec\fR           Solaris DDI
524 \fBddi_poked\fR           Solaris DDI
525 \fBddi_pokel\fR           Solaris DDI
526 \fBddi_pokes\fR           Solaris DDI
527 \fBddi_prop_create\fR      Solaris DDI
528 \fBddi_prop_exists\fR      Solaris DDI
529 \fBddi_prop_free\fR        Solaris DDI
530 \fBddi_prop_get_int\fR     Solaris DDI
531 \fBddi_prop_lookup\fR      Solaris DDI
532 \fBddi_prop_lookup_byte_array\fR Solaris DDI
533 \fBddi_prop_lookup_int_array\fR Solaris DDI
534 \fBddi_prop_lookup_string\fR Solaris DDI
535 \fBddi_prop_lookup_string_array\fR Solaris DDI
536 \fBddi_prop_modify\fR      Solaris DDI
537 \fBddi_prop_op\fR          Solaris DDI
538 \fBddi_prop_remove\fR      Solaris DDI
539 \fBddi_prop_remove_all\fR   Solaris DDI
540 \fBddi_prop_undefine\fR     Solaris DDI
541 \fBddi_prop_update\fR      Solaris DDI
542 \fBddi_prop_update_byte_array\fR Solaris DDI
543 \fBddi_prop_update_int\fR   Solaris DDI
544 \fBddi_prop_update_int_array\fR Solaris DDI
545 \fBddi_prop_update_string\fR Solaris DDI
546 \fBddi_prop_update_string_array\fR Solaris DDI
547 \fBddi_ptob\fR            Solaris DDI
548 \fBddi_put16\fR            Solaris DDI
549 \fBddi_put32\fR            Solaris DDI
550 \fBddi_put64\fR            Solaris DDI
551 \fBddi_put8\fR             Solaris DDI
552 \fBddi_putb\fR             Solaris DDI
553 \fBddi_putl\fR             Solaris DDI
554 \fBddi_putll\fR            Solaris DDI
555 \fBddi_putw\fR             Solaris DDI
556 \fBddi_regs_map_free\fR    Solaris DDI

```

```

557 \fBddi_regs_map_setup\fr Solaris DDI
558 \fBddi_remove_event_handler\fr Solaris DDI
559 \fBddi_remove_intr\fr Solaris DDI
560 \fBddi_remove_minor_node\fr Solaris DDI
561 \fBddi_remove_softintr\fr Solaris DDI
562 \fBddi_removing_power\fr Solaris DDI
563 \fBddi_rep_get16\fr Solaris DDI
564 \fBddi_rep_get32\fr Solaris DDI
565 \fBddi_rep_get64\fr Solaris DDI
566 \fBddi_rep_get8\fr Solaris DDI
567 \fBddi_rep_getb\fr Solaris DDI
568 \fBddi_rep_getl\fr Solaris DDI
569 \fBddi_rep_getll\fr Solaris DDI
570 \fBddi_rep_getw\fr Solaris DDI
571 \fBddi_rep_put16\fr Solaris DDI
572 \fBddi_rep_put32\fr Solaris DDI
573 \fBddi_rep_put64\fr Solaris DDI
574 \fBddi_rep_put8\fr Solaris DDI
575 \fBddi_rep_putb\fr Solaris DDI
576 \fBddi_rep_putl\fr Solaris DDI
577 \fBddi_rep_putll\fr Solaris DDI
578 \fBddi_rep_putw\fr Solaris DDI
579 \fBddi_report_dev\fr Solaris DDI
580 \fBddi_root_node\fr Solaris DDI
581 \fBddi_segmap\fr Solaris DDI
582 \fBddi_segmap_setup\fr Solaris DDI
583 \fBddi_set_driver_private\fr Solaris DDI
584 \fBddi_slaveonly\fr Solaris DDI
585 \fBddi_soft_state\fr Solaris DDI
586 \fBddi_soft_state_fini\fr Solaris DDI
587 \fBddi_soft_state_free\fr Solaris DDI
588 \fBddi_soft_state_init\fr Solaris DDI
589 \fBddi_soft_state_zalloc\fr Solaris DDI
590 \fBddi_strl0l\fr Solaris DDI
591 \fBddi_strloul\fr Solaris DDI
592 \fBddi_trigger_softintr\fr Solaris DDI
593 \fBddi_umem_alloc\fr Solaris DDI
594 \fBddi_umem_free\fr Solaris DDI
595 \fBddi_umem_isset\fr Solaris DDI
596 \fBddi_umem_lock\fr Solaris DDI
597 \fBddi_unmap_regs\fr Solaris DDI
598 \fBdelay\fr DDI/DKI
599 \fBdevmap_default_access\fr Solaris DDI
600 \fBdevmap_devmem_setup\fr Solaris DDI
601 \fBdevmap_do_ctxmgt\fr Solaris DDI
602 \fBdevmap_load\fr Solaris DDI
603 \fBdevmap_set_ctx_timeout\fr Solaris DDI
604 \fBdevmap_setup\fr Solaris DDI
605 \fBdevmap_umem_setup\fr Solaris DDI
606 \fBdevmap_unload\fr Solaris DDI
607 \fBdisksort\fr Solaris DDI
608 \fBdlbindack\fr Solaris DDI
609 \fBdrv_getparm\fr DDI/DKI
610 \fBdrv_hztousec\fr DDI/DKI
611 \fBdrv_priv\fr DDI/DKI
612 \fBdrv_ustochz\fr DDI/DKI
613 \fBdrv_usecwait\fr DDI/DKI
614 \fBfree_pktiob\fr Solaris DDI
615 \fBfreerbuf\fr DDI/DKI
616 \fBget_pktiob\fr Solaris DDI
617 \fBgeterror\fr DDI/DKI
618 \fBgethrtime\fr DDI/DKI
619 \fBgetmajor\fr DDI/DKI
620 \fBgetminor\fr DDI/DKI
621 \fBgetrbuf\fr DDI/DKI
622 \fBgld\fr Solaris DDI

```

```

623 \fBhat_getkpfnum\fr DKI only
624 \fBbid32_alloc\fr Solaris DDI
625 \fBbinb\fr Solaris x86 DDI
626 \fBbinl\fr Solaris x86 DDI
627 \fBbinw\fr Solaris x86 DDI
628 \fBkiconv\fr Solaris DDI
629 \fBkiconv_close\fr Solaris DDI
630 \fBkiconv_open\fr Solaris DDI
631 \fBkiconvstr\fr Solaris DDI
632 \fBkmem_alloc\fr DDI/DKI
633 \fBkmem_cache_create\fr Solaris DDI
634 \fBkmem_free\fr DDI/DKI
635 \fBkmem_zalloc\fr DDI/DKI
636 \fBkstat_create\fr Solaris DDI
637 \fBkstat_delete\fr Solaris DDI
638 \fBkstat_install\fr Solaris DDI
639 \fBkstat_named_init\fr Solaris DDI
640 \fBkstat_queue\fr Solaris DDI
641 \fBkstat_runq_back_to_waitq\fr Solaris DDI
642 \fBkstat_runq_enter\fr Solaris DDI
643 \fBkstat_runq_exit\fr Solaris DDI
644 \fBkstat_waitq_enter\fr Solaris DDI
645 \fBkstat_waitq_exit\fr Solaris DDI
646 \fBkstat_waitq_to_runq\fr Solaris DDI
647 \fBldi_add_event_handler\fr Solaris DDI
648 \fBldi_aread\fr Solaris DDI
649 \fBldi_devmap\fr Solaris DDI
650 \fBldi_dump\fr Solaris DDI
651 \fBldi_ev_finalize\fr Solaris DDI
652 \fBldi_ev_get_cookie\fr Solaris DDI
653 \fBldi_ev_get_type\fr Solaris DDI
654 \fBldi_ev_notify\fr Solaris DDI
655 \fBldi_ev_register_callbacks\fr Solaris DDI
656 \fBldi_ev_remove_callbacks\fr Solaris DDI
657 \fBldi_get_dev\fr Solaris DDI
658 \fBldi_get_eventcookie\fr Solaris DDI
659 \fBldi_get_size\fr Solaris DDI
660 \fBldi_ident_from_dev\fr Solaris DDI
661 \fBldi_ioctl\fr Solaris DDI
662 \fBldi_open_by_dev\fr Solaris DDI
663 \fBldi_poll\fr Solaris DDI
664 \fBldi_prop_exists\fr Solaris DDI
665 \fBldi_prop_get_int\fr Solaris DDI
666 \fBldi_prop_get_lookup_int_array\fr Solaris DDI
667 \fBldi_putmsg\fr Solaris DDI
668 \fBldi_read\fr Solaris DDI
669 \fBldi_remove_event_handler\fr Solaris DDI
670 \fBldi_strategy\fr Solaris DDI
671 \fBmakecom_g0\fr Solaris DDI
672 \fBmakecom_g0_s\fr Solaris DDI
673 \fBmakecom_g1\fr Solaris DDI
674 \fBmakecom_g5\fr Solaris DDI
675 \fBmakedevice\fr DDI/DKI
676 \fBmax\fr DDI/DKI
677 \fBmax\fr DDI/DKI
678 \fBmembar_ops\fr Solaris DDI
679 \fBmemchr\fr Solaris DDI
680 \fBminphys\fr Solaris DDI
681 \fBmod_info\fr Solaris DDI
682 \fBmod_install\fr Solaris DDI
683 \fBmod_remove\fr Solaris DDI
684 \fBmutex_destroy\fr Solaris DDI
685 \fBmutex_enter\fr Solaris DDI
686 \fBmutex_exit\fr Solaris DDI
687 \fBmutex_init\fr Solaris DDI
688 \fBmutex_owned\fr Solaris DDI

```

```

689 \fBmutex_tryenter\fR      Solaris DDI
690 \fBnchpoll\fR              Solaris DDI
691 \fBnodev\fR                  DDI/DKI
692 \fBnulldev\fR                DDI/DKI
693 \fBnumtos\fR                  Solaris DDI
694 \fBbnvlist_add_boolean\fR     Solaris DDI
695 \fBbnvlist_alloc\fR          Solaris DDI
696 \fBbnvlist_lookup_boolean\fR  Solaris DDI
697 \fBbnvlist_lookup_nvpair\fR  Solaris DDI
698 \fBbnvlist_next_nvpair\fR    Solaris DDI
699 \fBbnvlist_remove\fR         Solaris DDI
700 \fBbnvlist_value_byte\fR     Solaris DDI
701 \fBbouth\fR                   Solaris x86 DDI
702 \fBboutil\fR                   Solaris x86 DDI
703 \fBbouthw\fR                   Solaris x86 DDI
704 \fBbpci_config_get16\fR       Solaris DDI
705 \fBbpci_config_get32\fR       Solaris DDI
706 \fBbpci_config_get64\fR       Solaris DDI
707 \fBbpci_config_get8\fR        Solaris DDI
708 \fBbpci_config_getb\fR        Solaris DDI
709 \fBbpci_config_getl\fR        Solaris DDI
710 \fBbpci_config_getw\fR        Solaris DDI
711 \fBbpci_config_put16\fR       Solaris DDI
712 \fBbpci_config_put32\fR       Solaris DDI
713 \fBbpci_config_put64\fR       Solaris DDI
714 \fBbpci_config_put8\fR        Solaris DDI
715 \fBbpci_config_putb\fR        Solaris DDI
716 \fBbpci_config_putl\fR        Solaris DDI
717 \fBbpci_config_putw\fR        Solaris DDI
718 \fBbpci_config_setup\fR       Solaris DDI
719 \fBbpci_config_teardown\fR     Solaris DDI
720 \fBbpci_ereport_setup\fR      Solaris DDI
721 \fBbpci_report_pmcaps\fR      Solaris DDI
722 \fBbpci_save_config_regs\fR   Solaris DDI
723 \fBbphysio\fR                 Solaris DDI
724 \fBbpm_busy_component\fR      Solaris DDI
725 \fBbpm_power_has_changed\fR   Solaris DDI
726 \fBbpm_raise_power\fR         Solaris DDI
727 \fBbpm_trans_check\fR         Solaris DDI
728 \fBbpollwakeups\fR           DDI/DKI
729 \fBbpci_config_teardown\fR     Solaris DDI
730 \fBbpci_config_teardown\fR     Solaris DDI
731 \fBbpriv_getbyname\fR         Solaris DDI
732 \fBbpriv_policy\fR            Solaris DDI
733 \fBbproc_signal\fR            Solaris DDI
734 \fBbproc_unref\fR             Solaris DDI
735 \fBbptob\fR                   DDI/DKI
736 \fBbrepinsb\fR                 Solaris x86 DDI
737 \fBbrepinsd\fR                 Solaris x86 DDI
738 \fBbrepinsw\fR                 Solaris x86 DDI
739 \fBbrepoutsb\fR                Solaris x86 DDI
740 \fBbrepoutsd\fR                Solaris x86 DDI
741 \fBbrepoutsw\fR                Solaris x86 DDI
742 \fBbrmalloc\fR                 DDI/DKI
743 \fBbrmalloc_wait\fR            DDI/DKI
744 \fBbrmallocmap\fR              DDI/DKI
745 \fBbrmallocmap_wait\fR        DDI/DKI
746 \fBbrmfree\fR                  DDI/DKI
747 \fBbrmfreemap\fR              DDI/DKI
748 \fBbrw_destroy\fR              Solaris DDI
749 \fBbrw_downgrade\fR           Solaris DDI
750 \fBbrw_enter\fR                Solaris DDI
751 \fBbrw_exit\fR                 Solaris DDI
752 \fBbrw_init\fR                 Solaris DDI
753 \fBbrw_read_locked\fR          Solaris DDI
754 \fBbrw_tryenter\fR            Solaris DDI

```

```

755 \fBbrw_tryupgrade\fR        Solaris DDI
756 \fBbscsi_abort\fR             Solaris DDI
757 \fBbscsi_alloc_consistent_buf\fR Solaris DDI
758 \fBbscsi_cname\fR             Solaris DDI
759 \fBbscsi_destroy_pkt\fR       Solaris DDI
760 \fBbscsi_dmafree\fR           Solaris DDI
761 \fBbscsi_dmaget\fR            Solaris DDI
762 \fBbscsi_dname\fR             Solaris DDI
763 \fBbscsi_errmsg\fR           Solaris DDI
764 \fBbscsi_ext_sense_fields\fR  Solaris DDI
765 \fBbscsi_find_sense_descr\fR  Solaris DDI
766 \fBbscsi_free_consistent_buf\fR Solaris DDI
767 \fBbscsi_get_device_type_scsi_options\fR Solaris DDI
768 \fBbscsi_get_device_type_string\fR Solaris DDI
769 \fBbscsi_hba_attach_setup\fR  Solaris DDI
770 \fBbscsi_hba_detach\fR        Solaris DDI
771 \fBbscsi_hba_fini\fR          Solaris DDI
772 \fBbscsi_hba_init\fR          Solaris DDI
773 \fBbscsi_hba_lookup_capstr\fR  Solaris DDI
774 \fBbscsi_hba_pkt_alloc\fR      Solaris DDI
775 \fBbscsi_hba_pkt_free\fR       Solaris DDI
776 \fBbscsi_hba_probe\fR         Solaris DDI
777 \fBbscsi_hba_tran_alloc\fR     Solaris DDI
778 \fBbscsi_hba_tran_free\fR     Solaris DDI
779 \fBbscsi_ifgetcap\fR          Solaris DDI
780 \fBbscsi_ifsetcap\fR          Solaris DDI
781 \fBbscsi_init_pkt\fR          Solaris DDI
782 \fBbscsi_log\fR               Solaris DDI
783 \fBbscsi_mname\fR             Solaris DDI
784 \fBbscsi_pktalloc\fR          Solaris DDI
785 \fBbscsi_pktfree\fR           Solaris DDI
786 \fBbscsi_poll\fR              Solaris DDI
787 \fBbscsi_probe\fR             Solaris DDI
788 \fBbscsi_realloc\fR           Solaris DDI
789 \fBbscsi_reset\fR             Solaris DDI
790 \fBbscsi_reset_notify\fR       Solaris DDI
791 \fBbscsi_resfree\fR           Solaris DDI
792 \fBbscsi_rname\fR             Solaris DDI
793 \fBbscsi_sense_key\fR         Solaris DDI
794 \fBbscsi_setup_cdb\fR         Solaris DDI
795 \fBbscsi_slave\fR             Solaris DDI
796 \fBbscsi_sname\fR             Solaris DDI
797 \fBbscsi_sync_pkt\fR          Solaris DDI
798 \fBbscsi_transport\fR         Solaris DDI
799 \fBbscsi_unprobe\fR           Solaris DDI
800 \fBbscsi_unslave\fR           Solaris DDI
801 \fBbscsi_validate_sense\fR    Solaris DDI
802 \fBbscsi_vu_errmsg\fR         Solaris DDI
803 \fBbsema_destroy\fR           Solaris DDI
804 \fBbsema_init\fR              Solaris DDI
805 \fBbsema_p\fR                 Solaris DDI
806 \fBbsema_p_sig\fR            Solaris DDI
807 \fBbsema_tryp\fR              Solaris DDI
808 \fBbsema_v\fR                 Solaris DDI
809 \fBbsprintf\fR                 Solaris DDI
810 \fBbstoi\fR                    Solaris DDI
811 \fBbstrchr\fR                  Solaris DDI
812 \fBbstrcmp\fR                  Solaris DDI
813 \fBbstrcpy\fR                  Solaris DDI
814 \fBbstrlen\fR                  Solaris DDI
815 \fBbstrncmp\fR                 Solaris DDI
816 \fBbstrncpy\fR                 Solaris DDI
817 \fBSTRUCT_DECL\fR             Solaris DDI
818 \fBbswab\fR                    DDI/DKI
819 \fBbtaskq\fR                   Solaris DDI
820 \fBbtimeout\fR                 DDI/DKI

```

```

821 \fBu8_strcmp\fR Solaris DDI
822 \fBu8_textprep_str\fR Solaris DDI
823 \fBu8_validate\fR Solaris DDI
824 \fBuconv_u16tou32\fR Solaris DDI
825 \fBuimove\fR DDI/DKI
826 \fBuntimeout\fR DDI/DKI
827 \fBureadc\fR DDI/DKI
828 \fBusb_alloc_request\fR Solaris DDI
829 \fBusb_client_attach\fR Solaris DDI
830 \fBusb_clr_feature\fR Solaris DDI
831 \fBusb_create_pm_components\fR Solaris DDI
832 \fBusb_get_addr\fR Solaris DDI
833 \fBusb_get_alt_if\fR Solaris DDI
834 \fBusb_get_cfg\fR Solaris DDI
835 \fBusb_get_current_frame_number\fR Solaris DDI
836 \fBusb_get_dev_data\fR Solaris DDI
837 \fBusb_get_max_pkts_per_ioc_request\fR Solaris DDI
838 \fBusb_get_status\fR Solaris DDI
839 \fBusb_get_string_desc\fR Solaris DDI
840 \fBusb_handle_remote_wakeup\fR Solaris DDI
841 \fBusb_lookup_ep_data\fR Solaris DDI
842 \fBusb_parse_data\fR Solaris DDI
843 \fBusb_pipe_bulk_xfer\fR Solaris DDI
844 \fBusb_pipe_close\fR Solaris DDI
845 \fBusb_pipe_ctrl_xfer\fR Solaris DDI
846 \fBusb_pipe_drain_reqs\fR Solaris DDI
847 \fBusb_pipe_get_max_bulk_transfer_size\fR Solaris DDI
848 \fBusb_pipe_get_state\fR Solaris DDI
849 \fBusb_pipe_intr_xfer\fR Solaris DDI
850 \fBusb_pipe_isoc_xfer\fR Solaris DDI
851 \fBusb_pipe_open\fR Solaris DDI
852 \fBusb_pipe_reset\fR Solaris DDI
853 \fBusb_pipe_set_private\fR Solaris DDI
854 \fBusb_register_hotplug_cbs\fR Solaris DDI
855 \fBusb_reset_device\fR Solaris DDI
856 \fBuwritec\fR DDI/DKI
857 \fBva_arg\fR Solaris DDI
858 \fBva_end\fR Solaris DDI
859 \fBva_start\fR Solaris DDI
860 \fBvcmn_err\fR DDI/DKI
861 \fBvsprintf\fR Solaris DDI
862 .TE

864 .SH SEE ALSO
865 .sp
866 .LP
867 \fBIntro\fR(9E), \fBmutex\fR(9F)

```

new/usr/src/man/man9f/Makefile

1

59137 Wed Nov 12 17:44:34 2014

new/usr/src/man/man9f/Makefile

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore>
16 #
```

18 include \$(SRC)/Makefile.master

20 MANSECT= 9f

```
22 MANFILES= ASSERT.9f \
23             Intro.9f \
24             OTHERQ.9f \
25             RD.9f \
26             SAMESTR.9f \
27             STRUCT_DECL.9f \
28             WR.9f \
29             adjmsg.9f \
30             allocb.9f \
31             atomic_add.9f \
32             atomic_and.9f \
33             atomic_bits.9f \
34             atomic_cas.9f \
35             atomic_dec.9f \
36             atomic_inc.9f \
37             atomic_ops.9f \
38             atomic_or.9f \
39             atomic_swap.9f \
40             backq.9f \
41             bcanput.9f \
42             bcmp.9f \
43             bcopy.9f \
44             bioclon.9f \
45             biodone.9f \
46             bioerror.9f \
47             biofini.9f \
48             bioinit.9f \
49             biomodified.9f \
50             bioreset.9f \
51             biosize.9f \
52             biowait.9f \
53             bp_copyin.9f \
54             bp_copyout.9f \
55             bp_mapin.9f \
56             bp_mapout.9f \
57             btop.9f \
58             btopr.9f \
59             bufcall.9f \
60             bzero.9f \
61             canput.9f \
```

new/usr/src/man/man9f/Makefile

2

```
62 clrbuf.9f \
63 cmn_err.9f \
64 condvar.9f \
65 copyb.9f \
66 copyin.9f \
67 copymsg.9f \
68 copyout.9f \
69 csx_AccessConfigurationRegister.9f \
70 csx_CS_DDI_Info.9f \
71 csx_ConvertSize.9f \
72 csx_ConvertSpeed.9f \
73 csx_DeregisterClient.9f \
74 csx_DupHandle.9f \
75 csx_Error2Text.9f \
76 csx_Event2Text.9f \
77 csx_FreeHandle.9f \
78 csx_Get8.9f \
79 csx_GetFirstClient.9f \
80 csx_GetFirstTuple.9f \
81 csx_GetHandleOffset.9f \
82 csx_GetMappedAddr.9f \
83 csx_GetStatus.9f \
84 csx_GetTupleData.9f \
85 csx_MakeDeviceNode.9f \
86 csx_MapLogSocket.9f \
87 csx_MapMemPage.9f \
88 csx_ModifyConfiguration.9f \
89 csx_ModifyWindow.9f \
90 csx_ParseTuple.9f \
91 csx_Parse_CISTPL_BATTERY.9f \
92 csx_Parse_CISTPL_BYTEORDER.9f \
93 csx_Parse_CISTPL_CFTABLE_ENTRY.9f \
94 csx_Parse_CISTPL_CONFIG.9f \
95 csx_Parse_CISTPL_DATE.9f \
96 csx_Parse_CISTPL_DEVICE.9f \
97 csx_Parse_CISTPL_DEVICEGEO.9f \
98 csx_Parse_CISTPL_DEVICEGEO_A.9f \
99 csx_Parse_CISTPL_FORMAT.9f \
100 csx_Parse_CISTPL_FUNCCE.9f \
101 csx_Parse_CISTPL_FUNCID.9f \
102 csx_Parse_CISTPL_GEOMETRY.9f \
103 csx_Parse_CISTPL_JEDEC_C.9f \
104 csx_Parse_CISTPL_LINKTARGET.9f \
105 csx_Parse_CISTPL_LONGLINK_A.9f \
106 csx_Parse_CISTPL_LONGLINK_MFC.9f \
107 csx_Parse_CISTPL_MANFID.9f \
108 csx_Parse_CISTPL_ORG.9f \
109 csx_Parse_CISTPL_SPCL.9f \
110 csx_Parse_CISTPL_SWIL.9f \
111 csx_Parse_CISTPL_VERS_1.9f \
112 csx_Parse_CISTPL_VERS_2.9f \
113 csx_Put8.9f \
114 csx_RegisterClient.9f \
115 csx_ReleaseConfiguration.9f \
116 csx_RepGet8.9f \
117 csx_RepPut8.9f \
118 csx_RequestConfiguration.9f \
119 csx_RequestIO.9f \
120 csx_RequestIRQ.9f \
121 csx_RequestSocketMask.9f \
122 csx_RequestWindow.9f \
123 csx_ResetFunction.9f \
124 csx_SetEventMask.9f \
125 csx_SetHandleOffset.9f \
126 csx_ValidateCIS.9f \
69 datamsg.9f \
```



```

70      ddi_add_event_handler.9f      \
71      ddi_add_intr.9f               \
72      ddi_add_softintr.9f           \
73      ddi_binding_name.9f           \
74      ddi_btop.9f                   \
75      ddi_can_receive_sig.9f         \
76      ddi_cb_register.9f            \
77      ddi_check_acc_handle.9f        \
78      ddi_copyin.9f                 \
79      ddi_copyout.9f                \
80      ddi_create_minor_node.9f       \
81      ddi_cred.9f                   \
82      ddi_dev_is_needed.9f           \
83      ddi_dev_is_sid.9f              \
84      ddi_dev_nintrs.9f              \
85      ddi_dev_nregs.9f               \
86      ddi_dev_regsize.9f             \
87      ddi_dev_report_fault.9f        \
88      ddi_device_copy.9f             \
89      ddi_device_zero.9f             \
90      ddi_devid_compare.9f           \
91      ddi_dma_addr_bind_handle.9f    \
92      ddi_dma_alloc_handle.9f        \
93      ddi_dma_buf_bind_handle.9f     \
94      ddi_dma_burstsizes.9f          \
95      ddi_dma_free_handle.9f         \
96      ddi_dma_getwin.9f              \
97      ddi_dma_mem_alloc.9f           \
98      ddi_dma_mem_free.9f            \
99      ddi_dma_nextcookie.9f          \
100     ddi_dma_numwin.9f               \
101     ddi_dma_set_sbust64.9f          \
102     ddi_dma_sync.9f                 \
103     ddi_dma_unbind_handle.9f        \
104     ddi_dmae.9f                     \
105     ddi_driver_major.9f             \
106     ddi_driver_name.9f              \
107     ddi_enter_critical.9f           \
108     ddi_ffs.9f                      \
109     ddi_fm_acc_err_clear.9f         \
110     ddi_fm_acc_err_get.9f           \
111     ddi_fm_ereport_post.9f          \
112     ddi_fm_handler_register.9f      \
113     ddi_fm_init.9f                  \
114     ddi_fm_service_impact.9f        \
115     ddi_get8.9f                     \
116     ddi_get_cred.9f                 \
117     ddi_get_devstate.9f             \
118     ddi_get_driver_private.9f       \
119     ddi_get_eventcookie.9f          \
120     ddi_get_instance.9f             \
121     ddi_get_kt_did.9f               \
122     ddi_get_lbolt.9f                \
123     ddi_get_parent.9f               \
124     ddi_get_pid.9f                  \
125     ddi_get_time.9f                 \
126     ddi_getiminor.9f                \
127     ddi_in_panic.9f                \
128     ddi_intr_add_handler.9f         \
129     ddi_intr_add_softint.9f         \
130     ddi_intr_alloc.9f               \
131     ddi_intr_dup_handler.9f         \
132     ddi_intr_enable.9f              \
133     ddi_intr_get_cap.9f              \
134     ddi_intr_get_hilevel_pri.9f     \
135     ddi_intr_get_nintrs.9f         \

```

```

136     ddi_intr_get_pending.9f        \
137     ddi_intr_get_pri.9f             \
138     ddi_intr_get_supported_types.9f \
139     ddi_intr_hilevel.9f             \
140     ddi_intr_set_mask.9f            \
141     ddi_intr_set_nreq.9f            \
142     ddi_io_get8.9f                  \
143     ddi_io_put8.9f                  \
144     ddi_io_rep_get8.9f              \
145     ddi_io_rep_put8.9f              \
146     ddi_log_sysevent.9f             \
147     ddi_map_regs.9f                 \
148     ddi_mem_get8.9f                 \
149     ddi_mem_put8.9f                 \
150     ddi_mem_rep_get8.9f             \
151     ddi_mem_rep_put8.9f             \
152     ddi_mmap_get_model.9f           \
153     ddi_model_convert_from.9f       \
154     ddi_modopen.9f                  \
155     ddi_no_info.9f                  \
156     ddi_node_name.9f                \
157     ddi_peek.9f                     \
158     ddi_periodic_add.9f             \
159     ddi_periodic_delete.9f          \
160     ddi_poke.9f                     \
161     ddi_prop_create.9f              \
162     ddi_prop_exists.9f              \
163     ddi_prop_get_int.9f             \
164     ddi_prop_lookup.9f              \
165     ddi_prop_op.9f                  \
166     ddi_prop_update.9f              \
167     ddi_put8.9f                     \
168     ddi_regs_map_free.9f            \
169     ddi_regs_map_setup.9f           \
170     ddi_remove_event_handler.9f     \
171     ddi_remove_minor_node.9f        \
172     ddi_removing_power.9f           \
173     ddi_rep_get8.9f                 \
174     ddi_rep_put8.9f                 \
175     ddi_report_dev.9f               \
176     ddi_root_node.9f                \
177     ddi_segmap.9f                   \
178     ddi_slaveonly.9f                \
179     ddi_soft_state.9f               \
180     ddi_strtol.9f                   \
181     ddi_strtoll.9f                  \
182     ddi_strtoul.9f                  \
183     ddi_umem_alloc.9f               \
184     ddi_umem_iosetup.9f             \
185     ddi_umem_lock.9f                \
186     delay.9f                        \
187     devmap_default_access.9f        \
188     devmap_devmem_setup.9f          \
189     devmap_do_ctxmgt.9f             \
190     devmap_set_ctx_timeout.9f       \
191     devmap_setup.9f                 \
192     devmap_unload.9f                \
193     disksort.9f                     \
194     dlbindack.9f                    \
195     drv_getparm.9f                  \
196     drv_hztousec.9f                 \
197     drv_priv.9f                     \
198     drv_usectoh.9f                  \
199     drv_usecwait.9f                 \
200     dupb.9f                         \
201     dupmsg.9f                       \

```

```

202 enableok.9f \
203 esballoc.9f \
204 esbbcall.9f \
205 flushband.9f \
206 flushq.9f \
207 freeb.9f \
208 freemsg.9f \
209 freerbuf.9f \
210 freezestr.9f \
211 get_pktiopb.9f \
212 geterror.9f \
213 gethrtime.9f \
214 getmajor.9f \
215 getminor.9f \
216 getq.9f \
217 getrbuf.9f \
218 gld.9f \
219 hook_alloc.9f \
220 hook_free.9f \
221 id32_alloc.9f \
222 inb.9f \
223 insq.9f \
224 kiconv.9f \
225 kiconv_close.9f \
226 kiconv_open.9f \
227 kiconvstr.9f \
228 kmem_alloc.9f \
229 kmem_cache_create.9f \
230 kstat_create.9f \
231 kstat_delete.9f \
232 kstat_install.9f \
233 kstat_named_init.9f \
234 kstat_queue.9f \
235 ldi_add_event_handler.9f \
236 ldi_aread.9f \
237 ldi_devmap.9f \
238 ldi_dump.9f \
239 ldi_ev_finalize.9f \
240 ldi_ev_get_cookie.9f \
241 ldi_ev_get_type.9f \
242 ldi_ev_notify.9f \
243 ldi_ev_register_callbacks.9f \
244 ldi_ev_remove_callbacks.9f \
245 ldi_get_dev.9f \
246 ldi_get_eventcookie.9f \
247 ldi_get_size.9f \
248 ldi_ident_from_dev.9f \
249 ldi_ioctl.9f \
250 ldi_open_by_dev.9f \
251 ldi_poll.9f \
252 ldi_prop_exists.9f \
253 ldi_prop_get_int.9f \
254 ldi_prop_lookup_int_array.9f \
255 ldi_putmsg.9f \
256 ldi_read.9f \
257 ldi_remove_event_handler.9f \
258 ldi_strategy.9f \
259 linkb.9f \
260 list_create.9f \
261 makecom.9f \
262 makedevice.9f \
263 max.9f \
264 mcopyin.9f \
265 mcopymsg.9f \
266 mcopyout.9f \
267 membar_ops.9f \

```

```

268 memchr.9f \
269 merror.9f \
270 mexchange.9f \
271 min.9f \
272 mioc2ack.9f \
273 miocack.9f \
274 miocnak.9f \
275 miocpullup.9f \
276 mkiocb.9f \
277 mod_install.9f \
278 msgdsize.9f \
279 msgpullup.9f \
280 msgsize.9f \
281 mt-streams.9f \
282 mutex.9f \
283 net_event_notify_register.9f \
284 net_getifname.9f \
285 net_getlifaddr.9f \
286 net_getmtu.9f \
287 net_getnetid.9f \
288 net_getpmtuenabled.9f \
289 net_hook_register.9f \
290 net_hook_unregister.9f \
291 net_inject.9f \
292 net_inject_alloc.9f \
293 net_inject_free.9f \
294 net_instance_alloc.9f \
295 net_instance_free.9f \
296 net_instance_notify_register.9f \
297 net_instance_register.9f \
298 net_instance_unregister.9f \
299 net_ispartialchecksum.9f \
300 net_isvalidchecksum.9f \
301 net_kstat_create.9f \
302 net_kstat_delete.9f \
303 net_lifgetnext.9f \
304 net_netidtozonid.9f \
305 net_phygetnext.9f \
306 net_phylookup.9f \
307 net_protocol_lookup.9f \
308 net_protocol_notify_register.9f \
309 net_protocol_release.9f \
310 net_protocol_walk.9f \
311 net_routeto.9f \
312 net_zoneidtonetid.9f \
313 netinfo.9f \
314 nochpoll.9f \
315 nodev.9f \
316 noenable.9f \
317 nulldev.9f \
318 nvlist_add_boolean.9f \
319 nvlist_alloc.9f \
320 nvlist_lookup_boolean.9f \
321 nvlist_lookup_nvpair.9f \
322 nvlist_next_nvpair.9f \
323 nvlist_remove.9f \
324 nvpair_value_byte.9f \
325 outb.9f \
326 pci_config_get8.9f \
327 pci_config_setup.9f \
328 pci_ereport_setup.9f \
329 pci_report_pmcaps.9f \
330 pci_save_config_regs.9f \
331 physio.9f \
332 pm_busy_component.9f \
333 pm_power_has_changed.9f \

```

```

334 pm_raise_power.9f \
335 pm_trans_check.9f \
336 pollwake.9f \
337 priv_getbyname.9f \
338 priv_policy.9f \
339 proc_signal.9f \
340 ptob.9f \
341 pullupmsg.9f \
342 put.9f \
343 putbq.9f \
344 putctl.9f \
345 putctl1.9f \
346 putnext.9f \
347 putnextctl.9f \
348 putnextctl1.9f \
349 putq.9f \
350 qassociate.9f \
351 qbufcall.9f \
352 qenable.9f \
353 qprocson.9f \
354 qreply.9f \
355 qsize.9f \
356 qtimeout.9f \
357 qunbufcall.9f \
358 quntimeout.9f \
359 qwait.9f \
360 qwriter.9f \
361 rmalloc.9f \
362 rmalloc_wait.9f \
363 rmallocmap.9f \
364 rmfree.9f \
365 rmvb.9f \
366 rmvg.9f \
367 rwlock.9f \
368 scsi_abort.9f \
369 scsi_alloc_consistent_buf.9f \
370 scsi_cname.9f \
371 scsi_destroy_pkt.9f \
372 scsi_dmaget.9f \
373 scsi_errmsg.9f \
374 scsi_ext_sense_fields.9f \
375 scsi_find_sense_descr.9f \
376 scsi_free_consistent_buf.9f \
377 scsi_get_device_type_scsi_options.9f \
378 scsi_get_device_type_string.9f \
379 scsi_hba_attach_setup.9f \
380 scsi_hba_init.9f \
381 scsi_hba_lookup_capstr.9f \
382 scsi_hba_pkt_alloc.9f \
383 scsi_hba_pkt_comp.9f \
384 scsi_hba_probe.9f \
385 scsi_hba_tran_alloc.9f \
386 scsi_ifgetcap.9f \
387 scsi_init_pkt.9f \
388 scsi_log.9f \
389 scsi_pktalloc.9f \
390 scsi_poll.9f \
391 scsi_probe.9f \
392 scsi_reset.9f \
393 scsi_reset_notify.9f \
394 scsi_sense_key.9f \
395 scsi_setup_cdb.9f \
396 scsi_slave.9f \
397 scsi_sync_pkt.9f \
398 scsi_transport.9f \
399 scsi_unprobe.9f \

```

```

400 scsi_validate_sense.9f \
401 scsi_vu_errmsg.9f \
402 semaphore.9f \
403 stoi.9f \
404 string.9f \
405 strlog.9f \
406 strqget.9f \
407 strqset.9f \
408 swab.9f \
409 taskq.9f \
410 testb.9f \
411 timeout.9f \
412 u8_strcmp.9f \
413 u8_textprep_str.9f \
414 u8_validate.9f \
415 uconv_ul6tou32.9f \
416 uiomove.9f \
417 unbufcall.9f \
418 unlinkb.9f \
419 untimeout.9f \
420 ureadc.9f \
421 usb_alloc_request.9f \
422 usb_client_attach.9f \
423 usb_clr_feature.9f \
424 usb_create_pm_components.9f \
425 usb_get_addr.9f \
426 usb_get_alt_if.9f \
427 usb_get_cfg.9f \
428 usb_get_current_frame_number.9f \
429 usb_get_dev_data.9f \
430 usb_get_max_pkts_per_isoc_request.9f \
431 usb_get_status.9f \
432 usb_get_string_descr.9f \
433 usb_handle_remote_wakeup.9f \
434 usb_lookup_ep_data.9f \
435 usb_parse_data.9f \
436 usb_pipe_bulk_xfer.9f \
437 usb_pipe_close.9f \
438 usb_pipe_ctrl_xfer.9f \
439 usb_pipe_drain_reqs.9f \
440 usb_pipe_get_max_bulk_transfer_size.9f \
441 usb_pipe_get_state.9f \
442 usb_pipe_intr_xfer.9f \
443 usb_pipe_isoc_xfer.9f \
444 usb_pipe_open.9f \
445 usb_pipe_reset.9f \
446 usb_pipe_set_private.9f \
447 usb_register_hotplug_cbs.9f \
448 usb_reset_device.9f \
449 uwritec.9f \
450 va_arg.9f \
451 vsprintf.9f \
453 MANLINKS= \
454 \
455 \
456 \
457 \
458 \
459 \
460 \
461 \
462 \
463 \
464 \
465 \

```

```

466         atomic_add_16.9f          \
467         atomic_add_16_nv.9f        \
468         atomic_add_32.9f           \
469         atomic_add_32_nv.9f        \
470         atomic_add_64.9f           \
471         atomic_add_64_nv.9f        \
472         atomic_add_8.9f            \
473         atomic_add_8_nv.9f         \
474         atomic_add_char.9f         \
475         atomic_add_char_nv.9f      \
476         atomic_add_int.9f          \
477         atomic_add_int_nv.9f       \
478         atomic_add_long.9f         \
479         atomic_add_long_nv.9f      \
480         atomic_add_ptr.9f          \
481         atomic_add_ptr_nv.9f       \
482         atomic_add_short.9f        \
483         atomic_add_short_nv.9f     \
484         atomic_and_16.9f           \
485         atomic_and_16_nv.9f        \
486         atomic_and_32.9f           \
487         atomic_and_32_nv.9f        \
488         atomic_and_64.9f           \
489         atomic_and_64_nv.9f        \
490         atomic_and_8.9f            \
491         atomic_and_8_nv.9f         \
492         atomic_and_uchar.9f        \
493         atomic_and_uchar_nv.9f     \
494         atomic_and_uint.9f         \
495         atomic_and_uint_nv.9f      \
496         atomic_and_ulong.9f        \
497         atomic_and_ulong_nv.9f     \
498         atomic_and_ushort.9f       \
499         atomic_and_ushort_nv.9f    \
500         atomic_cas_16.9f           \
501         atomic_cas_32.9f           \
502         atomic_cas_64.9f           \
503         atomic_cas_8.9f            \
504         atomic_cas_ptr.9f          \
505         atomic_cas_uchar.9f        \
506         atomic_cas_uint.9f         \
507         atomic_cas_ulong.9f        \
508         atomic_cas_ushort.9f       \
509         atomic_clear_long_excl.9f  \
510         atomic_dec_16.9f           \
511         atomic_dec_16_nv.9f        \
512         atomic_dec_32.9f           \
513         atomic_dec_32_nv.9f        \
514         atomic_dec_64.9f           \
515         atomic_dec_64_nv.9f        \
516         atomic_dec_8.9f            \
517         atomic_dec_8_nv.9f         \
518         atomic_dec_ptr.9f          \
519         atomic_dec_ptr_nv.9f       \
520         atomic_dec_uchar.9f        \
521         atomic_dec_uchar_nv.9f     \
522         atomic_dec_uint.9f         \
523         atomic_dec_uint_nv.9f      \
524         atomic_dec_ulong.9f        \
525         atomic_dec_ulong_nv.9f     \
526         atomic_dec_ushort.9f       \
527         atomic_dec_ushort_nv.9f    \
528         atomic_inc_16.9f           \
529         atomic_inc_16_nv.9f        \
530         atomic_inc_32.9f           \
531         atomic_inc_32_nv.9f        \

```

```

532         atomic_inc_64.9f          \
533         atomic_inc_64_nv.9f        \
534         atomic_inc_8.9f            \
535         atomic_inc_8_nv.9f         \
536         atomic_inc_ptr.9f          \
537         atomic_inc_ptr_nv.9f       \
538         atomic_inc_uchar.9f        \
539         atomic_inc_uchar_nv.9f     \
540         atomic_inc_uint.9f         \
541         atomic_inc_uint_nv.9f      \
542         atomic_inc_ulong.9f        \
543         atomic_inc_ulong_nv.9f     \
544         atomic_inc_ushort.9f       \
545         atomic_inc_ushort_nv.9f    \
546         atomic_or_16.9f            \
547         atomic_or_16_nv.9f         \
548         atomic_or_32.9f            \
549         atomic_or_32_nv.9f         \
550         atomic_or_64.9f            \
551         atomic_or_64_nv.9f         \
552         atomic_or_8.9f             \
553         atomic_or_8_nv.9f          \
554         atomic_or_uchar.9f         \
555         atomic_or_uchar_nv.9f      \
556         atomic_or_uint.9f          \
557         atomic_or_uint_nv.9f       \
558         atomic_or_ulong.9f         \
559         atomic_or_ulong_nv.9f      \
560         atomic_or_ushort.9f        \
561         atomic_or_ushort_nv.9f     \
562         atomic_set_long_excl.9f    \
563         atomic_swap_16.9f          \
564         atomic_swap_32.9f          \
565         atomic_swap_64.9f          \
566         atomic_swap_8.9f           \
567         atomic_swap_ptr.9f         \
568         atomic_swap_uchar.9f       \
569         atomic_swap_uint.9f        \
570         atomic_swap_ulong.9f       \
571         atomic_swap_ushort.9f      \
572         crgetgid.9f                \
573         crgetgroups.9f             \
574         crgetngroups.9f            \
575         crgetrgid.9f               \
576         crgetruid.9f               \
577         crgetsgid.9f               \
578         crgetsuid.9f               \
579         crgetuid.9f                \
580         crgetzoneid.9f             \
639         csx_Get16.9f              \
640         csx_Get32.9f               \
641         csx_Get64.9f               \
642         csx_GetEventMask.9f        \
643         csx_GetNextClient.9f       \
644         csx_GetNextTuple.9f        \
645         csx_Parse_CISTPL_DEVICE_A.9f \
646         csx_Parse_CISTPL_DEVICE_OA.9f \
647         csx_Parse_CISTPL_DEVICE_OC.9f \
648         csx_Parse_CISTPL_JEDEC_A.9f \
649         csx_Parse_CISTPL_LONGLINK_C.9f \
650         csx_Put16.9f                \
651         csx_Put32.9f                \
652         csx_Put64.9f                \
653         csx_ReleaseIO.9f            \
654         csx_ReleaseIRQ.9f           \
655         csx_ReleaseSocketMask.9f   \

```

```

656 csx_ReleaseWindow.9f \
657 csx_RemoveDeviceNode.9f \
658 csx_RepGet16.9f \
659 csx_RepGet32.9f \
660 csx_RepGet64.9f \
661 csx_RepPut16.9f \
662 csx_RepPut32.9f \
663 csx_RepPut64.9f \
581 cv_broadcast.9f \
582 cv_destroy.9f \
583 cv_init.9f \
584 cv_reltimedwait.9f \
585 cv_reltimedwait_sig.9f \
586 cv_signal.9f \
587 cv_timedwait.9f \
588 cv_timedwait_sig.9f \
589 cv_wait.9f \
590 cv_wait_sig.9f \
591 ddi_btopr.9f \
592 ddi_cb_unregister.9f \
593 ddi_check_dma_handle.9f \
594 ddi_devid_free.9f \
595 ddi_devid_get.9f \
596 ddi_devid_init.9f \
597 ddi_devid_register.9f \
598 ddi_devid_sizeof.9f \
599 ddi_devid_str_decode.9f \
600 ddi_devid_str_encode.9f \
601 ddi_devid_str_free.9f \
602 ddi_devid_unregister.9f \
603 ddi_devid_valid.9f \
604 ddi_devmap_segmap.9f \
605 ddi_dmae_lstparty.9f \
606 ddi_dmae_alloc.9f \
607 ddi_dmae_disable.9f \
608 ddi_dmae_enable.9f \
609 ddi_dmae_getattr.9f \
610 ddi_dmae_getcnt.9f \
611 ddi_dmae_prog.9f \
612 ddi_dmae_release.9f \
613 ddi_dmae_stop.9f \
614 ddi_exit_critical.9f \
615 ddi_fls.9f \
616 ddi_fm_capable.9f \
617 ddi_fm_dma_err_clear.9f \
618 ddi_fm_dma_err_get.9f \
619 ddi_fm_fini.9f \
620 ddi_fm_handler_unregister.9f \
621 ddi_get16.9f \
622 ddi_get32.9f \
623 ddi_get64.9f \
624 ddi_get_iblock_cookie.9f \
625 ddi_get_lbolt64.9f \
626 ddi_get_name.9f \
627 ddi_get_soft_iblock_cookie.9f \
628 ddi_get_soft_state.9f \
629 ddi_getb.9f \
630 ddi_getl.9f \
631 ddi_getll.9f \
632 ddi_getlongprop.9f \
633 ddi_getlongprop_buf.9f \
634 ddi_getprop.9f \
635 ddi_getproplen.9f \
636 ddi_getw.9f \
637 ddi_intr_block_disable.9f \
638 ddi_intr_block_enable.9f \

```

```

639 ddi_intr_clr_mask.9f \
640 ddi_intr_disable.9f \
641 ddi_intr_free.9f \
642 ddi_intr_get_navail.9f \
643 ddi_intr_get_softint_pri.9f \
644 ddi_intr_remove_handler.9f \
645 ddi_intr_remove_softint.9f \
646 ddi_intr_set_cap.9f \
647 ddi_intr_set_pri.9f \
648 ddi_intr_set_softint_pri.9f \
649 ddi_intr_trigger_softint.9f \
650 ddi_io_get16.9f \
651 ddi_io_get32.9f \
652 ddi_io_getb.9f \
653 ddi_io_getl.9f \
654 ddi_io_getw.9f \
655 ddi_io_put16.9f \
656 ddi_io_put32.9f \
657 ddi_io_putb.9f \
658 ddi_io_putl.9f \
659 ddi_io_putw.9f \
660 ddi_io_rep_get16.9f \
661 ddi_io_rep_get32.9f \
662 ddi_io_rep_getb.9f \
663 ddi_io_rep_getl.9f \
664 ddi_io_rep_getw.9f \
665 ddi_io_rep_put16.9f \
666 ddi_io_rep_put32.9f \
667 ddi_io_rep_putb.9f \
668 ddi_io_rep_putl.9f \
669 ddi_io_rep_putw.9f \
670 ddi_mem_get16.9f \
671 ddi_mem_get32.9f \
672 ddi_mem_get64.9f \
673 ddi_mem_getb.9f \
674 ddi_mem_getl.9f \
675 ddi_mem_getll.9f \
676 ddi_mem_getw.9f \
677 ddi_mem_put16.9f \
678 ddi_mem_put32.9f \
679 ddi_mem_put64.9f \
680 ddi_mem_putb.9f \
681 ddi_mem_putl.9f \
682 ddi_mem_putll.9f \
683 ddi_mem_putw.9f \
684 ddi_mem_rep_get16.9f \
685 ddi_mem_rep_get32.9f \
686 ddi_mem_rep_get64.9f \
687 ddi_mem_rep_getb.9f \
688 ddi_mem_rep_getl.9f \
689 ddi_mem_rep_getll.9f \
690 ddi_mem_rep_getw.9f \
691 ddi_mem_rep_put16.9f \
692 ddi_mem_rep_put32.9f \
693 ddi_mem_rep_put64.9f \
694 ddi_mem_rep_putb.9f \
695 ddi_mem_rep_putl.9f \
696 ddi_mem_rep_putll.9f \
697 ddi_mem_rep_putw.9f \
698 ddi_modclose.9f \
699 ddi_modsym.9f \
700 ddi_peek16.9f \
701 ddi_peek32.9f \
702 ddi_peek64.9f \
703 ddi_peek8.9f \
704 ddi_peekc.9f \

```

```

705 ddi_peekd.9f \
706 ddi_peekl.9f \
707 ddi_peeks.9f \
708 ddi_poke16.9f \
709 ddi_poke32.9f \
710 ddi_poke64.9f \
711 ddi_poke8.9f \
712 ddi_pokec.9f \
713 ddi_poked.9f \
714 ddi_pokel.9f \
715 ddi_pokes.9f \
716 ddi_prop_free.9f \
717 ddi_prop_get_int64.9f \
718 ddi_prop_lookup_byte_array.9f \
719 ddi_prop_lookup_int64_array.9f \
720 ddi_prop_lookup_int_array.9f \
721 ddi_prop_lookup_string.9f \
722 ddi_prop_lookup_string_array.9f \
723 ddi_prop_modify.9f \
724 ddi_prop_remove.9f \
725 ddi_prop_remove_all.9f \
726 ddi_prop_undefine.9f \
727 ddi_prop_update_byte_array.9f \
728 ddi_prop_update_int.9f \
729 ddi_prop_update_int64.9f \
730 ddi_prop_update_int64_array.9f \
731 ddi_prop_update_int_array.9f \
732 ddi_prop_update_string.9f \
733 ddi_prop_update_string_array.9f \
734 ddi_ptob.9f \
735 ddi_put16.9f \
736 ddi_put32.9f \
737 ddi_put64.9f \
738 ddi_putb.9f \
739 ddi_putl.9f \
740 ddi_putll.9f \
741 ddi_putw.9f \
742 ddi_remove_intr.9f \
743 ddi_remove_softintr.9f \
744 ddi_rep_get16.9f \
745 ddi_rep_get32.9f \
746 ddi_rep_get64.9f \
747 ddi_rep_getb.9f \
748 ddi_rep_getl.9f \
749 ddi_rep_getll.9f \
750 ddi_rep_getw.9f \
751 ddi_rep_put16.9f \
752 ddi_rep_put32.9f \
753 ddi_rep_put64.9f \
754 ddi_rep_putb.9f \
755 ddi_rep_putl.9f \
756 ddi_rep_putll.9f \
757 ddi_rep_putw.9f \
758 ddi_segmap_setup.9f \
759 ddi_set_driver_private.9f \
760 ddi_soft_state_fini.9f \
761 ddi_soft_state_free.9f \
762 ddi_soft_state_init.9f \
763 ddi_soft_state_zalloc.9f \
764 ddi_strdup.9f \
765 ddi_strtoul.9f \
766 ddi_taskq_create.9f \
767 ddi_taskq_destroy.9f \
768 ddi_taskq_dispatch.9f \
769 ddi_taskq_resume.9f \
770 ddi_taskq_suspend.9f \

```

```

771 ddi_taskq_wait.9f \
772 ddi_trigger_softintr.9f \
773 ddi_umem_free.9f \
774 ddi_umem_unlock.9f \
775 ddi_unmap_regs.9f \
776 desballoc.9f \
777 dev_err.9f \
778 devmap_load.9f \
779 devmap_umem_setup.9f \
780 dlerrorack.9f \
781 dloack.9f \
782 dlphysaddrack.9f \
783 dluderrorind.9f \
784 free_pktiopb.9f \
785 gld_intr.9f \
786 gld_mac_alloc.9f \
787 gld_mac_free.9f \
788 gld_rcv.9f \
789 gld_register.9f \
790 gld_sched.9f \
791 gld_unregister.9f \
792 id32_free.9f \
793 id32_lookup.9f \
794 inl.9f \
795 intro.9f \
796 inw.9f \
797 kmem_cache_alloc.9f \
798 kmem_cache_destroy.9f \
799 kmem_cache_free.9f \
800 kmem_cache_set_move.9f \
801 kmem_free.9f \
802 kmem_zalloc.9f \
803 kstat_named_setstr.9f \
804 kstat_runq_back_to_waitq.9f \
805 kstat_runq_enter.9f \
806 kstat_runq_exit.9f \
807 kstat_waitq_enter.9f \
808 kstat_waitq_exit.9f \
809 kstat_waitq_to_runq.9f \
810 ldi_await.9f \
811 ldi_close.9f \
812 ldi_get_devid.9f \
813 ldi_get_minor_name.9f \
814 ldi_get_otyp.9f \
815 ldi_getmsg.9f \
816 ldi_ident_from_dip.9f \
817 ldi_ident_from_stream.9f \
818 ldi_ident_release.9f \
819 ldi_open_by_devid.9f \
820 ldi_open_by_name.9f \
821 ldi_prop_get_int64.9f \
822 ldi_prop_lookup_byte_array.9f \
823 ldi_prop_lookup_int64_array.9f \
824 ldi_prop_lookup_string.9f \
825 ldi_prop_lookup_string_array.9f \
826 ldi_write.9f \
827 list_destroy.9f \
828 list_head.9f \
829 list_insert_after.9f \
830 list_insert_before.9f \
831 list_insert_head.9f \
832 list_insert_tail.9f \
833 list_is_empty.9f \
834 list_link_active.9f \
835 list_link_init.9f \
836 list_link_replace.9f \

```

```

837      list_move_tail.9f      \
838      list_next.9f          \
839      list_prev.9f          \
840      list_remove.9f        \
841      list_remove_head.9f   \
842      list_remove_tail.9f   \
843      list_tail.9f          \
844      makecom_g0.9f         \
845      makecom_g0_s.9f       \
846      makecom_g1.9f         \
847      makecom_g5.9f         \
848      membar_consumer.9f    \
849      membar_enter.9f       \
850      membar_exit.9f        \
851      membar_producer.9f    \
852      memcmp.9f             \
853      memcpy.9f             \
854      memmove.9f            \
855      memset.9f             \
856      minphys.9f            \
857      mod_info.9f           \
858      mod_modname.9f        \
859      mod_remove.9f         \
860      mutex_destroy.9f      \
861      mutex_enter.9f        \
862      mutex_exit.9f         \
863      mutex_init.9f         \
864      mutex_owned.9f        \
865      mutex_tryenter.9f     \
866      net_event_notify_unregister.9f \
867      net_instance_notify_unregister.9f \
868      net_instance_protocol_unregister.9f \
869      numtos.9f             \
870      nv_alloc_fini.9f      \
871      nv_alloc_init.9f      \
872      nvlist_add_boolean_array.9f \
873      nvlist_add_boolean_value.9f \
874      nvlist_add_byte.9f    \
875      nvlist_add_byte_array.9f \
876      nvlist_add_int16.9f   \
877      nvlist_add_int16_array.9f \
878      nvlist_add_int32.9f   \
879      nvlist_add_int32_array.9f \
880      nvlist_add_int64.9f   \
881      nvlist_add_int64_array.9f \
882      nvlist_add_int8.9f    \
883      nvlist_add_int8_array.9f \
884      nvlist_add_nvlist.9f  \
885      nvlist_add_nvlist_array.9f \
886      nvlist_add_nvpair.9f  \
887      nvlist_add_string.9f  \
888      nvlist_add_string_array.9f \
889      nvlist_add_uint16.9f  \
890      nvlist_add_uint16_array.9f \
891      nvlist_add_uint32.9f  \
892      nvlist_add_uint32_array.9f \
893      nvlist_add_uint64.9f  \
894      nvlist_add_uint64_array.9f \
895      nvlist_add_uint8.9f   \
896      nvlist_add_uint8_array.9f \
897      nvlist_dup.9f         \
898      nvlist_exists.9f      \
899      nvlist_free.9f        \
900      nvlist_lookup_boolean_array.9f \
901      nvlist_lookup_boolean_value.9f \
902      nvlist_lookup_byte.9f \

```

```

903      nvlist_lookup_byte_array.9f \
904      nvlist_lookup_int16.9f      \
905      nvlist_lookup_int16_array.9f \
906      nvlist_lookup_int32.9f     \
907      nvlist_lookup_int32_array.9f \
908      nvlist_lookup_int64.9f     \
909      nvlist_lookup_int64_array.9f \
910      nvlist_lookup_int8.9f      \
911      nvlist_lookup_int8_array.9f \
912      nvlist_lookup_nvlist.9f    \
913      nvlist_lookup_nvlist_array.9f \
914      nvlist_lookup_pairs.9f     \
915      nvlist_lookup_string.9f    \
916      nvlist_lookup_string_array.9f \
917      nvlist_lookup_uint16.9f    \
918      nvlist_lookup_uint16_array.9f \
919      nvlist_lookup_uint32.9f    \
920      nvlist_lookup_uint32_array.9f \
921      nvlist_lookup_uint64.9f    \
922      nvlist_lookup_uint64_array.9f \
923      nvlist_lookup_uint8.9f     \
924      nvlist_lookup_uint8_array.9f \
925      nvlist_merge.9f           \
926      nvlist_pack.9f           \
927      nvlist_remove_all.9f      \
928      nvlist_size.9f            \
929      nvlist_t.9f               \
930      nvlist_unpack.9f          \
931      nvlist_xalloc.9f          \
932      nvlist_xdup.9f            \
933      nvlist_xpack.9f           \
934      nvlist_xunpack.9f         \
935      nvpair_name.9f            \
936      nvpair_type.9f            \
937      nvpair_value_boolean_array.9f \
938      nvpair_value_byte_array.9f \
939      nvpair_value_int16.9f      \
940      nvpair_value_int16_array.9f \
941      nvpair_value_int32.9f      \
942      nvpair_value_int32_array.9f \
943      nvpair_value_int64.9f      \
944      nvpair_value_int64_array.9f \
945      nvpair_value_int8.9f       \
946      nvpair_value_int8_array.9f \
947      nvpair_value_nvlist.9f     \
948      nvpair_value_nvlist_array.9f \
949      nvpair_value_string.9f     \
950      nvpair_value_string_array.9f \
951      nvpair_value_uint16.9f     \
952      nvpair_value_uint16_array.9f \
953      nvpair_value_uint32.9f     \
954      nvpair_value_uint32_array.9f \
955      nvpair_value_uint64.9f     \
956      nvpair_value_uint64_array.9f \
957      nvpair_value_uint8.9f      \
958      nvpair_value_uint8_array.9f \
959      otherq.9f                 \
960      outl.9f                   \
961      outw.9f                   \
962      pci_config_get16.9f        \
963      pci_config_get32.9f        \
964      pci_config_get64.9f        \
965      pci_config_getb.9f         \
966      pci_config_getl.9f         \
967      pci_config_getll.9f        \
968      pci_config_getw.9f         \

```

```

969 pci_config_putl6.9f \
970 pci_config_put32.9f \
971 pci_config_put64.9f \
972 pci_config_put8.9f \
973 pci_config_putb.9f \
974 pci_config_putl.9f \
975 pci_config_putll.9f \
976 pci_config_putw.9f \
977 pci_config_teardown.9f \
978 pci_ereport_post.9f \
979 pci_ereport_teardown.9f \
980 pci_restore_config_regs.9f \
981 pm_idle_component.9f \
982 pm_lower_power.9f \
983 priv_policy_choice.9f \
984 priv_policy_only.9f \
985 proc_ref.9f \
986 proc_unref.9f \
987 qprocsoff.9f \
988 qwait_sig.9f \
989 rd.9f \
990 repinsb.9f \
991 repinsd.9f \
992 repinsw.9f \
993 repoutsb.9f \
994 repoutsd.9f \
995 repoutsw.9f \
996 rmallocmap_wait.9f \
997 rmfreemap.9f \
998 rw_destroy.9f \
999 rw_downgrade.9f \
1000 rw_enter.9f \
1001 rw_exit.9f \
1002 rw_init.9f \
1003 rw_read_locked.9f \
1004 rw_tryenter.9f \
1005 rw_tryupgrade.9f \
1006 samestr.9f \
1007 scsi_dmafree.9f \
1008 scsi_dname.9f \
1009 scsi_hba_detach.9f \
1010 scsi_hba_fini.9f \
1011 scsi_hba_pkt_free.9f \
1012 scsi_hba_tran_free.9f \
1013 scsi_ifsetcap.9f \
1014 scsi_mname.9f \
1015 scsi_pktfree.9f \
1016 scsi_resalloc.9f \
1017 scsi_resfree.9f \
1018 scsi_rname.9f \
1019 scsi_sense_asc.9f \
1020 scsi_sense_ascq.9f \
1021 scsi_sense_cmdspecific_uint64.9f \
1022 scsi_sense_info_uint64.9f \
1023 scsi_sname.9f \
1024 scsi_unslave.9f \
1025 sema_destroy.9f \
1026 sema_init.9f \
1027 sema_p.9f \
1028 sema_p_sig.9f \
1029 sema_tryp.9f \
1030 sema_v.9f \
1031 strcasecmp.9f \
1032 strchr.9f \
1033 strcmp.9f \
1034 strcpy.9f \

```

```

1035 strdup.9f \
1036 strfree.9f \
1037 strlcat.9f \
1038 strlcpy.9f \
1039 strlen.9f \
1040 strncasecmp.9f \
1041 strncat.9f \
1042 strncmp.9f \
1043 strncpy.9f \
1044 strnlen.9f \
1045 strrchr.9f \
1046 strspn.9f \
1047 taskq_suspended.9f \
1048 uconv_u16tou8.9f \
1049 uconv_u32tou16.9f \
1050 uconv_u32tou8.9f \
1051 uconv_u8tou16.9f \
1052 uconv_u8tou32.9f \
1053 unfreezeestr.9f \
1054 usb_alloc_bulk_req.9f \
1055 usb_alloc_ctrl_req.9f \
1056 usb_alloc_intr_req.9f \
1057 usb_alloc_isoc_req.9f \
1058 usb_client_detach.9f \
1059 usb_free_bulk_req.9f \
1060 usb_free_ctrl_req.9f \
1061 usb_free_descr_tree.9f \
1062 usb_free_dev_data.9f \
1063 usb_free_intr_req.9f \
1064 usb_free_isoc_req.9f \
1065 usb_get_if_number.9f \
1066 usb_owns_device.9f \
1067 usb_pipe_ctrl_xfer_wait.9f \
1068 usb_pipe_get_private.9f \
1069 usb_pipe_stop_intr_polling.9f \
1070 usb_pipe_stop_isoc_polling.9f \
1071 usb_print_descr_tree.9f \
1072 usb_set_alt_if.9f \
1073 usb_set_cfg.9f \
1074 usb_unregister_hotplug_cbs.9f \
1075 va_copy.9f \
1076 va_end.9f \
1077 va_start.9f \
1078 vcmn_err.9f \
1079 vzcmm_err.9f \
1080 wr.9f \
1081 zcmm_err.9f \

1083 assert.9f := LINKSRC = ASSERT.9f

1085 intro.9f := LINKSRC = Intro.9f

1087 otherq.9f := LINKSRC = OTHERQ.9f

1089 rd.9f := LINKSRC = RD.9f

1091 samestr.9f := LINKSRC = SAMESTR.9f

1093 SIZEOF_PTR.9f := LINKSRC = STRUCT_DECL.9f
1094 SIZEOF_STRUCT.9f := LINKSRC = STRUCT_DECL.9f
1095 STRUCT_BUF.9f := LINKSRC = STRUCT_DECL.9f
1096 STRUCT_FADDR.9f := LINKSRC = STRUCT_DECL.9f
1097 STRUCT_FGET.9f := LINKSRC = STRUCT_DECL.9f
1098 STRUCT_FGETP.9f := LINKSRC = STRUCT_DECL.9f
1099 STRUCT_FSET.9f := LINKSRC = STRUCT_DECL.9f
1100 STRUCT_FSETP.9f := LINKSRC = STRUCT_DECL.9f

```



```

1101 STRUCT_HANDLE.9f      := LINKSRC = STRUCT_DECL.9f
1102 STRUCT_INIT.9f        := LINKSRC = STRUCT_DECL.9f
1103 STRUCT_SET_HANDLE.9f   := LINKSRC = STRUCT_DECL.9f
1104 STRUCT_SIZE.9f         := LINKSRC = STRUCT_DECL.9f

1106 wr.9f                 := LINKSRC = WR.9f

1108 atomic_add_16.9f        := LINKSRC = atomic_add.9f
1109 atomic_add_16_nv.9f     := LINKSRC = atomic_add.9f
1110 atomic_add_32.9f        := LINKSRC = atomic_add.9f
1111 atomic_add_32_nv.9f     := LINKSRC = atomic_add.9f
1112 atomic_add_64.9f        := LINKSRC = atomic_add.9f
1113 atomic_add_64_nv.9f     := LINKSRC = atomic_add.9f
1114 atomic_add_8.9f         := LINKSRC = atomic_add.9f
1115 atomic_add_8_nv.9f      := LINKSRC = atomic_add.9f
1116 atomic_add_char.9f      := LINKSRC = atomic_add.9f
1117 atomic_add_char_nv.9f   := LINKSRC = atomic_add.9f
1118 atomic_add_int.9f       := LINKSRC = atomic_add.9f
1119 atomic_add_int_nv.9f    := LINKSRC = atomic_add.9f
1120 atomic_add_long.9f      := LINKSRC = atomic_add.9f
1121 atomic_add_long_nv.9f   := LINKSRC = atomic_add.9f
1122 atomic_add_ptr.9f       := LINKSRC = atomic_add.9f
1123 atomic_add_ptr_nv.9f    := LINKSRC = atomic_add.9f
1124 atomic_add_short.9f     := LINKSRC = atomic_add.9f
1125 atomic_add_short_nv.9f  := LINKSRC = atomic_add.9f
1126 atomic_and_16.9f       := LINKSRC = atomic_and.9f
1127 atomic_and_16_nv.9f    := LINKSRC = atomic_and.9f
1128 atomic_and_32.9f       := LINKSRC = atomic_and.9f
1129 atomic_and_32_nv.9f    := LINKSRC = atomic_and.9f
1130 atomic_and_64.9f       := LINKSRC = atomic_and.9f
1131 atomic_and_64_nv.9f    := LINKSRC = atomic_and.9f
1132 atomic_and_8.9f        := LINKSRC = atomic_and.9f
1133 atomic_and_8_nv.9f     := LINKSRC = atomic_and.9f
1134 atomic_and_uchar.9f    := LINKSRC = atomic_and.9f
1135 atomic_and_uchar_nv.9f := LINKSRC = atomic_and.9f
1136 atomic_and_uint.9f      := LINKSRC = atomic_and.9f
1137 atomic_and_uint_nv.9f   := LINKSRC = atomic_and.9f
1138 atomic_and_ulong.9f     := LINKSRC = atomic_and.9f
1139 atomic_and_ulong_nv.9f  := LINKSRC = atomic_and.9f
1140 atomic_and_ushort.9f    := LINKSRC = atomic_and.9f
1141 atomic_and_ushort_nv.9f := LINKSRC = atomic_and.9f

1143 atomic_clear_long_excl.9f := LINKSRC = atomic_bits.9f
1144 atomic_set_long_excl.9f  := LINKSRC = atomic_bits.9f

1146 atomic_cas_16.9f       := LINKSRC = atomic_cas.9f
1147 atomic_cas_32.9f       := LINKSRC = atomic_cas.9f
1148 atomic_cas_64.9f       := LINKSRC = atomic_cas.9f
1149 atomic_cas_8.9f        := LINKSRC = atomic_cas.9f
1150 atomic_cas_ptr.9f      := LINKSRC = atomic_cas.9f
1151 atomic_cas_uchar.9f     := LINKSRC = atomic_cas.9f
1152 atomic_cas_uint.9f     := LINKSRC = atomic_cas.9f
1153 atomic_cas_ulong.9f    := LINKSRC = atomic_cas.9f
1154 atomic_cas_ushort.9f   := LINKSRC = atomic_cas.9f

1156 atomic_dec_16.9f       := LINKSRC = atomic_dec.9f
1157 atomic_dec_16_nv.9f    := LINKSRC = atomic_dec.9f
1158 atomic_dec_32.9f       := LINKSRC = atomic_dec.9f
1159 atomic_dec_32_nv.9f    := LINKSRC = atomic_dec.9f
1160 atomic_dec_64.9f       := LINKSRC = atomic_dec.9f
1161 atomic_dec_64_nv.9f    := LINKSRC = atomic_dec.9f
1162 atomic_dec_8.9f        := LINKSRC = atomic_dec.9f
1163 atomic_dec_8_nv.9f     := LINKSRC = atomic_dec.9f
1164 atomic_dec_ptr.9f      := LINKSRC = atomic_dec.9f
1165 atomic_dec_ptr_nv.9f   := LINKSRC = atomic_dec.9f
1166 atomic_dec_uchar.9f    := LINKSRC = atomic_dec.9f

```

```

1167 atomic_dec_uchar_nv.9f := LINKSRC = atomic_dec.9f
1168 atomic_dec_uint.9f      := LINKSRC = atomic_dec.9f
1169 atomic_dec_uint_nv.9f   := LINKSRC = atomic_dec.9f
1170 atomic_dec_ulong.9f     := LINKSRC = atomic_dec.9f
1171 atomic_dec_ulong_nv.9f  := LINKSRC = atomic_dec.9f
1172 atomic_dec_ushort.9f    := LINKSRC = atomic_dec.9f
1173 atomic_dec_ushort_nv.9f := LINKSRC = atomic_dec.9f

1175 atomic_inc_16.9f        := LINKSRC = atomic_inc.9f
1176 atomic_inc_16_nv.9f     := LINKSRC = atomic_inc.9f
1177 atomic_inc_32.9f        := LINKSRC = atomic_inc.9f
1178 atomic_inc_32_nv.9f     := LINKSRC = atomic_inc.9f
1179 atomic_inc_64.9f        := LINKSRC = atomic_inc.9f
1180 atomic_inc_64_nv.9f     := LINKSRC = atomic_inc.9f
1181 atomic_inc_8.9f         := LINKSRC = atomic_inc.9f
1182 atomic_inc_8_nv.9f      := LINKSRC = atomic_inc.9f
1183 atomic_inc_ptr.9f       := LINKSRC = atomic_inc.9f
1184 atomic_inc_ptr_nv.9f    := LINKSRC = atomic_inc.9f
1185 atomic_inc_uchar.9f     := LINKSRC = atomic_inc.9f
1186 atomic_inc_uchar_nv.9f  := LINKSRC = atomic_inc.9f
1187 atomic_inc_uint.9f      := LINKSRC = atomic_inc.9f
1188 atomic_inc_uint_nv.9f   := LINKSRC = atomic_inc.9f
1189 atomic_inc_ulong.9f     := LINKSRC = atomic_inc.9f
1190 atomic_inc_ulong_nv.9f  := LINKSRC = atomic_inc.9f
1191 atomic_inc_ushort.9f    := LINKSRC = atomic_inc.9f
1192 atomic_inc_ushort_nv.9f := LINKSRC = atomic_inc.9f

1194 atomic_or_16.9f         := LINKSRC = atomic_or.9f
1195 atomic_or_16_nv.9f      := LINKSRC = atomic_or.9f
1196 atomic_or_32.9f        := LINKSRC = atomic_or.9f
1197 atomic_or_32_nv.9f     := LINKSRC = atomic_or.9f
1198 atomic_or_64.9f        := LINKSRC = atomic_or.9f
1199 atomic_or_64_nv.9f     := LINKSRC = atomic_or.9f
1200 atomic_or_8.9f         := LINKSRC = atomic_or.9f
1201 atomic_or_8_nv.9f      := LINKSRC = atomic_or.9f
1202 atomic_or_uchar.9f     := LINKSRC = atomic_or.9f
1203 atomic_or_uchar_nv.9f  := LINKSRC = atomic_or.9f
1204 atomic_or_uint.9f       := LINKSRC = atomic_or.9f
1205 atomic_or_uint_nv.9f   := LINKSRC = atomic_or.9f
1206 atomic_or_ulong.9f     := LINKSRC = atomic_or.9f
1207 atomic_or_ulong_nv.9f  := LINKSRC = atomic_or.9f
1208 atomic_or_ushort.9f    := LINKSRC = atomic_or.9f
1209 atomic_or_ushort_nv.9f := LINKSRC = atomic_or.9f

1211 atomic_swap_16.9f       := LINKSRC = atomic_swap.9f
1212 atomic_swap_32.9f       := LINKSRC = atomic_swap.9f
1213 atomic_swap_64.9f       := LINKSRC = atomic_swap.9f
1214 atomic_swap_8.9f        := LINKSRC = atomic_swap.9f
1215 atomic_swap_ptr.9f      := LINKSRC = atomic_swap.9f
1216 atomic_swap_uchar.9f   := LINKSRC = atomic_swap.9f
1217 atomic_swap_uint.9f     := LINKSRC = atomic_swap.9f
1218 atomic_swap_ulong.9f    := LINKSRC = atomic_swap.9f
1219 atomic_swap_ushort.9f   := LINKSRC = atomic_swap.9f

1221 dev_err.9f             := LINKSRC = cmn_err.9f
1222 vcmn_err.9f            := LINKSRC = cmn_err.9f
1223 vzcmn_err.9f           := LINKSRC = cmn_err.9f
1224 zcmn_err.9f            := LINKSRC = cmn_err.9f

1226 cv_broadcast.9f        := LINKSRC = condvar.9f
1227 cv_destroy.9f          := LINKSRC = condvar.9f
1228 cv_init.9f             := LINKSRC = condvar.9f
1229 cv_reltimedwait.9f     := LINKSRC = condvar.9f
1230 cv_reltimedwait_sig.9f := LINKSRC = condvar.9f
1231 cv_signal.9f           := LINKSRC = condvar.9f
1232 cv_timedwait.9f        := LINKSRC = condvar.9f

```

```

1233 cv_timedwait_sig.9f      := LINKSRC = condvar.9f
1234 cv_wait.9f               := LINKSRC = condvar.9f
1235 cv_wait_sig.9f           := LINKSRC = condvar.9f

1320 csx_Get16.9f             := LINKSRC = csx_Get8.9f
1321 csx_Get32.9f             := LINKSRC = csx_Get8.9f
1322 csx_Get64.9f             := LINKSRC = csx_Get8.9f

1324 csx_GetNextClient.9f    := LINKSRC = csx_GetFirstClient.9f

1326 csx_GetNextTuple.9f     := LINKSRC = csx_GetFirstTuple.9f

1328 csx_RemoveDeviceNode.9f := LINKSRC = csx_MakeDeviceNode.9f

1330 csx_Parse_CISTPL_DEVICE_A.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1331 csx_Parse_CISTPL_DEVICE_OA.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1332 csx_Parse_CISTPL_DEVICE_OC.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f

1334 csx_Parse_CISTPL_JEDEC_A.9f := LINKSRC = csx_Parse_CISTPL_JEDEC_C.9f

1336 csx_Parse_CISTPL_LONGLINK_C.9f := LINKSRC = csx_Parse_CISTPL_LONGLINK_A

1338 csx_Put16.9f             := LINKSRC = csx_Put8.9f
1339 csx_Put32.9f             := LINKSRC = csx_Put8.9f
1340 csx_Put64.9f             := LINKSRC = csx_Put8.9f

1342 csx_RepGet16.9f          := LINKSRC = csx_RepGet8.9f
1343 csx_RepGet32.9f          := LINKSRC = csx_RepGet8.9f
1344 csx_RepGet64.9f          := LINKSRC = csx_RepGet8.9f

1346 csx_RepPut16.9f          := LINKSRC = csx_RepPut8.9f
1347 csx_RepPut32.9f          := LINKSRC = csx_RepPut8.9f
1348 csx_RepPut64.9f          := LINKSRC = csx_RepPut8.9f

1350 csx_ReleaseIO.9f         := LINKSRC = csx_RequestIO.9f

1352 csx_ReleaseIRQ.9f        := LINKSRC = csx_RequestIRQ.9f

1354 csx_ReleaseSocketMask.9f := LINKSRC = csx_RequestSocketMask.9f

1356 csx_ReleaseWindow.9f     := LINKSRC = csx_RequestWindow.9f

1358 csx_GetEventMask.9f      := LINKSRC = csx_SetEventMask.9f

1237 ddi_get_iblock_cookie.9f := LINKSRC = ddi_add_intr.9f
1238 ddi_remove_intr.9f       := LINKSRC = ddi_add_intr.9f

1240 ddi_get_soft_iblock_cookie.9f := LINKSRC = ddi_add_softintr.9f
1241 ddi_remove_softintr.9f       := LINKSRC = ddi_add_softintr.9f
1242 ddi_trigger_softintr.9f     := LINKSRC = ddi_add_softintr.9f

1244 ddi_get_name.9f          := LINKSRC = ddi_binding_name.9f

1246 ddi_btopr.9f             := LINKSRC = ddi_btop.9f
1247 ddi_ptob.9f              := LINKSRC = ddi_btop.9f

1249 ddi_cb_unregister.9f     := LINKSRC = ddi_cb_register.9f

1251 ddi_check_dma_handle.9f   := LINKSRC = ddi_check_acc_handle.9f

1253 crgetgid.9f              := LINKSRC = ddi_cred.9f
1254 crgetgroups.9f           := LINKSRC = ddi_cred.9f
1255 crgetngroups.9f          := LINKSRC = ddi_cred.9f
1256 crgetrgid.9f             := LINKSRC = ddi_cred.9f
1257 crgetruid.9f             := LINKSRC = ddi_cred.9f
1258 crgetsgid.9f             := LINKSRC = ddi_cred.9f

```

```

1259 crgetsuid.9f             := LINKSRC = ddi_cred.9f
1260 crgetuid.9f               := LINKSRC = ddi_cred.9f
1261 crgetzoneid.9f            := LINKSRC = ddi_cred.9f

1263 ddi_devid_free.9f         := LINKSRC = ddi_devid_compare.9f
1264 ddi_devid_get.9f          := LINKSRC = ddi_devid_compare.9f
1265 ddi_devid_init.9f         := LINKSRC = ddi_devid_compare.9f
1266 ddi_devid_register.9f     := LINKSRC = ddi_devid_compare.9f
1267 ddi_devid_sizeof.9f       := LINKSRC = ddi_devid_compare.9f
1268 ddi_devid_str_decode.9f    := LINKSRC = ddi_devid_compare.9f
1269 ddi_devid_str_encode.9f    := LINKSRC = ddi_devid_compare.9f
1270 ddi_devid_str_free.9f      := LINKSRC = ddi_devid_compare.9f
1271 ddi_devid_unregister.9f    := LINKSRC = ddi_devid_compare.9f
1272 ddi_devid_valid.9f        := LINKSRC = ddi_devid_compare.9f

1274 ddi_dmae_1stparty.9f     := LINKSRC = ddi_dmae.9f
1275 ddi_dmae_alloc.9f         := LINKSRC = ddi_dmae.9f
1276 ddi_dmae_disable.9f      := LINKSRC = ddi_dmae.9f
1277 ddi_dmae_enable.9f        := LINKSRC = ddi_dmae.9f
1278 ddi_dmae_getattr.9f       := LINKSRC = ddi_dmae.9f
1279 ddi_dmae_getcnt.9f        := LINKSRC = ddi_dmae.9f
1280 ddi_dmae_prog.9f          := LINKSRC = ddi_dmae.9f
1281 ddi_dmae_release.9f       := LINKSRC = ddi_dmae.9f
1282 ddi_dmae_stop.9f          := LINKSRC = ddi_dmae.9f

1284 ddi_exit_critical.9f     := LINKSRC = ddi_enter_critical.9f

1286 ddi_fls.9f               := LINKSRC = ddi_ffs.9f

1288 ddi_fm_dma_err_clear.9f   := LINKSRC = ddi_fm_acc_err_clear.9f

1290 ddi_fm_dma_err_get.9f     := LINKSRC = ddi_fm_acc_err_get.9f

1292 ddi_fm_handler_unregister.9f := LINKSRC = ddi_fm_handler_register.9f

1294 ddi_fm_capable.9f         := LINKSRC = ddi_fm_init.9f
1295 ddi_fm_fini.9f            := LINKSRC = ddi_fm_init.9f

1297 ddi_get16.9f              := LINKSRC = ddi_get8.9f
1298 ddi_get32.9f              := LINKSRC = ddi_get8.9f
1299 ddi_get64.9f              := LINKSRC = ddi_get8.9f
1300 ddi_getb.9f                := LINKSRC = ddi_get8.9f
1301 ddi_getl.9f                := LINKSRC = ddi_get8.9f
1302 ddi_getll.9f              := LINKSRC = ddi_get8.9f
1303 ddi_getw.9f                := LINKSRC = ddi_get8.9f

1305 ddi_set_driver_private.9f := LINKSRC = ddi_get_driver_private.9f

1307 ddi_get_lbolt64.9f        := LINKSRC = ddi_get_lbolt.9f

1309 ddi_intr_remove_handler.9f := LINKSRC = ddi_intr_add_handler.9f

1311 ddi_intr_get_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1312 ddi_intr_remove_softint.9f := LINKSRC = ddi_intr_add_softint.9f
1313 ddi_intr_set_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1314 ddi_intr_trigger_softint.9f := LINKSRC = ddi_intr_add_softint.9f

1316 ddi_intr_free.9f          := LINKSRC = ddi_intr_alloc.9f

1318 ddi_intr_block_disable.9f  := LINKSRC = ddi_intr_enable.9f
1319 ddi_intr_block_enable.9f   := LINKSRC = ddi_intr_enable.9f
1320 ddi_intr_disable.9f       := LINKSRC = ddi_intr_enable.9f

1322 ddi_intr_set_cap.9f         := LINKSRC = ddi_intr_get_cap.9f

1324 ddi_intr_get_navail.9f     := LINKSRC = ddi_intr_get_nintrs.9f

```

```

1326 ddi_intr_set_pri.9f      := LINKSRC = ddi_intr_get_pri.9f
1328 ddi_intr_clr_mask.9f     := LINKSRC = ddi_intr_set_mask.9f

1330 ddi_io_get16.9f          := LINKSRC = ddi_io_get8.9f
1331 ddi_io_get32.9f          := LINKSRC = ddi_io_get8.9f
1332 ddi_io_getb.9f           := LINKSRC = ddi_io_get8.9f
1333 ddi_io_getl.9f           := LINKSRC = ddi_io_get8.9f
1334 ddi_io_getw.9f           := LINKSRC = ddi_io_get8.9f

1336 ddi_io_put16.9f          := LINKSRC = ddi_io_put8.9f
1337 ddi_io_put32.9f          := LINKSRC = ddi_io_put8.9f
1338 ddi_io_putb.9f           := LINKSRC = ddi_io_put8.9f
1339 ddi_io_putl.9f           := LINKSRC = ddi_io_put8.9f
1340 ddi_io_putw.9f           := LINKSRC = ddi_io_put8.9f

1342 ddi_io_rep_get16.9f      := LINKSRC = ddi_io_rep_get8.9f
1343 ddi_io_rep_get32.9f      := LINKSRC = ddi_io_rep_get8.9f
1344 ddi_io_rep_getb.9f       := LINKSRC = ddi_io_rep_get8.9f
1345 ddi_io_rep_getl.9f       := LINKSRC = ddi_io_rep_get8.9f
1346 ddi_io_rep_getw.9f       := LINKSRC = ddi_io_rep_get8.9f

1348 ddi_io_rep_put16.9f      := LINKSRC = ddi_io_rep_put8.9f
1349 ddi_io_rep_put32.9f      := LINKSRC = ddi_io_rep_put8.9f
1350 ddi_io_rep_putb.9f       := LINKSRC = ddi_io_rep_put8.9f
1351 ddi_io_rep_putl.9f       := LINKSRC = ddi_io_rep_put8.9f
1352 ddi_io_rep_putw.9f       := LINKSRC = ddi_io_rep_put8.9f

1354 ddi_unmap_regs.9f       := LINKSRC = ddi_map_regs.9f

1356 ddi_mem_get16.9f         := LINKSRC = ddi_mem_get8.9f
1357 ddi_mem_get32.9f         := LINKSRC = ddi_mem_get8.9f
1358 ddi_mem_get64.9f         := LINKSRC = ddi_mem_get8.9f
1359 ddi_mem_getb.9f          := LINKSRC = ddi_mem_get8.9f
1360 ddi_mem_getl.9f          := LINKSRC = ddi_mem_get8.9f
1361 ddi_mem_getll.9f         := LINKSRC = ddi_mem_get8.9f
1362 ddi_mem_getw.9f         := LINKSRC = ddi_mem_get8.9f

1364 ddi_mem_put16.9f         := LINKSRC = ddi_mem_put8.9f
1365 ddi_mem_put32.9f         := LINKSRC = ddi_mem_put8.9f
1366 ddi_mem_put64.9f         := LINKSRC = ddi_mem_put8.9f
1367 ddi_mem_putb.9f          := LINKSRC = ddi_mem_put8.9f
1368 ddi_mem_putl.9f          := LINKSRC = ddi_mem_put8.9f
1369 ddi_mem_putll.9f         := LINKSRC = ddi_mem_put8.9f
1370 ddi_mem_putw.9f          := LINKSRC = ddi_mem_put8.9f

1372 ddi_mem_rep_get16.9f     := LINKSRC = ddi_mem_rep_get8.9f
1373 ddi_mem_rep_get32.9f     := LINKSRC = ddi_mem_rep_get8.9f
1374 ddi_mem_rep_get64.9f     := LINKSRC = ddi_mem_rep_get8.9f
1375 ddi_mem_rep_getb.9f      := LINKSRC = ddi_mem_rep_get8.9f
1376 ddi_mem_rep_getl.9f      := LINKSRC = ddi_mem_rep_get8.9f
1377 ddi_mem_rep_getll.9f     := LINKSRC = ddi_mem_rep_get8.9f
1378 ddi_mem_rep_getw.9f      := LINKSRC = ddi_mem_rep_get8.9f

1380 ddi_mem_rep_put16.9f     := LINKSRC = ddi_mem_rep_put8.9f
1381 ddi_mem_rep_put32.9f     := LINKSRC = ddi_mem_rep_put8.9f
1382 ddi_mem_rep_put64.9f     := LINKSRC = ddi_mem_rep_put8.9f
1383 ddi_mem_rep_putb.9f      := LINKSRC = ddi_mem_rep_put8.9f
1384 ddi_mem_rep_putl.9f      := LINKSRC = ddi_mem_rep_put8.9f
1385 ddi_mem_rep_putll.9f     := LINKSRC = ddi_mem_rep_put8.9f
1386 ddi_mem_rep_putw.9f      := LINKSRC = ddi_mem_rep_put8.9f

1388 ddi_modclose.9f          := LINKSRC = ddi_modopen.9f
1389 ddi_modsym.9f            := LINKSRC = ddi_modopen.9f

```

```

1391 ddi_peek16.9f            := LINKSRC = ddi_peek.9f
1392 ddi_peek32.9f            := LINKSRC = ddi_peek.9f
1393 ddi_peek64.9f            := LINKSRC = ddi_peek.9f
1394 ddi_peek8.9f             := LINKSRC = ddi_peek.9f
1395 ddi_peekc.9f             := LINKSRC = ddi_peek.9f
1396 ddi_peekd.9f             := LINKSRC = ddi_peek.9f
1397 ddi_peekl.9f             := LINKSRC = ddi_peek.9f
1398 ddi_peeks.9f             := LINKSRC = ddi_peek.9f

1400 ddi_poke16.9f            := LINKSRC = ddi_poke.9f
1401 ddi_poke32.9f            := LINKSRC = ddi_poke.9f
1402 ddi_poke64.9f            := LINKSRC = ddi_poke.9f
1403 ddi_poke8.9f             := LINKSRC = ddi_poke.9f
1404 ddi_pokec.9f             := LINKSRC = ddi_poke.9f
1405 ddi_poked.9f             := LINKSRC = ddi_poke.9f
1406 ddi_pokel.9f            := LINKSRC = ddi_poke.9f
1407 ddi_pokes.9f            := LINKSRC = ddi_poke.9f

1409 ddi_prop_modify.9f       := LINKSRC = ddi_prop_create.9f
1410 ddi_prop_remove.9f       := LINKSRC = ddi_prop_create.9f
1411 ddi_prop_remove_all.9f   := LINKSRC = ddi_prop_create.9f
1412 ddi_prop_undefine.9f     := LINKSRC = ddi_prop_create.9f

1414 ddi_prop_get_int64.9f    := LINKSRC = ddi_prop_get_int.9f

1416 ddi_prop_free.9f        := LINKSRC = ddi_prop_lookup.9f
1417 ddi_prop_lookup_byte_array.9f := LINKSRC = ddi_prop_lookup.9f
1418 ddi_prop_lookup_int64_array.9f := LINKSRC = ddi_prop_lookup.9f
1419 ddi_prop_lookup_int_array.9f := LINKSRC = ddi_prop_lookup.9f
1420 ddi_prop_lookup_string.9f := LINKSRC = ddi_prop_lookup.9f
1421 ddi_prop_lookup_string_array.9f := LINKSRC = ddi_prop_lookup.9f

1423 ddi_getlongprop.9f       := LINKSRC = ddi_prop_op.9f
1424 ddi_getlongprop_buf.9f   := LINKSRC = ddi_prop_op.9f
1425 ddi_getprop.9f           := LINKSRC = ddi_prop_op.9f
1426 ddi_getpropflen.9f       := LINKSRC = ddi_prop_op.9f

1428 ddi_prop_update_byte_array.9f := LINKSRC = ddi_prop_update.9f
1429 ddi_prop_update_int.9f     := LINKSRC = ddi_prop_update.9f
1430 ddi_prop_update_int64.9f   := LINKSRC = ddi_prop_update.9f
1431 ddi_prop_update_int64_array.9f := LINKSRC = ddi_prop_update.9f
1432 ddi_prop_update_int_array.9f := LINKSRC = ddi_prop_update.9f
1433 ddi_prop_update_string.9f   := LINKSRC = ddi_prop_update.9f
1434 ddi_prop_update_string_array.9f := LINKSRC = ddi_prop_update.9f

1436 ddi_put16.9f             := LINKSRC = ddi_put8.9f
1437 ddi_put32.9f             := LINKSRC = ddi_put8.9f
1438 ddi_put64.9f             := LINKSRC = ddi_put8.9f
1439 ddi_putb.9f              := LINKSRC = ddi_put8.9f
1440 ddi_putl.9f              := LINKSRC = ddi_put8.9f
1441 ddi_putll.9f             := LINKSRC = ddi_put8.9f
1442 ddi_putw.9f              := LINKSRC = ddi_put8.9f

1444 ddi_rep_get16.9f         := LINKSRC = ddi_rep_get8.9f
1445 ddi_rep_get32.9f         := LINKSRC = ddi_rep_get8.9f
1446 ddi_rep_get64.9f         := LINKSRC = ddi_rep_get8.9f
1447 ddi_rep_getb.9f          := LINKSRC = ddi_rep_get8.9f
1448 ddi_rep_getl.9f          := LINKSRC = ddi_rep_get8.9f
1449 ddi_rep_getll.9f         := LINKSRC = ddi_rep_get8.9f
1450 ddi_rep_getw.9f          := LINKSRC = ddi_rep_get8.9f

1452 ddi_rep_put16.9f         := LINKSRC = ddi_rep_put8.9f
1453 ddi_rep_put32.9f         := LINKSRC = ddi_rep_put8.9f
1454 ddi_rep_put64.9f         := LINKSRC = ddi_rep_put8.9f
1455 ddi_rep_putb.9f          := LINKSRC = ddi_rep_put8.9f
1456 ddi_rep_putl.9f          := LINKSRC = ddi_rep_put8.9f

```

```

1457 ddi_rep_putll.9f      := LINKSRC = ddi_rep_put8.9f
1458 ddi_rep_putw.9f       := LINKSRC = ddi_rep_put8.9f

1460 ddi_segmap_setup.9f   := LINKSRC = ddi_segmap.9f

1462 ddi_get_soft_state.9f := LINKSRC = ddi_soft_state.9f
1463 ddi_soft_state_fini.9f := LINKSRC = ddi_soft_state.9f
1464 ddi_soft_state_free.9f := LINKSRC = ddi_soft_state.9f
1465 ddi_soft_state_init.9f := LINKSRC = ddi_soft_state.9f
1466 ddi_soft_state_zalloc.9f := LINKSRC = ddi_soft_state.9f

1468 ddi_strtoul.9f        := LINKSRC = ddi_strtoll.9f

1470 ddi_umem_free.9f      := LINKSRC = ddi_umem_alloc.9f

1472 ddi_umem_unlock.9f    := LINKSRC = ddi_umem_lock.9f

1474 devmap_umem_setup.9f := LINKSRC = devmap_devmem_setup.9f

1476 ddi_devmap_segmap.9f := LINKSRC = devmap_setup.9f

1478 devmap_load.9f        := LINKSRC = devmap_unload.9f

1480 dlerrorack.9f         := LINKSRC = dlbindack.9f
1481 dloack.9f              := LINKSRC = dlbindack.9f
1482 dlphysaddrack.9f      := LINKSRC = dlbindack.9f
1483 dluderrorind.9f        := LINKSRC = dlbindack.9f

1485 desballoc.9f         := LINKSRC = esballoc.9f

1487 unfreezestr.9f       := LINKSRC = freezestr.9f

1489 free_pktiopb.9f      := LINKSRC = get_pktiopb.9f

1491 gld_intr.9f           := LINKSRC = gld.9f
1492 gld_mac_alloc.9f      := LINKSRC = gld.9f
1493 gld_mac_free.9f       := LINKSRC = gld.9f
1494 gld_rcv.9f            := LINKSRC = gld.9f
1495 gld_register.9f       := LINKSRC = gld.9f
1496 gld_sched.9f         := LINKSRC = gld.9f
1497 gld_unregister.9f     := LINKSRC = gld.9f

1499 id32_free.9f          := LINKSRC = id32_alloc.9f
1500 id32_lookup.9f        := LINKSRC = id32_alloc.9f

1502 inl.9f                := LINKSRC = inb.9f
1503 inw.9f                 := LINKSRC = inb.9f
1504 repinsb.9f             := LINKSRC = inb.9f
1505 repinsd.9f            := LINKSRC = inb.9f
1506 repinsw.9f            := LINKSRC = inb.9f

1508 kmem_free.9f          := LINKSRC = kmem_alloc.9f
1509 kmem_zalloc.9f        := LINKSRC = kmem_alloc.9f

1511 kmem_cache_alloc.9f   := LINKSRC = kmem_cache_create.9f
1512 kmem_cache_destroy.9f := LINKSRC = kmem_cache_create.9f
1513 kmem_cache_free.9f    := LINKSRC = kmem_cache_create.9f
1514 kmem_cache_set_move.9f := LINKSRC = kmem_cache_create.9f

1516 kstat_named_setstr.9f := LINKSRC = kstat_named_init.9f

1518 kstat_rung_back_to_waitq.9f := LINKSRC = kstat_queue.9f
1519 kstat_rung_enter.9f         := LINKSRC = kstat_queue.9f
1520 kstat_rung_exit.9f          := LINKSRC = kstat_queue.9f
1521 kstat_waitq_enter.9f        := LINKSRC = kstat_queue.9f
1522 kstat_waitq_exit.9f        := LINKSRC = kstat_queue.9f

```

```

1523 kstat_waitq_to_runq.9f := LINKSRC = kstat_queue.9f

1525 ldi_awrite.9f           := LINKSRC = ldi_aread.9f

1527 ldi_get_devid.9f        := LINKSRC = ldi_get_dev.9f
1528 ldi_get_minor_name.9f   := LINKSRC = ldi_get_dev.9f
1529 ldi_get_otyp.9f         := LINKSRC = ldi_get_dev.9f

1531 ldi_ident_from_dip.9f    := LINKSRC = ldi_ident_from_dev.9f
1532 ldi_ident_from_stream.9f := LINKSRC = ldi_ident_from_dev.9f
1533 ldi_ident_release.9f    := LINKSRC = ldi_ident_from_dev.9f

1535 ldi_close.9f            := LINKSRC = ldi_open_by_dev.9f
1536 ldi_open_by_devid.9f    := LINKSRC = ldi_open_by_dev.9f
1537 ldi_open_by_name.9f     := LINKSRC = ldi_open_by_dev.9f

1539 ldi_prop_get_int64.9f   := LINKSRC = ldi_prop_get_int.9f

1541 ldi_prop_lookup_byte_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f
1542 ldi_prop_lookup_int64_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f
1543 ldi_prop_lookup_string.9f    := LINKSRC = ldi_prop_lookup_int_array.9f
1544 ldi_prop_lookup_string_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f

1546 ldi_getmsg.9f          := LINKSRC = ldi_putmsg.9f

1548 ldi_write.9f           := LINKSRC = ldi_read.9f

1550 list_destroy.9f        := LINKSRC = list_create.9f
1551 list_head.9f           := LINKSRC = list_create.9f
1552 list_insert_after.9f    := LINKSRC = list_create.9f
1553 list_insert_before.9f   := LINKSRC = list_create.9f
1554 list_insert_head.9f     := LINKSRC = list_create.9f
1555 list_insert_tail.9f     := LINKSRC = list_create.9f
1556 list_is_empty.9f       := LINKSRC = list_create.9f
1557 list_link_active.9f     := LINKSRC = list_create.9f
1558 list_link_init.9f      := LINKSRC = list_create.9f
1559 list_link_replace.9f    := LINKSRC = list_create.9f
1560 list_move_tail.9f       := LINKSRC = list_create.9f
1561 list_next.9f           := LINKSRC = list_create.9f
1562 list_prev.9f          := LINKSRC = list_create.9f
1563 list_remove.9f         := LINKSRC = list_create.9f
1564 list_remove_head.9f    := LINKSRC = list_create.9f
1565 list_remove_tail.9f    := LINKSRC = list_create.9f
1566 list_tail.9f          := LINKSRC = list_create.9f

1568 makecom_g0.9f          := LINKSRC = makecom.9f
1569 makecom_g0_s.9f        := LINKSRC = makecom.9f
1570 makecom_g1.9f         := LINKSRC = makecom.9f
1571 makecom_g5.9f         := LINKSRC = makecom.9f

1573 membar_consumer.9f     := LINKSRC = membar_ops.9f
1574 membar_enter.9f       := LINKSRC = membar_ops.9f
1575 membar_exit.9f        := LINKSRC = membar_ops.9f
1576 membar_producer.9f    := LINKSRC = membar_ops.9f

1578 memcmp.9f             := LINKSRC = memchr.9f
1579 memcpy.9f             := LINKSRC = memchr.9f
1580 memmove.9f            := LINKSRC = memchr.9f
1581 memset.9f            := LINKSRC = memchr.9f

1583 mod_info.9f           := LINKSRC = mod_install.9f
1584 mod_modname.9f        := LINKSRC = mod_install.9f
1585 mod_remove.9f         := LINKSRC = mod_install.9f

1587 mutex_destroy.9f       := LINKSRC = mutex.9f
1588 mutex_enter.9f        := LINKSRC = mutex.9f

```

```

1589 mutex_exit.9f      := LINKSRC = mutex.9f
1590 mutex_init.9f       := LINKSRC = mutex.9f
1591 mutex_owmed.9f       := LINKSRC = mutex.9f
1592 mutex_tryenter.9f    := LINKSRC = mutex.9f

1594 net_event_notify_unregister.9f := LINKSRC = net_event_notify_register.9f

1596 net_instance_notify_unregister.9f := LINKSRC = net_instance_notify_register.9f

1598 net_instance_protocol_unregister.9f := LINKSRC = net_protocol_notify_register.9f

1600 nvlist_add_boolean_array.9f      := LINKSRC = nvlist_add_boolean.9f
1601 nvlist_add_boolean_value.9f      := LINKSRC = nvlist_add_boolean.9f
1602 nvlist_add_byte.9f              := LINKSRC = nvlist_add_boolean.9f
1603 nvlist_add_byte_array.9f        := LINKSRC = nvlist_add_boolean.9f
1604 nvlist_add_int16.9f             := LINKSRC = nvlist_add_boolean.9f
1605 nvlist_add_int16_array.9f        := LINKSRC = nvlist_add_boolean.9f
1606 nvlist_add_int32.9f             := LINKSRC = nvlist_add_boolean.9f
1607 nvlist_add_int32_array.9f        := LINKSRC = nvlist_add_boolean.9f
1608 nvlist_add_int64.9f             := LINKSRC = nvlist_add_boolean.9f
1609 nvlist_add_int64_array.9f        := LINKSRC = nvlist_add_boolean.9f
1610 nvlist_add_int8.9f              := LINKSRC = nvlist_add_boolean.9f
1611 nvlist_add_int8_array.9f         := LINKSRC = nvlist_add_boolean.9f
1612 nvlist_add_nvlist.9f            := LINKSRC = nvlist_add_boolean.9f
1613 nvlist_add_nvlist_array.9f       := LINKSRC = nvlist_add_boolean.9f
1614 nvlist_add_nvpair.9f            := LINKSRC = nvlist_add_boolean.9f
1615 nvlist_add_string.9f            := LINKSRC = nvlist_add_boolean.9f
1616 nvlist_add_string_array.9f       := LINKSRC = nvlist_add_boolean.9f
1617 nvlist_add_uint16.9f            := LINKSRC = nvlist_add_boolean.9f
1618 nvlist_add_uint16_array.9f        := LINKSRC = nvlist_add_boolean.9f
1619 nvlist_add_uint32.9f            := LINKSRC = nvlist_add_boolean.9f
1620 nvlist_add_uint32_array.9f        := LINKSRC = nvlist_add_boolean.9f
1621 nvlist_add_uint64.9f            := LINKSRC = nvlist_add_boolean.9f
1622 nvlist_add_uint64_array.9f        := LINKSRC = nvlist_add_boolean.9f
1623 nvlist_add_uint8.9f             := LINKSRC = nvlist_add_boolean.9f
1624 nvlist_add_uint8_array.9f        := LINKSRC = nvlist_add_boolean.9f
1625 nvlist_t.9f                  := LINKSRC = nvlist_add_boolean.9f

1627 nv_alloc_fini.9f      := LINKSRC = nvlist_alloc.9f
1628 nv_alloc_init.9f     := LINKSRC = nvlist_alloc.9f
1629 nvlist_dup.9f         := LINKSRC = nvlist_alloc.9f
1630 nvlist_free.9f        := LINKSRC = nvlist_alloc.9f
1631 nvlist_merge.9f       := LINKSRC = nvlist_alloc.9f
1632 nvlist_pack.9f        := LINKSRC = nvlist_alloc.9f
1633 nvlist_size.9f        := LINKSRC = nvlist_alloc.9f
1634 nvlist_unpack.9f      := LINKSRC = nvlist_alloc.9f
1635 nvlist_xalloc.9f      := LINKSRC = nvlist_alloc.9f
1636 nvlist_xdup.9f       := LINKSRC = nvlist_alloc.9f
1637 nvlist_xpack.9f      := LINKSRC = nvlist_alloc.9f
1638 nvlist_xunpack.9f    := LINKSRC = nvlist_alloc.9f

1640 nvlist_lookup_boolean_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1641 nvlist_lookup_boolean_value.9f := LINKSRC = nvlist_lookup_boolean.9f
1642 nvlist_lookup_byte.9f         := LINKSRC = nvlist_lookup_boolean.9f
1643 nvlist_lookup_byte_array.9f   := LINKSRC = nvlist_lookup_boolean.9f
1644 nvlist_lookup_int16.9f        := LINKSRC = nvlist_lookup_boolean.9f
1645 nvlist_lookup_int16_array.9f  := LINKSRC = nvlist_lookup_boolean.9f
1646 nvlist_lookup_int32.9f       := LINKSRC = nvlist_lookup_boolean.9f
1647 nvlist_lookup_int32_array.9f  := LINKSRC = nvlist_lookup_boolean.9f
1648 nvlist_lookup_int64.9f       := LINKSRC = nvlist_lookup_boolean.9f
1649 nvlist_lookup_int64_array.9f  := LINKSRC = nvlist_lookup_boolean.9f
1650 nvlist_lookup_int8.9f        := LINKSRC = nvlist_lookup_boolean.9f
1651 nvlist_lookup_int8_array.9f   := LINKSRC = nvlist_lookup_boolean.9f
1652 nvlist_lookup_nvlist.9f      := LINKSRC = nvlist_lookup_boolean.9f
1653 nvlist_lookup_nvlist_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1654 nvlist_lookup_pairs.9f       := LINKSRC = nvlist_lookup_boolean.9f

```

```

1655 nvlist_lookup_string.9f      := LINKSRC = nvlist_lookup_boolean.9f
1656 nvlist_lookup_string_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1657 nvlist_lookup_uint16.9f      := LINKSRC = nvlist_lookup_boolean.9f
1658 nvlist_lookup_uint16_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1659 nvlist_lookup_uint32.9f      := LINKSRC = nvlist_lookup_boolean.9f
1660 nvlist_lookup_uint32_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1661 nvlist_lookup_uint64.9f      := LINKSRC = nvlist_lookup_boolean.9f
1662 nvlist_lookup_uint64_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1663 nvlist_lookup_uint8.9f       := LINKSRC = nvlist_lookup_boolean.9f
1664 nvlist_lookup_uint8_array.9f := LINKSRC = nvlist_lookup_boolean.9f

1666 nvlist_exists.9f            := LINKSRC = nvlist_lookup_nvpair.9f

1668 nvpair_name.9f              := LINKSRC = nvlist_next_nvpair.9f
1669 nvpair_type.9f              := LINKSRC = nvlist_next_nvpair.9f

1671 nvlist_remove_all.9f        := LINKSRC = nvlist_remove.9f

1673 nvpair_value_boolean_array.9f := LINKSRC = nvpair_value_byte.9f
1674 nvpair_value_byte_array.9f   := LINKSRC = nvpair_value_byte.9f
1675 nvpair_value_int16.9f        := LINKSRC = nvpair_value_byte.9f
1676 nvpair_value_int16_array.9f  := LINKSRC = nvpair_value_byte.9f
1677 nvpair_value_int32.9f        := LINKSRC = nvpair_value_byte.9f
1678 nvpair_value_int32_array.9f   := LINKSRC = nvpair_value_byte.9f
1679 nvpair_value_int64.9f        := LINKSRC = nvpair_value_byte.9f
1680 nvpair_value_int64_array.9f   := LINKSRC = nvpair_value_byte.9f
1681 nvpair_value_int8.9f         := LINKSRC = nvpair_value_byte.9f
1682 nvpair_value_int8_array.9f   := LINKSRC = nvpair_value_byte.9f
1683 nvpair_value_nvlist.9f       := LINKSRC = nvpair_value_byte.9f
1684 nvpair_value_nvlist_array.9f  := LINKSRC = nvpair_value_byte.9f
1685 nvpair_value_string.9f       := LINKSRC = nvpair_value_byte.9f
1686 nvpair_value_string_array.9f := LINKSRC = nvpair_value_byte.9f
1687 nvpair_value_uint16.9f       := LINKSRC = nvpair_value_byte.9f
1688 nvpair_value_uint16_array.9f  := LINKSRC = nvpair_value_byte.9f
1689 nvpair_value_uint32.9f       := LINKSRC = nvpair_value_byte.9f
1690 nvpair_value_uint32_array.9f  := LINKSRC = nvpair_value_byte.9f
1691 nvpair_value_uint64.9f       := LINKSRC = nvpair_value_byte.9f
1692 nvpair_value_uint64_array.9f := LINKSRC = nvpair_value_byte.9f
1693 nvpair_value_uint8.9f        := LINKSRC = nvpair_value_byte.9f
1694 nvpair_value_uint8_array.9f  := LINKSRC = nvpair_value_byte.9f

1696 outl.9f                    := LINKSRC = outb.9f
1697 outw.9f                    := LINKSRC = outb.9f
1698 repoutsb.9f                 := LINKSRC = outb.9f
1699 repoutsd.9f                 := LINKSRC = outb.9f
1700 repoutsw.9f                 := LINKSRC = outb.9f

1702 pci_config_get16.9f         := LINKSRC = pci_config_get8.9f
1703 pci_config_get32.9f         := LINKSRC = pci_config_get8.9f
1704 pci_config_get64.9f         := LINKSRC = pci_config_get8.9f
1705 pci_config_getb.9f          := LINKSRC = pci_config_get8.9f
1706 pci_config_getl.9f          := LINKSRC = pci_config_get8.9f
1707 pci_config_getll.9f         := LINKSRC = pci_config_get8.9f
1708 pci_config_getw.9f          := LINKSRC = pci_config_get8.9f
1709 pci_config_put16.9f         := LINKSRC = pci_config_get8.9f
1710 pci_config_put32.9f         := LINKSRC = pci_config_get8.9f
1711 pci_config_put64.9f         := LINKSRC = pci_config_get8.9f
1712 pci_config_put8.9f          := LINKSRC = pci_config_get8.9f
1713 pci_config_putb.9f          := LINKSRC = pci_config_get8.9f
1714 pci_config_putl.9f          := LINKSRC = pci_config_get8.9f
1715 pci_config_putll.9f         := LINKSRC = pci_config_get8.9f
1716 pci_config_putw.9f          := LINKSRC = pci_config_get8.9f

1718 pci_config_tearardown.9f    := LINKSRC = pci_config_setup.9f

1720 pci_ereport_post.9f        := LINKSRC = pci_ereport_setup.9f

```

```

1721 pci_ereport_teartdown.9f      := LINKSRC = pci_ereport_setup.9f
1723 pci_restore_config_regs.9f     := LINKSRC = pci_save_config_regs.9f
1725 minphys.9f                    := LINKSRC = physio.9f
1727 pm_idle_component.9f          := LINKSRC = pm_busy_component.9f
1729 pm_lower_power.9f             := LINKSRC = pm_raise_power.9f
1731 priv_policy_choice.9f          := LINKSRC = priv_policy.9f
1732 priv_policy_only.9f           := LINKSRC = priv_policy.9f
1734 proc_ref.9f                   := LINKSRC = proc_signal.9f
1735 proc_unref.9f                 := LINKSRC = proc_signal.9f
1737 qprocsoff.9f                  := LINKSRC = qprocson.9f
1739 qwait_sig.9f                  := LINKSRC = qwait.9f
1741 rmallocmap_wait.9f            := LINKSRC = rmallocmap.9f
1742 rmfreemap.9f                  := LINKSRC = rmallocmap.9f
1744 rw_destroy.9f                 := LINKSRC = rwlock.9f
1745 rw_downgrade.9f               := LINKSRC = rwlock.9f
1746 rw_enter.9f                   := LINKSRC = rwlock.9f
1747 rw_exit.9f                     := LINKSRC = rwlock.9f
1748 rw_init.9f                     := LINKSRC = rwlock.9f
1749 rw_read_locked.9f              := LINKSRC = rwlock.9f
1750 rw_tryenter.9f                 := LINKSRC = rwlock.9f
1751 rw_tryupgrade.9f               := LINKSRC = rwlock.9f
1753 scsi_dname.9f                  := LINKSRC = scsi_cname.9f
1754 scsi_mname.9f                  := LINKSRC = scsi_cname.9f
1755 scsi_rname.9f                  := LINKSRC = scsi_cname.9f
1756 scsi_sname.9f                  := LINKSRC = scsi_cname.9f
1758 scsi_dmafree.9f               := LINKSRC = scsi_dmaget.9f
1760 scsi_sense_cmdspecific_uint64.9f := LINKSRC = scsi_ext_sense_fields.9f
1761 scsi_sense_info_uint64.9f      := LINKSRC = scsi_ext_sense_fields.9f
1763 scsi_hba_detach.9f            := LINKSRC = scsi_hba_attach_setup.9f
1765 scsi_hba_fini.9f              := LINKSRC = scsi_hba_init.9f
1767 scsi_hba_pkt_free.9f          := LINKSRC = scsi_hba_pkt_alloc.9f
1769 scsi_hba_tran_free.9f         := LINKSRC = scsi_hba_tran_alloc.9f
1771 scsi_ifsetcap.9f              := LINKSRC = scsi_ifgetcap.9f
1773 scsi_pktfree.9f                := LINKSRC = scsi_pktalloc.9f
1774 scsi_resalloc.9f               := LINKSRC = scsi_pktalloc.9f
1775 scsi_resfree.9f                := LINKSRC = scsi_pktalloc.9f
1777 scsi_sense_asc.9f              := LINKSRC = scsi_sense_key.9f
1778 scsi_sense_ascq.9f            := LINKSRC = scsi_sense_key.9f
1780 scsi_unslave.9f               := LINKSRC = scsi_unprobe.9f
1782 sema_destroy.9f                := LINKSRC = semaphore.9f
1783 sema_init.9f                  := LINKSRC = semaphore.9f
1784 sema_p.9f                     := LINKSRC = semaphore.9f
1785 sema_p_sig.9f                 := LINKSRC = semaphore.9f
1786 sema_try.9f                   := LINKSRC = semaphore.9f

```

```

1787 sema_v.9f                    := LINKSRC = semaphore.9f
1789 numtos.9f                     := LINKSRC = stoi.9f
1791 ddi_strdup.9f                  := LINKSRC = string.9f
1792 strcasecmp.9f                  := LINKSRC = string.9f
1793 strchr.9f                      := LINKSRC = string.9f
1794 strcmp.9f                      := LINKSRC = string.9f
1795 strcpy.9f                     := LINKSRC = string.9f
1796 strdup.9f                     := LINKSRC = string.9f
1797 strfree.9f                     := LINKSRC = string.9f
1798 strlcat.9f                     := LINKSRC = string.9f
1799 strlcpy.9f                     := LINKSRC = string.9f
1800 strlen.9f                     := LINKSRC = string.9f
1801 strncasecmp.9f                 := LINKSRC = string.9f
1802 strncat.9f                    := LINKSRC = string.9f
1803 strncmp.9f                    := LINKSRC = string.9f
1804 strncpy.9f                    := LINKSRC = string.9f
1805 strnlen.9f                    := LINKSRC = string.9f
1806 strrchr.9f                   := LINKSRC = string.9f
1807 strspn.9f                     := LINKSRC = string.9f
1809 ddi_taskq_create.9f            := LINKSRC = taskq.9f
1810 ddi_taskq_destroy.9f           := LINKSRC = taskq.9f
1811 ddi_taskq_dispatch.9f          := LINKSRC = taskq.9f
1812 ddi_taskq_resume.9f            := LINKSRC = taskq.9f
1813 ddi_taskq_suspend.9f           := LINKSRC = taskq.9f
1814 ddi_taskq_wait.9f             := LINKSRC = taskq.9f
1815 taskq_suspended.9f            := LINKSRC = taskq.9f
1817 uconv_ul6tou8.9f              := LINKSRC = uconv_ul6tou32.9f
1818 uconv_u32tou16.9f             := LINKSRC = uconv_ul6tou32.9f
1819 uconv_u32tou8.9f              := LINKSRC = uconv_ul6tou32.9f
1820 uconv_u8tou16.9f              := LINKSRC = uconv_ul6tou32.9f
1821 uconv_u8tou32.9f              := LINKSRC = uconv_ul6tou32.9f
1823 usb_alloc_bulk_req.9f         := LINKSRC = usb_alloc_request.9f
1824 usb_alloc_ctrl_req.9f         := LINKSRC = usb_alloc_request.9f
1825 usb_alloc_intr_req.9f        := LINKSRC = usb_alloc_request.9f
1826 usb_alloc_isoc_req.9f        := LINKSRC = usb_alloc_request.9f
1827 usb_free_bulk_req.9f          := LINKSRC = usb_alloc_request.9f
1828 usb_free_ctrl_req.9f          := LINKSRC = usb_alloc_request.9f
1829 usb_free_intr_req.9f          := LINKSRC = usb_alloc_request.9f
1830 usb_free_isoc_req.9f          := LINKSRC = usb_alloc_request.9f
1831 usb_client_detach.9f          := LINKSRC = usb_client_attach.9f
1833 usb_get_if_number.9f          := LINKSRC = usb_get_alt_if.9f
1834 usb_owns_device.9f            := LINKSRC = usb_get_alt_if.9f
1835 usb_set_alt_if.9f             := LINKSRC = usb_get_alt_if.9f
1837 usb_set_cfg.9f                := LINKSRC = usb_get_cfg.9f
1839 usb_free_descr_tree.9f        := LINKSRC = usb_get_dev_data.9f
1840 usb_free_dev_data.9f          := LINKSRC = usb_get_dev_data.9f
1841 usb_print_descr_tree.9f       := LINKSRC = usb_get_dev_data.9f
1843 usb_pipe_ctrl_xfer_wait.9f    := LINKSRC = usb_pipe_ctrl_xfer.9f
1844 usb_pipe_stop_intr_polling.9f := LINKSRC = usb_pipe_intr_xfer.9f
1845 usb_pipe_stop_isoc_polling.9f := LINKSRC = usb_pipe_isoc_xfer.9f
1847 usb_pipe_get_private.9f      := LINKSRC = usb_pipe_set_private.9f
1849 usb_unregister_hotplug_cbs.9f := LINKSRC = usb_register_hotplug_cbs.9f
1851 va_copy.9f                    := LINKSRC = va_arg.9f
1852 va_end.9f                    := LINKSRC = va_arg.9f

```

new/usr/src/man/man9f/Makefile

31

```
1853 va_start.9f                := LINKSRC = va_arg.9f
1855 .KEEP_STATE:
1857 include                      $(SRC)/man/Makefile.man
1859 install:                     $(ROOTMANFILES) $(ROOTMANLINKS)
```

62892 Wed Nov 12 17:44:34 2014

new/usr/src/man/man9f/Makefile.orig

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore>
16 #
```

```
18 include      $(SRC)/Makefile.master
```

```
20 MANSECT=     9f
```

```
22 MANFILES=    ASSERT.9f      \
23               Intro.9f      \
24               OTHERQ.9f     \
25               RD.9f         \
26               SAMESTR.9f    \
27               STRUCT_DECL.9f \
28               WR.9f         \
29               adjmsg.9f     \
30               allocb.9f     \
31               atomic_add.9f  \
32               atomic_and.9f  \
33               atomic_bits.9f \
34               atomic_cas.9f  \
35               atomic_dec.9f  \
36               atomic_inc.9f  \
37               atomic_ops.9f  \
38               atomic_or.9f   \
39               atomic_swap.9f \
40               backq.9f      \
41               bcanput.9f     \
42               bcmp.9f       \
43               bcopy.9f      \
44               bioclone.9f    \
45               biodone.9f    \
46               bioerror.9f   \
47               biofini.9f    \
48               bioint.9f     \
49               biomodified.9f \
50               bioreset.9f   \
51               biosize.9f    \
52               biowait.9f    \
53               bp_copyin.9f   \
54               bp_copyout.9f  \
55               bp_mapin.9f    \
56               bp_mapout.9f   \
57               btop.9f       \
58               btopr.9f      \
59               bufcall.9f    \
60               bzero.9f      \
61               canput.9f     \
```

```
62         clrbuf.9f          \
63         cmn_err.9f         \
64         condvar.9f         \
65         copyb.9f           \
66         copyin.9f          \
67         copymsg.9f         \
68         copyout.9f         \
69         csx_AccessConfigurationRegister.9f \
70         csx_CS_DDI_Info.9f \
71         csx_ConvertSize.9f \
72         csx_ConvertSpeed.9f \
73         csx_DeregisterClient.9f \
74         csx_DupHandle.9f   \
75         csx_Error2Text.9f  \
76         csx_Event2Text.9f  \
77         csx_FreeHandle.9f  \
78         csx_Get8.9f        \
79         csx_GetFirstClient.9f \
80         csx_GetFirstTuple.9f \
81         csx_GetHandleOffset.9f \
82         csx_GetMappedAddr.9f \
83         csx_GetStatus.9f   \
84         csx_GetTupleData.9f \
85         csx_MakeDeviceNode.9f \
86         csx_MapLogSocket.9f \
87         csx_MapMemPage.9f  \
88         csx_ModifyConfiguration.9f \
89         csx_ModifyWindow.9f \
90         csx_ParseTuple.9f  \
91         csx_Parse_CISTPL_BATTERY.9f \
92         csx_Parse_CISTPL_BYTEORDER.9f \
93         csx_Parse_CISTPL_CFTABLE_ENTRY.9f \
94         csx_Parse_CISTPL_CONFIG.9f \
95         csx_Parse_CISTPL_DATE.9f \
96         csx_Parse_CISTPL_DEVICE.9f \
97         csx_Parse_CISTPL_DEVICEGEO.9f \
98         csx_Parse_CISTPL_DEVICEGEO_A.9f \
99         csx_Parse_CISTPL_FORMAT.9f \
100        csx_Parse_CISTPL_FUNC.9f \
101        csx_Parse_CISTPL_FUNCID.9f \
102        csx_Parse_CISTPL_GEOMETRY.9f \
103        csx_Parse_CISTPL_JEDEC_C.9f \
104        csx_Parse_CISTPL_LINKTARGET.9f \
105        csx_Parse_CISTPL_LONGLINK_A.9f \
106        csx_Parse_CISTPL_LONGLINK_MFC.9f \
107        csx_Parse_CISTPL_MANFID.9f \
108        csx_Parse_CISTPL_ORG.9f \
109        csx_Parse_CISTPL_SPCL.9f \
110        csx_Parse_CISTPL_SWIL.9f \
111        csx_Parse_CISTPL_VERS_1.9f \
112        csx_Parse_CISTPL_VERS_2.9f \
113        csx_Put8.9f         \
114        csx_RegisterClient.9f \
115        csx_ReleaseConfiguration.9f \
116        csx_RepGet8.9f      \
117        csx_RepPut8.9f      \
118        csx_RequestConfiguration.9f \
119        csx_RequestIO.9f    \
120        csx_RequestIRQ.9f   \
121        csx_RequestSocketMask.9f \
122        csx_RequestWindow.9f \
123        csx_ResetFunction.9f \
124        csx_SetEventMask.9f \
125        csx_SetHandleOffset.9f \
126        csx_ValidateCIS.9f  \
127        datamsg.9f         \
```



```

128 ddi_add_event_handler.9f \
129 ddi_add_intr.9f \
130 ddi_add_softintr.9f \
131 ddi_binding_name.9f \
132 ddi_btop.9f \
133 ddi_can_receive_sig.9f \
134 ddi_cb_register.9f \
135 ddi_check_acc_handle.9f \
136 ddi_copyin.9f \
137 ddi_copyout.9f \
138 ddi_create_minor_node.9f \
139 ddi_cred.9f \
140 ddi_dev_is_needed.9f \
141 ddi_dev_is_sid.9f \
142 ddi_dev_nintrs.9f \
143 ddi_dev_nregs.9f \
144 ddi_dev_regsize.9f \
145 ddi_dev_report_fault.9f \
146 ddi_device_copy.9f \
147 ddi_device_zero.9f \
148 ddi_devid_compare.9f \
149 ddi_dma_addr_bind_handle.9f \
150 ddi_dma_alloc_handle.9f \
151 ddi_dma_buf_bind_handle.9f \
152 ddi_dma_burstsizes.9f \
153 ddi_dma_free_handle.9f \
154 ddi_dma_getwin.9f \
155 ddi_dma_mem_alloc.9f \
156 ddi_dma_mem_free.9f \
157 ddi_dma_nextcookie.9f \
158 ddi_dma_numwin.9f \
159 ddi_dma_set_sbust64.9f \
160 ddi_dma_sync.9f \
161 ddi_dma_unbind_handle.9f \
162 ddi_dmae.9f \
163 ddi_driver_major.9f \
164 ddi_driver_name.9f \
165 ddi_enter_critical.9f \
166 ddi_ffs.9f \
167 ddi_fm_acc_err_clear.9f \
168 ddi_fm_acc_err_get.9f \
169 ddi_fm_ereport_post.9f \
170 ddi_fm_handler_register.9f \
171 ddi_fm_init.9f \
172 ddi_fm_service_impact.9f \
173 ddi_get8.9f \
174 ddi_get_cred.9f \
175 ddi_get_devstate.9f \
176 ddi_get_driver_private.9f \
177 ddi_get_eventcookie.9f \
178 ddi_get_instance.9f \
179 ddi_get_kt_did.9f \
180 ddi_get_lbolt.9f \
181 ddi_get_parent.9f \
182 ddi_get_pid.9f \
183 ddi_get_time.9f \
184 ddi_getminor.9f \
185 ddi_in_panic.9f \
186 ddi_intr_add_handler.9f \
187 ddi_intr_add_softint.9f \
188 ddi_intr_alloc.9f \
189 ddi_intr_dup_handler.9f \
190 ddi_intr_enable.9f \
191 ddi_intr_get_cap.9f \
192 ddi_intr_get_hilevel_pri.9f \
193 ddi_intr_get_nintrs.9f \

```

```

194 ddi_intr_get_pending.9f \
195 ddi_intr_get_pri.9f \
196 ddi_intr_get_supported_types.9f \
197 ddi_intr_hilevel.9f \
198 ddi_intr_set_mask.9f \
199 ddi_intr_set_nreq.9f \
200 ddi_io_get8.9f \
201 ddi_io_put8.9f \
202 ddi_io_rep_get8.9f \
203 ddi_io_rep_put8.9f \
204 ddi_log_sysevent.9f \
205 ddi_map_regs.9f \
206 ddi_mem_get8.9f \
207 ddi_mem_put8.9f \
208 ddi_mem_rep_get8.9f \
209 ddi_mem_rep_put8.9f \
210 ddi_mmap_get_model.9f \
211 ddi_model_convert_from.9f \
212 ddi_modopen.9f \
213 ddi_no_info.9f \
214 ddi_node_name.9f \
215 ddi_peek.9f \
216 ddi_periodic_add.9f \
217 ddi_periodic_delete.9f \
218 ddi_poke.9f \
219 ddi_prop_create.9f \
220 ddi_prop_exists.9f \
221 ddi_prop_get_int.9f \
222 ddi_prop_lookup.9f \
223 ddi_prop_op.9f \
224 ddi_prop_update.9f \
225 ddi_put8.9f \
226 ddi_regs_map_free.9f \
227 ddi_regs_map_setup.9f \
228 ddi_remove_event_handler.9f \
229 ddi_remove_minor_node.9f \
230 ddi_removing_power.9f \
231 ddi_rep_get8.9f \
232 ddi_rep_put8.9f \
233 ddi_report_dev.9f \
234 ddi_root_node.9f \
235 ddi_segmap.9f \
236 ddi_slaveonly.9f \
237 ddi_soft_state.9f \
238 ddi_strtol.9f \
239 ddi_strtoll.9f \
240 ddi_strtoul.9f \
241 ddi_umem_alloc.9f \
242 ddi_umem_iosetup.9f \
243 ddi_umem_lock.9f \
244 delay.9f \
245 devmap_default_access.9f \
246 devmap_devmem_setup.9f \
247 devmap_do_ctxmgt.9f \
248 devmap_set_ctx_timeout.9f \
249 devmap_setup.9f \
250 devmap_unload.9f \
251 disksort.9f \
252 dlbindack.9f \
253 drv_getparm.9f \
254 drv_hztousec.9f \
255 drv_priv.9f \
256 drv_usecsthz.9f \
257 drv_usecwait.9f \
258 dupb.9f \
259 dupmsg.9f \

```

```

260 enableok.9f \
261 esballoc.9f \
262 esbbcall.9f \
263 flushband.9f \
264 flushq.9f \
265 freeb.9f \
266 freemsg.9f \
267 freerbuf.9f \
268 freezestr.9f \
269 get_pktiopb.9f \
270 geterror.9f \
271 gethrtime.9f \
272 getmajor.9f \
273 getminor.9f \
274 getq.9f \
275 getrbuf.9f \
276 gld.9f \
277 hook_alloc.9f \
278 hook_free.9f \
279 id32_alloc.9f \
280 inb.9f \
281 insq.9f \
282 kiconv.9f \
283 kiconv_close.9f \
284 kiconv_open.9f \
285 kiconvstr.9f \
286 kmem_alloc.9f \
287 kmem_cache_create.9f \
288 kstat_create.9f \
289 kstat_delete.9f \
290 kstat_install.9f \
291 kstat_named_init.9f \
292 kstat_queue.9f \
293 ldi_add_event_handler.9f \
294 ldi_aread.9f \
295 ldi_devmap.9f \
296 ldi_dump.9f \
297 ldi_ev_finalize.9f \
298 ldi_ev_get_cookie.9f \
299 ldi_ev_get_type.9f \
300 ldi_ev_notify.9f \
301 ldi_ev_register_callbacks.9f \
302 ldi_ev_remove_callbacks.9f \
303 ldi_get_dev.9f \
304 ldi_get_eventcookie.9f \
305 ldi_get_size.9f \
306 ldi_ident_from_dev.9f \
307 ldi_ioctl.9f \
308 ldi_open_by_dev.9f \
309 ldi_poll.9f \
310 ldi_prop_exists.9f \
311 ldi_prop_get_int.9f \
312 ldi_prop_lookup_int_array.9f \
313 ldi_putmsg.9f \
314 ldi_read.9f \
315 ldi_remove_event_handler.9f \
316 ldi_strategy.9f \
317 linkb.9f \
318 list_create.9f \
319 makecom.9f \
320 makedevice.9f \
321 max.9f \
322 mcopyin.9f \
323 mcopymsg.9f \
324 mcopyout.9f \
325 membar_ops.9f \

```

```

326 memchr.9f \
327 merror.9f \
328 mexchange.9f \
329 min.9f \
330 mioc2ack.9f \
331 miocack.9f \
332 miocnak.9f \
333 miocpullup.9f \
334 mkiocb.9f \
335 mod_install.9f \
336 msgdsiz.9f \
337 msgpullup.9f \
338 msgsize.9f \
339 mt-streams.9f \
340 mutex.9f \
341 net_event_notify_register.9f \
342 net_getifname.9f \
343 net_getlifaddr.9f \
344 net_getmtu.9f \
345 net_getnetid.9f \
346 net_getpmtuenabled.9f \
347 net_hook_register.9f \
348 net_hook_unregister.9f \
349 net_inject.9f \
350 net_inject_alloc.9f \
351 net_inject_free.9f \
352 net_instance_alloc.9f \
353 net_instance_free.9f \
354 net_instance_notify_register.9f \
355 net_instance_register.9f \
356 net_instance_unregister.9f \
357 net_ispartialchecksum.9f \
358 net_isvalidchecksum.9f \
359 net_kstat_create.9f \
360 net_kstat_delete.9f \
361 net_lifgetnext.9f \
362 net_netidtozonid.9f \
363 net_phygetnext.9f \
364 net_phylookup.9f \
365 net_protocol_lookup.9f \
366 net_protocol_notify_register.9f \
367 net_protocol_release.9f \
368 net_protocol_walk.9f \
369 net_routeto.9f \
370 net_zoneidtonetid.9f \
371 netinfo.9f \
372 nochpoll.9f \
373 nodev.9f \
374 noenable.9f \
375 nulldev.9f \
376 nvlist_add_boolean.9f \
377 nvlist_alloc.9f \
378 nvlist_lookup_boolean.9f \
379 nvlist_lookup_nvpair.9f \
380 nvlist_next_nvpair.9f \
381 nvlist_remove.9f \
382 nvpair_value_byte.9f \
383 outb.9f \
384 pci_config_get8.9f \
385 pci_config_setup.9f \
386 pci_ereport_setup.9f \
387 pci_report_pmcaps.9f \
388 pci_save_config_regs.9f \
389 physio.9f \
390 pm_busy_component.9f \
391 pm_power_has_changed.9f \

```

```

392 pm_raise_power.9f \
393 pm_trans_check.9f \
394 pollwake.9f \
395 priv_getbyname.9f \
396 priv_policy.9f \
397 proc_signal.9f \
398 ptob.9f \
399 pullupmsg.9f \
400 put.9f \
401 putbq.9f \
402 putctl.9f \
403 putctl1.9f \
404 putnext.9f \
405 putnextctl.9f \
406 putnextctl1.9f \
407 putq.9f \
408 qassociate.9f \
409 qbufcall.9f \
410 qenable.9f \
411 qprocson.9f \
412 qreply.9f \
413 qsize.9f \
414 qtimeout.9f \
415 qunbufcall.9f \
416 quntimeout.9f \
417 qwait.9f \
418 qwriter.9f \
419 rmalloc.9f \
420 rmalloc_wait.9f \
421 rmallocmap.9f \
422 rmfree.9f \
423 rmvb.9f \
424 rmvq.9f \
425 rwlock.9f \
426 scsi_abort.9f \
427 scsi_alloc_consistent_buf.9f \
428 scsi_cname.9f \
429 scsi_destroy_pkt.9f \
430 scsi_dmaget.9f \
431 scsi_errmsg.9f \
432 scsi_ext_sense_fields.9f \
433 scsi_find_sense_descr.9f \
434 scsi_free_consistent_buf.9f \
435 scsi_get_device_type_scsi_options.9f \
436 scsi_get_device_type_string.9f \
437 scsi_hba_attach_setup.9f \
438 scsi_hba_init.9f \
439 scsi_hba_lookup_capstr.9f \
440 scsi_hba_pkt_alloc.9f \
441 scsi_hba_pkt_comp.9f \
442 scsi_hba_probe.9f \
443 scsi_hba_tran_alloc.9f \
444 scsi_ifgetcap.9f \
445 scsi_init_pkt.9f \
446 scsi_log.9f \
447 scsi_pktalloc.9f \
448 scsi_poll.9f \
449 scsi_probe.9f \
450 scsi_reset.9f \
451 scsi_reset_notify.9f \
452 scsi_sense_key.9f \
453 scsi_setup_cdb.9f \
454 scsi_slave.9f \
455 scsi_sync_pkt.9f \
456 scsi_transport.9f \
457 scsi_unprobe.9f \

```

```

458 scsi_validate_sense.9f \
459 scsi_vu_errmsg.9f \
460 semaphore.9f \
461 stoi.9f \
462 string.9f \
463 strlog.9f \
464 strqget.9f \
465 strqset.9f \
466 swab.9f \
467 taskq.9f \
468 testb.9f \
469 timeout.9f \
470 u8_strcmp.9f \
471 u8_textprep_str.9f \
472 u8_validate.9f \
473 uconv_ul6tou32.9f \
474 uiomove.9f \
475 unbufcall.9f \
476 unlinkb.9f \
477 untimeout.9f \
478 ureadc.9f \
479 usb_alloc_request.9f \
480 usb_client_attach.9f \
481 usb_clr_feature.9f \
482 usb_create_pm_components.9f \
483 usb_get_addr.9f \
484 usb_get_alt_if.9f \
485 usb_get_cfg.9f \
486 usb_get_current_frame_number.9f \
487 usb_get_dev_data.9f \
488 usb_get_max_pkts_per_isoc_request.9f \
489 usb_get_status.9f \
490 usb_get_string_descr.9f \
491 usb_handle_remote_wakeup.9f \
492 usb_lookup_ep_data.9f \
493 usb_parse_data.9f \
494 usb_pipe_bulk_xfer.9f \
495 usb_pipe_close.9f \
496 usb_pipe_ctrl_xfer.9f \
497 usb_pipe_drain_reqs.9f \
498 usb_pipe_get_max_bulk_transfer_size.9f \
499 usb_pipe_get_state.9f \
500 usb_pipe_intr_xfer.9f \
501 usb_pipe_isoc_xfer.9f \
502 usb_pipe_open.9f \
503 usb_pipe_reset.9f \
504 usb_pipe_set_private.9f \
505 usb_register_hotplug_cbs.9f \
506 usb_reset_device.9f \
507 uwritec.9f \
508 va_arg.9f \
509 vsprintf.9f \
511 MANLINKS= \
512 \
513 \
514 \
515 \
516 \
517 \
518 \
519 \
520 \
521 \
522 \
523 \

```

```

524 atomic_add_16.9f \
525 atomic_add_16_nv.9f \
526 atomic_add_32.9f \
527 atomic_add_32_nv.9f \
528 atomic_add_64.9f \
529 atomic_add_64_nv.9f \
530 atomic_add_8.9f \
531 atomic_add_8_nv.9f \
532 atomic_add_char.9f \
533 atomic_add_char_nv.9f \
534 atomic_add_int.9f \
535 atomic_add_int_nv.9f \
536 atomic_add_long.9f \
537 atomic_add_long_nv.9f \
538 atomic_add_ptr.9f \
539 atomic_add_ptr_nv.9f \
540 atomic_add_short.9f \
541 atomic_add_short_nv.9f \
542 atomic_and_16.9f \
543 atomic_and_16_nv.9f \
544 atomic_and_32.9f \
545 atomic_and_32_nv.9f \
546 atomic_and_64.9f \
547 atomic_and_64_nv.9f \
548 atomic_and_8.9f \
549 atomic_and_8_nv.9f \
550 atomic_and_uchar.9f \
551 atomic_and_uchar_nv.9f \
552 atomic_and_uint.9f \
553 atomic_and_uint_nv.9f \
554 atomic_and_ulong.9f \
555 atomic_and_ulong_nv.9f \
556 atomic_and_ushort.9f \
557 atomic_and_ushort_nv.9f \
558 atomic_cas_16.9f \
559 atomic_cas_32.9f \
560 atomic_cas_64.9f \
561 atomic_cas_8.9f \
562 atomic_cas_ptr.9f \
563 atomic_cas_uchar.9f \
564 atomic_cas_uint.9f \
565 atomic_cas_ulong.9f \
566 atomic_cas_ushort.9f \
567 atomic_clear_long_excl.9f \
568 atomic_dec_16.9f \
569 atomic_dec_16_nv.9f \
570 atomic_dec_32.9f \
571 atomic_dec_32_nv.9f \
572 atomic_dec_64.9f \
573 atomic_dec_64_nv.9f \
574 atomic_dec_8.9f \
575 atomic_dec_8_nv.9f \
576 atomic_dec_ptr.9f \
577 atomic_dec_ptr_nv.9f \
578 atomic_dec_uchar.9f \
579 atomic_dec_uchar_nv.9f \
580 atomic_dec_uint.9f \
581 atomic_dec_uint_nv.9f \
582 atomic_dec_ulong.9f \
583 atomic_dec_ulong_nv.9f \
584 atomic_dec_ushort.9f \
585 atomic_dec_ushort_nv.9f \
586 atomic_inc_16.9f \
587 atomic_inc_16_nv.9f \
588 atomic_inc_32.9f \
589 atomic_inc_32_nv.9f \

```

```

590 atomic_inc_64.9f \
591 atomic_inc_64_nv.9f \
592 atomic_inc_8.9f \
593 atomic_inc_8_nv.9f \
594 atomic_inc_ptr.9f \
595 atomic_inc_ptr_nv.9f \
596 atomic_inc_uchar.9f \
597 atomic_inc_uchar_nv.9f \
598 atomic_inc_uint.9f \
599 atomic_inc_uint_nv.9f \
600 atomic_inc_ulong.9f \
601 atomic_inc_ulong_nv.9f \
602 atomic_inc_ushort.9f \
603 atomic_inc_ushort_nv.9f \
604 atomic_or_16.9f \
605 atomic_or_16_nv.9f \
606 atomic_or_32.9f \
607 atomic_or_32_nv.9f \
608 atomic_or_64.9f \
609 atomic_or_64_nv.9f \
610 atomic_or_8.9f \
611 atomic_or_8_nv.9f \
612 atomic_or_uchar.9f \
613 atomic_or_uchar_nv.9f \
614 atomic_or_uint.9f \
615 atomic_or_uint_nv.9f \
616 atomic_or_ulong.9f \
617 atomic_or_ulong_nv.9f \
618 atomic_or_ushort.9f \
619 atomic_or_ushort_nv.9f \
620 atomic_set_long_excl.9f \
621 atomic_swap_16.9f \
622 atomic_swap_32.9f \
623 atomic_swap_64.9f \
624 atomic_swap_8.9f \
625 atomic_swap_ptr.9f \
626 atomic_swap_uchar.9f \
627 atomic_swap_uint.9f \
628 atomic_swap_ulong.9f \
629 atomic_swap_ushort.9f \
630 crgetgid.9f \
631 crgetgroups.9f \
632 crgetngroups.9f \
633 crgetrgid.9f \
634 crgetruid.9f \
635 crgetsgid.9f \
636 crgetsuid.9f \
637 crgetuid.9f \
638 crgetzoneid.9f \
639 csx_Get16.9f \
640 csx_Get32.9f \
641 csx_Get64.9f \
642 csx_GetEventMask.9f \
643 csx_GetNextClient.9f \
644 csx_GetNextTuple.9f \
645 csx_Parse_CISTPL_DEVICE_A.9f \
646 csx_Parse_CISTPL_DEVICE_OA.9f \
647 csx_Parse_CISTPL_DEVICE_OC.9f \
648 csx_Parse_CISTPL_JEDEC_A.9f \
649 csx_Parse_CISTPL_LONGLINK_C.9f \
650 csx_Put16.9f \
651 csx_Put32.9f \
652 csx_Put64.9f \
653 csx_ReleaseIO.9f \
654 csx_ReleaseIRQ.9f \
655 csx_ReleaseSocketMask.9f \

```

```

656 csx_ReleaseWindow.9f \
657 csx_RemoveDeviceNode.9f \
658 csx_RepGet16.9f \
659 csx_RepGet32.9f \
660 csx_RepGet64.9f \
661 csx_RepPut16.9f \
662 csx_RepPut32.9f \
663 csx_RepPut64.9f \
664 cv_broadcast.9f \
665 cv_destroy.9f \
666 cv_init.9f \
667 cv_reltimedwait.9f \
668 cv_reltimedwait_sig.9f \
669 cv_signal.9f \
670 cv_timedwait.9f \
671 cv_timedwait_sig.9f \
672 cv_wait.9f \
673 cv_wait_sig.9f \
674 ddi_btopr.9f \
675 ddi_cb_unregister.9f \
676 ddi_check_dma_handle.9f \
677 ddi_devid_free.9f \
678 ddi_devid_get.9f \
679 ddi_devid_init.9f \
680 ddi_devid_register.9f \
681 ddi_devid_sizeof.9f \
682 ddi_devid_str_decode.9f \
683 ddi_devid_str_encode.9f \
684 ddi_devid_str_free.9f \
685 ddi_devid_unregister.9f \
686 ddi_devid_valid.9f \
687 ddi_devmap_segmap.9f \
688 ddi_dmae_1stparty.9f \
689 ddi_dmae_alloc.9f \
690 ddi_dmae_disable.9f \
691 ddi_dmae_enable.9f \
692 ddi_dmae_getattr.9f \
693 ddi_dmae_getcnt.9f \
694 ddi_dmae_prog.9f \
695 ddi_dmae_release.9f \
696 ddi_dmae_stop.9f \
697 ddi_exit_critical.9f \
698 ddi_fls.9f \
699 ddi_fm_capable.9f \
700 ddi_fm_dma_err_clear.9f \
701 ddi_fm_dma_err_get.9f \
702 ddi_fm_fini.9f \
703 ddi_fm_handler_unregister.9f \
704 ddi_get16.9f \
705 ddi_get32.9f \
706 ddi_get64.9f \
707 ddi_get_iblock_cookie.9f \
708 ddi_get_lbolt64.9f \
709 ddi_get_name.9f \
710 ddi_get_soft_iblock_cookie.9f \
711 ddi_get_soft_state.9f \
712 ddi_getb.9f \
713 ddi_getl.9f \
714 ddi_getll.9f \
715 ddi_getlongprop.9f \
716 ddi_getlongprop_buf.9f \
717 ddi_getprop.9f \
718 ddi_getproplen.9f \
719 ddi_getw.9f \
720 ddi_intr_block_disable.9f \
721 ddi_intr_block_enable.9f \

```

```

722 ddi_intr_clr_mask.9f \
723 ddi_intr_disable.9f \
724 ddi_intr_free.9f \
725 ddi_intr_get_navail.9f \
726 ddi_intr_get_softint_pri.9f \
727 ddi_intr_remove_handler.9f \
728 ddi_intr_remove_softint.9f \
729 ddi_intr_set_cap.9f \
730 ddi_intr_set_pri.9f \
731 ddi_intr_set_softint_pri.9f \
732 ddi_intr_trigger_softint.9f \
733 ddi_io_get16.9f \
734 ddi_io_get32.9f \
735 ddi_io_getb.9f \
736 ddi_io_getl.9f \
737 ddi_io_getw.9f \
738 ddi_io_put16.9f \
739 ddi_io_put32.9f \
740 ddi_io_putb.9f \
741 ddi_io_putl.9f \
742 ddi_io_putw.9f \
743 ddi_io_rep_get16.9f \
744 ddi_io_rep_get32.9f \
745 ddi_io_rep_getb.9f \
746 ddi_io_rep_getl.9f \
747 ddi_io_rep_getw.9f \
748 ddi_io_rep_put16.9f \
749 ddi_io_rep_put32.9f \
750 ddi_io_rep_putb.9f \
751 ddi_io_rep_putl.9f \
752 ddi_io_rep_putw.9f \
753 ddi_mem_get16.9f \
754 ddi_mem_get32.9f \
755 ddi_mem_get64.9f \
756 ddi_mem_getb.9f \
757 ddi_mem_getl.9f \
758 ddi_mem_getll.9f \
759 ddi_mem_getw.9f \
760 ddi_mem_put16.9f \
761 ddi_mem_put32.9f \
762 ddi_mem_put64.9f \
763 ddi_mem_putb.9f \
764 ddi_mem_putl.9f \
765 ddi_mem_putll.9f \
766 ddi_mem_putw.9f \
767 ddi_mem_rep_get16.9f \
768 ddi_mem_rep_get32.9f \
769 ddi_mem_rep_get64.9f \
770 ddi_mem_rep_getb.9f \
771 ddi_mem_rep_getl.9f \
772 ddi_mem_rep_getll.9f \
773 ddi_mem_rep_getw.9f \
774 ddi_mem_rep_put16.9f \
775 ddi_mem_rep_put32.9f \
776 ddi_mem_rep_put64.9f \
777 ddi_mem_rep_putb.9f \
778 ddi_mem_rep_putl.9f \
779 ddi_mem_rep_putll.9f \
780 ddi_mem_rep_putw.9f \
781 ddi_modclose.9f \
782 ddi_modsym.9f \
783 ddi_peek16.9f \
784 ddi_peek32.9f \
785 ddi_peek64.9f \
786 ddi_peek8.9f \
787 ddi_peekc.9f \

```

```

788 ddi_peekd.9f \
789 ddi_peekl.9f \
790 ddi_peeks.9f \
791 ddi_poke16.9f \
792 ddi_poke32.9f \
793 ddi_poke64.9f \
794 ddi_poke8.9f \
795 ddi_pokec.9f \
796 ddi_poked.9f \
797 ddi_pokel.9f \
798 ddi_pokes.9f \
799 ddi_prop_free.9f \
800 ddi_prop_get_int64.9f \
801 ddi_prop_lookup_byte_array.9f \
802 ddi_prop_lookup_int64_array.9f \
803 ddi_prop_lookup_int_array.9f \
804 ddi_prop_lookup_string.9f \
805 ddi_prop_lookup_string_array.9f \
806 ddi_prop_modify.9f \
807 ddi_prop_remove.9f \
808 ddi_prop_remove_all.9f \
809 ddi_prop_undefine.9f \
810 ddi_prop_update_byte_array.9f \
811 ddi_prop_update_int.9f \
812 ddi_prop_update_int64.9f \
813 ddi_prop_update_int64_array.9f \
814 ddi_prop_update_int_array.9f \
815 ddi_prop_update_string.9f \
816 ddi_prop_update_string_array.9f \
817 ddi_ptob.9f \
818 ddi_put16.9f \
819 ddi_put32.9f \
820 ddi_put64.9f \
821 ddi_putb.9f \
822 ddi_putl.9f \
823 ddi_putll.9f \
824 ddi_putw.9f \
825 ddi_remove_intr.9f \
826 ddi_remove_softintr.9f \
827 ddi_rep_get16.9f \
828 ddi_rep_get32.9f \
829 ddi_rep_get64.9f \
830 ddi_rep_getb.9f \
831 ddi_rep_getl.9f \
832 ddi_rep_getll.9f \
833 ddi_rep_getw.9f \
834 ddi_rep_put16.9f \
835 ddi_rep_put32.9f \
836 ddi_rep_put64.9f \
837 ddi_rep_putb.9f \
838 ddi_rep_putl.9f \
839 ddi_rep_putll.9f \
840 ddi_rep_putw.9f \
841 ddi_segmap_setup.9f \
842 ddi_set_driver_private.9f \
843 ddi_soft_state_fini.9f \
844 ddi_soft_state_free.9f \
845 ddi_soft_state_init.9f \
846 ddi_soft_state_zalloc.9f \
847 ddi_strdup.9f \
848 ddi_strtoul.9f \
849 ddi_taskq_create.9f \
850 ddi_taskq_destroy.9f \
851 ddi_taskq_dispatch.9f \
852 ddi_taskq_resume.9f \
853 ddi_taskq_suspend.9f \

```

```

854 ddi_taskq_wait.9f \
855 ddi_trigger_softintr.9f \
856 ddi_umem_free.9f \
857 ddi_umem_unlock.9f \
858 ddi_unmap_regs.9f \
859 desballoc.9f \
860 dev_err.9f \
861 devmap_load.9f \
862 devmap_umem_setup.9f \
863 dlerrorack.9f \
864 dloack.9f \
865 dlphysaddrack.9f \
866 dluderrorind.9f \
867 free_pktiob.9f \
868 gld_intr.9f \
869 gld_mac_alloc.9f \
870 gld_mac_free.9f \
871 gld_rcv.9f \
872 gld_register.9f \
873 gld_sched.9f \
874 gld_unregister.9f \
875 id32_free.9f \
876 id32_lookup.9f \
877 inl.9f \
878 intro.9f \
879 inw.9f \
880 kmem_cache_alloc.9f \
881 kmem_cache_destroy.9f \
882 kmem_cache_free.9f \
883 kmem_cache_set_move.9f \
884 kmem_free.9f \
885 kmem_zalloc.9f \
886 kstat_named_setstr.9f \
887 kstat_runq_back_to_waitq.9f \
888 kstat_runq_enter.9f \
889 kstat_runq_exit.9f \
890 kstat_waitq_enter.9f \
891 kstat_waitq_exit.9f \
892 kstat_waitq_to_runq.9f \
893 ldi_await.9f \
894 ldi_close.9f \
895 ldi_get_devid.9f \
896 ldi_get_minor_name.9f \
897 ldi_get_otyp.9f \
898 ldi_getmsg.9f \
899 ldi_ident_from_dip.9f \
900 ldi_ident_from_stream.9f \
901 ldi_ident_release.9f \
902 ldi_open_by_devid.9f \
903 ldi_open_by_name.9f \
904 ldi_prop_get_int64.9f \
905 ldi_prop_lookup_byte_array.9f \
906 ldi_prop_lookup_int64_array.9f \
907 ldi_prop_lookup_string.9f \
908 ldi_prop_lookup_string_array.9f \
909 ldi_write.9f \
910 list_destroy.9f \
911 list_head.9f \
912 list_insert_after.9f \
913 list_insert_before.9f \
914 list_insert_head.9f \
915 list_insert_tail.9f \
916 list_is_empty.9f \
917 list_link_active.9f \
918 list_link_init.9f \
919 list_link_replace.9f \

```

```

920 list_move_tail.9f \
921 list_next.9f \
922 list_prev.9f \
923 list_remove.9f \
924 list_remove_head.9f \
925 list_remove_tail.9f \
926 list_tail.9f \
927 makecom_g0.9f \
928 makecom_g0_s.9f \
929 makecom_g1.9f \
930 makecom_g5.9f \
931 membar_consumer.9f \
932 membar_enter.9f \
933 membar_exit.9f \
934 membar_producer.9f \
935 memcmp.9f \
936 memcpy.9f \
937 memmove.9f \
938 memset.9f \
939 minphys.9f \
940 mod_info.9f \
941 mod_modname.9f \
942 mod_remove.9f \
943 mutex_destroy.9f \
944 mutex_enter.9f \
945 mutex_exit.9f \
946 mutex_init.9f \
947 mutex_owned.9f \
948 mutex_tryenter.9f \
949 net_event_notify_unregister.9f \
950 net_instance_notify_unregister.9f \
951 net_instance_protocol_unregister.9f \
952 numtos.9f \
953 nv_alloc_fini.9f \
954 nv_alloc_init.9f \
955 nvlist_add_boolean_array.9f \
956 nvlist_add_boolean_value.9f \
957 nvlist_add_byte.9f \
958 nvlist_add_byte_array.9f \
959 nvlist_add_int16.9f \
960 nvlist_add_int16_array.9f \
961 nvlist_add_int32.9f \
962 nvlist_add_int32_array.9f \
963 nvlist_add_int64.9f \
964 nvlist_add_int64_array.9f \
965 nvlist_add_int8.9f \
966 nvlist_add_int8_array.9f \
967 nvlist_add_nvlist.9f \
968 nvlist_add_nvlist_array.9f \
969 nvlist_add_nvpair.9f \
970 nvlist_add_string.9f \
971 nvlist_add_string_array.9f \
972 nvlist_add_uint16.9f \
973 nvlist_add_uint16_array.9f \
974 nvlist_add_uint32.9f \
975 nvlist_add_uint32_array.9f \
976 nvlist_add_uint64.9f \
977 nvlist_add_uint64_array.9f \
978 nvlist_add_uint8.9f \
979 nvlist_add_uint8_array.9f \
980 nvlist_dup.9f \
981 nvlist_exists.9f \
982 nvlist_free.9f \
983 nvlist_lookup_boolean_array.9f \
984 nvlist_lookup_boolean_value.9f \
985 nvlist_lookup_byte.9f \

```

```

986 nvlist_lookup_byte_array.9f \
987 nvlist_lookup_int16.9f \
988 nvlist_lookup_int16_array.9f \
989 nvlist_lookup_int32.9f \
990 nvlist_lookup_int32_array.9f \
991 nvlist_lookup_int64.9f \
992 nvlist_lookup_int64_array.9f \
993 nvlist_lookup_int8.9f \
994 nvlist_lookup_int8_array.9f \
995 nvlist_lookup_nvlist.9f \
996 nvlist_lookup_nvlist_array.9f \
997 nvlist_lookup_pairs.9f \
998 nvlist_lookup_string.9f \
999 nvlist_lookup_string_array.9f \
1000 nvlist_lookup_uint16.9f \
1001 nvlist_lookup_uint16_array.9f \
1002 nvlist_lookup_uint32.9f \
1003 nvlist_lookup_uint32_array.9f \
1004 nvlist_lookup_uint64.9f \
1005 nvlist_lookup_uint64_array.9f \
1006 nvlist_lookup_uint8.9f \
1007 nvlist_lookup_uint8_array.9f \
1008 nvlist_merge.9f \
1009 nvlist_pack.9f \
1010 nvlist_remove_all.9f \
1011 nvlist_size.9f \
1012 nvlist_t.9f \
1013 nvlist_unpack.9f \
1014 nvlist_xalloc.9f \
1015 nvlist_xdup.9f \
1016 nvlist_xpack.9f \
1017 nvlist_xunpack.9f \
1018 nvpair_name.9f \
1019 nvpair_type.9f \
1020 nvpair_value_boolean_array.9f \
1021 nvpair_value_byte_array.9f \
1022 nvpair_value_int16.9f \
1023 nvpair_value_int16_array.9f \
1024 nvpair_value_int32.9f \
1025 nvpair_value_int32_array.9f \
1026 nvpair_value_int64.9f \
1027 nvpair_value_int64_array.9f \
1028 nvpair_value_int8.9f \
1029 nvpair_value_int8_array.9f \
1030 nvpair_value_nvlist.9f \
1031 nvpair_value_nvlist_array.9f \
1032 nvpair_value_string.9f \
1033 nvpair_value_string_array.9f \
1034 nvpair_value_uint16.9f \
1035 nvpair_value_uint16_array.9f \
1036 nvpair_value_uint32.9f \
1037 nvpair_value_uint32_array.9f \
1038 nvpair_value_uint64.9f \
1039 nvpair_value_uint64_array.9f \
1040 nvpair_value_uint8.9f \
1041 nvpair_value_uint8_array.9f \
1042 otherq.9f \
1043 outl.9f \
1044 outw.9f \
1045 pci_config_get16.9f \
1046 pci_config_get32.9f \
1047 pci_config_get64.9f \
1048 pci_config_getb.9f \
1049 pci_config_getl.9f \
1050 pci_config_getll.9f \
1051 pci_config_getw.9f \

```

```

1052 pci_config_put16.9f \
1053 pci_config_put32.9f \
1054 pci_config_put64.9f \
1055 pci_config_put8.9f \
1056 pci_config_putb.9f \
1057 pci_config_putl.9f \
1058 pci_config_putll.9f \
1059 pci_config_putw.9f \
1060 pci_config_teardown.9f \
1061 pci_ereport_post.9f \
1062 pci_ereport_teardown.9f \
1063 pci_restore_config_regs.9f \
1064 pm_idle_component.9f \
1065 pm_lower_power.9f \
1066 priv_policy_choice.9f \
1067 priv_policy_only.9f \
1068 proc_ref.9f \
1069 proc_unref.9f \
1070 qprocsoff.9f \
1071 qwait_sig.9f \
1072 rd.9f \
1073 repinsb.9f \
1074 repinsd.9f \
1075 repinsw.9f \
1076 repoutsb.9f \
1077 repoutsd.9f \
1078 repoutsw.9f \
1079 rmallocmap_wait.9f \
1080 rmfreemap.9f \
1081 rw_destroy.9f \
1082 rw_downgrade.9f \
1083 rw_enter.9f \
1084 rw_exit.9f \
1085 rw_init.9f \
1086 rw_read_locked.9f \
1087 rw_tryenter.9f \
1088 rw_tryupgrade.9f \
1089 samestr.9f \
1090 scsi_dmafree.9f \
1091 scsi_dname.9f \
1092 scsi_hba_detach.9f \
1093 scsi_hba_fini.9f \
1094 scsi_hba_pkt_free.9f \
1095 scsi_hba_tran_free.9f \
1096 scsi_ifsetcap.9f \
1097 scsi_mname.9f \
1098 scsi_pktfree.9f \
1099 scsi_resalloc.9f \
1100 scsi_resfree.9f \
1101 scsi_rname.9f \
1102 scsi_sense_asc.9f \
1103 scsi_sense_ascq.9f \
1104 scsi_sense_cmdspecific_uint64.9f \
1105 scsi_sense_info_uint64.9f \
1106 scsi_sname.9f \
1107 scsi_unslave.9f \
1108 sema_destroy.9f \
1109 sema_init.9f \
1110 sema_p.9f \
1111 sema_p_sig.9f \
1112 sema_tryp.9f \
1113 sema_v.9f \
1114 strcasecmp.9f \
1115 strchr.9f \
1116 strcmp.9f \
1117 strcpy.9f \

```

```

1118 strdup.9f \
1119 strfree.9f \
1120 strlcat.9f \
1121 strlcpy.9f \
1122 strlen.9f \
1123 strncasecmp.9f \
1124 strncat.9f \
1125 strncmp.9f \
1126 strncpy.9f \
1127 strnlen.9f \
1128 strrchr.9f \
1129 strspn.9f \
1130 taskq_suspended.9f \
1131 uconv_u16tou8.9f \
1132 uconv_u32tou16.9f \
1133 uconv_u32tou8.9f \
1134 uconv_u8tou16.9f \
1135 uconv_u8tou32.9f \
1136 unfreeze.9f \
1137 usb_alloc_bulk_req.9f \
1138 usb_alloc_ctrl_req.9f \
1139 usb_alloc_intr_req.9f \
1140 usb_alloc_isoc_req.9f \
1141 usb_client_detach.9f \
1142 usb_free_bulk_req.9f \
1143 usb_free_ctrl_req.9f \
1144 usb_free_descr_tree.9f \
1145 usb_free_dev_data.9f \
1146 usb_free_intr_req.9f \
1147 usb_free_isoc_req.9f \
1148 usb_get_if_number.9f \
1149 usb_owns_device.9f \
1150 usb_pipe_ctrl_xfer_wait.9f \
1151 usb_pipe_get_private.9f \
1152 usb_pipe_stop_intr_polling.9f \
1153 usb_pipe_stop_isoc_polling.9f \
1154 usb_print_descr_tree.9f \
1155 usb_set_alt_if.9f \
1156 usb_set_cfg.9f \
1157 usb_unregister_hotplug_cbs.9f \
1158 va_copy.9f \
1159 va_end.9f \
1160 va_start.9f \
1161 vcmn_err.9f \
1162 vzcmn_err.9f \
1163 wr.9f \
1164 zcmn_err.9f \
1166 assert.9f == LINKSRC = ASSERT.9f \
1168 intro.9f == LINKSRC = Intro.9f \
1170 otherq.9f == LINKSRC = OTHERQ.9f \
1172 rd.9f == LINKSRC = RD.9f \
1174 samestr.9f == LINKSRC = SAMESTR.9f \
1176 SIZEOF_PTR.9f == LINKSRC = STRUCT_DECL.9f \
1177 SIZEOF_STRUCT.9f == LINKSRC = STRUCT_DECL.9f \
1178 STRUCT_BUF.9f == LINKSRC = STRUCT_DECL.9f \
1179 STRUCT_FADDR.9f == LINKSRC = STRUCT_DECL.9f \
1180 STRUCT_FGET.9f == LINKSRC = STRUCT_DECL.9f \
1181 STRUCT_FGETP.9f == LINKSRC = STRUCT_DECL.9f \
1182 STRUCT_FSET.9f == LINKSRC = STRUCT_DECL.9f \
1183 STRUCT_FSETP.9f == LINKSRC = STRUCT_DECL.9f \

```



```

1184 STRUCT_HANDLE.9f      == LINKSRC = STRUCT_DECL.9f
1185 STRUCT_INIT.9f         == LINKSRC = STRUCT_DECL.9f
1186 STRUCT_SET_HANDLE.9f   == LINKSRC = STRUCT_DECL.9f
1187 STRUCT_SIZE.9f         == LINKSRC = STRUCT_DECL.9f

1189 wr.9f                  == LINKSRC = WR.9f

1191 atomic_add_16.9f        == LINKSRC = atomic_add.9f
1192 atomic_add_16_nv.9f     == LINKSRC = atomic_add.9f
1193 atomic_add_32.9f        == LINKSRC = atomic_add.9f
1194 atomic_add_32_nv.9f     == LINKSRC = atomic_add.9f
1195 atomic_add_64.9f        == LINKSRC = atomic_add.9f
1196 atomic_add_64_nv.9f     == LINKSRC = atomic_add.9f
1197 atomic_add_8.9f         == LINKSRC = atomic_add.9f
1198 atomic_add_8_nv.9f      == LINKSRC = atomic_add.9f
1199 atomic_add_char.9f      == LINKSRC = atomic_add.9f
1200 atomic_add_char_nv.9f   == LINKSRC = atomic_add.9f
1201 atomic_add_int.9f       == LINKSRC = atomic_add.9f
1202 atomic_add_int_nv.9f    == LINKSRC = atomic_add.9f
1203 atomic_add_long.9f      == LINKSRC = atomic_add.9f
1204 atomic_add_long_nv.9f   == LINKSRC = atomic_add.9f
1205 atomic_add_ptr.9f       == LINKSRC = atomic_add.9f
1206 atomic_add_ptr_nv.9f   == LINKSRC = atomic_add.9f
1207 atomic_add_short.9f     == LINKSRC = atomic_add.9f
1208 atomic_add_short_nv.9f  == LINKSRC = atomic_add.9f
1209 atomic_and_16.9f        == LINKSRC = atomic_and.9f
1210 atomic_and_16_nv.9f     == LINKSRC = atomic_and.9f
1211 atomic_and_32.9f        == LINKSRC = atomic_and.9f
1212 atomic_and_32_nv.9f     == LINKSRC = atomic_and.9f
1213 atomic_and_64.9f        == LINKSRC = atomic_and.9f
1214 atomic_and_64_nv.9f     == LINKSRC = atomic_and.9f
1215 atomic_and_8.9f         == LINKSRC = atomic_and.9f
1216 atomic_and_8_nv.9f      == LINKSRC = atomic_and.9f
1217 atomic_and_uchar.9f     == LINKSRC = atomic_and.9f
1218 atomic_and_uchar_nv.9f == LINKSRC = atomic_and.9f
1219 atomic_and_uint.9f      == LINKSRC = atomic_and.9f
1220 atomic_and_uint_nv.9f   == LINKSRC = atomic_and.9f
1221 atomic_and_ulong.9f     == LINKSRC = atomic_and.9f
1222 atomic_and_ulong_nv.9f  == LINKSRC = atomic_and.9f
1223 atomic_and_ushort.9f    == LINKSRC = atomic_and.9f
1224 atomic_and_ushort_nv.9f == LINKSRC = atomic_and.9f

1226 atomic_clear_long_excl.9f == LINKSRC = atomic_bits.9f
1227 atomic_set_long_excl.9f   == LINKSRC = atomic_bits.9f

1229 atomic_cas_16.9f        == LINKSRC = atomic_cas.9f
1230 atomic_cas_32.9f        == LINKSRC = atomic_cas.9f
1231 atomic_cas_64.9f        == LINKSRC = atomic_cas.9f
1232 atomic_cas_8.9f         == LINKSRC = atomic_cas.9f
1233 atomic_cas_ptr.9f       == LINKSRC = atomic_cas.9f
1234 atomic_cas_uchar.9f     == LINKSRC = atomic_cas.9f
1235 atomic_cas_uint.9f      == LINKSRC = atomic_cas.9f
1236 atomic_cas_ulong.9f     == LINKSRC = atomic_cas.9f
1237 atomic_cas_ushort.9f    == LINKSRC = atomic_cas.9f

1239 atomic_dec_16.9f        == LINKSRC = atomic_dec.9f
1240 atomic_dec_16_nv.9f     == LINKSRC = atomic_dec.9f
1241 atomic_dec_32.9f        == LINKSRC = atomic_dec.9f
1242 atomic_dec_32_nv.9f     == LINKSRC = atomic_dec.9f
1243 atomic_dec_64.9f        == LINKSRC = atomic_dec.9f
1244 atomic_dec_64_nv.9f     == LINKSRC = atomic_dec.9f
1245 atomic_dec_8.9f         == LINKSRC = atomic_dec.9f
1246 atomic_dec_8_nv.9f      == LINKSRC = atomic_dec.9f
1247 atomic_dec_ptr.9f       == LINKSRC = atomic_dec.9f
1248 atomic_dec_ptr_nv.9f    == LINKSRC = atomic_dec.9f
1249 atomic_dec_uchar.9f     == LINKSRC = atomic_dec.9f

```

```

1250 atomic_dec_uchar_nv.9f  == LINKSRC = atomic_dec.9f
1251 atomic_dec_uint.9f      == LINKSRC = atomic_dec.9f
1252 atomic_dec_uint_nv.9f   == LINKSRC = atomic_dec.9f
1253 atomic_dec_ulong.9f     == LINKSRC = atomic_dec.9f
1254 atomic_dec_ulong_nv.9f  == LINKSRC = atomic_dec.9f
1255 atomic_dec_ushort.9f    == LINKSRC = atomic_dec.9f
1256 atomic_dec_ushort_nv.9f == LINKSRC = atomic_dec.9f

1258 atomic_inc_16.9f        == LINKSRC = atomic_inc.9f
1259 atomic_inc_16_nv.9f     == LINKSRC = atomic_inc.9f
1260 atomic_inc_32.9f        == LINKSRC = atomic_inc.9f
1261 atomic_inc_32_nv.9f     == LINKSRC = atomic_inc.9f
1262 atomic_inc_64.9f        == LINKSRC = atomic_inc.9f
1263 atomic_inc_64_nv.9f     == LINKSRC = atomic_inc.9f
1264 atomic_inc_8.9f         == LINKSRC = atomic_inc.9f
1265 atomic_inc_8_nv.9f      == LINKSRC = atomic_inc.9f
1266 atomic_inc_ptr.9f       == LINKSRC = atomic_inc.9f
1267 atomic_inc_ptr_nv.9f    == LINKSRC = atomic_inc.9f
1268 atomic_inc_uchar.9f     == LINKSRC = atomic_inc.9f
1269 atomic_inc_uchar_nv.9f  == LINKSRC = atomic_inc.9f
1270 atomic_inc_uint.9f      == LINKSRC = atomic_inc.9f
1271 atomic_inc_uint_nv.9f   == LINKSRC = atomic_inc.9f
1272 atomic_inc_ulong.9f     == LINKSRC = atomic_inc.9f
1273 atomic_inc_ulong_nv.9f  == LINKSRC = atomic_inc.9f
1274 atomic_inc_ushort.9f    == LINKSRC = atomic_inc.9f
1275 atomic_inc_ushort_nv.9f == LINKSRC = atomic_inc.9f

1277 atomic_or_16.9f         == LINKSRC = atomic_or.9f
1278 atomic_or_16_nv.9f      == LINKSRC = atomic_or.9f
1279 atomic_or_32.9f         == LINKSRC = atomic_or.9f
1280 atomic_or_32_nv.9f      == LINKSRC = atomic_or.9f
1281 atomic_or_64.9f         == LINKSRC = atomic_or.9f
1282 atomic_or_64_nv.9f      == LINKSRC = atomic_or.9f
1283 atomic_or_8.9f          == LINKSRC = atomic_or.9f
1284 atomic_or_8_nv.9f       == LINKSRC = atomic_or.9f
1285 atomic_or_uchar.9f      == LINKSRC = atomic_or.9f
1286 atomic_or_uchar_nv.9f   == LINKSRC = atomic_or.9f
1287 atomic_or_uint.9f       == LINKSRC = atomic_or.9f
1288 atomic_or_uint_nv.9f    == LINKSRC = atomic_or.9f
1289 atomic_or_ulong.9f      == LINKSRC = atomic_or.9f
1290 atomic_or_ulong_nv.9f    == LINKSRC = atomic_or.9f
1291 atomic_or_ushort.9f     == LINKSRC = atomic_or.9f
1292 atomic_or_ushort_nv.9f  == LINKSRC = atomic_or.9f

1294 atomic_swap_16.9f        == LINKSRC = atomic_swap.9f
1295 atomic_swap_32.9f        == LINKSRC = atomic_swap.9f
1296 atomic_swap_64.9f        == LINKSRC = atomic_swap.9f
1297 atomic_swap_8.9f         == LINKSRC = atomic_swap.9f
1298 atomic_swap_ptr.9f       == LINKSRC = atomic_swap.9f
1299 atomic_swap_uchar.9f     == LINKSRC = atomic_swap.9f
1300 atomic_swap_uint.9f      == LINKSRC = atomic_swap.9f
1301 atomic_swap_ulong.9f     == LINKSRC = atomic_swap.9f
1302 atomic_swap_ushort.9f    == LINKSRC = atomic_swap.9f

1304 dev_err.9f              == LINKSRC = cmn_err.9f
1305 vcmn_err.9f             == LINKSRC = cmn_err.9f
1306 vzcmm_err.9f            == LINKSRC = cmn_err.9f
1307 zcmn_err.9f             == LINKSRC = cmn_err.9f

1309 cv_broadcast.9f          == LINKSRC = condvar.9f
1310 cv_destroy.9f            == LINKSRC = condvar.9f
1311 cv_init.9f              == LINKSRC = condvar.9f
1312 cv_reltimedwait.9f      == LINKSRC = condvar.9f
1313 cv_reltimedwait_sig.9f  == LINKSRC = condvar.9f
1314 cv_signal.9f            == LINKSRC = condvar.9f
1315 cv_timedwait.9f         == LINKSRC = condvar.9f

```

```

1316 cv_timedwait_sig.9f      := LINKSRC = condvar.9f
1317 cv_wait.9f               := LINKSRC = condvar.9f
1318 cv_wait_sig.9f            := LINKSRC = condvar.9f

1320 csx_Get16.9f              := LINKSRC = csx_Get8.9f
1321 csx_Get32.9f              := LINKSRC = csx_Get8.9f
1322 csx_Get64.9f              := LINKSRC = csx_Get8.9f

1324 csx_GetNextClient.9f     := LINKSRC = csx_GetFirstClient.9f

1326 csx_GetNextTuple.9f      := LINKSRC = csx_GetFirstTuple.9f

1328 csx_RemoveDeviceNode.9f   := LINKSRC = csx_MakeDeviceNode.9f

1330 csx_Parse_CISTPL_DEVICE_A.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1331 csx_Parse_CISTPL_DEVICE_OA.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1332 csx_Parse_CISTPL_DEVICE_OC.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f

1334 csx_Parse_CISTPL_JEDEC_A.9f := LINKSRC = csx_Parse_CISTPL_JEDEC_C.9f

1336 csx_Parse_CISTPL_LONGLINK_C.9f := LINKSRC = csx_Parse_CISTPL_LONGLINK_A

1338 csx_Put16.9f              := LINKSRC = csx_Put8.9f
1339 csx_Put32.9f              := LINKSRC = csx_Put8.9f
1340 csx_Put64.9f              := LINKSRC = csx_Put8.9f

1342 csx_RepGet16.9f           := LINKSRC = csx_RepGet8.9f
1343 csx_RepGet32.9f           := LINKSRC = csx_RepGet8.9f
1344 csx_RepGet64.9f           := LINKSRC = csx_RepGet8.9f

1346 csx_RepPut16.9f           := LINKSRC = csx_RepPut8.9f
1347 csx_RepPut32.9f           := LINKSRC = csx_RepPut8.9f
1348 csx_RepPut64.9f           := LINKSRC = csx_RepPut8.9f

1350 csx_ReleaseIO.9f          := LINKSRC = csx_RequestIO.9f

1352 csx_ReleaseIRQ.9f         := LINKSRC = csx_RequestIRQ.9f

1354 csx_ReleaseSocketMask.9f := LINKSRC = csx_RequestSocketMask.9f

1356 csx_ReleaseWindow.9f      := LINKSRC = csx_RequestWindow.9f

1358 csx_GetEventMask.9f       := LINKSRC = csx_SetEventMask.9f

1360 ddi_get_iblock_cookie.9f   := LINKSRC = ddi_add_intr.9f
1361 ddi_remove_intr.9f         := LINKSRC = ddi_add_intr.9f

1363 ddi_get_soft_iblock_cookie.9f := LINKSRC = ddi_add_softintr.9f
1364 ddi_remove_softintr.9f     := LINKSRC = ddi_add_softintr.9f
1365 ddi_trigger_softintr.9f     := LINKSRC = ddi_add_softintr.9f

1367 ddi_get_name.9f            := LINKSRC = ddi_binding_name.9f

1369 ddi_btopr.9f               := LINKSRC = ddi_btop.9f
1370 ddi_ptob.9f                := LINKSRC = ddi_btop.9f

1372 ddi_cb_unregister.9f       := LINKSRC = ddi_cb_register.9f

1374 ddi_check_dma_handle.9f    := LINKSRC = ddi_check_acc_handle.9f

1376 crgetgid.9f               := LINKSRC = ddi_cred.9f
1377 crgetgroups.9f            := LINKSRC = ddi_cred.9f
1378 crgetngroups.9f           := LINKSRC = ddi_cred.9f
1379 crgetrgid.9f               := LINKSRC = ddi_cred.9f
1380 crgetruid.9f               := LINKSRC = ddi_cred.9f
1381 crgetsgid.9f               := LINKSRC = ddi_cred.9f

```

```

1382 crgetsuid.9f              := LINKSRC = ddi_cred.9f
1383 crgetuid.9f                := LINKSRC = ddi_cred.9f
1384 crgetzoneid.9f            := LINKSRC = ddi_cred.9f

1386 ddi_devid_free.9f          := LINKSRC = ddi_devid_compare.9f
1387 ddi_devid_get.9f           := LINKSRC = ddi_devid_compare.9f
1388 ddi_devid_init.9f          := LINKSRC = ddi_devid_compare.9f
1389 ddi_devid_register.9f      := LINKSRC = ddi_devid_compare.9f
1390 ddi_devid_sizeof.9f        := LINKSRC = ddi_devid_compare.9f
1391 ddi_devid_str_decode.9f     := LINKSRC = ddi_devid_compare.9f
1392 ddi_devid_str_encode.9f    := LINKSRC = ddi_devid_compare.9f
1393 ddi_devid_str_free.9f      := LINKSRC = ddi_devid_compare.9f
1394 ddi_devid_unregister.9f    := LINKSRC = ddi_devid_compare.9f
1395 ddi_devid_valid.9f         := LINKSRC = ddi_devid_compare.9f

1397 ddi_dmae_1stparty.9f      := LINKSRC = ddi_dmae.9f
1398 ddi_dmae_alloc.9f          := LINKSRC = ddi_dmae.9f
1399 ddi_dmae_disable.9f        := LINKSRC = ddi_dmae.9f
1400 ddi_dmae_enable.9f         := LINKSRC = ddi_dmae.9f
1401 ddi_dmae_getattr.9f        := LINKSRC = ddi_dmae.9f
1402 ddi_dmae_getcnt.9f         := LINKSRC = ddi_dmae.9f
1403 ddi_dmae_prog.9f           := LINKSRC = ddi_dmae.9f
1404 ddi_dmae_release.9f        := LINKSRC = ddi_dmae.9f
1405 ddi_dmae_stop.9f           := LINKSRC = ddi_dmae.9f

1407 ddi_exit_critical.9f      := LINKSRC = ddi_enter_critical.9f

1409 ddi_fls.9f                := LINKSRC = ddi_ffs.9f

1411 ddi_fm_dma_err_clear.9f    := LINKSRC = ddi_fm_acc_err_clear.9f

1413 ddi_fm_dma_err_get.9f     := LINKSRC = ddi_fm_acc_err_get.9f

1415 ddi_fm_handler_unregister.9f := LINKSRC = ddi_fm_handler_register.9f

1417 ddi_fm_capable.9f          := LINKSRC = ddi_fm_init.9f
1418 ddi_fm_fini.9f             := LINKSRC = ddi_fm_init.9f

1420 ddi_get16.9f               := LINKSRC = ddi_get8.9f
1421 ddi_get32.9f               := LINKSRC = ddi_get8.9f
1422 ddi_get64.9f               := LINKSRC = ddi_get8.9f
1423 ddi_getb.9f                := LINKSRC = ddi_get8.9f
1424 ddi_getl.9f                := LINKSRC = ddi_get8.9f
1425 ddi_getll.9f              := LINKSRC = ddi_get8.9f
1426 ddi_getw.9f                := LINKSRC = ddi_get8.9f

1428 ddi_set_driver_private.9f  := LINKSRC = ddi_get_driver_private.9f

1430 ddi_get_lbolt64.9f         := LINKSRC = ddi_get_lbolt.9f

1432 ddi_intr_remove_handler.9f := LINKSRC = ddi_intr_add_handler.9f

1434 ddi_intr_get_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1435 ddi_intr_remove_softint.9f  := LINKSRC = ddi_intr_add_softint.9f
1436 ddi_intr_set_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1437 ddi_intr_trigger_softint.9f := LINKSRC = ddi_intr_add_softint.9f

1439 ddi_intr_free.9f           := LINKSRC = ddi_intr_alloc.9f

1441 ddi_intr_block_disable.9f   := LINKSRC = ddi_intr_enable.9f
1442 ddi_intr_block_enable.9f   := LINKSRC = ddi_intr_enable.9f
1443 ddi_intr_disable.9f         := LINKSRC = ddi_intr_enable.9f

1445 ddi_intr_set_cap.9f         := LINKSRC = ddi_intr_get_cap.9f

1447 ddi_intr_get_navail.9f     := LINKSRC = ddi_intr_get_nintrs.9f

```

```

1449 ddi_intr_set_pri.9f      == LINKSRC = ddi_intr_get_pri.9f
1451 ddi_intr_clr_mask.9f     == LINKSRC = ddi_intr_set_mask.9f

1453 ddi_io_get16.9f           == LINKSRC = ddi_io_get8.9f
1454 ddi_io_get32.9f           == LINKSRC = ddi_io_get8.9f
1455 ddi_io_getb.9f            == LINKSRC = ddi_io_get8.9f
1456 ddi_io_getl.9f           == LINKSRC = ddi_io_get8.9f
1457 ddi_io_getw.9f           == LINKSRC = ddi_io_get8.9f

1459 ddi_io_put16.9f           == LINKSRC = ddi_io_put8.9f
1460 ddi_io_put32.9f           == LINKSRC = ddi_io_put8.9f
1461 ddi_io_putb.9f           == LINKSRC = ddi_io_put8.9f
1462 ddi_io_putl.9f           == LINKSRC = ddi_io_put8.9f
1463 ddi_io_putw.9f           == LINKSRC = ddi_io_put8.9f

1465 ddi_io_rep_get16.9f      == LINKSRC = ddi_io_rep_get8.9f
1466 ddi_io_rep_get32.9f     == LINKSRC = ddi_io_rep_get8.9f
1467 ddi_io_rep_getb.9f      == LINKSRC = ddi_io_rep_get8.9f
1468 ddi_io_rep_getl.9f      == LINKSRC = ddi_io_rep_get8.9f
1469 ddi_io_rep_getw.9f      == LINKSRC = ddi_io_rep_get8.9f

1471 ddi_io_rep_put16.9f     == LINKSRC = ddi_io_rep_put8.9f
1472 ddi_io_rep_put32.9f     == LINKSRC = ddi_io_rep_put8.9f
1473 ddi_io_rep_putb.9f     == LINKSRC = ddi_io_rep_put8.9f
1474 ddi_io_rep_putl.9f     == LINKSRC = ddi_io_rep_put8.9f
1475 ddi_io_rep_putw.9f     == LINKSRC = ddi_io_rep_put8.9f

1477 ddi_unmap_regs.9f      == LINKSRC = ddi_map_regs.9f

1479 ddi_mem_get16.9f         == LINKSRC = ddi_mem_get8.9f
1480 ddi_mem_get32.9f         == LINKSRC = ddi_mem_get8.9f
1481 ddi_mem_get64.9f         == LINKSRC = ddi_mem_get8.9f
1482 ddi_mem_getb.9f         == LINKSRC = ddi_mem_get8.9f
1483 ddi_mem_getl.9f         == LINKSRC = ddi_mem_get8.9f
1484 ddi_mem_getll.9f        == LINKSRC = ddi_mem_get8.9f
1485 ddi_mem_getw.9f         == LINKSRC = ddi_mem_get8.9f

1487 ddi_mem_put16.9f        == LINKSRC = ddi_mem_put8.9f
1488 ddi_mem_put32.9f        == LINKSRC = ddi_mem_put8.9f
1489 ddi_mem_put64.9f        == LINKSRC = ddi_mem_put8.9f
1490 ddi_mem_putb.9f         == LINKSRC = ddi_mem_put8.9f
1491 ddi_mem_putl.9f         == LINKSRC = ddi_mem_put8.9f
1492 ddi_mem_putll.9f       == LINKSRC = ddi_mem_put8.9f
1493 ddi_mem_putw.9f         == LINKSRC = ddi_mem_put8.9f

1495 ddi_mem_rep_get16.9f    == LINKSRC = ddi_mem_rep_get8.9f
1496 ddi_mem_rep_get32.9f    == LINKSRC = ddi_mem_rep_get8.9f
1497 ddi_mem_rep_get64.9f    == LINKSRC = ddi_mem_rep_get8.9f
1498 ddi_mem_rep_getb.9f     == LINKSRC = ddi_mem_rep_get8.9f
1499 ddi_mem_rep_getl.9f     == LINKSRC = ddi_mem_rep_get8.9f
1500 ddi_mem_rep_getll.9f    == LINKSRC = ddi_mem_rep_get8.9f
1501 ddi_mem_rep_getw.9f     == LINKSRC = ddi_mem_rep_get8.9f

1503 ddi_mem_rep_put16.9f    == LINKSRC = ddi_mem_rep_put8.9f
1504 ddi_mem_rep_put32.9f    == LINKSRC = ddi_mem_rep_put8.9f
1505 ddi_mem_rep_put64.9f    == LINKSRC = ddi_mem_rep_put8.9f
1506 ddi_mem_rep_putb.9f     == LINKSRC = ddi_mem_rep_put8.9f
1507 ddi_mem_rep_putl.9f     == LINKSRC = ddi_mem_rep_put8.9f
1508 ddi_mem_rep_putll.9f    == LINKSRC = ddi_mem_rep_put8.9f
1509 ddi_mem_rep_putw.9f     == LINKSRC = ddi_mem_rep_put8.9f

1511 ddi_modclose.9f         == LINKSRC = ddi_modopen.9f
1512 ddi_modsym.9f          == LINKSRC = ddi_modopen.9f

```

```

1514 ddi_peek16.9f           == LINKSRC = ddi_peek.9f
1515 ddi_peek32.9f           == LINKSRC = ddi_peek.9f
1516 ddi_peek64.9f           == LINKSRC = ddi_peek.9f
1517 ddi_peek8.9f           == LINKSRC = ddi_peek.9f
1518 ddi_peekc.9f            == LINKSRC = ddi_peek.9f
1519 ddi_peekd.9f            == LINKSRC = ddi_peek.9f
1520 ddi_peekl.9f           == LINKSRC = ddi_peek.9f
1521 ddi_peeks.9f           == LINKSRC = ddi_peek.9f

1523 ddi_poke16.9f           == LINKSRC = ddi_poke.9f
1524 ddi_poke32.9f          == LINKSRC = ddi_poke.9f
1525 ddi_poke64.9f          == LINKSRC = ddi_poke.9f
1526 ddi_poke8.9f           == LINKSRC = ddi_poke.9f
1527 ddi_pokec.9f           == LINKSRC = ddi_poke.9f
1528 ddi_poked.9f           == LINKSRC = ddi_poke.9f
1529 ddi_pokel.9f           == LINKSRC = ddi_poke.9f
1530 ddi_pokes.9f           == LINKSRC = ddi_poke.9f

1532 ddi_prop_modify.9f      == LINKSRC = ddi_prop_create.9f
1533 ddi_prop_remove.9f      == LINKSRC = ddi_prop_create.9f
1534 ddi_prop_remove_all.9f == LINKSRC = ddi_prop_create.9f
1535 ddi_prop_undefine.9f    == LINKSRC = ddi_prop_create.9f

1537 ddi_prop_get_int64.9f  == LINKSRC = ddi_prop_get_int.9f

1539 ddi_prop_free.9f        == LINKSRC = ddi_prop_lookup.9f
1540 ddi_prop_lookup_byte_array.9f == LINKSRC = ddi_prop_lookup.9f
1541 ddi_prop_lookup_int64_array.9f == LINKSRC = ddi_prop_lookup.9f
1542 ddi_prop_lookup_int_array.9f == LINKSRC = ddi_prop_lookup.9f
1543 ddi_prop_lookup_string.9f == LINKSRC = ddi_prop_lookup.9f
1544 ddi_prop_lookup_string_array.9f == LINKSRC = ddi_prop_lookup.9f

1546 ddi_getlongprop.9f     == LINKSRC = ddi_prop_op.9f
1547 ddi_getlongprop_buf.9f == LINKSRC = ddi_prop_op.9f
1548 ddi_getprop.9f         == LINKSRC = ddi_prop_op.9f
1549 ddi_getpropflen.9f     == LINKSRC = ddi_prop_op.9f

1551 ddi_prop_update_byte_array.9f == LINKSRC = ddi_prop_update.9f
1552 ddi_prop_update_int.9f      == LINKSRC = ddi_prop_update.9f
1553 ddi_prop_update_int64.9f    == LINKSRC = ddi_prop_update.9f
1554 ddi_prop_update_int64_array.9f == LINKSRC = ddi_prop_update.9f
1555 ddi_prop_update_int_array.9f == LINKSRC = ddi_prop_update.9f
1556 ddi_prop_update_string.9f   == LINKSRC = ddi_prop_update.9f
1557 ddi_prop_update_string_array.9f == LINKSRC = ddi_prop_update.9f

1559 ddi_put16.9f           == LINKSRC = ddi_put8.9f
1560 ddi_put32.9f           == LINKSRC = ddi_put8.9f
1561 ddi_put64.9f           == LINKSRC = ddi_put8.9f
1562 ddi_putb.9f           == LINKSRC = ddi_put8.9f
1563 ddi_putl.9f           == LINKSRC = ddi_put8.9f
1564 ddi_putll.9f          == LINKSRC = ddi_put8.9f
1565 ddi_putw.9f           == LINKSRC = ddi_put8.9f

1567 ddi_rep_get16.9f       == LINKSRC = ddi_rep_get8.9f
1568 ddi_rep_get32.9f       == LINKSRC = ddi_rep_get8.9f
1569 ddi_rep_get64.9f       == LINKSRC = ddi_rep_get8.9f
1570 ddi_rep_getb.9f       == LINKSRC = ddi_rep_get8.9f
1571 ddi_rep_getl.9f       == LINKSRC = ddi_rep_get8.9f
1572 ddi_rep_getll.9f      == LINKSRC = ddi_rep_get8.9f
1573 ddi_rep_getw.9f       == LINKSRC = ddi_rep_get8.9f

1575 ddi_rep_put16.9f       == LINKSRC = ddi_rep_put8.9f
1576 ddi_rep_put32.9f      == LINKSRC = ddi_rep_put8.9f
1577 ddi_rep_put64.9f      == LINKSRC = ddi_rep_put8.9f
1578 ddi_rep_putb.9f       == LINKSRC = ddi_rep_put8.9f
1579 ddi_rep_putl.9f       == LINKSRC = ddi_rep_put8.9f

```

```

1580 ddi_rep_putll.9f      == LINKSRC = ddi_rep_put8.9f
1581 ddi_rep_putw.9f       == LINKSRC = ddi_rep_put8.9f

1583 ddi_segmap_setup.9f   == LINKSRC = ddi_segmap.9f

1585 ddi_get_soft_state.9f == LINKSRC = ddi_soft_state.9f
1586 ddi_soft_state_fini.9f == LINKSRC = ddi_soft_state.9f
1587 ddi_soft_state_free.9f == LINKSRC = ddi_soft_state.9f
1588 ddi_soft_state_init.9f == LINKSRC = ddi_soft_state.9f
1589 ddi_soft_state_zalloc.9f == LINKSRC = ddi_soft_state.9f

1591 ddi_strtoul.9f         == LINKSRC = ddi_strtoll.9f

1593 ddi_umem_free.9f      == LINKSRC = ddi_umem_alloc.9f

1595 ddi_umem_unlock.9f    == LINKSRC = ddi_umem_lock.9f

1597 devmap_umem_setup.9f == LINKSRC = devmap_devmem_setup.9f

1599 ddi_devmap_segmap.9f  == LINKSRC = devmap_setup.9f

1601 devmap_load.9f        == LINKSRC = devmap_unload.9f

1603 dlerrorack.9f         == LINKSRC = dlbindack.9f
1604 dllock.9f             == LINKSRC = dlbindack.9f
1605 dlphysaddrack.9f      == LINKSRC = dlbindack.9f
1606 dluderrorind.9f       == LINKSRC = dlbindack.9f

1608 desballoc.9f          == LINKSRC = esballoc.9f

1610 unfreezestr.9f        == LINKSRC = freezestr.9f

1612 free_pktiopb.9f      == LINKSRC = get_pktiopb.9f

1614 gld_intr.9f           == LINKSRC = gld.9f
1615 gld_mac_alloc.9f      == LINKSRC = gld.9f
1616 gld_mac_free.9f       == LINKSRC = gld.9f
1617 gld_rcv.9f            == LINKSRC = gld.9f
1618 gld_register.9f       == LINKSRC = gld.9f
1619 gld_sched.9f          == LINKSRC = gld.9f
1620 gld_unregister.9f     == LINKSRC = gld.9f

1622 id32_free.9f          == LINKSRC = id32_alloc.9f
1623 id32_lookup.9f        == LINKSRC = id32_alloc.9f

1625 inl.9f                == LINKSRC = inb.9f
1626 inw.9f                == LINKSRC = inb.9f
1627 repinsb.9f            == LINKSRC = inb.9f
1628 repinsd.9f            == LINKSRC = inb.9f
1629 repinsw.9f            == LINKSRC = inb.9f

1631 kmem_free.9f           == LINKSRC = kmem_alloc.9f
1632 kmem_zalloc.9f        == LINKSRC = kmem_alloc.9f

1634 kmem_cache_alloc.9f   == LINKSRC = kmem_cache_create.9f
1635 kmem_cache_destroy.9f == LINKSRC = kmem_cache_create.9f
1636 kmem_cache_free.9f    == LINKSRC = kmem_cache_create.9f
1637 kmem_cache_set_move.9f == LINKSRC = kmem_cache_create.9f

1639 kstat_named_setstr.9f == LINKSRC = kstat_named_init.9f

1641 kstat_runq_back_to_waitq.9f == LINKSRC = kstat_queue.9f
1642 kstat_runq_enter.9f        == LINKSRC = kstat_queue.9f
1643 kstat_runq_exit.9f         == LINKSRC = kstat_queue.9f
1644 kstat_waitq_enter.9f       == LINKSRC = kstat_queue.9f
1645 kstat_waitq_exit.9f       == LINKSRC = kstat_queue.9f

```

```

1646 kstat_waitq_to_runq.9f == LINKSRC = kstat_queue.9f

1648 ldi_awrite.9f           == LINKSRC = ldi_aread.9f

1650 ldi_get_devid.9f        == LINKSRC = ldi_get_dev.9f
1651 ldi_get_minor_name.9f   == LINKSRC = ldi_get_dev.9f
1652 ldi_get_otyp.9f        == LINKSRC = ldi_get_dev.9f

1654 ldi_ident_from_dip.9f   == LINKSRC = ldi_ident_from_dev.9f
1655 ldi_ident_from_stream.9f == LINKSRC = ldi_ident_from_dev.9f
1656 ldi_ident_release.9f    == LINKSRC = ldi_ident_from_dev.9f

1658 ldi_close.9f            == LINKSRC = ldi_open_by_dev.9f
1659 ldi_open_by_devid.9f    == LINKSRC = ldi_open_by_dev.9f
1660 ldi_open_by_name.9f     == LINKSRC = ldi_open_by_dev.9f

1662 ldi_prop_get_int64.9f   == LINKSRC = ldi_prop_get_int.9f

1664 ldi_prop_lookup_byte_array.9f == LINKSRC = ldi_prop_lookup_int_array.9f
1665 ldi_prop_lookup_int64_array.9f == LINKSRC = ldi_prop_lookup_int_array.9f
1666 ldi_prop_lookup_string.9f    == LINKSRC = ldi_prop_lookup_int_array.9f
1667 ldi_prop_lookup_string_array.9f == LINKSRC = ldi_prop_lookup_int_array.9f

1669 ldi_getmsg.9f           == LINKSRC = ldi_putmsg.9f

1671 ldi_write.9f            == LINKSRC = ldi_read.9f

1673 list_destroy.9f         == LINKSRC = list_create.9f
1674 list_head.9f           == LINKSRC = list_create.9f
1675 list_insert_after.9f    == LINKSRC = list_create.9f
1676 list_insert_before.9f  == LINKSRC = list_create.9f
1677 list_insert_head.9f    == LINKSRC = list_create.9f
1678 list_insert_tail.9f    == LINKSRC = list_create.9f
1679 list_is_empty.9f        == LINKSRC = list_create.9f
1680 list_link_active.9f     == LINKSRC = list_create.9f
1681 list_link_init.9f      == LINKSRC = list_create.9f
1682 list_link_replace.9f   == LINKSRC = list_create.9f
1683 list_move_tail.9f      == LINKSRC = list_create.9f
1684 list_next.9f           == LINKSRC = list_create.9f
1685 list_prev.9f           == LINKSRC = list_create.9f
1686 list_remove.9f         == LINKSRC = list_create.9f
1687 list_remove_head.9f    == LINKSRC = list_create.9f
1688 list_remove_tail.9f    == LINKSRC = list_create.9f
1689 list_tail.9f           == LINKSRC = list_create.9f

1691 makecom_g0.9f           == LINKSRC = makecom.9f
1692 makecom_g0_s.9f        == LINKSRC = makecom.9f
1693 makecom_g1.9f          == LINKSRC = makecom.9f
1694 makecom_g5.9f          == LINKSRC = makecom.9f

1696 membar_consumer.9f      == LINKSRC = membar_ops.9f
1697 membar_enter.9f         == LINKSRC = membar_ops.9f
1698 membar_exit.9f          == LINKSRC = membar_ops.9f
1699 membar_producer.9f      == LINKSRC = membar_ops.9f

1701 memcmp.9f               == LINKSRC = memchr.9f
1702 memcpy.9f              == LINKSRC = memchr.9f
1703 memmove.9f              == LINKSRC = memchr.9f
1704 memset.9f               == LINKSRC = memchr.9f

1706 mod_info.9f             == LINKSRC = mod_install.9f
1707 mod_modname.9f          == LINKSRC = mod_install.9f
1708 mod_remove.9f           == LINKSRC = mod_install.9f

1710 mutex_destroy.9f         == LINKSRC = mutex.9f
1711 mutex_enter.9f          == LINKSRC = mutex.9f

```

```

1712 mutex_exit.9f      == LINKSRC = mutex.9f
1713 mutex_init.9f       == LINKSRC = mutex.9f
1714 mutex_owmed.9f       == LINKSRC = mutex.9f
1715 mutex_tryenter.9f   == LINKSRC = mutex.9f

1717 net_event_notify_unregister.9f == LINKSRC = net_event_notify_register.9f

1719 net_instance_notify_unregister.9f == LINKSRC = net_instance_notify_register.9f

1721 net_instance_protocol_unregister.9f == LINKSRC = net_protocol_notify_register.9f

1723 nvlist_add_boolean_array.9f == LINKSRC = nvlist_add_boolean.9f
1724 nvlist_add_boolean_value.9f == LINKSRC = nvlist_add_boolean.9f
1725 nvlist_add_byte.9f == LINKSRC = nvlist_add_boolean.9f
1726 nvlist_add_byte_array.9f == LINKSRC = nvlist_add_boolean.9f
1727 nvlist_add_int16.9f == LINKSRC = nvlist_add_boolean.9f
1728 nvlist_add_int16_array.9f == LINKSRC = nvlist_add_boolean.9f
1729 nvlist_add_int32.9f == LINKSRC = nvlist_add_boolean.9f
1730 nvlist_add_int32_array.9f == LINKSRC = nvlist_add_boolean.9f
1731 nvlist_add_int64.9f == LINKSRC = nvlist_add_boolean.9f
1732 nvlist_add_int64_array.9f == LINKSRC = nvlist_add_boolean.9f
1733 nvlist_add_int8.9f == LINKSRC = nvlist_add_boolean.9f
1734 nvlist_add_int8_array.9f == LINKSRC = nvlist_add_boolean.9f
1735 nvlist_add_nvlist.9f == LINKSRC = nvlist_add_boolean.9f
1736 nvlist_add_nvlist_array.9f == LINKSRC = nvlist_add_boolean.9f
1737 nvlist_add_nvpair.9f == LINKSRC = nvlist_add_boolean.9f
1738 nvlist_add_string.9f == LINKSRC = nvlist_add_boolean.9f
1739 nvlist_add_string_array.9f == LINKSRC = nvlist_add_boolean.9f
1740 nvlist_add_uint16.9f == LINKSRC = nvlist_add_boolean.9f
1741 nvlist_add_uint16_array.9f == LINKSRC = nvlist_add_boolean.9f
1742 nvlist_add_uint32.9f == LINKSRC = nvlist_add_boolean.9f
1743 nvlist_add_uint32_array.9f == LINKSRC = nvlist_add_boolean.9f
1744 nvlist_add_uint64.9f == LINKSRC = nvlist_add_boolean.9f
1745 nvlist_add_uint64_array.9f == LINKSRC = nvlist_add_boolean.9f
1746 nvlist_add_uint8.9f == LINKSRC = nvlist_add_boolean.9f
1747 nvlist_add_uint8_array.9f == LINKSRC = nvlist_add_boolean.9f
1748 nvlist_t.9f == LINKSRC = nvlist_add_boolean.9f

1750 nv_alloc_fini.9f == LINKSRC = nvlist_alloc.9f
1751 nv_alloc_init.9f == LINKSRC = nvlist_alloc.9f
1752 nvlist_dup.9f == LINKSRC = nvlist_alloc.9f
1753 nvlist_free.9f == LINKSRC = nvlist_alloc.9f
1754 nvlist_merge.9f == LINKSRC = nvlist_alloc.9f
1755 nvlist_pack.9f == LINKSRC = nvlist_alloc.9f
1756 nvlist_size.9f == LINKSRC = nvlist_alloc.9f
1757 nvlist_unpack.9f == LINKSRC = nvlist_alloc.9f
1758 nvlist_xalloc.9f == LINKSRC = nvlist_alloc.9f
1759 nvlist_xdup.9f == LINKSRC = nvlist_alloc.9f
1760 nvlist_xpack.9f == LINKSRC = nvlist_alloc.9f
1761 nvlist_xunpack.9f == LINKSRC = nvlist_alloc.9f

1763 nvlist_lookup_boolean_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1764 nvlist_lookup_boolean_value.9f == LINKSRC = nvlist_lookup_boolean.9f
1765 nvlist_lookup_byte.9f == LINKSRC = nvlist_lookup_boolean.9f
1766 nvlist_lookup_byte_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1767 nvlist_lookup_int16.9f == LINKSRC = nvlist_lookup_boolean.9f
1768 nvlist_lookup_int16_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1769 nvlist_lookup_int32.9f == LINKSRC = nvlist_lookup_boolean.9f
1770 nvlist_lookup_int32_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1771 nvlist_lookup_int64.9f == LINKSRC = nvlist_lookup_boolean.9f
1772 nvlist_lookup_int64_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1773 nvlist_lookup_int8.9f == LINKSRC = nvlist_lookup_boolean.9f
1774 nvlist_lookup_int8_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1775 nvlist_lookup_nvlist.9f == LINKSRC = nvlist_lookup_boolean.9f
1776 nvlist_lookup_nvlist_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1777 nvlist_lookup_pairs.9f == LINKSRC = nvlist_lookup_boolean.9f

```

```

1778 nvlist_lookup_string.9f == LINKSRC = nvlist_lookup_boolean.9f
1779 nvlist_lookup_string_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1780 nvlist_lookup_uint16.9f == LINKSRC = nvlist_lookup_boolean.9f
1781 nvlist_lookup_uint16_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1782 nvlist_lookup_uint32.9f == LINKSRC = nvlist_lookup_boolean.9f
1783 nvlist_lookup_uint32_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1784 nvlist_lookup_uint64.9f == LINKSRC = nvlist_lookup_boolean.9f
1785 nvlist_lookup_uint64_array.9f == LINKSRC = nvlist_lookup_boolean.9f
1786 nvlist_lookup_uint8.9f == LINKSRC = nvlist_lookup_boolean.9f
1787 nvlist_lookup_uint8_array.9f == LINKSRC = nvlist_lookup_boolean.9f

1789 nvlist_exists.9f == LINKSRC = nvlist_lookup_nvpair.9f

1791 nvpair_name.9f == LINKSRC = nvlist_next_nvpair.9f
1792 nvpair_type.9f == LINKSRC = nvlist_next_nvpair.9f

1794 nvlist_remove_all.9f == LINKSRC = nvlist_remove.9f

1796 nvpair_value_boolean_array.9f == LINKSRC = nvpair_value_byte.9f
1797 nvpair_value_byte_array.9f == LINKSRC = nvpair_value_byte.9f
1798 nvpair_value_int16.9f == LINKSRC = nvpair_value_byte.9f
1799 nvpair_value_int16_array.9f == LINKSRC = nvpair_value_byte.9f
1800 nvpair_value_int32.9f == LINKSRC = nvpair_value_byte.9f
1801 nvpair_value_int32_array.9f == LINKSRC = nvpair_value_byte.9f
1802 nvpair_value_int64.9f == LINKSRC = nvpair_value_byte.9f
1803 nvpair_value_int64_array.9f == LINKSRC = nvpair_value_byte.9f
1804 nvpair_value_int8.9f == LINKSRC = nvpair_value_byte.9f
1805 nvpair_value_int8_array.9f == LINKSRC = nvpair_value_byte.9f
1806 nvpair_value_nvlist.9f == LINKSRC = nvpair_value_byte.9f
1807 nvpair_value_nvlist_array.9f == LINKSRC = nvpair_value_byte.9f
1808 nvpair_value_string.9f == LINKSRC = nvpair_value_byte.9f
1809 nvpair_value_string_array.9f == LINKSRC = nvpair_value_byte.9f
1810 nvpair_value_uint16.9f == LINKSRC = nvpair_value_byte.9f
1811 nvpair_value_uint16_array.9f == LINKSRC = nvpair_value_byte.9f
1812 nvpair_value_uint32.9f == LINKSRC = nvpair_value_byte.9f
1813 nvpair_value_uint32_array.9f == LINKSRC = nvpair_value_byte.9f
1814 nvpair_value_uint64.9f == LINKSRC = nvpair_value_byte.9f
1815 nvpair_value_uint64_array.9f == LINKSRC = nvpair_value_byte.9f
1816 nvpair_value_uint8.9f == LINKSRC = nvpair_value_byte.9f
1817 nvpair_value_uint8_array.9f == LINKSRC = nvpair_value_byte.9f

1819 outl.9f == LINKSRC = outb.9f
1820 outw.9f == LINKSRC = outb.9f
1821 repoutsb.9f == LINKSRC = outb.9f
1822 repoutsd.9f == LINKSRC = outb.9f
1823 repoutsw.9f == LINKSRC = outb.9f

1825 pci_config_get16.9f == LINKSRC = pci_config_get8.9f
1826 pci_config_get32.9f == LINKSRC = pci_config_get8.9f
1827 pci_config_get64.9f == LINKSRC = pci_config_get8.9f
1828 pci_config_getb.9f == LINKSRC = pci_config_get8.9f
1829 pci_config_getl.9f == LINKSRC = pci_config_get8.9f
1830 pci_config_getll.9f == LINKSRC = pci_config_get8.9f
1831 pci_config_getw.9f == LINKSRC = pci_config_get8.9f
1832 pci_config_put16.9f == LINKSRC = pci_config_get8.9f
1833 pci_config_put32.9f == LINKSRC = pci_config_get8.9f
1834 pci_config_put64.9f == LINKSRC = pci_config_get8.9f
1835 pci_config_put8.9f == LINKSRC = pci_config_get8.9f
1836 pci_config_putb.9f == LINKSRC = pci_config_get8.9f
1837 pci_config_putl.9f == LINKSRC = pci_config_get8.9f
1838 pci_config_putll.9f == LINKSRC = pci_config_get8.9f
1839 pci_config_putw.9f == LINKSRC = pci_config_get8.9f

1841 pci_config_teardown.9f == LINKSRC = pci_config_setup.9f

1843 pci_ereport_post.9f == LINKSRC = pci_ereport_setup.9f

```

```
1844 pci_ereport_teardown.9f      := LINKSRC = pci_ereport_setup.9f
1846 pci_restore_config_regs.9f   := LINKSRC = pci_save_config_regs.9f
1848 minphys.9f                   := LINKSRC = physio.9f
1850 pm_idle_component.9f         := LINKSRC = pm_busy_component.9f
1852 pm_lower_power.9f           := LINKSRC = pm_raise_power.9f
1854 priv_policy_choice.9f       := LINKSRC = priv_policy.9f
1855 priv_policy_only.9f         := LINKSRC = priv_policy.9f
1857 proc_ref.9f                  := LINKSRC = proc_signal.9f
1858 proc_unref.9f                := LINKSRC = proc_signal.9f
1860 qprocsoff.9f                 := LINKSRC = qprocson.9f
1862 qwait_sig.9f                 := LINKSRC = qwait.9f
1864 rmallocmap_wait.9f          := LINKSRC = rmallocmap.9f
1865 rmfreemap.9f                 := LINKSRC = rmallocmap.9f
1867 rw_destroy.9f                := LINKSRC = rwlock.9f
1868 rw_downgrade.9f              := LINKSRC = rwlock.9f
1869 rw_enter.9f                  := LINKSRC = rwlock.9f
1870 rw_exit.9f                   := LINKSRC = rwlock.9f
1871 rw_init.9f                   := LINKSRC = rwlock.9f
1872 rw_read_locked.9f            := LINKSRC = rwlock.9f
1873 rw_tryenter.9f               := LINKSRC = rwlock.9f
1874 rw_tryupgrade.9f            := LINKSRC = rwlock.9f
1876 scsi_dname.9f                := LINKSRC = scsi_cname.9f
1877 scsi_mname.9f                := LINKSRC = scsi_cname.9f
1878 scsi_rname.9f                := LINKSRC = scsi_cname.9f
1879 scsi_sname.9f                := LINKSRC = scsi_cname.9f
1881 scsi_dmafree.9f              := LINKSRC = scsi_dmaget.9f
1883 scsi_sense_cmdspecific_uint64.9f := LINKSRC = scsi_ext_sense_fields.9f
1884 scsi_sense_info_uint64.9f    := LINKSRC = scsi_ext_sense_fields.9f
1886 scsi_hba_detach.9f          := LINKSRC = scsi_hba_attach_setup.9f
1888 scsi_hba_fini.9f            := LINKSRC = scsi_hba_init.9f
1890 scsi_hba_pkt_free.9f         := LINKSRC = scsi_hba_pkt_alloc.9f
1892 scsi_hba_tran_free.9f       := LINKSRC = scsi_hba_tran_alloc.9f
1894 scsi_ifsetcap.9f            := LINKSRC = scsi_ifgetcap.9f
1896 scsi_pktfree.9f             := LINKSRC = scsi_pktalloc.9f
1897 scsi_resalloc.9f            := LINKSRC = scsi_pktalloc.9f
1898 scsi_resfree.9f             := LINKSRC = scsi_pktalloc.9f
1900 scsi_sense_asc.9f            := LINKSRC = scsi_sense_key.9f
1901 scsi_sense_ascq.9f          := LINKSRC = scsi_sense_key.9f
1903 scsi_unslave.9f             := LINKSRC = scsi_unprobe.9f
1905 sema_destroy.9f              := LINKSRC = semaphore.9f
1906 sema_init.9f                := LINKSRC = semaphore.9f
1907 sema_p.9f                   := LINKSRC = semaphore.9f
1908 sema_p_sig.9f               := LINKSRC = semaphore.9f
1909 sema_try.9f                  := LINKSRC = semaphore.9f
```

```
1910 sema_v.9f                   := LINKSRC = semaphore.9f
1912 numtos.9f                   := LINKSRC = stoi.9f
1914 ddi_strdup.9f                := LINKSRC = string.9f
1915 strcasecmp.9f                := LINKSRC = string.9f
1916 strchr.9f                   := LINKSRC = string.9f
1917 strcmp.9f                   := LINKSRC = string.9f
1918 strcpy.9f                   := LINKSRC = string.9f
1919 strdup.9f                   := LINKSRC = string.9f
1920 strfree.9f                   := LINKSRC = string.9f
1921 strlcat.9f                   := LINKSRC = string.9f
1922 strlcpy.9f                   := LINKSRC = string.9f
1923 strlen.9f                   := LINKSRC = string.9f
1924 strncasecmp.9f               := LINKSRC = string.9f
1925 strncat.9f                   := LINKSRC = string.9f
1926 strncmp.9f                  := LINKSRC = string.9f
1927 strncpy.9f                  := LINKSRC = string.9f
1928 strnlen.9f                   := LINKSRC = string.9f
1929 strrchr.9f                   := LINKSRC = string.9f
1930 strspn.9f                   := LINKSRC = string.9f
1932 ddi_taskq_create.9f          := LINKSRC = taskq.9f
1933 ddi_taskq_destroy.9f         := LINKSRC = taskq.9f
1934 ddi_taskq_dispatch.9f        := LINKSRC = taskq.9f
1935 ddi_taskq_resume.9f          := LINKSRC = taskq.9f
1936 ddi_taskq_suspend.9f        := LINKSRC = taskq.9f
1937 ddi_taskq_wait.9f           := LINKSRC = taskq.9f
1938 taskq_suspended.9f          := LINKSRC = taskq.9f
1940 uconv_u16tou8.9f             := LINKSRC = uconv_u16tou32.9f
1941 uconv_u32tou16.9f           := LINKSRC = uconv_u16tou32.9f
1942 uconv_u32tou8.9f            := LINKSRC = uconv_u16tou32.9f
1943 uconv_u8tou16.9f            := LINKSRC = uconv_u16tou32.9f
1944 uconv_u8tou32.9f            := LINKSRC = uconv_u16tou32.9f
1946 usb_alloc_bulk_req.9f       := LINKSRC = usb_alloc_request.9f
1947 usb_alloc_ctrl_req.9f       := LINKSRC = usb_alloc_request.9f
1948 usb_alloc_intr_req.9f       := LINKSRC = usb_alloc_request.9f
1949 usb_alloc_isoc_req.9f       := LINKSRC = usb_alloc_request.9f
1950 usb_free_bulk_req.9f         := LINKSRC = usb_alloc_request.9f
1951 usb_free_ctrl_req.9f         := LINKSRC = usb_alloc_request.9f
1952 usb_free_intr_req.9f         := LINKSRC = usb_alloc_request.9f
1953 usb_free_isoc_req.9f        := LINKSRC = usb_alloc_request.9f
1954 usb_client_detach.9f        := LINKSRC = usb_client_attach.9f
1956 usb_get_if_number.9f        := LINKSRC = usb_get_alt_if.9f
1957 usb_owns_device.9f          := LINKSRC = usb_get_alt_if.9f
1958 usb_set_alt_if.9f           := LINKSRC = usb_get_alt_if.9f
1960 usb_set_cfg.9f               := LINKSRC = usb_get_cfg.9f
1962 usb_free_descr_tree.9f      := LINKSRC = usb_get_dev_data.9f
1963 usb_free_dev_data.9f        := LINKSRC = usb_get_dev_data.9f
1964 usb_print_descr_tree.9f     := LINKSRC = usb_get_dev_data.9f
1966 usb_pipe_ctrl_xfer_wait.9f  := LINKSRC = usb_pipe_ctrl_xfer.9f
1967 usb_pipe_stop_intr_polling.9f := LINKSRC = usb_pipe_intr_xfer.9f
1968 usb_pipe_stop_isoc_polling.9f := LINKSRC = usb_pipe_isoc_xfer.9f
1970 usb_pipe_get_private.9f     := LINKSRC = usb_pipe_set_private.9f
1972 usb_unregister_hotplug_cbs.9f := LINKSRC = usb_register_hotplug_cbs.9f
1974 va_copy.9f                  := LINKSRC = va_arg.9f
1975 va_end.9f                   := LINKSRC = va_arg.9f
```

new/usr/src/man/man9f/Makefile.orig

31

```
1976 va_start.9f                := LINKSRC = va_arg.9f
1978 .KEEP_STATE:
1980 include      $(SRC)/man/Makefile.man
1982 install:      $(ROOTMANFILES) $(ROOTMANLINKS)
1983 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

1

12084 Wed Nov 12 17:44:37 2014

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #endif /* ! codereview */
17 #
```

```
19 file path=usr/share/man/man1m/6to4relay.1m
20 file path=usr/share/man/man1m/Intro.1m
21 file path=usr/share/man/man1m/acctadm.1m
22 file path=usr/share/man/man1m/add_drv.1m
23 file path=usr/share/man/man1m/addbadsec.1m
24 file path=usr/share/man/man1m/arp.1m
25 file path=usr/share/man/man1m/audit.1m
26 file path=usr/share/man/man1m/audit_warn.1m
27 file path=usr/share/man/man1m/auditconfig.1m
28 file path=usr/share/man/man1m/auditd.1m
29 file path=usr/share/man/man1m/auditrecord.1m
30 file path=usr/share/man/man1m/auditreduce.1m
31 file path=usr/share/man/man1m/auditstat.1m
32 file path=usr/share/man/man1m/autopush.1m
33 file path=usr/share/man/man1m/bootadm.1m
34 file path=usr/share/man/man1m/busstat.1m
35 file path=usr/share/man/man1m/cachebsd.1m
36 file path=usr/share/man/man1m/cachebsdlog.1m
37 file path=usr/share/man/man1m/cachebspack.1m
38 file path=usr/share/man/man1m/cachebsdstat.1m
39 file path=usr/share/man/man1m/cachebsdsize.1m
40 file path=usr/share/man/man1m/captain.1m
41 file path=usr/share/man/man1m/cfgadm.1m
42 file path=usr/share/man/man1m/cfgadm_ac.1m
43 file path=usr/share/man/man1m/cfgadm_cardbus.1m
44 file path=usr/share/man/man1m/cfgadm_fp.1m
45 file path=usr/share/man/man1m/cfgadm_ib.1m
46 file path=usr/share/man/man1m/cfgadm_pci.1m
47 file path=usr/share/man/man1m/cfgadm_sata.1m
48 file path=usr/share/man/man1m/cfgadm_sbd.1m
49 file path=usr/share/man/man1m/cfgadm_scsi.1m
50 file path=usr/share/man/man1m/cfgadm_sysctrl.1m
51 file path=usr/share/man/man1m/cfsadmin.1m
52 file path=usr/share/man/man1m/chroot.1m
53 file path=usr/share/man/man1m/clear_locks.1m
54 file path=usr/share/man/man1m/clinfo.1m
55 file path=usr/share/man/man1m/clri.1m
56 file path=usr/share/man/man1m/consadm.1m
57 file path=usr/share/man/man1m/coreadm.1m
58 file path=usr/share/man/man1m/cron.1m
59 file path=usr/share/man/man1m/cryptoadm.1m
60 file path=usr/share/man/man1m/dd.1m
```

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

2

```
61 file path=usr/share/man/man1m/devattr.1m
62 file path=usr/share/man/man1m/devfree.1m
63 file path=usr/share/man/man1m/devfsadm.1m
64 file path=usr/share/man/man1m/devinfo.1m
65 file path=usr/share/man/man1m/devlinks.1m
66 file path=usr/share/man/man1m/devnm.1m
67 file path=usr/share/man/man1m/devprop.1m
68 file path=usr/share/man/man1m/devreserv.1m
69 file path=usr/share/man/man1m/df.1m
70 file path=usr/share/man/man1m/df_ufs.1m
71 file path=usr/share/man/man1m/dfmounts.1m
72 file path=usr/share/man/man1m/dfmounts_nfs.1m
73 file path=usr/share/man/man1m/dfshares.1m
74 file path=usr/share/man/man1m/dfshares_nfs.1m
75 file path=usr/share/man/man1m/dhccpagent.1m
76 file path=usr/share/man/man1m/disks.1m
77 file path=usr/share/man/man1m/diskscan.1m
78 file path=usr/share/man/man1m/dispatch.1m
79 file path=usr/share/man/man1m/dmgtmtd.1m
80 file path=usr/share/man/man1m/dminfo.1m
81 file path=usr/share/man/man1m/domainname.1m
82 file path=usr/share/man/man1m/drvconfig.1m
83 file path=usr/share/man/man1m/dumpadm.1m
84 file path=usr/share/man/man1m/edquota.1m
85 file path=usr/share/man/man1m/EEPROM.1m
86 file path=usr/share/man/man1m/embedded_su.1m
87 file path=usr/share/man/man1m/fdetach.1m
88 file path=usr/share/man/man1m/fdisk.1m
89 file path=usr/share/man/man1m/ff.1m
90 file path=usr/share/man/man1m/ff_ufs.1m
91 file path=usr/share/man/man1m/fiocompress.1m
92 file path=usr/share/man/man1m/fmthard.1m
93 file path=usr/share/man/man1m/format.1m
94 file path=usr/share/man/man1m/fsck.1m
95 file path=usr/share/man/man1m/fsck_cache.1m
96 file path=usr/share/man/man1m/fsck_ufs.1m
97 file path=usr/share/man/man1m/fsdb.1m
98 file path=usr/share/man/man1m/fsdb_ufs.1m
99 file path=usr/share/man/man1m/fsirand.1m
100 file path=usr/share/man/man1m/fssnap.1m
101 file path=usr/share/man/man1m/fssnap_ufs.1m
102 file path=usr/share/man/man1m/fsstat.1m
103 file path=usr/share/man/man1m/fstyp.1m
104 file path=usr/share/man/man1m/fuser.1m
105 file path=usr/share/man/man1m/getdev.1m
106 file path=usr/share/man/man1m/getdevpolicy.1m
107 file path=usr/share/man/man1m/getdgrp.1m
108 file path=usr/share/man/man1m/getent.1m
109 file path=usr/share/man/man1m/getty.1m
110 file path=usr/share/man/man1m/getvol.1m
111 file path=usr/share/man/man1m/groupadd.1m
112 file path=usr/share/man/man1m/groupdel.1m
113 file path=usr/share/man/man1m/groupmod.1m
114 file path=usr/share/man/man1m/halt.1m
115 file path=usr/share/man/man1m/hostconfig.1m
116 file path=usr/share/man/man1m/id.1m
117 file path=usr/share/man/man1m/idmap.1m
118 file path=usr/share/man/man1m/idmapd.1m
119 file path=usr/share/man/man1m/if_mpadm.1m
120 file path=usr/share/man/man1m/ifconfig.1m
121 file path=usr/share/man/man1m/ifparse.1m
122 file path=usr/share/man/man1m/ikeadm.1m
123 file path=usr/share/man/man1m/ikecert.1m
124 file path=usr/share/man/man1m/in.iked.1m
125 file path=usr/share/man/man1m/in.mpathd.1m
126 file path=usr/share/man/man1m/inetadm.1m
```



```
127 file path=usr/share/man/man1m/inetconv.1m
128 file path=usr/share/man/man1m/inetd.1m
129 file path=usr/share/man/man1m/infocmp.1m
130 file path=usr/share/man/man1m/init.1m
131 file path=usr/share/man/man1m/install.1m
132 file path=usr/share/man/man1m/installgrp.1m
133 file path=usr/share/man/man1m/intrd.1m
134 file path=usr/share/man/man1m/iostat.1m
135 file path=usr/share/man/man1m/ipaddrsel.1m
136 file path=usr/share/man/man1m/impstat.1m
137 file path=usr/share/man/man1m/ipsecalgs.1m
138 file path=usr/share/man/man1m/ipsecconf.1m
139 file path=usr/share/man/man1m/ipseckey.1m
140 file path=usr/share/man/man1m/keyserv.1m
141 file path=usr/share/man/man1m/killall.1m
142 file path=usr/share/man/man1m/ksslcfg.1m
143 file path=usr/share/man/man1m/labelit.1m
144 file path=usr/share/man/man1m/labelit_hsf.1m
145 file path=usr/share/man/man1m/labelit_ufs.1m
146 file path=usr/share/man/man1m/link.1m
147 file path=usr/share/man/man1m/listdgrp.1m
148 file path=usr/share/man/man1m/listen.1m
149 file path=usr/share/man/man1m/locator.1m
150 file path=usr/share/man/man1m/lockfs.1m
151 file path=usr/share/man/man1m/lofiadm.1m
152 file path=usr/share/man/man1m/logadm.1m
153 file path=usr/share/man/man1m/logins.1m
154 file path=usr/share/man/man1m/mail.local.1m
155 file path=usr/share/man/man1m/makedbm.1m
156 file path=usr/share/man/man1m/mkdevalloc.1m
157 file path=usr/share/man/man1m/mkdevmaps.1m
158 file path=usr/share/man/man1m/mkfile.1m
159 file path=usr/share/man/man1m/mkfs.1m
160 file path=usr/share/man/man1m/mkfs_ufs.1m
161 file path=usr/share/man/man1m/mknod.1m
162 file path=usr/share/man/man1m/mkpwdict.1m
163 file path=usr/share/man/man1m/modinfo.1m
164 file path=usr/share/man/man1m/modload.1m
165 file path=usr/share/man/man1m/modunload.1m
166 file path=usr/share/man/man1m/mount.1m
167 file path=usr/share/man/man1m/mount_cachefs.1m
168 file path=usr/share/man/man1m/mount_hsf.1m
169 file path=usr/share/man/man1m/mount_tmpfs.1m
170 file path=usr/share/man/man1m/mount_ufs.1m
171 file path=usr/share/man/man1m/mountall.1m
172 file path=usr/share/man/man1m/mpstat.1m
173 file path=usr/share/man/man1m/msgid.1m
174 file path=usr/share/man/man1m/mvdir.1m
175 file path=usr/share/man/man1m/ncheck.1m
176 file path=usr/share/man/man1m/ncheck_ufs.1m
177 file path=usr/share/man/man1m/ndd.1m
178 file path=usr/share/man/man1m/netstat.1m
179 file path=usr/share/man/man1m/netstrategy.1m
180 file path=usr/share/man/man1m/newfs.1m
181 file path=usr/share/man/man1m/nlsadmin.1m
182 file path=usr/share/man/man1m/nscd.1m
183 file path=usr/share/man/man1m/nwamd.1m
184 file path=usr/share/man/man1m/passmgmt.1m
185 file path=usr/share/man/man1m/pbind.1m
186 file path=usr/share/man/man1m/pmadm.1m
187 file path=usr/share/man/man1m/ports.1m
188 file path=usr/share/man/man1m/praudit.1m
189 file path=usr/share/man/man1m/prstat.1m
190 file path=usr/share/man/man1m/prtconf.1m
191 file path=usr/share/man/man1m/prtdiag.1m
192 file path=usr/share/man/man1m/prvtoc.1m
```

```
193 file path=usr/share/man/man1m/psradm.1m
194 file path=usr/share/man/man1m/psrinfo.1m
195 file path=usr/share/man/man1m/psrset.1m
196 file path=usr/share/man/man1m/putdev.1m
197 file path=usr/share/man/man1m/putdgrp.1m
198 file path=usr/share/man/man1m/pwck.1m
199 file path=usr/share/man/man1m/pwconv.1m
200 file path=usr/share/man/man1m/quot.1m
201 file path=usr/share/man/man1m/quota.1m
202 file path=usr/share/man/man1m/quotacheck.1m
203 file path=usr/share/man/man1m/quotaon.1m
204 file path=usr/share/man/man1m/raidctl.1m
205 file path=usr/share/man/man1m/ramdiskadm.1m
206 file path=usr/share/man/man1m/rctladm.1m
207 file path=usr/share/man/man1m/reboot.1m
208 file path=usr/share/man/man1m/rem_drv.1m
209 file path=usr/share/man/man1m/repquota.1m
210 file path=usr/share/man/man1m/roleadd.1m
211 file path=usr/share/man/man1m/roledel.1m
212 file path=usr/share/man/man1m/rolemod.1m
213 file path=usr/share/man/man1m/root_archive.1m
214 file path=usr/share/man/man1m/route.1m
215 file path=usr/share/man/man1m/routeadm.1m
216 file path=usr/share/man/man1m/rpcbind.1m
217 file path=usr/share/man/man1m/rpcinfo.1m
218 file path=usr/share/man/man1m/rtc.1m
219 file path=usr/share/man/man1m/sac.1m
220 file path=usr/share/man/man1m/sacadm.1m
221 file path=usr/share/man/man1m/saf.1m
222 file path=usr/share/man/man1m/savecore.1m
223 file path=usr/share/man/man1m/setuname.1m
224 file path=usr/share/man/man1m/share.1m
225 file path=usr/share/man/man1m/share_nfs.1m
226 file path=usr/share/man/man1m/shareall.1m
227 file path=usr/share/man/man1m/sharectl.1m
228 file path=usr/share/man/man1m/sharemgr.1m
229 file path=usr/share/man/man1m/shutdown.1m
230 file path=usr/share/man/man1m/smbios.1m
231 file path=usr/share/man/man1m/soconfig.1m
232 file path=usr/share/man/man1m/stmsboot.1m
233 file path=usr/share/man/man1m/strace.1m
234 file path=usr/share/man/man1m/strclean.1m
235 file path=usr/share/man/man1m/strerr.1m
236 file path=usr/share/man/man1m/sttydefs.1m
237 file path=usr/share/man/man1m/su.1m
238 file path=usr/share/man/man1m/sulogin.1m
239 file path=usr/share/man/man1m/svc.configd.1m
240 file path=usr/share/man/man1m/svc.ipfd.1m
241 file path=usr/share/man/man1m/svc.startd.1m
242 file path=usr/share/man/man1m/svcadm.1m
243 file path=usr/share/man/man1m/svccfg.1m
244 file path=usr/share/man/man1m/swap.1m
245 file path=usr/share/man/man1m/sync.1m
246 file path=usr/share/man/man1m/syncinit.1m
247 file path=usr/share/man/man1m/synclloop.1m
248 file path=usr/share/man/man1m/syncstat.1m
249 file path=usr/share/man/man1m/sysdef.1m
250 file path=usr/share/man/man1m/syseventadm.1m
251 file path=usr/share/man/man1m/syseventconfd.1m
252 file path=usr/share/man/man1m/syseventd.1m
253 file path=usr/share/man/man1m/syslogd.1m
254 file path=usr/share/man/man1m/tapes.1m
255 file path=usr/share/man/man1m/tic.1m
256 file path=usr/share/man/man1m/tpmadm.1m
257 file path=usr/share/man/man1m/traceroute.1m
258 file path=usr/share/man/man1m/trapstat.1m
```

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

5

```
259 file path=usr/share/man/man1m/ttyadm.1m
260 file path=usr/share/man/man1m/ttymon.1m
261 file path=usr/share/man/man1m/tunefs.1m
262 file path=usr/share/man/man1m/tzselect.1m
263 file path=usr/share/man/man1m/uadmin.1m
264 file path=usr/share/man/man1m/ucodeadm.1m
265 file path=usr/share/man/man1m/ufsdump.1m
266 file path=usr/share/man/man1m/ufsrestore.1m
267 file path=usr/share/man/man1m/unshare.1m
268 file path=usr/share/man/man1m/unshare_nfs.1m
269 file path=usr/share/man/man1m/update_drv.1m
270 file path=usr/share/man/man1m/useradd.1m
271 file path=usr/share/man/man1m/userdel.1m
272 file path=usr/share/man/man1m/usermod.1m
273 file path=usr/share/man/man1m/utmpd.1m
274 file path=usr/share/man/man1m/vmstat.1m
275 file path=usr/share/man/man1m/volcopy.1m
276 file path=usr/share/man/man1m/volcopy_ufs.1m
277 file path=usr/share/man/man1m/wall.1m
278 file path=usr/share/man/man1m/whodo.1m
279 file path=usr/share/man/man1m/wracct.1m
280 file path=usr/share/man/man1m/wusbadm.1m
281 file path=usr/share/man/man1m/zdump.1m
282 file path=usr/share/man/man1m/zic.1m
283 link path=usr/share/man/man1m/dcopy.1m target=clri.1m
284 link path=usr/share/man/man1m/devfsadmd.1m target=devfsadm.1m
285 link path=usr/share/man/man1m/grpck.1m target=pwck.1m
286 link path=usr/share/man/man1m/intro.1m target=Intro.1m
287 link path=usr/share/man/man1m/poweroff.1m target=halt.1m
288 link path=usr/share/man/man1m/quotaoff.1m target=quotaon.1m
289 link path=usr/share/man/man1m/telinit.1m target=init.1m
290 link path=usr/share/man/man1m/umount.1m target=mount.1m
291 link path=usr/share/man/man1m/umountall.1m target=mountall.1m
292 link path=usr/share/man/man1m/unlink.1m target=link.1m
293 link path=usr/share/man/man1m/unshareall.1m target=shareall.1m
```

new/usr/src/pkg/manifests/SUNWpcmci.mf

1

1058 Wed Nov 12 17:44:38 2014

new/usr/src/pkg/manifests/SUNWpcmci.mf

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@daomre.org>
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/SUNWpcmci@0.5.11,5.11-0.133
29 set name=pkg.obsolete value=true
30 set name=pkg.renamed value=true
31 set name=variant.arch value=$(ARCH)
32 depend fmri=pkg:/driver/pcmcia@0.5.11,5.11-0.133 type=require
```

new/usr/src/pkg/manifests/driver-pcmcia.mf

1

1293 Wed Nov 12 17:44:38 2014
new/usr/src/pkg/manifests/driver-pcmcia.mf
5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/driver/pcmcia@$(PKGVERS)
35 set name=pkg.obsolete value=true
36 set name=pkg.description \
37   value="kernel modules and start-up files for PCMCIA card services"
38 set name=pkg.summary value="PCMCIA Card Services"
39 set name=info.classification \
40   value=org.opensolaris.category.2008:System:Hardware
41 set name=variant.arch value=$(ARCH)
42
43 dir path=kernel group=sys
44 dir path=kernel/drv group=sys
45 dir path=kernel/drv/$(ARCH64) group=sys
46 dir path=usr/share/man
47 dir path=usr/share/man/man7d
48 driver name=pcic class=pcmcia \
49   alias=pciclass,060500 \
50   alias=pciclass,060700
51 driver name=pcs
52 file path=kernel/drv/$(ARCH64)/pcic group=sys
53 file path=kernel/drv/$(ARCH64)/pcs group=sys
54 $(i386_ONLY)file path=kernel/drv/pcic group=sys
55 file path=kernel/drv/pcic.conf group=sys
56 $(i386_ONLY)file path=kernel/drv/pcs group=sys
57 file path=usr/share/man/man7d/pcic.7d
58 file path=usr/share/man/man7d/pcmcia.7d
59 legacy pkg=SUNWpcmci \
60   desc="kernel modules and start-up files for PCMCIA card services" \
61   name="PCMCIA Card Services, (Root)"
```

new/usr/src/pkg/manifests/driver-pcmcia.mf

2

```
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-header.mf

1

```
*****
89565 Wed Nov 12 17:44:38 2014
new/usr/src/pkg/manifests/system-header.mf
5075 EOF cardbus & pcmcia
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 #

29 set name=pkg.fmri value=pkg:/system/header@$(PKGVERS)
30 set name=pkg.description \
31     value="SunOS C/C++ header files for general development of software"
32 set name=pkg.summary value="SunOS Header Files"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/include
37 $(i386_ONLY)dir path=usr/include/$(ARCH64)
38 $(i386_ONLY)dir path=usr/include/$(ARCH64)/sys
39 dir path=usr/include/arpa
40 dir path=usr/include/asm
41 dir path=usr/include/ast
42 dir path=usr/include/bsm
43 dir path=usr/include/dat
44 dir path=usr/include/des
45 dir path=usr/include/gssapi
46 dir path=usr/include/hal
47 $(i386_ONLY)dir path=usr/include/ia32
48 $(i386_ONLY)dir path=usr/include/ia32/sys
49 dir path=usr/include/inet
50 dir path=usr/include/inet/kssl
51 dir path=usr/include/ipp
52 dir path=usr/include/ipp/ipgpc
53 dir path=usr/include/iso
54 dir path=usr/include/kerberosv5
55 dir path=usr/include/libpolkit
56 dir path=usr/include/net
57 dir path=usr/include/netinet
58 dir path=usr/include/nfs
59 dir path=usr/include/protocols
60 dir path=usr/include/rpc
61 dir path=usr/include/rpcsvc
```

new/usr/src/pkg/manifests/system-header.mf

2

```
62 dir path=usr/include/sasl
63 dir path=usr/include/scsi
64 dir path=usr/include/scsi/plugins
65 dir path=usr/include/scsi/plugins/ses
66 dir path=usr/include/scsi/plugins/ses/framework
67 dir path=usr/include/scsi/plugins/ses/vendor
68 dir path=usr/include/scsi/plugins/smp
69 dir path=usr/include/scsi/plugins/smp/engine
70 dir path=usr/include/scsi/plugins/smp/framework
71 dir path=usr/include/security
72 dir path=usr/include/sharefs
73 dir path=usr/include/sys
74 dir path=usr/include/sys/av
75 dir path=usr/include/sys/contract
76 dir path=usr/include/sys/crypto
77 dir path=usr/include/sys/dktp
78 dir path=usr/include/sys/fc4
79 dir path=usr/include/sys/fm
80 dir path=usr/include/sys/fm/cpu
81 dir path=usr/include/sys/fm/fs
82 dir path=usr/include/sys/fm/io
83 $(sparc_ONLY)dir path=usr/include/sys/fpu
84 dir path=usr/include/sys/fs
85 dir path=usr/include/sys/hotplug
86 dir path=usr/include/sys/hotplug/pci
87 dir path=usr/include/sys/ib
88 dir path=usr/include/sys/ib/adapters
89 dir path=usr/include/sys/ib/adapters/hermon
90 dir path=usr/include/sys/ib/adapters/tavor
91 dir path=usr/include/sys/ib/clients
92 dir path=usr/include/sys/ib/clients/ibd
93 dir path=usr/include/sys/ib/clients/of
94 dir path=usr/include/sys/ib/clients/of/rdma
95 dir path=usr/include/sys/ib/clients/of/sol_ofs
96 dir path=usr/include/sys/ib/clients/of/sol_ucma
97 dir path=usr/include/sys/ib/clients/of/sol_umad
98 dir path=usr/include/sys/ib/clients/of/sol_uverbs
99 dir path=usr/include/sys/ib/ibnex
100 dir path=usr/include/sys/ib/ibt1
101 dir path=usr/include/sys/ib/ibt1/impl
102 dir path=usr/include/sys/ib/mgt
103 dir path=usr/include/sys/ib/mgt/ibmf
104 dir path=usr/include/sys/iso
105 dir path=usr/include/sys/lvm
106 dir path=usr/include/sys/proc
107 dir path=usr/include/sys/rsm
108 $(i386_ONLY)dir path=usr/include/sys/sata group=sys
109 dir path=usr/include/sys/scsi
110 dir path=usr/include/sys/scsi/adapters
111 dir path=usr/include/sys/scsi/conf
112 dir path=usr/include/sys/scsi/generic
113 dir path=usr/include/sys/scsi/impl
114 dir path=usr/include/sys/scsi/targets
115 dir path=usr/include/sys/sysevent
116 dir path=usr/include/sys/tsol
117 dir path=usr/include/tsol
118 dir path=usr/include/uuid
119 $(sparc_ONLY)dir path=usr/include/v7
120 $(sparc_ONLY)dir path=usr/include/v7/sys
121 $(sparc_ONLY)dir path=usr/include/v9
122 $(sparc_ONLY)dir path=usr/include/v9/sys
123 dir path=usr/include/vm
124 dir path=usr/platform group=sys
125 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
126 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
127 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/include
```

```

128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/include
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
132 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverblade1 group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
142 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
143 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
144 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
145 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
146 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
147 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
148 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
149 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
150 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-2 group=sys
151 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-250 group=sys
152 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-4 group=sys
153 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise group=sys
154 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise-10000 group=sys
155 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40 group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60 group=sys
157 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIi-Netract group=sys
158 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
159 $(i386_ONLY)dir path=usr/platform/i86pc/include
160 $(i386_ONLY)dir path=usr/platform/i86pc/include/sys
161 $(i386_ONLY)dir path=usr/platform/i86pc/include/vm
162 $(i386_ONLY)dir path=usr/platform/i86pxpv group=sys
163 $(i386_ONLY)dir path=usr/platform/i86pxpv/include
164 $(i386_ONLY)dir path=usr/platform/i86pxpv/include/sys
165 $(i386_ONLY)dir path=usr/platform/i86pxpv/include/vm
166 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
167 $(sparc_ONLY)dir path=usr/platform/sun4u/include
168 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys
169 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c
170 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/clients
171 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/misc
172 $(sparc_ONLY)dir path=usr/platform/sun4u/include/vm
173 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
174 $(sparc_ONLY)dir path=usr/platform/sun4v/include
175 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
176 $(sparc_ONLY)dir path=usr/platform/sun4v/include/vm
177 dir path=usr/share
178 dir path=usr/share/man
179 dir path=usr/share/man/man3head
180 dir path=usr/share/man/man4
181 dir path=usr/share/man/man5
182 dir path=usr/share/man/man7i
183 dir path=usr/share/src group=sys
184 dir path=usr/share/src/uts
185 $(i386_ONLY)dir path=usr/share/src/uts/i86pc
186 $(i386_ONLY)dir path=usr/share/src/uts/i86pxpv
187 $(sparc_ONLY)dir path=usr/share/src/uts/sun4u
188 $(sparc_ONLY)dir path=usr/share/src/uts/sun4v
189 dir path=usr/xpg4
190 dir path=usr/xpg4/include
191 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/kdi_regs.h
192 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privmregs.h
193 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privregs.h

```

```

194 file path=usr/include/aio.h
195 file path=usr/include/alloca.h
196 file path=usr/include/appttrace.h
197 file path=usr/include/appttrace_impl.h
198 file path=usr/include/ar.h
199 file path=usr/include/archives.h
200 file path=usr/include/arpa/ftp.h
201 file path=usr/include/arpa/inet.h
202 file path=usr/include/arpa/nameser.h
203 file path=usr/include/arpa/nameser_compat.h
204 file path=usr/include/arpa/telnet.h
205 file path=usr/include/arpa/tftp.h
206 $(i386_ONLY)file path=usr/include/asm/atomic.h
207 $(i386_ONLY)file path=usr/include/asm/bitmap.h
208 $(i386_ONLY)file path=usr/include/asm/byteorder.h
209 $(i386_ONLY)file path=usr/include/asm/clock.h
210 $(i386_ONLY)file path=usr/include/asm/cpu.h
211 $(i386_ONLY)file path=usr/include/asm/cpuid.h
212 $(sparc_ONLY)file path=usr/include/asm/flush.h
213 $(i386_ONLY)file path=usr/include/asm/htable.h
214 $(i386_ONLY)file path=usr/include/asm/mmu.h
215 file path=usr/include/asm/sunddi.h
216 file path=usr/include/asm/thread.h
217 file path=usr/include/assert.h
218 file path=usr/include/ast/align.h
219 file path=usr/include/ast/ast.h
220 file path=usr/include/ast/ast_botch.h
221 file path=usr/include/ast/ast_ccode.h
222 file path=usr/include/ast/ast_common.h
223 file path=usr/include/ast/ast_dir.h
224 file path=usr/include/ast/ast_dirent.h
225 file path=usr/include/ast/ast_fcntl.h
226 file path=usr/include/ast/ast_float.h
227 file path=usr/include/ast/ast_fs.h
228 file path=usr/include/ast/ast_getopt.h
229 file path=usr/include/ast/ast_iconv.h
230 file path=usr/include/ast/ast_lib.h
231 file path=usr/include/ast/ast_limits.h
232 file path=usr/include/ast/ast_map.h
233 file path=usr/include/ast/ast_mmap.h
234 file path=usr/include/ast/ast_mode.h
235 file path=usr/include/ast/ast_namval.h
236 file path=usr/include/ast/ast_ndbm.h
237 file path=usr/include/ast/ast_nl_types.h
238 file path=usr/include/ast/ast_param.h
239 file path=usr/include/ast/ast_standards.h
240 file path=usr/include/ast/ast_std.h
241 file path=usr/include/ast/ast_stdio.h
242 file path=usr/include/ast/ast_sys.h
243 file path=usr/include/ast/ast_time.h
244 file path=usr/include/ast/ast_tty.h
245 file path=usr/include/ast/ast_version.h
246 file path=usr/include/ast/ast_vfork.h
247 file path=usr/include/ast/ast_wait.h
248 file path=usr/include/ast/ast_wchar.h
249 file path=usr/include/ast/ast_windows.h
250 file path=usr/include/ast/bytesex.h
251 file path=usr/include/ast/ccode.h
252 file path=usr/include/ast/cdt.h
253 file path=usr/include/ast/cmd.h
254 file path=usr/include/ast/cmdext.h
255 file path=usr/include/ast/debug.h
256 file path=usr/include/ast/dirent.h
257 file path=usr/include/ast/dldefs.h
258 file path=usr/include/ast/dt.h
259 file path=usr/include/ast/endian.h

```

```
260 file path=usr/include/ast/error.h
261 file path=usr/include/ast/find.h
262 file path=usr/include/ast/fnmatch.h
263 file path=usr/include/ast/fnv.h
264 file path=usr/include/ast/fs3d.h
265 file path=usr/include/ast/fts.h
266 file path=usr/include/ast/ftw.h
267 file path=usr/include/ast/ftwalk.h
268 file path=usr/include/ast/getopt.h
269 file path=usr/include/ast/glob.h
270 file path=usr/include/ast/hash.h
271 file path=usr/include/ast/hashkey.h
272 file path=usr/include/ast/hashpart.h
273 file path=usr/include/ast/history.h
274 file path=usr/include/ast/iconv.h
275 file path=usr/include/ast/ip6.h
276 file path=usr/include/ast/lc.h
277 file path=usr/include/ast/ls.h
278 file path=usr/include/ast/magic.h
279 file path=usr/include/ast/magicid.h
280 file path=usr/include/ast/mc.h
281 file path=usr/include/ast/mime.h
282 file path=usr/include/ast/mnt.h
283 file path=usr/include/ast/modecanon.h
284 file path=usr/include/ast/modex.h
285 file path=usr/include/ast/namval.h
286 file path=usr/include/ast/nl_types.h
287 file path=usr/include/ast/nval.h
288 file path=usr/include/ast/option.h
289 file path=usr/include/ast/preroot.h
290 file path=usr/include/ast/proc.h
291 file path=usr/include/ast/prototyped.h
292 file path=usr/include/ast/re_comp.h
293 file path=usr/include/ast/recfmt.h
294 file path=usr/include/ast/regex.h
295 file path=usr/include/ast/regexp.h
296 file path=usr/include/ast/sfdisc.h
297 file path=usr/include/ast/sfio.h
298 file path=usr/include/ast/sfio_s.h
299 file path=usr/include/ast/sfio_t.h
300 file path=usr/include/ast/shcmd.h
301 file path=usr/include/ast/shell.h
302 file path=usr/include/ast/sig.h
303 file path=usr/include/ast/stack.h
304 file path=usr/include/ast/stak.h
305 file path=usr/include/ast/stdio.h
306 file path=usr/include/ast/stk.h
307 file path=usr/include/ast/sum.h
308 file path=usr/include/ast/swap.h
309 file path=usr/include/ast/tar.h
310 file path=usr/include/ast/times.h
311 file path=usr/include/ast/tm.h
312 file path=usr/include/ast/tmx.h
313 file path=usr/include/ast/tok.h
314 file path=usr/include/ast/tv.h
315 file path=usr/include/ast/usage.h
316 file path=usr/include/ast/vdb.h
317 file path=usr/include/ast/vecargs.h
318 file path=usr/include/ast/vmalloc.h
319 file path=usr/include/ast/wait.h
320 file path=usr/include/ast/wchar.h
321 file path=usr/include/ast/wordexp.h
322 file path=usr/include/atomic.h
323 file path=usr/include/attr.h
324 file path=usr/include/auth_attr.h
325 file path=usr/include/bsm/adt.h
```

```
326 file path=usr/include/bsm/adt_event.h
327 file path=usr/include/bsm/audit.h
328 file path=usr/include/bsm/audit_kernel.h
329 file path=usr/include/bsm/audit_kevents.h
330 file path=usr/include/bsm/audit_record.h
331 file path=usr/include/bsm/audit_uevents.h
332 file path=usr/include/bsm/devices.h
333 file path=usr/include/bsm/libbsm.h
334 file path=usr/include/config_admin.h
335 file path=usr/include/cpio.h
336 file path=usr/include/crypt.h
337 file path=usr/include/cryptoutil.h
338 file path=usr/include/ctype.h
339 file path=usr/include/curses.h
340 file path=usr/include/dat/dat.h
341 file path=usr/include/dat/dat_error.h
342 file path=usr/include/dat/dat_platform_specific.h
343 file path=usr/include/dat/dat_redirection.h
344 file path=usr/include/dat/dat_registry.h
345 file path=usr/include/dat/dat_vendor_specific.h
346 file path=usr/include/dat/udat.h
347 file path=usr/include/dat/udat_config.h
348 file path=usr/include/dat/udat_redirection.h
349 file path=usr/include/dat/udat_vendor_specific.h
350 file path=usr/include/default.h
351 file path=usr/include/des/des.h
352 file path=usr/include/des/desdata.h
353 file path=usr/include/des/softdes.h
354 file path=usr/include/device_info.h
355 file path=usr/include/devid.h
356 file path=usr/include/devmgmt.h
357 file path=usr/include/devpoll.h
358 file path=usr/include/dial.h
359 file path=usr/include/dirent.h
360 file path=usr/include/dlfcn.h
361 file path=usr/include/door.h
362 file path=usr/include/elf.h
363 file path=usr/include/err.h
364 file path=usr/include/errno.h
365 file path=usr/include/eti.h
366 file path=usr/include/euc.h
367 file path=usr/include/exacct.h
368 file path=usr/include/exacct_impl.h
369 file path=usr/include/exec_attr.h
370 file path=usr/include/execinfo.h
371 file path=usr/include/fatal.h
372 file path=usr/include/fcntl.h
373 file path=usr/include/float.h
374 file path=usr/include/fmtmsg.h
375 file path=usr/include/fnmatch.h
376 file path=usr/include/form.h
377 file path=usr/include/ftw.h
378 file path=usr/include/gelf.h
379 file path=usr/include/getopt.h
380 file path=usr/include/getwidth.h
381 file path=usr/include/glob.h
382 file path=usr/include/grp.h
383 file path=usr/include/gssapi/gssapi.h
384 file path=usr/include/gssapi/gssapi_ext.h
385 file path=usr/include/hal/libhal-storage.h
386 file path=usr/include/hal/libhal.h
387 $(i386_ONLY)file path=usr/include/ia32/sys/asm_linkage.h
388 $(i386_ONLY)file path=usr/include/ia32/sys/kdi_regs.h
389 $(i386_ONLY)file path=usr/include/ia32/sys/machtypes.h
390 $(i386_ONLY)file path=usr/include/ia32/sys/privmregs.h
391 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
```

```
392 $(i386_ONLY)file path=usr/include/ia32/sys/psw.h
393 $(i386_ONLY)file path=usr/include/ia32/sys/pte.h
394 $(i386_ONLY)file path=usr/include/ia32/sys/reg.h
395 $(i386_ONLY)file path=usr/include/ia32/sys/stack.h
396 $(i386_ONLY)file path=usr/include/ia32/sys/trap.h
397 $(i386_ONLY)file path=usr/include/ia32/sys/traptrace.h
398 file path=usr/include/iconv.h
399 file path=usr/include/idmap.h
400 file path=usr/include/ieeefp.h
401 file path=usr/include/ifaddrs.h
402 file path=usr/include/inet/arp.h
403 file path=usr/include/inet/common.h
404 file path=usr/include/inet/ip.h
405 file path=usr/include/inet/ip6.h
406 file path=usr/include/inet/ip6_asp.h
407 file path=usr/include/inet/ip_arp.h
408 file path=usr/include/inet/ip_ftable.h
409 file path=usr/include/inet/ip_if.h
410 file path=usr/include/inet/ip_ire.h
411 file path=usr/include/inet/ip_multi.h
412 file path=usr/include/inet/ip_netinfo.h
413 file path=usr/include/inet/ip_rts.h
414 file path=usr/include/inet/ip_stack.h
415 file path=usr/include/inet/ipclassifier.h
416 file path=usr/include/inet/ipdrop.h
417 file path=usr/include/inet/ipnet.h
418 file path=usr/include/inet/ipp_common.h
419 file path=usr/include/inet/kssl/ksslap.h
420 file path=usr/include/inet/led.h
421 file path=usr/include/inet/mi.h
422 file path=usr/include/inet/mib2.h
423 file path=usr/include/inet/nd.h
424 file path=usr/include/inet/optcom.h
425 file path=usr/include/inet/sctp_itf.h
426 file path=usr/include/inet/snmpcom.h
427 file path=usr/include/inet/tcp.h
428 file path=usr/include/inet/tcp_sack.h
429 file path=usr/include/inet/tcp_stack.h
430 file path=usr/include/inet/tcp_stats.h
431 file path=usr/include/inet/tunables.h
432 file path=usr/include/inet/wifi_ioctl.h
433 file path=usr/include/inttypes.h
434 file path=usr/include/ipmp.h
435 file path=usr/include/ipmp_admin.h
436 file path=usr/include/ipmp_mpathd.h
437 file path=usr/include/ipmp_query.h
438 file path=usr/include/ipp/ipgpc/ipgpc.h
439 file path=usr/include/ipp/ipp.h
440 file path=usr/include/ipp/ipp_config.h
441 file path=usr/include/ipp/ipp_impl.h
442 file path=usr/include/ipp/ippctl.h
443 file path=usr/include/iso/ctype_iso.h
444 file path=usr/include/iso/limits_iso.h
445 file path=usr/include/iso/locale_iso.h
446 file path=usr/include/iso/setjmp_iso.h
447 file path=usr/include/iso/signal_iso.h
448 file path=usr/include/iso/stdarg_c99.h
449 file path=usr/include/iso/stdarg_iso.h
450 file path=usr/include/iso/stddef_iso.h
451 file path=usr/include/iso/stdio_c99.h
452 file path=usr/include/iso/stdio_iso.h
453 file path=usr/include/iso/stdlib_c99.h
454 file path=usr/include/iso/stdlib_iso.h
455 file path=usr/include/iso/string_iso.h
456 file path=usr/include/iso/time_iso.h
457 file path=usr/include/iso/wchar_c99.h
```

```
458 file path=usr/include/iso/wchar_iso.h
459 file path=usr/include/iso/wctype_iso.h
460 file path=usr/include/iso646.h
461 file path=usr/include/kerberosv5/com_err.h
462 file path=usr/include/kerberosv5/krb5.h
463 file path=usr/include/kerberosv5/mit-sipb-copyright.h
464 file path=usr/include/kerberosv5/mit_copyright.h
465 file path=usr/include/Klpd.h
466 file path=usr/include/kmfapi.h
467 file path=usr/include/kmftypes.h
468 file path=usr/include/kstat.h
469 file path=usr/include/kvm.h
470 file path=usr/include/langinfo.h
471 file path=usr/include/lastlog.h
472 file path=usr/include/lber.h
473 file path=usr/include/ldap.h
474 file path=usr/include/libcontract.h
475 file path=usr/include/libctf.h
476 file path=usr/include/libdevice.h
477 file path=usr/include/libdevinfo.h
478 file path=usr/include/libdladm.h
479 file path=usr/include/libdlbridge.h
480 file path=usr/include/libdlib.h
481 file path=usr/include/libdlink.h
482 file path=usr/include/libdmpi.h
483 file path=usr/include/libdvlvlan.h
484 file path=usr/include/libelf.h
485 $(i386_ONLY)file path=usr/include/libfdisk.h
486 file path=usr/include/libfstyp.h
487 file path=usr/include/libfstyp_module.h
488 file path=usr/include/libgen.h
489 file path=usr/include/libgrubmgmt.h
490 file path=usr/include/libintl.h
491 file path=usr/include/libipmi.h
492 file path=usr/include/libipp.h
493 file path=usr/include/libnvpair.h
494 file path=usr/include/libnwm.h
495 file path=usr/include/libpolkit/libpolkit.h
496 file path=usr/include/librcm.h
497 file path=usr/include/libscf.h
498 file path=usr/include/libscf_priv.h
499 file path=usr/include/libshare.h
500 file path=usr/include/libsvm.h
501 file path=usr/include/libsysevent.h
502 file path=usr/include/libsysevent_impl.h
503 file path=usr/include/libtsnet.h
504 $(sparc_ONLY)file path=usr/include/libv12n.h
505 file path=usr/include/libw.h
506 file path=usr/include/libzfs.h
507 file path=usr/include/libzfs_core.h
508 file path=usr/include/libzoneinfo.h
509 file path=usr/include/limits.h
510 file path=usr/include/linenum.h
511 file path=usr/include/link.h
512 file path=usr/include/listen.h
513 file path=usr/include/locale.h
514 file path=usr/include/macros.h
515 file path=usr/include/maillock.h
516 file path=usr/include/malloc.h
517 file path=usr/include/md4.h
518 file path=usr/include/md5.h
519 file path=usr/include/mdiox.h
520 file path=usr/include/mdmn_changelog.h
521 file path=usr/include/memory.h
522 file path=usr/include/menu.h
523 file path=usr/include/meta.h
```



```
524 file path=usr/include/meta_basic.h
525 file path=usr/include/meta_runtime.h
526 file path=usr/include/metacl.h
527 file path=usr/include/metad.h
528 file path=usr/include/metadyn.h
529 file path=usr/include/metamed.h
530 file path=usr/include/metamhd.h
531 file path=usr/include/mhdx.h
532 file path=usr/include/mon.h
533 file path=usr/include/monetary.h
534 file path=usr/include/mp.h
535 file path=usr/include/mqueue.h
536 file path=usr/include/mtmalloc.h
537 file path=usr/include/nan.h
538 file path=usr/include/ndbm.h
539 file path=usr/include/ndpd.h
540 file path=usr/include/net/af.h
541 file path=usr/include/net/bridge.h
542 file path=usr/include/net/if.h
543 file path=usr/include/net/if_arp.h
544 file path=usr/include/net/if_dl.h
545 file path=usr/include/net/if_types.h
546 file path=usr/include/net/pfkeyv2.h
547 file path=usr/include/net/pfpolicy.h
548 file path=usr/include/net/ppp-comp.h
549 file path=usr/include/net/ppp_defs.h
550 file path=usr/include/net/pppio.h
551 file path=usr/include/net/radix.h
552 file path=usr/include/net/route.h
553 file path=usr/include/net/trill.h
554 file path=usr/include/net/vjcompress.h
555 file path=usr/include/netconfig.h
556 file path=usr/include/netdb.h
557 file path=usr/include/netdir.h
558 file path=usr/include/netinet/arp.h
559 file path=usr/include/netinet/dhcp.h
560 file path=usr/include/netinet/dhcp6.h
561 file path=usr/include/netinet/icmp6.h
562 file path=usr/include/netinet/icmp_var.h
563 file path=usr/include/netinet/if_ether.h
564 file path=usr/include/netinet/igmp.h
565 file path=usr/include/netinet/igmp_var.h
566 file path=usr/include/netinet/in.h
567 file path=usr/include/netinet/in_pcb.h
568 file path=usr/include/netinet/in_sysm.h
569 file path=usr/include/netinet/in_var.h
570 file path=usr/include/netinet/ip.h
571 file path=usr/include/netinet/ip6.h
572 file path=usr/include/netinet/ip_icmp.h
573 file path=usr/include/netinet/ip_mroute.h
574 file path=usr/include/netinet/ip_var.h
575 file path=usr/include/netinet/pim.h
576 file path=usr/include/netinet/sctp.h
577 file path=usr/include/netinet/tcp.h
578 file path=usr/include/netinet/tcp_debug.h
579 file path=usr/include/netinet/tcp_fsm.h
580 file path=usr/include/netinet/tcp_seq.h
581 file path=usr/include/netinet/tcp_timer.h
582 file path=usr/include/netinet/tcp_var.h
583 file path=usr/include/netinet/tcpip.h
584 file path=usr/include/netinet/udp.h
585 file path=usr/include/netinet/udp_var.h
586 file path=usr/include/netinet/vrrp.h
587 file path=usr/include/nfs/auth.h
588 file path=usr/include/nfs/export.h
589 file path=usr/include/nfs/lm.h
```

```
590 file path=usr/include/nfs/mapid.h
591 file path=usr/include/nfs/mount.h
592 file path=usr/include/nfs/nfs.h
593 file path=usr/include/nfs/nfs4.h
594 file path=usr/include/nfs/nfs4_attr.h
595 file path=usr/include/nfs/nfs4_clnt.h
596 file path=usr/include/nfs/nfs4_db_impl.h
597 file path=usr/include/nfs/nfs4_idmap_impl.h
598 file path=usr/include/nfs/nfs4_kprot.h
599 file path=usr/include/nfs/nfs_acl.h
600 file path=usr/include/nfs/nfs_clnt.h
601 file path=usr/include/nfs/nfs_cmd.h
602 file path=usr/include/nfs/nfs_log.h
603 file path=usr/include/nfs/nfs_sec.h
604 file path=usr/include/nfs/nfsid_map.h
605 file path=usr/include/nfs/nfssys.h
606 file path=usr/include/nfs/rnode.h
607 file path=usr/include/nfs/rnode4.h
608 file path=usr/include/nl_types.h
609 file path=usr/include/nlist.h
610 file path=usr/include/note.h
611 file path=usr/include/nss_common.h
612 file path=usr/include/nss_dbdefs.h
613 file path=usr/include/nss_netdir.h
614 file path=usr/include/nsswitch.h
615 file path=usr/include/panel.h
616 file path=usr/include/paths.h
617 file path=usr/include/pcsample.h
618 file path=usr/include/pfmt.h
619 file path=usr/include/pkgdev.h
620 file path=usr/include/pkginfo.h
621 file path=usr/include/pkglocs.h
622 file path=usr/include/pkgstrct.h
623 file path=usr/include/pkgtrans.h
624 file path=usr/include/poll.h
625 file path=usr/include/port.h
626 file path=usr/include/priv.h
627 file path=usr/include/proc_service.h
628 file path=usr/include/procfs.h
629 file path=usr/include/prof.h
630 file path=usr/include/prof_attr.h
631 file path=usr/include/project.h
632 file path=usr/include/protocols/dumpstore.h
633 file path=usr/include/protocols/routed.h
634 file path=usr/include/protocols/rwhod.h
635 file path=usr/include/protocols/timed.h
636 file path=usr/include/pthread.h
637 file path=usr/include/pw.h
638 file path=usr/include/pwd.h
639 file path=usr/include/rcm_module.h
640 file path=usr/include/rctl.h
641 file path=usr/include/re_comp.h
642 file path=usr/include/regex.h
643 file path=usr/include/regex.h
644 file path=usr/include/regex.h
645 file path=usr/include/resolv.h
646 file path=usr/include/rje.h
647 file path=usr/include/rp_plugin.h
648 file path=usr/include/rpc/auth.h
649 file path=usr/include/rpc/auth_des.h
650 file path=usr/include/rpc/auth_sys.h
651 file path=usr/include/rpc/auth_unix.h
652 file path=usr/include/rpc/bootparam.h
653 file path=usr/include/rpc/clnt.h
654 file path=usr/include/rpc/clnt_soc.h
655 file path=usr/include/rpc/clnt_stat.h
```

```
656 file path=usr/include/rpc/des_crypt.h
657 $(sparc_ONLY)file path=usr/include/rpc/ib.h
658 file path=usr/include/rpc/key_prot.h
659 file path=usr/include/rpc/nettype.h
660 file path=usr/include/rpc/pmap_clnt.h
661 file path=usr/include/rpc/pmap_prot.h
662 file path=usr/include/rpc/pmap_prot.x
663 file path=usr/include/rpc/pmap_rmt.h
664 file path=usr/include/rpc/raw.h
665 file path=usr/include/rpc/rpc.h
666 file path=usr/include/rpc/rpc_com.h
667 file path=usr/include/rpc/rpc_msg.h
668 file path=usr/include/rpc/rpc_rdma.h
669 file path=usr/include/rpc/rpc_sztypes.h
670 file path=usr/include/rpc/rpcb_clnt.h
671 file path=usr/include/rpc/rpcb_prot.h
672 file path=usr/include/rpc/rpcb_prot.x
673 file path=usr/include/rpc/rpcnt.h
674 file path=usr/include/rpc/rpcsec_gss.h
675 file path=usr/include/rpc/rpcsys.h
676 file path=usr/include/rpc/svc.h
677 file path=usr/include/rpc/svc_auth.h
678 file path=usr/include/rpc/svc_mt.h
679 file path=usr/include/rpc/svc_soc.h
680 file path=usr/include/rpc/types.h
681 file path=usr/include/rpc/xdr.h
682 file path=usr/include/rpcsvc/autofs_prot.h
683 file path=usr/include/rpcsvc/autofs_prot.x
684 file path=usr/include/rpcsvc/bootparam.h
685 file path=usr/include/rpcsvc/bootparam_prot.h
686 file path=usr/include/rpcsvc/bootparam_prot.x
687 file path=usr/include/rpcsvc/dbm.h
688 file path=usr/include/rpcsvc/key_prot.x
689 file path=usr/include/rpcsvc/mount.h
690 file path=usr/include/rpcsvc/mount.x
691 file path=usr/include/rpcsvc/nfs4_prot.h
692 file path=usr/include/rpcsvc/nfs4_prot.x
693 file path=usr/include/rpcsvc/nfs_acl.h
694 file path=usr/include/rpcsvc/nfs_acl.x
695 file path=usr/include/rpcsvc/nfs_prot.h
696 file path=usr/include/rpcsvc/nfs_prot.x
697 file path=usr/include/rpcsvc/nis.h
698 file path=usr/include/rpcsvc/nis.x
699 file path=usr/include/rpcsvc/nis_db.h
700 file path=usr/include/rpcsvc/nis_object.x
701 file path=usr/include/rpcsvc/nislib.h
702 file path=usr/include/rpcsvc/nlm_prot.h
703 file path=usr/include/rpcsvc/nlm_prot.x
704 file path=usr/include/rpcsvc/nsm_addr.h
705 file path=usr/include/rpcsvc/nsm_addr.x
706 file path=usr/include/rpcsvc/rex.h
707 file path=usr/include/rpcsvc/rex.x
708 file path=usr/include/rpcsvc/rpc_sztypes.h
709 file path=usr/include/rpcsvc/rpc_sztypes.x
710 file path=usr/include/rpcsvc/rquota.h
711 file path=usr/include/rpcsvc/rquota.x
712 file path=usr/include/rpcsvc/rstat.h
713 file path=usr/include/rpcsvc/rstat.x
714 file path=usr/include/rpcsvc/rusers.h
715 file path=usr/include/rpcsvc/rusers.x
716 file path=usr/include/rpcsvc/rwall.h
717 file path=usr/include/rpcsvc/rwall.x
718 file path=usr/include/rpcsvc/sm_inter.h
719 file path=usr/include/rpcsvc/sm_inter.x
720 file path=usr/include/rpcsvc/spray.h
721 file path=usr/include/rpcsvc/spray.x
```

```
722 file path=usr/include/rpcsvc/ufs_prot.h
723 file path=usr/include/rpcsvc/ufs_prot.x
724 file path=usr/include/rpcsvc/yp.x
725 file path=usr/include/rpcsvc/yp_prot.h
726 file path=usr/include/rpcsvc/ypclnt.h
727 file path=usr/include/rpcsvc/yppasswd.h
728 file path=usr/include/rpcsvc/ypupd.h
729 file path=usr/include/rsmapi.h
730 file path=usr/include/rtld_db.h
731 file path=usr/include/sac.h
732 file path=usr/include/sasl/prop.h
733 file path=usr/include/sasl/sasl.h
734 file path=usr/include/sasl/saslplug.h
735 file path=usr/include/sasl/saslutil.h
736 file path=usr/include/sched.h
737 file path=usr/include/schedctl.h
738 file path=usr/include/scsi/libscsi.h
739 file path=usr/include/scsi/libses.h
740 file path=usr/include/scsi/libses_plugin.h
741 file path=usr/include/scsi/libsmpt.h
742 file path=usr/include/scsi/libsmpt_plugin.h
743 file path=usr/include/scsi/plugins/ses/framework/libses.h
744 file path=usr/include/scsi/plugins/ses/framework/ses2.h
745 file path=usr/include/scsi/plugins/ses/framework/ses2_impl.h
746 file path=usr/include/scsi/plugins/ses/vendor/sun.h
747 file path=usr/include/sdp.h
748 file path=usr/include/search.h
749 file path=usr/include/secdb.h
750 file path=usr/include/security/auditd.h
751 file path=usr/include/security/cryptoki.h
752 file path=usr/include/security/pam_appl.h
753 file path=usr/include/security/pam_modules.h
754 file path=usr/include/security/pkcs11.h
755 file path=usr/include/security/pkcs11f.h
756 file path=usr/include/security/pkcs11t.h
757 file path=usr/include/semaphore.h
758 file path=usr/include/setjmp.h
759 file path=usr/include/sgtty.h
760 file path=usr/include/shal.h
761 file path=usr/include/sha2.h
762 file path=usr/include/shadow.h
763 file path=usr/include/sharefs/share.h
764 file path=usr/include/sharefs/sharefs.h
765 file path=usr/include/sharefs/sharetabs.h
766 file path=usr/include/siginfo.h
767 file path=usr/include/signal.h
768 file path=usr/include/sip.h
769 file path=usr/include/smbios.h
770 file path=usr/include/spawn.h
771 $(i386_ONLY)file path=usr/include/stack_unwind.h
772 file path=usr/include/stdarg.h
773 file path=usr/include/stdbool.h
774 file path=usr/include/stddef.h
775 file path=usr/include/stdint.h
776 file path=usr/include/stdio.h
777 file path=usr/include/stdio_ext.h
778 file path=usr/include/stdio_impl.h
779 file path=usr/include/stdio_tag.h
780 file path=usr/include/stdlib.h
781 file path=usr/include/storclass.h
782 file path=usr/include/string.h
783 file path=usr/include/strings.h
784 file path=usr/include/stropts.h
785 file path=usr/include/syms.h
786 file path=usr/include/synch.h
787 file path=usr/include/sys/acct.h
```

```

788 file path=usr/include/sys/acctctl.h
789 file path=usr/include/sys/acl.h
790 file path=usr/include/sys/acl_impl.h
791 file path=usr/include/sys/acpi_drv.h
792 file path=usr/include/sys/aio.h
793 file path=usr/include/sys/aio_impl.h
794 file path=usr/include/sys/aio_req.h
795 file path=usr/include/sys/aioch.h
796 file path=usr/include/sys/archsystem.h
797 file path=usr/include/sys/ascii.h
798 file path=usr/include/sys/asm_linkage.h
799 file path=usr/include/sys/asynch.h
800 file path=usr/include/sys/atomic.h
801 file path=usr/include/sys/attr.h
802 file path=usr/include/sys/autoconf.h
803 file path=usr/include/sys/auxv.h
804 file path=usr/include/sys/auxv_386.h
805 file path=usr/include/sys/auxv_SPARC.h
806 file path=usr/include/sys/av/iec61883.h
807 file path=usr/include/sys/avintr.h
808 file path=usr/include/sys/avl.h
809 file path=usr/include/sys/avl_impl.h
810 file path=usr/include/sys/bitmap.h
811 file path=usr/include/sys/bitset.h
812 file path=usr/include/sys/bl.h
813 file path=usr/include/sys/blkdev.h
814 file path=usr/include/sys/bofi.h
815 file path=usr/include/sys/bofi_impl.h
816 file path=usr/include/sys/bootconf.h
817 $(i386_ONLY)file path=usr/include/sys/bootregs.h
818 file path=usr/include/sys/bootstat.h
819 $(i386_ONLY)file path=usr/include/sys/bootsvcs.h
820 file path=usr/include/sys/bpp_io.h
821 file path=usr/include/sys/brand.h
822 file path=usr/include/sys/buf.h
823 file path=usr/include/sys/bufmod.h
824 file path=usr/include/sys/bustypes.h
825 file path=usr/include/sys/byteorder.h
826 file path=usr/include/sys/callb.h
827 file path=usr/include/sys/callo.h
828 file path=usr/include/sys/cap_util.h
829 file path=usr/include/sys/ccompile.h
830 file path=usr/include/sys/cdio.h
831 file path=usr/include/sys/cis.h
832 file path=usr/include/sys/cis_handlers.h
833 file path=usr/include/sys/cis_protos.h
831 file path=usr/include/sys/cladm.h
832 file path=usr/include/sys/class.h
833 file path=usr/include/sys/clconf.h
834 file path=usr/include/sys/cmlb.h
835 file path=usr/include/sys/cmn_err.h
836 $(sparc_ONLY)file path=usr/include/sys/cmpregs.h
837 file path=usr/include/sys/compress.h
838 file path=usr/include/sys/condvar.h
839 file path=usr/include/sys/condvar_impl.h
840 file path=usr/include/sys/conf.h
841 file path=usr/include/sys/consdev.h
842 file path=usr/include/sys/console.h
843 file path=usr/include/sys/consplat.h
844 file path=usr/include/sys/contract.h
845 file path=usr/include/sys/contract/device.h
846 file path=usr/include/sys/contract/device_impl.h
847 file path=usr/include/sys/contract/process.h
848 file path=usr/include/sys/contract/process_impl.h
849 file path=usr/include/sys/contract_impl.h
850 $(i386_ONLY)file path=usr/include/sys/controlregs.h

```

```

851 file path=usr/include/sys/copyops.h
852 file path=usr/include/sys/core.h
853 file path=usr/include/sys/corectl.h
854 file path=usr/include/sys/cpc_impl.h
855 file path=usr/include/sys/cpc_pcbe.h
856 file path=usr/include/sys/cpr.h
857 file path=usr/include/sys/cpu.h
858 file path=usr/include/sys/cpucaps.h
859 file path=usr/include/sys/cpucaps_impl.h
860 file path=usr/include/sys/cpupart.h
861 file path=usr/include/sys/cpuvar.h
862 file path=usr/include/sys/crc32.h
863 file path=usr/include/sys/cred.h
864 file path=usr/include/sys/cred_impl.h
865 file path=usr/include/sys/crtctl.h
866 file path=usr/include/sys/crypto/api.h
867 file path=usr/include/sys/crypto/common.h
868 file path=usr/include/sys/crypto/ioctl.h
869 file path=usr/include/sys/crypto/ioctladmin.h
870 file path=usr/include/sys/crypto/spi.h
874 file path=usr/include/sys/cs.h
875 file path=usr/include/sys/cs_priv.h
876 file path=usr/include/sys/cs_strings.h
877 file path=usr/include/sys/cs_stubs.h
878 file path=usr/include/sys/cs_types.h
871 file path=usr/include/sys/csioioctl.h
872 file path=usr/include/sys/ctf.h
873 file path=usr/include/sys/ctf_api.h
874 file path=usr/include/sys/ctfs.h
875 file path=usr/include/sys/ctfs_impl.h
876 file path=usr/include/sys/ctype.h
877 file path=usr/include/sys/cyclic.h
878 file path=usr/include/sys/cyclic_impl.h
879 file path=usr/include/sys/dacf.h
880 file path=usr/include/sys/dacf_impl.h
881 file path=usr/include/sys/damap.h
882 file path=usr/include/sys/damap_impl.h
883 file path=usr/include/sys/dc_ki.h
884 file path=usr/include/sys/ddi.h
885 file path=usr/include/sys/ddi_hp.h
886 file path=usr/include/sys/ddi_hp_impl.h
887 file path=usr/include/sys/ddi_impldefs.h
888 file path=usr/include/sys/ddi_implfuncs.h
889 file path=usr/include/sys/ddi_intr.h
890 file path=usr/include/sys/ddi_intr_impl.h
891 file path=usr/include/sys/ddi_isa.h
892 file path=usr/include/sys/ddi_obsolete.h
893 file path=usr/include/sys/ddi_periodic.h
894 file path=usr/include/sys/ddidevmap.h
895 file path=usr/include/sys/ddidmareq.h
896 file path=usr/include/sys/ddifm.h
897 file path=usr/include/sys/ddifm_impl.h
898 file path=usr/include/sys/ddimapreq.h
899 file path=usr/include/sys/ddipropdefs.h
900 file path=usr/include/sys/dditypes.h
901 file path=usr/include/sys/debug.h
902 $(i386_ONLY)file path=usr/include/sys/debugreg.h
903 file path=usr/include/sys/des.h
904 file path=usr/include/sys/devcache.h
905 file path=usr/include/sys/devcache_impl.h
906 file path=usr/include/sys/devctl.h
907 file path=usr/include/sys/devfm.h
908 file path=usr/include/sys/devinfo_cache.h
909 file path=usr/include/sys/devinfo_impl.h
910 file path=usr/include/sys/devops.h
911 file path=usr/include/sys/devpolicy.h

```

```
912 file path=usr/include/sys/devpoll.h
913 file path=usr/include/sys/dirent.h
914 file path=usr/include/sys/disp.h
915 file path=usr/include/sys/dkbad.h
916 file path=usr/include/sys/dkio.h
917 file path=usr/include/sys/dklabel.h
918 $(sparc_ONLY)file path=usr/include/sys/dkmpio.h
919 $(i386_ONLY)file path=usr/include/sys/dktp/altctr.h
920 $(i386_ONLY)file path=usr/include/sys/dktp/cmpkt.h
921 file path=usr/include/sys/dktp/dadkio.h
922 file path=usr/include/sys/dktp/fdisk.h
923 file path=usr/include/sys/dl.h
924 file path=usr/include/sys/dld.h
925 file path=usr/include/sys/dlpi.h
926 file path=usr/include/sys/dls_mgmt.h
927 $(i386_ONLY)file path=usr/include/sys/dma_engine.h
928 file path=usr/include/sys/dma_i8237A.h
929 file path=usr/include/sys/dnlc.h
930 file path=usr/include/sys/door.h
931 file path=usr/include/sys/door_data.h
932 file path=usr/include/sys/door_impl.h
933 file path=usr/include/sys/dumphdr.h
934 file path=usr/include/sys/ecppio.h
935 file path=usr/include/sys/ecppreg.h
936 file path=usr/include/sys/ecppsys.h
937 file path=usr/include/sys/ecppvar.h
938 file path=usr/include/sys/efi_partition.h
939 file path=usr/include/sys/elf.h
940 file path=usr/include/sys/elf_386.h
941 file path=usr/include/sys/elf_SPARC.h
942 file path=usr/include/sys/elf_amd64.h
943 file path=usr/include/sys/elf_notes.h
944 file path=usr/include/sys/elftypes.h
945 file path=usr/include/sys/epm.h
946 file path=usr/include/sys/errno.h
947 file path=usr/include/sys/errorq.h
948 file path=usr/include/sys/errorq_impl.h
949 file path=usr/include/sys/esunddi.h
950 file path=usr/include/sys/ethernet.h
951 file path=usr/include/sys/euc.h
952 file path=usr/include/sys/eucioctl.h
953 file path=usr/include/sys/exacct.h
954 file path=usr/include/sys/exacct_catalog.h
955 file path=usr/include/sys/exacct_impl.h
956 file path=usr/include/sys/exec.h
957 file path=usr/include/sys/exechdr.h
958 file path=usr/include/sys/fault.h
959 file path=usr/include/sys/fbio.h
960 file path=usr/include/sys/fbuf.h
961 file path=usr/include/sys/fc4/fc.h
962 file path=usr/include/sys/fc4/fc_transport.h
963 file path=usr/include/sys/fc4/fcal.h
964 file path=usr/include/sys/fc4/fcal_linkapp.h
965 file path=usr/include/sys/fc4/fcal_transport.h
966 file path=usr/include/sys/fc4/fcio.h
967 file path=usr/include/sys/fc4/fcp.h
968 file path=usr/include/sys/fc4/linkapp.h
969 file path=usr/include/sys/fcntl.h
970 file path=usr/include/sys/fdbuffer.h
971 file path=usr/include/sys/fdio.h
972 $(sparc_ONLY)file path=usr/include/sys/fdreg.h
973 $(sparc_ONLY)file path=usr/include/sys/fdvar.h
974 file path=usr/include/sys/feature_tests.h
975 file path=usr/include/sys/fem.h
976 file path=usr/include/sys/file.h
977 file path=usr/include/sys/filio.h
```

```
978 file path=usr/include/sys/flock.h
979 file path=usr/include/sys/flock_impl.h
980 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/SPARC64-VI.h
981 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-II.h
982 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-III.h
983 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-T1.h
984 file path=usr/include/sys/fm/fs/zfs.h
985 file path=usr/include/sys/fm/io/ddi.h
986 file path=usr/include/sys/fm/io/disk.h
987 file path=usr/include/sys/fm/io/opl_mc_fm.h
988 file path=usr/include/sys/fm/io/pci.h
989 file path=usr/include/sys/fm/io/scsi.h
990 file path=usr/include/sys/fm/io/sun4upci.h
991 file path=usr/include/sys/fm/protocol.h
992 file path=usr/include/sys/fm/util.h
993 file path=usr/include/sys/fork.h
994 $(i386_ONLY)file path=usr/include/sys/fp.h
995 $(sparc_ONLY)file path=usr/include/sys/fpu/fpu_simulator.h
996 $(sparc_ONLY)file path=usr/include/sys/fpu/fpusystm.h
997 $(sparc_ONLY)file path=usr/include/sys/fpu/globals.h
998 $(sparc_ONLY)file path=usr/include/sys/fpu/ieee.h
999 file path=usr/include/sys/frame.h
1000 file path=usr/include/sys/fs/autofs.h
1001 file path=usr/include/sys/fs/cacheofs_dir.h
1002 file path=usr/include/sys/fs/cacheofs_dlog.h
1003 file path=usr/include/sys/fs/cacheofs_filegrp.h
1004 file path=usr/include/sys/fs/cacheofs_fs.h
1005 file path=usr/include/sys/fs/cacheofs_fscache.h
1006 file path=usr/include/sys/fs/cacheofs_ioctl.h
1007 file path=usr/include/sys/fs/cacheofs_log.h
1008 file path=usr/include/sys/fs/decomp.h
1009 file path=usr/include/sys/fs/dv_node.h
1010 file path=usr/include/sys/fs/fifonode.h
1011 file path=usr/include/sys/fs/hsfs_isospec.h
1012 file path=usr/include/sys/fs/hsfs_node.h
1013 file path=usr/include/sys/fs/hsfs_rrip.h
1014 file path=usr/include/sys/fs/hsfs_spec.h
1015 file path=usr/include/sys/fs/hsfs_susp.h
1016 file path=usr/include/sys/fs/lofs_info.h
1017 file path=usr/include/sys/fs/lofs_node.h
1018 file path=usr/include/sys/fs/mntdata.h
1019 file path=usr/include/sys/fs/namenode.h
1020 file path=usr/include/sys/fs/pc_dir.h
1021 file path=usr/include/sys/fs/pc_fs.h
1022 file path=usr/include/sys/fs/pc_label.h
1023 file path=usr/include/sys/fs/pc_node.h
1024 file path=usr/include/sys/fs/pxfs_ki.h
1025 file path=usr/include/sys/fs/sdev_impl.h
1026 file path=usr/include/sys/fs/snode.h
1027 file path=usr/include/sys/fs/swapnode.h
1028 file path=usr/include/sys/fs/tmp.h
1029 file path=usr/include/sys/fs/tmpnode.h
1030 file path=usr/include/sys/fs/udf_inode.h
1031 file path=usr/include/sys/fs/udf_volume.h
1032 file path=usr/include/sys/fs/ufs_acl.h
1033 file path=usr/include/sys/fs/ufs_bio.h
1034 file path=usr/include/sys/fs/ufs_filio.h
1035 file path=usr/include/sys/fs/ufs_fs.h
1036 file path=usr/include/sys/fs/ufs_fsdir.h
1037 file path=usr/include/sys/fs/ufs_inode.h
1038 file path=usr/include/sys/fs/ufs_lockfs.h
1039 file path=usr/include/sys/fs/ufs_log.h
1040 file path=usr/include/sys/fs/ufs_mount.h
1041 file path=usr/include/sys/fs/ufs_panic.h
1042 file path=usr/include/sys/fs/ufs_prot.h
1043 file path=usr/include/sys/fs/ufs_quota.h
```

```
1044 file path=usr/include/sys/fs/ufs_snap.h
1045 file path=usr/include/sys/fs/ufs_trans.h
1046 file path=usr/include/sys/fs/zfs.h
1047 file path=usr/include/sys/fs_reparse.h
1048 file path=usr/include/sys/fs_subr.h
1049 file path=usr/include/sys/fsid.h
1050 $(sparc_ONLY)file path=usr/include/sys/fsr.h
1051 file path=usr/include/sys/fss.h
1052 file path=usr/include/sys/fssnap.h
1053 file path=usr/include/sys/fssnap_if.h
1054 file path=usr/include/sys/fsspriocntl.h
1055 file path=usr/include/sys/fstyp.h
1056 file path=usr/include/sys/fttrace.h
1057 file path=usr/include/sys/fx.h
1058 file path=usr/include/sys/fxpriocntl.h
1059 file path=usr/include/sys/gfs.h
1060 file path=usr/include/sys/gld.h
1061 file path=usr/include/sys/gldpriv.h
1062 file path=usr/include/sys/group.h
1063 file path=usr/include/sys/hdio.h
1064 file path=usr/include/sys/hook.h
1065 file path=usr/include/sys/hook_event.h
1066 file path=usr/include/sys/hook_impl.h
1067 file path=usr/include/sys/hotplug/hpcsvc.h
1068 file path=usr/include/sys/hotplug/hpctrl.h
1069 file path=usr/include/sys/hotplug/pci/pcicfg.h
1070 file path=usr/include/sys/hotplug/pci/pcihp.h
1071 file path=usr/include/sys/hwconf.h
1072 $(i386_ONLY)file path=usr/include/sys/hypervisor.h
1073 $(i386_ONLY)file path=usr/include/sys/i8272A.h
1074 file path=usr/include/sys/ia.h
1075 file path=usr/include/sys/iapriocntl.h
1076 file path=usr/include/sys/ib/adapters/hermon/hermon_ioctl.h
1077 file path=usr/include/sys/ib/adapters/mlnx_umap.h
1078 file path=usr/include/sys/ib/adapters/tavor/tavor_ioctl.h
1079 file path=usr/include/sys/ib/clients/ibd/ibd.h
1080 file path=usr/include/sys/ib/clients/of/ofa_solaris.h
1081 file path=usr/include/sys/ib/clients/of/ofed_kernel.h
1082 file path=usr/include/sys/ib/clients/of/rdma/ib_addr.h
1083 file path=usr/include/sys/ib/clients/of/rdma/ib_user_mad.h
1084 file path=usr/include/sys/ib/clients/of/rdma/ib_user_sa.h
1085 file path=usr/include/sys/ib/clients/of/rdma/ib_user_verbs.h
1086 file path=usr/include/sys/ib/clients/of/rdma/ib_verbs.h
1087 file path=usr/include/sys/ib/clients/of/rdma/rdma_cm.h
1088 file path=usr/include/sys/ib/clients/of/rdma/rdma_user_cm.h
1089 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_cma.h
1090 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ib_cma.h
1091 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_kverb_impl.h
1092 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ofs_common.h
1093 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_rdma_user_cm.h
1094 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_ucma.h
1095 file path=usr/include/sys/ib/clients/of/sol_umad/sol_umad.h
1096 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs.h
1097 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs2ucma.h
1098 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_comp.h
1099 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_event.h
1100 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_hca.h
1101 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_qp.h
1102 file path=usr/include/sys/ib/ib_pkt_hdrs.h
1103 file path=usr/include/sys/ib/ib_types.h
1104 file path=usr/include/sys/ib/ibnexus/ibnexus_devctl.h
1105 file path=usr/include/sys/ib/ibtl/ibci.h
1106 file path=usr/include/sys/ib/ibtl/ibti.h
1107 file path=usr/include/sys/ib/ibtl/ibti_cm.h
1108 file path=usr/include/sys/ib/ibtl/ibti_common.h
1109 file path=usr/include/sys/ib/ibtl/ibtl_ci_types.h
```

```
1110 file path=usr/include/sys/ib/ibtl/ibtl_status.h
1111 file path=usr/include/sys/ib/ibtl/ibtl_types.h
1112 file path=usr/include/sys/ib/ibtl/ibvti.h
1113 file path=usr/include/sys/ib/ibtl/impl/ibtl_util.h
1114 file path=usr/include/sys/ib/mgt/ib_dm_attr.h
1115 file path=usr/include/sys/ib/mgt/ib_mad.h
1116 file path=usr/include/sys/ib/mgt/ibmf/ibmf.h
1117 file path=usr/include/sys/ib/mgt/ibmf/ibmf_msg.h
1118 file path=usr/include/sys/ib/mgt/ibmf/ibmf_saa.h
1119 file path=usr/include/sys/ib/mgt/ibmf/ibmf_utils.h
1120 file path=usr/include/sys/ib/mgt/sa_recs.h
1121 file path=usr/include/sys/ib/mgt/sm_attr.h
1122 file path=usr/include/sys/ibpart.h
1123 file path=usr/include/sys/id32.h
1124 file path=usr/include/sys/id_space.h
1125 file path=usr/include/sys/idmap.h
1126 file path=usr/include/sys/inline.h
1127 file path=usr/include/sys/instance.h
1128 file path=usr/include/sys/int_const.h
1129 file path=usr/include/sys/int_fmtio.h
1130 file path=usr/include/sys/int_limits.h
1131 file path=usr/include/sys/int_types.h
1132 file path=usr/include/sys/inttypes.h
1133 file path=usr/include/sys/iocomm.h
1134 file path=usr/include/sys/ioctl.h
1135 $(i386_ONLY)file path=usr/include/sys/iommuib.h
1136 file path=usr/include/sys/ipc.h
1137 file path=usr/include/sys/ipc_impl.h
1138 file path=usr/include/sys/ipc_rctl.h
1139 file path=usr/include/sys/isa_defs.h
1140 file path=usr/include/sys/iso/signal_iso.h
1141 file path=usr/include/sys/jioctl.h
1142 file path=usr/include/sys/kbd.h
1143 file path=usr/include/sys/kbdreg.h
1144 file path=usr/include/sys/kbio.h
1145 file path=usr/include/sys/kcpc.h
1146 file path=usr/include/sys/kd.h
1147 file path=usr/include/sys/kdi.h
1148 file path=usr/include/sys/kdi_impl.h
1149 file path=usr/include/sys/kdi_machimpl.h
1150 $(i386_ONLY)file path=usr/include/sys/kdi_regs.h
1151 file path=usr/include/sys/kiconv.h
1152 file path=usr/include/sys/kidmap.h
1153 file path=usr/include/sys/klpd.h
1154 file path=usr/include/sys/klwp.h
1155 file path=usr/include/sys/kmem.h
1156 file path=usr/include/sys/kmem_impl.h
1157 file path=usr/include/sys/kobj.h
1158 file path=usr/include/sys/kobj_impl.h
1159 file path=usr/include/sys/ksocket.h
1160 file path=usr/include/sys/kstat.h
1161 file path=usr/include/sys/kstr.h
1162 file path=usr/include/sys/ksyms.h
1163 file path=usr/include/sys/ksynch.h
1164 file path=usr/include/sys/lc_core.h
1165 file path=usr/include/sys/ldterm.h
1166 file path=usr/include/sys/lgrp.h
1167 file path=usr/include/sys/lgrp_user.h
1168 file path=usr/include/sys/link.h
1169 file path=usr/include/sys/list.h
1170 file path=usr/include/sys/list_impl.h
1171 file path=usr/include/sys/llcl.h
1172 file path=usr/include/sys/loadavg.h
1173 file path=usr/include/sys/localedef.h
1174 file path=usr/include/sys/lock.h
1175 file path=usr/include/sys/lockfs.h
```

```
1176 file path=usr/include/sys/lofi.h
1177 file path=usr/include/sys/log.h
1178 file path=usr/include/sys/logindmux.h
1179 file path=usr/include/sys/lvm/md_basic.h
1180 file path=usr/include/sys/lvm/md_convert.h
1181 file path=usr/include/sys/lvm/md_crc.h
1182 file path=usr/include/sys/lvm/md_hotspares.h
1183 file path=usr/include/sys/lvm/md_mddb.h
1184 file path=usr/include/sys/lvm/md_mdiox.h
1185 file path=usr/include/sys/lvm/md_mhdx.h
1186 file path=usr/include/sys/lvm/md_mirror.h
1187 file path=usr/include/sys/lvm/md_mirror_shared.h
1188 file path=usr/include/sys/lvm/md_names.h
1189 file path=usr/include/sys/lvm/md_notify.h
1190 file path=usr/include/sys/lvm/md_raid.h
1191 file path=usr/include/sys/lvm/md_rename.h
1192 file path=usr/include/sys/lvm/md_sp.h
1193 file path=usr/include/sys/lvm/md_stripe.h
1194 file path=usr/include/sys/lvm/md_trans.h
1195 file path=usr/include/sys/lvm/mdio.h
1196 file path=usr/include/sys/lvm/mdmed.h
1197 file path=usr/include/sys/lvm/mdmn_commd.h
1198 file path=usr/include/sys/lvm/mdvar.h
1199 file path=usr/include/sys/lwp.h
1200 file path=usr/include/sys/lwp_timer_impl.h
1201 file path=usr/include/sys/lwp_upimutex_impl.h
1202 file path=usr/include/sys/mac.h
1203 file path=usr/include/sys/mac_ether.h
1204 file path=usr/include/sys/mac_flow.h
1205 file path=usr/include/sys/mac_provider.h
1206 file path=usr/include/sys/machelf.h
1207 file path=usr/include/sys/machlock.h
1208 file path=usr/include/sys/machsig.h
1209 file path=usr/include/sys/machtypes.h
1210 file path=usr/include/sys/map.h
1211 $(i386_ONLY)file path=usr/include/sys/mc.h
1212 $(i386_ONLY)file path=usr/include/sys/mc_amd.h
1213 $(i386_ONLY)file path=usr/include/sys/mc_intel.h
1214 $(i386_ONLY)file path=usr/include/sys/mca_amd.h
1215 $(i386_ONLY)file path=usr/include/sys/mca_x86.h
1216 file path=usr/include/sys/md4.h
1217 file path=usr/include/sys/md5.h
1218 file path=usr/include/sys/md5_consts.h
1219 file path=usr/include/sys/mdi_impldefs.h
1220 file path=usr/include/sys/mem.h
1221 file path=usr/include/sys/mem_config.h
1222 file path=usr/include/sys/memlist.h
1223 file path=usr/include/sys/mhd.h
1224 file path=usr/include/sys/mii.h
1225 file path=usr/include/sys/miiregs.h
1226 file path=usr/include/sys/mkdev.h
1227 file path=usr/include/sys/mmman.h
1228 file path=usr/include/sys/mmmapobj.h
1229 file path=usr/include/sys/mntent.h
1230 file path=usr/include/sys/mntio.h
1231 file path=usr/include/sys/mnttab.h
1232 file path=usr/include/sys/modctl.h
1233 file path=usr/include/sys/mode.h
1234 file path=usr/include/sys/model.h
1235 file path=usr/include/sys/modhash.h
1236 file path=usr/include/sys/modhash_impl.h
1237 file path=usr/include/sys/mount.h
1238 file path=usr/include/sys/mouse.h
1239 file path=usr/include/sys/msacct.h
1240 file path=usr/include/sys/msg.h
1241 file path=usr/include/sys/msg_impl.h
```

```
1242 file path=usr/include/sys/msio.h
1243 file path=usr/include/sys/msreg.h
1244 file path=usr/include/sys/mtio.h
1245 file path=usr/include/sys/multidata.h
1246 file path=usr/include/sys/mutex.h
1247 $(i386_ONLY)file path=usr/include/sys/mutex_impl.h
1248 file path=usr/include/sys/nbmlock.h
1249 file path=usr/include/sys/ndi_impldefs.h
1250 file path=usr/include/sys/ndifm.h
1251 file path=usr/include/sys/netconfig.h
1252 file path=usr/include/sys/neti.h
1253 file path=usr/include/sys/netstack.h
1254 file path=usr/include/sys/nexusdefs.h
1255 file path=usr/include/sys/note.h
1256 file path=usr/include/sys/nvpair.h
1257 file path=usr/include/sys/nvpair_impl.h
1258 file path=usr/include/sys/objfs.h
1259 file path=usr/include/sys/objfs_impl.h
1260 file path=usr/include/sys/obpdefs.h
1261 file path=usr/include/sys/old_procfs.h
1262 file path=usr/include/sys/open.h
1263 file path=usr/include/sys/openpromio.h
1264 file path=usr/include/sys/panic.h
1265 file path=usr/include/sys/param.h
1266 file path=usr/include/sys/pathconf.h
1267 file path=usr/include/sys/pathname.h
1268 file path=usr/include/sys/pattr.h
1269 file path=usr/include/sys/pbio.h
1270 file path=usr/include/sys/pcb.h
1271 file path=usr/include/sys/pccard.h
1271 file path=usr/include/sys/pci.h
1281 $(i386_ONLY)file path=usr/include/sys/pcic_reg.h
1282 $(i386_ONLY)file path=usr/include/sys/pcic_var.h
1272 file path=usr/include/sys/pcie.h
1284 file path=usr/include/sys/pcmcia.h
1273 file path=usr/include/sys/pctypes.h
1274 file path=usr/include/sys/pfmod.h
1275 file path=usr/include/sys/pg.h
1276 file path=usr/include/sys/pghw.h
1277 file path=usr/include/sys/phymem.h
1278 $(i386_ONLY)file path=usr/include/sys/pic.h
1279 $(i386_ONLY)file path=usr/include/sys/pit.h
1280 file path=usr/include/sys/pkp_hash.h
1281 file path=usr/include/sys/pm.h
1282 $(i386_ONLY)file path=usr/include/sys/pmem.h
1283 file path=usr/include/sys/policy.h
1284 file path=usr/include/sys/poll.h
1285 file path=usr/include/sys/poll_impl.h
1286 file path=usr/include/sys/pool.h
1287 file path=usr/include/sys/pool_impl.h
1288 file path=usr/include/sys/pool_pset.h
1289 file path=usr/include/sys/port.h
1290 file path=usr/include/sys/port_impl.h
1291 file path=usr/include/sys/port_kernel.h
1292 file path=usr/include/sys/ppmio.h
1293 file path=usr/include/sys/priocntl.h
1294 file path=usr/include/sys/priv.h
1295 file path=usr/include/sys/priv_const.h
1296 file path=usr/include/sys/priv_impl.h
1297 file path=usr/include/sys/priv_names.h
1298 $(i386_ONLY)file path=usr/include/sys/privmregs.h
1299 $(i386_ONLY)file path=usr/include/sys/privregs.h
1300 file path=usr/include/sys/prnio.h
1301 file path=usr/include/sys/proc.h
1302 file path=usr/include/sys/proc/prdata.h
1303 file path=usr/include/sys/processor.h
```

```
1304 file path=usr/include/sys/procfs.h
1305 file path=usr/include/sys/procfs_isa.h
1306 file path=usr/include/sys/procset.h
1307 file path=usr/include/sys/project.h
1308 $(i386_ONLY)file path=usr/include/sys/prom_emul.h
1309 $(i386_ONLY)file path=usr/include/sys/prom_isa.h
1310 $(i386_ONLY)file path=usr/include/sys/prom_plat.h
1311 file path=usr/include/sys/promif.h
1312 file path=usr/include/sys/promimpl.h
1313 file path=usr/include/sys/protosw.h
1314 file path=usr/include/sys/prsysvm.h
1315 file path=usr/include/sys/pset.h
1316 file path=usr/include/sys/psw.h
1317 $(i386_ONLY)file path=usr/include/sys/pte.h
1318 file path=usr/include/sys/ptem.h
1319 file path=usr/include/sys/ptms.h
1320 file path=usr/include/sys/ptyvar.h
1321 file path=usr/include/sys/queue.h
1322 file path=usr/include/sys/raidioctl.h
1323 file path=usr/include/sys/ramdisk.h
1324 file path=usr/include/sys/random.h
1325 file path=usr/include/sys/rctl.h
1326 file path=usr/include/sys/rctl_impl.h
1327 file path=usr/include/sys/rds.h
1328 file path=usr/include/sys/reboot.h
1329 file path=usr/include/sys/refstr.h
1330 file path=usr/include/sys/refstr_impl.h
1331 file path=usr/include/sys/reg.h
1332 file path=usr/include/sys/regset.h
1333 file path=usr/include/sys/resource.h
1334 file path=usr/include/sys/rliocntl.h
1335 file path=usr/include/sys/rsm/rsm.h
1336 file path=usr/include/sys/rsm/rsm_common.h
1337 file path=usr/include/sys/rsm/rsmapi_common.h
1338 file path=usr/include/sys/rsm/rsmka_path_int.h
1339 file path=usr/include/sys/rsm/rsmndi.h
1340 file path=usr/include/sys/rsm/rsmapi.h
1341 file path=usr/include/sys/rsm/rsmapi_driver.h
1342 file path=usr/include/sys/rt.h
1343 $(i386_ONLY)file path=usr/include/sys/rtc.h
1344 file path=usr/include/sys/rtpriocntl.h
1345 file path=usr/include/sys/rwlock.h
1346 file path=usr/include/sys/rwlock_impl.h
1347 file path=usr/include/sys/rwstlock.h
1348 file path=usr/include/sys/sad.h
1349 $(i386_ONLY)file path=usr/include/sys/sata/sata_defs.h
1350 $(i386_ONLY)file path=usr/include/sys/sata/sata_hba.h
1351 file path=usr/include/sys/schedctl.h
1352 $(sparc_ONLY)file path=usr/include/sys/scsi/adapters/ifpio.h
1353 file path=usr/include/sys/scsi/adapters/scsi_vhci.h
1354 $(sparc_ONLY)file path=usr/include/sys/scsi/adapters/sfvar.h
1355 file path=usr/include/sys/scsi/conf/autoconf.h
1356 file path=usr/include/sys/scsi/conf/device.h
1357 file path=usr/include/sys/scsi/generic/commands.h
1358 file path=usr/include/sys/scsi/generic/dad_mode.h
1359 file path=usr/include/sys/scsi/generic/inquiry.h
1360 file path=usr/include/sys/scsi/generic/message.h
1361 file path=usr/include/sys/scsi/generic/mode.h
1362 file path=usr/include/sys/scsi/generic/persist.h
1363 file path=usr/include/sys/scsi/generic/sense.h
1364 file path=usr/include/sys/scsi/generic/sff_frames.h
1365 file path=usr/include/sys/scsi/generic/smp_frames.h
1366 file path=usr/include/sys/scsi/generic/status.h
1367 file path=usr/include/sys/scsi/impl/commands.h
1368 file path=usr/include/sys/scsi/impl/inquiry.h
1369 file path=usr/include/sys/scsi/impl/mode.h
```

```
1370 file path=usr/include/sys/scsi/impl/scsi_reset_notify.h
1371 file path=usr/include/sys/scsi/impl/scsi_sas.h
1372 file path=usr/include/sys/scsi/impl/sense.h
1373 file path=usr/include/sys/scsi/impl/services.h
1374 file path=usr/include/sys/scsi/impl/smp_transport.h
1375 file path=usr/include/sys/scsi/impl/spc3_types.h
1376 file path=usr/include/sys/scsi/impl/status.h
1377 file path=usr/include/sys/scsi/impl/transport.h
1378 file path=usr/include/sys/scsi/impl/types.h
1379 file path=usr/include/sys/scsi/impl/uscsi.h
1380 file path=usr/include/sys/scsi/impl/usmp.h
1381 file path=usr/include/sys/scsi/scsi.h
1382 file path=usr/include/sys/scsi/scsi_address.h
1383 file path=usr/include/sys/scsi/scsi_ctl.h
1384 file path=usr/include/sys/scsi/scsi_fm.h
1385 file path=usr/include/sys/scsi/scsi_params.h
1386 file path=usr/include/sys/scsi/scsi_pkt.h
1387 file path=usr/include/sys/scsi/scsi_resource.h
1388 file path=usr/include/sys/scsi/scsi_types.h
1389 file path=usr/include/sys/scsi/scsi_watch.h
1390 file path=usr/include/sys/scsi/targets/sddef.h
1391 file path=usr/include/sys/scsi/targets/ses.h
1392 file path=usr/include/sys/scsi/targets/sesio.h
1393 file path=usr/include/sys/scsi/targets/sgendef.h
1394 file path=usr/include/sys/scsi/targets/smp.h
1395 $(sparc_ONLY)file path=usr/include/sys/scsi/targets/ssddef.h
1396 file path=usr/include/sys/scsi/targets/stdef.h
1397 $(i386_ONLY)file path=usr/include/sys/segment.h
1398 $(i386_ONLY)file path=usr/include/sys/segments.h
1399 file path=usr/include/sys/select.h
1400 file path=usr/include/sys/sem.h
1401 file path=usr/include/sys/sem_impl.h
1402 file path=usr/include/sys/semaphore.h
1403 file path=usr/include/sys/semaphore.h
1404 file path=usr/include/sys/sendfile.h
1405 $(sparc_ONLY)file path=usr/include/sys/ser_async.h
1406 file path=usr/include/sys/ser_sync.h
1407 $(sparc_ONLY)file path=usr/include/sys/ser_zscc.h
1408 file path=usr/include/sys/serializer.h
1409 file path=usr/include/sys/session.h
1410 file path=usr/include/sys/sha1.h
1411 file path=usr/include/sys/sha2.h
1412 file path=usr/include/sys/share.h
1413 file path=usr/include/sys/shm.h
1414 file path=usr/include/sys/shm_impl.h
1415 file path=usr/include/sys/sid.h
1416 file path=usr/include/sys/siginfo.h
1417 file path=usr/include/sys/signal.h
1418 file path=usr/include/sys/sleepq.h
1419 file path=usr/include/sys/smbios.h
1420 file path=usr/include/sys/smbios_impl.h
1421 file path=usr/include/sys/smedia.h
1422 file path=usr/include/sys/subject.h
1423 $(sparc_ONLY)file path=usr/include/sys/socal_cq_defs.h
1424 $(sparc_ONLY)file path=usr/include/sys/socalio.h
1425 $(sparc_ONLY)file path=usr/include/sys/socalmap.h
1426 $(sparc_ONLY)file path=usr/include/sys/socalreg.h
1427 $(sparc_ONLY)file path=usr/include/sys/socalvar.h
1428 file path=usr/include/sys/socket.h
1429 file path=usr/include/sys/socket_impl.h
1430 file path=usr/include/sys/socket_proto.h
1431 file path=usr/include/sys/socketvar.h
1432 file path=usr/include/sys/sockio.h
1433 file path=usr/include/sys/spl.h
1434 file path=usr/include/sys/squeue.h
1435 file path=usr/include/sys/squeue_impl.h
```

```
1448 file path=usr/include/sys/sservice.h
1436 file path=usr/include/sys/stack.h
1437 file path=usr/include/sys/stat.h
1438 file path=usr/include/sys/stat_impl.h
1439 file path=usr/include/sys/statfs.h
1440 file path=usr/include/sys/statvfs.h
1441 file path=usr/include/sys/stdbool.h
1442 file path=usr/include/sys/stdint.h
1443 file path=usr/include/sys/stermio.h
1444 file path=usr/include/sys/stream.h
1445 file path=usr/include/sys/strft.h
1446 file path=usr/include/sys/strlog.h
1447 file path=usr/include/sys/strmdep.h
1448 file path=usr/include/sys/stropts.h
1449 file path=usr/include/sys/strredir.h
1450 file path=usr/include/sys/strstat.h
1451 file path=usr/include/sys/strsubr.h
1452 file path=usr/include/sys/strsun.h
1453 file path=usr/include/sys/strtty.h
1454 file path=usr/include/sys/sunddi.h
1455 file path=usr/include/sys/sunldi.h
1456 file path=usr/include/sys/sunldi_impl.h
1457 file path=usr/include/sys/sunmdi.h
1458 file path=usr/include/sys/sunndi.h
1459 file path=usr/include/sys/sunpm.h
1460 file path=usr/include/sys/suntpi.h
1461 file path=usr/include/sys/suntty.h
1462 file path=usr/include/sys/swap.h
1463 file path=usr/include/sys/synch.h
1464 file path=usr/include/sys/syscall.h
1465 file path=usr/include/sys/sysconf.h
1466 file path=usr/include/sys/sysconfig.h
1467 file path=usr/include/sys/sysconfig_impl.h
1468 file path=usr/include/sys/sysdc.h
1469 file path=usr/include/sys/sysdc_impl.h
1470 file path=usr/include/sys/sysevent.h
1471 file path=usr/include/sys/sysevent/ap_driver.h
1472 file path=usr/include/sys/sysevent/dev.h
1473 file path=usr/include/sys/sysevent/domain.h
1474 file path=usr/include/sys/sysevent/dr.h
1475 file path=usr/include/sys/sysevent/env.h
1476 file path=usr/include/sys/sysevent/eventdefs.h
1477 file path=usr/include/sys/sysevent/imp.h
1478 file path=usr/include/sys/sysevent/pwrctl.h
1479 file path=usr/include/sys/sysevent/svm.h
1480 file path=usr/include/sys/sysevent/vrrp.h
1481 file path=usr/include/sys/sysevent_impl.h
1482 $(i386_ONLY)file path=usr/include/sys/sysi86.h
1483 file path=usr/include/sys/sysinfo.h
1484 file path=usr/include/sys/syslog.h
1485 file path=usr/include/sys/sysmacros.h
1486 file path=usr/include/sys/systeminfo.h
1487 file path=usr/include/sys/systm.h
1488 file path=usr/include/sys/t_kuser.h
1489 file path=usr/include/sys/t_lock.h
1490 file path=usr/include/sys/task.h
1491 file path=usr/include/sys/taskq.h
1492 file path=usr/include/sys/taskq_impl.h
1493 file path=usr/include/sys/telioc1.h
1494 file path=usr/include/sys/termio.h
1495 file path=usr/include/sys/termios.h
1496 file path=usr/include/sys/termiox.h
1497 file path=usr/include/sys/thread.h
1498 file path=usr/include/sys/ticlts.h
1499 file path=usr/include/sys/ticots.h
1500 file path=usr/include/sys/ticotsord.h
```

```
1501 file path=usr/include/sys/tihdr.h
1502 file path=usr/include/sys/time.h
1503 file path=usr/include/sys/time_impl.h
1504 file path=usr/include/sys/time_std_impl.h
1505 file path=usr/include/sys/timeb.h
1506 file path=usr/include/sys/timer.h
1507 file path=usr/include/sys/times.h
1508 file path=usr/include/sys/timex.h
1509 file path=usr/include/sys/timod.h
1510 file path=usr/include/sys/tirdwr.h
1511 file path=usr/include/sys/tiuser.h
1512 file path=usr/include/sys/tl.h
1513 file path=usr/include/sys/tnf.h
1514 file path=usr/include/sys/tnf_com.h
1515 file path=usr/include/sys/tnf_probe.h
1516 file path=usr/include/sys/tnf_writer.h
1517 file path=usr/include/sys/todio.h
1518 file path=usr/include/sys/tpicommon.h
1519 file path=usr/include/sys/trap.h
1520 $(i386_ONLY)file path=usr/include/sys/traptrace.h
1521 file path=usr/include/sys/ts.h
1522 file path=usr/include/sys/tsol/label.h
1523 file path=usr/include/sys/tsol/label_macro.h
1524 file path=usr/include/sys/tsol/priv.h
1525 file path=usr/include/sys/tsol/tndb.h
1526 file path=usr/include/sys/tsol/tsyscall.h
1527 file path=usr/include/sys/tspricntl.h
1528 $(i386_ONLY)file path=usr/include/sys/tss.h
1529 file path=usr/include/sys/ttcompat.h
1530 file path=usr/include/sys/ttold.h
1531 file path=usr/include/sys/tty.h
1532 file path=usr/include/sys/ttychars.h
1533 file path=usr/include/sys/ttydev.h
1534 $(sparc_ONLY)file path=usr/include/sys/tytmux.h
1535 $(sparc_ONLY)file path=usr/include/sys/tytmuxuser.h
1536 file path=usr/include/sys/tuneable.h
1537 file path=usr/include/sys/turnstile.h
1538 file path=usr/include/sys/types.h
1539 file path=usr/include/sys/types32.h
1540 file path=usr/include/sys/tzfile.h
1541 file path=usr/include/sys/u8_textprep.h
1542 file path=usr/include/sys/uadmin.h
1543 $(i386_ONLY)file path=usr/include/sys/ucode.h
1544 file path=usr/include/sys/ucontext.h
1545 file path=usr/include/sys/uio.h
1546 file path=usr/include/sys/ulimit.h
1547 file path=usr/include/sys/un.h
1548 file path=usr/include/sys/unistd.h
1549 file path=usr/include/sys/user.h
1550 file path=usr/include/sys/ustat.h
1551 file path=usr/include/sys/utime.h
1552 file path=usr/include/sys/utrap.h
1553 file path=usr/include/sys/utsname.h
1554 file path=usr/include/sys/utssys.h
1555 file path=usr/include/sys/uuid.h
1556 file path=usr/include/sys/va_impl.h
1557 file path=usr/include/sys/va_list.h
1558 file path=usr/include/sys/var.h
1559 file path=usr/include/sys/varargs.h
1560 file path=usr/include/sys/vfs.h
1561 file path=usr/include/sys/vfs_opreg.h
1562 file path=usr/include/sys/vfstab.h
1563 file path=usr/include/sys/videodev2.h
1564 file path=usr/include/sys/visual_io.h
1565 file path=usr/include/sys/vm.h
1566 file path=usr/include/sys/vm_usage.h
```



```

1567 file path=usr/include/sys/vmem.h
1568 file path=usr/include/sys/vmem_impl.h
1569 file path=usr/include/sys/vmem_impl_user.h
1570 file path=usr/include/sys/vmparam.h
1571 file path=usr/include/sys/vmsystem.h
1572 file path=usr/include/sys/vnode.h
1573 file path=usr/include/sys/vt.h
1574 file path=usr/include/sys/vtdaemon.h
1575 file path=usr/include/sys/vtoc.h
1576 file path=usr/include/sys/vtrace.h
1577 file path=usr/include/sys/vuid_event.h
1578 file path=usr/include/sys/vuid_queue.h
1579 file path=usr/include/sys/vuid_state.h
1580 file path=usr/include/sys/vuid_store.h
1581 file path=usr/include/sys/vuid_wheel.h
1582 file path=usr/include/sys/wait.h
1583 file path=usr/include/sys/waitq.h
1584 file path=usr/include/sys/watchpoint.h
1585 $(i386_ONLY) file path=usr/include/sys/x86_archext.h
1586 $(i386_ONLY) file path=usr/include/sys/xen_errno.h
1587 file path=usr/include/sys/xti_inet.h
1588 file path=usr/include/sys/xti_osi.h
1589 file path=usr/include/sys/xti_xtiopt.h
1590 file path=usr/include/sys/zcons.h
1591 file path=usr/include/sys/zmod.h
1592 file path=usr/include/sys/zone.h
1593 $(sparc_ONLY) file path=usr/include/sys/zsdev.h
1594 file path=usr/include/sysexits.h
1595 file path=usr/include/syslog.h
1596 file path=usr/include/tar.h
1597 file path=usr/include/tcpd.h
1598 file path=usr/include/term.h
1599 file path=usr/include/termcap.h
1600 file path=usr/include/termio.h
1601 file path=usr/include/termios.h
1602 file path=usr/include/thread.h
1603 file path=usr/include/thread_db.h
1604 file path=usr/include/time.h
1605 file path=usr/include/tiuser.h
1606 file path=usr/include/tsol/label.h
1607 file path=usr/include/tzfile.h
1608 file path=usr/include/ucontext.h
1609 file path=usr/include/ucred.h
1610 file path=usr/include/uid_stp.h
1611 file path=usr/include/ulimit.h
1612 file path=usr/include/umem.h
1613 file path=usr/include/umem_impl.h
1614 file path=usr/include/unctrl.h
1615 file path=usr/include/unistd.h
1616 file path=usr/include/user_attr.h
1617 file path=usr/include/userdefs.h
1618 file path=usr/include/ustat.h
1619 file path=usr/include/utility.h
1620 file path=usr/include/utime.h
1621 file path=usr/include/utmp.h
1622 file path=usr/include/utmpx.h
1623 file path=usr/include/uuid/uuid.h
1624 $(sparc_ONLY) file path=usr/include/v7/sys/machpcb.h
1625 $(sparc_ONLY) file path=usr/include/v7/sys/machtrap.h
1626 $(sparc_ONLY) file path=usr/include/v7/sys/mutex_impl.h
1627 $(sparc_ONLY) file path=usr/include/v7/sys/privregs.h
1628 $(sparc_ONLY) file path=usr/include/v7/sys/prom_isa.h
1629 $(sparc_ONLY) file path=usr/include/v7/sys/psr.h
1630 $(sparc_ONLY) file path=usr/include/v7/sys/traptrace.h
1631 $(sparc_ONLY) file path=usr/include/v9/sys/asi.h
1632 $(sparc_ONLY) file path=usr/include/v9/sys/machpcb.h

```

```

1633 $(sparc_ONLY) file path=usr/include/v9/sys/machtrap.h
1634 $(sparc_ONLY) file path=usr/include/v9/sys/membar.h
1635 $(sparc_ONLY) file path=usr/include/v9/sys/mutex_impl.h
1636 $(sparc_ONLY) file path=usr/include/v9/sys/privregs.h
1637 $(sparc_ONLY) file path=usr/include/v9/sys/prom_isa.h
1638 $(sparc_ONLY) file path=usr/include/v9/sys/psr_compat.h
1639 $(sparc_ONLY) file path=usr/include/v9/sys/vis_simulator.h
1640 file path=usr/include/valtools.h
1641 file path=usr/include/values.h
1642 file path=usr/include/varargs.h
1643 file path=usr/include/vm/anon.h
1644 file path=usr/include/vm/as.h
1645 file path=usr/include/vm/faultcode.h
1646 file path=usr/include/vm/hat.h
1647 file path=usr/include/vm/kpm.h
1648 file path=usr/include/vm/page.h
1649 file path=usr/include/vm/pvn.h
1650 file path=usr/include/vm/rm.h
1651 file path=usr/include/vm/seg.h
1652 file path=usr/include/vm/seg_dev.h
1653 file path=usr/include/vm/seg_enum.h
1654 file path=usr/include/vm/seg_kmem.h
1655 file path=usr/include/vm/seg_kp.h
1656 file path=usr/include/vm/seg_kpm.h
1657 file path=usr/include/vm/seg_map.h
1658 file path=usr/include/vm/seg_spt.h
1659 file path=usr/include/vm/seg_vn.h
1660 file path=usr/include/vm/vpage.h
1661 file path=usr/include/vm/vpm.h
1662 file path=usr/include/volmgt.h
1663 file path=usr/include/wait.h
1664 file path=usr/include/wchar.h
1665 file path=usr/include/wchar_impl.h
1666 file path=usr/include/wctype.h
1667 file path=usr/include/widec.h
1668 file path=usr/include/wordexp.h
1669 file path=usr/include/xlocale.h
1670 file path=usr/include/xti.h
1671 file path=usr/include/xti_inet.h
1672 file path=usr/include/zone.h
1673 file path=usr/include/zonestat.h
1674 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/acpidev.h
1675 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/amd_iommu.h
1676 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/asm_misc.h
1677 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/clock.h
1678 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/cram.h
1679 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/ddi_subrdefs.h
1680 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/debug_info.h
1681 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/fastboot.h
1682 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/mach_mmu.h
1683 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machclock.h
1684 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machcpuvar.h
1685 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machparam.h
1686 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machprivregs.h
1687 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machsystem.h
1688 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/machthread.h
1689 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/memmode.h
1690 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/pc_mmu.h
1691 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/psm.h
1692 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/psm_defs.h
1693 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/psm_modctl.h
1694 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/psm_types.h
1695 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/rm_platter.h
1696 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/sbd_ioctl.h
1697 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/smp_impldefs.h
1698 $(i386_ONLY) file path=usr/platform/i86pc/include/sys/vm_machparam.h

```

```

1699 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/x_call.h
1700 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_levels.h
1701 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xsvc.h
1702 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_i386.h
1703 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_pte.h
1704 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hment.h
1705 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/htable.h
1706 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/kboot_mmu.h
1707 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/balloon.h
1708 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/machprivregs.h
1709 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xen_mmu.h
1710 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xpv_impl.h
1711 $(i386_ONLY)file path=usr/platform/i86xpv/include/vm/seg_mf.h
1712 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ac.h
1713 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/asynch.h
1714 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h
1715 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h
1716 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/clock.h
1717 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cmp.h
1718 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpc_ultra.h
1719 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpr_impl.h
1720 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_impl.h
1721 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_sgnblk_defs.h
1722 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cvc.h
1723 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/daktari.h
1724 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ddi_subrdefs.h
1725 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/dvma.h
1726 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ecc_kstat.h
1727 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/EEPROM.h
1728 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl.h
1729 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_gen.h
1730 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue250.h
1731 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue450.h
1732 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envIRON.h
1733 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/errclassify.h
1734 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/fhc.h
1735 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/gpio_87317.h
1736 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/hpc3130_events.h
1737 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/hpc3130.h
1738 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/i2c_client.h
1739 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/lm75.h
1740 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/max1617.h
1741 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/pcf8591.h
1742 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/ssc050.h
1743 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/misc/i2c_svc.h
1744 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/idprom.h
1745 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intr.h
1746 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intreg.h
1747 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iocache.h
1748 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iommu.h
1749 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ivintr.h
1750 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/lom_io.h
1751 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machasi.h
1752 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machclock.h
1753 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machcpuvar.h
1754 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machparam.h
1755 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machsystem.h
1756 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machthread.h
1757 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mem_cache.h
1758 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memlist_plat.h
1759 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memnode.h
1760 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mmu.h
1761 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/nexusdebug.h
1762 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_hwdesc.h
1763 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_module.h
1764 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_debug.h

```

```

1765 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_plat.h
1766 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/pte.h
1767 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sbd_iocntl.h
1768 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scb.h
1769 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scsb_led.h
1770 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/simmstat.h
1771 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/spitregs.h
1772 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sram.h
1773 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1774 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1775 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/systat.h
1776 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysioerr.h
1777 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sySIOBUS.h
1778 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tod.h
1779 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/todmostek.h
1780 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/trapstat.h
1781 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/traptrace.h
1782 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vis.h
1783 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vm_machparam.h
1784 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/x_call.h
1785 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_impl.h
1786 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/zsmach.h
1787 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/hat_sfmmu.h
1788 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/mach_sfmmu.h
1789 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/clock.h
1790 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cmp.h
1791 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpc_ultra.h
1792 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpu_sgnblk_defs.h
1793 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ddi_subrdefs.h
1794 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_pri.h
1795 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_snmp.h
1796 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/dvma.h
1797 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/EEPROM.h
1798 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fcode.h
1799 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hsvc.h
1800 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hypervisor_api.h
1801 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/idprom.h
1802 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intr.h
1803 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intreg.h
1804 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ivintr.h
1805 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machasi.h
1806 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machclock.h
1807 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machcpuvar.h
1808 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machintreg.h
1809 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machparam.h
1810 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machsystem.h
1811 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machthread.h
1812 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memlist_plat.h
1813 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memnode.h
1814 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/mmu.h
1815 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nexusdebug.h
1816 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagaraasi.h
1817 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagararegs.h
1818 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ntwdt.h
1819 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pri.h
1820 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_debug.h
1821 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_plat.h
1822 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pte.h
1823 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/qcn.h
1824 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/scb.h
1825 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/soft_state.h
1826 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/sun4asi.h
1827 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/tod.h
1828 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/trapstat.h
1829 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/traptrace.h
1830 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vis.h

```

```

1831 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vm_machparam.h
1832 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/x_call.h
1833 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/xc_impl.h
1834 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/zsmach.h
1835 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/hat_sfmmu.h
1836 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/mach_sfmmu.h
1837 file path=usr/share/man/man3head/acct.h.3head
1838 file path=usr/share/man/man3head/aio.h.3head
1839 file path=usr/share/man/man3head/ar.h.3head
1840 file path=usr/share/man/man3head/archives.h.3head
1841 file path=usr/share/man/man3head/assert.h.3head
1842 file path=usr/share/man/man3head/complex.h.3head
1843 file path=usr/share/man/man3head/cpio.h.3head
1844 file path=usr/share/man/man3head/dirent.h.3head
1845 file path=usr/share/man/man3head/errno.h.3head
1846 file path=usr/share/man/man3head/fcntl.h.3head
1847 file path=usr/share/man/man3head/fenv.h.3head
1848 file path=usr/share/man/man3head/float.h.3head
1849 file path=usr/share/man/man3head/floatingpoint.h.3head
1850 file path=usr/share/man/man3head/fmtmsg.h.3head
1851 file path=usr/share/man/man3head/fnmatch.h.3head
1852 file path=usr/share/man/man3head/ftw.h.3head
1853 file path=usr/share/man/man3head/glob.h.3head
1854 file path=usr/share/man/man3head/grp.h.3head
1855 file path=usr/share/man/man3head/iconv.h.3head
1856 file path=usr/share/man/man3head/if.h.3head
1857 file path=usr/share/man/man3head/in.h.3head
1858 file path=usr/share/man/man3head/inet.h.3head
1859 file path=usr/share/man/man3head/inttypes.h.3head
1860 file path=usr/share/man/man3head/ipc.h.3head
1861 file path=usr/share/man/man3head/iso646.h.3head
1862 file path=usr/share/man/man3head/langinfo.h.3head
1863 file path=usr/share/man/man3head/libgen.h.3head
1864 file path=usr/share/man/man3head/libintl.h.3head
1865 file path=usr/share/man/man3head/limits.h.3head
1866 file path=usr/share/man/man3head/locale.h.3head
1867 file path=usr/share/man/man3head/math.h.3head
1868 file path=usr/share/man/man3head/mman.h.3head
1869 file path=usr/share/man/man3head/monetary.h.3head
1870 file path=usr/share/man/man3head/mqueue.h.3head
1871 file path=usr/share/man/man3head/msg.h.3head
1872 file path=usr/share/man/man3head/ndbm.h.3head
1873 file path=usr/share/man/man3head/netdb.h.3head
1874 file path=usr/share/man/man3head/nl_types.h.3head
1875 file path=usr/share/man/man3head/poll.h.3head
1876 file path=usr/share/man/man3head/pthread.h.3head
1877 file path=usr/share/man/man3head/pwd.h.3head
1878 file path=usr/share/man/man3head/regex.h.3head
1879 file path=usr/share/man/man3head/resource.h.3head
1880 file path=usr/share/man/man3head/sched.h.3head
1881 file path=usr/share/man/man3head/search.h.3head
1882 file path=usr/share/man/man3head/select.h.3head
1883 file path=usr/share/man/man3head/sem.h.3head
1884 file path=usr/share/man/man3head/semaphore.h.3head
1885 file path=usr/share/man/man3head/setjmp.h.3head
1886 file path=usr/share/man/man3head/shm.h.3head
1887 file path=usr/share/man/man3head/siginfo.h.3head
1888 file path=usr/share/man/man3head/signal.h.3head
1889 file path=usr/share/man/man3head/socket.h.3head
1890 file path=usr/share/man/man3head/spawn.h.3head
1891 file path=usr/share/man/man3head/stat.h.3head
1892 file path=usr/share/man/man3head/statvfs.h.3head
1893 file path=usr/share/man/man3head/stdbool.h.3head
1894 file path=usr/share/man/man3head/stddef.h.3head
1895 file path=usr/share/man/man3head/stdint.h.3head
1896 file path=usr/share/man/man3head/stdio.h.3head

```

```

1897 file path=usr/share/man/man3head/stdlib.h.3head
1898 file path=usr/share/man/man3head/string.h.3head
1899 file path=usr/share/man/man3head/strings.h.3head
1900 file path=usr/share/man/man3head/stropts.h.3head
1901 file path=usr/share/man/man3head/syslog.h.3head
1902 file path=usr/share/man/man3head/tar.h.3head
1903 file path=usr/share/man/man3head/tcp.h.3head
1904 file path=usr/share/man/man3head/termios.h.3head
1905 file path=usr/share/man/man3head/tgmach.h.3head
1906 file path=usr/share/man/man3head/time.h.3head
1907 file path=usr/share/man/man3head/timeb.h.3head
1908 file path=usr/share/man/man3head/times.h.3head
1909 file path=usr/share/man/man3head/types.h.3head
1910 file path=usr/share/man/man3head/types32.h.3head
1911 file path=usr/share/man/man3head/ucontext.h.3head
1912 file path=usr/share/man/man3head/uo.h.3head
1913 file path=usr/share/man/man3head/ulimit.h.3head
1914 file path=usr/share/man/man3head/un.h.3head
1915 file path=usr/share/man/man3head/unistd.h.3head
1916 file path=usr/share/man/man3head/utime.h.3head
1917 file path=usr/share/man/man3head/utmpx.h.3head
1918 file path=usr/share/man/man3head/utsname.h.3head
1919 file path=usr/share/man/man3head/values.h.3head
1920 file path=usr/share/man/man3head/wait.h.3head
1921 file path=usr/share/man/man3head/wchar.h.3head
1922 file path=usr/share/man/man3head/wctype.h.3head
1923 file path=usr/share/man/man3head/wordexp.h.3head
1924 file path=usr/share/man/man3head/xlocale.h.3head
1925 file path=usr/share/man/man4/note.4
1926 file path=usr/share/man/man5/prof.5
1927 file path=usr/share/man/man7i/cdio.7i
1928 file path=usr/share/man/man7i/dkio.7i
1929 file path=usr/share/man/man7i/fbio.7i
1930 file path=usr/share/man/man7i/fdio.7i
1931 file path=usr/share/man/man7i/hdio.7i
1932 file path=usr/share/man/man7i/iec61883.7i
1933 file path=usr/share/man/man7i/mhd.7i
1934 file path=usr/share/man/man7i/mtio.7i
1935 file path=usr/share/man/man7i/prnio.7i
1936 file path=usr/share/man/man7i/quotactl.7i
1937 file path=usr/share/man/man7i/sesio.7i
1938 file path=usr/share/man/man7i/sockio.7i
1939 file path=usr/share/man/man7i/streamio.7i
1940 file path=usr/share/man/man7i/termio.7i
1941 file path=usr/share/man/man7i/termiox.7i
1942 file path=usr/share/man/man7i/uscsi.7i
1943 file path=usr/share/man/man7i/visual_io.7i
1944 file path=usr/share/man/man7i/vt.7i
1945 file path=usr/xpg4/include/curses.h
1946 file path=usr/xpg4/include/term.h
1947 file path=usr/xpg4/include/unistd.h
1948 legacy pkg=SUNWhea \
1949 desc="SunOS C/C++ header files for general development of software" \
1950 name="SunOS Header Files"
1951 license cr_Sun license=cr_Sun
1952 license lic_CDDL license=lic_CDDL
1953 license license_in_headers license=license_in_headers
1954 license usr/src/lib/pkcs11/include/THIRDPARTYLICENSE \
1955 license=usr/src/lib/pkcs11/include/THIRDPARTYLICENSE
1956 link path=usr/include/iso/assert_iso.h target=../assert.h
1957 link path=usr/include/iso/errno_iso.h target=../errno.h
1958 link path=usr/include/iso/float_iso.h target=../float.h
1959 link path=usr/include/iso/iso646_iso.h target=../iso646.h
1960 $(sparc_ONLY)link path=usr/platform/SUNW_A70/include target=../sun4u/include
1961 $(sparc_ONLY)link path=usr/platform/SUNW_Netra-T12/include \
1962 target=../sun4u/include

```

```
1963 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/include \
1964     target=../sun4u/include
1965 $(sparc_ONLY)link path=usr/platform/SUNW,SPARC-Enterprise/include \
1966     target=../sun4u/include
1967 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblad1/include \
1968     target=../sun4u/include
1969 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-100/include \
1970     target=../sun4u/include
1971 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1000/include \
1972     target=../sun4u/include
1973 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1500/include \
1974     target=../sun4u/include
1975 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-2500/include \
1976     target=../sun4u/include
1977 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-15000/include \
1978     target=../sun4u/include
1979 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-280R/include \
1980     target=../sun4u/include
1981 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-480R/include \
1982     target=../sun4u/include
1983 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/include \
1984     target=../sun4u/include
1985 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/include \
1986     target=../sun4u/include
1987 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/include \
1988     target=../sun4u/include
1989 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/include \
1990     target=../sun4u/include
1991 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/include \
1992     target=../sun4u/include
1993 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/include \
1994     target=../sun4u/include
1995 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V490/include \
1996     target=../sun4u/include
1997 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V890/include \
1998     target=../sun4u/include
1999 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire/include \
2000     target=../sun4u/include
2001 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-2/include \
2002     target=../sun4u/include
2003 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-250/include \
2004     target=../sun4u/include
2005 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-4/include \
2006     target=../sun4u/include
2007 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise-10000/include \
2008     target=../sun4u/include
2009 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise/include \
2010     target=../sun4u/include
2011 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40/include \
2012     target=../sun4u/include
2013 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60/include \
2014     target=../sun4u/include
2015 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIi-Netract/include \
2016     target=../sun4u/include
2017 link path=usr/share/man/man3head/acct.3head target=acct.h.3head
2018 link path=usr/share/man/man3head/aio.3head target=aio.h.3head
2019 link path=usr/share/man/man3head/ar.3head target=ar.h.3head
2020 link path=usr/share/man/man3head/archives.3head target=archives.h.3head
2021 link path=usr/share/man/man3head/assert.3head target=assert.h.3head
2022 link path=usr/share/man/man3head/complex.3head target=complex.h.3head
2023 link path=usr/share/man/man3head/cpio.3head target=cpio.h.3head
2024 link path=usr/share/man/man3head/dirent.3head target=dirent.h.3head
2025 link path=usr/share/man/man3head/errno.3head target=errno.h.3head
2026 link path=usr/share/man/man3head/fcntl.3head target=fcntl.h.3head
2027 link path=usr/share/man/man3head/fenv.3head target=fenv.h.3head
2028 link path=usr/share/man/man3head/float.3head target=float.h.3head
```

```
2029 link path=usr/share/man/man3head/floatingpoint.3head \
2030     target=floatingpoint.h.3head
2031 link path=usr/share/man/man3head/fmtmsg.3head target=fmtmsg.h.3head
2032 link path=usr/share/man/man3head/fnmatch.3head target=fnmatch.h.3head
2033 link path=usr/share/man/man3head/ftw.3head target=ftw.h.3head
2034 link path=usr/share/man/man3head/glob.3head target=glob.h.3head
2035 link path=usr/share/man/man3head/grp.3head target=grp.h.3head
2036 link path=usr/share/man/man3head/iconv.3head target=iconv.h.3head
2037 link path=usr/share/man/man3head/if.3head target=if.h.3head
2038 link path=usr/share/man/man3head/in.3head target=in.h.3head
2039 link path=usr/share/man/man3head/inet.3head target=inet.h.3head
2040 link path=usr/share/man/man3head/inttypes.3head target=inttypes.h.3head
2041 link path=usr/share/man/man3head/ipc.3head target=ipc.h.3head
2042 link path=usr/share/man/man3head/iso646.3head target=iso646.h.3head
2043 link path=usr/share/man/man3head/langinfo.3head target=langinfo.h.3head
2044 link path=usr/share/man/man3head/libgen.3head target=libgen.h.3head
2045 link path=usr/share/man/man3head/libintl.3head target=libintl.h.3head
2046 link path=usr/share/man/man3head/limits.3head target=limits.h.3head
2047 link path=usr/share/man/man3head/locale.3head target=locale.h.3head
2048 link path=usr/share/man/man3head/math.3head target=math.h.3head
2049 link path=usr/share/man/man3head/mman.3head target=mman.h.3head
2050 link path=usr/share/man/man3head/monetary.3head target=monetary.h.3head
2051 link path=usr/share/man/man3head/mqueue.3head target=mqueue.h.3head
2052 link path=usr/share/man/man3head/msg.3head target=msg.h.3head
2053 link path=usr/share/man/man3head/ndbm.3head target=ndbm.h.3head
2054 link path=usr/share/man/man3head/netdb.3head target=netdb.h.3head
2055 link path=usr/share/man/man3head/nl_types.3head target=nl_types.h.3head
2056 link path=usr/share/man/man3head/poll.3head target=poll.h.3head
2057 link path=usr/share/man/man3head/pthread.3head target=pthread.h.3head
2058 link path=usr/share/man/man3head/pwd.3head target=pwd.h.3head
2059 link path=usr/share/man/man3head/regex.3head target=regex.h.3head
2060 link path=usr/share/man/man3head/resource.3head target=resource.h.3head
2061 link path=usr/share/man/man3head/sched.3head target=sched.h.3head
2062 link path=usr/share/man/man3head/search.3head target=search.h.3head
2063 link path=usr/share/man/man3head/select.3head target=select.h.3head
2064 link path=usr/share/man/man3head/sem.3head target=sem.h.3head
2065 link path=usr/share/man/man3head/semaphore.3head target=semaphore.h.3head
2066 link path=usr/share/man/man3head/setjmp.3head target=setjmp.h.3head
2067 link path=usr/share/man/man3head/shm.3head target=shm.h.3head
2068 link path=usr/share/man/man3head/siginfo.3head target=siginfo.h.3head
2069 link path=usr/share/man/man3head/signal.3head target=signal.h.3head
2070 link path=usr/share/man/man3head/socket.3head target=socket.h.3head
2071 link path=usr/share/man/man3head/spawn.3head target=spawn.h.3head
2072 link path=usr/share/man/man3head/stat.3head target=stat.h.3head
2073 link path=usr/share/man/man3head/statvfs.3head target=statvfs.h.3head
2074 link path=usr/share/man/man3head/stdbool.3head target=stdbool.h.3head
2075 link path=usr/share/man/man3head/stddef.3head target=stddef.h.3head
2076 link path=usr/share/man/man3head/stdint.3head target=stdint.h.3head
2077 link path=usr/share/man/man3head/stdio.3head target=stdio.h.3head
2078 link path=usr/share/man/man3head/stdlib.3head target=stdlib.h.3head
2079 link path=usr/share/man/man3head/string.3head target=string.h.3head
2080 link path=usr/share/man/man3head/strings.3head target=strings.h.3head
2081 link path=usr/share/man/man3head/stropts.3head target=stropts.h.3head
2082 link path=usr/share/man/man3head/syslog.3head target=syslog.h.3head
2083 link path=usr/share/man/man3head/tar.3head target=tar.h.3head
2084 link path=usr/share/man/man3head/tcp.3head target=tc.h.3head
2085 link path=usr/share/man/man3head/termios.3head target=termios.h.3head
2086 link path=usr/share/man/man3head/tgmth.3head target=tgmth.h.3head
2087 link path=usr/share/man/man3head/time.3head target=time.h.3head
2088 link path=usr/share/man/man3head/timeb.3head target=timeb.h.3head
2089 link path=usr/share/man/man3head/times.3head target=times.h.3head
2090 link path=usr/share/man/man3head/types.3head target=types.h.3head
2091 link path=usr/share/man/man3head/types32.3head target=types32.h.3head
2092 link path=usr/share/man/man3head/ucontext.3head target=ucontext.h.3head
2093 link path=usr/share/man/man3head/uio.3head target=uio.h.3head
2094 link path=usr/share/man/man3head/ulimit.3head target=ulimit.h.3head
```

```
2095 link path=usr/share/man/man3head/un.3head target=un.h.3head
2096 link path=usr/share/man/man3head/unistd.3head target=unistd.h.3head
2097 link path=usr/share/man/man3head/utime.3head target=utime.h.3head
2098 link path=usr/share/man/man3head/utmpx.3head target=utmpx.h.3head
2099 link path=usr/share/man/man3head/utsname.3head target=utsname.h.3head
2100 link path=usr/share/man/man3head/values.3head target=values.h.3head
2101 link path=usr/share/man/man3head/wait.3head target=wait.h.3head
2102 link path=usr/share/man/man3head/wchar.3head target=wchar.h.3head
2103 link path=usr/share/man/man3head/wctype.3head target=wctype.h.3head
2104 link path=usr/share/man/man3head/wordexp.3head target=wordexp.h.3head
2105 link path=usr/share/man/man3head/xlocale.3head target=xlocale.h.3head
2106 $(i386_ONLY)link path=usr/share/src/uts/i86pc/sys \
2107     target=../../../../platform/i86pc/include/sys
2108 $(i386_ONLY)link path=usr/share/src/uts/i86pc/vm \
2109     target=../../../../platform/i86pc/include/vm
2110 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/sys \
2111     target=../../../../platform/i86xpv/include/sys
2112 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/vm \
2113     target=../../../../platform/i86xpv/include/vm
2114 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/sys \
2115     target=../../../../platform/sun4u/include/sys
2116 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/vm \
2117     target=../../../../platform/sun4u/include/vm
2118 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/sys \
2119     target=../../../../platform/sun4v/include/sys
2120 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/vm \
2121     target=../../../../platform/sun4v/include/vm
```

new/usr/src/pkg/manifests/system-kernel.man4.inc

1

1132 Wed Nov 12 17:44:38 2014

new/usr/src/pkg/manifests/system-kernel.man4.inc

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #endif /* ! codereview */
17 #
```

```
15 file path=usr/share/man/man4/cardbus.4
19 file path=usr/share/man/man4/dir_ufs.4
20 file path=usr/share/man/man4/driver.conf.4
21 file path=usr/share/man/man4/pci.4
22 file path=usr/share/man/man4/priv_names.4
23 file path=usr/share/man/man4/proc.4
24 file path=usr/share/man/man4/process.4
25 file path=usr/share/man/man4/pseudo.4
26 file path=usr/share/man/man4/scsi.4
27 file path=usr/share/man/man4/sock2path.d.4
28 file path=usr/share/man/man4/system.4
29 file path=usr/share/man/man4/tnf_kernel_probes.4
30 file path=usr/share/man/man4/ts_dptbl.4
31 link path=usr/share/man/man4/dir.4 target=dir_ufs.4
32 link path=usr/share/man/man4/pcie.4 target=pci.4
```

new/usr/src/pkg/manifests/system-kernel.man9f.inc

1

63441 Wed Nov 12 17:44:38 2014

new/usr/src/pkg/manifests/system-kernel.man9f.inc

5075 EOF cardbus & pcmcia

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
```

```
18 file path=usr/share/man/man9f/ASSERT.9f
19 file path=usr/share/man/man9f/Intro.9f
20 file path=usr/share/man/man9f/OTHERQ.9f
21 file path=usr/share/man/man9f/RD.9f
22 file path=usr/share/man/man9f/SAMESTR.9f
23 file path=usr/share/man/man9f/STRUCT_DECL.9f
24 file path=usr/share/man/man9f/WR.9f
25 file path=usr/share/man/man9f/adjmsg.9f
26 file path=usr/share/man/man9f/allocb.9f
27 file path=usr/share/man/man9f/atomic_add.9f
28 file path=usr/share/man/man9f/atomic_and.9f
29 file path=usr/share/man/man9f/atomic_bits.9f
30 file path=usr/share/man/man9f/atomic_cas.9f
31 file path=usr/share/man/man9f/atomic_dec.9f
32 file path=usr/share/man/man9f/atomic_inc.9f
33 file path=usr/share/man/man9f/atomic_ops.9f
34 file path=usr/share/man/man9f/atomic_or.9f
35 file path=usr/share/man/man9f/atomic_swap.9f
36 file path=usr/share/man/man9f/backq.9f
37 file path=usr/share/man/man9f/bcanput.9f
38 file path=usr/share/man/man9f/bcmp.9f
39 file path=usr/share/man/man9f/bcopy.9f
40 file path=usr/share/man/man9f/bioclone.9f
41 file path=usr/share/man/man9f/biodone.9f
42 file path=usr/share/man/man9f/bioerror.9f
43 file path=usr/share/man/man9f/biofini.9f
44 file path=usr/share/man/man9f/bioinit.9f
45 file path=usr/share/man/man9f/biomodified.9f
46 file path=usr/share/man/man9f/bioreset.9f
47 file path=usr/share/man/man9f/biosize.9f
48 file path=usr/share/man/man9f/biowait.9f
49 file path=usr/share/man/man9f/bp_copyin.9f
50 file path=usr/share/man/man9f/bp_copyout.9f
51 file path=usr/share/man/man9f/bp_mapin.9f
52 file path=usr/share/man/man9f/bp_mapout.9f
53 file path=usr/share/man/man9f/btop.9f
54 file path=usr/share/man/man9f/btopr.9f
55 file path=usr/share/man/man9f/bufcall.9f
56 file path=usr/share/man/man9f/bzero.9f
57 file path=usr/share/man/man9f/canput.9f
58 file path=usr/share/man/man9f/clrbuf.9f
59 file path=usr/share/man/man9f/cmm_err.9f
60 file path=usr/share/man/man9f/condvar.9f
61 file path=usr/share/man/man9f/copyb.9f
```

new/usr/src/pkg/manifests/system-kernel.man9f.inc

2

```
62 file path=usr/share/man/man9f/copyin.9f
63 file path=usr/share/man/man9f/copymsg.9f
64 file path=usr/share/man/man9f/copyout.9f
65 file path=usr/share/man/man9f/csx_AccessConfigurationRegister.9f
66 file path=usr/share/man/man9f/csx_CS_DDI_Info.9f
67 file path=usr/share/man/man9f/csx_ConvertSize.9f
68 file path=usr/share/man/man9f/csx_ConvertSpeed.9f
69 file path=usr/share/man/man9f/csx_DeregisterClient.9f
70 file path=usr/share/man/man9f/csx_DupHandle.9f
71 file path=usr/share/man/man9f/csx_Error2Text.9f
72 file path=usr/share/man/man9f/csx_Event2Text.9f
73 file path=usr/share/man/man9f/csx_FreeHandle.9f
74 file path=usr/share/man/man9f/csx_Get8.9f
75 file path=usr/share/man/man9f/csx_GetFirstClient.9f
76 file path=usr/share/man/man9f/csx_GetFirstTuple.9f
77 file path=usr/share/man/man9f/csx_GetHandleOffset.9f
78 file path=usr/share/man/man9f/csx_GetMappedAddr.9f
79 file path=usr/share/man/man9f/csx_GetStatus.9f
80 file path=usr/share/man/man9f/csx_GetTupleData.9f
81 file path=usr/share/man/man9f/csx_MakeDeviceNode.9f
82 file path=usr/share/man/man9f/csx_MapLogSocket.9f
83 file path=usr/share/man/man9f/csx_MapMemPage.9f
84 file path=usr/share/man/man9f/csx_ModifyConfiguration.9f
85 file path=usr/share/man/man9f/csx_ModifyWindow.9f
86 file path=usr/share/man/man9f/csx_ParseTuple.9f
87 file path=usr/share/man/man9f/csx_Parse_CISTPL_BATTERY.9f
88 file path=usr/share/man/man9f/csx_Parse_CISTPL_BYTEORDER.9f
89 file path=usr/share/man/man9f/csx_Parse_CISTPL_CFTABLE_ENTRY.9f
90 file path=usr/share/man/man9f/csx_Parse_CISTPL_CONFIG.9f
91 file path=usr/share/man/man9f/csx_Parse_CISTPL_DATE.9f
92 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE.9f
93 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICEGEO.9f
94 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICEGEO_A.9f
95 file path=usr/share/man/man9f/csx_Parse_CISTPL_FORMAT.9f
96 file path=usr/share/man/man9f/csx_Parse_CISTPL_FUNCCE.9f
97 file path=usr/share/man/man9f/csx_Parse_CISTPL_FUNCID.9f
98 file path=usr/share/man/man9f/csx_Parse_CISTPL_GEOMETRY.9f
99 file path=usr/share/man/man9f/csx_Parse_CISTPL_JEDEC_C.9f
100 file path=usr/share/man/man9f/csx_Parse_CISTPL_LINKTARGET.9f
101 file path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_A.9f
102 file path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_MFC.9f
103 file path=usr/share/man/man9f/csx_Parse_CISTPL_MANFID.9f
104 file path=usr/share/man/man9f/csx_Parse_CISTPL_ORG.9f
105 file path=usr/share/man/man9f/csx_Parse_CISTPL_SPCL.9f
106 file path=usr/share/man/man9f/csx_Parse_CISTPL_SWIL.9f
107 file path=usr/share/man/man9f/csx_Parse_CISTPL_VERS_1.9f
108 file path=usr/share/man/man9f/csx_Parse_CISTPL_VERS_2.9f
109 file path=usr/share/man/man9f/csx_Put8.9f
110 file path=usr/share/man/man9f/csx_RegisterClient.9f
111 file path=usr/share/man/man9f/csx_ReleaseConfiguration.9f
112 file path=usr/share/man/man9f/csx_RepGet8.9f
113 file path=usr/share/man/man9f/csx_RepPut8.9f
114 file path=usr/share/man/man9f/csx_RequestConfiguration.9f
115 file path=usr/share/man/man9f/csx_RequestIO.9f
116 file path=usr/share/man/man9f/csx_RequestIRQ.9f
117 file path=usr/share/man/man9f/csx_RequestSocketMask.9f
118 file path=usr/share/man/man9f/csx_RequestWindow.9f
119 file path=usr/share/man/man9f/csx_ResetFunction.9f
120 file path=usr/share/man/man9f/csx_SetEventMask.9f
121 file path=usr/share/man/man9f/csx_SetHandleOffset.9f
122 file path=usr/share/man/man9f/csx_ValidateCTS.9f
65 file path=usr/share/man/man9f/datamsg.9f
66 file path=usr/share/man/man9f/ddi_add_event_handler.9f
67 file path=usr/share/man/man9f/ddi_add_intr.9f
68 file path=usr/share/man/man9f/ddi_add_softintr.9f
69 file path=usr/share/man/man9f/ddi_binding_name.9f
```

```
70 file path=usr/share/man/man9f/ddi_btop.9f
71 file path=usr/share/man/man9f/ddi_can_receive_sig.9f
72 file path=usr/share/man/man9f/ddi_cb_register.9f
73 file path=usr/share/man/man9f/ddi_check_acc_handle.9f
74 file path=usr/share/man/man9f/ddi_copyin.9f
75 file path=usr/share/man/man9f/ddi_copyout.9f
76 file path=usr/share/man/man9f/ddi_create_minor_node.9f
77 file path=usr/share/man/man9f/ddi_cred.9f
78 file path=usr/share/man/man9f/ddi_dev_is_needed.9f
79 file path=usr/share/man/man9f/ddi_dev_is_sid.9f
80 file path=usr/share/man/man9f/ddi_dev_nintrs.9f
81 file path=usr/share/man/man9f/ddi_dev_nregs.9f
82 file path=usr/share/man/man9f/ddi_dev_regsize.9f
83 file path=usr/share/man/man9f/ddi_dev_report_fault.9f
84 file path=usr/share/man/man9f/ddi_device_copy.9f
85 file path=usr/share/man/man9f/ddi_device_zero.9f
86 file path=usr/share/man/man9f/ddi_devid_compare.9f
87 file path=usr/share/man/man9f/ddi_dma_addr_bind_handle.9f
88 file path=usr/share/man/man9f/ddi_dma_alloc_handle.9f
89 file path=usr/share/man/man9f/ddi_dma_buf_bind_handle.9f
90 file path=usr/share/man/man9f/ddi_dma_burstsizes.9f
91 file path=usr/share/man/man9f/ddi_dma_free_handle.9f
92 file path=usr/share/man/man9f/ddi_dma_getwin.9f
93 file path=usr/share/man/man9f/ddi_dma_mem_alloc.9f
94 file path=usr/share/man/man9f/ddi_dma_mem_free.9f
95 file path=usr/share/man/man9f/ddi_dma_nextcookie.9f
96 file path=usr/share/man/man9f/ddi_dma_numwin.9f
97 file path=usr/share/man/man9f/ddi_dma_set_sbus64.9f
98 file path=usr/share/man/man9f/ddi_dma_sync.9f
99 file path=usr/share/man/man9f/ddi_dma_unbind_handle.9f
100 file path=usr/share/man/man9f/ddi_dmae.9f
101 file path=usr/share/man/man9f/ddi_driver_major.9f
102 file path=usr/share/man/man9f/ddi_driver_name.9f
103 file path=usr/share/man/man9f/ddi_enter_critical.9f
104 file path=usr/share/man/man9f/ddi_ffs.9f
105 file path=usr/share/man/man9f/ddi_fm_acc_err_clear.9f
106 file path=usr/share/man/man9f/ddi_fm_acc_err_get.9f
107 file path=usr/share/man/man9f/ddi_fm_ereport_post.9f
108 file path=usr/share/man/man9f/ddi_fm_handler_register.9f
109 file path=usr/share/man/man9f/ddi_fm_init.9f
110 file path=usr/share/man/man9f/ddi_fm_service_impact.9f
111 file path=usr/share/man/man9f/ddi_get8.9f
112 file path=usr/share/man/man9f/ddi_get_cred.9f
113 file path=usr/share/man/man9f/ddi_get_devstate.9f
114 file path=usr/share/man/man9f/ddi_get_driver_private.9f
115 file path=usr/share/man/man9f/ddi_get_eventcookie.9f
116 file path=usr/share/man/man9f/ddi_get_instance.9f
117 file path=usr/share/man/man9f/ddi_get_kt_did.9f
118 file path=usr/share/man/man9f/ddi_get_lbolt.9f
119 file path=usr/share/man/man9f/ddi_get_parent.9f
120 file path=usr/share/man/man9f/ddi_get_pid.9f
121 file path=usr/share/man/man9f/ddi_get_time.9f
122 file path=usr/share/man/man9f/ddi_getiminor.9f
123 file path=usr/share/man/man9f/ddi_in_panic.9f
124 file path=usr/share/man/man9f/ddi_intr_add_handler.9f
125 file path=usr/share/man/man9f/ddi_intr_add_softint.9f
126 file path=usr/share/man/man9f/ddi_intr_alloc.9f
127 file path=usr/share/man/man9f/ddi_intr_dup_handler.9f
128 file path=usr/share/man/man9f/ddi_intr_enable.9f
129 file path=usr/share/man/man9f/ddi_intr_get_cap.9f
130 file path=usr/share/man/man9f/ddi_intr_get_hilevel_pri.9f
131 file path=usr/share/man/man9f/ddi_intr_get_nintrs.9f
132 file path=usr/share/man/man9f/ddi_intr_get_pending.9f
133 file path=usr/share/man/man9f/ddi_intr_get_pri.9f
134 file path=usr/share/man/man9f/ddi_intr_get_supported_types.9f
135 file path=usr/share/man/man9f/ddi_intr_hilevel.9f
```

```
136 file path=usr/share/man/man9f/ddi_intr_set_mask.9f
137 file path=usr/share/man/man9f/ddi_intr_set_nreq.9f
138 file path=usr/share/man/man9f/ddi_io_get8.9f
139 file path=usr/share/man/man9f/ddi_io_put8.9f
140 file path=usr/share/man/man9f/ddi_io_rep_get8.9f
141 file path=usr/share/man/man9f/ddi_io_rep_put8.9f
142 file path=usr/share/man/man9f/ddi_log_sysevent.9f
143 file path=usr/share/man/man9f/ddi_map_regs.9f
144 file path=usr/share/man/man9f/ddi_mem_get8.9f
145 file path=usr/share/man/man9f/ddi_mem_put8.9f
146 file path=usr/share/man/man9f/ddi_mem_rep_get8.9f
147 file path=usr/share/man/man9f/ddi_mem_rep_put8.9f
148 file path=usr/share/man/man9f/ddi_mmap_get_model.9f
149 file path=usr/share/man/man9f/ddi_model_convert_from.9f
150 file path=usr/share/man/man9f/ddi_modopen.9f
151 file path=usr/share/man/man9f/ddi_no_info.9f
152 file path=usr/share/man/man9f/ddi_node_name.9f
153 file path=usr/share/man/man9f/ddi_peek.9f
154 file path=usr/share/man/man9f/ddi_periodic_add.9f
155 file path=usr/share/man/man9f/ddi_periodic_delete.9f
156 file path=usr/share/man/man9f/ddi_poke.9f
157 file path=usr/share/man/man9f/ddi_prop_create.9f
158 file path=usr/share/man/man9f/ddi_prop_exists.9f
159 file path=usr/share/man/man9f/ddi_prop_get_int.9f
160 file path=usr/share/man/man9f/ddi_prop_lookup.9f
161 file path=usr/share/man/man9f/ddi_prop_op.9f
162 file path=usr/share/man/man9f/ddi_prop_update.9f
163 file path=usr/share/man/man9f/ddi_put8.9f
164 file path=usr/share/man/man9f/ddi_regs_map_free.9f
165 file path=usr/share/man/man9f/ddi_regs_map_setup.9f
166 file path=usr/share/man/man9f/ddi_remove_event_handler.9f
167 file path=usr/share/man/man9f/ddi_remove_minor_node.9f
168 file path=usr/share/man/man9f/ddi_removing_power.9f
169 file path=usr/share/man/man9f/ddi_rep_get8.9f
170 file path=usr/share/man/man9f/ddi_rep_put8.9f
171 file path=usr/share/man/man9f/ddi_report_dev.9f
172 file path=usr/share/man/man9f/ddi_root_node.9f
173 file path=usr/share/man/man9f/ddi_segmap.9f
174 file path=usr/share/man/man9f/ddi_slaveonly.9f
175 file path=usr/share/man/man9f/ddi_soft_state.9f
176 file path=usr/share/man/man9f/ddi_strtol.9f
177 file path=usr/share/man/man9f/ddi_strtoll.9f
178 file path=usr/share/man/man9f/ddi_strtoul.9f
179 file path=usr/share/man/man9f/ddi_umem_alloc.9f
180 file path=usr/share/man/man9f/ddi_umem_issetup.9f
181 file path=usr/share/man/man9f/ddi_umem_lock.9f
182 file path=usr/share/man/man9f/delay.9f
183 file path=usr/share/man/man9f/devmap_default_access.9f
184 file path=usr/share/man/man9f/devmap_devmem_setup.9f
185 file path=usr/share/man/man9f/devmap_do_ctxmgt.9f
186 file path=usr/share/man/man9f/devmap_set_ctx_timeout.9f
187 file path=usr/share/man/man9f/devmap_setup.9f
188 file path=usr/share/man/man9f/devmap_unload.9f
189 file path=usr/share/man/man9f/disksort.9f
190 file path=usr/share/man/man9f/dlbindack.9f
191 file path=usr/share/man/man9f/drv_getparm.9f
192 file path=usr/share/man/man9f/drv_hztousec.9f
193 file path=usr/share/man/man9f/drv_priv.9f
194 file path=usr/share/man/man9f/drv_usectohz.9f
195 file path=usr/share/man/man9f/drv_usecwait.9f
196 file path=usr/share/man/man9f/dupb.9f
197 file path=usr/share/man/man9f/dupmsg.9f
198 file path=usr/share/man/man9f/enableok.9f
199 file path=usr/share/man/man9f/esballoc.9f
200 file path=usr/share/man/man9f/esbcall.9f
201 file path=usr/share/man/man9f/flushband.9f
```



```
202 file path=usr/share/man/man9f/flushq.9f
203 file path=usr/share/man/man9f/freeb.9f
204 file path=usr/share/man/man9f/freemsg.9f
205 file path=usr/share/man/man9f/freerbuf.9f
206 file path=usr/share/man/man9f/freezestr.9f
207 file path=usr/share/man/man9f/get_pktiopb.9f
208 file path=usr/share/man/man9f/geterror.9f
209 file path=usr/share/man/man9f/gethrtime.9f
210 file path=usr/share/man/man9f/getmajor.9f
211 file path=usr/share/man/man9f/getminor.9f
212 file path=usr/share/man/man9f/getq.9f
213 file path=usr/share/man/man9f/getrbuf.9f
214 file path=usr/share/man/man9f/gld.9f
215 file path=usr/share/man/man9f/hook_alloc.9f
216 file path=usr/share/man/man9f/hook_free.9f
217 file path=usr/share/man/man9f/id32_alloc.9f
218 file path=usr/share/man/man9f/inb.9f
219 file path=usr/share/man/man9f/insq.9f
220 file path=usr/share/man/man9f/kiconv.9f
221 file path=usr/share/man/man9f/kiconv_close.9f
222 file path=usr/share/man/man9f/kiconv_open.9f
223 file path=usr/share/man/man9f/kiconvstr.9f
224 file path=usr/share/man/man9f/kmem_alloc.9f
225 file path=usr/share/man/man9f/kmem_cache_create.9f
226 file path=usr/share/man/man9f/kstat_create.9f
227 file path=usr/share/man/man9f/kstat_delete.9f
228 file path=usr/share/man/man9f/kstat_install.9f
229 file path=usr/share/man/man9f/kstat_named_init.9f
230 file path=usr/share/man/man9f/kstat_queue.9f
231 file path=usr/share/man/man9f/ldi_add_event_handler.9f
232 file path=usr/share/man/man9f/ldi_aread.9f
233 file path=usr/share/man/man9f/ldi_devmap.9f
234 file path=usr/share/man/man9f/ldi_dump.9f
235 file path=usr/share/man/man9f/ldi_ev_finalize.9f
236 file path=usr/share/man/man9f/ldi_ev_get_cookie.9f
237 file path=usr/share/man/man9f/ldi_ev_get_type.9f
238 file path=usr/share/man/man9f/ldi_ev_notify.9f
239 file path=usr/share/man/man9f/ldi_ev_register_callbacks.9f
240 file path=usr/share/man/man9f/ldi_ev_remove_callbacks.9f
241 file path=usr/share/man/man9f/ldi_get_dev.9f
242 file path=usr/share/man/man9f/ldi_get_eventcookie.9f
243 file path=usr/share/man/man9f/ldi_get_size.9f
244 file path=usr/share/man/man9f/ldi_ident_from_dev.9f
245 file path=usr/share/man/man9f/ldi_ioctl.9f
246 file path=usr/share/man/man9f/ldi_open_by_dev.9f
247 file path=usr/share/man/man9f/ldi_poll.9f
248 file path=usr/share/man/man9f/ldi_prop_exists.9f
249 file path=usr/share/man/man9f/ldi_prop_get_int.9f
250 file path=usr/share/man/man9f/ldi_prop_lookup_int_array.9f
251 file path=usr/share/man/man9f/ldi_putmsg.9f
252 file path=usr/share/man/man9f/ldi_read.9f
253 file path=usr/share/man/man9f/ldi_remove_event_handler.9f
254 file path=usr/share/man/man9f/ldi_strategy.9f
255 file path=usr/share/man/man9f/linkb.9f
256 file path=usr/share/man/man9f/list_create.9f
257 file path=usr/share/man/man9f/makecom.9f
258 file path=usr/share/man/man9f/makedevice.9f
259 file path=usr/share/man/man9f/max.9f
260 file path=usr/share/man/man9f/mcopyin.9f
261 file path=usr/share/man/man9f/mcopymsg.9f
262 file path=usr/share/man/man9f/mcopyout.9f
263 file path=usr/share/man/man9f/membar_ops.9f
264 file path=usr/share/man/man9f/memchr.9f
265 file path=usr/share/man/man9f/memrchr.9f
266 file path=usr/share/man/man9f/mexchange.9f
267 file path=usr/share/man/man9f/min.9f
```

```
268 file path=usr/share/man/man9f/mioc2ack.9f
269 file path=usr/share/man/man9f/miocack.9f
270 file path=usr/share/man/man9f/miocnak.9f
271 file path=usr/share/man/man9f/miocpullup.9f
272 file path=usr/share/man/man9f/mkiocb.9f
273 file path=usr/share/man/man9f/mod_install.9f
274 file path=usr/share/man/man9f/msgdsize.9f
275 file path=usr/share/man/man9f/msgpullup.9f
276 file path=usr/share/man/man9f/msgsize.9f
277 file path=usr/share/man/man9f/mt-streams.9f
278 file path=usr/share/man/man9f/mutex.9f
279 file path=usr/share/man/man9f/net_event_notify_register.9f
280 file path=usr/share/man/man9f/net_getifname.9f
281 file path=usr/share/man/man9f/net_getlifaddr.9f
282 file path=usr/share/man/man9f/net_getmtu.9f
283 file path=usr/share/man/man9f/net_getnetid.9f
284 file path=usr/share/man/man9f/net_getpmtuenabled.9f
285 file path=usr/share/man/man9f/net_hook_register.9f
286 file path=usr/share/man/man9f/net_hook_unregister.9f
287 file path=usr/share/man/man9f/net_inject.9f
288 file path=usr/share/man/man9f/net_inject_alloc.9f
289 file path=usr/share/man/man9f/net_inject_free.9f
290 file path=usr/share/man/man9f/net_instance_alloc.9f
291 file path=usr/share/man/man9f/net_instance_free.9f
292 file path=usr/share/man/man9f/net_instance_notify_register.9f
293 file path=usr/share/man/man9f/net_instance_register.9f
294 file path=usr/share/man/man9f/net_instance_unregister.9f
295 file path=usr/share/man/man9f/net_ispartialchecksum.9f
296 file path=usr/share/man/man9f/net_isvalidchecksum.9f
297 file path=usr/share/man/man9f/net_kstat_create.9f
298 file path=usr/share/man/man9f/net_kstat_delete.9f
299 file path=usr/share/man/man9f/net_lifgetnext.9f
300 file path=usr/share/man/man9f/net_netidtozonid.9f
301 file path=usr/share/man/man9f/net_phygetnext.9f
302 file path=usr/share/man/man9f/net_phylookup.9f
303 file path=usr/share/man/man9f/net_protocol_lookup.9f
304 file path=usr/share/man/man9f/net_protocol_notify_register.9f
305 file path=usr/share/man/man9f/net_protocol_release.9f
306 file path=usr/share/man/man9f/net_protocol_walk.9f
307 file path=usr/share/man/man9f/net_routeto.9f
308 file path=usr/share/man/man9f/net_zoneidtonetid.9f
309 file path=usr/share/man/man9f/netinfo.9f
310 file path=usr/share/man/man9f/nochpoll.9f
311 file path=usr/share/man/man9f/nodev.9f
312 file path=usr/share/man/man9f/noenable.9f
313 file path=usr/share/man/man9f/nulldev.9f
314 file path=usr/share/man/man9f/nvlist_add_boolean.9f
315 file path=usr/share/man/man9f/nvlist_alloc.9f
316 file path=usr/share/man/man9f/nvlist_lookup_boolean.9f
317 file path=usr/share/man/man9f/nvlist_lookup_nvpair.9f
318 file path=usr/share/man/man9f/nvlist_next_nvpair.9f
319 file path=usr/share/man/man9f/nvlist_remove.9f
320 file path=usr/share/man/man9f/nvpair_value_byte.9f
321 file path=usr/share/man/man9f/outb.9f
322 file path=usr/share/man/man9f/pci_config_get8.9f
323 file path=usr/share/man/man9f/pci_config_setup.9f
324 file path=usr/share/man/man9f/pci_ereport_setup.9f
325 file path=usr/share/man/man9f/pci_report_pmcaps.9f
326 file path=usr/share/man/man9f/pci_save_config_regs.9f
327 file path=usr/share/man/man9f/physio.9f
328 file path=usr/share/man/man9f/pm_busy_component.9f
329 file path=usr/share/man/man9f/pm_power_has_changed.9f
330 file path=usr/share/man/man9f/pm_raise_power.9f
331 file path=usr/share/man/man9f/pm_trans_check.9f
332 file path=usr/share/man/man9f/pollwake.9f
333 file path=usr/share/man/man9f/priv_getbyname.9f
```

```
334 file path=usr/share/man/man9f/priv_policy.9f
335 file path=usr/share/man/man9f/proc_signal.9f
336 file path=usr/share/man/man9f/ptob.9f
337 file path=usr/share/man/man9f/pullupmsg.9f
338 file path=usr/share/man/man9f/put.9f
339 file path=usr/share/man/man9f/putbq.9f
340 file path=usr/share/man/man9f/putctl.9f
341 file path=usr/share/man/man9f/putctl1.9f
342 file path=usr/share/man/man9f/putnext.9f
343 file path=usr/share/man/man9f/putnextctl.9f
344 file path=usr/share/man/man9f/putnextctl1.9f
345 file path=usr/share/man/man9f/putq.9f
346 file path=usr/share/man/man9f/qassociate.9f
347 file path=usr/share/man/man9f/qbufcall.9f
348 file path=usr/share/man/man9f/genable.9f
349 file path=usr/share/man/man9f/qprocson.9f
350 file path=usr/share/man/man9f/greply.9f
351 file path=usr/share/man/man9f/qsize.9f
352 file path=usr/share/man/man9f/qtimeout.9f
353 file path=usr/share/man/man9f/qunbufcall.9f
354 file path=usr/share/man/man9f/quntimeout.9f
355 file path=usr/share/man/man9f/qwait.9f
356 file path=usr/share/man/man9f/qwriter.9f
357 file path=usr/share/man/man9f/rmalloc.9f
358 file path=usr/share/man/man9f/rmalloc_wait.9f
359 file path=usr/share/man/man9f/rmallocmap.9f
360 file path=usr/share/man/man9f/rmfree.9f
361 file path=usr/share/man/man9f/rmvb.9f
362 file path=usr/share/man/man9f/rmvq.9f
363 file path=usr/share/man/man9f/rwlock.9f
364 file path=usr/share/man/man9f/scsi_abort.9f
365 file path=usr/share/man/man9f/scsi_alloc_consistent_buf.9f
366 file path=usr/share/man/man9f/scsi_cname.9f
367 file path=usr/share/man/man9f/scsi_destroy_pkt.9f
368 file path=usr/share/man/man9f/scsi_dmaget.9f
369 file path=usr/share/man/man9f/scsi_errmsg.9f
370 file path=usr/share/man/man9f/scsi_ext_sense_fields.9f
371 file path=usr/share/man/man9f/scsi_find_sense_descr.9f
372 file path=usr/share/man/man9f/scsi_free_consistent_buf.9f
373 file path=usr/share/man/man9f/scsi_get_device_type_scsi_options.9f
374 file path=usr/share/man/man9f/scsi_get_device_type_string.9f
375 file path=usr/share/man/man9f/scsi_hba_attach_setup.9f
376 file path=usr/share/man/man9f/scsi_hba_init.9f
377 file path=usr/share/man/man9f/scsi_hba_lookup_capstr.9f
378 file path=usr/share/man/man9f/scsi_hba_pkt_alloc.9f
379 file path=usr/share/man/man9f/scsi_hba_pkt_comp.9f
380 file path=usr/share/man/man9f/scsi_hba_probe.9f
381 file path=usr/share/man/man9f/scsi_hba_tran_alloc.9f
382 file path=usr/share/man/man9f/scsi_ifgetcap.9f
383 file path=usr/share/man/man9f/scsi_init_pkt.9f
384 file path=usr/share/man/man9f/scsi_log.9f
385 file path=usr/share/man/man9f/scsi_pktalloc.9f
386 file path=usr/share/man/man9f/scsi_poll.9f
387 file path=usr/share/man/man9f/scsi_probe.9f
388 file path=usr/share/man/man9f/scsi_reset.9f
389 file path=usr/share/man/man9f/scsi_reset_notify.9f
390 file path=usr/share/man/man9f/scsi_sense_key.9f
391 file path=usr/share/man/man9f/scsi_setup_cdb.9f
392 file path=usr/share/man/man9f/scsi_slave.9f
393 file path=usr/share/man/man9f/scsi_sync_pkt.9f
394 file path=usr/share/man/man9f/scsi_transport.9f
395 file path=usr/share/man/man9f/scsi_unprobe.9f
396 file path=usr/share/man/man9f/scsi_validate_sense.9f
397 file path=usr/share/man/man9f/scsi_vu_errmsg.9f
398 file path=usr/share/man/man9f/semaphore.9f
399 file path=usr/share/man/man9f/stoi.9f
```

```
400 file path=usr/share/man/man9f/string.9f
401 file path=usr/share/man/man9f/strlog.9f
402 file path=usr/share/man/man9f/strgget.9f
403 file path=usr/share/man/man9f/strqset.9f
404 file path=usr/share/man/man9f/swab.9f
405 file path=usr/share/man/man9f/taskq.9f
406 file path=usr/share/man/man9f/testb.9f
407 file path=usr/share/man/man9f/timeout.9f
408 file path=usr/share/man/man9f/u8_strcmp.9f
409 file path=usr/share/man/man9f/u8_textprep_str.9f
410 file path=usr/share/man/man9f/u8_validate.9f
411 file path=usr/share/man/man9f/uconv_ul6tou32.9f
412 file path=usr/share/man/man9f/uiomove.9f
413 file path=usr/share/man/man9f/unbufcall.9f
414 file path=usr/share/man/man9f/unlinkb.9f
415 file path=usr/share/man/man9f/untimeout.9f
416 file path=usr/share/man/man9f/ureadc.9f
417 file path=usr/share/man/man9f/uwritc.9f
418 file path=usr/share/man/man9f/va_arg.9f
419 file path=usr/share/man/man9f/vsprintf.9f
420 link path=usr/share/man/man9f/SIZEOF_PTR.9f target=STRUCT_DECL.9f
421 link path=usr/share/man/man9f/SIZEOF_STRUCT.9f target=STRUCT_DECL.9f
422 link path=usr/share/man/man9f/STRUCT_BUF.9f target=STRUCT_DECL.9f
423 link path=usr/share/man/man9f/STRUCT_FADDR.9f target=STRUCT_DECL.9f
424 link path=usr/share/man/man9f/STRUCT_FGET.9f target=STRUCT_DECL.9f
425 link path=usr/share/man/man9f/STRUCT_FGETP.9f target=STRUCT_DECL.9f
426 link path=usr/share/man/man9f/STRUCT_FSET.9f target=STRUCT_DECL.9f
427 link path=usr/share/man/man9f/STRUCT_FSETP.9f target=STRUCT_DECL.9f
428 link path=usr/share/man/man9f/STRUCT_HANDLE.9f target=STRUCT_DECL.9f
429 link path=usr/share/man/man9f/STRUCT_INIT.9f target=STRUCT_DECL.9f
430 link path=usr/share/man/man9f/STRUCT_SET_HANDLE.9f target=STRUCT_DECL.9f
431 link path=usr/share/man/man9f/STRUCT_SIZE.9f target=STRUCT_DECL.9f
432 link path=usr/share/man/man9f/assert.9f target=ASSERT.9f
433 link path=usr/share/man/man9f/atomic_add_16.9f target=atomic_add.9f
434 link path=usr/share/man/man9f/atomic_add_16_nv.9f target=atomic_add.9f
435 link path=usr/share/man/man9f/atomic_add_32.9f target=atomic_add.9f
436 link path=usr/share/man/man9f/atomic_add_32_nv.9f target=atomic_add.9f
437 link path=usr/share/man/man9f/atomic_add_64.9f target=atomic_add.9f
438 link path=usr/share/man/man9f/atomic_add_64_nv.9f target=atomic_add.9f
439 link path=usr/share/man/man9f/atomic_add_8.9f target=atomic_add.9f
440 link path=usr/share/man/man9f/atomic_add_8_nv.9f target=atomic_add.9f
441 link path=usr/share/man/man9f/atomic_add_char.9f target=atomic_add.9f
442 link path=usr/share/man/man9f/atomic_add_char_nv.9f target=atomic_add.9f
443 link path=usr/share/man/man9f/atomic_add_int.9f target=atomic_add.9f
444 link path=usr/share/man/man9f/atomic_add_int_nv.9f target=atomic_add.9f
445 link path=usr/share/man/man9f/atomic_add_long.9f target=atomic_add.9f
446 link path=usr/share/man/man9f/atomic_add_long_nv.9f target=atomic_add.9f
447 link path=usr/share/man/man9f/atomic_add_ptr.9f target=atomic_add.9f
448 link path=usr/share/man/man9f/atomic_add_ptr_nv.9f target=atomic_add.9f
449 link path=usr/share/man/man9f/atomic_add_short.9f target=atomic_add.9f
450 link path=usr/share/man/man9f/atomic_add_short_nv.9f target=atomic_add.9f
451 link path=usr/share/man/man9f/atomic_and_16.9f target=atomic_and.9f
452 link path=usr/share/man/man9f/atomic_and_16_nv.9f target=atomic_and.9f
453 link path=usr/share/man/man9f/atomic_and_32.9f target=atomic_and.9f
454 link path=usr/share/man/man9f/atomic_and_32_nv.9f target=atomic_and.9f
455 link path=usr/share/man/man9f/atomic_and_64.9f target=atomic_and.9f
456 link path=usr/share/man/man9f/atomic_and_64_nv.9f target=atomic_and.9f
457 link path=usr/share/man/man9f/atomic_and_8.9f target=atomic_and.9f
458 link path=usr/share/man/man9f/atomic_and_8_nv.9f target=atomic_and.9f
459 link path=usr/share/man/man9f/atomic_and_uchar.9f target=atomic_and.9f
460 link path=usr/share/man/man9f/atomic_and_uchar_nv.9f target=atomic_and.9f
461 link path=usr/share/man/man9f/atomic_and_uint.9f target=atomic_and.9f
462 link path=usr/share/man/man9f/atomic_and_uint_nv.9f target=atomic_and.9f
463 link path=usr/share/man/man9f/atomic_and_ulong.9f target=atomic_and.9f
464 link path=usr/share/man/man9f/atomic_and_ulong_nv.9f target=atomic_and.9f
465 link path=usr/share/man/man9f/atomic_and_ushort.9f target=atomic_and.9f
```

```
466 link path=usr/share/man/man9f/atomic_and_ushort_nv.9f target=atomic_and.9f
467 link path=usr/share/man/man9f/atomic_cas_16.9f target=atomic_cas.9f
468 link path=usr/share/man/man9f/atomic_cas_32.9f target=atomic_cas.9f
469 link path=usr/share/man/man9f/atomic_cas_64.9f target=atomic_cas.9f
470 link path=usr/share/man/man9f/atomic_cas_8.9f target=atomic_cas.9f
471 link path=usr/share/man/man9f/atomic_cas_ptr.9f target=atomic_cas.9f
472 link path=usr/share/man/man9f/atomic_cas_uchar.9f target=atomic_cas.9f
473 link path=usr/share/man/man9f/atomic_cas_uint.9f target=atomic_cas.9f
474 link path=usr/share/man/man9f/atomic_cas_ulong.9f target=atomic_cas.9f
475 link path=usr/share/man/man9f/atomic_cas_ushort.9f target=atomic_cas.9f
476 link path=usr/share/man/man9f/atomic_clear_long_excl.9f target=atomic_bits.9f
477 link path=usr/share/man/man9f/atomic_dec_16.9f target=atomic_dec.9f
478 link path=usr/share/man/man9f/atomic_dec_16_nv.9f target=atomic_dec.9f
479 link path=usr/share/man/man9f/atomic_dec_32.9f target=atomic_dec.9f
480 link path=usr/share/man/man9f/atomic_dec_32_nv.9f target=atomic_dec.9f
481 link path=usr/share/man/man9f/atomic_dec_64.9f target=atomic_dec.9f
482 link path=usr/share/man/man9f/atomic_dec_64_nv.9f target=atomic_dec.9f
483 link path=usr/share/man/man9f/atomic_dec_8.9f target=atomic_dec.9f
484 link path=usr/share/man/man9f/atomic_dec_8_nv.9f target=atomic_dec.9f
485 link path=usr/share/man/man9f/atomic_dec_ptr.9f target=atomic_dec.9f
486 link path=usr/share/man/man9f/atomic_dec_ptr_nv.9f target=atomic_dec.9f
487 link path=usr/share/man/man9f/atomic_dec_uchar.9f target=atomic_dec.9f
488 link path=usr/share/man/man9f/atomic_dec_uchar_nv.9f target=atomic_dec.9f
489 link path=usr/share/man/man9f/atomic_dec_uint.9f target=atomic_dec.9f
490 link path=usr/share/man/man9f/atomic_dec_uint_nv.9f target=atomic_dec.9f
491 link path=usr/share/man/man9f/atomic_dec_ulong.9f target=atomic_dec.9f
492 link path=usr/share/man/man9f/atomic_dec_ulong_nv.9f target=atomic_dec.9f
493 link path=usr/share/man/man9f/atomic_dec_ushort.9f target=atomic_dec.9f
494 link path=usr/share/man/man9f/atomic_dec_ushort_nv.9f target=atomic_dec.9f
495 link path=usr/share/man/man9f/atomic_inc_16.9f target=atomic_inc.9f
496 link path=usr/share/man/man9f/atomic_inc_16_nv.9f target=atomic_inc.9f
497 link path=usr/share/man/man9f/atomic_inc_32.9f target=atomic_inc.9f
498 link path=usr/share/man/man9f/atomic_inc_32_nv.9f target=atomic_inc.9f
499 link path=usr/share/man/man9f/atomic_inc_64.9f target=atomic_inc.9f
500 link path=usr/share/man/man9f/atomic_inc_64_nv.9f target=atomic_inc.9f
501 link path=usr/share/man/man9f/atomic_inc_8.9f target=atomic_inc.9f
502 link path=usr/share/man/man9f/atomic_inc_8_nv.9f target=atomic_inc.9f
503 link path=usr/share/man/man9f/atomic_inc_ptr.9f target=atomic_inc.9f
504 link path=usr/share/man/man9f/atomic_inc_ptr_nv.9f target=atomic_inc.9f
505 link path=usr/share/man/man9f/atomic_inc_uchar.9f target=atomic_inc.9f
506 link path=usr/share/man/man9f/atomic_inc_uchar_nv.9f target=atomic_inc.9f
507 link path=usr/share/man/man9f/atomic_inc_uint.9f target=atomic_inc.9f
508 link path=usr/share/man/man9f/atomic_inc_uint_nv.9f target=atomic_inc.9f
509 link path=usr/share/man/man9f/atomic_inc_ulong.9f target=atomic_inc.9f
510 link path=usr/share/man/man9f/atomic_inc_ulong_nv.9f target=atomic_inc.9f
511 link path=usr/share/man/man9f/atomic_inc_ushort.9f target=atomic_inc.9f
512 link path=usr/share/man/man9f/atomic_inc_ushort_nv.9f target=atomic_inc.9f
513 link path=usr/share/man/man9f/atomic_or_16.9f target=atomic_or.9f
514 link path=usr/share/man/man9f/atomic_or_16_nv.9f target=atomic_or.9f
515 link path=usr/share/man/man9f/atomic_or_32.9f target=atomic_or.9f
516 link path=usr/share/man/man9f/atomic_or_32_nv.9f target=atomic_or.9f
517 link path=usr/share/man/man9f/atomic_or_64.9f target=atomic_or.9f
518 link path=usr/share/man/man9f/atomic_or_64_nv.9f target=atomic_or.9f
519 link path=usr/share/man/man9f/atomic_or_8.9f target=atomic_or.9f
520 link path=usr/share/man/man9f/atomic_or_8_nv.9f target=atomic_or.9f
521 link path=usr/share/man/man9f/atomic_or_uchar.9f target=atomic_or.9f
522 link path=usr/share/man/man9f/atomic_or_uchar_nv.9f target=atomic_or.9f
523 link path=usr/share/man/man9f/atomic_or_uint.9f target=atomic_or.9f
524 link path=usr/share/man/man9f/atomic_or_uint_nv.9f target=atomic_or.9f
525 link path=usr/share/man/man9f/atomic_or_ulong.9f target=atomic_or.9f
526 link path=usr/share/man/man9f/atomic_or_ulong_nv.9f target=atomic_or.9f
527 link path=usr/share/man/man9f/atomic_or_ushort.9f target=atomic_or.9f
528 link path=usr/share/man/man9f/atomic_or_ushort_nv.9f target=atomic_or.9f
529 link path=usr/share/man/man9f/atomic_set_long_excl.9f target=atomic_bits.9f
530 link path=usr/share/man/man9f/atomic_swap_16.9f target=atomic_swap.9f
531 link path=usr/share/man/man9f/atomic_swap_32.9f target=atomic_swap.9f
```

```
532 link path=usr/share/man/man9f/atomic_swap_64.9f target=atomic_swap.9f
533 link path=usr/share/man/man9f/atomic_swap_8.9f target=atomic_swap.9f
534 link path=usr/share/man/man9f/atomic_swap_ptr.9f target=atomic_swap.9f
535 link path=usr/share/man/man9f/atomic_swap_uchar.9f target=atomic_swap.9f
536 link path=usr/share/man/man9f/atomic_swap_uint.9f target=atomic_swap.9f
537 link path=usr/share/man/man9f/atomic_swap_ulong.9f target=atomic_swap.9f
538 link path=usr/share/man/man9f/atomic_swap_ushort.9f target=atomic_swap.9f
539 link path=usr/share/man/man9f/crgetgid.9f target=ddi_cred.9f
540 link path=usr/share/man/man9f/crgetgroups.9f target=ddi_cred.9f
541 link path=usr/share/man/man9f/crgetngroups.9f target=ddi_cred.9f
542 link path=usr/share/man/man9f/crgetrgid.9f target=ddi_cred.9f
543 link path=usr/share/man/man9f/crgetruid.9f target=ddi_cred.9f
544 link path=usr/share/man/man9f/crgetsgid.9f target=ddi_cred.9f
545 link path=usr/share/man/man9f/crgetsuid.9f target=ddi_cred.9f
546 link path=usr/share/man/man9f/crgetuid.9f target=ddi_cred.9f
547 link path=usr/share/man/man9f/crgetzoneid.9f target=ddi_cred.9f
606 link path=usr/share/man/man9f/csx_Get16.9f target=csx_Get8.9f
607 link path=usr/share/man/man9f/csx_Get32.9f target=csx_Get8.9f
608 link path=usr/share/man/man9f/csx_Get64.9f target=csx_Get8.9f
609 link path=usr/share/man/man9f/csx_GetEventMask.9f target=csx_SetEventMask.9f
610 link path=usr/share/man/man9f/csx_GetNextClient.9f \
611 target=csx_GetFirstClient.9f
612 link path=usr/share/man/man9f/csx_GetNextTuple.9f target=csx_GetFirstTuple.9f
613 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_A.9f \
614 target=csx_Parse_CISTPL_DEVICE.9f
615 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_OA.9f \
616 target=csx_Parse_CISTPL_DEVICE.9f
617 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_OC.9f \
618 target=csx_Parse_CISTPL_DEVICE.9f
619 link path=usr/share/man/man9f/csx_Parse_CISTPL_JEDEC_A.9f \
620 target=csx_Parse_CISTPL_JEDEC_C.9f
621 link path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_C.9f \
622 target=csx_Parse_CISTPL_LONGLINK_A.9f
623 link path=usr/share/man/man9f/csx_Put16.9f target=csx_Put8.9f
624 link path=usr/share/man/man9f/csx_Put32.9f target=csx_Put8.9f
625 link path=usr/share/man/man9f/csx_Put64.9f target=csx_Put8.9f
626 link path=usr/share/man/man9f/csx_ReleaseIO.9f target=csx_RequestIO.9f
627 link path=usr/share/man/man9f/csx_ReleaseIRQ.9f target=csx_RequestIRQ.9f
628 link path=usr/share/man/man9f/csx_ReleaseSocketMask.9f \
629 target=csx_RequestSocketMask.9f
630 link path=usr/share/man/man9f/csx_ReleaseWindow.9f target=csx_RequestWindow.9f
631 link path=usr/share/man/man9f/csx_RemoveDeviceNode.9f \
632 target=csx_MakeDeviceNode.9f
633 link path=usr/share/man/man9f/csx_RepGet16.9f target=csx_RepGet8.9f
634 link path=usr/share/man/man9f/csx_RepGet32.9f target=csx_RepGet8.9f
635 link path=usr/share/man/man9f/csx_RepGet64.9f target=csx_RepGet8.9f
636 link path=usr/share/man/man9f/csx_RepPut16.9f target=csx_RepPut8.9f
637 link path=usr/share/man/man9f/csx_RepPut32.9f target=csx_RepPut8.9f
638 link path=usr/share/man/man9f/csx_RepPut64.9f target=csx_RepPut8.9f
548 link path=usr/share/man/man9f/cv_broadcast.9f target=condvar.9f
549 link path=usr/share/man/man9f/cv_destroy.9f target=condvar.9f
550 link path=usr/share/man/man9f/cv_init.9f target=condvar.9f
551 link path=usr/share/man/man9f/cv_reltimedwait.9f target=condvar.9f
552 link path=usr/share/man/man9f/cv_reltimedwait_sig.9f target=condvar.9f
553 link path=usr/share/man/man9f/cv_signal.9f target=condvar.9f
554 link path=usr/share/man/man9f/cv_timedwait.9f target=condvar.9f
555 link path=usr/share/man/man9f/cv_timedwait_sig.9f target=condvar.9f
556 link path=usr/share/man/man9f/cv_wait.9f target=condvar.9f
557 link path=usr/share/man/man9f/cv_wait_sig.9f target=condvar.9f
558 link path=usr/share/man/man9f/ddi_btopr.9f target=ddi_btopr.9f
559 link path=usr/share/man/man9f/ddi_cb_unregister.9f target=ddi_cb_register.9f
560 link path=usr/share/man/man9f/ddi_check_dma_handle.9f \
561 target=ddi_check_acc_handle.9f
562 link path=usr/share/man/man9f/ddi_devid_free.9f target=ddi_devid_compare.9f
563 link path=usr/share/man/man9f/ddi_devid_get.9f target=ddi_devid_compare.9f
564 link path=usr/share/man/man9f/ddi_devid_init.9f target=ddi_devid_compare.9f
```

```
565 link path=usr/share/man/man9f/ddi_devid_register.9f \
566     target=ddi_devid_compare.9f
567 link path=usr/share/man/man9f/ddi_devid_sizeof.9f target=ddi_devid_compare.9f
568 link path=usr/share/man/man9f/ddi_devid_str_decode.9f \
569     target=ddi_devid_compare.9f
570 link path=usr/share/man/man9f/ddi_devid_str_encode.9f \
571     target=ddi_devid_compare.9f
572 link path=usr/share/man/man9f/ddi_devid_str_free.9f \
573     target=ddi_devid_compare.9f
574 link path=usr/share/man/man9f/ddi_devid_unregister.9f \
575     target=ddi_devid_compare.9f
576 link path=usr/share/man/man9f/ddi_devid_valid.9f target=ddi_devid_compare.9f
577 link path=usr/share/man/man9f/ddi_devmap_segmap.9f target=devmap_setup.9f
578 link path=usr/share/man/man9f/ddi_dmae_1stparty.9f target=ddi_dmae.9f
579 link path=usr/share/man/man9f/ddi_dmae_alloc.9f target=ddi_dmae.9f
580 link path=usr/share/man/man9f/ddi_dmae_disable.9f target=ddi_dmae.9f
581 link path=usr/share/man/man9f/ddi_dmae_enable.9f target=ddi_dmae.9f
582 link path=usr/share/man/man9f/ddi_dmae_getattr.9f target=ddi_dmae.9f
583 link path=usr/share/man/man9f/ddi_dmae_getcnt.9f target=ddi_dmae.9f
584 link path=usr/share/man/man9f/ddi_dmae_prog.9f target=ddi_dmae.9f
585 link path=usr/share/man/man9f/ddi_dmae_release.9f target=ddi_dmae.9f
586 link path=usr/share/man/man9f/ddi_dmae_stop.9f target=ddi_dmae.9f
587 link path=usr/share/man/man9f/ddi_exit_critical.9f \
588     target=ddi_enter_critical.9f
589 link path=usr/share/man/man9f/ddi_fls.9f target=ddi_ffs.9f
590 link path=usr/share/man/man9f/ddi_fm_capable.9f target=ddi_fm_init.9f
591 link path=usr/share/man/man9f/ddi_fm_dma_err_clear.9f \
592     target=ddi_fm_acc_err_clear.9f
593 link path=usr/share/man/man9f/ddi_fm_dma_err_get.9f \
594     target=ddi_fm_acc_err_get.9f
595 link path=usr/share/man/man9f/ddi_fm_fini.9f target=ddi_fm_init.9f
596 link path=usr/share/man/man9f/ddi_fm_handler_unregister.9f \
597     target=ddi_fm_handler_register.9f
598 link path=usr/share/man/man9f/ddi_get16.9f target=ddi_get8.9f
599 link path=usr/share/man/man9f/ddi_get32.9f target=ddi_get8.9f
600 link path=usr/share/man/man9f/ddi_get64.9f target=ddi_get8.9f
601 link path=usr/share/man/man9f/ddi_get_iblock_cookie.9f target=ddi_add_intr.9f
602 link path=usr/share/man/man9f/ddi_get_lbolt64.9f target=ddi_get_lbolt.9f
603 link path=usr/share/man/man9f/ddi_get_name.9f target=ddi_binding_name.9f
604 link path=usr/share/man/man9f/ddi_get_soft_iblock_cookie.9f \
605     target=ddi_add_softintr.9f
606 link path=usr/share/man/man9f/ddi_get_soft_state.9f target=ddi_soft_state.9f
607 link path=usr/share/man/man9f/ddi_getb.9f target=ddi_get8.9f
608 link path=usr/share/man/man9f/ddi_getl.9f target=ddi_get8.9f
609 link path=usr/share/man/man9f/ddi_getll.9f target=ddi_get8.9f
610 link path=usr/share/man/man9f/ddi_getlongprop.9f target=ddi_prop_op.9f
611 link path=usr/share/man/man9f/ddi_getlongprop_buf.9f target=ddi_prop_op.9f
612 link path=usr/share/man/man9f/ddi_getprop.9f target=ddi_prop_op.9f
613 link path=usr/share/man/man9f/ddi_getproplen.9f target=ddi_prop_op.9f
614 link path=usr/share/man/man9f/ddi_getw.9f target=ddi_get8.9f
615 link path=usr/share/man/man9f/ddi_intr_block_disable.9f \
616     target=ddi_intr_enable.9f
617 link path=usr/share/man/man9f/ddi_intr_block_enable.9f \
618     target=ddi_intr_enable.9f
619 link path=usr/share/man/man9f/ddi_intr_clr_mask.9f target=ddi_intr_set_mask.9f
620 link path=usr/share/man/man9f/ddi_intr_disable.9f target=ddi_intr_enable.9f
621 link path=usr/share/man/man9f/ddi_intr_free.9f target=ddi_intr_alloc.9f
622 link path=usr/share/man/man9f/ddi_intr_get_navail.9f \
623     target=ddi_intr_get_nintrs.9f
624 link path=usr/share/man/man9f/ddi_intr_get_softint_pri.9f \
625     target=ddi_intr_add_softint.9f
626 link path=usr/share/man/man9f/ddi_intr_remove_handler.9f \
627     target=ddi_intr_add_handler.9f
628 link path=usr/share/man/man9f/ddi_intr_remove_softint.9f \
629     target=ddi_intr_add_softint.9f
630 link path=usr/share/man/man9f/ddi_intr_set_cap.9f target=ddi_intr_get_cap.9f
```

```
631 link path=usr/share/man/man9f/ddi_intr_set_pri.9f target=ddi_intr_get_pri.9f
632 link path=usr/share/man/man9f/ddi_intr_set_softint_pri.9f \
633     target=ddi_intr_add_softint.9f
634 link path=usr/share/man/man9f/ddi_intr_trigger_softint.9f \
635     target=ddi_intr_add_softint.9f
636 link path=usr/share/man/man9f/ddi_io_get16.9f target=ddi_io_get8.9f
637 link path=usr/share/man/man9f/ddi_io_get32.9f target=ddi_io_get8.9f
638 link path=usr/share/man/man9f/ddi_io_getb.9f target=ddi_io_get8.9f
639 link path=usr/share/man/man9f/ddi_io_getl.9f target=ddi_io_get8.9f
640 link path=usr/share/man/man9f/ddi_io_getw.9f target=ddi_io_get8.9f
641 link path=usr/share/man/man9f/ddi_io_put16.9f target=ddi_io_put8.9f
642 link path=usr/share/man/man9f/ddi_io_put32.9f target=ddi_io_put8.9f
643 link path=usr/share/man/man9f/ddi_io_putb.9f target=ddi_io_put8.9f
644 link path=usr/share/man/man9f/ddi_io_putl.9f target=ddi_io_put8.9f
645 link path=usr/share/man/man9f/ddi_io_putw.9f target=ddi_io_put8.9f
646 link path=usr/share/man/man9f/ddi_io_rep_get16.9f target=ddi_io_rep_get8.9f
647 link path=usr/share/man/man9f/ddi_io_rep_get32.9f target=ddi_io_rep_get8.9f
648 link path=usr/share/man/man9f/ddi_io_rep_getb.9f target=ddi_io_rep_get8.9f
649 link path=usr/share/man/man9f/ddi_io_rep_getl.9f target=ddi_io_rep_get8.9f
650 link path=usr/share/man/man9f/ddi_io_rep_getw.9f target=ddi_io_rep_get8.9f
651 link path=usr/share/man/man9f/ddi_io_rep_put16.9f target=ddi_io_rep_put8.9f
652 link path=usr/share/man/man9f/ddi_io_rep_put32.9f target=ddi_io_rep_put8.9f
653 link path=usr/share/man/man9f/ddi_io_rep_putb.9f target=ddi_io_rep_put8.9f
654 link path=usr/share/man/man9f/ddi_io_rep_putl.9f target=ddi_io_rep_put8.9f
655 link path=usr/share/man/man9f/ddi_io_rep_putw.9f target=ddi_io_rep_put8.9f
656 link path=usr/share/man/man9f/ddi_mem_get16.9f target=ddi_mem_get8.9f
657 link path=usr/share/man/man9f/ddi_mem_get32.9f target=ddi_mem_get8.9f
658 link path=usr/share/man/man9f/ddi_mem_get64.9f target=ddi_mem_get8.9f
659 link path=usr/share/man/man9f/ddi_mem_getb.9f target=ddi_mem_get8.9f
660 link path=usr/share/man/man9f/ddi_mem_getl.9f target=ddi_mem_get8.9f
661 link path=usr/share/man/man9f/ddi_mem_getll.9f target=ddi_mem_get8.9f
662 link path=usr/share/man/man9f/ddi_mem_getw.9f target=ddi_mem_get8.9f
663 link path=usr/share/man/man9f/ddi_mem_put16.9f target=ddi_mem_put8.9f
664 link path=usr/share/man/man9f/ddi_mem_put32.9f target=ddi_mem_put8.9f
665 link path=usr/share/man/man9f/ddi_mem_put64.9f target=ddi_mem_put8.9f
666 link path=usr/share/man/man9f/ddi_mem_putb.9f target=ddi_mem_put8.9f
667 link path=usr/share/man/man9f/ddi_mem_putl.9f target=ddi_mem_put8.9f
668 link path=usr/share/man/man9f/ddi_mem_putll.9f target=ddi_mem_put8.9f
669 link path=usr/share/man/man9f/ddi_mem_putw.9f target=ddi_mem_put8.9f
670 link path=usr/share/man/man9f/ddi_mem_rep_get16.9f target=ddi_mem_rep_get8.9f
671 link path=usr/share/man/man9f/ddi_mem_rep_get32.9f target=ddi_mem_rep_get8.9f
672 link path=usr/share/man/man9f/ddi_mem_rep_get64.9f target=ddi_mem_rep_get8.9f
673 link path=usr/share/man/man9f/ddi_mem_rep_getb.9f target=ddi_mem_rep_get8.9f
674 link path=usr/share/man/man9f/ddi_mem_rep_getl.9f target=ddi_mem_rep_get8.9f
675 link path=usr/share/man/man9f/ddi_mem_rep_getll.9f target=ddi_mem_rep_get8.9f
676 link path=usr/share/man/man9f/ddi_mem_rep_getw.9f target=ddi_mem_rep_get8.9f
677 link path=usr/share/man/man9f/ddi_mem_rep_put16.9f target=ddi_mem_rep_put8.9f
678 link path=usr/share/man/man9f/ddi_mem_rep_put32.9f target=ddi_mem_rep_put8.9f
679 link path=usr/share/man/man9f/ddi_mem_rep_put64.9f target=ddi_mem_rep_put8.9f
680 link path=usr/share/man/man9f/ddi_mem_rep_putb.9f target=ddi_mem_rep_put8.9f
681 link path=usr/share/man/man9f/ddi_mem_rep_putl.9f target=ddi_mem_rep_put8.9f
682 link path=usr/share/man/man9f/ddi_mem_rep_putll.9f target=ddi_mem_rep_put8.9f
683 link path=usr/share/man/man9f/ddi_mem_rep_putw.9f target=ddi_mem_rep_put8.9f
684 link path=usr/share/man/man9f/ddi_modclose.9f target=ddi_modopen.9f
685 link path=usr/share/man/man9f/ddi_modsym.9f target=ddi_modopen.9f
686 link path=usr/share/man/man9f/ddi_peek16.9f target=ddi_peek.9f
687 link path=usr/share/man/man9f/ddi_peek32.9f target=ddi_peek.9f
688 link path=usr/share/man/man9f/ddi_peek64.9f target=ddi_peek.9f
689 link path=usr/share/man/man9f/ddi_peek8.9f target=ddi_peek.9f
690 link path=usr/share/man/man9f/ddi_peekc.9f target=ddi_peek.9f
691 link path=usr/share/man/man9f/ddi_peekd.9f target=ddi_peek.9f
692 link path=usr/share/man/man9f/ddi_peekl.9f target=ddi_peek.9f
693 link path=usr/share/man/man9f/ddi_peeks.9f target=ddi_peek.9f
694 link path=usr/share/man/man9f/ddi_poke16.9f target=ddi_poke.9f
695 link path=usr/share/man/man9f/ddi_poke32.9f target=ddi_poke.9f
696 link path=usr/share/man/man9f/ddi_poke64.9f target=ddi_poke.9f
```

```
697 link path=usr/share/man/man9f/ddi_poke8.9f target=ddi_poke.9f
698 link path=usr/share/man/man9f/ddi_pokec.9f target=ddi_poke.9f
699 link path=usr/share/man/man9f/ddi_poked.9f target=ddi_poke.9f
700 link path=usr/share/man/man9f/ddi_pokel.9f target=ddi_poke.9f
701 link path=usr/share/man/man9f/ddi_pokes.9f target=ddi_poke.9f
702 link path=usr/share/man/man9f/ddi_prop_free.9f target=ddi_prop_lookup.9f
703 link path=usr/share/man/man9f/ddi_prop_get_int64.9f target=ddi_prop_get_int.9f
704 link path=usr/share/man/man9f/ddi_prop_lookup_byte_array.9f \
705     target=ddi_prop_lookup.9f
706 link path=usr/share/man/man9f/ddi_prop_lookup_int64_array.9f \
707     target=ddi_prop_lookup.9f
708 link path=usr/share/man/man9f/ddi_prop_lookup_int_array.9f \
709     target=ddi_prop_lookup.9f
710 link path=usr/share/man/man9f/ddi_prop_lookup_string.9f \
711     target=ddi_prop_lookup.9f
712 link path=usr/share/man/man9f/ddi_prop_lookup_string_array.9f \
713     target=ddi_prop_lookup.9f
714 link path=usr/share/man/man9f/ddi_prop_modify.9f target=ddi_prop_create.9f
715 link path=usr/share/man/man9f/ddi_prop_remove.9f target=ddi_prop_create.9f
716 link path=usr/share/man/man9f/ddi_prop_remove_all.9f target=ddi_prop_create.9f
717 link path=usr/share/man/man9f/ddi_prop_undefine.9f target=ddi_prop_create.9f
718 link path=usr/share/man/man9f/ddi_prop_update_byte_array.9f \
719     target=ddi_prop_update.9f
720 link path=usr/share/man/man9f/ddi_prop_update_int.9f target=ddi_prop_update.9f
721 link path=usr/share/man/man9f/ddi_prop_update_int64.9f \
722     target=ddi_prop_update.9f
723 link path=usr/share/man/man9f/ddi_prop_update_int64_array.9f \
724     target=ddi_prop_update.9f
725 link path=usr/share/man/man9f/ddi_prop_update_int_array.9f \
726     target=ddi_prop_update.9f
727 link path=usr/share/man/man9f/ddi_prop_update_string.9f \
728     target=ddi_prop_update.9f
729 link path=usr/share/man/man9f/ddi_prop_update_string_array.9f \
730     target=ddi_prop_update.9f
731 link path=usr/share/man/man9f/ddi_ptob.9f target=ddi_btop.9f
732 link path=usr/share/man/man9f/ddi_put16.9f target=ddi_put8.9f
733 link path=usr/share/man/man9f/ddi_put32.9f target=ddi_put8.9f
734 link path=usr/share/man/man9f/ddi_put64.9f target=ddi_put8.9f
735 link path=usr/share/man/man9f/ddi_putb.9f target=ddi_put8.9f
736 link path=usr/share/man/man9f/ddi_putl.9f target=ddi_put8.9f
737 link path=usr/share/man/man9f/ddi_putll.9f target=ddi_put8.9f
738 link path=usr/share/man/man9f/ddi_putw.9f target=ddi_put8.9f
739 link path=usr/share/man/man9f/ddi_remove_intr.9f target=ddi_add_intr.9f
740 link path=usr/share/man/man9f/ddi_remove_softintr.9f \
741     target=ddi_add_softintr.9f
742 link path=usr/share/man/man9f/ddi_rep_get16.9f target=ddi_rep_get8.9f
743 link path=usr/share/man/man9f/ddi_rep_get32.9f target=ddi_rep_get8.9f
744 link path=usr/share/man/man9f/ddi_rep_get64.9f target=ddi_rep_get8.9f
745 link path=usr/share/man/man9f/ddi_rep_getb.9f target=ddi_rep_get8.9f
746 link path=usr/share/man/man9f/ddi_rep_getl.9f target=ddi_rep_get8.9f
747 link path=usr/share/man/man9f/ddi_rep_getll.9f target=ddi_rep_get8.9f
748 link path=usr/share/man/man9f/ddi_rep_getw.9f target=ddi_rep_get8.9f
749 link path=usr/share/man/man9f/ddi_rep_put16.9f target=ddi_rep_put8.9f
750 link path=usr/share/man/man9f/ddi_rep_put32.9f target=ddi_rep_put8.9f
751 link path=usr/share/man/man9f/ddi_rep_put64.9f target=ddi_rep_put8.9f
752 link path=usr/share/man/man9f/ddi_rep_putb.9f target=ddi_rep_put8.9f
753 link path=usr/share/man/man9f/ddi_rep_putl.9f target=ddi_rep_put8.9f
754 link path=usr/share/man/man9f/ddi_rep_putll.9f target=ddi_rep_put8.9f
755 link path=usr/share/man/man9f/ddi_rep_putw.9f target=ddi_rep_put8.9f
756 link path=usr/share/man/man9f/ddi_segmap_setup.9f target=ddi_segmap.9f
757 link path=usr/share/man/man9f/ddi_set_driver_private.9f \
758     target=ddi_get_driver_private.9f
759 link path=usr/share/man/man9f/ddi_soft_state_fini.9f target=ddi_soft_state.9f
760 link path=usr/share/man/man9f/ddi_soft_state_free.9f target=ddi_soft_state.9f
761 link path=usr/share/man/man9f/ddi_soft_state_init.9f target=ddi_soft_state.9f
762 link path=usr/share/man/man9f/ddi_soft_state_zalloc.9f \
```

```
763     target=ddi_soft_state.9f
764 link path=usr/share/man/man9f/ddi_strdup.9f target=string.9f
765 link path=usr/share/man/man9f/ddi_strtoull.9f target=ddi_strtoll.9f
766 link path=usr/share/man/man9f/ddi_taskq_create.9f target=taskq.9f
767 link path=usr/share/man/man9f/ddi_taskq_destroy.9f target=taskq.9f
768 link path=usr/share/man/man9f/ddi_taskq_dispatch.9f target=taskq.9f
769 link path=usr/share/man/man9f/ddi_taskq_resume.9f target=taskq.9f
770 link path=usr/share/man/man9f/ddi_taskq_suspend.9f target=taskq.9f
771 link path=usr/share/man/man9f/ddi_taskq_wait.9f target=taskq.9f
772 link path=usr/share/man/man9f/ddi_trigger_softintr.9f \
773     target=ddi_add_softintr.9f
774 link path=usr/share/man/man9f/ddi_umem_free.9f target=ddi_umem_alloc.9f
775 link path=usr/share/man/man9f/ddi_umem_unlock.9f target=ddi_umem_lock.9f
776 link path=usr/share/man/man9f/ddi_unmap_regs.9f target=ddi_map_regs.9f
777 link path=usr/share/man/man9f/desballoc.9f target=esballoc.9f
778 link path=usr/share/man/man9f/dev_err.9f target=cmn_err.9f
779 link path=usr/share/man/man9f/devmap_load.9f target=devmap_unload.9f
780 link path=usr/share/man/man9f/devmap_umem_setup.9f \
781     target=devmap_devmem_setup.9f
782 link path=usr/share/man/man9f/dlerrorack.9f target=dlbindack.9f
783 link path=usr/share/man/man9f/dlokack.9f target=dlbindack.9f
784 link path=usr/share/man/man9f/dlphysaddrack.9f target=dlbindack.9f
785 link path=usr/share/man/man9f/dluderrorind.9f target=dlbindack.9f
786 link path=usr/share/man/man9f/free_pktiopb.9f target=dev_pktiopb.9f
787 link path=usr/share/man/man9f/gld_intr.9f target=gld.9f
788 link path=usr/share/man/man9f/gld_mac_alloc.9f target=gld.9f
789 link path=usr/share/man/man9f/gld_mac_free.9f target=gld.9f
790 link path=usr/share/man/man9f/gld_rcv.9f target=gld.9f
791 link path=usr/share/man/man9f/gld_register.9f target=gld.9f
792 link path=usr/share/man/man9f/gld_sched.9f target=gld.9f
793 link path=usr/share/man/man9f/gld_unregister.9f target=gld.9f
794 link path=usr/share/man/man9f/id32_free.9f target=id32_alloc.9f
795 link path=usr/share/man/man9f/id32_lookup.9f target=id32_alloc.9f
796 link path=usr/share/man/man9f/inl.9f target=inb.9f
797 link path=usr/share/man/man9f/intro.9f target=Intro.9f
798 link path=usr/share/man/man9f/inw.9f target=inb.9f
799 link path=usr/share/man/man9f/kmem_cache_alloc.9f target=kmem_cache_create.9f
800 link path=usr/share/man/man9f/kmem_cache_destroy.9f \
801     target=kmem_cache_create.9f
802 link path=usr/share/man/man9f/kmem_cache_free.9f target=kmem_cache_create.9f
803 link path=usr/share/man/man9f/kmem_cache_set_move.9f \
804     target=kmem_cache_create.9f
805 link path=usr/share/man/man9f/kmem_free.9f target=kmem_alloc.9f
806 link path=usr/share/man/man9f/kmem_zalloc.9f target=kmem_alloc.9f
807 link path=usr/share/man/man9f/kstat_named_setstr.9f target=kstat_named_init.9f
808 link path=usr/share/man/man9f/kstat_runq_back_to_waitq.9f \
809     target=kstat_queue.9f
810 link path=usr/share/man/man9f/kstat_runq_enter.9f target=kstat_queue.9f
811 link path=usr/share/man/man9f/kstat_runq_exit.9f target=kstat_queue.9f
812 link path=usr/share/man/man9f/kstat_waitq_enter.9f target=kstat_queue.9f
813 link path=usr/share/man/man9f/kstat_waitq_exit.9f target=kstat_queue.9f
814 link path=usr/share/man/man9f/kstat_waitq_to_runq.9f target=kstat_queue.9f
815 link path=usr/share/man/man9f/ldi_await.9f target=ldi_await.9f
816 link path=usr/share/man/man9f/ldi_close.9f target=ldi_open_by_dev.9f
817 link path=usr/share/man/man9f/ldi_get_devid.9f target=ldi_get_dev.9f
818 link path=usr/share/man/man9f/ldi_get_minor_name.9f target=ldi_get_dev.9f
819 link path=usr/share/man/man9f/ldi_get_otyp.9f target=ldi_get_dev.9f
820 link path=usr/share/man/man9f/ldi_getmsg.9f target=ldi_putmsg.9f
821 link path=usr/share/man/man9f/ldi_ident_from_dip.9f \
822     target=ldi_ident_from_dev.9f
823 link path=usr/share/man/man9f/ldi_ident_from_stream.9f \
824     target=ldi_ident_from_dev.9f
825 link path=usr/share/man/man9f/ldi_ident_release.9f \
826     target=ldi_ident_from_dev.9f
827 link path=usr/share/man/man9f/ldi_open_by_devid.9f target=ldi_open_by_dev.9f
828 link path=usr/share/man/man9f/ldi_open_by_name.9f target=ldi_open_by_dev.9f
```

```
829 link path=usr/share/man/man9f/ldi_prop_get_int64.9f target=ldi_prop_get_int.9f
830 link path=usr/share/man/man9f/ldi_prop_lookup_byte_array.9f \
831   target=ldi_prop_lookup_int_array.9f
832 link path=usr/share/man/man9f/ldi_prop_lookup_int64_array.9f \
833   target=ldi_prop_lookup_int_array.9f
834 link path=usr/share/man/man9f/ldi_prop_lookup_string.9f \
835   target=ldi_prop_lookup_int_array.9f
836 link path=usr/share/man/man9f/ldi_prop_lookup_string_array.9f \
837   target=ldi_prop_lookup_int_array.9f
838 link path=usr/share/man/man9f/ldi_write.9f target=ldi_read.9f
839 link path=usr/share/man/man9f/list_destroy.9f target=list_create.9f
840 link path=usr/share/man/man9f/list_head.9f target=list_create.9f
841 link path=usr/share/man/man9f/list_insert_after.9f target=list_create.9f
842 link path=usr/share/man/man9f/list_insert_before.9f target=list_create.9f
843 link path=usr/share/man/man9f/list_insert_head.9f target=list_create.9f
844 link path=usr/share/man/man9f/list_insert_tail.9f target=list_create.9f
845 link path=usr/share/man/man9f/list_is_empty.9f target=list_create.9f
846 link path=usr/share/man/man9f/list_link_active.9f target=list_create.9f
847 link path=usr/share/man/man9f/list_link_init.9f target=list_create.9f
848 link path=usr/share/man/man9f/list_link_replace.9f target=list_create.9f
849 link path=usr/share/man/man9f/list_move_tail.9f target=list_create.9f
850 link path=usr/share/man/man9f/list_next.9f target=list_create.9f
851 link path=usr/share/man/man9f/list_prev.9f target=list_create.9f
852 link path=usr/share/man/man9f/list_remove.9f target=list_create.9f
853 link path=usr/share/man/man9f/list_remove_head.9f target=list_create.9f
854 link path=usr/share/man/man9f/list_remove_tail.9f target=list_create.9f
855 link path=usr/share/man/man9f/list_tail.9f target=list_create.9f
856 link path=usr/share/man/man9f/makecom_g0.9f target=makecom.9f
857 link path=usr/share/man/man9f/makecom_g0_s.9f target=makecom.9f
858 link path=usr/share/man/man9f/makecom_g1.9f target=makecom.9f
859 link path=usr/share/man/man9f/makecom_g5.9f target=makecom.9f
860 link path=usr/share/man/man9f/membar_consumer.9f target=membar_ops.9f
861 link path=usr/share/man/man9f/membar_enter.9f target=membar_ops.9f
862 link path=usr/share/man/man9f/membar_exit.9f target=membar_ops.9f
863 link path=usr/share/man/man9f/membar_producer.9f target=membar_ops.9f
864 link path=usr/share/man/man9f/memcmp.9f target=memchr.9f
865 link path=usr/share/man/man9f/memcpy.9f target=memchr.9f
866 link path=usr/share/man/man9f/memmove.9f target=memchr.9f
867 link path=usr/share/man/man9f/memset.9f target=memchr.9f
868 link path=usr/share/man/man9f/minphys.9f target=physio.9f
869 link path=usr/share/man/man9f/mod_info.9f target=mod_install.9f
870 link path=usr/share/man/man9f/mod_modname.9f target=mod_install.9f
871 link path=usr/share/man/man9f/mod_remove.9f target=mod_install.9f
872 link path=usr/share/man/man9f/mutex_destroy.9f target=mutex.9f
873 link path=usr/share/man/man9f/mutex_enter.9f target=mutex.9f
874 link path=usr/share/man/man9f/mutex_exit.9f target=mutex.9f
875 link path=usr/share/man/man9f/mutex_init.9f target=mutex.9f
876 link path=usr/share/man/man9f/mutex_owed.9f target=mutex.9f
877 link path=usr/share/man/man9f/mutex_tryenter.9f target=mutex.9f
878 link path=usr/share/man/man9f/net_event_notify_unregister.9f \
879   target=net_event_notify_register.9f
880 link path=usr/share/man/man9f/net_instance_notify_unregister.9f \
881   target=net_instance_notify_register.9f
882 link path=usr/share/man/man9f/net_instance_protocol_unregister.9f \
883   target=net_protocol_notify_register.9f
884 link path=usr/share/man/man9f/numtos.9f target=stoi.9f
885 link path=usr/share/man/man9f/nv_alloc_fini.9f target=nvlist_alloc.9f
886 link path=usr/share/man/man9f/nv_alloc_init.9f target=nvlist_alloc.9f
887 link path=usr/share/man/man9f/nvlist_add_boolean_array.9f \
888   target=nvlist_add_boolean.9f
889 link path=usr/share/man/man9f/nvlist_add_boolean_value.9f \
890   target=nvlist_add_boolean.9f
891 link path=usr/share/man/man9f/nvlist_add_byte.9f target=nvlist_add_boolean.9f
892 link path=usr/share/man/man9f/nvlist_add_byte_array.9f \
893   target=nvlist_add_boolean.9f
894 link path=usr/share/man/man9f/nvlist_add_int16.9f target=nvlist_add_boolean.9f
```

```
895 link path=usr/share/man/man9f/nvlist_add_int16_array.9f \
896   target=nvlist_add_boolean.9f
897 link path=usr/share/man/man9f/nvlist_add_int32.9f target=nvlist_add_boolean.9f
898 link path=usr/share/man/man9f/nvlist_add_int32_array.9f \
899   target=nvlist_add_boolean.9f
900 link path=usr/share/man/man9f/nvlist_add_int64.9f target=nvlist_add_boolean.9f
901 link path=usr/share/man/man9f/nvlist_add_int64_array.9f \
902   target=nvlist_add_boolean.9f
903 link path=usr/share/man/man9f/nvlist_add_int8.9f target=nvlist_add_boolean.9f
904 link path=usr/share/man/man9f/nvlist_add_int8_array.9f \
905   target=nvlist_add_boolean.9f
906 link path=usr/share/man/man9f/nvlist_add_nvlist.9f \
907   target=nvlist_add_boolean.9f
908 link path=usr/share/man/man9f/nvlist_add_nvlist_array.9f \
909   target=nvlist_add_boolean.9f
910 link path=usr/share/man/man9f/nvlist_add_nvpair.9f \
911   target=nvlist_add_boolean.9f
912 link path=usr/share/man/man9f/nvlist_add_string.9f \
913   target=nvlist_add_boolean.9f
914 link path=usr/share/man/man9f/nvlist_add_string_array.9f \
915   target=nvlist_add_boolean.9f
916 link path=usr/share/man/man9f/nvlist_add_uint16.9f \
917   target=nvlist_add_boolean.9f
918 link path=usr/share/man/man9f/nvlist_add_uint16_array.9f \
919   target=nvlist_add_boolean.9f
920 link path=usr/share/man/man9f/nvlist_add_uint32.9f \
921   target=nvlist_add_boolean.9f
922 link path=usr/share/man/man9f/nvlist_add_uint32_array.9f \
923   target=nvlist_add_boolean.9f
924 link path=usr/share/man/man9f/nvlist_add_uint64.9f \
925   target=nvlist_add_boolean.9f
926 link path=usr/share/man/man9f/nvlist_add_uint64_array.9f \
927   target=nvlist_add_boolean.9f
928 link path=usr/share/man/man9f/nvlist_add_uint8.9f target=nvlist_add_boolean.9f
929 link path=usr/share/man/man9f/nvlist_add_uint8_array.9f \
930   target=nvlist_add_boolean.9f
931 link path=usr/share/man/man9f/nvlist_dup.9f target=nvlist_alloc.9f
932 link path=usr/share/man/man9f/nvlist_exists.9f target=nvlist_lookup_nvpair.9f
933 link path=usr/share/man/man9f/nvlist_free.9f target=nvlist_alloc.9f
934 link path=usr/share/man/man9f/nvlist_lookup_boolean_array.9f \
935   target=nvlist_lookup_boolean.9f
936 link path=usr/share/man/man9f/nvlist_lookup_boolean_value.9f \
937   target=nvlist_lookup_boolean.9f
938 link path=usr/share/man/man9f/nvlist_lookup_byte.9f \
939   target=nvlist_lookup_boolean.9f
940 link path=usr/share/man/man9f/nvlist_lookup_byte_array.9f \
941   target=nvlist_lookup_boolean.9f
942 link path=usr/share/man/man9f/nvlist_lookup_int16.9f \
943   target=nvlist_lookup_boolean.9f
944 link path=usr/share/man/man9f/nvlist_lookup_int16_array.9f \
945   target=nvlist_lookup_boolean.9f
946 link path=usr/share/man/man9f/nvlist_lookup_int32.9f \
947   target=nvlist_lookup_boolean.9f
948 link path=usr/share/man/man9f/nvlist_lookup_int32_array.9f \
949   target=nvlist_lookup_boolean.9f
950 link path=usr/share/man/man9f/nvlist_lookup_int64.9f \
951   target=nvlist_lookup_boolean.9f
952 link path=usr/share/man/man9f/nvlist_lookup_int64_array.9f \
953   target=nvlist_lookup_boolean.9f
954 link path=usr/share/man/man9f/nvlist_lookup_int8.9f \
955   target=nvlist_lookup_boolean.9f
956 link path=usr/share/man/man9f/nvlist_lookup_int8_array.9f \
957   target=nvlist_lookup_boolean.9f
958 link path=usr/share/man/man9f/nvlist_lookup_nvlist.9f \
959   target=nvlist_lookup_boolean.9f
960 link path=usr/share/man/man9f/nvlist_lookup_nvlist_array.9f \
```

```

961     target=nvlist_lookup_boolean.9f
962 link path=usr/share/man/man9f/nvlist_lookup_pairs.9f \
963     target=nvlist_lookup_boolean.9f
964 link path=usr/share/man/man9f/nvlist_lookup_string.9f \
965     target=nvlist_lookup_boolean.9f
966 link path=usr/share/man/man9f/nvlist_lookup_string_array.9f \
967     target=nvlist_lookup_boolean.9f
968 link path=usr/share/man/man9f/nvlist_lookup_uint16.9f \
969     target=nvlist_lookup_boolean.9f
970 link path=usr/share/man/man9f/nvlist_lookup_uint16_array.9f \
971     target=nvlist_lookup_boolean.9f
972 link path=usr/share/man/man9f/nvlist_lookup_uint32.9f \
973     target=nvlist_lookup_boolean.9f
974 link path=usr/share/man/man9f/nvlist_lookup_uint32_array.9f \
975     target=nvlist_lookup_boolean.9f
976 link path=usr/share/man/man9f/nvlist_lookup_uint64.9f \
977     target=nvlist_lookup_boolean.9f
978 link path=usr/share/man/man9f/nvlist_lookup_uint64_array.9f \
979     target=nvlist_lookup_boolean.9f
980 link path=usr/share/man/man9f/nvlist_lookup_uint8.9f \
981     target=nvlist_lookup_boolean.9f
982 link path=usr/share/man/man9f/nvlist_lookup_uint8_array.9f \
983     target=nvlist_lookup_boolean.9f
984 link path=usr/share/man/man9f/nvlist_merge.9f target=nvlist_alloc.9f
985 link path=usr/share/man/man9f/nvlist_pack.9f target=nvlist_alloc.9f
986 link path=usr/share/man/man9f/nvlist_remove_all.9f target=nvlist_remove.9f
987 link path=usr/share/man/man9f/nvlist_size.9f target=nvlist_alloc.9f
988 link path=usr/share/man/man9f/nvlist_t.9f target=nvlist_add_boolean.9f
989 link path=usr/share/man/man9f/nvlist_unpack.9f target=nvlist_alloc.9f
990 link path=usr/share/man/man9f/nvlist_xalloc.9f target=nvlist_alloc.9f
991 link path=usr/share/man/man9f/nvlist_xdup.9f target=nvlist_alloc.9f
992 link path=usr/share/man/man9f/nvlist_xpack.9f target=nvlist_alloc.9f
993 link path=usr/share/man/man9f/nvlist_xunpack.9f target=nvlist_alloc.9f
994 link path=usr/share/man/man9f/nvpair_name.9f target=nvlist_next_nvpair.9f
995 link path=usr/share/man/man9f/nvpair_type.9f target=nvlist_next_nvpair.9f
996 link path=usr/share/man/man9f/nvpair_value_boolean_array.9f \
997     target=nvpair_value_byte.9f
998 link path=usr/share/man/man9f/nvpair_value_byte_array.9f \
999     target=nvpair_value_byte.9f
1000 link path=usr/share/man/man9f/nvpair_value_int16.9f \
1001     target=nvpair_value_byte.9f
1002 link path=usr/share/man/man9f/nvpair_value_int16_array.9f \
1003     target=nvpair_value_byte.9f
1004 link path=usr/share/man/man9f/nvpair_value_int32.9f \
1005     target=nvpair_value_byte.9f
1006 link path=usr/share/man/man9f/nvpair_value_int32_array.9f \
1007     target=nvpair_value_byte.9f
1008 link path=usr/share/man/man9f/nvpair_value_int64.9f \
1009     target=nvpair_value_byte.9f
1010 link path=usr/share/man/man9f/nvpair_value_int64_array.9f \
1011     target=nvpair_value_byte.9f
1012 link path=usr/share/man/man9f/nvpair_value_int8.9f target=nvpair_value_byte.9f
1013 link path=usr/share/man/man9f/nvpair_value_int8_array.9f \
1014     target=nvpair_value_byte.9f
1015 link path=usr/share/man/man9f/nvpair_value_nvlist.9f \
1016     target=nvpair_value_byte.9f
1017 link path=usr/share/man/man9f/nvpair_value_nvlist_array.9f \
1018     target=nvpair_value_byte.9f
1019 link path=usr/share/man/man9f/nvpair_value_string.9f \
1020     target=nvpair_value_byte.9f
1021 link path=usr/share/man/man9f/nvpair_value_string_array.9f \
1022     target=nvpair_value_byte.9f
1023 link path=usr/share/man/man9f/nvpair_value_uint16.9f \
1024     target=nvpair_value_byte.9f
1025 link path=usr/share/man/man9f/nvpair_value_uint16_array.9f \
1026     target=nvpair_value_byte.9f

```

```

1027 link path=usr/share/man/man9f/nvpair_value_uint32.9f \
1028     target=nvpair_value_byte.9f
1029 link path=usr/share/man/man9f/nvpair_value_uint32_array.9f \
1030     target=nvpair_value_byte.9f
1031 link path=usr/share/man/man9f/nvpair_value_uint64.9f \
1032     target=nvpair_value_byte.9f
1033 link path=usr/share/man/man9f/nvpair_value_uint64_array.9f \
1034     target=nvpair_value_byte.9f
1035 link path=usr/share/man/man9f/nvpair_value_uint8.9f \
1036     target=nvpair_value_byte.9f
1037 link path=usr/share/man/man9f/nvpair_value_uint8_array.9f \
1038     target=nvpair_value_byte.9f
1039 link path=usr/share/man/man9f/otherq.9f target=OTHERQ.9f
1040 link path=usr/share/man/man9f/outl.9f target=outb.9f
1041 link path=usr/share/man/man9f/outw.9f target=outb.9f
1042 link path=usr/share/man/man9f/pci_config_getl6.9f target=pci_config_get8.9f
1043 link path=usr/share/man/man9f/pci_config_get32.9f target=pci_config_get8.9f
1044 link path=usr/share/man/man9f/pci_config_get64.9f target=pci_config_get8.9f
1045 link path=usr/share/man/man9f/pci_config_getb.9f target=pci_config_get8.9f
1046 link path=usr/share/man/man9f/pci_config_getl.9f target=pci_config_get8.9f
1047 link path=usr/share/man/man9f/pci_config_getll.9f target=pci_config_get8.9f
1048 link path=usr/share/man/man9f/pci_config_getw.9f target=pci_config_get8.9f
1049 link path=usr/share/man/man9f/pci_config_putl6.9f target=pci_config_get8.9f
1050 link path=usr/share/man/man9f/pci_config_put32.9f target=pci_config_get8.9f
1051 link path=usr/share/man/man9f/pci_config_put64.9f target=pci_config_get8.9f
1052 link path=usr/share/man/man9f/pci_config_put8.9f target=pci_config_get8.9f
1053 link path=usr/share/man/man9f/pci_config_putb.9f target=pci_config_get8.9f
1054 link path=usr/share/man/man9f/pci_config_putl.9f target=pci_config_get8.9f
1055 link path=usr/share/man/man9f/pci_config_putll.9f target=pci_config_get8.9f
1056 link path=usr/share/man/man9f/pci_config_putw.9f target=pci_config_get8.9f
1057 link path=usr/share/man/man9f/pci_config_teardown.9f \
1058     target=pci_config_setup.9f
1059 link path=usr/share/man/man9f/pci_ereport_post.9f target=pci_ereport_setup.9f
1060 link path=usr/share/man/man9f/pci_ereport_teardown.9f \
1061     target=pci_ereport_setup.9f
1062 link path=usr/share/man/man9f/pci_restore_config_regs.9f \
1063     target=pci_save_config_regs.9f
1064 link path=usr/share/man/man9f/pm_idle_component.9f target=pm_busy_component.9f
1065 link path=usr/share/man/man9f/pm_lower_power.9f target=pm_raise_power.9f
1066 link path=usr/share/man/man9f/priv_policy_choice.9f target=priv_policy.9f
1067 link path=usr/share/man/man9f/priv_policy_only.9f target=priv_policy.9f
1068 link path=usr/share/man/man9f/proc_ref.9f target=proc_signal.9f
1069 link path=usr/share/man/man9f/proc_unref.9f target=proc_signal.9f
1070 link path=usr/share/man/man9f/qprocsoff.9f target=qprocson.9f
1071 link path=usr/share/man/man9f/qwait_sig.9f target=qwait.9f
1072 link path=usr/share/man/man9f/rd.9f target=RD.9f
1073 link path=usr/share/man/man9f/repinsb.9f target=inb.9f
1074 link path=usr/share/man/man9f/repinsd.9f target=inb.9f
1075 link path=usr/share/man/man9f/repinsw.9f target=inb.9f
1076 link path=usr/share/man/man9f/repoutsb.9f target=outb.9f
1077 link path=usr/share/man/man9f/repoutsd.9f target=outb.9f
1078 link path=usr/share/man/man9f/repoutsw.9f target=outb.9f
1079 link path=usr/share/man/man9f/rmallocmap_wait.9f target=rmallocmap.9f
1080 link path=usr/share/man/man9f/rmfreemap.9f target=rmallocmap.9f
1081 link path=usr/share/man/man9f/rw_destroy.9f target=rwlock.9f
1082 link path=usr/share/man/man9f/rw_downgrade.9f target=rwlock.9f
1083 link path=usr/share/man/man9f/rw_enter.9f target=rwlock.9f
1084 link path=usr/share/man/man9f/rw_exit.9f target=rwlock.9f
1085 link path=usr/share/man/man9f/rw_init.9f target=rwlock.9f
1086 link path=usr/share/man/man9f/rw_read_locked.9f target=rwlock.9f
1087 link path=usr/share/man/man9f/rw_tryenter.9f target=rwlock.9f
1088 link path=usr/share/man/man9f/rw_tryupgrade.9f target=rwlock.9f
1089 link path=usr/share/man/man9f/samestr.9f target=SAMESTR.9f
1090 link path=usr/share/man/man9f/scsi_dmafree.9f target=scsi_dmaget.9f
1091 link path=usr/share/man/man9f/scsi_dname.9f target=scsi_cname.9f
1092 link path=usr/share/man/man9f/scsi_hba_detach.9f \

```

```
1093     target=scsi_hba_attach_setup.9f
1094 link path=usr/share/man/man9f/scsi_hba_fini.9f target=scsi_hba_init.9f
1095 link path=usr/share/man/man9f/scsi_hba_pkt_free.9f \
1096     target=scsi_hba_pkt_alloc.9f
1097 link path=usr/share/man/man9f/scsi_hba_tran_free.9f \
1098     target=scsi_hba_tran_alloc.9f
1099 link path=usr/share/man/man9f/scsi_ifsetcap.9f target=scsi_ifgetcap.9f
1100 link path=usr/share/man/man9f/scsi_mname.9f target=scsi_cname.9f
1101 link path=usr/share/man/man9f/scsi_pktfree.9f target=scsi_pktalloc.9f
1102 link path=usr/share/man/man9f/scsi_resalloc.9f target=scsi_pktalloc.9f
1103 link path=usr/share/man/man9f/scsi_resfree.9f target=scsi_pktalloc.9f
1104 link path=usr/share/man/man9f/scsi_rname.9f target=scsi_cname.9f
1105 link path=usr/share/man/man9f/scsi_sense_asc.9f target=scsi_sense_key.9f
1106 link path=usr/share/man/man9f/scsi_sense_ascq.9f target=scsi_sense_key.9f
1107 link path=usr/share/man/man9f/scsi_sense_cmdspecific_uint64.9f \
1108     target=scsi_ext_sense_fields.9f
1109 link path=usr/share/man/man9f/scsi_sense_info_uint64.9f \
1110     target=scsi_ext_sense_fields.9f
1111 link path=usr/share/man/man9f/scsi_sname.9f target=scsi_cname.9f
1112 link path=usr/share/man/man9f/scsi_unslave.9f target=scsi_unprobe.9f
1113 link path=usr/share/man/man9f/sema_destroy.9f target=semaphore.9f
1114 link path=usr/share/man/man9f/sema_init.9f target=semaphore.9f
1115 link path=usr/share/man/man9f/sema_p.9f target=semaphore.9f
1116 link path=usr/share/man/man9f/sema_p_sig.9f target=semaphore.9f
1117 link path=usr/share/man/man9f/sema_try.9f target=semaphore.9f
1118 link path=usr/share/man/man9f/sema_v.9f target=semaphore.9f
1119 link path=usr/share/man/man9f/strcasecmp.9f target=string.9f
1120 link path=usr/share/man/man9f/strchr.9f target=string.9f
1121 link path=usr/share/man/man9f/strcmp.9f target=string.9f
1122 link path=usr/share/man/man9f/strcpy.9f target=string.9f
1123 link path=usr/share/man/man9f/strdup.9f target=string.9f
1124 link path=usr/share/man/man9f/strfree.9f target=string.9f
1125 link path=usr/share/man/man9f/strlcat.9f target=string.9f
1126 link path=usr/share/man/man9f/strlcpy.9f target=string.9f
1127 link path=usr/share/man/man9f/strlen.9f target=string.9f
1128 link path=usr/share/man/man9f/strncasecmp.9f target=string.9f
1129 link path=usr/share/man/man9f/strncat.9f target=string.9f
1130 link path=usr/share/man/man9f/strncmp.9f target=string.9f
1131 link path=usr/share/man/man9f/strncpy.9f target=string.9f
1132 link path=usr/share/man/man9f/strnlen.9f target=string.9f
1133 link path=usr/share/man/man9f/strrchr.9f target=string.9f
1134 link path=usr/share/man/man9f/strspn.9f target=string.9f
1135 link path=usr/share/man/man9f/taskq_suspended.9f target=taskq.9f
1136 link path=usr/share/man/man9f/uconv_u16tou8.9f target=uconv_u16tou32.9f
1137 link path=usr/share/man/man9f/uconv_u32tou16.9f target=uconv_u16tou32.9f
1138 link path=usr/share/man/man9f/uconv_u32tou8.9f target=uconv_u16tou32.9f
1139 link path=usr/share/man/man9f/uconv_u8tou16.9f target=uconv_u16tou32.9f
1140 link path=usr/share/man/man9f/uconv_u8tou32.9f target=uconv_u16tou32.9f
1141 link path=usr/share/man/man9f/unfreezestr.9f target=freezestr.9f
1142 link path=usr/share/man/man9f/va_copy.9f target=va_arg.9f
1143 link path=usr/share/man/man9f/va_end.9f target=va_arg.9f
1144 link path=usr/share/man/man9f/va_start.9f target=va_arg.9f
1145 link path=usr/share/man/man9f/vcmn_err.9f target=cmn_err.9f
1146 link path=usr/share/man/man9f/vzcmn_err.9f target=cmn_err.9f
1147 link path=usr/share/man/man9f/wr.9f target=WR.9f
1148 link path=usr/share/man/man9f/zcmn_err.9f target=cmn_err.9f
```


new/usr/src/pkg/manifests/system-kernel.mf

1

```
*****
44999 Wed Nov 12 17:44:38 2014
new/usr/src/pkg/manifests/system-kernel.mf
5075 EOF cardbus & pcmcia
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #

28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 <include system-kernel.man1m.inc>
35 <include system-kernel.man2.inc>
36 <include system-kernel.man4.inc>
37 <include system-kernel.man5.inc>
38 <include system-kernel.man7.inc>
39 <include system-kernel.man7d.inc>
40 <include system-kernel.man7fs.inc>
41 <include system-kernel.man7m.inc>
42 <include system-kernel.man7p.inc>
43 <include system-kernel.man9.inc>
44 <include system-kernel.man9e.inc>
45 <include system-kernel.man9f.inc>
46 <include system-kernel.man9p.inc>
47 <include system-kernel.man9s.inc>
48 set name=pkg.fmri value=pkg:/system/kernel@$(PKGVERS)
49 set name=pkg.description \
50     value="core kernel software for a specific instruction-set architecture"
51 set name=pkg.summary value="Core Solaris Kernel"
52 set name=info.classification value=org.opensolaris.category.2008:System/Core
53 set name=variant.arch value=$(ARCH)
54 dir path=boot group=sys
55 $(i386_ONLY)dir path=boot/acpi group=sys
56 $(i386_ONLY)dir path=boot/acpi/tables group=sys
57 dir path=boot/solaris group=sys
58 dir path=boot/solaris/bin group=sys
59 dir path=etc group=sys
60 dir path=etc/crypto group=sys
61 dir path=etc/sock2path.d group=sys
```

new/usr/src/pkg/manifests/system-kernel.mf

2

```
62 dir path=kernel group=sys
63 $(i386_ONLY)dir path=kernel/$(ARCH64) group=sys
64 dir path=kernel/crypto group=sys
65 dir path=kernel/crypto/$(ARCH64) group=sys
66 dir path=kernel/dacf group=sys
67 dir path=kernel/dacf/$(ARCH64) group=sys
68 dir path=kernel/drv group=sys
69 dir path=kernel/drv/$(ARCH64) group=sys
70 dir path=kernel/exec group=sys
71 dir path=kernel/exec/$(ARCH64) group=sys
72 dir path=kernel/fs group=sys
73 dir path=kernel/fs/$(ARCH64) group=sys
74 dir path=kernel/ipp group=sys
75 dir path=kernel/ipp/$(ARCH64) group=sys
76 dir path=kernel/kiconv group=sys
77 dir path=kernel/kiconv/$(ARCH64) group=sys
78 dir path=kernel/mac group=sys
79 dir path=kernel/mac/$(ARCH64) group=sys
80 dir path=kernel/misc group=sys
81 dir path=kernel/misc/$(ARCH64) group=sys
82 dir path=kernel/misc/scsi_vhci group=sys
83 dir path=kernel/misc/scsi_vhci/$(ARCH64) group=sys
84 dir path=kernel/sched group=sys
85 dir path=kernel/sched/$(ARCH64) group=sys
86 dir path=kernel/socketmod group=sys
87 dir path=kernel/socketmod/$(ARCH64) group=sys
88 dir path=kernel/strmod group=sys
89 dir path=kernel/strmod/$(ARCH64) group=sys
90 dir path=kernel/sys group=sys
91 dir path=kernel/sys/$(ARCH64) group=sys
92 dir path=lib
93 dir path=lib/svc
94 dir path=lib/svc/manifest group=sys
95 dir path=lib/svc/manifest/system group=sys
96 dir path=lib/svc/method
97 dir path=usr/share/man
98 dir path=usr/share/man/man1m
99 dir path=usr/share/man/man2
100 dir path=usr/share/man/man3
101 dir path=usr/share/man/man4
102 dir path=usr/share/man/man5
103 dir path=usr/share/man/man7d
104 dir path=usr/share/man/man7fs
105 dir path=usr/share/man/man7m
106 dir path=usr/share/man/man7p
107 dir path=usr/share/man/man9
108 dir path=usr/share/man/man9e
109 dir path=usr/share/man/man9f
110 dir path=usr/share/man/man9p
111 dir path=usr/share/man/man9s
112 $(i386_ONLY)driver name=acpi_drv perms="* 0666 root sys"
113 driver name=aggr perms="* 0666 root sys"
114 driver name=arp perms="arp 0666 root sys"
115 driver name=bl perms="* 0666 root sys"
116 driver name=bridge clone perms="bridge 0666 root sys" \
117     policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
118 $(sparc_ONLY)driver name=bscibus alias=SUNW,bscibus
119 $(i386_ONLY)driver name=bscibus alias=SVI0101
120 $(sparc_ONLY)driver name=bscv alias=SUNW,bscv perms="* 0644 root sys"
121 $(i386_ONLY)driver name=bscv
122 driver name=clone
123 driver name=cn perms="* 0620 root tty"
124 driver name=conskbd perms="kbd 0666 root sys"
125 driver name=consm mouse perms="mouse 0666 root sys"
126 driver name=cuid perms="self 0644 root sys"
127 $(i386_ONLY)driver name=cpunex alias=cpus
```

```

128 driver name=crypto perms="crypto 0666 root sys"
129 driver name=cryptoadm perms="cryptoadm 0644 root sys"
130 $(sparc_ONLY)driver name=dad alias=ide-disk perms="* 0640 root sys"
131 driver name=devinfo perms="devinfo 0640 root sys" \
132 perms="devinfo,ro 0444 root sys"
133 driver name=dld perms="* 0666 root sys"
134 driver name=dlistub perms="* 0666 root sys"
135 $(sparc_ONLY)driver name=i8042 alias=8042
136 $(i386_ONLY)driver name=i8042
137 driver name=icmp perms="icmp 0666 root sys" \
138 policy="read_priv_set=net_icmpaccess write_priv_set=net_icmpaccess"
139 driver name=icmp6 perms="icmp6 0666 root sys" \
140 policy="read_priv_set=net_icmpaccess write_priv_set=net_icmpaccess"
141 $(i386_ONLY)driver name=intel_nb5000 \
142 alias=pci8086,25c0 \
143 alias=pci8086,25d0 \
144 alias=pci8086,25d4 \
145 alias=pci8086,25d8 \
146 alias=pci8086,3600 \
147 alias=pci8086,4000 \
148 alias=pci8086,4001 \
149 alias=pci8086,4003 \
150 alias=pci8086,65c0
151 $(i386_ONLY)driver name=intel_nhm \
152 alias=pci8086,3423 \
153 alias=pci8086,372a
154 $(i386_ONLY)driver name=intel_nhmex alias=pci8086,3438
155 driver name=ip perms="ip 0666 root sys" \
156 policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
157 driver name=ip6 perms="ip6 0666 root sys" \
158 policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
159 driver name=ipnet perms="lo0 0666 root sys" \
160 policy="read_priv_set=net_observability write_priv_set=net_observability"
161 driver name=ippctl
162 driver name=ipsecah perms="ipsecah 0666 root sys" \
163 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
164 driver name=ipsecesp perms="ipsecesp 0666 root sys" \
165 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
166 driver name=iptun
167 driver name=iwscn
168 driver name=kb8042 alias=pnpPNP,303
169 driver name=keysock perms="keysock 0666 root sys" \
170 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
171 driver name=kmdb
172 driver name=kssl perms="* 0666 root sys"
173 driver name=llcl clone_perms="llcl 0666 root sys"
174 driver name=lofi perms="* 0600 root sys" perms="ctl 0644 root sys"
175 driver name=log perms="conslog 0666 root sys" perms="log 0640 root sys"
176 $(i386_ONLY)driver name=mc-amd \
177 alias=pci1022,1100 \
178 alias=pci1022,1101 \
179 alias=pci1022,1102
180 driver name=mm perms="allkmem 0600 root sys" perms="kmem 0640 root sys" \
181 perms="mem 0640 root sys" perms="null 0666 root sys" \
182 perms="zero 0666 root sys" \
183 policy="allkmem read_priv_set=all write_priv_set=all" \
184 policy="kmem read_priv_set=none write_priv_set=all" \
185 policy="mem read_priv_set=none write_priv_set=all"
186 driver name=mouse8042 alias=pnpPNP,f03
187 $(i386_ONLY)driver name=mpt class=scsi \
188 alias=pci1000,30 \
189 alias=pci1000,50 \
190 alias=pci1000,54 \
191 alias=pci1000,56 \
192 alias=pci1000,58 \
193 alias=pci1000,62 \

```

```

194 alias=pciex1000,56 \
195 alias=pciex1000,58 \
196 alias=pciex1000,62
197 driver name=nulldriver \
198 alias=scsa,nodev \
199 alias=scsa,probe
200 driver name=openeepr perms="openprom 0640 root sys" policy=write_priv_set=all
201 driver name=options
202 $(sparc_ONLY)driver name=pci_pci class=pci \
203 alias=pci1011,1 \
204 alias=pci1011,21 \
205 alias=pci1011,24 \
206 alias=pci1011,25 \
207 alias=pci1011,26 \
208 alias=pci1014,22 \
209 alias=pciclass,060400
210 $(i386_ONLY)driver name=pci_pci class=pci \
211 alias=pci1011,1 \
212 alias=pci1011,21 \
213 alias=pci1014,22 \
214 alias=pciclass,060400 \
215 alias=pciclass,060401
216 $(sparc_ONLY)driver name=pcieb \
217 alias=pciex108e,9010 \
218 alias=pciex108e,9020 \
219 alias=pciex10b5,8114 \
220 alias=pciex10b5,8516 \
221 alias=pciex10b5,8517 \
222 alias=pciex10b5,8518 \
223 alias=pciex10b5,8532 \
224 alias=pciex10b5,8533 \
225 alias=pciex10b5,8548 \
226 alias=pciexclass,060400
227 $(i386_ONLY)driver name=pcieb \
228 alias=pciexclass,060400 \
229 alias=pciexclass,060401
230 $(sparc_ONLY)driver name=pcieb_bcm alias=pciex1166,103
231 driver name=physmem perms="* 0600 root sys"
232 driver name=poll perms="* 0666 root sys"
233 $(sparc_ONLY)driver name=power alias=ali1535d+-power
234 $(i386_ONLY)driver name=power
235 driver name=pseudo alias=zconsnex
236 driver name=ptc perms="* 0666 root sys"
237 driver name=ptsl perms="* 0666 root sys"
238 $(sparc_ONLY)driver name=ramdisk alias=SUNW,ramdisk perms="* 0600 root sys" \
239 perms="ctl 0644 root sys"
240 $(i386_ONLY)driver name=ramdisk perms="* 0600 root sys" \
241 perms="ctl 0644 root sys"
242 driver name=random perms="* 0644 root sys" policy=write_priv_set=sys_devices
243 driver name=rts perms="rts 0666 root sys"
244 driver name=sad perms="admin 0666 root sys" perms="user 0666 root sys"
245 driver name=scsi_vhci class=scsi-self-identifying perms="* 0666 root sys" \
246 policy="devctl write_priv_set=sys_devices"
247 $(sparc_ONLY)driver name=sd perms="* 0640 root sys" \
248 alias=ide-cdrom \
249 alias=scsiclass,00 \
250 alias=scsiclass,05
251 $(i386_ONLY)driver name=sd perms="* 0640 root sys" \
252 alias=scsiclass,00 \
253 alias=scsiclass,05
254 driver name=sgen perms="* 0600 root sys" \
255 alias=scsa,08.bfcp \
256 alias=scsa,08.bvhci
257 driver name=simnet clone_perms="simnet 0666 root sys" perms="* 0666 root sys"
258 $(i386_ONLY)driver name=smbios perms="smbios 0444 root sys"
259 driver name=softmac

```

```
260 driver name=spsock perms="spsock 0666 root sys" \
261   policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
262 driver name=st alias=scsiclass,01 perms="* 0666 root sys"
263 driver name=sy perms="tty 0666 root tty"
264 driver name=sysevent perms="* 0600 root sys"
265 driver name=sysmsg perms="msglog 0600 root sys" perms="sysmsg 0600 root sys"
266 driver name=tcp perms="tcp 0666 root sys"
267 driver name=tcpc6 perms="tcpc6 0666 root sys"
268 driver name=tl perms="* 0666 root sys" clone_perms="ticlts 0666 root sys" \
269   clone_perms="ticots 0666 root sys" clone_perms="ticotsord 0666 root sys"
270 $(sparc_ONLY)driver name=ttymux alias=multiplexer
271 $(i386_ONLY)driver name=tzmon
272 $(sparc_ONLY)driver name=uata \
273   alias=pci1095,646 \
274   alias=pci1095,649 \
275   alias=pci1095,680 \
276   alias=pci10b9,5229 \
277   alias=pci10b9,5288 class=dada class=scsi
278 $(i386_ONLY)driver name=ucode perms="* 0644 root sys"
279 driver name=udp perms="udp 0666 root sys"
280 driver name=udpc6 perms="udpc6 0666 root sys"
281 $(i386_ONLY)driver name=vgatext \
282   alias=pciclass,000100 \
283   alias=pciclass,030000 \
284   alias=pciclass,030001 \
285   alias=pnpPNP,900
286 driver name=vnuc clone_perms="vnuc 0666 root sys" perms="* 0666 root sys"
287 driver name=wc perms="* 0600 root sys"
288 $(i386_ONLY)file path=boot/solaris/bin/create_diskmap group=sys mode=0555
289 file path=boot/solaris/bin/create_ramdisk group=sys mode=0555
290 file path=boot/solaris/bin/extract_boot_filelist group=sys mode=0555
291 $(i386_ONLY)file path=boot/solaris/bin/mbr group=sys mode=0555
292 $(i386_ONLY)file path=boot/solaris/bin/symdef group=sys mode=0555
293 $(i386_ONLY)file path=boot/solaris/bin/update_grub group=sys mode=0555
294 file path=boot/solaris/filelist.ramdisk group=sys
295 file path=boot/solaris/filelist.safe group=sys
296 file path=etc/crypto/kcf.conf group=sys \
297   original_name=SUNWckr:etc/crypto/kcf.conf preserve=true
298 $(i386_ONLY)file path=etc/mach group=sys original_name=SUNWos86r:etc/mach \
299   preserve=true
300 file path=etc/name_to_sysnum group=sys \
301   original_name=SUNWckr:etc/name_to_sysnum preserve=renameold
302 file path=etc/sock2path.d/system%2Fkernel group=sys
303 file path=etc/system group=sys original_name=SUNWckr:etc/system preserve=true
304 $(i386_ONLY)file path=kernel/$(ARCH64)/genunix group=sys mode=0755
305 file path=kernel/crypto/$(ARCH64)/aes group=sys mode=0755
306 file path=kernel/crypto/$(ARCH64)/arcfour group=sys mode=0755
307 file path=kernel/crypto/$(ARCH64)/blowfish group=sys mode=0755
308 file path=kernel/crypto/$(ARCH64)/des group=sys mode=0755
309 file path=kernel/crypto/$(ARCH64)/ecc group=sys mode=0755
310 file path=kernel/crypto/$(ARCH64)/md4 group=sys mode=0755
311 file path=kernel/crypto/$(ARCH64)/md5 group=sys mode=0755
312 file path=kernel/crypto/$(ARCH64)/rsa group=sys mode=0755
313 file path=kernel/crypto/$(ARCH64)/sha1 group=sys mode=0755
314 file path=kernel/crypto/$(ARCH64)/sha2 group=sys mode=0755
315 file path=kernel/crypto/$(ARCH64)/swrand group=sys mode=0755
316 $(i386_ONLY)file path=kernel/crypto/aes group=sys mode=0755
317 $(i386_ONLY)file path=kernel/crypto/arcfour group=sys mode=0755
318 $(i386_ONLY)file path=kernel/crypto/blowfish group=sys mode=0755
319 $(i386_ONLY)file path=kernel/crypto/des group=sys mode=0755
320 $(i386_ONLY)file path=kernel/crypto/ecc group=sys mode=0755
321 $(i386_ONLY)file path=kernel/crypto/md4 group=sys mode=0755
322 $(i386_ONLY)file path=kernel/crypto/md5 group=sys mode=0755
323 $(i386_ONLY)file path=kernel/crypto/rsa group=sys mode=0755
324 $(i386_ONLY)file path=kernel/crypto/sha1 group=sys mode=0755
325 $(i386_ONLY)file path=kernel/crypto/sha2 group=sys mode=0755
```

```
326 $(i386_ONLY)file path=kernel/crypto/swrand group=sys mode=0755
327 $(sparc_ONLY)file path=kernel/dacf/$(ARCH64)/consconfig_dacf group=sys \
328   mode=0755
329 file path=kernel/dacf/$(ARCH64)/net_dacf group=sys mode=0755
330 $(i386_ONLY)file path=kernel/dacf/net_dacf group=sys mode=0755
331 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/acpi_drv group=sys
332 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/acpi_toshiba group=sys
333 file path=kernel/drv/$(ARCH64)/aggr group=sys
334 file path=kernel/drv/$(ARCH64)/arp group=sys
335 file path=kernel/drv/$(ARCH64)/bl group=sys
336 file path=kernel/drv/$(ARCH64)/bridge group=sys
337 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/bscbus group=sys
338 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/bscv group=sys
339 file path=kernel/drv/$(ARCH64)/clone group=sys
340 file path=kernel/drv/$(ARCH64)/cn group=sys
341 file path=kernel/drv/$(ARCH64)/conskbd group=sys
342 file path=kernel/drv/$(ARCH64)/consms group=sys
343 file path=kernel/drv/$(ARCH64)/cpuid group=sys
344 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/cpunex group=sys
345 file path=kernel/drv/$(ARCH64)/crypto group=sys
346 file path=kernel/drv/$(ARCH64)/cryptoadm group=sys
347 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/dad group=sys
348 file path=kernel/drv/$(ARCH64)/devinfo group=sys
349 file path=kernel/drv/$(ARCH64)/dld group=sys
350 file path=kernel/drv/$(ARCH64)/dlpistub group=sys
351 file path=kernel/drv/$(ARCH64)/i8042 group=sys
352 file path=kernel/drv/$(ARCH64)/icmp group=sys
353 file path=kernel/drv/$(ARCH64)/icmp6 group=sys
354 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nb5000 group=sys
355 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nhm group=sys
356 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nhmex group=sys
357 file path=kernel/drv/$(ARCH64)/ip group=sys
358 file path=kernel/drv/$(ARCH64)/ip6 group=sys
359 file path=kernel/drv/$(ARCH64)/ipnet group=sys
360 file path=kernel/drv/$(ARCH64)/ippctl group=sys
361 file path=kernel/drv/$(ARCH64)/ipsec group=sys
362 file path=kernel/drv/$(ARCH64)/ipseccsp group=sys
363 file path=kernel/drv/$(ARCH64)/iptun group=sys
364 file path=kernel/drv/$(ARCH64)/iwsn group=sys
365 file path=kernel/drv/$(ARCH64)/kb8042 group=sys
366 file path=kernel/drv/$(ARCH64)/keysock group=sys
367 file path=kernel/drv/$(ARCH64)/kmd group=sys
368 file path=kernel/drv/$(ARCH64)/kssl group=sys
369 file path=kernel/drv/$(ARCH64)/llc1 group=sys
370 file path=kernel/drv/$(ARCH64)/lofi group=sys
371 file path=kernel/drv/$(ARCH64)/log group=sys
372 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/mc-amd group=sys
373 file path=kernel/drv/$(ARCH64)/mm group=sys
374 file path=kernel/drv/$(ARCH64)/mouse8042 group=sys
375 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/mpt group=sys
376 file path=kernel/drv/$(ARCH64)/nulldriver group=sys
377 file path=kernel/drv/$(ARCH64)/openepr group=sys
378 file path=kernel/drv/$(ARCH64)/options group=sys
379 file path=kernel/drv/$(ARCH64)/pci_pci group=sys
380 file path=kernel/drv/$(ARCH64)/pcieb group=sys
381 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/pcieb_bcm group=sys
382 file path=kernel/drv/$(ARCH64)/physmem group=sys
383 file path=kernel/drv/$(ARCH64)/poll group=sys
384 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/power group=sys
385 file path=kernel/drv/$(ARCH64)/pseudo group=sys
386 file path=kernel/drv/$(ARCH64)/ptc group=sys
387 file path=kernel/drv/$(ARCH64)/ptsl group=sys
388 file path=kernel/drv/$(ARCH64)/ramdisk group=sys
389 file path=kernel/drv/$(ARCH64)/random group=sys
390 file path=kernel/drv/$(ARCH64)/rts group=sys
391 file path=kernel/drv/$(ARCH64)/sad group=sys
```

```
392 file path=kernel/drv/$(ARCH64)/scsi_vhci group=sys
393 file path=kernel/drv/$(ARCH64)/sd group=sys
394 file path=kernel/drv/$(ARCH64)/sgen group=sys
395 file path=kernel/drv/$(ARCH64)/simnet group=sys
396 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/smbios group=sys
397 file path=kernel/drv/$(ARCH64)/softmac group=sys
398 file path=kernel/drv/$(ARCH64)/spsock group=sys
399 file path=kernel/drv/$(ARCH64)/st group=sys
400 file path=kernel/drv/$(ARCH64)/sy group=sys
401 file path=kernel/drv/$(ARCH64)/sysevent group=sys
402 file path=kernel/drv/$(ARCH64)/sysmsg group=sys
403 file path=kernel/drv/$(ARCH64)/tcp group=sys
404 file path=kernel/drv/$(ARCH64)/tcp6 group=sys
405 file path=kernel/drv/$(ARCH64)/tl group=sys
406 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/ttymux group=sys
407 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/tzmon group=sys
408 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/uata group=sys
409 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/ucode group=sys
410 file path=kernel/drv/$(ARCH64)/udp group=sys
411 file path=kernel/drv/$(ARCH64)/udp6 group=sys
412 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/vgatext group=sys
413 file path=kernel/drv/$(ARCH64)/vnic group=sys
414 file path=kernel/drv/$(ARCH64)/wc group=sys
415 $(i386_ONLY)file path=kernel/drv/acpi_drv group=sys
416 $(i386_ONLY)file path=kernel/drv/acpi_drv.conf group=sys
417 $(i386_ONLY)file path=kernel/drv/acpi_toshiba group=sys
418 $(i386_ONLY)file path=kernel/drv/aggr group=sys
419 file path=kernel/drv/aggr.conf group=sys
420 $(i386_ONLY)file path=kernel/drv/arp group=sys
421 file path=kernel/drv/arp.conf group=sys
422 $(i386_ONLY)file path=kernel/drv/bl group=sys
423 file path=kernel/drv/bl.conf group=sys
424 $(i386_ONLY)file path=kernel/drv/bridge group=sys
425 file path=kernel/drv/bridge.conf group=sys
426 $(i386_ONLY)file path=kernel/drv/bscbus group=sys
427 $(i386_ONLY)file path=kernel/drv/bscbus.conf group=sys
428 $(i386_ONLY)file path=kernel/drv/bscv group=sys
429 $(i386_ONLY)file path=kernel/drv/bscv.conf group=sys
430 $(i386_ONLY)file path=kernel/drv/clone group=sys
431 file path=kernel/drv/clone.conf group=sys
432 $(i386_ONLY)file path=kernel/drv/cn group=sys
433 file path=kernel/drv/cn.conf group=sys
434 $(i386_ONLY)file path=kernel/drv/conskbd group=sys
435 file path=kernel/drv/conskbd.conf group=sys
436 $(i386_ONLY)file path=kernel/drv/consms group=sys
437 file path=kernel/drv/consms.conf group=sys
438 $(i386_ONLY)file path=kernel/drv/cpuid group=sys
439 file path=kernel/drv/cpuid.conf group=sys
440 $(i386_ONLY)file path=kernel/drv/cpunex group=sys
441 $(i386_ONLY)file path=kernel/drv/crypto group=sys
442 file path=kernel/drv/crypto.conf group=sys
443 $(i386_ONLY)file path=kernel/drv/cryptoadm group=sys
444 file path=kernel/drv/cryptoadm.conf group=sys
445 $(sparc_ONLY)file path=kernel/drv/dad.conf group=sys
446 $(i386_ONLY)file path=kernel/drv/devinfo group=sys
447 file path=kernel/drv/devinfo.conf group=sys
448 $(i386_ONLY)file path=kernel/drv/dld group=sys
449 file path=kernel/drv/dld.conf group=sys
450 $(i386_ONLY)file path=kernel/drv/dlpistub group=sys
451 file path=kernel/drv/dlpistub.conf group=sys
452 $(i386_ONLY)file path=kernel/drv/i8042 group=sys
453 $(i386_ONLY)file path=kernel/drv/icmp group=sys
454 file path=kernel/drv/icmp.conf group=sys
455 $(i386_ONLY)file path=kernel/drv/icmp6 group=sys
456 file path=kernel/drv/icmp6.conf group=sys
457 $(i386_ONLY)file path=kernel/drv/intel_nb5000 group=sys
```

```
458 $(i386_ONLY)file path=kernel/drv/intel_nb5000.conf group=sys
459 $(i386_ONLY)file path=kernel/drv/intel_nhm group=sys
460 $(i386_ONLY)file path=kernel/drv/intel_nhm.conf group=sys
461 $(i386_ONLY)file path=kernel/drv/intel_nhmex group=sys
462 $(i386_ONLY)file path=kernel/drv/intel_nhmex.conf group=sys
463 $(i386_ONLY)file path=kernel/drv/ip group=sys
464 file path=kernel/drv/ip.conf group=sys
465 $(i386_ONLY)file path=kernel/drv/ip6 group=sys
466 file path=kernel/drv/ip6.conf group=sys
467 $(i386_ONLY)file path=kernel/drv/ipnet group=sys
468 file path=kernel/drv/ipnet.conf group=sys
469 $(i386_ONLY)file path=kernel/drv/ippctl group=sys
470 file path=kernel/drv/ippctl.conf group=sys
471 $(i386_ONLY)file path=kernel/drv/ipsec group=sys
472 file path=kernel/drv/ipsec.conf group=sys
473 $(i386_ONLY)file path=kernel/drv/ipsecesp group=sys
474 file path=kernel/drv/ipsecesp.conf group=sys
475 $(i386_ONLY)file path=kernel/drv/iptun group=sys
476 file path=kernel/drv/iptun.conf group=sys
477 $(i386_ONLY)file path=kernel/drv/iwscn group=sys
478 file path=kernel/drv/iwscn.conf group=sys
479 $(i386_ONLY)file path=kernel/drv/kb8042 group=sys
480 $(i386_ONLY)file path=kernel/drv/keysock group=sys
481 file path=kernel/drv/keysock.conf group=sys
482 $(i386_ONLY)file path=kernel/drv/kmdb group=sys
483 file path=kernel/drv/kmdb.conf group=sys
484 $(i386_ONLY)file path=kernel/drv/kssl group=sys
485 file path=kernel/drv/kssl.conf group=sys
486 $(i386_ONLY)file path=kernel/drv/llc1 group=sys
487 file path=kernel/drv/llc1.conf group=sys
488 $(i386_ONLY)file path=kernel/drv/lofi group=sys
489 file path=kernel/drv/lofi.conf group=sys
490 $(i386_ONLY)file path=kernel/drv/log group=sys
491 file path=kernel/drv/log.conf group=sys \
492     original_name=SUNWckr:kernel/drv/log.conf preserve=true
493 $(i386_ONLY)file path=kernel/drv/mc-amd group=sys
494 $(i386_ONLY)file path=kernel/drv/mc-amd.conf group=sys
495 $(i386_ONLY)file path=kernel/drv/mm group=sys
496 file path=kernel/drv/mm.conf group=sys
497 $(i386_ONLY)file path=kernel/drv/mouse8042 group=sys
498 $(i386_ONLY)file path=kernel/drv/mpt group=sys
499 $(i386_ONLY)file path=kernel/drv/mpt.conf group=sys \
500     original_name=SUNWckr:kernel/drv/mpt.conf preserve=true
501 $(i386_ONLY)file path=kernel/drv/nulldriver group=sys
502 $(i386_ONLY)file path=kernel/drv/openeep group=sys
503 file path=kernel/drv/openeep.conf group=sys
504 $(i386_ONLY)file path=kernel/drv/options group=sys
505 file path=kernel/drv/options.conf group=sys
506 $(i386_ONLY)file path=kernel/drv/pci_pci group=sys
507 $(i386_ONLY)file path=kernel/drv/pcieb group=sys
508 file path=kernel/drv/pcieb.conf group=sys
509 $(i386_ONLY)file path=kernel/drv/phymem group=sys
510 file path=kernel/drv/phymem.conf group=sys
511 $(i386_ONLY)file path=kernel/drv/poll group=sys
512 file path=kernel/drv/poll.conf group=sys
513 $(i386_ONLY)file path=kernel/drv/power group=sys
514 $(i386_ONLY)file path=kernel/drv/power.conf group=sys
515 $(i386_ONLY)file path=kernel/drv/pseudo group=sys
516 file path=kernel/drv/pseudo.conf group=sys
517 $(i386_ONLY)file path=kernel/drv/ptc group=sys
518 file path=kernel/drv/ptc.conf group=sys
519 $(i386_ONLY)file path=kernel/drv/ptsl group=sys
520 file path=kernel/drv/ptsl.conf group=sys
521 $(i386_ONLY)file path=kernel/drv/ramdisk group=sys
522 file path=kernel/drv/ramdisk.conf group=sys
523 $(i386_ONLY)file path=kernel/drv/random group=sys
```

```
524 file path=kernel/drv/random.conf group=sys
525 $(i386_ONLY)file path=kernel/drv/rts group=sys
526 file path=kernel/drv/rts.conf group=sys
527 $(i386_ONLY)file path=kernel/drv/sad group=sys
528 file path=kernel/drv/sad.conf group=sys
529 $(i386_ONLY)file path=kernel/drv/scsi_vhci group=sys
530 file path=kernel/drv/scsi_vhci.conf group=sys \
531     original_name=SUNWckr:kernel/drv/scsi_vhci.conf preserve=true
532 $(i386_ONLY)file path=kernel/drv/sd group=sys
533 $(sparc_ONLY)file path=kernel/drv/sd.conf group=sys \
534     original_name=SUNWckr:kernel/drv/sd.conf preserve=true
535 $(i386_ONLY)file path=kernel/drv/sd.conf group=sys \
536     original_name=SUNWos86r:kernel/drv/sd.conf preserve=true
537 $(i386_ONLY)file path=kernel/drv/sgen group=sys
538 file path=kernel/drv/sgen.conf group=sys \
539     original_name=SUNWckr:kernel/drv/sgen.conf preserve=true
540 $(i386_ONLY)file path=kernel/drv/simnet group=sys
541 file path=kernel/drv/simnet.conf group=sys
542 $(i386_ONLY)file path=kernel/drv/smbios group=sys
543 $(i386_ONLY)file path=kernel/drv/smbios.conf group=sys
544 $(i386_ONLY)file path=kernel/drv/softmac group=sys
545 file path=kernel/drv/softmac.conf group=sys
546 $(i386_ONLY)file path=kernel/drv/spdsock group=sys
547 file path=kernel/drv/spdsock.conf group=sys
548 $(i386_ONLY)file path=kernel/drv/st group=sys
549 file path=kernel/drv/st.conf group=sys \
550     original_name=SUNWckr:kernel/drv/st.conf preserve=true
551 $(i386_ONLY)file path=kernel/drv/sy group=sys
552 file path=kernel/drv/sy.conf group=sys
553 $(i386_ONLY)file path=kernel/drv/sysevent group=sys
554 file path=kernel/drv/sysevent.conf group=sys
555 $(i386_ONLY)file path=kernel/drv/sysmsg group=sys
556 file path=kernel/drv/sysmsg.conf group=sys
557 $(i386_ONLY)file path=kernel/drv/tcp group=sys
558 file path=kernel/drv/tcp.conf group=sys
559 $(i386_ONLY)file path=kernel/drv/tcp6 group=sys
560 file path=kernel/drv/tcp6.conf group=sys
561 $(i386_ONLY)file path=kernel/drv/tl group=sys
562 file path=kernel/drv/tl.conf group=sys
563 $(i386_ONLY)file path=kernel/drv/tzmon group=sys
564 $(i386_ONLY)file path=kernel/drv/tzmon.conf group=sys
565 $(sparc_ONLY)file path=kernel/drv/uata.conf group=sys \
566     original_name=SUNWckr:kernel/drv/uata.conf preserve=true
567 $(i386_ONLY)file path=kernel/drv/ucode group=sys
568 $(i386_ONLY)file path=kernel/drv/ucode.conf group=sys
569 $(i386_ONLY)file path=kernel/drv/udp group=sys
570 file path=kernel/drv/udp.conf group=sys
571 $(i386_ONLY)file path=kernel/drv/udp6 group=sys
572 file path=kernel/drv/udp6.conf group=sys
573 $(i386_ONLY)file path=kernel/drv/vgatest group=sys
574 $(i386_ONLY)file path=kernel/drv/vnic group=sys
575 file path=kernel/drv/vnic.conf group=sys
576 $(i386_ONLY)file path=kernel/drv/wc group=sys
577 file path=kernel/drv/wc.conf group=sys
578 $(sparc_ONLY)file path=kernel/exec/$(ARCH64)/aoutexec group=sys mode=0755
579 file path=kernel/exec/$(ARCH64)/elfexec group=sys mode=0755
580 file path=kernel/exec/$(ARCH64)/intpexec group=sys mode=0755
581 $(i386_ONLY)file path=kernel/exec/elfexec group=sys mode=0755
582 $(i386_ONLY)file path=kernel/exec/intpexec group=sys mode=0755
583 file path=kernel/fs/$(ARCH64)/autofs group=sys mode=0755
584 file path=kernel/fs/$(ARCH64)/cachefs group=sys mode=0755
585 file path=kernel/fs/$(ARCH64)/ctfs group=sys mode=0755
586 file path=kernel/fs/$(ARCH64)/dcfs group=sys mode=0755
587 file path=kernel/fs/$(ARCH64)/dev group=sys mode=0755
588 file path=kernel/fs/$(ARCH64)/devfs group=sys mode=0755
589 file path=kernel/fs/$(ARCH64)/fifofs group=sys mode=0755
```

```
590 file path=kernel/fs/$(ARCH64)/hsfs group=sys mode=0755
591 file path=kernel/fs/$(ARCH64)/lofs group=sys mode=0755
592 file path=kernel/fs/$(ARCH64)/mntfs group=sys mode=0755
593 file path=kernel/fs/$(ARCH64)/namefs group=sys mode=0755
594 file path=kernel/fs/$(ARCH64)/objfs group=sys mode=0755
595 file path=kernel/fs/$(ARCH64)/procfs group=sys mode=0755
596 file path=kernel/fs/$(ARCH64)/sharefs group=sys mode=0755
597 file path=kernel/fs/$(ARCH64)/sockfs group=sys mode=0755
598 file path=kernel/fs/$(ARCH64)/specfs group=sys mode=0755
599 file path=kernel/fs/$(ARCH64)/tmpfs group=sys mode=0755
600 file path=kernel/fs/$(ARCH64)/ufs group=sys mode=0755
601 $(i386_ONLY)file path=kernel/fs/autofs group=sys mode=0755
602 $(i386_ONLY)file path=kernel/fs/cachefs group=sys mode=0755
603 $(i386_ONLY)file path=kernel/fs/ctfs group=sys mode=0755
604 $(i386_ONLY)file path=kernel/fs/dcfs group=sys mode=0755
605 $(i386_ONLY)file path=kernel/fs/dev group=sys mode=0755
606 $(i386_ONLY)file path=kernel/fs/devfs group=sys mode=0755
607 $(i386_ONLY)file path=kernel/fs/fifofs group=sys mode=0755
608 $(i386_ONLY)file path=kernel/fs/hsfs group=sys mode=0755
609 $(i386_ONLY)file path=kernel/fs/lofs group=sys mode=0755
610 $(i386_ONLY)file path=kernel/fs/mntfs group=sys mode=0755
611 $(i386_ONLY)file path=kernel/fs/namefs group=sys mode=0755
612 $(i386_ONLY)file path=kernel/fs/objfs group=sys mode=0755
613 $(i386_ONLY)file path=kernel/fs/procfs group=sys mode=0755
614 $(i386_ONLY)file path=kernel/fs/sharefs group=sys mode=0755
615 $(i386_ONLY)file path=kernel/fs/sockfs group=sys mode=0755
616 $(i386_ONLY)file path=kernel/fs/specfs group=sys mode=0755
617 $(i386_ONLY)file path=kernel/fs/tmpfs group=sys mode=0755
618 $(i386_ONLY)file path=kernel/fs/ufs group=sys mode=0755
619 $(i386_ONLY)file path=kernel/genunix group=sys mode=0755
620 file path=kernel/ipp/$(ARCH64)/ipgpc group=sys mode=0755
621 $(i386_ONLY)file path=kernel/ipp/ipgpc group=sys mode=0755
622 file path=kernel/kiconv/$(ARCH64)/kiconv_emea group=sys mode=0755
623 file path=kernel/kiconv/$(ARCH64)/kiconv_ja group=sys mode=0755
624 file path=kernel/kiconv/$(ARCH64)/kiconv_ko group=sys mode=0755
625 file path=kernel/kiconv/$(ARCH64)/kiconv_sc group=sys mode=0755
626 file path=kernel/kiconv/$(ARCH64)/kiconv_tc group=sys mode=0755
627 $(i386_ONLY)file path=kernel/kiconv/kiconv_emea group=sys mode=0755
628 $(i386_ONLY)file path=kernel/kiconv/kiconv_ja group=sys mode=0755
629 $(i386_ONLY)file path=kernel/kiconv/kiconv_ko group=sys mode=0755
630 $(i386_ONLY)file path=kernel/kiconv/kiconv_sc group=sys mode=0755
631 $(i386_ONLY)file path=kernel/kiconv/kiconv_tc group=sys mode=0755
632 file path=kernel/mac/$(ARCH64)/mac_6to4 group=sys mode=0755
633 file path=kernel/mac/$(ARCH64)/mac_ether group=sys mode=0755
634 file path=kernel/mac/$(ARCH64)/mac_ib group=sys mode=0755
635 file path=kernel/mac/$(ARCH64)/mac_ipv4 group=sys mode=0755
636 file path=kernel/mac/$(ARCH64)/mac_ipv6 group=sys mode=0755
637 file path=kernel/mac/$(ARCH64)/mac_wifi group=sys mode=0755
638 $(i386_ONLY)file path=kernel/mac/mac_6to4 group=sys mode=0755
639 $(i386_ONLY)file path=kernel/mac/mac_ether group=sys mode=0755
640 $(i386_ONLY)file path=kernel/mac/mac_ib group=sys mode=0755
641 $(i386_ONLY)file path=kernel/mac/mac_ipv4 group=sys mode=0755
642 $(i386_ONLY)file path=kernel/mac/mac_ipv6 group=sys mode=0755
643 $(i386_ONLY)file path=kernel/mac/mac_wifi group=sys mode=0755
644 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/acpica group=sys mode=0755
645 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/agpmaster group=sys mode=0755
646 file path=kernel/misc/$(ARCH64)/bignum group=sys mode=0755
647 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/bootdev group=sys mode=0755
648 file path=kernel/misc/$(ARCH64)/busra group=sys mode=0755
649 file path=kernel/misc/$(ARCH64)/cardbus group=sys mode=0755
650 file path=kernel/misc/$(ARCH64)/cmlb group=sys mode=0755
651 file path=kernel/misc/$(ARCH64)/consconfig group=sys mode=0755
652 $(sparc_ONLY)file path=kernel/misc/$(ARCH64)/dada group=sys mode=0755
653 file path=kernel/misc/$(ARCH64)/dls group=sys mode=0755
654 file path=kernel/misc/$(ARCH64)/fssnap_if group=sys mode=0755
```

```

718 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_sym_emc group=sys \
719 mode=0755
720 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_sym_hds group=sys \
721 mode=0755
722 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tape group=sys mode=0755
723 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tpgs group=sys mode=0755
724 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tpgs_tape group=sys \
725 mode=0755
726 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_emc group=sys \
727 mode=0755
728 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_lsi group=sys \
729 mode=0755
730 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_sun group=sys \
731 mode=0755
732 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym group=sys \
733 mode=0755
734 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym_emc group=sys \
735 mode=0755
736 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym_hds group=sys \
737 mode=0755
738 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tape group=sys \
739 mode=0755
740 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tpgs group=sys \
741 mode=0755
742 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tpgs_tape group=sys \
743 mode=0755
744 $(i386_ONLY)file path=kernel/misc/strplumb group=sys mode=0755
745 $(i386_ONLY)file path=kernel/misc/tem group=sys mode=0755
746 $(i386_ONLY)file path=kernel/misc/tlimod group=sys mode=0755
747 file path=kernel/sched/$(ARCH64)/SDC group=sys mode=0755
748 file path=kernel/sched/$(ARCH64)/TS group=sys mode=0755
749 file path=kernel/sched/$(ARCH64)/TS_DPTBL group=sys mode=0755
750 $(i386_ONLY)file path=kernel/sched/SDC group=sys mode=0755
751 $(i386_ONLY)file path=kernel/sched/TS group=sys mode=0755
752 $(i386_ONLY)file path=kernel/sched/TS_DPTBL group=sys mode=0755
753 file path=kernel/socketmod/$(ARCH64)/ksslf group=sys mode=0755
754 file path=kernel/socketmod/$(ARCH64)/socksctp group=sys mode=0755
755 file path=kernel/socketmod/$(ARCH64)/trill group=sys mode=0755
756 $(i386_ONLY)file path=kernel/socketmod/ksslf group=sys mode=0755
757 $(i386_ONLY)file path=kernel/socketmod/socksctp group=sys mode=0755
758 $(i386_ONLY)file path=kernel/socketmod/trill group=sys mode=0755
759 file path=kernel/strmod/$(ARCH64)/bufmod group=sys mode=0755
760 file path=kernel/strmod/$(ARCH64)/connld group=sys mode=0755
761 file path=kernel/strmod/$(ARCH64)/dedupmod group=sys mode=0755
762 file path=kernel/strmod/$(ARCH64)/drcompat group=sys mode=0755
763 file path=kernel/strmod/$(ARCH64)/ldterm group=sys mode=0755
764 $(sparc_ONLY)file path=kernel/strmod/$(ARCH64)/ms group=sys mode=0755
765 file path=kernel/strmod/$(ARCH64)/pckt group=sys mode=0755
766 file path=kernel/strmod/$(ARCH64)/pfmod group=sys mode=0755
767 file path=kernel/strmod/$(ARCH64)/pipemod group=sys mode=0755
768 file path=kernel/strmod/$(ARCH64)/ptem group=sys mode=0755
769 file path=kernel/strmod/$(ARCH64)/redirmod group=sys mode=0755
770 file path=kernel/strmod/$(ARCH64)/rpcmod group=sys mode=0755
771 file path=kernel/strmod/$(ARCH64)/tlimod group=sys mode=0755
772 file path=kernel/strmod/$(ARCH64)/tirdwr group=sys mode=0755
773 file path=kernel/strmod/$(ARCH64)/ttcompat group=sys mode=0755
774 $(sparc_ONLY)file path=kernel/strmod/$(ARCH64)/vuid3ps2 group=sys mode=0755
775 $(i386_ONLY)file path=kernel/strmod/bufmod group=sys mode=0755
776 $(i386_ONLY)file path=kernel/strmod/connld group=sys mode=0755
777 $(i386_ONLY)file path=kernel/strmod/dedupmod group=sys mode=0755
778 $(i386_ONLY)file path=kernel/strmod/drcompat group=sys mode=0755
779 $(i386_ONLY)file path=kernel/strmod/ldterm group=sys mode=0755
780 $(i386_ONLY)file path=kernel/strmod/pckt group=sys mode=0755
781 $(i386_ONLY)file path=kernel/strmod/pfmod group=sys mode=0755
782 $(i386_ONLY)file path=kernel/strmod/pipemod group=sys mode=0755
783 $(i386_ONLY)file path=kernel/strmod/ptem group=sys mode=0755

```

```

784 $(i386_ONLY)file path=kernel/strmod/redirmod group=sys mode=0755
785 $(i386_ONLY)file path=kernel/strmod/rpcmod group=sys mode=0755
786 $(i386_ONLY)file path=kernel/strmod/timod group=sys mode=0755
787 $(i386_ONLY)file path=kernel/strmod/tirdwr group=sys mode=0755
788 $(i386_ONLY)file path=kernel/strmod/ttcompat group=sys mode=0755
789 file path=kernel/sys/$(ARCH64)/c2audit group=sys mode=0755
790 file path=kernel/sys/$(ARCH64)/doorfs group=sys mode=0755
791 file path=kernel/sys/$(ARCH64)/inst_sync group=sys mode=0755
792 file path=kernel/sys/$(ARCH64)/kaio group=sys mode=0755
793 file path=kernel/sys/$(ARCH64)/msgsys group=sys mode=0755
794 file path=kernel/sys/$(ARCH64)/pipe group=sys mode=0755
795 file path=kernel/sys/$(ARCH64)/portfs group=sys mode=0755
796 file path=kernel/sys/$(ARCH64)/pset group=sys mode=0755
797 file path=kernel/sys/$(ARCH64)/semsys group=sys mode=0755
798 file path=kernel/sys/$(ARCH64)/shmsys group=sys mode=0755
799 $(i386_ONLY)file path=kernel/sys/c2audit group=sys mode=0755
800 $(i386_ONLY)file path=kernel/sys/doorfs group=sys mode=0755
801 $(i386_ONLY)file path=kernel/sys/inst_sync group=sys mode=0755
802 $(i386_ONLY)file path=kernel/sys/kaio group=sys mode=0755
803 $(i386_ONLY)file path=kernel/sys/msgsys group=sys mode=0755
804 $(i386_ONLY)file path=kernel/sys/pipe group=sys mode=0755
805 $(i386_ONLY)file path=kernel/sys/portfs group=sys mode=0755
806 $(i386_ONLY)file path=kernel/sys/pset group=sys mode=0755
807 $(i386_ONLY)file path=kernel/sys/semsys group=sys mode=0755
808 $(i386_ONLY)file path=kernel/sys/shmsys group=sys mode=0755
809 file path=lib/svc/manifest/system/dumpadm.xml group=sys mode=0444
810 file path=lib/svc/manifest/system/intrd.xml group=sys mode=0444
811 file path=lib/svc/manifest/system/scheduler.xml group=sys mode=0444
812 file path=lib/svc/method/svc-dumpadm mode=0555
813 file path=lib/svc/method/svc-intrd mode=0555
814 file path=lib/svc/method/svc-scheduler mode=0555
815 $(sparc_ONLY)file path=usr/share/man/man1m/monitor.1m
816 $(sparc_ONLY)file path=usr/share/man/man1m/obpsym.1m
817 # On SPARC driver/bcscv is Serverblad specific, and in system/kernel/platform
818 # We keep the manual page generic
819 $(sparc_ONLY)file path=usr/share/man/man7d/dad.7d
820 $(i386_ONLY)file path=usr/share/man/man7d/smbios.7d
821 # Sadly vuid mouse support is in different packages on different platforms
822 # While kstat(7D) is in SUNWcs, the structures are general
823 hardlink path=kernel/misc/$(ARCH64)/md5 \
824     target=../../../../kernel/crypto/$(ARCH64)/md5
825 hardlink path=kernel/misc/$(ARCH64)/sha1 \
826     target=../../../../kernel/crypto/$(ARCH64)/sha1
827 hardlink path=kernel/misc/$(ARCH64)/sha2 \
828     target=../../../../kernel/crypto/$(ARCH64)/sha2
829 $(i386_ONLY)hardlink path=kernel/misc/md5 target=../../../../kernel/crypto/md5
830 $(i386_ONLY)hardlink path=kernel/misc/sha1 target=../../../../kernel/crypto/sha1
831 $(i386_ONLY)hardlink path=kernel/misc/sha2 target=../../../../kernel/crypto/sha2
832 hardlink path=kernel/socketmod/$(ARCH64)/icmp \
833     target=../../../../kernel/drv/$(ARCH64)/icmp
834 hardlink path=kernel/socketmod/$(ARCH64)/rts \
835     target=../../../../kernel/drv/$(ARCH64)/rts
836 hardlink path=kernel/socketmod/$(ARCH64)/tcp \
837     target=../../../../kernel/drv/$(ARCH64)/tcp
838 hardlink path=kernel/socketmod/$(ARCH64)/udp \
839     target=../../../../kernel/drv/$(ARCH64)/udp
840 $(i386_ONLY)hardlink path=kernel/socketmod/icmp target=../../../../kernel/drv/icmp
841 $(i386_ONLY)hardlink path=kernel/socketmod/rts target=../../../../kernel/drv/rts
842 $(i386_ONLY)hardlink path=kernel/socketmod/tcp target=../../../../kernel/drv/tcp
843 $(i386_ONLY)hardlink path=kernel/socketmod/udp target=../../../../kernel/drv/udp
844 hardlink path=kernel/strmod/$(ARCH64)/arp \
845     target=../../../../kernel/drv/$(ARCH64)/arp
846 hardlink path=kernel/strmod/$(ARCH64)/icmp \
847     target=../../../../kernel/drv/$(ARCH64)/icmp
848 hardlink path=kernel/strmod/$(ARCH64)/ip \
849     target=../../../../kernel/drv/$(ARCH64)/ip

```

```

850 hardlink path=kernel/strmod/$(ARCH64)/ipsecah \
851     target=../../../../kernel/drv/$(ARCH64)/ipsecah
852 hardlink path=kernel/strmod/$(ARCH64)/ipsecesp \
853     target=../../../../kernel/drv/$(ARCH64)/ipsecesp
854 hardlink path=kernel/strmod/$(ARCH64)/keysock \
855     target=../../../../kernel/drv/$(ARCH64)/keysock
856 hardlink path=kernel/strmod/$(ARCH64)/tcp \
857     target=../../../../kernel/drv/$(ARCH64)/tcp
858 hardlink path=kernel/strmod/$(ARCH64)/udp \
859     target=../../../../kernel/drv/$(ARCH64)/udp
860 $(i386_ONLY)hardlink path=kernel/strmod/arp target=../../../../kernel/drv/arp
861 $(i386_ONLY)hardlink path=kernel/strmod/icmp target=../../../../kernel/drv/icmp
862 $(i386_ONLY)hardlink path=kernel/strmod/ip target=../../../../kernel/drv/ip
863 $(i386_ONLY)hardlink path=kernel/strmod/ipsecah \
864     target=../../../../kernel/drv/ipsecah
865 $(i386_ONLY)hardlink path=kernel/strmod/ipsecesp \
866     target=../../../../kernel/drv/ipsecesp
867 $(i386_ONLY)hardlink path=kernel/strmod/keysock \
868     target=../../../../kernel/drv/keysock
869 $(i386_ONLY)hardlink path=kernel/strmod/tcp target=../../../../kernel/drv/tcp
870 $(i386_ONLY)hardlink path=kernel/strmod/udp target=../../../../kernel/drv/udp
871 hardlink path=kernel/sys/$(ARCH64)/autofs \
872     target=../../../../kernel/fs/$(ARCH64)/autofs
873 hardlink path=kernel/sys/$(ARCH64)/rpcmod \
874     target=../../../../kernel/strmod/$(ARCH64)/rpcmod
875 $(i386_ONLY)hardlink path=kernel/sys/autofs target=../../../../kernel/fs/autofs
876 $(i386_ONLY)hardlink path=kernel/sys/rpcmod target=../../../../kernel/strmod/rpcmod
877 legacy pkg=SUNWckr \
878     desc="core kernel software for a specific instruction-set architecture" \
879     name="Core Solaris Kernel (Root)"
880 license cr_Sun license=cr_Sun
881 license lic_CDDL license=lic_CDDL
882 license usr/src/cmd/adb/common/libstand/THIRDPARTYLICENSE \
883     license=usr/src/cmd/adb/common/libstand/THIRDPARTYLICENSE
884 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
885 license usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams \
886     license=usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams
887 $(i386_ONLY)license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman \
888     license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman
889 $(i386_ONLY)license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl \
890     license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl
891 license usr/src/common/crypto/ecc/THIRDPARTYLICENSE \
892     license=usr/src/common/crypto/ecc/THIRDPARTYLICENSE
893 $(i386_ONLY)license usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE \
894     license=usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE
895 license usr/src/common/mpi/THIRDPARTYLICENSE \
896     license=usr/src/common/mpi/THIRDPARTYLICENSE
897 license usr/src/uts/common/inet/ip/THIRDPARTYLICENSE.rts \
898     license=usr/src/uts/common/inet/ip/THIRDPARTYLICENSE.rts
899 license usr/src/uts/common/inet/tcp/THIRDPARTYLICENSE \
900     license=usr/src/uts/common/inet/tcp/THIRDPARTYLICENSE
901 license usr/src/uts/common/io/THIRDPARTYLICENSE.etheraddr \
902     license=usr/src/uts/common/io/THIRDPARTYLICENSE.etheraddr
903 license usr/src/uts/common/sys/THIRDPARTYLICENSE.icu \
904     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.icu
905 license usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode \
906     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode
907 $(i386_ONLY)license usr/src/uts/intel/io/acpica/THIRDPARTYLICENSE \
908     license=usr/src/uts/intel/io/acpica/THIRDPARTYLICENSE
909 $(i386_ONLY)link path=boot/solaris/bin/root_archive \
910     target=../../../../usr/sbin/root_archive
911 link path=dev/dld target=../../../../devices/pseudo/dld@0:ctl
912 link path=kernel/misc/$(ARCH64)/des \
913     target=../../../../kernel/crypto/$(ARCH64)/des
914 $(i386_ONLY)link path=kernel/misc/des target=../../../../kernel/crypto/des

```

new/usr/src/uts/Makefile

1

```
*****
6681 Wed Nov 12 17:44:39 2014
new/usr/src/uts/Makefile
5075 EOF cardbus & pcmcia
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */
26 #
27 # include global definitions
28 include ../Makefile.master

30 #
31 # List of architectures to build as part of the standard build.
32 #
33 # Some of these architectures are built in parallel (see i386_PARALLEL and
34 # sparc_PARALLEL). This requires building some parts first before parallel build
35 # can start. Platform make files know what should be built as a prerequisite for
36 # the parallel build to work. The i386_PREREQ and sparc_PREREQ variables tell
37 # which platform directory to enter to start making prerequisite dependencies.
38 #
39 sparc_ARCHITECTURES = sun4v sun4u sparc

41 i386_ARCHITECTURES = i86pc i86xpv intel

43 #
44 # For i386 all architectures can be compiled in parallel.
45 #
46 # intel/Makefile knows how to build prerequisites needed for parallel build.
47 #
48 i386_PREREQ = intel
49 i386_PARALLEL = $(i386_ARCHITECTURES)

51 #
52 # For sparc all architectures can be compiled in parallel.
53 #
54 # sun4/Makefile knows how to build prerequisites needed for parallel build.
55 # can start.
56 #
57 sparc_PREREQ = sun4
58 sparc_PARALLEL = $(sparc_ARCHITECTURES)

60 #
61 # Platforms defined in $(MACH)_PARALLEL are built in parallel. DUMMY is placed
```

new/usr/src/uts/Makefile

2

```
62 # at the end in case $(MACH)_PARALLEL is empty to prevent everything going in
63 # parallel.
64 #
65 .PARALLEL: $($MACH)_PARALLEL) DUMMY

67 #
68 # For build prerequisites we use a special target which is constructed by adding
69 # '.prereq' suffix to the $(MACH)_PREREQ.
70 #
71 PREREQ_TARGET = $($MACH)_PREREQ:%=%.prereq)

74 def := TARGET= def
75 all := TARGET= all
76 install := TARGET= install
77 install_h := TARGET= install_h
78 clean := TARGET= clean
79 clobber := TARGET= clobber
80 clobber_h := TARGET= clobber
81 lint := TARGET= lint
82 clean.lint := TARGET= clean.lint
83 check := TARGET= check
84 modlist := TARGET= modlist
85 modlist := NO_STATE= -K $$MODSTATE$$$$

87 .KEEP_STATE:

89 def all lint: all_h $(PMTMO_FILE) $($MACH)_ARCHITECTURES)

91 install: all_h install_dirs $(PMTMO_FILE) $($MACH)_ARCHITECTURES)

93 install_dirs:
94     @cd .; pwd; $(MAKE) rootdirs
95     @pwd

97 #
98 # Rule to build prerequisites. The left part of the pattern will match
99 # PREREQ_TARGET.
100 #
101 # The location of the Makefile is determined by stripping '.prereq' suffix from
102 # the target name. We add '.prereq' suffix to the target passed to the child
103 # Makefile so that it can distinguish prerequisite build from the regular one.
104 #
105 #
106 %.prereq:
107     @cd $@:%.prereq=%; pwd; $(MAKE) $(NO_STATE) $(TARGET).prereq

109 #
110 # Rule to build architecture files. Build all required prerequisites and then
111 # build the rest (potentially in parallel).
112 #
113 $($MACH)_ARCHITECTURES): $(PREREQ_TARGET) FRC
114     @cd $@; pwd; $(MAKE) $(NO_STATE) $(TARGET)

116 $(PMTMO_FILE) pmtmo_file: $(PATCH_MAKEUP_TABLE)
117     @if [ -z "$(PATCH_MAKEUP_TABLE)" ] ; then \
118         echo 'ERROR: $(PATCH_MAKEUP_TABLE) not set' \
119         'in environment' >&2 ; \
120         exit 1 ; \
121     fi
122     RELEASE="$(RELEASE)" MACH="$(MACH)" \
123     $(CTFVPTBL) -o $(PMTMO_FILE) $(PATCH_MAKEUP_TABLE)

125 #
126 # The following is the list of directories which contain Makefiles with
127 # targets to install header file. The machine independent headers are
```



```

128 # installed by invoking the Makefile in the directory containing the
129 # header files. Machine and architecture dependent headers are installed
130 # by invoking the main makefile for that architecture/machine which,
131 # in turn, is responsible for invoking the Makefiles which install headers.
132 # It is done this way so as not to assume that all of the header files in
133 # the architecture/machine dependent subdirectories are in completely
134 # isomorphic locations.
135 #

```

```

136 COMMON_HDRDIRS= common/avs \
137                  common/c2 \
138                  common/des \
139                  common/fs \
140                  common/gssapi \
141                  common/idmap \
142                  common/klm \
143                  common/inet \
144                  common/inet/ipf/netinet \
145                  common/inet/ksl \
146                  common/inet/nca \
147                  common/inet/sockmods/netpacket \
148                  common/io/bpf/net \
149                  common/io/fibre-channel/fca/qlc \
150                  common/io/lvm/md \
151                  common/ipp \
152                  common/net \
153                  common/netinet \
154                  common/nfs \
24   common/pcmcia/sys \
155                  common/rpc \
156                  common/rpcsvc \
157                  common/sharefs \
158                  common/smb \
159                  common/smbdrv \
160                  common/sys \
161                  common/vm

```

```

164 #
165 # Subset of COMMON_HDRDIRS in which at least one header is generated
166 # at runtime (e.g., rpcgen), and in which "make clean" should run.
167 # Other directories should be included here, but do not yet have the
168 # necessary Makefile support (make clean). See 6414855.
169 #

```

```

170 DYNHDRDIRS =    common/avs \
171                  common/gssapi \
172                  common/idmap \
173                  common/io/fibre-channel/fca/qlc \
174                  common/io/lvm/md \
175                  common/klm \
176                  common/rpc \
177                  common/rpcsvc \
178                  common/sys

```

```

180 sparc_HDRDIRS= sun/sys
181 i386_HDRDIRS= i86pc/vm i86xpv/vm

```

```

183 HDRDIRS= $(COMMON_HDRDIRS) $(($(MACH)_HDRDIRS)
184 install_h check: $(HDRDIRS) $(($(MACH)_ARCHITECTURES)

```

```

186 $(HDRDIRS): FRC
187     @cd $@; pwd; $(MAKE) $(TARGET)

```

```

189 # ensures that headers made by rpcgen and others are available in uts source
190 # for kernel builds to reference without building install_h
191 #
192 all_h: FRC

```

```

193     @cd common/sys; pwd; $(MAKE) $@
194     @cd common/rpc; pwd; $(MAKE) $@
195     @cd common/rpcsvc; pwd; $(MAKE) $@
196     @cd common/gssapi; pwd; $(MAKE) $@
197     @cd common/idmap; pwd; $(MAKE) $@
198     @cd common/klm; pwd; $(MAKE) $@

```

```

200 clean clobber: $(($(MACH)_ARCHITECTURES) $(DYNHDRDIRS)
201     @if [ '$(PATCH_BUILD)' != '#' ] ; then \
202         echo $(RM) $(PMTMO_FILE) ; \
203         $(RM) $(PMTMO_FILE) ; \
204     fi

```

```

206 # testing convenience
207 clobber_h: $(DYNHDRDIRS)

```

```

209 clean.lint modlist: $(($(MACH)_ARCHITECTURES)

```

```

211 #
212 # Cross-reference customization: build a cross-reference over all of
213 # the supported architectures. Although there's no correct way to set
214 # the include path (since we don't know what architecture is the one
215 # the user will be interested in), it's historically been set to
216 # mirror the $(XRDIRS) list, and that works kinda sorta okay.
217 #
218 XRDIRS = $(sparc_ARCHITECTURES) $(i386_ARCHITECTURES) sun4 sfmmu \
219         sun common

```

```

221 XRINCDIRS = $(XRDIRS)

```

```

223 cscope.out tags: FRC
224     $(XREF) -x $@

```

```

226 FRC:

```

new/usr/src/uts/common/Makefile.files

1

43991 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.files

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2013 by Delphix. All rights reserved.
25 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
26 # Copyright 2014 Nexenta Systems, Inc. All rights reserved.
27 #
28 #
29 #
30 # This Makefile defines all file modules for the directory uts/common
31 # and its children. These are the source files which may be considered
32 # common to all SunOS systems.
```

```
34 i386_CORE_OBJS += \
35     atomic.o      \
36     avintr.o      \
37     pic.o
```

39 sparc_CORE_OBJS +=

```
41 COMMON_CORE_OBJS += \
42     beep.o        \
43     bitset.o      \
44     bp_map.o      \
45     brand.o       \
46     cpucaps.o     \
47     cmt.o         \
48     cmt_policy.o  \
49     cpu.o         \
50     cpu_event.o   \
51     cpu_intr.o    \
52     cpu_pm.o      \
53     cpupart.o     \
54     cap_util.o    \
55     disp.o        \
56     group.o       \
57     kstat_fr.o    \
58     iscsiboot_prop.o \
59     lgrp.o        \
60     lgrp_topo.o   \
61     mmapobj.o
```

new/usr/src/uts/common/Makefile.files

2

```
62     mutex.o       \
63     page_lock.o   \
64     page_retire.o \
65     panic.o       \
66     param.o       \
67     pg.o          \
68     pghw.o        \
69     putnext.o     \
70     rctl_proc.o   \
71     rwlock.o      \
72     seg_kmem.o    \
73     softint.o     \
74     string.o      \
75     strtol.o      \
76     strtoul.o     \
77     strtoll.o     \
78     strtoull.o    \
79     thread_intr.o \
80     vm_page.o     \
81     vm_pagelist.o \
82     zlib_obj.o    \
83     clock_tick.o
```

85 CORE_OBJS += \$(COMMON_CORE_OBJS) \$(\$(MACH)_CORE_OBJS)

```
87 ZLIB_OBJS =      zutil.o zmod.o zmod_subr.o \
88                 Adler32.o crc32.o deflate.o inflate.o \
89                 inflate.o inftrees.o trees.o
```

```
91 GENUNIX_OBJS += \
92     access.o      \
93     acl.o         \
94     acl_common.o  \
95     adjtime.o     \
96     alarm.o       \
97     aio_subr.o    \
98     auditsys.o    \
99     audit_core.o  \
100     audit_zone.o  \
101     audit_memory.o \
102     autoconf.o    \
103     avl.o         \
104     bdev_dsort.o  \
105     bio.o         \
106     bitmap.o      \
107     blabel.o      \
108     brandsys.o    \
109     bz2blocksort.o \
110     bz2compress.o \
111     bz2decompress.o \
112     bz2randtable.o \
113     bz2bzip.o     \
114     bz2crctable.o \
115     bz2huffman.o  \
116     callb.o       \
117     callout.o     \
118     chdir.o       \
119     chmod.o       \
120     chown.o       \
121     cladm.o       \
122     class.o       \
123     clock.o       \
124     clock_highres.o \
125     clock_realtime.o \
126     close.o       \
127     compress.o
```

```

128      condvar.o      \
129      conf.o         \
130      console.o      \
131      contract.o     \
132      copyops.o      \
133      core.o         \
134      corectl.o      \
135      cred.o         \
136      cs_stubs.o     \
136      dacf.o         \
137      dacf_clnt.o    \
138      damap.o \
139      cyclic.o        \
140      ddi.o           \
141      ddi_fm.o        \
142      ddi_hp_impl.o  \
143      ddi_hp_ndi.o   \
144      ddi_intr.o      \
145      ddi_intr_impl.o \
146      ddi_intr_irm.o \
147      ddi_nodeid.o    \
148      ddi_periodic.o \
149      devcfg.o        \
150      devcache.o      \
151      device.o        \
152      devid.o         \
153      devid_cache.o   \
154      devid_scsi.o    \
155      devid_smp.o     \
156      devpolicy.o     \
157      disp_lock.o     \
158      dnld.o          \
159      driver.o        \
160      dumpsubr.o      \
161      driver_lyr.o    \
162      dtrace_subr.o   \
163      errorq.o        \
164      etheraddr.o     \
165      evchannels.o    \
166      exacct.o        \
167      exacct_core.o  \
168      exec.o          \
169      exit.o          \
170      fbio.o          \
171      fcntl.o         \
172      fdbuffer.o      \
173      fdsync.o        \
174      fem.o           \
175      ffs.o           \
176      fio.o           \
177      flock.o         \
178      fm.o            \
179      fork.o          \
180      vpm.o           \
181      fs_reparse.o    \
182      fs_subr.o       \
183      fsflush.o       \
184      ftrace.o        \
185      getcwd.o        \
186      getdents.o      \
187      getloadavg.o    \
188      getpagesizes.o  \
189      getpid.o        \
190      gfs.o           \
191      rusage_sys.o    \
192      gid.o           \

```

```

193      groups.o        \
194      grow.o          \
195      hat_refmod.o    \
196      id32.o          \
197      id_space.o      \
198      inet_ntop.o     \
199      instance.o      \
200      ioctl.o         \
201      ip_cksum.o       \
202      issetugid.o     \
203      ippconf.o       \
204      kcpd.o          \
205      kdi.o           \
206      kiconv.o        \
207      klpd.o          \
208      kmem.o          \
209      ksyms_snapshot.o \
210      l_strplumb.o     \
211      labelsys.o      \
212      link.o          \
213      list.o          \
214      lockstat_subr.o \
215      log_sysevent.o  \
216      logsubr.o       \
217      lookup.o        \
218      lseek.o         \
219      ltos.o          \
220      lwp.o           \
221      lwp_create.o    \
222      lwp_info.o      \
223      lwp_self.o      \
224      lwp_sobj.o      \
225      lwp_timer.o     \
226      lwpsys.o        \
227      main.o          \
228      mmapobjsys.o    \
229      memcntl.o       \
230      memstr.o        \
231      mgrpsys.o       \
232      mkdir.o         \
233      mknod.o         \
234      mount.o         \
235      move.o          \
236      msacct.o        \
237      multidata.o     \
238      nbmlock.o       \
239      ndifm.o         \
240      nice.o          \
241      netstack.o      \
242      ntptime.o       \
243      nvpair.o        \
244      nvpair_alloc_system.o \
245      nvpair_alloc_fixed.o \
246      fnvpair.o       \
247      octet.o         \
248      open.o          \
249      p_online.o      \
250      pathconf.o      \
251      pathname.o      \
252      pause.o         \
253      serializer.o    \
254      pci_intr_lib.o  \
255      pci_cap.o       \
256      pcifm.o         \
257      pgrp.o          \
258      pgrp_sys.o      \

```

new/usr/src/uts/common/Makefile.files

```

259      pid.o          \
260      pkp_hash.o     \
261      policy.o       \
262      poll.o         \
263      pool.o         \
264      pool_pset.o    \
265      port_subr.o     \
266      ppriv.o        \
267      printf.o       \
268      priocntl.o     \
269      priv.o         \
270      priv_const.o   \
271      proc.o         \
272      procset.o      \
273      processor_bind.o \
274      processor_info.o \
275      profil.o       \
276      project.o      \
277      qsort.o        \
278      rctl.o         \
279      rctlsys.o      \
280      readlink.o     \
281      refstr.o       \
282      rename.o       \
283      resolvepath.o  \
284      retire_store.o \
285      process.o      \
286      rlimit.o       \
287      rmap.o         \
288      rw.o           \
289      rwstlock.o     \
290      sad_conf.o     \
291      sid.o          \
292      sidsys.o       \
293      sched.o        \
294      schedctl.o     \
295      sctp_crc32.o   \
296      seg_dev.o      \
297      seg_kp.o       \
298      seg_kpm.o      \
299      seg_map.o      \
300      seg_vn.o       \
301      seg_spt.o      \
302      semaphore.o    \
303      sendfile.o     \
304      session.o      \
305      share.o        \
306      shuttle.o      \
307      sig.o          \
308      sigaction.o    \
309      sigaltstack.o  \
310      signotify.o     \
311      sigpending.o   \
312      sigprocmask.o  \
313      sigqueue.o     \
314      sigsendset.o   \
315      sigsuspend.o   \
316      sigtimedwait.o \
317      sleepq.o       \
318      sock_conf.o    \
319      space.o        \
320      sscanf.o       \
321      stat.o         \
322      statfs.o       \
323      statvfs.o      \
324      stol.o         \

```

5

new/usr/src/uts/common/Makefile.files

```

325      str_conf.o     \
326      strcalls.o     \
327      stream.o       \
328      streamio.o     \
329      strext.o       \
330      strsubr.o      \
331      strsun.o       \
332      subr.o         \
333      sunddi.o       \
334      sunmdi.o       \
335      sunndi.o       \
336      sunpci.o       \
337      sunpm.o        \
338      sundlpi.o      \
339      suntpi.o       \
340      swap_subr.o    \
341      swap_vnops.o   \
342      symlink.o      \
343      sync.o         \
344      sysclass.o     \
345      sysconfig.o    \
346      sysent.o       \
347      sysfs.o        \
348      systeminfo.o   \
349      task.o         \
350      taskq.o        \
351      tasksys.o      \
352      time.o         \
353      timer.o        \
354      times.o        \
355      timers.o       \
356      thread.o       \
357      tlabel.o       \
358      tn timer.o     \
359      turnstile.o    \
360      tty_common.o   \
361      u8_textprep.o  \
362      uadmin.o       \
363      uconv.o        \
364      ucredsys.o     \
365      uid.o          \
366      umask.o        \
367      umount.o       \
368      uname.o        \
369      unix_bb.o      \
370      unlink.o       \
371      urw.o          \
372      utime.o        \
373      utssys.o       \
374      uucopy.o       \
375      vfs.o          \
376      vfs_conf.o     \
377      vmem.o         \
378      vm_anon.o      \
379      vm_as.o        \
380      vm_meter.o     \
381      vm_pageout.o   \
382      vm_pvn.o       \
383      vm_rm.o        \
384      vm_seg.o       \
385      vm_subr.o      \
386      vm_swap.o      \
387      vm_usage.o     \
388      vnode.o        \
389      vuid_queue.o   \
390      vuid_store.o   \

```

6

new/usr/src/uts/common/Makefile.files

7

```

391          waitq.o      \
392          watchpoint.o \
393          yield.o       \
394          scsi_confdata.o \
395          xattr.o        \
396          xattr_common.o \
397          xdr_mblk.o     \
398          xdr_mem.o      \
399          xdr.o           \
400          xdr_array.o    \
401          xdr_refer.o    \
402          xhat.o         \
403          zone.o

405 #
406 #       Stubs for the stand-alone linker/loader
407 #
408 sparc_GENSTUBS_OBJS = \
409     kobj_stubs.o

411 i386_GENSTUBS_OBJS =

413 COMMON_GENSTUBS_OBJS =

415 GENSTUBS_OBJS += $(COMMON_GENSTUBS_OBJS) $($(MACH)_GENSTUBS_OBJS)

417 #
418 #       DTrace and DTrace Providers
419 #
420 DTRACE_OBJS += dtrace.o dtrace_isa.o dtrace_asm.o

422 SDT_OBJS += sdt_subr.o

424 PROFILE_OBJS += profile.o

426 SYSTRACE_OBJS += systrace.o

428 LOCKSTAT_OBJS += lockstat.o

430 FASTTRAP_OBJS += fasttrap.o fasttrap_isa.o

432 DCPC_OBJS += dcpc.o

434 #
435 #       Driver (pseudo-driver) Modules
436 #
437 IPP_OBJS += ippctl.o

439 AUDIO_OBJS += audio_client.o audio_ddi.o audio_engine.o \
440     audio_fltdata.o audio_format.o audio_ctrl.o \
441     audio_grc3.o audio_output.o audio_input.o \
442     audio_oss.o audio_sun.o

444 AUDIOEMU10K_OBJS += audioemu10k.o

446 AUDIOENS_OBJS += audioens.o

448 AUDIOVIA823X_OBJS += audiovia823x.o

450 AUDIOVIA97_OBJS += audiovia97.o

452 AUDIO1575_OBJS += audio1575.o

454 AUDIO810_OBJS += audio810.o

456 AUDIOCMI_OBJS += audiocmi.o

```

new/usr/src/uts/common/Makefile.files

8

```

458 AUDIOCMIHD_OBJS += audiocmihd.o

460 AUDIOHD_OBJS += audiohd.o

462 AUDIOIXP_OBJS += audioixp.o

464 AUDIOLS_OBJS += audiols.o

466 AUDIOP16X_OBJS += audiop16x.o

468 AUDIOPCI_OBJS += audiopci.o

470 AUDIOSOLO_OBJS += audiosolo.o

472 AUDIOTS_OBJS += audiots.o

474 AC97_OBJS += ac97.o ac97_ad.o ac97_alc.o ac97_cmi.o

476 BLKDEV_OBJS += blkdev.o

479 CARDBUS_OBJS += cardbus.o cardbus_hp.o cardbus_cfg.o

478 CONSKBD_OBJS += conskbd.o

480 CONSMS_OBJS += consms.o

482 OLDPTY_OBJS += tty_ptyconf.o

484 PTC_OBJS += tty_pty.o

486 PTSL_OBJS += tty_pts.o

488 PTM_OBJS += ptm.o

490 MII_OBJS += mii.o mii_cicada.o mii_natsemi.o mii_intel.o mii_qualsemi.o \
491     mii_marvell.o mii_realtek.o mii_other.o

493 PTS_OBJS += pts.o

495 PTY_OBJS += ptms_conf.o

497 SAD_OBJS += sad.o

499 MD4_OBJS += md4.o md4_mod.o

501 MD5_OBJS += md5.o md5_mod.o

503 SHA1_OBJS += sha1.o sha1_mod.o

505 SHA2_OBJS += sha2.o sha2_mod.o

507 IPGPC_OBJS += classifierddi.o classifier.o filters.o trie.o table.o \
508     ba_table.o

510 DSCPMK_OBJS += dscpmk.o dscpmkddi.o

512 DLCOSMK_OBJS += dlcosmk.o dlcosmkddi.o

514 FLOWACCT_OBJS += flowacctddi.o flowacct.o

516 TOKENMT_OBJS += tokenmt.o tokenmtddi.o

518 TSWTCL_OBJS += tswtcl.o tswtclddi.o

520 ARP_OBJS += arpddi.o

```

```
522 ICMP_OBJS +=      icmpddi.o
524 ICMP6_OBJS +=     icmp6ddi.o
526 RTS_OBJS +=       rtsddi.o

528 IP_ICMP_OBJS =     icmp.o icmp_opt_data.o
529 IP_RTS_OBJS =       rts.o rts_opt_data.o
530 IP_TCP_OBJS =        tcp.o tcp_fusion.o tcp_opt_data.o tcp_sack.o tcp_stats.o \
531                      tcp_misc.o tcp_timers.o tcp_time_wait.o tcp_tpi.o tcp_output.o \
532                      tcp_input.o tcp_socket.o tcp_bind.o tcp_cluster.o tcp_tunables.o
533 IP_UDP_OBJS =        udp.o udp_opt_data.o udp_tunables.o udp_stats.o
534 IP_SCTP_OBJS =       sctp.o sctp_opt_data.o sctp_output.o \
535                      sctp_init.o sctp_input.o sctp_cookie.o \
536                      sctp_conn.o sctp_error.o sctp_snmp.o \
537                      sctp_tunables.o sctp_shutdown.o sctp_common.o \
538                      sctp_timer.o sctp_heartbeat.o sctp_hash.o \
539                      sctp_bind.o sctp_notify.o sctp_asconf.o \
540                      sctp_addr.o tn_ipopt.o tnet.o ip_netinfo.o \
541                      sctp_misc.o
542 IP_ILB_OBJS =        ilb.o ilb_nat.o ilb_conn.o ilb_alg_hash.o ilb_alg_rr.o

544 IP_OBJS +=          igmp.o ipmp.o ip.o ip6.o ip6_asp.o ip6_if.o ip6_ire.o \
545                      ip6_rts.o ip_if.o ip_ire.o ip_listutils.o ip_mroute.o \
546                      ip_multi.o ip2mac.o ip_ndp.o ip_rts.o ip_srcid.o \
547                      ipddi.o ipdrop.o mi.o nd.o tunables.o optcom.o snmpcom.o \
548                      ipsec_loader.o spd.o ipclassifier.o inet_common.o ip_queue.o \
549                      squeue.o ip_sadb.o ip_ftable.o proto_set.o radix.o ip_dummy.o \
550                      ip_helper_stream.o ip_tunables.o \
551                      ip_output.o ip_input.o ip6_input.o ip6_output.o ip_arp.o \
552                      conn_opt.o ip_attr.o ip_dce.o \
553                      $(IP_ICMP_OBJS) \
554                      $(IP_RTS_OBJS) \
555                      $(IP_TCP_OBJS) \
556                      $(IP_UDP_OBJS) \
557                      $(IP_SCTP_OBJS) \
558                      $(IP_ILB_OBJS)

560 IP6_OBJS +=          ip6ddi.o
562 HOOK_OBJS +=         hook.o
564 NETI_OBJS +=         neti_impl.o neti_mod.o neti_stack.o

566 KEYSOCK_OBJS +=     keysockddi.o keysock.o keysock_opt_data.o

568 IPNET_OBJS +=        ipnet.o ipnet_bpf.o

570 SPDSOCK_OBJS +=      spdsockddi.o spdsock.o spdsock_opt_data.o

572 IPSECESP_OBJS +=     ipsecespddi.o ipsecesp.o

574 IPSECAH_OBJS +=      ipsecahddi.o ipsecah.o sadb.o

576 SPPP_OBJS +=         sPPP.o sPPP_dlpi.o sPPP_mod.o s_common.o

578 SPPPTUN_OBJS +=      sppptun.o sppptun_mod.o

580 SPPPASYN_OBJS +=     spppasyn.o spppasyn_mod.o

582 SPPPCOMP_OBJS +=     sPPPcomp.o sPPPcomp_mod.o deflate.o bsd-comp.o vjcompress.o \
583                      zlib.o

585 TCP_OBJS +=          tcpddi.o
```

```
587 TCP6_OBJS +=        tcp6ddi.o
589 NCA_OBJS +=          ncaddi.o

591 SDP SOCK_MOD_OBJS += sockmod_sdp.o socksdp.o socksdpsubr.o

593 SCTP SOCK_MOD_OBJS += sockmod_sctp.o sockscctp.o socksctpsubr.o

595 PFP SOCK_MOD_OBJS += sockmod_pfp.o

597 RDS SOCK_MOD_OBJS += sockmod_rds.o

599 RDS_OBJS +=          rdsddi.o rdssubr.o rds_opt.o rds_ioctl.o

601 RDSIB_OBJS +=         rdsib.o rdsib_ib.o rdsib_cm.o rdsib_ep.o rdsib_buf.o \
602                      rdsib_debug.o rdsib_sc.o

604 RDSV3_OBJS +=         af_rds.o rds_v3_ddi.o bind.o loop.o threads.o connection.o \
605                      transport.o cong.o sysctl.o message.o rds_rcv.o send.o \
606                      stats.o info.o page.o rdma_transport.o ib_ring.o ib_rdma.o \
607                      ib_rcv.o ib.o ib_send.o ib_sysctl.o ib_stats.o ib_cm.o \
608                      rds_v3_sc.o rds_v3_debug.o rds_v3_impl.o rdma.o rds_v3_af_thr.o

610 ISER_OBJS +=          iser.o iser_cm.o iser_cq.o iser_ib.o iser_idm.o \
611                      iser_resource.o iser_xfer.o

613 UDP_OBJS +=          udpddi.o

615 UDP6_OBJS +=         udp6ddi.o

617 SY_OBJS +=           gentty.o

619 TCO_OBJS +=           ticots.o

621 TCOO_OBJS +=          ticotsord.o

623 TCL_OBJS +=           ticlts.o

625 TL_OBJS +=           tl.o

627 DUMP_OBJS +=         dump.o

629 BPF_OBJS +=          bpf.o bpf_filter.o bpf_mod.o bpf_dlt.o bpf_mac.o

631 CLONE_OBJS +=         clone.o

633 CN_OBJS +=            cons.o

635 DLD_OBJS +=           dld_drv.o dld_proto.o dld_str.o dld_flow.o

637 DLS_OBJS +=           dls.o dls_link.o dls_mod.o dls_stat.o dls_mgmt.o

639 GLD_OBJS +=           gld.o gldutil.o

641 MAC_OBJS +=           mac.o mac_bcast.o mac_client.o mac_datapath_setup.o mac_flow.o
642                      mac_hio.o mac_mod.o mac_ndd.o mac_provider.o mac_sched.o \
643                      mac_protect.o mac_soft_ring.o mac_stat.o mac_util.o

645 MAC_6TO4_OBJS +=      mac_6to4.o

647 MAC_ETHER_OBJS +=     mac_ether.o

649 MAC_IPV4_OBJS +=      mac_ipv4.o

651 MAC_IPV6_OBJS +=      mac_ipv6.o
```

new/usr/src/uts/common/Makefile.files

11

```
653 MAC_WIFI_OBJS +=      mac_wifi.o
655 MAC_IB_OBJS +=        mac_ib.o
657 IPTUN_OBJS +=        iptun_dev.o iptun_ctl.o iptun.o
659 AGGR_OBJS +=          aggr_dev.o aggr_ctl.o aggr_grp.o aggr_port.o \
660                        aggr_send.o aggr_recv.o aggr_lacp.o
662 SOFTMAC_OBJS +=        softmac_main.o softmac_ctl.o softmac_capab.o \
663                        softmac_dev.o softmac_stat.o softmac_pkt.o softmac_fp.o
665 NET80211_OBJS +=       net80211.o net80211_proto.o net80211_input.o \
666                        net80211_output.o net80211_node.o net80211_crypto.o \
667                        net80211_crypto_none.o net80211_crypto_wep.o net80211_ioctl.o \
668                        net80211_crypto_tkip.o net80211_crypto_ccmp.o \
669                        net80211_ht.o
671 VNIC_OBJS +=           vnic_ctl.o vnic_dev.o
673 SIMNET_OBJS +=         simnet.o
675 IB_OBJS +=             ibnex.o ibnex_ioctl.o ibnex_hca.o
677 IBCM_OBJS +=           ibcm_impl.o ibcm_sm.o ibcm_ti.o ibcm_utils.o ibcm_path.o \
678                        ibcm_arp.o ibcm_arp_link.o
680 IBDM_OBJS +=           ibdm.o
682 IBDMA_OBJS +=          ibdma.o
684 IBMF_OBJS +=           ibmf.o ibmf_impl.o ibmf_dr.o ibmf_wqe.o ibmf_ud_dest.o ibmf_mod.
685                        ibmf_send.o ibmf_recv.o ibmf_handlers.o ibmf_trans.o \
686                        ibmf_timers.o ibmf_msg.o ibmf_utils.o ibmf_rmpp.o \
687                        ibmf_saa.o ibmf_saa_impl.o ibmf_saa_utils.o ibmf_saa_events.o
689 IBTL_OBJS +=           ibtl_impl.o ibtl_util.o ibtl_mem.o ibtl_handlers.o ibtl_qp.o \
690                        ibtl_cq.o ibtl_wr.o ibtl_hca.o ibtl_chan.o ibtl_cm.o \
691                        ibtl_mcg.o ibtl_ibnex.o ibtl_srq.o ibtl_part.o
693 TAVOR_OBJS +=          tavor.o tavor_agents.o tavor_cfg.o tavor_ci.o tavor_cmd.o \
694                        tavor_cq.o tavor_event.o tavor_ioctl.o tavor_misc.o \
695                        tavor_mr.o tavor_qp.o tavor_qpmod.o tavor_rsrc.o \
696                        tavor_srq.o tavor_stats.o tavor_umap.o tavor_wr.o
698 HERMON_OBJS +=         hermon.o hermon_agents.o hermon_cfg.o hermon_ci.o hermon_cmd.o \
699                        hermon_cq.o hermon_event.o hermon_ioctl.o hermon_misc.o \
700                        hermon_mr.o hermon_qp.o hermon_qpmod.o hermon_rsrc.o \
701                        hermon_srq.o hermon_stats.o hermon_umap.o hermon_wr.o \
702                        hermon_fcoib.o hermon_fm.o
704 DAPLT_OBJS +=          daplt.o
706 SOL_OFS_OBJS +=        sol_cma.o sol_ib_cma.o sol_uobj.o \
707                        sol_ofs_debug_util.o sol_ofs_gen_util.o \
708                        sol_kverbs.o
710 SOL_UCMA_OBJS +=       sol_ucma.o
712 SOL_UVERBS_OBJS +=     sol_uverbs.o sol_uverbs_comp.o sol_uverbs_event.o \
713                        sol_uverbs_hca.o sol_uverbs_qp.o
715 SOL_UMAD_OBJS +=       sol_umad.o
717 KSTAT_OBJS +=          kstat.o
```

new/usr/src/uts/common/Makefile.files

12

```
719 KSYMS_OBJS +=         ksyms.o
721 INSTANCE_OBJS +=       inst_sync.o
723 IWSCN_OBJS +=          iwscons.o
725 LOFI_OBJS +=           lofi.o LzmaDec.o
727 FSSNAP_OBJS +=         fssnap.o
729 FSSNAPIF_OBJS +=       fssnap_if.o
731 MM_OBJS +=             mem.o
733 PHYSMEM_OBJS +=        physmem.o
735 OPTIONS_OBJS +=        options.o
737 WINLOCK_OBJS +=        winlockio.o
739 PM_OBJS +=             pm.o
740 SRN_OBJS +=            srn.o
742 PSEUDO_OBJS +=         pseudonex.o
744 RAMDISK_OBJS +=        ramdisk.o
746 LLC1_OBJS +=           llc1.o
748 USBKBM_OBJS +=         usbkbm.o
750 USBWCM_OBJS +=         usbwcm.o
752 BOFI_OBJS +=           bofi.o
754 HID_OBJS +=            hid.o
756 HWA_RC_OBJS +=         hwarc.o
758 USBSKEL_OBJS +=        usbskel.o
760 USBVC_OBJS +=           usbvc.o usbvc_v4l2.o
762 HIDPARSER_OBJS +=      hidparser.o
764 USB_AC_OBJS +=          usb_ac.o
766 USB_AS_OBJS +=          usb_as.o
768 USB_AH_OBJS +=          usb_ah.o
770 USBMS_OBJS +=           usbms.o
772 USBPRN_OBJS +=          usbprn.o
774 UGEN_OBJS +=            ugen.o
776 USBSER_OBJS +=          usbser.o usbser_rseq.o
778 USBSACM_OBJS +=         usb sacram.o
780 USBSER_KEYSPAN_OBJS +=  usbser_keyspan.o keyspan_dsd.o keyspan_pipe.o
782 USB49_FW_OBJS +=        keyspan_49fw.o
784 USBSPRL_OBJS +=         usbser_pl2303.o pl2303_dsd.o
```

```
786 WUSB_CA_OBJS += wusb_ca.o
788 USBFTDI_OBJS += usbser_uftdi.o uftdi_dsd.o
790 USBECM_OBJS += usbecm.o
792 WC_OBJS += wscons.o vcons.o
794 VCONS_CONF_OBJS += vcons_conf.o

796 SCSI_OBJS +=      scsi_capabilities.o scsi_confsubr.o scsi_control.o \
797                  scsi_data.o scsi_fm.o scsi_hba.o scsi_reset_notify.o \
798                  scsi_resource.o scsi_subr.o scsi_transport.o scsi_watch.o \
799                  smp_transport.o

801 SCSI_VHCI_OBJS +=      scsi_vhci.o mpapi_impl.o scsi_vhci_tpgs.o
803 SCSI_VHCI_F_SYM_OBJS +=      sym.o
805 SCSI_VHCI_F_TPGS_OBJS +=      tpgs.o
807 SCSI_VHCI_F_ASYM_SUN_OBJS +=  asym_sun.o
809 SCSI_VHCI_F_SYM_HDS_OBJS +=  sym_hds.o
811 SCSI_VHCI_F_TAPE_OBJS +=      tape.o
813 SCSI_VHCI_F_TPGS_TAPE_OBJS +=  tpgs_tape.o

815 SGEN_OBJS +=      sgen.o
817 SMP_OBJS +=      smp.o
819 SATA_OBJS +=      sata.o

821 USBA_OBJS +=      hcdi.o usba.o usbai.o hubdi.o parser.o genconsole.o \
822                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
823                  usba_deydb.o usba10_calls.o usba_uugen.o whcdi.o wa.o
824 USBA_WITHOUT_WUSB_OBJS +=      hcdi.o usba.o usbai.o hubdi.o parser.o gencons
825                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
826                  usba_deydb.o usba10_calls.o usba_uugen.o

828 USBA10_OBJS +=      usba10.o
830 RSM_OBJS +=      rsm.o rsmka_pathmanager.o rsmka_util.o
832 RSMOPS_OBJS +=      rsmops.o

834 S1394_OBJS +=      t1394.o t1394_errmsg.o s1394.o s1394_addr.o s1394_async.o \
835                  s1394_bus_reset.o s1394_cmp.o s1394_csr.o s1394_dev_disc.o \
836                  s1394_fa.o s1394_fcp.o \
837                  s1394_hotplug.o s1394_isoch.o s1394_misc.o h1394.o nx1394.o

839 HCI1394_OBJS +=      hcil1394.o hcil1394_async.o hcil1394_attach.o hcil1394_buf.o \
840                  hcil1394_csr.o hcil1394_detach.o hcil1394_extern.o \
841                  hcil1394_ioctl.o hcil1394_isoch.o hcil1394_isr.o \
842                  hcil1394_ixl_comp.o hcil1394_ixl_isr.o hcil1394_ixl_misc.o \
843                  hcil1394_ixl_update.o hcil1394_misc.o hcil1394_ohci.o \
844                  hcil1394_q.o hcil1394_s1394if.o hcil1394_tlabel.o \
845                  hcil1394_tlist.o hcil1394_vendor.o

847 AV1394_OBJS +=      av1394.o av1394_as.o av1394_async.o av1394_cfgrom.o \
848                  av1394_cmp.o av1394_fcp.o av1394_isoch.o av1394_isoch_chan.o \
849                  av1394_isoch_recv.o av1394_isoch_xmit.o av1394_list.o \
850                  av1394_queue.o
```

```
852 DCAM1394_OBJS += dcam.o dcam_frame.o dcam_param.o dcam_reg.o \
853                  dcam_ring_buff.o

855 SCISA1394_OBJS += hba.o sbp2_driver.o sbp2_bus.o
857 SBP2_OBJS +=      cfgrom.o sbp2.o
859 PMODEM_OBJS +=      pmodem.o pmodem_cis.o cis.o cis_callout.o cis_handlers.o cis_para

861 DSW_OBJS +=      dsw.o dsw_dev.o ii_tree.o
863 NCALL_OBJS +=      ncall.o \
864                  ncall_stub.o

866 RDC_OBJS +=      rdc.o \
867                  rdc_dev.o \
868                  rdc_io.o \
869                  rdc_clnt.o \
870                  rdc_prot_xdr.o \
871                  rdc_svc.o \
872                  rdc_bitmap.o \
873                  rdc_health.o \
874                  rdc_subr.o \
875                  rdc_diskq.o

877 RDCSRV_OBJS +=      rdcsrv.o
879 RDCSTUB_OBJS +=      rdc_stub.o

881 SDBC_OBJS +=      sd_bcache.o \
882                  sd_bio.o \
883                  sd_conf.o \
884                  sd_ft.o \
885                  sd_hash.o \
886                  sd_io.o \
887                  sd_misc.o \
888                  sd_pcu.o \
889                  sd_tdaemon.o \
890                  sd_trace.o \
891                  sd_iob_impl0.o \
892                  sd_iob_impl1.o \
893                  sd_iob_impl2.o \
894                  sd_iob_impl3.o \
895                  sd_iob_impl4.o \
896                  sd_iob_impl5.o \
897                  sd_iob_impl6.o \
898                  sd_iob_impl7.o \
899                  safestore.o \
900                  safestore_ram.o

902 NSCTL_OBJS +=      nsctl.o \
903                  nsc_cache.o \
904                  nsc_disk.o \
905                  nsc_dev.o \
906                  nsc_freeze.o \
907                  nsc_gen.o \
908                  nsc_mem.o \
909                  nsc_ncallio.o \
910                  nsc_power.o \
911                  nsc_resv.o \
912                  nsc_rmspin.o \
913                  nsc_solaris.o \
914                  nsc_trap.o \
915                  nsc_list.o
916 UNISTAT_OBJS +=      spuni.o \
```



```
917             spcs_s_k.o

919 NSKERN_OBJS += nsc_ddi.o \
920                nsc_proc.o \
921                nsc_raw.o \
922                nsc_thread.o \
923                nskernd.o

925 SV_OBJS +=      sv.o

927 PMCS_OBJS += pmcs_attach.o pmcs_ds.o pmcs_intr.o pmcs_nvram.o pmcs_sata.o \
928             pmcs_scsa.o pmcs_smhba.o pmcs_subr.o pmcs_fwlog.o

930 PMCS8001FW_C_OBJS +=      pmcs_fw_hdr.o
931 PMCS8001FW_OBJS +=        $(PMCS8001FW_C_OBJS) SPCBoot.o ila.o firmware.o

933 #
934 #      Build up defines and paths.

936 ST_OBJS +=      st.o      st_conf.o

938 EMLXS_OBJS +=    emlxs_clock.o emlxs_dfc.o emlxs_dhchap.o emlxs_diag.o \
939                 emlxs_download.o emlxs_dump.o emlxs_els.o emlxs_event.o \
940                 emlxs_fcf.o emlxs_fcp.o emlxs_fct.o emlxs_hba.o emlxs_ip.o \
941                 emlxs_mbox.o emlxs_mem.o emlxs_msg.o emlxs_node.o \
942                 emlxs_pkt.o emlxs_sli3.o emlxs_sli4.o emlxs_solaris.o \
943                 emlxs_thread.o

945 EMLXS_FW_OBJS +=      emlxs_fw.o

947 OCE_OBJS +=        oce_buf.o oce_fm.o oce_gld.o oce_hw.o oce_intr.o oce_main.o \
948                 oce_mbx.o oce_mq.o oce_queue.o oce_rx.o oce_stat.o oce_tx.o \
949                 oce_utils.o

951 FCT_OBJS += discovery.o fct.o

953 QLT_OBJS += 2400.o 2500.o 8100.o qlt.o qlt_dma.o

955 SRPT_OBJS += srpt_mod.o srpt_ch.o srpt_cm.o srpt_ioc.o srpt_stp.o

957 FCOE_OBJS += fcoe.o fcoe_eth.o fcoe_fc.o

959 FCOET_OBJS += fcoet.o fcoet_eth.o fcoet_fc.o

961 FCOEI_OBJS += fcoei.o fcoei_eth.o fcoei_lv.o

963 ISCSIT_SHARED_OBJS += \
964             iscsit_common.o

966 ISCSIT_OBJS += $(ISCSIT_SHARED_OBJS) \
967             iscsit.o iscsit_tgt.o iscsit_sess.o iscsit_login.o \
968             iscsit_text.o iscsit_isns.o iscsit_radiusauth.o \
969             iscsit_radiuspacket.o iscsit_auth.o iscsit_authclient.o

971 PPPT_OBJS += alua_ic_if.o pppt.o pppt_msg.o pppt_tgt.o

973 STMF_OBJS += lun_map.o stmf.o

975 STMF_SBD_OBJS += sbd.o sbd_scsi.o sbd_pgr.o sbd_zvol.o

977 SYMSG_OBJS += sysmsg.o

979 SES_OBJS +=      ses.o ses_sen.o ses_safte.o ses_ses.o

981 TNF_OBJS +=      tnf_buf.o      tnf_trace.o      tnf_writer.o      trace_init.o \
982             trace_funcs.o      tnf_probe.o      tnf.o
```

```
984 LOGINDMUX_OBJS += loginmux.o

986 DEVINFO_OBJS += devinfo.o

988 DEVPOLL_OBJS += devpoll.o

990 DEVPOOL_OBJS += devpool.o

992 I8042_OBJS +=      i8042.o

994 KB8042_OBJS +=      \
995                 at_keyprocess.o \
996                 kb8042.o \
997                 kb8042_keytables.o

999 MOUSE8042_OBJS += mouse8042.o

1001 FDC_OBJS +=      fdc.o

1003 ASY_OBJS +=      asy.o

1005 ECPP_OBJS +=      ecpp.o

1007 VUIDM3P_OBJS += vuidmice.o vuidm3p.o

1009 VUIDM4P_OBJS += vuidmice.o vuidm4p.o

1011 VUIDM5P_OBJS += vuidmice.o vuidm5p.o

1013 VUIDPS2_OBJS += vuidmice.o vuidps2.o

1015 HPCSV_OBJS += hpcsvc.o

1017 PCIE_MISC_OBJS += pcie.o pcie_fault.o pcie_hp.o pciehpc.o pcishpc.o pcie_pwr.o p

1019 PCIHPNEXUS_OBJS += pcihp.o

1021 OPENEEP_OBJS += openprom.o

1023 RANDOM_OBJS += random.o

1025 PSHOT_OBJS += pshot.o

1027 GEN_DRV_OBJS += gen_drv.o

1029 TCLIENT_OBJS += tclient.o

1031 TPHCI_OBJS += tphci.o

1033 TVHCI_OBJS += tvhci.o

1035 EMUL64_OBJS += emul64.o emul64_bsd.o

1037 FCP_OBJS += fcp.o

1039 FCIP_OBJS += fcip.o

1041 FCSM_OBJS += fcsm.o

1043 FCTL_OBJS += fctl.o

1045 FP_OBJS += fp.o

1047 QLC_OBJS += ql_api.o ql_debug.o ql_hba_fru.o ql_init.o ql_iocb.o ql_ioctl.o \
1048             ql_isr.o ql_mbx.o ql_nx.o ql_xioctl.o ql_fw_table.o
```

```

1050 QLC_FW_2200_OBJS += ql_fw_2200.o
1052 QLC_FW_2300_OBJS += ql_fw_2300.o
1054 QLC_FW_2400_OBJS += ql_fw_2400.o
1056 QLC_FW_2500_OBJS += ql_fw_2500.o
1058 QLC_FW_6322_OBJS += ql_fw_6322.o
1060 QLC_FW_8100_OBJS += ql_fw_8100.o
1062 QLGE_OBJS += qlge.o qlge_dbg.o qlge_flash.o qlge_fm.o qlge_gld.o qlge_mpi.o
1064 ZCONS_OBJS += zcons.o
1066 NV_SATA_OBJS += nv_sata.o
1068 SI3124_OBJS += si3124.o
1070 AHCI_OBJS += ahci.o
1072 PCIIDE_OBJS += pci-ide.o
1074 PCEPP_OBJS += pcepp.o
1076 CPC_OBJS += cpc.o
1078 CPUID_OBJS += cpuid_drv.o
1080 SYSEVENT_OBJS += sysevent.o
1082 BL_OBJS += bl.o
1084 DRM_OBJS += drm_sunmod.o drm_kstat.o drm_agpsupport.o \
1085             drm_auth.o drm_bufs.o drm_context.o drm_dma.o \
1086             drm_drawable.o drm_drv.o drm_fops.o drm_ioctl.o drm_irq.o \
1087             drm_lock.o drm_memory.o drm_msg.o drm_pci.o drm_scatter.o \
1088             drm_cache.o drm_gem.o drm_mm.o ati_pcigart.o
1090 FM_OBJS += devfm.o devfm_machdep.o
1092 RTLS_OBJS += rtls.o
1094 #
1095 #             exec modules
1096 #
1097 AOUTEXEC_OBJS += aout.o
1099 ELFEXEC_OBJS += elf.o elf_notes.o old_notes.o
1101 INTPEXEC_OBJS += intp.o
1103 SHBINEXEC_OBJS += shbin.o
1105 JAVAEXEC_OBJS += java.o
1107 #
1108 #             file system modules
1109 #
1110 AUTOFS_OBJS += auto_vfsops.o auto_vnops.o auto_subr.o auto_xdr.o auto_sys.o
1112 CACHEFS_OBJS += cacheofs_cnode.o          cacheofs_cod.o \
1113             cacheofs_dir.o          cacheofs_dlog.o cacheofs_filegrp.o \
1114             cacheofs_fscache.o      cacheofs_ioctl.o cacheofs_log.o \

```

```

1115             cacheofs_module.o \
1116             cacheofs_noopc.o          cacheofs_resource.o \
1117             cacheofs_strict.o \
1118             cacheofs_subr.o          cacheofs_vfsops.o \
1119             cacheofs_vnops.o
1121 DCFS_OBJS += dc_vnops.o
1123 DEVFS_OBJS += devfs_subr.o devfs_vfsops.o devfs_vnops.o
1125 DEV_OBJS += sdev_subr.o sdev_vfsops.o sdev_vnops.o \
1126             sdev_ptsops.o sdev_zvolops.o sdev_comm.o \
1127             sdev_profile.o sdev_ncache.o sdev_netops.o \
1128             sdev_ipnetops.o \
1129             sdev_vtops.o
1131 CTFS_OBJS += ctfs_all.o ctfs_cdir.o ctfs_ctl.o ctfs_event.o \
1132             ctfs_latest.o ctfs_root.o ctfs_sym.o ctfs_tdir.o ctfs_tmpl.o
1134 OBJFS_OBJS += objfs_vfs.o objfs_root.o objfs_common.o \
1135             objfs_odir.o objfs_data.o
1137 FDFS_OBJS += fdops.o
1139 FIFO_OBJS += fifosubr.o fifovnops.o
1141 PIPE_OBJS += pipe.o
1143 HSFS_OBJS += hsfs_node.o hsfs_subr.o hsfs_vfsops.o hsfs_vnops.o \
1144             hsfs_susp.o hsfs_rrip.o hsfs_susp_subr.o
1146 LOFS_OBJS += lofs_subr.o lofs_vfsops.o lofs_vnops.o
1148 NAMEFS_OBJS += namevfs.o namevno.o
1150 NFS_OBJS += nfs_client.o nfs_common.o nfs_dump.o \
1151             nfs_subr.o nfs_vfsops.o nfs_vnops.o \
1152             nfs_xdr.o nfs_sys.o nfs_strerror.o \
1153             nfs3_vfsops.o nfs3_vnops.o nfs3_xdr.o \
1154             nfs_acl_vnops.o nfs_acl_xdr.o nfs4_vfsops.o \
1155             nfs4_vnops.o nfs4_xdr.o nfs4_idmap.o \
1156             nfs4_shadow.o nfs4_subr.o \
1157             nfs4_attr.o nfs4_rnode.o nfs4_client.o \
1158             nfs4_acache.o nfs4_common.o nfs4_client_state.o \
1159             nfs4_callback.o nfs4_recovery.o nfs4_client_secinfo.o \
1160             nfs4_client_debug.o nfs_stats.o \
1161             nfs4_acl.o nfs4_stub_vnops.o nfs_cmd.o
1163 NFSSRV_OBJS += nfs_server.o nfs_srv.o nfs3_srv.o \
1164             nfs_acl_srv.o nfs_auth.o nfs_auth_xdr.o \
1165             nfs_export.o nfs_log.o nfs_log_xdr.o \
1166             nfs4_srv.o nfs4_state.o nfs4_srv_attr.o \
1167             nfs4_srv_ns.o nfs4_db.o nfs4_srv_deleg.o \
1168             nfs4_deleg_ops.o nfs4_srv_readdir.o nfs4_dispatch.o
1170 SMBSRV_SHARED_OBJS += \
1171             smb_inet.o \
1172             smb_match.o \
1173             smb_msgbuf.o \
1174             smb_oem.o \
1175             smb_string.o \
1176             smb_utf8.o \
1177             smb_door_legacy.o \
1178             smb_xdr.o \
1179             smb_token.o \
1180             smb_token_xdr.o \

```

new/usr/src/uts/common/Makefile.files

```

1181         smb_sid.o \
1182         smb_native.o \
1183         smb_netbios_util.o

1185 SMBSRV_OBJS += $(SMBSRV_SHARED_OBJS) \
1186         smb_acl.o \
1187         smb_alloc.o \
1188         smb_close.o \
1189         smb_common_open.o \
1190         smb_common_transact.o \
1191         smb_create.o \
1192         smb_delete.o \
1193         smb_directory.o \
1194         smb_dispatch.o \
1195         smb_echo.o \
1196         smb_fem.o \
1197         smb_find.o \
1198         smb_flush.o \
1199         smb_fsinfo.o \
1200         smb_fsops.o \
1201         smb_init.o \
1202         smb_kdoor.o \
1203         smb_kshare.o \
1204         smb_kutil.o \
1205         smb_lock.o \
1206         smb_lock_byte_range.o \
1207         smb_locking_andx.o \
1208         smb_logoff_andx.o \
1209         smb_mangle_name.o \
1210         smb_mbuf_marshaling.o \
1211         smb_mbuf_util.o \
1212         smb_negotiate.o \
1213         smb_net.o \
1214         smb_node.o \
1215         smb_nt_cancel.o \
1216         smb_nt_create_andx.o \
1217         smb_nt_transact_create.o \
1218         smb_nt_transact_ioctl.o \
1219         smb_nt_transact_notify_change.o \
1220         smb_nt_transact_quota.o \
1221         smb_nt_transact_security.o \
1222         smb_odir.o \
1223         smb_ofile.o \
1224         smb_open_andx.o \
1225         smb_opipe.o \
1226         smb_oplock.o \
1227         smb_pathname.o \
1228         smb_print.o \
1229         smb_process_exit.o \
1230         smb_query_fileinfo.o \
1231         smb_read.o \
1232         smb_rename.o \
1233         smb_sd.o \
1234         smb_seek.o \
1235         smb_server.o \
1236         smb_session.o \
1237         smb_session_setup_andx.o \
1238         smb_set_fileinfo.o \
1239         smb_signing.o \
1240         smb_tree.o \
1241         smb_trans2_create_directory.o \
1242         smb_trans2_dfs.o \
1243         smb_trans2_find.o \
1244         smb_tree_connect.o \
1245         smb_unlock_byte_range.o \
1246         smb_user.o

```

19

new/usr/src/uts/common/Makefile.files

```

1247         smb_vfs.o \
1248         smb_vops.o \
1249         smb_vss.o \
1250         smb_write.o \
1251         smb_write_raw.o

1253 PCFS_OBJS += pc_alloc.o pc_dir.o pc_node.o pc_subr.o \
1254         pc_vfsops.o pc_vnops.o

1256 PROC_OBJS += prcontrol.o priotcl.o prsubr.o prusr.o \
1257         prvfsops.o prvnops.o

1259 MNTFS_OBJS += mntvfsops.o mntvnops.o

1261 SHAREFS_OBJS += sharetab.o sharefs_vfsops.o sharefs_vnops.o

1263 SPEC_OBJS += specsubr.o specvfsops.o specvnops.o

1265 SOCK_OBJS += socksubr.o sockvfsops.o sockparams.o \
1266         socksyscalls.o socktpi.o sockstr.o \
1267         sockcommon_vnops.o sockcommon_subr.o \
1268         sockcommon_sops.o sockcommon.o \
1269         socknotsupp.o socknotify.o \
1270         nl7c.o nl7curi.o nl7chttp.o nl7clogd.o \
1271         nl7cnca.o sodirect.o sockfilter.o

1273 TMPFS_OBJS += tmp_dir.o tmp_subr.o tmp_tnode.o tmp_vfsops.o \
1274         tmp_vnops.o

1276 UDFS_OBJS += udf_alloc.o udf_bmap.o udf_dir.o \
1277         udf_inode.o udf_subr.o udf_vfsops.o \
1278         udf_vnops.o

1280 UFS_OBJS += ufs_alloc.o ufs_bmap.o ufs_dir.o ufs_xattr.o \
1281         ufs_inode.o ufs_subr.o ufs_tables.o ufs_vfsops.o \
1282         ufs_vnops.o quota.o quotacalls.o quota_ufs.o \
1283         ufs_filio.o ufs_lockfs.o ufs_thread.o ufs_trans.o \
1284         ufs_acl.o ufs_panic.o ufs_directio.o ufs_log.o \
1285         ufs_extvnops.o ufs_snap.o lufs.o lufs_thread.o \
1286         lufs_log.o lufs_map.o lufs_top.o lufs_debug.o \
1287         vscan_drv.o vscan_svc.o vscan_door.o

1289 NSMB_OBJS += smb_conn.o smb_dev.o smb_iod.o smb_pass.o \
1290         smb_rq.o smb_sign.o smb_smb.o smb_subrs.o \
1291         smb_time.o smb_tran.o smb_trantcp.o smb_usr.o \
1292         subr_mchain.o

1294 SMBFS_COMMON_OBJS += smbfs_ntacl.o
1295 SMBFS_OBJS += smbfs_vfsops.o smbfs_vnops.o smbfs_node.o \
1296         smbfs_acl.o smbfs_client.o smbfs_smb.o \
1297         smbfs_subr.o smbfs_subr2.o \
1298         smbfs_rwlock.o smbfs_xattr.o \
1299         $(SMBFS_COMMON_OBJS)

1302 #
1303 # LVM modules
1304 #
1305 MD_OBJS += md.o md_error.o md_ioctl.o md_mddb.o md_names.o \
1306         md_med.o md_rename.o md_subr.o

1308 MD_COMMON_OBJS = md_convert.o md_crc.o md_revchk.o

1310 MD_DERIVED_OBJS = metamed_xdr.o meta_basic_xdr.o

1312 SOFTPART_OBJS += sp.o sp_ioctl.o

```

20

```

1314 STRIPE_OBJS += stripe.o stripe_ioctl.o
1316 HOTSPARES_OBJS += hotspares.o
1318 RAID_OBJS += raid.o raid_ioctl.o raid_replay.o raid_resync.o raid_hotspare.o
1320 MIRROR_OBJS += mirror.o mirror_ioctl.o mirror_resync.o
1322 NOTIFY_OBJS += md_notify.o
1324 TRANS_OBJS += mdtrans.o trans_ioctl.o trans_log.o

1326 ZFS_COMMON_OBJS += \
1327     arc.o \
1328     blkptr.o \
1329     bplist.o \
1330     bpobj.o \
1331     bptree.o \
1332     dbuf.o \
1333     ddt.o \
1334     ddt_zap.o \
1335     dmuf.o \
1336     dmuf_diff.o \
1337     dmuf_send.o \
1338     dmuf_object.o \
1339     dmuf_objset.o \
1340     dmuf_traverse.o \
1341     dmuf_tx.o \
1342     dnode.o \
1343     dnode_sync.o \
1344     dsl_bookmark.o \
1345     dsl_dir.o \
1346     dsl_dataset.o \
1347     dsl_deadlist.o \
1348     dsl_destroy.o \
1349     dsl_pool.o \
1350     dsl_synctask.o \
1351     dsl_userhold.o \
1352     dmuf_zfetch.o \
1353     dsl_deleg.o \
1354     dsl_prop.o \
1355     dsl_scan.o \
1356     zfeature.o \
1357     gzip.o \
1358     lz4.o \
1359     lzjb.o \
1360     metaslab.o \
1361     range_tree.o \
1362     refcount.o \
1363     rrwlock.o \
1364     sa.o \
1365     sha256.o \
1366     spa.o \
1367     spa_config.o \
1368     spa_errlog.o \
1369     spa_history.o \
1370     spa_misc.o \
1371     space_map.o \
1372     space_reftree.o \
1373     txg.o \
1374     uberblock.o \
1375     unique.o \
1376     vdev.o \
1377     vdev_cache.o \
1378     vdev_file.o \

```

```

1379     vdev_label.o \
1380     vdev_mirror.o \
1381     vdev_missing.o \
1382     vdev_queue.o \
1383     vdev_raidz.o \
1384     vdev_root.o \
1385     zap.o \
1386     zap_leaf.o \
1387     zap_micro.o \
1388     zfs_byteswap.o \
1389     zfs_debug.o \
1390     zfs_fm.o \
1391     zfs_fuid.o \
1392     zfs_sa.o \
1393     zfs_znode.o \
1394     zil.o \
1395     zio.o \
1396     zio_checksum.o \
1397     zio_compress.o \
1398     zio_inject.o \
1399     zle.o \
1400     zrlock.o

1402 ZFS_SHARED_OBJS += \
1403     zfeature_common.o \
1404     zfs_comutil.o \
1405     zfs_deleg.o \
1406     zfs_fletcher.o \
1407     zfs_namecheck.o \
1408     zfs_prop.o \
1409     zpool_prop.o \
1410     zprop_common.o

1412 ZFS_OBJS += \
1413     $(ZFS_COMMON_OBJS) \
1414     $(ZFS_SHARED_OBJS) \
1415     vdev_disk.o \
1416     zfs_acl.o \
1417     zfs_ctldir.o \
1418     zfs_dir.o \
1419     zfs_ioctl.o \
1420     zfs_log.o \
1421     zfs_onexit.o \
1422     zfs_replay.o \
1423     zfs_rlock.o \
1424     zfs_vfsops.o \
1425     zfs_vnops.o \
1426     zvol.o

1428 ZUT_OBJS += \
1429     zut.o

1431 # \
1432 # streams modules \
1433 # \
1434 BUFMOD_OBJS += bufmod.o

1436 CONNLD_OBJS += connld.o

1438 DEDUMP_OBJS += dedump.o

1440 DRCOMPAT_OBJS += drcompat.o

1442 LDLINUX_OBJS += ldlinux.o

1444 LDTERM_OBJS += ldterm.o uwidth.o

```

```

1446 PKCT_OBJS +=      pckt.o
1448 PFMOD_OBJS +=      pfmod.o
1450 PTEM_OBJS +=      ptem.o
1452 REDIRMOD_OBJS +=  strredirm.o
1454 TIMOD_OBJS +=      timod.o
1456 TIRDWR_OBJS +=     tirdwr.o
1458 TTCOMPAT_OBJS +=  ttcompat.o
1460 LOG_OBJS +=        log.o
1462 PIPEMOD_OBJS +=    pipemod.o

1464 RPCMOD_OBJS +=      rpcmod.o      clnt_cots.o      clnt_clts.o \
1465                      clnt_gen.o      clnt_perr.o      mt_rpcinit.o      rpc_calmsg.o \
1466                      rpc_prot.o      rpc_sztypes.o     rpc_subr.o      rpcb_prot.o \
1467                      svc.o           svc_clts.o      svc_gen.o      svc_cots.o \
1468                      rpcsys.o        xdr_sizeof.o     clnt_rdma.o      svc_rdma.o \
1469                      xdr_rdma.o      rdma_subr.o     xdrdma_sizeof.o

1471 KLMMOD_OBJS +=      klmmod.o \
1472                      nlm_impl.o \
1473                      nlm_rpc_handle.o \
1474                      nlm_dispatch.o \
1475                      nlm_rpc_svc.o \
1476                      nlm_client.o \
1477                      nlm_service.o \
1478                      nlm_prot_clnt.o \
1479                      nlm_prot_xdr.o \
1480                      nlm_rpc_clnt.o \
1481                      nsm_addr_clnt.o \
1482                      nsm_addr_xdr.o \
1483                      sm_inter_clnt.o \
1484                      sm_inter_xdr.o

1486 KLMOPS_OBJS +=      klmops.o

1488 TLIMOD_OBJS +=      tlimod.o      t_kalloc.o      t_kbind.o      t_kclose.o \
1489                      t_kconnect.o  t_kfree.o      t_kgtstate.o   t_kopen.o \
1490                      t_krcvudat.o   t_ksndudat.o   t_kspoll.o     t_kunbind.o \
1491                      t_kutil.o

1493 RLMOD_OBJS +=      rlmmod.o
1495 TELMOD_OBJS +=      telmod.o
1497 CRYPTMOD_OBJS +=    cryptmod.o
1499 KB_OBJS +=          kbd.o          keytables.o

1501 #
1502 #                      ID mapping module
1503 #
1504 IDMAP_OBJS +=      idmap_mod.o      idmap_kapi.o      idmap_xdr.o      idmap_cache.o

1506 #
1507 #                      scheduling class modules
1508 #
1509 SDC_OBJS +=          sysdc.o

```

```

1511 RT_OBJS +=          rt.o
1512 RT_DPTBL_OBJS +=    rt_dptbl.o

1514 TS_OBJS +=          ts.o
1515 TS_DPTBL_OBJS +=    ts_dptbl.o

1517 IA_OBJS +=          ia.o

1519 FSS_OBJS +=         fss.o

1521 FX_OBJS +=          fx.o
1522 FX_DPTBL_OBJS +=    fx_dptbl.o

1524 #
1525 #                      Inter-Process Communication (IPC) modules
1526 #
1527 IPC_OBJS +=          ipc.o

1529 IPCMSG_OBJS +=       msg.o

1531 IPCSEM_OBJS +=       sem.o

1533 IPCSHM_OBJS +=       shm.o

1535 #
1536 #                      bignum module
1537 #
1538 COMMON_BIGNUM_OBJS += bignum_mod.o bignumimpl.o

1540 BIGNUM_OBJS += $(COMMON_BIGNUM_OBJS) $(BIGNUM_PSR_OBJS)

1542 #
1543 #                      kernel cryptographic framework
1544 #
1545 KCF_OBJS +=          kcf.o kcf_callprov.o kcf_cbufcall.o kcf_cipher.o kcf_crypto.o \
1546                      kcf_cryptoadm.o kcf_ctxops.o kcf_digest.o kcf_dual.o \
1547                      kcf_keys.o kcf_mac.o kcf_mech_tabs.o kcf_miscapi.o \
1548                      kcf_object.o kcf_policy.o kcf_prov_lib.o kcf_prov_tabs.o \
1549                      kcf_sched.o kcf_session.o kcf_sign.o kcf_spi.o kcf_verify.o \
1550                      kcf_random.o modes.o ecb.o cbc.o ctr.o ccm.o gcm.o \
1551                      fips_random.o

1553 CRYPTOADM_OBJS +=    cryptoadm.o

1555 CRYPTO_OBJS +=       crypto.o

1557 DPROV_OBJS +=        dprov.o

1559 DCA_OBJS +=          dca.o dca_3des.o dca_debug.o dca_dsa.o dca_kstat.o dca_rng.o \
1560                      dca_rsa.o

1562 AESPROV_OBJS +=      aes.o aes_impl.o aes_modes.o

1564 ARCFOURPROV_OBJS +=  arcfour.o arcfour_crypt.o

1566 BLOWFISHPROV_OBJS += blowfish.o blowfish_impl.o

1568 ECCPROV_OBJS +=      ecc.o ec.o ec2_163.o ec2_mont.o ecdecode.o ecl_mult.o \
1569                      ecp_384.o ecp_jac.o ec2_193.o ecl.o ecp_192.o ecp_521.o \
1570                      ecp_jm.o ec2_233.o ecl_curve.o ecp_224.o ecp_aff.o \
1571                      ecp_mont.o ec2_aff.o ec_naf.o ecl_gf.o ecp_256.o mp_gf2m.o \
1572                      mpi.o mplogic.o mpmontg.o mpprime.o oid.o \
1573                      secitem.o ec2_test.o ecp_test.o

1575 RSAPROV_OBJS +=      rsa.o rsa_impl.o pkcs1.o

```

```

1577 SWRANDPROV_OBJS += swrand.o

1579 #
1580 #             kernel SSL
1581 #
1582 KSSL_OBJS +=      kssl.o ksslioctl.o

1584 KSSL_SOCKETFIL_MOD_OBJS += ksslfilter.o ksslapl.o ksslrec.o

1586 #
1587 #             misc. modules
1588 #

1590 C2AUDIT_OBJS +=  adr.o audit.o audit_event.o audit_io.o \
1591                  audit_path.o audit_start.o audit_syscalls.o audit_token.o \
1592                  audit_mem.o

1597 PCIC_OBJS +=    pcic.o

1594 RPCSEC_OBJS +=  secmod.o      sec_clnt.o      sec_svc.o      sec_gen.o \
1595                  auth_des.o    auth_kern.o    auth_none.o    auth_loopb.o \
1596                  authdesprt.o  authdesubr.o authu_prot.o \
1597                  key_call.o    key_prot.o    svc_authu.o    svcauthdes.o

1599 RPCSEC_GSS_OBJS +=      rpcsec_gssmod.o rpcsec_gss.o rpcsec_gss_misc.o \
1600                        rpcsec_gss_utils.o svc_rpcsec_gss.o

1602 CONSCONFIG_OBJS += consconfig.o

1604 CONSCONFIG_DACF_OBJS += consconfig_dacf.o consplat.o

1606 TEM_OBJS += tem.o tem_safe.o 6x10.o 7x14.o 12x22.o

1608 KBTRANS_OBJS +=
1609                kbtrans.o
1610                kbtrans_keytables.o
1611                kbtrans_polled.o
1612                kbtrans_streams.o
1613                usb_keytables.o

1615 KGSSD_OBJS +=  gssd_clnt_stubs.o gssd_handle.o gssd_prot.o \
1616                gss_display_name.o gss_release_name.o gss_import_name.o \
1617                gss_release_buffer.o gss_release_oid_set.o gen_oids.o gssdmod.o

1619 KGSSD_DERIVED_OBJS = gssd_xdr.o

1621 KGSS_DUMMY_OBJS += dmech.o

1623 KSOCKET_OBJS += ksocket.o ksocket_mod.o

1625 CRYPTO= cksumtypes.o decrypt.o encrypt.o encrypt_length.o etypes.o \
1626          nfold.o verify_checksum.o prng.o block_size.o make_checksum.o \
1627          checksum_length.o hmac.o default_state.o mandatory_sumtype.o

1629 # crypto/des
1630 CRYPTO_DES= f_cbc.o f_cksum.o f_parity.o weak_key.o d3_cbc.o ef_crypto.o

1632 CRYPTO_DK= checksum.o derive.o dk_decrypt.o dk_encrypt.o

1634 CRYPTO_ARCFOUR= k5_arcfour.o

1636 # crypto/enc_provider
1637 CRYPTO_ENC= des.o des3.o arcfour_provider.o aes_provider.o

1639 # crypto/hash_provider
1640 CRYPTO_HASH= hash_kef_generic.o hash_kmd5.o hash_crc32.o hash_kshal.o

```

```

1642 # crypto/keyhash_provider
1643 CRYPTO_KEYHASH= descbc.o k5_kmd5des.o k_hmac_md5.o

1645 # crypto/crc32
1646 CRYPTO_CRC32= crc32.o

1648 # crypto/old
1649 CRYPTO_OLD= old_decrypt.o old_encrypt.o

1651 # crypto/raw
1652 CRYPTO_RAW= raw_decrypt.o raw_encrypt.o

1654 K5_KRB= kfree.o copy_key.o \
1655          parse.o init_ctx.o \
1656          ser_adata.o ser_addr.o \
1657          ser_auth.o ser_cksum.o \
1658          ser_key.o ser_princ.o \
1659          serialize.o unparse.o \
1660          ser_actx.o

1662 K5_OS= timeofday.o toffset.o \
1663        init_os_ctx.o c_ustime.o

1665 SEAL= seal.o unseal.o

1667 MECH= delete_sec_context.o \
1668       import_sec_context.o \
1669       gssapi_krb5.o \
1670       k5seal.o k5unseal.o k5sealv3.o \
1671       ser_sctx.o \
1672       sign.o \
1673       util_crypt.o \
1674       util_validate.o util_ordering.o \
1675       util_seqnum.o util_set.o util_seed.o \
1676       wrap_size_limit.o verify.o

1680 MECH_GEN= util_token.o

1683 KGSS_KRB5_OBJS += krb5mech.o \
1684                  $(MECH) $(SEAL) $(MECH_GEN) \
1685                  $(CRYPTO) $(CRYPTO_DES) $(CRYPTO_DK) $(CRYPTO_ARCFOUR) \
1686                  $(CRYPTO_ENC) $(CRYPTO_HASH) \
1687                  $(CRYPTO_KEYHASH) $(CRYPTO_CRC32) \
1688                  $(CRYPTO_OLD) \
1689                  $(CRYPTO_RAW) $(K5_KRB) $(K5_OS)

1691 DES_OBJS +=      des_crypt.o des_impl.o des_ks.o des_soft.o

1693 DLBOOT_OBJS +=  bootparam_xdr.o nfs_dlinet.o scan.o

1695 KRTLD_OBJS +=   kobj_bootflags.o getoptstr.o \
1696                kobj.o kobj_kdi.o kobj_lm.o kobj_subr.o

1698 MOD_OBJS +=     modctl.o modsubr.o modsysfile.o modconf.o modhash.o

1700 STRPLUMB_OBJS += strplumb.o

1702 CPR_OBJS +=      cpr_driver.o cpr_dump.o \
1703                cpr_main.o cpr_misc.o cpr_mod.o cpr_stat.o \
1704                cpr_uthread.o

1706 PROF_OBJS +=     prf.o

```

```
1708 SE_OBJS += se_driver.o
1710 SYSACCT_OBJS += acct.o
1712 ACCTCTL_OBJS += acctctl.o
1714 EXACCTSYS_OBJS += exacctsys.o
1716 KAIO_OBJS += aio.o
1723 PCMCIA_OBJS += pcmcia.o cs.o cis.o cis_callout.o cis_handlers.o cis_params.o
1718 BUSRA_OBJS += busra.o
1727 PCS_OBJS += pcs.o
1720 PSET_OBJS += pset.o
1722 OHCI_OBJS += ohci.o ohci_hub.o ohci_polled.o
1724 UHCI_OBJS += uhci.o uhciutil.o uhcitgt.o uhcihub.o uhci_polled.o
1726 EHCI_OBJS += ehci.o ehci_hub.o ehci_xfer.o ehci_intr.o ehci_util.o ehci_polled.o
1728 HUBD_OBJS += hubd.o
1730 USB_MID_OBJS += usb_mid.o
1732 USB_IA_OBJS += usb_ia.o
1734 UWBA_OBJS += uwba.o uwbai.o
1736 SCSA2USB_OBJS += scsa2usb.o usb_ms_bulkonly.o usb_ms_cbi.o
1738 HWAHC_OBJS += hwahc.o hwahc_util.o
1740 WUSB_DF_OBJS += wusb_df.o
1741 WUSB_FWMOD_OBJS += wusb_fwmod.o
1743 IPF_OBJS += ip_fil_solaris.o fil.o solaris.o ip_state.o ip_frag.o ip_nat.o \
1744 ip_proxy.o ip_auth.o ip_pool.o ip_htable.o ip_lookup.o \
1745 ip_log.o misc.o ip_compat.o ip_nat6.o drand48.o
1747 IPD_OBJS += ipd.o
1749 IBD_OBJS += ibd.o ibd_cm.o
1751 EIBNX_OBJS += enx_main.o enx_hdlrs.o enx_ibt.o enx_log.o enx_fip.o \
1752 enx_misc.o enx_q.o enx_ctl.o
1754 EOIB_OBJS += eib_adm.o eib_chan.o eib_cmnn.o eib_ctl.o eib_data.o \
1755 eib_fip.o eib_ibt.o eib_log.o eib_mac.o eib_main.o \
1756 eib_rsrc.o eib_svc.o eib_vnic.o
1758 DLPSTUB_OBJS += dlpistub.o
1760 SDP_OBJS += sdpddi.o
1762 TRILL_OBJS += trill.o
1764 CTF_OBJS += ctf_create.o ctf_decl.o ctf_error.o ctf_hash.o ctf_labels.o \
1765 ctf_lookup.o ctf_open.o ctf_types.o ctf_util.o ctf_subr.o ctf_mod.o
1767 SMBIOS_OBJS += smb_error.o smb_info.o smb_open.o smb_subr.o smb_dev.o
```

```
1769 RPCIB_OBJS += rpcib.o
1771 KMDB_OBJS += kdrv.o
1773 AFE_OBJS += afe.o
1775 BGE_OBJS += bge_main2.o bge_chip2.o bge_kstats.o bge_log.o bge_ndd.o \
1776 bge_atomic.o bge_mii.o bge_send.o bge_recv2.o bge_mii_5906.o
1778 DMFE_OBJS += dmfe_log.o dmfe_main.o dmfe_mii.o
1780 EFE_OBJS += efe.o
1782 ELXL_OBJS += elxl.o
1784 HME_OBJS += hme.o
1786 IXGB_OBJS += ixgb.o ixgb_atomic.o ixgb_chip.o ixgb_gld.o ixgb_kstats.o \
1787 ixgb_log.o ixgb_ndd.o ixgb_rx.o ixgb_tx.o ixgb_xmii.o
1789 NGE_OBJS += nge_main.o nge_atomic.o nge_chip.o nge_ndd.o nge_kstats.o \
1790 nge_log.o nge_rx.o nge_tx.o nge_xmii.o
1792 PCN_OBJS += pcn.o
1794 RGE_OBJS += rge_main.o rge_chip.o rge_ndd.o rge_kstats.o rge_log.o rge_rxtx.o
1796 URTW_OBJS += urtw.o
1798 ARN_OBJS += arn_hw.o arn_eeprom.o arn_mac.o arn_calib.o arn_anis.o arn_phy.o arn_
1799 arn_main.o arn_recv.o arn_xmit.o arn_rc.o
1801 ATH_OBJS += ath_aux.o ath_main.o ath_osdep.o ath_rate.o
1803 ATU_OBJS += atu.o
1805 IPW_OBJS += ipw2100_hw.o ipw2100.o
1807 IWI_OBJS += ipw2200_hw.o ipw2200.o
1809 IWH_OBJS += iwh.o
1811 IWK_OBJS += iwk2.o
1813 IWP_OBJS += iwp.o
1815 MWL_OBJS += mwl.o
1817 MWLFW_OBJS += mwlfw_mode.o
1819 WPI_OBJS += wpi.o
1821 RAL_OBJS += rt2560.o ral_rate.o
1823 RUM_OBJS += rum.o
1825 RWD_OBJS += rt2661.o
1827 RWN_OBJS += rt2860.o
1829 UATH_OBJS += uath.o
1831 UATHFW_OBJS += uathfw_mod.o
1833 URAL_OBJS += ural.o
```

new/usr/src/uts/common/Makefile.files

29

```

1835 RTW_OBJS += rtw.o smc93cx6.o rtwphy.o rtwphyio.o
1837 ZYD_OBJS += zyd.o zyd_usb.o zyd_hw.o zyd_fw.o
1839 MXFE_OBJS += mxfe.o
1841 MPTSAS_OBJS += mptsas.o mptsas_hash.o mptsas_impl.o mptsas_init.o \
1842             mptsas_raid.o mptsas_smhba.o
1844 SFE_OBJS += sfe.o sfe_util.o
1846 BFE_OBJS += bfe.o
1848 BRIDGE_OBJS += bridge.o
1850 IDM_SHARED_OBJS += base64.o
1852 IDM_OBJS += $(IDM_SHARED_OBJS) \
1853             idm.o idm_impl.o idm_text.o idm_conn_sm.o idm_so.o
1855 VR_OBJS += vr.o
1857 ATGE_OBJS += atge_main.o atge_lle.o atge_mii.o atge_ll.o atge_llc.o
1859 YGE_OBJS = yge.o
1861 SKD_OBJS = skd.o
1863 #
1864 #       Build up defines and paths.
1865 #
1866 LINT_DEFS      += -Dunix
1868 #
1869 #       This duality can be removed when the native and target compilers
1870 #       are the same (or at least recognize the same command line syntax!)
1871 #       It is a bug in the current compilation system that the assembler
1872 #       can't process the -Y I, flag.
1873 #
1874 NATIVE_INC_PATH += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1875 AS_INC_PATH     += $(INC_PATH) -I$(UTSBASE)/common
1876 INCLUDE_PATH    += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1878 PCIEB_OBJS += pcieb.o
1880 #       Chelsio N110 10G NIC driver module
1881 #
1882 CH_OBJS = ch.o glue.o pe.o sge.o
1884 CH_COM_OBJS = ch_mac.o ch_subr.o csapi.o espi.o ixfl1010.o mc3.o mc4.o mc5.o \
1885             mv88elxxx.o mv88x201x.o my3126.o pm3393.o tp.o ulp.o \
1886             vsc7321.o vsc7326.o xpak.o
1888 #
1889 #       Chelsio Terminator 4 10G NIC nexus driver module
1890 #
1891 CXGBE_FW_OBJS = t4_fw.o t4_cfg.o
1892 CXGBE_COM_OBJS = t4_hw.o common.o
1893 CXGBE_NEX_OBJS = t4_nexus.o t4_sge.o t4_mac.o t4_ioctl.o shared.o \
1894             t4_l2t.o adapter.o osdep.o
1896 #
1897 #       Chelsio Terminator 4 10G NIC driver module
1898 #
1899 CXGBE_OBJS = cxgbe.o

```

new/usr/src/uts/common/Makefile.files

30

```

1901 #
1902 #       PCI strings file
1903 #
1904 PCI_STRING_OBJS = pci_strings.o
1906 NET_DACF_OBJS += net_dacf.o
1908 #
1909 #       Xframe 10G NIC driver module
1910 #
1911 XGE_OBJS = xge.o xgell.o
1913 XGE_HAL_OBJS = xgehal-channel.o xgehal-fifo.o xgehal-ring.o xgehal-config.o \
1914             xgehal-driver.o xgehal-mm.o xgehal-stats.o xgehal-device.o \
1915             xge-queue.o xgehal-mgmt.o xgehal-mgmtaux.o
1917 #
1918 #       e1000/igb common objs
1919 #
1920 #       Historically e1000g and igb had separate copies of all of the common
1921 #       code. At this time while they are now sharing the same copy of it, they
1922 #       are building it into their own modules which is due to the differences
1923 #       in the osdep and debug portions of their code.
1924 #
1925 E1000API_OBJS += e1000_80003es2lan.o e1000_82540.o e1000_82541.o e1000_82542.o \
1926             e1000_82543.o e1000_82571.o e1000_api.o e1000_ich8lan.o \
1927             e1000_mac.o e1000_manage.o e1000_nvm.o e1000_phy.o \
1928             e1000_82575.o e1000_i210.o e1000_mbx.o e1000_vf.o
1930 #
1931 #       e1000g module
1932 #
1933 E1000G_OBJS += e1000g_debug.o e1000g_main.o e1000g_alloc.o \
1934             e1000g_tx.o e1000g_rx.o e1000g_stat.o \
1935             e1000g_osdep.o e1000g_workarounds.o
1936
1938 #
1939 #       Intel 82575 1G NIC driver module
1940 #
1941 IGB_OBJS = igb_buf.o igb_debug.o igb_gld.o igb_log.o igb_main.o \
1942             igb_rx.o igb_stat.o igb_tx.o igb_osdep.o
1944 #
1945 #       Intel Pro/100 NIC driver module
1946 #
1947 IPRB_OBJS = iprb.o
1949 #
1950 #       Intel 10GbE PCIE NIC driver module
1951 #
1952 IXGBE_OBJS = ixgbe_82598.o ixgbe_82599.o ixgbe_api.o \
1953             ixgbe_common.o ixgbe_phy.o \
1954             ixgbe_buf.o ixgbe_debug.o ixgbe_gld.o \
1955             ixgbe_log.o ixgbe_main.o \
1956             ixgbe_osdep.o ixgbe_rx.o ixgbe_stat.o \
1957             ixgbe_tx.o ixgbe_x540.o ixgbe_mbx.o
1959 #
1960 #       NIU 10G/1G driver module
1961 #
1962 NXGE_OBJS = nxge_mac.o nxge_ipp.o nxge_rxdma.o \
1963             nxge_txdma.o nxge_txc.o nxge_main.o \
1964             nxge_hw.o nxge_fzc.o nxge_virtual.o \
1965             nxge_send.o nxge_classify.o nxge_fflp.o \
1966             nxge_fflp_hash.o nxge_ndd.o nxge_kstats.o

```


new/usr/src/uts/common/Makefile.files

31

```

1967          nxge_zcp.o nxge_fm.o nxge_espc.o nxge_hv.o      \
1968          nxge_hio.o nxge_hio_guest.o nxge_intr.o

1970 NXGE_NPI_OBJS = \
1971          npi.o npi_mac.o npi_ipp.o                      \
1972          npi_txdma.o npi_rxdma.o npi_txc.o              \
1973          npi_zcp.o npi_espc.o npi_fflp.o                \
1974          npi_vir.o

1976 NXGE_HCALL_OBJS = \
1977          nxge_hcall.o

1979 #
1980 # Virtio modules
1981 #

1983 # Virtio core
1984 VIRTIO_OBJS = virtio.o

1986 # Virtio block driver
1987 VIOBLK_OBJS = vioblk.o

1989 #
1990 #      kiconv modules
1991 #
1992 KICONV_EMEA_OBJS += kiconv_emea.o

1994 KICONV_JA_OBJS += kiconv_ja.o

1996 KICONV_KO_OBJS += kiconv_cck_common.o kiconv_ko.o

1998 KICONV_SC_OBJS += kiconv_cck_common.o kiconv_sc.o

2000 KICONV_TC_OBJS += kiconv_cck_common.o kiconv_tc.o

2002 #
2003 #      AAC module
2004 #
2005 AAC_OBJS = aac.o aac_ioctl.o

2007 #
2008 #      sdcard modules
2009 #
2010 SDA_OBJS =      sda_cmd.o sda_host.o sda_init.o sda_mem.o sda_mod.o sda_slot.o
2011 SDHOST_OBJS =  sdhost.o

2013 #
2014 #      hxge 10G driver module
2015 #
2016 HXGE_OBJS =      hxge_main.o hxge_vmac.o hxge_send.o      \
2017          hxge_txdma.o hxge_rxdma.o hxge_virtual.o          \
2018          hxge_fm.o hxge_fzc.o hxge_hw.o hxge_kstats.o      \
2019          hxge_ddd.o hxge_pfc.o                             \
2020          hpi.o hpi_vmac.o hpi_rxdma.o hpi_txdma.o          \
2021          hpi_vir.o hpi_pfc.o

2023 #
2024 #      MEGARAID_SAS module
2025 #
2026 MEGA_SAS_OBJS = megaraid_sas.o

2028 #
2029 #      MR_SAS module
2030 #
2031 MR_SAS_OBJS = ld_pd_map.o mr_sas.o mr_sas_tbolt.o mr_sas_list.o

```

new/usr/src/uts/common/Makefile.files

32

```

2033 #
2034 #      CPQARY3 module
2035 #
2036 CPQARY3_OBJS =  cpqary3.o cpqary3_noe.o cpqary3_talk2ctlr.o \
2037          cpqary3_isr.o cpqary3_transport.o cpqary3_mem.o \
2038          cpqary3_scsi.o cpqary3_util.o cpqary3_ioctl.o \
2039          cpqary3_bd.o

2041 #
2042 #      ISCSI_INITIATOR module
2043 #
2044 ISCSI_INITIATOR_OBJS =  chap.o iscsi_io.o iscsi_thread.o \
2045          iscsi_ioctl.o iscsid.o iscsi.o \
2046          iscsi_login.o isns_client.o iscsiAuthClient.o \
2047          iscsi_lun.o iscsiAuthClientGlue.o \
2048          iscsi_net.o nvfile.o iscsi_cmd.o \
2049          iscsi_queue.o persistent.o iscsi_conn.o \
2050          iscsi_sess.o radius_auth.o iscsi_crc.o \
2051          iscsi_stats.o radius_packet.o iscsi_doorclt.o \
2052          iscsi_targetparam.o utils.o kifconf.o

2054 #
2055 #      ntxn 10Gb/1Gb NIC driver module
2056 #
2057 NTXN_OBJS =      unm_nic_init.o unm_gem.o unm_nic_hw.o unm_ddd.o \
2058          unm_nic_main.o unm_nic_isr.o unm_nic_ctx.o niu.o

2060 #
2061 #      Myricom 10Gb NIC driver module
2062 #
2063 MYRI10GE_OBJS =  myri10ge.o myri10ge_lro.o

2065 #
2066 #      nulldriver module
2067 NULLDRIVER_OBJS =      nulldriver.o

2069 TPM_OBJS =          tpm.o tpm_hcall.o

```

new/usr/src/uts/common/Makefile.files.orig

1

44178 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.files.orig

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2013 by Delphix. All rights reserved.
25 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
26 # Copyright 2014 Nexenta Systems, Inc. All rights reserved.
27 #
28 #
29 #
30 # This Makefile defines all file modules for the directory uts/common
31 # and its children. These are the source files which may be considered
32 # common to all SunOS systems.
33 #
34 i386_CORE_OBJS += \
35     atomic.o      \
36     avintr.o      \
37     pic.o
38 #
39 sparc_CORE_OBJS +=
40 #
41 COMMON_CORE_OBJS += \
42     beep.o        \
43     bitset.o      \
44     bp_map.o      \
45     brand.o       \
46     cpucaps.o     \
47     cmt.o         \
48     cmt_policy.o  \
49     cpu.o         \
50     cpu_event.o   \
51     cpu_intr.o    \
52     cpu_pm.o      \
53     cpupart.o     \
54     cap_util.o    \
55     disp.o        \
56     group.o       \
57     kstat_fr.o    \
58     iscsiboot_prop.o \
59     lgrp.o         \
60     lgrp_topo.o   \
61     mmapobj.o     \
```

new/usr/src/uts/common/Makefile.files.orig

2

```
62     mutex.o       \
63     page_lock.o   \
64     page_retire.o \
65     panic.o       \
66     param.o       \
67     pg.o          \
68     pghw.o        \
69     putnext.o     \
70     rctl_proc.o   \
71     rwlock.o      \
72     seg_kmem.o    \
73     softint.o     \
74     string.o      \
75     strtol.o      \
76     strtoul.o     \
77     strtoll.o     \
78     strtoull.o    \
79     thread_intr.o \
80     vm_page.o     \
81     vm_pagelist.o \
82     zlib_obj.o    \
83     clock_tick.o
84 #
85 CORE_OBJS += $(COMMON_CORE_OBJS) $( $(MACH)_CORE_OBJS )
86 #
87 ZLIB_OBJS = \
88     zutil.o zmod.o zmod_subr.o \
89     Adler32.o crc32.o deflate.o inflate.o \
90     inflate.o inftrees.o trees.o
91 #
92 GENUNIX_OBJS += \
93     access.o      \
94     acl.o         \
95     acl_common.o  \
96     adjtime.o     \
97     alarm.o       \
98     aio_subr.o    \
99     auditsys.o    \
100     audit_core.o  \
101     audit_zone.o  \
102     audit_memory.o \
103     autoconf.o    \
104     avl.o         \
105     bdev_dsort.o  \
106     bio.o         \
107     bitmap.o      \
108     blabel.o      \
109     brandsys.o    \
110     bz2blocksort.o \
111     bz2compress.o \
112     bz2decompress.o \
113     bz2randtable.o \
114     bz2bzip.o     \
115     bz2crctable.o \
116     bz2huffman.o  \
117     callb.o       \
118     callout.o     \
119     chdir.o       \
120     chmod.o       \
121     chown.o       \
122     cladm.o       \
123     class.o       \
124     clock.o       \
125     clock_highres.o \
126     clock_realtime.o \
127     close.o       \
128     compress.o    \
```

```

128      condvar.o \
129      conf.o \
130      console.o \
131      contract.o \
132      copyops.o \
133      core.o \
134      corectl.o \
135      cred.o \
136      cs_stubs.o \
137      dacf.o \
138      dacf_clnt.o \
139      damap.o \
140      cyclic.o \
141      ddi.o \
142      ddifm.o \
143      ddi_hp_impl.o \
144      ddi_hp_ndi.o \
145      ddi_intr.o \
146      ddi_intr_impl.o \
147      ddi_intr_irm.o \
148      ddi_nodeid.o \
149      ddi_periodic.o \
150      devcfg.o \
151      devcache.o \
152      device.o \
153      devid.o \
154      devid_cache.o \
155      devid_scsi.o \
156      devid_smp.o \
157      devpolicy.o \
158      disp_lock.o \
159      dnld.o \
160      driver.o \
161      dumpsubr.o \
162      driver_lyr.o \
163      dtrace_subr.o \
164      errorq.o \
165      etheraddr.o \
166      evchannels.o \
167      exacct.o \
168      exacct_core.o \
169      exec.o \
170      exit.o \
171      fbio.o \
172      fcntl.o \
173      fdbuffer.o \
174      fdsync.o \
175      fem.o \
176      ffs.o \
177      fio.o \
178      flock.o \
179      fm.o \
180      fork.o \
181      vpm.o \
182      fs_reparse.o \
183      fs_subr.o \
184      fsflush.o \
185      ftrace.o \
186      getcwd.o \
187      getdents.o \
188      getloadavg.o \
189      getpagesizes.o \
190      getpid.o \
191      gfs.o \
192      rusagesys.o \
193      gid.o \

```

```

194      groups.o \
195      grow.o \
196      hat_refmod.o \
197      id32.o \
198      id_space.o \
199      inet_ntop.o \
200      instance.o \
201      ioctl.o \
202      ip_cksum.o \
203      issetugid.o \
204      ippconf.o \
205      kcpd.o \
206      kdi.o \
207      kiconv.o \
208      klpd.o \
209      kmem.o \
210      ksyms_snapshot.o \
211      l_strplumb.o \
212      labelsys.o \
213      link.o \
214      list.o \
215      lockstat_subr.o \
216      log_sysevent.o \
217      logsubr.o \
218      lookup.o \
219      lseek.o \
220      ltos.o \
221      lwp.o \
222      lwp_create.o \
223      lwp_info.o \
224      lwp_self.o \
225      lwp_sobj.o \
226      lwp_timer.o \
227      lwpsys.o \
228      main.o \
229      mmapobjsys.o \
230      memcntl.o \
231      memstr.o \
232      mgrpsys.o \
233      mkdir.o \
234      mknod.o \
235      mount.o \
236      move.o \
237      msacct.o \
238      multidata.o \
239      nbmlck.o \
240      ndifm.o \
241      nice.o \
242      netstack.o \
243      ntptime.o \
244      nvpair.o \
245      nvpair_alloc_system.o \
246      nvpair_alloc_fixed.o \
247      fnvpair.o \
248      octet.o \
249      open.o \
250      p_online.o \
251      pathconf.o \
252      pathname.o \
253      pause.o \
254      serializer.o \
255      pci_intr_lib.o \
256      pci_cap.o \
257      pcifm.o \
258      pgrp.o \
259      pgrpsys.o \

```

```

260      pid.o      \
261      pkp_hash.o \
262      policy.o   \
263      poll.o     \
264      pool.o     \
265      pool_pset.o \
266      port_subr.o \
267      ppriv.o    \
268      printf.o   \
269      priocntl.o \
270      priv.o     \
271      priv_const.o \
272      proc.o     \
273      procset.o  \
274      processor_bind.o \
275      processor_info.o \
276      profil.o   \
277      project.o  \
278      qsort.o    \
279      rctl.o     \
280      rctlsys.o  \
281      readlink.o \
282      refstr.o   \
283      rename.o   \
284      resolvepath.o \
285      retire_store.o \
286      process.o  \
287      rlimit.o   \
288      rmap.o     \
289      rw.o       \
290      rwstlock.o \
291      sad_conf.o \
292      sid.o      \
293      sidsys.o   \
294      sched.o    \
295      schedctl.o \
296      sctp_crc32.o \
297      seg_dev.o  \
298      seg_kp.o   \
299      seg_kpm.o  \
300      seg_map.o  \
301      seg_vn.o   \
302      seg_spt.o  \
303      semaphore.o \
304      sendfile.o \
305      session.o  \
306      share.o    \
307      shuttle.o  \
308      sig.o      \
309      sigaction.o \
310      sigaltstack.o \
311      signotify.o \
312      sigpending.o \
313      sigprocmask.o \
314      sigqueue.o \
315      sigsendset.o \
316      sigsuspend.o \
317      sigtimedwait.o \
318      sleepq.o   \
319      sock_conf.o \
320      space.o    \
321      sscanf.o   \
322      stat.o     \
323      statfs.o   \
324      statvfs.o  \
325      stol.o     \

```

```

326      str_conf.o \
327      strcalls.o \
328      stream.o    \
329      streamio.o  \
330      strext.o    \
331      strsubr.o   \
332      strsun.o    \
333      subr.o      \
334      sunddi.o    \
335      sunmdi.o    \
336      sunndi.o    \
337      sunpci.o    \
338      sunpm.o     \
339      sundlpi.o   \
340      suntpi.o    \
341      swap_subr.o \
342      swap_vnops.o \
343      symlink.o   \
344      sync.o      \
345      sysclass.o  \
346      sysconfig.o \
347      sysent.o    \
348      sysfs.o     \
349      systeminfo.o \
350      task.o       \
351      taskq.o      \
352      tasksys.o    \
353      time.o       \
354      timer.o      \
355      times.o      \
356      timers.o     \
357      thread.o     \
358      tlabel.o     \
359      tn timer.o   \
360      turnstile.o  \
361      tty_common.o \
362      u8_textprep.o \
363      uadmin.o     \
364      uconv.o      \
365      ucredsys.o   \
366      uid.o        \
367      umask.o      \
368      umount.o     \
369      uname.o      \
370      unix_bb.o    \
371      unlink.o     \
372      urw.o        \
373      utime.o      \
374      utssys.o     \
375      uucopy.o     \
376      vfs.o        \
377      vfs_conf.o   \
378      vmem.o       \
379      vm_anon.o    \
380      vm_as.o      \
381      vm_meter.o   \
382      vm_pageout.o \
383      vm_pvn.o     \
384      vm_rm.o      \
385      vm_seg.o     \
386      vm_subr.o    \
387      vm_swap.o    \
388      vm_usage.o   \
389      vnode.o      \
390      vuid_queue.o \
391      vuid_store.o \

```

```

392         waitq.o      \
393         watchpoint.o \
394         yield.o       \
395         scsi_confdata.o \
396         xattr.o       \
397         xattr_common.o \
398         xdr_mblk.o    \
399         xdr_mem.o     \
400         xdr.o         \
401         xdr_array.o   \
402         xdr_refer.o   \
403         xhat.o        \
404         zone.o

406 #
407 #       Stubs for the stand-alone linker/loader
408 #
409 sparc_GENSTUBS_OBJS = \
410     kobj_stubs.o

412 i386_GENSTUBS_OBJS =

414 COMMON_GENSTUBS_OBJS =

416 GENSTUBS_OBJS += $(COMMON_GENSTUBS_OBJS) $($(MACH)_GENSTUBS_OBJS)

418 #
419 #       DTrace and DTrace Providers
420 #
421 DTRACE_OBJS += dtrace.o dtrace_isa.o dtrace_asm.o

423 SDT_OBJS += sdt_subr.o

425 PROFILE_OBJS += profile.o

427 SYSTRACE_OBJS += systrace.o

429 LOCKSTAT_OBJS += lockstat.o

431 FASTTRAP_OBJS += fasttrap.o fasttrap_isa.o

433 DCPC_OBJS += dcpc.o

435 #
436 #       Driver (pseudo-driver) Modules
437 #
438 IPP_OBJS += ippctl.o

440 AUDIO_OBJS += audio_client.o audio_ddi.o audio_engine.o \
441     audio_filtdata.o audio_format.o audio_ctrl.o \
442     audio_grc3.o audio_output.o audio_input.o \
443     audio_oss.o audio_sun.o

445 AUDIOEMU10K_OBJS += audioemu10k.o

447 AUDIOENS_OBJS += audioens.o

449 AUDIOVIA823X_OBJS += audiovia823x.o

451 AUDIOVIA97_OBJS += audiovia97.o

453 AUDIO1575_OBJS += audio1575.o

455 AUDIO810_OBJS += audio810.o

457 AUDIOCMI_OBJS += audiocmi.o

```

```

459 AUDIOCMIHD_OBJS += audiocmihd.o

461 AUDIOHD_OBJS += audiohd.o

463 AUDIOIXP_OBJS += audioixp.o

465 AUDIOLS_OBJS += audiol.s.o

467 AUDIOP16X_OBJS += audiop16x.o

469 AUDIOPCI_OBJS += audiopci.o

471 AUDIOSOLO_OBJS += audiosolo.o

473 AUDIOTS_OBJS += audiot.s.o

475 AC97_OBJS += ac97.o ac97_ad.o ac97_alc.o ac97_cmi.o

477 BLKDEV_OBJS += blkdev.o

479 CARDBUS_OBJS += cardbus.o cardbus_hp.o cardbus_cfg.o

481 CONSKBD_OBJS += conskbd.o

483 CONSMS_OBJS += consms.o

485 OLDPTY_OBJS += tty_ptyconf.o

487 PTC_OBJS += tty_pty.o

489 PTSL_OBJS += tty_pts.o

491 PTM_OBJS += ptm.o

493 MII_OBJS += mii.o mii_cicada.o mii_natsemi.o mii_intel.o mii_qualsemi.o \
494     mii_marvell.o mii_realtek.o mii_other.o

496 PTS_OBJS += pts.o

498 PTY_OBJS += ptms_conf.o

500 SAD_OBJS += sad.o

502 MD4_OBJS += md4.o md4_mod.o

504 MD5_OBJS += md5.o md5_mod.o

506 SHA1_OBJS += sha1.o sha1_mod.o

508 SHA2_OBJS += sha2.o sha2_mod.o

510 IPGPC_OBJS += classifierddi.o classifier.o filters.o trie.o table.o \
511     ba_table.o

513 DSCPMK_OBJS += dscpmk.o dscpmkddi.o

515 DLCOSMK_OBJS += dlcosmk.o dlcosmkddi.o

517 FLOWACCT_OBJS += flowacctddi.o flowacct.o

519 TOKENMT_OBJS += tokenmt.o tokenmtddi.o

521 TSWTCL_OBJS += tswtcl.o tswtclddi.o

523 ARP_OBJS += arpd.i.o

```

```
525 ICMP_OBJS +=      icmpddi.o
527 ICMP6_OBJS +=     icmp6ddi.o
529 RTS_OBJS +=       rtsddi.o

531 IP_ICMP_OBJS =      icmp.o icmp_opt_data.o
532 IP_RTS_OBJS =        rts.o rts_opt_data.o
533 IP_TCP_OBJS =         tcp.o tcp_fusion.o tcp_opt_data.o tcp_sack.o tcp_stats.o \
534                       tcp_misc.o tcp_timers.o tcp_time_wait.o tcp_tpi.o tcp_output.o \
535                       tcp_input.o tcp_socket.o tcp_bind.o tcp_cluster.o tcp_tunables.o
536 IP_UDP_OBJS =         udp.o udp_opt_data.o udp_tunables.o udp_stats.o
537 IP_SCTP_OBJS =        sctp.o sctp_opt_data.o sctp_output.o \
538                       sctp_init.o sctp_input.o sctp_cookie.o \
539                       sctp_conn.o sctp_error.o sctp_snmp.o \
540                       sctp_tunables.o sctp_shutdown.o sctp_common.o \
541                       sctp_timer.o sctp_heartbeat.o sctp_hash.o \
542                       sctp_bind.o sctp_notify.o sctp_asconf.o \
543                       sctp_addr.o tn_ipopt.o tnet.o ip_netinfo.o \
544                       sctp_misc.o
545 IP_ILB_OBJS =         ilb.o ilb_nat.o ilb_conn.o ilb_alg_hash.o ilb_alg_rr.o

547 IP_OBJS +=          igmp.o ipmp.o ip.o ip6.o ip6_asp.o ip6_if.o ip6_ire.o \
548                     ip6_rts.o ip_if.o ip_ire.o ip_listutils.o ip_mroute.o \
549                     ip_multi.o ip2mac.o ip_ndp.o ip_rts.o ip_srcid.o \
550                     ipddi.o ipdrop.o mi.o nd.o tunables.o optcom.o snmpcom.o \
551                     ipsec_loader.o spd.o ipclassifier.o inet_common.o ip_queue.o \
552                     squeue.o ip_sadb.o ip_ftable.o proto_set.o radix.o ip_dummy.o \
553                     ip_helper_stream.o ip_tunables.o \
554                     ip_output.o ip_input.o ip6_input.o ip6_output.o ip_arp.o \
555                     conn_opt.o ip_attr.o ip_dce.o \
556                     $(IP_ICMP_OBJS) \
557                     $(IP_RTS_OBJS) \
558                     $(IP_TCP_OBJS) \
559                     $(IP_UDP_OBJS) \
560                     $(IP_SCTP_OBJS) \
561                     $(IP_ILB_OBJS)

563 IP6_OBJS +=          ip6ddi.o
565 HOOK_OBJS +=         hook.o

567 NETI_OBJS +=         neti_impl.o neti_mod.o neti_stack.o

569 KEYSOCK_OBJS +=      keysockddi.o keysock.o keysock_opt_data.o

571 IPNET_OBJS +=        ipnet.o ipnet_bpf.o

573 SPDSOCK_OBJS +=      spdsockddi.o spdsock.o spdsock_opt_data.o

575 IPSECESP_OBJS +=     ipsecespddi.o ipsecesp.o

577 IPSECAH_OBJS +=      ipsecahddi.o ipsecah.o sadb.o

579 SPPP_OBJS +=         sPPP.o sPPP_dlp.o sPPP_mod.o s_common.o

581 SPPPTUN_OBJS +=      sppptun.o sppptun_mod.o

583 SPPPASYN_OBJS +=     spppasyn.o spppasyn_mod.o

585 SPPPCOMP_OBJS +=     sppppcomp.o sppppcomp_mod.o deflate.o bsd-comp.o vjcompress.o \
586                     zlib.o

588 TCP_OBJS +=          tcpddi.o
```

```
590 TCP6_OBJS +=         tcp6ddi.o
592 NCA_OBJS +=          ncaddi.o

594 SDP SOCK_MOD_OBJS += sockmod_sdp.o socksdp.o socksdpsubr.o

596 SCTP SOCK_MOD_OBJS += sockmod_sctp.o sockscctp.o socksctpsubr.o

598 PFP SOCK_MOD_OBJS += sockmod_pfp.o

600 RDS SOCK_MOD_OBJS += sockmod_rds.o

602 RDS_OBJS +=          rdsddi.o rdssubr.o rds_opt.o rds_ioctl.o

604 RDSIB_OBJS +=         rdsib.o rdsib_ib.o rdsib_cm.o rdsib_ep.o rdsib_buf.o \
605                       rdsib_debug.o rdsib_sc.o

607 RDSV3_OBJS +=         af_rds.o rds_v3_ddi.o bind.o loop.o threads.o connection.o \
608                       transport.o cong.o sysctl.o message.o rds_recv.o send.o \
609                       stats.o info.o page.o rdma_transport.o ib_ring.o ib_rdma.o \
610                       ib_recv.o ib.o ib_send.o ib_sysctl.o ib_stats.o ib_cm.o \
611                       rds_v3_sc.o rds_v3_debug.o rds_v3_impl.o rdma.o rds_v3_af_thr.o

613 ISER_OBJS +=          iser.o iser_cm.o iser_cq.o iser_ib.o iser_idm.o \
614                       iser_resource.o iser_xfer.o

616 UDP_OBJS +=          udpddi.o

618 UDP6_OBJS +=          udp6ddi.o

620 SY_OBJS +=           gentty.o

622 TCO_OBJS +=          ticots.o

624 TCOO_OBJS +=         ticotsord.o

626 TCL_OBJS +=          ticlts.o

628 TL_OBJS +=           tl.o

630 DUMP_OBJS +=         dump.o

632 BPF_OBJS +=          bpf.o bpf_filter.o bpf_mod.o bpf_dlt.o bpf_mac.o

634 CLONE_OBJS +=        clone.o

636 CN_OBJS +=           cons.o

638 DLD_OBJS +=          dld_drv.o dld_proto.o dld_str.o dld_flow.o

640 DLS_OBJS +=          dls.o dls_link.o dls_mod.o dls_stat.o dls_mgmt.o

642 GLD_OBJS +=          gld.o gldutil.o

644 MAC_OBJS +=          mac.o mac_bcast.o mac_client.o mac_datapath_setup.o mac_flow.o
645                       mac_hio.o mac_mod.o mac_ndd.o mac_provider.o mac_sched.o \
646                       mac_protect.o mac_soft_ring.o mac_stat.o mac_util.o

648 MAC_6TO4_OBJS +=     mac_6to4.o

650 MAC_ETHER_OBJS +=    mac_ether.o

652 MAC_IPV4_OBJS +=     mac_ipv4.o

654 MAC_IPV6_OBJS +=     mac_ipv6.o
```

```
656 MAC_WIFI_OBJS +=      mac_wifi.o
658 MAC_IB_OBJS +=        mac_ib.o
660 IPTUN_OBJS +=      iptun_dev.o iptun_ctl.o iptun.o
662 AGGR_OBJS +=      aggr_dev.o aggr_ctl.o aggr_grp.o aggr_port.o \
663                  aggr_send.o aggr_recv.o aggr_lacp.o
665 SOFTMAC_OBJS +=    softmac_main.o softmac_ctl.o softmac_capab.o \
666                  softmac_dev.o softmac_stat.o softmac_pkt.o softmac_fp.o
668 NET80211_OBJS +=   net80211.o net80211_proto.o net80211_input.o \
669                  net80211_output.o net80211_node.o net80211_crypto.o \
670                  net80211_crypto_none.o net80211_crypto_wep.o net80211_ioctl.o \
671                  net80211_crypto_tkip.o net80211_crypto_ccmp.o \
672                  net80211_ht.o
674 VNIC_OBJS +=      vnic_ctl.o vnic_dev.o
676 SIMNET_OBJS +=    simnet.o
678 IB_OBJS +=        ibnex.o ibnex_ioctl.o ibnex_hca.o
680 IBCM_OBJS +=      ibcm_impl.o ibcm_sm.o ibcm_ti.o ibcm_utils.o ibcm_path.o \
681                  ibcm_arp.o ibcm_arp_link.o
683 IBDM_OBJS +=      ibdm.o
685 IBDMA_OBJS +=     ibdma.o
687 IBMF_OBJS +=      ibmf.o ibmf_impl.o ibmf_dr.o ibmf_wqe.o ibmf_ud_dest.o ibmf_mod.
688                  ibmf_send.o ibmf_recv.o ibmf_handlers.o ibmf_trans.o \
689                  ibmf_timers.o ibmf_msg.o ibmf_utils.o ibmf_rmpp.o \
690                  ibmf_saa.o ibmf_saa_impl.o ibmf_saa_utils.o ibmf_saa_events.o
692 IBTL_OBJS +=      ibtl_impl.o ibtl_util.o ibtl_mem.o ibtl_handlers.o ibtl_qp.o \
693                  ibtl_cq.o ibtl_wr.o ibtl_hca.o ibtl_chan.o ibtl_cm.o \
694                  ibtl_mcg.o ibtl_ibnex.o ibtl_srq.o ibtl_part.o
696 TAVOR_OBJS +=     tavor.o tavor_agents.o tavor_cfg.o tavor_ci.o tavor_cmd.o \
697                  tavor_cq.o tavor_event.o tavor_ioctl.o tavor_misc.o \
698                  tavor_mr.o tavor_qp.o tavor_qpmod.o tavor_rsrc.o \
699                  tavor_srq.o tavor_stats.o tavor_umap.o tavor_wr.o
701 HERMON_OBJS +=    hermon.o hermon_agents.o hermon_cfg.o hermon_ci.o hermon_cmd.o \
702                  hermon_cq.o hermon_event.o hermon_ioctl.o hermon_misc.o \
703                  hermon_mr.o hermon_qp.o hermon_qpmod.o hermon_rsrc.o \
704                  hermon_srq.o hermon_stats.o hermon_umap.o hermon_wr.o \
705                  hermon_fcoib.o hermon_fm.o
707 DAPLT_OBJS +=     daplt.o
709 SOL_OFS_OBJS +=   sol_cma.o sol_ib_cma.o sol_uobj.o \
710                  sol_ofs_debug_util.o sol_ofs_gen_util.o \
711                  sol_kverbs.o
713 SOL_UCMA_OBJS +=  sol_ucma.o
715 SOL_UVERBS_OBJS += sol_uverbs.o sol_uverbs_comp.o sol_uverbs_event.o \
716                  sol_uverbs_hca.o sol_uverbs_qp.o
718 SOL_UMAD_OBJS +=  sol_umad.o
720 KSTAT_OBJS +=     kstat.o
```

```
722 KSYMS_OBJS +=     ksyms.o
724 INSTANCE_OBJS +=  inst_sync.o
726 IWSCN_OBJS +=     iwscons.o
728 LOFI_OBJS +=      lofi.o LzmaDec.o
730 FSSNAP_OBJS +=    fssnap.o
732 FSSNAPIF_OBJS +=  fssnap_if.o
734 MM_OBJS +=        mem.o
736 PHYSMEM_OBJS +=   physmem.o
738 OPTIONS_OBJS +=   options.o
740 WINLOCK_OBJS +=    winlockio.o
742 PM_OBJS +=         pm.o
743 SRN_OBJS +=         srn.o
745 PSEUDO_OBJS +=     pseudonex.o
747 RAMDISK_OBJS +=    ramdisk.o
749 LLC1_OBJS +=       llc1.o
751 USBKBM_OBJS +=     usbkbm.o
753 USBWCM_OBJS +=     usbwcm.o
755 BOFI_OBJS +=       bofi.o
757 HID_OBJS +=        hid.o
759 HWA_RC_OBJS +=     hwarc.o
761 USBSKEL_OBJS +=     usbskel.o
763 USBVC_OBJS +=       usbvc.o usbvc_v4l2.o
765 HIDPARSER_OBJS +=  hidparser.o
767 USB_AC_OBJS +=      usb_ac.o
769 USB_AS_OBJS +=       usb_as.o
771 USB_AH_OBJS +=       usb_ah.o
773 USBMS_OBJS +=        usbms.o
775 USBPRN_OBJS +=       usbprn.o
777 UGEN_OBJS +=         ugen.o
779 USBSER_OBJS +=       usbser.o usbser_rseq.o
781 USBSACM_OBJS +=      usb sacram.o
783 USBSER_KEYSPAN_OBJS += usbser_keyspan.o keyspan_dsd.o keyspan_pipe.o
785 USB49_FW_OBJS +=     keyspan_49fw.o
787 USBSPRL_OBJS +=      usbser_pl2303.o pl2303_dsd.o
```

```
789 WUSB_CA_OBJS += wusb_ca.o
791 USBFTDI_OBJS += usbser_uftdi.o uftdi_dsd.o
793 USBECM_OBJS += usbecm.o
795 WC_OBJS += wscons.o vcons.o
797 VCONS_CONF_OBJS += vcons_conf.o

799 SCSI_OBJS +=      scsi_capabilities.o scsi_confsubr.o scsi_control.o \
800                  scsi_data.o scsi_fm.o scsi_hba.o scsi_reset_notify.o \
801                  scsi_resource.o scsi_subr.o scsi_transport.o scsi_watch.o \
802                  smp_transport.o

804 SCSI_VHCI_OBJS +=      scsi_vhci.o mpapi_impl.o scsi_vhci_tpgs.o

806 SCSI_VHCI_F_SYM_OBJS +=      sym.o

808 SCSI_VHCI_F_TPGS_OBJS +=      tpgs.o

810 SCSI_VHCI_F_ASYM_SUN_OBJS +=  asym_sun.o

812 SCSI_VHCI_F_SYM_HDS_OBJS +=  sym_hds.o

814 SCSI_VHCI_F_TAPE_OBJS +=      tape.o

816 SCSI_VHCI_F_TPGS_TAPE_OBJS += tpgs_tape.o

818 SGEN_OBJS +=      sgen.o

820 SMP_OBJS +=      smp.o

822 SATA_OBJS +=      sata.o

824 USBA_OBJS +=      hcidi.o usba.o usbai.o hubdi.o parser.o genconsole.o \
825                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
826                  usba_devdb.o usbai0_calls.o usba_uugen.o whcdi.o wa.o
827 USBA_WITHOUT_WUSB_OBJS +=      hcidi.o usba.o usbai.o hubdi.o parser.o gencons
828                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
829                  usba_devdb.o usbai0_calls.o usba_uugen.o

831 USBA10_OBJS +=      usba10.o

833 RSM_OBJS +=      rsm.o rsmka_pathmanager.o rsmka_util.o

835 RSMOPS_OBJS +=      rsmops.o

837 S1394_OBJS +=      t1394.o t1394_errmsg.o s1394.o s1394_addr.o s1394_async.o \
838                  s1394_bus_reset.o s1394_cmp.o s1394_csr.o s1394_dev_disc.o \
839                  s1394_fa.o s1394_fcp.o \
840                  s1394_hotplug.o s1394_isoch.o s1394_misc.o h1394.o nx1394.o

842 HCI1394_OBJS +=      hcil1394.o hcil1394_async.o hcil1394_attach.o hcil1394_buf.o \
843                  hcil1394_csr.o hcil1394_detach.o hcil1394_extern.o \
844                  hcil1394_ioctl.o hcil1394_isoch.o hcil1394_isr.o \
845                  hcil1394_ixl_comp.o hcil1394_ixl_isr.o hcil1394_ixl_misc.o \
846                  hcil1394_ixl_update.o hcil1394_misc.o hcil1394_ohci.o \
847                  hcil1394_q.o hcil1394_s1394if.o hcil1394_tlabel.o \
848                  hcil1394_tlist.o hcil1394_vendor.o

850 AV1394_OBJS +=      av1394.o av1394_as.o av1394_async.o av1394_cfgrom.o \
851                  av1394_cmp.o av1394_fcp.o av1394_isoch.o av1394_isoch_chan.o \
852                  av1394_isoch_recv.o av1394_isoch_xmit.o av1394_list.o \
853                  av1394_queue.o
```

```
855 DCAM1394_OBJS += dcam.o dcam_frame.o dcam_param.o dcam_reg.o \
856                  dcam_ring_buff.o

858 SCSA1394_OBJS += hba.o sbp2_driver.o sbp2_bus.o

860 SBP2_OBJS +=      cfgrom.o sbp2.o

862 PMODEM_OBJS +=      pmodem.o pmodem_cis.o cis.o cis_callout.o cis_handlers.o cis_para

864 DSW_OBJS +=      dsw.o dsw_dev.o ii_tree.o

866 NCALL_OBJS +=      ncall.o \
867                  ncall_stub.o

869 RDC_OBJS +=      rdc.o \
870                  rdc_dev.o \
871                  rdc_io.o \
872                  rdc_clnt.o \
873                  rdc_prot_xdr.o \
874                  rdc_svc.o \
875                  rdc_bitmap.o \
876                  rdc_health.o \
877                  rdc_subr.o \
878                  rdc_diskq.o

880 RDCSRV_OBJS +=      rdcsrv.o

882 RDCSTUB_OBJS +=      rdc_stub.o

884 SDBC_OBJS +=      sd_bcache.o \
885                  sd_bio.o \
886                  sd_conf.o \
887                  sd_ft.o \
888                  sd_hash.o \
889                  sd_io.o \
890                  sd_misc.o \
891                  sd_pcu.o \
892                  sd_tdaemon.o \
893                  sd_trace.o \
894                  sd_iob_impl0.o \
895                  sd_iob_impl1.o \
896                  sd_iob_impl2.o \
897                  sd_iob_impl3.o \
898                  sd_iob_impl4.o \
899                  sd_iob_impl5.o \
900                  sd_iob_impl6.o \
901                  sd_iob_impl7.o \
902                  safestore.o \
903                  safestore_ram.o

905 NSCTL_OBJS +=      nsctl.o \
906                  nsc_cache.o \
907                  nsc_disk.o \
908                  nsc_dev.o \
909                  nsc_freeze.o \
910                  nsc_gen.o \
911                  nsc_mem.o \
912                  nsc_ncallio.o \
913                  nsc_power.o \
914                  nsc_resv.o \
915                  nsc_rmspin.o \
916                  nsc_solaris.o \
917                  nsc_trap.o \
918                  nsc_list.o
919 UNISTAT_OBJS +=      spuni.o \
```



```

920             spcs_s_k.o

922 NSKERN_OBJS += nsc_ddi.o \
923               nsc_proc.o \
924               nsc_raw.o \
925               nsc_thread.o \
926               nskernd.o

928 SV_OBJS += sv.o

930 PMCS_OBJS += pmcs_attach.o pmcs_ds.o pmcs_intr.o pmcs_nvram.o pmcs_sata.o \
931             pmcs_scsa.o pmcs_smhba.o pmcs_subr.o pmcs_fwlog.o

933 PMCS8001FW_C_OBJS += pmcs_fw_hdr.o
934 PMCS8001FW_OBJS += $(PMCS8001FW_C_OBJS) SPCBoot.o ila.o firmware.o

936 #
937 #      Build up defines and paths.

939 ST_OBJS += st.o st_conf.o

941 EMLXS_OBJS += emlxs_clock.o emlxs_dfc.o emlxs_dhchap.o emlxs_diag.o \
942             emlxs_download.o emlxs_dump.o emlxs_els.o emlxs_event.o \
943             emlxs_fcf.o emlxs_fcp.o emlxs_fct.o emlxs_hba.o emlxs_ip.o \
944             emlxs_mbox.o emlxs_mem.o emlxs_msg.o emlxs_node.o \
945             emlxs_pkt.o emlxs_sli3.o emlxs_sli4.o emlxs_solaris.o \
946             emlxs_thread.o

948 EMLXS_FW_OBJS += emlxs_fw.o

950 OCE_OBJS += oce_buf.o oce_fm.o oce_gld.o oce_hw.o oce_intr.o oce_main.o \
951            oce_mbx.o oce_mq.o oce_queue.o oce_rx.o oce_stat.o oce_tx.o \
952            oce_utils.o

954 FCT_OBJS += discovery.o fct.o

956 QLT_OBJS += 2400.o 2500.o 8100.o qlt.o qlt_dma.o

958 SRPT_OBJS += srpt_mod.o srpt_ch.o srpt_cm.o srpt_ioc.o srpt_stp.o

960 FCOE_OBJS += fcoe.o fcoe_eth.o fcoe_fc.o

962 FCOET_OBJS += fcoet.o fcoet_eth.o fcoet_fc.o

964 FCOEI_OBJS += fcoei.o fcoei_eth.o fcoei_lv.o

966 ISCSIT_SHARED_OBJS += \
967             iscsit_common.o

969 ISCSIT_OBJS += $(ISCSIT_SHARED_OBJS) \
970             iscsit.o iscsit_tgt.o iscsit_sess.o iscsit_login.o \
971             iscsit_text.o iscsit_isns.o iscsit_radiusauth.o \
972             iscsit_radiuspacket.o iscsit_auth.o iscsit_authclient.o

974 PPPT_OBJS += alua_ic_if.o pppt.o pppt_msg.o pppt_tgt.o

976 STMF_OBJS += lun_map.o stmf.o

978 STMF_SBD_OBJS += sbd.o sbd_scsi.o sbd_pgr.o sbd_zvol.o

980 SYMSMSG_OBJS += sysmsg.o

982 SES_OBJS += ses.o ses_sen.o ses_safte.o ses_ses.o

984 TNF_OBJS += tn timer.o tn timer.o tn timer.o tn timer.o \
985            trace_funcs.o tn timer.o tn timer.o tn timer.o

```

```

987 LOGINDMUX_OBJS += loginmux.o

989 DEVINFO_OBJS += devinfo.o

991 DEVPOLL_OBJS += devpoll.o

993 DEVPOOL_OBJS += devpool.o

995 I8042_OBJS += i8042.o

997 KB8042_OBJS += \
998             at_keyprocess.o \
999             kb8042.o \
1000            kb8042_keytables.o

1002 MOUSE8042_OBJS += mouse8042.o

1004 FDC_OBJS += fd.o

1006 ASY_OBJS += asy.o

1008 ECPP_OBJS += ecpp.o

1010 VUIDM3P_OBJS += vuidmice.o vuidm3p.o

1012 VUIDM4P_OBJS += vuidmice.o vuidm4p.o

1014 VUIDM5P_OBJS += vuidmice.o vuidm5p.o

1016 VUIDPS2_OBJS += vuidmice.o vuidps2.o

1018 HPCSVCS_OBJS += hpcsvc.o

1020 PCIE_MISC_OBJS += pcie.o pcie_fault.o pcie_hp.o pciehpc.o pcishpc.o pcie_pwr.o p

1022 PCIEHPNEXUS_OBJS += pciehp.o

1024 OPENEPR_OBJS += openprom.o

1026 RANDOM_OBJS += random.o

1028 PSHOT_OBJS += pshot.o

1030 GEN_DRV_OBJS += gen_drv.o

1032 TCLIENT_OBJS += tclient.o

1034 TPHCI_OBJS += tphci.o

1036 TVHCI_OBJS += tvhci.o

1038 EMUL64_OBJS += emul64.o emul64_bsd.o

1040 FCP_OBJS += fcp.o

1042 FCIP_OBJS += fcip.o

1044 FCSM_OBJS += fcsm.o

1046 FCTL_OBJS += fctl.o

1048 FP_OBJS += fp.o

1050 QLC_OBJS += ql_api.o ql_debug.o ql_hba_fru.o ql_init.o ql_iocb.o ql_ioctl.o \
1051            ql_isr.o ql_mbx.o ql_nx.o ql_xioctl.o ql_fw_table.o

```

```

1053 QLC_FW_2200_OBJS += ql_fw_2200.o
1055 QLC_FW_2300_OBJS += ql_fw_2300.o
1057 QLC_FW_2400_OBJS += ql_fw_2400.o
1059 QLC_FW_2500_OBJS += ql_fw_2500.o
1061 QLC_FW_6322_OBJS += ql_fw_6322.o
1063 QLC_FW_8100_OBJS += ql_fw_8100.o
1065 QLGE_OBJS += qlge.o qlge_dbg.o qlge_flash.o qlge_fm.o qlge_gld.o qlge_mpi.o
1067 ZCONS_OBJS += zcons.o
1069 NV_SATA_OBJS += nv_sata.o
1071 SI3124_OBJS += si3124.o
1073 AHCI_OBJS += ahci.o
1075 PCIIDE_OBJS += pci-ide.o
1077 PCEPP_OBJS += pcepp.o
1079 CPC_OBJS += cpc.o
1081 CPUID_OBJS += cpuid_drv.o
1083 SYSEVENT_OBJS += sysevent.o
1085 BL_OBJS += bl.o
1087 DRM_OBJS += drm_sunmod.o drm_kstat.o drm_agpsupport.o \
1088             drm_auth.o drm_bufs.o drm_context.o drm_dma.o \
1089             drm_drawable.o drm_drv.o drm_fops.o drm_ioctl.o drm_irq.o \
1090             drm_lock.o drm_memory.o drm_msg.o drm_pci.o drm_scatter.o \
1091             drm_cache.o drm_gem.o drm_mm.o ati_pcigart.o
1093 FM_OBJS += devfm.o devfm_machdep.o
1095 RTLS_OBJS += rtls.o
1097 #
1098 #             exec modules
1099 #
1100 AOUTEXEC_OBJS += aout.o
1102 ELFEXEC_OBJS += elf.o elf_notes.o old_notes.o
1104 INTPEXEC_OBJS += intp.o
1106 SHBINEXEC_OBJS += shbin.o
1108 JAVAEXEC_OBJS += java.o
1110 #
1111 #             file system modules
1112 #
1113 AUTOFS_OBJS += auto_vfsops.o auto_vnops.o auto_subr.o auto_xdr.o auto_sys.o
1115 CACHEFS_OBJS += cacheofs_cnode.o          cacheofs_cod.o \
1116             cacheofs_dir.o          cacheofs_dlog.o cacheofs_filegrp.o \
1117             cacheofs_fscache.o      cacheofs_ioctl.o cacheofs_log.o \

```

```

1118             cacheofs_module.o \
1119             cacheofs_noopc.o          cacheofs_resource.o \
1120             cacheofs_strict.o \
1121             cacheofs_subr.o          cacheofs_vfsops.o \
1122             cacheofs_vnops.o
1124 DCFS_OBJS += dc_vnops.o
1126 DEVFS_OBJS += devfs_subr.o devfs_vfsops.o devfs_vnops.o
1128 DEV_OBJS += sdev_subr.o sdev_vfsops.o sdev_vnops.o \
1129             sdev_ptsops.o sdev_zvolops.o sdev_comm.o \
1130             sdev_profile.o sdev_ncache.o sdev_netops.o \
1131             sdev_ipnetops.o \
1132             sdev_vtops.o
1134 CTFS_OBJS += ctfs_all.o ctfs_cdir.o ctfs_ctl.o ctfs_event.o \
1135             ctfs_latest.o ctfs_root.o ctfs_sym.o ctfs_tdir.o ctfs_tmpl.o
1137 OBJFS_OBJS += objfs_vfs.o objfs_root.o objfs_common.o \
1138             objfs_odir.o objfs_data.o
1140 FDFS_OBJS += fdops.o
1142 FIFO_OBJS += fifosubr.o fifovnops.o
1144 PIPE_OBJS += pipe.o
1146 HSFS_OBJS += hsfs_node.o hsfs_subr.o hsfs_vfsops.o hsfs_vnops.o \
1147             hsfs_susp.o hsfs_rrip.o hsfs_susp_subr.o
1149 LOFS_OBJS += lofs_subr.o lofs_vfsops.o lofs_vnops.o
1151 NAMEFS_OBJS += namevfs.o namevno.o
1153 NFS_OBJS += nfs_client.o nfs_common.o nfs_dump.o \
1154             nfs_subr.o nfs_vfsops.o nfs_vnops.o \
1155             nfs_xdr.o nfs_sys.o nfs_strerror.o \
1156             nfs3_vfsops.o nfs3_vnops.o nfs3_xdr.o \
1157             nfs_acl_vnops.o nfs_acl_xdr.o nfs4_vfsops.o \
1158             nfs4_vnops.o nfs4_xdr.o nfs4_idmap.o \
1159             nfs4_shadow.o nfs4_subr.o \
1160             nfs4_attr.o nfs4_rnode.o nfs4_client.o \
1161             nfs4_acache.o nfs4_common.o nfs4_client_state.o \
1162             nfs4_callback.o nfs4_recovery.o nfs4_client_secinfo.o \
1163             nfs4_client_debug.o nfs_stats.o \
1164             nfs4_acl.o nfs4_stub_vnops.o nfs_cmd.o
1166 NFSSRV_OBJS += nfs_server.o nfs_srv.o nfs3_srv.o \
1167             nfs_acl_srv.o nfs_auth.o nfs_auth_xdr.o \
1168             nfs_export.o nfs_log.o nfs_log_xdr.o \
1169             nfs4_srv.o nfs4_state.o nfs4_srv_attr.o \
1170             nfs4_srv_ns.o nfs4_db.o nfs4_srv_deleg.o \
1171             nfs4_deleg_ops.o nfs4_srv_readdir.o nfs4_dispatch.o
1173 SMBSRV_SHARED_OBJS += \
1174             smb_inet.o \
1175             smb_match.o \
1176             smb_msgbuf.o \
1177             smb_oem.o \
1178             smb_string.o \
1179             smb_utf8.o \
1180             smb_door_legacy.o \
1181             smb_xdr.o \
1182             smb_token.o \
1183             smb_token_xdr.o \

```

```

1184         smb_sid.o \
1185         smb_native.o \
1186         smb_netbios_util.o

1188 SMBSRV_OBJS += $(SMBSRV_SHARED_OBJS) \
1189         smb_acl.o \
1190         smb_alloc.o \
1191         smb_close.o \
1192         smb_common_open.o \
1193         smb_common_transact.o \
1194         smb_create.o \
1195         smb_delete.o \
1196         smb_directory.o \
1197         smb_dispatch.o \
1198         smb_echo.o \
1199         smb_fem.o \
1200         smb_find.o \
1201         smb_flush.o \
1202         smb_fsinfo.o \
1203         smb_fsops.o \
1204         smb_init.o \
1205         smb_kdoor.o \
1206         smb_kshare.o \
1207         smb_kutil.o \
1208         smb_lock.o \
1209         smb_lock_byte_range.o \
1210         smb_locking_andx.o \
1211         smb_logoff_andx.o \
1212         smb_mangle_name.o \
1213         smb_mbuf_marshall.o \
1214         smb_mbuf_util.o \
1215         smb_negotiate.o \
1216         smb_net.o \
1217         smb_node.o \
1218         smb_nt_cancel.o \
1219         smb_nt_create_andx.o \
1220         smb_nt_transact_create.o \
1221         smb_nt_transact_ioctl.o \
1222         smb_nt_transact_notify_change.o \
1223         smb_nt_transact_quota.o \
1224         smb_nt_transact_security.o \
1225         smb_odir.o \
1226         smb_ofile.o \
1227         smb_open_andx.o \
1228         smb_opipe.o \
1229         smb_oplock.o \
1230         smb_pathname.o \
1231         smb_print.o \
1232         smb_process_exit.o \
1233         smb_query_fileinfo.o \
1234         smb_read.o \
1235         smb_rename.o \
1236         smb_sd.o \
1237         smb_seek.o \
1238         smb_server.o \
1239         smb_session.o \
1240         smb_session_setup_andx.o \
1241         smb_set_fileinfo.o \
1242         smb_signing.o \
1243         smb_tree.o \
1244         smb_trans2_create_directory.o \
1245         smb_trans2_dfs.o \
1246         smb_trans2_find.o \
1247         smb_tree_connect.o \
1248         smb_unlock_byte_range.o \
1249         smb_user.o \

```

```

1250         smb_vfs.o \
1251         smb_vops.o \
1252         smb_vss.o \
1253         smb_write.o \
1254         smb_write_raw.o

1256 PCFS_OBJS += pc_alloc.o pc_dir.o pc_node.o pc_subr.o \
1257         pc_vfsops.o pc_vnops.o

1259 PROC_OBJS += prcontrol.o priocntl.o prsubr.o prusr.o \
1260         prvfsops.o prvnops.o

1262 MNTFS_OBJS += mntvfsops.o mntvnops.o

1264 SHAREFS_OBJS += sharetab.o sharefs_vfsops.o sharefs_vnops.o

1266 SPEC_OBJS += specsubr.o specvfsops.o specvnops.o

1268 SOCK_OBJS += socksubr.o sockvfsops.o sockparams.o \
1269         socksyscalls.o socktpi.o sockstr.o \
1270         sockcommon_vnops.o sockcommon_subr.o \
1271         sockcommon_sops.o sockcommon.o \
1272         sock_notsupp.o socknotify.o \
1273         nl7c.o nl7curi.o nl7http.o nl7clogd.o \
1274         nl7cnca.o sodirect.o sockfilter.o

1276 TMPFS_OBJS += tmp_dir.o tmp_subr.o tmp_tnode.o tmp_vfsops.o \
1277         tmp_vnops.o

1279 UDFS_OBJS += udf_alloc.o udf_bmap.o udf_dir.o \
1280         udf_inode.o udf_subr.o udf_vfsops.o \
1281         udf_vnops.o

1283 UFS_OBJS += ufs_alloc.o ufs_bmap.o ufs_dir.o ufs_xattr.o \
1284         ufs_inode.o ufs_subr.o ufs_tables.o ufs_vfsops.o \
1285         ufs_vnops.o quota.o quotacalls.o quota_ufs.o \
1286         ufs_filio.o ufs_lockfs.o ufs_thread.o ufs_trans.o \
1287         ufs_acl.o ufs_panic.o ufs_directio.o ufs_log.o \
1288         ufs_extvnops.o ufs_snap.o lufs.o lufs_thread.o \
1289         lufs_log.o lufs_map.o lufs_top.o lufs_debug.o

1290 VSCAN_OBJS += vscan_drv.o vscan_svc.o vscan_door.o

1292 NSMB_OBJS += smb_conn.o smb_dev.o smb_iop.o smb_pass.o \
1293         smb_rq.o smb_sign.o smb_smb.o smb_subrs.o \
1294         smb_time.o smb_tran.o smb_trantcp.o smb_usr.o \
1295         subr_mchain.o

1297 SMBFS_COMMON_OBJS += smbfs_ntacl.o
1298 SMBFS_OBJS += smbfs_vfsops.o smbfs_vnops.o smbfs_node.o \
1299         smbfs_acl.o smbfs_client.o smbfs_smb.o \
1300         smbfs_subr.o smbfs_subr2.o \
1301         smbfs_rwlock.o smbfs_xattr.o \
1302         $(SMBFS_COMMON_OBJS)

1305 #
1306 # LVM modules
1307 #
1308 MD_OBJS += md.o md_error.o md_ioctl.o md_mddb.o md_names.o \
1309         md_med.o md_rename.o md_subr.o

1311 MD_COMMON_OBJS = md_convert.o md_crc.o md_revchk.o

1313 MD_DERIVED_OBJS = metamed_xdr.o meta_basic_xdr.o

1315 SOFTPART_OBJS += sp.o sp_ioctl.o

```

```

1317 STRIPE_OBJS += stripe.o stripe_ioctl.o
1319 HOTSPARES_OBJS += hotspares.o
1321 RAID_OBJS += raid.o raid_ioctl.o raid_replay.o raid_resync.o raid_hotspare.o
1323 MIRROR_OBJS += mirror.o mirror_ioctl.o mirror_resync.o
1325 NOTIFY_OBJS += md_notify.o
1327 TRANS_OBJS += mdtrans.o trans_ioctl.o trans_log.o
1329 ZFS_COMMON_OBJS += \
1330     arc.o \
1331     blkptr.o \
1332     bplist.o \
1333     bpobj.o \
1334     bptree.o \
1335     dbuf.o \
1336     ddt.o \
1337     ddt_zap.o \
1338     dmuf.o \
1339     dmuf_diff.o \
1340     dmuf_send.o \
1341     dmuf_object.o \
1342     dmuf_objset.o \
1343     dmuf_traverse.o \
1344     dmuf_tx.o \
1345     dnode.o \
1346     dnode_sync.o \
1347     dsl_bookmark.o \
1348     dsl_dir.o \
1349     dsl_dataset.o \
1350     dsl_deadlist.o \
1351     dsl_destroy.o \
1352     dsl_pool.o \
1353     dsl_synctask.o \
1354     dsl_userhold.o \
1355     dmuf_zfetch.o \
1356     dsl_deleg.o \
1357     dsl_prop.o \
1358     dsl_scan.o \
1359     zfeature.o \
1360     gzip.o \
1361     lz4.o \
1362     lzjb.o \
1363     metaslab.o \
1364     range_tree.o \
1365     refcount.o \
1366     rrwlock.o \
1367     sa.o \
1368     sha256.o \
1369     spa.o \
1370     spa_config.o \
1371     spa_errlog.o \
1372     spa_history.o \
1373     spa_misc.o \
1374     space_map.o \
1375     space_reftree.o \
1376     txg.o \
1377     uberblock.o \
1378     unique.o \
1379     vdev.o \
1380     vdev_cache.o \
1381     vdev_file.o \

```

```

1382     vdev_label.o \
1383     vdev_mirror.o \
1384     vdev_missing.o \
1385     vdev_queue.o \
1386     vdev_raidz.o \
1387     vdev_root.o \
1388     zap.o \
1389     zap_leaf.o \
1390     zap_micro.o \
1391     zfs_byteswap.o \
1392     zfs_debug.o \
1393     zfs_fm.o \
1394     zfs_fuid.o \
1395     zfs_sa.o \
1396     zfs_znode.o \
1397     zil.o \
1398     zio.o \
1399     zio_checksum.o \
1400     zio_compress.o \
1401     zio_inject.o \
1402     zle.o \
1403     zrlock.o
1405 ZFS_SHARED_OBJS += \
1406     zfeature_common.o \
1407     zfs_comutil.o \
1408     zfs_deleg.o \
1409     zfs_fletcher.o \
1410     zfs_namecheck.o \
1411     zfs_prop.o \
1412     zpool_prop.o \
1413     zprop_common.o
1415 ZFS_OBJS += \
1416     $(ZFS_COMMON_OBJS) \
1417     $(ZFS_SHARED_OBJS) \
1418     vdev_disk.o \
1419     zfs_acl.o \
1420     zfs_ctldir.o \
1421     zfs_dir.o \
1422     zfs_ioctl.o \
1423     zfs_log.o \
1424     zfs_onexit.o \
1425     zfs_replay.o \
1426     zfs_rlock.o \
1427     zfs_vfsops.o \
1428     zfs_vnops.o \
1429     zvol.o
1431 ZUT_OBJS += \
1432     zut.o
1434 #
1435 # streams modules
1436 #
1437 BUFMOD_OBJS += bufmod.o
1439 CONNLD_OBJS += connld.o
1441 DEDUMP_OBJS += dedump.o
1443 DRCOMPAT_OBJS += drcompat.o
1445 LDLINUX_OBJS += ldlinux.o
1447 LDTERM_OBJS += ldterm.o uwidth.o

```

```

1449 PKCT_OBJS +=      pckt.o
1451 PFMOD_OBJS +=      pfmod.o
1453 PTEM_OBJS +=      ptem.o
1455 REDIRMOD_OBJS +=  strredirm.o
1457 TIMOD_OBJS +=      timod.o
1459 TIRDWR_OBJS +=     tirdwr.o
1461 TTCOMPAT_OBJS +=   ttcompat.o
1463 LOG_OBJS +=        log.o
1465 PIPEMOD_OBJS +=    pipemod.o
1467 RPCMOD_OBJS +=      rpcmod.o      clnt_cots.o      clnt_clts.o \
1468                        clnt_gen.o      clnt_perr.o      mt_rpcinit.o      rpc_calmsg.o \
1469                        rpc_prot.o      rpc_sztypes.o   rpc_subr.o      rpcb_prot.o \
1470                        svc.o          svc_clts.o      svc_gen.o      svc_cots.o \
1471                        rpcsys.o      xdr_sizeof.o   clnt_rdma.o      svc_rdma.o \
1472                        xdr_rdma.o      rdma_subr.o      xdrdma_sizeof.o
1474 KLMMOD_OBJS +=      klmmod.o \
1475                        nlm_impl.o \
1476                        nlm_rpc_handle.o \
1477                        nlm_dispatch.o \
1478                        nlm_rpc_svc.o \
1479                        nlm_client.o \
1480                        nlm_service.o \
1481                        nlm_prot_clnt.o \
1482                        nlm_prot_xdr.o \
1483                        nlm_rpc_clnt.o \
1484                        nsm_addr_clnt.o \
1485                        nsm_addr_xdr.o \
1486                        sm_inter_clnt.o \
1487                        sm_inter_xdr.o
1489 KLMOPS_OBJS +=      klmops.o
1491 TLIMOD_OBJS +=      tlimod.o      t_kalloc.o      t_kbind.o      t_kclose.o \
1492                        t_kconnect.o  t_kfree.o      t_kgtstate.o   t_kopen.o \
1493                        t_krcvudat.o  t_ksndudat.o  t_kspoll.o     t_kunbind.o \
1494                        t_kutil.o
1496 RLMOD_OBJS +=      rlmmod.o
1498 TELMOD_OBJS +=      telmod.o
1500 CRYPTMOD_OBJS +=    cryptmod.o
1502 KB_OBJS +=          kbd.o          keytables.o
1504 #
1505 #                      ID mapping module
1506 #
1507 IDMAP_OBJS +=        idmap_mod.o     idmap_kapi.o     idmap_xdr.o     idmap_cache.o
1509 #
1510 #                      scheduling class modules
1511 #
1512 SDC_OBJS +=          sysdc.o

```

```

1514 RT_OBJS +=          rt.o
1515 RT_DPTBL_OBJS +=     rt_dptbl.o
1517 TS_OBJS +=          ts.o
1518 TS_DPTBL_OBJS +=     ts_dptbl.o
1520 IA_OBJS +=          ia.o
1522 FSS_OBJS +=         fss.o
1524 FX_OBJS +=          fx.o
1525 FX_DPTBL_OBJS +=     fx_dptbl.o
1527 #
1528 #                      Inter-Process Communication (IPC) modules
1529 #
1530 IPC_OBJS +=          ipc.o
1532 IPCMSG_OBJS +=       msg.o
1534 IPCSEM_OBJS +=       sem.o
1536 IPCSHM_OBJS +=       shm.o
1538 #
1539 #                      bignum module
1540 #
1541 COMMON_BIGNUM_OBJS += bignum_mod.o bignumimpl.o
1543 BIGNUM_OBJS += $(COMMON_BIGNUM_OBJS) $(BIGNUM_PSR_OBJS)
1545 #
1546 #                      kernel cryptographic framework
1547 #
1548 KCF_OBJS +=          kcf.o kcf_callprov.o kcf_cbufoall.o kcf_cipher.o kcf_crypto.o \
1549                        kcf_cryptoadm.o kcf_ctxops.o kcf_digest.o kcf_dual.o \
1550                        kcf_keys.o kcf_mac.o kcf_mech_tabs.o kcf_miscapi.o \
1551                        kcf_object.o kcf_policy.o kcf_prov_lib.o kcf_prov_tabs.o \
1552                        kcf_sched.o kcf_session.o kcf_sign.o kcf_spi.o kcf_verify.o \
1553                        kcf_random.o modes.o ecb.o cbc.o ctr.o ccm.o gcm.o \
1554                        fips_random.o
1556 CRYPTOADM_OBJS +=    cryptoadm.o
1558 CRYPTO_OBJS +=       crypto.o
1560 DPROV_OBJS +=        dprov.o
1562 DCA_OBJS +=          dca.o dca_3des.o dca_debug.o dca_dsa.o dca_kstat.o dca_rng.o \
1563                        dca_rsa.o
1565 AESPROV_OBJS +=      aes.o aes_impl.o aes_modes.o
1567 ARCFOURPROV_OBJS +=  arcfour.o arcfour_crypt.o
1569 BLOWFISHPROV_OBJS += blowfish.o blowfish_impl.o
1571 ECCPROV_OBJS +=      ecc.o ec.o ec2_163.o ec2_mont.o ecdecode.o ecl_mult.o \
1572                        ecp_384.o ecp_jac.o ec2_193.o ecl.o ecp_192.o ecp_521.o \
1573                        ecp_jm.o ec2_233.o ecl_curve.o ecp_224.o ecp_aff.o \
1574                        ecp_mont.o ec2_aff.o ec_naf.o ecl_gf.o ecp_256.o mp_gf2m.o \
1575                        mpi.o mplogic.o mpmontg.o mpprime.o oid.o \
1576                        secitem.o ec2_test.o ecp_test.o
1578 RSAPROV_OBJS +=      rsa.o rsa_impl.o pkcs1.o

```

```

1580 SWRANDPROV_OBJS += swrand.o

1582 #
1583 #             kernel SSL
1584 #
1585 KSSL_OBJS +=      kssl.o ksslioctl.o

1587 KSSL_SOCKETFIL_MOD_OBJS += ksslfilter.o ksslapl.o ksslrec.o

1589 #
1590 #             misc. modules
1591 #

1593 C2AUDIT_OBJS +=  adr.o audit.o audit_event.o audit_io.o \
1594                  audit_path.o audit_start.o audit_syscalls.o audit_token.o \
1595                  audit_mem.o

1597 PCIC_OBJS +=      pcic.o

1599 RPCSEC_OBJS +=      secmod.o      sec_clnt.o      sec_svc.o      sec_gen.o \
1600                  auth_des.o      auth_kern.o      auth_none.o      auth_loopb.o \
1601                  authdesprt.o      authdesubr.o      authu_prot.o \
1602                  key_call.o      key_prot.o      svc_authu.o      svcauthdes.o

1604 RPCSEC_GSS_OBJS +=      rpcsec_gssmod.o rpcsec_gss.o rpcsec_gss_misc.o \
1605                  rpcsec_gss_utils.o svc_rpcsec_gss.o

1607 CONSCONFIG_OBJS += consconfig.o

1609 CONSCONFIG_DACF_OBJS += consconfig_dacf.o consplat.o

1611 TEM_OBJS += tem.o tem_safe.o 6x10.o 7x14.o 12x22.o

1613 KBTRANS_OBJS +=      \
1614                  kbtrans.o \
1615                  kbtrans_keytables.o \
1616                  kbtrans_polled.o \
1617                  kbtrans_streams.o \
1618                  usb_keytables.o

1620 KGSSD_OBJS +=      gssd_clnt_stubs.o gssd_handle.o gssd_prot.o \
1621                  gss_display_name.o gss_release_name.o gss_import_name.o \
1622                  gss_release_buffer.o gss_release_oid_set.o gen_oids.o gssdmod.o

1624 KGSSD_DERIVED_OBJS = gssd_xdr.o

1626 KGSS_DUMMY_OBJS += dmech.o

1628 KSOCKET_OBJS += ksocket.o ksocket_mod.o

1630 CRYPTO= cksumtypes.o decrypt.o encrypt.o encrypt_length.o etypes.o \
1631          nfold.o verify_checksum.o prng.o block_size.o make_checksum.o \
1632          checksum_length.o hmac.o default_state.o mandatory_sumtype.o

1634 # crypto/des
1635 CRYPTO_DES= f_cbc.o f_cksum.o f_parity.o weak_key.o d3_cbc.o ef_crypto.o

1637 CRYPTO_DK= checksum.o derive.o dk_decrypt.o dk_encrypt.o

1639 CRYPTO_ARCFOUR= k5_arcfour.o

1641 # crypto/enc_provider
1642 CRYPTO_ENC= des.o des3.o arcfour_provider.o aes_provider.o

1644 # crypto/hash_provider
1645 CRYPTO_HASH= hash_kef_generic.o hash_kmd5.o hash_crc32.o hash_kshal.o

```

```

1647 # crypto/keyhash_provider
1648 CRYPTO_KEYHASH= descbc.o k5_kmd5des.o k_hmac_md5.o

1650 # crypto/crc32
1651 CRYPTO_CRC32= crc32.o

1653 # crypto/old
1654 CRYPTO_OLD= old_decrypt.o old_encrypt.o

1656 # crypto/raw
1657 CRYPTO_RAW= raw_decrypt.o raw_encrypt.o

1659 K5_KRB= kfree.o copy_key.o \
1660         parse.o init_ctx.o \
1661         ser_adata.o ser_addr.o \
1662         ser_auth.o ser_cksum.o \
1663         ser_key.o ser_princ.o \
1664         serialize.o unparse.o \
1665         ser_actx.o

1667 K5_OS= timeofday.o toffset.o \
1668        init_os_ctx.o c_ustime.o

1670 SEAL= seal.o unseal.o

1672 MECH= delete_sec_context.o \
1673        import_sec_context.o \
1674        gssapi_krb5.o \
1675        k5seal.o k5unseal.o k5sealv3.o \
1676        ser_sctx.o \
1677        sign.o \
1678        util_crypt.o \
1679        util_validate.o util_ordering.o \
1680        util_seqnum.o util_set.o util_seed.o \
1681        wrap_size_limit.o verify.o

1685 MECH_GEN= util_token.o

1688 KGSS_KRB5_OBJS += krb5mech.o \
1689                 $(MECH) $(SEAL) $(MECH_GEN) \
1690                 $(CRYPTO) $(CRYPTO_DES) $(CRYPTO_DK) $(CRYPTO_ARCFOUR) \
1691                 $(CRYPTO_ENC) $(CRYPTO_HASH) \
1692                 $(CRYPTO_KEYHASH) $(CRYPTO_CRC32) \
1693                 $(CRYPTO_OLD) \
1694                 $(CRYPTO_RAW) $(K5_KRB) $(K5_OS)

1696 DES_OBJS +=      des_crypt.o des_impl.o des_ks.o des_soft.o

1698 DLBOOT_OBJS +=  bootparam_xdr.o nfs_dlinet.o scan.o

1700 KRTLD_OBJS +=    kobj_bootflags.o getoptstr.o \
1701                  kobj.o kobj_kdi.o kobj_lm.o kobj_subr.o

1703 MOD_OBJS +=      modctl.o modsubr.o modsysfile.o modconf.o modhash.o

1705 STRPLUMB_OBJS += strplumb.o

1707 CPR_OBJS +=      cpr_driver.o cpr_dump.o \
1708                  cpr_main.o cpr_misc.o cpr_mod.o cpr_stat.o \
1709                  cpr_uthread.o

1711 PROF_OBJS +=     prf.o

```

```
1713 SE_OBJS += se_driver.o
1715 SYSACCT_OBJS += acct.o
1717 ACCTCTL_OBJS += acctctl.o
1719 EXACCTSYS_OBJS += exacctsys.o
1721 KAIO_OBJS += aio.o
1723 PCMCIA_OBJS += pcmcia.o cs.o cis.o cis_callout.o cis_handlers.o cis_params.o
1725 BUSRA_OBJS += busra.o
1727 PCS_OBJS += pcs.o
1729 PSET_OBJS += pset.o
1731 OHCI_OBJS += ohci.o ohci_hub.o ohci_polled.o
1733 UHCI_OBJS += uhci.o uhciutil.o uhcitgt.o uhcihub.o uhci_polled.o
1735 EHCI_OBJS += ehci.o ehci_hub.o ehci_xfer.o ehci_intr.o ehci_util.o ehci_polled.o
1737 HUBD_OBJS += hubd.o
1739 USB_MID_OBJS += usb_mid.o
1741 USB_IA_OBJS += usb_ia.o
1743 UWBA_OBJS += uwba.o uwbai.o
1745 SCSEA2USB_OBJS += scsa2usb.o usb_ms_bulkonly.o usb_ms_cbi.o
1747 HWAHC_OBJS += hwahc.o hwahc_util.o
1749 WUSB_DF_OBJS += wusb_df.o
1750 WUSB_FWMOD_OBJS += wusb_fwmod.o
1752 IPF_OBJS += ip_fil_solaris.o fil.o solaris.o ip_state.o ip_frag.o ip_nat.o \
1753 ip_proxy.o ip_auth.o ip_pool.o ip_htable.o ip_lookup.o \
1754 ip_log.o misc.o ip_compat.o ip_nat6.o drand48.o
1756 IPD_OBJS += ipd.o
1758 IBD_OBJS += ibd.o ibd_cm.o
1760 EIBNX_OBJS += enx_main.o enx_hdlrs.o enx_ibt.o enx_log.o enx_fip.o \
1761 enx_misc.o enx_q.o enx_ctl.o
1763 EOIB_OBJS += eib_adm.o eib_chan.o eib_cmnn.o eib_ctl.o eib_data.o \
1764 eib_fip.o eib_ibt.o eib_log.o eib_mac.o eib_main.o \
1765 eib_rsrc.o eib_svc.o eib_vnic.o
1767 DLPSTUB_OBJS += dlpistub.o
1769 SDP_OBJS += sdpddi.o
1771 TRILL_OBJS += trill.o
1773 CTF_OBJS += ctf_create.o ctf_decl.o ctf_error.o ctf_hash.o ctf_labels.o \
1774 ctf_lookup.o ctf_open.o ctf_types.o ctf_util.o ctf_subr.o ctf_mod.o
1776 SMBIOS_OBJS += smb_error.o smb_info.o smb_open.o smb_subr.o smb_dev.o
```

```
1778 RPCIB_OBJS += rpcib.o
1780 KMDB_OBJS += kdrv.o
1782 AFE_OBJS += afe.o
1784 BGE_OBJS += bge_main2.o bge_chip2.o bge_kstats.o bge_log.o bge_ndd.o \
1785 bge_atomic.o bge_mii.o bge_send.o bge_recv2.o bge_mii_5906.o
1787 DMFE_OBJS += dmfe_log.o dmfe_main.o dmfe_mii.o
1789 EFE_OBJS += efe.o
1791 ELXL_OBJS += elxl.o
1793 HME_OBJS += hme.o
1795 IXGB_OBJS += ixgb.o ixgb_atomic.o ixgb_chip.o ixgb_gld.o ixgb_kstats.o \
1796 ixgb_log.o ixgb_ndd.o ixgb_rx.o ixgb_tx.o ixgb_xmii.o
1798 NGE_OBJS += nge_main.o nge_atomic.o nge_chip.o nge_ndd.o nge_kstats.o \
1799 nge_log.o nge_rx.o nge_tx.o nge_xmii.o
1801 PCN_OBJS += pcn.o
1803 RGE_OBJS += rge_main.o rge_chip.o rge_ndd.o rge_kstats.o rge_log.o rge_rxtx.o
1805 URTW_OBJS += urtw.o
1807 ARN_OBJS += arn_hw.o arn_eeprom.o arn_mac.o arn_calib.o arn_anis.o arn_phy.o arn_
1808 arn_main.o arn_recv.o arn_xmit.o arn_rc.o
1810 ATH_OBJS += ath_aux.o ath_main.o ath_osdep.o ath_rate.o
1812 ATU_OBJS += atu.o
1814 IPW_OBJS += ipw2100_hw.o ipw2100.o
1816 IWI_OBJS += ipw2200_hw.o ipw2200.o
1818 IWH_OBJS += iwh.o
1820 IWK_OBJS += iwk2.o
1822 IWP_OBJS += iwp.o
1824 MWL_OBJS += mwl.o
1826 MWLFW_OBJS += mwlfw_mode.o
1828 WPI_OBJS += wpi.o
1830 RAL_OBJS += rt2560.o ral_rate.o
1832 RUM_OBJS += rum.o
1834 RWD_OBJS += rt2661.o
1836 RWN_OBJS += rt2860.o
1838 UATH_OBJS += uath.o
1840 UATHFW_OBJS += uathfw_mod.o
1842 URAL_OBJS += ural.o
```

```

1844 RTW_OBJS += rtw.o smc93cx6.o rtwphy.o rtwphyio.o
1846 ZYD_OBJS += zyd.o zyd_usb.o zyd_hw.o zyd_fw.o
1848 MXFE_OBJS += mxfe.o
1850 MPTSAS_OBJS += mptsas.o mptsas_hash.o mptsas_impl.o mptsas_init.o \
1851                mptsas_raid.o mptsas_smhba.o
1853 SFE_OBJS += sfe.o sfe_util.o
1855 BFE_OBJS += bfe.o
1857 BRIDGE_OBJS += bridge.o
1859 IDM_SHARED_OBJS += base64.o
1861 IDM_OBJS +=      $(IDM_SHARED_OBJS) \
1862                idm.o idm_impl.o idm_text.o idm_conn_sm.o idm_so.o
1864 VR_OBJS += vr.o
1866 ATGE_OBJS += atge_main.o atge_lle.o atge_mii.o atge_ll.o atge_llc.o
1868 YGE_OBJS = yge.o
1870 SKD_OBJS = skd.o
1872 #
1873 #       Build up defines and paths.
1874 #
1875 LINT_DEFS      += -Dunix
1877 #
1878 #       This duality can be removed when the native and target compilers
1879 #       are the same (or at least recognize the same command line syntax!)
1880 #       It is a bug in the current compilation system that the assembler
1881 #       can't process the -Y I, flag.
1882 #
1883 NATIVE_INC_PATH += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1884 AS_INC_PATH     += $(INC_PATH) -I$(UTSBASE)/common
1885 INCLUDE_PATH    += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1887 PCIEB_OBJS += pcieb.o
1889 #       Chelsio N110 10G NIC driver module
1890 #
1891 CH_OBJS = ch.o glue.o pe.o sge.o
1893 CH_COM_OBJS =  ch_mac.o ch_subr.o csapi.o espi.o ixfl1010.o mc3.o mc4.o mc5.o \
1894                mv88elxxx.o mv88x201x.o my3126.o pm3393.o tp.o ulp.o \
1895                vsc7321.o vsc7326.o xpak.o
1897 #
1898 #       Chelsio Terminator 4 10G NIC nexus driver module
1899 #
1900 CXGBE_FW_OBJS =      t4_fw.o t4_cfg.o
1901 CXGBE_COM_OBJS =     t4_hw.o common.o
1902 CXGBE_NEX_OBJS =     t4_nexus.o t4_sge.o t4_mac.o t4_ioctl.o shared.o \
1903                t4_l2t.o adapter.o osdep.o
1905 #
1906 #       Chelsio Terminator 4 10G NIC driver module
1907 #
1908 CXGBE_OBJS = cxgbe.o

```

```

1910 #
1911 #       PCI strings file
1912 #
1913 PCI_STRING_OBJS = pci_strings.o
1915 NET_DACF_OBJS += net_dacf.o
1917 #
1918 #       Xframe 10G NIC driver module
1919 #
1920 XGE_OBJS = xge.o xgell.o
1922 XGE_HAL_OBJS = xgehal-channel.o xgehal-fifo.o xgehal-ring.o xgehal-config.o \
1923                xgehal-driver.o xgehal-mm.o xgehal-stats.o xgehal-device.o \
1924                xge-queue.o xgehal-mgmt.o xgehal-mgmtaux.o
1926 #
1927 #       e1000/igb common objs
1928 #
1929 #       Historically e1000g and igb had separate copies of all of the common
1930 #       code. At this time while they are now sharing the same copy of it, they
1931 #       are building it into their own modules which is due to the differences
1932 #       in the osdep and debug portions of their code.
1933 #
1934 E1000API_OBJS += e1000_80003es2lan.o e1000_82540.o e1000_82541.o e1000_82542.o \
1935                e1000_82543.o e1000_82571.o e1000_api.o e1000_ich8lan.o \
1936                e1000_mac.o e1000_manage.o e1000_nvm.o e1000_phy.o \
1937                e1000_82575.o e1000_i210.o e1000_mbx.o e1000_vf.o
1939 #
1940 #       e1000g module
1941 #
1942 E1000G_OBJS += e1000g_debug.o e1000g_main.o e1000g_alloc.o \
1943                e1000g_tx.o e1000g_rx.o e1000g_stat.o \
1944                e1000g_osdep.o e1000g_workarounds.o
1945
1947 #
1948 #       Intel 82575 1G NIC driver module
1949 #
1950 IGB_OBJS = igb_buf.o igb_debug.o igb_gld.o igb_log.o igb_main.o \
1951            igb_rx.o igb_stat.o igb_tx.o igb_osdep.o
1953 #
1954 #       Intel Pro/100 NIC driver module
1955 #
1956 IPRB_OBJS = iprb.o
1958 #
1959 #       Intel 10GbE PCIE NIC driver module
1960 #
1961 IXGBE_OBJS = ixgbe_82598.o ixgbe_82599.o ixgbe_api.o \
1962            ixgbe_common.o ixgbe_phy.o \
1963            ixgbe_buf.o ixgbe_debug.o ixgbe_gld.o \
1964            ixgbe_log.o ixgbe_main.o \
1965            ixgbe_osdep.o ixgbe_rx.o ixgbe_stat.o \
1966            ixgbe_tx.o ixgbe_x540.o ixgbe_mbx.o
1968 #
1969 #       NIU 10G/1G driver module
1970 #
1971 NXGE_OBJS = nxge_mac.o nxge_ipp.o nxge_rxdma.o \
1972            nxge_txdma.o nxge_txc.o nxge_main.o \
1973            nxge_hw.o nxge_fzc.o nxge_virtual.o \
1974            nxge_send.o nxge_classify.o nxge_fflp.o \
1975            nxge_fflp_hash.o nxge_ndd.o nxge_kstats.o \

```



```

1976         nxge_zcp.o nxge_fm.o nxge_espc.o nxge_hv.o \
1977         nxge_hio.o nxge_hio_guest.o nxge_intr.o

1979 NXGE_NPI_OBJS = \
1980         npi.o npi_mac.o npi_ipp.o \
1981         npi_txdma.o npi_rxdma.o npi_txc.o \
1982         npi_zcp.o npi_espc.o npi_fflp.o \
1983         npi_vir.o

1985 NXGE_HCALL_OBJS = \
1986         nxge_hcall.o

1988 #
1989 # Virtio modules
1990 #

1992 # Virtio core
1993 VIRTIO_OBJS = virtio.o

1995 # Virtio block driver
1996 VIOBLK_OBJS = vioblk.o

1998 #
1999 # kiconv modules
2000 #
2001 KICONV_EMEA_OBJS += kiconv_emea.o

2003 KICONV_JA_OBJS += kiconv_ja.o

2005 KICONV_KO_OBJS += kiconv_ck_common.o kiconv_ko.o

2007 KICONV_SC_OBJS += kiconv_ck_common.o kiconv_sc.o

2009 KICONV_TC_OBJS += kiconv_ck_common.o kiconv_tc.o

2011 #
2012 # AAC module
2013 #
2014 AAC_OBJS = aac.o aac_ioctl.o

2016 #
2017 # sdcard modules
2018 #
2019 SDA_OBJS = sda_cmd.o sda_host.o sda_init.o sda_mem.o sda_mod.o sda_slot.o
2020 SDHOST_OBJS = sdhost.o

2022 #
2023 # hxge 10G driver module
2024 #
2025 HXGE_OBJS = hxge_main.o hxge_vmac.o hxge_send.o \
2026             hxge_txdma.o hxge_rxdma.o hxge_virtual.o \
2027             hxge_fm.o hxge_fzc.o hxge_hw.o hxge_kstats.o \
2028             hxge_ndd.o hxge_pfc.o \
2029             hpi.o hpi_vmac.o hpi_rxdma.o hpi_txdma.o \
2030             hpi_vir.o hpi_pfc.o

2032 #
2033 # MEGARAID_SAS module
2034 #
2035 MEGA_SAS_OBJS = megaraid_sas.o

2037 #
2038 # MR_SAS module
2039 #
2040 MR_SAS_OBJS = ld_pd_map.o mr_sas.o mr_sas_tbolt.o mr_sas_list.o

```

```

2042 #
2043 # CPQARY3 module
2044 #
2045 CPQARY3_OBJS = cpqary3.o cpqary3_noe.o cpqary3_talk2ctlr.o \
2046               cpqary3_isr.o cpqary3_transport.o cpqary3_mem.o \
2047               cpqary3_scsi.o cpqary3_util.o cpqary3_ioctl.o \
2048               cpqary3_bd.o

2050 #
2051 # ISCSI_INITIATOR module
2052 #
2053 ISCSI_INITIATOR_OBJS = chap.o iscsi_io.o iscsi_thread.o \
2054                       iscsi_ioctl.o iscsid.o iscsi.o \
2055                       iscsi_login.o isns_client.o iscsiAuthClient.o \
2056                       iscsi_lun.o iscsiAuthClientGlue.o \
2057                       iscsi_net.o nvfile.o iscsi_cmd.o \
2058                       iscsi_queue.o persistent.o iscsi_conn.o \
2059                       iscsi_sess.o radius_auth.o iscsi_crc.o \
2060                       iscsi_stats.o radius_packet.o iscsi_doorclt.o \
2061                       iscsi_targetparam.o utils.o kifconf.o

2063 #
2064 # ntxn 10Gb/1Gb NIC driver module
2065 #
2066 NTXN_OBJS = unm_nic_init.o unm_gem.o unm_nic_hw.o unm_ndd.o \
2067             unm_nic_main.o unm_nic_isr.o unm_nic_ctx.o niu.o

2069 #
2070 # Myricom 10Gb NIC driver module
2071 #
2072 MYRI10GE_OBJS = myri10ge.o myri10ge_lro.o

2074 #
2075 # nulldriver module
2076 NULLDRIVER_OBJS = nulldriver.o

2078 TPM_OBJS = tpm.o tpm_hcall.o
2079 #endif /* ! codereview */

```

new/usr/src/uts/common/Makefile.files.rej

1

492 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.files.rej

5075 EOF cardbus & pcmcia

```
1 *****
2 *** 24,29 ***
3 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
4 # Copyright (c) 2013 by Delphix. All rights reserved.
5 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
6 #
7
8 #
9 --- 24,30 ----
10 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
11 # Copyright (c) 2013 by Delphix. All rights reserved.
12 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
13 + # Copyright 2014 Garrett D'Amore <garrett@damore.org>
14 #
15
16 #
17 #endif /* ! codereview */
```

new/usr/src/uts/common/Makefile.rules

1

72338 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.rules

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
25 # Copyright 2014 Nexenta Systems, Inc. All rights reserved.
26 #
27 #
28 #
29 # uts/common/Makefile.rules
30 #
31 # This Makefile defines all the file build rules for the directory
32 # uts/common and its children. These are the source files which may
33 # be considered common to all SunOS systems.
34 #
35 # The following two-level ordering must be maintained in this file.
36 # Lines are sorted first in order of decreasing specificity based on
37 # the first directory component. That is, sun4u rules come before
38 # sparc rules come before common rules.
39 #
40 # Lines whose initial directory components are equal are sorted
41 # alphabetically by the remaining components.
42 #
43 #
44 # Section 1a: C objects build rules
45 #
46 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/aes/%.c
47 $(COMPILE.c) -o $@ $<
48 $(CTFCONVERT_O)
49 #
50 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/arcfour/%.c
51 $(COMPILE.c) -o $@ $<
52 $(CTFCONVERT_O)
53 #
54 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/blowfish/%.c
55 $(COMPILE.c) -o $@ $<
56 $(CTFCONVERT_O)
57 #
58 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/ecc/%.c
59 $(COMPILE.c) -o $@ $<
60 $(CTFCONVERT_O)
```

new/usr/src/uts/common/Makefile.rules

2

```
62 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/modes/%.c
63 $(COMPILE.c) -o $@ $<
64 $(CTFCONVERT_O)
65 #
66 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/padding/%.c
67 $(COMPILE.c) -o $@ $<
68 $(CTFCONVERT_O)
69 #
70 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/rng/%.c
71 $(COMPILE.c) -o $@ $<
72 $(CTFCONVERT_O)
73 #
74 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/rsa/%.c
75 $(COMPILE.c) -o $@ $<
76 $(CTFCONVERT_O)
77 #
78 $(OBJS_DIR)/%.o: $(COMMONBASE)/bignum/%.c
79 $(COMPILE.c) -o $@ $<
80 $(CTFCONVERT_O)
81 #
82 $(OBJS_DIR)/%.o: $(UTSBASE)/common/bignum/%.c
83 $(COMPILE.c) -o $@ $<
84 $(CTFCONVERT_O)
85 #
86 $(OBJS_DIR)/%.o: $(COMMONBASE)/mpi/%.c
87 $(COMPILE.c) -o $@ $<
88 $(CTFCONVERT_O)
89 #
90 $(OBJS_DIR)/%.o: $(COMMONBASE)/acl/%.c
91 $(COMPILE.c) -o $@ $<
92 $(CTFCONVERT_O)
93 #
94 $(OBJS_DIR)/%.o: $(COMMONBASE)/avl/%.c
95 $(COMPILE.c) -o $@ $<
96 $(CTFCONVERT_O)
97 #
98 $(OBJS_DIR)/%.o: $(COMMONBASE)/ucode/%.c
99 $(COMPILE.c) -o $@ $<
100 $(CTFCONVERT_O)
101 #
102 $(OBJS_DIR)/%.o: $(UTSBASE)/common/brand/snl/%.c
103 $(COMPILE.c) -o $@ $<
104 $(CTFCONVERT_O)
105 #
106 $(OBJS_DIR)/%.o: $(UTSBASE)/common/brand/solaris10/%.c
107 $(COMPILE.c) -o $@ $<
108 $(CTFCONVERT_O)
109 #
110 $(OBJS_DIR)/%.o: $(UTSBASE)/common/c2/%.c
111 $(COMPILE.c) -o $@ $<
112 $(CTFCONVERT_O)
113 #
114 $(OBJS_DIR)/%.o: $(UTSBASE)/common/conf/%.c
115 $(COMPILE.c) -o $@ $<
116 $(CTFCONVERT_O)
117 #
118 $(OBJS_DIR)/%.o: $(UTSBASE)/common/contract/%.c
119 $(COMPILE.c) -o $@ $<
120 $(CTFCONVERT_O)
121 #
122 $(OBJS_DIR)/%.o: $(UTSBASE)/common/cpr/%.c
123 $(COMPILE.c) -o $@ $<
124 $(CTFCONVERT_O)
125 #
126 $(OBJS_DIR)/%.o: $(UTSBASE)/common/ctf/%.c
127 $(COMPILE.c) -o $@ $<
```

new/usr/src/uts/common/Makefile.rules

```

128      $(CTFCONVERT_O)

130 $(OBJSDIR)/%.o:      $(COMMONBASE)/ctf/%.c
131     $(COMPILE.c) -o $@ $<
132     $(CTFCONVERT_O)

134 $(OBJSDIR)/%.o:      $(COMMONBASE)/crypto/des/%.c
135     $(COMPILE.c) -o $@ $<
136     $(CTFCONVERT_O)

138 $(OBJSDIR)/%.o:      $(COMMONBASE)/smbios/%.c
139     $(COMPILE.c) -o $@ $<
140     $(CTFCONVERT_O)

142 $(OBJSDIR)/%.o:      $(UTSBASE)/common/des/%.c
143     $(COMPILE.c) -o $@ $<
144     $(CTFCONVERT_O)

146 $(OBJSDIR)/%.o:      $(UTSBASE)/common/crypto/api/%.c
147     $(COMPILE.c) -o $@ $<
148     $(CTFCONVERT_O)

150 $(OBJSDIR)/%.o:      $(UTSBASE)/common/crypto/core/%.c
151     $(COMPILE.c) -o $@ $<
152     $(CTFCONVERT_O)

154 $(OBJSDIR)/%.o:      $(UTSBASE)/common/crypto/io/%.c
155     $(COMPILE.c) -o $@ $<
156     $(CTFCONVERT_O)

158 $(OBJSDIR)/%.o:      $(UTSBASE)/common/crypto/spi/%.c
159     $(COMPILE.c) -o $@ $<
160     $(CTFCONVERT_O)

162 $(OBJSDIR)/%.o:      $(COMMONBASE)/pci/%.c
163     $(COMPILE.c) -o $@ $<
164     $(CTFCONVERT_O)

166 $(OBJSDIR)/%.o:      $(COMMONBASE)/devid/%.c
167     $(COMPILE.c) -o $@ $<
168     $(CTFCONVERT_O)

170 $(OBJSDIR)/%.o:      $(UTSBASE)/common/disp/%.c
171     $(COMPILE.c) -o $@ $<
172     $(CTFCONVERT_O)

174 $(OBJSDIR)/%.o:      $(UTSBASE)/common/dtrace/%.c
175     $(COMPILE.c) -o $@ $<
176     $(CTFCONVERT_O)

178 $(OBJSDIR)/%.o:      $(COMMONBASE)/exacct/%.c
179     $(COMPILE.c) -o $@ $<
180     $(CTFCONVERT_O)

182 $(OBJSDIR)/%.o:      $(UTSBASE)/common/exec/aout/%.c
183     $(COMPILE.c) -o $@ $<
184     $(CTFCONVERT_O)

186 $(OBJSDIR)/%.o:      $(UTSBASE)/common/exec/elf/%.c
187     $(COMPILE.c) -o $@ $<
188     $(CTFCONVERT_O)

190 $(OBJSDIR)/%.o:      $(UTSBASE)/common/exec/intp/%.c
191     $(COMPILE.c) -o $@ $<
192     $(CTFCONVERT_O)

```

3

new/usr/src/uts/common/Makefile.rules

```

194 $(OBJSDIR)/%.o:      $(UTSBASE)/common/exec/shbin/%.c
195     $(COMPILE.c) -o $@ $<
196     $(CTFCONVERT_O)

198 $(OBJSDIR)/%.o:      $(UTSBASE)/common/exec/java/%.c
199     $(COMPILE.c) -o $@ $<
200     $(CTFCONVERT_O)

202 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/%.c
203     $(COMPILE.c) -o $@ $<
204     $(CTFCONVERT_O)

206 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/autofs/%.c
207     $(COMPILE.c) -o $@ $<
208     $(CTFCONVERT_O)

210 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/cacheefs/%.c
211     $(COMPILE.c) -o $@ $<
212     $(CTFCONVERT_O)

214 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/dcfhs/%.c
215     $(COMPILE.c) -o $@ $<
216     $(CTFCONVERT_O)

218 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/devfs/%.c
219     $(COMPILE.c) -o $@ $<
220     $(CTFCONVERT_O)

222 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/ctfs/%.c
223     $(COMPILE.c) -o $@ $<
224     $(CTFCONVERT_O)

226 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/doorfs/%.c
227     $(COMPILE.c) -o $@ $<
228     $(CTFCONVERT_O)

230 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/dev/%.c
231     $(COMPILE.c) -o $@ $<
232     $(CTFCONVERT_O)

234 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/fd/%.c
235     $(COMPILE.c) -o $@ $<
236     $(CTFCONVERT_O)

238 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/fifofs/%.c
239     $(COMPILE.c) -o $@ $<
240     $(CTFCONVERT_O)

242 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/hfsfs/%.c
243     $(COMPILE.c) -o $@ $<
244     $(CTFCONVERT_O)

246 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/lofs/%.c
247     $(COMPILE.c) -o $@ $<
248     $(CTFCONVERT_O)

250 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/mntfs/%.c
251     $(COMPILE.c) -o $@ $<
252     $(CTFCONVERT_O)

254 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/namefs/%.c
255     $(COMPILE.c) -o $@ $<
256     $(CTFCONVERT_O)

258 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/nfs/%.c
259     $(COMPILE.c) -o $@ $<

```

4

new/usr/src/uts/common/Makefile.rules

```

260      $(CTFCONVERT_O)

262 $(OBJSDIR)/%.o:      $(COMMONBASE)/smbsrv/%.c
263     $(COMPILE.c) -o $@ $<
264     $(CTFCONVERT_O)

266 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbsrv/%.c
267     $(COMPILE.c) -o $@ $<
268     $(CTFCONVERT_O)

270 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/objfs/%.c
271     $(COMPILE.c) -o $@ $<
272     $(CTFCONVERT_O)

274 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/pcfs/%.c
275     $(COMPILE.c) -o $@ $<
276     $(CTFCONVERT_O)

278 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/portfs/%.c
279     $(COMPILE.c) -o $@ $<
280     $(CTFCONVERT_O)

282 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/proc/%.c
283     $(COMPILE.c) -o $@ $<
284     $(CTFCONVERT_O)

286 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/sharefs/%.c
287     $(COMPILE.c) -o $@ $<
288     $(CTFCONVERT_O)

290 $(OBJSDIR)/%.o:      $(COMMONBASE)/smbclnt/%.c
291     $(COMPILE.c) -o $@ $<
292     $(CTFCONVERT_O)

294 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbclnt/net smb/%.c
295     $(COMPILE.c) -o $@ $<
296     $(CTFCONVERT_O)

298 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
299     $(COMPILE.c) -o $@ $<
300     $(CTFCONVERT_O)

302 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/sockfs/%.c
303     $(COMPILE.c) -o $@ $<
304     $(CTFCONVERT_O)

306 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/specfs/%.c
307     $(COMPILE.c) -o $@ $<
308     $(CTFCONVERT_O)

310 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/swapfs/%.c
311     $(COMPILE.c) -o $@ $<
312     $(CTFCONVERT_O)

314 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/tmpfs/%.c
315     $(COMPILE.c) -o $@ $<
316     $(CTFCONVERT_O)

318 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/udfs/%.c
319     $(COMPILE.c) -o $@ $<
320     $(CTFCONVERT_O)

322 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/ufs/%.c
323     $(COMPILE.c) -o $@ $<
324     $(CTFCONVERT_O)

```

5

new/usr/src/uts/common/Makefile.rules

```

326 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vscan/%.c
327     $(COMPILE.c) -o $@ $<
328     $(CTFCONVERT_O)

330 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/zfs/%.c
331     $(COMPILE.c) -o $@ $<
332     $(CTFCONVERT_O)

334 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/zut/%.c
335     $(COMPILE.c) -o $@ $<
336     $(CTFCONVERT_O)

338 $(OBJSDIR)/%.o:      $(COMMONBASE)/xattr/%.c
339     $(COMPILE.c) -o $@ $<
340     $(CTFCONVERT_O)

342 $(OBJSDIR)/%.o:      $(COMMONBASE)/zfs/%.c
343     $(COMPILE.c) -o $@ $<
344     $(CTFCONVERT_O)

346 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
347     $(COMPILE.c) -o $@ $<
348     $(CTFCONVERT_O)

350 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/scsi/adapters/pmcs/%.bin
351     $(COMPILE.b) -o $@ $<
352     $(CTFCONVERT_O)

354 $(OBJSDIR)/%.o:      $(COMMONBASE)/fsreparse/%.c
355     $(COMPILE.c) -o $@ $<
356     $(CTFCONVERT_O)

358 KMECHKRB5_BASE=$(UTSBASE)/common/gssapi/mechs/krb5

360 KGSSDFFLAGS=-I $(UTSBASE)/common/gssapi/include

362 # Note, KRB5_DEFS can be assigned various preprocessor flags,
363 # typically -D defines on the make invocation. The standard compiler
364 # flags will not be overwritten.
365 KGSSDFFLAGS += $(KRB5_DEFS)

367 $(OBJSDIR)/%.o:      $(UTSBASE)/common/gssapi/%.c
368     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
369     $(CTFCONVERT_O)

371 $(OBJSDIR)/%.o:      $(UTSBASE)/common/gssapi/mechs/dummy/%.c
372     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
373     $(CTFCONVERT_O)

375 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/%.c
376     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
377     $(CTFCONVERT_O)

379 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/%.c
380     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
381     $(CTFCONVERT_O)

383 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/des/%.c
384     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
385     $(CTFCONVERT_O)

387 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/arcfour/%.c
388     $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
389     $(CTFCONVERT_O)

391 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/dk/%.c

```

6

new/usr/src/uts/common/Makefile.rules

7

```
392 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
393 $(CTFCONVERT_O)

395 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
396 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
397 $(CTFCONVERT_O)

399 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
400 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
401 $(CTFCONVERT_O)

403 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
404 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
405 $(CTFCONVERT_O)

407 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/raw/%.c
408 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
409 $(CTFCONVERT_O)

411 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/old/%.c
412 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
413 $(CTFCONVERT_O)

415 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/krb5/krb/%.c
416 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
417 $(CTFCONVERT_O)

419 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/krb5/os/%.c
420 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
421 $(CTFCONVERT_O)

423 $(OBJSDIR)/ser_sctx.o := CPPFLAGS += -DPROVIDE_KERNEL_IMPORT=1

425 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/mech/%.c
426 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
427 $(CTFCONVERT_O)

429 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/profile/%.c
430 $(COMPILE.c) $(KGSSDFFLAGS) -o $$ $<
431 $(CTFCONVERT_O)

433 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ncall/%.c
434 $(COMPILE.c) -o $$ $<
435 $(CTFCONVERT_O)

437 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/dsw/%.c
438 $(COMPILE.c) -o $$ $<
439 $(CTFCONVERT_O)

441 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/nsctl/%.c
442 $(COMPILE.c) -o $$ $<
443 $(CTFCONVERT_O)

445 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/rdc/%.c
446 $(COMPILE.c) -o $$ $<
447 $(CTFCONVERT_O)

449 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/sdbc/%.c
450 $(COMPILE.c) -o $$ $<
451 $(CTFCONVERT_O)

453 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/solaris/%.c
454 $(COMPILE.c) -o $$ $<
455 $(CTFCONVERT_O)

457 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/sv/%.c
```

new/usr/src/uts/common/Makefile.rules

8

```
458 $(COMPILE.c) -o $$ $<
459 $(CTFCONVERT_O)

461 $(OBJSDIR)/%.o: $(UTSBASE)/common/avs/ns/unistat/%.c
462 $(COMPILE.c) -o $$ $<
463 $(CTFCONVERT_O)

465 $(OBJSDIR)/%.o: $(UTSBASE)/common/idmap/%.c
466 $(COMPILE.c) -o $$ $<
467 $(CTFCONVERT_O)

469 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/%.c
470 $(COMPILE.c) -o $$ $<
471 $(CTFCONVERT_O)

473 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/arp/%.c
474 $(COMPILE.c) -o $$ $<
475 $(CTFCONVERT_O)

477 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ip/%.c
478 $(COMPILE.c) -o $$ $<
479 $(CTFCONVERT_O)

481 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ipnet/%.c
482 $(COMPILE.c) -o $$ $<
483 $(CTFCONVERT_O)

485 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/iptun/%.c
486 $(COMPILE.c) -o $$ $<
487 $(CTFCONVERT_O)

489 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ksl/%.c
490 $(COMPILE.c) -o $$ $<
491 $(CTFCONVERT_O)

493 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/sctp/%.c
494 $(COMPILE.c) -o $$ $<
495 $(CTFCONVERT_O)

497 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/tcp/%.c
498 $(COMPILE.c) -o $$ $<
499 $(CTFCONVERT_O)

501 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ilb/%.c
502 $(COMPILE.c) -o $$ $<
503 $(CTFCONVERT_O)

505 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ipf/%.c
506 $(COMPILE.c) -o $$ $<
507 $(CTFCONVERT_O)

509 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/ipd/%.c
510 $(COMPILE.c) -o $$ $<
511 $(CTFCONVERT_O)

513 $(OBJSDIR)/%.o: $(COMMONBASE)/net/patricia/%.c
514 $(COMPILE.c) -o $$ $<
515 $(CTFCONVERT_O)

517 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/udp/%.c
518 $(COMPILE.c) -o $$ $<
519 $(CTFCONVERT_O)

521 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/nca/%.c
522 $(COMPILE.c) -o $$ $<
523 $(CTFCONVERT_O)
```

```

525 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/sockmods/%.c
526 $(COMPILE.c) -o $@ $<
527 $(CTFCONVERT_O)

529 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/dlpistub/%.c
530 $(COMPILE.c) -o $@ $<
531 $(CTFCONVERT_O)

533 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/%.c
534 $(COMPILE.c) -o $@ $<
535 $(CTFCONVERT_O)

537 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/%.c
538 $(COMPILE.c) -o $@ $<
539 $(CTFCONVERT_O)

541 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/adapters/%.c
542 $(COMPILE.c) -o $@ $<
543 $(CTFCONVERT_O)

545 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/av1394/%.c
546 $(COMPILE.c) -o $@ $<
547 $(CTFCONVERT_O)

549 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/dcam1394/%.c
550 $(COMPILE.c) -o $@ $<
551 $(CTFCONVERT_O)

553 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/scsal394/%.c
554 $(COMPILE.c) -o $@ $<
555 $(CTFCONVERT_O)

557 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sbp2/%.c
558 $(COMPILE.c) -o $@ $<
559 $(CTFCONVERT_O)

561 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aac/%.c
562 $(COMPILE.c) -o $@ $<
563 $(CTFCONVERT_O)

565 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/afe/%.c
566 $(COMPILE.c) -o $@ $<
567 $(CTFCONVERT_O)

569 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atge/%.c
570 $(COMPILE.c) -o $@ $<
571 $(CTFCONVERT_O)

573 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/arn/%.c
574 $(COMPILE.c) -o $@ $<
575 $(CTFCONVERT_O)

577 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ath/%.c
578 $(COMPILE.c) -o $@ $<
579 $(CTFCONVERT_O)

581 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atu/%.c
582 $(COMPILE.c) -o $@ $<
583 $(CTFCONVERT_O)

585 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/impl/%.c
586 $(COMPILE.c) -o $@ $<
587 $(CTFCONVERT_O)

589 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/ac97/%.c

```

```

590 $(COMPILE.c) -o $@ $<
591 $(CTFCONVERT_O)

593 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioens/%.c
594 $(COMPILE.c) -o $@ $<
595 $(CTFCONVERT_O)

597 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioemul0k/%.c
598 $(COMPILE.c) -o $@ $<
599 $(CTFCONVERT_O)

601 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
602 $(COMPILE.c) -o $@ $<
603 $(CTFCONVERT_O)

605 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio810/%.c
606 $(COMPILE.c) -o $@ $<
607 $(CTFCONVERT_O)

609 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
610 $(COMPILE.c) -o $@ $<
611 $(CTFCONVERT_O)

613 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmihd/%.c
614 $(COMPILE.c) -o $@ $<
615 $(CTFCONVERT_O)

617 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
618 $(COMPILE.c) -o $@ $<
619 $(CTFCONVERT_O)

621 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
622 $(COMPILE.c) -o $@ $<
623 $(CTFCONVERT_O)

625 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiols/%.c
626 $(COMPILE.c) -o $@ $<
627 $(CTFCONVERT_O)

629 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
630 $(COMPILE.c) -o $@ $<
631 $(CTFCONVERT_O)

633 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopl6x/%.c
634 $(COMPILE.c) -o $@ $<
635 $(CTFCONVERT_O)

637 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
638 $(COMPILE.c) -o $@ $<
639 $(CTFCONVERT_O)

641 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiots/%.c
642 $(COMPILE.c) -o $@ $<
643 $(CTFCONVERT_O)

645 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
646 $(COMPILE.c) -o $@ $<
647 $(CTFCONVERT_O)

649 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
650 $(COMPILE.c) -o $@ $<
651 $(CTFCONVERT_O)

653 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bfe/%.c
654 $(COMPILE.c) -o $@ $<
655 $(CTFCONVERT_O)

```

```

657 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bge/%.c
658     $(COMPILE.c) -o $@ $<
659     $(CTFCONVERT_O)

661 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/blkdev/%.c
662     $(COMPILE.c) -o $@ $<
663     $(CTFCONVERT_O)

665 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bpf/%.c
666     $(COMPILE.c) -o $@ $<
667     $(CTFCONVERT_O)

669 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cardbus/%.c
670     $(COMPILE.c) -o $@ $<
671     $(CTFCONVERT_O)

669 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/stmf/%.c
670     $(COMPILE.c) -o $@ $<
671     $(CTFCONVERT_O)

673 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fct/%.c
674     $(COMPILE.c) -o $@ $<
675     $(CTFCONVERT_O)

677 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/qlt/%.c
678     $(COMPILE.c) -o $@ $<
679     $(CTFCONVERT_O)

681 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/srpt/%.c
682     $(COMPILE.c) -o $@ $<
683     $(CTFCONVERT_O)

685 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
686     $(COMPILE.c) -o $@ $<
687     $(CTFCONVERT_O)

689 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsit/%.c
690     $(COMPILE.c) -o $@ $<
691     $(CTFCONVERT_O)

693 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
694     $(COMPILE.c) -o $@ $<
695     $(CTFCONVERT_O)

697 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/pppt/%.c
698     $(COMPILE.c) -o $@ $<
699     $(CTFCONVERT_O)

701 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
702     $(COMPILE.c) -o $@ $<
703     $(CTFCONVERT_O)

705 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cpqary3/%.c
706     $(COMPILE.c) -o $@ $<
707     $(CTFCONVERT_O)

709 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dld/%.c
710     $(COMPILE.c) -o $@ $<
711     $(CTFCONVERT_O)

713 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dls/%.c
714     $(COMPILE.c) -o $@ $<
715     $(CTFCONVERT_O)

717 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dmfe/%.c

```

```

718     $(COMPILE.c) -o $@ $<
719     $(CTFCONVERT_O)

721 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/drm/%.c
722     $(COMPILE.c) -o $@ $<
723     $(CTFCONVERT_O)

725 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/efe/%.c
726     $(COMPILE.c) -o $@ $<
727     $(CTFCONVERT_O)

729 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/elxl/%.c
730     $(COMPILE.c) -o $@ $<
731     $(CTFCONVERT_O)

733 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fcoe/%.c
734     $(COMPILE.c) -o $@ $<
735     $(CTFCONVERT_O)

737 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hme/%.c
738     $(COMPILE.c) -o $@ $<
739     $(CTFCONVERT_O)

741 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/%.c
742     $(COMPILE.c) -o $@ $<
743     $(CTFCONVERT_O)

745 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
746     $(COMPILE.c) -o $@ $<
747     $(CTFCONVERT_O)

749 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/hotplug/%.c
750     $(COMPILE.c) -o $@ $<
751     $(CTFCONVERT_O)

753 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/pcihp/%.c
754     $(COMPILE.c) -o $@ $<
755     $(CTFCONVERT_O)

757 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rds/%.c
758     $(COMPILE.c) -o $@ $<
759     $(CTFCONVERT_O)

761 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rds3/%.c
762     $(COMPILE.c) -o $@ $<
763     $(CTFCONVERT_O)

765 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/iser/%.c
766     $(COMPILE.c) -o $@ $<
767     $(CTFCONVERT_O)

769 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/ibd/%.c
770     $(COMPILE.c) -o $@ $<
771     $(CTFCONVERT_O)

773 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/eoib/%.c
774     $(COMPILE.c) -o $@ $<
775     $(CTFCONVERT_O)

777 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
778     $(COMPILE.c) -o $@ $<
779     $(CTFCONVERT_O)

781 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
782     $(COMPILE.c) -o $@ $<
783     $(CTFCONVERT_O)

```



```
785 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
786 $(COMPILE.c) -o $@ $<
787 $(CTFCONVERT_O)

789 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.
790 $(COMPILE.c) -o $@ $<
791 $(CTFCONVERT_O)

793 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/sdp/%.c
794 $(COMPILE.c) -o $@ $<
795 $(CTFCONVERT_O)

797 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
798 $(COMPILE.c) -o $@ $<
799 $(CTFCONVERT_O)

801 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
802 $(COMPILE.c) -o $@ $<
803 $(CTFCONVERT_O)

805 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
806 $(COMPILE.c) -o $@ $<
807 $(CTFCONVERT_O)

809 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
810 $(COMPILE.c) -o $@ $<
811 $(CTFCONVERT_O)

813 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibnex/%.c
814 $(COMPILE.c) -o $@ $<
815 $(CTFCONVERT_O)

817 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibt1/%.c
818 $(COMPILE.c) -o $@ $<
819 $(CTFCONVERT_O)

821 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
822 $(COMPILE.c) -o $@ $<
823 $(CTFCONVERT_O)

825 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
826 $(COMPILE.c) -o $@ $<
827 $(CTFCONVERT_O)

829 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/daplt/%.c
830 $(COMPILE.c) -o $@ $<
831 $(CTFCONVERT_O)

833 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsi/%.c
834 $(COMPILE.c) -o $@ $<
835 $(CTFCONVERT_O)

837 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/idm/%.c
838 $(COMPILE.c) -o $@ $<
839 $(CTFCONVERT_O)

841 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ipw/%.c
842 $(COMPILE.c) -o $@ $<
843 $(CTFCONVERT_O)

845 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwh/%.c
846 $(COMPILE.c) -o $@ $<
847 $(CTFCONVERT_O)

849 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwi/%.c
```

```
850 $(COMPILE.c) -o $@ $<
851 $(CTFCONVERT_O)

853 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwk/%.c
854 $(COMPILE.c) -o $@ $<
855 $(CTFCONVERT_O)

857 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwp/%.c
858 $(COMPILE.c) -o $@ $<
859 $(CTFCONVERT_O)

861 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kb8042/%.c
862 $(COMPILE.c) -o $@ $<
863 $(CTFCONVERT_O)

865 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kbtrans/%.c
866 $(COMPILE.c) -o $@ $<
867 $(CTFCONVERT_O)

869 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ksocket/%.c
870 $(COMPILE.c) -o $@ $<
871 $(CTFCONVERT_O)

873 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aggr/%.c
874 $(COMPILE.c) -o $@ $<
875 $(CTFCONVERT_O)

877 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lp/%.c
878 $(COMPILE.c) -o $@ $<
879 $(CTFCONVERT_O)

881 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/hotspares/%.c
882 $(COMPILE.c) -o $@ $<
883 $(CTFCONVERT_O)

885 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/md/%.c
886 $(COMPILE.c) -o $@ $<
887 $(CTFCONVERT_O)

889 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/mirror/%.c
890 $(COMPILE.c) -o $@ $<
891 $(CTFCONVERT_O)

893 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/notify/%.c
894 $(COMPILE.c) -o $@ $<
895 $(CTFCONVERT_O)

897 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/raid/%.c
898 $(COMPILE.c) -o $@ $<
899 $(CTFCONVERT_O)

901 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/softpart/%.c
902 $(COMPILE.c) -o $@ $<
903 $(CTFCONVERT_O)

905 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/stripe/%.c
906 $(COMPILE.c) -o $@ $<
907 $(CTFCONVERT_O)

909 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/trans/%.c
910 $(COMPILE.c) -o $@ $<
911 $(CTFCONVERT_O)

913 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/%.c
914 $(COMPILE.c) -o $@ $<
915 $(CTFCONVERT_O)
```

```
917 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/plugins/%.c
918     $(COMPILE.c) -o $@ $<
919     $(CTFCONVERT_O)

921 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mega_sas/%.c
922     $(COMPILE.c) -o $@ $<
923     $(CTFCONVERT_O)

925 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mii/%.c
926     $(COMPILE.c) -o $@ $<
927     $(CTFCONVERT_O)

929 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mr_sas/%.c
930     $(COMPILE.c) -o $@ $<
931     $(CTFCONVERT_O)

933 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
934     $(COMPILE.c) -o $@ $<
935     $(CTFCONVERT_O)

937 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mxfe/%.c
938     $(COMPILE.c) -o $@ $<
939     $(CTFCONVERT_O)

941 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/%.c
942     $(COMPILE.c) -o $@ $<
943     $(CTFCONVERT_O)

945 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
946     $(COMPILE.c) -o $@ $<
947     $(CTFCONVERT_O)

949 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/net80211/%.c
950     $(COMPILE.c) -o $@ $<
951     $(CTFCONVERT_O)

953 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nge/%.c
954     $(COMPILE.c) -o $@ $<
955     $(CTFCONVERT_O)

957 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.c
958     $(COMPILE.c) -o $@ $<
959     $(CTFCONVERT_O)

961 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/npi/%.c
962     $(COMPILE.c) -o $@ $<
963     $(CTFCONVERT_O)

965 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.s
966     $(COMPILE.s) -o $@ $<

968 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pci-ide/%.c
969     $(COMPILE.c) -o $@ $<
970     $(CTFCONVERT_O)

972 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pcn/%.c
973     $(COMPILE.c) -o $@ $<
974     $(CTFCONVERT_O)

976 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppp/%.c
977     $(COMPILE.c) -o $@ $<
978     $(CTFCONVERT_O)

980 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/spppasyn/%.c
981     $(COMPILE.c) -o $@ $<
```

```
982     $(CTFCONVERT_O)

984 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppptun/%.c
985     $(COMPILE.c) -o $@ $<
986     $(CTFCONVERT_O)

988 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ral/%.c
989     $(COMPILE.c) -o $@ $<
990     $(CTFCONVERT_O)

992 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rge/%.c
993     $(COMPILE.c) -o $@ $<
994     $(CTFCONVERT_O)

996 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtls/%.c
997     $(COMPILE.c) -o $@ $<
998     $(CTFCONVERT_O)

1000 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rsm/%.c
1001     $(COMPILE.c) -o $@ $<
1002     $(CTFCONVERT_O)

1004 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtw/%.c
1005     $(COMPILE.c) -o $@ $<
1006     $(CTFCONVERT_O)

1008 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rum/%.c
1009     $(COMPILE.c) -o $@ $<
1010     $(CTFCONVERT_O)

1012 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwd/%.c
1013     $(COMPILE.c) -o $@ $<
1014     $(CTFCONVERT_O)

1016 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwn/%.c
1017     $(COMPILE.c) -o $@ $<
1018     $(CTFCONVERT_O)

1020 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
1021     $(COMPILE.c) -o $@ $<
1022     $(CTFCONVERT_O)

1024 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
1025     $(COMPILE.c) -o $@ $<
1026     $(CTFCONVERT_O)

1028 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
1029     $(COMPILE.c) -o $@ $<
1030     $(CTFCONVERT_O)

1032 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/impl/%.c
1033     $(COMPILE.c) -o $@ $<
1034     $(CTFCONVERT_O)

1036 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/conf/%.c
1037     $(COMPILE.c) -o $@ $<
1038     $(CTFCONVERT_O)

1040 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/impl/%.c
1041     $(COMPILE.c) -o $@ $<
1042     $(CTFCONVERT_O)

1044 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/targets/%.c
1045     $(COMPILE.c) -o $@ $<
1046     $(CTFCONVERT_O)
```

new/usr/src/uts/common/Makefile.rules

17

```
1048 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/%.c
1049     $(COMPILE.c) -o $@ $<
1050     $(CTFCONVERT_O)

1052 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
1053     $(COMPILE.c) -o $@ $<
1054     $(CTFCONVERT_O)

1056 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
1057     $(COMPILE.c) -o $@ $<
1058     $(CTFCONVERT_O)

1060 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
1061     $(COMPILE.c) -o $@ $<
1062     $(CTFCONVERT_O)

1064 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
1065     $(COMPILE.c) -o $@ $<
1066     $(CTFCONVERT_O)

1068 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/impl/%.c
1069     $(COMPILE.c) -o $@ $<
1070     $(CTFCONVERT_O)

1072 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
1073     $(COMPILE.c) -o $@ $<
1074     $(CTFCONVERT_O)

1076 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
1077     $(COMPILE.c) -o $@ $<
1078     $(CTFCONVERT_O)

1080 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
1081     $(COMPILE.c) -o $@ $<
1082     $(CTFCONVERT_O)

1084 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
1085     $(COMPILE.c) -o $@ $<
1086     $(CTFCONVERT_O)

1088 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
1089     $(COMPILE.c) -o $@ $<
1090     $(CTFCONVERT_O)

1092 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
1093     $(COMPILE.c) -o $@ $<
1094     $(CTFCONVERT_O)

1096 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/impl/%.c
1097     $(COMPILE.c) -o $@ $<
1098     $(CTFCONVERT_O)

1100 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
1101     $(COMPILE.c) -o $@ $<
1102     $(CTFCONVERT_O)

1104 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sfe/%.c
1105     $(COMPILE.c) -o $@ $<
1106     $(CTFCONVERT_O)

1108 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/simnet/%.c
1109     $(COMPILE.c) -o $@ $<
1110     $(CTFCONVERT_O)

1112 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/softmac/%.c
1113     $(COMPILE.c) -o $@ $<
```

new/usr/src/uts/common/Makefile.rules

18

```
1114     $(CTFCONVERT_O)

1116 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/%.c
1117     $(COMPILE.c) -o $@ $<
1118     $(CTFCONVERT_O)

1120 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/uath_fw/%.c
1121     $(COMPILE.c) -o $@ $<
1122     $(CTFCONVERT_O)

1124 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ural/%.c
1125     $(COMPILE.c) -o $@ $<
1126     $(CTFCONVERT_O)

1128 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/urtw/%.c
1129     $(COMPILE.c) -o $@ $<
1130     $(CTFCONVERT_O)

1132 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.
1133     $(COMPILE.c) -o $@ $<
1134     $(CTFCONVERT_O)

1136 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.
1137     $(COMPILE.c) -o $@ $<
1138     $(CTFCONVERT_O)

1140 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.
1141     $(COMPILE.c) -o $@ $<
1142     $(CTFCONVERT_O)

1144 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
1145     $(COMPILE.c) -o $@ $<
1146     $(CTFCONVERT_O)

1148 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
1149     $(COMPILE.c) -o $@ $<
1150     $(CTFCONVERT_O)

1152 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
1153     $(COMPILE.c) -o $@ $<
1154     $(CTFCONVERT_O)

1156 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hid/%.c
1157     $(COMPILE.c) -o $@ $<
1158     $(CTFCONVERT_O)

1160 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
1161     $(COMPILE.c) -o $@ $<
1162     $(CTFCONVERT_O)

1164 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/printer/%.c
1165     $(COMPILE.c) -o $@ $<
1166     $(CTFCONVERT_O)

1168 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbbkm/%.c
1169     $(COMPILE.c) -o $@ $<
1170     $(CTFCONVERT_O)

1172 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/uslbs/%.c
1173     $(COMPILE.c) -o $@ $<
1174     $(CTFCONVERT_O)

1176 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbinput/usbwcm
1177     $(COMPILE.c) -o $@ $<
1178     $(CTFCONVERT_O)
```

```
1180 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/ugen/%.c
1181     $(COMPILE.c) -o $@ $<
1182     $(CTFCONVERT_O)

1184 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/%.c
1185     $(COMPILE.c) -o $@ $<
1186     $(CTFCONVERT_O)

1188 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
1189     $(COMPILE.c) -o $@ $<
1190     $(CTFCONVERT_O)

1192 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
1193     $(COMPILE.c) -o $@ $<
1194     $(CTFCONVERT_O)

1196 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
1197     $(COMPILE.c) -o $@ $<
1198     $(CTFCONVERT_O)

1200 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
1201     $(COMPILE.c) -o $@ $<
1202     $(CTFCONVERT_O)

1204 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
1205     $(COMPILE.c) -o $@ $<
1206     $(CTFCONVERT_O)

1208 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hwal480_fw/%.c
1209     $(COMPILE.c) -o $@ $<
1210     $(CTFCONVERT_O)

1212 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
1213     $(COMPILE.c) -o $@ $<
1214     $(CTFCONVERT_O)

1216 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbecm/%.c
1217     $(COMPILE.c) -o $@ $<
1218     $(CTFCONVERT_O)

1220 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/openhci/%.c
1221     $(COMPILE.c) -o $@ $<
1222     $(CTFCONVERT_O)

1224 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/ehci/%.c
1225     $(COMPILE.c) -o $@ $<
1226     $(CTFCONVERT_O)

1228 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/uhci/%.c
1229     $(COMPILE.c) -I../common -o $@ $<
1230     $(CTFCONVERT_O)

1232 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hubd/%.c
1233     $(COMPILE.c) -o $@ $<
1234     $(CTFCONVERT_O)

1236 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/scsa2usb/%.c
1237     $(COMPILE.c) -o $@ $<
1238     $(CTFCONVERT_O)

1240 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usb_mid/%.c
1241     $(COMPILE.c) -o $@ $<
1242     $(CTFCONVERT_O)

1244 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usb_ia/%.c
1245     $(COMPILE.c) -o $@ $<
```

```
1246     $(CTFCONVERT_O)

1248 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usba/%.c
1249     $(COMPILE.c) -o $@ $<
1250     $(CTFCONVERT_O)

1252 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usba10/%.c
1253     $(COMPILE.c) -o $@ $<
1254     $(CTFCONVERT_O)

1256 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
1257     $(COMPILE.c) -o $@ $<
1258     $(CTFCONVERT_O)

1260 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uwb/uwba/%.c
1261     $(COMPILE.c) -o $@ $<
1262     $(CTFCONVERT_O)

1264 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vuidmice/%.c
1265     $(COMPILE.c) -o $@ $<
1266     $(CTFCONVERT_O)

1268 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vnic/%.c
1269     $(COMPILE.c) -o $@ $<
1270     $(CTFCONVERT_O)

1272 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/wpi/%.c
1273     $(COMPILE.c) -o $@ $<
1274     $(CTFCONVERT_O)

1276 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/zyd/%.c
1277     $(COMPILE.c) -o $@ $<
1278     $(CTFCONVERT_O)

1280 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/chxge/com/%.c
1281     $(COMPILE.c) -o $@ $<
1282     $(CTFCONVERT_O)

1284 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/chxge/%.c
1285     $(COMPILE.c) -o $@ $<
1286     $(CTFCONVERT_O)

1288 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/common/%.c
1289     $(COMPILE.c) -o $@ $<
1290     $(CTFCONVERT_O)

1292 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/shared/%.c
1293     $(COMPILE.c) -o $@ $<
1294     $(CTFCONVERT_O)

1296 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/firmware/%.c
1297     $(COMPILE.c) -o $@ $<
1298     $(CTFCONVERT_O)

1300 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/t4nex/%.c
1301     $(COMPILE.c) -o $@ $<
1302     $(CTFCONVERT_O)

1304 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
1305     $(COMPILE.c) -o $@ $<
1306     $(CTFCONVERT_O)

1308 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ixgb/%.c
1309     $(COMPILE.c) -o $@ $<
1310     $(CTFCONVERT_O)
```

new/usr/src/uts/common/Makefile.rules

```

1312 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/xge/drv/%.c
1313 $(COMPILE.c) -o $@ $<
1314 $(CTFCONVERT_O)

1316 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/xge/hal/xgehal/%.c
1317 $(COMPILE.c) -o $@ $<
1318 $(CTFCONVERT_O)

1320 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/e1000api/%.c
1321 $(COMPILE.c) -o $@ $<
1322 $(CTFCONVERT_O)

1324 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/e1000g/%.c
1325 $(COMPILE.c) -o $@ $<
1326 $(CTFCONVERT_O)

1328 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/igb/%.c
1329 $(COMPILE.c) -o $@ $<
1330 $(CTFCONVERT_O)

1332 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iprb/%.c
1333 $(COMPILE.c) -o $@ $<
1334 $(CTFCONVERT_O)

1336 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ixgbe/%.c
1337 $(COMPILE.c) -o $@ $<
1338 $(CTFCONVERT_O)

1340 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ntxn/%.c
1341 $(COMPILE.c) -o $@ $<
1342 $(CTFCONVERT_O)

1344 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/myril0ge/drv/%.c
1345 $(COMPILE.c) -o $@ $<
1346 $(CTFCONVERT_O)

1348 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/%.c
1349 $(COMPILE.c) -o $@ $<
1350 $(CTFCONVERT_O)

1352 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/ipgpc/%.c
1353 $(COMPILE.c) -o $@ $<
1354 $(CTFCONVERT_O)

1356 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/dlcosmk/%.c
1357 $(COMPILE.c) -o $@ $<
1358 $(CTFCONVERT_O)

1360 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/flowacct/%.c
1361 $(COMPILE.c) -o $@ $<
1362 $(CTFCONVERT_O)

1364 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/dscpmk/%.c
1365 $(COMPILE.c) -o $@ $<
1366 $(CTFCONVERT_O)

1368 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/meters/%.c
1369 $(COMPILE.c) -o $@ $<
1370 $(CTFCONVERT_O)

1372 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_emea/%.c
1373 $(COMPILE.c) -o $@ $<
1374 $(CTFCONVERT_O)

1376 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_ja/%.c
1377 $(COMPILE.c) -o $@ $<

```

21

new/usr/src/uts/common/Makefile.rules

```

1378 $(CTFCONVERT_O)

1380 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_ko/%.c
1381 $(COMPILE.c) -o $@ $<
1382 $(CTFCONVERT_O)

1384 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_sc/%.c
1385 $(COMPILE.c) -o $@ $<
1386 $(CTFCONVERT_O)

1388 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_tc/%.c
1389 $(COMPILE.c) -o $@ $<
1390 $(CTFCONVERT_O)

1392 $(OBJSDIR)/%.o: $(UTSBASE)/common/klm/%.c
1393 $(COMPILE.c) -o $@ $<
1394 $(CTFCONVERT_O)

1396 $(OBJSDIR)/%.o: $(UTSBASE)/common/kmdb/%.c
1397 $(COMPILE.c) -o $@ $<
1398 $(CTFCONVERT_O)

1400 $(OBJSDIR)/%.o: $(UTSBASE)/common/ktli/%.c
1401 $(COMPILE.c) -o $@ $<
1402 $(CTFCONVERT_O)

1404 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
1405 $(COMPILE.c) -o $@ $<
1406 $(CTFCONVERT_O)

1408 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsi/%.c
1409 $(COMPILE.c) -o $@ $<
1410 $(CTFCONVERT_O)

1412 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/kifconf/%.c
1413 $(COMPILE.c) -o $@ $<
1414 $(CTFCONVERT_O)

1416 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vr/%.c
1417 $(COMPILE.c) -o $@ $<
1418 $(CTFCONVERT_O)

1420 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/yge/%.c
1421 $(COMPILE.c) -o $@ $<
1422 $(CTFCONVERT_O)

1424 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/skd/%.c
1425 $(COMPILE.c) -o $@ $<
1426 $(CTFCONVERT_O)

1428 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/virtio/%.c
1429 $(COMPILE.c) -o $@ $<
1430 $(CTFCONVERT_O)

1432 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vioblk/%.c
1433 $(COMPILE.c) -o $@ $<
1434 $(CTFCONVERT_O)

1436 #
1437 # krtld must refer to its own bzero/bcopy until the kernel is fully linked
1438 #
1439 $(OBJSDIR)/bootrd.o := CPPFLAGS += -DKOBJ_OVERRIDES
1440 $(OBJSDIR)/doreloc.o := CPPFLAGS += -DKOBJ_OVERRIDES
1441 $(OBJSDIR)/kobj.o := CPPFLAGS += -DKOBJ_OVERRIDES
1442 $(OBJSDIR)/kobj_boot.o := CPPFLAGS += -DKOBJ_OVERRIDES
1443 $(OBJSDIR)/kobj_bootflags.o := CPPFLAGS += -DKOBJ_OVERRIDES

```

22

```

1444 $(OBJS_DIR)/kobj_convrelstr.o := CPPFLAGS += -DKOBJ_OVERRIDES
1445 $(OBJS_DIR)/kobj_isa.o := CPPFLAGS += -DKOBJ_OVERRIDES
1446 $(OBJS_DIR)/kobj_kdi.o := CPPFLAGS += -DKOBJ_OVERRIDES
1447 $(OBJS_DIR)/kobj_lm.o := CPPFLAGS += -DKOBJ_OVERRIDES
1448 $(OBJS_DIR)/kobj_reloc.o := CPPFLAGS += -DKOBJ_OVERRIDES
1449 $(OBJS_DIR)/kobj_stubs.o := CPPFLAGS += -DKOBJ_OVERRIDES
1450 $(OBJS_DIR)/kobj_subr.o := CPPFLAGS += -DKOBJ_OVERRIDES

1452 $(OBJS_DIR)/%.o: $(UTSBASE)/common/krtld/%.c
1453 $(COMPILE.c) -o $@ $<
1454 $(CTFCONVERT_O)

1456 $(OBJS_DIR)/%.o: $(COMMONBASE)/list/%.c
1457 $(COMPILE.c) -o $@ $<
1458 $(CTFCONVERT_O)

1460 $(OBJS_DIR)/%.o: $(COMMONBASE)/lvm/%.c
1461 $(COMPILE.c) -o $@ $<
1462 $(CTFCONVERT_O)

1464 $(OBJS_DIR)/%.o: $(COMMONBASE)/lzma/%.c
1465 $(COMPILE.c) -o $@ $<
1466 $(CTFCONVERT_O)

1468 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/md4/%.c
1469 $(COMPILE.c) -o $@ $<
1470 $(CTFCONVERT_O)

1472 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/md5/%.c
1473 $(COMPILE.c) -o $@ $<
1474 $(CTFCONVERT_O)

1476 $(OBJS_DIR)/%.o: $(COMMONBASE)/net/dhcp/%.c
1477 $(COMPILE.c) -o $@ $<
1478 $(CTFCONVERT_O)

1480 $(OBJS_DIR)/%.o: $(COMMONBASE)/nvpair/%.c
1481 $(COMPILE.c) -o $@ $<
1482 $(CTFCONVERT_O)

1484 $(OBJS_DIR)/%.o: $(UTSBASE)/common/os/%.c
1485 $(COMPILE.c) -o $@ $<
1486 $(CTFCONVERT_O)

1492 $(OBJS_DIR)/%.o: $(UTSBASE)/common/pcmcia/cis/%.c
1493 $(COMPILE.c) -o $@ $<
1494 $(CTFCONVERT_O)

1496 $(OBJS_DIR)/%.o: $(UTSBASE)/common/pcmcia/cs/%.c
1497 $(COMPILE.c) -o $@ $<
1498 $(CTFCONVERT_O)

1500 $(OBJS_DIR)/%.o: $(UTSBASE)/common/pcmcia/nexus/%.c
1501 $(COMPILE.c) -o $@ $<
1502 $(CTFCONVERT_O)

1504 $(OBJS_DIR)/%.o: $(UTSBASE)/common/pcmcia/pcs/%.c
1505 $(COMPILE.c) -o $@ $<
1506 $(CTFCONVERT_O)

1488 $(OBJS_DIR)/%.o: $(UTSBASE)/common/rpc/%.c
1489 $(COMPILE.c) -o $@ $<
1490 $(CTFCONVERT_O)

1492 $(OBJS_DIR)/%.o: $(UTSBASE)/common/rpc/sec/%.c
1493 $(COMPILE.c) -o $@ $<

```

```

1494 $(CTFCONVERT_O)

1496 $(OBJS_DIR)/%.o: $(UTSBASE)/common/rpc/sec_gss/%.c
1497 $(COMPILE.c) -o $@ $<
1498 $(CTFCONVERT_O)

1500 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/shal/%.c
1501 $(COMPILE.c) -o $@ $<
1502 $(CTFCONVERT_O)

1504 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/sha2/%.c
1505 $(COMPILE.c) -o $@ $<
1506 $(CTFCONVERT_O)

1508 $(OBJS_DIR)/%.o: $(UTSBASE)/common/syscall/%.c
1509 $(COMPILE.c) -o $@ $<
1510 $(CTFCONVERT_O)

1512 $(OBJS_DIR)/%.o: $(UTSBASE)/common/tnf/%.c
1513 $(COMPILE.c) -o $@ $<
1514 $(CTFCONVERT_O)

1516 $(OBJS_DIR)/%.o: $(COMMONBASE)/tsol/%.c
1517 $(COMPILE.c) -o $@ $<
1518 $(CTFCONVERT_O)

1520 $(OBJS_DIR)/%.o: $(COMMONBASE)/util/%.c
1521 $(COMPILE.c) -o $@ $<
1522 $(CTFCONVERT_O)

1524 $(OBJS_DIR)/%.o: $(COMMONBASE)/unicode/%.c
1525 $(COMPILE.c) -o $@ $<
1526 $(CTFCONVERT_O)

1528 $(OBJS_DIR)/%.o: $(UTSBASE)/common/vm/%.c
1529 $(COMPILE.c) -o $@ $<
1530 $(CTFCONVERT_O)

1532 $(OBJS_DIR)/%.o: $(UTSBASE)/common/zmod/%.c
1533 $(COMPILE.c) -o $@ $<
1534 $(CTFCONVERT_O)

1536 $(OBJS_DIR)/zlib_obj.o: $(ZLIB_OBJS:%=$(OBJS_DIR)/%)
1537 $(LD) -r -Breduce -M$(UTSBASE)/common/zmod/mapfile -o $@ \
1538 $(ZLIB_OBJS:%=$(OBJS_DIR)/%)
1539 $(CTFMERGE) -t -f -L VERSION -o $@ $(ZLIB_OBJS:%=$(OBJS_DIR)/%)

1541 $(OBJS_DIR)/%.o: $(UTSBASE)/common/io/hxge/%.c
1542 $(COMPILE.c) -o $@ $<
1543 $(CTFCONVERT_O)

1545 $(OBJS_DIR)/%.o: $(UTSBASE)/common/io/tpm/%.c
1546 $(COMPILE.c) -o $@ $<
1547 $(CTFCONVERT_O)

1549 $(OBJS_DIR)/%.o: $(UTSBASE)/common/io/tpm/%.s
1550 $(COMPILE.s) -o $@ $<

1552 $(OBJS_DIR)/bz2.o: $(COMMONBASE)/bzip2/%.c
1553 $(COMPILE.c) -o $@ -I$(COMMONBASE)/bzip2 $<
1554 $(CTFCONVERT_O)

1556 BZ2LINT = -erroff=%all -I$(UTSBASE)/common/bzip2

1558 $(LINTS_DIR)/bz2%.ln: $(COMMONBASE)/bzip2/%.c
1559 @($(LHEAD) $(LINT.c) -C $(LINTS_DIR)/`basename $@ .ln` $(BZ2LINT) $< $(

```

```

1561 #
1562 #      Section lb:      Lint 'objects'
1563 #
1564 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/aes/%.c
1565     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1567 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/arcfour/%.c
1568     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1570 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/blowfish/%.c
1571     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1573 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/ecc/%.c
1574     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1576 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/modes/%.c
1577     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1579 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/padding/%.c
1580     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1582 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rng/%.c
1583     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1585 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rsa/%.c
1586     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1588 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/bignum/%.c
1589     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1591 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/bignum/%.c
1592     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1594 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/mpi/%.c
1595     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1597 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/acl/%.c
1598     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1600 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/avl/%.c
1601     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1603 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ucode/%.c
1604     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1606 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/snl/%.c
1607     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1609 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/solaris10/%.c
1610     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1612 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/c2/%.c
1613     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1615 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/conf/%.c
1616     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1618 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/contract/%.c
1619     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1621 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/cpr/%.c
1622     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1624 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/ctf/%.c
1625     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1627 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ctf/%.c
1628     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1630 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/pci/%.c
1631     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1633 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/devic/%.c
1634     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1636 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/des/%.c
1637     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1639 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/smbios/%.c
1640     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1642 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ncall/%.c
1643     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1645 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/dsw/%.c
1646     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1648 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/nsctl/%.c
1649     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1651 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/rdc/%.c
1652     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1654 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sdbc/%.c
1655     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1657 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/solaris/%.c
1658     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1660 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sv/%.c
1661     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1663 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/unistat/%.c
1664     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1666 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/des/%.c
1667     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1669 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/api/%.c
1670     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1672 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/core/%.c
1673     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1675 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/io/%.c
1676     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1678 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/spi/%.c
1679     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1681 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/disp/%.c
1682     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1684 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/dtrace/%.c
1685     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1687 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/exacct/%.c
1688     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1690 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/exec/aout/%.c
1691     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1693 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/exec/elf/%.c
1694     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1696 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/exec/intp/%.c
1697     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1699 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/exec/shbin/%.c
1700     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1702 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/exec/java/%.c
1703     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1705 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/%.c
1706     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1708 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/autofs/%.c
1709     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1711 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/cacheefs/%.c
1712     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1714 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/ctfs/%.c
1715     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1717 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/doorfs/%.c
1718     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1720 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/dcfis/%.c
1721     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1723 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/devfs/%.c
1724     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1726 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/dev/%.c
1727     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1729 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/fd/%.c
1730     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1732 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/fifoefs/%.c
1733     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1735 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/hsfs/%.c
1736     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1738 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/lofs/%.c
1739     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1741 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/mntfs/%.c
1742     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1744 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/namefs/%.c
1745     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1747 $(LINTSDIR)/%.ln:      $(COMMONBASE)/smbfs/%.c
1748     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1750 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/smbfs/%.c
1751     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1753 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/nfs/%.c
1754     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1756 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/objfs/%.c
1757     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1759 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/pcfs/%.c
1760     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1762 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/portfs/%.c
1763     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1765 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/proc/%.c
1766     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1768 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/sharefs/%.c
1769     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1771 $(LINTSDIR)/%.ln:      $(COMMONBASE)/smbclnt/%.c
1772     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1774 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/smbclnt/netfs/%.c
1775     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1777 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
1778     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1780 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/sockfs/%.c
1781     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1783 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/specfs/%.c
1784     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1786 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/swapfs/%.c
1787     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1789 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/tmpfs/%.c
1790     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1792 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/udfs/%.c
1793     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1795 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/ufs/%.c
1796     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1798 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/ufs_log/%.c
1799     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1801 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/vscan/%.c
1802     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1804 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/zfs/%.c
1805     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1807 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/fs/zut/%.c
1808     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1810 $(LINTSDIR)/%.ln:      $(COMMONBASE)/xattr/%.c
1811     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1813 $(LINTSDIR)/%.ln:      $(COMMONBASE)/zfs/%.c
1814     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1816 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/gssapi/%.c
1817     @$(LHEAD) $(LINT.c) $(KGSDFLAGS) $< $(LTAIL))

1819 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/gssapi/mechs/dummy/%.c
1820     @$(LHEAD) $(LINT.c) $(KGSDFLAGS) $< $(LTAIL))

1822 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/%.c
1823     @$(LHEAD) $(LINT.c) $(KGSDFLAGS) $< $(LTAIL))

```



```
1825 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/%.c
1826     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1828 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/des/%.c
1829     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1831 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/dk/%.c
1832     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1834 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/os/%.c
1835     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1837 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/arcfour/%.c
1838     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1840 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
1841     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1843 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
1844     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1846 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
1847     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1849 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/raw/%.c
1850     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1852 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/crypto/old/%.c
1853     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1855 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/krb5/krb/%.c
1856     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1858 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/krb5/os/%.c
1859     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1861 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/mech/%.c
1862     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1864 $(LINTSDIR)/%.ln: $(UTSBASE)/common/idmap/%.c
1865     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1867 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/%.c
1868     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1870 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/sockmods/%.c
1871     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1873 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/arp/%.c
1874     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1876 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ip/%.c
1877     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1879 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ipnet/%.c
1880     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1882 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/iptun/%.c
1883     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1885 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ipd/%.c
1886     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1888 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ipf/%.c
1889     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))
```

```
1891 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ksl/%.c
1892     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1894 $(LINTSDIR)/%.ln: $(COMMONBASE)/net/patricia/%.c
1895     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))

1897 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/udp/%.c
1898     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1900 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/sctp/%.c
1901     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1903 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/tcp/%.c
1904     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1906 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/ilb/%.c
1907     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1909 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/nca/%.c
1910     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1912 $(LINTSDIR)/%.ln: $(UTSBASE)/common/inet/dlpistub/%.c
1913     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1915 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/%.c
1916     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1918 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/1394/%.c
1919     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1921 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/1394/adapters/%.c
1922     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1924 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/1394/targets/av1394/%.c
1925     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1927 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/1394/targets/dcam1394/%.c
1928     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1930 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/1394/targets/scsal394/%.c
1931     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1933 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sbp2/%.c
1934     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1936 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/aac/%.c
1937     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1939 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/afe/%.c
1940     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1942 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/atge/%.c
1943     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1945 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/arn/%.c
1946     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1948 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ath/%.c
1949     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1951 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/atu/%.c
1952     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1954 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/impl/%.c
1955     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
1957 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/ac97/%.c
1958     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1960 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
1961     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1963 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio810/%.c
1964     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1966 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
1967     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1969 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmihd/%.c
1970     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1972 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioens/%.c
1973     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1975 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioemu10k/%.c
1976     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1978 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
1979     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1981 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
1982     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1984 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiols/%.c
1985     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1987 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
1988     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1990 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiopl6x/%.c
1991     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1993 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
1994     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1996 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiotx/%.c
1997     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1999 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
2000     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2002 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
2003     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2005 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bfe/%.c
2006     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2008 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bpf/%.c
2009     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2011 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bge/%.c
2012     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2014 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/blkdev/%.c
2015     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2037 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cardbus/%.c
2038     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2017 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
2018     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2020 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fct/%.c
2021     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2023 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/qlt/%.c
2024     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2026 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/srpt/%.c
2027     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2029 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsit/%.c
2030     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2032 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
2033     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2035 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
2036     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2038 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/pppt/%.c
2039     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2041 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/stmf/%.c
2042     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2044 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cpgary3/%.c
2045     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2047 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dld/%.c
2048     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2050 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dls/%.c
2051     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2053 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dmfe/%.c
2054     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2056 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/drm/%.c
2057     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2059 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/efe/%.c
2060     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2062 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/elxl/%.c
2063     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2065 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fcoe/%.c
2066     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2068 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hme/%.c
2069     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2071 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/%.c
2072     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2074 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
2075     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2077 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/hotplug/%.c
2078     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2080 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/pcihp/%.c
2081     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2083 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds/%.c
2084     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2086 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds3/%.c
2087     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2089 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/iser/%.c
2090     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2092 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/ibd/%.c
2093     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2095 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/eoib/%.c
2096     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2098 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
2099     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2101 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
2102     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2104 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
2105     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2107 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.
2108     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2110 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/sdp/%.c
2111     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2113 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
2114     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2116 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
2117     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2119 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
2120     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2122 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
2123     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2125 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibnex/%.c
2126     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2128 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibt1/%.c
2129     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2131 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
2132     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2134 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
2135     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2137 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/daplt/%.c
2138     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2140 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsi/%.c
2141     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2143 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/idm/%.c
2144     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2146 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ipw/%.c
2147     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2149 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwh/%.c
2150     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2152 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwi/%.c
2153     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2155 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwk/%.c
2156     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2158 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwp/%.c
2159     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2161 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kb8042/%.c
2162     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2164 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kbtrans/%.c
2165     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2167 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ksocket/%.c
2168     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2170 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/aggr/%.c
2171     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2173 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lp/%.c
2174     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2176 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/hotspares/%.c
2177     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2179 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/md/%.c
2180     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2182 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/mirror/%.c
2183     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2185 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/raid/%.c
2186     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2188 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/softpart/%.c
2189     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2191 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/stripes/%.c
2192     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2194 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/notify/%.c
2195     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2197 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/trans/%.c
2198     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2200 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/%.c
2201     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2203 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/plugins/%.c
2204     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2206 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mega_sas/%.c
2207     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2209 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mii/%.c
2210     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2212 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mr_sas/%.c
2213     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2215 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
2216     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2218 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mxfe/%.c
2219     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2221 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/%.c
2222     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2224 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
2225     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2227 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/net80211/%.c
2228     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2230 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nge/%.c
2231     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2233 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.c
2234     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2236 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.s
2237     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2239 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/npi/%.c
2240     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2242 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pci-ide/%.c
2243     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2245 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pcn/%.c
2246     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2248 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/sppp/%.c
2249     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2251 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/spppasyn/%.c
2252     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2254 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/sppptun/%.c
2255     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2257 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ral/%.c
2258     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2260 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rge/%.c
2261     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2263 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtls/%.c
2264     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2266 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rsm/%.c
2267     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2269 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtw/%.c
2270     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2272 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rum/%.c
2273     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2275 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwd/%.c
2276     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2278 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwn/%.c
2279     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2281 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
2282     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2284 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
2285     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2287 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
2288     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2290 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/impl/%.c
2291     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2293 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/%.c
2294     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2296 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
2297     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2299 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
2300     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2302 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
2303     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2305 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
2306     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2308 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
2309     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2311 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/impl/%.c
2312     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2314 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
2315     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2317 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
2318     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2320 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
2321     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2323 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
2324     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2326 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
2327     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2329 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/conf/%.c
2330     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2332 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/impl/%.c
2333     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2335 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/targets/%.c
2336     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2338 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
2339     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2341 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/impl/%.c
2342     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2344 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
2345     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2347 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sfe/%.c
2348     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2350 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/simnet/%.c
2351     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2353 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/softmac/%.c
2354     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2356 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/%.c
2357     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2359 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/uath_fw/%.c
2360     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2362 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ural/%.c
2363     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2365 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/urtw/%.c
2366     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2368 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.
2369     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2371 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.
2372     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2374 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.
2375     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2377 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
2378     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2380 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
2381     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2383 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
2384     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2386 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hid/%.c
2387     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2389 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
2390     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2392 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbbkm/%.c
2393     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2395 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/uslbs/%.c
2396     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2398 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbinput/usbwcm
2399     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2401 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/ugen/%.c
2402     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2404 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/printer/%.c
2405     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2407 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/%.c
2408     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2410 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
2411     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2413 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
2414     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2416 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
2417     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2419 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
2420     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2422 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
2423     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2425 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwal480_fw/%.c
2426     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2428 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
2429     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2431 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbecm/%.c
2432     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2434 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/openhci/%.c
2435     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2437 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/ehci/%.c
2438     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2440 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/uhci/%.c
2441     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2443 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hubd/%.c
2444     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2446 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/scsa2usb/%.c
2447     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2449 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_mid/%.c
2450     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2452 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_ia/%.c
2453     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2455 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba/%.c
2456     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2458 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba10/%.c
2459     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2461 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uwb/uwba/%.c
2462     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2464 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
2465     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2467 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vuidmice/%.c
2468     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2470 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vnic/%.c
2471     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2473 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/wpi/%.c
2474     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2476 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/zyd/%.c
2477     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2479 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/com/%.c
2480     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2482 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/%.c
2483     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2485 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/common/%.c
2486     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2488 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/shared/%.c
2489     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2491 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/firmware/%.c
2492     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2494 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/t4nex/%.c
2495     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2497 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
2498     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2500 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgb/%.c
2501     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2503 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/drv/%.c
2504     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2506 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/hal/xgehal/%.c
2507     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2509 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000g/%.c
2510     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2512 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000api/%.c
2513     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2515 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/igb/%.c
2516     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2518 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iprb/%.c
2519     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2521 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgbe/%.c
2522     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2524 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ntxn/%.c
2525     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2527 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/myril0ge/drv/%.c
2528     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2530 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/%.c
2531     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2533 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/ipgpc/%.c
2534     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2536 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dlcosmk/%.c
2537     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2539 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/flowacct/%.c
2540     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2542 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dscpmk/%.c
2543     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2545 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/meters/%.c
2546     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2548 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_emea/%.c
2549     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2551 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ja/%.c
2552     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2554 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ko/%.c
2555     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2557 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_sc/%.c
2558     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2560 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_tc/%.c
2561     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2563 $(LINTSDIR)/%.ln: $(UTSBASE)/common/klm/%.c
2564     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2566 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kmdb/%.c
2567     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2569 $(LINTSDIR)/%.ln: $(UTSBASE)/common/krtld/%.c
2570     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2572 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ktli/%.c
2573     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2575 $(LINTSDIR)/%.ln: $(COMMONBASE)/list/%.c
2576     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2578 $(LINTSDIR)/%.ln: $(COMMONBASE)/lvm/%.c
2579     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2581 $(LINTSDIR)/%.ln: $(COMMONBASE)/lzma/%.c
2582     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2584 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md4/%.c
2585     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2587 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md5/%.c
2588     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2590 $(LINTSDIR)/%.ln: $(COMMONBASE)/net/dhcp/%.c
2591     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2593 $(LINTSDIR)/%.ln: $(COMMONBASE)/nvpair/%.c
2594     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2596 $(LINTSDIR)/%.ln: $(UTSBASE)/common/os/%.c
2597     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2599 $(LINTSDIR)/%.ln: $(UTSBASE)/common/rpc/%.c
2600     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2625 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cs/%.c
2626     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2628 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cis/%.c
2629     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2631 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/nexus/%.c
2632     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2634 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/pcs/%.c
2635     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```

2602 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/%.c
2603     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2605 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/sec/%.c
2606     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2608 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/sec_gss/%.c
2609     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2611 $(LINTSDIR)/%.ln:      $(COMMONBASE)/crypto/shal/%.c
2612     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2614 $(LINTSDIR)/%.ln:      $(COMMONBASE)/crypto/sha2/%.c
2615     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2617 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/syscall/%.c
2618     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2620 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/tnf/%.c
2621     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2623 $(LINTSDIR)/%.ln:      $(COMMONBASE)/tsol/%.c
2624     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2626 $(LINTSDIR)/%.ln:      $(COMMONBASE)/util/%.c
2627     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2629 $(LINTSDIR)/%.ln:      $(COMMONBASE)/unicode/%.c
2630     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2632 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/vm/%.c
2633     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2635 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
2636     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2638 $(LINTSDIR)/%.ln:      $(COMMONBASE)/iscsi/%.c
2639     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2641 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/kifconf/%.c
2642     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2644 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/virtio/%.c
2645     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2647 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/vioblk/%.c
2648     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2650 ZMODLINTFLAGS = -erroff=E_CONSTANT_CONDITION

2652 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/zmod/%.c
2653     @$(LHEAD) $(LINT.c) $(ZMODLINTFLAGS) $< $(LTAIL))

2655 $(LINTSDIR)/zlib_obj.ln: $(ZLIB_OBJS:%.o=$(LINTSDIR)/%.ln) \
2656     $(UTSBASE)/common/zmod/zlib_lint.c
2657     @$(LHEAD) $(LINT.c) -C $(LINTSDIR)/zlib_obj \
2658     $(UTSBASE)/common/zmod/zlib_lint.c $(LTAIL))

2660 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/hxge/%.c
2661     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2663 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.c
2664     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2666 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.s

```

```

2667     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2669 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/vr/%.c
2670     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2672 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/yge/%.c
2673     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2675 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/skd/%.c
2676     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2678 $(LINTSDIR)/%.ln:      $(COMMONBASE)/fsreparse/%.c
2679     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

new/usr/src/uts/common/Makefile.rules.orig

1

73245 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.rules.orig

5075 EOF cardbus & pcmcia

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the license file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
25 # Copyright 2014 Nexenta Systems, Inc. All rights reserved.
26 #
27 #
28 #
29 # uts/common/Makefile.rules
30 #
31 # This Makefile defines all the file build rules for the directory
32 # uts/common and its children. These are the source files which may
33 # be considered common to all SunOS systems.
34 #
35 # The following two-level ordering must be maintained in this file.
36 # Lines are sorted first in order of decreasing specificity based on
37 # the first directory component. That is, sun4u rules come before
38 # sparc rules come before common rules.
39 #
40 # Lines whose initial directory components are equal are sorted
41 # alphabetically by the remaining components.
42 #
43 #
44 # Section 1a: C objects build rules
45 #
46 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/aes/%.c
47 $(COMPILE.c) -o $@ $<
48 $(CTFCONVERT_O)
49
50 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/arcfour/%.c
51 $(COMPILE.c) -o $@ $<
52 $(CTFCONVERT_O)
53
54 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/blowfish/%.c
55 $(COMPILE.c) -o $@ $<
56 $(CTFCONVERT_O)
57
58 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/ecc/%.c
59 $(COMPILE.c) -o $@ $<
60 $(CTFCONVERT_O)
```

new/usr/src/uts/common/Makefile.rules.orig

2

```
62 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/modes/%.c
63 $(COMPILE.c) -o $@ $<
64 $(CTFCONVERT_O)
65
66 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/padding/%.c
67 $(COMPILE.c) -o $@ $<
68 $(CTFCONVERT_O)
69
70 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/rng/%.c
71 $(COMPILE.c) -o $@ $<
72 $(CTFCONVERT_O)
73
74 $(OBJDIR)/%.o: $(COMMONBASE)/crypto/rsa/%.c
75 $(COMPILE.c) -o $@ $<
76 $(CTFCONVERT_O)
77
78 $(OBJDIR)/%.o: $(COMMONBASE)/bignum/%.c
79 $(COMPILE.c) -o $@ $<
80 $(CTFCONVERT_O)
81
82 $(OBJDIR)/%.o: $(UTSBASE)/common/bignum/%.c
83 $(COMPILE.c) -o $@ $<
84 $(CTFCONVERT_O)
85
86 $(OBJDIR)/%.o: $(COMMONBASE)/mpi/%.c
87 $(COMPILE.c) -o $@ $<
88 $(CTFCONVERT_O)
89
90 $(OBJDIR)/%.o: $(COMMONBASE)/acl/%.c
91 $(COMPILE.c) -o $@ $<
92 $(CTFCONVERT_O)
93
94 $(OBJDIR)/%.o: $(COMMONBASE)/avl/%.c
95 $(COMPILE.c) -o $@ $<
96 $(CTFCONVERT_O)
97
98 $(OBJDIR)/%.o: $(COMMONBASE)/ucode/%.c
99 $(COMPILE.c) -o $@ $<
100 $(CTFCONVERT_O)
101
102 $(OBJDIR)/%.o: $(UTSBASE)/common/brand/snl/%.c
103 $(COMPILE.c) -o $@ $<
104 $(CTFCONVERT_O)
105
106 $(OBJDIR)/%.o: $(UTSBASE)/common/brand/solaris10/%.c
107 $(COMPILE.c) -o $@ $<
108 $(CTFCONVERT_O)
109
110 $(OBJDIR)/%.o: $(UTSBASE)/common/c2/%.c
111 $(COMPILE.c) -o $@ $<
112 $(CTFCONVERT_O)
113
114 $(OBJDIR)/%.o: $(UTSBASE)/common/conf/%.c
115 $(COMPILE.c) -o $@ $<
116 $(CTFCONVERT_O)
117
118 $(OBJDIR)/%.o: $(UTSBASE)/common/contract/%.c
119 $(COMPILE.c) -o $@ $<
120 $(CTFCONVERT_O)
121
122 $(OBJDIR)/%.o: $(UTSBASE)/common/cpr/%.c
123 $(COMPILE.c) -o $@ $<
124 $(CTFCONVERT_O)
125
126 $(OBJDIR)/%.o: $(UTSBASE)/common/ctf/%.c
127 $(COMPILE.c) -o $@ $<
```



```

128      $(CTFCONVERT_O)

130 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/ctf/%.c
131     $(COMPILE.c) -o $@ $<
132     $(CTFCONVERT_O)

134 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/crypto/des/%.c
135     $(COMPILE.c) -o $@ $<
136     $(CTFCONVERT_O)

138 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/smbios/%.c
139     $(COMPILE.c) -o $@ $<
140     $(CTFCONVERT_O)

142 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/des/%.c
143     $(COMPILE.c) -o $@ $<
144     $(CTFCONVERT_O)

146 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/crypto/api/%.c
147     $(COMPILE.c) -o $@ $<
148     $(CTFCONVERT_O)

150 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/crypto/core/%.c
151     $(COMPILE.c) -o $@ $<
152     $(CTFCONVERT_O)

154 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/crypto/io/%.c
155     $(COMPILE.c) -o $@ $<
156     $(CTFCONVERT_O)

158 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/crypto/spi/%.c
159     $(COMPILE.c) -o $@ $<
160     $(CTFCONVERT_O)

162 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/pci/%.c
163     $(COMPILE.c) -o $@ $<
164     $(CTFCONVERT_O)

166 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/devid/%.c
167     $(COMPILE.c) -o $@ $<
168     $(CTFCONVERT_O)

170 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/disp/%.c
171     $(COMPILE.c) -o $@ $<
172     $(CTFCONVERT_O)

174 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/dtrace/%.c
175     $(COMPILE.c) -o $@ $<
176     $(CTFCONVERT_O)

178 $(OBJJS_DIR)/%.o:      $(COMMONBASE)/exacct/%.c
179     $(COMPILE.c) -o $@ $<
180     $(CTFCONVERT_O)

182 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/exec/aout/%.c
183     $(COMPILE.c) -o $@ $<
184     $(CTFCONVERT_O)

186 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/exec/elf/%.c
187     $(COMPILE.c) -o $@ $<
188     $(CTFCONVERT_O)

190 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/exec/intp/%.c
191     $(COMPILE.c) -o $@ $<
192     $(CTFCONVERT_O)

```

```

194 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/exec/shbin/%.c
195     $(COMPILE.c) -o $@ $<
196     $(CTFCONVERT_O)

198 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/exec/java/%.c
199     $(COMPILE.c) -o $@ $<
200     $(CTFCONVERT_O)

202 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/%.c
203     $(COMPILE.c) -o $@ $<
204     $(CTFCONVERT_O)

206 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/autofs/%.c
207     $(COMPILE.c) -o $@ $<
208     $(CTFCONVERT_O)

210 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/cacheufs/%.c
211     $(COMPILE.c) -o $@ $<
212     $(CTFCONVERT_O)

214 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/dccfs/%.c
215     $(COMPILE.c) -o $@ $<
216     $(CTFCONVERT_O)

218 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/devfs/%.c
219     $(COMPILE.c) -o $@ $<
220     $(CTFCONVERT_O)

222 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/ctfs/%.c
223     $(COMPILE.c) -o $@ $<
224     $(CTFCONVERT_O)

226 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/doorfs/%.c
227     $(COMPILE.c) -o $@ $<
228     $(CTFCONVERT_O)

230 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/dev/%.c
231     $(COMPILE.c) -o $@ $<
232     $(CTFCONVERT_O)

234 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/fd/%.c
235     $(COMPILE.c) -o $@ $<
236     $(CTFCONVERT_O)

238 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/fifofs/%.c
239     $(COMPILE.c) -o $@ $<
240     $(CTFCONVERT_O)

242 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/hfs/%.c
243     $(COMPILE.c) -o $@ $<
244     $(CTFCONVERT_O)

246 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/lofs/%.c
247     $(COMPILE.c) -o $@ $<
248     $(CTFCONVERT_O)

250 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/mntfs/%.c
251     $(COMPILE.c) -o $@ $<
252     $(CTFCONVERT_O)

254 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/namefs/%.c
255     $(COMPILE.c) -o $@ $<
256     $(CTFCONVERT_O)

258 $(OBJJS_DIR)/%.o:      $(UTSBASE)/common/fs/nfs/%.c
259     $(COMPILE.c) -o $@ $<

```

```

260      $(CTFCONVERT_O)

262 $(OBJSDIR)/%.o:      $(COMMONBASE)/smbsrv/%.c
263   $(COMPILE.c) -o $@ $<
264   $(CTFCONVERT_O)

266 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbsrv/%.c
267   $(COMPILE.c) -o $@ $<
268   $(CTFCONVERT_O)

270 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/objfs/%.c
271   $(COMPILE.c) -o $@ $<
272   $(CTFCONVERT_O)

274 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/pcfs/%.c
275   $(COMPILE.c) -o $@ $<
276   $(CTFCONVERT_O)

278 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/portfs/%.c
279   $(COMPILE.c) -o $@ $<
280   $(CTFCONVERT_O)

282 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/proc/%.c
283   $(COMPILE.c) -o $@ $<
284   $(CTFCONVERT_O)

286 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/sharefs/%.c
287   $(COMPILE.c) -o $@ $<
288   $(CTFCONVERT_O)

290 $(OBJSDIR)/%.o:      $(COMMONBASE)/smbclnt/%.c
291   $(COMPILE.c) -o $@ $<
292   $(CTFCONVERT_O)

294 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbclnt/net smb/%.c
295   $(COMPILE.c) -o $@ $<
296   $(CTFCONVERT_O)

298 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
299   $(COMPILE.c) -o $@ $<
300   $(CTFCONVERT_O)

302 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/sockfs/%.c
303   $(COMPILE.c) -o $@ $<
304   $(CTFCONVERT_O)

306 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/specfs/%.c
307   $(COMPILE.c) -o $@ $<
308   $(CTFCONVERT_O)

310 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/swapfs/%.c
311   $(COMPILE.c) -o $@ $<
312   $(CTFCONVERT_O)

314 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/tmpfs/%.c
315   $(COMPILE.c) -o $@ $<
316   $(CTFCONVERT_O)

318 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/udfs/%.c
319   $(COMPILE.c) -o $@ $<
320   $(CTFCONVERT_O)

322 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/ufs/%.c
323   $(COMPILE.c) -o $@ $<
324   $(CTFCONVERT_O)

```

```

326 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vscan/%.c
327   $(COMPILE.c) -o $@ $<
328   $(CTFCONVERT_O)

330 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/zfs/%.c
331   $(COMPILE.c) -o $@ $<
332   $(CTFCONVERT_O)

334 $(OBJSDIR)/%.o:      $(UTSBASE)/common/fs/zut/%.c
335   $(COMPILE.c) -o $@ $<
336   $(CTFCONVERT_O)

338 $(OBJSDIR)/%.o:      $(COMMONBASE)/xattr/%.c
339   $(COMPILE.c) -o $@ $<
340   $(CTFCONVERT_O)

342 $(OBJSDIR)/%.o:      $(COMMONBASE)/zfs/%.c
343   $(COMPILE.c) -o $@ $<
344   $(CTFCONVERT_O)

346 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
347   $(COMPILE.c) -o $@ $<
348   $(CTFCONVERT_O)

350 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/scsi/adapters/pmcs/%.bin
351   $(COMPILE.b) -o $@ $<
352   $(CTFCONVERT_O)

354 $(OBJSDIR)/%.o:      $(COMMONBASE)/fsreparse/%.c
355   $(COMPILE.c) -o $@ $<
356   $(CTFCONVERT_O)

358 KMECHKRB5_BASE=$(UTSBASE)/common/gssapi/mechs/krb5

360 KGSSDFFLAGS=-I $(UTSBASE)/common/gssapi/include

362 # Note, KRB5_DEFS can be assigned various preprocessor flags,
363 # typically -D defines on the make invocation. The standard compiler
364 # flags will not be overwritten.
365 KGSSDFFLAGS += $(KRB5_DEFS)

367 $(OBJSDIR)/%.o:      $(UTSBASE)/common/gssapi/%.c
368   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
369   $(CTFCONVERT_O)

371 $(OBJSDIR)/%.o:      $(UTSBASE)/common/gssapi/mechs/dummy/%.c
372   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
373   $(CTFCONVERT_O)

375 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/%.c
376   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
377   $(CTFCONVERT_O)

379 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/%.c
380   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
381   $(CTFCONVERT_O)

383 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/des/%.c
384   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
385   $(CTFCONVERT_O)

387 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/arcfour/%.c
388   $(COMPILE.c) $(KGSSDFFLAGS) -o $@ $<
389   $(CTFCONVERT_O)

391 $(OBJSDIR)/%.o:      $(KMECHKRB5_BASE)/crypto/dk/%.c

```

```

392 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
393 $(CTFCONVERT_O)

395 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
396 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
397 $(CTFCONVERT_O)

399 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
400 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
401 $(CTFCONVERT_O)

403 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
404 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
405 $(CTFCONVERT_O)

407 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/crypto/raw/%.c
408 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
409 $(CTFCONVERT_O)

411 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/crypto/old/%.c
412 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
413 $(CTFCONVERT_O)

415 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/krb5/krb/%.c
416 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
417 $(CTFCONVERT_O)

419 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/krb5/os/%.c
420 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
421 $(CTFCONVERT_O)

423 $(OBJDIR)/ser_sctx.o := CPPFLAGS += -DPROVIDE_KERNEL_IMPORT=1

425 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/mech/%.c
426 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
427 $(CTFCONVERT_O)

429 $(OBJDIR)/%.o: $(KMECHKRB5_BASE)/profile/%.c
430 $(COMPILE.c) $(KGSSD_FLAGS) -o $@ $<
431 $(CTFCONVERT_O)

433 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ncall/%.c
434 $(COMPILE.c) -o $@ $<
435 $(CTFCONVERT_O)

437 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/dsw/%.c
438 $(COMPILE.c) -o $@ $<
439 $(CTFCONVERT_O)

441 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/nsctl/%.c
442 $(COMPILE.c) -o $@ $<
443 $(CTFCONVERT_O)

445 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/rdc/%.c
446 $(COMPILE.c) -o $@ $<
447 $(CTFCONVERT_O)

449 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/sdbc/%.c
450 $(COMPILE.c) -o $@ $<
451 $(CTFCONVERT_O)

453 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/solaris/%.c
454 $(COMPILE.c) -o $@ $<
455 $(CTFCONVERT_O)

457 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/sv/%.c

```

```

458 $(COMPILE.c) -o $@ $<
459 $(CTFCONVERT_O)

461 $(OBJDIR)/%.o: $(UTSBASE)/common/avs/ns/unistat/%.c
462 $(COMPILE.c) -o $@ $<
463 $(CTFCONVERT_O)

465 $(OBJDIR)/%.o: $(UTSBASE)/common/idmap/%.c
466 $(COMPILE.c) -o $@ $<
467 $(CTFCONVERT_O)

469 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/%.c
470 $(COMPILE.c) -o $@ $<
471 $(CTFCONVERT_O)

473 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/arp/%.c
474 $(COMPILE.c) -o $@ $<
475 $(CTFCONVERT_O)

477 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ip/%.c
478 $(COMPILE.c) -o $@ $<
479 $(CTFCONVERT_O)

481 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ipnet/%.c
482 $(COMPILE.c) -o $@ $<
483 $(CTFCONVERT_O)

485 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/iptun/%.c
486 $(COMPILE.c) -o $@ $<
487 $(CTFCONVERT_O)

489 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ksl/%.c
490 $(COMPILE.c) -o $@ $<
491 $(CTFCONVERT_O)

493 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/sctp/%.c
494 $(COMPILE.c) -o $@ $<
495 $(CTFCONVERT_O)

497 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/tcp/%.c
498 $(COMPILE.c) -o $@ $<
499 $(CTFCONVERT_O)

501 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ilb/%.c
502 $(COMPILE.c) -o $@ $<
503 $(CTFCONVERT_O)

505 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ipf/%.c
506 $(COMPILE.c) -o $@ $<
507 $(CTFCONVERT_O)

509 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/ipd/%.c
510 $(COMPILE.c) -o $@ $<
511 $(CTFCONVERT_O)

513 $(OBJDIR)/%.o: $(COMMONBASE)/net/patricia/%.c
514 $(COMPILE.c) -o $@ $<
515 $(CTFCONVERT_O)

517 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/udp/%.c
518 $(COMPILE.c) -o $@ $<
519 $(CTFCONVERT_O)

521 $(OBJDIR)/%.o: $(UTSBASE)/common/inet/nca/%.c
522 $(COMPILE.c) -o $@ $<
523 $(CTFCONVERT_O)

```

```

525 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/sockmods/%.c
526 $(COMPILE.c) -o $@ $<
527 $(CTFCONVERT_O)

529 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/dlpistub/%.c
530 $(COMPILE.c) -o $@ $<
531 $(CTFCONVERT_O)

533 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/%.c
534 $(COMPILE.c) -o $@ $<
535 $(CTFCONVERT_O)

537 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/%.c
538 $(COMPILE.c) -o $@ $<
539 $(CTFCONVERT_O)

541 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/adapters/%.c
542 $(COMPILE.c) -o $@ $<
543 $(CTFCONVERT_O)

545 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/av1394/%.c
546 $(COMPILE.c) -o $@ $<
547 $(CTFCONVERT_O)

549 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/dcam1394/%.c
550 $(COMPILE.c) -o $@ $<
551 $(CTFCONVERT_O)

553 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/1394/targets/scsa1394/%.c
554 $(COMPILE.c) -o $@ $<
555 $(CTFCONVERT_O)

557 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sbp2/%.c
558 $(COMPILE.c) -o $@ $<
559 $(CTFCONVERT_O)

561 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aac/%.c
562 $(COMPILE.c) -o $@ $<
563 $(CTFCONVERT_O)

565 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/afe/%.c
566 $(COMPILE.c) -o $@ $<
567 $(CTFCONVERT_O)

569 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atge/%.c
570 $(COMPILE.c) -o $@ $<
571 $(CTFCONVERT_O)

573 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/arn/%.c
574 $(COMPILE.c) -o $@ $<
575 $(CTFCONVERT_O)

577 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ath/%.c
578 $(COMPILE.c) -o $@ $<
579 $(CTFCONVERT_O)

581 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atu/%.c
582 $(COMPILE.c) -o $@ $<
583 $(CTFCONVERT_O)

585 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/impl/%.c
586 $(COMPILE.c) -o $@ $<
587 $(CTFCONVERT_O)

589 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/ac97/%.c

```

```

590 $(COMPILE.c) -o $@ $<
591 $(CTFCONVERT_O)

593 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioens/%.c
594 $(COMPILE.c) -o $@ $<
595 $(CTFCONVERT_O)

597 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioemul0k/%.c
598 $(COMPILE.c) -o $@ $<
599 $(CTFCONVERT_O)

601 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
602 $(COMPILE.c) -o $@ $<
603 $(CTFCONVERT_O)

605 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio810/%.c
606 $(COMPILE.c) -o $@ $<
607 $(CTFCONVERT_O)

609 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
610 $(COMPILE.c) -o $@ $<
611 $(CTFCONVERT_O)

613 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmihd/%.c
614 $(COMPILE.c) -o $@ $<
615 $(CTFCONVERT_O)

617 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
618 $(COMPILE.c) -o $@ $<
619 $(CTFCONVERT_O)

621 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
622 $(COMPILE.c) -o $@ $<
623 $(CTFCONVERT_O)

625 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiols/%.c
626 $(COMPILE.c) -o $@ $<
627 $(CTFCONVERT_O)

629 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
630 $(COMPILE.c) -o $@ $<
631 $(CTFCONVERT_O)

633 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopl6x/%.c
634 $(COMPILE.c) -o $@ $<
635 $(CTFCONVERT_O)

637 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
638 $(COMPILE.c) -o $@ $<
639 $(CTFCONVERT_O)

641 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiots/%.c
642 $(COMPILE.c) -o $@ $<
643 $(CTFCONVERT_O)

645 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
646 $(COMPILE.c) -o $@ $<
647 $(CTFCONVERT_O)

649 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
650 $(COMPILE.c) -o $@ $<
651 $(CTFCONVERT_O)

653 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bfe/%.c
654 $(COMPILE.c) -o $@ $<
655 $(CTFCONVERT_O)

```

```

657 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bge/%.c
658     $(COMPILE.c) -o $@ $<
659     $(CTFCONVERT_O)

661 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/blkdev/%.c
662     $(COMPILE.c) -o $@ $<
663     $(CTFCONVERT_O)

665 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bpf/%.c
666     $(COMPILE.c) -o $@ $<
667     $(CTFCONVERT_O)

669 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cardbus/%.c
670     $(COMPILE.c) -o $@ $<
671     $(CTFCONVERT_O)

673 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/stmf/%.c
674     $(COMPILE.c) -o $@ $<
675     $(CTFCONVERT_O)

677 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fct/%.c
678     $(COMPILE.c) -o $@ $<
679     $(CTFCONVERT_O)

681 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/qlt/%.c
682     $(COMPILE.c) -o $@ $<
683     $(CTFCONVERT_O)

685 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/srpt/%.c
686     $(COMPILE.c) -o $@ $<
687     $(CTFCONVERT_O)

689 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
690     $(COMPILE.c) -o $@ $<
691     $(CTFCONVERT_O)

693 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsit/%.c
694     $(COMPILE.c) -o $@ $<
695     $(CTFCONVERT_O)

697 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
698     $(COMPILE.c) -o $@ $<
699     $(CTFCONVERT_O)

701 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/pppt/%.c
702     $(COMPILE.c) -o $@ $<
703     $(CTFCONVERT_O)

705 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
706     $(COMPILE.c) -o $@ $<
707     $(CTFCONVERT_O)

709 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cpqary3/%.c
710     $(COMPILE.c) -o $@ $<
711     $(CTFCONVERT_O)

713 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dld/%.c
714     $(COMPILE.c) -o $@ $<
715     $(CTFCONVERT_O)

717 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dls/%.c
718     $(COMPILE.c) -o $@ $<
719     $(CTFCONVERT_O)

721 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dmfe/%.c

```

```

722     $(COMPILE.c) -o $@ $<
723     $(CTFCONVERT_O)

725 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/drm/%.c
726     $(COMPILE.c) -o $@ $<
727     $(CTFCONVERT_O)

729 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/efe/%.c
730     $(COMPILE.c) -o $@ $<
731     $(CTFCONVERT_O)

733 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/elxl/%.c
734     $(COMPILE.c) -o $@ $<
735     $(CTFCONVERT_O)

737 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fcoe/%.c
738     $(COMPILE.c) -o $@ $<
739     $(CTFCONVERT_O)

741 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hme/%.c
742     $(COMPILE.c) -o $@ $<
743     $(CTFCONVERT_O)

745 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/%.c
746     $(COMPILE.c) -o $@ $<
747     $(CTFCONVERT_O)

749 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
750     $(COMPILE.c) -o $@ $<
751     $(CTFCONVERT_O)

753 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/hotplug/%.c
754     $(COMPILE.c) -o $@ $<
755     $(CTFCONVERT_O)

757 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/pcihp/%.c
758     $(COMPILE.c) -o $@ $<
759     $(CTFCONVERT_O)

761 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rds/%.c
762     $(COMPILE.c) -o $@ $<
763     $(CTFCONVERT_O)

765 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rds3/%.c
766     $(COMPILE.c) -o $@ $<
767     $(CTFCONVERT_O)

769 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/iser/%.c
770     $(COMPILE.c) -o $@ $<
771     $(CTFCONVERT_O)

773 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/ibd/%.c
774     $(COMPILE.c) -o $@ $<
775     $(CTFCONVERT_O)

777 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/eoib/%.c
778     $(COMPILE.c) -o $@ $<
779     $(CTFCONVERT_O)

781 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
782     $(COMPILE.c) -o $@ $<
783     $(CTFCONVERT_O)

785 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
786     $(COMPILE.c) -o $@ $<
787     $(CTFCONVERT_O)

```

```

789 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
790 $(COMPILE.c) -o $@ $<
791 $(CTFCONVERT_O)

793 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.c
794 $(COMPILE.c) -o $@ $<
795 $(CTFCONVERT_O)

797 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/sdp/%.c
798 $(COMPILE.c) -o $@ $<
799 $(CTFCONVERT_O)

801 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
802 $(COMPILE.c) -o $@ $<
803 $(CTFCONVERT_O)

805 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
806 $(COMPILE.c) -o $@ $<
807 $(CTFCONVERT_O)

809 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
810 $(COMPILE.c) -o $@ $<
811 $(CTFCONVERT_O)

813 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
814 $(COMPILE.c) -o $@ $<
815 $(CTFCONVERT_O)

817 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibnex/%.c
818 $(COMPILE.c) -o $@ $<
819 $(CTFCONVERT_O)

821 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibt1/%.c
822 $(COMPILE.c) -o $@ $<
823 $(CTFCONVERT_O)

825 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
826 $(COMPILE.c) -o $@ $<
827 $(CTFCONVERT_O)

829 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
830 $(COMPILE.c) -o $@ $<
831 $(CTFCONVERT_O)

833 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/daplt/%.c
834 $(COMPILE.c) -o $@ $<
835 $(CTFCONVERT_O)

837 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsi/%.c
838 $(COMPILE.c) -o $@ $<
839 $(CTFCONVERT_O)

841 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/idm/%.c
842 $(COMPILE.c) -o $@ $<
843 $(CTFCONVERT_O)

845 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ipw/%.c
846 $(COMPILE.c) -o $@ $<
847 $(CTFCONVERT_O)

849 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwh/%.c
850 $(COMPILE.c) -o $@ $<
851 $(CTFCONVERT_O)

853 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwi/%.c

```

```

854 $(COMPILE.c) -o $@ $<
855 $(CTFCONVERT_O)

857 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwk/%.c
858 $(COMPILE.c) -o $@ $<
859 $(CTFCONVERT_O)

861 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwp/%.c
862 $(COMPILE.c) -o $@ $<
863 $(CTFCONVERT_O)

865 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kb8042/%.c
866 $(COMPILE.c) -o $@ $<
867 $(CTFCONVERT_O)

869 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kbtrans/%.c
870 $(COMPILE.c) -o $@ $<
871 $(CTFCONVERT_O)

873 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ksocket/%.c
874 $(COMPILE.c) -o $@ $<
875 $(CTFCONVERT_O)

877 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aggr/%.c
878 $(COMPILE.c) -o $@ $<
879 $(CTFCONVERT_O)

881 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lp/%.c
882 $(COMPILE.c) -o $@ $<
883 $(CTFCONVERT_O)

885 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/hotspares/%.c
886 $(COMPILE.c) -o $@ $<
887 $(CTFCONVERT_O)

889 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/md/%.c
890 $(COMPILE.c) -o $@ $<
891 $(CTFCONVERT_O)

893 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/mirror/%.c
894 $(COMPILE.c) -o $@ $<
895 $(CTFCONVERT_O)

897 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/notify/%.c
898 $(COMPILE.c) -o $@ $<
899 $(CTFCONVERT_O)

901 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/raid/%.c
902 $(COMPILE.c) -o $@ $<
903 $(CTFCONVERT_O)

905 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/softpart/%.c
906 $(COMPILE.c) -o $@ $<
907 $(CTFCONVERT_O)

909 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/stripe/%.c
910 $(COMPILE.c) -o $@ $<
911 $(CTFCONVERT_O)

913 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/trans/%.c
914 $(COMPILE.c) -o $@ $<
915 $(CTFCONVERT_O)

917 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/%.c
918 $(COMPILE.c) -o $@ $<
919 $(CTFCONVERT_O)

```

```

921 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/plugins/%.c
922     $(COMPILE.c) -o $@ $<
923     $(CTFCONVERT_O)

925 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mega_sas/%.c
926     $(COMPILE.c) -o $@ $<
927     $(CTFCONVERT_O)

929 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mii/%.c
930     $(COMPILE.c) -o $@ $<
931     $(CTFCONVERT_O)

933 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mr_sas/%.c
934     $(COMPILE.c) -o $@ $<
935     $(CTFCONVERT_O)

937 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
938     $(COMPILE.c) -o $@ $<
939     $(CTFCONVERT_O)

941 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mxfe/%.c
942     $(COMPILE.c) -o $@ $<
943     $(CTFCONVERT_O)

945 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/%.c
946     $(COMPILE.c) -o $@ $<
947     $(CTFCONVERT_O)

949 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
950     $(COMPILE.c) -o $@ $<
951     $(CTFCONVERT_O)

953 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/net80211/%.c
954     $(COMPILE.c) -o $@ $<
955     $(CTFCONVERT_O)

957 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nge/%.c
958     $(COMPILE.c) -o $@ $<
959     $(CTFCONVERT_O)

961 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.c
962     $(COMPILE.c) -o $@ $<
963     $(CTFCONVERT_O)

965 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/npi/%.c
966     $(COMPILE.c) -o $@ $<
967     $(CTFCONVERT_O)

969 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.s
970     $(COMPILE.s) -o $@ $<

972 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pci-ide/%.c
973     $(COMPILE.c) -o $@ $<
974     $(CTFCONVERT_O)

976 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pcn/%.c
977     $(COMPILE.c) -o $@ $<
978     $(CTFCONVERT_O)

980 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppp/%.c
981     $(COMPILE.c) -o $@ $<
982     $(CTFCONVERT_O)

984 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/spppasyn/%.c
985     $(COMPILE.c) -o $@ $<

```

```

986     $(CTFCONVERT_O)

988 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppptun/%.c
989     $(COMPILE.c) -o $@ $<
990     $(CTFCONVERT_O)

992 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ral/%.c
993     $(COMPILE.c) -o $@ $<
994     $(CTFCONVERT_O)

996 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rge/%.c
997     $(COMPILE.c) -o $@ $<
998     $(CTFCONVERT_O)

1000 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtls/%.c
1001     $(COMPILE.c) -o $@ $<
1002     $(CTFCONVERT_O)

1004 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rsm/%.c
1005     $(COMPILE.c) -o $@ $<
1006     $(CTFCONVERT_O)

1008 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtw/%.c
1009     $(COMPILE.c) -o $@ $<
1010     $(CTFCONVERT_O)

1012 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rum/%.c
1013     $(COMPILE.c) -o $@ $<
1014     $(CTFCONVERT_O)

1016 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwd/%.c
1017     $(COMPILE.c) -o $@ $<
1018     $(CTFCONVERT_O)

1020 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwn/%.c
1021     $(COMPILE.c) -o $@ $<
1022     $(CTFCONVERT_O)

1024 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
1025     $(COMPILE.c) -o $@ $<
1026     $(CTFCONVERT_O)

1028 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
1029     $(COMPILE.c) -o $@ $<
1030     $(CTFCONVERT_O)

1032 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
1033     $(COMPILE.c) -o $@ $<
1034     $(CTFCONVERT_O)

1036 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/impl/%.c
1037     $(COMPILE.c) -o $@ $<
1038     $(CTFCONVERT_O)

1040 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/conf/%.c
1041     $(COMPILE.c) -o $@ $<
1042     $(CTFCONVERT_O)

1044 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/impl/%.c
1045     $(COMPILE.c) -o $@ $<
1046     $(CTFCONVERT_O)

1048 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/targets/%.c
1049     $(COMPILE.c) -o $@ $<
1050     $(CTFCONVERT_O)

```

```
1052 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/%.c
1053 $(COMPILE.c) -o $@ $<
1054 $(CTFCONVERT_O)

1056 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
1057 $(COMPILE.c) -o $@ $<
1058 $(CTFCONVERT_O)

1060 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
1061 $(COMPILE.c) -o $@ $<
1062 $(CTFCONVERT_O)

1064 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
1065 $(COMPILE.c) -o $@ $<
1066 $(CTFCONVERT_O)

1068 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
1069 $(COMPILE.c) -o $@ $<
1070 $(CTFCONVERT_O)

1072 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/impl/%.c
1073 $(COMPILE.c) -o $@ $<
1074 $(CTFCONVERT_O)

1076 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
1077 $(COMPILE.c) -o $@ $<
1078 $(CTFCONVERT_O)

1080 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
1081 $(COMPILE.c) -o $@ $<
1082 $(CTFCONVERT_O)

1084 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
1085 $(COMPILE.c) -o $@ $<
1086 $(CTFCONVERT_O)

1088 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
1089 $(COMPILE.c) -o $@ $<
1090 $(CTFCONVERT_O)

1092 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
1093 $(COMPILE.c) -o $@ $<
1094 $(CTFCONVERT_O)

1096 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
1097 $(COMPILE.c) -o $@ $<
1098 $(CTFCONVERT_O)

1100 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/impl/%.c
1101 $(COMPILE.c) -o $@ $<
1102 $(CTFCONVERT_O)

1104 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
1105 $(COMPILE.c) -o $@ $<
1106 $(CTFCONVERT_O)

1108 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sfe/%.c
1109 $(COMPILE.c) -o $@ $<
1110 $(CTFCONVERT_O)

1112 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/simnet/%.c
1113 $(COMPILE.c) -o $@ $<
1114 $(CTFCONVERT_O)

1116 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/softmac/%.c
1117 $(COMPILE.c) -o $@ $<
```

```
1118 $(CTFCONVERT_O)

1120 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/%.c
1121 $(COMPILE.c) -o $@ $<
1122 $(CTFCONVERT_O)

1124 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/uath_fw/%.c
1125 $(COMPILE.c) -o $@ $<
1126 $(CTFCONVERT_O)

1128 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ural/%.c
1129 $(COMPILE.c) -o $@ $<
1130 $(CTFCONVERT_O)

1132 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/urtw/%.c
1133 $(COMPILE.c) -o $@ $<
1134 $(CTFCONVERT_O)

1136 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.
1137 $(COMPILE.c) -o $@ $<
1138 $(CTFCONVERT_O)

1140 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.
1141 $(COMPILE.c) -o $@ $<
1142 $(CTFCONVERT_O)

1144 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.
1145 $(COMPILE.c) -o $@ $<
1146 $(CTFCONVERT_O)

1148 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
1149 $(COMPILE.c) -o $@ $<
1150 $(CTFCONVERT_O)

1152 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
1153 $(COMPILE.c) -o $@ $<
1154 $(CTFCONVERT_O)

1156 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
1157 $(COMPILE.c) -o $@ $<
1158 $(CTFCONVERT_O)

1160 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hid/%.c
1161 $(COMPILE.c) -o $@ $<
1162 $(CTFCONVERT_O)

1164 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
1165 $(COMPILE.c) -o $@ $<
1166 $(CTFCONVERT_O)

1168 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/printer/%.c
1169 $(COMPILE.c) -o $@ $<
1170 $(CTFCONVERT_O)

1172 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbbkm/%.c
1173 $(COMPILE.c) -o $@ $<
1174 $(CTFCONVERT_O)

1176 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/uslbs/%.c
1177 $(COMPILE.c) -o $@ $<
1178 $(CTFCONVERT_O)

1180 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbinput/usbwcm
1181 $(COMPILE.c) -o $@ $<
1182 $(CTFCONVERT_O)
```



```
1184 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/ugen/%.c
1185 $(COMPILE.c) -o $@ $<
1186 $(CTFCONVERT_O)

1188 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/%.c
1189 $(COMPILE.c) -o $@ $<
1190 $(CTFCONVERT_O)

1192 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
1193 $(COMPILE.c) -o $@ $<
1194 $(CTFCONVERT_O)

1196 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
1197 $(COMPILE.c) -o $@ $<
1198 $(CTFCONVERT_O)

1200 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
1201 $(COMPILE.c) -o $@ $<
1202 $(CTFCONVERT_O)

1204 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
1205 $(COMPILE.c) -o $@ $<
1206 $(CTFCONVERT_O)

1208 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
1209 $(COMPILE.c) -o $@ $<
1210 $(CTFCONVERT_O)

1212 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hwal480_fw/%.c
1213 $(COMPILE.c) -o $@ $<
1214 $(CTFCONVERT_O)

1216 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
1217 $(COMPILE.c) -o $@ $<
1218 $(CTFCONVERT_O)

1220 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbecm/%.c
1221 $(COMPILE.c) -o $@ $<
1222 $(CTFCONVERT_O)

1224 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/openhci/%.c
1225 $(COMPILE.c) -o $@ $<
1226 $(CTFCONVERT_O)

1228 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/ehci/%.c
1229 $(COMPILE.c) -o $@ $<
1230 $(CTFCONVERT_O)

1232 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hcd/uhci/%.c
1233 $(COMPILE.c) -I../common -o $@ $<
1234 $(CTFCONVERT_O)

1236 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hubd/%.c
1237 $(COMPILE.c) -o $@ $<
1238 $(CTFCONVERT_O)

1240 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/scsa2usb/%.c
1241 $(COMPILE.c) -o $@ $<
1242 $(CTFCONVERT_O)

1244 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usb_mid/%.c
1245 $(COMPILE.c) -o $@ $<
1246 $(CTFCONVERT_O)

1248 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usb_ia/%.c
1249 $(COMPILE.c) -o $@ $<
```

```
1250 $(CTFCONVERT_O)

1252 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usba/%.c
1253 $(COMPILE.c) -o $@ $<
1254 $(CTFCONVERT_O)

1256 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/usba10/%.c
1257 $(COMPILE.c) -o $@ $<
1258 $(CTFCONVERT_O)

1260 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
1261 $(COMPILE.c) -o $@ $<
1262 $(CTFCONVERT_O)

1264 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uwb/uwba/%.c
1265 $(COMPILE.c) -o $@ $<
1266 $(CTFCONVERT_O)

1268 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vuidmice/%.c
1269 $(COMPILE.c) -o $@ $<
1270 $(CTFCONVERT_O)

1272 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vnic/%.c
1273 $(COMPILE.c) -o $@ $<
1274 $(CTFCONVERT_O)

1276 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/wpi/%.c
1277 $(COMPILE.c) -o $@ $<
1278 $(CTFCONVERT_O)

1280 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/zyd/%.c
1281 $(COMPILE.c) -o $@ $<
1282 $(CTFCONVERT_O)

1284 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/chxge/com/%.c
1285 $(COMPILE.c) -o $@ $<
1286 $(CTFCONVERT_O)

1288 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/chxge/%.c
1289 $(COMPILE.c) -o $@ $<
1290 $(CTFCONVERT_O)

1292 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/common/%.c
1293 $(COMPILE.c) -o $@ $<
1294 $(CTFCONVERT_O)

1296 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/shared/%.c
1297 $(COMPILE.c) -o $@ $<
1298 $(CTFCONVERT_O)

1300 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/firmware/%.c
1301 $(COMPILE.c) -o $@ $<
1302 $(CTFCONVERT_O)

1304 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/t4nex/%.c
1305 $(COMPILE.c) -o $@ $<
1306 $(CTFCONVERT_O)

1308 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
1309 $(COMPILE.c) -o $@ $<
1310 $(CTFCONVERT_O)

1312 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ixgb/%.c
1313 $(COMPILE.c) -o $@ $<
1314 $(CTFCONVERT_O)
```

```

1316 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/xge/drv/%.c
1317 $(COMPILE.c) -o $@ $<
1318 $(CTFCONVERT_O)

1320 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/xge/hal/xgehal/%.c
1321 $(COMPILE.c) -o $@ $<
1322 $(CTFCONVERT_O)

1324 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/e1000api/%.c
1325 $(COMPILE.c) -o $@ $<
1326 $(CTFCONVERT_O)

1328 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/e1000g/%.c
1329 $(COMPILE.c) -o $@ $<
1330 $(CTFCONVERT_O)

1332 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/igb/%.c
1333 $(COMPILE.c) -o $@ $<
1334 $(CTFCONVERT_O)

1336 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iprb/%.c
1337 $(COMPILE.c) -o $@ $<
1338 $(CTFCONVERT_O)

1340 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ixgbe/%.c
1341 $(COMPILE.c) -o $@ $<
1342 $(CTFCONVERT_O)

1344 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ntxn/%.c
1345 $(COMPILE.c) -o $@ $<
1346 $(CTFCONVERT_O)

1348 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/myril0ge/drv/%.c
1349 $(COMPILE.c) -o $@ $<
1350 $(CTFCONVERT_O)

1352 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/%.c
1353 $(COMPILE.c) -o $@ $<
1354 $(CTFCONVERT_O)

1356 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/ipgpc/%.c
1357 $(COMPILE.c) -o $@ $<
1358 $(CTFCONVERT_O)

1360 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/dlcosmk/%.c
1361 $(COMPILE.c) -o $@ $<
1362 $(CTFCONVERT_O)

1364 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/flowacct/%.c
1365 $(COMPILE.c) -o $@ $<
1366 $(CTFCONVERT_O)

1368 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/dscpmk/%.c
1369 $(COMPILE.c) -o $@ $<
1370 $(CTFCONVERT_O)

1372 $(OBJSDIR)/%.o: $(UTSBASE)/common/ipp/meters/%.c
1373 $(COMPILE.c) -o $@ $<
1374 $(CTFCONVERT_O)

1376 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_emea/%.c
1377 $(COMPILE.c) -o $@ $<
1378 $(CTFCONVERT_O)

1380 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_ja/%.c
1381 $(COMPILE.c) -o $@ $<

```

```

1382 $(CTFCONVERT_O)

1384 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_ko/%.c
1385 $(COMPILE.c) -o $@ $<
1386 $(CTFCONVERT_O)

1388 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_sc/%.c
1389 $(COMPILE.c) -o $@ $<
1390 $(CTFCONVERT_O)

1392 $(OBJSDIR)/%.o: $(UTSBASE)/common/kiconv/kiconv_tc/%.c
1393 $(COMPILE.c) -o $@ $<
1394 $(CTFCONVERT_O)

1396 $(OBJSDIR)/%.o: $(UTSBASE)/common/klm/%.c
1397 $(COMPILE.c) -o $@ $<
1398 $(CTFCONVERT_O)

1400 $(OBJSDIR)/%.o: $(UTSBASE)/common/kmdb/%.c
1401 $(COMPILE.c) -o $@ $<
1402 $(CTFCONVERT_O)

1404 $(OBJSDIR)/%.o: $(UTSBASE)/common/ktli/%.c
1405 $(COMPILE.c) -o $@ $<
1406 $(CTFCONVERT_O)

1408 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
1409 $(COMPILE.c) -o $@ $<
1410 $(CTFCONVERT_O)

1412 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsi/%.c
1413 $(COMPILE.c) -o $@ $<
1414 $(CTFCONVERT_O)

1416 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/kifconf/%.c
1417 $(COMPILE.c) -o $@ $<
1418 $(CTFCONVERT_O)

1420 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vr/%.c
1421 $(COMPILE.c) -o $@ $<
1422 $(CTFCONVERT_O)

1424 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/yge/%.c
1425 $(COMPILE.c) -o $@ $<
1426 $(CTFCONVERT_O)

1428 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/skd/%.c
1429 $(COMPILE.c) -o $@ $<
1430 $(CTFCONVERT_O)

1432 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/virtio/%.c
1433 $(COMPILE.c) -o $@ $<
1434 $(CTFCONVERT_O)

1436 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vioblk/%.c
1437 $(COMPILE.c) -o $@ $<
1438 $(CTFCONVERT_O)

1440 #
1441 # krtld must refer to its own bzero/bcopy until the kernel is fully linked
1442 #
1443 $(OBJSDIR)/bootrd.o := CPPFLAGS += -DKOBJ_OVERRIDES
1444 $(OBJSDIR)/doreloc.o := CPPFLAGS += -DKOBJ_OVERRIDES
1445 $(OBJSDIR)/kobj.o := CPPFLAGS += -DKOBJ_OVERRIDES
1446 $(OBJSDIR)/kobj_boot.o := CPPFLAGS += -DKOBJ_OVERRIDES
1447 $(OBJSDIR)/kobj_bootflags.o := CPPFLAGS += -DKOBJ_OVERRIDES

```

```

1448 $(OBJSDIR)/kobj_convrelstr.o := CPPFLAGS += -DKOBJ_OVERRIDES
1449 $(OBJSDIR)/kobj_isa.o := CPPFLAGS += -DKOBJ_OVERRIDES
1450 $(OBJSDIR)/kobj_kdi.o := CPPFLAGS += -DKOBJ_OVERRIDES
1451 $(OBJSDIR)/kobj_lm.o := CPPFLAGS += -DKOBJ_OVERRIDES
1452 $(OBJSDIR)/kobj_reloc.o := CPPFLAGS += -DKOBJ_OVERRIDES
1453 $(OBJSDIR)/kobj_stubs.o := CPPFLAGS += -DKOBJ_OVERRIDES
1454 $(OBJSDIR)/kobj_subr.o := CPPFLAGS += -DKOBJ_OVERRIDES

1456 $(OBJSDIR)/%.o: $(UTSBASE)/common/krtld/%.c
1457 $(COMPILE.c) -o $@ $<
1458 $(CTFCONVERT_O)

1460 $(OBJSDIR)/%.o: $(COMMONBASE)/list/%.c
1461 $(COMPILE.c) -o $@ $<
1462 $(CTFCONVERT_O)

1464 $(OBJSDIR)/%.o: $(COMMONBASE)/lvm/%.c
1465 $(COMPILE.c) -o $@ $<
1466 $(CTFCONVERT_O)

1468 $(OBJSDIR)/%.o: $(COMMONBASE)/lzma/%.c
1469 $(COMPILE.c) -o $@ $<
1470 $(CTFCONVERT_O)

1472 $(OBJSDIR)/%.o: $(COMMONBASE)/crypto/md4/%.c
1473 $(COMPILE.c) -o $@ $<
1474 $(CTFCONVERT_O)

1476 $(OBJSDIR)/%.o: $(COMMONBASE)/crypto/md5/%.c
1477 $(COMPILE.c) -o $@ $<
1478 $(CTFCONVERT_O)

1480 $(OBJSDIR)/%.o: $(COMMONBASE)/net/dhcx/%.c
1481 $(COMPILE.c) -o $@ $<
1482 $(CTFCONVERT_O)

1484 $(OBJSDIR)/%.o: $(COMMONBASE)/nvpair/%.c
1485 $(COMPILE.c) -o $@ $<
1486 $(CTFCONVERT_O)

1488 $(OBJSDIR)/%.o: $(UTSBASE)/common/os/%.c
1489 $(COMPILE.c) -o $@ $<
1490 $(CTFCONVERT_O)

1492 $(OBJSDIR)/%.o: $(UTSBASE)/common/pcmcia/cis/%.c
1493 $(COMPILE.c) -o $@ $<
1494 $(CTFCONVERT_O)

1496 $(OBJSDIR)/%.o: $(UTSBASE)/common/pcmcia/cs/%.c
1497 $(COMPILE.c) -o $@ $<
1498 $(CTFCONVERT_O)

1500 $(OBJSDIR)/%.o: $(UTSBASE)/common/pcmcia/nexus/%.c
1501 $(COMPILE.c) -o $@ $<
1502 $(CTFCONVERT_O)

1504 $(OBJSDIR)/%.o: $(UTSBASE)/common/pcmcia/pcs/%.c
1505 $(COMPILE.c) -o $@ $<
1506 $(CTFCONVERT_O)

1508 $(OBJSDIR)/%.o: $(UTSBASE)/common/rpc/%.c
1509 $(COMPILE.c) -o $@ $<
1510 $(CTFCONVERT_O)

1512 $(OBJSDIR)/%.o: $(UTSBASE)/common/rpc/sec/%.c
1513 $(COMPILE.c) -o $@ $<

```

```

1514 $(CTFCONVERT_O)

1516 $(OBJSDIR)/%.o: $(UTSBASE)/common/rpc/sec_gss/%.c
1517 $(COMPILE.c) -o $@ $<
1518 $(CTFCONVERT_O)

1520 $(OBJSDIR)/%.o: $(COMMONBASE)/crypto/sha1/%.c
1521 $(COMPILE.c) -o $@ $<
1522 $(CTFCONVERT_O)

1524 $(OBJSDIR)/%.o: $(COMMONBASE)/crypto/sha2/%.c
1525 $(COMPILE.c) -o $@ $<
1526 $(CTFCONVERT_O)

1528 $(OBJSDIR)/%.o: $(UTSBASE)/common/syscall/%.c
1529 $(COMPILE.c) -o $@ $<
1530 $(CTFCONVERT_O)

1532 $(OBJSDIR)/%.o: $(UTSBASE)/common/tnf/%.c
1533 $(COMPILE.c) -o $@ $<
1534 $(CTFCONVERT_O)

1536 $(OBJSDIR)/%.o: $(COMMONBASE)/tsol/%.c
1537 $(COMPILE.c) -o $@ $<
1538 $(CTFCONVERT_O)

1540 $(OBJSDIR)/%.o: $(COMMONBASE)/util/%.c
1541 $(COMPILE.c) -o $@ $<
1542 $(CTFCONVERT_O)

1544 $(OBJSDIR)/%.o: $(COMMONBASE)/unicode/%.c
1545 $(COMPILE.c) -o $@ $<
1546 $(CTFCONVERT_O)

1548 $(OBJSDIR)/%.o: $(UTSBASE)/common/vm/%.c
1549 $(COMPILE.c) -o $@ $<
1550 $(CTFCONVERT_O)

1552 $(OBJSDIR)/%.o: $(UTSBASE)/common/zmod/%.c
1553 $(COMPILE.c) -o $@ $<
1554 $(CTFCONVERT_O)

1556 $(OBJSDIR)/zlib_obj.o: $(ZLIB_OBJS:=$(OBJSDIR)/%)
1557 $(LD) -r -Breduce -M$(UTSBASE)/common/zmod/mapfile -o $@ \
1558 $(ZLIB_OBJS:=$(OBJSDIR)/%)
1559 $(CTFMERGE) -t -f -L VERSION -o $@ $(ZLIB_OBJS:=$(OBJSDIR)/%)

1561 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hxge/%.c
1562 $(COMPILE.c) -o $@ $<
1563 $(CTFCONVERT_O)

1565 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/tpm/%.c
1566 $(COMPILE.c) -o $@ $<
1567 $(CTFCONVERT_O)

1569 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/tpm/%.s
1570 $(COMPILE.s) -o $@ $<

1572 $(OBJSDIR)/bz2.o: $(COMMONBASE)/bz2/%.c
1573 $(COMPILE.c) -o $@ -I$(COMMONBASE)/bz2 $<
1574 $(CTFCONVERT_O)

1576 BZ2LINT = -erroff=%all -I$(UTSBASE)/common/bzip2

1578 $(LINTSDIR)/bz2%.ln: $(COMMONBASE)/bz2/%.c
1579 @($(LHEAD) $(LINT.c) -C $(LINTSDIR)/`basename $@ .ln` $(BZ2LINT) $< $(

```

```

1581 #
1582 #      Section lb:      Lint 'objects'
1583 #
1584 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/aes/%.c
1585     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1587 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/arcfour/%.c
1588     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1590 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/blowfish/%.c
1591     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1593 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/ecc/%.c
1594     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1596 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/modes/%.c
1597     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1599 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/padding/%.c
1600     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1602 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rng/%.c
1603     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1605 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rsa/%.c
1606     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1608 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/bignum/%.c
1609     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1611 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/bignum/%.c
1612     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1614 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/mpi/%.c
1615     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1617 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/acl/%.c
1618     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1620 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/avl/%.c
1621     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1623 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ucode/%.c
1624     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1626 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/sn1/%.c
1627     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1629 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/solaris10/%.c
1630     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1632 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/c2/%.c
1633     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1635 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/conf/%.c
1636     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1638 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/contract/%.c
1639     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1641 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/cpr/%.c
1642     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1644 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/ctf/%.c
1645     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1647 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ctf/%.c
1648     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1650 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/pci/%.c
1651     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1653 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/devid/%.c
1654     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1656 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/des/%.c
1657     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1659 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/smbios/%.c
1660     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1662 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ncall/%.c
1663     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1665 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/dsw/%.c
1666     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1668 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/nsctl/%.c
1669     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1671 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/rdc/%.c
1672     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1674 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sdbc/%.c
1675     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1677 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/solaris/%.c
1678     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1680 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sv/%.c
1681     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1683 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/unistat/%.c
1684     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1686 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/des/%.c
1687     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1689 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/api/%.c
1690     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1692 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/core/%.c
1693     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1695 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/io/%.c
1696     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1698 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/spi/%.c
1699     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1701 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/disp/%.c
1702     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1704 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/dtrace/%.c
1705     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1707 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/exacct/%.c
1708     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1710 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/exec/aout/%.c
1711     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1713 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/elf/%.c
1714     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1716 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/intp/%.c
1717     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1719 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/shbin/%.c
1720     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1722 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/java/%.c
1723     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1725 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/%.c
1726     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1728 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/autofs/%.c
1729     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1731 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/cacheefs/%.c
1732     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1734 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ctfs/%.c
1735     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1737 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/doorfs/%.c
1738     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1740 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/dcfis/%.c
1741     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1743 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/devfs/%.c
1744     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1746 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/dev/%.c
1747     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1749 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/fd/%.c
1750     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1752 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/fifofs/%.c
1753     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1755 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/hsfs/%.c
1756     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1758 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/lofs/%.c
1759     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1761 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/mntfs/%.c
1762     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1764 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/namefs/%.c
1765     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1767 $(LINTSDIR)/%.ln: $(COMMONBASE)/smbsrv/%.c
1768     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1770 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbsrv/%.c
1771     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1773 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/nfs/%.c
1774     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1776 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/objfs/%.c
1777     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1779 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/pcfs/%.c
1780     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1782 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/portfs/%.c
1783     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1785 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/proc/%.c
1786     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1788 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/sharefs/%.c
1789     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1791 $(LINTSDIR)/%.ln: $(COMMONBASE)/smbclnt/%.c
1792     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1794 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbclnt/net smb/%.c
1795     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1797 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
1798     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1800 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/sockfs/%.c
1801     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1803 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/specfs/%.c
1804     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1806 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/swapfs/%.c
1807     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1809 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/tmpfs/%.c
1810     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1812 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/udfs/%.c
1813     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1815 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ufs/%.c
1816     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1818 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ufs_log/%.c
1819     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1821 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vscan/%.c
1822     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1824 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/zfs/%.c
1825     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1827 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/zut/%.c
1828     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1830 $(LINTSDIR)/%.ln: $(COMMONBASE)/xattr/%.c
1831     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1833 $(LINTSDIR)/%.ln: $(COMMONBASE)/zfs/%.c
1834     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1836 $(LINTSDIR)/%.ln: $(UTSBASE)/common/gssapi/%.c
1837     @$(LHEAD) $(LINT.c) $(KGSDDFLAGS) $< $(LTAIL))

1839 $(LINTSDIR)/%.ln: $(UTSBASE)/common/gssapi/mechs/dummy/%.c
1840     @$(LHEAD) $(LINT.c) $(KGSDDFLAGS) $< $(LTAIL))

1842 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/%.c
1843     @$(LHEAD) $(LINT.c) $(KGSDDFLAGS) $< $(LTAIL))

```

```

1845 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/%.c
1846     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1848 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/des/%.c
1849     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1851 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/dk/%.c
1852     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1854 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/os/%.c
1855     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1857 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/arcfour/%.c
1858     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1860 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
1861     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1863 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
1864     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1866 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
1867     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1869 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/raw/%.c
1870     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1872 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/crypto/old/%.c
1873     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1875 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/krb5/krb/%.c
1876     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1878 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/krb5/os/%.c
1879     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1881 $(LINTSDIR)/%.ln:      $(KMECHKRB5_BASE)/mech/%.c
1882     @$(LHEAD) $(LINT.c) $(KGSSDFFLAGS) $< $(LTAIL))

1884 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/idmap/%.c
1885     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1887 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/%.c
1888     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1890 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/sockmods/%.c
1891     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1893 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/arp/%.c
1894     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1896 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ip/%.c
1897     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1899 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ipnet/%.c
1900     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1902 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/iptun/%.c
1903     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1905 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ipd/%.c
1906     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1908 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ipf/%.c
1909     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))

```

```

1911 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ksl/%.c
1912     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1914 $(LINTSDIR)/%.ln:      $(COMMONBASE)/net/patricia/%.c
1915     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))

1917 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/udp/%.c
1918     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1920 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/sctp/%.c
1921     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1923 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/tcp/%.c
1924     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1926 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/ilb/%.c
1927     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1929 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/nca/%.c
1930     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1932 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/dlpistub/%.c
1933     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1935 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/%.c
1936     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1938 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/1394/%.c
1939     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1941 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/1394/adapters/%.c
1942     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1944 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/1394/targets/av1394/%.c
1945     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1947 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/1394/targets/dcam1394/%.c
1948     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1950 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/1394/targets/scsal394/%.c
1951     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1953 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/sbp2/%.c
1954     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1956 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/aac/%.c
1957     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1959 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/afe/%.c
1960     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1962 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/atge/%.c
1963     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1965 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/arn/%.c
1966     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1968 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/ath/%.c
1969     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1971 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/atu/%.c
1972     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1974 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/audio/impl/%.c
1975     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1977 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/ac97/%.c
1978     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1980 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
1981     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1983 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio810/%.c
1984     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1986 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
1987     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1989 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmihd/%.c
1990     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1992 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioens/%.c
1993     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1995 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioemu10k/%.c
1996     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1998 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
1999     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2001 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
2002     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2004 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiols/%.c
2005     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2007 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
2008     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2010 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiopl6x/%.c
2011     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2013 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
2014     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2016 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiotx/%.c
2017     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2019 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
2020     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2022 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
2023     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2025 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bfe/%.c
2026     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2028 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bpf/%.c
2029     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2031 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bge/%.c
2032     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2034 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/blkdev/%.c
2035     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2037 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cardbus/%.c
2038     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2040 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
2041     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2043 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fct/%.c
2044     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2046 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/qlt/%.c
2047     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2049 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/srpt/%.c
2050     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2052 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsit/%.c
2053     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2055 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
2056     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2058 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
2059     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2061 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/pppt/%.c
2062     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2064 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/stmf/%.c
2065     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2067 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cpgary3/%.c
2068     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2070 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dld/%.c
2071     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2073 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dls/%.c
2074     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2076 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dmfe/%.c
2077     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2079 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/drm/%.c
2080     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2082 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/efe/%.c
2083     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2085 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/elx1/%.c
2086     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2088 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fcoe/%.c
2089     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2091 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hme/%.c
2092     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2094 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/%.c
2095     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2097 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
2098     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2100 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/hotplug/%.c
2101     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2103 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/pcihp/%.c
2104     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2106 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds/%.c
2107     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```
2109 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds3/%.c
2110     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2112 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/iser/%.c
2113     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2115 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/ibd/%.c
2116     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2118 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/eoib/%.c
2119     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2121 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
2122     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2124 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
2125     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2127 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
2128     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2130 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.
2131     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2133 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/sdp/%.c
2134     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2136 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
2137     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2139 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
2140     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2142 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
2143     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2145 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
2146     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2148 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibnex/%.c
2149     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2151 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibt1/%.c
2152     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2154 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
2155     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2157 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
2158     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2160 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/daplt/%.c
2161     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2163 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsi/%.c
2164     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2166 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/idm/%.c
2167     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2169 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ipw/%.c
2170     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2172 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwh/%.c
2173     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2175 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwi/%.c
2176     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2178 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwk/%.c
2179     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2181 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwp/%.c
2182     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2184 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kb8042/%.c
2185     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2187 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kbtrans/%.c
2188     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2190 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ksocket/%.c
2191     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2193 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/aggr/%.c
2194     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2196 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lp/%.c
2197     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2199 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/hotspares/%.c
2200     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2202 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/md/%.c
2203     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2205 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/mirror/%.c
2206     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2208 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/raid/%.c
2209     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2211 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/softpart/%.c
2212     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2214 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/stripe/%.c
2215     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2217 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/notify/%.c
2218     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2220 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/trans/%.c
2221     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2223 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/%.c
2224     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2226 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/plugins/%.c
2227     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2229 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mega_sas/%.c
2230     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2232 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mii/%.c
2233     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2235 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mr_sas/%.c
2236     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2238 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
2239     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```



```
2241 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mxfe/%.c
2242     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2244 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/%.c
2245     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2247 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
2248     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2250 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/net80211/%.c
2251     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2253 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nge/%.c
2254     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2256 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.c
2257     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2259 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.s
2260     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2262 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/npi/%.c
2263     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2265 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pci-ide/%.c
2266     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2268 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pcn/%.c
2269     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2271 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/sppp/%.c
2272     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2274 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/spppasyn/%.c
2275     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2277 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/sppptun/%.c
2278     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2280 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ral/%.c
2281     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2283 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rge/%.c
2284     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2286 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtls/%.c
2287     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2289 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rsm/%.c
2290     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2292 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtw/%.c
2293     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2295 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rum/%.c
2296     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2298 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwd/%.c
2299     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2301 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwn/%.c
2302     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2304 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
2305     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2307 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
2308     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2310 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
2311     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2313 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/impl/%.c
2314     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2316 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/%.c
2317     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2319 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
2320     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2322 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
2323     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2325 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
2326     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2328 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
2329     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2331 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
2332     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2334 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/impl/%.c
2335     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2337 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
2338     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2340 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
2341     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2343 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
2344     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2346 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
2347     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2349 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
2350     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2352 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/conf/%.c
2353     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2355 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/impl/%.c
2356     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2358 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/targets/%.c
2359     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2361 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
2362     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2364 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/impl/%.c
2365     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2367 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
2368     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2370 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sfe/%.c
2371     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2373 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/simnet/%.c
2374     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2376 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/softmac/%.c
2377     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2379 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/%.c
2380     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2382 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/uath_fw/%.c
2383     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2385 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ural/%.c
2386     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2388 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/urtw/%.c
2389     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2391 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.
2392     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2394 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.
2395     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2397 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.
2398     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2400 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
2401     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2403 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
2404     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2406 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
2407     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2409 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hid/%.c
2410     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2412 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
2413     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2415 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbkbm/%.c
2416     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2418 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbms/%.c
2419     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2421 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbinput/usbwcm
2422     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2424 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/ugen/%.c
2425     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2427 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/printer/%.c
2428     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2430 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/%.c
2431     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2433 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
2434     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2436 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
2437     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2439 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
2440     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2442 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
2443     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2445 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
2446     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2448 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwa1480_fw/%.c
2449     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2451 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
2452     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2454 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbecm/%.c
2455     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2457 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/openhci/%.c
2458     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2460 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/ehci/%.c
2461     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2463 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/uhci/%.c
2464     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2466 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hubd/%.c
2467     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2469 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/scsa2usb/%.c
2470     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2472 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_mid/%.c
2473     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2475 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_ia/%.c
2476     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2478 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba/%.c
2479     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2481 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba10/%.c
2482     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2484 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uwb/uwba/%.c
2485     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2487 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
2488     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2490 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vuidmice/%.c
2491     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2493 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vnic/%.c
2494     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2496 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/wpi/%.c
2497     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2499 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/zyd/%.c
2500     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2502 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/com/%.c
2503     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2505 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/%.c
2506     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2508 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/common/%.c
2509     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2511 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/shared/%.c
2512     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2514 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/firmware/%.c
2515     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2517 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/t4nex/%.c
2518     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2520 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
2521     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2523 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgb/%.c
2524     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2526 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/drv/%.c
2527     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2529 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/hal/xgehal/%.c
2530     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2532 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000g/%.c
2533     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2535 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000api/%.c
2536     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2538 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/igb/%.c
2539     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2541 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iprb/%.c
2542     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2544 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgbe/%.c
2545     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2547 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ntxn/%.c
2548     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2550 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/myri10ge/drv/%.c
2551     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2553 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/%.c
2554     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2556 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/ipgpc/%.c
2557     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2559 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dlcosmk/%.c
2560     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2562 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/flowacct/%.c
2563     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2565 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dscpmk/%.c
2566     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2568 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/meters/%.c
2569     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```
2571 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_emea/%.c
2572     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2574 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ja/%.c
2575     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2577 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ko/%.c
2578     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2580 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_sc/%.c
2581     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2583 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_tc/%.c
2584     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2586 $(LINTSDIR)/%.ln: $(UTSBASE)/common/klm/%.c
2587     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2589 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kmdb/%.c
2590     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2592 $(LINTSDIR)/%.ln: $(UTSBASE)/common/krtld/%.c
2593     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2595 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ktli/%.c
2596     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2598 $(LINTSDIR)/%.ln: $(COMMONBASE)/list/%.c
2599     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2601 $(LINTSDIR)/%.ln: $(COMMONBASE)/lvm/%.c
2602     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2604 $(LINTSDIR)/%.ln: $(COMMONBASE)/lzma/%.c
2605     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2607 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md4/%.c
2608     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2610 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md5/%.c
2611     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2613 $(LINTSDIR)/%.ln: $(COMMONBASE)/net/dhcp/%.c
2614     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2616 $(LINTSDIR)/%.ln: $(COMMONBASE)/nvpair/%.c
2617     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2619 $(LINTSDIR)/%.ln: $(UTSBASE)/common/os/%.c
2620     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2622 $(LINTSDIR)/%.ln: $(UTSBASE)/common/rpc/%.c
2623     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2625 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cs/%.c
2626     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2628 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cis/%.c
2629     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2631 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/nexus/%.c
2632     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2634 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/pcs/%.c
2635     @$(LHEAD) $(LINT.c) $< $(LTAIL))
```

```

2637 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/rpc/%.c
2638     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2640 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/rpc/sec/%.c
2641     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2643 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/rpc/sec_gss/%.c
2644     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2646 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/sha1/%.c
2647     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2649 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/sha2/%.c
2650     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2652 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/syscall/%.c
2653     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2655 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/tnf/%.c
2656     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2658 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/tsol/%.c
2659     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2661 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/util/%.c
2662     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2664 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/unicode/%.c
2665     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2667 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/vm/%.c
2668     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2670 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
2671     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2673 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/iscsi/%.c
2674     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2676 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/inet/kifconf/%.c
2677     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2679 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/virtio/%.c
2680     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2682 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/vioblk/%.c
2683     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2685 ZMODLINTFLAGS = -erroff=E_CONSTANT_CONDITION

2687 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/zmod/%.c
2688     @$(LHEAD) $(LINT.c) $(ZMODLINTFLAGS) $< $(LTAIL))

2690 $(LINTS_DIR)/zlib_obj.ln: $(ZLIB_OBJS:%.o=$(LINTS_DIR)/%.ln) \
2691     $(UTSBASE)/common/zmod/zlib_lint.c
2692     @$(LHEAD) $(LINT.c) -C $(LINTS_DIR)/zlib_obj \
2693     $(UTSBASE)/common/zmod/zlib_lint.c $(LTAIL))

2695 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/hxge/%.c
2696     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2698 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.c
2699     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2701 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.s

```

```

2702     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2704 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/vr/%.c
2705     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2707 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/yge/%.c
2708     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2710 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/io/skd/%.c
2711     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2713 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/fsreparse/%.c
2714     @$(LHEAD) $(LINT.c) $< $(LTAIL))
2715 #endif /* ! codereview */

```

new/usr/src/uts/common/Makefile.rules.rej

1

482 Wed Nov 12 17:44:39 2014

new/usr/src/uts/common/Makefile.rules.rej

5075 EOF cardbus & pcmcia

```
1 *****
2 *** 22,28 ***
3 #
4 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
5 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
6 - # Copyright 2013 Garrett D'Amore <garrett@damore.org>
7 #
8
9 #
10 --- 22,28 ----
11 #
12 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
13 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
14 + # Copyright 2014 Garrett D'Amore <garrett@damore.org>
15 #
16
17 #
18 #endif /* ! codereview */
```

22253 Wed Nov 12 17:44:41 2014

new/usr/src/uts/common/sys/Makefile

5075 EOF cardbus & pcmcia

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2013, Joyent, Inc. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 # Copyright 2013 Garrett D'Amore <garrett@damore.org>

```

27 include \$(SRC)/uts/Makefile.uts

29 FILEMODE=644

```

31 #
32 #       Note that the following headers are present in the kernel but
33 #       neither installed or shipped as part of the product:
34 #       cpuid_drv.h:      Private interface for cpuid consumers
35 #       unix_bb_info.h:   Private interface to kcov
36 #

```

```

38 i386_HDRS= \
39     agp/agpamd64gart_io.h \
40     agp/agpdefs.h \
41     agp/agpgart_impl.h \
42     agp/agpmaster_io.h \
43     agp/agptarget_io.h \
44     agpgart.h \
45     asy.h \
46     fd_debug.h \
47     fdc.h \
48     fdmedia.h \
49     mouse.h \
50     ucode.h

```

```

52 sparc_HDRS= \
53     mouse.h \
54     scsi/targets/ssddef.h \
55     $(MDESCHDRS)

```

```

57 # Generated headers
58 GENHDRS= \
59     priv_const.h \
60     priv_names.h \

```

61 usb/usbdevs.h

```

63 CHKHDRS= \
64     acpi_drv.h \
65     acct.h \
66     acctctl.h \
67     acl.h \
68     acl_impl.h \
69     aggr.h \
70     aggr_impl.h \
71     aio.h \
72     aio_impl.h \
73     aio_req.h \
74     aiocb.h \
75     ascii.h \
76     asynch.h \
77     atomic.h \
78     attr.h \
79     audio.h \
80     audioio.h \
81     autoconf.h \
82     auxv.h \
83     auxv_386.h \
84     auxv_SPARC.h \
85     avl.h \
86     avl_impl.h \
87     bitmap.h \
88     bitset.h \
89     bl.h \
90     blkdev.h \
91     bofi.h \
92     bofi_impl.h \
93     bpp_io.h \
94     bootstat.h \
95     brand.h \
96     buf.h \
97     bufmod.h \
98     bustypes.h \
99     byteorder.h \
100     callb.h \
101     callo.h \
102     cap_util.h \
103     cpucaps.h \
104     cpucaps_impl.h \
105     ccompile.h \
106     cdio.h \
107     cladm.h \
108     class.h \
109     clconf.h \
110     clock_impl.h \
111     cmlb.h \
112     cmn_err.h \
113     compress.h \
114     condvar.h \
115     condvar_impl.h \
116     conf.h \
117     consdev.h \
118     console.h \
119     consplat.h \
120     vt.h \
121     vtdaemon.h \
122     kd.h \
123     contract.h \
124     contract_impl.h \
125     copyops.h \
126     core.h \

```

```

127      corectl.h      \
128      cpc_impl.h     \
129      cpc_pcbe.h     \
130      cpr.h          \
131      cpupart.h      \
132      cpuvar.h        \
133      crc32.h         \
134      cred.h          \
135      cred_impl.h     \
136      crtctl.h        \
137      cryptmod.h      \
138      cslioctl.h      \
139      ctf.h           \
140      ctfs.h          \
141      ctfs_impl.h     \
142      ctf_api.h       \
143      ctype.h         \
144      cyclic.h        \
145      cyclic_impl.h   \
146      dacf.h          \
147      dacf_impl.h     \
148      damap.h         \
149      damap_impl.h    \
150      dc_ki.h         \
151      ddi.h           \
152      ddifm.h         \
153      ddifm_impl.h    \
154      ddi_hp.h        \
155      ddi_hp_impl.h   \
156      ddi_intr.h      \
157      ddi_intr_impl.h \
158      ddi_impldefs.h  \
159      ddi_implfuncs.h \
160      ddi_obsolete.h  \
161      ddi_periodic.h  \
162      ddidevmap.h     \
163      ddi_mareq.h     \
164      ddimapreq.h     \
165      ddipropdefs.h   \
166      dditypes.h      \
167      debug.h         \
168      des.h           \
169      devctl.h        \
170      devcache.h      \
171      devcache_impl.h \
172      devfm.h         \
173      devid_cache.h   \
174      devinfo_impl.h  \
175      devops.h        \
176      devpolicy.h     \
177      devpoll.h       \
178      dirent.h        \
179      disp.h          \
180      dkbad.h         \
181      dkio.h          \
182      dklabel.h       \
183      dl.h            \
184      dlpi.h          \
185      dld.h           \
186      dld_impl.h      \
187      dld_ioc.h       \
188      dls.h           \
189      dls_mgmt.h      \
190      dls_impl.h      \
191      dma_i8237A.h    \
192      dnlc.h          \

```

```

193      door.h          \
194      door_data.h     \
195      door_impl.h     \
196      dtrace.h        \
197      dtrace_impl.h   \
198      dumpadm.h       \
199      dumphdr.h       \
200      ecppsys.h       \
201      ecppio.h        \
202      ecppreg.h       \
203      ecppvar.h       \
204      efi_partition.h \
205      elf.h           \
206      elf_386.h       \
207      elf_SPARC.h     \
208      elf_notes.h     \
209      elf_amd64.h     \
210      elftypes.h      \
211      emul64.h        \
212      emul64cmd.h     \
213      emul64var.h     \
214      epm.h           \
215      errno.h         \
216      errorq.h        \
217      errorq_impl.h   \
218      esunddi.h       \
219      ethernet.h      \
220      euc.h           \
221      eucioctl.h      \
222      exacct.h        \
223      exacct_catalog.h \
224      exacct_impl.h   \
225      exec.h          \
226      exechedr.h      \
227      extdirent.h     \
228      fault.h         \
229      fasttrap.h      \
230      fasttrap_impl.h \
231      fbio.h          \
232      fbuf.h          \
233      fcntl.h         \
234      fct.h           \
235      fct_defines.h   \
236      fctio.h         \
237      fdbuffer.h      \
238      fdio.h          \
239      feature_tests.h \
240      fem.h           \
241      file.h          \
242      filio.h         \
243      flock.h         \
244      flock_impl.h    \
245      fork.h          \
246      fss.h           \
247      fsspriocntl.h   \
248      fsid.h          \
249      fssnap.h        \
250      fssnap_if.h     \
251      fstyp.h         \
252      ftrace.h        \
253      fx.h            \
254      fxpriocntl.h    \
255      gfs.h           \
256      gld.h           \
257      gldpriv.h       \
258      group.h         \

```

```

259      hdio.h          \
260      hook.h          \
261      hook_event.h    \
262      hook_impl.h     \
263      hwconf.h        \
264      ia.h            \
265      iapriocntl.h    \
266      ibpart.h        \
267      id32.h          \
268      idmap.h         \
269      ieeeep.h        \
270      id_space.h      \
271      instance.h      \
272      int_const.h     \
273      int_fmtio.h     \
274      int_limits.h    \
275      int_types.h     \
276      inttypes.h      \
277      ioccom.h        \
278      ioctl.h         \
279      ipc.h           \
280      ipc_impl.h      \
281      ipc_rctl.h      \
282      ipd.h           \
283      ipmi.h          \
284      isa_defs.h      \
285      iscsi_authclient.h \
286      iscsi_authclientglue.h \
287      iscsi_protocol.h \
288      jioctl.h        \
289      kbd.h           \
290      kbdreg.h        \
291      kbio.h          \
292      kcpc.h          \
293      kdi.h           \
294      kdi_impl.h      \
295      kiconv.h        \
296      kiconv_big5_utf8.h \
297      kiconv_ckk_common.h \
298      kiconv_cp950hkscs_utf8.h \
299      kiconv_emeal.h \
300      kiconv_emea2.h \
301      kiconv_euckr_utf8.h \
302      kiconv_euctw_utf8.h \
303      kiconv_gbl8030_utf8.h \
304      kiconv_gb2312_utf8.h \
305      kiconv_hkscs_utf8.h \
306      kiconv_ja.h     \
307      kiconv_ja_jis_to_unicode.h \
308      kiconv_ja_unicode_to_jis.h \
309      kiconv_ko.h     \
310      kiconv_latin1.h \
311      kiconv_sc.h     \
312      kiconv_tc.h     \
313      kiconv_uhc_utf8.h \
314      kiconv_utf8_big5.h \
315      kiconv_utf8_cp950hkscs.h \
316      kiconv_utf8_euckr.h \
317      kiconv_utf8_euctw.h \
318      kiconv_utf8_gbl8030.h \
319      kiconv_utf8_gb2312.h \
320      kiconv_utf8_hkscs.h \
321      kiconv_utf8_uhc.h \
322      kidmap.h        \
323      klpd.h          \
324      klwp.h          \

```

```

325      kmdb.h          \
326      kmem.h          \
327      kmem_impl.h     \
328      kobj.h          \
329      kobj_impl.h     \
330      ksocket.h       \
331      kstat.h         \
332      kstr.h          \
333      ksyms.h         \
334      ksynch.h       \
335      ldterm.h        \
336      lgrp.h          \
337      lgrp_user.h     \
338      libc_kernel.h   \
339      link.h          \
340      list.h          \
341      list_impl.h     \
342      llcl.h          \
343      loadavg.h       \
344      lock.h          \
345      lockfs.h        \
346      lockstat.h      \
347      lofi.h          \
348      log.h           \
349      logindmux.h     \
350      logindmux_impl.h \
351      lwp.h           \
352      lwp_timer_impl.h \
353      lwp_upimutex_impl.h \
354      lpif.h          \
355      mac.h           \
356      mac_client.h    \
357      mac_client_impl.h \
358      mac_ether.h     \
359      mac_flow.h      \
360      mac_flow_impl.h \
361      mac_impl.h      \
362      mac_provider.h  \
363      mac_soft_ring.h \
364      mac_stat.h      \
365      machelf.h       \
366      map.h           \
367      md4.h           \
368      md5.h           \
369      md5_consts.h    \
370      mdi_impldefs.h  \
371      mem.h           \
372      mem_config.h    \
373      memlist.h       \
374      mkdev.h         \
375      mhd.h           \
376      mii.h           \
377      miiregs.h       \
378      mixer.h         \
379      mman.h          \
380      mmapobj.h       \
381      mntent.h        \
382      mntio.h         \
383      mnttab.h        \
384      modctl.h        \
385      mode.h          \
386      model.h         \
387      modhash.h       \
388      modhash_impl.h  \
389      mount.h         \
390      mouse.h         \

```



```

391      msacct.h      \
392      msg.h         \
393      msg_impl.h    \
394      msio.h        \
395      msreg.h       \
396      mtio.h        \
397      multidata.h   \
398      multidata_impl.h \
399      mutex.h       \
400      nbmlock.h     \
401      ndifm.h       \
402      ndi_impldefs.h \
403      net80211.h    \
404      net80211_crypto.h \
405      net80211_ht.h \
406      net80211_proto.h \
407      netconfig.h   \
408      neti.h        \
409      netstack.h    \
410      nexusdefs.h   \
411      note.h        \
412      nvpair.h      \
413      nvpair_impl.h \
414      objfs.h       \
415      objfs_impl.h  \
416      ontrap.h      \
417      open.h        \
418      openpromio.h \
419      panic.h       \
420      param.h       \
421      pathconf.h    \
422      pathname.h    \
423      pattnr.h      \
424      queue.h       \
425      serializer.h  \
426      pbio.h        \
427      pccard.h      \
427      pci.h         \
428      pcie.h        \
429      pci_impl.h    \
430      pci_tools.h   \
432      pcmcia.h      \
431      pctype.h      \
432      pfmod.h       \
433      pg.h          \
434      pghw.h        \
435      physmem.h     \
436      pkp_hash.h    \
437      pm.h          \
438      policy.h      \
439      poll.h        \
440      poll_impl.h   \
441      pool.h        \
442      pool_impl.h   \
443      pool_pset.h   \
444      port.h        \
445      port_impl.h   \
446      port_kernel.h \
447      portif.h      \
448      ppmio.h       \
449      pppt_ic_if.h  \
450      pppt_ioctl.h  \
451      priocntl.h    \
452      priv.h        \
453      priv_impl.h   \
454      prnio.h       \

```

```

455      proc.h        \
456      processor.h    \
457      procfs.h       \
458      procset.h      \
459      project.h      \
460      protosw.h      \
461      prsystem.h     \
462      pset.h         \
463      pshot.h        \
464      ptem.h         \
465      ptms.h         \
466      ptyvar.h       \
467      raidioctl.h    \
468      ramdisk.h      \
469      random.h       \
470      rctl.h         \
471      rctl_impl.h    \
472      rds.h          \
473      reboot.h       \
474      refstr.h       \
475      refstr_impl.h  \
476      resource.h     \
477      rliocntl.h     \
478      rt.h           \
479      rtpriocntl.h   \
480      rwlock.h       \
481      rwlock_impl.h  \
482      rwstlock.h     \
483      sad.h          \
484      schedctl.h     \
485      sdt.h          \
486      select.h       \
487      sem.h          \
488      sem_impl.h     \
489      sema_impl.h    \
490      semaphore.h    \
491      sendfile.h     \
492      ser_sync.h     \
493      session.h      \
494      sha1.h         \
495      sha1_consts.h  \
496      sha2.h         \
497      sha2_consts.h  \
498      share.h        \
499      shm.h          \
500      shm_impl.h     \
501      sid.h          \
502      siginfo.h      \
503      signal.h       \
504      sleepq.h       \
505      smbios.h       \
506      smbios_impl.h  \
507      subject.h      \
508      socket.h       \
509      socket_impl.h  \
510      socket_proto.h \
511      socketvar.h    \
512      sockfilter.h   \
513      sockio.h       \
514      soundcard.h    \
515      squeue.h       \
516      squeue_impl.h  \
517      srn.h          \
520      sservice.h     \
518      stat.h         \
519      statfs.h       \

```

```

520      statvfs.h      \
521      stdbool.h      \
522      stdint.h        \
523      stermio.h       \
524      stmf.h          \
525      stmf_defines.h  \
526      stmf_ioctl.h    \
527      stmf_sbd_ioctl.h \
528      stream.h        \
529      strft.h         \
530      strlog.h        \
531      strmddep.h      \
532      stropts.h       \
533      strredir.h      \
534      strstat.h       \
535      strsubr.h       \
536      strsun.h        \
537      strtty.h        \
538      sunddi.h        \
539      sunldi.h        \
540      sunldi_impl.h   \
541      sunmdi.h        \
542      sunndi.h        \
543      sunos_dhcp_class.h \
544      sunpm.h         \
545      suntpi.h        \
546      suntty.h        \
547      swap.h          \
548      synch.h         \
549      sysdc.h         \
550      sysdc_impl.h    \
551      syscall.h       \
552      sysconf.h       \
553      sysconfig.h     \
554      sysevent.h      \
555      sysevent_impl.h \
556      sysinfo.h       \
557      syslog.h        \
558      sysmacros.h     \
559      sysmsg_impl.h   \
560      systeminfo.h    \
561      systm.h         \
562      task.h          \
563      taskq.h         \
564      taskq_impl.h    \
565      t_kuser.h       \
566      t_lock.h        \
567      telioctl.h      \
568      termio.h        \
569      termios.h       \
570      termiox.h       \
571      thread.h        \
572      ticlts.h        \
573      ticots.h        \
574      ticotsord.h     \
575      tihdr.h         \
576      time.h          \
577      time_impl.h     \
578      time_std_impl.h \
579      timeb.h         \
580      timer.h         \
581      times.h         \
582      timex.h         \
583      timod.h         \
584      tirdwr.h        \
585      tiuser.h        \

```

```

586      tl.h           \
587      tn timer.h      \
588      tn timer_com.h  \
589      tn timer_probe.h \
590      tn timer_writer.h \
591      todio.h         \
592      tpicommon.h     \
593      ts.h            \
594      tspriocntl.h    \
595      ttcompat.h      \
596      ttold.h         \
597      tty.h           \
598      ttychars.h      \
599      ttydev.h        \
600      tuneable.h      \
601      turnstile.h     \
602      types.h         \
603      types32.h       \
604      tzfile.h        \
605      u8_textprep.h   \
606      u8_textprep_data.h \
607      uadmin.h        \
608      ucred.h         \
609      uio.h           \
610      ulimit.h        \
611      un.h            \
612      unistd.h        \
613      user.h          \
614      ustat.h         \
615      utime.h         \
616      utsname.h       \
617      utssys.h        \
618      uuid.h          \
619      va_impl.h       \
620      va_list.h       \
621      var.h           \
622      varargs.h       \
623      vfs.h           \
624      vfs_opreg.h     \
625      vfstab.h        \
626      vgareg.h        \
627      videodev2.h     \
628      visual_io.h     \
629      vlan.h          \
630      vm.h            \
631      vm_usage.h      \
632      vmem.h          \
633      vmem_impl.h     \
634      vmsystem.h      \
635      vnic.h          \
636      vnic_impl.h     \
637      vnode.h         \
638      vscan.h         \
639      vtoc.h          \
640      vtrace.h        \
641      vuid_event.h    \
642      vuid_wheel.h    \
643      vuid_queue.h    \
644      vuid_state.h    \
645      vuid_store.h    \
646      wait.h          \
647      waitq.h         \
648      wanboot_impl.h  \
649      watchpoint.h    \
650      winlockio.h     \
651      zcons.h         \

```

new/usr/src/uts/common/sys/Makefile

```

652     zone.h \
653     xti_inet.h \
654     xti_osi.h \
655     xti_xtiopt.h \
656     zmod.h \
658 HDRS= \
659     $(GENHDRS) \
660     $(CHKHDRS) \
662 AUDIOHDRS= \
663     ac97.h \
664     audio_common.h \
665     audio_driver.h \
666     audio_oss.h \
667     g711.h \
669 AVHDRS= \
670     iec61883.h \
672 BSCHDRS= \
673     bscbus.h \
674     bscv_impl.h \
675     lom_ebuscodes.h \
676     lom_io.h \
677     lom_priv.h \
678     lombus.h \
680 MDESCHDRS= \
681     mdesc.h \
682     mdesc_impl.h \
684 CPUDRVHDRS= \
685     cpudrv.h \
687 CRYPTOHDRS= \
688     elfsign.h \
689     ioctl.h \
690     ioctladmin.h \
691     common.h \
692     impl.h \
693     spl.h \
694     api.h \
695     ops_impl.h \
696     sched_impl.h \
698 DCAMHDRS= \
699     dcam1394_io.h \
701 IBHDRS= \
702     ib_types.h \
703     ib_pkt_hdrs.h \
705 IBTLHDRS= \
706     ibtl_types.h \
707     ibtl_status.h \
708     ibti.h \
709     ibti_cm.h \
710     ibci.h \
711     ibti_common.h \
712     ibvti.h \
713     ibtl_ci_types.h \
715 IBTLIMPLHDRS= \
716     ibtl_util.h

```

11

new/usr/src/uts/common/sys/Makefile

```

718 IBNEXHDRS= \
719     ibnex_devctl.h \
721 IBMFHDRS= \
722     ibmf.h \
723     ibmf_msg.h \
724     ibmf_saa.h \
725     ibmf_utils.h \
727 IBMGTHDRS= \
728     ib_dm_attr.h \
729     ib_mad.h \
730     sm_attr.h \
731     sa_recs.h \
733 IBDHDRS= \
734     ibd.h \
736 OFHDRS= \
737     ofa_solaris.h \
738     ofed_kernel.h \
740 RDMAHDRS= \
741     ib_addr.h \
742     ib_user_mad.h \
743     ib_user_sa.h \
744     ib_user_verbs.h \
745     ib_verbs.h \
746     rdma_cm.h \
747     rdma_user_cm.h \
749 SOL_UVERBSHDRS= \
750     sol_uverbs.h \
751     sol_uverbs2ucma.h \
752     sol_uverbs_comp.h \
753     sol_uverbs_hca.h \
754     sol_uverbs_gp.h \
755     sol_uverbs_event.h \
757 SOL_UMADHDRS= \
758     sol_umad.h \
760 SOL_UCMAHDRS= \
761     sol_ucma.h \
762     sol_rdma_user_cm.h \
764 SOL_OFSHDRS= \
765     sol_cma.h \
766     sol_ib_cma.h \
767     sol_ofs_common.h \
768     sol_kverb_impl.h \
770 TAVORHDRS= \
771     tavor_ioctl.h \
773 HERMONHDRS= \
774     hermon_ioctl.h \
776 MLNXHDRS= \
777     mlnx_umap.h \
779 IDMHDRS= \
780     idm.h \
781     idm_impl.h \
782     idm_so.h \
783     idm_text.h

```

12

new/usr/src/uts/common/sys/Makefile

```

784     idm_transport.h \
785     idm_conn_sm.h

787 ISCSITHDRS= \
788     radius_packet.h \
789     radius_protocol.h \
790     chap.h \
791     isns_protocol.h \
792     iscsi_if.h \
793     iscsit_common.h

795 ISOHDRS= \
796     signal_iso.h

798 DERIVED_LVMHDRS= \
799     md_mdiox.h \
800     md_basic.h \
801     mdmed.h \
802     md_mhdx.h \
803     mdmn_commd.h

805 LVMHDRS= \
806     md_convert.h \
807     md_crc.h \
808     md_hotspares.h \
809     md_mddb.h \
810     md_mirror.h \
811     md_mirror_shared.h \
812     md_names.h \
813     md_notify.h \
814     md_raid.h \
815     md_rename.h \
816     md_sp.h \
817     md_stripe.h \
818     md_trans.h \
819     mdio.h \
820     mdvar.h

822 ALL_LVMHDRS= \
823     $(LVMHDRS) \
824     $(DERIVED_LVMHDRS)

826 FMHDRS= \
827     protocol.h \
828     util.h

830 FMFSHDRS= \
831     zfs.h

833 FMIOHDRS= \
834     ddi.h \
835     disk.h \
836     pci.h \
837     scsi.h \
838     sun4upci.h \
839     opl_mc_fm.h

841 FSHDRS= \
842     autofs.h \
843     cacheefs_dir.h \
844     cacheefs_dlog.h \
845     cacheefs_filegrp.h \
846     cacheefs_fs.h \
847     cacheefs_fscache.h \
848     cacheefs_ioctl.h \
849     cacheefs_log.h

```

13

new/usr/src/uts/common/sys/Makefile

```

850     decomp.h \
851     dv_node.h \
852     sdev_impl.h \
853     fifonode.h \
854     hsfs_isospec.h \
855     hsfs_node.h \
856     hsfs_rrip.h \
857     hsfs_spec.h \
858     hsfs_susp.h \
859     lofs_info.h \
860     lofs_node.h \
861     mntdata.h \
862     namenode.h \
863     pc_dir.h \
864     pc_fs.h \
865     pc_label.h \
866     pc_node.h \
867     pxfs_ki.h \
868     snode.h \
869     swapnode.h \
870     tmp.h \
871     tmpnode.h \
872     udf_inode.h \
873     udf_volume.h \
874     ufs_acl.h \
875     ufs_bio.h \
876     ufs_filio.h \
877     ufs_fs.h \
878     ufs_fsdire.h \
879     ufs_inode.h \
880     ufs_lockfs.h \
881     ufs_log.h \
882     ufs_mount.h \
883     ufs_panic.h \
884     ufs_prot.h \
885     ufs_quota.h \
886     ufs_snap.h \
887     ufs_trans.h \
888     zfs.h \
889     zut.h

891 SCSIHDRS= \
892     scsi.h \
893     scsi_address.h \
894     scsi_ctl.h \
895     scsi_fm.h \
896     scsi_params.h \
897     scsi_pkt.h \
898     scsi_resource.h \
899     scsi_types.h \
900     scsi_watch.h

902 SCSSICONFHDRS= \
903     autoconf.h \
904     device.h

906 SCSSIGENHDRS= \
907     commands.h \
908     dad_mode.h \
909     inquiry.h \
910     message.h \
911     mode.h \
912     persist.h \
913     sense.h \
914     sff_frames.h \
915     smp_frames.h

```

14

```

916      status.h

918  SCSIIMPLHDRS= \
919      commands.h \
920      inquiry.h \
921      mode.h \
922      scsi_reset_notify.h \
923      scsi_sas.h \
924      sense.h \
925      services.h \
926      smp_transport.h \
927      spc3_types.h \
928      status.h \
929      transport.h \
930      types.h \
931      uscsi.h \
932      usmp.h

934  SCSTARGETSHDRS= \
935      ses.h \
936      sesio.h \
937      sgendef.h \
938      stdef.h \
939      sddef.h \
940      smp.h

942  SCSIADHDRS=

944  SCSCADHDRS=

946  SCSIISCSIHDRS= \
947      iscsi_door.h \
948      iscsi_if.h

950  SCIVHCIHDRS= \
951      scsi_vhci.h \
952      mpapi_impl.h \
953      mpapi_scsi_vhci.h

955  SDCARDHDRS= \
956      sda.h \
957      sda_impl.h \
958      sda_ioctl.h

960  FC4HDRS= \
961      fc_transport.h \
962      linkapp.h \
963      fc.h \
964      fcp.h \
965      fcal_transport.h \
966      fcal.h \
967      fcal_linkapp.h \
968      fcio.h

970  FCHDRS= \
971      fc.h \
972      fcio.h \
973      fc_types.h \
974      fc_appif.h

976  FCIMPLHDRS= \
977      fc_error.h \
978      fcph.h

980  FCULPHDRS= \
981      fcp_util.h \

```

```

982      fcsn.h

984  SATAGENHDRS= \
985      sata_hba.h \
986      sata_defs.h \
987      sata_cfgadm.h

989  SYSEVENTHDRS= \
990      ap_driver.h \
991      dev.h \
992      domain.h \
993      dr.h \
994      env.h \
995      eventdefs.h \
996      ipmp.h \
997      pwrctl.h \
998      svm.h \
999      vrrp.h

1001  CONTRACTHDRS= \
1002      process.h \
1003      process_impl.h \
1004      device.h \
1005      device_impl.h

1007  USBHDRS= \
1008      usba.h \
1009      usbai.h

1011  UWBHDRS= \
1012      uwb.h \
1013      uwbai.h

1015  UWBAHDRS= \
1016      uwba.h

1018  USBAUDHDRS= \
1019      usb_audio.h

1021  USBHUBDHDRS= \
1022      hub.h \
1023      hubd_impl.h

1025  USBHIDHDRS= \
1026      hid.h

1028  USBHWARDHDRS= \
1029      hwarc.h

1031  USBMSHDRS= \
1032      usb_bulkonly.h \
1033      usb_cbi.h

1035  USBPRNHDRS= \
1036      usb_printer.h

1038  USBDCDHDRS= \
1039      usb_cdc.h

1041  USBVIDHDRS= \
1042      usbvc.h

1044  USBWCMHDRS= \
1045      usbwcm.h

1047  UGENHDRS= \

```

```

1048      usb_uugen.h

1050 HOTPLUGHDRS= \
1051      hpcsvc.h      \
1052      hpctrl.h

1054 HOTPLUGPCIHDRS= \
1055      pcicfg.h      \
1056      pcihp.h

1058 RSMHDRS= \
1059      rsm.h      \
1060      rsm_common.h \
1061      rsmapi_common.h \
1062      rsmapi.h \
1063      rsmapi_driver.h \
1064      rsmka_path_int.h

1066 TSOLHDRS= \
1067      label.h \
1068      label_macro.h \
1069      priv.h \
1070      tndb.h \
1071      tsyscall.h

1073 I1394HDRS= \
1074      cmdl1394.h \
1075      idl1394.h \
1076      ieee1212.h \
1077      ieee1394.h \
1078      ixl1394.h \
1079      sl394_impl.h \
1080      tl394.h

1082 # "cmdk" headers used on sparc
1083 SDKTPHDRS= \
1084      dadkio.h \
1085      fdisk.h

1087 # "cmdk" headers used on i386
1088 DKTPHDRS= \
1089      altsctr.h \
1090      bbh.h \
1091      cm.h \
1092      cmdev.h \
1093      cmdk.h \
1094      cmpkt.h \
1095      controller.h \
1096      dadev.h \
1097      dadk.h \
1098      dadkio.h \
1099      fctypes.h \
1100      fdisk.h \
1101      flowctrl.h \
1102      gda.h \
1103      quetypes.h \
1104      queue.h \
1105      tgcom.h \
1106      tgdk.h

1108 # "pc" header files used on i386
1109 PCHDRS= \
1110      avintr.h \
1111      dma_engine.h \
1112      i8272A.h \
1116      pcic_reg.h

```

```

1117      pcic_var.h \
1118      pic.h \
1119      pit.h \
1120      rtc.h

1117 NXGEHDRS= \
1118      nxge.h \
1119      nxge_common.h \
1120      nxge_common_impl.h \
1121      nxge_defs.h \
1122      nxge_hw.h \
1123      nxge_impl.h \
1124      nxge_ipp.h \
1125      nxge_ipp_hw.h \
1126      nxge_mac.h \
1127      nxge_mac_hw.h \
1128      nxge_fflp.h \
1129      nxge_fflp_hw.h \
1130      nxge_mii.h \
1131      nxge_rxdma.h \
1132      nxge_rxdma_hw.h \
1133      nxge_txc.h \
1134      nxge_txc_hw.h \
1135      nxge_txdma.h \
1136      nxge_txdma_hw.h \
1137      nxge_virtual.h \
1138      nxge_espc.h

1140 include Makefile.sysshdrs

1142 dcam/%.check: dcam/%.h
1143      $(DOT_H_CHECK)

1145 CHECKHDRS= \
1146      $( $(MACH)_HDRS:%.h=%.check) \
1147      $(AUDIOHDRS:%.h=audio/%.check) \
1148      $(AVHDRS:%.h=av/%.check) \
1149      $(BSCHDRS:%.h=%.check) \
1150      $(CHKHDRS:%.h=%.check) \
1151      $(CPUDRVHDRS:%.h=%.check) \
1152      $(CRYPTOHDRS:%.h=crypto/%.check) \
1153      $(DCAMHDRS:%.h=dcam/%.check) \
1154      $(FC4HDRS:%.h=fc4/%.check) \
1155      $(FCHDRS:%.h=fibre-channel/%.check) \
1156      $(FCIMPLHDRS:%.h=fibre-channel/impl/%.check) \
1157      $(FCULPHDRS:%.h=fibre-channel/ulp/%.check) \
1158      $(IBHDRS:%.h=ib/%.check) \
1159      $(IBDHDRS:%.h=ib/clients/ibd/%.check) \
1160      $(IBTLHDRS:%.h=ib/ibt1/%.check) \
1161      $(IBTLIMPLHDRS:%.h=ib/ibt1/impl/%.check) \
1162      $(IBNEXHDRS:%.h=ib/ibnex/%.check) \
1163      $(IBMGTHDRS:%.h=ib/mgt/%.check) \
1164      $(IBMFHDRS:%.h=ib/mgt/ibmf/%.check) \
1165      $(OFHDRS:%.h=ib/clients/of/%.check) \
1166      $(RDMAHDRS:%.h=ib/clients/of/rdma/%.check) \
1167      $(SOL_UVERBSHDRS:%.h=ib/clients/of/sol_uverbs/%.check) \
1168      $(SOL_UCMAHDRS:%.h=ib/clients/of/sol_ucma/%.check) \
1169      $(SOL_OFSHDRS:%.h=ib/clients/of/sol_ofs/%.check) \
1170      $(TAVORHDRS:%.h=ib/adapters/tavor/%.check) \
1171      $(HERMONHDRS:%.h=ib/adapters/hermon/%.check) \
1172      $(MLNXHDRS:%.h=ib/adapters/%.check) \
1173      $(IDMHDRS:%.h=idm/%.check) \
1174      $(ISCSIHDRS:%.h=iscsi/%.check) \
1175      $(ISCSITHDRS:%.h=iscsit/%.check) \
1176      $(ISOHDRS:%.h=iso/%.check) \
1177      $(FMHDRS:%.h=fm/%.check)

```

```

1178 $(FMFSDHDRS:%.h=fm/fs/%.check) \
1179 $(FMIOHDRS:%.h=fm/io/%.check) \
1180 $(FSDHDRS:%.h=fs/%.check) \
1181 $(LVMHDRS:%.h=lvm/%.check) \
1182 $(SCSIHDRS:%.h=scsi/%.check) \
1183 $(SCSIADHDRS:%.h=scsi/adapters/%.check) \
1184 $(SCSICONFHDRS:%.h=scsi/conf/%.check) \
1185 $(SCSIIMPLHDRS:%.h=scsi/impl/%.check) \
1186 $(SCSIISCSIIHDRS:%.h=scsi/adapters/%.check) \
1187 $(SCSIIGENHDRS:%.h=scsi/generic/%.check) \
1188 $(SCSITARGETSHDRS:%.h=scsi/targets/%.check) \
1189 $(SCSIVHCIHDRS:%.h=scsi/adapters/%.check) \
1190 $(SATAGENHDRS:%.h=sata/%.check) \
1191 $(SDCARDHDRS:%.h=sdcard/%.check) \
1192 $(SYSEVENTHDRS:%.h=sysevent/%.check) \
1193 $(CONTRACTHDRS:%.h=contract/%.check) \
1194 $(USBAUDHDRS:%.h=usb/clients/audio/%.check) \
1195 $(USBHUBDHDRS:%.h=usb/hubd/%.check) \
1196 $(USBHIDHDRS:%.h=usb/clients/hid/%.check) \
1197 $(USBHWARDHDRS:%.h=usb/clients/hwarc/%.check) \
1198 $(USBMSHDRS:%.h=usb/clients/mass_storage/%.check) \
1199 $(USBPRNHDRS:%.h=usb/clients/printer/%.check) \
1200 $(USBCDCHDRS:%.h=usb/clients/usbcdc/%.check) \
1201 $(USBVIDHDRS:%.h=usb/clients/video/usbvc/%.check) \
1202 $(USBWCMHDRS:%.h=usb/clients/usbinput/usbwcm/%.check) \
1203 $(UGENHDRS:%.h=usb/clients/ugen/%.check) \
1204 $(USBHDRS:%.h=usb/%.check) \
1205 $(UWBHDRS:%.h=uwb/%.check) \
1206 $(UWBAHDRS:%.h=uwb/uwba/%.check) \
1207 $(I1394HDRS:%.h=i1394/%.check) \
1208 $(RSMHDRS:%.h=rsm/%.check) \
1209 $(TSOLHDRS:%.h=tsol/%.check) \
1210 $(NXGEHDRS:%.h=nxge/%.check)

```

```

1213 .KEEP_STATE:

```

```

1215 .PARALLEL: \
1216 $(CHECKHDRS) \
1217 $(ROOTHDRS) \
1218 $(ROOTAUDHDRS) \
1219 $(ROOTAVHDRS) \
1220 $(ROOTCRYPTOHDRS) \
1221 $(ROOTDCAMHDRS) \
1222 $(ROOTISOHDRS) \
1223 $(ROOTIDMHDRS) \
1224 $(ROOTISCSIIHDRS) \
1225 $(ROOTISCSIIHDRS) \
1226 $(ROOTFC4HDRS) \
1227 $(ROOTFCHDRS) \
1228 $(ROOTFCIMPLHDRS) \
1229 $(ROOTFCULPHDRS) \
1230 $(ROOTFMHDRS) \
1231 $(ROOTFMIOHDRS) \
1232 $(ROOTFMFSDHDRS) \
1233 $(ROOTFSDHDRS) \
1234 $(ROOTIBDHDRS) \
1235 $(ROOTIBHDRS) \
1236 $(ROOTIBTLHDRS) \
1237 $(ROOTIBTLIMPLHDRS) \
1238 $(ROOTIBNEXHDRS) \
1239 $(ROOTIBMGTHDRS) \
1240 $(ROOTIBMFHDRS) \
1241 $(ROOTOFHDRS) \
1242 $(ROOTRDMHDRS) \
1243 $(ROOTSOL_OFSDHDRS) \

```

```

1244 $(ROOTSOL_UMADHDRS) \
1245 $(ROOTSOL_UVERBSHDRS) \
1246 $(ROOTSOL_UCMAHDRS) \
1247 $(ROOTTAVORHDRS) \
1248 $(ROOTTHERMONHDRS) \
1249 $(ROOTMLNXHDRS) \
1250 $(ROOTLVMHDRS) \
1251 $(ROOTSCSIHDRS) \
1252 $(ROOTSCSIADHDRS) \
1253 $(ROOTSCSICONFHDRS) \
1254 $(ROOTSCSIIISCSIIHDRS) \
1255 $(ROOTSCSIIGENHDRS) \
1256 $(ROOTSCSIIIMPLHDRS) \
1257 $(ROOTSCSIVHCIHDRS) \
1258 $(ROOTSDCARDHDRS) \
1259 $(ROOTSYSEVENTHDRS) \
1260 $(ROOTCONTRACTHDRS) \
1261 $(ROOTUSBHDRS) \
1262 $(ROOTUWBHDRS) \
1263 $(ROOTUWBAHDRS) \
1264 $(ROOTUSBAUDHDRS) \
1265 $(ROOTUSBHUBDHDRS) \
1266 $(ROOTUSBHIDHDRS) \
1267 $(ROOTUSBHRCCHDRS) \
1268 $(ROOTUSBMSHDRS) \
1269 $(ROOTUSBPRNHDRS) \
1270 $(ROOTUSBCDCHDRS) \
1271 $(ROOTUSBVIDHDRS) \
1272 $(ROOTUSBWCMHDRS) \
1273 $(ROOTUGENHDRS) \
1274 $(ROOTI1394HDRS) \
1275 $(ROOTHOTPLUGHDRS) \
1276 $(ROOTHOTPLUGPCIHDRS) \
1277 $(ROOTRSMHDRS) \
1278 $(ROOTTSOLHDRS) \
1279 $( $(MACH)_ROOTHDRS)

```

```

1282 install_h: \
1283 $(ROOTDIRS) \
1284 LVMDERIVED_H \
1285 .WAIT \
1286 $(ROOTHDRS) \
1287 $(ROOTAUDHDRS) \
1288 $(ROOTAVHDRS) \
1289 $(ROOTCRYPTOHDRS) \
1290 $(ROOTDCAMHDRS) \
1291 $(ROOTISOHDRS) \
1292 $(ROOTIDMHDRS) \
1293 $(ROOTISCSIIHDRS) \
1294 $(ROOTISCSIIHDRS) \
1295 $(ROOTFC4HDRS) \
1296 $(ROOTFCHDRS) \
1297 $(ROOTFCIMPLHDRS) \
1298 $(ROOTFCULPHDRS) \
1299 $(ROOTFMHDRS) \
1300 $(ROOTFMFSDHDRS) \
1301 $(ROOTFMIOHDRS) \
1302 $(ROOTFSDHDRS) \
1303 $(ROOTIBDHDRS) \
1304 $(ROOTIBHDRS) \
1305 $(ROOTIBTLHDRS) \
1306 $(ROOTIBTLIMPLHDRS) \
1307 $(ROOTIBNEXHDRS) \
1308 $(ROOTIBMGTHDRS) \
1309 $(ROOTIBMFHDRS) \

```

```
1310      $(ROOTOFHDRS)      \
1311      $(ROOTRDMAHDRS)     \
1312      $(ROOTSOL_OFSHDRS)  \
1313      $(ROOTSOL_UMADHDRS) \
1314      $(ROOTSOL_UVERBSHDRS) \
1315      $(ROOTSOL_UCMAHDRS) \
1316      $(ROOTTAVORHDRS)    \
1317      $(ROOTTHERMONHDRS)  \
1318      $(ROOTMLNXHDRS)     \
1319      $(ROOTLVMHDRS)      \
1320      $(ROOTSCSIHDRS)     \
1321      $(ROOTSCSIADHDRS)   \
1322      $(ROOTSCSIISCSIHDRS) \
1323      $(ROOTSCSICONFHDRS) \
1324      $(ROOTSCSIGENHDRS)  \
1325      $(ROOTSCSIIMPLHDRS) \
1326      $(ROOTSCSIVHCIHDRS) \
1327      $(ROOTSDCARDHDRS)   \
1328      $(ROOTSYSEVENTHDRS) \
1329      $(ROOTCONTRACTHDRS) \
1330      $(ROOTUWBHDRS)      \
1331      $(ROOTUWBAHDRS)     \
1332      $(ROOTUSBHDRS)      \
1333      $(ROOTUSBAUDHDRS)   \
1334      $(ROOTUSBHUBDHDRS)  \
1335      $(ROOTUSBHIDHDRS)   \
1336      $(ROOTUSBHRCHDRS)   \
1337      $(ROOTUSBMSHDRS)    \
1338      $(ROOTUSBPRNHDRS)   \
1339      $(ROOTUSBCDCHDRS)   \
1340      $(ROOTUSBVIDHDRS)   \
1341      $(ROOTUSBWCMHDRS)   \
1342      $(ROOTUGENHDRS)     \
1343      $(ROOT1394HDRS)     \
1344      $(ROOTHOTPLUGHDRS)  \
1345      $(ROOTHOTPLUGPCIHDRS) \
1346      $(ROOTRSMHDRS)      \
1347      $(ROOTTSOLHDRS)     \
1348      $(MACH)_ROOTHDRS)

1350 all_h: $(GENHDRS)

1352 priv_const.h: $(PRIVS_AWK) $(PRIVS_DEF)
1353      $(NAWK) -f $(PRIVS_AWK) < $(PRIVS_DEF) -v privhfile=$@

1355 priv_names.h: $(PRIVS_AWK) $(PRIVS_DEF)
1356      $(NAWK) -f $(PRIVS_AWK) < $(PRIVS_DEF) -v pubhfile=$@

1358 usb/usbdevs.h: $(USBDEVS_AWK) $(USBDEVS_DATA)
1359      $(NAWK) -f $(USBDEVS_AWK) $(USBDEVS_DATA) -H > $@

1361 LVMDERIVED_H:
1362      cd $(SRC)/uts/common/sys/lvm; pwd; $(MAKE) all_h

1364 clean:
1365      $(RM) $(GENHDRS)

1367 clobber: clean
1368      cd $(SRC)/uts/common/sys/lvm; pwd; $(MAKE) clobber

1370 check: $(CHECKHDRS)

1372 FRC:
```


new/usr/src/uts/intel/Makefile.intel

1

```
*****
15969 Wed Nov 12 17:44:41 2014
new/usr/src/uts/intel/Makefile.intel
5075 EOF cardbus & pcmcia
*****

1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #

21 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
22 # Copyright (c) 2014 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 2013 Andrew Stormont. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #endif /* ! codereview */

27 #
28 # This makefile contains the common definitions for all intel
29 # implementation architecture independent modules.
30 #

32 #
33 # Machine type (implementation architecture):
34 #
35 PLATFORM = i86pc

37 #
38 # Everybody needs to know how to build modstubs.o and to locate unix.o.
39 # Note that unix.o must currently be selected from among the possible
40 # "implementation architectures". Note further, that unix.o is only
41 # used as an optional error check for undefines so (theoretically)
42 # any "implementation architectures" could be used. We choose i86pc
43 # because it is the reference port.
44 #
45 UNIX_DIR = $(UTSBASE)/i86pc/unix
46 GENLIB_DIR = $(UTSBASE)/intel/genunix
47 IPDRV_DIR = $(UTSBASE)/intel/ip
48 MODSTUBS_DIR = $(UNIX_DIR)
49 DSF_DIR = $(UTSBASE)/$(PLATFORM)/genassym
50 LINTS_DIR = $(OBJS_DIR)
51 LINT_LIB_DIR = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)

53 UNIX_O = $(UNIX_DIR)/$(OBJS_DIR)/unix.o
54 GENLIB = $(GENLIB_DIR)/$(OBJS_DIR)/libgenunix.so
55 MODSTUBS_O = $(MODSTUBS_DIR)/$(OBJS_DIR)/modstubs.o
56 LINT_LIB = $(UTSBASE)/i86pc/lint-libs/$(OBJS_DIR)/llib-lunix.ln
57 GEN_LINT_LIB = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln

59 #
60 # Include the makefiles which define build rule templates, the
61 # collection of files per module, and a few specific flags. Note
```

new/usr/src/uts/intel/Makefile.intel

2

```
62 # that order is significant, just as with an include path. The
63 # first build rule template which matches the files name will be
64 # used. By including these in order from most machine dependent
65 # to most machine independent, we allow a machine dependent file
66 # to be used in preference over a machine independent version
67 # (such as a machine specific optimization, which preserves the
68 # interfaces.)
69 #
70 include $(UTSBASE)/intel/Makefile.files
71 include $(UTSBASE)/common/Makefile.files

73 #
74 # ----- TRANSITIONAL SECTION -----
75 #

77 #
78 # Not everything which *should* be a module is a module yet. The
79 # following is a list of such objects which are currently part of
80 # genunix but which might someday become kmods. This must be
81 # defined before we include Makefile.uts, or else genunix's build
82 # won't be as parallel as we might like.
83 #
84 NOT_YET_KMODS = $(OLDPTY_OBJS) $(PTY_OBJS) $(VCONS_CONF_OBJS) $(MOD_OBJS)

86 #
87 # ----- END OF TRANSITIONAL SECTION -----
88 #
89 # Include machine independent rules. Note that this does not imply
90 # that the resulting module from rules in Makefile.uts is machine
91 # independent. Only that the build rules are machine independent.
92 #
93 include $(UTSBASE)/Makefile.uts

95 #
96 # The following must be defined for all implementations:
97 #
98 MODSTUBS = $(UTSBASE)/intel/ia32/ml/modstubs.s

100 #
101 # Define supported builds
102 #
103 DEF_BUILDS = $(DEF_BUILDS64) $(DEF_BUILDS32)
104 ALL_BUILDS = $(ALL_BUILDS64) $(ALL_BUILDS32)

106 #
107 # x86 or amd64 inline templates
108 #
109 INLINES_32 = $(UTSBASE)/intel/ia32/ml/ia32.il
110 INLINES_64 = $(UTSBASE)/intel/amd64/ml/amd64.il
111 INLINES += $(INLINES_$(CLASS))

113 #
114 # kernel-specific optimizations; override default in Makefile.master
115 #

117 CFLAGS_XARCH_32 = $(i386_CFLAGS)
118 CFLAGS_XARCH_64 = $(amd64_CFLAGS)
119 CFLAGS_XARCH = $(CFLAGS_XARCH_$(CLASS))

121 COPTFLAG_32 = $(COPTFLAG)
122 COPTFLAG_64 = $(COPTFLAG64)
123 COPTIMIZE = $(COPTFLAG_$(CLASS))

125 CFLAGS = $(CFLAGS_XARCH)
126 CFLAGS += $(COPTIMIZE)
127 CFLAGS += $(INLINES) -D_ASM_INLINES
```

```

128 CFLAGS          += $(CCMODE)
129 CFLAGS          += $(SPACEFLAG)
130 CFLAGS          += $(CCUNBOUND)
131 CFLAGS          += $(CFLAGS_uts)
132 CFLAGS          += -xstrconst

134 ASFLAGS_XARCH_32 = $(i386_ASFLAGS)
135 ASFLAGS_XARCH_64 = $(amd64_ASFLAGS)
136 ASFLAGS_XARCH    = $(ASFLAGS_XARCH_$(CLASS))

138 ASFLAGS          += $(ASFLAGS_XARCH)

140 #
141 #       Define the base directory for installation.
142 #
143 BASE_INS_DIR     = $(ROOT)

145 #
146 #       Debugging level
147 #
148 #       Special knowledge of which special debugging options affect which
149 #       file is used to optimize the build if these flags are changed.
150 #
151 DEBUG_DEFS_OBJ32 =
152 DEBUG_DEFS_DBG32 = -DDEBUG
153 DEBUG_DEFS_OBJ64 =
154 DEBUG_DEFS_DBG64 = -DDEBUG
155 DEBUG_DEFS       = $(DEBUG_DEFS_$(BUILD_TYPE))

157 DEBUG_COND_OBJ32 = $(POUND_SIGN)
158 DEBUG_COND_DBG32 =
159 DEBUG_COND_OBJ64 = $(POUND_SIGN)
160 DEBUG_COND_DBG64 =
161 IF_DEBUG_OBJ     = $(DEBUG_COND_$(BUILD_TYPE))$(OBS_DIR)/

163 $(IF_DEBUG_OBJ)syscall.o      :=      DEBUG_DEFS      += -DSYSCALLTRACE
164 $(IF_DEBUG_OBJ)clock.o       :=      DEBUG_DEFS      += -DKSLICE=1

166 #
167 #       Collect the preprocessor definitions to be associated with *all*
168 #       files.
169 #
170 ALL_DEFS          = $(DEBUG_DEFS) $(OPTION_DEFS)

172 #
173 #       The kernels modules which are "implementation architecture"
174 #       specific for this machine are enumerated below. Note that most
175 #       of these modules must exist (in one form or another) for each
176 #       architecture.
177 #
178 #       Common Drivers (usually pseudo drivers) (/kernel/drv)
179 #       DRV_KMODS are built both 32-bit and 64-bit
180 #       DRV_KMODS_32 are built only 32-bit
181 #       DRV_KMODS_64 are built only 64-bit
182 #
183 DRV_KMODS        += aac
184 DRV_KMODS        += aggr
185 DRV_KMODS        += ahci
186 DRV_KMODS        += amd64_gart
187 DRV_KMODS        += amr
188 DRV_KMODS        += agpgart
189 DRV_KMODS        += srn
190 DRV_KMODS        += agptarget
191 DRV_KMODS        += arn
192 DRV_KMODS        += arp
193 DRV_KMODS        += asy

```

```

194 DRV_KMODS        += ata
195 DRV_KMODS        += ath
196 DRV_KMODS        += atu
197 DRV_KMODS        += audio
198 DRV_KMODS        += audio1575
199 DRV_KMODS        += audio810
200 DRV_KMODS        += audiocmi
201 DRV_KMODS        += audiocmihd
202 DRV_KMODS        += audioemul0k
203 DRV_KMODS        += audioens
204 DRV_KMODS        += audiodhd
205 DRV_KMODS        += audioixp
206 DRV_KMODS        += audiols
207 DRV_KMODS        += audiopl6x
208 DRV_KMODS        += audiopci
209 DRV_KMODS        += audiosolo
210 DRV_KMODS        += audiotst
211 DRV_KMODS        += audiovia823x
212 DRV_KMODS_32     += audiovia97
213 DRV_KMODS        += bl
214 DRV_KMODS        += blkdev
215 DRV_KMODS        += bge
216 DRV_KMODS        += bofi
217 DRV_KMODS        += bpf
218 DRV_KMODS        += bridge
219 DRV_KMODS        += bscbus
220 DRV_KMODS        += bscv
221 DRV_KMODS        += chxge
222 DRV_KMODS        += cxgbe
223 DRV_KMODS        += ntxn
224 DRV_KMODS        += myril0ge
225 DRV_KMODS        += clone
226 DRV_KMODS        += cmdk
227 DRV_KMODS        += cn
228 DRV_KMODS        += conskbd
229 DRV_KMODS        += consms
230 DRV_KMODS        += cpgary3
231 DRV_KMODS        += cpuid
232 DRV_KMODS        += cpunex
233 DRV_KMODS        += crypto
234 DRV_KMODS        += cryptoadm
235 DRV_KMODS        += dca
236 DRV_KMODS        += devinfo
237 DRV_KMODS        += dld
238 DRV_KMODS        += dlpihtub
239 DRV_KMODS_32     += dnet
240 DRV_KMODS        += dump
241 DRV_KMODS        += ecpp
242 DRV_KMODS        += emlxs
243 DRV_KMODS        += fd
244 DRV_KMODS        += fdc
245 DRV_KMODS        += fm
246 DRV_KMODS        += fssnap
247 DRV_KMODS        += hxge
248 DRV_KMODS        += i8042
249 DRV_KMODS        += i915
250 DRV_KMODS        += icmp
251 DRV_KMODS        += icmp6
252 DRV_KMODS        += intel_nb5000
253 DRV_KMODS        += intel_nhm
254 DRV_KMODS        += ip
255 DRV_KMODS        += ip6
256 DRV_KMODS        += ipd
257 DRV_KMODS        += ipf
258 DRV_KMODS        += ipnet
259 DRV_KMODS        += ippctl

```

```

260 DRV_KMODS += ipsecah
261 DRV_KMODS += ipsecesp
262 DRV_KMODS += ipw
263 DRV_KMODS += iwh
264 DRV_KMODS += iwi
265 DRV_KMODS += iwk
266 DRV_KMODS += iwp
267 DRV_KMODS += iwscn
268 DRV_KMODS += kb8042
269 DRV_KMODS += keysock
270 DRV_KMODS += kssl
271 DRV_KMODS += kstat
272 DRV_KMODS += ksyms
273 DRV_KMODS += kmdb
274 DRV_KMODS += llcl
275 DRV_KMODS += lofi
276 DRV_KMODS += log
277 DRV_KMODS += loginmux
278 DRV_KMODS += mega_sas
279 DRV_KMODS += mc-amd
280 DRV_KMODS += mm
281 DRV_KMODS += mouse8042
282 DRV_KMODS += mpt_sas
283 DRV_KMODS += mr_sas
284 DRV_KMODS += mwl
285 DRV_KMODS += nca
286 DRV_KMODS += nsmb
287 DRV_KMODS += nulldriver
288 DRV_KMODS += nv_sata
289 DRV_KMODS += nxge
290 DRV_KMODS += oce
291 DRV_KMODS += openeepr
292 DRV_KMODS += pci_pci
293 DRV_KMODS += pcic
294 DRV_KMODS += pcieb
295 DRV_KMODS += physmem
296 DRV_KMODS += pit_bEEP
297 DRV_KMODS += pm
298 DRV_KMODS += poll
299 DRV_KMODS += pool
300 DRV_KMODS += power
301 DRV_KMODS += pseudo
302 DRV_KMODS += ptc
303 DRV_KMODS += ptm
304 DRV_KMODS += pts
305 DRV_KMODS += ptsl
306 DRV_KMODS += qlge
307 DRV_KMODS += radeon
308 DRV_KMODS += ral
309 DRV_KMODS += ramdisk
310 DRV_KMODS += random
311 DRV_KMODS += rds
312 DRV_KMODS += rds3
313 DRV_KMODS += rpcib
314 DRV_KMODS += rsm
315 DRV_KMODS += rts
316 DRV_KMODS += rtw
317 DRV_KMODS += rum
318 DRV_KMODS += rwd
319 DRV_KMODS += rwn
320 DRV_KMODS += sad
321 DRV_KMODS += sd
322 DRV_KMODS += sdhost
323 DRV_KMODS += sgen
324 DRV_KMODS += si3124
325 DRV_KMODS += smbios

```

```

325 DRV_KMODS += skd
326 DRV_KMODS += softmac
327 DRV_KMODS += spdsock
328 DRV_KMODS += smbdrv
329 DRV_KMODS += smp
330 DRV_KMODS += spps
331 DRV_KMODS += sppptun
332 DRV_KMODS += srpt
333 DRV_KMODS += st
334 DRV_KMODS += sy
335 DRV_KMODS += sysevent
336 DRV_KMODS += sysmsg
337 DRV_KMODS += tcp
338 DRV_KMODS += tcp6
339 DRV_KMODS += tl
340 DRV_KMODS += tnf
341 DRV_KMODS += tpm
342 DRV_KMODS += trill
343 DRV_KMODS += udp
344 DRV_KMODS += udp6
345 DRV_KMODS += ucode
346 DRV_KMODS += ural
347 DRV_KMODS += uath
348 DRV_KMODS += urtw
349 DRV_KMODS += vgatext
350 DRV_KMODS += heci
351 DRV_KMODS += vnica
352 DRV_KMODS += vscan
353 DRV_KMODS += wc
354 DRV_KMODS += winlock
355 DRV_KMODS += wpi
356 DRV_KMODS += xge
357 DRV_KMODS += yge
358 DRV_KMODS += zcons
359 DRV_KMODS += zyd
360 DRV_KMODS += simnet
361 DRV_KMODS += stmf
362 DRV_KMODS += stmf_sbd
363 DRV_KMODS += fct
364 DRV_KMODS += fcoe
365 DRV_KMODS += fcoet
366 DRV_KMODS += fcoel
367 DRV_KMODS += qlt
368 DRV_KMODS += iscsit
369 DRV_KMODS += pppt
370 DRV_KMODS += ncall nsctl sdbc nsfern sv
371 DRV_KMODS += ii rdc rdcsrv rdcstub
372 DRV_KMODS += iptun

374 #
375 # Common code drivers
376 #

378 DRV_KMODS += afe
379 DRV_KMODS += atge
380 DRV_KMODS += bfe
381 DRV_KMODS += dmfe
382 DRV_KMODS += el000g
383 DRV_KMODS += efe
384 DRV_KMODS += elxl
385 DRV_KMODS += hme
386 DRV_KMODS += mxfe
387 DRV_KMODS += nge
388 DRV_KMODS += pcn
389 DRV_KMODS += rge
390 DRV_KMODS += rtls

```

new/usr/src/uts/intel/Makefile.intel

7

```
391 DRV_KMODS      += sfe
392 DRV_KMODS      += amd811ls
393 DRV_KMODS      += igb
394 DRV_KMODS      += ipmi
395 DRV_KMODS      += iprb
396 DRV_KMODS      += ixgbe
397 DRV_KMODS      += vr

399 #
400 # Virtio drivers
401 #

403 # Virtio core
404 DRV_KMODS      += virtio

406 # Virtio block driver
407 DRV_KMODS      += vioblk

409 #
410 #      DTrace and DTrace Providers
411 #
412 DRV_KMODS      += dtrace
413 DRV_KMODS      += fbt
414 DRV_KMODS      += lockstat
415 DRV_KMODS      += profile
416 DRV_KMODS      += sdt
417 DRV_KMODS      += systrace
418 DRV_KMODS      += fasttrap
419 DRV_KMODS      += dpcp

421 #
422 #      I/O framework test drivers
423 #
424 DRV_KMODS      += pshot
425 DRV_KMODS      += gen_drv
426 DRV_KMODS      += tvhci tphci tclient
427 DRV_KMODS      += emul64

429 #
430 #      Machine Specific Driver Modules (/kernel/drv):
431 #
432 DRV_KMODS      += options
433 DRV_KMODS      += scsi_vhci
434 DRV_KMODS      += pmcs
435 DRV_KMODS      += pmcs8001fw
436 DRV_KMODS      += arcmsr
437 DRV_KMODS      += fcp
438 DRV_KMODS      += fcip
439 DRV_KMODS      += fcsn
440 DRV_KMODS      += fp
441 DRV_KMODS      += qlc
442 DRV_KMODS      += iscsi

444 #
177 #      PCMCIA specific module(s)
178 #
179 DRV_KMODS      += pcs
180 MISC_KMODS     += cardbus

182 #
445 #      SCSI Enclosure Services driver
446 #
447 DRV_KMODS      += ses

449 #
450 #      USB specific modules
```

new/usr/src/uts/intel/Makefile.intel

8

```
451 #
452 DRV_KMODS      += hid
453 DRV_KMODS      += hwarc hwahc
454 DRV_KMODS      += hubd
455 DRV_KMODS      += uhci
456 DRV_KMODS      += ehci
457 DRV_KMODS      += ohci
458 DRV_KMODS      += usb_mid
459 DRV_KMODS      += usb_ia
460 DRV_KMODS      += scsa2usb
461 DRV_KMODS      += usbprn
462 DRV_KMODS      += ugen
463 DRV_KMODS      += usbser
464 DRV_KMODS      += usbsacm
465 DRV_KMODS      += usbsksp
466 DRV_KMODS      += usbsprl
467 DRV_KMODS      += usb_ac
468 DRV_KMODS      += usb_as
469 DRV_KMODS      += usbskel
470 DRV_KMODS      += usbvc
471 DRV_KMODS      += usbftdi
472 DRV_KMODS      += wusb_df
473 DRV_KMODS      += wusb_ca
474 DRV_KMODS      += usbecm

476 #
477 #      1394 modules
478 #
479 MISC_KMODS     += sl394 sbp2
480 DRV_KMODS      += hci1394 scsa1394
481 DRV_KMODS      += avl394
482 DRV_KMODS      += dcam1394

484 #
485 #      InfiniBand pseudo drivers
486 #
487 DRV_KMODS      += ib ibp eibnx eoib rdsib sdp iser daplt hermon tavor sol_ucma
488 DRV_KMODS      += sol_umad

490 #
491 #      LVM modules
492 #
493 DRV_KMODS      += md
494 MISC_KMODS     += md_stripe md_hotspares md_mirror md_raid md_trans md_notify
495 MISC_KMODS     += md_sp

497 #
498 #      Brand modules
499 #
500 BRAND_KMODS    += snl_brand sl0_brand

502 #
503 #      Exec Class Modules (/kernel/exec):
504 #
505 EXEC_KMODS     += elfexec intpexec shbinexec javaexec

507 #
508 #      Scheduling Class Modules (/kernel/sched):
509 #
510 SCHED_KMODS    += IA RT TS RT_DPTBL TS_DPTBL FSS FX FX_DPTBL SDC

512 #
513 #      File System Modules (/kernel/fs):
514 #
515 FS_KMODS       += autofs cacheefs ctfs dcfs dev devfs fdfs fifofs hsfs lofs
516 FS_KMODS       += mntfs namefs nfs objfs zfs zut
```

```

517 FS_KMODS      += pcfs procfs sockfs specfs tmpfs udfs ufs sharefs
518 FS_KMODS      += smbfs

520 #
521 #      Streams Modules (/kernel/strmod):
522 #
523 STRMOD_KMODS    += bufmod connld dedump ldterm pckt pfmod pipemod
524 STRMOD_KMODS    += ptem redirmod rpcmod rlmod telmod timod
525 STRMOD_KMODS    += sppsasyn sppscomp
526 STRMOD_KMODS    += tirdwr ttcompat
527 STRMOD_KMODS    += usbkbm
528 STRMOD_KMODS    += usbms
529 STRMOD_KMODS    += usbwcm
530 STRMOD_KMODS    += usb_ah
531 STRMOD_KMODS    += drcompat
532 STRMOD_KMODS    += cryptmod
533 STRMOD_KMODS    += vuid2ps2
534 STRMOD_KMODS    += vuid3ps2
535 STRMOD_KMODS    += vuidm3p
536 STRMOD_KMODS    += vuidm4p
537 STRMOD_KMODS    += vuidm5p

539 #
540 #      'System' Modules (/kernel/sys):
541 #
542 SYS_KMODS       += c2audit
543 SYS_KMODS       += doorfs
544 SYS_KMODS       += exacctsys
545 SYS_KMODS       += inst_sync
546 SYS_KMODS       += kaio
547 SYS_KMODS       += msgsys
548 SYS_KMODS       += pipe
549 SYS_KMODS       += portfs
550 SYS_KMODS       += pset
551 SYS_KMODS       += semsys
552 SYS_KMODS       += shmsys
553 SYS_KMODS       += sysacct
554 SYS_KMODS       += acctctl

556 #
557 #      'Misc' Modules (/kernel/misc)
558 #      MISC_KMODS are built both 32-bit and 64-bit
559 #      MISC_KMODS_32 are built only 32-bit
560 #      MISC_KMODS_64 are built only 64-bit
561 #
562 MISC_KMODS      += ac97
563 MISC_KMODS      += acpica
564 MISC_KMODS      += agpmaster
565 MISC_KMODS      += bignum
566 MISC_KMODS      += bootdev
567 MISC_KMODS      += busra
568 MISC_KMODS      += cmlb
569 MISC_KMODS      += consconfig
570 MISC_KMODS      += ctf
571 MISC_KMODS      += dadk
572 MISC_KMODS      += dcopy
573 MISC_KMODS      += dls
574 MISC_KMODS      += drm
575 MISC_KMODS      += fssnap_if
576 MISC_KMODS      += gda
577 MISC_KMODS      += gld
578 MISC_KMODS      += hidparser
579 MISC_KMODS      += hook
580 MISC_KMODS      += hpcsvc
581 MISC_KMODS      += ibcm
582 MISC_KMODS      += ibdm

```

```

583 MISC_KMODS      += ibdma
584 MISC_KMODS      += ibmf
585 MISC_KMODS      += ibt1
586 MISC_KMODS      += idm
587 MISC_KMODS      += idmap
588 MISC_KMODS      += iomulib
589 MISC_KMODS      += ipc
590 MISC_KMODS      += kbtrans
591 MISC_KMODS      += kcf
592 MISC_KMODS      += kgssapi
593 MISC_KMODS      += kmech_dummy
594 MISC_KMODS      += kmech_krb5
595 MISC_KMODS      += ksocket
596 MISC_KMODS      += mac
597 MISC_KMODS      += mii
598 MISC_KMODS      += mwlfw
599 MISC_KMODS      += net80211
600 MISC_KMODS      += nfs_dlboot
601 MISC_KMODS      += nfssrv
602 MISC_KMODS      += neti
603 MISC_KMODS      += pci_autoconfig
604 MISC_KMODS      += pcicfg
605 MISC_KMODS      += pcihp
606 MISC_KMODS      += pcmcia
607 MISC_KMODS      += rpcsec
608 MISC_KMODS      += rpcsec_gss
609 MISC_KMODS      += rsmops
610 MISC_KMODS      += sata
611 MISC_KMODS      += scsi
612 MISC_KMODS      += sda
613 MISC_KMODS      += sol_ofs
614 MISC_KMODS      += spuni
615 MISC_KMODS      += strategy
616 MISC_KMODS      += strplumb
617 MISC_KMODS      += tem
618 MISC_KMODS      += tlimod
619 MISC_KMODS      += usba usba10 usbs49_fw
620 MISC_KMODS      += scsi_vhci_f_sym_hds
621 MISC_KMODS      += scsi_vhci_f_sym
622 MISC_KMODS      += scsi_vhci_f_tpgs
623 MISC_KMODS      += scsi_vhci_f_asym_sun
624 MISC_KMODS      += scsi_vhci_f_tape
625 MISC_KMODS      += scsi_vhci_f_tpgs_tape
626 MISC_KMODS      += fctl
627 MISC_KMODS      += emlxs_fw
628 MISC_KMODS      += qlc_fw_2200
629 MISC_KMODS      += qlc_fw_2300
630 MISC_KMODS      += qlc_fw_2400
631 MISC_KMODS      += qlc_fw_2500
632 MISC_KMODS      += qlc_fw_6322
633 MISC_KMODS      += qlc_fw_8100
634 MISC_KMODS      += hwa1480_fw
635 MISC_KMODS      += uathfw
636 MISC_KMODS      += uwba

637 MISC_KMODS      += klmmod klmops

639 #
640 #      Software Cryptographic Providers (/kernel/crypto):
641 #
642 CRYPTO_KMODS    += aes
643 CRYPTO_KMODS    += arcfour
644 CRYPTO_KMODS    += blowfish
645 CRYPTO_KMODS    += des
646 CRYPTO_KMODS    += ecc
647 CRYPTO_KMODS    += md4

```

new/usr/src/uts/intel/Makefile.intel

11

```
648 CRYPTO_KMODS      += md5
649 CRYPTO_KMODS      += rsa
650 CRYPTO_KMODS      += sha1
651 CRYPTO_KMODS      += sha2
652 CRYPTO_KMODS      += swrand

654 #
655 #       IP Policy Modules (/kernel/ipp)
656 #
657 IPP_KMODS           += dlcosmk
658 IPP_KMODS           += flowacct
659 IPP_KMODS           += ipgpc
660 IPP_KMODS           += dscpmk
661 IPP_KMODS           += tokenmt
662 IPP_KMODS           += tswtclmt

664 #
665 #       generic-unix module (/kernel/genunix):
666 #
667 GENUNIX_KMODS      += genunix

669 #
670 #       Modules eXcluded from the product:
671 #

673 #
674 #       'Dacf' Modules (/kernel/dacf):
675 #

677 #
678 #       Performance Counter BackEnd modules (/usr/kernel/pcbe)
679 #
680 PCBE_KMODS         += p123_pcbe p4_pcbe opteron_pcbe core_pcbe

682 #
683 #       MAC-Type Plugin Modules (/kernel/mac)
684 #
685 MAC_KMODS           += mac_6to4
686 MAC_KMODS           += mac_ether
687 MAC_KMODS           += mac_ipv4
688 MAC_KMODS           += mac_ipv6
689 MAC_KMODS           += mac_wifi
690 MAC_KMODS           += mac_ib

692 #
693 #       socketmod (kernel/socketmod)
694 #
695 SOCKET_KMODS        += sockpfp
696 SOCKET_KMODS        += socksctp
697 SOCKET_KMODS        += socksdp
698 SOCKET_KMODS        += sockrds
699 SOCKET_KMODS        += ksslf

701 #
702 #       kiconv modules (/kernel/kiconv):
703 #
704 KICONV_KMODS        += kiconv_emea kiconv_ja kiconv_ko kiconv_sc kiconv_tc

706 #
707 #       'Dacf' Modules (/kernel/dacf):
708 #
709 DACF_KMODS          += net_dacf

711 #
712 #       Ensure that the variable member of the cpu_t (cpu_m) is defined
713 #       for the lint builds so as not to cause lint errors during the
```

new/usr/src/uts/intel/Makefile.intel

12

```
714 # global cross check.
715 #
716 LINTFLAGS           += -D_MACHDEP -I$(UTSBASE)/i86pc
```

new/usr/src/uts/intel/Makefile.intel.orig

1

16026 Wed Nov 12 17:44:42 2014

new/usr/src/uts/intel/Makefile.intel.orig

5075 EOF cardbus & pcmcia

```
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #
20 #
21 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
22 # Copyright (c) 2014 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 2013 Andrew Stormont. All rights reserved.
24 #
25 #
26 # This makefile contains the common definitions for all intel
27 # implementation architecture independent modules.
28 #
29 #
30 #
31 # Machine type (implementation architecture):
32 #
33 PLATFORM = i86pc
34 #
35 #
36 # Everybody needs to know how to build modstubs.o and to locate unix.o.
37 # Note that unix.o must currently be selected from among the possible
38 # "implementation architectures". Note further, that unix.o is only
39 # used as an optional error check for undefines so (theoretically)
40 # any "implementation architectures" could be used. We choose i86pc
41 # because it is the reference port.
42 #
43 UNIX_DIR = $(UTSBASE)/i86pc/unix
44 GENLIB_DIR = $(UTSBASE)/intel/genunix
45 IPDRV_DIR = $(UTSBASE)/intel/ip
46 MODSTUBS_DIR = $(UNIX_DIR)
47 DSF_DIR = $(UTSBASE)/$(PLATFORM)/genassym
48 LINTS_DIR = $(OBJS_DIR)
49 LINT_LIB_DIR = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)
50 #
51 UNIX_O = $(UNIX_DIR)/$(OBJS_DIR)/unix.o
52 GENLIB = $(GENLIB_DIR)/$(OBJS_DIR)/libgenunix.so
53 MODSTUBS_O = $(MODSTUBS_DIR)/$(OBJS_DIR)/modstubs.o
54 LINT_LIB = $(UTSBASE)/i86pc/lint-libs/$(OBJS_DIR)/llib-lunix.ln
55 GEN_LINT_LIB = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln
56 #
57 #
58 # Include the makefiles which define build rule templates, the
59 # collection of files per module, and a few specific flags. Note
60 # that order is significant, just as with an include path. The
61 # first build rule template which matches the files name will be
```

new/usr/src/uts/intel/Makefile.intel.orig

2

```
62 # used. By including these in order from most machine dependent
63 # to most machine independent, we allow a machine dependent file
64 # to be used in preference over a machine independent version
65 # (Such as a machine specific optimization, which preserves the
66 # interfaces.)
67 #
68 include $(UTSBASE)/intel/Makefile.files
69 include $(UTSBASE)/common/Makefile.files
70 #
71 #
72 # ----- TRANSITIONAL SECTION -----
73 #
74 #
75 #
76 # Not everything which *should* be a module is a module yet. The
77 # following is a list of such objects which are currently part of
78 # genunix but which might someday become kmods. This must be
79 # defined before we include Makefile.uts, or else genunix's build
80 # won't be as parallel as we might like.
81 #
82 NOT_YET_KMODS = $(OLDPTY_OBJS) $(PTY_OBJS) $(VCONS_CONF_OBJS) $(MOD_OBJS)
83 #
84 #
85 # ----- END OF TRANSITIONAL SECTION -----
86 #
87 #
88 # Include machine independent rules. Note that this does not imply
89 # that the resulting module from rules in Makefile.uts is machine
90 # independent. Only that the build rules are machine independent.
91 #
92 include $(UTSBASE)/Makefile.uts
93 #
94 #
95 # The following must be defined for all implementations:
96 #
97 MODSTUBS = $(UTSBASE)/intel/ia32/ml/modstubs.s
98 #
99 #
100 # Define supported builds
101 #
102 DEF_BUILDS = $(DEF_BUILDS64) $(DEF_BUILDS32)
103 ALL_BUILDS = $(ALL_BUILDS64) $(ALL_BUILDS32)
104 #
105 #
106 # x86 or amd64 inline templates
107 #
108 INLINES_32 = $(UTSBASE)/intel/ia32/ml/ia32.il
109 INLINES_64 = $(UTSBASE)/intel/amd64/ml/amd64.il
110 INLINES += $(INLINES_$(CLASS))
111 #
112 #
113 # kernel-specific optimizations; override default in Makefile.master
114 #
115 CFLAGS_XARCH_32 = $(i386_CFLAGS)
116 CFLAGS_XARCH_64 = $(amd64_CFLAGS)
117 CFLAGS_XARCH = $(CFLAGS_XARCH_$(CLASS))
118 #
119 COPTFLAG_32 = $(COPTFLAG)
120 COPTFLAG_64 = $(COPTFLAG64)
121 COPTIMIZE = $(COPTFLAG_$(CLASS))
122 #
123 CFLAGS = $(CFLAGS_XARCH)
124 CFLAGS += $(COPTIMIZE)
125 CFLAGS += $(INLINES) -D_ASM_INLINES
126 CFLAGS += $(CCMODE)
127 CFLAGS += $(SPACEFLAG)
```

```

128 CFLAGS          += $(CCUNBOUND)
129 CFLAGS          += $(CFLAGS_uts)
130 CFLAGS          += -xstrconst

132 ASFLAGS_XARCH_32 = $(i386_ASFLAGS)
133 ASFLAGS_XARCH_64 = $(amd64_ASFLAGS)
134 ASFLAGS_XARCH     = $(ASFLAGS_XARCH_$(CLASS))

136 ASFLAGS          += $(ASFLAGS_XARCH)

138 #
139 #       Define the base directory for installation.
140 #
141 BASE_INS_DIR      = $(ROOT)

143 #
144 #       Debugging level
145 #
146 #       Special knowledge of which special debugging options affect which
147 #       file is used to optimize the build if these flags are changed.
148 #
149 DEBUG_DEFS_OBJ32  =
150 DEBUG_DEFS_DBG32  = -DDEBUG
151 DEBUG_DEFS_OBJ64  =
152 DEBUG_DEFS_DBG64  = -DDEBUG
153 DEBUG_DEFS        = $(DEBUG_DEFS_$(BUILD_TYPE))

155 DEBUG_COND_OBJ32  = $(POUND_SIGN)
156 DEBUG_COND_DBG32  =
157 DEBUG_COND_OBJ64  = $(POUND_SIGN)
158 DEBUG_COND_DBG64  =
159 IF_DEBUG_OBJ      = $(DEBUG_COND_$(BUILD_TYPE))$(OBJS_DIR)/

161 $(IF_DEBUG_OBJ)syscall.o      :=      DEBUG_DEFS      += -DSYSCALLTRACE
162 $(IF_DEBUG_OBJ)clock.o        :=      DEBUG_DEFS      += -DKSLICE=1

164 #
165 #       Collect the preprocessor definitions to be associated with *all*
166 #       files.
167 #
168 ALL_DEFS          = $(DEBUG_DEFS) $(OPTION_DEFS)

170 #
171 #       The kernels modules which are "implementation architecture"
172 #       specific for this machine are enumerated below. Note that most
173 #       of these modules must exist (in one form or another) for each
174 #       architecture.
175 #
176 #       Common Drivers (usually pseudo drivers) (/kernel/drv)
177 #       DRV_KMODS are built both 32-bit and 64-bit
178 #       DRV_KMODS_32 are built only 32-bit
179 #       DRV_KMODS_64 are built only 64-bit
180 #
181 DRV_KMODS         += aac
182 DRV_KMODS         += aggr
183 DRV_KMODS         += ahci
184 DRV_KMODS         += amd64_gart
185 DRV_KMODS         += amr
186 DRV_KMODS         += agpgart
187 DRV_KMODS         += srn
188 DRV_KMODS         += agptarget
189 DRV_KMODS         += arn
190 DRV_KMODS         += arp
191 DRV_KMODS         += asy
192 DRV_KMODS         += ata
193 DRV_KMODS         += ath

```

```

194 DRV_KMODS         += atu
195 DRV_KMODS         += audio
196 DRV_KMODS         += audio1575
197 DRV_KMODS         += audio810
198 DRV_KMODS         += audiocmi
199 DRV_KMODS         += audiocmihd
200 DRV_KMODS         += audioemul0k
201 DRV_KMODS         += audioens
202 DRV_KMODS         += audiohd
203 DRV_KMODS         += audioixp
204 DRV_KMODS         += audiols
205 DRV_KMODS         += audiop16x
206 DRV_KMODS         += audiopci
207 DRV_KMODS         += audiosolo
208 DRV_KMODS         += audiotst
209 DRV_KMODS         += audiovia823x
210 DRV_KMODS_32      += audiovia97
211 DRV_KMODS         += bl
212 DRV_KMODS         += blkdev
213 DRV_KMODS         += bge
214 DRV_KMODS         += bofi
215 DRV_KMODS         += bpf
216 DRV_KMODS         += bridge
217 DRV_KMODS         += bscbus
218 DRV_KMODS         += bscv
219 DRV_KMODS         += chxge
220 DRV_KMODS         += cxgbe
221 DRV_KMODS         += ntxn
222 DRV_KMODS         += myri10ge
223 DRV_KMODS         += clone
224 DRV_KMODS         += cmdk
225 DRV_KMODS         += cn
226 DRV_KMODS         += conskbd
227 DRV_KMODS         += consms
228 DRV_KMODS         += cpqary3
229 DRV_KMODS         += cpuid
230 DRV_KMODS         += cpunex
231 DRV_KMODS         += crypto
232 DRV_KMODS         += cryptoadm
233 DRV_KMODS         += dca
234 DRV_KMODS         += devinfo
235 DRV_KMODS         += dld
236 DRV_KMODS         += dlpistub
237 DRV_KMODS_32      += dnet
238 DRV_KMODS         += dump
239 DRV_KMODS         += ecpp
240 DRV_KMODS         += emlxs
241 DRV_KMODS         += fd
242 DRV_KMODS         += fdc
243 DRV_KMODS         += fm
244 DRV_KMODS         += fssnap
245 DRV_KMODS         += hxge
246 DRV_KMODS         += i8042
247 DRV_KMODS         += i915
248 DRV_KMODS         += icmp
249 DRV_KMODS         += icmp6
250 DRV_KMODS         += intel_nb5000
251 DRV_KMODS         += intel_nhm
252 DRV_KMODS         += ip
253 DRV_KMODS         += ip6
254 DRV_KMODS         += ipd
255 DRV_KMODS         += ipf
256 DRV_KMODS         += ipnet
257 DRV_KMODS         += ippctl
258 DRV_KMODS         += ipsecah
259 DRV_KMODS         += ipsecesp

```



```

260 DRV_KMODS      += ipw
261 DRV_KMODS      += iwh
262 DRV_KMODS      += iwi
263 DRV_KMODS      += iwk
264 DRV_KMODS      += iwp
265 DRV_KMODS      += iwscn
266 DRV_KMODS      += kb8042
267 DRV_KMODS      += keysock
268 DRV_KMODS      += kssl
269 DRV_KMODS      += kstat
270 DRV_KMODS      += ksyms
271 DRV_KMODS      += kmdb
272 DRV_KMODS      += llc1
273 DRV_KMODS      += lofi
274 DRV_KMODS      += log
275 DRV_KMODS      += logindmux
276 DRV_KMODS      += mega_sas
277 DRV_KMODS      += mc-amd
278 DRV_KMODS      += mm
279 DRV_KMODS      += mouse8042
280 DRV_KMODS      += mpt_sas
281 DRV_KMODS      += mr_sas
282 DRV_KMODS      += mwl
283 DRV_KMODS      += nca
284 DRV_KMODS      += nsmb
285 DRV_KMODS      += nulldriver
286 DRV_KMODS      += nv_sata
287 DRV_KMODS      += nxge
288 DRV_KMODS      += oce
289 DRV_KMODS      += openeep
290 DRV_KMODS      += pci_pci
291 DRV_KMODS      += pcic
292 DRV_KMODS      += pcieb
293 DRV_KMODS      += physmem
294 DRV_KMODS      += pit_beeep
295 DRV_KMODS      += pm
296 DRV_KMODS      += poll
297 DRV_KMODS      += pool
298 DRV_KMODS      += power
299 DRV_KMODS      += pseudo
300 DRV_KMODS      += ptc
301 DRV_KMODS      += ptm
302 DRV_KMODS      += pts
303 DRV_KMODS      += pts1
304 DRV_KMODS      += qlge
305 DRV_KMODS      += radeon
306 DRV_KMODS      += ral
307 DRV_KMODS      += ramdisk
308 DRV_KMODS      += random
309 DRV_KMODS      += rds
310 DRV_KMODS      += rds3
311 DRV_KMODS      += rpcib
312 DRV_KMODS      += rsm
313 DRV_KMODS      += rts
314 DRV_KMODS      += rtw
315 DRV_KMODS      += rum
316 DRV_KMODS      += rwd
317 DRV_KMODS      += rwn
318 DRV_KMODS      += sad
319 DRV_KMODS      += sd
320 DRV_KMODS      += sdhost
321 DRV_KMODS      += sgen
322 DRV_KMODS      += si3124
323 DRV_KMODS      += smbios
324 DRV_KMODS      += skd
325 DRV_KMODS      += softmac

```

```

326 DRV_KMODS      += spdsock
327 DRV_KMODS      += smbdrv
328 DRV_KMODS      += smp
329 DRV_KMODS      += sppp
330 DRV_KMODS      += sppptun
331 DRV_KMODS      += srpt
332 DRV_KMODS      += st
333 DRV_KMODS      += sy
334 DRV_KMODS      += sysevent
335 DRV_KMODS      += sysmsg
336 DRV_KMODS      += tcp
337 DRV_KMODS      += tcp6
338 DRV_KMODS      += tl
339 DRV_KMODS      += tn timer
340 DRV_KMODS      += tpm
341 DRV_KMODS      += trill
342 DRV_KMODS      += udp
343 DRV_KMODS      += udp6
344 DRV_KMODS      += ucode
345 DRV_KMODS      += ural
346 DRV_KMODS      += uath
347 DRV_KMODS      += urtw
348 DRV_KMODS      += vgate
349 DRV_KMODS      += heci
350 DRV_KMODS      += vnic
351 DRV_KMODS      += vscan
352 DRV_KMODS      += wc
353 DRV_KMODS      += winlock
354 DRV_KMODS      += wpi
355 DRV_KMODS      += xge
356 DRV_KMODS      += yge
357 DRV_KMODS      += zcons
358 DRV_KMODS      += zyd
359 DRV_KMODS      += simnet
360 DRV_KMODS      += stmf
361 DRV_KMODS      += stmf_sbd
362 DRV_KMODS      += fct
363 DRV_KMODS      += fcoe
364 DRV_KMODS      += fcoet
365 DRV_KMODS      += fcoei
366 DRV_KMODS      += qlt
367 DRV_KMODS      += iscsit
368 DRV_KMODS      += pppt
369 DRV_KMODS      += ncall nsctl sdbc nskernel sv
370 DRV_KMODS      += ii rdc rdcsrv rdcstub
371 DRV_KMODS      += iptun

373 #
374 # Common code drivers
375 #

377 DRV_KMODS      += afe
378 DRV_KMODS      += atge
379 DRV_KMODS      += bfe
380 DRV_KMODS      += dmfe
381 DRV_KMODS      += el000g
382 DRV_KMODS      += efe
383 DRV_KMODS      += elx1
384 DRV_KMODS      += hme
385 DRV_KMODS      += mxfe
386 DRV_KMODS      += nge
387 DRV_KMODS      += pcn
388 DRV_KMODS      += rge
389 DRV_KMODS      += rtls
390 DRV_KMODS      += sfe
391 DRV_KMODS      += amd8111s

```

```

392 DRV_KMODS      += igb
393 DRV_KMODS      += ipmi
394 DRV_KMODS      += iprb
395 DRV_KMODS      += ixgbe
396 DRV_KMODS      += vr

398 #
399 # Virtio drivers
400 #

402 # Virtio core
403 DRV_KMODS      += virtio

405 # Virtio block driver
406 DRV_KMODS      += vioblk

408 #
409 #      DTrace and DTrace Providers
410 #
411 DRV_KMODS      += dtrace
412 DRV_KMODS      += fbt
413 DRV_KMODS      += lockstat
414 DRV_KMODS      += profile
415 DRV_KMODS      += sdt
416 DRV_KMODS      += systrace
417 DRV_KMODS      += fasttrap
418 DRV_KMODS      += dcpc

420 #
421 #      I/O framework test drivers
422 #
423 DRV_KMODS      += pshot
424 DRV_KMODS      += gen_drv
425 DRV_KMODS      += tvhci tphci tclient
426 DRV_KMODS      += emul64

428 #
429 #      Machine Specific Driver Modules (/kernel/drv):
430 #
431 DRV_KMODS      += options
432 DRV_KMODS      += scsi_vhci
433 DRV_KMODS      += pmcs
434 DRV_KMODS      += pmcs8001fw
435 DRV_KMODS      += arcmsr
436 DRV_KMODS      += fcp
437 DRV_KMODS      += fcip
438 DRV_KMODS      += fcsm
439 DRV_KMODS      += fp
440 DRV_KMODS      += qlc
441 DRV_KMODS      += iscsi

443 #
444 #      PCMCIA specific module(s)
445 #
446 DRV_KMODS      += pcs
447 MISC_KMODS     += cardbus

449 #
450 #      SCSI Enclosure Services driver
451 #
452 DRV_KMODS      += ses

454 #
455 #      USB specific modules
456 #
457 DRV_KMODS      += hid

```

```

458 DRV_KMODS      += hwarc hwahc
459 DRV_KMODS      += hubd
460 DRV_KMODS      += uhci
461 DRV_KMODS      += ehci
462 DRV_KMODS      += ohci
463 DRV_KMODS      += usb_mid
464 DRV_KMODS      += usb_ia
465 DRV_KMODS      += scsa2usb
466 DRV_KMODS      += usbprn
467 DRV_KMODS      += ugen
468 DRV_KMODS      += usbser
469 DRV_KMODS      += usbsacm
470 DRV_KMODS      += usbsksp
471 DRV_KMODS      += usbsprl
472 DRV_KMODS      += usb_ac
473 DRV_KMODS      += usb_as
474 DRV_KMODS      += usbskel
475 DRV_KMODS      += usbvc
476 DRV_KMODS      += usbftdi
477 DRV_KMODS      += wusb_df
478 DRV_KMODS      += wusb_ca
479 DRV_KMODS      += usbecm

481 #
482 #      1394 modules
483 #
484 MISC_KMODS      += s1394 sbp2
485 DRV_KMODS      += hci1394 scsa1394
486 DRV_KMODS      += av1394
487 DRV_KMODS      += dcaml394

489 #
490 #      InfiniBand pseudo drivers
491 #
492 DRV_KMODS      += ib ibp eibnx eoib rdsib sdp iser daplt hermon tavor sol_ucma
493 DRV_KMODS      += sol_umad

495 #
496 #      LVM modules
497 #
498 DRV_KMODS      += md
499 MISC_KMODS      += md_stripe md_hotspares md_mirror md_raid md_trans md_notify
500 MISC_KMODS      += md_sp

502 #
503 #      Brand modules
504 #
505 BRAND_KMODS     += snl_brand s10_brand

507 #
508 #      Exec Class Modules (/kernel/exec):
509 #
510 EXEC_KMODS      += elfexec intpexec shbinexec javaexec

512 #
513 #      Scheduling Class Modules (/kernel/sched):
514 #
515 SCHED_KMODS     += IA RT TS RT_DPTBL TS_DPTBL FSS FX FX_DPTBL SDC

517 #
518 #      File System Modules (/kernel/fs):
519 #
520 FS_KMODS        += autofs cacheefs ctfs dcfs dev devfs fdfs fifofs hsfs lofs
521 FS_KMODS        += mntfs namefs nfs objfs zfs zut
522 FS_KMODS        += pcfs procfs sockfs specfs tmpfs udfs ufs sharefs
523 FS_KMODS        += smbfs

```

```

525 #
526 #     Streams Modules (/kernel/strmod):
527 #
528 STRMOD_KMODS += bufmod connld dedump ldterm pckt pfmod pipemod
529 STRMOD_KMODS += ptem redirmod rpcmod rlmod telmod timed
530 STRMOD_KMODS += sppsasyn sppscomp
531 STRMOD_KMODS += tirdwr ttcompat
532 STRMOD_KMODS += usbkbm
533 STRMOD_KMODS += usbms
534 STRMOD_KMODS += usbwcm
535 STRMOD_KMODS += usb_ah
536 STRMOD_KMODS += drcompat
537 STRMOD_KMODS += cryptmod
538 STRMOD_KMODS += vuid2ps2
539 STRMOD_KMODS += vuid3ps2
540 STRMOD_KMODS += vuidm3p
541 STRMOD_KMODS += vuidm4p
542 STRMOD_KMODS += vuidm5p

544 #
545 #     'System' Modules (/kernel/sys):
546 #
547 SYS_KMODS += c2audit
548 SYS_KMODS += doorfs
549 SYS_KMODS += exacctsys
550 SYS_KMODS += inst_sync
551 SYS_KMODS += kaio
552 SYS_KMODS += msgsys
553 SYS_KMODS += pipe
554 SYS_KMODS += portfs
555 SYS_KMODS += pset
556 SYS_KMODS += semsys
557 SYS_KMODS += shmsys
558 SYS_KMODS += sysacct
559 SYS_KMODS += acctctl

561 #
562 #     'Misc' Modules (/kernel/misc)
563 #     MISC_KMODS are built both 32-bit and 64-bit
564 #     MISC_KMODS_32 are built only 32-bit
565 #     MISC_KMODS_64 are built only 64-bit
566 #
567 MISC_KMODS += ac97
568 MISC_KMODS += acpica
569 MISC_KMODS += agpmaster
570 MISC_KMODS += bignum
571 MISC_KMODS += bootdev
572 MISC_KMODS += busra
573 MISC_KMODS += cmlb
574 MISC_KMODS += consconfig
575 MISC_KMODS += ctf
576 MISC_KMODS += dadk
577 MISC_KMODS += dcopy
578 MISC_KMODS += dls
579 MISC_KMODS += drm
580 MISC_KMODS += fssnap_if
581 MISC_KMODS += gda
582 MISC_KMODS += gld
583 MISC_KMODS += hidparser
584 MISC_KMODS += hook
585 MISC_KMODS += hpcsvc
586 MISC_KMODS += ibcm
587 MISC_KMODS += ibdm
588 MISC_KMODS += ibdma
589 MISC_KMODS += ibmf

```

```

590 MISC_KMODS += ibtl
591 MISC_KMODS += idm
592 MISC_KMODS += idmap
593 MISC_KMODS += iommulib
594 MISC_KMODS += ipc
595 MISC_KMODS += kbtrans
596 MISC_KMODS += kcf
597 MISC_KMODS += kgssapi
598 MISC_KMODS += kmecch_dummy
599 MISC_KMODS += kmecch_krb5
600 MISC_KMODS += ksocket
601 MISC_KMODS += mac
602 MISC_KMODS += mii
603 MISC_KMODS += mwlfw
604 MISC_KMODS += net80211
605 MISC_KMODS += nfs_dhboot
606 MISC_KMODS += nfssrv
607 MISC_KMODS += neti
608 MISC_KMODS += pci_autoconfig
609 MISC_KMODS += pcicfg
610 MISC_KMODS += pcihp
611 MISC_KMODS += pcmcia
612 MISC_KMODS += rpcsec
613 MISC_KMODS += rpcsec_gss
614 MISC_KMODS += rsmops
615 MISC_KMODS += sata
616 MISC_KMODS += scsi
617 MISC_KMODS += sda
618 MISC_KMODS += sol_ofs
619 MISC_KMODS += spuni
620 MISC_KMODS += strategy
621 MISC_KMODS += strplumb
622 MISC_KMODS += tem
623 MISC_KMODS += tlimod
624 MISC_KMODS += usba usba10 usbs49_fw
625 MISC_KMODS += scsi_vhci_f_sym_hds
626 MISC_KMODS += scsi_vhci_f_sym
627 MISC_KMODS += scsi_vhci_f_tpgs
628 MISC_KMODS += scsi_vhci_f_asym_sun
629 MISC_KMODS += scsi_vhci_f_tape
630 MISC_KMODS += scsi_vhci_f_tpgs_tape
631 MISC_KMODS += fctl
632 MISC_KMODS += emlxs_fw
633 MISC_KMODS += qlc_fw_2200
634 MISC_KMODS += qlc_fw_2300
635 MISC_KMODS += qlc_fw_2400
636 MISC_KMODS += qlc_fw_2500
637 MISC_KMODS += qlc_fw_6322
638 MISC_KMODS += qlc_fw_8100
639 MISC_KMODS += hwa1480_fw
640 MISC_KMODS += uathfw
641 MISC_KMODS += uwba

643 MISC_KMODS += klmmod klmops

645 #
646 #     Software Cryptographic Providers (/kernel/crypto):
647 #
648 CRYPTO_KMODS += aes
649 CRYPTO_KMODS += arcfour
650 CRYPTO_KMODS += blowfish
651 CRYPTO_KMODS += des
652 CRYPTO_KMODS += ecc
653 CRYPTO_KMODS += md4
654 CRYPTO_KMODS += md5
655 CRYPTO_KMODS += rsa

```

```

656 CRYPTO_KMODS      += sha1
657 CRYPTO_KMODS      += sha2
658 CRYPTO_KMODS      += swrand

660 #
661 #       IP Policy Modules (/kernel/ipp)
662 #
663 IPP_KMODS           += dlcosmk
664 IPP_KMODS           += flowacct
665 IPP_KMODS           += ipgpc
666 IPP_KMODS           += dscpmk
667 IPP_KMODS           += tokenmt
668 IPP_KMODS           += tswtclmt

670 #
671 #       generic-unix module (/kernel/genunix):
672 #
673 GENUNIX_KMODS      += genunix

675 #
676 #       Modules eXcluded from the product:
677 #

679 #
680 #       'Dacf' Modules (/kernel/dacf):
681 #

683 #
684 #       Performance Counter BackEnd modules (/usr/kernel/pcbe)
685 #
686 PCBE_KMODS         += p123_pcbe p4_pcbe opteron_pcbe core_pcbe

688 #
689 #       MAC-Type Plugin Modules (/kernel/mac)
690 #
691 MAC_KMODS           += mac_6to4
692 MAC_KMODS           += mac_ether
693 MAC_KMODS           += mac_ipv4
694 MAC_KMODS           += mac_ipv6
695 MAC_KMODS           += mac_wifi
696 MAC_KMODS           += mac_ib

698 #
699 #       socketmod (kernel/socketmod)
700 #
701 SOCKET_KMODS        += sockpfp
702 SOCKET_KMODS        += socksctp
703 SOCKET_KMODS        += socksdp
704 SOCKET_KMODS        += sockrds
705 SOCKET_KMODS        += ksslf

707 #
708 #       kiconv modules (/kernel/kiconv):
709 #
710 KICONV_KMODS        += kiconv_emea kiconv_ja kiconv_ko kiconv_sc kiconv_tc

712 #
713 #       'Dacf' Modules (/kernel/dacf):
714 #
715 DACF_KMODS          += net_dacf

717 #
718 #       Ensure that the variable member of the cpu_t (cpu_m) is defined
719 #       for the lint builds so as not to cause lint errors during the
720 #       global cross check.
721 #

```

```

722 LINTFLAGS           += -D_MACHDEP -I$(UTSBASE)/i86pc
723 #endif /* ! codereview */

```

new/usr/src/uts/sparc/Makefile.sparc

1

```
*****
13310 Wed Nov 12 17:44:42 2014
new/usr/src/uts/sparc/Makefile.sparc
5075 EOF cardbus & pcmcia
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright (c) 2013 Andrew Stormont. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>

26 #
27 # This makefile contains the common definitions for all sparc
28 # implementation architecture independent modules.
29 #

31 #
32 # Define supported builds
33 #
34 DEF_BUILDS = $(DEF_BUILDS64)
35 ALL_BUILDS = $(ALL_BUILDS64)

37 #
38 # Everybody needs to know how to build modstubs.o and to locate unix.o.
39 # Note that unix.o must currently be selected from among the possible
40 # "implementation architectures". Note further, that unix.o is only
41 # used as an optional error check for undefines so (theoretically)
42 # any "implementation architectures" could be used. We choose sun4u
43 # because it is the reference port.
44 #
45 UNIX_DIR = $(UTSBASE)/sun4u/unix
46 GENLIB_DIR = $(UTSBASE)/sun4u/genunix
47 IPDRV_DIR = $(UTSBASE)/sparc/ip
48 MODSTUBS_DIR = $(UNIX_DIR)
49 DSF_DIR = $(UNIX_DIR)
50 LINTS_DIR = $(OBJS_DIR)
51 LINT_LIB_DIR = $(UTSBASE)/sparc/lint-libs/$(OBJS_DIR)

53 UNIX_O = $(UNIX_DIR)/$(OBJS_DIR)/unix.o
54 MODSTUBS_O = $(MODSTUBS_DIR)/$(OBJS_DIR)/modstubs.o
55 GENLIB = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/libgenunix.so

57 LINT_LIB_32 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lunix.ln
58 GEN_LINT_LIB_32 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln

60 LINT_LIB_64 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lunix.ln
```

new/usr/src/uts/sparc/Makefile.sparc

2

```
61 GEN_LINT_LIB_64 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln

63 LINT_LIB = $(LINT_LIB_$(CLASS))
64 GEN_LINT_LIB = $(GEN_LINT_LIB_$(CLASS))

66 LINT32_DIRS = $(LINT32_BUILDS:=$(UTSBASE)/sparc/lint-libs/%)
67 LINT32_FILES = $(LINT32_DIRS:=%/llib-l$(MODULE).ln)

69 LINT64_DIRS = $(LINT64_BUILDS:=$(UTSBASE)/sparc/lint-libs/%)
70 LINT64_FILES = $(LINT64_DIRS:=%/llib-l$(MODULE).ln)

72 #
73 # Include the makefiles which define build rule templates, the
74 # collection of files per module, and a few specific flags. Note
75 # that order is significant, just as with an include path. The
76 # first build rule template which matches the files name will be
77 # used. By including these in order from most machine dependent
78 # to most machine independent, we allow a machine dependent file
79 # to be used in preference over a machine independent version
80 # (Such as a machine specific optimization, which preserves the
81 # interfaces.)
82 #
83 include $(UTSBASE)/sparc/Makefile.files
84 include $(UTSBASE)/sparc/v9/Makefile.files
85 include $(UTSBASE)/sun/Makefile.files
86 include $(UTSBASE)/common/Makefile.files

88 #
89 # ----- TRANSITIONAL SECTION -----
90 #

92 #
93 # Not everything which *should* be a module is a module yet. The
94 # following is a list of such objects which are currently part of
95 # genunix but which might someday become kmods. This must be
96 # defined before we include Makefile.uts, or else genunix's build
97 # won't be as parallel as we might like.
98 #
99 NOT_YET_KMODS = $(OLDPTY_OBJS) $(PTY_OBJS) $(VCONS_CONF_OBJS) $(MOD_OBJS)

101 #
102 # ----- END OF TRANSITIONAL SECTION -----
103 #
104 # Include machine independent rules. Note that this does not imply
105 # that the resulting module from rules in Makefile.uts is machine
106 # independent. Only that the build rules are machine independent.
107 #
108 include $(UTSBASE)/Makefile.uts

110 #
111 # machine specific optimization, override default in Makefile.master
112 #
113 XARCH_32 = -xarch=v8
114 XARCH_64 = -m64
115 XARCH = $(XARCH_$(CLASS))

117 COPTIMIZE_32 = -xO3
118 COPTIMIZE_64 = -xO3
119 COPTIMIZE = $(COPTIMIZE_$(CLASS))

121 CCMODE = -Xa

123 CFLAGS_32 = -xcg92
124 CFLAGS_64 = -xchip=ultra $(CCABS32) $(CCREGSYM)
125 CFLAGS = $(CFLAGS_$(CLASS))
```

```

127 CFLAGS      += $(XARCH)
128 CFLAGS      += $(COPTIMIZE)
129 CFLAGS      += $(EXTRA_CFLAGS)
130 CFLAGS      += $(XAOPT)
131 CFLAGS      += $(INLINES) -D_ASM_INLINES
132 CFLAGS      += $(CCMODE)
133 CFLAGS      += $(SPACEFLAG)
134 CFLAGS      += $(CERRWARN)
135 CFLAGS      += $(CTF_FLAGS_$(CLASS))
136 CFLAGS      += $(C99MODE)
137 CFLAGS      += $(CCUNBOUND)
138 CFLAGS      += $(CCSTATICSYM)
139 CFLAGS      += $(CC32BITCALLERS)
140 CFLAGS      += $(CCNOAUTOINLINE)
141 CFLAGS      += $(IROPTFLAG)
142 CFLAGS      += $(CGLOBALSTATIC)
143 CFLAGS      += -xregs=no%float
144 CFLAGS      += -xstrconst
145 CFLAGS      += $(CSOURCEDEBUGFLAGS)
146 CFLAGS      += $(CUSERFLAGS)

148 ASFLAGS      += $(XARCH)

150 LINT_DEFS_32  =
151 LINT_DEFS_64  = -m64
152 LINT_DEFS     += $(LINT_DEFS_$(CLASS))

154 #
155 #       The following must be defined for all implementations:
156 #
157 #       MODSTUBS:           Module stubs source file.
158 #
159 MODSTUBS       = $(UTSBASE)/sparc/ml/modstubs.s

161 #
162 #       Define the actual specific platforms - obviously none.
163 #
164 MACHINE_DEFS    =

166 #
167 #       Debugging level
168 #
169 #       Special knowledge of which special debugging options effect which
170 #       file is used to optimize the build if these flags are changed.
171 #
172 #       XXX: The above could possibly be done for more flags and files, but
173 #       is left as an experiment to the interested reader. Be forewarned,
174 #       that excessive use could lead to maintenance difficulties.
175 #
176 DEBUG_DEFS_OBJ32 =
177 DEBUG_DEFS_DBG32  = -DDEBUG
178 DEBUG_DEFS_OBJ64  =
179 DEBUG_DEFS_DBG64  = -DDEBUG
180 DEBUG_DEFS        = $(DEBUG_DEFS_$(BUILD_TYPE))

182 DEBUG_COND_OBJ32 = $(POUND_SIGN)
183 DEBUG_COND_DBG32 =
184 DEBUG_COND_OBJ64 = $(POUND_SIGN)
185 DEBUG_COND_DBG64 =
186 IF_DEBUG_OBJ     = $(DEBUG_COND_$(BUILD_TYPE))$(OBJS_DIR)/

188 $(IF_DEBUG_OBJ)syscall.o      :=      DEBUG_DEFS      += -DSYSCALLTRACE
189 $(IF_DEBUG_OBJ)clock.o       :=      DEBUG_DEFS      += -DKSLICE=1

191 # Comment these out if you don't want dispatcher lock statistics.

```

```

193 # $(IF_DEBUG_OBJ)disp_lock.o      := DEBUG_DEFS      += -DDISP_LOCK_STATS

195 #
196 #       Collect the preprocessor definitions to be associated with *all*
197 #       files.
198 #
199 ALL_DEFS      = $(MACHINE_DEFS) $(DEBUG_DEFS) $(OPTION_DEFS)
200 #
201 #
202 #       The kernels modules which are "implementation architecture"
203 #       specific for this machine are enumerated below. Note that most
204 #       of these modules must exist (in one form or another) for each
205 #       architecture.
206 #
207 #       Common Drivers (usually pseudo drivers) (/kernel/drv):
208 #
209 DRV_KMODS      += aggr arp audio bl blkdev bofi clone cn conskbd consms cpuid
210 DRV_KMODS      += crypto cryptoadm devinfo dump
211 DRV_KMODS      += dtrace fasttrap fbt lockstat profile sdt systrace dcp
212 DRV_KMODS      += fssnap icmp icmp6 ip ip6 ipnet ipsecah
213 DRV_KMODS      += ipsecesp iptun iwsn keysock kmdb kstat ksyms llc1
214 DRV_KMODS      += lofi
215 DRV_KMODS      += log logindmux kssl mm nca phymem pm poll pool
216 DRV_KMODS      += pseudo ptc ptm pts ptsl ramdisk random rsm rts sad
217 DRV_KMODS      += simnet softmac spps sppptun sy sysevent sysmsg
218 DRV_KMODS      += spdsock
219 DRV_KMODS      += tcp tcp6 tl tn timer ttymux udp udp6 wc winlock zcons
220 DRV_KMODS      += ippctl
221 DRV_KMODS      += dld
222 DRV_KMODS      += ipd
223 DRV_KMODS      += ipf
224 DRV_KMODS      += rpcib
225 DRV_KMODS      += dlpistub
226 DRV_KMODS      += vn timer
227 DRV_KMODS      += xge
228 DRV_KMODS      += rds
229 DRV_KMODS      += rds3
230 DRV_KMODS      += chxge
231 DRV_KMODS      += smbsrv
232 DRV_KMODS      += vscan
233 DRV_KMODS      += nsmb
234 DRV_KMODS      += fm
235 DRV_KMODS      += nulldriver
236 DRV_KMODS      += bridge trill
237 DRV_KMODS      += bpf
238 DRV_KMODS      += dca

240 #
241 #       Hardware Drivers in common space
242 #
243 #
244 DRV_KMODS      += afe
245 DRV_KMODS      += audio1575
246 DRV_KMODS      += audioens
247 DRV_KMODS      += audiols
248 DRV_KMODS      += audiopl6x
249 DRV_KMODS      += audiopci
250 DRV_KMODS      += audiot
251 DRV_KMODS      += el000g
252 DRV_KMODS      += efe
253 DRV_KMODS      += hxge
254 DRV_KMODS      += mxfe
255 DRV_KMODS      += rge
256 DRV_KMODS      += rtls
257 DRV_KMODS      += sfe
258 DRV_KMODS      += aac

```

```

259 DRV_KMODS      += igb
260 DRV_KMODS      += ixgbe
261 DRV_KMODS      += vr
262 DRV_KMODS      += mr_sas
263 DRV_KMODS      += yge

265 #
266 #      Machine Specific Driver Modules (/kernel/drv):
267 #
268 DRV_KMODS      += audiocs
269 DRV_KMODS      += bge dmfe eri fas hme gfe
270 DRV_KMODS      += openepr options sd ses st
271 DRV_KMODS      += ssd
272 DRV_KMODS      += ecpp
273 DRV_KMODS      += hid hubd ehci ohci uhci usb_mid usb_ia scsa2usb usbprn ugen
274 DRV_KMODS      += usbser usbsacm usbsksp usbsprl
275 DRV_KMODS      += usb_as usb_ac
276 DRV_KMODS      += usbskel
277 DRV_KMODS      += usbv
278 DRV_KMODS      += usbftdi
279 DRV_KMODS      += wusb_df hwahc hwarc wusb_ca
280 DRV_KMODS      += usbecm
281 DRV_KMODS      += hci1394 avl1394 scsa1394 dcaml1394
282 DRV_KMODS      += sbp2
283 DRV_KMODS      += ib ibp eibnx eoib rdsib sdp iser daplt hermon tavor sol_ucma
284 DRV_KMODS      += sol_umad
285 DRV_KMODS      += pci_pci pcieb pcieb_bcm
286 DRV_KMODS      += i8042 kb8042 mouse8042
287 DRV_KMODS      += fcode
288 DRV_KMODS      += mpt_sas
289 DRV_KMODS      += socal
290 DRV_KMODS      += sgen
291 DRV_KMODS      += myril0ge
292 DRV_KMODS      += smp
293 DRV_KMODS      += dad
294 DRV_KMODS      += scsi_vhci
295 DRV_KMODS      += fcp
296 DRV_KMODS      += fcip
297 DRV_KMODS      += fcsn
298 DRV_KMODS      += fp
299 DRV_KMODS      += qlc
300 DRV_KMODS      += qlge
301 DRV_KMODS      += stmf
302 DRV_KMODS      += stmf_sbd
303 DRV_KMODS      += fct
304 DRV_KMODS      += fcoe
305 DRV_KMODS      += fcoet
306 DRV_KMODS      += fcoel
307 DRV_KMODS      += qlt
308 DRV_KMODS      += iscsit
309 DRV_KMODS      += pppt
310 DRV_KMODS      += ncall nsctl sdbc nsfern sv
311 DRV_KMODS      += ii rdc rdcsrv rdcstub
312 DRV_KMODS      += iscsi
313 DRV_KMODS      += emlxs
314 DRV_KMODS      += oce
315 DRV_KMODS      += srpt
316 DRV_KMODS      += pmcs
317 DRV_KMODS      += pmcs8001fw

319 #
320 #      I/O framework test drivers
321 #
322 DRV_KMODS      += pshot
323 DRV_KMODS      += gen_drv
324 DRV_KMODS      += tvhci tphci tclient

```

```

325 DRV_KMODS      += emul64

327 MISC_KMODS     += busra dada
327 #
328 #      PCMCIA specific module(s)
329 #
330 DRV_KMODS      += pcs
331 MISC_KMODS     += busra cardbus dada pcmcia
332 DRV_KMODS      += pcic

329 # Add lvm
330 #
331 DRV_KMODS      += md
332 MISC_KMODS     += md_mirror md_stripe md_hotspares md_raid md_trans md_notify
333 MISC_KMODS     += md_sp

335 #
336 #      Exec Class Modules (/kernel/exec):
337 #
338 EXEC_KMODS     += aoutexec elfexec intpexec shbinexec javaexec

340 #
341 #      Scheduling Class Modules (/kernel/sched):
342 #
343 SCHED_KMODS    += RT TS RT_DPTBL TS_DPTBL IA FSS FX FX_DPTBL SDC

345 #
346 #      File System Modules (/kernel/fs):
347 #
348 FS_KMODS       += dev devfs fdfs fifofs hfs lofs namefs nfs pcfs tmpfs zfs
349 FS_KMODS       += zut specfs udfs ufs autofs cacheofs procfs sockfs mntfs
350 FS_KMODS       += ctfs objfs sharefs dcfs smbfs

352 #
353 #      Streams Modules (/kernel/strmod):
354 #
355 STRMOD_KMODS   += bufmod connld dedump ldterm ms pckt pfmod
356 STRMOD_KMODS   += pipemod ptem redirmod rpcmod rlmmod telmod timod
357 STRMOD_KMODS   += sppsasyn sppscomp
358 STRMOD_KMODS   += tirdwr ttcompat
359 STRMOD_KMODS   += usbbkm usbms usbwcm usb_ah
360 STRMOD_KMODS   += drcompat
361 STRMOD_KMODS   += cryptmod
362 STRMOD_KMODS   += vuid3ps2

364 #
365 #      'System' Modules (/kernel/sys):
366 #
367 SYS_KMODS      += c2audit
368 SYS_KMODS      += exacetsys
369 SYS_KMODS      += inst_sync kaio msgsys semsys shmsys sysacct pipe
370 SYS_KMODS      += doorfs pset acctctl portfs

372 #
373 #      'User' Modules (/kernel/misc):
374 #
375 MISC_KMODS     += ac97
376 MISC_KMODS     += bignum
377 MISC_KMODS     += consconfig gld ipc nfs_dlboot nfssrv scsi
378 MISC_KMODS     += strplumb swapgeneric tlimod
379 MISC_KMODS     += rpcsec rpcsec_gss kgssapi kmecch_dummy
380 MISC_KMODS     += kmecch_krb5
381 MISC_KMODS     += fssnap_if
382 MISC_KMODS     += hidparser kbtrans usba usba10 usbs49_fw
383 MISC_KMODS     += sl394
384 MISC_KMODS     += hpcsvc pcihp

```

```

385 MISC_KMODS      += rsmops
386 MISC_KMODS      += kcf
387 MISC_KMODS      += ksocket
388 MISC_KMODS      += ibcm
389 MISC_KMODS      += ibdm
390 MISC_KMODS      += ibdma
391 MISC_KMODS      += ibmf
392 MISC_KMODS      += ibtl
393 MISC_KMODS      += sol_ofs
394 MISC_KMODS      += idm
395 MISC_KMODS      += idmap
396 MISC_KMODS      += hook
397 MISC_KMODS      += neti
398 MISC_KMODS      += ctf
399 MISC_KMODS      += mac_dls
400 MISC_KMODS      += cmlb
401 MISC_KMODS      += tem
402 MISC_KMODS      += pcicfg_fcodem_fcpci
403 MISC_KMODS      += scsi_vhci_f_sym scsi_vhci_f_tpgs scsi_vhci_f_asym_sun
404 MISC_KMODS      += scsi_vhci_f_sym_hds
405 MISC_KMODS      += scsi_vhci_f_tape scsi_vhci_f_tpgs_tape
406 MISC_KMODS      += fctl
407 MISC_KMODS      += emlxs_fw
408 MISC_KMODS      += qlc_fw_2200
409 MISC_KMODS      += qlc_fw_2300
410 MISC_KMODS      += qlc_fw_2400
411 MISC_KMODS      += qlc_fw_2500
412 MISC_KMODS      += qlc_fw_6322
413 MISC_KMODS      += qlc_fw_8100
414 MISC_KMODS      += spuni
415 MISC_KMODS      += hwa1480_fw_uwba
416 MISC_KMODS      += mii

418 MISC_KMODS      += klmmod klmops

420 #
421 #       Software Cryptographic Providers (/kernel/crypto):
422 #
423 CRYPTO_KMODS     += aes
424 CRYPTO_KMODS     += arcfour
425 CRYPTO_KMODS     += blowfish
426 CRYPTO_KMODS     += des
427 CRYPTO_KMODS     += md4
428 CRYPTO_KMODS     += md5
429 CRYPTO_KMODS     += ecc
430 CRYPTO_KMODS     += rsa
431 CRYPTO_KMODS     += sha1
432 CRYPTO_KMODS     += sha2
433 CRYPTO_KMODS     += swrand

435 #
436 # IP Policy Modules (/kernel/ipp):
437 #
438 IPP_KMODS        += dlcosmk
439 IPP_KMODS        += flowacct
440 IPP_KMODS        += ipgpc
441 IPP_KMODS        += dscpmk
442 IPP_KMODS        += tokenmt
443 IPP_KMODS        += tswtclmt

445 #
446 # 'Dacf' modules (/kernel/dacf)
447 DACF_KMODS       += consconfig_dacf

449 #
450 #       SVVS Testing Modules (/kernel/strmod):

```

```

451 #
452 #       These are streams and driver modules which are not to be
453 #       delivered with a released system. However, during development
454 #       it is convenient to build and install the SVVS kernel modules.
455 #
456 SVVS_KMODS       += lmodb lmode lmodr lmodt svvslo tidg tivc tmux

458 #
459 #       Modules eXcluded from the product:
460 #
461 XMODS            +=

463 #
464 #       'Dacf' Modules (/kernel/dacf):
465 #
466 DACF_KMODS       += net_dacf

468 #
469 #       MAC-Type Plugin Modules (/kernel/mac)
470 #
471 MAC_KMODS        += mac_6to4
472 MAC_KMODS        += mac_ether
473 MAC_KMODS        += mac_ipv4
474 MAC_KMODS        += mac_ipv6
475 MAC_KMODS        += mac_wifi
476 MAC_KMODS        += mac_ib

478 #
479 # socketmod (kernel/socketmod)
480 #
481 SOCKET_KMODS     += sockpfp
482 SOCKET_KMODS     += socksctp
483 SOCKET_KMODS     += socksdp
484 SOCKET_KMODS     += sockrds
485 SOCKET_KMODS     += ksslf

487 #
488 #       kiconv modules (/kernel/kiconv):
489 #
490 KICONV_KMODS     += kiconv_emea kiconv_ja kiconv_ko kiconv_sc kiconv_tc

492 #
493 # Ensure that the variable member of the cpu_t (cpu_m) is defined
494 # for the lint builds so as not to cause lint errors during the
495 # global cross check.
496 #
497 $(LINTFLAGSSUPPRESS)LINTFLAGS += -D_MACHDEF -I$(UTSBASE)/sun4 \
498                                -I$(UTSBASE)/sun4u -I$(UTSBASE)/sfmmu

```