

\*\*\*\*\*

14976 Sat Aug 9 23:41:47 2014

new/usr/src/man/man1m/Makefile

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #

19 include \$(SRC)//Makefile.master

21 MANSECT= 1m

23 \_MANFILES= 6to4relay.1m //
24 Intro.1m //
25 Uutry.1m //
26 accept.1m //
27 acct.1m //
28 acctadm.1m //
29 acctcms.1m //
30 acctcon.1m //
31 acctmerg.1m //
32 acctprc.1m //
33 acctsh.1m //
34 adbgen.1m //
35 add\_allocatable.1m //
36 add\_drv.1m //
37 addbadsec.1m //
38 arcstat.1m //
39 arp.1m //
40 atohexlabel.1m //
41 audit.1m //
42 audit\_warn.1m //
43 auditconfig.1m //
44 auditd.1m //
45 auditrecord.1m //
46 auditreduce.1m //
47 auditstat.1m //
48 automount.1m //
49 automountd.1m //
50 autopush.1m //
51 bart.1m //
52 beadm.1m //
53 boot.1m //
54 bootadm.1m //
55 bootconfchk.1m //
56 busstat.1m //
57 cachefs.1m //
58 cachefslog.1m //

59 cachefspack.1m //
60 cachefsstat.1m //
61 cachefswssize.1m //
62 captinfo.1m //
63 catman.1m //
64 cfgadm.1m //
65 cfgadm\_ac.1m //
66 cfgadm\_cardbus.1m //
67 cfgadm\_fp.1m //
68 cfgadm\_ib.1m //
69 cfgadm\_pci.1m //
70 cfgadm\_sata.1m //
71 cfgadm\_sbd.1m //
72 cfgadm\_scsi.1m //
73 cfgadm\_sysctrl.1m //
74 cfgadm\_usb.1m //
75 cfsadmin.1m //
76 chat.1m //
77 check-hostname.1m //
78 check-permissions.1m //
79 chroot.1m //
80 clear\_locks.1m //
81 clinfo.1m //
82 clri.1m //
83 consadm.1m //
84 conv\_lp.1m //
85 conv\_lpd.1m //
86 coreadm.1m //
87 cpustat.1m //
88 cron.1m //
89 cryptoadm.1m //
90 datadm.1m //
91 dd.1m //
92 devattr.1m //
93 devfree.1m //
94 devfsadm.1m //
95 device\_remap.1m //
96 devinfo.1m //
97 devlinks.1m //
98 devnm.1m //
99 devprop.1m //
100 devreserv.1m //
101 df.1m //
102 df\_ufs.1m //
103 dfmounts.1m //
104 dfmounts\_nfs.1m //
105 dfshares.1m //
106 dfshares\_nfs.1m //
107 dhcpagent.1m //
108 dhcpconfig.1m //
109 dhcpmgr.1m //
110 dhtadm.1m //
111 disks.1m //
112 diskscan.1m //
113 dispadmin.1m //
114 dladm.1m //
115 dlmgmt.1m //
116 dmesg.1m //
117 dminfo.1m //
118 dns-sd.1m //
119 domainname.1m //
120 drvconfig.1m //
121 dsbitmap.1m //
122 dscfg.1m //
123 dscfgadm.1m //
124 dscfglockd.1m //

```

124 dsstat.lm //
125 dsvlockd.lm //
126 dtrace.lm //
127 dumpadm.lm //
128 editmap.lm //
129 edquota.lm //
130 eeprom.lm //
131 embedded_su.lm //
132 etrn.lm //
133 fcinfo.lm //
134 fdetach.lm //
135 fdisk.lm //
136 ff.lm //
137 ff_ufs.lm //
138 fiocompress.lm //
139 flowadm.lm //
140 fmadm.lm //
141 fmd.lm //
142 fmdump.lm //
143 fmstat.lm //
144 fmthard.lm //
145 format.lm //
146 fruadm.lm //
147 fsck.lm //
148 fsck_cacheofs.lm //
149 fsck_pcfs.lm //
150 fsck_udfs.lm //
151 fsck_ufs.lm //
152 fsdb.lm //
153 fsdb_udfs.lm //
154 fsdb_ufs.lm //
155 fsirand.lm //
156 fssnap.lm //
157 fssnap_ufs.lm //
158 fsstat.lm //
159 fstyp.lm //
160 ftpaddhost.lm //
161 ftpconfig.lm //
162 ftprestart.lm //
163 ftpshut.lm //
164 fuser.lm //
165 fwflash.lm //
166 fwtmp.lm //
167 getdev.lm //
168 getdevpolicy.lm //
169 getdgrp.lm //
170 getent.lm //
171 gettable.lm //
172 getty.lm //
173 getvol.lm //
174 groupadd.lm //
175 groupdel.lm //
176 groupmod.lm //
177 growfs.lm //
178 gsscred.lm //
179 gssd.lm //
180 hal-device.lm //
181 hal-fdi-validate.lm //
182 hal-find.lm //
183 hal-get-property.lm //
184 hald.lm //
185 halt.lm //
186 hextoalabel.lm //
187 hostconfig.lm //
188 htable.lm //
189 ickey.lm //

```

```

190 id.lm //
191 idmap.lm //
192 idmapd.lm //
193 idsconfig.lm //
194 if_mpadm.lm //
195 ifconfig.lm //
196 ifparse.lm //
197 iiadm.lm //
198 iicpbmp.lm //
199 iicpshd.lm //
200 ikeadm.lm //
201 ikecert.lm //
202 in.chargend.lm //
203 in.comsat.lm //
204 in.daytimed.lm //
205 in.dhcpd.lm //
206 in.discardd.lm //
207 in.echod.lm //
208 in.fingerd.lm //
209 in.ftpd.lm //
210 in.iked.lm //
211 in.lpd.lm //
212 in.mpathd.lm //
213 in.ndpd.lm //
214 in.rarpd.lm //
215 in.rdisc.lm //
216 in.rexecd.lm //
217 in.ripngd.lm //
218 in.rlogind.lm //
219 in.routed.lm //
220 in.rshd.lm //
221 in.rwhod.lm //
222 in.talkd.lm //
223 in.telnetd.lm //
224 in.tftpd.lm //
225 in.timed.lm //
226 in.uucpd.lm //
227 inetadm.lm //
228 inetconv.lm //
229 inetd.lm //
230 infocmp.lm //
231 init.lm //
232 inityp21.lm //
233 install.lm //
234 installf.lm //
235 installgrub.lm //
236 intrd.lm //
237 intrstat.lm //
238 iostat.lm //
239 ipaddrsel.lm //
240 ipadm.lm //
241 ipdadm.lm //
242 ipf.lm //
243 ipfs.lm //
244 ipfstat.lm //
245 ipmon.lm //
246 ipmpstat.lm //
247 ipnat.lm //
248 ippool.lm //
249 ipqosconf.lm //
250 ipsecalgs.lm //
251 ipsecconf.lm //
252 ipseckey.lm //
253 iscsiadm.lm //
254 isns.lm //
255 isnsadm.lm //

```

```

256         itadm.1m          //
257         k5srvutil.1m     //
258         kadb.1m          //
259         kadmin.1m        //
260         kadmind.1m       //
261         kclient.1m       //
262         kdb5_ldap_util.1m //
263         kdb5_util.1m     //
264         kdcmgr.1m        //
265         kernel.1m        //
266         keyserv.1m       //
267         killall.1m       //
268         kprop.1m         //
269         kpropd.1m        //
270         kproplog.1m      //
271         krb5kdc.1m       //
272         ksslcfg.1m       //
273         kstat.1m         //
274         ktkk_warnd.1m    //
275         labelit.1m       //
276         labelit_hsf.1m   //
277         labelit_udfs.1m  //
278         labelit_ufs.1m   //
279         latencytop.1m    //
280         ldap_cachemgr.1m //
281         ldapaddent.1m    //
282         ldapclient.1m    //
283         link.1m          //
284         listdgrp.1m      //
285         listen.1m        //
286         locator.1m       //
287         lockfs.1m        //
288         lockstat.1m      //
289         lofiadm.1m       //
290         logadm.1m        //
291         logins.1m        //
292         lpadmin.1m       //
293         lpfilter.1m      //
294         lpforms.1m       //
295         lpget.1m         //
296         lpmove.1m        //
297         lpsched.1m       //
298         lpset.1m         //
299         lpshut.1m        //
300         lpssystem.1m     //
301         lpusers.1m       //
302         luxadm.1m        //
303         mail.local.1m    //
304         makedbm.1m       //
305         makemap.1m       //
306         mdmonitord.1m    //
307         medstat.1m       //
308         metaclear.1m     //
309         metadb.1m        //
310         metadevadm.1m    //
311         metaht.1m        //
312         metaimport.1m    //
313         metainit.1m      //
314         metaoffline.1m   //
315         metaparam.1m     //
316         metarecover.1m   //
317         metarename.1m    //
318         metareplace.1m   //
319         metaroot.1m      //
320         metaset.1m       //
321         metassist.1m    //

```

```

322         metastat.1m      //
323         metasync.1m      //
324         metattach.1m     //
325         mkdevalloc.1m    //
326         mkdevmaps.1m    //
327         mkfifo.1m        //
328         mkfile.1m        //
329         mkfs.1m          //
330         mkfs_pcfs.1m     //
331         mkfs_udfs.1m     //
332         mkfs_ufs.1m      //
333         mknod.1m         //
334         mkpwdict.1m      //
335         modinfo.1m       //
336         modload.1m       //
337         modunload.1m     //
338         mount.1m         //
339         mount_cacheufs.1m //
340         mount_hsf.1m     //
341         mount_nfs.1m     //
342         mount_pcfs.1m    //
343         mount_smbfs.1m   //
344         mount_tmpfs.1m   //
345         mount_udfs.1m    //
346         mount_ufs.1m     //
347         mountall.1m      //
348         mountd.1m        //
349         mpathadm.1m      //
350         mpstat.1m        //
351         msgid.1m         //
352         mvdir.1m         //
353         ncaconfd.1m      //
354         ncheck.1m        //
355         ncheck_ufs.1m    //
356         ndd.1m           //
357         ndmpadm.1m       //
358         ndmpd.1m         //
359         ndmpstat.1m      //
360         netstat.1m       //
361         netstrategy.1m   //
362         newaliases.1m    //
363         newfs.1m         //
364         newkey.1m        //
365         nfs4cbd.1m       //
366         nfsd.1m          //
367         nfslogd.1m       //
368         nfsmapid.1m      //
369         nfsstat.1m       //
370         nlsadmin.1m      //
371         nscadm.1m        //
372         nscd.1m          //
373         nwamd.1m         //
374         passmgmt.1m      //
375         pbind.1m         //
376         picld.1m         //
377         ping.1m          //
378         pkgadd.1m        //
379         pkgadm.1m        //
380         pkgask.1m        //
381         pkgchk.1m        //
382         pkgrm.1m         //
383         plockstat.1m     //
384         pmadm.1m         //
385         pmconfig.1m      //
386         pntadm.1m        //
387         polkit-is-privileged.1m //

```

```

388 pooladm.1m //
389 poolbind.1m //
390 poolcfg.1m //
391 pool.1m //
392 poolstat.1m //
393 ports.1m //
394 powerd.1m //
395 powertop.1m //
396 pppmgr.1m //
397 pppd.1m //
398 pppdump.1m //
399 pppoec.1m //
400 pppoed.1m //
401 pppstats.1m //
402 praudit.1m //
403 print-service.1m //
404 printmgr.1m //
405 projadd.1m //
406 projdel.1m //
407 projmod.1m //
408 prstat.1m //
409 prtconf.1m //
410 prtdiag.1m //
411 prtfru.1m //
412 prtpicl.1m //
413 prtvtoc.1m //
414 psradm.1m //
415 psrinfo.1m //
416 psrset.1m //
417 putdev.1m //
418 putdgrp.1m //
419 pwck.1m //
420 pwconv.1m //
421 quot.1m //
422 quota.1m //
423 quotacheck.1m //
424 quotaon.1m //
425 raidctl.1m //
426 ramdiskadm.1m //
427 rcapadm.1m //
428 rcapd.1m //
429 rctladm.1m //
430 rdate.1m //
431 reboot.1m //
432 rem_drv.1m //
433 remove_allocatable.1m //
434 removef.1m //
435 repquota.1m //
436 rmmount.1m //
437 rmt.1m //
438 rmvolmgr.1m //
439 roleadd.1m //
440 roledel.1m //
441 rolemod.1m //
442 root_archive.1m //
443 route.1m //
444 routeadm.1m //
445 rpc.bootparamd.1m //
446 rpc.mdcmmnd.1m //
447 rpc.metad.1m //
448 rpc.metamedd.1m //
449 rpc.metamhd.1m //
450 rpc.rexd.1m //
451 rpc.rstatd.1m //
452 rpc.rusersd.1m //
453 rpc.rwalld.1m //

```

```

454 rpc.smsserverd.1m //
455 rpc.sprayd.1m //
456 rpc.yppasswdd.1m //
457 rpc.yupdated.1m //
458 rpcbind.1m //
459 rpcinfo.1m //
460 rquotad.1m //
461 rsh.1m //
462 rtc.1m //
463 rtquery.1m //
464 runacct.1m //
465 rwall.1m //
466 sac.1m //
467 sacadm.1m //
468 saf.1m //
469 sar.1m //
470 sasinfo.1m //
471 savecore.1m //
472 sbdadm.1m //
473 scadm.1m //
474 scmadm.1m //
475 sdpadm.1m //
476 sendmail.1m //
477 setuname.1m //
478 sftp-server.1m //
479 share.1m //
480 share_nfs.1m //
481 shareall.1m //
482 sharectl.1m //
483 sharemgr.1m //
484 showmount.1m //
485 shutdown.1m //
486 slpd.1m //
487 smbadm.1m //
488 smbd.1m //
489 smbiod.1m //
490 smbios.1m //
491 smbstat.1m //
492 smrsh.1m //
493 smtnrddb.1m //
494 smtnrhtp.1m //
495 smtnzonecfg.1m //
496 sndradm.1m //
497 sndrd.1m //
498 sndrsyncd.1m //
499 snoop.1m //
500 soconfig.1m //
501 sppptun.1m //
502 spray.1m //
503 ssh-keysign.1m //
504 sshd.1m //
505 statd.1m //
506 stmfadm.1m //
507 stmsboot.1m //
508 strace.1m //
509 strclean.1m //
510 strerr.1m //
511 sttydefs.1m //
512 su.1m //
513 sulogin.1m //
514 svadm.1m //
515 svc.configd.1m //
516 svc.ipfd.1m //
517 svc.startd.1m //
518 svcadm.1m //
519 svccfg.1m //

```

```

520 swap.1m //
521 sync.1m //
522 syncinit.1m //
523 syncloop.1m //
524 syncstat.1m //
525 sysdef.1m //
526 syseventadm.1m //
527 syseventconfd.1m //
528 syseventd.1m //
529 syslogd.1m //
530 tapes.1m //
531 tcpd.1m //
532 tcpdchk.1m //
533 tcpdmatch.1m //
534 th_define.1m //
535 th_manage.1m //
536 tic.1m //
537 tnchkdb.1m //
538 tnctl.1m //
539 tnd.1m //
540 tninfo.1m //
541 tpmadm.1m //
542 traceroute.1m //
543 trapstat.1m //
544 ttyadm.1m //
545 ttymon.1m //
546 tuneefs.1m //
547 txzonemgr.1m //
548 tzselect.1m //
549 uadmin.1m //
550 ucodeadm.1m //
551 ufsdump.1m //
552 ufsrestore.1m //
553 unshare.1m //
554 unshare_nfs.1m //
555 update_drv.1m //
556 updatehome.1m //
557 useradd.1m //
558 userdel.1m //
559 usermod.1m //
560 utmpd.1m //
561 uuchek.1m //
562 uucico.1m //
563 uucleanup.1m //
564 uusched.1m //
565 uuxqt.1m //
566 vmstat.1m //
567 volcopy.1m //
568 volcopy_ufs.1m //
569 vscanadm.1m //
570 vscand.1m //
571 wall.1m //
572 wanboot_keygen.1m //
573 wanboot_keygmt.1m //
574 wanboot_p12split.1m //
575 wanbootutil.1m //
576 whodo.1m //
577 wificonfig.1m //
578 wpad.1m //
579 wracct.1m //
580 wusbadm.1m //
581 ypbind.1m //
582 ypinit.1m //
583 ypmake.1m //
584 ypmmap2src.1m //
585 yppoll.1m //

```

```

586 yppush.1m //
587 ypserv.1m //
588 ypset.1m //
589 ypstart.1m //
590 ypxfr.1m //
591 zdb.1m //
592 zdump.1m //
593 zfs.1m //
594 zic.1m //
595 zoneadm.1m //
596 zoneadm.1m //
597 zonecfg.1m //
598 zpool.1m //
599 zstreamdump.1m //

601 i386_MANFILES= lms.1m //
602 parted.1m //
603 mkntfs.1m //
604 ntfsct.1m //
605 ntfsclone.1m //
606 ntfscluster.1m //
607 ntfscomp.1m //
608 ntfsfcp.1m //
609 ntfsfix.1m //
610 ntfsinfo.1m //
611 ntfslabel.1m //
612 ntfsls.1m //
613 ntfsprogs.1m //
614 ntfsresize.1m //
615 ntfsundelete.1m //

617 sparc_MANFILES= cvcd.1m //
618 dcs.1m //
619 drd.1m //
620 efdaemon.1m //
621 ldmad.1m //
622 monitor.1m //
623 obpsym.1m //
624 oplhpd.1m //
625 prtdscp.1m //
626 sckmd.1m //
627 sf880drd.1m //
628 vntsd.1m //

630 MANLINKS= acctcon1.1m //
631 acctcon2.1m //
632 acctdisk.1m //
633 acctdusg.1m //
634 accton.1m //
635 acctprcl.1m //
636 acctprc2.1m //
637 acctwtmp.1m //
638 bootparamd.1m //
639 chargefee.1m //
640 ckpacct.1m //
641 closewtmp.1m //
642 comsat.1m //
643 dcopy.1m //
644 devfsadm.1m //
645 dodisk.1m //
646 fcadm.1m //
647 fingerd.1m //
648 ftpd.1m //
649 grpck.1m //
650 hal-find-by-capability.1m //
651 hal-find-by-property.1m //

```

```

652          hal-set-property.1m      \|
653          intro.1m                 \|
654          kadmin.local.1m          \|
655          lastlogin.1m              \|
656          metadetach.1m             \|
657          metaonline.1m             \|
658          monacct.1m                \|
659          nulladm.1m                \|
660          poweroff.1m               \|
661          prctmp.1m                 \|
662          prdaily.1m                \|
663          prtacct.1m                \|
664          quotaoff.1m               \|
665          rarpd.1m                  \|
666          rdisc.1m                  \|
667          reject.1m                 \|
668          restricted_shell.1m       \|
669          rexd.1m                   \|
670          rexecd.1m                 \|
671          rlogind.1m                \|
672          routed.1m                 \|
673          rshd.1m                   \|
674          rstatd.1m                 \|
675          rusersd.1m                \|
676          rwall.1m                  \|
677          rhod.1m                   \|
678          sa1.1m                    \|
679          sa2.1m                    \|
680          sadc.1m                   \|
681          shutacct.1m               \|
682          sprayd.1m                 \|
683          startup.1m                \|
684          talkd.1m                  \|
685          telinit.1m                \|
686          telnetd.1m                \|
687          tftpd.1m                  \|
688          turnacct.1m               \|
689          umount.1m                 \|
690          umount_smbfs.1m           \|
691          umountall.1m              \|
692          unlink.1m                 \|
693          unshareall.1m              \|
694          utmp2wtmp.1m              \|
695          uucpd.1m                  \|
696          uutry.1m                  \|
697          wtmpfix.1m                \|
698          yppasswdd.1m              \|
699          ypstop.1m                 \|
700          yppupdated.1m             \|
701          ypxfr_1perday.1m          \|
702          ypxfr_1perhour.1m         \|
703          ypxfr_2perday.1m          \|
704          ypxfrd.1m                 \|

706 MANFILES=      $_MANFILES) $(MACH)_MANFILES)

708 intro.1m        := LINKSRC = Intro.1m

710 uutry.1m        := LINKSRC = Uutry.1m

712 reject.1m       := LINKSRC = accept.1m

714 acctdisk.1m     := LINKSRC = acct.1m
715 acctdusg.1m     := LINKSRC = acct.1m
716 accton.1m       := LINKSRC = acct.1m
717 acctwtmp.1m     := LINKSRC = acct.1m

```

```

718 closewtmp.1m   := LINKSRC = acct.1m
719 utmp2wtmp.1m   := LINKSRC = acct.1m

721 acctcon1.1m    := LINKSRC = acctcon.1m
722 acctcon2.1m    := LINKSRC = acctcon.1m

724 acctprc1.1m    := LINKSRC = acctprc.1m
725 acctprc2.1m    := LINKSRC = acctprc.1m

727 chargefee.1m  := LINKSRC = acctsh.1m
728 ckpacct.1m    := LINKSRC = acctsh.1m
729 dodisk.1m     := LINKSRC = acctsh.1m
730 lastlogin.1m  := LINKSRC = acctsh.1m
731 monacct.1m    := LINKSRC = acctsh.1m
732 nulladm.1m    := LINKSRC = acctsh.1m
733 prctmp.1m     := LINKSRC = acctsh.1m
734 prdaily.1m    := LINKSRC = acctsh.1m
735 prtacct.1m    := LINKSRC = acctsh.1m
736 shutacct.1m   := LINKSRC = acctsh.1m
737 startup.1m    := LINKSRC = acctsh.1m
738 turnacct.1m   := LINKSRC = acctsh.1m

740 dcopy.1m      := LINKSRC = clri.1m

742 devfsadm.1m  := LINKSRC = devfsadm.1m

744 fcadm.1m     := LINKSRC = fcinfo.1m

746 wtmpfix.1m   := LINKSRC = fwtmp.1m

748 hal-find-by-capability.1m := LINKSRC = hal-find.1m
749 hal-find-by-property.1m  := LINKSRC = hal-find.1m

751 hal-set-property.1m      := LINKSRC = hal-get-property.1m

753 poweroff.1m              := LINKSRC = halt.1m

755 comsat.1m                := LINKSRC = in.comsat.1m
756 fingerd.1m               := LINKSRC = in.fingerd.1m
757 ftpd.1m                   := LINKSRC = in.ftpd.1m
758 rarpd.1m                   := LINKSRC = in.rarpd.1m
759 rdisc.1m                   := LINKSRC = in.rdisc.1m
760 rexecd.1m                  := LINKSRC = in.rexecd.1m
761 rlogind.1m                 := LINKSRC = in.rlogind.1m
762 routed.1m                  := LINKSRC = in.routed.1m
763 rshd.1m                    := LINKSRC = in.rshd.1m
764 rhod.1m                    := LINKSRC = in.rhod.1m
765 talkd.1m                   := LINKSRC = in.talkd.1m
766 telnetd.1m                 := LINKSRC = in.telnetd.1m
767 tftpd.1m                   := LINKSRC = in.tftpd.1m
768 uucpd.1m                   := LINKSRC = in.uucpd.1m

770 telinit.1m                := LINKSRC = init.1m

772 kadmin.local.1m           := LINKSRC = kadmin.1m

774 unlink.1m                 := LINKSRC = link.1m

776 metaonline.1m             := LINKSRC = metaoffline.1m

778 metadetach.1m             := LINKSRC = metattach.1m

780 umount.1m                  := LINKSRC = mount.1m

782 umount_smbfs.1m           := LINKSRC = mount_smbfs.1m

```

```
784 umountall.lm      := LINKSRC = mountall.lm
786 grpck.lm          := LINKSRC = pwck.lm
788 quotaoff.lm       := LINKSRC = quotaon.lm
790 bootparamd.lm     := LINKSRC = rpc.bootparamd.lm
791 rexd.lm            := LINKSRC = rpc.rexd.lm
792 rstatd.lm          := LINKSRC = rpc.rstatd.lm
793 rusersd.lm         := LINKSRC = rpc.rusersd.lm
794 rwalld.lm          := LINKSRC = rpc.rwalld.lm
795 sprayd.lm          := LINKSRC = rpc.sprayd.lm
796 yppasswdd.lm       := LINKSRC = rpc.yppasswdd.lm
797 yppupdated.lm      := LINKSRC = rpc.yppupdated.lm
799 restricted_shell.lm := LINKSRC = rsh.lm
801 sa1.lm              := LINKSRC = sar.lm
802 sa2.lm              := LINKSRC = sar.lm
803 sadc.lm             := LINKSRC = sar.lm
805 unshareall.lm     := LINKSRC = shareall.lm
807 ypxfrd.lm          := LINKSRC = ypserv.lm
809 ypstop.lm          := LINKSRC = ypstart.lm
811 ypxfr_1perday.lm   := LINKSRC = ypxfr.lm
812 ypxfr_1perhour.lm := LINKSRC = ypxfr.lm
813 ypxfr_2perday.lm   := LINKSRC = ypxfr.lm
816 .KEEP_STATE:
818 include             $(SRC)/man/Makefile.man
820 install:            $(ROOTMANFILES) $(ROOTMANLINKS)
```

\*\*\*\*\*

5704 Sat Aug 9 23:41:47 2014

new/usr/src/man/man4/Makefile

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
14 # Copyright 2011, Richard Lowe
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 #

18 include \$(SRC)/Makefile.master

20 MANSECT= 4

22 \_MANFILES= Intro.4 //
23 NISLDAPmapping.4 //
24 a.out.4 //
25 admin.4 //
26 alias.4 //
27 aliases.4 //
28 au.4 //
29 audit.log.4 //
30 audit\_class.4 //
31 audit\_control.4 //
32 audit\_event.4 //
33 audit\_user.4 //
34 auth\_attr.4 //
35 autofs.4 //
36 bart\_manifest.4 //
37 bart\_rules.4 //
38 bootparams.4 //
39 cardbus.4 //
40 compver.4 //
41 contents.4 //
42 contract.4 //
43 copyright.4 //
44 core.4 //
45 crypt.conf.4 //
46 crypto\_certs.4 //
47 d\_passwd.4 //
48 dacf.conf.4 //
49 dat.conf.4 //
50 default\_fs.4 //
51 defaultdomain.4 //
52 defaultrouter.4 //
53 depend.4 //
54 device\_allocate.4 //
55 device\_contract.4 //
56 device\_maps.4 //
57 devices.4 //
dfstab.4 //

58 dhcp\_inittab.4 //
59 dhcp\_network.4 //
60 dhcpcsvc.conf.4 //
61 dhcptab.4 //
62 dialups.4 //
63 dir\_ufs.4 //
64 driver.conf.4 //
65 ds.log.4 //
66 ethers.4 //
67 exec\_attr.4 //
68 fdi.4 //
69 format.dat.4 //
70 fspec.4 //
71 fstypes.4 //
72 ftp.4 //
73 ftpaccess.4 //
74 ftpconversions.4 //
75 ftpgroups.4 //
76 ftphosts.4 //
77 ftpservers.4 //
78 ftpusers.4 //
79 fx\_dptbl.4 //
80 gateways.4 //
81 group.4 //
82 gsscred.conf.4 //
83 hba.conf.4 //
84 holidays.4 //
85 hosts.4 //
86 hosts.equiv.4 //
87 hosts\_access.4 //
88 hosts\_options.4 //
89 ib.4 //
90 ike.config.4 //
91 ike.preshared.4 //
92 inet\_type.4 //
93 inetd.conf.4 //
94 init.4 //
95 init.d.4 //
96 inittab.4 //
97 ipaddrsel.conf.4 //
98 ipnodes.4 //
99 issue.4 //
100 kadm5.acl.4 //
101 kdc.conf.4 //
102 keytables.4 //
103 krb5.conf.4 //
104 ldapfilter.conf.4 //
105 ldapsearchprefs.conf.4 //
106 ldaptemplates.conf.4 //
107 logadm.conf.4 //
108 logindevperm.4 //
109 loginlog.4 //
110 magic.4 //
111 md.tab.4 //
112 mddb.cf.4 //
113 mech.4 //
114 meddb.4 //
115 mnnttab.4 //
116 mod\_ipp.4 //
117 mpapi.conf.4 //
118 nca.if.4 //
119 ncad\_addr.4 //
120 ncakmod.conf.4 //
121 ncalogd.conf.4 //
122 ncaport.conf.4 //
123 ndmp.4 //



## new/usr/src/man/man4/Makefile

3

```

124         ndpd.conf.4          \/
125         netconfig.4         \/
126         netgroup.4          \/
127         netid.4              \/
128         netmasks.4          \/
129         netrc.4              \/
130         networks.4          \/
131         nfs.4                 \/
132         nfslog.conf.4        \/
133         nfssec.conf.4        \/
134         nodename.4           \/
135         nologin.4            \/
136         note.4                \/
137         notrouter.4          \/
138         nscd.conf.4          \/
139         nsmbrc.4             \/
140         nss.4                 \/
141         nsswitch.conf.4      \/
142         packingrules.4       \/
143         pam.conf.4           \/
144         passwd.4             \/
145         path_to_inst.4       \/
146         pci.4                 \/
147         phones.4             \/
148         pkginfo.4            \/
149         pkgmap.4             \/
150         policy.conf.4        \/
151         power.conf.4         \/
152         printers.4           \/
153         printers.conf.4      \/
154         priv_names.4         \/
155         proc.4                \/
156         process.4            \/
157         prof_attr.4          \/
158         profile.4            \/
159         project.4            \/
160         protocols.4          \/
161         prototype.4          \/
162         pseudo.4             \/
163         publickey.4          \/
164         queuedefs.4          \/
165         rcmscript.4          \/
166         rdc.cf.4             \/
167         remote.4             \/
168         resolv.conf.4        \/
169         rmtab.4              \/
170         rpc.4                 \/
171         rt_dptbl.4           \/
172         sasl_apname.conf.4    \/
173         scsi.4                \/
174         securenets.4        \/
175         sel_config.4         \/
176         sendmail.4           \/
177         service_bundle.4     \/
178         service_provider.conf.4 \/
179         services.4           \/
180         shadow.4             \/
181         sharetab.4           \/
182         shells.4             \/
183         slp.conf.4           \/
184         slpd.reg.4           \/
185         smb.4                 \/
186         smbautohome.4        \/
187         smhba.conf.4         \/
188         sndr.4                \/
189         sock2path.d.4        \/

```

## new/usr/src/man/man4/Makefile

4

```

190         space.4              \/
191         ssh_config.4         \/
192         sshd_config.4        \/
193         sulog.4              \/
194         syslog.conf.4        \/
195         system.4             \/
196         term.4                \/
197         terminfo.4           \/
198         timezone.4          \/
199         tnf_kernel_probes.4  \/
200         ts_dptbl.4           \/
201         ttydefs.4            \/
202         ttysrch.4            \/
203         ufsdump.4            \/
204         updaters.4           \/
205         user_attr.4          \/
206         utmp.4                \/
207         utmpx.4              \/
208         vfstab.4              \/
209         volume-config.4      \/
210         volume-request.4     \/
211         wanboot.conf.4       \/
212         warn.conf.4          \/
213         xferlog.4            \/
214         ypfiles.4            \/
215         yppasswdd.4          \/
216         ypserv.4             \/
217         zoneinfo.4           \/

219 sparc_MANFILES= sbus.4

221 i386_MANFILES= sysbus.4

223 _MANLINKS= addresses.4      \/
224             devid_cache.4   \/
225             devname_cache.4 \/
226             dir.4            \/
227             dumpdates.4      \/
228             fbtabs.4         \/
229             forward.4        \/
230             fs.4              \/
231             hosts.allow.4    \/
232             hosts.deny.4     \/
233             intro.4          \/
234             md.cf.4           \/
235             mdi_ib_cache.4   \/
236             mdi_scsi_vhci_cache.4 \/
237             pci_unitaddr_persistent.4 \/
238             pcie.4            \/
239             qop.4             \/
240             rhosts.4          \/
241             sendmail.cf.4     \/
242             snapshot_cache.4 \/
243             submit.cf.4       \/
244             volume-defaults.4 \/
245             wtmp.4            \/
246             wtmpx.4          \/

248 i386_MANLINKS= isa.4

250 MANFILES=  $_MANFILES) ${$(MACH)_MANFILES)
251 MANLINKS=  $_MANLINKS) ${$(MACH)_MANLINKS)

253 intro.4           := LINKSRC = Intro.4

255 addresses.4       := LINKSRC = aliases.4

```

```
256 forward.4           := LINKSRC = aliases.4
258 fs.4                := LINKSRC = default_fs.4
260 devid_cache.4       := LINKSRC = devices.4
261 devname_cache.4     := LINKSRC = devices.4
262 mdi_ib_cache.4      := LINKSRC = devices.4
263 mdi_scsi_vhci_cache.4 := LINKSRC = devices.4
264 pci_unitaddr_persistent.4 := LINKSRC = devices.4
265 snapshot_cache.4   := LINKSRC = devices.4
267 dir.4               := LINKSRC = dir_ufs.4
269 rhosts.4            := LINKSRC = hosts.equiv.4
271 hosts.allow.4       := LINKSRC = hosts_access.4
272 hosts.deny.4        := LINKSRC = hosts_access.4
274 fbtabs.4            := LINKSRC = logindevperm.4
276 md.cf.4             := LINKSRC = md.tab.4
278 qop.4               := LINKSRC = mech.4
280 pcie.4              := LINKSRC = pci.4
282 sendmail.cf.4       := LINKSRC = sendmail.4
283 submit.cf.4         := LINKSRC = sendmail.4
285 isa.4               := LINKSRC = sysbus.4
287 dumpdates.4        := LINKSRC = ufsdump.4
289 wtmp.4              := LINKSRC = utmp.4
291 wtmpx.4              := LINKSRC = utmpx.4
293 volume-defaults.4   := LINKSRC = volume-request.4
295 .KEEP_STATE:
297 include              $(SRC)/man/Makefile.man
299 install:             $(ROOTMANFILES) $(ROOTMANLINKS)
```

\*\*\*\*\*

4535 Sat Aug 9 23:41:48 2014

new/usr/src/man/man7d/Makefile

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #

18 include \$(SRC)/Makefile.master

20 MANSECT= 7d

22 \_MANFILES= aac.7d \
23 afe.7d \
24 audio.7d \
25 audio1575.7d \
26 audioens.7d \
27 audiols.7d \
28 audiopl6x.7d \
29 audiopci.7d \
30 audiot.7d \
31 av1394.7d \
32 bge.7d \
33 blkdev.7d \
34 bscv.7d \
35 chxge.7d \
36 console.7d \
37 cpuid.7d \
38 dca.7d \
39 dcaml394.7d \
40 devinfo.7d \
41 dmfe.7d \
42 dtrace.7d \
43 ehci.7d \
44 elxl.7d \
45 fasttrap.7d \
46 fbt.7d \
47 fcip.7d \
48 fcoe.7d \
49 fcoei.7d \
50 fcoet.7d \
51 fcp.7d \
52 fctl.7d \
53 fd.7d \
54 fp.7d \
55 gld.7d \
56 hcil394.7d \
57 hermon.7d \
58 hid.7d \

59 hme.7d \
60 hubd.7d \
61 hwahc.7d \
62 hwarc.7d \
63 hxge.7d \
64 ib.7d \
65 ibcm.7d \
66 ibd.7d \
67 ibdm.7d \
68 ibdma.7d \
69 ibtl.7d \
70 ieee1394.7d \
71 igb.7d \
72 ii.7d \
73 ipnet.7d \
74 iprb.7d \
75 iscsi.7d \
76 iser.7d \
77 ixgbe.7d \
78 kmdb.7d \
79 kstat.7d \
80 ksyms.7d \
81 llcl.7d \
82 lockstat.7d \
83 lofi.7d \
84 log.7d \
85 md.7d \
86 mediator.7d \
87 mem.7d \
88 mpt\_sas.7d \
89 mr\_sas.7d \
90 msglog.7d \
91 mt.7d \
92 mxfe.7d \
93 myri10ge.7d \
94 null.7d \
95 nulldriver.7d \
96 nxge.7d \
97 ohci.7d \
98 openprom.7d \
99 pcic.7d \
100 pcmcia.7d \
99 phymem.7d \
100 pm.7d \
101 poll.7d \
102 profile.7d \
103 ptm.7d \
104 pts.7d \
105 pty.7d \
106 qlc.7d \
107 ramdisk.7d \
108 random.7d \
109 rge.7d \
110 rtls.7d \
111 sad.7d \
112 sata.7d \
113 scsa1394.7d \
114 scsa2usb.7d \
115 sd.7d \
116 sdp.7d \
117 sdt.7d \
118 ses.7d \
119 sfe.7d \
120 sgen.7d \
121 srpt.7d \
122 st.7d \

## new/usr/src/man/man7d/Makefile

```

123         sv.7d           \|
124         sysmsg.7d       \|
125         systrace.7d     \|
126         ticlts.7d       \|
127         tty.7d          \|
128         ttymux.7d       \|
129         tzmon.7d        \|
130         ugen.7d         \|
131         uhci.7d         \|
132         usb_ac.7d       \|
133         usb_as.7d       \|
134         usb_ia.7d       \|
135         usb_mid.7d      \|
136         usba.7d         \|
137         usbftdi.7d      \|
138         usbprn.7d       \|
139         usbsacm.7d      \|
140         usbsksp.7d      \|
141         usbspri.7d      \|
142         usbvc.7d        \|
143         uwba.7d         \|
144         virtualkm.7d   \|
145         vni.7d          \|
146         vr.7d           \|
147         wscons.7d       \|
148         wusb_ca.7d      \|
149         wusb_df.7d      \|
150         xge.7d          \|
151         yge.7d          \|
152         zcons.7d        \|
153         zero.7d         \|
155 sparc_MANFILES= audiocs.7d \|
156                 bbc_beep.7d \|
157                 ctsmc.7d     \|
158                 cvc.7d       \|
159                 cvcredir.7d  \|
160                 dad.7d       \|
161                 dm2s.7d      \|
162                 dr.7d        \|
163                 eri.7d       \|
164                 fas.7d       \|
165                 gpio_87317.7d \|
166                 grbeep.7d    \|
167                 idn.7d       \|
168                 mc-opl.7d    \|
169                 n2rng.7d     \|
170                 ncp.7d       \|
171                 ntwdt.7d     \|
172                 oplkmdrv.7d  \|
173                 oplmsu.7d    \|
174                 oplpanel.7d \|
175                 pcicmu.7d    \|
176                 pcipsy.7d    \|
177                 pcisch.7d    \|
178                 schpc.7d     \|
179                 sf.7d        \|
180                 smb.7d       \|
181                 socal.7d     \|
182                 ssd.7d       \|
183                 su.7d        \|
184                 todopl.7d    \|
185                 tsalarm.7d   \|
186                 zs.7d        \|
187                 zsh.7d      \|

```

3

## new/usr/src/man/man7d/Makefile

```

189 i386_MANFILES= ahci.7d       \|
190                 amd8111s.7d   \|
191                 amr.7d        \|
192                 arcmsr.7d     \|
193                 arn.7d        \|
194                 asy.7d        \|
195                 ata.7d        \|
196                 atge.7d       \|
197                 ath.7d        \|
198                 atu.7d        \|
199                 audio810.7d   \|
200                 audiocmi.7d   \|
201                 audiocmihd.7d \|
202                 audioemu10k.7d \|
203                 audiohd.7d    \|
204                 audioixp.7d   \|
205                 audiosolo.7d  \|
206                 audiovia823x.7d \|
207                 audiovia97.7d \|
208                 bcm_sata.7d   \|
209                 bfe.7d        \|
210                 cmdk.7d       \|
211                 cpqgary3.7d   \|
212                 dnet.7d       \|
213                 ecpp.7d       \|
214                 heci.7d       \|
215                 i915.7d       \|
216                 ipmi.7d       \|
217                 ipw.7d        \|
218                 iwh.7d        \|
219                 iwi.7d        \|
220                 mega_sas.7d   \|
221                 npe.7d        \|
222                 ntxn.7d       \|
223                 nv_sata.7d    \|
224                 pcn.7d        \|
225                 radeon.7d     \|
226                 ral.7d        \|
227                 rtw.7d        \|
228                 rum.7d        \|
229                 rwd.7d        \|
230                 rwn.7d        \|
231                 sda.7d        \|
232                 sdhost.7d     \|
233                 si3124.7d     \|
234                 smbios.7d     \|
235                 uath.7d       \|
236                 ural.7d       \|
237                 urtw.7d       \|
238                 wpi.7d        \|
239                 zyd.7d        \|
241 _MANLINKS=     1394.7d       \|
242                 allkmem.7d    \|
243                 bsdbus.7d     \|
244                 fdc.7d        \|
245                 firewire.7d   \|
246                 hwa1480_fw.7d \|
247                 i2bsc.7d      \|
248                 kmem.7d       \|
249                 lo0.7d        \|
250                 ticots.7d     \|
251                 ticotsord.7d  \|
252                 urandom.7d    \|
253                 usb.7d        \|
254                 uwb.7d        \|

```

4

```
256 sparc_MANLINKS= drmach.7d      \  
257                  ngdr.7d        \  
258                  ngdrmach.7d  
  
260 MANFILES =      $(_MANFILES) $($(MACH)_MANFILES)  
261 MANLINKS =      $(_MANLINKS) $($(MACH)_MANLINKS)  
  
263 bscbus.7d       := LINKSRC = bscv.7d  
264 i2bsc.7d       := LINKSRC = bscv.7d  
  
266 drmach.7d      := LINKSRC = dr.7d  
267 ngdr.7d        := LINKSRC = dr.7d  
268 ngdrmach.7d    := LINKSRC = dr.7d  
  
270 fdc.7d         := LINKSRC = fd.7d  
  
272 1394.7d        := LINKSRC = ieee1394.7d  
273 firewire.7d   := LINKSRC = ieee1394.7d  
  
275 lo0.7d        := LINKSRC = ipnet.7d  
  
277 allkmem.7d     := LINKSRC = mem.7d  
278 kmem.7d       := LINKSRC = mem.7d  
  
280 urandom.7d     := LINKSRC = random.7d  
  
282 ticots.7d      := LINKSRC = ticlts.7d  
283 ticotsord.7d  := LINKSRC = ticlts.7d  
  
285 usb.7d        := LINKSRC = usba.7d  
  
287 uwb.7d        := LINKSRC = uwba.7d  
  
289 hwal480_fw.7d := LINKSRC = wusb_df.7d  
  
291 .KEEP_STATE:  
  
293 include         $(SRC)/man/Makefile.man  
  
295 install:       $(ROOTMANFILES) $(ROOTMANLINKS)
```

\*\*\*\*\*

25229 Sat Aug 9 23:41:48 2014

new/usr/src/man/man9f/Intro.9f

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```

1  \' te
2  .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
3  .\" Copyright (c) 2005, Sun Microsystems, Inc., All Rights Reserved
4  .\" The contents of this file are subject to the terms of the Common Development
5  .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
6  .\" When distributing Covered Code, include this CDDL HEADER in each file and in
7  .Dd \"Aug 08, 2014\"
8  .Dt INTRO 9F
9  .Os
10 .Sh NAME
11 .Nm Intro ,
12 .Nd introduction to DDI/DKI functions
13 .Sh DESCRIPTION
14 .TH INTRO 9F \"Feb 06, 2012\"
15 .SH NAME
16 Intro, intro \- introduction to DDI/DKI functions
17 .SH DESCRIPTION
18 .sp
19 .LP
20 Section 9F describes the kernel functions available for use by device drivers.
21 .See
22 .Xr Intro 9E
23 for an overview of device driver interfaces.
24 .Lp
25 See \fBIntro\fR(9E) for an overview of device driver interfaces.
26 .sp
27 .LP
28 In this section, the information for each driver function is organized under
29 the following headings:
30 .Bl -bullet -offset indent
31 .It
32 .Sy NAME
33 summarizes the function's purpose.
34 .It
35 .Sy SYNOPSIS
36 shows the syntax of the function's entry point in the source
37 code.
38 .Li #include
39 directives are shown for required headers.
40 .It
41 .Sy INTERFACE LEVEL
42 describes any architecture dependencies.
43 .It
44 .Sy ARGUMENTS
45 describes any arguments required to invoke the function.
46 .It
47 .Sy DESCRIPTION
48 describes general information about the function.
49 .It
50 .Sy RETURN VALUES
51 describes the return values and messages that can
52 result from invoking the function.
53 .RS +4
54 .TP
55 .ie t \(\bu
56 .el o
57 \fBNAME\fR summarizes the function's purpose.
58 .RE

```

```

25 .RS +4
26 .TP
27 .ie t \(\bu
28 .el o
29 \fBSYNOPSIS\fR shows the syntax of the function's entry point in the source
30 code. \fB#include\fR directives are shown for required headers.
31 .RE
32 .RS +4
33 .TP
34 .ie t \(\bu
35 .el o
36 \fBINTERFACE\fR \fBLEVEL\fR describes any architecture dependencies.
37 .RE
38 .RS +4
39 .TP
40 .ie t \(\bu
41 .el o
42 \fBARGUMENTS\fR describes any arguments required to invoke the function.
43 .RE
44 .RS +4
45 .TP
46 .ie t \(\bu
47 .el o
48 \fBDESCRIPTION\fR describes general information about the function.
49 .RE
50 .RS +4
51 .TP
52 .ie t \(\bu
53 .el o
54 \fBRETURN\fR \fBVALUES\fR describes the return values and messages that can
55 result from invoking the function.
56 .It
57 .Sy CONTEXT
58 indicates from which driver context (user, kernel, interrupt, or
59 kernel, interrupt, or
60 high-level interrupt) the function can be called.
61 .Lp
62 A driver function has
63 .Em user context
64 if it was directly invoked because of
65 a user thread. The
66 .Xr read 9E
67 entry point of the driver, invoked by a
68 system call, has user context.
69 .Lp
70 A driver function has
71 .Em kernel context
72 if it was invoked by some other part of
73 the kernel. In a block device driver, the
74 .Xr strategy 9E
75 entry point may be
76 .RE
77 .RS +4
78 .TP
79 .ie t \(\bu
80 .el o
81 A driver function has \fBuser context\fR if it was directly invoked because of
82 a user thread. The \fBread\fR(9E) entry point of the driver, invoked by a
83 \fBread\fR(2) system call, has user context.
84 .RE

```

```

72 .RS +4
73 .TP
74 .ie t \(\bu
75 .el o
76 A driver function has \fIkernel context\fR if was invoked by some other part of
77 the kernel. In a block device driver, the \fBstrategy\fR(9E) entry point may be
64 called by the page daemon to write pages to the device. The page daemon has no
65 relation to the current user thread, so in this case
66 .Xr strategy 9E
67 has kernel context.
68 .Lp
69 .Em Interrupt context
70 is kernel context, but also has an interrupt level
79 relation to the current user thread, so in this case \fBstrategy\fR(9E) has
80 kernel context.
81 .RE
82 .RS +4
83 .TP
84 .ie t \(\bu
85 .el o
86 \fIIinterrupt context\fR is kernel context, but also has an interrupt level
71 associated with it. Driver interrupt routines have interrupt context.
72 .Lp
88 .sp
73 Note that a mutex acquired in user or kernel context that can also be acquired
74 in interrupt context means that the user or kernel context thread holding that
75 mutex is subject to all the restrictions imposed by interrupt context, for the
76 duration of the ownership of that mutex. Please see the
77 .Xr mutex 9F
78 man page for a more complete discussion of proper mutex handling for drivers.
79 .Lp
80 .Em High-level interrupt context
81 is a more restricted form of interrupt
92 duration of the ownership of that mutex. Please see the \fBmutex\fR(9F) man
93 page for a more complete discussion of proper mutex handling for drivers.
94 .RE
95 .RS +4
96 .TP
97 .ie t \(\bu
98 .el o
99 \fIHigh-level interrupt context\fR is a more restricted form of interrupt
82 context. If a driver interrupt priority returned from
83 .Xr ddi_intr_get_pri 9F
84 is greater than the priority returned from
85 .Xr ddi_intr_get_hilevel_pri 9F
86 this indicates the interrupt handler will
101 \fBddi_intr_get_pri\fR(9F) is greater than the priority returned from
102 \fBddi_intr_get_hilevel_pri\fR(9F) this indicates the interrupt handler will
87 run in high-level interrupt context. These interrupt routines are only allowed
88 to call
89 .Xr ddi_intr_trigger_softint 9F ,
90 .Xr mutex_enter 9F ,
91 and
92 .Xr mutex_exit 9F .
93 Furthermore,
94 .Xr mutex_enter 9F
95 and
96 .Xr mutex_exit 9F
97 may only be called on mutexes initialized with the
98 interrupt priority returned by
99 .Xr ddi_intr_get_pri 9F .
100 .It
101 .Sy SEE ALSO
102 indicates functions that are related by usage and sources, and
104 to call \fBddi_intr_trigger_softint\fR(9F), \fBmutex_enter\fR(9F), and
105 \fBmutex_exit\fR(9F). Furthermore, \fBmutex_enter\fR(9F) and

```

```

106 \fBmutex_exit\fR(9F) may only be called on mutexes initialized with the
107 interrupt priority returned by \fBddi_intr_get_pri\fR(9F).
108 .RE
109 .RS +4
110 .TP
111 .ie t \(\bu
112 .el o
113 \fBSEE ALSO\fR indicates functions that are related by usage and sources, and
103 which can be referred to for further information.
104 .It
105 .Sy EXAMPLES
106 shows how the function can be used in driver code.
107 .El
108 .Lp
109 Every driver MUST include
110 .In sys/ddi.h
111 and
112 .In sys/sunddi.h ,
113 in that order, and as the last files the driver includes.
114 .Sh STREAMS KERNEL FUNCTION SUMMARY
115 .RE
116 .RS +4
117 .TP
118 .ie t \(\bu
119 .el o
120 \fBEXAMPLES\fR shows how the function can be used in driver code.
121 .RE
122 .sp
123 .LP
124 Every driver MUST include <\fBsys/ddi.h\fR> and <\fBsys/sunddi.h\fR>, in that
125 order, and as the last files the driver includes.
126 .SH STREAMS KERNEL FUNCTION SUMMARY
127 .sp
128 .LP
115 The following table summarizes the STREAMS functions described in this section.
116 .Bl -column usb_pipe_get_max_bulk_transfer_size
117 .It Sy Routine Sy Type
118 .It Sy adjmsg DDI/DKI
119 .It Sy allocb DDI/DKI
120 .It Sy allocb_tmpl Solaris DDI
121 .It Sy backq DDI/DKI
122 .It Sy bcanput DDI/DKI
123 .It Sy bcanputnext DDI/DKI
124 .It Sy bufcall DDI/DKI
125 .It Sy canput DDI/DKI
126 .It Sy canputnext DDI/DKI
127 .It Sy clrbuf DDI/DKI
128 .It Sy copyb DDI/DKI
129 .It Sy copymsg DDI/DKI
130 .It Sy DB_BASE Solaris DDI
131 .It Sy DB_LIM Solaris DDI
132 .It Sy DB_REF Solaris DDI
133 .It Sy DB_TYPE Solaris DDI
134 .It Sy datamsq DDI/DKI
135 .It Sy dupb DDI/DKI
136 .It Sy dupmsg DDI/DKI
137 .It Sy enablelek DDI/DKI
138 .It Sy esballoc DDI/DKI
139 .It Sy esbcall DDI/DKI
140 .It Sy flushband DDI/DKI
141 .It Sy flushq DDI/DKI
142 .It Sy freeb DDI/DKI
143 .It Sy freemsg DDI/DKI
144 .It Sy freezestr DDI/DKI
145 .It Sy getq DDI/DKI
146 .It Sy IOC_CONVERT_FROM Solaris DDI

```

```

147 .It Sy insq DDI/DKI
148 .It Sy linkb DDI/DKI
149 .It Sy MBLKHEAD Solaris DDI
150 .It Sy MBLKIN Solaris DDI
151 .It Sy MBLKL Solaris DDI
152 .It Sy MBLKSIZE Solaris DDI
153 .It Sy MBLKTAIL Solaris DDI
154 .It Sy mcopyin Solaris DDI
155 .It Sy mcopymsg Solaris DDI
156 .It Sy mcopyout Solaris DDI
157 .It Sy merror Solaris DDI
158 .It Sy mexchange Solaris DDI
159 .It Sy mioc2ack Solaris DDI
160 .It Sy miocack Solaris DDI
161 .It Sy mexchange Solaris DDI
162 .It Sy miocpullup Solaris DDI
163 .It Sy mkiocb Solaris DDI
164 .It Sy msgdsize DDI/DKI
165 .It Sy msgpullup DDI/DKI
166 .It Sy msgsize Solaris DDI
167 .It Sy mt-streams Solaris DDI
168 .It Sy noenable DDI/DKI
169 .It Sy OTHERQ DDI/DKI
170 .It Sy pullupmsg DDI/DKI
171 .It Sy put DDI/DKI
172 .It Sy putbq DDI/DKI
173 .It Sy putctl DDI/DKI
174 .It Sy putctl1 DDI/DKI
175 .It Sy putnext DDI/DKI
176 .It Sy putnextctl DDI/DKI
177 .It Sy putq DDI/DKI
178 .It Sy qassociate Solaris DDI
179 .It Sy qbufcall Solaris DDI
180 .It Sy qenable DDI/DKI
181 .It Sy qprocson DDI/DKI
182 .It Sy qprocsoff DDI/DKI
183 .It Sy qreply DDI/DKI
184 .It Sy qsize DDI/DKI
185 .It Sy qtimeout Solaris DDI
186 .It Sy qunbufcall Solaris DDI
187 .It Sy quntimeout Solaris DDI
188 .It Sy qwait Solaris DDI
189 .It Sy qwait_sig Solaris DDI
190 .It Sy qwriter Solaris DDI
191 .It Sy RD DDI/DKI
192 .It Sy rmvb DDI/DKI
193 .It Sy rmvq DDI/DKI
194 .It Sy SAMESTR DDI/DKI
195 .It Sy strlog DDI/DKI
196 .It Sy strqget DDI/DKI
197 .It Sy strqset DDI/DKI
198 .It Sy testb DDI/DKI
199 .It Sy unbufcall DDI/DKI
200 .It Sy unfreezeastr DDI/DKI
201 .It Sy unlinkb DDI/DKI
202 .It Sy WR DDI/DKI
203 .El
204 .Lp
130 .sp

```

```

132 .sp
133 .TS
134 c c
135 l l .
136 Routine Type
137 -

```

```

138 \fBadjmsg\fr DDI/DKI
139 \fBallocb\fr DDI/DKI
140 \fBallocb_tmp1\fr Solaris DDI
141 \fBbackq\fr DDI/DKI
142 \fBbcanput\fr DDI/DKI
143 \fBbcanputnext\fr DDI/DKI
144 \fBbufcall\fr DDI/DKI
145 \fBcanput\fr DDI/DKI
146 \fBcanputnext\fr DDI/DKI
147 \fBclrbuf\fr DDI/DKI
148 \fBcopyb\fr DDI/DKI
149 \fBcopymsg\fr DDI/DKI
150 \fBDB_BASE\fr Solaris DDI
151 \fBDB_LIM\fr Solaris DDI
152 \fBDB_REF\fr Solaris DDI
153 \fBDB_TYPE\fr Solaris DDI
154 \fBdatamsg\fr DDI/DKI
155 \fBdupb\fr DDI/DKI
156 \fBdupmsg\fr DDI/DKI
157 \fBenableok\fr DDI/DKI
158 \fBesballoc\fr DDI/DKI
159 \fBesbcall\fr DDI/DKI
160 \fBflushband\fr DDI/DKI
161 \fBflushq\fr DDI/DKI
162 \fBfreeb\fr DDI/DKI
163 \fBfreemsg\fr DDI/DKI
164 \fBfreezeastr\fr DDI/DKI
165 \fBgetq\fr DDI/DKI
166 \fBIOC_CONVER_FROM\fr Solaris DDI
167 \fBinq\fr DDI/DKI
168 \fBlinkb\fr DDI/DKI
169 \fBMBLKHEAD\fr Solaris DDI
170 \fBMBLKIN\fr Solaris DDI
171 \fBMBLKL\fr Solaris DDI
172 \fBMBLKSIZE\fr Solaris DDI
173 \fBMBLKTAIL\fr Solaris DDI
174 \fBmcopyin\fr Solaris DDI
175 \fBmcopymsg\fr Solaris DDI
176 \fBmcopyout\fr Solaris DDI
177 \fBmerror\fr Solaris DDI
178 \fBmexchange\fr Solaris DDI
179 \fBmioc2ack\fr Solaris DDI
180 \fBmiocack\fr Solaris DDI
181 \fBmexchange\fr Solaris DDI
182 \fBmiocpullup\fr Solaris DDI
183 \fBmkiocb\fr Solaris DDI
184 \fBmsgdsize\fr DDI/DKI
185 \fBmsgpullup\fr DDI/DKI
186 \fBmsgsize\fr Solaris DDI
187 \fBmt-streams\fr Solaris DDI
188 \fBnoenable\fr DDI/DKI
189 \fBOTHERQ\fr DDI/DKI
190 \fBpullupmsg\fr DDI/DKI
191 \fBput\fr DDI/DKI
192 \fBputbq\fr DDI/DKI
193 \fBputctl\fr DDI/DKI
194 \fBputctl1\fr DDI/DKI
195 \fBputnext\fr DDI/DKI
196 \fBputnextctl\fr DDI/DKI
197 \fBputq\fr DDI/DKI
198 \fBqassociate\fr Solaris DDI
199 \fBqbufcall\fr Solaris DDI
200 \fBqenable\fr DDI/DKI
201 \fBqprocson\fr DDI/DKI
202 \fBqprocsoff\fr DDI/DKI
203 \fBqreply\fr DDI/DKI

```



```

204 \fBqsize\fR      DDI/DKI
205 \fBqtimeout\fR   Solaris DDI
206 \fBqunbufcall\fR  Solaris DDI
207 \fBquntimeout\fR Solaris DDI
208 \fBqwait\fR       Solaris DDI
209 \fBqwait_sig\fR   Solaris DDI
210 \fBqwriter\fR     Solaris DDI
211 \fBRD\fR         DDI/DKI
212 \fBBrmvb\fR      DDI/DKI
213 \fBBrmvq\fR      DDI/DKI
214 \fBSAMESTR\fR    DDI/DKI
215 \fBstrlog\fR     DDI/DKI
216 \fBstrqget\fR    DDI/DKI
217 \fBstrqset\fR    DDI/DKI
218 \fBttestb\fR     DDI/DKI
219 \fBunbufcall\fR  DDI/DKI
220 \fBunfreezestr\fR DDI/DKI
221 \fBunlinkb\fR    DDI/DKI
222 \fBWR\fR        DDI/DKI
223 .TE

225 .sp
226 .LP
205 The following table summarizes the functions not specific to STREAMS.
206 .Bl -column usb_pipe_get_max_bulk_transfer_size
207 .It Sy Routine Sy Type
208 .It Sy ASSERT DDI/DKI
209 .It Sy anocancel Solaris DDI
210 .It Sy aphysio Solaris DDI
211 .It Sy atomic_add DDI/DKI
212 .It Sy atomic_and DDI/DKI
213 .It Sy atomic_bits DDI/DKI
214 .It Sy atomic_cas DDI/DKI
215 .It Sy atomic_dec DDI/DKI
216 .It Sy atomic_inc DDI/DKI
217 .It Sy atomic_ops DDI/DKI
218 .It Sy atomic_or DDI/DKI
219 .It Sy atomic_swap DDI/DKI
220 .It Sy bcmp DDI/DKI
221 .It Sy bcopy DDI/DKI
222 .It Sy bioclon Solaris DDI
223 .It Sy biodone DDI/DKI
224 .It Sy biofini Solaris DDI
225 .It Sy bioinit Solaris DDI
226 .It Sy biomodified Solaris DDI
227 .It Sy biosize Solaris DDI
228 .It Sy bioerror Solaris DDI
229 .It Sy bioreset Solaris DDI
230 .It Sy biowait DDI/DKI
231 .It Sy bp_copyin DDI/DKI
232 .It Sy bp_copyout DDI/DKI
233 .It Sy bp_mapin DDI/DKI
234 .It Sy bp_mapout DDI/DKI
235 .It Sy btop DDI/DKI
236 .It Sy btopr DDI/DKI
237 .It Sy bzero DDI/DKI
238 .It Sy cmn_err DDI/DKI
239 .It Sy condvar Solaris DDI
240 .It Sy copyin DDI/DKI
241 .It Sy copyout DDI/DKI
242 .It Sy cv_broadcast Solaris DDI
243 .It Sy cv_destroy Solaris DDI
244 .It Sy cv_init Solaris DDI
245 .It Sy cv_signal Solaris DDI
246 .It Sy cv_timedwait Solaris DDI
247 .It Sy cv_wait Solaris DDI

```

```

248 .It Sy cv_wait_sig Solaris DDI
249 .It Sy ddi_add_event_handler Solaris DDI
250 .It Sy ddi_add_intr Solaris DDI
251 .It Sy ddi_add_softintr Solaris DDI
252 .It Sy ddi_binding_name Solaris DDI
253 .It Sy ddi_btop Solaris DDI
254 .It Sy ddi_btopr Solaris DDI
255 .It Sy ddi_can_receive_sig Solaris DDI
256 .It Sy ddi_check_acc_handle Solaris DDI
257 .It Sy ddi_copyin Solaris DDI
258 .It Sy ddi_copyout Solaris DDI
259 .It Sy ddi_create_minor_node Solaris DDI
260 .It Sy ddi_cred Solaris DDI
261 .It Sy ddi_dev_is_sid Solaris DDI
262 .It Sy ddi_dev_nintrs Solaris DDI
263 .It Sy ddi_dev_nregs Solaris DDI
264 .It Sy ddi_dev_regsize Solaris DDI
265 .It Sy ddi_device_copy Solaris DDI
266 .It Sy ddi_device_zero Solaris DDI
267 .It Sy ddi_devmap_segmap Solaris DDI
268 .It Sy ddi_dma_addr_bind_handle Solaris DDI
269 .It Sy ddi_dma_alloc_handle Solaris DDI
270 .It Sy ddi_dma_buf_bind_handle Solaris DDI
271 .It Sy ddi_dma_burstsizes Solaris DDI
272 .It Sy ddi_dma_free_handle Solaris DDI
273 .It Sy ddi_dma_getwin Solaris DDI
274 .It Sy ddi_dma_mem_alloc Solaris DDI
275 .It Sy ddi_dma_mem_free Solaris DDI
276 .It Sy ddi_dma_nextcookie Solaris DDI
277 .It Sy ddi_dma_numwin Solaris DDI
278 .It Sy ddi_dma_set_sbus64 Solaris DDI
279 .It Sy ddi_dma_sync Solaris DDI
280 .It Sy ddi_dma_unbind_handle Solaris DDI
281 .It Sy ddi_dmae Solaris x86 DDI
282 .It Sy ddi_dmae_1stparty Solaris x86 DDI
283 .It Sy ddi_dmae_alloc Solaris x86 DDI
284 .It Sy ddi_dmae_disable Solaris x86 DDI
285 .It Sy ddi_dmae_enable Solaris x86 DDI
286 .It Sy ddi_dmae_getattr Solaris x86 DDI
287 .It Sy ddi_dmae_getcnt Solaris x86 DDI
288 .It Sy ddi_dmae_getlim Solaris x86 DDI
289 .It Sy ddi_dmae_prog Solaris x86 DDI
290 .It Sy ddi_dmae_release Solaris x86 DDI
291 .It Sy ddi_dmae_stop Solaris x86 DDI
292 .It Sy ddi_driver_major Solaris DDI
293 .It Sy ddi_driver_name Solaris DDI
294 .It Sy ddi_enter_critical Solaris DDI
295 .It Sy ddi_exit_critical Solaris DDI
296 .It Sy ddi_ffs Solaris DDI
297 .It Sy ddi_fls Solaris DDI
298 .It Sy ddi_fm_acc_err_clear Solaris DDI
299 .It Sy ddi_fm_acc_err_get Solaris DDI
300 .It Sy ddi_fm_ereport_post Solaris DDI
301 .It Sy ddi_fm_handler_register Solaris DDI
302 .It Sy ddi_fm_init Solaris DDI
303 .It Sy ddi_fm_service_impact Solaris DDI
304 .It Sy ddi_get16 Solaris DDI
305 .It Sy ddi_get32 Solaris DDI
306 .It Sy ddi_get64 Solaris DDI
307 .It Sy ddi_get8 Solaris DDI
308 .It Sy ddi_get_cred Solaris DDI
309 .It Sy ddi_get_devstate Solaris DDI
310 .It Sy ddi_get_driver_private Solaris DDI
311 .It Sy ddi_get_eventcookie Solaris DDI
312 .It Sy ddi_get_iblock_cookie Solaris DDI
313 .It Sy ddi_get_iminor Solaris DDI

```

```

314 .It Sy ddi_get_instance Solaris DDI
315 .It Sy ddi_get_kt_did Solaris DDI
316 .It Sy ddi_get_lbolt Solaris DDI
317 .It Sy ddi_get_name Solaris DDI
318 .It Sy ddi_get_parent Solaris DDI
319 .It Sy ddi_get_pid Solaris DDI
320 .It Sy ddi_get_soft_iblock_cookie Solaris DDI
321 .It Sy ddi_get_soft_state Solaris DDI
322 .It Sy ddi_getb Solaris DDI
323 .It Sy ddi_getl Solaris DDI
324 .It Sy ddi_getll Solaris DDI
325 .It Sy ddi_getlongprop Solaris DDI
326 .It Sy ddi_getlongprop_buf Solaris DDI
327 .It Sy ddi_getprop Solaris DDI
328 .It Sy ddi_getproplen Solaris DDI
329 .It Sy ddi_getw Solaris DDI
330 .It Sy ddi_intr_add_handler Solaris DDI
331 .It Sy ddi_intr_add_softint Solaris DDI
332 .It Sy ddi_intr_alloc Solaris DDI
333 .It Sy ddi_intr_block_disable Solaris DDI
334 .It Sy ddi_intr_block_enable Solaris DDI
335 .It Sy ddi_intr_clr_mask Solaris DDI
336 .It Sy ddi_intr_dup_handler Solaris DDI
337 .It Sy ddi_intr_disable Solaris DDI
338 .It Sy ddi_intr_enable Solaris DDI
339 .It Sy ddi_intr_free Solaris DDI
340 .It Sy ddi_intr_get_cap Solaris DDI
341 .It Sy ddi_intr_get_hilevel_pri Solaris DDI
342 .It Sy ddi_intr_get_navail Solaris DDI
343 .It Sy ddi_intr_get_nintrs Solaris DDI
344 .It Sy ddi_intr_get_pending Solaris DDI
345 .It Sy ddi_intr_get_pri Solaris DDI
346 .It Sy ddi_intr_get_softint_pri Solaris DDI
347 .It Sy ddi_intr_get_supported_types Solaris DDI
348 .It Sy ddi_intr_remove_handler Solaris DDI
349 .It Sy ddi_intr_remove_softint Solaris DDI
350 .It Sy ddi_intr_set_cap Solaris DDI
351 .It Sy ddi_intr_set_mask Solaris DDI
352 .It Sy ddi_intr_set_pri Solaris DDI
353 .It Sy ddi_intr_set_softint_pri Solaris DDI
354 .It Sy ddi_intr_trigger_softint Solaris DDI
355 .It Sy ddi_io_get16 Solaris DDI
356 .It Sy ddi_io_get32 Solaris DDI
357 .It Sy ddi_io_get8 Solaris DDI
358 .It Sy ddi_io_getb Solaris DDI
359 .It Sy ddi_io_getl Solaris DDI
360 .It Sy ddi_io_getw Solaris DDI
361 .It Sy ddi_io_put16 Solaris DDI
362 .It Sy ddi_io_put32 Solaris DDI
363 .It Sy ddi_io_put8 Solaris DDI
364 .It Sy ddi_io_putb Solaris DDI
365 .It Sy ddi_io_putl Solaris DDI
366 .It Sy ddi_io_putw Solaris DDI
367 .It Sy ddi_io_rep_get16 Solaris DDI
368 .It Sy ddi_io_rep_get32 Solaris DDI
369 .It Sy ddi_io_rep_get8 Solaris DDI
370 .It Sy ddi_io_rep_getb Solaris DDI
371 .It Sy ddi_io_rep_getl Solaris DDI
372 .It Sy ddi_io_rep_getw Solaris DDI
373 .It Sy ddi_io_rep_put16 Solaris DDI
374 .It Sy ddi_io_rep_put32 Solaris DDI
375 .It Sy ddi_io_rep_put8 Solaris DDI
376 .It Sy ddi_io_rep_putb Solaris DDI
377 .It Sy ddi_io_rep_putl Solaris DDI
378 .It Sy ddi_io_rep_putw Solaris DDI
379 .It Sy ddi_iomin Solaris DDI

```

```

380 .It Sy ddi_log_sysevent Solaris DDI
381 .It Sy ddi_map_regs Solaris DDI
382 .It Sy ddi_mapdev Solaris DDI
383 .It Sy ddi_mapdev_intercept Solaris DDI
384 .It Sy ddi_mapdev_nointercept Solaris DDI
385 .It Sy ddi_mapdev_set_device_acc_attr Solaris DDI
386 .It Sy ddi_mem_get16 Solaris DDI
387 .It Sy ddi_mem_get32 Solaris DDI
388 .It Sy ddi_mem_get64 Solaris DDI
389 .It Sy ddi_mem_get8 Solaris DDI
390 .It Sy ddi_mem_getb Solaris DDI
391 .It Sy ddi_mem_getl Solaris DDI
392 .It Sy ddi_mem_getll Solaris DDI
393 .It Sy ddi_mem_getw Solaris DDI
394 .It Sy ddi_mem_put16 Solaris DDI
395 .It Sy ddi_mem_put32 Solaris DDI
396 .It Sy ddi_mem_put64 Solaris DDI
397 .It Sy ddi_mem_put8 Solaris DDI
398 .It Sy ddi_mem_putb Solaris DDI
399 .It Sy ddi_mem_putl Solaris DDI
400 .It Sy ddi_mem_putll Solaris DDI
401 .It Sy ddi_mem_putw Solaris DDI
402 .It Sy ddi_mem_rep_get16 Solaris DDI
403 .It Sy ddi_mem_rep_get32 Solaris DDI
404 .It Sy ddi_mem_rep_get64 Solaris DDI
405 .It Sy ddi_mem_rep_get8 Solaris DDI
406 .It Sy ddi_mem_rep_getb Solaris DDI
407 .It Sy ddi_mem_rep_getl Solaris DDI
408 .It Sy ddi_mem_rep_getll Solaris DDI
409 .It Sy ddi_mem_rep_getw Solaris DDI
410 .It Sy ddi_mem_rep_put16 Solaris DDI
411 .It Sy ddi_mem_rep_put32 Solaris DDI
412 .It Sy ddi_mem_rep_put64 Solaris DDI
413 .It Sy ddi_mem_rep_put8 Solaris DDI
414 .It Sy ddi_mem_rep_putb Solaris DDI
415 .It Sy ddi_mem_rep_putl Solaris DDI
416 .It Sy ddi_mem_rep_putll Solaris DDI
417 .It Sy ddi_mem_rep_putw Solaris DDI
418 .It Sy ddi_mmap_get_model Solaris DDI
419 .It Sy ddi_model_convert_from Solaris DDI
420 .It Sy ddi_modopen Solaris DDI
421 .It Sy ddi_no_info Solaris DDI
422 .It Sy ddi_node_name Solaris DDI
423 .It Sy ddi_peek16 Solaris DDI
424 .It Sy ddi_peek32 Solaris DDI
425 .It Sy ddi_peek64 Solaris DDI
426 .It Sy ddi_peek8 Solaris DDI
427 .It Sy ddi_peekc Solaris DDI
428 .It Sy ddi_peekd Solaris DDI
429 .It Sy ddi_peekl Solaris DDI
430 .It Sy ddi_peeks Solaris DDI
431 .It Sy ddi_periodic_add Solaris DDI
432 .It Sy ddi_periodic_delete Solaris DDI
433 .It Sy ddi_poke16 Solaris DDI
434 .It Sy ddi_poke32 Solaris DDI
435 .It Sy ddi_poke64 Solaris DDI
436 .It Sy ddi_poke8 Solaris DDI
437 .It Sy ddi_pokec Solaris DDI
438 .It Sy ddi_poked Solaris DDI
439 .It Sy ddi_pokel Solaris DDI
440 .It Sy ddi_pokes Solaris DDI
441 .It Sy ddi_prop_create Solaris DDI
442 .It Sy ddi_prop_exists Solaris DDI
443 .It Sy ddi_prop_free Solaris DDI
444 .It Sy ddi_prop_get_int Solaris DDI
445 .It Sy ddi_prop_lookup Solaris DDI

```

```

446 .It Sy ddi_prop_lookup_byte_array Solaris DDI
447 .It Sy ddi_prop_lookup_int_array Solaris DDI
448 .It Sy ddi_prop_lookup_string Solaris DDI
449 .It Sy ddi_prop_lookup_string_array Solaris DDI
450 .It Sy ddi_prop_modify Solaris DDI
451 .It Sy ddi_prop_op Solaris DDI
452 .It Sy ddi_prop_remove Solaris DDI
453 .It Sy ddi_prop_remove_all Solaris DDI
454 .It Sy ddi_prop_undefine Solaris DDI
455 .It Sy ddi_prop_update Solaris DDI
456 .It Sy ddi_prop_update_byte_array Solaris DDI
457 .It Sy ddi_prop_update_int Solaris DDI
458 .It Sy ddi_prop_update_int_array Solaris DDI
459 .It Sy ddi_prop_update_string Solaris DDI
460 .It Sy ddi_prop_update_string_array Solaris DDI
461 .It Sy ddi_ptob Solaris DDI
462 .It Sy ddi_put16 Solaris DDI
463 .It Sy ddi_put32 Solaris DDI
464 .It Sy ddi_put64 Solaris DDI
465 .It Sy ddi_put8 Solaris DDI
466 .It Sy ddi_putb Solaris DDI
467 .It Sy ddi_putl Solaris DDI
468 .It Sy ddi_putll Solaris DDI
469 .It Sy ddi_putw Solaris DDI
470 .It Sy ddi_regs_map_free Solaris DDI
471 .It Sy ddi_regs_map_setup Solaris DDI
472 .It Sy ddi_remove_event_handler Solaris DDI
473 .It Sy ddi_remove_intr Solaris DDI
474 .It Sy ddi_remove_minor_node Solaris DDI
475 .It Sy ddi_remove_softintr Solaris DDI
476 .It Sy ddi_removing_power Solaris DDI
477 .It Sy ddi_rep_get16 Solaris DDI
478 .It Sy ddi_rep_get32 Solaris DDI
479 .It Sy ddi_rep_get64 Solaris DDI
480 .It Sy ddi_rep_get8 Solaris DDI
481 .It Sy ddi_rep_getb Solaris DDI
482 .It Sy ddi_rep_getl Solaris DDI
483 .It Sy ddi_rep_getll Solaris DDI
484 .It Sy ddi_rep_getw Solaris DDI
485 .It Sy ddi_rep_put16 Solaris DDI
486 .It Sy ddi_rep_put32 Solaris DDI
487 .It Sy ddi_rep_put64 Solaris DDI
488 .It Sy ddi_rep_put8 Solaris DDI
489 .It Sy ddi_rep_putb Solaris DDI
490 .It Sy ddi_rep_putl Solaris DDI
491 .It Sy ddi_rep_putll Solaris DDI
492 .It Sy ddi_rep_putw Solaris DDI
493 .It Sy ddi_report_dev Solaris DDI
494 .It Sy ddi_root_node Solaris DDI
495 .It Sy ddi_segmap Solaris DDI
496 .It Sy ddi_segmap_setup Solaris DDI
497 .It Sy ddi_set_driver_private Solaris DDI
498 .It Sy ddi_slaveonly Solaris DDI
499 .It Sy ddi_soft_state Solaris DDI
500 .It Sy ddi_soft_state_fini Solaris DDI
501 .It Sy ddi_soft_state_free Solaris DDI
502 .It Sy ddi_soft_state_init Solaris DDI
503 .It Sy ddi_soft_state_zalloc Solaris DDI
504 .It Sy ddi_strl0l Solaris DDI
505 .It Sy ddi_strloul Solaris DDI
506 .It Sy ddi_trigger_softintr Solaris DDI
507 .It Sy ddi_umem_alloc Solaris DDI
508 .It Sy ddi_umem_free Solaris DDI
509 .It Sy ddi_umem_iosetup Solaris DDI
510 .It Sy ddi_umem_lock Solaris DDI
511 .It Sy ddi_unmap_regs Solaris DDI

```

```

512 .It Sy delay DDI/DKI
513 .It Sy devmap_default_access Solaris DDI
514 .It Sy devmap_devmem_setup Solaris DDI
515 .It Sy devmap_do_ctxmgt Solaris DDI
516 .It Sy devmap_load Solaris DDI
517 .It Sy devmap_set_ctx_timeout Solaris DDI
518 .It Sy devmap_setup Solaris DDI
519 .It Sy devmap_umem_setup Solaris DDI
520 .It Sy devmap_unload Solaris DDI
521 .It Sy disksort Solaris DDI
522 .It Sy dlbindack Solaris DDI
523 .It Sy drv_getparm DDI/DKI
524 .It Sy drv_hztousec DDI/DKI
525 .It Sy drv_priv DDI/DKI
526 .It Sy drv_usectoh DDI/DKI
527 .It Sy drv_usecwait DDI/DKI
528 .It Sy free_pktiopb Solaris DDI
529 .It Sy freerbuf DDI/DKI
530 .It Sy get_pktiopb Solaris DDI
531 .It Sy geterror DDI/DKI
532 .It Sy gethrtime DDI/DKI
533 .It Sy getmajor DDI/DKI
534 .It Sy getminor DDI/DKI
535 .It Sy getrbuf DDI/DKI
536 .It Sy gld Solaris DDI
537 .It Sy hat_getkpfnum DKI only
538 .It Sy id32_alloc Solaris DDI
539 .It Sy inb Solaris x86 DDI
540 .It Sy inl Solaris x86 DDI
541 .It Sy inw Solaris x86 DDI
542 .It Sy kiconv Solaris DDI
543 .It Sy kiconv_close Solaris DDI
544 .It Sy kiconv_open Solaris DDI
545 .It Sy kiconvstr Solaris DDI
546 .It Sy kmem_alloc DDI/DKI
547 .It Sy kmem_cache_create Solaris DDI
548 .It Sy kmem_free DDI/DKI
549 .It Sy kmem_zalloc DDI/DKI
550 .It Sy kstat_create Solaris DDI
551 .It Sy kstat_delete Solaris DDI
552 .It Sy kstat_install Solaris DDI
553 .It Sy kstat_named_init Solaris DDI
554 .It Sy kstat_queue Solaris DDI
555 .It Sy kstat_runq_back_to_waitq Solaris DDI
556 .It Sy kstat_runq_enter Solaris DDI
557 .It Sy kstat_runq_exit Solaris DDI
558 .It Sy kstat_waitq_enter Solaris DDI
559 .It Sy kstat_waitq_exit Solaris DDI
560 .It Sy kstat_waitq_to_runq Solaris DDI
561 .It Sy ldi_add_event_handler Solaris DDI
562 .It Sy ldi_aread Solaris DDI
563 .It Sy ldi_devmap Solaris DDI
564 .It Sy ldi_dump Solaris DDI
565 .It Sy ldi_ev_finalize Solaris DDI
566 .It Sy ldi_ev_get_cookie Solaris DDI
567 .It Sy ldi_ev_get_type Solaris DDI
568 .It Sy ldi_ev_notify Solaris DDI
569 .It Sy ldi_ev_register_callbacks Solaris DDI
570 .It Sy ldi_ev_remove_callbacks Solaris DDI
571 .It Sy ldi_get_dev Solaris DDI
572 .It Sy ldi_get_eventcookie Solaris DDI
573 .It Sy ldi_get_size Solaris DDI
574 .It Sy ldi_ident_from_dev Solaris DDI
575 .It Sy ldi_ioctl Solaris DDI
576 .It Sy ldi_open_by_dev Solaris DDI
577 .It Sy ldi_poll Solaris DDI

```

```

578 .It Sy ldi_prop_exists Solaris DDI
579 .It Sy ldi_prop_get_int Solaris DDI
580 .It Sy ldi_prop_get_lookup_int_array Solaris DDI
581 .It Sy ldi_putmsg Solaris DDI
582 .It Sy ldi_read Solaris DDI
583 .It Sy ldi_remove_event_handler Solaris DDI
584 .It Sy ldi_strategy Solaris DDI
585 .It Sy makecom_g0 Solaris DDI
586 .It Sy makecom_g0_s Solaris DDI
587 .It Sy makecom_g1 Solaris DDI
588 .It Sy makecom_g5 Solaris DDI
589 .It Sy makedevice DDI/DKI
590 .It Sy max DDI/DKI
591 .It Sy membar_ops Solaris DDI
592 .It Sy memchr Solaris DDI
593 .It Sy min DDI/DKI
594 .It Sy minphys Solaris DDI
595 .It Sy mod_info Solaris DDI
596 .It Sy mod_install Solaris DDI
597 .It Sy mod_remove Solaris DDI
598 .It Sy mutex_destroy Solaris DDI
599 .It Sy mutex_enter Solaris DDI
600 .It Sy mutex_exit Solaris DDI
601 .It Sy mutex_init Solaris DDI
602 .It Sy mutex_owned Solaris DDI
603 .It Sy mutex_tryenter Solaris DDI
604 .It Sy nochpoll Solaris DDI
605 .It Sy nodev DDI/DKI
606 .It Sy nulldev DDI/DKI
607 .It Sy numtos Solaris DDI
608 .It Sy nvlist_add_boolean Solaris DDI
609 .It Sy nvlist_alloc Solaris DDI
610 .It Sy nvlist_lookup_boolean Solaris DDI
611 .It Sy nvlist_lookup_nvpair Solaris DDI
612 .It Sy nvlist_next_nvpair Solaris DDI
613 .It Sy nvlist_remove Solaris DDI
614 .It Sy nvlist_value_byte Solaris DDI
615 .It Sy outb Solaris x86 DDI
616 .It Sy outl Solaris x86 DDI
617 .It Sy outw Solaris x86 DDI
618 .It Sy pci_config_get16 Solaris DDI
619 .It Sy pci_config_get32 Solaris DDI
620 .It Sy pci_config_get64 Solaris DDI
621 .It Sy pci_config_get8 Solaris DDI
622 .It Sy pci_config_getb Solaris DDI
623 .It Sy pci_config_getl Solaris DDI
624 .It Sy pci_config_getw Solaris DDI
625 .It Sy pci_config_put16 Solaris DDI
626 .It Sy pci_config_put32 Solaris DDI
627 .It Sy pci_config_put64 Solaris DDI
628 .It Sy pci_config_put8 Solaris DDI
629 .It Sy pci_config_putb Solaris DDI
630 .It Sy pci_config_putl Solaris DDI
631 .It Sy pci_config_putw Solaris DDI
632 .It Sy pci_config_setup Solaris DDI
633 .It Sy pci_config_teardown Solaris DDI
634 .It Sy pci_ereport_setup Solaris DDI
635 .It Sy pci_report_pmcap Solaris DDI
636 .It Sy pci_save_config_regs Solaris DDI
637 .It Sy physio Solaris DDI
638 .It Sy pm_busy_component Solaris DDI
639 .It Sy pm_power_has_changed Solaris DDI
640 .It Sy pm_raise_power Solaris DDI
641 .It Sy pm_trans_check Solaris DDI
642 .It Sy pollwakeup DDI/DKI
643 .It Sy pci_config_teardown Solaris DDI

```

```

644 .It Sy pci_config_teardown Solaris DDI
645 .It Sy priv_getbyname Solaris DDI
646 .It Sy priv_policy Solaris DDI
647 .It Sy proc_signal Solaris DDI
648 .It Sy proc_unref Solaris DDI
649 .It Sy ptob DDI/DKI
650 .It Sy repinsb Solaris x86 DDI
651 .It Sy repinsd Solaris x86 DDI
652 .It Sy repinsw Solaris x86 DDI
653 .It Sy repoutsb Solaris x86 DDI
654 .It Sy repoutsd Solaris x86 DDI
655 .It Sy repoutsw Solaris x86 DDI
656 .It Sy rmalloc DDI/DKI
657 .It Sy rmalloc_wait DDI/DKI
658 .It Sy rmallocmap DDI/DKI
659 .It Sy rmallocmap_wait DDI/DKI
660 .It Sy rmfree DDI/DKI
661 .It Sy rmfreemap DDI/DKI
662 .It Sy rw_destroy Solaris DDI
663 .It Sy rw_downgrade Solaris DDI
664 .It Sy rw_enter Solaris DDI
665 .It Sy rw_exit Solaris DDI
666 .It Sy rw_init Solaris DDI
667 .It Sy rw_read_locked Solaris DDI
668 .It Sy rw_tryenter Solaris DDI
669 .It Sy rw_tryupgrade Solaris DDI
670 .It Sy scsi_abort Solaris DDI
671 .It Sy scsi_alloc_consistent_buf Solaris DDI
672 .It Sy scsi_cname Solaris DDI
673 .It Sy scsi_destroy_pkt Solaris DDI
674 .It Sy scsi_dmafree Solaris DDI
675 .It Sy scsi_dmaget Solaris DDI
676 .It Sy scsi_dname Solaris DDI
677 .It Sy scsi_errmsg Solaris DDI
678 .It Sy scsi_ext_sense_fields Solaris DDI
679 .It Sy scsi_find_sense_descr Solaris DDI
680 .It Sy scsi_free_consistent_buf Solaris DDI
681 .It Sy scsi_get_device_type_scsi_options Solaris DDI
682 .It Sy scsi_get_device_type_string Solaris DDI
683 .It Sy scsi_hba_attach_setup Solaris DDI
684 .It Sy scsi_hba_detach Solaris DDI
685 .It Sy scsi_hba_fini Solaris DDI
686 .It Sy scsi_hba_init Solaris DDI
687 .It Sy scsi_hba_lookup_capstr Solaris DDI
688 .It Sy scsi_hba_pkt_alloc Solaris DDI
689 .It Sy scsi_hba_pkt_free Solaris DDI
690 .It Sy scsi_hba_probe Solaris DDI
691 .It Sy scsi_hba_tran_alloc Solaris DDI
692 .It Sy scsi_hba_tran_free Solaris DDI
693 .It Sy scsi_ifgetcap Solaris DDI
694 .It Sy scsi_ifsetcap Solaris DDI
695 .It Sy scsi_init_pkt Solaris DDI
696 .It Sy scsi_log Solaris DDI
697 .It Sy scsi_mname Solaris DDI
698 .It Sy scsi_pktalloc Solaris DDI
699 .It Sy scsi_pktfree Solaris DDI
700 .It Sy scsi_poll Solaris DDI
701 .It Sy scsi_probe Solaris DDI
702 .It Sy scsi_realloc Solaris DDI
703 .It Sy scsi_reset Solaris DDI
704 .It Sy scsi_reset_notify Solaris DDI
705 .It Sy scsi_resfree Solaris DDI
706 .It Sy scsi_rname Solaris DDI
707 .It Sy scsi_sense_key Solaris DDI
708 .It Sy scsi_setup_cdb Solaris DDI
709 .It Sy scsi_slave Solaris DDI

```

```

710 .It Sy scsi_sname Solaris DDI
711 .It Sy scsi_sync_pkt Solaris DDI
712 .It Sy scsi_transport Solaris DDI
713 .It Sy scsi_unprobe Solaris DDI
714 .It Sy scsi_unslave Solaris DDI
715 .It Sy scsi_validate_sense Solaris DDI
716 .It Sy scsi_vu_errmsg Solaris DDI
717 .It Sy sema_destroy Solaris DDI
718 .It Sy sema_init Solaris DDI
719 .It Sy sema_p Solaris DDI
720 .It Sy sema_p_sig Solaris DDI
721 .It Sy sema_tryp Solaris DDI
722 .It Sy sema_v Solaris DDI
723 .It Sy sprintf Solaris DDI
724 .It Sy stoi Solaris DDI
725 .It Sy strchr Solaris DDI
726 .It Sy strcmp Solaris DDI
727 .It Sy strcpy Solaris DDI
728 .It Sy strlen Solaris DDI
729 .It Sy strncmp Solaris DDI
730 .It Sy strncpy Solaris DDI
731 .It Sy STRUCT_DECL Solaris DDI
732 .It Sy swab DDI/DKI
733 .It Sy taskq Solaris DDI
734 .It Sy timeout DDI/DKI
735 .It Sy u8_strcmp Solaris DDI
736 .It Sy u8_textprep_str Solaris DDI
737 .It Sy u8_validate Solaris DDI
738 .It Sy uconv_ul6tou32 Solaris DDI
739 .It Sy uiomove DDI/DKI
740 .It Sy untimeout DDI/DKI
741 .It Sy ureadc DDI/DKI
742 .It Sy usb_alloc_request Solaris DDI
743 .It Sy usb_client_attach Solaris DDI
744 .It Sy usb_clr_feature Solaris DDI
745 .It Sy usb_create_pm_components Solaris DDI
746 .It Sy usb_get_addr Solaris DDI
747 .It Sy usb_get_alt_if Solaris DDI
748 .It Sy usb_get_cfg Solaris DDI
749 .It Sy usb_get_current_frame_number Solaris DDI
750 .It Sy usb_get_dev_data Solaris DDI
751 .It Sy usb_get_max_pkts_per_ioc_request Solaris DDI
752 .It Sy usb_get_status Solaris DDI
753 .It Sy usb_get_string_desc Solaris DDI
754 .It Sy usb_handle_remote_wakeup Solaris DDI
755 .It Sy usb_lookup_ep_data Solaris DDI
756 .It Sy usb_parse_data Solaris DDI
757 .It Sy usb_pipe_bulk_xfer Solaris DDI
758 .It Sy usb_pipe_close Solaris DDI
759 .It Sy usb_pipe_ctrl_xfer Solaris DDI
760 .It Sy usb_pipe_drain_reqs Solaris DDI
761 .It Sy usb_pipe_get_max_bulk_transfer_size Solaris DDI
762 .It Sy usb_pipe_get_state Solaris DDI
763 .It Sy usb_pipe_intr_xfer Solaris DDI
764 .It Sy usb_pipe_isoc_xfer Solaris DDI
765 .It Sy usb_pipe_open Solaris DDI
766 .It Sy usb_pipe_reset Solaris DDI
767 .It Sy usb_pipe_set_private Solaris DDI
768 .It Sy usb_register_hotplug_cbs Solaris DDI
769 .It Sy usb_reset_device Solaris DDI
770 .It Sy uwritel DDI/DKI
771 .It Sy va_arg Solaris DDI
772 .It Sy va_end Solaris DDI
773 .It Sy va_start Solaris DDI
774 .It Sy vcmn_err DDI/DKI
775 .It Sy vsprintf Solaris DDI

```

```

776 .E1
777 .Sh SEE ALSO
778 .Xr Intro 9E ,
779 .Xr mutex 9F
228 .sp

230 .sp
231 .TS
232 c c
233 l l .
234 Routine Type
235 _
236 \fBASSERT\fr DDI/DKI
237 \fBBanocancel\fr Solaris DDI
238 \fBbaphysio\fr Solaris DDI
239 \fBBatomic_add\fr DDI/DKI
240 \fBBatomic_and\fr DDI/DKI
241 \fBBatomic_bits\fr DDI/DKI
242 \fBBatomic_cas\fr DDI/DKI
243 \fBBatomic_dec\fr DDI/DKI
244 \fBBatomic_inc\fr DDI/DKI
245 \fBBatomic_ops\fr DDI/DKI
246 \fBBatomic_or\fr DDI/DKI
247 \fBBatomic_swap\fr DDI/DKI
248 \fBBbcmp\fr DDI/DKI
249 \fBBbcopy\fr DDI/DKI
250 \fBBbioclone\fr Solaris DDI
251 \fBBbiodone\fr DDI/DKI
252 \fBBbiofini\fr Solaris DDI
253 \fBBbioinit\fr Solaris DDI
254 \fBBbiomodified\fr Solaris DDI
255 \fBBbioresize\fr Solaris DDI
256 \fBBbioerror\fr Solaris DDI
257 \fBBbioreset\fr Solaris DDI
258 \fBBbiowait\fr DDI/DKI
259 \fBBbp_copyin\fr DDI/DKI
260 \fBBbp_copyout\fr DDI/DKI
261 \fBBbp_mapin\fr DDI/DKI
262 \fBBbp_mapout\fr DDI/DKI
263 \fBBbtop\fr DDI/DKI
264 \fBBbtopr\fr DDI/DKI
265 \fBBbzero\fr DDI/DKI
266 \fBBcmn_err\fr DDI/DKI
267 \fBBcondvar\fr Solaris DDI
268 \fBBcopyin\fr DDI/DKI
269 \fBBcopyout\fr DDI/DKI
270 \fBBcsx_AccessConfigurationRegister\fr Solaris DDI
271 \fBBcsx_ConvertSize\fr Solaris DDI
272 \fBBcsx_ConvertSpeed\fr Solaris DDI
273 \fBBcsx_CS_DDI_Info\fr Solaris DDI
274 \fBBcsx_DeregisterClient\fr Solaris DDI
275 \fBBcsx_DupHandle\fr Solaris DDI
276 \fBBcsx_Error2Text\fr Solaris DDI
277 \fBBcsx_Event2Text\fr Solaris DDI
278 \fBBcsx_FreeHandle\fr Solaris DDI
279 \fBBcsx_Get8\fr Solaris DDI
280 \fBBcsx_GetFirstClient\fr Solaris DDI
281 \fBBcsx_GetFirstTuple\fr Solaris DDI
282 \fBBcsx_GetHandleOffset\fr Solaris DDI
283 \fBBcsx_GetMappedAddr\fr Solaris DDI
284 \fBBcsx_GetStatus\fr Solaris DDI
285 \fBBcsx_GetTupleData\fr Solaris DDI
286 \fBBcsx_MakeDeviceNode\fr Solaris DDI
287 \fBBcsx_MapLogSocket\fr Solaris DDI
288 \fBBcsx_MapMemPage\fr Solaris DDI
289 \fBBcsx_ModifyConfiguration\fr Solaris DDI

```

```

290 \fBcsx_ModifyWindow\fr Solaris DDI
291 \fBcsx_Parse_CISTPL_BATTERY\fr Solaris DDI
292 \fBcsx_Parse_CISTPL_BYTEORDER\fr Solaris DDI
293 \fBcsx_Parse_CISTPL_CFTABLE_ENTRY\fr Solaris DDI
294 \fBcsx_Parse_CISTPL_CONFIG\fr Solaris DDI
295 \fBcsx_Parse_CISTPL_DATE\fr Solaris DDI
296 \fBcsx_Parse_CISTPL_DEVICE\fr Solaris DDI
297 \fBcsx_Parse_CISTPL_DEVICEGEO\fr Solaris DDI
298 \fBcsx_Parse_CISTPL_DEVICEGEO_A\fr Solaris DDI
299 \fBcsx_Parse_CISTPL_FORMAT\fr Solaris DDI
300 \fBcsx_Parse_CISTPL_FUNCCE\fr Solaris DDI
301 \fBcsx_Parse_CISTPL_FUNCID\fr Solaris DDI
302 \fBcsx_Parse_CISTPL_GEOMETRY\fr Solaris DDI
303 \fBcsx_Parse_CISTPL_JEDEC_C\fr Solaris DDI
304 \fBcsx_Parse_CISTPL_LINKTARGET\fr Solaris DDI
305 \fBcsx_Parse_CISTPL_LONGLINK_A\fr Solaris DDI
306 \fBcsx_Parse_CISTPL_LONGLINK_MFC\fr Solaris DDI
307 \fBcsx_Parse_CISTPL_MANFID\fr Solaris DDI
308 \fBcsx_Parse_CISTPL_ORG\fr Solaris DDI
309 \fBcsx_Parse_CISTPL_SPCL\fr Solaris DDI
310 \fBcsx_Parse_CISTPL_SWIL\fr Solaris DDI
311 \fBcsx_Parse_CISTPL_VERS_1\fr Solaris DDI
312 \fBcsx_Parse_CISTPL_VERS_2\fr Solaris DDI
313 \fBcsx_ParseTuple\fr Solaris DDI
314 \fBcsx_Put8\fr Solaris DDI
315 \fBcsx_RegisterClient\fr Solaris DDI
316 \fBcsx_ReleaseConfiguration\fr Solaris DDI
317 \fBcsx_RepGet8\fr Solaris DDI
318 \fBcsx_RepPut8\fr Solaris DDI
319 \fBcsx_RequestConfiguration\fr Solaris DDI
320 \fBcsx_RequestIO\fr Solaris DDI
321 \fBcsx_RequestIRQ\fr Solaris DDI
322 \fBcsx_RequestSocketMask\fr Solaris DDI
323 \fBcsx_RequestWindow\fr Solaris DDI
324 \fBcsx_ResetFunction\fr Solaris DDI
325 \fBcsx_SetEventMask\fr Solaris DDI
326 \fBcsx_SetHandleOffset\fr Solaris DDI
327 \fBcsx_ValidateCIS\fr Solaris DDI
328 \fBcv_broadcast\fr Solaris DDI
329 \fBcv_destroy\fr Solaris DDI
330 \fBcv_init\fr Solaris DDI
331 \fBcv_signal\fr Solaris DDI
332 \fBcv_timedwait\fr Solaris DDI
333 \fBcv_wait\fr Solaris DDI
334 \fBcv_wait_sig\fr Solaris DDI
335 \fBddi_add_event_handler\fr Solaris DDI
336 \fBddi_add_intr\fr Solaris DDI
337 \fBddi_add_softintr\fr Solaris DDI
338 \fBddi_binding_name\fr Solaris DDI
339 \fBddi_btop\fr Solaris DDI
340 \fBddi_btopr\fr Solaris DDI
341 \fBddi_can_receive_sig\fr Solaris DDI
342 \fBddi_check_acc_handle\fr Solaris DDI
343 \fBddi_copyin\fr Solaris DDI
344 \fBddi_copyout\fr Solaris DDI
345 \fBddi_create_minor_node\fr Solaris DDI
346 \fBddi_cred\fr Solaris DDI
347 \fBddi_dev_is_sid\fr Solaris DDI
348 \fBddi_dev_nintrs\fr Solaris DDI
349 \fBddi_dev_nregs\fr Solaris DDI
350 \fBddi_dev_regsizes\fr Solaris DDI
351 \fBddi_device_copy\fr Solaris DDI
352 \fBddi_device_zero\fr Solaris DDI
353 \fBddi_devmap_segmap\fr Solaris DDI
354 \fBddi_dma_addr_bind_handle\fr Solaris DDI
355 \fBddi_dma_alloc_handle\fr Solaris DDI

```

```

356 \fBddi_dma_buf_bind_handle\fr Solaris DDI
357 \fBddi_dma_burstsizes\fr Solaris DDI
358 \fBddi_dma_free_handle\fr Solaris DDI
359 \fBddi_dma_getwin\fr Solaris DDI
360 \fBddi_dma_mem_alloc\fr Solaris DDI
361 \fBddi_dma_mem_free\fr Solaris DDI
362 \fBddi_dma_nextcookie\fr Solaris DDI
363 \fBddi_dma_numwin\fr Solaris DDI
364 \fBddi_dma_set_sbust64\fr Solaris DDI
365 \fBddi_dma_sync\fr Solaris DDI
366 \fBddi_dma_unbind_handle\fr Solaris DDI
367 \fBddi_dmae\fr Solaris x86 DDI
368 \fBddi_dmae_1stparty\fr Solaris x86 DDI
369 \fBddi_dmae_alloc\fr Solaris x86 DDI
370 \fBddi_dmae_disable\fr Solaris x86 DDI
371 \fBddi_dmae_enable\fr Solaris x86 DDI
372 \fBddi_dmae_getattr\fr Solaris x86 DDI
373 \fBddi_dmae_getcnt\fr Solaris x86 DDI
374 \fBddi_dmae_getlim\fr Solaris x86 DDI
375 \fBddi_dmae_prog\fr Solaris x86 DDI
376 \fBddi_dmae_release\fr Solaris x86 DDI
377 \fBddi_dmae_stop\fr Solaris x86 DDI
378 \fBddi_driver_major\fr Solaris DDI
379 \fBddi_driver_name\fr Solaris DDI
380 \fBddi_enter_critical\fr Solaris DDI
381 \fBddi_exit_critical\fr Solaris DDI
382 \fBddi_ffs\fr Solaris DDI
383 \fBddi_flr\fr Solaris DDI
384 \fBddi_fm_acc_err_clear\fr Solaris DDI
385 \fBddi_fm_acc_err_get\fr Solaris DDI
386 \fBddi_fm_ereport_post\fr Solaris DDI
387 \fBddi_fm_handler_register\fr Solaris DDI
388 \fBddi_fm_init\fr Solaris DDI
389 \fBddi_fm_service_impact\fr Solaris DDI
390 \fBddi_get16\fr Solaris DDI
391 \fBddi_get32\fr Solaris DDI
392 \fBddi_get64\fr Solaris DDI
393 \fBddi_get8\fr Solaris DDI
394 \fBddi_get_cred\fr Solaris DDI
395 \fBddi_get_devstate\fr Solaris DDI
396 \fBddi_get_driver_private\fr Solaris DDI
397 \fBddi_get_eventcookie\fr Solaris DDI
398 \fBddi_get_iblock_cookie\fr Solaris DDI
399 \fBddi_get_iminor\fr Solaris DDI
400 \fBddi_get_instance\fr Solaris DDI
401 \fBddi_get_kt_did\fr Solaris DDI
402 \fBddi_get_lbolt\fr Solaris DDI
403 \fBddi_get_name\fr Solaris DDI
404 \fBddi_get_parent\fr Solaris DDI
405 \fBddi_get_pid\fr Solaris DDI
406 \fBddi_get_soft_iblock_cookie\fr Solaris DDI
407 \fBddi_get_soft_state\fr Solaris DDI
408 \fBddi_getb\fr Solaris DDI
409 \fBddi_getl\fr Solaris DDI
410 \fBddi_getll\fr Solaris DDI
411 \fBddi_getlongprop\fr Solaris DDI
412 \fBddi_getlongprop_buf\fr Solaris DDI
413 \fBddi_getprop\fr Solaris DDI
414 \fBddi_getpropflen\fr Solaris DDI
415 \fBddi_getw\fr Solaris DDI
416 \fBddi_intr_add_handler\fr Solaris DDI
417 \fBddi_intr_add_softint\fr Solaris DDI
418 \fBddi_intr_alloc\fr Solaris DDI
419 \fBddi_intr_block_disable\fr Solaris DDI
420 \fBddi_intr_block_enable\fr Solaris DDI
421 \fBddi_intr_clr_mask\fr Solaris DDI

```

```

422 \fBddi_intr_dup_handler\fR Solaris DDI
423 \fBddi_intr_disable\fR Solaris DDI
424 \fBddi_intr_enable\fR Solaris DDI
425 \fBddi_intr_free\fR Solaris DDI
426 \fBddi_intr_get_cap\fR Solaris DDI
427 \fBddi_intr_get_hilevel_pri\fR Solaris DDI
428 \fBddi_intr_get_navail\fR Solaris DDI
429 \fBddi_intr_get_nintrs\fR Solaris DDI
430 \fBddi_intr_get_pending\fR Solaris DDI
431 \fBddi_intr_get_pri\fR Solaris DDI
432 \fBddi_intr_get_softint_pri\fR Solaris DDI
433 \fBddi_intr_get_supported_types\fR Solaris DDI
434 \fBddi_intr_remove_handler\fR Solaris DDI
435 \fBddi_intr_remove_softint\fR Solaris DDI
436 \fBddi_intr_set_cap\fR Solaris DDI
437 \fBddi_intr_set_mask\fR Solaris DDI
438 \fBddi_intr_set_pri\fR Solaris DDI
439 \fBddi_intr_set_softint_pri\fR Solaris DDI
440 \fBddi_intr_trigger_softint\fR Solaris DDI
441 \fBddi_io_get16\fR Solaris DDI
442 \fBddi_io_get32\fR Solaris DDI
443 \fBddi_io_get8\fR Solaris DDI
444 \fBddi_io_getb\fR Solaris DDI
445 \fBddi_io_getl\fR Solaris DDI
446 \fBddi_io_getw\fR Solaris DDI
447 \fBddi_io_put16\fR Solaris DDI
448 \fBddi_io_put32\fR Solaris DDI
449 \fBddi_io_put8\fR Solaris DDI
450 \fBddi_io_putb\fR Solaris DDI
451 \fBddi_io_putl\fR Solaris DDI
452 \fBddi_io_putw\fR Solaris DDI
453 \fBddi_io_rep_get16\fR Solaris DDI
454 \fBddi_io_rep_get32\fR Solaris DDI
455 \fBddi_io_rep_get8\fR Solaris DDI
456 \fBddi_io_rep_getb\fR Solaris DDI
457 \fBddi_io_rep_getl\fR Solaris DDI
458 \fBddi_io_rep_getw\fR Solaris DDI
459 \fBddi_io_rep_put16\fR Solaris DDI
460 \fBddi_io_rep_put32\fR Solaris DDI
461 \fBddi_io_rep_put8\fR Solaris DDI
462 \fBddi_io_rep_putb\fR Solaris DDI
463 \fBddi_io_rep_putl\fR Solaris DDI
464 \fBddi_io_rep_putw\fR Solaris DDI
465 \fBddi_iomin\fR Solaris DDI
466 \fBddi_log_sysevent\fR Solaris DDI
467 \fBddi_map_regs\fR Solaris DDI
468 \fBddi_mapdev\fR Solaris DDI
469 \fBddi_mapdev_intercept\fR Solaris DDI
470 \fBddi_mapdev_nointercept\fR Solaris DDI
471 \fBddi_mapdev_set_device_acc_attr\fR Solaris DDI
472 \fBddi_mem_get16\fR Solaris DDI
473 \fBddi_mem_get32\fR Solaris DDI
474 \fBddi_mem_get64\fR Solaris DDI
475 \fBddi_mem_get8\fR Solaris DDI
476 \fBddi_mem_getb\fR Solaris DDI
477 \fBddi_mem_getl\fR Solaris DDI
478 \fBddi_mem_getll\fR Solaris DDI
479 \fBddi_mem_getw\fR Solaris DDI
480 \fBddi_mem_put16\fR Solaris DDI
481 \fBddi_mem_put32\fR Solaris DDI
482 \fBddi_mem_put64\fR Solaris DDI
483 \fBddi_mem_put8\fR Solaris DDI
484 \fBddi_mem_putb\fR Solaris DDI
485 \fBddi_mem_putl\fR Solaris DDI
486 \fBddi_mem_putll\fR Solaris DDI
487 \fBddi_mem_putw\fR Solaris DDI

```

```

488 \fBddi_mem_rep_get16\fR Solaris DDI
489 \fBddi_mem_rep_get32\fR Solaris DDI
490 \fBddi_mem_rep_get64\fR Solaris DDI
491 \fBddi_mem_rep_get8\fR Solaris DDI
492 \fBddi_mem_rep_getb\fR Solaris DDI
493 \fBddi_mem_rep_getl\fR Solaris DDI
494 \fBddi_mem_rep_getll\fR Solaris DDI
495 \fBddi_mem_rep_getw\fR Solaris DDI
496 \fBddi_mem_rep_put16\fR Solaris DDI
497 \fBddi_mem_rep_put32\fR Solaris DDI
498 \fBddi_mem_rep_put64\fR Solaris DDI
499 \fBddi_mem_rep_put8\fR Solaris DDI
500 \fBddi_mem_rep_putb\fR Solaris DDI
501 \fBddi_mem_rep_putl\fR Solaris DDI
502 \fBddi_mem_rep_putll\fR Solaris DDI
503 \fBddi_mem_rep_putw\fR Solaris DDI
504 \fBddi_mmap_get_model\fR Solaris DDI
505 \fBddi_model_convert_from\fR Solaris DDI
506 \fBddi_modopen\fR Solaris DDI
507 \fBddi_no_info\fR Solaris DDI
508 \fBddi_node_name\fR Solaris DDI
509 \fBddi_peek16\fR Solaris DDI
510 \fBddi_peek32\fR Solaris DDI
511 \fBddi_peek64\fR Solaris DDI
512 \fBddi_peek8\fR Solaris DDI
513 \fBddi_peekc\fR Solaris DDI
514 \fBddi_peekd\fR Solaris DDI
515 \fBddi_peekl\fR Solaris DDI
516 \fBddi_peeks\fR Solaris DDI
517 \fBddi_periodic_add\fR Solaris DDI
518 \fBddi_periodic_delete\fR Solaris DDI
519 \fBddi_poke16\fR Solaris DDI
520 \fBddi_poke32\fR Solaris DDI
521 \fBddi_poke64\fR Solaris DDI
522 \fBddi_poke8\fR Solaris DDI
523 \fBddi_pokec\fR Solaris DDI
524 \fBddi_poked\fR Solaris DDI
525 \fBddi_pokel\fR Solaris DDI
526 \fBddi_pokes\fR Solaris DDI
527 \fBddi_prop_create\fR Solaris DDI
528 \fBddi_prop_exists\fR Solaris DDI
529 \fBddi_prop_free\fR Solaris DDI
530 \fBddi_prop_get_int\fR Solaris DDI
531 \fBddi_prop_lookup\fR Solaris DDI
532 \fBddi_prop_lookup_byte_array\fR Solaris DDI
533 \fBddi_prop_lookup_int_array\fR Solaris DDI
534 \fBddi_prop_lookup_string\fR Solaris DDI
535 \fBddi_prop_lookup_string_array\fR Solaris DDI
536 \fBddi_prop_modify\fR Solaris DDI
537 \fBddi_prop_op\fR Solaris DDI
538 \fBddi_prop_remove\fR Solaris DDI
539 \fBddi_prop_remove_all\fR Solaris DDI
540 \fBddi_prop_undefine\fR Solaris DDI
541 \fBddi_prop_update\fR Solaris DDI
542 \fBddi_prop_update_byte_array\fR Solaris DDI
543 \fBddi_prop_update_int\fR Solaris DDI
544 \fBddi_prop_update_int_array\fR Solaris DDI
545 \fBddi_prop_update_string\fR Solaris DDI
546 \fBddi_prop_update_string_array\fR Solaris DDI
547 \fBddi_ptob\fR Solaris DDI
548 \fBddi_put16\fR Solaris DDI
549 \fBddi_put32\fR Solaris DDI
550 \fBddi_put64\fR Solaris DDI
551 \fBddi_put8\fR Solaris DDI
552 \fBddi_putb\fR Solaris DDI
553 \fBddi_putl\fR Solaris DDI

```

```

554 \fBddi_putll\fr Solaris DDI
555 \fBddi_putw\fr Solaris DDI
556 \fBddi_regs_map_free\fr Solaris DDI
557 \fBddi_regs_map_setup\fr Solaris DDI
558 \fBddi_remove_event_handler\fr Solaris DDI
559 \fBddi_remove_intr\fr Solaris DDI
560 \fBddi_remove_minor_node\fr Solaris DDI
561 \fBddi_remove_softintr\fr Solaris DDI
562 \fBddi_removing_power\fr Solaris DDI
563 \fBddi_rep_get16\fr Solaris DDI
564 \fBddi_rep_get32\fr Solaris DDI
565 \fBddi_rep_get64\fr Solaris DDI
566 \fBddi_rep_get8\fr Solaris DDI
567 \fBddi_rep_getb\fr Solaris DDI
568 \fBddi_rep_getl\fr Solaris DDI
569 \fBddi_rep_getll\fr Solaris DDI
570 \fBddi_rep_getw\fr Solaris DDI
571 \fBddi_rep_put16\fr Solaris DDI
572 \fBddi_rep_put32\fr Solaris DDI
573 \fBddi_rep_put64\fr Solaris DDI
574 \fBddi_rep_put8\fr Solaris DDI
575 \fBddi_rep_putb\fr Solaris DDI
576 \fBddi_rep_putl\fr Solaris DDI
577 \fBddi_rep_putll\fr Solaris DDI
578 \fBddi_rep_putw\fr Solaris DDI
579 \fBddi_report_dev\fr Solaris DDI
580 \fBddi_root_node\fr Solaris DDI
581 \fBddi_segmap\fr Solaris DDI
582 \fBddi_segmap_setup\fr Solaris DDI
583 \fBddi_set_driver_private\fr Solaris DDI
584 \fBddi_slaveonly\fr Solaris DDI
585 \fBddi_soft_state\fr Solaris DDI
586 \fBddi_soft_state_fini\fr Solaris DDI
587 \fBddi_soft_state_free\fr Solaris DDI
588 \fBddi_soft_state_init\fr Solaris DDI
589 \fBddi_soft_state_zalloc\fr Solaris DDI
590 \fBddi_strl0l\fr Solaris DDI
591 \fBddi_strloul\fr Solaris DDI
592 \fBddi_trigger_softintr\fr Solaris DDI
593 \fBddi_umem_alloc\fr Solaris DDI
594 \fBddi_umem_free\fr Solaris DDI
595 \fBddi_umem_isset\fr Solaris DDI
596 \fBddi_umem_lock\fr Solaris DDI
597 \fBddi_unmap_regs\fr Solaris DDI
598 \fBdelay\fr DDI/DKI
599 \fBdevmap_default_access\fr Solaris DDI
600 \fBdevmap_devmem_setup\fr Solaris DDI
601 \fBdevmap_do_ctxmgmt\fr Solaris DDI
602 \fBdevmap_load\fr Solaris DDI
603 \fBdevmap_set_ctx_timeout\fr Solaris DDI
604 \fBdevmap_setup\fr Solaris DDI
605 \fBdevmap_umem_setup\fr Solaris DDI
606 \fBdevmap_unload\fr Solaris DDI
607 \fBdisksort\fr Solaris DDI
608 \fBdlbindack\fr Solaris DDI
609 \fBdrv_getparm\fr DDI/DKI
610 \fBdrv_hztousec\fr DDI/DKI
611 \fBdrv_priv\fr DDI/DKI
612 \fBdrv_ustochz\fr DDI/DKI
613 \fBdrv_usecwait\fr DDI/DKI
614 \fBfree_pktiopb\fr Solaris DDI
615 \fBfreerbuf\fr DDI/DKI
616 \fBget_pktiopb\fr Solaris DDI
617 \fBgeterror\fr DDI/DKI
618 \fBgethrtime\fr DDI/DKI
619 \fBgetmajor\fr DDI/DKI

```

```

620 \fBgetminor\fr DDI/DKI
621 \fBgetrbuf\fr DDI/DKI
622 \fBgld\fr Solaris DDI
623 \fBhat_getkpfnum\fr DDI only
624 \fBid32_alloc\fr Solaris DDI
625 \fBinb\fr Solaris x86 DDI
626 \fBinl\fr Solaris x86 DDI
627 \fBinw\fr Solaris x86 DDI
628 \fBkiconv\fr Solaris DDI
629 \fBkiconv_close\fr Solaris DDI
630 \fBkiconv_open\fr Solaris DDI
631 \fBkiconvstr\fr Solaris DDI
632 \fBkmem_alloc\fr DDI/DKI
633 \fBkmem_cache_create\fr Solaris DDI
634 \fBkmem_free\fr DDI/DKI
635 \fBkmem_zalloc\fr DDI/DKI
636 \fBkstat_create\fr Solaris DDI
637 \fBkstat_delete\fr Solaris DDI
638 \fBkstat_install\fr Solaris DDI
639 \fBkstat_named_init\fr Solaris DDI
640 \fBkstat_queue\fr Solaris DDI
641 \fBkstat_runq_back_to_waitq\fr Solaris DDI
642 \fBkstat_runq_enter\fr Solaris DDI
643 \fBkstat_runq_exit\fr Solaris DDI
644 \fBkstat_waitq_enter\fr Solaris DDI
645 \fBkstat_waitq_exit\fr Solaris DDI
646 \fBkstat_waitq_to_runq\fr Solaris DDI
647 \fBlidi_add_event_handler\fr Solaris DDI
648 \fBlidi_aread\fr Solaris DDI
649 \fBlidi_devmap\fr Solaris DDI
650 \fBlidi_dump\fr Solaris DDI
651 \fBlidi_ev_finalize\fr Solaris DDI
652 \fBlidi_ev_get_cookie\fr Solaris DDI
653 \fBlidi_ev_get_type\fr Solaris DDI
654 \fBlidi_ev_notify\fr Solaris DDI
655 \fBlidi_ev_register_callbacks\fr Solaris DDI
656 \fBlidi_ev_remove_callbacks\fr Solaris DDI
657 \fBlidi_get_dev\fr Solaris DDI
658 \fBlidi_get_eventcookie\fr Solaris DDI
659 \fBlidi_get_size\fr Solaris DDI
660 \fBlidi_ident_from_dev\fr Solaris DDI
661 \fBlidi_ioctl\fr Solaris DDI
662 \fBlidi_open_by_dev\fr Solaris DDI
663 \fBlidi_poll\fr Solaris DDI
664 \fBlidi_prop_exists\fr Solaris DDI
665 \fBlidi_prop_get_int\fr Solaris DDI
666 \fBlidi_prop_get_lookup_int_array\fr Solaris DDI
667 \fBlidi_putmsg\fr Solaris DDI
668 \fBlidi_read\fr Solaris DDI
669 \fBlidi_remove_event_handler\fr Solaris DDI
670 \fBlidi_strategy\fr Solaris DDI
671 \fBmakecom_g0\fr Solaris DDI
672 \fBmakecom_g0_s\fr Solaris DDI
673 \fBmakecom_g1\fr Solaris DDI
674 \fBmakecom_g5\fr Solaris DDI
675 \fBmakedevice\fr DDI/DKI
676 \fBmax\fr DDI/DKI
677 \fBmax\fr DDI/DKI
678 \fBmembar_ops\fr Solaris DDI
679 \fBmemchr\fr Solaris DDI
680 \fBminphys\fr Solaris DDI
681 \fBmod_info\fr Solaris DDI
682 \fBmod_install\fr Solaris DDI
683 \fBmod_remove\fr Solaris DDI
684 \fBmutex_destroy\fr Solaris DDI
685 \fBmutex_enter\fr Solaris DDI

```



```

686 \fBmutex_exit\fR      Solaris DDI
687 \fBmutex_init\fR      Solaris DDI
688 \fBmutex_owned\fR     Solaris DDI
689 \fBmutex_tryenter\fR  Solaris DDI
690 \fBnchpoll\fR        Solaris DDI
691 \fBnodev\fR          DDI/DKI
692 \fBnulldev\fR        DDI/DKI
693 \fBnumtos\fR         Solaris DDI
694 \fBbnvlist_add_boolean\fR Solaris DDI
695 \fBbnvlist_alloc\fR   Solaris DDI
696 \fBbnvlist_lookup_boolean\fR Solaris DDI
697 \fBbnvlist_lookup_nvpair\fR Solaris DDI
698 \fBbnvlist_next_nvpair\fR Solaris DDI
699 \fBbnvlist_remove\fR   Solaris DDI
700 \fBbnvlist_value_byte\fR Solaris DDI
701 \fBbouth\fR         Solaris x86 DDI
702 \fBbouthl\fR        Solaris x86 DDI
703 \fBbouthw\fR        Solaris x86 DDI
704 \fBbpci_config_get16\fR Solaris DDI
705 \fBbpci_config_get32\fR Solaris DDI
706 \fBbpci_config_get64\fR Solaris DDI
707 \fBbpci_config_get8\fR Solaris DDI
708 \fBbpci_config_getb\fR Solaris DDI
709 \fBbpci_config_getl\fR Solaris DDI
710 \fBbpci_config_getw\fR Solaris DDI
711 \fBbpci_config_put16\fR Solaris DDI
712 \fBbpci_config_put32\fR Solaris DDI
713 \fBbpci_config_put64\fR Solaris DDI
714 \fBbpci_config_put8\fR Solaris DDI
715 \fBbpci_config_putb\fR Solaris DDI
716 \fBbpci_config_putl\fR Solaris DDI
717 \fBbpci_config_putw\fR Solaris DDI
718 \fBbpci_config_setup\fR Solaris DDI
719 \fBbpci_config_teardown\fR Solaris DDI
720 \fBbpci_ereport_setup\fR Solaris DDI
721 \fBbpci_report_pmcap\fR Solaris DDI
722 \fBbpci_save_config_regs\fR Solaris DDI
723 \fBbphysio\fR        Solaris DDI
724 \fBbpm_busy_component\fR Solaris DDI
725 \fBbpm_power_has_changed\fR Solaris DDI
726 \fBbpm_raise_power\fR Solaris DDI
727 \fBbpm_trans_check\fR Solaris DDI
728 \fBbpollwakeup\fR    DDI/DKI
729 \fBbpci_config_teardown\fR Solaris DDI
730 \fBbpci_config_teardown\fR Solaris DDI
731 \fBbpriv_getbyname\fR Solaris DDI
732 \fBbpriv_policy\fR   Solaris DDI
733 \fBbproc_signal\fR   Solaris DDI
734 \fBbproc_unref\fR    Solaris DDI
735 \fBbptob\fR          DDI/DKI
736 \fBbrepinsb\fR       Solaris x86 DDI
737 \fBbrepinsd\fR       Solaris x86 DDI
738 \fBbrepinsw\fR       Solaris x86 DDI
739 \fBbrepoutsb\fR      Solaris x86 DDI
740 \fBbrepoutsd\fR      Solaris x86 DDI
741 \fBbrepoutsw\fR      Solaris x86 DDI
742 \fBbrmalloc\fR      DDI/DKI
743 \fBbrmalloc_wait\fR  DDI/DKI
744 \fBbrmallocmap\fR    DDI/DKI
745 \fBbrmallocmap_wait\fR DDI/DKI
746 \fBbrmfree\fR        DDI/DKI
747 \fBbrmfreemap\fR    DDI/DKI
748 \fBbrw_destroy\fR    Solaris DDI
749 \fBbrw_downgrade\fR Solaris DDI
750 \fBbrw_enter\fR     Solaris DDI
751 \fBbrw_exit\fR      Solaris DDI

```

```

752 \fBbrw_init\fR      Solaris DDI
753 \fBbrw_read_locked\fR Solaris DDI
754 \fBbrw_tryenter\fR   Solaris DDI
755 \fBbrw_tryupgrade\fR Solaris DDI
756 \fBbscsi_abort\fR    Solaris DDI
757 \fBbscsi_alloc_consistent_buf\fR Solaris DDI
758 \fBbscsi_cname\fR    Solaris DDI
759 \fBbscsi_destroy_pkt\fR Solaris DDI
760 \fBbscsi_dmafree\fR  Solaris DDI
761 \fBbscsi_dmaget\fR   Solaris DDI
762 \fBbscsi_dname\fR   Solaris DDI
763 \fBbscsi_errmsg\fR   Solaris DDI
764 \fBbscsi_ext_sense_fields\fR Solaris DDI
765 \fBbscsi_find_sense_descr\fR Solaris DDI
766 \fBbscsi_free_consistent_buf\fR Solaris DDI
767 \fBbscsi_get_device_type_scsi_options\fR Solaris DDI
768 \fBbscsi_get_device_type_string\fR Solaris DDI
769 \fBbscsi_hba_attach_setup\fR Solaris DDI
770 \fBbscsi_hba_detach\fR Solaris DDI
771 \fBbscsi_hba_fini\fR  Solaris DDI
772 \fBbscsi_hba_init\fR  Solaris DDI
773 \fBbscsi_hba_lookup_capstr\fR Solaris DDI
774 \fBbscsi_hba_pkt_alloc\fR Solaris DDI
775 \fBbscsi_hba_pkt_free\fR Solaris DDI
776 \fBbscsi_hba_probe\fR Solaris DDI
777 \fBbscsi_hba_tran_alloc\fR Solaris DDI
778 \fBbscsi_hba_tran_free\fR Solaris DDI
779 \fBbscsi_ifgetcap\fR Solaris DDI
780 \fBbscsi_ifsetcap\fR Solaris DDI
781 \fBbscsi_init_pkt\fR Solaris DDI
782 \fBbscsi_log\fR      Solaris DDI
783 \fBbscsi_mname\fR    Solaris DDI
784 \fBbscsi_pktalloc\fR Solaris DDI
785 \fBbscsi_pktfree\fR  Solaris DDI
786 \fBbscsi_poll\fR     Solaris DDI
787 \fBbscsi_probe\fR    Solaris DDI
788 \fBbscsi_realloc\fR   Solaris DDI
789 \fBbscsi_reset\fR    Solaris DDI
790 \fBbscsi_reset_notify\fR Solaris DDI
791 \fBbscsi_resfree\fR  Solaris DDI
792 \fBbscsi_rname\fR    Solaris DDI
793 \fBbscsi_sense_key\fR Solaris DDI
794 \fBbscsi_setup_cdb\fR Solaris DDI
795 \fBbscsi_slave\fR    Solaris DDI
796 \fBbscsi_sname\fR    Solaris DDI
797 \fBbscsi_sync_pkt\fR Solaris DDI
798 \fBbscsi_transport\fR Solaris DDI
799 \fBbscsi_unprobe\fR   Solaris DDI
800 \fBbscsi_unslave\fR  Solaris DDI
801 \fBbscsi_validate_sense\fR Solaris DDI
802 \fBbscsi_vu_errmsg\fR Solaris DDI
803 \fBbsema_destroy\fR   Solaris DDI
804 \fBbsema_init\fR     Solaris DDI
805 \fBbsema_p\fR        Solaris DDI
806 \fBbsema_p_sig\fR    Solaris DDI
807 \fBbsema_tryup\fR    Solaris DDI
808 \fBbsema_v\fR        Solaris DDI
809 \fBbsprintf\fR      Solaris DDI
810 \fBbstoi\fR         Solaris DDI
811 \fBbstrchr\fR       Solaris DDI
812 \fBbstrcmp\fR       Solaris DDI
813 \fBbstrncpy\fR      Solaris DDI
814 \fBbstrlen\fR       Solaris DDI
815 \fBbstrncmp\fR      Solaris DDI
816 \fBbstrncpy\fR      Solaris DDI
817 \fBSTRUCT_DECL\fR   Solaris DDI

```

```
818 \fBswab\fR      DDI/DKI
819 \fBtaskq\fR     Solaris DDI
820 \fBtimeout\fR   DDI/DKI
821 \fBu8_strcmp\fR Solaris DDI
822 \fBu8_textprep_str\fR Solaris DDI
823 \fBu8_validate\fR Solaris DDI
824 \fBuconv_u16tou32\fR Solaris DDI
825 \fBuimove\fR    DDI/DKI
826 \fBuntimeout\fR DDI/DKI
827 \fBureadc\fR    DDI/DKI
828 \fBusb_alloc_request\fR Solaris DDI
829 \fBusb_client_attach\fR Solaris DDI
830 \fBusb_clr_feature\fR Solaris DDI
831 \fBusb_create_pm_components\fR Solaris DDI
832 \fBusb_get_addr\fR Solaris DDI
833 \fBusb_get_alt_if\fR Solaris DDI
834 \fBusb_get_cfg\fR Solaris DDI
835 \fBusb_get_current_frame_number\fR Solaris DDI
836 \fBusb_get_dev_data\fR Solaris DDI
837 \fBusb_get_max_pkts_per_ioc_request\fR Solaris DDI
838 \fBusb_get_status\fR Solaris DDI
839 \fBusb_get_string_desc\fR Solaris DDI
840 \fBusb_handle_remote_wakeup\fR Solaris DDI
841 \fBusb_lookup_ep_data\fR Solaris DDI
842 \fBusb_parse_data\fR Solaris DDI
843 \fBusb_pipe_bulk_xfer\fR Solaris DDI
844 \fBusb_pipe_close\fR Solaris DDI
845 \fBusb_pipe_ctrl_xfer\fR Solaris DDI
846 \fBusb_pipe_drain_reqs\fR Solaris DDI
847 \fBusb_pipe_get_max_bulk_transfer_size\fR Solaris DDI
848 \fBusb_pipe_get_state\fR Solaris DDI
849 \fBusb_pipe_intr_xfer\fR Solaris DDI
850 \fBusb_pipe_isoc_xfer\fR Solaris DDI
851 \fBusb_pipe_open\fR Solaris DDI
852 \fBusb_pipe_reset\fR Solaris DDI
853 \fBusb_pipe_set_private\fR Solaris DDI
854 \fBusb_register_hotplug_cbs\fR Solaris DDI
855 \fBusb_reset_device\fR Solaris DDI
856 \fBuwritec\fR   DDI/DKI
857 \fBva_arg\fR    Solaris DDI
858 \fBva_end\fR    Solaris DDI
859 \fBva_start\fR  Solaris DDI
860 \fBvcmn_err\fR  DDI/DKI
861 \fBvsprintf\fR  Solaris DDI
862 .TE

864 .SH SEE ALSO
865 .sp
866 .LP
867 \fBIntro\fR(9E), \fBmutex\fR(9F)
```

```

*****
59019 Sat Aug 9 23:41:48 2014
new/usr/src/man/man9f/Makefile
5075 EOF cardbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore>
16 #
18 include      $(SRC)/Makefile.master
20 MANSECT=     9f
22 MANFILES=    ASSERT.9f      \
23               Intro.9f      \
24               OTHERQ.9f     \
25               RD.9f         \
26               SAMESTR.9f    \
27               STRUCT_DECL.9f \
28               WR.9f         \
29               adjmsg.9f     \
30               allocb.9f     \
31               atomic_add.9f \
32               atomic_and.9f \
33               atomic_bits.9f \
34               atomic_cas.9f \
35               atomic_dec.9f \
36               atomic_inc.9f \
37               atomic_ops.9f \
38               atomic_or.9f  \
39               atomic_swap.9f \
40               backq.9f      \
41               bcanput.9f    \
42               bcmp.9f       \
43               bcopy.9f      \
44               bioclone.9f   \
45               biodone.9f    \
46               bioerror.9f   \
47               biofini.9f    \
48               bioinit.9f    \
49               biomodified.9f \
50               bioreset.9f   \
51               biosize.9f    \
52               biowait.9f    \
53               bp_copyin.9f  \
54               bp_copyout.9f \
55               bp_mapin.9f   \
56               bp_mapout.9f  \
57               btop.9f       \
58               btopr.9f     \

```

```

59         bufcall.9f      \
60         bzero.9f        \
61         canput.9f       \
62         clrbuf.9f       \
63         cmn_err.9f      \
64         condvar.9f      \
65         copyb.9f        \
66         copyin.9f       \
67         copymsg.9f      \
68         copyout.9f      \
69         csx_AccessConfigurationRegister.9f \
70         csx_CS_DDI_Info.9f \
71         csx_ConvertSize.9f \
72         csx_ConvertSpeed.9f \
73         csx_DeregisterClient.9f \
74         csx_DupHandle.9f \
75         csx_Error2Text.9f \
76         csx_Event2Text.9f \
77         csx_FreeHandle.9f \
78         csx_Get8.9f      \
79         csx_GetFirstClient.9f \
80         csx_GetFirstTuple.9f \
81         csx_GetHandleOffset.9f \
82         csx_GetMappedAddr.9f \
83         csx_GetStatus.9f \
84         csx_GetTupleData.9f \
85         csx_MakeDeviceNode.9f \
86         csx_MapLogSocket.9f \
87         csx_MapMemPage.9f \
88         csx_ModifyConfiguration.9f \
89         csx_ModifyWindow.9f \
90         csx_ParseTuple.9f \
91         csx_Parse_CISTPL_BATTERY.9f \
92         csx_Parse_CISTPL_BYTEORDER.9f \
93         csx_Parse_CISTPL_CFTABLE_ENTRY.9f \
94         csx_Parse_CISTPL_CONFIG.9f \
95         csx_Parse_CISTPL_DATE.9f \
96         csx_Parse_CISTPL_DEVICE.9f \
97         csx_Parse_CISTPL_DEVICEGEO.9f \
98         csx_Parse_CISTPL_DEVICEGEO_A.9f \
99         csx_Parse_CISTPL_FORMAT.9f \
100        csx_Parse_CISTPL_FUNC.9f \
101        csx_Parse_CISTPL_FUNCID.9f \
102        csx_Parse_CISTPL_GEOMETRY.9f \
103        csx_Parse_CISTPL_JEDEC_C.9f \
104        csx_Parse_CISTPL_LINKTARGET.9f \
105        csx_Parse_CISTPL_LONGLINK_A.9f \
106        csx_Parse_CISTPL_LONGLINK_MFC.9f \
107        csx_Parse_CISTPL_MANFID.9f \
108        csx_Parse_CISTPL_ORG.9f \
109        csx_Parse_CISTPL_SPCL.9f \
110        csx_Parse_CISTPL_SWIL.9f \
111        csx_Parse_CISTPL_VERS_1.9f \
112        csx_Parse_CISTPL_VERS_2.9f \
113        csx_Put8.9f       \
114        csx_RegisterClient.9f \
115        csx_ReleaseConfiguration.9f \
116        csx_RepGet8.9f   \
117        csx_RepPut8.9f   \
118        csx_RequestConfiguration.9f \
119        csx_RequestIO.9f \
120        csx_RequestIRQ.9f \
121        csx_RequestSocketMask.9f \
122        csx_RequestWindow.9f \
123        csx_ResetFunction.9f \
124        csx_SetEventMask.9f \

```

```

125 csx_SetHandleOffset.9f //
126 csx_ValidateCIS.9f //
69 datams9.9f //
70 ddi_add_event_handler.9f //
71 ddi_add_intr.9f //
72 ddi_add_softintr.9f //
73 ddi_binding_name.9f //
74 ddi_btop.9f //
75 ddi_can_receive_sig.9f //
76 ddi_cb_register.9f //
77 ddi_check_acc_handle.9f //
78 ddi_copyin.9f //
79 ddi_copyout.9f //
80 ddi_create_minor_node.9f //
81 ddi_cred.9f //
82 ddi_dev_is_needed.9f //
83 ddi_dev_is_sid.9f //
84 ddi_dev_nintrs.9f //
85 ddi_dev_nregs.9f //
86 ddi_dev_regsize.9f //
87 ddi_dev_report_fault.9f //
88 ddi_device_copy.9f //
89 ddi_device_zero.9f //
90 ddi_devid_compare.9f //
91 ddi_dma_addr_bind_handle.9f //
92 ddi_dma_alloc_handle.9f //
93 ddi_dma_buf_bind_handle.9f //
94 ddi_dma_burstsizes.9f //
95 ddi_dma_free_handle.9f //
96 ddi_dma_getwin.9f //
97 ddi_dma_mem_alloc.9f //
98 ddi_dma_mem_free.9f //
99 ddi_dma_nextcookie.9f //
100 ddi_dma_numwin.9f //
101 ddi_dma_set_sbus64.9f //
102 ddi_dma_sync.9f //
103 ddi_dma_unbind_handle.9f //
104 ddi_dmae.9f //
105 ddi_driver_major.9f //
106 ddi_driver_name.9f //
107 ddi_enter_critical.9f //
108 ddi_ffs.9f //
109 ddi_fm_acc_err_clear.9f //
110 ddi_fm_acc_err_get.9f //
111 ddi_fm_ereport_post.9f //
112 ddi_fm_handler_register.9f //
113 ddi_fm_init.9f //
114 ddi_fm_service_impact.9f //
115 ddi_get8.9f //
116 ddi_get_cred.9f //
117 ddi_get_devstate.9f //
118 ddi_get_driver_private.9f //
119 ddi_get_eventcookie.9f //
120 ddi_get_instance.9f //
121 ddi_get_kt_did.9f //
122 ddi_get_lbolt.9f //
123 ddi_get_parent.9f //
124 ddi_get_pid.9f //
125 ddi_get_time.9f //
126 ddi_getminor.9f //
127 ddi_in_panic.9f //
128 ddi_intr_add_handler.9f //
129 ddi_intr_add_softint.9f //
130 ddi_intr_alloc.9f //
131 ddi_intr_dup_handler.9f //
132 ddi_intr_enable.9f //

```

```

133 ddi_intr_get_cap.9f //
134 ddi_intr_get_hilevel_pri.9f //
135 ddi_intr_get_nintrs.9f //
136 ddi_intr_get_pending.9f //
137 ddi_intr_get_pri.9f //
138 ddi_intr_get_supported_types.9f //
139 ddi_intr_hilevel.9f //
140 ddi_intr_set_mask.9f //
141 ddi_intr_set_nreq.9f //
142 ddi_io_get8.9f //
143 ddi_io_put8.9f //
144 ddi_io_rep_get8.9f //
145 ddi_io_rep_put8.9f //
146 ddi_log_sysevent.9f //
147 ddi_map_regs.9f //
148 ddi_mem_get8.9f //
149 ddi_mem_put8.9f //
150 ddi_mem_rep_get8.9f //
151 ddi_mem_rep_put8.9f //
152 ddi_mmap_get_model.9f //
153 ddi_model_convert_from.9f //
154 ddi_modopen.9f //
155 ddi_no_info.9f //
156 ddi_node_name.9f //
157 ddi_peek.9f //
158 ddi_periodic_add.9f //
159 ddi_periodic_delete.9f //
160 ddi_poke.9f //
161 ddi_prop_create.9f //
162 ddi_prop_exists.9f //
163 ddi_prop_get_int.9f //
164 ddi_prop_lookup.9f //
165 ddi_prop_op.9f //
166 ddi_prop_update.9f //
167 ddi_put8.9f //
168 ddi_regs_map_free.9f //
169 ddi_regs_map_setup.9f //
170 ddi_remove_event_handler.9f //
171 ddi_remove_minor_node.9f //
172 ddi_removing_power.9f //
173 ddi_rep_get8.9f //
174 ddi_rep_put8.9f //
175 ddi_report_dev.9f //
176 ddi_root_node.9f //
177 ddi_segmap.9f //
178 ddi_slaveonly.9f //
179 ddi_soft_state.9f //
180 ddi_strtol.9f //
181 ddi_strtoll.9f //
182 ddi_strtoul.9f //
183 ddi_umem_alloc.9f //
184 ddi_umem_iosetup.9f //
185 ddi_umem_lock.9f //
186 delay.9f //
187 devmap_default_access.9f //
188 devmap_devmem_setup.9f //
189 devmap_do_ctxmgt.9f //
190 devmap_set_ctx_timeout.9f //
191 devmap_setup.9f //
192 devmap_unload.9f //
193 disksort.9f //
194 dlbindack.9f //
195 drv_getparm.9f //
196 drv_hztousec.9f //
197 drv_priv.9f //
198 drv_usetohz.9f //

```

```

199     drv_usecwait.9f
200     dupb.9f
201     dupmsg.9f
202     enableok.9f
203     esballoc.9f
204     esbcall.9f
205     flushband.9f
206     flushq.9f
207     freeb.9f
208     freemsg.9f
209     freerbuf.9f
210     freezeestr.9f
211     get_pktiopb.9f
212     geterror.9f
213     gethrtime.9f
214     getmajor.9f
215     getminor.9f
216     getq.9f
217     getrbuf.9f
218     gld.9f
219     hook_alloc.9f
220     hook_free.9f
221     id32_alloc.9f
222     inb.9f
223     insq.9f
224     kiconv.9f
225     kiconv_close.9f
226     kiconv_open.9f
227     kiconvstr.9f
228     kmem_alloc.9f
229     kmem_cache_create.9f
230     kstat_create.9f
231     kstat_delete.9f
232     kstat_install.9f
233     kstat_named_init.9f
234     kstat_queue.9f
235     ldi_add_event_handler.9f
236     ldi_aread.9f
237     ldi_devmap.9f
238     ldi_dump.9f
239     ldi_ev_finalize.9f
240     ldi_ev_get_cookie.9f
241     ldi_ev_get_type.9f
242     ldi_ev_notify.9f
243     ldi_ev_register_callbacks.9f
244     ldi_ev_remove_callbacks.9f
245     ldi_get_dev.9f
246     ldi_get_eventcookie.9f
247     ldi_get_size.9f
248     ldi_ident_from_dev.9f
249     ldi_ioctl.9f
250     ldi_open_by_dev.9f
251     ldi_poll.9f
252     ldi_prop_exists.9f
253     ldi_prop_get_int.9f
254     ldi_prop_lookup_int_array.9f
255     ldi_putmsg.9f
256     ldi_read.9f
257     ldi_remove_event_handler.9f
258     ldi_strategy.9f
259     linkb.9f
260     list_create.9f
261     makecom.9f
262     makedevice.9f
263     max.9f
264     mcopyin.9f

```

```

265     mcopymsg.9f
266     mcopyout.9f
267     membar_ops.9f
268     memchr.9f
269     merror.9f
270     mexchange.9f
271     min.9f
272     mioc2ack.9f
273     miocack.9f
274     miocnak.9f
275     miocpullup.9f
276     mkiocb.9f
277     mod_install.9f
278     msgdsize.9f
279     msgpullup.9f
280     msgsize.9f
281     mt-streams.9f
282     mutex.9f
283     net_event_notify_register.9f
284     net_getifname.9f
285     net_getlifaddr.9f
286     net_getmtu.9f
287     net_getnetid.9f
288     net_getpmtuenabled.9f
289     net_hook_register.9f
290     net_hook_unregister.9f
291     net_inject.9f
292     net_inject_alloc.9f
293     net_inject_free.9f
294     net_instance_alloc.9f
295     net_instance_free.9f
296     net_instance_notify_register.9f
297     net_instance_register.9f
298     net_instance_unregister.9f
299     net_ispartialchecksum.9f
300     net_isvalidchecksum.9f
301     net_kstat_create.9f
302     net_kstat_delete.9f
303     net_lifgetnext.9f
304     net_netidtozonid.9f
305     net_phygetnext.9f
306     net_phylookup.9f
307     net_protocol_lookup.9f
308     net_protocol_notify_register.9f
309     net_protocol_release.9f
310     net_protocol_walk.9f
311     net_routeto.9f
312     net_zoneidtonetid.9f
313     netinfo.9f
314     nohcpoll.9f
315     nodev.9f
316     noenable.9f
317     nulldev.9f
318     nvlist_add_boolean.9f
319     nvlist_alloc.9f
320     nvlist_lookup_boolean.9f
321     nvlist_lookup_nvpair.9f
322     nvlist_next_nvpair.9f
323     nvlist_remove.9f
324     nvpair_value_byte.9f
325     outb.9f
326     pci_config_get8.9f
327     pci_config_setup.9f
328     pci_ereport_setup.9f
329     pci_report_pmcaps.9f
330     pci_save_config_regs.9f

```

```

331         physio.9f          \|
332         pm_busy_component.9f \|
333         pm_power_has_changed.9f \|
334         pm_raise_power.9f    \|
335         pm_trans_check.9f    \|
336         pollwakeup.9f       \|
337         priv_getbyname.9f    \|
338         priv_policy.9f       \|
339         proc_signal.9f       \|
340         ptob.9f              \|
341         pullupmsg.9f         \|
342         put.9f                \|
343         putbq.9f              \|
344         putctl.9f             \|
345         putctl1.9f            \|
346         putnext.9f           \|
347         putnextctl.9f        \|
348         putnextctl1.9f       \|
349         putq.9f               \|
350         qassociate.9f         \|
351         qbufcall.9f           \|
352         qenable.9f           \|
353         qprocson.9f          \|
354         qreply.9f            \|
355         qsize.9f              \|
356         qtimeout.9f          \|
357         qunbufcall.9f        \|
358         quntimeout.9f        \|
359         qwait.9f              \|
360         qwriter.9f            \|
361         rmalloc.9f            \|
362         rmalloc_wait.9f      \|
363         rmalloccmap.9f       \|
364         rmfree.9f             \|
365         rmvb.9f               \|
366         rmvq.9f               \|
367         rwlock.9f             \|
368         scsi_abort.9f         \|
369         scsi_alloc_consistent_buf.9f \|
370         scsi_cname.9f         \|
371         scsi_destroy_pkt.9f   \|
372         scsi_dmaget.9f        \|
373         scsi_errmsg.9f        \|
374         scsi_ext_sense_fields.9f \|
375         scsi_find_sense_descr.9f \|
376         scsi_free_consistent_buf.9f \|
377         scsi_get_device_type_scsi_options.9f \|
378         scsi_get_device_type_string.9f \|
379         scsi_hba_attach_setup.9f \|
380         scsi_hba_init.9f      \|
381         scsi_hba_lookup_capstr.9f \|
382         scsi_hba_pkt_alloc.9f  \|
383         scsi_hba_pkt_comp.9f   \|
384         scsi_hba_probe.9f      \|
385         scsi_hba_tran_alloc.9f \|
386         scsi_ifgetcap.9f       \|
387         scsi_init_pkt.9f       \|
388         scsi_log.9f            \|
389         scsi_pktalloc.9f       \|
390         scsi_poll.9f           \|
391         scsi_probe.9f          \|
392         scsi_reset.9f          \|
393         scsi_reset_notify.9f   \|
394         scsi_sense_key.9f      \|
395         scsi_setup_cdb.9f      \|
396         scsi_slave.9f         \|

```

```

397         scsi_sync_pkt.9f      \|
398         scsi_transport.9f      \|
399         scsi_unprobe.9f        \|
400         scsi_validate_sense.9f \|
401         scsi_vu_errmsg.9f      \|
402         semaphore.9f           \|
403         stoi.9f                 \|
404         string.9f               \|
405         strlog.9f               \|
406         strgget.9f              \|
407         strqset.9f              \|
408         swab.9f                 \|
409         taskq.9f                \|
410         testb.9f                \|
411         timeout.9f              \|
412         u8_strcmp.9f            \|
413         u8_textprep_str.9f      \|
414         u8_validate.9f          \|
415         uconv_ul6tou32.9f       \|
416         uiomove.9f              \|
417         unbufcall.9f            \|
418         unlinkb.9f              \|
419         untimeout.9f            \|
420         ureadc.9f               \|
421         usb_alloc_request.9f    \|
422         usb_client_attach.9f    \|
423         usb_clr_feature.9f      \|
424         usb_create_pm_components.9f \|
425         usb_get_addr.9f         \|
426         usb_get_alt_if.9f       \|
427         usb_get_cfg.9f          \|
428         usb_get_current_frame_number.9f \|
429         usb_get_dev_data.9f     \|
430         usb_get_max_pkts_per_isoc_request.9f \|
431         usb_get_status.9f       \|
432         usb_get_string_descr.9f \|
433         usb_handle_remote_wakeup.9f \|
434         usb_lookup_ep_data.9f   \|
435         usb_parse_data.9f       \|
436         usb_pipe_bulk_xfer.9f   \|
437         usb_pipe_close.9f       \|
438         usb_pipe_ctrl_xfer.9f   \|
439         usb_pipe_drain_reqs.9f  \|
440         usb_pipe_get_max_bulk_transfer_size.9f \|
441         usb_pipe_get_state.9f   \|
442         usb_pipe_intr_xfer.9f   \|
443         usb_pipe_isoc_xfer.9f   \|
444         usb_pipe_open.9f        \|
445         usb_pipe_reset.9f       \|
446         usb_pipe_set_private.9f \|
447         usb_register_hotplug_obs.9f \|
448         usb_reset_device.9f     \|
449         uwritel.9f              \|
450         va_arg.9f               \|
451         vsprintf.9f             \|
453         MANLINKS=              \|
454         sizeof_ptr.9f           \|
455         struct_buf.9f           \|
456         struct_faddr.9f        \|
457         struct_fget.9f         \|
458         struct_fgetp.9f        \|
459         struct_fset.9f         \|
460         struct_fsetp.9f        \|
461         struct_handle.9f       \|
462         struct_init.9f         \|

```

```

463     STRUCT_SET_HANDLE.9f  \
464     STRUCT_SIZE.9f       \
465     assert.9f            \
466     atomic_add_16.9f     \
467     atomic_add_16_nv.9f  \
468     atomic_add_32.9f     \
469     atomic_add_32_nv.9f  \
470     atomic_add_64.9f     \
471     atomic_add_64_nv.9f  \
472     atomic_add_8.9f      \
473     atomic_add_8_nv.9f   \
474     atomic_add_char.9f   \
475     atomic_add_char_nv.9f \
476     atomic_add_int.9f    \
477     atomic_add_int_nv.9f \
478     atomic_add_long.9f   \
479     atomic_add_long_nv.9f \
480     atomic_add_ptr.9f    \
481     atomic_add_ptr_nv.9f \
482     atomic_add_short.9f  \
483     atomic_add_short_nv.9f \
484     atomic_and_16.9f     \
485     atomic_and_16_nv.9f  \
486     atomic_and_32.9f     \
487     atomic_and_32_nv.9f  \
488     atomic_and_64.9f     \
489     atomic_and_64_nv.9f  \
490     atomic_and_8.9f      \
491     atomic_and_8_nv.9f   \
492     atomic_and_uchar.9f  \
493     atomic_and_uchar_nv.9f \
494     atomic_and_uint.9f   \
495     atomic_and_uint_nv.9f \
496     atomic_and_ulong.9f  \
497     atomic_and_ulong_nv.9f \
498     atomic_and_ushort.9f \
499     atomic_and_ushort_nv.9f \
500     atomic_cas_16.9f     \
501     atomic_cas_32.9f     \
502     atomic_cas_64.9f     \
503     atomic_cas_8.9f      \
504     atomic_cas_ptr.9f    \
505     atomic_cas_uchar.9f  \
506     atomic_cas_uint.9f   \
507     atomic_cas_ulong.9f  \
508     atomic_cas_ushort.9f \
509     atomic_clear_long_excl.9f \
510     atomic_dec_16.9f     \
511     atomic_dec_16_nv.9f  \
512     atomic_dec_32.9f     \
513     atomic_dec_32_nv.9f  \
514     atomic_dec_64.9f     \
515     atomic_dec_64_nv.9f  \
516     atomic_dec_8.9f      \
517     atomic_dec_8_nv.9f   \
518     atomic_dec_ptr.9f    \
519     atomic_dec_ptr_nv.9f \
520     atomic_dec_uchar.9f  \
521     atomic_dec_uchar_nv.9f \
522     atomic_dec_uint.9f   \
523     atomic_dec_uint_nv.9f \
524     atomic_dec_ulong.9f  \
525     atomic_dec_ulong_nv.9f \
526     atomic_dec_ushort.9f \
527     atomic_dec_ushort_nv.9f \
528     atomic_inc_16.9f     \

```

```

529     atomic_inc_16_nv.9f  \
530     atomic_inc_32.9f     \
531     atomic_inc_32_nv.9f  \
532     atomic_inc_64.9f     \
533     atomic_inc_64_nv.9f  \
534     atomic_inc_8.9f      \
535     atomic_inc_8_nv.9f   \
536     atomic_inc_ptr.9f    \
537     atomic_inc_ptr_nv.9f \
538     atomic_inc_uchar.9f  \
539     atomic_inc_uchar_nv.9f \
540     atomic_inc_uint.9f   \
541     atomic_inc_uint_nv.9f \
542     atomic_inc_ulong.9f  \
543     atomic_inc_ulong_nv.9f \
544     atomic_inc_ushort.9f \
545     atomic_inc_ushort_nv.9f \
546     atomic_or_16.9f      \
547     atomic_or_16_nv.9f   \
548     atomic_or_32.9f      \
549     atomic_or_32_nv.9f   \
550     atomic_or_64.9f      \
551     atomic_or_64_nv.9f   \
552     atomic_or_8.9f       \
553     atomic_or_8_nv.9f    \
554     atomic_or_uchar.9f   \
555     atomic_or_uchar_nv.9f \
556     atomic_or_uint.9f    \
557     atomic_or_uint_nv.9f \
558     atomic_or_ulong.9f   \
559     atomic_or_ulong_nv.9f \
560     atomic_or_ushort.9f  \
561     atomic_or_ushort_nv.9f \
562     atomic_set_long_excl.9f \
563     atomic_swap_16.9f    \
564     atomic_swap_32.9f    \
565     atomic_swap_64.9f    \
566     atomic_swap_8.9f     \
567     atomic_swap_ptr.9f   \
568     atomic_swap_uchar.9f \
569     atomic_swap_uint.9f  \
570     atomic_swap_ulong.9f \
571     atomic_swap_ushort.9f \
572     crgetgid.9f          \
573     crgetgroups.9f      \
574     crgetngroups.9f     \
575     crgetrgid.9f        \
576     crgetruid.9f        \
577     crgetsgid.9f        \
578     crgetsuid.9f        \
579     crgetuid.9f         \
580     crgetzoneid.9f     \
581     csx_Get16.9f         \
582     csx_Get32.9f         \
583     csx_Get64.9f         \
584     csx_GetEventMask.9f \
585     csx_GetNextClient.9f \
586     csx_GetNextTuple.9f \
587     csx_Parse_CISTPL_DEVICE_A.9f \
588     csx_Parse_CISTPL_DEVICE_OA.9f \
589     csx_Parse_CISTPL_DEVICE_OC.9f \
590     csx_Parse_CISTPL_JEDEC_A.9f \
591     csx_Parse_CISTPL_LONGLINK_C.9f \
592     csx_Put16.9f         \
593     csx_Put32.9f         \
594     csx_Put64.9f         \

```

```

653 csx_ReleaseIO.9f //
654 csx_ReleaseIRQ.9f //
655 csx_ReleaseSocketMask.9f //
656 csx_ReleaseWindow.9f //
657 csx_RemoveDeviceNode.9f //
658 csx_RepGet16.9f //
659 csx_RepGet32.9f //
660 csx_RepGet64.9f //
661 csx_RepPut16.9f //
662 csx_RepPut32.9f //
663 csx_RepPut64.9f //
581 cv_broadcast.9f //
582 cv_destroy.9f //
583 cv_init.9f //
584 cv_reltimedwait.9f //
585 cv_reltimedwait_sig.9f //
586 cv_signal.9f //
587 cv_timedwait.9f //
588 cv_timedwait_sig.9f //
589 cv_wait.9f //
590 cv_wait_sig.9f //
591 ddi_btopr.9f //
592 ddi_cb_unregister.9f //
593 ddi_check_dma_handle.9f //
594 ddi_devid_free.9f //
595 ddi_devid_get.9f //
596 ddi_devid_init.9f //
597 ddi_devid_register.9f //
598 ddi_devid_sizeof.9f //
599 ddi_devid_str_decode.9f //
600 ddi_devid_str_encode.9f //
601 ddi_devid_str_free.9f //
602 ddi_devid_unregister.9f //
603 ddi_devid_valid.9f //
604 ddi_devmap_segmap.9f //
605 ddi_dmae_lstparty.9f //
606 ddi_dmae_alloc.9f //
607 ddi_dmae_disable.9f //
608 ddi_dmae_enable.9f //
609 ddi_dmae_getattr.9f //
610 ddi_dmae_getcnt.9f //
611 ddi_dmae_prog.9f //
612 ddi_dmae_release.9f //
613 ddi_dmae_stop.9f //
614 ddi_exit_critical.9f //
615 ddi_fls.9f //
616 ddi_fm_capable.9f //
617 ddi_fm_dma_err_clear.9f //
618 ddi_fm_dma_err_get.9f //
619 ddi_fm_fini.9f //
620 ddi_fm_handler_unregister.9f //
621 ddi_get16.9f //
622 ddi_get32.9f //
623 ddi_get64.9f //
624 ddi_get_iblock_cookie.9f //
625 ddi_get_lbolt64.9f //
626 ddi_get_name.9f //
627 ddi_get_soft_iblock_cookie.9f //
628 ddi_get_soft_state.9f //
629 ddi_getb.9f //
630 ddi_getl.9f //
631 ddi_getll.9f //
632 ddi_getlongprop.9f //
633 ddi_getlongprop_buf.9f //
634 ddi_getprop.9f //
635 ddi_getproplen.9f //

```

```

636 ddi_getw.9f //
637 ddi_intr_block_disable.9f //
638 ddi_intr_block_enable.9f //
639 ddi_intr_clr_mask.9f //
640 ddi_intr_disable.9f //
641 ddi_intr_free.9f //
642 ddi_intr_get_navail.9f //
643 ddi_intr_get_softint_pri.9f //
644 ddi_intr_remove_handler.9f //
645 ddi_intr_remove_softint.9f //
646 ddi_intr_set_cap.9f //
647 ddi_intr_set_pri.9f //
648 ddi_intr_set_softint_pri.9f //
649 ddi_intr_trigger_softint.9f //
650 ddi_io_get16.9f //
651 ddi_io_get32.9f //
652 ddi_io_getb.9f //
653 ddi_io_getl.9f //
654 ddi_io_getw.9f //
655 ddi_io_put16.9f //
656 ddi_io_put32.9f //
657 ddi_io_putb.9f //
658 ddi_io_putl.9f //
659 ddi_io_putw.9f //
660 ddi_io_rep_get16.9f //
661 ddi_io_rep_get32.9f //
662 ddi_io_rep_getb.9f //
663 ddi_io_rep_getl.9f //
664 ddi_io_rep_getw.9f //
665 ddi_io_rep_put16.9f //
666 ddi_io_rep_put32.9f //
667 ddi_io_rep_putb.9f //
668 ddi_io_rep_putl.9f //
669 ddi_io_rep_putw.9f //
670 ddi_mem_get16.9f //
671 ddi_mem_get32.9f //
672 ddi_mem_get64.9f //
673 ddi_mem_getb.9f //
674 ddi_mem_getl.9f //
675 ddi_mem_getll.9f //
676 ddi_mem_getw.9f //
677 ddi_mem_put16.9f //
678 ddi_mem_put32.9f //
679 ddi_mem_put64.9f //
680 ddi_mem_putb.9f //
681 ddi_mem_putl.9f //
682 ddi_mem_putll.9f //
683 ddi_mem_putw.9f //
684 ddi_mem_rep_get16.9f //
685 ddi_mem_rep_get32.9f //
686 ddi_mem_rep_get64.9f //
687 ddi_mem_rep_getb.9f //
688 ddi_mem_rep_getl.9f //
689 ddi_mem_rep_getll.9f //
690 ddi_mem_rep_getw.9f //
691 ddi_mem_rep_put16.9f //
692 ddi_mem_rep_put32.9f //
693 ddi_mem_rep_put64.9f //
694 ddi_mem_rep_putb.9f //
695 ddi_mem_rep_putl.9f //
696 ddi_mem_rep_putll.9f //
697 ddi_mem_rep_putw.9f //
698 ddi_modclose.9f //
699 ddi_modsym.9f //
700 ddi_peek16.9f //
701 ddi_peek32.9f //

```



```

702 ddi_peek64.9f //
703 ddi_peek8.9f //
704 ddi_peekc.9f //
705 ddi_peekd.9f //
706 ddi_peekl.9f //
707 ddi_peeks.9f //
708 ddi_poke16.9f //
709 ddi_poke32.9f //
710 ddi_poke64.9f //
711 ddi_poke8.9f //
712 ddi_pokec.9f //
713 ddi_poked.9f //
714 ddi_pokel.9f //
715 ddi_pokes.9f //
716 ddi_prop_free.9f //
717 ddi_prop_get_int64.9f //
718 ddi_prop_lookup_byte_array.9f //
719 ddi_prop_lookup_int64_array.9f //
720 ddi_prop_lookup_int_array.9f //
721 ddi_prop_lookup_string.9f //
722 ddi_prop_lookup_string_array.9f //
723 ddi_prop_modify.9f //
724 ddi_prop_remove.9f //
725 ddi_prop_remove_all.9f //
726 ddi_prop_undefine.9f //
727 ddi_prop_update_byte_array.9f //
728 ddi_prop_update_int.9f //
729 ddi_prop_update_int64.9f //
730 ddi_prop_update_int64_array.9f //
731 ddi_prop_update_int_array.9f //
732 ddi_prop_update_string.9f //
733 ddi_prop_update_string_array.9f //
734 ddi_ptob.9f //
735 ddi_put16.9f //
736 ddi_put32.9f //
737 ddi_put64.9f //
738 ddi_putb.9f //
739 ddi_putl.9f //
740 ddi_putll.9f //
741 ddi_putw.9f //
742 ddi_remove_intr.9f //
743 ddi_remove_softintr.9f //
744 ddi_rep_get16.9f //
745 ddi_rep_get32.9f //
746 ddi_rep_get64.9f //
747 ddi_rep_getb.9f //
748 ddi_rep_getl.9f //
749 ddi_rep_getll.9f //
750 ddi_rep_getw.9f //
751 ddi_rep_put16.9f //
752 ddi_rep_put32.9f //
753 ddi_rep_put64.9f //
754 ddi_rep_putb.9f //
755 ddi_rep_putl.9f //
756 ddi_rep_putll.9f //
757 ddi_rep_putw.9f //
758 ddi_segmap_setup.9f //
759 ddi_set_driver_private.9f //
760 ddi_soft_state_fini.9f //
761 ddi_soft_state_free.9f //
762 ddi_soft_state_init.9f //
763 ddi_soft_state_zalloc.9f //
764 ddi_strdup.9f //
765 ddi_strtoul.9f //
766 ddi_taskq_create.9f //
767 ddi_taskq_destroy.9f //

```

```

768 ddi_taskq_dispatch.9f //
769 ddi_taskq_resume.9f //
770 ddi_taskq_suspend.9f //
771 ddi_taskq_wait.9f //
772 ddi_trigger_softintr.9f //
773 ddi_umem_free.9f //
774 ddi_umem_unlock.9f //
775 ddi_unmap_regs.9f //
776 desballoc.9f //
777 devmap_load.9f //
778 devmap_umem_setup.9f //
779 dlerrorack.9f //
780 dlokack.9f //
781 dlphysaddrack.9f //
782 dluderrorind.9f //
783 free_pktiobb.9f //
784 gld_intr.9f //
785 gld_mac_alloc.9f //
786 gld_mac_free.9f //
787 gld_recv.9f //
788 gld_register.9f //
789 gld_sched.9f //
790 gld_unregister.9f //
791 id32_free.9f //
792 id32_lookup.9f //
793 inl.9f //
794 intro.9f //
795 inw.9f //
796 kmem_cache_alloc.9f //
797 kmem_cache_destroy.9f //
798 kmem_cache_free.9f //
799 kmem_cache_set_move.9f //
800 kmem_free.9f //
801 kmem_zalloc.9f //
802 kstat_named_setstr.9f //
803 kstat_runq_back_to_waitq.9f //
804 kstat_runq_enter.9f //
805 kstat_runq_exit.9f //
806 kstat_waitq_enter.9f //
807 kstat_waitq_exit.9f //
808 kstat_waitq_to_runq.9f //
809 ldi_awrite.9f //
810 ldi_close.9f //
811 ldi_get_devid.9f //
812 ldi_get_minor_name.9f //
813 ldi_get_otyp.9f //
814 ldi_getmsg.9f //
815 ldi_ident_from_dip.9f //
816 ldi_ident_from_stream.9f //
817 ldi_ident_release.9f //
818 ldi_open_by_devid.9f //
819 ldi_open_by_name.9f //
820 ldi_prop_get_int64.9f //
821 ldi_prop_lookup_byte_array.9f //
822 ldi_prop_lookup_int64_array.9f //
823 ldi_prop_lookup_string.9f //
824 ldi_prop_lookup_string_array.9f //
825 ldi_write.9f //
826 list_destroy.9f //
827 list_head.9f //
828 list_insert_after.9f //
829 list_insert_before.9f //
830 list_insert_head.9f //
831 list_insert_tail.9f //
832 list_is_empty.9f //
833 list_link_active.9f //

```

```

834 list_link_init.9f //
835 list_link_replace.9f //
836 list_move_tail.9f //
837 list_next.9f //
838 list_prev.9f //
839 list_remove.9f //
840 list_remove_head.9f //
841 list_remove_tail.9f //
842 list_tail.9f //
843 makecom_g0.9f //
844 makecom_g0_s.9f //
845 makecom_g1.9f //
846 makecom_g5.9f //
847 membar_consumer.9f //
848 membar_enter.9f //
849 membar_exit.9f //
850 membar_producer.9f //
851 memcmp.9f //
852 memcpy.9f //
853 memmove.9f //
854 memset.9f //
855 minphys.9f //
856 mod_info.9f //
857 mod_modname.9f //
858 mod_remove.9f //
859 mutex_destroy.9f //
860 mutex_enter.9f //
861 mutex_exit.9f //
862 mutex_init.9f //
863 mutex_owned.9f //
864 mutex_tryenter.9f //
865 net_event_notify_unregister.9f //
866 net_instance_notify_unregister.9f //
867 net_instance_protocol_unregister.9f //
868 numtos.9f //
869 nv_alloc_fini.9f //
870 nv_alloc_init.9f //
871 nvlist_add_boolean_array.9f //
872 nvlist_add_boolean_value.9f //
873 nvlist_add_byte.9f //
874 nvlist_add_byte_array.9f //
875 nvlist_add_int16.9f //
876 nvlist_add_int16_array.9f //
877 nvlist_add_int32.9f //
878 nvlist_add_int32_array.9f //
879 nvlist_add_int64.9f //
880 nvlist_add_int64_array.9f //
881 nvlist_add_int8.9f //
882 nvlist_add_int8_array.9f //
883 nvlist_add_nvlist.9f //
884 nvlist_add_nvlist_array.9f //
885 nvlist_add_nvpair.9f //
886 nvlist_add_string.9f //
887 nvlist_add_string_array.9f //
888 nvlist_add_uint16.9f //
889 nvlist_add_uint16_array.9f //
890 nvlist_add_uint32.9f //
891 nvlist_add_uint32_array.9f //
892 nvlist_add_uint64.9f //
893 nvlist_add_uint64_array.9f //
894 nvlist_add_uint8.9f //
895 nvlist_add_uint8_array.9f //
896 nvlist_dup.9f //
897 nvlist_exists.9f //
898 nvlist_free.9f //
899 nvlist_lookup_boolean_array.9f //

```

```

900 nvlist_lookup_boolean_value.9f //
901 nvlist_lookup_byte.9f //
902 nvlist_lookup_byte_array.9f //
903 nvlist_lookup_int16.9f //
904 nvlist_lookup_int16_array.9f //
905 nvlist_lookup_int32.9f //
906 nvlist_lookup_int32_array.9f //
907 nvlist_lookup_int64.9f //
908 nvlist_lookup_int64_array.9f //
909 nvlist_lookup_int8.9f //
910 nvlist_lookup_int8_array.9f //
911 nvlist_lookup_nvlist.9f //
912 nvlist_lookup_nvlist_array.9f //
913 nvlist_lookup_pairs.9f //
914 nvlist_lookup_string.9f //
915 nvlist_lookup_string_array.9f //
916 nvlist_lookup_uint16.9f //
917 nvlist_lookup_uint16_array.9f //
918 nvlist_lookup_uint32.9f //
919 nvlist_lookup_uint32_array.9f //
920 nvlist_lookup_uint64.9f //
921 nvlist_lookup_uint64_array.9f //
922 nvlist_lookup_uint8.9f //
923 nvlist_lookup_uint8_array.9f //
924 nvlist_merge.9f //
925 nvlist_pack.9f //
926 nvlist_remove_all.9f //
927 nvlist_size.9f //
928 nvlist_t.9f //
929 nvlist_unpack.9f //
930 nvlist_xalloc.9f //
931 nvlist_xdup.9f //
932 nvlist_xpack.9f //
933 nvlist_xunpack.9f //
934 nvpair_name.9f //
935 nvpair_type.9f //
936 nvpair_value_boolean_array.9f //
937 nvpair_value_byte_array.9f //
938 nvpair_value_int16.9f //
939 nvpair_value_int16_array.9f //
940 nvpair_value_int32.9f //
941 nvpair_value_int32_array.9f //
942 nvpair_value_int64.9f //
943 nvpair_value_int64_array.9f //
944 nvpair_value_int8.9f //
945 nvpair_value_int8_array.9f //
946 nvpair_value_nvlist.9f //
947 nvpair_value_nvlist_array.9f //
948 nvpair_value_string.9f //
949 nvpair_value_string_array.9f //
950 nvpair_value_uint16.9f //
951 nvpair_value_uint16_array.9f //
952 nvpair_value_uint32.9f //
953 nvpair_value_uint32_array.9f //
954 nvpair_value_uint64.9f //
955 nvpair_value_uint64_array.9f //
956 nvpair_value_uint8.9f //
957 nvpair_value_uint8_array.9f //
958 otherq.9f //
959 outl.9f //
960 outw.9f //
961 pci_config_get16.9f //
962 pci_config_get32.9f //
963 pci_config_get64.9f //
964 pci_config_getb.9f //
965 pci_config_getl.9f //

```

```

966 pci_config_getll.9f //
967 pci_config_getw.9f //
968 pci_config_put16.9f //
969 pci_config_put32.9f //
970 pci_config_put64.9f //
971 pci_config_put8.9f //
972 pci_config_putb.9f //
973 pci_config_putl.9f //
974 pci_config_putll.9f //
975 pci_config_putw.9f //
976 pci_config_teardown.9f //
977 pci_ereport_post.9f //
978 pci_ereport_teardown.9f //
979 pci_restore_config_regs.9f //
980 pm_idle_component.9f //
981 pm_lower_power.9f //
982 priv_policy_choice.9f //
983 priv_policy_only.9f //
984 proc_ref.9f //
985 proc_unref.9f //
986 qprocsoff.9f //
987 qwait_sig.9f //
988 rd.9f //
989 repinsb.9f //
990 repinsd.9f //
991 repinsw.9f //
992 repoutsb.9f //
993 repoutsd.9f //
994 repoutsw.9f //
995 rmallocmap_wait.9f //
996 rmfreemap.9f //
997 rw_destroy.9f //
998 rw_downgrade.9f //
999 rw_enter.9f //
1000 rw_exit.9f //
1001 rw_init.9f //
1002 rw_read_locked.9f //
1003 rw_tryenter.9f //
1004 rw_tryupgrade.9f //
1005 samestr.9f //
1006 scsi_dmafree.9f //
1007 scsi_dname.9f //
1008 scsi_hba_detach.9f //
1009 scsi_hba_fini.9f //
1010 scsi_hba_pkt_free.9f //
1011 scsi_hba_tran_free.9f //
1012 scsi_ifsetcap.9f //
1013 scsi_mname.9f //
1014 scsi_pktfree.9f //
1015 scsi_realloc.9f //
1016 scsi_resfree.9f //
1017 scsi_rname.9f //
1018 scsi_sense_asc.9f //
1019 scsi_sense_ascq.9f //
1020 scsi_sense_cmdspecific_uint64.9f //
1021 scsi_sense_info_uint64.9f //
1022 scsi_sname.9f //
1023 scsi_unslave.9f //
1024 sema_destroy.9f //
1025 sema_init.9f //
1026 sema_p.9f //
1027 sema_p_sig.9f //
1028 sema_tryp.9f //
1029 sema_v.9f //
1030 strcasecmp.9f //
1031 strchr.9f //

```

```

1032 strcmp.9f //
1033 strcpy.9f //
1034 strdup.9f //
1035 strfree.9f //
1036 strlcat.9f //
1037 strlcpy.9f //
1038 strlen.9f //
1039 strncasemp.9f //
1040 strncat.9f //
1041 strncmp.9f //
1042 strncpy.9f //
1043 strnlen.9f //
1044 strrchr.9f //
1045 strspn.9f //
1046 taskq_suspended.9f //
1047 uconv_u16tou8.9f //
1048 uconv_u32tou16.9f //
1049 uconv_u32tou8.9f //
1050 uconv_u8tou16.9f //
1051 uconv_u8tou32.9f //
1052 unfreezestr.9f //
1053 usb_alloc_bulk_req.9f //
1054 usb_alloc_ctrl_req.9f //
1055 usb_alloc_intr_req.9f //
1056 usb_alloc_isoc_req.9f //
1057 usb_client_detach.9f //
1058 usb_free_bulk_req.9f //
1059 usb_free_ctrl_req.9f //
1060 usb_free_descr_tree.9f //
1061 usb_free_dev_data.9f //
1062 usb_free_intr_req.9f //
1063 usb_free_isoc_req.9f //
1064 usb_get_if_number.9f //
1065 usb_owns_device.9f //
1066 usb_pipe_ctrl_xfer_wait.9f //
1067 usb_pipe_get_private.9f //
1068 usb_pipe_stop_intr_polling.9f //
1069 usb_pipe_stop_isoc_polling.9f //
1070 usb_print_descr_tree.9f //
1071 usb_set_alt_if.9f //
1072 usb_set_cfg.9f //
1073 usb_unregister_hotplug_cbs.9f //
1074 va_copy.9f //
1075 va_end.9f //
1076 va_start.9f //
1077 vcmn_err.9f //
1078 wr.9f //
1079 zcmn_err.9f //

1081 assert.9f := LINKSRC = ASSERT.9f

1083 intro.9f := LINKSRC = Intro.9f

1085 otherq.9f := LINKSRC = OTHERQ.9f

1087 rd.9f := LINKSRC = RD.9f

1089 samestr.9f := LINKSRC = SAMESTR.9f

1091 SIZEOF_PTR.9f := LINKSRC = STRUCT_DECL.9f
1092 SIZEOF_STRUCT.9f := LINKSRC = STRUCT_DECL.9f
1093 STRUCT_BUF.9f := LINKSRC = STRUCT_DECL.9f
1094 STRUCT_FADDR.9f := LINKSRC = STRUCT_DECL.9f
1095 STRUCT_FGET.9f := LINKSRC = STRUCT_DECL.9f
1096 STRUCT_FGETP.9f := LINKSRC = STRUCT_DECL.9f
1097 STRUCT_FSET.9f := LINKSRC = STRUCT_DECL.9f

```

```

1098 STRUCT_FSETP.9f      := LINKSRC = STRUCT_DECL.9f
1099 STRUCT_HANDLE.9f     := LINKSRC = STRUCT_DECL.9f
1100 STRUCT_INIT.9f       := LINKSRC = STRUCT_DECL.9f
1101 STRUCT_SET_HANDLE.9f := LINKSRC = STRUCT_DECL.9f
1102 STRUCT_SIZE.9f      := LINKSRC = STRUCT_DECL.9f

1104 wr.9f                := LINKSRC = WR.9f

1106 atomic_add_16.9f     := LINKSRC = atomic_add.9f
1107 atomic_add_16_nv.9f  := LINKSRC = atomic_add.9f
1108 atomic_add_32.9f     := LINKSRC = atomic_add.9f
1109 atomic_add_32_nv.9f  := LINKSRC = atomic_add.9f
1110 atomic_add_64.9f     := LINKSRC = atomic_add.9f
1111 atomic_add_64_nv.9f  := LINKSRC = atomic_add.9f
1112 atomic_add_8.9f      := LINKSRC = atomic_add.9f
1113 atomic_add_8_nv.9f   := LINKSRC = atomic_add.9f
1114 atomic_add_char.9f   := LINKSRC = atomic_add.9f
1115 atomic_add_char_nv.9f := LINKSRC = atomic_add.9f
1116 atomic_add_int.9f    := LINKSRC = atomic_add.9f
1117 atomic_add_int_nv.9f := LINKSRC = atomic_add.9f
1118 atomic_add_long.9f   := LINKSRC = atomic_add.9f
1119 atomic_add_long_nv.9f := LINKSRC = atomic_add.9f
1120 atomic_add_ptr.9f    := LINKSRC = atomic_add.9f
1121 atomic_add_ptr_nv.9f := LINKSRC = atomic_add.9f
1122 atomic_add_short.9f  := LINKSRC = atomic_add.9f
1123 atomic_add_short_nv.9f := LINKSRC = atomic_add.9f
1124 atomic_and_16.9f     := LINKSRC = atomic_and.9f
1125 atomic_and_16_nv.9f := LINKSRC = atomic_and.9f
1126 atomic_and_32.9f     := LINKSRC = atomic_and.9f
1127 atomic_and_32_nv.9f := LINKSRC = atomic_and.9f
1128 atomic_and_64.9f     := LINKSRC = atomic_and.9f
1129 atomic_and_64_nv.9f  := LINKSRC = atomic_and.9f
1130 atomic_and_8.9f      := LINKSRC = atomic_and.9f
1131 atomic_and_8_nv.9f   := LINKSRC = atomic_and.9f
1132 atomic_and_uchar.9f := LINKSRC = atomic_and.9f
1133 atomic_and_uchar_nv.9f := LINKSRC = atomic_and.9f
1134 atomic_and_uint.9f   := LINKSRC = atomic_and.9f
1135 atomic_and_uint_nv.9f := LINKSRC = atomic_and.9f
1136 atomic_and_ulong.9f  := LINKSRC = atomic_and.9f
1137 atomic_and_ulong_nv.9f := LINKSRC = atomic_and.9f
1138 atomic_and_ushort.9f := LINKSRC = atomic_and.9f
1139 atomic_and_ushort_nv.9f := LINKSRC = atomic_and.9f

1141 atomic_clear_long_excl.9f := LINKSRC = atomic_bits.9f
1142 atomic_set_long_excl.9f  := LINKSRC = atomic_bits.9f

1144 atomic_cas_16.9f     := LINKSRC = atomic_cas.9f
1145 atomic_cas_32.9f     := LINKSRC = atomic_cas.9f
1146 atomic_cas_64.9f     := LINKSRC = atomic_cas.9f
1147 atomic_cas_8.9f      := LINKSRC = atomic_cas.9f
1148 atomic_cas_ptr.9f    := LINKSRC = atomic_cas.9f
1149 atomic_cas_uchar.9f  := LINKSRC = atomic_cas.9f
1150 atomic_cas_uint.9f   := LINKSRC = atomic_cas.9f
1151 atomic_cas_ulong.9f  := LINKSRC = atomic_cas.9f
1152 atomic_cas_ushort.9f := LINKSRC = atomic_cas.9f

1154 atomic_dec_16.9f     := LINKSRC = atomic_dec.9f
1155 atomic_dec_16_nv.9f  := LINKSRC = atomic_dec.9f
1156 atomic_dec_32.9f     := LINKSRC = atomic_dec.9f
1157 atomic_dec_32_nv.9f  := LINKSRC = atomic_dec.9f
1158 atomic_dec_64.9f     := LINKSRC = atomic_dec.9f
1159 atomic_dec_64_nv.9f  := LINKSRC = atomic_dec.9f
1160 atomic_dec_8.9f      := LINKSRC = atomic_dec.9f
1161 atomic_dec_8_nv.9f   := LINKSRC = atomic_dec.9f
1162 atomic_dec_ptr.9f    := LINKSRC = atomic_dec.9f
1163 atomic_dec_ptr_nv.9f := LINKSRC = atomic_dec.9f

```

```

1164 atomic_dec_uchar.9f  := LINKSRC = atomic_dec.9f
1165 atomic_dec_uchar_nv.9f := LINKSRC = atomic_dec.9f
1166 atomic_dec_uint.9f   := LINKSRC = atomic_dec.9f
1167 atomic_dec_uint_nv.9f := LINKSRC = atomic_dec.9f
1168 atomic_dec_ulong.9f  := LINKSRC = atomic_dec.9f
1169 atomic_dec_ulong_nv.9f := LINKSRC = atomic_dec.9f
1170 atomic_dec_ushort.9f := LINKSRC = atomic_dec.9f
1171 atomic_dec_ushort_nv.9f := LINKSRC = atomic_dec.9f

1173 atomic_inc_16.9f     := LINKSRC = atomic_inc.9f
1174 atomic_inc_16_nv.9f := LINKSRC = atomic_inc.9f
1175 atomic_inc_32.9f     := LINKSRC = atomic_inc.9f
1176 atomic_inc_32_nv.9f := LINKSRC = atomic_inc.9f
1177 atomic_inc_64.9f     := LINKSRC = atomic_inc.9f
1178 atomic_inc_64_nv.9f  := LINKSRC = atomic_inc.9f
1179 atomic_inc_8.9f      := LINKSRC = atomic_inc.9f
1180 atomic_inc_8_nv.9f   := LINKSRC = atomic_inc.9f
1181 atomic_inc_ptr.9f    := LINKSRC = atomic_inc.9f
1182 atomic_inc_ptr_nv.9f := LINKSRC = atomic_inc.9f
1183 atomic_inc_uchar.9f  := LINKSRC = atomic_inc.9f
1184 atomic_inc_uchar_nv.9f := LINKSRC = atomic_inc.9f
1185 atomic_inc_uint.9f   := LINKSRC = atomic_inc.9f
1186 atomic_inc_uint_nv.9f := LINKSRC = atomic_inc.9f
1187 atomic_inc_ulong.9f  := LINKSRC = atomic_inc.9f
1188 atomic_inc_ulong_nv.9f := LINKSRC = atomic_inc.9f
1189 atomic_inc_ushort.9f := LINKSRC = atomic_inc.9f
1190 atomic_inc_ushort_nv.9f := LINKSRC = atomic_inc.9f

1192 atomic_or_16.9f     := LINKSRC = atomic_or.9f
1193 atomic_or_16_nv.9f  := LINKSRC = atomic_or.9f
1194 atomic_or_32.9f     := LINKSRC = atomic_or.9f
1195 atomic_or_32_nv.9f  := LINKSRC = atomic_or.9f
1196 atomic_or_64.9f     := LINKSRC = atomic_or.9f
1197 atomic_or_64_nv.9f  := LINKSRC = atomic_or.9f
1198 atomic_or_8.9f      := LINKSRC = atomic_or.9f
1199 atomic_or_8_nv.9f   := LINKSRC = atomic_or.9f
1200 atomic_or_uchar.9f   := LINKSRC = atomic_or.9f
1201 atomic_or_uchar_nv.9f := LINKSRC = atomic_or.9f
1202 atomic_or_uint.9f   := LINKSRC = atomic_or.9f
1203 atomic_or_uint_nv.9f := LINKSRC = atomic_or.9f
1204 atomic_or_ulong.9f   := LINKSRC = atomic_or.9f
1205 atomic_or_ulong_nv.9f := LINKSRC = atomic_or.9f
1206 atomic_or_ushort.9f := LINKSRC = atomic_or.9f
1207 atomic_or_ushort_nv.9f := LINKSRC = atomic_or.9f

1209 atomic_swap_16.9f   := LINKSRC = atomic_swap.9f
1210 atomic_swap_32.9f   := LINKSRC = atomic_swap.9f
1211 atomic_swap_64.9f   := LINKSRC = atomic_swap.9f
1212 atomic_swap_8.9f    := LINKSRC = atomic_swap.9f
1213 atomic_swap_ptr.9f  := LINKSRC = atomic_swap.9f
1214 atomic_swap_uchar.9f := LINKSRC = atomic_swap.9f
1215 atomic_swap_uint.9f := LINKSRC = atomic_swap.9f
1216 atomic_swap_ulong.9f := LINKSRC = atomic_swap.9f
1217 atomic_swap_ushort.9f := LINKSRC = atomic_swap.9f

1219 vcmn_err.9f         := LINKSRC = cmn_err.9f
1220 zcmn_err.9f         := LINKSRC = cmn_err.9f

1222 cv_broadcast.9f     := LINKSRC = condvar.9f
1223 cv_destroy.9f       := LINKSRC = condvar.9f
1224 cv_init.9f         := LINKSRC = condvar.9f
1225 cv_reltimedwait.9f := LINKSRC = condvar.9f
1226 cv_reltimedwait_sig.9f := LINKSRC = condvar.9f
1227 cv_signal.9f       := LINKSRC = condvar.9f
1228 cv_timedwait.9f    := LINKSRC = condvar.9f
1229 cv_timedwait_sig.9f := LINKSRC = condvar.9f

```

```

1230 cv_wait.9f                := LINKSRC = condvar.9f
1231 cv_wait_sig.9f           := LINKSRC = condvar.9f

1316 csx_Get16.9f             := LINKSRC = csx_Get8.9f
1317 csx_Get32.9f             := LINKSRC = csx_Get8.9f
1318 csx_Get64.9f             := LINKSRC = csx_Get8.9f

1320 csx_GetNextClient.9f     := LINKSRC = csx_GetFirstClient.9f

1322 csx_GetNextTuple.9f     := LINKSRC = csx_GetFirstTuple.9f

1324 csx_RemoveDeviceNode.9f := LINKSRC = csx_MakeDeviceNode.9f

1326 csx_Parse_CISTPL_DEVICE_A.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1327 csx_Parse_CISTPL_DEVICE_OA.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f
1328 csx_Parse_CISTPL_DEVICE_OC.9f := LINKSRC = csx_Parse_CISTPL_DEVICE.9f

1330 csx_Parse_CISTPL_JEDEC_A.9f := LINKSRC = csx_Parse_CISTPL_JEDEC_C.9f

1332 csx_Parse_CISTPL_LONGLINK_C.9f := LINKSRC = csx_Parse_CISTPL_LONGLINK_A

1334 csx_Put16.9f             := LINKSRC = csx_Put8.9f
1335 csx_Put32.9f             := LINKSRC = csx_Put8.9f
1336 csx_Put64.9f             := LINKSRC = csx_Put8.9f

1338 csx_RepGet16.9f          := LINKSRC = csx_RepGet8.9f
1339 csx_RepGet32.9f          := LINKSRC = csx_RepGet8.9f
1340 csx_RepGet64.9f          := LINKSRC = csx_RepGet8.9f

1342 csx_RepPut16.9f          := LINKSRC = csx_RepPut8.9f
1343 csx_RepPut32.9f          := LINKSRC = csx_RepPut8.9f
1344 csx_RepPut64.9f          := LINKSRC = csx_RepPut8.9f

1346 csx_ReleaseIO.9f        := LINKSRC = csx_RequestIO.9f

1348 csx_ReleaseIRQ.9f       := LINKSRC = csx_RequestIRQ.9f

1350 csx_ReleaseSocketMask.9f := LINKSRC = csx_RequestSocketMask.9f

1352 csx_ReleaseWindow.9f    := LINKSRC = csx_RequestWindow.9f

1354 csx_GetEventMask.9f     := LINKSRC = csx_SetEventMask.9f

1233 ddi_get_iblock_cookie.9f := LINKSRC = ddi_add_intr.9f
1234 ddi_remove_intr.9f      := LINKSRC = ddi_add_intr.9f

1236 ddi_get_soft_iblock_cookie.9f := LINKSRC = ddi_add_softintr.9f
1237 ddi_remove_softintr.9f      := LINKSRC = ddi_add_softintr.9f
1238 ddi_trigger_softintr.9f      := LINKSRC = ddi_add_softintr.9f

1240 ddi_get_name.9f          := LINKSRC = ddi_binding_name.9f

1242 ddi_btopr.9f            := LINKSRC = ddi_btop.9f
1243 ddi_ptob.9f            := LINKSRC = ddi_btop.9f

1245 ddi_cb_unregister.9f    := LINKSRC = ddi_cb_register.9f

1247 ddi_check_dma_handle.9f := LINKSRC = ddi_check_acc_handle.9f

1249 crgetgid.9f            := LINKSRC = ddi_cred.9f
1250 crgetgroups.9f         := LINKSRC = ddi_cred.9f
1251 crgetngroups.9f        := LINKSRC = ddi_cred.9f
1252 crgetrgid.9f           := LINKSRC = ddi_cred.9f
1253 crgetruid.9f           := LINKSRC = ddi_cred.9f
1254 crgetsgid.9f           := LINKSRC = ddi_cred.9f
1255 crgetsuid.9f           := LINKSRC = ddi_cred.9f

```

```

1256 crgetuid.9f            := LINKSRC = ddi_cred.9f
1257 crgetzoneid.9f        := LINKSRC = ddi_cred.9f

1259 ddi_devid_free.9f       := LINKSRC = ddi_devid_compare.9f
1260 ddi_devid_get.9f        := LINKSRC = ddi_devid_compare.9f
1261 ddi_devid_init.9f       := LINKSRC = ddi_devid_compare.9f
1262 ddi_devid_register.9f   := LINKSRC = ddi_devid_compare.9f
1263 ddi_devid_sizeof.9f     := LINKSRC = ddi_devid_compare.9f
1264 ddi_devid_str_decode.9f := LINKSRC = ddi_devid_compare.9f
1265 ddi_devid_str_encode.9f := LINKSRC = ddi_devid_compare.9f
1266 ddi_devid_str_free.9f   := LINKSRC = ddi_devid_compare.9f
1267 ddi_devid_unregister.9f := LINKSRC = ddi_devid_compare.9f
1268 ddi_devid_valid.9f      := LINKSRC = ddi_devid_compare.9f

1270 ddi_dmae_1stparty.9f   := LINKSRC = ddi_dmae.9f
1271 ddi_dmae_alloc.9f      := LINKSRC = ddi_dmae.9f
1272 ddi_dmae_disable.9f    := LINKSRC = ddi_dmae.9f
1273 ddi_dmae_enable.9f     := LINKSRC = ddi_dmae.9f
1274 ddi_dmae_getattr.9f    := LINKSRC = ddi_dmae.9f
1275 ddi_dmae_getcnt.9f     := LINKSRC = ddi_dmae.9f
1276 ddi_dmae_prog.9f      := LINKSRC = ddi_dmae.9f
1277 ddi_dmae_release.9f    := LINKSRC = ddi_dmae.9f
1278 ddi_dmae_stop.9f       := LINKSRC = ddi_dmae.9f

1280 ddi_exit_critical.9f   := LINKSRC = ddi_enter_critical.9f

1282 ddi_fls.9f            := LINKSRC = ddi_ffs.9f

1284 ddi_fm_dma_err_clear.9f := LINKSRC = ddi_fm_acc_err_clear.9f

1286 ddi_fm_dma_err_get.9f  := LINKSRC = ddi_fm_acc_err_get.9f

1288 ddi_fm_handler_unregister.9f := LINKSRC = ddi_fm_handler_register.9f

1290 ddi_fm_capable.9f      := LINKSRC = ddi_fm_init.9f
1291 ddi_fm_fini.9f         := LINKSRC = ddi_fm_init.9f

1293 ddi_get16.9f           := LINKSRC = ddi_get8.9f
1294 ddi_get32.9f           := LINKSRC = ddi_get8.9f
1295 ddi_get64.9f           := LINKSRC = ddi_get8.9f
1296 ddi_getb.9f           := LINKSRC = ddi_get8.9f
1297 ddi_getl.9f           := LINKSRC = ddi_get8.9f
1298 ddi_getll.9f          := LINKSRC = ddi_get8.9f
1299 ddi_getw.9f           := LINKSRC = ddi_get8.9f

1301 ddi_set_driver_private.9f := LINKSRC = ddi_get_driver_private.9f

1303 ddi_get_lbolt64.9f     := LINKSRC = ddi_get_lbolt.9f

1305 ddi_intr_remove_handler.9f := LINKSRC = ddi_intr_add_handler.9f

1307 ddi_intr_get_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1308 ddi_intr_remove_softint.9f := LINKSRC = ddi_intr_add_softint.9f
1309 ddi_intr_set_softint_pri.9f := LINKSRC = ddi_intr_add_softint.9f
1310 ddi_intr_trigger_softint.9f := LINKSRC = ddi_intr_add_softint.9f

1312 ddi_intr_free.9f       := LINKSRC = ddi_intr_alloc.9f

1314 ddi_intr_block_disable.9f := LINKSRC = ddi_intr_enable.9f
1315 ddi_intr_block_enable.9f := LINKSRC = ddi_intr_enable.9f
1316 ddi_intr_disable.9f    := LINKSRC = ddi_intr_enable.9f

1318 ddi_intr_set_cap.9f    := LINKSRC = ddi_intr_get_cap.9f

1320 ddi_intr_get_navail.9f  := LINKSRC = ddi_intr_get_nintrs.9f

```

```

1322 ddi_intr_set_pri.9f      := LINKSRC = ddi_intr_get_pri.9f
1324 ddi_intr_clr_mask.9f    := LINKSRC = ddi_intr_set_mask.9f

1326 ddi_io_get16.9f         := LINKSRC = ddi_io_get8.9f
1327 ddi_io_get32.9f         := LINKSRC = ddi_io_get8.9f
1328 ddi_io_getb.9f          := LINKSRC = ddi_io_get8.9f
1329 ddi_io_getl.9f          := LINKSRC = ddi_io_get8.9f
1330 ddi_io_getw.9f          := LINKSRC = ddi_io_get8.9f

1332 ddi_io_put16.9f         := LINKSRC = ddi_io_put8.9f
1333 ddi_io_put32.9f         := LINKSRC = ddi_io_put8.9f
1334 ddi_io_putb.9f          := LINKSRC = ddi_io_put8.9f
1335 ddi_io_putl.9f          := LINKSRC = ddi_io_put8.9f
1336 ddi_io_putw.9f          := LINKSRC = ddi_io_put8.9f

1338 ddi_io_rep_get16.9f     := LINKSRC = ddi_io_rep_get8.9f
1339 ddi_io_rep_get32.9f     := LINKSRC = ddi_io_rep_get8.9f
1340 ddi_io_rep_getb.9f      := LINKSRC = ddi_io_rep_get8.9f
1341 ddi_io_rep_getl.9f      := LINKSRC = ddi_io_rep_get8.9f
1342 ddi_io_rep_getw.9f      := LINKSRC = ddi_io_rep_get8.9f

1344 ddi_io_rep_put16.9f     := LINKSRC = ddi_io_rep_put8.9f
1345 ddi_io_rep_put32.9f     := LINKSRC = ddi_io_rep_put8.9f
1346 ddi_io_rep_putb.9f      := LINKSRC = ddi_io_rep_put8.9f
1347 ddi_io_rep_putl.9f      := LINKSRC = ddi_io_rep_put8.9f
1348 ddi_io_rep_putw.9f      := LINKSRC = ddi_io_rep_put8.9f

1350 ddi_unmap_regs.9f      := LINKSRC = ddi_map_regs.9f

1352 ddi_mem_get16.9f        := LINKSRC = ddi_mem_get8.9f
1353 ddi_mem_get32.9f        := LINKSRC = ddi_mem_get8.9f
1354 ddi_mem_get64.9f        := LINKSRC = ddi_mem_get8.9f
1355 ddi_mem_getb.9f         := LINKSRC = ddi_mem_get8.9f
1356 ddi_mem_getl.9f         := LINKSRC = ddi_mem_get8.9f
1357 ddi_mem_getll.9f        := LINKSRC = ddi_mem_get8.9f
1358 ddi_mem_getw.9f         := LINKSRC = ddi_mem_get8.9f

1360 ddi_mem_put16.9f        := LINKSRC = ddi_mem_put8.9f
1361 ddi_mem_put32.9f        := LINKSRC = ddi_mem_put8.9f
1362 ddi_mem_put64.9f        := LINKSRC = ddi_mem_put8.9f
1363 ddi_mem_putb.9f         := LINKSRC = ddi_mem_put8.9f
1364 ddi_mem_putl.9f         := LINKSRC = ddi_mem_put8.9f
1365 ddi_mem_putll.9f        := LINKSRC = ddi_mem_put8.9f
1366 ddi_mem_putw.9f         := LINKSRC = ddi_mem_put8.9f

1368 ddi_mem_rep_get16.9f    := LINKSRC = ddi_mem_rep_get8.9f
1369 ddi_mem_rep_get32.9f    := LINKSRC = ddi_mem_rep_get8.9f
1370 ddi_mem_rep_get64.9f    := LINKSRC = ddi_mem_rep_get8.9f
1371 ddi_mem_rep_getb.9f     := LINKSRC = ddi_mem_rep_get8.9f
1372 ddi_mem_rep_getl.9f     := LINKSRC = ddi_mem_rep_get8.9f
1373 ddi_mem_rep_getll.9f    := LINKSRC = ddi_mem_rep_get8.9f
1374 ddi_mem_rep_getw.9f     := LINKSRC = ddi_mem_rep_get8.9f

1376 ddi_mem_rep_put16.9f    := LINKSRC = ddi_mem_rep_put8.9f
1377 ddi_mem_rep_put32.9f    := LINKSRC = ddi_mem_rep_put8.9f
1378 ddi_mem_rep_put64.9f    := LINKSRC = ddi_mem_rep_put8.9f
1379 ddi_mem_rep_putb.9f     := LINKSRC = ddi_mem_rep_put8.9f
1380 ddi_mem_rep_putl.9f     := LINKSRC = ddi_mem_rep_put8.9f
1381 ddi_mem_rep_putll.9f    := LINKSRC = ddi_mem_rep_put8.9f
1382 ddi_mem_rep_putw.9f     := LINKSRC = ddi_mem_rep_put8.9f

1384 ddi_modclose.9f         := LINKSRC = ddi_modopen.9f
1385 ddi_modsym.9f           := LINKSRC = ddi_modopen.9f

1387 ddi_peek16.9f          := LINKSRC = ddi_peek.9f

```

```

1388 ddi_peek32.9f           := LINKSRC = ddi_peek.9f
1389 ddi_peek64.9f           := LINKSRC = ddi_peek.9f
1390 ddi_peek8.9f            := LINKSRC = ddi_peek.9f
1391 ddi_peekc.9f            := LINKSRC = ddi_peek.9f
1392 ddi_peekd.9f            := LINKSRC = ddi_peek.9f
1393 ddi_peekl.9f            := LINKSRC = ddi_peek.9f
1394 ddi_peeks.9f            := LINKSRC = ddi_peek.9f

1396 ddi_poke16.9f           := LINKSRC = ddi_poke.9f
1397 ddi_poke32.9f           := LINKSRC = ddi_poke.9f
1398 ddi_poke64.9f           := LINKSRC = ddi_poke.9f
1399 ddi_poke8.9f            := LINKSRC = ddi_poke.9f
1400 ddi_pokec.9f            := LINKSRC = ddi_poke.9f
1401 ddi_poked.9f            := LINKSRC = ddi_poke.9f
1402 ddi_pokel.9f            := LINKSRC = ddi_poke.9f
1403 ddi_pokes.9f            := LINKSRC = ddi_poke.9f

1405 ddi_prop_modify.9f      := LINKSRC = ddi_prop_create.9f
1406 ddi_prop_remove.9f      := LINKSRC = ddi_prop_create.9f
1407 ddi_prop_remove_all.9f  := LINKSRC = ddi_prop_create.9f
1408 ddi_prop_undefine.9f    := LINKSRC = ddi_prop_create.9f

1410 ddi_prop_get_int64.9f   := LINKSRC = ddi_prop_get_int.9f

1412 ddi_prop_free.9f        := LINKSRC = ddi_prop_lookup.9f
1413 ddi_prop_lookup_byte_array.9f := LINKSRC = ddi_prop_lookup.9f
1414 ddi_prop_lookup_int64_array.9f := LINKSRC = ddi_prop_lookup.9f
1415 ddi_prop_lookup_int_array.9f := LINKSRC = ddi_prop_lookup.9f
1416 ddi_prop_lookup_string.9f := LINKSRC = ddi_prop_lookup.9f
1417 ddi_prop_lookup_string_array.9f := LINKSRC = ddi_prop_lookup.9f

1419 ddi_getlongprop.9f      := LINKSRC = ddi_prop_op.9f
1420 ddi_getlongprop_buf.9f  := LINKSRC = ddi_prop_op.9f
1421 ddi_getprop.9f          := LINKSRC = ddi_prop_op.9f
1422 ddi_getpropflen.9f      := LINKSRC = ddi_prop_op.9f

1424 ddi_prop_update_byte_array.9f := LINKSRC = ddi_prop_update.9f
1425 ddi_prop_update_int.9f     := LINKSRC = ddi_prop_update.9f
1426 ddi_prop_update_int64.9f   := LINKSRC = ddi_prop_update.9f
1427 ddi_prop_update_int64_array.9f := LINKSRC = ddi_prop_update.9f
1428 ddi_prop_update_int_array.9f := LINKSRC = ddi_prop_update.9f
1429 ddi_prop_update_string.9f   := LINKSRC = ddi_prop_update.9f
1430 ddi_prop_update_string_array.9f := LINKSRC = ddi_prop_update.9f

1432 ddi_put16.9f            := LINKSRC = ddi_put8.9f
1433 ddi_put32.9f            := LINKSRC = ddi_put8.9f
1434 ddi_put64.9f            := LINKSRC = ddi_put8.9f
1435 ddi_putb.9f             := LINKSRC = ddi_put8.9f
1436 ddi_putl.9f             := LINKSRC = ddi_put8.9f
1437 ddi_putll.9f            := LINKSRC = ddi_put8.9f
1438 ddi_putw.9f             := LINKSRC = ddi_put8.9f

1440 ddi_rep_get16.9f        := LINKSRC = ddi_rep_get8.9f
1441 ddi_rep_get32.9f        := LINKSRC = ddi_rep_get8.9f
1442 ddi_rep_get64.9f        := LINKSRC = ddi_rep_get8.9f
1443 ddi_rep_getb.9f         := LINKSRC = ddi_rep_get8.9f
1444 ddi_rep_getl.9f         := LINKSRC = ddi_rep_get8.9f
1445 ddi_rep_getll.9f        := LINKSRC = ddi_rep_get8.9f
1446 ddi_rep_getw.9f         := LINKSRC = ddi_rep_get8.9f

1448 ddi_rep_put16.9f        := LINKSRC = ddi_rep_put8.9f
1449 ddi_rep_put32.9f        := LINKSRC = ddi_rep_put8.9f
1450 ddi_rep_put64.9f        := LINKSRC = ddi_rep_put8.9f
1451 ddi_rep_putb.9f         := LINKSRC = ddi_rep_put8.9f
1452 ddi_rep_putl.9f         := LINKSRC = ddi_rep_put8.9f
1453 ddi_rep_putll.9f        := LINKSRC = ddi_rep_put8.9f

```

```

1454 ddi_rep_putw.9f      := LINKSRC = ddi_rep_put8.9f
1456 ddi_segmap_setup.9f := LINKSRC = ddi_segmap.9f
1458 ddi_get_soft_state.9f := LINKSRC = ddi_soft_state.9f
1459 ddi_soft_state_fini.9f := LINKSRC = ddi_soft_state.9f
1460 ddi_soft_state_free.9f := LINKSRC = ddi_soft_state.9f
1461 ddi_soft_state_init.9f := LINKSRC = ddi_soft_state.9f
1462 ddi_soft_state_zalloc.9f := LINKSRC = ddi_soft_state.9f

1464 ddi_strtoull.9f      := LINKSRC = ddi_strtoll.9f
1466 ddi_umem_free.9f    := LINKSRC = ddi_umem_alloc.9f
1468 ddi_umem_unlock.9f  := LINKSRC = ddi_umem_lock.9f
1470 devmap_umem_setup.9f := LINKSRC = devmap_devmem_setup.9f
1472 ddi_devmap_segmap.9f := LINKSRC = devmap_setup.9f
1474 devmap_load.9f      := LINKSRC = devmap_unload.9f

1476 dlerrorack.9f      := LINKSRC = dlbindack.9f
1477 dlokack.9f          := LINKSRC = dlbindack.9f
1478 dlphysaddrack.9f   := LINKSRC = dlbindack.9f
1479 dluderrorind.9f    := LINKSRC = dlbindack.9f

1481 desballoc.9f       := LINKSRC = esballoc.9f
1483 unfreezestr.9f     := LINKSRC = freezestr.9f
1485 free_pktiopb.9f    := LINKSRC = get_pktiopb.9f

1487 gld_intr.9f        := LINKSRC = gld.9f
1488 gld_mac_alloc.9f   := LINKSRC = gld.9f
1489 gld_mac_free.9f    := LINKSRC = gld.9f
1490 gld_recv.9f        := LINKSRC = gld.9f
1491 gld_register.9f    := LINKSRC = gld.9f
1492 gld_sched.9f       := LINKSRC = gld.9f
1493 gld_unregister.9f  := LINKSRC = gld.9f

1495 id32_free.9f       := LINKSRC = id32_alloc.9f
1496 id32_lookup.9f     := LINKSRC = id32_alloc.9f

1498 inl.9f             := LINKSRC = inb.9f
1499 inw.9f             := LINKSRC = inb.9f
1500 repinsb.9f         := LINKSRC = inb.9f
1501 repinsd.9f         := LINKSRC = inb.9f
1502 repinsw.9f         := LINKSRC = inb.9f

1504 kmem_free.9f       := LINKSRC = kmem_alloc.9f
1505 kmem_zalloc.9f     := LINKSRC = kmem_alloc.9f

1507 kmem_cache_alloc.9f := LINKSRC = kmem_cache_create.9f
1508 kmem_cache_destroy.9f := LINKSRC = kmem_cache_create.9f
1509 kmem_cache_free.9f  := LINKSRC = kmem_cache_create.9f
1510 kmem_cache_set_move.9f := LINKSRC = kmem_cache_create.9f

1512 kstat_named_setstr.9f := LINKSRC = kstat_named_init.9f

1514 kstat_runq_back_to_waitq.9f := LINKSRC = kstat_queue.9f
1515 kstat_runq_enter.9f := LINKSRC = kstat_queue.9f
1516 kstat_runq_exit.9f := LINKSRC = kstat_queue.9f
1517 kstat_waitq_enter.9f := LINKSRC = kstat_queue.9f
1518 kstat_waitq_exit.9f := LINKSRC = kstat_queue.9f
1519 kstat_waitq_to_runq.9f := LINKSRC = kstat_queue.9f

```

```

1521 ldi_awrite.9f        := LINKSRC = ldi_aread.9f
1523 ldi_get_devid.9f    := LINKSRC = ldi_get_dev.9f
1524 ldi_get_minor_name.9f := LINKSRC = ldi_get_dev.9f
1525 ldi_get_otyp.9f     := LINKSRC = ldi_get_dev.9f

1527 ldi_ident_from_dip.9f := LINKSRC = ldi_ident_from_dev.9f
1528 ldi_ident_from_stream.9f := LINKSRC = ldi_ident_from_dev.9f
1529 ldi_ident_release.9f := LINKSRC = ldi_ident_from_dev.9f

1531 ldi_close.9f        := LINKSRC = ldi_open_by_dev.9f
1532 ldi_open_by_devid.9f := LINKSRC = ldi_open_by_dev.9f
1533 ldi_open_by_name.9f := LINKSRC = ldi_open_by_dev.9f

1535 ldi_prop_get_int64.9f := LINKSRC = ldi_prop_get_int.9f

1537 ldi_prop_lookup_byte_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f
1538 ldi_prop_lookup_int64_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f
1539 ldi_prop_lookup_string.9f := LINKSRC = ldi_prop_lookup_int_array.9f
1540 ldi_prop_lookup_string_array.9f := LINKSRC = ldi_prop_lookup_int_array.9f

1542 ldi_getmsg.9f       := LINKSRC = ldi_putmsg.9f
1544 ldi_write.9f        := LINKSRC = ldi_read.9f

1546 list_destroy.9f     := LINKSRC = list_create.9f
1547 list_head.9f        := LINKSRC = list_create.9f
1548 list_insert_after.9f := LINKSRC = list_create.9f
1549 list_insert_before.9f := LINKSRC = list_create.9f
1550 list_insert_head.9f := LINKSRC = list_create.9f
1551 list_insert_tail.9f := LINKSRC = list_create.9f
1552 list_is_empty.9f    := LINKSRC = list_create.9f
1553 list_link_active.9f := LINKSRC = list_create.9f
1554 list_link_init.9f   := LINKSRC = list_create.9f
1555 list_link_replace.9f := LINKSRC = list_create.9f
1556 list_move_tail.9f   := LINKSRC = list_create.9f
1557 list_next.9f        := LINKSRC = list_create.9f
1558 list_prev.9f        := LINKSRC = list_create.9f
1559 list_remove.9f      := LINKSRC = list_create.9f
1560 list_remove_head.9f := LINKSRC = list_create.9f
1561 list_remove_tail.9f := LINKSRC = list_create.9f
1562 list_tail.9f        := LINKSRC = list_create.9f

1564 makecom_g0.9f       := LINKSRC = makecom.9f
1565 makecom_g0_s.9f     := LINKSRC = makecom.9f
1566 makecom_gl.9f      := LINKSRC = makecom.9f
1567 makecom_g5.9f      := LINKSRC = makecom.9f

1569 membar_consumer.9f  := LINKSRC = membar_ops.9f
1570 membar_enter.9f    := LINKSRC = membar_ops.9f
1571 membar_exit.9f     := LINKSRC = membar_ops.9f
1572 membar_producer.9f := LINKSRC = membar_ops.9f

1574 memcmp.9f           := LINKSRC = memchr.9f
1575 memcpy.9f          := LINKSRC = memchr.9f
1576 memmove.9f         := LINKSRC = memchr.9f
1577 memset.9f          := LINKSRC = memchr.9f

1579 mod_info.9f         := LINKSRC = mod_install.9f
1580 mod_modname.9f     := LINKSRC = mod_install.9f
1581 mod_remove.9f      := LINKSRC = mod_install.9f

1583 mutex_destroy.9f    := LINKSRC = mutex.9f
1584 mutex_enter.9f     := LINKSRC = mutex.9f
1585 mutex_exit.9f      := LINKSRC = mutex.9f

```

```

1586 mutex_init.9f          := LINKSRC = mutex.9f
1587 mutex_owmed.9f         := LINKSRC = mutex.9f
1588 mutex_tryenter.9f      := LINKSRC = mutex.9f

1590 net_event_notify_unregister.9f := LINKSRC = net_event_notify_register.9f

1592 net_instance_notify_unregister.9f := LINKSRC = net_instance_notify_registe

1594 net_instance_protocol_unregister.9f := LINKSRC = net_protocol_notify_registe

1596 nvlist_add_boolean_array.9f := LINKSRC = nvlist_add_boolean.9f
1597 nvlist_add_boolean_value.9f := LINKSRC = nvlist_add_boolean.9f
1598 nvlist_add_byte.9f        := LINKSRC = nvlist_add_boolean.9f
1599 nvlist_add_byte_array.9f  := LINKSRC = nvlist_add_boolean.9f
1600 nvlist_add_int16.9f       := LINKSRC = nvlist_add_boolean.9f
1601 nvlist_add_int16_array.9f := LINKSRC = nvlist_add_boolean.9f
1602 nvlist_add_int32.9f      := LINKSRC = nvlist_add_boolean.9f
1603 nvlist_add_int32_array.9f := LINKSRC = nvlist_add_boolean.9f
1604 nvlist_add_int64.9f      := LINKSRC = nvlist_add_boolean.9f
1605 nvlist_add_int64_array.9f := LINKSRC = nvlist_add_boolean.9f
1606 nvlist_add_int8.9f       := LINKSRC = nvlist_add_boolean.9f
1607 nvlist_add_int8_array.9f := LINKSRC = nvlist_add_boolean.9f
1608 nvlist_add_nvlist.9f    := LINKSRC = nvlist_add_boolean.9f
1609 nvlist_add_nvlist_array.9f := LINKSRC = nvlist_add_boolean.9f
1610 nvlist_add_nvpair.9f     := LINKSRC = nvlist_add_boolean.9f
1611 nvlist_add_string.9f     := LINKSRC = nvlist_add_boolean.9f
1612 nvlist_add_string_array.9f := LINKSRC = nvlist_add_boolean.9f
1613 nvlist_add_uint16.9f     := LINKSRC = nvlist_add_boolean.9f
1614 nvlist_add_uint16_array.9f := LINKSRC = nvlist_add_boolean.9f
1615 nvlist_add_uint32.9f     := LINKSRC = nvlist_add_boolean.9f
1616 nvlist_add_uint32_array.9f := LINKSRC = nvlist_add_boolean.9f
1617 nvlist_add_uint64.9f     := LINKSRC = nvlist_add_boolean.9f
1618 nvlist_add_uint64_array.9f := LINKSRC = nvlist_add_boolean.9f
1619 nvlist_add_uint8.9f      := LINKSRC = nvlist_add_boolean.9f
1620 nvlist_add_uint8_array.9f := LINKSRC = nvlist_add_boolean.9f
1621 nvlist_t.9f             := LINKSRC = nvlist_add_boolean.9f

1623 nv_alloc_fini.9f        := LINKSRC = nvlist_alloc.9f
1624 nv_alloc_init.9f      := LINKSRC = nvlist_alloc.9f
1625 nvlist_dup.9f         := LINKSRC = nvlist_alloc.9f
1626 nvlist_free.9f       := LINKSRC = nvlist_alloc.9f
1627 nvlist_merge.9f     := LINKSRC = nvlist_alloc.9f
1628 nvlist_pack.9f      := LINKSRC = nvlist_alloc.9f
1629 nvlist_size.9f       := LINKSRC = nvlist_alloc.9f
1630 nvlist_unpack.9f    := LINKSRC = nvlist_alloc.9f
1631 nvlist_xalloc.9f     := LINKSRC = nvlist_alloc.9f
1632 nvlist_xdup.9f      := LINKSRC = nvlist_alloc.9f
1633 nvlist_xpack.9f     := LINKSRC = nvlist_alloc.9f
1634 nvlist_xunpack.9f   := LINKSRC = nvlist_alloc.9f

1636 nvlist_lookup_boolean_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1637 nvlist_lookup_boolean_value.9f := LINKSRC = nvlist_lookup_boolean.9f
1638 nvlist_lookup_byte.9f        := LINKSRC = nvlist_lookup_boolean.9f
1639 nvlist_lookup_byte_array.9f  := LINKSRC = nvlist_lookup_boolean.9f
1640 nvlist_lookup_int16.9f       := LINKSRC = nvlist_lookup_boolean.9f
1641 nvlist_lookup_int16_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1642 nvlist_lookup_int32.9f      := LINKSRC = nvlist_lookup_boolean.9f
1643 nvlist_lookup_int32_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1644 nvlist_lookup_int64.9f      := LINKSRC = nvlist_lookup_boolean.9f
1645 nvlist_lookup_int64_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1646 nvlist_lookup_int8.9f       := LINKSRC = nvlist_lookup_boolean.9f
1647 nvlist_lookup_int8_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1648 nvlist_lookup_nvlist.9f     := LINKSRC = nvlist_lookup_boolean.9f
1649 nvlist_lookup_nvlist_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1650 nvlist_lookup_pairs.9f      := LINKSRC = nvlist_lookup_boolean.9f
1651 nvlist_lookup_string.9f     := LINKSRC = nvlist_lookup_boolean.9f

```

```

1652 nvlist_lookup_string_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1653 nvlist_lookup_uint16.9f       := LINKSRC = nvlist_lookup_boolean.9f
1654 nvlist_lookup_uint16_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1655 nvlist_lookup_uint32.9f      := LINKSRC = nvlist_lookup_boolean.9f
1656 nvlist_lookup_uint32_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1657 nvlist_lookup_uint64.9f      := LINKSRC = nvlist_lookup_boolean.9f
1658 nvlist_lookup_uint64_array.9f := LINKSRC = nvlist_lookup_boolean.9f
1659 nvlist_lookup_uint8.9f       := LINKSRC = nvlist_lookup_boolean.9f
1660 nvlist_lookup_uint8_array.9f := LINKSRC = nvlist_lookup_boolean.9f

1662 nvlist_exists.9f          := LINKSRC = nvlist_lookup_nvpair.9f

1664 nvpair_name.9f           := LINKSRC = nvlist_next_nvpair.9f
1665 nvpair_type.9f          := LINKSRC = nvlist_next_nvpair.9f

1667 nvlist_remove_all.9f    := LINKSRC = nvlist_remove.9f

1669 nvpair_value_boolean_array.9f := LINKSRC = nvpair_value_byte.9f
1670 nvpair_value_byte_array.9f   := LINKSRC = nvpair_value_byte.9f
1671 nvpair_value_int16.9f        := LINKSRC = nvpair_value_byte.9f
1672 nvpair_value_int16_array.9f := LINKSRC = nvpair_value_byte.9f
1673 nvpair_value_int32.9f       := LINKSRC = nvpair_value_byte.9f
1674 nvpair_value_int32_array.9f := LINKSRC = nvpair_value_byte.9f
1675 nvpair_value_int64.9f       := LINKSRC = nvpair_value_byte.9f
1676 nvpair_value_int64_array.9f := LINKSRC = nvpair_value_byte.9f
1677 nvpair_value_int8.9f        := LINKSRC = nvpair_value_byte.9f
1678 nvpair_value_int8_array.9f   := LINKSRC = nvpair_value_byte.9f
1679 nvpair_value_nvlist.9f      := LINKSRC = nvpair_value_byte.9f
1680 nvpair_value_nvlist_array.9f := LINKSRC = nvpair_value_byte.9f
1681 nvpair_value_string.9f      := LINKSRC = nvpair_value_byte.9f
1682 nvpair_value_string_array.9f := LINKSRC = nvpair_value_byte.9f
1683 nvpair_value_uint16.9f      := LINKSRC = nvpair_value_byte.9f
1684 nvpair_value_uint16_array.9f := LINKSRC = nvpair_value_byte.9f
1685 nvpair_value_uint32.9f      := LINKSRC = nvpair_value_byte.9f
1686 nvpair_value_uint32_array.9f := LINKSRC = nvpair_value_byte.9f
1687 nvpair_value_uint64.9f      := LINKSRC = nvpair_value_byte.9f
1688 nvpair_value_uint64_array.9f := LINKSRC = nvpair_value_byte.9f
1689 nvpair_value_uint8.9f       := LINKSRC = nvpair_value_byte.9f
1690 nvpair_value_uint8_array.9f := LINKSRC = nvpair_value_byte.9f

1692 outl.9f                  := LINKSRC = outb.9f
1693 outw.9f                  := LINKSRC = outb.9f
1694 repoutsb.9f              := LINKSRC = outb.9f
1695 repoutsd.9f              := LINKSRC = outb.9f
1696 repoutsw.9f             := LINKSRC = outb.9f

1698 pci_config_getl6.9f       := LINKSRC = pci_config_get8.9f
1699 pci_config_get32.9f      := LINKSRC = pci_config_get8.9f
1700 pci_config_get64.9f      := LINKSRC = pci_config_get8.9f
1701 pci_config_getb.9f       := LINKSRC = pci_config_get8.9f
1702 pci_config_getl.9f      := LINKSRC = pci_config_get8.9f
1703 pci_config_getll.9f     := LINKSRC = pci_config_get8.9f
1704 pci_config_getw.9f       := LINKSRC = pci_config_get8.9f
1705 pci_config_put16.9f     := LINKSRC = pci_config_get8.9f
1706 pci_config_put32.9f    := LINKSRC = pci_config_get8.9f
1707 pci_config_put64.9f    := LINKSRC = pci_config_get8.9f
1708 pci_config_put8.9f      := LINKSRC = pci_config_get8.9f
1709 pci_config_putb.9f      := LINKSRC = pci_config_get8.9f
1710 pci_config_putl.9f      := LINKSRC = pci_config_get8.9f
1711 pci_config_putll.9f     := LINKSRC = pci_config_get8.9f
1712 pci_config_putw.9f      := LINKSRC = pci_config_get8.9f

1714 pci_config_teardown.9f   := LINKSRC = pci_config_setup.9f

1716 pci_ereport_post.9f     := LINKSRC = pci_ereport_setup.9f
1717 pci_ereport_teardown.9f := LINKSRC = pci_ereport_setup.9f

```



```

1719 pci_restore_config_regs.9f      := LINKSRC = pci_save_config_regs.9f
1721 minphys.9f                      := LINKSRC = physio.9f
1723 pm_idle_component.9f            := LINKSRC = pm_busy_component.9f
1725 pm_lower_power.9f              := LINKSRC = pm_raise_power.9f
1727 priv_policy_choice.9f          := LINKSRC = priv_policy.9f
1728 priv_policy_only.9f            := LINKSRC = priv_policy.9f
1730 proc_ref.9f                     := LINKSRC = proc_signal.9f
1731 proc_unref.9f                  := LINKSRC = proc_signal.9f
1733 qprocsoff.9f                   := LINKSRC = qprocson.9f
1735 qwait_sig.9f                    := LINKSRC = qwait.9f
1737 rmallocmap_wait.9f             := LINKSRC = rmallocmap.9f
1738 rmfreemap.9f                   := LINKSRC = rmallocmap.9f
1740 rw_destroy.9f                   := LINKSRC = rwlock.9f
1741 rw_downgrade.9f                 := LINKSRC = rwlock.9f
1742 rw_enter.9f                     := LINKSRC = rwlock.9f
1743 rw_exit.9f                      := LINKSRC = rwlock.9f
1744 rw_init.9f                      := LINKSRC = rwlock.9f
1745 rw_read_locked.9f              := LINKSRC = rwlock.9f
1746 rw_tryenter.9f                 := LINKSRC = rwlock.9f
1747 rw_tryupgrade.9f               := LINKSRC = rwlock.9f
1749 scsi_dname.9f                   := LINKSRC = scsi_cname.9f
1750 scsi_mname.9f                   := LINKSRC = scsi_cname.9f
1751 scsi_rname.9f                   := LINKSRC = scsi_cname.9f
1752 scsi_sname.9f                   := LINKSRC = scsi_cname.9f
1754 scsi_dmafree.9f                := LINKSRC = scsi_dmaget.9f
1756 scsi_sense_cmdspecific_uint64.9f := LINKSRC = scsi_ext_sense_fields.9f
1757 scsi_sense_info_uint64.9f      := LINKSRC = scsi_ext_sense_fields.9f
1759 scsi_hba_detach.9f             := LINKSRC = scsi_hba_attach_setup.9f
1761 scsi_hba_fini.9f                := LINKSRC = scsi_hba_init.9f
1763 scsi_hba_pkt_free.9f            := LINKSRC = scsi_hba_pkt_alloc.9f
1765 scsi_hba_tran_free.9f          := LINKSRC = scsi_hba_tran_alloc.9f
1767 scsi_ifsetcap.9f               := LINKSRC = scsi_ifgetcap.9f
1769 scsi_pktfree.9f                 := LINKSRC = scsi_pktalloc.9f
1770 scsi_realloc.9f                 := LINKSRC = scsi_pktalloc.9f
1771 scsi_resfree.9f                 := LINKSRC = scsi_pktalloc.9f
1773 scsi_sense_asc.9f               := LINKSRC = scsi_sense_key.9f
1774 scsi_sense_ascq.9f             := LINKSRC = scsi_sense_key.9f
1776 scsi_unslave.9f                := LINKSRC = scsi_unprobe.9f
1778 sema_destroy.9f                 := LINKSRC = semaphore.9f
1779 sema_init.9f                    := LINKSRC = semaphore.9f
1780 sema_p.9f                       := LINKSRC = semaphore.9f
1781 sema_p_sig.9f                   := LINKSRC = semaphore.9f
1782 sema_try.9f                     := LINKSRC = semaphore.9f
1783 sema_v.9f                       := LINKSRC = semaphore.9f

```

```

1785 numtos.9f                       := LINKSRC = stoi.9f
1787 ddi_strdup.9f                    := LINKSRC = string.9f
1788 strcascmp.9f                     := LINKSRC = string.9f
1789 strchr.9f                        := LINKSRC = string.9f
1790 strcmp.9f                         := LINKSRC = string.9f
1791 strcpy.9f                         := LINKSRC = string.9f
1792 strdup.9f                        := LINKSRC = string.9f
1793 strfree.9f                        := LINKSRC = string.9f
1794 strlcat.9f                        := LINKSRC = string.9f
1795 strlcpy.9f                        := LINKSRC = string.9f
1796 strlen.9f                         := LINKSRC = string.9f
1797 strncasecmp.9f                   := LINKSRC = string.9f
1798 strncat.9f                       := LINKSRC = string.9f
1799 strncmp.9f                       := LINKSRC = string.9f
1800 strncpy.9f                       := LINKSRC = string.9f
1801 strnlen.9f                       := LINKSRC = string.9f
1802 strrchr.9f                       := LINKSRC = string.9f
1803 strspn.9f                         := LINKSRC = string.9f
1805 ddi_taskq_create.9f              := LINKSRC = taskq.9f
1806 ddi_taskq_destroy.9f             := LINKSRC = taskq.9f
1807 ddi_taskq_dispatch.9f            := LINKSRC = taskq.9f
1808 ddi_taskq_resume.9f              := LINKSRC = taskq.9f
1809 ddi_taskq_suspend.9f             := LINKSRC = taskq.9f
1810 ddi_taskq_wait.9f                := LINKSRC = taskq.9f
1811 taskq_suspended.9f              := LINKSRC = taskq.9f
1813 uconv_ul6tou8.9f                 := LINKSRC = uconv_ul6tou32.9f
1814 uconv_u32tou16.9f                := LINKSRC = uconv_ul6tou32.9f
1815 uconv_u32tou8.9f                 := LINKSRC = uconv_ul6tou32.9f
1816 uconv_u8tou16.9f                := LINKSRC = uconv_ul6tou32.9f
1817 uconv_u8tou32.9f                := LINKSRC = uconv_ul6tou32.9f
1819 usb_alloc_bulk_req.9f            := LINKSRC = usb_alloc_request.9f
1820 usb_alloc_ctrl_req.9f            := LINKSRC = usb_alloc_request.9f
1821 usb_alloc_intr_req.9f            := LINKSRC = usb_alloc_request.9f
1822 usb_alloc_isoc_req.9f           := LINKSRC = usb_alloc_request.9f
1823 usb_free_bulk_req.9f             := LINKSRC = usb_alloc_request.9f
1824 usb_free_ctrl_req.9f             := LINKSRC = usb_alloc_request.9f
1825 usb_free_intr_req.9f            := LINKSRC = usb_alloc_request.9f
1826 usb_free_isoc_req.9f            := LINKSRC = usb_alloc_request.9f
1827 usb_client_detach.9f             := LINKSRC = usb_client_attach.9f
1829 usb_get_if_number.9f             := LINKSRC = usb_get_alt_if.9f
1830 usb_owns_device.9f               := LINKSRC = usb_get_alt_if.9f
1831 usb_set_alt_if.9f                := LINKSRC = usb_get_alt_if.9f
1833 usb_set_cfg.9f                   := LINKSRC = usb_get_cfg.9f
1835 usb_free_descr_tree.9f           := LINKSRC = usb_get_dev_data.9f
1836 usb_free_dev_data.9f            := LINKSRC = usb_get_dev_data.9f
1837 usb_print_descr_tree.9f          := LINKSRC = usb_get_dev_data.9f
1839 usb_pipe_ctrl_xfer_wait.9f       := LINKSRC = usb_pipe_ctrl_xfer.9f
1840 usb_pipe_stop_intr_polling.9f    := LINKSRC = usb_pipe_intr_xfer.9f
1841 usb_pipe_stop_isoc_polling.9f    := LINKSRC = usb_pipe_isoc_xfer.9f
1843 usb_pipe_get_private.9f          := LINKSRC = usb_pipe_set_private.9f
1845 usb_unregister_hotplug_cbs.9f   := LINKSRC = usb_register_hotplug_cbs.9f
1847 va_copy.9f                      := LINKSRC = va_arg.9f
1848 va_end.9f                       := LINKSRC = va_arg.9f
1849 va_start.9f                     := LINKSRC = va_arg.9f

```

**new/usr/src/man/man9f/Makefile**

**31**

1851 .KEEP\_STATE:

1853 include \$(SRC)/man/Makefile.man

1855 install: \$(ROOTMANFILES) \$(ROOTMANLINKS)

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

1

\*\*\*\*\*

12084 Sat Aug 9 23:41:50 2014

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
```

```
18 file path=usr/share/man/man1m/6to4relay.1m
19 file path=usr/share/man/man1m/Intro.1m
20 file path=usr/share/man/man1m/acctadm.1m
21 file path=usr/share/man/man1m/add_drv.1m
22 file path=usr/share/man/man1m/addbadsec.1m
23 file path=usr/share/man/man1m/arp.1m
24 file path=usr/share/man/man1m/audit.1m
25 file path=usr/share/man/man1m/audit_warn.1m
26 file path=usr/share/man/man1m/auditconfig.1m
27 file path=usr/share/man/man1m/auditd.1m
28 file path=usr/share/man/man1m/auditrecord.1m
29 file path=usr/share/man/man1m/auditreduce.1m
30 file path=usr/share/man/man1m/auditstat.1m
31 file path=usr/share/man/man1m/autopush.1m
32 file path=usr/share/man/man1m/bootadm.1m
33 file path=usr/share/man/man1m/busstat.1m
34 file path=usr/share/man/man1m/cachebsd.1m
35 file path=usr/share/man/man1m/cacheofslog.1m
36 file path=usr/share/man/man1m/cacheofspack.1m
37 file path=usr/share/man/man1m/cacheofsstat.1m
38 file path=usr/share/man/man1m/cacheofswsize.1m
39 file path=usr/share/man/man1m/captoinfo.1m
40 file path=usr/share/man/man1m/cfgadm.1m
41 file path=usr/share/man/man1m/cfgadm_ac.1m
42 file path=usr/share/man/man1m/cfgadm_cardbus.1m
43 file path=usr/share/man/man1m/cfgadm_fp.1m
44 file path=usr/share/man/man1m/cfgadm_ib.1m
45 file path=usr/share/man/man1m/cfgadm_pci.1m
46 file path=usr/share/man/man1m/cfgadm_sata.1m
47 file path=usr/share/man/man1m/cfgadm_sbd.1m
48 file path=usr/share/man/man1m/cfgadm_scsi.1m
49 file path=usr/share/man/man1m/cfgadm_sysctrl.1m
50 file path=usr/share/man/man1m/cfsadmin.1m
51 file path=usr/share/man/man1m/chroot.1m
52 file path=usr/share/man/man1m/clear_locks.1m
53 file path=usr/share/man/man1m/clinfo.1m
54 file path=usr/share/man/man1m/clri.1m
55 file path=usr/share/man/man1m/consadm.1m
56 file path=usr/share/man/man1m/coreadm.1m
57 file path=usr/share/man/man1m/cron.1m
```

new/usr/src/pkg/manifests/SUNWcs.man1m.inc

2

```
58 file path=usr/share/man/man1m/cryptoadm.1m
59 file path=usr/share/man/man1m/dd.1m
60 file path=usr/share/man/man1m/devattr.1m
61 file path=usr/share/man/man1m/devfree.1m
62 file path=usr/share/man/man1m/devfsadm.1m
63 file path=usr/share/man/man1m/devinfo.1m
64 file path=usr/share/man/man1m/devlinks.1m
65 file path=usr/share/man/man1m/devnm.1m
66 file path=usr/share/man/man1m/devprop.1m
67 file path=usr/share/man/man1m/devreserv.1m
68 file path=usr/share/man/man1m/df.1m
69 file path=usr/share/man/man1m/df_ufs.1m
70 file path=usr/share/man/man1m/dfmounts.1m
71 file path=usr/share/man/man1m/dfmounts_nfs.1m
72 file path=usr/share/man/man1m/dfshares.1m
73 file path=usr/share/man/man1m/dfshares_nfs.1m
74 file path=usr/share/man/man1m/dhcpagent.1m
75 file path=usr/share/man/man1m/disks.1m
76 file path=usr/share/man/man1m/diskscan.1m
77 file path=usr/share/man/man1m/dispadm.1m
78 file path=usr/share/man/man1m/dlmgmt.1m
79 file path=usr/share/man/man1m/dminfo.1m
80 file path=usr/share/man/man1m/domainname.1m
81 file path=usr/share/man/man1m/drvcfg.1m
82 file path=usr/share/man/man1m/dumpadm.1m
83 file path=usr/share/man/man1m/edquota.1m
84 file path=usr/share/man/man1m/EEPROM.1m
85 file path=usr/share/man/man1m/embedded_su.1m
86 file path=usr/share/man/man1m/fdetach.1m
87 file path=usr/share/man/man1m/fdisk.1m
88 file path=usr/share/man/man1m/ff.1m
89 file path=usr/share/man/man1m/ff_ufs.1m
90 file path=usr/share/man/man1m/fiocompress.1m
91 file path=usr/share/man/man1m/fmthard.1m
92 file path=usr/share/man/man1m/format.1m
93 file path=usr/share/man/man1m/fsck.1m
94 file path=usr/share/man/man1m/fsck_cache.1m
95 file path=usr/share/man/man1m/fsck_ufs.1m
96 file path=usr/share/man/man1m/fsdb.1m
97 file path=usr/share/man/man1m/fsdb_ufs.1m
98 file path=usr/share/man/man1m/fsirand.1m
99 file path=usr/share/man/man1m/fssnap.1m
100 file path=usr/share/man/man1m/fssnap_ufs.1m
101 file path=usr/share/man/man1m/fsstat.1m
102 file path=usr/share/man/man1m/fstyp.1m
103 file path=usr/share/man/man1m/fuser.1m
104 file path=usr/share/man/man1m/getdev.1m
105 file path=usr/share/man/man1m/getdevpolicy.1m
106 file path=usr/share/man/man1m/getdgrp.1m
107 file path=usr/share/man/man1m/getent.1m
108 file path=usr/share/man/man1m/getty.1m
109 file path=usr/share/man/man1m/getvol.1m
110 file path=usr/share/man/man1m/groupadd.1m
111 file path=usr/share/man/man1m/groupdel.1m
112 file path=usr/share/man/man1m/groupmod.1m
113 file path=usr/share/man/man1m/halt.1m
114 file path=usr/share/man/man1m/hostconfig.1m
115 file path=usr/share/man/man1m/id.1m
116 file path=usr/share/man/man1m/idmap.1m
117 file path=usr/share/man/man1m/idmapd.1m
118 file path=usr/share/man/man1m/ifmpadm.1m
119 file path=usr/share/man/man1m/ifconfig.1m
120 file path=usr/share/man/man1m/ifparse.1m
121 file path=usr/share/man/man1m/ikeadm.1m
122 file path=usr/share/man/man1m/ikecert.1m
123 file path=usr/share/man/man1m/in.iked.1m
```

124 file path=usr/share/man/man1m/in.mpathd.1m  
 125 file path=usr/share/man/man1m/inetadm.1m  
 126 file path=usr/share/man/man1m/inetconv.1m  
 127 file path=usr/share/man/man1m/inetd.1m  
 128 file path=usr/share/man/man1m/infocmp.1m  
 129 file path=usr/share/man/man1m/init.1m  
 130 file path=usr/share/man/man1m/install.1m  
 131 file path=usr/share/man/man1m/installgrub.1m  
 132 file path=usr/share/man/man1m/intrd.1m  
 133 file path=usr/share/man/man1m/iostat.1m  
 134 file path=usr/share/man/man1m/ipaddrsel.1m  
 135 file path=usr/share/man/man1m/impstat.1m  
 136 file path=usr/share/man/man1m/ipsecalgs.1m  
 137 file path=usr/share/man/man1m/ipsecconf.1m  
 138 file path=usr/share/man/man1m/ipseckey.1m  
 139 file path=usr/share/man/man1m/keyserv.1m  
 140 file path=usr/share/man/man1m/killall.1m  
 141 file path=usr/share/man/man1m/kssicfg.1m  
 142 file path=usr/share/man/man1m/labelit.1m  
 143 file path=usr/share/man/man1m/labelit\_hsf.1m  
 144 file path=usr/share/man/man1m/labelit\_ufs.1m  
 145 file path=usr/share/man/man1m/link.1m  
 146 file path=usr/share/man/man1m/listdgrp.1m  
 147 file path=usr/share/man/man1m/listen.1m  
 148 file path=usr/share/man/man1m/locator.1m  
 149 file path=usr/share/man/man1m/lockfs.1m  
 150 file path=usr/share/man/man1m/lofiadm.1m  
 151 file path=usr/share/man/man1m/logadm.1m  
 152 file path=usr/share/man/man1m/logins.1m  
 153 file path=usr/share/man/man1m/mail.local.1m  
 154 file path=usr/share/man/man1m/makedbm.1m  
 155 file path=usr/share/man/man1m/mkdevalloc.1m  
 156 file path=usr/share/man/man1m/mkdevmaps.1m  
 157 file path=usr/share/man/man1m/mkfile.1m  
 158 file path=usr/share/man/man1m/mkfs.1m  
 159 file path=usr/share/man/man1m/mkfs\_ufs.1m  
 160 file path=usr/share/man/man1m/mknod.1m  
 161 file path=usr/share/man/man1m/mkpwdict.1m  
 162 file path=usr/share/man/man1m/modinfo.1m  
 163 file path=usr/share/man/man1m/modload.1m  
 164 file path=usr/share/man/man1m/modunload.1m  
 165 file path=usr/share/man/man1m/mount.1m  
 166 file path=usr/share/man/man1m/mount\_cachefs.1m  
 167 file path=usr/share/man/man1m/mount\_hsf.1m  
 168 file path=usr/share/man/man1m/mount\_tmpfs.1m  
 169 file path=usr/share/man/man1m/mount\_ufs.1m  
 170 file path=usr/share/man/man1m/mountall.1m  
 171 file path=usr/share/man/man1m/mpstat.1m  
 172 file path=usr/share/man/man1m/msgid.1m  
 173 file path=usr/share/man/man1m/mvdir.1m  
 174 file path=usr/share/man/man1m/ncheck.1m  
 175 file path=usr/share/man/man1m/ncheck\_ufs.1m  
 176 file path=usr/share/man/man1m/ndd.1m  
 177 file path=usr/share/man/man1m/netstat.1m  
 178 file path=usr/share/man/man1m/netstrategy.1m  
 179 file path=usr/share/man/man1m/newfs.1m  
 180 file path=usr/share/man/man1m/nlsadmin.1m  
 181 file path=usr/share/man/man1m/nscd.1m  
 182 file path=usr/share/man/man1m/nwamd.1m  
 183 file path=usr/share/man/man1m/passmgmt.1m  
 184 file path=usr/share/man/man1m/pbind.1m  
 185 file path=usr/share/man/man1m/pmadm.1m  
 186 file path=usr/share/man/man1m/ports.1m  
 187 file path=usr/share/man/man1m/praudit.1m  
 188 file path=usr/share/man/man1m/prstat.1m  
 189 file path=usr/share/man/man1m/prtconf.1m

190 file path=usr/share/man/man1m/prtdiag.1m  
 191 file path=usr/share/man/man1m/prvtoc.1m  
 192 file path=usr/share/man/man1m/psradm.1m  
 193 file path=usr/share/man/man1m/psrinfo.1m  
 194 file path=usr/share/man/man1m/psrset.1m  
 195 file path=usr/share/man/man1m/putdev.1m  
 196 file path=usr/share/man/man1m/putdgrp.1m  
 197 file path=usr/share/man/man1m/pwck.1m  
 198 file path=usr/share/man/man1m/pwconv.1m  
 199 file path=usr/share/man/man1m/quot.1m  
 200 file path=usr/share/man/man1m/quota.1m  
 201 file path=usr/share/man/man1m/quotacheck.1m  
 202 file path=usr/share/man/man1m/quotaon.1m  
 203 file path=usr/share/man/man1m/raidctl.1m  
 204 file path=usr/share/man/man1m/ramdiskadm.1m  
 205 file path=usr/share/man/man1m/rctladm.1m  
 206 file path=usr/share/man/man1m/reboot.1m  
 207 file path=usr/share/man/man1m/rem\_drv.1m  
 208 file path=usr/share/man/man1m/repquota.1m  
 209 file path=usr/share/man/man1m/roleadd.1m  
 210 file path=usr/share/man/man1m/roledel.1m  
 211 file path=usr/share/man/man1m/rolemod.1m  
 212 file path=usr/share/man/man1m/root\_archive.1m  
 213 file path=usr/share/man/man1m/route.1m  
 214 file path=usr/share/man/man1m/routeadm.1m  
 215 file path=usr/share/man/man1m/rpcbind.1m  
 216 file path=usr/share/man/man1m/rpcinfo.1m  
 217 file path=usr/share/man/man1m/rtc.1m  
 218 file path=usr/share/man/man1m/sac.1m  
 219 file path=usr/share/man/man1m/sacadm.1m  
 220 file path=usr/share/man/man1m/saf.1m  
 221 file path=usr/share/man/man1m/savecore.1m  
 222 file path=usr/share/man/man1m/setuname.1m  
 223 file path=usr/share/man/man1m/share.1m  
 224 file path=usr/share/man/man1m/share\_nfs.1m  
 225 file path=usr/share/man/man1m/shareall.1m  
 226 file path=usr/share/man/man1m/sharectl.1m  
 227 file path=usr/share/man/man1m/sharemgr.1m  
 228 file path=usr/share/man/man1m/shutdown.1m  
 229 file path=usr/share/man/man1m/smbios.1m  
 230 file path=usr/share/man/man1m/soconfig.1m  
 231 file path=usr/share/man/man1m/stmsboot.1m  
 232 file path=usr/share/man/man1m/strace.1m  
 233 file path=usr/share/man/man1m/strclean.1m  
 234 file path=usr/share/man/man1m/strerr.1m  
 235 file path=usr/share/man/man1m/sttydefs.1m  
 236 file path=usr/share/man/man1m/su.1m  
 237 file path=usr/share/man/man1m/sulogin.1m  
 238 file path=usr/share/man/man1m/svc.configd.1m  
 239 file path=usr/share/man/man1m/svc.ipfd.1m  
 240 file path=usr/share/man/man1m/svc.startd.1m  
 241 file path=usr/share/man/man1m/svcadm.1m  
 242 file path=usr/share/man/man1m/svccfg.1m  
 243 file path=usr/share/man/man1m/swap.1m  
 244 file path=usr/share/man/man1m/sync.1m  
 245 file path=usr/share/man/man1m/syncinit.1m  
 246 file path=usr/share/man/man1m/syncloop.1m  
 247 file path=usr/share/man/man1m/syncstat.1m  
 248 file path=usr/share/man/man1m/sysdef.1m  
 249 file path=usr/share/man/man1m/syseventadm.1m  
 250 file path=usr/share/man/man1m/syseventconfd.1m  
 251 file path=usr/share/man/man1m/syseventd.1m  
 252 file path=usr/share/man/man1m/syslogd.1m  
 253 file path=usr/share/man/man1m/tapes.1m  
 254 file path=usr/share/man/man1m/tic.1m  
 255 file path=usr/share/man/man1m/tpmadm.1m

256 file path=usr/share/man/man1m/traceroute.1m  
257 file path=usr/share/man/man1m/trapstat.1m  
258 file path=usr/share/man/man1m/ttyadm.1m  
259 file path=usr/share/man/man1m/ttymon.1m  
260 file path=usr/share/man/man1m/tunefs.1m  
261 file path=usr/share/man/man1m/tzselect.1m  
262 file path=usr/share/man/man1m/uadmin.1m  
263 file path=usr/share/man/man1m/ucodeadm.1m  
264 file path=usr/share/man/man1m/ufsdump.1m  
265 file path=usr/share/man/man1m/ufsrestore.1m  
266 file path=usr/share/man/man1m/unshare.1m  
267 file path=usr/share/man/man1m/unshare\_nfs.1m  
268 file path=usr/share/man/man1m/update\_drv.1m  
269 file path=usr/share/man/man1m/useradd.1m  
270 file path=usr/share/man/man1m/userdel.1m  
271 file path=usr/share/man/man1m/usermod.1m  
272 file path=usr/share/man/man1m/utmpd.1m  
273 file path=usr/share/man/man1m/vmstat.1m  
274 file path=usr/share/man/man1m/volcopy.1m  
275 file path=usr/share/man/man1m/volcopy\_ufs.1m  
276 file path=usr/share/man/man1m/wall.1m  
277 file path=usr/share/man/man1m/whoDo.1m  
278 file path=usr/share/man/man1m/wracct.1m  
279 file path=usr/share/man/man1m/wusbadm.1m  
280 file path=usr/share/man/man1m/zdump.1m  
281 file path=usr/share/man/man1m/zic.1m  
282 link path=usr/share/man/man1m/dcopy.1m target=clri.1m  
283 link path=usr/share/man/man1m/devfsadm.1m target=devfsadm.1m  
284 link path=usr/share/man/man1m/grpck.1m target=pwck.1m  
285 link path=usr/share/man/man1m/intro.1m target=intro.1m  
286 link path=usr/share/man/man1m/poweroff.1m target=halt.1m  
287 link path=usr/share/man/man1m/quotaoff.1m target=quotaon.1m  
288 link path=usr/share/man/man1m/telinit.1m target=init.1m  
289 link path=usr/share/man/man1m/umount.1m target=mount.1m  
290 link path=usr/share/man/man1m/umountall.1m target=mountall.1m  
291 link path=usr/share/man/man1m/unlink.1m target=link.1m  
292 link path=usr/share/man/man1m/unshareall.1m target=shareall.1m

new/usr/src/pkg/manifests/SUNWpcmci.mf

1

\*\*\*\*\*

1058 Sat Aug 9 23:41:50 2014

new/usr/src/pkg/manifests/SUNWpcmci.mf

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

1 #

2 # CDDL HEADER START

3 #

4 # The contents of this file are subject to the terms of the

5 # Common Development and Distribution License (the "License").

6 # You may not use this file except in compliance with the License.

7 #

8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE

9 # or <http://www.opensolaris.org/os/licensing>.

10 # See the License for the specific language governing permissions

11 # and limitations under the License.

12 #

13 # When distributing Covered Code, include this CDDL HEADER in each

14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.

15 # If applicable, add the following below this CDDL HEADER, with the

16 # fields enclosed by brackets "[]" replaced with your own identifying

17 # information: Portions Copyright [yyyy] [name of copyright owner]

18 #

19 # CDDL HEADER END

20 #

22 #

23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.

24 # Copyright 2014 Garrett D'Amore <garrett@daomre.org>

25 #

27 set name=pkg.fmri value=pkg:/SUNWpcmci@0.5.11,5.11-0.133

28 **set name=pkg.obsolete value=true**

27 set name=pkg.renamed value=true

29 set name=variant.arch value=\$(ARCH)

29 depend fmri=pkg:/driver/pcmci@0.5.11,5.11-0.133 type=require

new/usr/src/pkg/manifests/driver-pcmcia.mf

1

\*\*\*\*\*

1293 Sat Aug 9 23:41:50 2014  
new/usr/src/pkg/manifests/driver-pcmcia.mf  
5075 EOF cardbus & pcmcia  
2398 pcs driver should be removed  
Reviewed by: TBD  
Approved by: TBD

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 #
28 # The default for payload-bearing actions in this package is to appear in the
29 # global zone only. See the include file for greater detail, as well as
30 # information about overriding the defaults.
31 #
32 <include global_zone_only_component>
33 set name=pkg.fmri value=pkg:/driver/pcmcia@$(PKGVERS)
34 set name=pkg.obsolete value=true
35 set name=pkg.description \
36   value="kernel modules and start-up files for PCMCIA card services"
37 set name=pkg.summary value="PCMCIA Card Services"
38 set name=info.classification \
39   value=org.opensolaris.category.2008:System/Hardware
40 set name=variant.arch value=$(ARCH)
41 #
42 #
43 #
44 #
45 #
46 #
47 #
48 #
49 #
50 #
51 #
52 #
53 #
54 #
55 #
56 #
57 #
58 #
59 #
60 #
61 #
62 #
63 #
64 #
65 #
66 #
67 #
68 #
69 #
70 #
71 #
72 #
73 #
74 #
75 #
76 #
77 #
78 #
79 #
80 #
81 #
82 #
83 #
84 #
85 #
86 #
87 #
88 #
89 #
90 #
91 #
92 #
93 #
94 #
95 #
96 #
97 #
98 #
99 #
100 #
101 #
102 #
103 #
104 #
105 #
106 #
107 #
108 #
109 #
110 #
111 #
112 #
113 #
114 #
115 #
116 #
117 #
118 #
119 #
120 #
121 #
122 #
123 #
124 #
125 #
126 #
127 #
128 #
129 #
130 #
131 #
132 #
133 #
134 #
135 #
136 #
137 #
138 #
139 #
140 #
141 #
142 #
143 #
144 #
145 #
146 #
147 #
148 #
149 #
150 #
151 #
152 #
153 #
154 #
155 #
156 #
157 #
158 #
159 #
160 #
161 #
162 #
163 #
164 #
165 #
166 #
167 #
168 #
169 #
170 #
171 #
172 #
173 #
174 #
175 #
176 #
177 #
178 #
179 #
180 #
181 #
182 #
183 #
184 #
185 #
186 #
187 #
188 #
189 #
190 #
191 #
192 #
193 #
194 #
195 #
196 #
197 #
198 #
199 #
200 #
201 #
202 #
203 #
204 #
205 #
206 #
207 #
208 #
209 #
210 #
211 #
212 #
213 #
214 #
215 #
216 #
217 #
218 #
219 #
220 #
221 #
222 #
223 #
224 #
225 #
226 #
227 #
228 #
229 #
230 #
231 #
232 #
233 #
234 #
235 #
236 #
237 #
238 #
239 #
240 #
241 #
242 #
243 #
244 #
245 #
246 #
247 #
248 #
249 #
250 #
251 #
252 #
253 #
254 #
255 #
256 #
257 #
258 #
259 #
260 #
261 #
262 #
263 #
264 #
265 #
266 #
267 #
268 #
269 #
270 #
271 #
272 #
273 #
274 #
275 #
276 #
277 #
278 #
279 #
280 #
281 #
282 #
283 #
284 #
285 #
286 #
287 #
288 #
289 #
290 #
291 #
292 #
293 #
294 #
295 #
296 #
297 #
298 #
299 #
300 #
301 #
302 #
303 #
304 #
305 #
306 #
307 #
308 #
309 #
310 #
311 #
312 #
313 #
314 #
315 #
316 #
317 #
318 #
319 #
320 #
321 #
322 #
323 #
324 #
325 #
326 #
327 #
328 #
329 #
330 #
331 #
332 #
333 #
334 #
335 #
336 #
337 #
338 #
339 #
340 #
341 #
342 #
343 #
344 #
345 #
346 #
347 #
348 #
349 #
350 #
351 #
352 #
353 #
354 #
355 #
356 #
357 #
358 #
359 #
360 #
361 #
362 #
363 #
364 #
365 #
366 #
367 #
368 #
369 #
370 #
371 #
372 #
373 #
374 #
375 #
376 #
377 #
378 #
379 #
380 #
381 #
382 #
383 #
384 #
385 #
386 #
387 #
388 #
389 #
390 #
391 #
392 #
393 #
394 #
395 #
396 #
397 #
398 #
399 #
400 #
401 #
402 #
403 #
404 #
405 #
406 #
407 #
408 #
409 #
410 #
411 #
412 #
413 #
414 #
415 #
416 #
417 #
418 #
419 #
420 #
421 #
422 #
423 #
424 #
425 #
426 #
427 #
428 #
429 #
430 #
431 #
432 #
433 #
434 #
435 #
436 #
437 #
438 #
439 #
440 #
441 #
442 #
443 #
444 #
445 #
446 #
447 #
448 #
449 #
450 #
451 #
452 #
453 #
454 #
455 #
456 #
457 #
458 #
459 #
460 #
461 #
462 #
463 #
464 #
465 #
466 #
467 #
468 #
469 #
470 #
471 #
472 #
473 #
474 #
475 #
476 #
477 #
478 #
479 #
480 #
481 #
482 #
483 #
484 #
485 #
486 #
487 #
488 #
489 #
490 #
491 #
492 #
493 #
494 #
495 #
496 #
497 #
498 #
499 #
500 #
501 #
502 #
503 #
504 #
505 #
506 #
507 #
508 #
509 #
510 #
511 #
512 #
513 #
514 #
515 #
516 #
517 #
518 #
519 #
520 #
521 #
522 #
523 #
524 #
525 #
526 #
527 #
528 #
529 #
530 #
531 #
532 #
533 #
534 #
535 #
536 #
537 #
538 #
539 #
540 #
541 #
542 #
543 #
544 #
545 #
546 #
547 #
548 #
549 #
550 #
551 #
552 #
553 #
554 #
555 #
556 #
557 #
558 #
559 #
560 #
561 #
562 #
563 #
564 #
565 #
566 #
567 #
568 #
569 #
570 #
571 #
572 #
573 #
574 #
575 #
576 #
577 #
578 #
579 #
580 #
581 #
582 #
583 #
584 #
585 #
586 #
587 #
588 #
589 #
590 #
591 #
592 #
593 #
594 #
595 #
596 #
597 #
598 #
599 #
600 #
601 #
602 #
603 #
604 #
605 #
606 #
607 #
608 #
609 #
610 #
611 #
612 #
613 #
614 #
615 #
616 #
617 #
618 #
619 #
620 #
621 #
622 #
623 #
624 #
625 #
626 #
627 #
628 #
629 #
630 #
631 #
632 #
633 #
634 #
635 #
636 #
637 #
638 #
639 #
640 #
641 #
642 #
643 #
644 #
645 #
646 #
647 #
648 #
649 #
650 #
651 #
652 #
653 #
654 #
655 #
656 #
657 #
658 #
659 #
660 #
661 #
662 #
663 #
664 #
665 #
666 #
667 #
668 #
669 #
670 #
671 #
672 #
673 #
674 #
675 #
676 #
677 #
678 #
679 #
680 #
681 #
682 #
683 #
684 #
685 #
686 #
687 #
688 #
689 #
690 #
691 #
692 #
693 #
694 #
695 #
696 #
697 #
698 #
699 #
700 #
701 #
702 #
703 #
704 #
705 #
706 #
707 #
708 #
709 #
710 #
711 #
712 #
713 #
714 #
715 #
716 #
717 #
718 #
719 #
720 #
721 #
722 #
723 #
724 #
725 #
726 #
727 #
728 #
729 #
730 #
731 #
732 #
733 #
734 #
735 #
736 #
737 #
738 #
739 #
740 #
741 #
742 #
743 #
744 #
745 #
746 #
747 #
748 #
749 #
750 #
751 #
752 #
753 #
754 #
755 #
756 #
757 #
758 #
759 #
760 #
761 #
762 #
763 #
764 #
765 #
766 #
767 #
768 #
769 #
770 #
771 #
772 #
773 #
774 #
775 #
776 #
777 #
778 #
779 #
780 #
781 #
782 #
783 #
784 #
785 #
786 #
787 #
788 #
789 #
790 #
791 #
792 #
793 #
794 #
795 #
796 #
797 #
798 #
799 #
800 #
801 #
802 #
803 #
804 #
805 #
806 #
807 #
808 #
809 #
810 #
811 #
812 #
813 #
814 #
815 #
816 #
817 #
818 #
819 #
820 #
821 #
822 #
823 #
824 #
825 #
826 #
827 #
828 #
829 #
830 #
831 #
832 #
833 #
834 #
835 #
836 #
837 #
838 #
839 #
840 #
841 #
842 #
843 #
844 #
845 #
846 #
847 #
848 #
849 #
850 #
851 #
852 #
853 #
854 #
855 #
856 #
857 #
858 #
859 #
860 #
861 #
862 #
863 #
864 #
865 #
866 #
867 #
868 #
869 #
870 #
871 #
872 #
873 #
874 #
875 #
876 #
877 #
878 #
879 #
880 #
881 #
882 #
883 #
884 #
885 #
886 #
887 #
888 #
889 #
890 #
891 #
892 #
893 #
894 #
895 #
896 #
897 #
898 #
899 #
900 #
901 #
902 #
903 #
904 #
905 #
906 #
907 #
908 #
909 #
910 #
911 #
912 #
913 #
914 #
915 #
916 #
917 #
918 #
919 #
920 #
921 #
922 #
923 #
924 #
925 #
926 #
927 #
928 #
929 #
930 #
931 #
932 #
933 #
934 #
935 #
936 #
937 #
938 #
939 #
940 #
941 #
942 #
943 #
944 #
945 #
946 #
947 #
948 #
949 #
950 #
951 #
952 #
953 #
954 #
955 #
956 #
957 #
958 #
959 #
960 #
961 #
962 #
963 #
964 #
965 #
966 #
967 #
968 #
969 #
970 #
971 #
972 #
973 #
974 #
975 #
976 #
977 #
978 #
979 #
980 #
981 #
982 #
983 #
984 #
985 #
986 #
987 #
988 #
989 #
990 #
991 #
992 #
993 #
994 #
995 #
996 #
997 #
998 #
999 #
1000 #
```

new/usr/src/pkg/manifests/driver-pcmcia.mf

2

```
56 desc="kernel modules and start-up files for PCMCIA card services" \
57 name="PCMCIA Card Services, (Root)"
58 license cr_Sun license=cr_Sun
59 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-header.mf

1

```
*****
89565 Sat Aug 9 23:41:50 2014
new/usr/src/pkg/manifests/system-header.mf
5075 EOF carbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/header@$(PKGVERS)
30 set name=pkg.description \
31     value="SunOS C/C++ header files for general development of software"
32 set name=pkg.summary value="SunOS Header Files"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/include
37 $(i386_ONLY)dir path=usr/include/$(ARCH64)
38 $(i386_ONLY)dir path=usr/include/$(ARCH64)/sys
39 dir path=usr/include/arpa
40 dir path=usr/include/asm
41 dir path=usr/include/ast
42 dir path=usr/include/bsm
43 dir path=usr/include/dat
44 dir path=usr/include/des
45 dir path=usr/include/gssapi
46 dir path=usr/include/hal
47 $(i386_ONLY)dir path=usr/include/ia32
48 $(i386_ONLY)dir path=usr/include/ia32/sys
49 dir path=usr/include/inet
50 dir path=usr/include/inet/kssl
51 dir path=usr/include/ipp
52 dir path=usr/include/ipp/ipgpc
53 dir path=usr/include/iso
54 dir path=usr/include/kerberosv5
55 dir path=usr/include/libpolkit
56 dir path=usr/include/net
57 dir path=usr/include/netinet
58 dir path=usr/include/nfs
```

new/usr/src/pkg/manifests/system-header.mf

2

```
59 dir path=usr/include/protocols
60 dir path=usr/include/rpc
61 dir path=usr/include/rpcsvc
62 dir path=usr/include/sasl
63 dir path=usr/include/scsi
64 dir path=usr/include/scsi/plugins
65 dir path=usr/include/scsi/plugins/ses
66 dir path=usr/include/scsi/plugins/ses/framework
67 dir path=usr/include/scsi/plugins/ses/vendor
68 dir path=usr/include/scsi/plugins/smp
69 dir path=usr/include/scsi/plugins/smp/engine
70 dir path=usr/include/scsi/plugins/smp/framework
71 dir path=usr/include/security
72 dir path=usr/include/sharefs
73 dir path=usr/include/sys
74 dir path=usr/include/sys/av
75 dir path=usr/include/sys/contract
76 dir path=usr/include/sys/crypto
77 dir path=usr/include/sys/dktp
78 dir path=usr/include/sys/fc4
79 dir path=usr/include/sys/fm
80 dir path=usr/include/sys/fm/cpu
81 dir path=usr/include/sys/fm/fs
82 dir path=usr/include/sys/fm/io
83 $(sparc_ONLY)dir path=usr/include/sys/fpu
84 dir path=usr/include/sys/fs
85 dir path=usr/include/sys/hotplug
86 dir path=usr/include/sys/hotplug/pci
87 dir path=usr/include/sys/ib
88 dir path=usr/include/sys/ib/adapters
89 dir path=usr/include/sys/ib/adapters/hermon
90 dir path=usr/include/sys/ib/adapters/tavor
91 dir path=usr/include/sys/ib/clients
92 dir path=usr/include/sys/ib/clients/ibd
93 dir path=usr/include/sys/ib/clients/of
94 dir path=usr/include/sys/ib/clients/of/rdma
95 dir path=usr/include/sys/ib/clients/of/sol_ofs
96 dir path=usr/include/sys/ib/clients/of/sol_ucma
97 dir path=usr/include/sys/ib/clients/of/sol_umad
98 dir path=usr/include/sys/ib/clients/of/sol_uverbs
99 dir path=usr/include/sys/ib/ibnex
100 dir path=usr/include/sys/ib/ibt1
101 dir path=usr/include/sys/ib/ibt1/impl
102 dir path=usr/include/sys/ib/mgt
103 dir path=usr/include/sys/ib/mgt/ibmf
104 dir path=usr/include/sys/iso
105 dir path=usr/include/sys/lvm
106 dir path=usr/include/sys/proc
107 dir path=usr/include/sys/rsm
108 $(i386_ONLY)dir path=usr/include/sys/sata group=sys
109 dir path=usr/include/sys/scsi
110 dir path=usr/include/sys/scsi/adapters
111 dir path=usr/include/sys/scsi/conf
112 dir path=usr/include/sys/scsi/generic
113 dir path=usr/include/sys/scsi/impl
114 dir path=usr/include/sys/scsi/targets
115 dir path=usr/include/sys/sysevent
116 dir path=usr/include/sys/tsol
117 dir path=usr/include/tsol
118 dir path=usr/include/uuid
119 $(sparc_ONLY)dir path=usr/include/v7
120 $(sparc_ONLY)dir path=usr/include/v7/sys
121 $(sparc_ONLY)dir path=usr/include/v9
122 $(sparc_ONLY)dir path=usr/include/v9/sys
123 dir path=usr/include/vm
124 dir path=usr/platform group=sys
```



```

125 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
126 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
127 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/include
128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/include
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
132 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
142 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
143 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
144 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
145 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
146 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
147 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
148 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
149 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
150 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-2 group=sys
151 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-250 group=sys
152 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-4 group=sys
153 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise group=sys
154 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise-10000 group=sys
155 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40 group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60 group=sys
157 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIi-Netract group=sys
158 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
159 $(i386_ONLY)dir path=usr/platform/i86pc/include
160 $(i386_ONLY)dir path=usr/platform/i86pc/include/sys
161 $(i386_ONLY)dir path=usr/platform/i86pc/include/vm
162 $(i386_ONLY)dir path=usr/platform/i86xpv group=sys
163 $(i386_ONLY)dir path=usr/platform/i86xpv/include
164 $(i386_ONLY)dir path=usr/platform/i86xpv/include/sys
165 $(i386_ONLY)dir path=usr/platform/i86xpv/include/vm
166 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
167 $(sparc_ONLY)dir path=usr/platform/sun4u/include
168 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys
169 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c
170 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/clients
171 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/misc
172 $(sparc_ONLY)dir path=usr/platform/sun4u/include/vm
173 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
174 $(sparc_ONLY)dir path=usr/platform/sun4v/include
175 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
176 $(sparc_ONLY)dir path=usr/platform/sun4v/include/vm
177 dir path=usr/share
178 dir path=usr/share/man
179 dir path=usr/share/man/man3head
180 dir path=usr/share/man/man4
181 dir path=usr/share/man/man5
182 dir path=usr/share/man/man7i
183 dir path=usr/share/src group=sys
184 dir path=usr/share/src/uts
185 $(i386_ONLY)dir path=usr/share/src/uts/i86pc
186 $(i386_ONLY)dir path=usr/share/src/uts/i86xpv
187 $(sparc_ONLY)dir path=usr/share/src/uts/sun4u
188 $(sparc_ONLY)dir path=usr/share/src/uts/sun4v
189 dir path=usr/xpg4
190 dir path=usr/xpg4/include

```

```

191 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/kdi_regs.h
192 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privmregs.h
193 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privregs.h
194 file path=usr/include/aio.h
195 file path=usr/include/alloca.h
196 file path=usr/include/apprtrace.h
197 file path=usr/include/apprtrace_impl.h
198 file path=usr/include/ar.h
199 file path=usr/include/archives.h
200 file path=usr/include/arpa/ftp.h
201 file path=usr/include/arpa/inet.h
202 file path=usr/include/arpa/nameser.h
203 file path=usr/include/arpa/nameser_compat.h
204 file path=usr/include/arpa/telnet.h
205 file path=usr/include/arpa/tftp.h
206 $(i386_ONLY)file path=usr/include/asm/atomic.h
207 $(i386_ONLY)file path=usr/include/asm/bitmap.h
208 $(i386_ONLY)file path=usr/include/asm/byteorder.h
209 $(i386_ONLY)file path=usr/include/asm/clock.h
210 $(i386_ONLY)file path=usr/include/asm/cpu.h
211 $(i386_ONLY)file path=usr/include/asm/cpuvar.h
212 $(sparc_ONLY)file path=usr/include/asm/flush.h
213 $(i386_ONLY)file path=usr/include/asm/htable.h
214 $(i386_ONLY)file path=usr/include/asm/mmu.h
215 file path=usr/include/asm/sunddi.h
216 file path=usr/include/asm/thread.h
217 file path=usr/include/assert.h
218 file path=usr/include/ast/align.h
219 file path=usr/include/ast/ast.h
220 file path=usr/include/ast/ast_botch.h
221 file path=usr/include/ast/ast_ccode.h
222 file path=usr/include/ast/ast_common.h
223 file path=usr/include/ast/ast_dir.h
224 file path=usr/include/ast/ast_dirent.h
225 file path=usr/include/ast/ast_fcntl.h
226 file path=usr/include/ast/ast_float.h
227 file path=usr/include/ast/ast_fs.h
228 file path=usr/include/ast/ast_getopt.h
229 file path=usr/include/ast/ast_iconv.h
230 file path=usr/include/ast/ast_lib.h
231 file path=usr/include/ast/ast_limits.h
232 file path=usr/include/ast/ast_map.h
233 file path=usr/include/ast/ast_mmap.h
234 file path=usr/include/ast/ast_mode.h
235 file path=usr/include/ast/ast_namval.h
236 file path=usr/include/ast/ast_ndbm.h
237 file path=usr/include/ast/ast_nl_types.h
238 file path=usr/include/ast/ast_param.h
239 file path=usr/include/ast/ast_standards.h
240 file path=usr/include/ast/ast_std.h
241 file path=usr/include/ast/ast_stdio.h
242 file path=usr/include/ast/ast_sys.h
243 file path=usr/include/ast/ast_time.h
244 file path=usr/include/ast/ast_tty.h
245 file path=usr/include/ast/ast_version.h
246 file path=usr/include/ast/ast_vfork.h
247 file path=usr/include/ast/ast_wait.h
248 file path=usr/include/ast/ast_wchar.h
249 file path=usr/include/ast/ast_windows.h
250 file path=usr/include/ast/bytesex.h
251 file path=usr/include/ast/ccode.h
252 file path=usr/include/ast/cdt.h
253 file path=usr/include/ast/cmd.h
254 file path=usr/include/ast/cmdext.h
255 file path=usr/include/ast/debug.h
256 file path=usr/include/ast/dirent.h

```

257 file path=usr/include/ast/dlldefs.h  
258 file path=usr/include/ast/dt.h  
259 file path=usr/include/ast/endian.h  
260 file path=usr/include/ast/error.h  
261 file path=usr/include/ast/find.h  
262 file path=usr/include/ast/fnmatch.h  
263 file path=usr/include/ast/fnv.h  
264 file path=usr/include/ast/fs3d.h  
265 file path=usr/include/ast/fts.h  
266 file path=usr/include/ast/ftw.h  
267 file path=usr/include/ast/ftwalk.h  
268 file path=usr/include/ast/getopt.h  
269 file path=usr/include/ast/glob.h  
270 file path=usr/include/ast/hash.h  
271 file path=usr/include/ast/hashkey.h  
272 file path=usr/include/ast/hashpart.h  
273 file path=usr/include/ast/history.h  
274 file path=usr/include/ast/iconv.h  
275 file path=usr/include/ast/ip6.h  
276 file path=usr/include/ast/lc.h  
277 file path=usr/include/ast/ls.h  
278 file path=usr/include/ast/magic.h  
279 file path=usr/include/ast/magicid.h  
280 file path=usr/include/ast/mc.h  
281 file path=usr/include/ast/mime.h  
282 file path=usr/include/ast/mnt.h  
283 file path=usr/include/ast/modecanon.h  
284 file path=usr/include/ast/modex.h  
285 file path=usr/include/ast/namval.h  
286 file path=usr/include/ast/nl\_types.h  
287 file path=usr/include/ast/nval.h  
288 file path=usr/include/ast/option.h  
289 file path=usr/include/ast/preroot.h  
290 file path=usr/include/ast/proc.h  
291 file path=usr/include/ast/prototyped.h  
292 file path=usr/include/ast/re\_comp.h  
293 file path=usr/include/ast/recfmt.h  
294 file path=usr/include/ast/regex.h  
295 file path=usr/include/ast/regexp.h  
296 file path=usr/include/ast/sfdisc.h  
297 file path=usr/include/ast/sfio.h  
298 file path=usr/include/ast/sfio\_s.h  
299 file path=usr/include/ast/sfio\_t.h  
300 file path=usr/include/ast/shcmd.h  
301 file path=usr/include/ast/shell.h  
302 file path=usr/include/ast/sig.h  
303 file path=usr/include/ast/stack.h  
304 file path=usr/include/ast/stak.h  
305 file path=usr/include/ast/stdio.h  
306 file path=usr/include/ast/stk.h  
307 file path=usr/include/ast/sum.h  
308 file path=usr/include/ast/swap.h  
309 file path=usr/include/ast/tar.h  
310 file path=usr/include/ast/times.h  
311 file path=usr/include/ast/tm.h  
312 file path=usr/include/ast/tmx.h  
313 file path=usr/include/ast/tok.h  
314 file path=usr/include/ast/tv.h  
315 file path=usr/include/ast/usage.h  
316 file path=usr/include/ast/vdb.h  
317 file path=usr/include/ast/vecargs.h  
318 file path=usr/include/ast/vmalloc.h  
319 file path=usr/include/ast/wait.h  
320 file path=usr/include/ast/wchar.h  
321 file path=usr/include/ast/wordexp.h  
322 file path=usr/include/atomic.h

323 file path=usr/include/attr.h  
324 file path=usr/include/auth\_attr.h  
325 file path=usr/include/bsm/adt.h  
326 file path=usr/include/bsm/adt\_event.h  
327 file path=usr/include/bsm/audit.h  
328 file path=usr/include/bsm/audit\_kernel.h  
329 file path=usr/include/bsm/audit\_kevents.h  
330 file path=usr/include/bsm/audit\_record.h  
331 file path=usr/include/bsm/audit\_uevents.h  
332 file path=usr/include/bsm/devices.h  
333 file path=usr/include/bsm/libbsm.h  
334 file path=usr/include/config\_admin.h  
335 file path=usr/include/cpio.h  
336 file path=usr/include/crypt.h  
337 file path=usr/include/cryptoutil.h  
338 file path=usr/include/ctype.h  
339 file path=usr/include/curses.h  
340 file path=usr/include/dat/dat.h  
341 file path=usr/include/dat/dat\_error.h  
342 file path=usr/include/dat/dat\_platform\_specific.h  
343 file path=usr/include/dat/dat\_redirection.h  
344 file path=usr/include/dat/dat\_registry.h  
345 file path=usr/include/dat/dat\_vendor\_specific.h  
346 file path=usr/include/dat/udat.h  
347 file path=usr/include/dat/udat\_config.h  
348 file path=usr/include/dat/udat\_redirection.h  
349 file path=usr/include/dat/udat\_vendor\_specific.h  
350 file path=usr/include/deflt.h  
351 file path=usr/include/des/des.h  
352 file path=usr/include/des/desdata.h  
353 file path=usr/include/des/softdes.h  
354 file path=usr/include/device\_info.h  
355 file path=usr/include/devid.h  
356 file path=usr/include/devmgmt.h  
357 file path=usr/include/devpoll.h  
358 file path=usr/include/dial.h  
359 file path=usr/include/dirent.h  
360 file path=usr/include/dlfcn.h  
361 file path=usr/include/door.h  
362 file path=usr/include/elf.h  
363 file path=usr/include/err.h  
364 file path=usr/include/errno.h  
365 file path=usr/include/eti.h  
366 file path=usr/include/euc.h  
367 file path=usr/include/exacct.h  
368 file path=usr/include/exacct\_impl.h  
369 file path=usr/include/exec\_attr.h  
370 file path=usr/include/execinfo.h  
371 file path=usr/include/fatal.h  
372 file path=usr/include/fcntl.h  
373 file path=usr/include/float.h  
374 file path=usr/include/fmtmsg.h  
375 file path=usr/include/fnmatch.h  
376 file path=usr/include/form.h  
377 file path=usr/include/ftw.h  
378 file path=usr/include/gelf.h  
379 file path=usr/include/getopt.h  
380 file path=usr/include/getwidth.h  
381 file path=usr/include/glob.h  
382 file path=usr/include/grp.h  
383 file path=usr/include/gssapi/gssapi.h  
384 file path=usr/include/gssapi/gssapi\_ext.h  
385 file path=usr/include/hal/libhal-storage.h  
386 file path=usr/include/hal/libhal.h  
387 \$(i386\_ONLY)file path=usr/include/ia32/sys/asm\_linkage.h  
388 \$(i386\_ONLY)file path=usr/include/ia32/sys/kdi\_regs.h

```

389 $(i386_ONLY)file path=usr/include/ia32/sys/machtypes.h
390 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
391 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
392 $(i386_ONLY)file path=usr/include/ia32/sys/psw.h
393 $(i386_ONLY)file path=usr/include/ia32/sys/pte.h
394 $(i386_ONLY)file path=usr/include/ia32/sys/reg.h
395 $(i386_ONLY)file path=usr/include/ia32/sys/stack.h
396 $(i386_ONLY)file path=usr/include/ia32/sys/trap.h
397 $(i386_ONLY)file path=usr/include/ia32/sys/traptrace.h
398 file path=usr/include/iconv.h
399 file path=usr/include/idmap.h
400 file path=usr/include/ieee_fp.h
401 file path=usr/include/ifaddrs.h
402 file path=usr/include/inet/arp.h
403 file path=usr/include/inet/common.h
404 file path=usr/include/inet/ip.h
405 file path=usr/include/inet/ip6.h
406 file path=usr/include/inet/ip6_asp.h
407 file path=usr/include/inet/ip_arp.h
408 file path=usr/include/inet/ip_ftable.h
409 file path=usr/include/inet/ip_if.h
410 file path=usr/include/inet/ip_ire.h
411 file path=usr/include/inet/ip_multi.h
412 file path=usr/include/inet/ip_netinfo.h
413 file path=usr/include/inet/ip_rts.h
414 file path=usr/include/inet/ip_stack.h
415 file path=usr/include/inet/ipclassifier.h
416 file path=usr/include/inet/ipdrop.h
417 file path=usr/include/inet/ipnet.h
418 file path=usr/include/inet/ipp_common.h
419 file path=usr/include/inet/kssl/ksslapi.h
420 file path=usr/include/inet/led.h
421 file path=usr/include/inet/mi.h
422 file path=usr/include/inet/mib2.h
423 file path=usr/include/inet/nd.h
424 file path=usr/include/inet/optcom.h
425 file path=usr/include/inet/sctp_itf.h
426 file path=usr/include/inet/snmpcom.h
427 file path=usr/include/inet/tcp.h
428 file path=usr/include/inet/tcp_sack.h
429 file path=usr/include/inet/tcp_stack.h
430 file path=usr/include/inet/tcp_stats.h
431 file path=usr/include/inet/tunables.h
432 file path=usr/include/inet/wifi_ioctl.h
433 file path=usr/include/inttypes.h
434 file path=usr/include/ipmp.h
435 file path=usr/include/ipmp_admin.h
436 file path=usr/include/ipmp_mpathd.h
437 file path=usr/include/ipmp_query.h
438 file path=usr/include/ipp/ipgpc/ipgpc.h
439 file path=usr/include/ipp/ipp.h
440 file path=usr/include/ipp/ipp_config.h
441 file path=usr/include/ipp/ipp_impl.h
442 file path=usr/include/ipp/ippctl.h
443 file path=usr/include/iso/ctype_iso.h
444 file path=usr/include/iso/limits_iso.h
445 file path=usr/include/iso/locale_iso.h
446 file path=usr/include/iso/setjmp_iso.h
447 file path=usr/include/iso/signal_iso.h
448 file path=usr/include/iso/stdarg_c99.h
449 file path=usr/include/iso/stdarg_iso.h
450 file path=usr/include/iso/stddef_iso.h
451 file path=usr/include/iso/stdio_c99.h
452 file path=usr/include/iso/stdio_iso.h
453 file path=usr/include/iso/stdlib_c99.h
454 file path=usr/include/iso/stdlib_iso.h

```

```

455 file path=usr/include/iso/string_iso.h
456 file path=usr/include/iso/time_iso.h
457 file path=usr/include/iso/wchar_c99.h
458 file path=usr/include/iso/wchar_iso.h
459 file path=usr/include/iso/wctype_iso.h
460 file path=usr/include/iso646.h
461 file path=usr/include/kerberos5/com_err.h
462 file path=usr/include/kerberos5/krb5.h
463 file path=usr/include/kerberos5/mit-sipb-copyright.h
464 file path=usr/include/kerberos5/mit_copyright.h
465 file path=usr/include/klpd.h
466 file path=usr/include/kmfapi.h
467 file path=usr/include/kmftypes.h
468 file path=usr/include/kstat.h
469 file path=usr/include/kvm.h
470 file path=usr/include/langinfo.h
471 file path=usr/include/lastlog.h
472 file path=usr/include/lber.h
473 file path=usr/include/ldap.h
474 file path=usr/include/libcontract.h
475 file path=usr/include/libctf.h
476 file path=usr/include/libdevice.h
477 file path=usr/include/libdevinfo.h
478 file path=usr/include/libdladm.h
479 file path=usr/include/libdlbridge.h
480 file path=usr/include/libdlib.h
481 file path=usr/include/libdllink.h
482 file path=usr/include/libdmpi.h
483 file path=usr/include/libdvlm.h
484 file path=usr/include/libelf.h
485 $(i386_ONLY)file path=usr/include/libfdisk.h
486 file path=usr/include/libfstyp.h
487 file path=usr/include/libfstyp_module.h
488 file path=usr/include/libgen.h
489 file path=usr/include/libgrubmgmt.h
490 file path=usr/include/libintl.h
491 file path=usr/include/libipmi.h
492 file path=usr/include/libipp.h
493 file path=usr/include/libnvpair.h
494 file path=usr/include/libnwm.h
495 file path=usr/include/libpolkit/libpolkit.h
496 file path=usr/include/librcm.h
497 file path=usr/include/libscf.h
498 file path=usr/include/libscf_priv.h
499 file path=usr/include/libshare.h
500 file path=usr/include/libsvm.h
501 file path=usr/include/libsysevent.h
502 file path=usr/include/libsysevent_impl.h
503 file path=usr/include/libtsnet.h
504 $(sparc_ONLY)file path=usr/include/libv12n.h
505 file path=usr/include/libw.h
506 file path=usr/include/libzfs.h
507 file path=usr/include/libzfs_core.h
508 file path=usr/include/libzoneinfo.h
509 file path=usr/include/limits.h
510 file path=usr/include/linenum.h
511 file path=usr/include/link.h
512 file path=usr/include/listen.h
513 file path=usr/include/locale.h
514 file path=usr/include/macros.h
515 file path=usr/include/maillock.h
516 file path=usr/include/malloc.h
517 file path=usr/include/md4.h
518 file path=usr/include/md5.h
519 file path=usr/include/mdiox.h
520 file path=usr/include/mdmm_changelog.h

```

521 file path=usr/include/memory.h  
522 file path=usr/include/menu.h  
523 file path=usr/include/meta.h  
524 file path=usr/include/meta\_basic.h  
525 file path=usr/include/meta\_runtime.h  
526 file path=usr/include/metacl.h  
527 file path=usr/include/metad.h  
528 file path=usr/include/metadyn.h  
529 file path=usr/include/metamed.h  
530 file path=usr/include/metamhd.h  
531 file path=usr/include/mhdx.h  
532 file path=usr/include/mon.h  
533 file path=usr/include/monetary.h  
534 file path=usr/include/mp.h  
535 file path=usr/include/mqueue.h  
536 file path=usr/include/mtmalloc.h  
537 file path=usr/include/nan.h  
538 file path=usr/include/ndbm.h  
539 file path=usr/include/ndpd.h  
540 file path=usr/include/net/af.h  
541 file path=usr/include/net/bridge.h  
542 file path=usr/include/net/if.h  
543 file path=usr/include/net/if\_arp.h  
544 file path=usr/include/net/if\_dl.h  
545 file path=usr/include/net/if\_types.h  
546 file path=usr/include/net/pfkeyv2.h  
547 file path=usr/include/net/pfpolicy.h  
548 file path=usr/include/net/ppp-comp.h  
549 file path=usr/include/net/ppp\_defs.h  
550 file path=usr/include/net/pppio.h  
551 file path=usr/include/net/radix.h  
552 file path=usr/include/net/route.h  
553 file path=usr/include/net/trill.h  
554 file path=usr/include/net/vjcompress.h  
555 file path=usr/include/netconfig.h  
556 file path=usr/include/netdb.h  
557 file path=usr/include/netdir.h  
558 file path=usr/include/netinet/arp.h  
559 file path=usr/include/netinet/dhcp.h  
560 file path=usr/include/netinet/dhcp6.h  
561 file path=usr/include/netinet/icmp6.h  
562 file path=usr/include/netinet/icmp\_var.h  
563 file path=usr/include/netinet/if\_ether.h  
564 file path=usr/include/netinet/igmp.h  
565 file path=usr/include/netinet/igmp\_var.h  
566 file path=usr/include/netinet/in.h  
567 file path=usr/include/netinet/in\_pcb.h  
568 file path=usr/include/netinet/in\_system.h  
569 file path=usr/include/netinet/in\_var.h  
570 file path=usr/include/netinet/ip.h  
571 file path=usr/include/netinet/ip6.h  
572 file path=usr/include/netinet/ip\_icmp.h  
573 file path=usr/include/netinet/ip\_mroute.h  
574 file path=usr/include/netinet/ip\_var.h  
575 file path=usr/include/netinet/pim.h  
576 file path=usr/include/netinet/sctp.h  
577 file path=usr/include/netinet/tcp.h  
578 file path=usr/include/netinet/tcp\_debug.h  
579 file path=usr/include/netinet/tcp\_fsm.h  
580 file path=usr/include/netinet/tcp\_seq.h  
581 file path=usr/include/netinet/tcp\_timer.h  
582 file path=usr/include/netinet/tcp\_var.h  
583 file path=usr/include/netinet/tcpip.h  
584 file path=usr/include/netinet/udp.h  
585 file path=usr/include/netinet/udp\_var.h  
586 file path=usr/include/netinet/vrrp.h

587 file path=usr/include/nfs/auth.h  
588 file path=usr/include/nfs/export.h  
589 file path=usr/include/nfs/lm.h  
590 file path=usr/include/nfs/mapid.h  
591 file path=usr/include/nfs/mount.h  
592 file path=usr/include/nfs/nfs.h  
593 file path=usr/include/nfs/nfs4.h  
594 file path=usr/include/nfs/nfs4\_attr.h  
595 file path=usr/include/nfs/nfs4\_clnt.h  
596 file path=usr/include/nfs/nfs4\_db\_impl.h  
597 file path=usr/include/nfs/nfs4\_idmap\_impl.h  
598 file path=usr/include/nfs/nfs4\_kprot.h  
599 file path=usr/include/nfs/nfs\_acl.h  
600 file path=usr/include/nfs/nfs\_clnt.h  
601 file path=usr/include/nfs/nfs\_cmd.h  
602 file path=usr/include/nfs/nfs\_log.h  
603 file path=usr/include/nfs/nfs\_sec.h  
604 file path=usr/include/nfs/nfsid\_map.h  
605 file path=usr/include/nfs/nfssys.h  
606 file path=usr/include/nfs/rnode.h  
607 file path=usr/include/nfs/rnode4.h  
608 file path=usr/include/nl\_types.h  
609 file path=usr/include/nlist.h  
610 file path=usr/include/note.h  
611 file path=usr/include/nss\_common.h  
612 file path=usr/include/nss\_dbdefs.h  
613 file path=usr/include/nss\_netdir.h  
614 file path=usr/include/nsswitch.h  
615 file path=usr/include/panel.h  
616 file path=usr/include/paths.h  
617 file path=usr/include/pcsample.h  
618 file path=usr/include/pfmt.h  
619 file path=usr/include/pkgdev.h  
620 file path=usr/include/pkginfo.h  
621 file path=usr/include/pkglocs.h  
622 file path=usr/include/pkgstrct.h  
623 file path=usr/include/pkgtrans.h  
624 file path=usr/include/poll.h  
625 file path=usr/include/port.h  
626 file path=usr/include/priv.h  
627 file path=usr/include/proc\_service.h  
628 file path=usr/include/procfs.h  
629 file path=usr/include/prof.h  
630 file path=usr/include/prof\_attr.h  
631 file path=usr/include/project.h  
632 file path=usr/include/protocols/dumprestore.h  
633 file path=usr/include/protocols/routed.h  
634 file path=usr/include/protocols/rwhod.h  
635 file path=usr/include/protocols/timed.h  
636 file path=usr/include/pthread.h  
637 file path=usr/include/pw.h  
638 file path=usr/include/pwd.h  
639 file path=usr/include/rcm\_module.h  
640 file path=usr/include/rctl.h  
641 file path=usr/include/re\_comp.h  
642 file path=usr/include/regex.h  
643 file path=usr/include/regexp.h  
644 file path=usr/include/regexpr.h  
645 file path=usr/include/resolv.h  
646 file path=usr/include/rje.h  
647 file path=usr/include/rp\_plugin.h  
648 file path=usr/include/rpc/auth.h  
649 file path=usr/include/rpc/auth\_des.h  
650 file path=usr/include/rpc/auth\_sys.h  
651 file path=usr/include/rpc/auth\_unix.h  
652 file path=usr/include/rpc/bootparam.h

```

653 file path=usr/include/rpc/clnt.h
654 file path=usr/include/rpc/clnt_soc.h
655 file path=usr/include/rpc/clnt_stat.h
656 file path=usr/include/rpc/des_crypt.h
657 $(sparc_ONLY)file path=usr/include/rpc/ib.h
658 file path=usr/include/rpc/key_prot.h
659 file path=usr/include/rpc/nettype.h
660 file path=usr/include/rpc/pmap_clnt.h
661 file path=usr/include/rpc/pmap_prot.h
662 file path=usr/include/rpc/pmap_prot.x
663 file path=usr/include/rpc/pmap_rmt.h
664 file path=usr/include/rpc/raw.h
665 file path=usr/include/rpc/rpc.h
666 file path=usr/include/rpc/rpc_com.h
667 file path=usr/include/rpc/rpc_msg.h
668 file path=usr/include/rpc/rpc_rdma.h
669 file path=usr/include/rpc/rpc_sztypes.h
670 file path=usr/include/rpc/rpcb_clnt.h
671 file path=usr/include/rpc/rpcb_prot.h
672 file path=usr/include/rpc/rpcb_prot.x
673 file path=usr/include/rpc/rpcent.h
674 file path=usr/include/rpc/rpcsec_gss.h
675 file path=usr/include/rpc/rpcsys.h
676 file path=usr/include/rpc/svc.h
677 file path=usr/include/rpc/svc_auth.h
678 file path=usr/include/rpc/svc_mt.h
679 file path=usr/include/rpc/svc_soc.h
680 file path=usr/include/rpc/types.h
681 file path=usr/include/rpc/xdr.h
682 file path=usr/include/rpcsvc/autofs_prot.h
683 file path=usr/include/rpcsvc/autofs_prot.x
684 file path=usr/include/rpcsvc/bootparam.h
685 file path=usr/include/rpcsvc/bootparam_prot.h
686 file path=usr/include/rpcsvc/bootparam_prot.x
687 file path=usr/include/rpcsvc/dbm.h
688 file path=usr/include/rpcsvc/key_prot.x
689 file path=usr/include/rpcsvc/mount.h
690 file path=usr/include/rpcsvc/mount.x
691 file path=usr/include/rpcsvc/nfs4_prot.h
692 file path=usr/include/rpcsvc/nfs4_prot.x
693 file path=usr/include/rpcsvc/nfs_acl.h
694 file path=usr/include/rpcsvc/nfs_acl.x
695 file path=usr/include/rpcsvc/nfs_prot.h
696 file path=usr/include/rpcsvc/nfs_prot.x
697 file path=usr/include/rpcsvc/nis.h
698 file path=usr/include/rpcsvc/nis.x
699 file path=usr/include/rpcsvc/nis_db.h
700 file path=usr/include/rpcsvc/nis_object.x
701 file path=usr/include/rpcsvc/nislib.h
702 file path=usr/include/rpcsvc/nlm_prot.h
703 file path=usr/include/rpcsvc/nlm_prot.x
704 file path=usr/include/rpcsvc/nsm_addr.h
705 file path=usr/include/rpcsvc/nsm_addr.x
706 file path=usr/include/rpcsvc/rex.h
707 file path=usr/include/rpcsvc/rex.x
708 file path=usr/include/rpcsvc/rpc_sztypes.h
709 file path=usr/include/rpcsvc/rpc_sztypes.x
710 file path=usr/include/rpcsvc/rquota.h
711 file path=usr/include/rpcsvc/rquota.x
712 file path=usr/include/rpcsvc/rstat.h
713 file path=usr/include/rpcsvc/rstat.x
714 file path=usr/include/rpcsvc/rusers.h
715 file path=usr/include/rpcsvc/rusers.x
716 file path=usr/include/rpcsvc/rwall.h
717 file path=usr/include/rpcsvc/rwall.x
718 file path=usr/include/rpcsvc/sm_inter.h

```

```

719 file path=usr/include/rpcsvc/sm_inter.x
720 file path=usr/include/rpcsvc/spray.h
721 file path=usr/include/rpcsvc/spray.x
722 file path=usr/include/rpcsvc/ufs_prot.h
723 file path=usr/include/rpcsvc/ufs_prot.x
724 file path=usr/include/rpcsvc/yp.x
725 file path=usr/include/rpcsvc/yp_prot.h
726 file path=usr/include/rpcsvc/ypclnt.h
727 file path=usr/include/rpcsvc/yppasswd.h
728 file path=usr/include/rpcsvc/ypupd.h
729 file path=usr/include/rsmapi.h
730 file path=usr/include/rtld_db.h
731 file path=usr/include/sac.h
732 file path=usr/include/sasl/prop.h
733 file path=usr/include/sasl/sasl.h
734 file path=usr/include/sasl/saslplug.h
735 file path=usr/include/sasl/saslutil.h
736 file path=usr/include/sched.h
737 file path=usr/include/schedctl.h
738 file path=usr/include/scsi/libscsi.h
739 file path=usr/include/scsi/libses.h
740 file path=usr/include/scsi/libses_plugin.h
741 file path=usr/include/scsi/libsmpl.h
742 file path=usr/include/scsi/libsmpl_plugin.h
743 file path=usr/include/scsi/plugins/ses/framework/libses.h
744 file path=usr/include/scsi/plugins/ses/framework/ses2.h
745 file path=usr/include/scsi/plugins/ses/framework/ses2_impl.h
746 file path=usr/include/scsi/plugins/ses/vendor/sun.h
747 file path=usr/include/sdp.h
748 file path=usr/include/search.h
749 file path=usr/include/secdb.h
750 file path=usr/include/security/auditd.h
751 file path=usr/include/security/cryptoki.h
752 file path=usr/include/security/pam_appl.h
753 file path=usr/include/security/pam_modules.h
754 file path=usr/include/security/pkcs11.h
755 file path=usr/include/security/pkcs11f.h
756 file path=usr/include/security/pkcs11t.h
757 file path=usr/include/semaphore.h
758 file path=usr/include/setjmp.h
759 file path=usr/include/sgtty.h
760 file path=usr/include/shal.h
761 file path=usr/include/sha2.h
762 file path=usr/include/shadow.h
763 file path=usr/include/sharefs/share.h
764 file path=usr/include/sharefs/sharefs.h
765 file path=usr/include/sharefs/sharet.h
766 file path=usr/include/siginfo.h
767 file path=usr/include/signal.h
768 file path=usr/include/sip.h
769 file path=usr/include/smbios.h
770 file path=usr/include/spawn.h
771 $(i386_ONLY)file path=usr/include/stack_unwind.h
772 file path=usr/include/stdarg.h
773 file path=usr/include/stdbool.h
774 file path=usr/include/stddef.h
775 file path=usr/include/stdint.h
776 file path=usr/include/stdio.h
777 file path=usr/include/stdio_ext.h
778 file path=usr/include/stdio_impl.h
779 file path=usr/include/stdio_tag.h
780 file path=usr/include/stdlib.h
781 file path=usr/include/storclass.h
782 file path=usr/include/string.h
783 file path=usr/include/strings.h
784 file path=usr/include/stropts.h

```

```

785 file path=usr/include/syms.h
786 file path=usr/include/synch.h
787 file path=usr/include/sys/acct.h
788 file path=usr/include/sys/acctctl.h
789 file path=usr/include/sys/acl.h
790 file path=usr/include/sys/acl_impl.h
791 file path=usr/include/sys/acpi_drv.h
792 file path=usr/include/sys/aio.h
793 file path=usr/include/sys/aio_impl.h
794 file path=usr/include/sys/aio_req.h
795 file path=usr/include/sys/aioCb.h
796 file path=usr/include/sys/archsystem.h
797 file path=usr/include/sys/ascii.h
798 file path=usr/include/sys/asm_linkage.h
799 file path=usr/include/sys/asynch.h
800 file path=usr/include/sys/atomic.h
801 file path=usr/include/sys/attr.h
802 file path=usr/include/sys/autoconf.h
803 file path=usr/include/sys/auxv.h
804 file path=usr/include/sys/auxv_386.h
805 file path=usr/include/sys/auxv_SPARC.h
806 file path=usr/include/sys/av/ie61883.h
807 file path=usr/include/sys/avintr.h
808 file path=usr/include/sys/avl.h
809 file path=usr/include/sys/avl_impl.h
810 file path=usr/include/sys/bitmap.h
811 file path=usr/include/sys/bitset.h
812 file path=usr/include/sys/bl.h
813 file path=usr/include/sys/blkdev.h
814 file path=usr/include/sys/bofi.h
815 file path=usr/include/sys/bofi_impl.h
816 file path=usr/include/sys/bootconf.h
817 $(i386_ONLY)file path=usr/include/sys/bootregs.h
818 file path=usr/include/sys/bootstat.h
819 $(i386_ONLY)file path=usr/include/sys/bootsvcs.h
820 file path=usr/include/sys/bpp_io.h
821 file path=usr/include/sys/brand.h
822 file path=usr/include/sys/buf.h
823 file path=usr/include/sys/bufmod.h
824 file path=usr/include/sys/bustypes.h
825 file path=usr/include/sys/byteorder.h
826 file path=usr/include/sys/callb.h
827 file path=usr/include/sys/callo.h
828 file path=usr/include/sys/cap_util.h
829 file path=usr/include/sys/ccompile.h
830 file path=usr/include/sys/cdio.h
831 file path=usr/include/sys/cis.h
832 file path=usr/include/sys/cis_handlers.h
833 file path=usr/include/sys/cis_protos.h
831 file path=usr/include/sys/cladm.h
832 file path=usr/include/sys/class.h
833 file path=usr/include/sys/clconf.h
834 file path=usr/include/sys/cmlb.h
835 file path=usr/include/sys/cmm_err.h
836 $(sparc_ONLY)file path=usr/include/sys/cmpregs.h
837 file path=usr/include/sys/compress.h
838 file path=usr/include/sys/condvar.h
839 file path=usr/include/sys/condvar_impl.h
840 file path=usr/include/sys/conf.h
841 file path=usr/include/sys/consdev.h
842 file path=usr/include/sys/console.h
843 file path=usr/include/sys/consplat.h
844 file path=usr/include/sys/contract.h
845 file path=usr/include/sys/contract/device.h
846 file path=usr/include/sys/contract/device_impl.h
847 file path=usr/include/sys/contract/process.h

```

```

848 file path=usr/include/sys/contract/process_impl.h
849 file path=usr/include/sys/contract_impl.h
850 $(i386_ONLY)file path=usr/include/sys/controlregs.h
851 file path=usr/include/sys/copyops.h
852 file path=usr/include/sys/core.h
853 file path=usr/include/sys/corectl.h
854 file path=usr/include/sys/cpc_impl.h
855 file path=usr/include/sys/cpc_pcbe.h
856 file path=usr/include/sys/cpr.h
857 file path=usr/include/sys/cpu.h
858 file path=usr/include/sys/cpucaps.h
859 file path=usr/include/sys/cpucaps_impl.h
860 file path=usr/include/sys/cpupart.h
861 file path=usr/include/sys/cpuvar.h
862 file path=usr/include/sys/crc32.h
863 file path=usr/include/sys/cred.h
864 file path=usr/include/sys/cred_impl.h
865 file path=usr/include/sys/crtctl.h
866 file path=usr/include/sys/crypto/api.h
867 file path=usr/include/sys/crypto/common.h
868 file path=usr/include/sys/crypto/ioctl.h
869 file path=usr/include/sys/crypto/ioctladmin.h
870 file path=usr/include/sys/crypto/spi.h
874 file path=usr/include/sys/cs.h
875 file path=usr/include/sys/cs_priv.h
876 file path=usr/include/sys/cs_strings.h
877 file path=usr/include/sys/cs_stubs.h
878 file path=usr/include/sys/cs_types.h
871 file path=usr/include/sys/csioctl.h
872 file path=usr/include/sys/ctf.h
873 file path=usr/include/sys/ctf_api.h
874 file path=usr/include/sys/ctfs.h
875 file path=usr/include/sys/ctfs_impl.h
876 file path=usr/include/sys/ctype.h
877 file path=usr/include/sys/cyclic.h
878 file path=usr/include/sys/cyclic_impl.h
879 file path=usr/include/sys/dacf.h
880 file path=usr/include/sys/dacf_impl.h
881 file path=usr/include/sys/damap.h
882 file path=usr/include/sys/damap_impl.h
883 file path=usr/include/sys/dc_ki.h
884 file path=usr/include/sys/ddi.h
885 file path=usr/include/sys/ddi_hp.h
886 file path=usr/include/sys/ddi_hp_impl.h
887 file path=usr/include/sys/ddi_impldefs.h
888 file path=usr/include/sys/ddi_implfuncs.h
889 file path=usr/include/sys/ddi_intr.h
890 file path=usr/include/sys/ddi_intr_impl.h
891 file path=usr/include/sys/ddi_isa.h
892 file path=usr/include/sys/ddi_obsolete.h
893 file path=usr/include/sys/ddi_periodic.h
894 file path=usr/include/sys/ddidevmap.h
895 file path=usr/include/sys/ddidmareq.h
896 file path=usr/include/sys/ddifm.h
897 file path=usr/include/sys/ddifm_impl.h
898 file path=usr/include/sys/ddimapreq.h
899 file path=usr/include/sys/ddipropdefs.h
900 file path=usr/include/sys/dditypes.h
901 file path=usr/include/sys/debug.h
902 $(i386_ONLY)file path=usr/include/sys/debugreg.h
903 file path=usr/include/sys/des.h
904 file path=usr/include/sys/devcache.h
905 file path=usr/include/sys/devcache_impl.h
906 file path=usr/include/sys/devctl.h
907 file path=usr/include/sys/devfm.h
908 file path=usr/include/sys/devid_cache.h

```

```

909 file path=usr/include/sys/devinfo_impl.h
910 file path=usr/include/sys/devops.h
911 file path=usr/include/sys/devpolicy.h
912 file path=usr/include/sys/devpoll.h
913 file path=usr/include/sys/dirent.h
914 file path=usr/include/sys/disp.h
915 file path=usr/include/sys/dkbad.h
916 file path=usr/include/sys/dkio.h
917 file path=usr/include/sys/dklable.h
918 $(sparc_ONLY)file path=usr/include/sys/dkmpio.h
919 $(i386_ONLY)file path=usr/include/sys/dktp/altctr.h
920 $(i386_ONLY)file path=usr/include/sys/dktp/cmpkt.h
921 file path=usr/include/sys/dktp/dadkio.h
922 file path=usr/include/sys/dktp/fdisk.h
923 file path=usr/include/sys/dl.h
924 file path=usr/include/sys/dld.h
925 file path=usr/include/sys/dlpi.h
926 file path=usr/include/sys/dls_mgmt.h
927 $(i386_ONLY)file path=usr/include/sys/dma_engine.h
928 file path=usr/include/sys/dma_i8237A.h
929 file path=usr/include/sys/dnlc.h
930 file path=usr/include/sys/door.h
931 file path=usr/include/sys/door_data.h
932 file path=usr/include/sys/door_impl.h
933 file path=usr/include/sys/dumphdr.h
934 file path=usr/include/sys/ecppio.h
935 file path=usr/include/sys/ecppreg.h
936 file path=usr/include/sys/ecppsys.h
937 file path=usr/include/sys/ecppvar.h
938 file path=usr/include/sys/efi_partition.h
939 file path=usr/include/sys/elf.h
940 file path=usr/include/sys/elf_386.h
941 file path=usr/include/sys/elf_SPARC.h
942 file path=usr/include/sys/elf_amd64.h
943 file path=usr/include/sys/elf_notes.h
944 file path=usr/include/sys/elftypes.h
945 file path=usr/include/sys/epm.h
946 file path=usr/include/sys/errno.h
947 file path=usr/include/sys/errorq.h
948 file path=usr/include/sys/errorq_impl.h
949 file path=usr/include/sys/esunddi.h
950 file path=usr/include/sys/ethernet.h
951 file path=usr/include/sys/euc.h
952 file path=usr/include/sys/eucioctl.h
953 file path=usr/include/sys/exacct.h
954 file path=usr/include/sys/exacct_catalog.h
955 file path=usr/include/sys/exacct_impl.h
956 file path=usr/include/sys/exec.h
957 file path=usr/include/sys/exechdr.h
958 file path=usr/include/sys/fault.h
959 file path=usr/include/sys/fbio.h
960 file path=usr/include/sys/fbuf.h
961 file path=usr/include/sys/fc4/fc.h
962 file path=usr/include/sys/fc4/fc_transport.h
963 file path=usr/include/sys/fc4/fcal.h
964 file path=usr/include/sys/fc4/fcal_linkapp.h
965 file path=usr/include/sys/fc4/fcal_transport.h
966 file path=usr/include/sys/fc4/fcio.h
967 file path=usr/include/sys/fc4/fcp.h
968 file path=usr/include/sys/fc4/linkapp.h
969 file path=usr/include/sys/fcntl.h
970 file path=usr/include/sys/fdbuffer.h
971 file path=usr/include/sys/fdio.h
972 $(sparc_ONLY)file path=usr/include/sys/fdreg.h
973 $(sparc_ONLY)file path=usr/include/sys/fdvar.h
974 file path=usr/include/sys/feature_tests.h

```

```

975 file path=usr/include/sys/fem.h
976 file path=usr/include/sys/file.h
977 file path=usr/include/sys/filio.h
978 file path=usr/include/sys/flock.h
979 file path=usr/include/sys/flock_impl.h
980 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/SPARC64-VI.h
981 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-II.h
982 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-III.h
983 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-T1.h
984 file path=usr/include/sys/fm/fs/zfs.h
985 file path=usr/include/sys/fm/io/ddi.h
986 file path=usr/include/sys/fm/io/disk.h
987 file path=usr/include/sys/fm/io/opl_mc_fm.h
988 file path=usr/include/sys/fm/io/pci.h
989 file path=usr/include/sys/fm/io/scsi.h
990 file path=usr/include/sys/fm/io/sun4upci.h
991 file path=usr/include/sys/fm/protocol.h
992 file path=usr/include/sys/fm/util.h
993 file path=usr/include/sys/fork.h
994 $(i386_ONLY)file path=usr/include/sys/fp.h
995 $(sparc_ONLY)file path=usr/include/sys/fpu/fpu_simulator.h
996 $(sparc_ONLY)file path=usr/include/sys/fpu/fpusystem.h
997 $(sparc_ONLY)file path=usr/include/sys/fpu/globals.h
998 $(sparc_ONLY)file path=usr/include/sys/fpu/ieee.h
999 file path=usr/include/sys/frame.h
1000 file path=usr/include/sys/fs/autofs.h
1001 file path=usr/include/sys/fs/cache_dir.h
1002 file path=usr/include/sys/fs/cache_dlog.h
1003 file path=usr/include/sys/fs/cache_filegrp.h
1004 file path=usr/include/sys/fs/cache_fs.h
1005 file path=usr/include/sys/fs/cache_fsocache.h
1006 file path=usr/include/sys/fs/cache_ioctl.h
1007 file path=usr/include/sys/fs/cache_log.h
1008 file path=usr/include/sys/fs/decomp.h
1009 file path=usr/include/sys/fs/dv_node.h
1010 file path=usr/include/sys/fs/fifonode.h
1011 file path=usr/include/sys/fs/hsfs_isospec.h
1012 file path=usr/include/sys/fs/hsfs_node.h
1013 file path=usr/include/sys/fs/hsfs_rrip.h
1014 file path=usr/include/sys/fs/hsfs_spec.h
1015 file path=usr/include/sys/fs/hsfs_susp.h
1016 file path=usr/include/sys/fs/lofs_info.h
1017 file path=usr/include/sys/fs/lofs_node.h
1018 file path=usr/include/sys/fs/mntdata.h
1019 file path=usr/include/sys/fs/namenode.h
1020 file path=usr/include/sys/fs/pc_dir.h
1021 file path=usr/include/sys/fs/pc_fs.h
1022 file path=usr/include/sys/fs/pc_label.h
1023 file path=usr/include/sys/fs/pc_node.h
1024 file path=usr/include/sys/fs/pvfs_ki.h
1025 file path=usr/include/sys/fs/sdev_impl.h
1026 file path=usr/include/sys/fs/snodel.h
1027 file path=usr/include/sys/fs/swapnode.h
1028 file path=usr/include/sys/fs/tmp.h
1029 file path=usr/include/sys/fs/tmpnode.h
1030 file path=usr/include/sys/fs/udf_inode.h
1031 file path=usr/include/sys/fs/udf_volume.h
1032 file path=usr/include/sys/fs/ufs_acl.h
1033 file path=usr/include/sys/fs/ufs_bio.h
1034 file path=usr/include/sys/fs/ufs_filio.h
1035 file path=usr/include/sys/fs/ufs_fs.h
1036 file path=usr/include/sys/fs/ufs_fsidir.h
1037 file path=usr/include/sys/fs/ufs_inode.h
1038 file path=usr/include/sys/fs/ufs_lockfs.h
1039 file path=usr/include/sys/fs/ufs_log.h
1040 file path=usr/include/sys/fs/ufs_mount.h

```

1041 file path=usr/include/sys/fs/ufs\_panic.h  
 1042 file path=usr/include/sys/fs/ufs\_prot.h  
 1043 file path=usr/include/sys/fs/ufs\_quota.h  
 1044 file path=usr/include/sys/fs/ufs\_snap.h  
 1045 file path=usr/include/sys/fs/ufs\_trans.h  
 1046 file path=usr/include/sys/fs/zfs.h  
 1047 file path=usr/include/sys/fs\_reparse.h  
 1048 file path=usr/include/sys/fs\_subr.h  
 1049 file path=usr/include/sys/fsid.h  
 1050 \$(sparc\_ONLY)file path=usr/include/sys/fsr.h  
 1051 file path=usr/include/sys/fss.h  
 1052 file path=usr/include/sys/fssnap.h  
 1053 file path=usr/include/sys/fssnap\_if.h  
 1054 file path=usr/include/sys/fsspriocntl.h  
 1055 file path=usr/include/sys/fstyp.h  
 1056 file path=usr/include/sys/fttrace.h  
 1057 file path=usr/include/sys/fix.h  
 1058 file path=usr/include/sys/fixpriocntl.h  
 1059 file path=usr/include/sys/gfs.h  
 1060 file path=usr/include/sys/gld.h  
 1061 file path=usr/include/sys/gldpriv.h  
 1062 file path=usr/include/sys/group.h  
 1063 file path=usr/include/sys/hdio.h  
 1064 file path=usr/include/sys/hook.h  
 1065 file path=usr/include/sys/hook\_event.h  
 1066 file path=usr/include/sys/hook\_impl.h  
 1067 file path=usr/include/sys/hotplug/hpcsvc.h  
 1068 file path=usr/include/sys/hotplug/hpctrl.h  
 1069 file path=usr/include/sys/hotplug/pci/pcicfg.h  
 1070 file path=usr/include/sys/hotplug/pci/pcihp.h  
 1071 file path=usr/include/sys/hwconf.h  
 1072 \$(i386\_ONLY)file path=usr/include/sys/hypervisor.h  
 1073 \$(i386\_ONLY)file path=usr/include/sys/i8272A.h  
 1074 file path=usr/include/sys/ia.h  
 1075 file path=usr/include/sys/iapriocntl.h  
 1076 file path=usr/include/sys/ib/adapters/hermon/hermon\_ioctl.h  
 1077 file path=usr/include/sys/ib/adapters/mlnx\_umap.h  
 1078 file path=usr/include/sys/ib/adapters/tavor/tavor\_ioctl.h  
 1079 file path=usr/include/sys/ib/clients/ibd/ibd.h  
 1080 file path=usr/include/sys/ib/clients/of/ofa\_solaris.h  
 1081 file path=usr/include/sys/ib/clients/of/ofed\_kernel.h  
 1082 file path=usr/include/sys/ib/clients/of/rdma/ib\_addr.h  
 1083 file path=usr/include/sys/ib/clients/of/rdma/ib\_user\_mad.h  
 1084 file path=usr/include/sys/ib/clients/of/rdma/ib\_user\_sa.h  
 1085 file path=usr/include/sys/ib/clients/of/rdma/ib\_user\_verbs.h  
 1086 file path=usr/include/sys/ib/clients/of/rdma/ib\_verbs.h  
 1087 file path=usr/include/sys/ib/clients/of/rdma/rdma\_cm.h  
 1088 file path=usr/include/sys/ib/clients/of/rdma/rdma\_user\_cm.h  
 1089 file path=usr/include/sys/ib/clients/of/sol\_ofs/sol\_cma.h  
 1090 file path=usr/include/sys/ib/clients/of/sol\_ofs/sol\_ib\_cma.h  
 1091 file path=usr/include/sys/ib/clients/of/sol\_ofs/sol\_kverb\_impl.h  
 1092 file path=usr/include/sys/ib/clients/of/sol\_ofs/sol\_ofs\_common.h  
 1093 file path=usr/include/sys/ib/clients/of/sol\_ucma/sol\_rdma\_user\_cm.h  
 1094 file path=usr/include/sys/ib/clients/of/sol\_ucma/sol\_ucma.h  
 1095 file path=usr/include/sys/ib/clients/of/sol\_umad/sol\_umad.h  
 1096 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs.h  
 1097 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs2ucma.h  
 1098 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs\_comp.h  
 1099 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs\_event.h  
 1100 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs\_hca.h  
 1101 file path=usr/include/sys/ib/clients/of/sol\_uverbs/sol\_uverbs\_qp.h  
 1102 file path=usr/include/sys/ib/ib\_pkt\_hdrs.h  
 1103 file path=usr/include/sys/ib/ib\_types.h  
 1104 file path=usr/include/sys/ib/ibnexus/ibnex\_devctl.h  
 1105 file path=usr/include/sys/ib/ibtl/ibci.h  
 1106 file path=usr/include/sys/ib/ibtl/ibti.h

1107 file path=usr/include/sys/ib/ibtl/ibti\_cm.h  
 1108 file path=usr/include/sys/ib/ibtl/ibti\_common.h  
 1109 file path=usr/include/sys/ib/ibtl/ibtl\_ci\_types.h  
 1110 file path=usr/include/sys/ib/ibtl/ibtl\_status.h  
 1111 file path=usr/include/sys/ib/ibtl/ibtl\_types.h  
 1112 file path=usr/include/sys/ib/ibtl/ibvti.h  
 1113 file path=usr/include/sys/ib/ibtl/impl/ibtl\_util.h  
 1114 file path=usr/include/sys/ib/mgt/ib\_dm\_attr.h  
 1115 file path=usr/include/sys/ib/mgt/ib\_mad.h  
 1116 file path=usr/include/sys/ib/mgt/ibmf/ibmf.h  
 1117 file path=usr/include/sys/ib/mgt/ibmf/ibmf\_msg.h  
 1118 file path=usr/include/sys/ib/mgt/ibmf/ibmf\_saa.h  
 1119 file path=usr/include/sys/ib/mgt/ibmf/ibmf\_utils.h  
 1120 file path=usr/include/sys/ib/mgt/sa\_recs.h  
 1121 file path=usr/include/sys/ib/mgt/sm\_attr.h  
 1122 file path=usr/include/sys/ibpart.h  
 1123 file path=usr/include/sys/id32.h  
 1124 file path=usr/include/sys/id\_space.h  
 1125 file path=usr/include/sys/idmap.h  
 1126 file path=usr/include/sys/inline.h  
 1127 file path=usr/include/sys/instance.h  
 1128 file path=usr/include/sys/int\_const.h  
 1129 file path=usr/include/sys/int\_fmtio.h  
 1130 file path=usr/include/sys/int\_limits.h  
 1131 file path=usr/include/sys/int\_types.h  
 1132 file path=usr/include/sys/inttypes.h  
 1133 file path=usr/include/sys/ioccom.h  
 1134 file path=usr/include/sys/ioctl.h  
 1135 \$(i386\_ONLY)file path=usr/include/sys/iommu.lib.h  
 1136 file path=usr/include/sys/ipc.h  
 1137 file path=usr/include/sys/ipc\_impl.h  
 1138 file path=usr/include/sys/ipc\_rctl.h  
 1139 file path=usr/include/sys/isa\_defs.h  
 1140 file path=usr/include/sys/iso/signal\_iso.h  
 1141 file path=usr/include/sys/jioctl.h  
 1142 file path=usr/include/sys/kbd.h  
 1143 file path=usr/include/sys/kbdreg.h  
 1144 file path=usr/include/sys/kbio.h  
 1145 file path=usr/include/sys/kcpc.h  
 1146 file path=usr/include/sys/kd.h  
 1147 file path=usr/include/sys/kdi.h  
 1148 file path=usr/include/sys/kdi\_impl.h  
 1149 file path=usr/include/sys/kdi\_machimpl.h  
 1150 \$(i386\_ONLY)file path=usr/include/sys/kdi\_regs.h  
 1151 file path=usr/include/sys/kiconv.h  
 1152 file path=usr/include/sys/kidmap.h  
 1153 file path=usr/include/sys/klpd.h  
 1154 file path=usr/include/sys/klwp.h  
 1155 file path=usr/include/sys/kmem.h  
 1156 file path=usr/include/sys/kmem\_impl.h  
 1157 file path=usr/include/sys/kobj.h  
 1158 file path=usr/include/sys/kobj\_impl.h  
 1159 file path=usr/include/sys/ksocket.h  
 1160 file path=usr/include/sys/kstat.h  
 1161 file path=usr/include/sys/kstr.h  
 1162 file path=usr/include/sys/ksyms.h  
 1163 file path=usr/include/sys/ksynch.h  
 1164 file path=usr/include/sys/lc\_core.h  
 1165 file path=usr/include/sys/ldterm.h  
 1166 file path=usr/include/sys/lgrp.h  
 1167 file path=usr/include/sys/lgrp\_user.h  
 1168 file path=usr/include/sys/link.h  
 1169 file path=usr/include/sys/list.h  
 1170 file path=usr/include/sys/list\_impl.h  
 1171 file path=usr/include/sys/llcl.h  
 1172 file path=usr/include/sys/loadavg.h



1173 file path=usr/include/sys/localedef.h  
1174 file path=usr/include/sys/lock.h  
1175 file path=usr/include/sys/lockfs.h  
1176 file path=usr/include/sys/lofi.h  
1177 file path=usr/include/sys/log.h  
1178 file path=usr/include/sys/logindmux.h  
1179 file path=usr/include/sys/lvm/md\_basic.h  
1180 file path=usr/include/sys/lvm/md\_convert.h  
1181 file path=usr/include/sys/lvm/md\_crc.h  
1182 file path=usr/include/sys/lvm/md\_hotspares.h  
1183 file path=usr/include/sys/lvm/md\_mddb.h  
1184 file path=usr/include/sys/lvm/md\_mdiox.h  
1185 file path=usr/include/sys/lvm/md\_mhdx.h  
1186 file path=usr/include/sys/lvm/md\_mirror.h  
1187 file path=usr/include/sys/lvm/md\_mirror\_shared.h  
1188 file path=usr/include/sys/lvm/md\_names.h  
1189 file path=usr/include/sys/lvm/md\_notify.h  
1190 file path=usr/include/sys/lvm/md\_raid.h  
1191 file path=usr/include/sys/lvm/md\_rename.h  
1192 file path=usr/include/sys/lvm/md\_sp.h  
1193 file path=usr/include/sys/lvm/md\_stripe.h  
1194 file path=usr/include/sys/lvm/md\_trans.h  
1195 file path=usr/include/sys/lvm/mdio.h  
1196 file path=usr/include/sys/lvm/mdmed.h  
1197 file path=usr/include/sys/lvm/mdmn\_commd.h  
1198 file path=usr/include/sys/lvm/mdvar.h  
1199 file path=usr/include/sys/lwp.h  
1200 file path=usr/include/sys/lwp\_timer\_impl.h  
1201 file path=usr/include/sys/lwp\_upimutex\_impl.h  
1202 file path=usr/include/sys/mac.h  
1203 file path=usr/include/sys/mac\_ether.h  
1204 file path=usr/include/sys/mac\_flow.h  
1205 file path=usr/include/sys/mac\_provider.h  
1206 file path=usr/include/sys/machelf.h  
1207 file path=usr/include/sys/machlock.h  
1208 file path=usr/include/sys/machsig.h  
1209 file path=usr/include/sys/machtypes.h  
1210 file path=usr/include/sys/map.h  
1211 \$(i386\_ONLY)file path=usr/include/sys/mc.h  
1212 \$(i386\_ONLY)file path=usr/include/sys/mc\_amd.h  
1213 \$(i386\_ONLY)file path=usr/include/sys/mc\_intel.h  
1214 \$(i386\_ONLY)file path=usr/include/sys/mca\_amd.h  
1215 \$(i386\_ONLY)file path=usr/include/sys/mca\_x86.h  
1216 file path=usr/include/sys/md4.h  
1217 file path=usr/include/sys/md5.h  
1218 file path=usr/include/sys/md5\_consts.h  
1219 file path=usr/include/sys/mdi\_impldefs.h  
1220 file path=usr/include/sys/mem.h  
1221 file path=usr/include/sys/mem\_config.h  
1222 file path=usr/include/sys/memlist.h  
1223 file path=usr/include/sys/mhd.h  
1224 file path=usr/include/sys/mii.h  
1225 file path=usr/include/sys/miiregs.h  
1226 file path=usr/include/sys/mkdev.h  
1227 file path=usr/include/sys/mman.h  
1228 file path=usr/include/sys/mmapobj.h  
1229 file path=usr/include/sys/mntent.h  
1230 file path=usr/include/sys/mntio.h  
1231 file path=usr/include/sys/mnttab.h  
1232 file path=usr/include/sys/modctl.h  
1233 file path=usr/include/sys/mode.h  
1234 file path=usr/include/sys/model.h  
1235 file path=usr/include/sys/modhash.h  
1236 file path=usr/include/sys/modhash\_impl.h  
1237 file path=usr/include/sys/mount.h  
1238 file path=usr/include/sys/mouse.h

1239 file path=usr/include/sys/msacct.h  
1240 file path=usr/include/sys/msg.h  
1241 file path=usr/include/sys/msg\_impl.h  
1242 file path=usr/include/sys/msio.h  
1243 file path=usr/include/sys/msreg.h  
1244 file path=usr/include/sys/mtio.h  
1245 file path=usr/include/sys/multidata.h  
1246 file path=usr/include/sys/mutex.h  
1247 \$(i386\_ONLY)file path=usr/include/sys/mutex\_impl.h  
1248 file path=usr/include/sys/nbmlck.h  
1249 file path=usr/include/sys/ndi\_impldefs.h  
1250 file path=usr/include/sys/ndifm.h  
1251 file path=usr/include/sys/netconfig.h  
1252 file path=usr/include/sys/neti.h  
1253 file path=usr/include/sys/netstack.h  
1254 file path=usr/include/sys/nexusdefs.h  
1255 file path=usr/include/sys/note.h  
1256 file path=usr/include/sys/nvpair.h  
1257 file path=usr/include/sys/nvpair\_impl.h  
1258 file path=usr/include/sys/objfs.h  
1259 file path=usr/include/sys/objfs\_impl.h  
1260 file path=usr/include/sys/obpdefs.h  
1261 file path=usr/include/sys/old\_procfs.h  
1262 file path=usr/include/sys/open.h  
1263 file path=usr/include/sys/openpromio.h  
1264 file path=usr/include/sys/panic.h  
1265 file path=usr/include/sys/param.h  
1266 file path=usr/include/sys/pathconf.h  
1267 file path=usr/include/sys/pathname.h  
1268 file path=usr/include/sys/pattr.h  
1269 file path=usr/include/sys/pbio.h  
1270 file path=usr/include/sys/pcb.h  
1271 file path=usr/include/sys/pccard.h  
1272 file path=usr/include/sys/pci.h  
1273 \$(i386\_ONLY)file path=usr/include/sys/pcic\_reg.h  
1274 \$(i386\_ONLY)file path=usr/include/sys/pcic\_var.h  
1275 file path=usr/include/sys/pcie.h  
1276 file path=usr/include/sys/pcmcia.h  
1277 file path=usr/include/sys/pctypes.h  
1278 file path=usr/include/sys/pfmod.h  
1279 file path=usr/include/sys/pg.h  
1280 file path=usr/include/sys/pghw.h  
1281 file path=usr/include/sys/phymem.h  
1282 \$(i386\_ONLY)file path=usr/include/sys/pic.h  
1283 \$(i386\_ONLY)file path=usr/include/sys/pit.h  
1284 file path=usr/include/sys/pkp\_hash.h  
1285 file path=usr/include/sys/pm.h  
1286 \$(i386\_ONLY)file path=usr/include/sys/pmem.h  
1287 file path=usr/include/sys/policy.h  
1288 file path=usr/include/sys/poll.h  
1289 file path=usr/include/sys/poll\_impl.h  
1290 file path=usr/include/sys/pool.h  
1291 file path=usr/include/sys/pool\_impl.h  
1292 file path=usr/include/sys/pool\_pset.h  
1293 file path=usr/include/sys/port.h  
1294 file path=usr/include/sys/port\_impl.h  
1295 file path=usr/include/sys/port\_kernel.h  
1296 file path=usr/include/sys/ppmio.h  
1297 file path=usr/include/sys/priocntl.h  
1298 file path=usr/include/sys/priv.h  
1299 file path=usr/include/sys/priv\_const.h  
1300 file path=usr/include/sys/priv\_impl.h  
1301 file path=usr/include/sys/priv\_names.h  
1302 \$(i386\_ONLY)file path=usr/include/sys/privregs.h  
1303 \$(i386\_ONLY)file path=usr/include/sys/privregs.h  
1304 file path=usr/include/sys/prnio.h

1301 file path=usr/include/sys/proc.h  
 1302 file path=usr/include/sys/proc/prdata.h  
 1303 file path=usr/include/sys/processor.h  
 1304 file path=usr/include/sys/procfs.h  
 1305 file path=usr/include/sys/procfs\_isa.h  
 1306 file path=usr/include/sys/procset.h  
 1307 file path=usr/include/sys/project.h  
 1308 \$(i386\_ONLY)file path=usr/include/sys/prom\_emul.h  
 1309 \$(i386\_ONLY)file path=usr/include/sys/prom\_isa.h  
 1310 \$(i386\_ONLY)file path=usr/include/sys/prom\_plat.h  
 1311 file path=usr/include/sys/promif.h  
 1312 file path=usr/include/sys/promimpl.h  
 1313 file path=usr/include/sys/protosw.h  
 1314 file path=usr/include/sys/prsystem.h  
 1315 file path=usr/include/sys/pset.h  
 1316 file path=usr/include/sys/psw.h  
 1317 \$(i386\_ONLY)file path=usr/include/sys/pte.h  
 1318 file path=usr/include/sys/ptem.h  
 1319 file path=usr/include/sys/ptms.h  
 1320 file path=usr/include/sys/ptyvar.h  
 1321 file path=usr/include/sys/queue.h  
 1322 file path=usr/include/sys/raidioctl.h  
 1323 file path=usr/include/sys/ramdisk.h  
 1324 file path=usr/include/sys/random.h  
 1325 file path=usr/include/sys/rctl.h  
 1326 file path=usr/include/sys/rctl\_impl.h  
 1327 file path=usr/include/sys/rds.h  
 1328 file path=usr/include/sys/reboot.h  
 1329 file path=usr/include/sys/refstr.h  
 1330 file path=usr/include/sys/refstr\_impl.h  
 1331 file path=usr/include/sys/reg.h  
 1332 file path=usr/include/sys/regset.h  
 1333 file path=usr/include/sys/resource.h  
 1334 file path=usr/include/sys/rliocntl.h  
 1335 file path=usr/include/sys/rsm/rsm.h  
 1336 file path=usr/include/sys/rsm/rsm\_common.h  
 1337 file path=usr/include/sys/rsm/rsmapi\_common.h  
 1338 file path=usr/include/sys/rsm/rsmka\_path\_int.h  
 1339 file path=usr/include/sys/rsm/rsmmdi.h  
 1340 file path=usr/include/sys/rsm/rsmmpi.h  
 1341 file path=usr/include/sys/rsm/rsmmpi\_driver.h  
 1342 file path=usr/include/sys/rt.h  
 1343 \$(i386\_ONLY)file path=usr/include/sys/rtc.h  
 1344 file path=usr/include/sys/rtpriocntl.h  
 1345 file path=usr/include/sys/rwlock.h  
 1346 file path=usr/include/sys/rwlock\_impl.h  
 1347 file path=usr/include/sys/rwstlock.h  
 1348 file path=usr/include/sys/sad.h  
 1349 \$(i386\_ONLY)file path=usr/include/sys/sata/sata\_defs.h  
 1350 \$(i386\_ONLY)file path=usr/include/sys/sata/sata\_hba.h  
 1351 file path=usr/include/sys/schedctl.h  
 1352 \$(sparc\_ONLY)file path=usr/include/sys/scsi/adapters/ifpio.h  
 1353 file path=usr/include/sys/scsi/adapters/scsi\_vhci.h  
 1354 \$(sparc\_ONLY)file path=usr/include/sys/scsi/adapters/sfvar.h  
 1355 file path=usr/include/sys/scsi/conf/autoconf.h  
 1356 file path=usr/include/sys/scsi/conf/device.h  
 1357 file path=usr/include/sys/scsi/generic/commands.h  
 1358 file path=usr/include/sys/scsi/generic/dad\_mode.h  
 1359 file path=usr/include/sys/scsi/generic/inquiry.h  
 1360 file path=usr/include/sys/scsi/generic/message.h  
 1361 file path=usr/include/sys/scsi/generic/mode.h  
 1362 file path=usr/include/sys/scsi/generic/persist.h  
 1363 file path=usr/include/sys/scsi/generic/sense.h  
 1364 file path=usr/include/sys/scsi/generic/sff\_frames.h  
 1365 file path=usr/include/sys/scsi/generic/smp\_frames.h  
 1366 file path=usr/include/sys/scsi/generic/status.h

1367 file path=usr/include/sys/scsi/impl/commands.h  
 1368 file path=usr/include/sys/scsi/impl/inquiry.h  
 1369 file path=usr/include/sys/scsi/impl/mode.h  
 1370 file path=usr/include/sys/scsi/impl/scsi\_reset\_notify.h  
 1371 file path=usr/include/sys/scsi/impl/scsi\_sas.h  
 1372 file path=usr/include/sys/scsi/impl/sense.h  
 1373 file path=usr/include/sys/scsi/impl/services.h  
 1374 file path=usr/include/sys/scsi/impl/smp\_transport.h  
 1375 file path=usr/include/sys/scsi/impl/spc3\_types.h  
 1376 file path=usr/include/sys/scsi/impl/status.h  
 1377 file path=usr/include/sys/scsi/impl/transport.h  
 1378 file path=usr/include/sys/scsi/impl/types.h  
 1379 file path=usr/include/sys/scsi/impl/uscsi.h  
 1380 file path=usr/include/sys/scsi/impl/usmp.h  
 1381 file path=usr/include/sys/scsi/scsi.h  
 1382 file path=usr/include/sys/scsi/scsi\_address.h  
 1383 file path=usr/include/sys/scsi/scsi\_ctl.h  
 1384 file path=usr/include/sys/scsi/scsi\_fm.h  
 1385 file path=usr/include/sys/scsi/scsi\_params.h  
 1386 file path=usr/include/sys/scsi/scsi\_pkt.h  
 1387 file path=usr/include/sys/scsi/scsi\_resource.h  
 1388 file path=usr/include/sys/scsi/scsi\_types.h  
 1389 file path=usr/include/sys/scsi/scsi\_watch.h  
 1390 file path=usr/include/sys/scsi/targets/sddef.h  
 1391 file path=usr/include/sys/scsi/targets/ses.h  
 1392 file path=usr/include/sys/scsi/targets/sesio.h  
 1393 file path=usr/include/sys/scsi/targets/sgendef.h  
 1394 file path=usr/include/sys/scsi/targets/smp.h  
 1395 \$(sparc\_ONLY)file path=usr/include/sys/scsi/targets/ssddef.h  
 1396 file path=usr/include/sys/scsi/targets/stdef.h  
 1397 \$(i386\_ONLY)file path=usr/include/sys/segment.h  
 1398 \$(i386\_ONLY)file path=usr/include/sys/segments.h  
 1399 file path=usr/include/sys/select.h  
 1400 file path=usr/include/sys/sem.h  
 1401 file path=usr/include/sys/sem\_impl.h  
 1402 file path=usr/include/sys/semaphore.h  
 1403 file path=usr/include/sys/semaphore.h  
 1404 file path=usr/include/sys/sendfile.h  
 1405 \$(sparc\_ONLY)file path=usr/include/sys/ser\_async.h  
 1406 file path=usr/include/sys/ser\_sync.h  
 1407 \$(sparc\_ONLY)file path=usr/include/sys/ser\_zscc.h  
 1408 file path=usr/include/sys/serializer.h  
 1409 file path=usr/include/sys/session.h  
 1410 file path=usr/include/sys/sha1.h  
 1411 file path=usr/include/sys/sha2.h  
 1412 file path=usr/include/sys/share.h  
 1413 file path=usr/include/sys/shm.h  
 1414 file path=usr/include/sys/shm\_impl.h  
 1415 file path=usr/include/sys/sid.h  
 1416 file path=usr/include/sys/signinfo.h  
 1417 file path=usr/include/sys/signal.h  
 1418 file path=usr/include/sys/sleepq.h  
 1419 file path=usr/include/sys/smbios.h  
 1420 file path=usr/include/sys/smbios\_impl.h  
 1421 file path=usr/include/sys/smedia.h  
 1422 file path=usr/include/sys/subject.h  
 1423 \$(sparc\_ONLY)file path=usr/include/sys/socal\_cq\_defs.h  
 1424 \$(sparc\_ONLY)file path=usr/include/sys/socalio.h  
 1425 \$(sparc\_ONLY)file path=usr/include/sys/socalmap.h  
 1426 \$(sparc\_ONLY)file path=usr/include/sys/socalreg.h  
 1427 \$(sparc\_ONLY)file path=usr/include/sys/socalvar.h  
 1428 file path=usr/include/sys/socket.h  
 1429 file path=usr/include/sys/socket\_impl.h  
 1430 file path=usr/include/sys/socket\_proto.h  
 1431 file path=usr/include/sys/socketvar.h  
 1432 file path=usr/include/sys/sockio.h

1433 file path=usr/include/sys/spl.h  
1434 file path=usr/include/sys/squeue.h  
1435 file path=usr/include/sys/squeue\_impl.h  
1448 file path=usr/include/sys/sservice.h  
1436 file path=usr/include/sys/stack.h  
1437 file path=usr/include/sys/stat.h  
1438 file path=usr/include/sys/stat\_impl.h  
1439 file path=usr/include/sys/statfs.h  
1440 file path=usr/include/sys/statvfs.h  
1441 file path=usr/include/sys/stdbool.h  
1442 file path=usr/include/sys/stdint.h  
1443 file path=usr/include/sys/stermio.h  
1444 file path=usr/include/sys/stream.h  
1445 file path=usr/include/sys/strft.h  
1446 file path=usr/include/sys/strlog.h  
1447 file path=usr/include/sys/strmdep.h  
1448 file path=usr/include/sys/stropts.h  
1449 file path=usr/include/sys/strreaddir.h  
1450 file path=usr/include/sys/strstat.h  
1451 file path=usr/include/sys/strsubr.h  
1452 file path=usr/include/sys/strsun.h  
1453 file path=usr/include/sys/strtty.h  
1454 file path=usr/include/sys/sunddi.h  
1455 file path=usr/include/sys/sunldi.h  
1456 file path=usr/include/sys/sunldi\_impl.h  
1457 file path=usr/include/sys/sunmdi.h  
1458 file path=usr/include/sys/sunndi.h  
1459 file path=usr/include/sys/sunpm.h  
1460 file path=usr/include/sys/suntpi.h  
1461 file path=usr/include/sys/suntty.h  
1462 file path=usr/include/sys/swap.h  
1463 file path=usr/include/sys/synch.h  
1464 file path=usr/include/sys/syscall.h  
1465 file path=usr/include/sys/sysconf.h  
1466 file path=usr/include/sys/sysconfig.h  
1467 file path=usr/include/sys/sysconfig\_impl.h  
1468 file path=usr/include/sys/sysdc.h  
1469 file path=usr/include/sys/sysdc\_impl.h  
1470 file path=usr/include/sys/sysevent.h  
1471 file path=usr/include/sys/sysevent/ap\_driver.h  
1472 file path=usr/include/sys/sysevent/dev.h  
1473 file path=usr/include/sys/sysevent/domain.h  
1474 file path=usr/include/sys/sysevent/dr.h  
1475 file path=usr/include/sys/sysevent/env.h  
1476 file path=usr/include/sys/sysevent/eventdefs.h  
1477 file path=usr/include/sys/sysevent/ipmp.h  
1478 file path=usr/include/sys/sysevent/pwrctl.h  
1479 file path=usr/include/sys/sysevent/svm.h  
1480 file path=usr/include/sys/sysevent/vrrp.h  
1481 file path=usr/include/sys/sysevent\_impl.h  
1482 \$(i386\_ONLY)file path=usr/include/sys/sysi86.h  
1483 file path=usr/include/sys/sysinfo.h  
1484 file path=usr/include/sys/syslog.h  
1485 file path=usr/include/sys/sysmacros.h  
1486 file path=usr/include/sys/systeminfo.h  
1487 file path=usr/include/sys/system.h  
1488 file path=usr/include/sys/t\_kuser.h  
1489 file path=usr/include/sys/t\_lock.h  
1490 file path=usr/include/sys/task.h  
1491 file path=usr/include/sys/taskq.h  
1492 file path=usr/include/sys/taskq\_impl.h  
1493 file path=usr/include/sys/telioctl.h  
1494 file path=usr/include/sys/termio.h  
1495 file path=usr/include/sys/termios.h  
1496 file path=usr/include/sys/termiox.h  
1497 file path=usr/include/sys/thread.h

1498 file path=usr/include/sys/ticlts.h  
1499 file path=usr/include/sys/ticots.h  
1500 file path=usr/include/sys/ticotsord.h  
1501 file path=usr/include/sys/tihdr.h  
1502 file path=usr/include/sys/time.h  
1503 file path=usr/include/sys/time\_impl.h  
1504 file path=usr/include/sys/time\_std\_impl.h  
1505 file path=usr/include/sys/timeb.h  
1506 file path=usr/include/sys/timer.h  
1507 file path=usr/include/sys/times.h  
1508 file path=usr/include/sys/timex.h  
1509 file path=usr/include/sys/timod.h  
1510 file path=usr/include/sys/tirdwr.h  
1511 file path=usr/include/sys/tiuser.h  
1512 file path=usr/include/sys/tl.h  
1513 file path=usr/include/sys/tnf.h  
1514 file path=usr/include/sys/tnf\_com.h  
1515 file path=usr/include/sys/tnf\_probe.h  
1516 file path=usr/include/sys/tnf\_writer.h  
1517 file path=usr/include/sys/todio.h  
1518 file path=usr/include/sys/tpicommon.h  
1519 file path=usr/include/sys/trap.h  
1520 \$(i386\_ONLY)file path=usr/include/sys/traptrace.h  
1521 file path=usr/include/sys/ts.h  
1522 file path=usr/include/sys/tsol/label.h  
1523 file path=usr/include/sys/tsol/label\_macro.h  
1524 file path=usr/include/sys/tsol/priv.h  
1525 file path=usr/include/sys/tsol/tndb.h  
1526 file path=usr/include/sys/tsol/tsyscall.h  
1527 file path=usr/include/sys/tsprioctl.h  
1528 \$(i386\_ONLY)file path=usr/include/sys/tss.h  
1529 file path=usr/include/sys/ttcompat.h  
1530 file path=usr/include/sys/ttold.h  
1531 file path=usr/include/sys/tty.h  
1532 file path=usr/include/sys/ttychars.h  
1533 file path=usr/include/sys/ttydev.h  
1534 \$(sparc\_ONLY)file path=usr/include/sys/ttymux.h  
1535 \$(sparc\_ONLY)file path=usr/include/sys/ttymuxuser.h  
1536 file path=usr/include/sys/tuneable.h  
1537 file path=usr/include/sys/turnstile.h  
1538 file path=usr/include/sys/types.h  
1539 file path=usr/include/sys/types32.h  
1540 file path=usr/include/sys/tzfile.h  
1541 file path=usr/include/sys/u8\_textprep.h  
1542 file path=usr/include/sys/uadmin.h  
1543 \$(i386\_ONLY)file path=usr/include/sys/ucode.h  
1544 file path=usr/include/sys/ucontext.h  
1545 file path=usr/include/sys/uiio.h  
1546 file path=usr/include/sys/ulimit.h  
1547 file path=usr/include/sys/un.h  
1548 file path=usr/include/sys/unistd.h  
1549 file path=usr/include/sys/user.h  
1550 file path=usr/include/sys/ustat.h  
1551 file path=usr/include/sys/utime.h  
1552 file path=usr/include/sys/utrap.h  
1553 file path=usr/include/sys/utsname.h  
1554 file path=usr/include/sys/utssys.h  
1555 file path=usr/include/sys/uuid.h  
1556 file path=usr/include/sys/va\_impl.h  
1557 file path=usr/include/sys/va\_list.h  
1558 file path=usr/include/sys/var.h  
1559 file path=usr/include/sys/varargs.h  
1560 file path=usr/include/sys/vfs.h  
1561 file path=usr/include/sys/vfs\_opreg.h  
1562 file path=usr/include/sys/vfstab.h  
1563 file path=usr/include/sys/videodev2.h

```

1564 file path=usr/include/sys/visual_io.h
1565 file path=usr/include/sys/vm.h
1566 file path=usr/include/sys/vm_usage.h
1567 file path=usr/include/sys/vmem.h
1568 file path=usr/include/sys/vmem_impl.h
1569 file path=usr/include/sys/vmem_impl_user.h
1570 file path=usr/include/sys/vmparam.h
1571 file path=usr/include/sys/vmsystem.h
1572 file path=usr/include/sys/vnode.h
1573 file path=usr/include/sys/vt.h
1574 file path=usr/include/sys/vtdaemon.h
1575 file path=usr/include/sys/vtoc.h
1576 file path=usr/include/sys/vtrace.h
1577 file path=usr/include/sys/vuid_event.h
1578 file path=usr/include/sys/vuid_queue.h
1579 file path=usr/include/sys/vuid_state.h
1580 file path=usr/include/sys/vuid_store.h
1581 file path=usr/include/sys/vuid_wheel.h
1582 file path=usr/include/sys/wait.h
1583 file path=usr/include/sys/waitq.h
1584 file path=usr/include/sys/watchpoint.h
1585 $(i386_ONLY)file path=usr/include/sys/x86_archext.h
1586 $(i386_ONLY)file path=usr/include/sys/xen_errno.h
1587 file path=usr/include/sys/xti_inet.h
1588 file path=usr/include/sys/xti_osi.h
1589 file path=usr/include/sys/xti_xtiopt.h
1590 file path=usr/include/sys/zcons.h
1591 file path=usr/include/sys/zmod.h
1592 file path=usr/include/sys/zone.h
1593 $(sparc_ONLY)file path=usr/include/sys/zsdev.h
1594 file path=usr/include/syssexits.h
1595 file path=usr/include/syslog.h
1596 file path=usr/include/tar.h
1597 file path=usr/include/tcpd.h
1598 file path=usr/include/term.h
1599 file path=usr/include/termcap.h
1600 file path=usr/include/termio.h
1601 file path=usr/include/termios.h
1602 file path=usr/include/thread.h
1603 file path=usr/include/thread_db.h
1604 file path=usr/include/time.h
1605 file path=usr/include/tiuser.h
1606 file path=usr/include/tsol/label.h
1607 file path=usr/include/tzfile.h
1608 file path=usr/include/ucontext.h
1609 file path=usr/include/ucred.h
1610 file path=usr/include/uid_stp.h
1611 file path=usr/include/ulimit.h
1612 file path=usr/include/umem.h
1613 file path=usr/include/umem_impl.h
1614 file path=usr/include/unctrl.h
1615 file path=usr/include/unistd.h
1616 file path=usr/include/user_attr.h
1617 file path=usr/include/userdefs.h
1618 file path=usr/include/ustat.h
1619 file path=usr/include/utility.h
1620 file path=usr/include/utime.h
1621 file path=usr/include/utmp.h
1622 file path=usr/include/utmpx.h
1623 file path=usr/include/uuid/uuid.h
1624 $(sparc_ONLY)file path=usr/include/v7/sys/machpcb.h
1625 $(sparc_ONLY)file path=usr/include/v7/sys/machtrap.h
1626 $(sparc_ONLY)file path=usr/include/v7/sys/mutex_impl.h
1627 $(sparc_ONLY)file path=usr/include/v7/sys/privregs.h
1628 $(sparc_ONLY)file path=usr/include/v7/sys/prom_isa.h
1629 $(sparc_ONLY)file path=usr/include/v7/sys/psr.h

```

```

1630 $(sparc_ONLY)file path=usr/include/v7/sys/traptrace.h
1631 $(sparc_ONLY)file path=usr/include/v9/sys/asi.h
1632 $(sparc_ONLY)file path=usr/include/v9/sys/machpcb.h
1633 $(sparc_ONLY)file path=usr/include/v9/sys/machtrap.h
1634 $(sparc_ONLY)file path=usr/include/v9/sys/membar.h
1635 $(sparc_ONLY)file path=usr/include/v9/sys/mutex_impl.h
1636 $(sparc_ONLY)file path=usr/include/v9/sys/privregs.h
1637 $(sparc_ONLY)file path=usr/include/v9/sys/prom_isa.h
1638 $(sparc_ONLY)file path=usr/include/v9/sys/psr_compat.h
1639 $(sparc_ONLY)file path=usr/include/v9/sys/vis_simulator.h
1640 file path=usr/include/valtools.h
1641 file path=usr/include/values.h
1642 file path=usr/include/varargs.h
1643 file path=usr/include/vm/anon.h
1644 file path=usr/include/vm/as.h
1645 file path=usr/include/vm/faultcode.h
1646 file path=usr/include/vm/hat.h
1647 file path=usr/include/vm/kpm.h
1648 file path=usr/include/vm/page.h
1649 file path=usr/include/vm/pvn.h
1650 file path=usr/include/vm/rm.h
1651 file path=usr/include/vm/seg.h
1652 file path=usr/include/vm/seg_dev.h
1653 file path=usr/include/vm/seg_enum.h
1654 file path=usr/include/vm/seg_kmem.h
1655 file path=usr/include/vm/seg_kp.h
1656 file path=usr/include/vm/seg_kpm.h
1657 file path=usr/include/vm/seg_map.h
1658 file path=usr/include/vm/seg_spt.h
1659 file path=usr/include/vm/seg_vn.h
1660 file path=usr/include/vm/vpage.h
1661 file path=usr/include/vm/vpm.h
1662 file path=usr/include/volmgt.h
1663 file path=usr/include/wait.h
1664 file path=usr/include/wchar.h
1665 file path=usr/include/wchar_impl.h
1666 file path=usr/include/wctype.h
1667 file path=usr/include/widec.h
1668 file path=usr/include/wordexp.h
1669 file path=usr/include/xlocale.h
1670 file path=usr/include/xti.h
1671 file path=usr/include/xti_inet.h
1672 file path=usr/include/zone.h
1673 file path=usr/include/zonestat.h
1674 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/acpidev.h
1675 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/amd_iommu.h
1676 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/asm_misc.h
1677 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/clock.h
1678 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/cram.h
1679 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/ddi_subrdefs.h
1680 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/debug_info.h
1681 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/fastboot.h
1682 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/mach_mmu.h
1683 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machclock.h
1684 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machcpuvar.h
1685 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machparam.h
1686 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machprivregs.h
1687 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machsystem.h
1688 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machthread.h
1689 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/memmode.h
1690 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/pc_mmu.h
1691 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm.h
1692 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_defs.h
1693 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_modctl.h
1694 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_types.h
1695 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/rm_platter.h

```

```

1696 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/sbd_ioctl.h
1697 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/smp_impldefs.h
1698 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/vm_machparam.h
1699 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xcall.h
1700 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_levels.h
1701 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xsvc.h
1702 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_i86.h
1703 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_pte.h
1704 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hment.h
1705 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/htable.h
1706 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/kboot_mmu.h
1707 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/balloon.h
1708 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/machprivregs.h
1709 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xen_impl.h
1710 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xpv_impl.h
1711 $(i386_ONLY)file path=usr/platform/i86xpv/include/vm/seg_mf.h
1712 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ac.h
1713 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/async.h
1714 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cheatahregs.h
1715 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h
1716 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/clock.h
1717 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cmp.h
1718 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpc_ultra.h
1719 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpr_impl.h
1720 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_mmu.h
1721 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_sgnblk_defs.h
1722 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cvc.h
1723 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/daktari.h
1724 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ddi_subrdefs.h
1725 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/dvma.h
1726 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ecc_kstat.h
1727 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/eeeprom.h
1728 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl.h
1729 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_gen.h
1730 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue250.h
1731 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue450.h
1732 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/environ.h
1733 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/errclassify.h
1734 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/fhc.h
1735 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/gpio_87317.h
1736 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/hpc3130_events.h
1737 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/hpc3130.h
1738 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/i2c_client.h
1739 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/lm75.h
1740 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/max1617.h
1741 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/pcf8591.h
1742 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/ssc050.h
1743 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/misc/i2c_svc.h
1744 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/idprom.h
1745 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intr.h
1746 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intreg.h
1747 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iocache.h
1748 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iommu.h
1749 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ivintr.h
1750 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/lom_io.h
1751 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machasi.h
1752 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machclock.h
1753 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machcpuvar.h
1754 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machparam.h
1755 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machsystem.h
1756 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machthread.h
1757 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mem_cache.h
1758 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memlist_plat.h
1759 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memnode.h
1760 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mmu.h
1761 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/nexusdebug.h

```

```

1762 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_hwdesc.h
1763 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_module.h
1764 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_debug.h
1765 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_plat.h
1766 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/pte.h
1767 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sbd_ioctl.h
1768 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scb.h
1769 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scsb_led.h
1770 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/simmstat.h
1771 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/spitregs.h
1772 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sram.h
1773 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1774 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sun4asi.h
1775 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysctrl.h
1776 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysioerr.h
1777 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysiosbus.h
1778 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tod.h
1779 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/todmostek.h
1780 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/trapstat.h
1781 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/traptrace.h
1782 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tris.h
1783 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vm_machparam.h
1784 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xcall.h
1785 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_impl.h
1786 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/zsmach.h
1787 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/hat_sfmmu.h
1788 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/mach_sfmmu.h
1789 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/clock.h
1790 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cmp.h
1791 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpc_ultra.h
1792 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpu_sgnblk_defs.h
1793 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ddi_subrdefs.h
1794 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_pri.h
1795 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_smp.h
1796 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/dvma.h
1797 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/eeeprom.h
1798 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fcode.h
1799 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hsvc.h
1800 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hypervisor_api.h
1801 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/idprom.h
1802 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intr.h
1803 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intreg.h
1804 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ivintr.h
1805 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machasi.h
1806 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machclock.h
1807 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machcpuvar.h
1808 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machintreg.h
1809 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machparam.h
1810 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machsystem.h
1811 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machthread.h
1812 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memlist_plat.h
1813 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memnode.h
1814 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/mmu.h
1815 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nexusdebug.h
1816 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagaraasi.h
1817 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagararegs.h
1818 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nigat.h
1819 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pri.h
1820 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_debug.h
1821 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_plat.h
1822 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pte.h
1823 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/qcn.h
1824 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/scb.h
1825 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/soft_state.h
1826 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/sun4asi.h
1827 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/tod.h

```

```

1828 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/trapstat.h
1829 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/traptrace.h
1830 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vis.h
1831 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vm_machparam.h
1832 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/x_call.h
1833 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/xc_impl.h
1834 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/zsmach.h
1835 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/hat_sfmmu.h
1836 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/mach_sfmmu.h
1837 file path=usr/share/man/man3head/acct.h.3head
1838 file path=usr/share/man/man3head/aio.h.3head
1839 file path=usr/share/man/man3head/ar.h.3head
1840 file path=usr/share/man/man3head/archives.h.3head
1841 file path=usr/share/man/man3head/assert.h.3head
1842 file path=usr/share/man/man3head/complex.h.3head
1843 file path=usr/share/man/man3head/cpio.h.3head
1844 file path=usr/share/man/man3head/dirent.h.3head
1845 file path=usr/share/man/man3head/errno.h.3head
1846 file path=usr/share/man/man3head/fcntl.h.3head
1847 file path=usr/share/man/man3head/fenv.h.3head
1848 file path=usr/share/man/man3head/float.h.3head
1849 file path=usr/share/man/man3head/floatingpoint.h.3head
1850 file path=usr/share/man/man3head/fmtmsg.h.3head
1851 file path=usr/share/man/man3head/fnmatch.h.3head
1852 file path=usr/share/man/man3head/ftw.h.3head
1853 file path=usr/share/man/man3head/glob.h.3head
1854 file path=usr/share/man/man3head/grp.h.3head
1855 file path=usr/share/man/man3head/iconv.h.3head
1856 file path=usr/share/man/man3head/if.h.3head
1857 file path=usr/share/man/man3head/in.h.3head
1858 file path=usr/share/man/man3head/inet.h.3head
1859 file path=usr/share/man/man3head/inttypes.h.3head
1860 file path=usr/share/man/man3head/ipc.h.3head
1861 file path=usr/share/man/man3head/iso646.h.3head
1862 file path=usr/share/man/man3head/langinfo.h.3head
1863 file path=usr/share/man/man3head/libgen.h.3head
1864 file path=usr/share/man/man3head/libintl.h.3head
1865 file path=usr/share/man/man3head/limits.h.3head
1866 file path=usr/share/man/man3head/locale.h.3head
1867 file path=usr/share/man/man3head/math.h.3head
1868 file path=usr/share/man/man3head/mman.h.3head
1869 file path=usr/share/man/man3head/monetary.h.3head
1870 file path=usr/share/man/man3head/mqueue.h.3head
1871 file path=usr/share/man/man3head/msg.h.3head
1872 file path=usr/share/man/man3head/ndbm.h.3head
1873 file path=usr/share/man/man3head/netdb.h.3head
1874 file path=usr/share/man/man3head/nl_types.h.3head
1875 file path=usr/share/man/man3head/poll.h.3head
1876 file path=usr/share/man/man3head/pthread.h.3head
1877 file path=usr/share/man/man3head/pwd.h.3head
1878 file path=usr/share/man/man3head/regex.h.3head
1879 file path=usr/share/man/man3head/resource.h.3head
1880 file path=usr/share/man/man3head/sched.h.3head
1881 file path=usr/share/man/man3head/search.h.3head
1882 file path=usr/share/man/man3head/select.h.3head
1883 file path=usr/share/man/man3head/sem.h.3head
1884 file path=usr/share/man/man3head/semaphore.h.3head
1885 file path=usr/share/man/man3head/setjmp.h.3head
1886 file path=usr/share/man/man3head/shm.h.3head
1887 file path=usr/share/man/man3head/siginfo.h.3head
1888 file path=usr/share/man/man3head/signal.h.3head
1889 file path=usr/share/man/man3head/socket.h.3head
1890 file path=usr/share/man/man3head/spawn.h.3head
1891 file path=usr/share/man/man3head/stat.h.3head
1892 file path=usr/share/man/man3head/statvfs.h.3head
1893 file path=usr/share/man/man3head/stdbool.h.3head

```

```

1894 file path=usr/share/man/man3head/stddef.h.3head
1895 file path=usr/share/man/man3head/stdint.h.3head
1896 file path=usr/share/man/man3head/stdio.h.3head
1897 file path=usr/share/man/man3head/stdlib.h.3head
1898 file path=usr/share/man/man3head/string.h.3head
1899 file path=usr/share/man/man3head/strings.h.3head
1900 file path=usr/share/man/man3head/stropts.h.3head
1901 file path=usr/share/man/man3head/syslog.h.3head
1902 file path=usr/share/man/man3head/tar.h.3head
1903 file path=usr/share/man/man3head/tcp.h.3head
1904 file path=usr/share/man/man3head/termios.h.3head
1905 file path=usr/share/man/man3head/tgmath.h.3head
1906 file path=usr/share/man/man3head/time.h.3head
1907 file path=usr/share/man/man3head/timex.h.3head
1908 file path=usr/share/man/man3head/times.h.3head
1909 file path=usr/share/man/man3head/types.h.3head
1910 file path=usr/share/man/man3head/types32.h.3head
1911 file path=usr/share/man/man3head/ucontext.h.3head
1912 file path=usr/share/man/man3head/unistd.h.3head
1913 file path=usr/share/man/man3head/ulimit.h.3head
1914 file path=usr/share/man/man3head/un.h.3head
1915 file path=usr/share/man/man3head/unistd.h.3head
1916 file path=usr/share/man/man3head/utime.h.3head
1917 file path=usr/share/man/man3head/utmpx.h.3head
1918 file path=usr/share/man/man3head/utsname.h.3head
1919 file path=usr/share/man/man3head/values.h.3head
1920 file path=usr/share/man/man3head/wait.h.3head
1921 file path=usr/share/man/man3head/wchar.h.3head
1922 file path=usr/share/man/man3head/wctype.h.3head
1923 file path=usr/share/man/man3head/wordexp.h.3head
1924 file path=usr/share/man/man3head/xlocale.h.3head
1925 file path=usr/share/man/man4/note.4
1926 file path=usr/share/man/man5/prof.5
1927 file path=usr/share/man/man7i/cdio.7i
1928 file path=usr/share/man/man7i/dkio.7i
1929 file path=usr/share/man/man7i/fbio.7i
1930 file path=usr/share/man/man7i/fdio.7i
1931 file path=usr/share/man/man7i/hdio.7i
1932 file path=usr/share/man/man7i/iec61883.7i
1933 file path=usr/share/man/man7i/mhd.7i
1934 file path=usr/share/man/man7i/mtio.7i
1935 file path=usr/share/man/man7i/prnio.7i
1936 file path=usr/share/man/man7i/quotactl.7i
1937 file path=usr/share/man/man7i/sesio.7i
1938 file path=usr/share/man/man7i/sockio.7i
1939 file path=usr/share/man/man7i/streamio.7i
1940 file path=usr/share/man/man7i/termio.7i
1941 file path=usr/share/man/man7i/termiox.7i
1942 file path=usr/share/man/man7i/uscsi.7i
1943 file path=usr/share/man/man7i/visual_io.7i
1944 file path=usr/share/man/man7i/vt.7i
1945 file path=usr/xpg4/include/curses.h
1946 file path=usr/xpg4/include/term.h
1947 file path=usr/xpg4/include/unctrl.h
1948 legacy pkg=SUNWhea \
1949 desc="SunOS C/C++ header files for general development of software" \
1950 name="SunOS Header Files"
1951 license cr_Sun license=cr_Sun
1952 license lic_CDDL license=lic_CDDL
1953 license license_in_headers license=license_in_headers
1954 license usr/src/lib/pkcs11/include/THIRDPARTYLICENSE \
1955 license=usr/src/lib/pkcs11/include/THIRDPARTYLICENSE
1956 link path=usr/include/iso/assert_iso.h target=../assert.h
1957 link path=usr/include/iso/errno_iso.h target=../errno.h
1958 link path=usr/include/iso/float_iso.h target=../float.h
1959 link path=usr/include/iso/iso646_iso.h target=../iso646.h

```

```

1960 $(sparc_ONLY)link path=usr/platform/SUNW,A70/include target=../sun4u/include
1961 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T12/include \
1962     target=../sun4u/include
1963 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/include \
1964     target=../sun4u/include
1965 $(sparc_ONLY)link path=usr/platform/SUNW,SPARC-Enterprise/include \
1966     target=../sun4u/include
1967 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblad1/include \
1968     target=../sun4u/include
1969 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-100/include \
1970     target=../sun4u/include
1971 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1000/include \
1972     target=../sun4u/include
1973 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1500/include \
1974     target=../sun4u/include
1975 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-2500/include \
1976     target=../sun4u/include
1977 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-15000/include \
1978     target=../sun4u/include
1979 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-280R/include \
1980     target=../sun4u/include
1981 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-480R/include \
1982     target=../sun4u/include
1983 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/include \
1984     target=../sun4u/include
1985 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/include \
1986     target=../sun4u/include
1987 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/include \
1988     target=../sun4u/include
1989 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/include \
1990     target=../sun4u/include
1991 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/include \
1992     target=../sun4u/include
1993 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/include \
1994     target=../sun4u/include
1995 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V490/include \
1996     target=../sun4u/include
1997 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V890/include \
1998     target=../sun4u/include
1999 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire/include \
2000     target=../sun4u/include
2001 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-2/include \
2002     target=../sun4u/include
2003 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-250/include \
2004     target=../sun4u/include
2005 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-4/include \
2006     target=../sun4u/include
2007 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise-10000/include \
2008     target=../sun4u/include
2009 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise/include \
2010     target=../sun4u/include
2011 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40/include \
2012     target=../sun4u/include
2013 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60/include \
2014     target=../sun4u/include
2015 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIi-Netract/include \
2016     target=../sun4u/include
2017 link path=usr/share/man/man3head/acct.3head target=acct.h.3head
2018 link path=usr/share/man/man3head/aio.3head target=aio.h.3head
2019 link path=usr/share/man/man3head/ar.3head target=ar.h.3head
2020 link path=usr/share/man/man3head/archives.3head target=archives.h.3head
2021 link path=usr/share/man/man3head/assert.3head target=assert.h.3head
2022 link path=usr/share/man/man3head/complex.3head target=complex.h.3head
2023 link path=usr/share/man/man3head/cpio.3head target=cpio.h.3head
2024 link path=usr/share/man/man3head/dirent.3head target=dirent.h.3head
2025 link path=usr/share/man/man3head/errno.3head target=errno.h.3head

```

```

2026 link path=usr/share/man/man3head/fcntl.3head target=fcntl.h.3head
2027 link path=usr/share/man/man3head/fenv.3head target=fenv.h.3head
2028 link path=usr/share/man/man3head/float.3head target=float.h.3head
2029 link path=usr/share/man/man3head/floatingpoint.3head \
2030     target=floatingpoint.h.3head
2031 link path=usr/share/man/man3head/fmtmsg.3head target=fmtmsg.h.3head
2032 link path=usr/share/man/man3head/fnmatch.3head target=fnmatch.h.3head
2033 link path=usr/share/man/man3head/ftw.3head target=ftw.h.3head
2034 link path=usr/share/man/man3head/glob.3head target=glob.h.3head
2035 link path=usr/share/man/man3head/grp.3head target=grp.h.3head
2036 link path=usr/share/man/man3head/iconv.3head target=iconv.h.3head
2037 link path=usr/share/man/man3head/if.3head target=if.h.3head
2038 link path=usr/share/man/man3head/in.3head target=in.h.3head
2039 link path=usr/share/man/man3head/inet.3head target=inet.h.3head
2040 link path=usr/share/man/man3head/inttypes.3head target=inttypes.h.3head
2041 link path=usr/share/man/man3head/ipc.3head target=ipc.h.3head
2042 link path=usr/share/man/man3head/iso646.3head target=iso646.h.3head
2043 link path=usr/share/man/man3head/langinfo.3head target=langinfo.h.3head
2044 link path=usr/share/man/man3head/libgen.3head target=libgen.h.3head
2045 link path=usr/share/man/man3head/libintl.3head target=libintl.h.3head
2046 link path=usr/share/man/man3head/limits.3head target=limits.h.3head
2047 link path=usr/share/man/man3head/locale.3head target=locale.h.3head
2048 link path=usr/share/man/man3head/math.3head target=math.h.3head
2049 link path=usr/share/man/man3head/mman.3head target=mman.h.3head
2050 link path=usr/share/man/man3head/monetary.3head target=monetary.h.3head
2051 link path=usr/share/man/man3head/mqueue.3head target=mqueue.h.3head
2052 link path=usr/share/man/man3head/msg.3head target=msg.h.3head
2053 link path=usr/share/man/man3head/ndbm.3head target=ndbm.h.3head
2054 link path=usr/share/man/man3head/netdb.3head target=netdb.h.3head
2055 link path=usr/share/man/man3head/nl_types.3head target=nl_types.h.3head
2056 link path=usr/share/man/man3head/poll.3head target=poll.h.3head
2057 link path=usr/share/man/man3head/pthread.3head target=pthread.h.3head
2058 link path=usr/share/man/man3head/pwd.3head target=pwd.h.3head
2059 link path=usr/share/man/man3head/regex.3head target=regex.h.3head
2060 link path=usr/share/man/man3head/resource.3head target=resource.h.3head
2061 link path=usr/share/man/man3head/sched.3head target=sched.h.3head
2062 link path=usr/share/man/man3head/search.3head target=search.h.3head
2063 link path=usr/share/man/man3head/select.3head target=select.h.3head
2064 link path=usr/share/man/man3head/sem.3head target=sem.h.3head
2065 link path=usr/share/man/man3head/semaphore.3head target=semaphore.h.3head
2066 link path=usr/share/man/man3head/setjmp.3head target=setjmp.h.3head
2067 link path=usr/share/man/man3head/shm.3head target=shm.h.3head
2068 link path=usr/share/man/man3head/signinfo.3head target=signinfo.h.3head
2069 link path=usr/share/man/man3head/signal.3head target=signal.h.3head
2070 link path=usr/share/man/man3head/socket.3head target=socket.h.3head
2071 link path=usr/share/man/man3head/spawn.3head target=spawn.h.3head
2072 link path=usr/share/man/man3head/stat.3head target=stat.h.3head
2073 link path=usr/share/man/man3head/statvfs.3head target=statvfs.h.3head
2074 link path=usr/share/man/man3head/stdbool.3head target=stdbool.h.3head
2075 link path=usr/share/man/man3head/stddef.3head target=stddef.h.3head
2076 link path=usr/share/man/man3head/stdint.3head target=stdint.h.3head
2077 link path=usr/share/man/man3head/stdio.3head target=stdio.h.3head
2078 link path=usr/share/man/man3head/stdlib.3head target=stdlib.h.3head
2079 link path=usr/share/man/man3head/string.3head target=string.h.3head
2080 link path=usr/share/man/man3head/strings.3head target=strings.h.3head
2081 link path=usr/share/man/man3head/stropts.3head target=stropts.h.3head
2082 link path=usr/share/man/man3head/syslog.3head target=syslog.h.3head
2083 link path=usr/share/man/man3head/tar.3head target=tar.h.3head
2084 link path=usr/share/man/man3head/tcp.3head target=tc.h.3head
2085 link path=usr/share/man/man3head/termios.3head target=termios.h.3head
2086 link path=usr/share/man/man3head/tgmth.3head target=tgmth.h.3head
2087 link path=usr/share/man/man3head/time.3head target=time.h.3head
2088 link path=usr/share/man/man3head/timeb.3head target=timeb.h.3head
2089 link path=usr/share/man/man3head/times.3head target=times.h.3head
2090 link path=usr/share/man/man3head/types.3head target=types.h.3head
2091 link path=usr/share/man/man3head/types32.3head target=types32.h.3head

```

```
2092 link path=usr/share/man/man3head/ucontext.3head target=ucontext.h.3head
2093 link path=usr/share/man/man3head/uiio.3head target=uiio.h.3head
2094 link path=usr/share/man/man3head/ulimit.3head target=ulimit.h.3head
2095 link path=usr/share/man/man3head/un.3head target=un.h.3head
2096 link path=usr/share/man/man3head/unistd.3head target=unistd.h.3head
2097 link path=usr/share/man/man3head/utime.3head target=utime.h.3head
2098 link path=usr/share/man/man3head/utmpx.3head target=utmpx.h.3head
2099 link path=usr/share/man/man3head/utsname.3head target=utsname.h.3head
2100 link path=usr/share/man/man3head/values.3head target=values.h.3head
2101 link path=usr/share/man/man3head/wait.3head target=wait.h.3head
2102 link path=usr/share/man/man3head/wchar.3head target=wchar.h.3head
2103 link path=usr/share/man/man3head/wctype.3head target=wctype.h.3head
2104 link path=usr/share/man/man3head/wordexp.3head target=wordexp.h.3head
2105 link path=usr/share/man/man3head/xlocale.3head target=xlocale.h.3head
2106 $(i386_ONLY)link path=usr/share/src/uts/i86pc/sys \
2107     target=../../../../platform/i86pc/include/sys
2108 $(i386_ONLY)link path=usr/share/src/uts/i86pc/vm \
2109     target=../../../../platform/i86pc/include/vm
2110 $(i386_ONLY)link path=usr/share/src/uts/i86pv/sys \
2111     target=../../../../platform/i86pv/include/sys
2112 $(i386_ONLY)link path=usr/share/src/uts/i86pv/vm \
2113     target=../../../../platform/i86pv/include/vm
2114 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/sys \
2115     target=../../../../platform/sun4u/include/sys
2116 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/vm \
2117     target=../../../../platform/sun4u/include/vm
2118 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/sys \
2119     target=../../../../platform/sun4v/include/sys
2120 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/vm \
2121     target=../../../../platform/sun4v/include/vm
```



new/usr/src/pkg/manifests/system-kernel.man4.inc

1

\*\*\*\*\*

1078 Sat Aug 9 23:41:51 2014

new/usr/src/pkg/manifests/system-kernel.man4.inc

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

1 #  
2 # This file and its contents are supplied under the terms of the  
3 # Common Development and Distribution License ("CDDL"), version 1.0.  
4 # You may only use this file in accordance with the terms of version  
5 # 1.0 of the CDDL.  
6 #  
7 # A full copy of the text of the CDDL should have accompanied this  
8 # source. A copy of the CDDL is also available via the Internet  
9 # at <http://www.illumos.org/license/CDDL>.  
10 #

12 #  
13 # Copyright 2011, Richard Lowe  
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.  
15 #

17 file path=usr/share/man/man4/cardbus.4  
17 file path=usr/share/man/man4/dir\_ufs.4  
18 file path=usr/share/man/man4/driver.conf.4  
19 file path=usr/share/man/man4/pci.4  
20 file path=usr/share/man/man4/priv\_names.4  
21 file path=usr/share/man/man4/proc.4  
22 file path=usr/share/man/man4/process.4  
23 file path=usr/share/man/man4/pseudo.4  
24 file path=usr/share/man/man4/scsi.4  
25 file path=usr/share/man/man4/sock2path.d.4  
26 file path=usr/share/man/man4/system.4  
27 file path=usr/share/man/man4/tnf\_kernel\_probes.4  
28 file path=usr/share/man/man4/ts\_dptbl.4  
29 link path=usr/share/man/man4/dir.4 target=dir\_ufs.4  
30 link path=usr/share/man/man4/pcie.4 target=pci.4

new/usr/src/pkg/manifests/system-kernel.man9f.inc

1

\*\*\*\*\*

63321 Sat Aug 9 23:41:51 2014

new/usr/src/pkg/manifests/system-kernel.man9f.inc

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
```

```
18 file path=usr/share/man/man9f/ASSERT.9f
19 file path=usr/share/man/man9f/Intro.9f
20 file path=usr/share/man/man9f/OTHERQ.9f
21 file path=usr/share/man/man9f/RD.9f
22 file path=usr/share/man/man9f/SAMESTR.9f
23 file path=usr/share/man/man9f/STRUCT_DECL.9f
24 file path=usr/share/man/man9f/WR.9f
25 file path=usr/share/man/man9f/adjmsg.9f
26 file path=usr/share/man/man9f/allpcb.9f
27 file path=usr/share/man/man9f/atomic_add.9f
28 file path=usr/share/man/man9f/atomic_and.9f
29 file path=usr/share/man/man9f/atomic_bits.9f
30 file path=usr/share/man/man9f/atomic_cas.9f
31 file path=usr/share/man/man9f/atomic_dec.9f
32 file path=usr/share/man/man9f/atomic_inc.9f
33 file path=usr/share/man/man9f/atomic_ops.9f
34 file path=usr/share/man/man9f/atomic_or.9f
35 file path=usr/share/man/man9f/atomic_swap.9f
36 file path=usr/share/man/man9f/backq.9f
37 file path=usr/share/man/man9f/bcanput.9f
38 file path=usr/share/man/man9f/bcopy.9f
39 file path=usr/share/man/man9f/bcopy.9f
40 file path=usr/share/man/man9f/bioclone.9f
41 file path=usr/share/man/man9f/biodone.9f
42 file path=usr/share/man/man9f/bioerror.9f
43 file path=usr/share/man/man9f/biofini.9f
44 file path=usr/share/man/man9f/bioinit.9f
45 file path=usr/share/man/man9f/biomodified.9f
46 file path=usr/share/man/man9f/bioreset.9f
47 file path=usr/share/man/man9f/biosize.9f
48 file path=usr/share/man/man9f/biowait.9f
49 file path=usr/share/man/man9f/bp_copyin.9f
50 file path=usr/share/man/man9f/bp_copyout.9f
51 file path=usr/share/man/man9f/bp_mapin.9f
52 file path=usr/share/man/man9f/bp_mapout.9f
53 file path=usr/share/man/man9f/btop.9f
54 file path=usr/share/man/man9f/btopr.9f
55 file path=usr/share/man/man9f/bufcall.9f
56 file path=usr/share/man/man9f/bzero.9f
57 file path=usr/share/man/man9f/canput.9f
58 file path=usr/share/man/man9f/clrbuf.9f
```

new/usr/src/pkg/manifests/system-kernel.man9f.inc

2

```
59 file path=usr/share/man/man9f/cmn_err.9f
60 file path=usr/share/man/man9f/condvar.9f
61 file path=usr/share/man/man9f/copyb.9f
62 file path=usr/share/man/man9f/copyin.9f
63 file path=usr/share/man/man9f/copymsg.9f
64 file path=usr/share/man/man9f/copyout.9f
65 file path=usr/share/man/man9f/csx_AccessConfigurationRegister.9f
66 file path=usr/share/man/man9f/csx_CS_DDI_Info.9f
67 file path=usr/share/man/man9f/csx_ConvertSize.9f
68 file path=usr/share/man/man9f/csx_ConvertSpeed.9f
69 file path=usr/share/man/man9f/csx_DeregisterClient.9f
70 file path=usr/share/man/man9f/csx_DupHandle.9f
71 file path=usr/share/man/man9f/csx_Error2Text.9f
72 file path=usr/share/man/man9f/csx_Event2Text.9f
73 file path=usr/share/man/man9f/csx_FreeHandle.9f
74 file path=usr/share/man/man9f/csx_Get8.9f
75 file path=usr/share/man/man9f/csx_GetFirstClient.9f
76 file path=usr/share/man/man9f/csx_GetFirstTuple.9f
77 file path=usr/share/man/man9f/csx_GetHandleOffset.9f
78 file path=usr/share/man/man9f/csx_GetMappedAddr.9f
79 file path=usr/share/man/man9f/csx_GetStatus.9f
80 file path=usr/share/man/man9f/csx_GetTupleData.9f
81 file path=usr/share/man/man9f/csx_MakeDeviceNode.9f
82 file path=usr/share/man/man9f/csx_MapLogSocket.9f
83 file path=usr/share/man/man9f/csx_MapMemPage.9f
84 file path=usr/share/man/man9f/csx_ModifyConfiguration.9f
85 file path=usr/share/man/man9f/csx_ModifyWindow.9f
86 file path=usr/share/man/man9f/csx_ParseTuple.9f
87 file path=usr/share/man/man9f/csx_Parse_CISTPL_BATTERY.9f
88 file path=usr/share/man/man9f/csx_Parse_CISTPL_BYTEORDER.9f
89 file path=usr/share/man/man9f/csx_Parse_CISTPL_CFTABLE_ENTRY.9f
90 file path=usr/share/man/man9f/csx_Parse_CISTPL_CONFIG.9f
91 file path=usr/share/man/man9f/csx_Parse_CISTPL_DATE.9f
92 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE.9f
93 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICEGEO.9f
94 file path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICEGEO_A.9f
95 file path=usr/share/man/man9f/csx_Parse_CISTPL_FORMAT.9f
96 file path=usr/share/man/man9f/csx_Parse_CISTPL_FUNCCE.9f
97 file path=usr/share/man/man9f/csx_Parse_CISTPL_FUNCID.9f
98 file path=usr/share/man/man9f/csx_Parse_CISTPL_GEOMETRY.9f
99 file path=usr/share/man/man9f/csx_Parse_CISTPL_JEDEC_C.9f
100 file path=usr/share/man/man9f/csx_Parse_CISTPL_LINKTARGET.9f
101 file path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_A.9f
102 file path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_MFC.9f
103 file path=usr/share/man/man9f/csx_Parse_CISTPL_MANFID.9f
104 file path=usr/share/man/man9f/csx_Parse_CISTPL_ORG.9f
105 file path=usr/share/man/man9f/csx_Parse_CISTPL_SPCL.9f
106 file path=usr/share/man/man9f/csx_Parse_CISTPL_SWIL.9f
107 file path=usr/share/man/man9f/csx_Parse_CISTPL_VERS_1.9f
108 file path=usr/share/man/man9f/csx_Parse_CISTPL_VERS_2.9f
109 file path=usr/share/man/man9f/csx_Put8.9f
110 file path=usr/share/man/man9f/csx_RegisterClient.9f
111 file path=usr/share/man/man9f/csx_ReleaseConfiguration.9f
112 file path=usr/share/man/man9f/csx_RepGet8.9f
113 file path=usr/share/man/man9f/csx_RepPut8.9f
114 file path=usr/share/man/man9f/csx_RequestConfiguration.9f
115 file path=usr/share/man/man9f/csx_RequestIO.9f
116 file path=usr/share/man/man9f/csx_RequestIRQ.9f
117 file path=usr/share/man/man9f/csx_RequestSocketMask.9f
118 file path=usr/share/man/man9f/csx_RequestWindow.9f
119 file path=usr/share/man/man9f/csx_ResetFunction.9f
120 file path=usr/share/man/man9f/csx_SetEventMask.9f
121 file path=usr/share/man/man9f/csx_SetHandleOffset.9f
122 file path=usr/share/man/man9f/csx_ValidateCIS.9f
65 file path=usr/share/man/man9f/datams9.9f
66 file path=usr/share/man/man9f/ddi_add_event_handler.9f
```

```

67 file path=usr/share/man/man9f/ddi_add_intr.9f
68 file path=usr/share/man/man9f/ddi_add_softintr.9f
69 file path=usr/share/man/man9f/ddi_binding_name.9f
70 file path=usr/share/man/man9f/ddi_btop.9f
71 file path=usr/share/man/man9f/ddi_can_receive_sig.9f
72 file path=usr/share/man/man9f/ddi_cb_register.9f
73 file path=usr/share/man/man9f/ddi_check_acc_handle.9f
74 file path=usr/share/man/man9f/ddi_copyin.9f
75 file path=usr/share/man/man9f/ddi_copyout.9f
76 file path=usr/share/man/man9f/ddi_create_minor_node.9f
77 file path=usr/share/man/man9f/ddi_cred.9f
78 file path=usr/share/man/man9f/ddi_dev_is_needed.9f
79 file path=usr/share/man/man9f/ddi_dev_is_sid.9f
80 file path=usr/share/man/man9f/ddi_dev_nintrs.9f
81 file path=usr/share/man/man9f/ddi_dev_nregs.9f
82 file path=usr/share/man/man9f/ddi_dev_regsize.9f
83 file path=usr/share/man/man9f/ddi_dev_report_fault.9f
84 file path=usr/share/man/man9f/ddi_device_copy.9f
85 file path=usr/share/man/man9f/ddi_device_zero.9f
86 file path=usr/share/man/man9f/ddi_devid_compare.9f
87 file path=usr/share/man/man9f/ddi_dma_addr_bind_handle.9f
88 file path=usr/share/man/man9f/ddi_dma_alloc_handle.9f
89 file path=usr/share/man/man9f/ddi_dma_buf_bind_handle.9f
90 file path=usr/share/man/man9f/ddi_dma_burstsizes.9f
91 file path=usr/share/man/man9f/ddi_dma_free_handle.9f
92 file path=usr/share/man/man9f/ddi_dma_getwin.9f
93 file path=usr/share/man/man9f/ddi_dma_mem_alloc.9f
94 file path=usr/share/man/man9f/ddi_dma_mem_free.9f
95 file path=usr/share/man/man9f/ddi_dma_nextcookie.9f
96 file path=usr/share/man/man9f/ddi_dma_numwin.9f
97 file path=usr/share/man/man9f/ddi_dma_set_sbuses64.9f
98 file path=usr/share/man/man9f/ddi_dma_sync.9f
99 file path=usr/share/man/man9f/ddi_dma_unbind_handle.9f
100 file path=usr/share/man/man9f/ddi_dmae.9f
101 file path=usr/share/man/man9f/ddi_driver_major.9f
102 file path=usr/share/man/man9f/ddi_driver_name.9f
103 file path=usr/share/man/man9f/ddi_enter_critical.9f
104 file path=usr/share/man/man9f/ddi_ffs.9f
105 file path=usr/share/man/man9f/ddi_fm_acc_err_clear.9f
106 file path=usr/share/man/man9f/ddi_fm_acc_err_get.9f
107 file path=usr/share/man/man9f/ddi_fm_ereport_post.9f
108 file path=usr/share/man/man9f/ddi_fm_handler_register.9f
109 file path=usr/share/man/man9f/ddi_fm_init.9f
110 file path=usr/share/man/man9f/ddi_fm_service_impact.9f
111 file path=usr/share/man/man9f/ddi_get8.9f
112 file path=usr/share/man/man9f/ddi_get_cred.9f
113 file path=usr/share/man/man9f/ddi_get_devstate.9f
114 file path=usr/share/man/man9f/ddi_get_driver_private.9f
115 file path=usr/share/man/man9f/ddi_get_eventcookie.9f
116 file path=usr/share/man/man9f/ddi_get_instance.9f
117 file path=usr/share/man/man9f/ddi_get_kt_did.9f
118 file path=usr/share/man/man9f/ddi_get_lbolt.9f
119 file path=usr/share/man/man9f/ddi_get_parent.9f
120 file path=usr/share/man/man9f/ddi_get_pid.9f
121 file path=usr/share/man/man9f/ddi_get_time.9f
122 file path=usr/share/man/man9f/ddi_getiminor.9f
123 file path=usr/share/man/man9f/ddi_in_panic.9f
124 file path=usr/share/man/man9f/ddi_intr_add_handler.9f
125 file path=usr/share/man/man9f/ddi_intr_add_softint.9f
126 file path=usr/share/man/man9f/ddi_intr_alloc.9f
127 file path=usr/share/man/man9f/ddi_intr_dup_handler.9f
128 file path=usr/share/man/man9f/ddi_intr_enable.9f
129 file path=usr/share/man/man9f/ddi_intr_get_cap.9f
130 file path=usr/share/man/man9f/ddi_intr_get_hilevel_pri.9f
131 file path=usr/share/man/man9f/ddi_intr_get_nintrs.9f
132 file path=usr/share/man/man9f/ddi_intr_get_pending.9f

```

```

133 file path=usr/share/man/man9f/ddi_intr_get_pri.9f
134 file path=usr/share/man/man9f/ddi_intr_get_supported_types.9f
135 file path=usr/share/man/man9f/ddi_intr_hilevel.9f
136 file path=usr/share/man/man9f/ddi_intr_set_mask.9f
137 file path=usr/share/man/man9f/ddi_intr_set_nreq.9f
138 file path=usr/share/man/man9f/ddi_io_get8.9f
139 file path=usr/share/man/man9f/ddi_io_put8.9f
140 file path=usr/share/man/man9f/ddi_io_rep_get8.9f
141 file path=usr/share/man/man9f/ddi_io_rep_put8.9f
142 file path=usr/share/man/man9f/ddi_log_sysevent.9f
143 file path=usr/share/man/man9f/ddi_map_regs.9f
144 file path=usr/share/man/man9f/ddi_mem_get8.9f
145 file path=usr/share/man/man9f/ddi_mem_put8.9f
146 file path=usr/share/man/man9f/ddi_mem_rep_get8.9f
147 file path=usr/share/man/man9f/ddi_mem_rep_put8.9f
148 file path=usr/share/man/man9f/ddi_mmap_get_model.9f
149 file path=usr/share/man/man9f/ddi_model_convert_from.9f
150 file path=usr/share/man/man9f/ddi_modopen.9f
151 file path=usr/share/man/man9f/ddi_no_info.9f
152 file path=usr/share/man/man9f/ddi_node_name.9f
153 file path=usr/share/man/man9f/ddi_peek.9f
154 file path=usr/share/man/man9f/ddi_periodic_add.9f
155 file path=usr/share/man/man9f/ddi_periodic_delete.9f
156 file path=usr/share/man/man9f/ddi_poke.9f
157 file path=usr/share/man/man9f/ddi_prop_create.9f
158 file path=usr/share/man/man9f/ddi_prop_exists.9f
159 file path=usr/share/man/man9f/ddi_prop_get_int.9f
160 file path=usr/share/man/man9f/ddi_prop_lookup.9f
161 file path=usr/share/man/man9f/ddi_prop_op.9f
162 file path=usr/share/man/man9f/ddi_prop_update.9f
163 file path=usr/share/man/man9f/ddi_put8.9f
164 file path=usr/share/man/man9f/ddi_regs_map_free.9f
165 file path=usr/share/man/man9f/ddi_regs_map_setup.9f
166 file path=usr/share/man/man9f/ddi_remove_event_handler.9f
167 file path=usr/share/man/man9f/ddi_remove_minor_node.9f
168 file path=usr/share/man/man9f/ddi_removing_power.9f
169 file path=usr/share/man/man9f/ddi_rep_get8.9f
170 file path=usr/share/man/man9f/ddi_rep_put8.9f
171 file path=usr/share/man/man9f/ddi_report_dev.9f
172 file path=usr/share/man/man9f/ddi_root_node.9f
173 file path=usr/share/man/man9f/ddi_segmap.9f
174 file path=usr/share/man/man9f/ddi_slaveonly.9f
175 file path=usr/share/man/man9f/ddi_soft_state.9f
176 file path=usr/share/man/man9f/ddi_strtol.9f
177 file path=usr/share/man/man9f/ddi_strtoll.9f
178 file path=usr/share/man/man9f/ddi_strtoul.9f
179 file path=usr/share/man/man9f/ddi_umem_alloc.9f
180 file path=usr/share/man/man9f/ddi_umem_iosetup.9f
181 file path=usr/share/man/man9f/ddi_umem_lock.9f
182 file path=usr/share/man/man9f/delay.9f
183 file path=usr/share/man/man9f/devmap_default_access.9f
184 file path=usr/share/man/man9f/devmap_devmem_setup.9f
185 file path=usr/share/man/man9f/devmap_do_ctxmgt.9f
186 file path=usr/share/man/man9f/devmap_set_ctx_timeout.9f
187 file path=usr/share/man/man9f/devmap_setup.9f
188 file path=usr/share/man/man9f/devmap_unload.9f
189 file path=usr/share/man/man9f/disksort.9f
190 file path=usr/share/man/man9f/dlbindack.9f
191 file path=usr/share/man/man9f/drv_getparm.9f
192 file path=usr/share/man/man9f/drv_hztousec.9f
193 file path=usr/share/man/man9f/drv_priv.9f
194 file path=usr/share/man/man9f/drv_uctohz.9f
195 file path=usr/share/man/man9f/drv_usecwait.9f
196 file path=usr/share/man/man9f/dupb.9f
197 file path=usr/share/man/man9f/dupmsg.9f
198 file path=usr/share/man/man9f/enableok.9f

```

```

199 file path=usr/share/man/man9f/esballoc.9f
200 file path=usr/share/man/man9f/esbcall.9f
201 file path=usr/share/man/man9f/flushband.9f
202 file path=usr/share/man/man9f/flushq.9f
203 file path=usr/share/man/man9f/freeb.9f
204 file path=usr/share/man/man9f/freemsg.9f
205 file path=usr/share/man/man9f/freerbuf.9f
206 file path=usr/share/man/man9f/freezestr.9f
207 file path=usr/share/man/man9f/get_pktiopb.9f
208 file path=usr/share/man/man9f/geterror.9f
209 file path=usr/share/man/man9f/gethrtime.9f
210 file path=usr/share/man/man9f/getmajor.9f
211 file path=usr/share/man/man9f/getminor.9f
212 file path=usr/share/man/man9f/getq.9f
213 file path=usr/share/man/man9f/getrbuf.9f
214 file path=usr/share/man/man9f/gld.9f
215 file path=usr/share/man/man9f/hook_alloc.9f
216 file path=usr/share/man/man9f/hook_free.9f
217 file path=usr/share/man/man9f/id32_alloc.9f
218 file path=usr/share/man/man9f/inb.9f
219 file path=usr/share/man/man9f/insq.9f
220 file path=usr/share/man/man9f/kiconv.9f
221 file path=usr/share/man/man9f/kiconv_close.9f
222 file path=usr/share/man/man9f/kiconv_open.9f
223 file path=usr/share/man/man9f/kiconvstr.9f
224 file path=usr/share/man/man9f/kmem_alloc.9f
225 file path=usr/share/man/man9f/kmem_cache_create.9f
226 file path=usr/share/man/man9f/kstat_create.9f
227 file path=usr/share/man/man9f/kstat_delete.9f
228 file path=usr/share/man/man9f/kstat_install.9f
229 file path=usr/share/man/man9f/kstat_named_init.9f
230 file path=usr/share/man/man9f/kstat_queue.9f
231 file path=usr/share/man/man9f/ldi_add_event_handler.9f
232 file path=usr/share/man/man9f/ldi_aread.9f
233 file path=usr/share/man/man9f/ldi_devmap.9f
234 file path=usr/share/man/man9f/ldi_dump.9f
235 file path=usr/share/man/man9f/ldi_ev_finalize.9f
236 file path=usr/share/man/man9f/ldi_ev_get_cookie.9f
237 file path=usr/share/man/man9f/ldi_ev_get_type.9f
238 file path=usr/share/man/man9f/ldi_ev_notify.9f
239 file path=usr/share/man/man9f/ldi_ev_register_callbacks.9f
240 file path=usr/share/man/man9f/ldi_ev_remove_callbacks.9f
241 file path=usr/share/man/man9f/ldi_get_dev.9f
242 file path=usr/share/man/man9f/ldi_get_eventcookie.9f
243 file path=usr/share/man/man9f/ldi_get_size.9f
244 file path=usr/share/man/man9f/ldi_ident_from_dev.9f
245 file path=usr/share/man/man9f/ldi_ioctl.9f
246 file path=usr/share/man/man9f/ldi_open_by_dev.9f
247 file path=usr/share/man/man9f/ldi_poll.9f
248 file path=usr/share/man/man9f/ldi_prop_exists.9f
249 file path=usr/share/man/man9f/ldi_prop_get_int.9f
250 file path=usr/share/man/man9f/ldi_prop_lookup_int_array.9f
251 file path=usr/share/man/man9f/ldi_putmsg.9f
252 file path=usr/share/man/man9f/ldi_read.9f
253 file path=usr/share/man/man9f/ldi_remove_event_handler.9f
254 file path=usr/share/man/man9f/ldi_strategy.9f
255 file path=usr/share/man/man9f/linkb.9f
256 file path=usr/share/man/man9f/list_create.9f
257 file path=usr/share/man/man9f/makecom.9f
258 file path=usr/share/man/man9f/makedevice.9f
259 file path=usr/share/man/man9f/max.9f
260 file path=usr/share/man/man9f/mcopyin.9f
261 file path=usr/share/man/man9f/mcopymsg.9f
262 file path=usr/share/man/man9f/mcopyout.9f
263 file path=usr/share/man/man9f/membar_ops.9f
264 file path=usr/share/man/man9f/memchr.9f

```

```

265 file path=usr/share/man/man9f/merror.9f
266 file path=usr/share/man/man9f/mexchange.9f
267 file path=usr/share/man/man9f/min.9f
268 file path=usr/share/man/man9f/mioc2ack.9f
269 file path=usr/share/man/man9f/miocack.9f
270 file path=usr/share/man/man9f/miocnak.9f
271 file path=usr/share/man/man9f/miocpullup.9f
272 file path=usr/share/man/man9f/mkiocb.9f
273 file path=usr/share/man/man9f/mod_install.9f
274 file path=usr/share/man/man9f/msgdsize.9f
275 file path=usr/share/man/man9f/msgpullup.9f
276 file path=usr/share/man/man9f/msgsize.9f
277 file path=usr/share/man/man9f/mt-streams.9f
278 file path=usr/share/man/man9f/mutex.9f
279 file path=usr/share/man/man9f/net_event_notify_register.9f
280 file path=usr/share/man/man9f/net_getifname.9f
281 file path=usr/share/man/man9f/net_getlifaddr.9f
282 file path=usr/share/man/man9f/net_getmtu.9f
283 file path=usr/share/man/man9f/net_getnetid.9f
284 file path=usr/share/man/man9f/net_getpmtuenabled.9f
285 file path=usr/share/man/man9f/net_hook_register.9f
286 file path=usr/share/man/man9f/net_hook_unregister.9f
287 file path=usr/share/man/man9f/net_inject.9f
288 file path=usr/share/man/man9f/net_inject_alloc.9f
289 file path=usr/share/man/man9f/net_inject_free.9f
290 file path=usr/share/man/man9f/net_instance_alloc.9f
291 file path=usr/share/man/man9f/net_instance_free.9f
292 file path=usr/share/man/man9f/net_instance_notify_register.9f
293 file path=usr/share/man/man9f/net_instance_register.9f
294 file path=usr/share/man/man9f/net_instance_unregister.9f
295 file path=usr/share/man/man9f/net_ispartialchecksum.9f
296 file path=usr/share/man/man9f/net_isvalidchecksum.9f
297 file path=usr/share/man/man9f/net_kstat_create.9f
298 file path=usr/share/man/man9f/net_kstat_delete.9f
299 file path=usr/share/man/man9f/net_lifgetnext.9f
300 file path=usr/share/man/man9f/net_netidtozonid.9f
301 file path=usr/share/man/man9f/net_phygetnext.9f
302 file path=usr/share/man/man9f/net_phylookup.9f
303 file path=usr/share/man/man9f/net_protocol_lookup.9f
304 file path=usr/share/man/man9f/net_protocol_notify_register.9f
305 file path=usr/share/man/man9f/net_protocol_release.9f
306 file path=usr/share/man/man9f/net_protocol_walk.9f
307 file path=usr/share/man/man9f/net_routeto.9f
308 file path=usr/share/man/man9f/net_zoneidtonetid.9f
309 file path=usr/share/man/man9f/netinfo.9f
310 file path=usr/share/man/man9f/nochpoll.9f
311 file path=usr/share/man/man9f/nodev.9f
312 file path=usr/share/man/man9f/noenable.9f
313 file path=usr/share/man/man9f/nulldev.9f
314 file path=usr/share/man/man9f/nvlist_add_boolean.9f
315 file path=usr/share/man/man9f/nvlist_alloc.9f
316 file path=usr/share/man/man9f/nvlist_lookup_boolean.9f
317 file path=usr/share/man/man9f/nvlist_lookup_nvpair.9f
318 file path=usr/share/man/man9f/nvlist_next_nvpair.9f
319 file path=usr/share/man/man9f/nvlist_remove.9f
320 file path=usr/share/man/man9f/nvpair_value_byte.9f
321 file path=usr/share/man/man9f/outb.9f
322 file path=usr/share/man/man9f/pci_config_get8.9f
323 file path=usr/share/man/man9f/pci_config_setup.9f
324 file path=usr/share/man/man9f/pci_ereport_setup.9f
325 file path=usr/share/man/man9f/pci_report_mpcap.9f
326 file path=usr/share/man/man9f/pci_save_config_regs.9f
327 file path=usr/share/man/man9f/physio.9f
328 file path=usr/share/man/man9f/pm_busy_component.9f
329 file path=usr/share/man/man9f/pm_power_has_changed.9f
330 file path=usr/share/man/man9f/pm_raise_power.9f

```

```

331 file path=usr/share/man/man9f/pm_trans_check.9f
332 file path=usr/share/man/man9f/pollwakeu.9f
333 file path=usr/share/man/man9f/priv_getbyname.9f
334 file path=usr/share/man/man9f/priv_policy.9f
335 file path=usr/share/man/man9f/proc_signal.9f
336 file path=usr/share/man/man9f/ptob.9f
337 file path=usr/share/man/man9f/pullupmsg.9f
338 file path=usr/share/man/man9f/put.9f
339 file path=usr/share/man/man9f/putbq.9f
340 file path=usr/share/man/man9f/putctl.9f
341 file path=usr/share/man/man9f/putctl1.9f
342 file path=usr/share/man/man9f/putnext.9f
343 file path=usr/share/man/man9f/putnextctl.9f
344 file path=usr/share/man/man9f/putnextctl1.9f
345 file path=usr/share/man/man9f/putg.9f
346 file path=usr/share/man/man9f/qassociate.9f
347 file path=usr/share/man/man9f/qbufcall.9f
348 file path=usr/share/man/man9f/qenable.9f
349 file path=usr/share/man/man9f/qprocson.9f
350 file path=usr/share/man/man9f/qreply.9f
351 file path=usr/share/man/man9f/qsize.9f
352 file path=usr/share/man/man9f/qtimeout.9f
353 file path=usr/share/man/man9f/qunbufcall.9f
354 file path=usr/share/man/man9f/quntimeout.9f
355 file path=usr/share/man/man9f/qwait.9f
356 file path=usr/share/man/man9f/qwriter.9f
357 file path=usr/share/man/man9f/rmalloc.9f
358 file path=usr/share/man/man9f/rmalloc_wait.9f
359 file path=usr/share/man/man9f/rmallocmap.9f
360 file path=usr/share/man/man9f/rmfree.9f
361 file path=usr/share/man/man9f/rmvb.9f
362 file path=usr/share/man/man9f/rmvq.9f
363 file path=usr/share/man/man9f/rwlock.9f
364 file path=usr/share/man/man9f/scsi_abort.9f
365 file path=usr/share/man/man9f/scsi_alloc_consistent_buf.9f
366 file path=usr/share/man/man9f/scsi_cname.9f
367 file path=usr/share/man/man9f/scsi_destroy_pkt.9f
368 file path=usr/share/man/man9f/scsi_dmaget.9f
369 file path=usr/share/man/man9f/scsi_errmsg.9f
370 file path=usr/share/man/man9f/scsi_ext_sense_fields.9f
371 file path=usr/share/man/man9f/scsi_find_sense_descr.9f
372 file path=usr/share/man/man9f/scsi_free_consistent_buf.9f
373 file path=usr/share/man/man9f/scsi_get_device_type_scsi_options.9f
374 file path=usr/share/man/man9f/scsi_get_device_type_string.9f
375 file path=usr/share/man/man9f/scsi_hba_attach_setup.9f
376 file path=usr/share/man/man9f/scsi_hba_init.9f
377 file path=usr/share/man/man9f/scsi_hba_lookup_capstr.9f
378 file path=usr/share/man/man9f/scsi_hba_pkt_alloc.9f
379 file path=usr/share/man/man9f/scsi_hba_pkt_comp.9f
380 file path=usr/share/man/man9f/scsi_hba_probe.9f
381 file path=usr/share/man/man9f/scsi_hba_tran_alloc.9f
382 file path=usr/share/man/man9f/scsi_ifgetcap.9f
383 file path=usr/share/man/man9f/scsi_init_pkt.9f
384 file path=usr/share/man/man9f/scsi_log.9f
385 file path=usr/share/man/man9f/scsi_pktalloc.9f
386 file path=usr/share/man/man9f/scsi_poll.9f
387 file path=usr/share/man/man9f/scsi_probe.9f
388 file path=usr/share/man/man9f/scsi_reset.9f
389 file path=usr/share/man/man9f/scsi_reset_notify.9f
390 file path=usr/share/man/man9f/scsi_sense_key.9f
391 file path=usr/share/man/man9f/scsi_setup_cdb.9f
392 file path=usr/share/man/man9f/scsi_slave.9f
393 file path=usr/share/man/man9f/scsi_sync_pkt.9f
394 file path=usr/share/man/man9f/scsi_transport.9f
395 file path=usr/share/man/man9f/scsi_unprobe.9f
396 file path=usr/share/man/man9f/scsi_validate_sense.9f

```

```

397 file path=usr/share/man/man9f/scsi_vu_errmsg.9f
398 file path=usr/share/man/man9f/semaphore.9f
399 file path=usr/share/man/man9f/stoi.9f
400 file path=usr/share/man/man9f/string.9f
401 file path=usr/share/man/man9f/strlog.9f
402 file path=usr/share/man/man9f/strqget.9f
403 file path=usr/share/man/man9f/strqset.9f
404 file path=usr/share/man/man9f/swab.9f
405 file path=usr/share/man/man9f/taskq.9f
406 file path=usr/share/man/man9f/testb.9f
407 file path=usr/share/man/man9f/timeout.9f
408 file path=usr/share/man/man9f/u8_strcmp.9f
409 file path=usr/share/man/man9f/u8_textprep_str.9f
410 file path=usr/share/man/man9f/u8_validate.9f
411 file path=usr/share/man/man9f/uconv_ul6tou32.9f
412 file path=usr/share/man/man9f/uimove.9f
413 file path=usr/share/man/man9f/unbufcall.9f
414 file path=usr/share/man/man9f/unlinkb.9f
415 file path=usr/share/man/man9f/untimeout.9f
416 file path=usr/share/man/man9f/ureadc.9f
417 file path=usr/share/man/man9f/uwritec.9f
418 file path=usr/share/man/man9f/va_arg.9f
419 file path=usr/share/man/man9f/vsprintf.9f
420 link path=usr/share/man/man9f/SIZEOF_PTR.9f target=STRUCT_DECL.9f
421 link path=usr/share/man/man9f/SIZEOF_STRUCT.9f target=STRUCT_DECL.9f
422 link path=usr/share/man/man9f/STRUCT_BUF.9f target=STRUCT_DECL.9f
423 link path=usr/share/man/man9f/STRUCT_FADDR.9f target=STRUCT_DECL.9f
424 link path=usr/share/man/man9f/STRUCT_FGET.9f target=STRUCT_DECL.9f
425 link path=usr/share/man/man9f/STRUCT_FGETP.9f target=STRUCT_DECL.9f
426 link path=usr/share/man/man9f/STRUCT_FSET.9f target=STRUCT_DECL.9f
427 link path=usr/share/man/man9f/STRUCT_FSETP.9f target=STRUCT_DECL.9f
428 link path=usr/share/man/man9f/STRUCT_HANDLE.9f target=STRUCT_DECL.9f
429 link path=usr/share/man/man9f/STRUCT_INIT.9f target=STRUCT_DECL.9f
430 link path=usr/share/man/man9f/STRUCT_SET_HANDLE.9f target=STRUCT_DECL.9f
431 link path=usr/share/man/man9f/STRUCT_SIZE.9f target=STRUCT_DECL.9f
432 link path=usr/share/man/man9f/assert.9f target=ASSERT.9f
433 link path=usr/share/man/man9f/atomic_add_16.9f target=atomic_add.9f
434 link path=usr/share/man/man9f/atomic_add_16_nv.9f target=atomic_add.9f
435 link path=usr/share/man/man9f/atomic_add_32.9f target=atomic_add.9f
436 link path=usr/share/man/man9f/atomic_add_32_nv.9f target=atomic_add.9f
437 link path=usr/share/man/man9f/atomic_add_64.9f target=atomic_add.9f
438 link path=usr/share/man/man9f/atomic_add_64_nv.9f target=atomic_add.9f
439 link path=usr/share/man/man9f/atomic_add_8.9f target=atomic_add.9f
440 link path=usr/share/man/man9f/atomic_add_8_nv.9f target=atomic_add.9f
441 link path=usr/share/man/man9f/atomic_add_char.9f target=atomic_add.9f
442 link path=usr/share/man/man9f/atomic_add_char_nv.9f target=atomic_add.9f
443 link path=usr/share/man/man9f/atomic_add_int.9f target=atomic_add.9f
444 link path=usr/share/man/man9f/atomic_add_int_nv.9f target=atomic_add.9f
445 link path=usr/share/man/man9f/atomic_add_long.9f target=atomic_add.9f
446 link path=usr/share/man/man9f/atomic_add_long_nv.9f target=atomic_add.9f
447 link path=usr/share/man/man9f/atomic_add_ptr.9f target=atomic_add.9f
448 link path=usr/share/man/man9f/atomic_add_ptr_nv.9f target=atomic_add.9f
449 link path=usr/share/man/man9f/atomic_add_short.9f target=atomic_add.9f
450 link path=usr/share/man/man9f/atomic_add_short_nv.9f target=atomic_add.9f
451 link path=usr/share/man/man9f/atomic_and_16.9f target=atomic_and.9f
452 link path=usr/share/man/man9f/atomic_and_16_nv.9f target=atomic_and.9f
453 link path=usr/share/man/man9f/atomic_and_32.9f target=atomic_and.9f
454 link path=usr/share/man/man9f/atomic_and_32_nv.9f target=atomic_and.9f
455 link path=usr/share/man/man9f/atomic_and_64.9f target=atomic_and.9f
456 link path=usr/share/man/man9f/atomic_and_64_nv.9f target=atomic_and.9f
457 link path=usr/share/man/man9f/atomic_and_8.9f target=atomic_and.9f
458 link path=usr/share/man/man9f/atomic_and_8_nv.9f target=atomic_and.9f
459 link path=usr/share/man/man9f/atomic_and_uchar.9f target=atomic_and.9f
460 link path=usr/share/man/man9f/atomic_and_uchar_nv.9f target=atomic_and.9f
461 link path=usr/share/man/man9f/atomic_and_uint.9f target=atomic_and.9f
462 link path=usr/share/man/man9f/atomic_and_uint_nv.9f target=atomic_and.9f

```

```

463 link path=usr/share/man/man9f/atomic_and_ulong.9f target=atomic_and.9f
464 link path=usr/share/man/man9f/atomic_and_ulong_nv.9f target=atomic_and.9f
465 link path=usr/share/man/man9f/atomic_and_ushort.9f target=atomic_and.9f
466 link path=usr/share/man/man9f/atomic_and_ushort_nv.9f target=atomic_and.9f
467 link path=usr/share/man/man9f/atomic_cas_16.9f target=atomic_cas.9f
468 link path=usr/share/man/man9f/atomic_cas_32.9f target=atomic_cas.9f
469 link path=usr/share/man/man9f/atomic_cas_64.9f target=atomic_cas.9f
470 link path=usr/share/man/man9f/atomic_cas_8.9f target=atomic_cas.9f
471 link path=usr/share/man/man9f/atomic_cas_ptr.9f target=atomic_cas.9f
472 link path=usr/share/man/man9f/atomic_cas_uchar.9f target=atomic_cas.9f
473 link path=usr/share/man/man9f/atomic_cas_uint.9f target=atomic_cas.9f
474 link path=usr/share/man/man9f/atomic_cas_ulong.9f target=atomic_cas.9f
475 link path=usr/share/man/man9f/atomic_cas_ushort.9f target=atomic_cas.9f
476 link path=usr/share/man/man9f/atomic_clear_long_excl.9f target=atomic_bits.9f
477 link path=usr/share/man/man9f/atomic_dec_16.9f target=atomic_dec.9f
478 link path=usr/share/man/man9f/atomic_dec_16_nv.9f target=atomic_dec.9f
479 link path=usr/share/man/man9f/atomic_dec_32.9f target=atomic_dec.9f
480 link path=usr/share/man/man9f/atomic_dec_32_nv.9f target=atomic_dec.9f
481 link path=usr/share/man/man9f/atomic_dec_64.9f target=atomic_dec.9f
482 link path=usr/share/man/man9f/atomic_dec_64_nv.9f target=atomic_dec.9f
483 link path=usr/share/man/man9f/atomic_dec_8.9f target=atomic_dec.9f
484 link path=usr/share/man/man9f/atomic_dec_8_nv.9f target=atomic_dec.9f
485 link path=usr/share/man/man9f/atomic_dec_ptr.9f target=atomic_dec.9f
486 link path=usr/share/man/man9f/atomic_dec_ptr_nv.9f target=atomic_dec.9f
487 link path=usr/share/man/man9f/atomic_dec_uchar.9f target=atomic_dec.9f
488 link path=usr/share/man/man9f/atomic_dec_uchar_nv.9f target=atomic_dec.9f
489 link path=usr/share/man/man9f/atomic_dec_uint.9f target=atomic_dec.9f
490 link path=usr/share/man/man9f/atomic_dec_uint_nv.9f target=atomic_dec.9f
491 link path=usr/share/man/man9f/atomic_dec_ulong.9f target=atomic_dec.9f
492 link path=usr/share/man/man9f/atomic_dec_ulong_nv.9f target=atomic_dec.9f
493 link path=usr/share/man/man9f/atomic_dec_ushort.9f target=atomic_dec.9f
494 link path=usr/share/man/man9f/atomic_dec_ushort_nv.9f target=atomic_dec.9f
495 link path=usr/share/man/man9f/atomic_inc_16.9f target=atomic_inc.9f
496 link path=usr/share/man/man9f/atomic_inc_16_nv.9f target=atomic_inc.9f
497 link path=usr/share/man/man9f/atomic_inc_32.9f target=atomic_inc.9f
498 link path=usr/share/man/man9f/atomic_inc_32_nv.9f target=atomic_inc.9f
499 link path=usr/share/man/man9f/atomic_inc_64.9f target=atomic_inc.9f
500 link path=usr/share/man/man9f/atomic_inc_64_nv.9f target=atomic_inc.9f
501 link path=usr/share/man/man9f/atomic_inc_8.9f target=atomic_inc.9f
502 link path=usr/share/man/man9f/atomic_inc_8_nv.9f target=atomic_inc.9f
503 link path=usr/share/man/man9f/atomic_inc_ptr.9f target=atomic_inc.9f
504 link path=usr/share/man/man9f/atomic_inc_ptr_nv.9f target=atomic_inc.9f
505 link path=usr/share/man/man9f/atomic_inc_uchar.9f target=atomic_inc.9f
506 link path=usr/share/man/man9f/atomic_inc_uchar_nv.9f target=atomic_inc.9f
507 link path=usr/share/man/man9f/atomic_inc_uint.9f target=atomic_inc.9f
508 link path=usr/share/man/man9f/atomic_inc_uint_nv.9f target=atomic_inc.9f
509 link path=usr/share/man/man9f/atomic_inc_ulong.9f target=atomic_inc.9f
510 link path=usr/share/man/man9f/atomic_inc_ulong_nv.9f target=atomic_inc.9f
511 link path=usr/share/man/man9f/atomic_inc_ushort.9f target=atomic_inc.9f
512 link path=usr/share/man/man9f/atomic_inc_ushort_nv.9f target=atomic_inc.9f
513 link path=usr/share/man/man9f/atomic_or_16.9f target=atomic_or.9f
514 link path=usr/share/man/man9f/atomic_or_16_nv.9f target=atomic_or.9f
515 link path=usr/share/man/man9f/atomic_or_32.9f target=atomic_or.9f
516 link path=usr/share/man/man9f/atomic_or_32_nv.9f target=atomic_or.9f
517 link path=usr/share/man/man9f/atomic_or_64.9f target=atomic_or.9f
518 link path=usr/share/man/man9f/atomic_or_64_nv.9f target=atomic_or.9f
519 link path=usr/share/man/man9f/atomic_or_8.9f target=atomic_or.9f
520 link path=usr/share/man/man9f/atomic_or_8_nv.9f target=atomic_or.9f
521 link path=usr/share/man/man9f/atomic_or_uchar.9f target=atomic_or.9f
522 link path=usr/share/man/man9f/atomic_or_uchar_nv.9f target=atomic_or.9f
523 link path=usr/share/man/man9f/atomic_or_uint.9f target=atomic_or.9f
524 link path=usr/share/man/man9f/atomic_or_uint_nv.9f target=atomic_or.9f
525 link path=usr/share/man/man9f/atomic_or_ulong.9f target=atomic_or.9f
526 link path=usr/share/man/man9f/atomic_or_ulong_nv.9f target=atomic_or.9f
527 link path=usr/share/man/man9f/atomic_or_ushort.9f target=atomic_or.9f
528 link path=usr/share/man/man9f/atomic_or_ushort_nv.9f target=atomic_or.9f

```

```

529 link path=usr/share/man/man9f/atomic_set_long_excl.9f target=atomic_bits.9f
530 link path=usr/share/man/man9f/atomic_swap_16.9f target=atomic_swap.9f
531 link path=usr/share/man/man9f/atomic_swap_32.9f target=atomic_swap.9f
532 link path=usr/share/man/man9f/atomic_swap_64.9f target=atomic_swap.9f
533 link path=usr/share/man/man9f/atomic_swap_8.9f target=atomic_swap.9f
534 link path=usr/share/man/man9f/atomic_swap_ptr.9f target=atomic_swap.9f
535 link path=usr/share/man/man9f/atomic_swap_uchar.9f target=atomic_swap.9f
536 link path=usr/share/man/man9f/atomic_swap_uint.9f target=atomic_swap.9f
537 link path=usr/share/man/man9f/atomic_swap_ulong.9f target=atomic_swap.9f
538 link path=usr/share/man/man9f/atomic_swap_ushort.9f target=atomic_swap.9f
539 link path=usr/share/man/man9f/crgetgid.9f target=ddi_cred.9f
540 link path=usr/share/man/man9f/crgetgroups.9f target=ddi_cred.9f
541 link path=usr/share/man/man9f/crgetngroups.9f target=ddi_cred.9f
542 link path=usr/share/man/man9f/crgetrgid.9f target=ddi_cred.9f
543 link path=usr/share/man/man9f/crgetruid.9f target=ddi_cred.9f
544 link path=usr/share/man/man9f/crgetsgid.9f target=ddi_cred.9f
545 link path=usr/share/man/man9f/crgetsuid.9f target=ddi_cred.9f
546 link path=usr/share/man/man9f/crgetuid.9f target=ddi_cred.9f
547 link path=usr/share/man/man9f/crgetzoneid.9f target=ddi_cred.9f
606 link path=usr/share/man/man9f/csx_Get16.9f target=csx_Get8.9f
607 link path=usr/share/man/man9f/csx_Get32.9f target=csx_Get8.9f
608 link path=usr/share/man/man9f/csx_Get64.9f target=csx_Get8.9f
609 link path=usr/share/man/man9f/csx_GetEventMask.9f target=csx_SetEventMask.9f
610 link path=usr/share/man/man9f/csx_GetNextClient.9f \
611 target=csx_GetFirstClient.9f
612 link path=usr/share/man/man9f/csx_GetNextTuple.9f target=csx_GetFirstTuple.9f
613 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_A.9f \
614 target=csx_Parse_CISTPL_DEVICE.9f
615 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_OA.9f \
616 target=csx_Parse_CISTPL_DEVICE.9f
617 link path=usr/share/man/man9f/csx_Parse_CISTPL_DEVICE_OC.9f \
618 target=csx_Parse_CISTPL_DEVICE.9f
619 link path=usr/share/man/man9f/csx_Parse_CISTPL_JEDEC_A.9f \
620 target=csx_Parse_CISTPL_JEDEC_C.9f
621 link path=usr/share/man/man9f/csx_Parse_CISTPL_LONGLINK_C.9f \
622 target=csx_Parse_CISTPL_LONGLINK_A.9f
623 link path=usr/share/man/man9f/csx_Put16.9f target=csx_Put8.9f
624 link path=usr/share/man/man9f/csx_Put32.9f target=csx_Put8.9f
625 link path=usr/share/man/man9f/csx_Put64.9f target=csx_Put8.9f
626 link path=usr/share/man/man9f/csx_ReleaseIO.9f target=csx_RequestIO.9f
627 link path=usr/share/man/man9f/csx_ReleaseIRQ.9f target=csx_RequestIRQ.9f
628 link path=usr/share/man/man9f/csx_ReleaseSocketMask.9f \
629 target=csx_RequestSocketMask.9f
630 link path=usr/share/man/man9f/csx_ReleaseWindow.9f target=csx_RequestWindow.9f
631 link path=usr/share/man/man9f/csx_RemoveDeviceNode.9f \
632 target=csx_MakeDeviceNode.9f
633 link path=usr/share/man/man9f/csx_RepGet16.9f target=csx_RepGet8.9f
634 link path=usr/share/man/man9f/csx_RepGet32.9f target=csx_RepGet8.9f
635 link path=usr/share/man/man9f/csx_RepGet64.9f target=csx_RepGet8.9f
636 link path=usr/share/man/man9f/csx_RepPut16.9f target=csx_RepPut8.9f
637 link path=usr/share/man/man9f/csx_RepPut32.9f target=csx_RepPut8.9f
638 link path=usr/share/man/man9f/csx_RepPut64.9f target=csx_RepPut8.9f
548 link path=usr/share/man/man9f/cv_broadcast.9f target=condvar.9f
549 link path=usr/share/man/man9f/cv_destroy.9f target=condvar.9f
550 link path=usr/share/man/man9f/cv_init.9f target=condvar.9f
551 link path=usr/share/man/man9f/cv_reltimedwait.9f target=condvar.9f
552 link path=usr/share/man/man9f/cv_reltimedwait_sig.9f target=condvar.9f
553 link path=usr/share/man/man9f/cv_signal.9f target=condvar.9f
554 link path=usr/share/man/man9f/cv_timedwait.9f target=condvar.9f
555 link path=usr/share/man/man9f/cv_timedwait_sig.9f target=condvar.9f
556 link path=usr/share/man/man9f/cv_wait.9f target=condvar.9f
557 link path=usr/share/man/man9f/cv_wait_sig.9f target=condvar.9f
558 link path=usr/share/man/man9f/ddi_btopr.9f target=ddi_btop.9f
559 link path=usr/share/man/man9f/ddi_cb_unregister.9f target=ddi_cb_register.9f
560 link path=usr/share/man/man9f/ddi_check_dma_handle.9f \
561 target=ddi_check_acc_handle.9f

```

```

562 link path=usr/share/man/man9f/ddi_devid_free.9f target=ddi_devid_compare.9f
563 link path=usr/share/man/man9f/ddi_devid_get.9f target=ddi_devid_compare.9f
564 link path=usr/share/man/man9f/ddi_devid_init.9f target=ddi_devid_compare.9f
565 link path=usr/share/man/man9f/ddi_devid_register.9f \
566 target=ddi_devid_compare.9f
567 link path=usr/share/man/man9f/ddi_devid_sizeof.9f target=ddi_devid_compare.9f
568 link path=usr/share/man/man9f/ddi_devid_str_decode.9f \
569 target=ddi_devid_compare.9f
570 link path=usr/share/man/man9f/ddi_devid_str_encode.9f \
571 target=ddi_devid_compare.9f
572 link path=usr/share/man/man9f/ddi_devid_str_free.9f \
573 target=ddi_devid_compare.9f
574 link path=usr/share/man/man9f/ddi_devid_unregister.9f \
575 target=ddi_devid_compare.9f
576 link path=usr/share/man/man9f/ddi_devid_valid.9f target=ddi_devid_compare.9f
577 link path=usr/share/man/man9f/ddi_devmap_segmap.9f target=devmap_setup.9f
578 link path=usr/share/man/man9f/ddi_dmae_lstparty.9f target=ddi_dmae.9f
579 link path=usr/share/man/man9f/ddi_dmae_alloc.9f target=ddi_dmae.9f
580 link path=usr/share/man/man9f/ddi_dmae_disable.9f target=ddi_dmae.9f
581 link path=usr/share/man/man9f/ddi_dmae_enable.9f target=ddi_dmae.9f
582 link path=usr/share/man/man9f/ddi_dmae_getattr.9f target=ddi_dmae.9f
583 link path=usr/share/man/man9f/ddi_dmae_getcnt.9f target=ddi_dmae.9f
584 link path=usr/share/man/man9f/ddi_dmae_prog.9f target=ddi_dmae.9f
585 link path=usr/share/man/man9f/ddi_dmae_release.9f target=ddi_dmae.9f
586 link path=usr/share/man/man9f/ddi_dmae_stop.9f target=ddi_dmae.9f
587 link path=usr/share/man/man9f/ddi_exit_critical.9f \
588 target=ddi_enter_critical.9f
589 link path=usr/share/man/man9f/ddi_fls.9f target=ddi_ffs.9f
590 link path=usr/share/man/man9f/ddi_fm_capable.9f target=ddi_fm_init.9f
591 link path=usr/share/man/man9f/ddi_fm_dma_err_clear.9f \
592 target=ddi_fm_acc_err_clear.9f
593 link path=usr/share/man/man9f/ddi_fm_dma_err_get.9f \
594 target=ddi_fm_acc_err_get.9f
595 link path=usr/share/man/man9f/ddi_fm_fini.9f target=ddi_fm_init.9f
596 link path=usr/share/man/man9f/ddi_fm_handler_unregister.9f \
597 target=ddi_fm_handler_register.9f
598 link path=usr/share/man/man9f/ddi_get16.9f target=ddi_get8.9f
599 link path=usr/share/man/man9f/ddi_get32.9f target=ddi_get8.9f
600 link path=usr/share/man/man9f/ddi_get64.9f target=ddi_get8.9f
601 link path=usr/share/man/man9f/ddi_get_iblock_cookie.9f target=ddi_add_intr.9f
602 link path=usr/share/man/man9f/ddi_get_lbolt64.9f target=ddi_get_lbolt.9f
603 link path=usr/share/man/man9f/ddi_get_name.9f target=ddi_binding_name.9f
604 link path=usr/share/man/man9f/ddi_get_soft_iblock_cookie.9f \
605 target=ddi_add_softintr.9f
606 link path=usr/share/man/man9f/ddi_get_soft_state.9f target=ddi_soft_state.9f
607 link path=usr/share/man/man9f/ddi_getb.9f target=ddi_get8.9f
608 link path=usr/share/man/man9f/ddi_getl.9f target=ddi_get8.9f
609 link path=usr/share/man/man9f/ddi_getll.9f target=ddi_get8.9f
610 link path=usr/share/man/man9f/ddi_getlongprop.9f target=ddi_prop_op.9f
611 link path=usr/share/man/man9f/ddi_getlongprop_buf.9f target=ddi_prop_op.9f
612 link path=usr/share/man/man9f/ddi_getprop.9f target=ddi_prop_op.9f
613 link path=usr/share/man/man9f/ddi_getproplen.9f target=ddi_prop_op.9f
614 link path=usr/share/man/man9f/ddi_getw.9f target=ddi_get8.9f
615 link path=usr/share/man/man9f/ddi_intr_block_disable.9f \
616 target=ddi_intr_enable.9f
617 link path=usr/share/man/man9f/ddi_intr_block_enable.9f \
618 target=ddi_intr_enable.9f
619 link path=usr/share/man/man9f/ddi_intr_clr_mask.9f target=ddi_intr_set_mask.9f
620 link path=usr/share/man/man9f/ddi_intr_disable.9f target=ddi_intr_enable.9f
621 link path=usr/share/man/man9f/ddi_intr_free.9f target=ddi_intr_alloc.9f
622 link path=usr/share/man/man9f/ddi_intr_get_navail.9f \
623 target=ddi_intr_get_nintrs.9f
624 link path=usr/share/man/man9f/ddi_intr_get_softint_pri.9f \
625 target=ddi_intr_add_softint.9f
626 link path=usr/share/man/man9f/ddi_intr_remove_handler.9f \
627 target=ddi_intr_add_handler.9f

```

```

628 link path=usr/share/man/man9f/ddi_intr_remove_softint.9f \
629 target=ddi_intr_add_softint.9f
630 link path=usr/share/man/man9f/ddi_intr_set_cap.9f target=ddi_intr_get_cap.9f
631 link path=usr/share/man/man9f/ddi_intr_set_pri.9f target=ddi_intr_get_pri.9f
632 link path=usr/share/man/man9f/ddi_intr_set_softint_pri.9f \
633 target=ddi_intr_add_softint.9f
634 link path=usr/share/man/man9f/ddi_intr_trigger_softint.9f \
635 target=ddi_intr_add_softint.9f
636 link path=usr/share/man/man9f/ddi_io_get16.9f target=ddi_io_get8.9f
637 link path=usr/share/man/man9f/ddi_io_get32.9f target=ddi_io_get8.9f
638 link path=usr/share/man/man9f/ddi_io_getb.9f target=ddi_io_get8.9f
639 link path=usr/share/man/man9f/ddi_io_getl.9f target=ddi_io_get8.9f
640 link path=usr/share/man/man9f/ddi_io_getw.9f target=ddi_io_get8.9f
641 link path=usr/share/man/man9f/ddi_io_put16.9f target=ddi_io_put8.9f
642 link path=usr/share/man/man9f/ddi_io_put32.9f target=ddi_io_put8.9f
643 link path=usr/share/man/man9f/ddi_io_putb.9f target=ddi_io_put8.9f
644 link path=usr/share/man/man9f/ddi_io_putl.9f target=ddi_io_put8.9f
645 link path=usr/share/man/man9f/ddi_io_putw.9f target=ddi_io_put8.9f
646 link path=usr/share/man/man9f/ddi_io_rep_get16.9f target=ddi_io_rep_get8.9f
647 link path=usr/share/man/man9f/ddi_io_rep_get32.9f target=ddi_io_rep_get8.9f
648 link path=usr/share/man/man9f/ddi_io_rep_getb.9f target=ddi_io_rep_get8.9f
649 link path=usr/share/man/man9f/ddi_io_rep_getl.9f target=ddi_io_rep_get8.9f
650 link path=usr/share/man/man9f/ddi_io_rep_getw.9f target=ddi_io_rep_get8.9f
651 link path=usr/share/man/man9f/ddi_io_rep_put16.9f target=ddi_io_rep_put8.9f
652 link path=usr/share/man/man9f/ddi_io_rep_put32.9f target=ddi_io_rep_put8.9f
653 link path=usr/share/man/man9f/ddi_io_rep_putb.9f target=ddi_io_rep_put8.9f
654 link path=usr/share/man/man9f/ddi_io_rep_putl.9f target=ddi_io_rep_put8.9f
655 link path=usr/share/man/man9f/ddi_io_rep_putw.9f target=ddi_io_rep_put8.9f
656 link path=usr/share/man/man9f/ddi_mem_get16.9f target=ddi_mem_get8.9f
657 link path=usr/share/man/man9f/ddi_mem_get32.9f target=ddi_mem_get8.9f
658 link path=usr/share/man/man9f/ddi_mem_get64.9f target=ddi_mem_get8.9f
659 link path=usr/share/man/man9f/ddi_mem_getb.9f target=ddi_mem_get8.9f
660 link path=usr/share/man/man9f/ddi_mem_getl.9f target=ddi_mem_get8.9f
661 link path=usr/share/man/man9f/ddi_mem_getll.9f target=ddi_mem_get8.9f
662 link path=usr/share/man/man9f/ddi_mem_getw.9f target=ddi_mem_get8.9f
663 link path=usr/share/man/man9f/ddi_mem_put16.9f target=ddi_mem_put8.9f
664 link path=usr/share/man/man9f/ddi_mem_put32.9f target=ddi_mem_put8.9f
665 link path=usr/share/man/man9f/ddi_mem_put64.9f target=ddi_mem_put8.9f
666 link path=usr/share/man/man9f/ddi_mem_putb.9f target=ddi_mem_put8.9f
667 link path=usr/share/man/man9f/ddi_mem_putl.9f target=ddi_mem_put8.9f
668 link path=usr/share/man/man9f/ddi_mem_putll.9f target=ddi_mem_put8.9f
669 link path=usr/share/man/man9f/ddi_mem_putw.9f target=ddi_mem_put8.9f
670 link path=usr/share/man/man9f/ddi_mem_rep_get16.9f target=ddi_mem_rep_get8.9f
671 link path=usr/share/man/man9f/ddi_mem_rep_get32.9f target=ddi_mem_rep_get8.9f
672 link path=usr/share/man/man9f/ddi_mem_rep_get64.9f target=ddi_mem_rep_get8.9f
673 link path=usr/share/man/man9f/ddi_mem_rep_getb.9f target=ddi_mem_rep_get8.9f
674 link path=usr/share/man/man9f/ddi_mem_rep_getl.9f target=ddi_mem_rep_get8.9f
675 link path=usr/share/man/man9f/ddi_mem_rep_getll.9f target=ddi_mem_rep_get8.9f
676 link path=usr/share/man/man9f/ddi_mem_rep_getw.9f target=ddi_mem_rep_get8.9f
677 link path=usr/share/man/man9f/ddi_mem_rep_put16.9f target=ddi_mem_rep_put8.9f
678 link path=usr/share/man/man9f/ddi_mem_rep_put32.9f target=ddi_mem_rep_put8.9f
679 link path=usr/share/man/man9f/ddi_mem_rep_put64.9f target=ddi_mem_rep_put8.9f
680 link path=usr/share/man/man9f/ddi_mem_rep_putb.9f target=ddi_mem_rep_put8.9f
681 link path=usr/share/man/man9f/ddi_mem_rep_putl.9f target=ddi_mem_rep_put8.9f
682 link path=usr/share/man/man9f/ddi_mem_rep_putll.9f target=ddi_mem_rep_put8.9f
683 link path=usr/share/man/man9f/ddi_mem_rep_putw.9f target=ddi_mem_rep_put8.9f
684 link path=usr/share/man/man9f/ddi_modclose.9f target=ddi_modopen.9f
685 link path=usr/share/man/man9f/ddi_modsym.9f target=ddi_modopen.9f
686 link path=usr/share/man/man9f/ddi_peek16.9f target=ddi_peek.9f
687 link path=usr/share/man/man9f/ddi_peek32.9f target=ddi_peek.9f
688 link path=usr/share/man/man9f/ddi_peek64.9f target=ddi_peek.9f
689 link path=usr/share/man/man9f/ddi_peek8.9f target=ddi_peek.9f
690 link path=usr/share/man/man9f/ddi_peekc.9f target=ddi_peek.9f
691 link path=usr/share/man/man9f/ddi_peekd.9f target=ddi_peek.9f
692 link path=usr/share/man/man9f/ddi_peekl.9f target=ddi_peek.9f
693 link path=usr/share/man/man9f/ddi_peeks.9f target=ddi_peek.9f

```

```

694 link path=usr/share/man/man9f/ddi_poke16.9f target=ddi_poke.9f
695 link path=usr/share/man/man9f/ddi_poke32.9f target=ddi_poke.9f
696 link path=usr/share/man/man9f/ddi_poke64.9f target=ddi_poke.9f
697 link path=usr/share/man/man9f/ddi_poke8.9f target=ddi_poke.9f
698 link path=usr/share/man/man9f/ddi_pokec.9f target=ddi_poke.9f
699 link path=usr/share/man/man9f/ddi_poked.9f target=ddi_poke.9f
700 link path=usr/share/man/man9f/ddi_pokel.9f target=ddi_poke.9f
701 link path=usr/share/man/man9f/ddi_pokes.9f target=ddi_poke.9f
702 link path=usr/share/man/man9f/ddi_prop_free.9f target=ddi_prop_lookup.9f
703 link path=usr/share/man/man9f/ddi_prop_get_int64.9f target=ddi_prop_get_int.9f
704 link path=usr/share/man/man9f/ddi_prop_lookup_byte_array.9f \
705 target=ddi_prop_lookup.9f
706 link path=usr/share/man/man9f/ddi_prop_lookup_int64_array.9f \
707 target=ddi_prop_lookup.9f
708 link path=usr/share/man/man9f/ddi_prop_lookup_int_array.9f \
709 target=ddi_prop_lookup.9f
710 link path=usr/share/man/man9f/ddi_prop_lookup_string.9f \
711 target=ddi_prop_lookup.9f
712 link path=usr/share/man/man9f/ddi_prop_lookup_string_array.9f \
713 target=ddi_prop_lookup.9f
714 link path=usr/share/man/man9f/ddi_prop_modify.9f target=ddi_prop_create.9f
715 link path=usr/share/man/man9f/ddi_prop_remove.9f target=ddi_prop_create.9f
716 link path=usr/share/man/man9f/ddi_prop_remove_all.9f target=ddi_prop_create.9f
717 link path=usr/share/man/man9f/ddi_prop_undefine.9f target=ddi_prop_create.9f
718 link path=usr/share/man/man9f/ddi_prop_update_byte_array.9f \
719 target=ddi_prop_update.9f
720 link path=usr/share/man/man9f/ddi_prop_update_int.9f target=ddi_prop_update.9f
721 link path=usr/share/man/man9f/ddi_prop_update_int64.9f \
722 target=ddi_prop_update.9f
723 link path=usr/share/man/man9f/ddi_prop_update_int64_array.9f \
724 target=ddi_prop_update.9f
725 link path=usr/share/man/man9f/ddi_prop_update_int_array.9f \
726 target=ddi_prop_update.9f
727 link path=usr/share/man/man9f/ddi_prop_update_string.9f \
728 target=ddi_prop_update.9f
729 link path=usr/share/man/man9f/ddi_prop_update_string_array.9f \
730 target=ddi_prop_update.9f
731 link path=usr/share/man/man9f/ddi_ptob.9f target=ddi_btob.9f
732 link path=usr/share/man/man9f/ddi_put16.9f target=ddi_put8.9f
733 link path=usr/share/man/man9f/ddi_put32.9f target=ddi_put8.9f
734 link path=usr/share/man/man9f/ddi_put64.9f target=ddi_put8.9f
735 link path=usr/share/man/man9f/ddi_putb.9f target=ddi_put8.9f
736 link path=usr/share/man/man9f/ddi_putl.9f target=ddi_put8.9f
737 link path=usr/share/man/man9f/ddi_putll.9f target=ddi_put8.9f
738 link path=usr/share/man/man9f/ddi_putw.9f target=ddi_put8.9f
739 link path=usr/share/man/man9f/ddi_remove_intr.9f target=ddi_add_intr.9f
740 link path=usr/share/man/man9f/ddi_remove_softintr.9f \
741 target=ddi_add_softintr.9f
742 link path=usr/share/man/man9f/ddi_rep_get16.9f target=ddi_rep_get8.9f
743 link path=usr/share/man/man9f/ddi_rep_get32.9f target=ddi_rep_get8.9f
744 link path=usr/share/man/man9f/ddi_rep_get64.9f target=ddi_rep_get8.9f
745 link path=usr/share/man/man9f/ddi_rep_getb.9f target=ddi_rep_get8.9f
746 link path=usr/share/man/man9f/ddi_rep_getl.9f target=ddi_rep_get8.9f
747 link path=usr/share/man/man9f/ddi_rep_getll.9f target=ddi_rep_get8.9f
748 link path=usr/share/man/man9f/ddi_rep_getw.9f target=ddi_rep_get8.9f
749 link path=usr/share/man/man9f/ddi_rep_put16.9f target=ddi_rep_put8.9f
750 link path=usr/share/man/man9f/ddi_rep_put32.9f target=ddi_rep_put8.9f
751 link path=usr/share/man/man9f/ddi_rep_put64.9f target=ddi_rep_put8.9f
752 link path=usr/share/man/man9f/ddi_rep_putb.9f target=ddi_rep_put8.9f
753 link path=usr/share/man/man9f/ddi_rep_putl.9f target=ddi_rep_put8.9f
754 link path=usr/share/man/man9f/ddi_rep_putll.9f target=ddi_rep_put8.9f
755 link path=usr/share/man/man9f/ddi_rep_putw.9f target=ddi_rep_put8.9f
756 link path=usr/share/man/man9f/ddi_segmap_setup.9f target=ddi_segmap.9f
757 link path=usr/share/man/man9f/ddi_set_driver_private.9f \
758 target=ddi_get_driver_private.9f
759 link path=usr/share/man/man9f/ddi_soft_state_fini.9f target=ddi_soft_state.9f

```

```

760 link path=usr/share/man/man9f/ddi_soft_state_free.9f target=ddi_soft_state.9f
761 link path=usr/share/man/man9f/ddi_soft_state_init.9f target=ddi_soft_state.9f
762 link path=usr/share/man/man9f/ddi_soft_state_zalloc.9f \
763 target=ddi_soft_state.9f
764 link path=usr/share/man/man9f/ddi_strdup.9f target=string.9f
765 link path=usr/share/man/man9f/ddi_strtoull.9f target=ddi_strtoll.9f
766 link path=usr/share/man/man9f/ddi_taskq_create.9f target=taskq.9f
767 link path=usr/share/man/man9f/ddi_taskq_destroy.9f target=taskq.9f
768 link path=usr/share/man/man9f/ddi_taskq_dispatch.9f target=taskq.9f
769 link path=usr/share/man/man9f/ddi_taskq_resume.9f target=taskq.9f
770 link path=usr/share/man/man9f/ddi_taskq_suspend.9f target=taskq.9f
771 link path=usr/share/man/man9f/ddi_taskq_wait.9f target=taskq.9f
772 link path=usr/share/man/man9f/ddi_trigger_softintr.9f \
773 target=ddi_add_softintr.9f
774 link path=usr/share/man/man9f/ddi_umem_free.9f target=ddi_umem_alloc.9f
775 link path=usr/share/man/man9f/ddi_umem_unlock.9f target=ddi_umem_lock.9f
776 link path=usr/share/man/man9f/ddi_unmap_regs.9f target=ddi_map_regs.9f
777 link path=usr/share/man/man9f/desballoc.9f target=esballoc.9f
778 link path=usr/share/man/man9f/devmap_load.9f target=devmap_unload.9f
779 link path=usr/share/man/man9f/devmap_umem_setup.9f \
780 target=devmap_devmem_setup.9f
781 link path=usr/share/man/man9f/dlerrorack.9f target=dlbindack.9f
782 link path=usr/share/man/man9f/dlokack.9f target=dlbindack.9f
783 link path=usr/share/man/man9f/dlphysaddrack.9f target=dlbindack.9f
784 link path=usr/share/man/man9f/dluderrorind.9f target=dlbindack.9f
785 link path=usr/share/man/man9f/free_pktiopb.9f target=get_pktiopb.9f
786 link path=usr/share/man/man9f/gld_intr.9f target=gld.9f
787 link path=usr/share/man/man9f/gld_mac_alloc.9f target=gld.9f
788 link path=usr/share/man/man9f/gld_mac_free.9f target=gld.9f
789 link path=usr/share/man/man9f/gld_recv.9f target=gld.9f
790 link path=usr/share/man/man9f/gld_register.9f target=gld.9f
791 link path=usr/share/man/man9f/gld_sched.9f target=gld.9f
792 link path=usr/share/man/man9f/gld_unregister.9f target=gld.9f
793 link path=usr/share/man/man9f/id32_free.9f target=id32_alloc.9f
794 link path=usr/share/man/man9f/id32_lookup.9f target=id32_alloc.9f
795 link path=usr/share/man/man9f/inl.9f target=inb.9f
796 link path=usr/share/man/man9f/intro.9f target=intro.9f
797 link path=usr/share/man/man9f/inw.9f target=inb.9f
798 link path=usr/share/man/man9f/kmem_cache_alloc.9f target=kmem_cache_create.9f
799 link path=usr/share/man/man9f/kmem_cache_destroy.9f \
800 target=kmem_cache_create.9f
801 link path=usr/share/man/man9f/kmem_cache_free.9f target=kmem_cache_create.9f
802 link path=usr/share/man/man9f/kmem_cache_set_move.9f \
803 target=kmem_cache_create.9f
804 link path=usr/share/man/man9f/kmem_free.9f target=kmem_alloc.9f
805 link path=usr/share/man/man9f/kmem_zalloc.9f target=kmem_alloc.9f
806 link path=usr/share/man/man9f/kstat_named_setstr.9f target=kstat_named_init.9f
807 link path=usr/share/man/man9f/kstat_runq_back_to_waitq.9f \
808 target=kstat_queue.9f
809 link path=usr/share/man/man9f/kstat_runq_enter.9f target=kstat_queue.9f
810 link path=usr/share/man/man9f/kstat_runq_exit.9f target=kstat_queue.9f
811 link path=usr/share/man/man9f/kstat_waitq_enter.9f target=kstat_queue.9f
812 link path=usr/share/man/man9f/kstat_waitq_exit.9f target=kstat_queue.9f
813 link path=usr/share/man/man9f/kstat_waitq_to_runq.9f target=kstat_queue.9f
814 link path=usr/share/man/man9f/ldi_await.9f target=ldi_aread.9f
815 link path=usr/share/man/man9f/ldi_close.9f target=ldi_open_by_dev.9f
816 link path=usr/share/man/man9f/ldi_get_devid.9f target=ldi_get_dev.9f
817 link path=usr/share/man/man9f/ldi_get_minor_name.9f target=ldi_get_dev.9f
818 link path=usr/share/man/man9f/ldi_get_otyp.9f target=ldi_get_dev.9f
819 link path=usr/share/man/man9f/ldi_getmsg.9f target=ldi_putmsg.9f
820 link path=usr/share/man/man9f/ldi_ident_from_dip.9f \
821 target=ldi_ident_from_dev.9f
822 link path=usr/share/man/man9f/ldi_ident_from_stream.9f \
823 target=ldi_ident_from_dev.9f
824 link path=usr/share/man/man9f/ldi_ident_release.9f \
825 target=ldi_ident_from_dev.9f

```



```
826 link path=usr/share/man/man9f/ldi_open_by_devid.9f target=ldi_open_by_dev.9f
827 link path=usr/share/man/man9f/ldi_open_by_name.9f target=ldi_open_by_dev.9f
828 link path=usr/share/man/man9f/ldi_prop_get_int64.9f target=ldi_prop_get_int.9f
829 link path=usr/share/man/man9f/ldi_prop_lookup_byte_array.9f \
830 target=ldi_prop_lookup_int_array.9f
831 link path=usr/share/man/man9f/ldi_prop_lookup_int64_array.9f \
832 target=ldi_prop_lookup_int_array.9f
833 link path=usr/share/man/man9f/ldi_prop_lookup_string.9f \
834 target=ldi_prop_lookup_int_array.9f
835 link path=usr/share/man/man9f/ldi_prop_lookup_string_array.9f \
836 target=ldi_prop_lookup_int_array.9f
837 link path=usr/share/man/man9f/ldi_write.9f target=ldi_read.9f
838 link path=usr/share/man/man9f/list_destroy.9f target=list_create.9f
839 link path=usr/share/man/man9f/list_head.9f target=list_create.9f
840 link path=usr/share/man/man9f/list_insert_after.9f target=list_create.9f
841 link path=usr/share/man/man9f/list_insert_before.9f target=list_create.9f
842 link path=usr/share/man/man9f/list_insert_head.9f target=list_create.9f
843 link path=usr/share/man/man9f/list_insert_tail.9f target=list_create.9f
844 link path=usr/share/man/man9f/list_is_empty.9f target=list_create.9f
845 link path=usr/share/man/man9f/list_link_active.9f target=list_create.9f
846 link path=usr/share/man/man9f/list_link_init.9f target=list_create.9f
847 link path=usr/share/man/man9f/list_link_replace.9f target=list_create.9f
848 link path=usr/share/man/man9f/list_move_tail.9f target=list_create.9f
849 link path=usr/share/man/man9f/list_next.9f target=list_create.9f
850 link path=usr/share/man/man9f/list_prev.9f target=list_create.9f
851 link path=usr/share/man/man9f/list_remove.9f target=list_create.9f
852 link path=usr/share/man/man9f/list_remove_head.9f target=list_create.9f
853 link path=usr/share/man/man9f/list_remove_tail.9f target=list_create.9f
854 link path=usr/share/man/man9f/list_tail.9f target=list_create.9f
855 link path=usr/share/man/man9f/makecom_g0.9f target=makecom.9f
856 link path=usr/share/man/man9f/makecom_g0_s.9f target=makecom.9f
857 link path=usr/share/man/man9f/makecom_g1.9f target=makecom.9f
858 link path=usr/share/man/man9f/makecom_g5.9f target=makecom.9f
859 link path=usr/share/man/man9f/membar_consumer.9f target=membar_ops.9f
860 link path=usr/share/man/man9f/membar_enter.9f target=membar_ops.9f
861 link path=usr/share/man/man9f/membar_exit.9f target=membar_ops.9f
862 link path=usr/share/man/man9f/membar_producer.9f target=membar_ops.9f
863 link path=usr/share/man/man9f/memcmp.9f target=memchr.9f
864 link path=usr/share/man/man9f/memcpy.9f target=memchr.9f
865 link path=usr/share/man/man9f/memmove.9f target=memchr.9f
866 link path=usr/share/man/man9f/memset.9f target=memchr.9f
867 link path=usr/share/man/man9f/minphys.9f target=physio.9f
868 link path=usr/share/man/man9f/mod_info.9f target=mod_install.9f
869 link path=usr/share/man/man9f/mod_modname.9f target=mod_install.9f
870 link path=usr/share/man/man9f/mod_remove.9f target=mod_install.9f
871 link path=usr/share/man/man9f/mutex_destroy.9f target=mutex.9f
872 link path=usr/share/man/man9f/mutex_enter.9f target=mutex.9f
873 link path=usr/share/man/man9f/mutex_exit.9f target=mutex.9f
874 link path=usr/share/man/man9f/mutex_init.9f target=mutex.9f
875 link path=usr/share/man/man9f/mutex_owned.9f target=mutex.9f
876 link path=usr/share/man/man9f/mutex_tryenter.9f target=mutex.9f
877 link path=usr/share/man/man9f/net_event_notify_unregister.9f \
878 target=net_event_notify_register.9f
879 link path=usr/share/man/man9f/net_instance_notify_unregister.9f \
880 target=net_instance_notify_register.9f
881 link path=usr/share/man/man9f/net_instance_protocol_unregister.9f \
882 target=net_protocol_notify_register.9f
883 link path=usr/share/man/man9f/numtos.9f target=stoi.9f
884 link path=usr/share/man/man9f/nv_alloc_fini.9f target=nvlist_alloc.9f
885 link path=usr/share/man/man9f/nv_alloc_init.9f target=nvlist_alloc.9f
886 link path=usr/share/man/man9f/nvlist_add_boolean_array.9f \
887 target=nvlist_add_boolean.9f
888 link path=usr/share/man/man9f/nvlist_add_boolean_value.9f \
889 target=nvlist_add_boolean.9f
890 link path=usr/share/man/man9f/nvlist_add_byte.9f target=nvlist_add_boolean.9f
891 link path=usr/share/man/man9f/nvlist_add_byte_array.9f \
```

```
892 target=nvlist_add_boolean.9f
893 link path=usr/share/man/man9f/nvlist_add_int16.9f target=nvlist_add_boolean.9f
894 link path=usr/share/man/man9f/nvlist_add_int16_array.9f \
895 target=nvlist_add_boolean.9f
896 link path=usr/share/man/man9f/nvlist_add_int32.9f target=nvlist_add_boolean.9f
897 link path=usr/share/man/man9f/nvlist_add_int32_array.9f \
898 target=nvlist_add_boolean.9f
899 link path=usr/share/man/man9f/nvlist_add_int64.9f target=nvlist_add_boolean.9f
900 link path=usr/share/man/man9f/nvlist_add_int64_array.9f \
901 target=nvlist_add_boolean.9f
902 link path=usr/share/man/man9f/nvlist_add_int8.9f target=nvlist_add_boolean.9f
903 link path=usr/share/man/man9f/nvlist_add_int8_array.9f \
904 target=nvlist_add_boolean.9f
905 link path=usr/share/man/man9f/nvlist_add_nvlist.9f \
906 target=nvlist_add_boolean.9f
907 link path=usr/share/man/man9f/nvlist_add_nvlist_array.9f \
908 target=nvlist_add_boolean.9f
909 link path=usr/share/man/man9f/nvlist_add_nvpair.9f \
910 target=nvlist_add_boolean.9f
911 link path=usr/share/man/man9f/nvlist_add_string.9f \
912 target=nvlist_add_boolean.9f
913 link path=usr/share/man/man9f/nvlist_add_string_array.9f \
914 target=nvlist_add_boolean.9f
915 link path=usr/share/man/man9f/nvlist_add_uint16.9f \
916 target=nvlist_add_boolean.9f
917 link path=usr/share/man/man9f/nvlist_add_uint16_array.9f \
918 target=nvlist_add_boolean.9f
919 link path=usr/share/man/man9f/nvlist_add_uint32.9f \
920 target=nvlist_add_boolean.9f
921 link path=usr/share/man/man9f/nvlist_add_uint32_array.9f \
922 target=nvlist_add_boolean.9f
923 link path=usr/share/man/man9f/nvlist_add_uint64.9f \
924 target=nvlist_add_boolean.9f
925 link path=usr/share/man/man9f/nvlist_add_uint64_array.9f \
926 target=nvlist_add_boolean.9f
927 link path=usr/share/man/man9f/nvlist_add_uint8.9f target=nvlist_add_boolean.9f
928 link path=usr/share/man/man9f/nvlist_add_uint8_array.9f \
929 target=nvlist_add_boolean.9f
930 link path=usr/share/man/man9f/nvlist_dup.9f target=nvlist_alloc.9f
931 link path=usr/share/man/man9f/nvlist_exists.9f target=nvlist_lookup_nvpair.9f
932 link path=usr/share/man/man9f/nvlist_free.9f target=nvlist_alloc.9f
933 link path=usr/share/man/man9f/nvlist_lookup_boolean_array.9f \
934 target=nvlist_lookup_boolean.9f
935 link path=usr/share/man/man9f/nvlist_lookup_boolean_value.9f \
936 target=nvlist_lookup_boolean.9f
937 link path=usr/share/man/man9f/nvlist_lookup_byte.9f \
938 target=nvlist_lookup_boolean.9f
939 link path=usr/share/man/man9f/nvlist_lookup_byte_array.9f \
940 target=nvlist_lookup_boolean.9f
941 link path=usr/share/man/man9f/nvlist_lookup_int16.9f \
942 target=nvlist_lookup_boolean.9f
943 link path=usr/share/man/man9f/nvlist_lookup_int16_array.9f \
944 target=nvlist_lookup_boolean.9f
945 link path=usr/share/man/man9f/nvlist_lookup_int32.9f \
946 target=nvlist_lookup_boolean.9f
947 link path=usr/share/man/man9f/nvlist_lookup_int32_array.9f \
948 target=nvlist_lookup_boolean.9f
949 link path=usr/share/man/man9f/nvlist_lookup_int64.9f \
950 target=nvlist_lookup_boolean.9f
951 link path=usr/share/man/man9f/nvlist_lookup_int64_array.9f \
952 target=nvlist_lookup_boolean.9f
953 link path=usr/share/man/man9f/nvlist_lookup_int8.9f \
954 target=nvlist_lookup_boolean.9f
955 link path=usr/share/man/man9f/nvlist_lookup_int8_array.9f \
956 target=nvlist_lookup_boolean.9f
957 link path=usr/share/man/man9f/nvlist_lookup_nvlist.9f \
```

```

958 target=nvlist_lookup_boolean.9f
959 link path=usr/share/man/man9f/nvlist_lookup_nvlist_array.9f \
960 target=nvlist_lookup_boolean.9f
961 link path=usr/share/man/man9f/nvlist_lookup_pairs.9f \
962 target=nvlist_lookup_boolean.9f
963 link path=usr/share/man/man9f/nvlist_lookup_string.9f \
964 target=nvlist_lookup_boolean.9f
965 link path=usr/share/man/man9f/nvlist_lookup_string_array.9f \
966 target=nvlist_lookup_boolean.9f
967 link path=usr/share/man/man9f/nvlist_lookup_uint16.9f \
968 target=nvlist_lookup_boolean.9f
969 link path=usr/share/man/man9f/nvlist_lookup_uint16_array.9f \
970 target=nvlist_lookup_boolean.9f
971 link path=usr/share/man/man9f/nvlist_lookup_uint32.9f \
972 target=nvlist_lookup_boolean.9f
973 link path=usr/share/man/man9f/nvlist_lookup_uint32_array.9f \
974 target=nvlist_lookup_boolean.9f
975 link path=usr/share/man/man9f/nvlist_lookup_uint64.9f \
976 target=nvlist_lookup_boolean.9f
977 link path=usr/share/man/man9f/nvlist_lookup_uint64_array.9f \
978 target=nvlist_lookup_boolean.9f
979 link path=usr/share/man/man9f/nvlist_lookup_uint8.9f \
980 target=nvlist_lookup_boolean.9f
981 link path=usr/share/man/man9f/nvlist_lookup_uint8_array.9f \
982 target=nvlist_lookup_boolean.9f
983 link path=usr/share/man/man9f/nvlist_merge.9f target=nvlist_alloc.9f
984 link path=usr/share/man/man9f/nvlist_pack.9f target=nvlist_alloc.9f
985 link path=usr/share/man/man9f/nvlist_remove_all.9f target=nvlist_remove.9f
986 link path=usr/share/man/man9f/nvlist_size.9f target=nvlist_alloc.9f
987 link path=usr/share/man/man9f/nvlist_t.9f target=nvlist_add_boolean.9f
988 link path=usr/share/man/man9f/nvlist_unpack.9f target=nvlist_alloc.9f
989 link path=usr/share/man/man9f/nvlist_xalloc.9f target=nvlist_alloc.9f
990 link path=usr/share/man/man9f/nvlist_xdup.9f target=nvlist_alloc.9f
991 link path=usr/share/man/man9f/nvlist_xpack.9f target=nvlist_alloc.9f
992 link path=usr/share/man/man9f/nvlist_xunpack.9f target=nvlist_alloc.9f
993 link path=usr/share/man/man9f/nvpair_name.9f target=nvlist_next_nvpair.9f
994 link path=usr/share/man/man9f/nvpair_type.9f target=nvlist_next_nvpair.9f
995 link path=usr/share/man/man9f/nvpair_value_boolean_array.9f \
996 target=nvpair_value_byte.9f
997 link path=usr/share/man/man9f/nvpair_value_byte_array.9f \
998 target=nvpair_value_byte.9f
999 link path=usr/share/man/man9f/nvpair_value_int16.9f \
1000 target=nvpair_value_byte.9f
1001 link path=usr/share/man/man9f/nvpair_value_int16_array.9f \
1002 target=nvpair_value_byte.9f
1003 link path=usr/share/man/man9f/nvpair_value_int32.9f \
1004 target=nvpair_value_byte.9f
1005 link path=usr/share/man/man9f/nvpair_value_int32_array.9f \
1006 target=nvpair_value_byte.9f
1007 link path=usr/share/man/man9f/nvpair_value_int64.9f \
1008 target=nvpair_value_byte.9f
1009 link path=usr/share/man/man9f/nvpair_value_int64_array.9f \
1010 target=nvpair_value_byte.9f
1011 link path=usr/share/man/man9f/nvpair_value_int8.9f target=nvpair_value_byte.9f
1012 link path=usr/share/man/man9f/nvpair_value_int8_array.9f \
1013 target=nvpair_value_byte.9f
1014 link path=usr/share/man/man9f/nvpair_value_nvlist.9f \
1015 target=nvpair_value_byte.9f
1016 link path=usr/share/man/man9f/nvpair_value_nvlist_array.9f \
1017 target=nvpair_value_byte.9f
1018 link path=usr/share/man/man9f/nvpair_value_string.9f \
1019 target=nvpair_value_byte.9f
1020 link path=usr/share/man/man9f/nvpair_value_string_array.9f \
1021 target=nvpair_value_byte.9f
1022 link path=usr/share/man/man9f/nvpair_value_uint16.9f \
1023 target=nvpair_value_byte.9f

```

```

1024 link path=usr/share/man/man9f/nvpair_value_uint16_array.9f \
1025 target=nvpair_value_byte.9f
1026 link path=usr/share/man/man9f/nvpair_value_uint32.9f \
1027 target=nvpair_value_byte.9f
1028 link path=usr/share/man/man9f/nvpair_value_uint32_array.9f \
1029 target=nvpair_value_byte.9f
1030 link path=usr/share/man/man9f/nvpair_value_uint64.9f \
1031 target=nvpair_value_byte.9f
1032 link path=usr/share/man/man9f/nvpair_value_uint64_array.9f \
1033 target=nvpair_value_byte.9f
1034 link path=usr/share/man/man9f/nvpair_value_uint8.9f \
1035 target=nvpair_value_byte.9f
1036 link path=usr/share/man/man9f/nvpair_value_uint8_array.9f \
1037 target=nvpair_value_byte.9f
1038 link path=usr/share/man/man9f/otherq.9f target=OTHERQ.9f
1039 link path=usr/share/man/man9f/outl.9f target=outb.9f
1040 link path=usr/share/man/man9f/outw.9f target=outb.9f
1041 link path=usr/share/man/man9f/pci_config_get16.9f target=pci_config_get8.9f
1042 link path=usr/share/man/man9f/pci_config_get32.9f target=pci_config_get8.9f
1043 link path=usr/share/man/man9f/pci_config_get64.9f target=pci_config_get8.9f
1044 link path=usr/share/man/man9f/pci_config_getb.9f target=pci_config_get8.9f
1045 link path=usr/share/man/man9f/pci_config_getl.9f target=pci_config_get8.9f
1046 link path=usr/share/man/man9f/pci_config_getll.9f target=pci_config_get8.9f
1047 link path=usr/share/man/man9f/pci_config_getw.9f target=pci_config_get8.9f
1048 link path=usr/share/man/man9f/pci_config_put16.9f target=pci_config_get8.9f
1049 link path=usr/share/man/man9f/pci_config_put32.9f target=pci_config_get8.9f
1050 link path=usr/share/man/man9f/pci_config_put64.9f target=pci_config_get8.9f
1051 link path=usr/share/man/man9f/pci_config_put8.9f target=pci_config_get8.9f
1052 link path=usr/share/man/man9f/pci_config_putb.9f target=pci_config_get8.9f
1053 link path=usr/share/man/man9f/pci_config_putl.9f target=pci_config_get8.9f
1054 link path=usr/share/man/man9f/pci_config_putll.9f target=pci_config_get8.9f
1055 link path=usr/share/man/man9f/pci_config_putw.9f target=pci_config_get8.9f
1056 link path=usr/share/man/man9f/pci_config_teardown.9f \
1057 target=pci_config_setup.9f
1058 link path=usr/share/man/man9f/pci_ereport_post.9f target=pci_ereport_setup.9f
1059 link path=usr/share/man/man9f/pci_ereport_teardown.9f \
1060 target=pci_ereport_setup.9f
1061 link path=usr/share/man/man9f/pci_restore_config_regs.9f \
1062 target=pci_save_config_regs.9f
1063 link path=usr/share/man/man9f/pm_idle_component.9f target=pm_busy_component.9f
1064 link path=usr/share/man/man9f/pm_lower_power.9f target=pm_raise_power.9f
1065 link path=usr/share/man/man9f/priv_policy_choice.9f target=priv_policy.9f
1066 link path=usr/share/man/man9f/priv_policy_only.9f target=priv_policy.9f
1067 link path=usr/share/man/man9f/proc_ref.9f target=proc_signal.9f
1068 link path=usr/share/man/man9f/proc_unref.9f target=proc_signal.9f
1069 link path=usr/share/man/man9f/qprocsoff.9f target=qprocson.9f
1070 link path=usr/share/man/man9f/qwait_sig.9f target=qwait.9f
1071 link path=usr/share/man/man9f/rd.9f target=RD.9f
1072 link path=usr/share/man/man9f/repinsb.9f target=inb.9f
1073 link path=usr/share/man/man9f/repinsd.9f target=inb.9f
1074 link path=usr/share/man/man9f/repinsw.9f target=inb.9f
1075 link path=usr/share/man/man9f/repoutsb.9f target=outb.9f
1076 link path=usr/share/man/man9f/repoutsd.9f target=outb.9f
1077 link path=usr/share/man/man9f/repoutsw.9f target=outb.9f
1078 link path=usr/share/man/man9f/rmallocmap_wait.9f target=rmallocmap.9f
1079 link path=usr/share/man/man9f/rmfreemap.9f target=rmallocmap.9f
1080 link path=usr/share/man/man9f/rw_destroy.9f target=rwlock.9f
1081 link path=usr/share/man/man9f/rw_downgrade.9f target=rwlock.9f
1082 link path=usr/share/man/man9f/rw_enter.9f target=rwlock.9f
1083 link path=usr/share/man/man9f/rw_exit.9f target=rwlock.9f
1084 link path=usr/share/man/man9f/rw_init.9f target=rwlock.9f
1085 link path=usr/share/man/man9f/rw_read_locked.9f target=rwlock.9f
1086 link path=usr/share/man/man9f/rw_tryenter.9f target=rwlock.9f
1087 link path=usr/share/man/man9f/rw_tryupgrade.9f target=rwlock.9f
1088 link path=usr/share/man/man9f/samestr.9f target=SAMESTR.9f
1089 link path=usr/share/man/man9f/scsi_dmafree.9f target=scsi_dmaget.9f

```

1090 link path=usr/share/man/man9f/scsi\_dname.9f target=scsi\_cname.9f  
1091 link path=usr/share/man/man9f/scsi\_hba\_detach.9f \  
1092 target=scsi\_hba\_attach\_setup.9f  
1093 link path=usr/share/man/man9f/scsi\_hba\_fini.9f target=scsi\_hba\_init.9f  
1094 link path=usr/share/man/man9f/scsi\_hba\_pkt\_free.9f \  
1095 target=scsi\_hba\_pkt\_alloc.9f  
1096 link path=usr/share/man/man9f/scsi\_hba\_tran\_free.9f \  
1097 target=scsi\_hba\_tran\_alloc.9f  
1098 link path=usr/share/man/man9f/scsi\_ifsetcap.9f target=scsi\_ifgetcap.9f  
1099 link path=usr/share/man/man9f/scsi\_mname.9f target=scsi\_cname.9f  
1100 link path=usr/share/man/man9f/scsi\_pktfree.9f target=scsi\_pktalloc.9f  
1101 link path=usr/share/man/man9f/scsi\_resalloc.9f target=scsi\_pktalloc.9f  
1102 link path=usr/share/man/man9f/scsi\_resfree.9f target=scsi\_pktalloc.9f  
1103 link path=usr/share/man/man9f/scsi\_rname.9f target=scsi\_cname.9f  
1104 link path=usr/share/man/man9f/scsi\_sense\_asc.9f target=scsi\_sense\_key.9f  
1105 link path=usr/share/man/man9f/scsi\_sense\_ascq.9f target=scsi\_sense\_key.9f  
1106 link path=usr/share/man/man9f/scsi\_sense\_cmdspecific\_uint64.9f \  
1107 target=scsi\_ext\_sense\_fields.9f  
1108 link path=usr/share/man/man9f/scsi\_sense\_info\_uint64.9f \  
1109 target=scsi\_ext\_sense\_fields.9f  
1110 link path=usr/share/man/man9f/scsi\_sname.9f target=scsi\_cname.9f  
1111 link path=usr/share/man/man9f/scsi\_unslave.9f target=scsi\_unprobe.9f  
1112 link path=usr/share/man/man9f/semaphore\_destroy.9f target=semaphore.9f  
1113 link path=usr/share/man/man9f/semaphore\_init.9f target=semaphore.9f  
1114 link path=usr/share/man/man9f/semaphore\_p.9f target=semaphore.9f  
1115 link path=usr/share/man/man9f/semaphore\_p\_sig.9f target=semaphore.9f  
1116 link path=usr/share/man/man9f/semaphore\_try.9f target=semaphore.9f  
1117 link path=usr/share/man/man9f/semaphore\_v.9f target=semaphore.9f  
1118 link path=usr/share/man/man9f/stringcasecmp.9f target=string.9f  
1119 link path=usr/share/man/man9f/stringchr.9f target=string.9f  
1120 link path=usr/share/man/man9f/stringcmp.9f target=string.9f  
1121 link path=usr/share/man/man9f/stringcpy.9f target=string.9f  
1122 link path=usr/share/man/man9f/stringdup.9f target=string.9f  
1123 link path=usr/share/man/man9f/stringfree.9f target=string.9f  
1124 link path=usr/share/man/man9f/stringlcat.9f target=string.9f  
1125 link path=usr/share/man/man9f/stringlcpy.9f target=string.9f  
1126 link path=usr/share/man/man9f/stringlen.9f target=string.9f  
1127 link path=usr/share/man/man9f/stringcasecmp.9f target=string.9f  
1128 link path=usr/share/man/man9f/stringcat.9f target=string.9f  
1129 link path=usr/share/man/man9f/stringncmp.9f target=string.9f  
1130 link path=usr/share/man/man9f/stringncpy.9f target=string.9f  
1131 link path=usr/share/man/man9f/stringnlen.9f target=string.9f  
1132 link path=usr/share/man/man9f/stringrchr.9f target=string.9f  
1133 link path=usr/share/man/man9f/stringrpn.9f target=string.9f  
1134 link path=usr/share/man/man9f/taskq\_suspended.9f target=taskq.9f  
1135 link path=usr/share/man/man9f/uconv\_u16tou8.9f target=uconv\_u16tou32.9f  
1136 link path=usr/share/man/man9f/uconv\_u32tou16.9f target=uconv\_u16tou32.9f  
1137 link path=usr/share/man/man9f/uconv\_u32tou8.9f target=uconv\_u16tou32.9f  
1138 link path=usr/share/man/man9f/uconv\_u8tou16.9f target=uconv\_u16tou32.9f  
1139 link path=usr/share/man/man9f/uconv\_u8tou32.9f target=uconv\_u16tou32.9f  
1140 link path=usr/share/man/man9f/unfreezeestr.9f target=freezeestr.9f  
1141 link path=usr/share/man/man9f/va\_copy.9f target=va\_arg.9f  
1142 link path=usr/share/man/man9f/va\_end.9f target=va\_arg.9f  
1143 link path=usr/share/man/man9f/va\_start.9f target=va\_arg.9f  
1144 link path=usr/share/man/man9f/vcmn\_err.9f target=cmn\_err.9f  
1145 link path=usr/share/man/man9f/wr.9f target=WR.9f  
1146 link path=usr/share/man/man9f/zcmn\_err.9f target=cmn\_err.9f

new/usr/src/pkg/manifests/system-kernel.mf

1

\*\*\*\*\*

44945 Sat Aug 9 23:41:51 2014

new/usr/src/pkg/manifests/system-kernel.mf

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25 #
26 #
27 # The default for payload-bearing actions in this package is to appear in the
28 # global zone only. See the include file for greater detail, as well as
29 # information about overriding the defaults.
30 #
31 <include global_zone_only_component>
32 <include system-kernel.man1m.inc>
33 <include system-kernel.man2.inc>
34 <include system-kernel.man4.inc>
35 <include system-kernel.man5.inc>
36 <include system-kernel.man7.inc>
37 <include system-kernel.man7d.inc>
38 <include system-kernel.man7fs.inc>
39 <include system-kernel.man7m.inc>
40 <include system-kernel.man7p.inc>
41 <include system-kernel.man9.inc>
42 <include system-kernel.man9e.inc>
43 <include system-kernel.man9f.inc>
44 <include system-kernel.man9p.inc>
45 <include system-kernel.man9s.inc>
46 set name=pkg.fmri value=pkg:/system/kernel@$(PKGVERS)
47 set name=pkg.description \
48     value="core kernel software for a specific instruction-set architecture"
49 set name=pkg.summary value="Core Solaris Kernel"
50 set name=info.classification value=org.opensolaris.category.2008:System/Core
51 set name=variant.arch value=$(ARCH)
52 dir path=boot group=sys
53 $(i386_ONLY)dir path=boot/acpi group=sys
54 $(i386_ONLY)dir path=boot/acpi/tables group=sys
55 dir path=boot/solaris group=sys
56 dir path=boot/solaris/bin group=sys
57 dir path=etc group=sys
58 dir path=etc/crypto group=sys
```

new/usr/src/pkg/manifests/system-kernel.mf

2

```
59 dir path=etc/sock2path.d group=sys
60 dir path=kernel group=sys
61 $(i386_ONLY)dir path=kernel/$(ARCH64) group=sys
62 dir path=kernel/crypto group=sys
63 dir path=kernel/crypto/$(ARCH64) group=sys
64 dir path=kernel/dacf group=sys
65 dir path=kernel/dacf/$(ARCH64) group=sys
66 dir path=kernel/drv group=sys
67 dir path=kernel/drv/$(ARCH64) group=sys
68 dir path=kernel/exec group=sys
69 dir path=kernel/exec/$(ARCH64) group=sys
70 dir path=kernel/fs group=sys
71 dir path=kernel/fs/$(ARCH64) group=sys
72 dir path=kernel/ipp group=sys
73 dir path=kernel/ipp/$(ARCH64) group=sys
74 dir path=kernel/kiconv group=sys
75 dir path=kernel/kiconv/$(ARCH64) group=sys
76 dir path=kernel/mac group=sys
77 dir path=kernel/mac/$(ARCH64) group=sys
78 dir path=kernel/misc group=sys
79 dir path=kernel/misc/$(ARCH64) group=sys
80 dir path=kernel/misc/scsi_vhci group=sys
81 dir path=kernel/misc/scsi_vhci/$(ARCH64) group=sys
82 dir path=kernel/sched group=sys
83 dir path=kernel/sched/$(ARCH64) group=sys
84 dir path=kernel/socketmod group=sys
85 dir path=kernel/socketmod/$(ARCH64) group=sys
86 dir path=kernel/strmod group=sys
87 dir path=kernel/strmod/$(ARCH64) group=sys
88 dir path=kernel/sys group=sys
89 dir path=kernel/sys/$(ARCH64) group=sys
90 dir path=lib
91 dir path=lib/svc
92 dir path=lib/svc/manifest group=sys
93 dir path=lib/svc/manifest/system group=sys
94 dir path=lib/svc/method
95 dir path=usr/share/man
96 dir path=usr/share/man/man1m
97 dir path=usr/share/man/man2
98 dir path=usr/share/man/man3
99 dir path=usr/share/man/man4
100 dir path=usr/share/man/man5
101 dir path=usr/share/man/man7d
102 dir path=usr/share/man/man7fs
103 dir path=usr/share/man/man7m
104 dir path=usr/share/man/man7p
105 dir path=usr/share/man/man9
106 dir path=usr/share/man/man9e
107 dir path=usr/share/man/man9f
108 dir path=usr/share/man/man9p
109 dir path=usr/share/man/man9s
110 $(i386_ONLY)driver name=acpi_drv perms="* 0666 root sys"
111 driver name=aggr perms="* 0666 root sys"
112 driver name=arp perms="arp 0666 root sys"
113 driver name=bl perms="* 0666 root sys"
114 driver name=bridge clone_perms="bridge 0666 root sys" \
115     policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
116 $(sparc_ONLY)driver name=bscibus alias=SUNW,bscibus
117 $(i386_ONLY)driver name=bscibus alias=SVI0101
118 $(sparc_ONLY)driver name=bsciv alias=SUNW,bsciv perms="* 0644 root sys"
119 $(i386_ONLY)driver name=bsciv
120 driver name=clone
121 driver name=cn perms="* 0620 root tty"
122 driver name=conskbd perms="kbd 0666 root sys"
123 driver name=consms perms="mouse 0666 root sys"
124 driver name=cquid perms="self 0644 root sys"
```

```

125 $(i386_ONLY)driver name=cpunex alias=cpus
126 driver name=crypto perms="crypto 0666 root sys"
127 driver name=cryptoadm perms="cryptoadm 0644 root sys"
128 $(sparc_ONLY)driver name=dad alias=ide-disk perms="* 0640 root sys"
129 driver name=devinfo perms="devinfo 0640 root sys" \
130 perms="devinfo,ro 0444 root sys"
131 driver name=dld perms="* 0666 root sys"
132 driver name=dlpistub perms="* 0666 root sys"
133 $(sparc_ONLY)driver name=i8042 alias=8042
134 $(i386_ONLY)driver name=i8042
135 driver name=icmp perms="icmp 0666 root sys" \
136 policy="read_priv_set=net_icmpaccess write_priv_set=net_icmpaccess"
137 driver name=icmp6 perms="icmp6 0666 root sys" \
138 policy="read_priv_set=net_icmpaccess write_priv_set=net_icmpaccess"
139 $(i386_ONLY)driver name=intel_nb5000 \
140 alias=pci8086,25c0 \
141 alias=pci8086,25d0 \
142 alias=pci8086,25d4 \
143 alias=pci8086,25d8 \
144 alias=pci8086,3600 \
145 alias=pci8086,4000 \
146 alias=pci8086,4001 \
147 alias=pci8086,4003 \
148 alias=pci8086,65c0
149 $(i386_ONLY)driver name=intel_nhm \
150 alias=pci8086,3423 \
151 alias=pci8086,372a
152 $(i386_ONLY)driver name=intel_nhmex alias=pci8086,3438
153 driver name=ip perms="ip 0666 root sys" \
154 policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
155 driver name=ip6 perms="ip6 0666 root sys" \
156 policy="read_priv_set=net_rawaccess write_priv_set=net_rawaccess"
157 driver name=ipnet perms="lo0 0666 root sys" \
158 policy="read_priv_set=net_observability write_priv_set=net_observability"
159 driver name=ippctl
160 driver name=ipsecah perms="ipsecah 0666 root sys" \
161 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
162 driver name=ipsecesp perms="ipsecesp 0666 root sys" \
163 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
164 driver name=iptun
165 driver name=iwscn
166 driver name=kb8042 alias=pnpPNP,303
167 driver name=keysock perms="keysock 0666 root sys" \
168 policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
169 driver name=kmdb
170 driver name=kssl perms="* 0666 root sys"
171 driver name=llcl clone_perms="llcl 0666 root sys"
172 driver name=lofi perms="* 0600 root sys" perms="ctl 0644 root sys"
173 driver name=log perms="conslog 0666 root sys" perms="log 0640 root sys"
174 $(i386_ONLY)driver name=mc-amd \
175 alias=pci1022,1100 \
176 alias=pci1022,1101 \
177 alias=pci1022,1102
178 driver name=mm perms="allkmem 0600 root sys" perms="kmem 0640 root sys" \
179 perms="mem 0640 root sys" perms="null 0666 root sys" \
180 perms="zero 0666 root sys" \
181 policy="allkmem read_priv_set=all write_priv_set=all" \
182 policy="kmem read_priv_set=none write_priv_set=all" \
183 policy="mem read_priv_set=none write_priv_set=all"
184 driver name=mouse8042 alias=pnpPNP,f03
185 $(i386_ONLY)driver name=mpt class=scsi \
186 alias=pci1000,30 \
187 alias=pci1000,50 \
188 alias=pci1000,54 \
189 alias=pci1000,56 \
190 alias=pci1000,58 \

```

```

191 alias=pci1000,62 \
192 alias=pciex1000,56 \
193 alias=pciex1000,58 \
194 alias=pciex1000,62
195 driver name=nulldriver \
196 alias=scsa,nodev \
197 alias=scsa,probe
198 driver name=openeepd perms="openprom 0640 root sys" policy=write_priv_set=all
199 driver name=options
200 $(sparc_ONLY)driver name=pci_pci class=pci \
201 alias=pci1011,1 \
202 alias=pci1011,21 \
203 alias=pci1011,24 \
204 alias=pci1011,25 \
205 alias=pci1011,26 \
206 alias=pci1014,22 \
207 alias=pciclass,060400
208 $(i386_ONLY)driver name=pci_pci class=pci \
209 alias=pci1011,1 \
210 alias=pci1011,21 \
211 alias=pci1014,22 \
212 alias=pciclass,060400 \
213 alias=pciclass,060401
214 $(sparc_ONLY)driver name=pcieb \
215 alias=pciex108e,9010 \
216 alias=pciex108e,9020 \
217 alias=pciex10b5,8114 \
218 alias=pciex10b5,8516 \
219 alias=pciex10b5,8517 \
220 alias=pciex10b5,8518 \
221 alias=pciex10b5,8532 \
222 alias=pciex10b5,8533 \
223 alias=pciex10b5,8548 \
224 alias=pciexclass,060400
225 $(i386_ONLY)driver name=pcieb \
226 alias=pciexclass,060400 \
227 alias=pciexclass,060401
228 $(sparc_ONLY)driver name=pcieb_bcm alias=pciex1166,103
229 driver name=phymem perms="* 0600 root sys"
230 driver name=poll perms="* 0666 root sys"
231 $(sparc_ONLY)driver name=power alias=ali1535d+-power
232 $(i386_ONLY)driver name=power
233 driver name=pseudo alias=zconsnex
234 driver name=ptc perms="* 0666 root sys"
235 driver name=ptsl perms="* 0666 root sys"
236 $(sparc_ONLY)driver name=ramdisk alias=SUNW,ramdisk perms="* 0600 root sys" \
237 perms="ctl 0644 root sys"
238 $(i386_ONLY)driver name=ramdisk perms="* 0600 root sys" \
239 perms="ctl 0644 root sys"
240 driver name=random perms="* 0644 root sys" policy=write_priv_set=sys_devices
241 driver name=rts perms="rts 0666 root sys"
242 driver name=sad perms="admin 0666 root sys" perms="user 0666 root sys"
243 driver name=scsi_vhci class=scsi-self-identifying perms="* 0666 root sys" \
244 policy="devctl write_priv_set=sys_devices"
245 $(sparc_ONLY)driver name=sd perms="* 0640 root sys" \
246 alias=ide-cdrom \
247 alias=scsiclass,00 \
248 alias=scsiclass,05
249 $(i386_ONLY)driver name=sd perms="* 0640 root sys" \
250 alias=scsiclass,00 \
251 alias=scsiclass,05
252 driver name=sngen perms="* 0600 root sys" \
253 alias=scsa,08.bfcp \
254 alias=scsa,08.bvhci
255 driver name=simnet clone_perms="simnet 0666 root sys" perms="* 0666 root sys"
256 $(i386_ONLY)driver name=smbios perms="smbios 0444 root sys"

```

```

257 driver name=softmac
258 driver name=spdsoc perm="spdsoc 0666 root sys" \
259     policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
260 driver name=st alias=scsiclass,01 perms="* 0666 root sys"
261 driver name=sy perms="tty 0666 root tty"
262 driver name=ysevent perms="* 0600 root sys"
263 driver name=symsg perms="msglog 0600 root sys" perms="sysmsg 0600 root sys"
264 driver name=tcp perms="tcp 0666 root sys"
265 driver name=tcp6 perms="tcp6 0666 root sys"
266 driver name=tl perms="* 0666 root sys" clone_perms="ticlts 0666 root sys" \
267     clone_perms="ticots 0666 root sys" clone_perms="ticotsord 0666 root sys"
268 $(sparc_ONLY)driver name=ttymux alias=multiplexer
269 $(i386_ONLY)driver name=tzmon
270 $(sparc_ONLY)driver name=uata \
271     alias=pci1095,646 \
272     alias=pci1095,649 \
273     alias=pci1095,680 \
274     alias=pci10b9,5229 \
275     alias=pci10b9,5288 class=dada class=scsi
276 $(i386_ONLY)driver name=uocode perms="* 0644 root sys"
277 driver name=udp perms="udp 0666 root sys"
278 driver name=udp6 perms="udp6 0666 root sys"
279 $(i386_ONLY)driver name=vgatext \
280     alias=pciclass,000100 \
281     alias=pciclass,030000 \
282     alias=pciclass,030001 \
283     alias=pnpPNP,900
284 driver name=vnuc clone_perms="vnuc 0666 root sys" perms="* 0666 root sys"
285 driver name=wc perms="* 0600 root sys"
286 $(i386_ONLY)file path=boot/solaris/bin/create_diskmap group=sys mode=0555
287 file path=boot/solaris/bin/create_ramdisk group=sys mode=0555
288 file path=boot/solaris/bin/extract_boot_filelist group=sys mode=0555
289 $(i386_ONLY)file path=boot/solaris/bin/mbr group=sys mode=0555
290 $(i386_ONLY)file path=boot/solaris/bin/symdef group=sys mode=0555
291 $(i386_ONLY)file path=boot/solaris/bin/update_grub group=sys mode=0555
292 file path=boot/solaris/filelist.ramdisk group=sys
293 file path=boot/solaris/filelist.safe group=sys
294 file path=etc/crypto/kcf.conf group=sys \
295     original_name=SUNWckr:etc/crypto/kcf.conf preserve=true
296 $(i386_ONLY)file path=etc/mach group=sys original_name=SUNWos86r:etc/mach \
297     preserve=true
298 file path=etc/name_to_sysnum group=sys \
299     original_name=SUNWckr:etc/name_to_sysnum preserve=renameold
300 file path=etc/sock2path.d/system%2Fkernel group=sys
301 file path=etc/system group=sys original_name=SUNWckr:etc/system preserve=true
302 $(i386_ONLY)file path=kernel/$(ARCH64)/genunix group=sys mode=0755
303 file path=kernel/crypto/$(ARCH64)/aes group=sys mode=0755
304 file path=kernel/crypto/$(ARCH64)/arcfour group=sys mode=0755
305 file path=kernel/crypto/$(ARCH64)/blowfish group=sys mode=0755
306 file path=kernel/crypto/$(ARCH64)/des group=sys mode=0755
307 file path=kernel/crypto/$(ARCH64)/ecc group=sys mode=0755
308 file path=kernel/crypto/$(ARCH64)/md4 group=sys mode=0755
309 file path=kernel/crypto/$(ARCH64)/md5 group=sys mode=0755
310 file path=kernel/crypto/$(ARCH64)/rsa group=sys mode=0755
311 file path=kernel/crypto/$(ARCH64)/sha1 group=sys mode=0755
312 file path=kernel/crypto/$(ARCH64)/sha2 group=sys mode=0755
313 file path=kernel/crypto/$(ARCH64)/swrand group=sys mode=0755
314 $(i386_ONLY)file path=kernel/crypto/aes group=sys mode=0755
315 $(i386_ONLY)file path=kernel/crypto/arcfour group=sys mode=0755
316 $(i386_ONLY)file path=kernel/crypto/blowfish group=sys mode=0755
317 $(i386_ONLY)file path=kernel/crypto/des group=sys mode=0755
318 $(i386_ONLY)file path=kernel/crypto/ecc group=sys mode=0755
319 $(i386_ONLY)file path=kernel/crypto/md4 group=sys mode=0755
320 $(i386_ONLY)file path=kernel/crypto/md5 group=sys mode=0755
321 $(i386_ONLY)file path=kernel/crypto/rsa group=sys mode=0755
322 $(i386_ONLY)file path=kernel/crypto/sha1 group=sys mode=0755

```

```

323 $(i386_ONLY)file path=kernel/crypto/sha2 group=sys mode=0755
324 $(i386_ONLY)file path=kernel/crypto/swrand group=sys mode=0755
325 $(sparc_ONLY)file path=kernel/dacf/$(ARCH64)/consconfig_dacf group=sys \
326     mode=0755
327 file path=kernel/dacf/$(ARCH64)/net_dacf group=sys mode=0755
328 $(i386_ONLY)file path=kernel/dacf/net_dacf group=sys mode=0755
329 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/acpi_drv group=sys
330 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/acpi_toshiba group=sys
331 file path=kernel/drv/$(ARCH64)/aggr group=sys
332 file path=kernel/drv/$(ARCH64)/arp group=sys
333 file path=kernel/drv/$(ARCH64)/bl group=sys
334 file path=kernel/drv/$(ARCH64)/bridge group=sys
335 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/bscbus group=sys
336 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/bscv group=sys
337 file path=kernel/drv/$(ARCH64)/clone group=sys
338 file path=kernel/drv/$(ARCH64)/cn group=sys
339 file path=kernel/drv/$(ARCH64)/conskbd group=sys
340 file path=kernel/drv/$(ARCH64)/consms group=sys
341 file path=kernel/drv/$(ARCH64)/cpuid group=sys
342 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/cpumex group=sys
343 file path=kernel/drv/$(ARCH64)/crypto group=sys
344 file path=kernel/drv/$(ARCH64)/cryptoadm group=sys
345 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/dad group=sys
346 file path=kernel/drv/$(ARCH64)/devinfo group=sys
347 file path=kernel/drv/$(ARCH64)/dld group=sys
348 file path=kernel/drv/$(ARCH64)/dlpistub group=sys
349 file path=kernel/drv/$(ARCH64)/i8042 group=sys
350 file path=kernel/drv/$(ARCH64)/icmp group=sys
351 file path=kernel/drv/$(ARCH64)/icmp6 group=sys
352 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nb5000 group=sys
353 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nhm group=sys
354 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/intel_nhmex group=sys
355 file path=kernel/drv/$(ARCH64)/ip group=sys
356 file path=kernel/drv/$(ARCH64)/ip6 group=sys
357 file path=kernel/drv/$(ARCH64)/ipnet group=sys
358 file path=kernel/drv/$(ARCH64)/ippctl group=sys
359 file path=kernel/drv/$(ARCH64)/ipsec group=sys
360 file path=kernel/drv/$(ARCH64)/ipsecep group=sys
361 file path=kernel/drv/$(ARCH64)/iptun group=sys
362 file path=kernel/drv/$(ARCH64)/iwsn group=sys
363 file path=kernel/drv/$(ARCH64)/kb8042 group=sys
364 file path=kernel/drv/$(ARCH64)/keysock group=sys
365 file path=kernel/drv/$(ARCH64)/kmdb group=sys
366 file path=kernel/drv/$(ARCH64)/kssl group=sys
367 file path=kernel/drv/$(ARCH64)/llcl group=sys
368 file path=kernel/drv/$(ARCH64)/lofi group=sys
369 file path=kernel/drv/$(ARCH64)/log group=sys
370 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/mc-amd group=sys
371 file path=kernel/drv/$(ARCH64)/mm group=sys
372 file path=kernel/drv/$(ARCH64)/mouse8042 group=sys
373 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/mpt group=sys
374 file path=kernel/drv/$(ARCH64)/nulldriver group=sys
375 file path=kernel/drv/$(ARCH64)/openeep group=sys
376 file path=kernel/drv/$(ARCH64)/options group=sys
377 file path=kernel/drv/$(ARCH64)/pci_pci group=sys
378 file path=kernel/drv/$(ARCH64)/pcieb group=sys
379 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/pcieb_bcm group=sys
380 file path=kernel/drv/$(ARCH64)/physmem group=sys
381 file path=kernel/drv/$(ARCH64)/poll group=sys
382 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/power group=sys
383 file path=kernel/drv/$(ARCH64)/pseudo group=sys
384 file path=kernel/drv/$(ARCH64)/ptc group=sys
385 file path=kernel/drv/$(ARCH64)/ptsl group=sys
386 file path=kernel/drv/$(ARCH64)/randisk group=sys
387 file path=kernel/drv/$(ARCH64)/random group=sys
388 file path=kernel/drv/$(ARCH64)/rts group=sys

```

```

389 file path=kernel/drv/$(ARCH64)/sad group=sys
390 file path=kernel/drv/$(ARCH64)/scsi_vhci group=sys
391 file path=kernel/drv/$(ARCH64)/sd group=sys
392 file path=kernel/drv/$(ARCH64)/sgen group=sys
393 file path=kernel/drv/$(ARCH64)/simnet group=sys
394 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/smbios group=sys
395 file path=kernel/drv/$(ARCH64)/softmac group=sys
396 file path=kernel/drv/$(ARCH64)/spsock group=sys
397 file path=kernel/drv/$(ARCH64)/st group=sys
398 file path=kernel/drv/$(ARCH64)/sy group=sys
399 file path=kernel/drv/$(ARCH64)/sysevent group=sys
400 file path=kernel/drv/$(ARCH64)/sysmsg group=sys
401 file path=kernel/drv/$(ARCH64)/tcp group=sys
402 file path=kernel/drv/$(ARCH64)/tcp6 group=sys
403 file path=kernel/drv/$(ARCH64)/tl group=sys
404 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/ttymux group=sys
405 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/tzmon group=sys
406 $(sparc_ONLY)file path=kernel/drv/$(ARCH64)/uata group=sys
407 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/ucode group=sys
408 file path=kernel/drv/$(ARCH64)/udp group=sys
409 file path=kernel/drv/$(ARCH64)/udp6 group=sys
410 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/vgatext group=sys
411 file path=kernel/drv/$(ARCH64)/vnic group=sys
412 file path=kernel/drv/$(ARCH64)/wc group=sys
413 $(i386_ONLY)file path=kernel/drv/acpi_drv group=sys
414 $(i386_ONLY)file path=kernel/drv/acpi_drv.conf group=sys
415 $(i386_ONLY)file path=kernel/drv/acpi_toshiba group=sys
416 $(i386_ONLY)file path=kernel/drv/aggr group=sys
417 file path=kernel/drv/aggr.conf group=sys
418 $(i386_ONLY)file path=kernel/drv/arp group=sys
419 file path=kernel/drv/arp.conf group=sys
420 $(i386_ONLY)file path=kernel/drv/bl group=sys
421 file path=kernel/drv/bl.conf group=sys
422 $(i386_ONLY)file path=kernel/drv/bridge group=sys
423 file path=kernel/drv/bridge.conf group=sys
424 $(i386_ONLY)file path=kernel/drv/bscbus group=sys
425 $(i386_ONLY)file path=kernel/drv/bscbus.conf group=sys
426 $(i386_ONLY)file path=kernel/drv/bscv group=sys
427 $(i386_ONLY)file path=kernel/drv/bscv.conf group=sys
428 $(i386_ONLY)file path=kernel/drv/clone group=sys
429 file path=kernel/drv/clone.conf group=sys
430 $(i386_ONLY)file path=kernel/drv/cn group=sys
431 file path=kernel/drv/cn.conf group=sys
432 $(i386_ONLY)file path=kernel/drv/conskbd group=sys
433 file path=kernel/drv/conskbd.conf group=sys
434 $(i386_ONLY)file path=kernel/drv/consms group=sys
435 file path=kernel/drv/consms.conf group=sys
436 $(i386_ONLY)file path=kernel/drv/cpuid group=sys
437 file path=kernel/drv/cpuid.conf group=sys
438 $(i386_ONLY)file path=kernel/drv/cpunex group=sys
439 $(i386_ONLY)file path=kernel/drv/crypto group=sys
440 file path=kernel/drv/crypto.conf group=sys
441 $(i386_ONLY)file path=kernel/drv/cryptoadm group=sys
442 file path=kernel/drv/cryptoadm.conf group=sys
443 $(sparc_ONLY)file path=kernel/drv/dad.conf group=sys
444 $(i386_ONLY)file path=kernel/drv/devinfo group=sys
445 file path=kernel/drv/devinfo.conf group=sys
446 $(i386_ONLY)file path=kernel/drv/dld group=sys
447 file path=kernel/drv/dld.conf group=sys
448 $(i386_ONLY)file path=kernel/drv/dlpistub group=sys
449 file path=kernel/drv/dlpistub.conf group=sys
450 $(i386_ONLY)file path=kernel/drv/i8042 group=sys
451 $(i386_ONLY)file path=kernel/drv/icmp group=sys
452 file path=kernel/drv/icmp.conf group=sys
453 $(i386_ONLY)file path=kernel/drv/icmp6 group=sys
454 file path=kernel/drv/icmp6.conf group=sys

```

```

455 $(i386_ONLY)file path=kernel/drv/intel_nb5000 group=sys
456 $(i386_ONLY)file path=kernel/drv/intel_nb5000.conf group=sys
457 $(i386_ONLY)file path=kernel/drv/intel_nhm group=sys
458 $(i386_ONLY)file path=kernel/drv/intel_nhm.conf group=sys
459 $(i386_ONLY)file path=kernel/drv/intel_nhmex group=sys
460 $(i386_ONLY)file path=kernel/drv/intel_nhmex.conf group=sys
461 $(i386_ONLY)file path=kernel/drv/ip group=sys
462 file path=kernel/drv/ip.conf group=sys
463 $(i386_ONLY)file path=kernel/drv/ip6 group=sys
464 file path=kernel/drv/ip6.conf group=sys
465 $(i386_ONLY)file path=kernel/drv/ipnet group=sys
466 file path=kernel/drv/ipnet.conf group=sys
467 $(i386_ONLY)file path=kernel/drv/ippctl group=sys
468 file path=kernel/drv/ippctl.conf group=sys
469 $(i386_ONLY)file path=kernel/drv/ipsec group=sys
470 file path=kernel/drv/ipsec.conf group=sys
471 $(i386_ONLY)file path=kernel/drv/ipsecesp group=sys
472 file path=kernel/drv/ipsecesp.conf group=sys
473 $(i386_ONLY)file path=kernel/drv/iptun group=sys
474 file path=kernel/drv/iptun.conf group=sys
475 $(i386_ONLY)file path=kernel/drv/iwscn group=sys
476 file path=kernel/drv/iwscn.conf group=sys
477 $(i386_ONLY)file path=kernel/drv/kb8042 group=sys
478 $(i386_ONLY)file path=kernel/drv/keysock group=sys
479 file path=kernel/drv/keysock.conf group=sys
480 $(i386_ONLY)file path=kernel/drv/kmdb group=sys
481 file path=kernel/drv/kmdb.conf group=sys
482 $(i386_ONLY)file path=kernel/drv/kssl group=sys
483 file path=kernel/drv/kssl.conf group=sys
484 $(i386_ONLY)file path=kernel/drv/llcl group=sys
485 file path=kernel/drv/llcl.conf group=sys
486 $(i386_ONLY)file path=kernel/drv/lofi group=sys
487 file path=kernel/drv/lofi.conf group=sys
488 $(i386_ONLY)file path=kernel/drv/log group=sys
489 file path=kernel/drv/log.conf group=sys \
490     original_name=SUNWckr:kernel/drv/log.conf preserve=true
491 $(i386_ONLY)file path=kernel/drv/mc-amd group=sys
492 $(i386_ONLY)file path=kernel/drv/mc-amd.conf group=sys
493 $(i386_ONLY)file path=kernel/drv/mm group=sys
494 file path=kernel/drv/mm.conf group=sys
495 $(i386_ONLY)file path=kernel/drv/mouse8042 group=sys
496 $(i386_ONLY)file path=kernel/drv/mpt group=sys
497 $(i386_ONLY)file path=kernel/drv/mpt.conf group=sys \
498     original_name=SUNWckr:kernel/drv/mpt.conf preserve=true
499 $(i386_ONLY)file path=kernel/drv/nulldriver group=sys
500 $(i386_ONLY)file path=kernel/drv/openepr group=sys
501 file path=kernel/drv/openepr.conf group=sys
502 $(i386_ONLY)file path=kernel/drv/options group=sys
503 file path=kernel/drv/options.conf group=sys
504 $(i386_ONLY)file path=kernel/drv/pci_pci group=sys
505 $(i386_ONLY)file path=kernel/drv/pcieb group=sys
506 file path=kernel/drv/pcieb.conf group=sys
507 $(i386_ONLY)file path=kernel/drv/phymem group=sys
508 file path=kernel/drv/phymem.conf group=sys
509 $(i386_ONLY)file path=kernel/drv/poll group=sys
510 file path=kernel/drv/poll.conf group=sys
511 $(i386_ONLY)file path=kernel/drv/power group=sys
512 $(i386_ONLY)file path=kernel/drv/power.conf group=sys
513 $(i386_ONLY)file path=kernel/drv/pseudo group=sys
514 file path=kernel/drv/pseudo.conf group=sys
515 $(i386_ONLY)file path=kernel/drv/ptc group=sys
516 file path=kernel/drv/ptc.conf group=sys
517 $(i386_ONLY)file path=kernel/drv/ptsl group=sys
518 file path=kernel/drv/ptsl.conf group=sys
519 $(i386_ONLY)file path=kernel/drv/ramdisk group=sys
520 file path=kernel/drv/ramdisk.conf group=sys

```

```

521 $(i386_ONLY)file path=kernel/drv/random group=sys
522 file path=kernel/drv/random.conf group=sys
523 $(i386_ONLY)file path=kernel/drv/rts group=sys
524 file path=kernel/drv/rts.conf group=sys
525 $(i386_ONLY)file path=kernel/drv/sad group=sys
526 file path=kernel/drv/sad.conf group=sys
527 $(i386_ONLY)file path=kernel/drv/scsi_vhci group=sys
528 file path=kernel/drv/scsi_vhci.conf group=sys \
529     original_name=SUNWckr:kernel/drv/scsi_vhci.conf preserve=true
530 $(i386_ONLY)file path=kernel/drv/sd group=sys
531 $(sparc_ONLY)file path=kernel/drv/sd.conf group=sys \
532     original_name=SUNWckr:kernel/drv/sd.conf preserve=true
533 $(i386_ONLY)file path=kernel/drv/sd.conf group=sys \
534     original_name=SUNWos86r:kernel/drv/sd.conf preserve=true
535 $(i386_ONLY)file path=kernel/drv/sgen group=sys
536 file path=kernel/drv/sgen.conf group=sys \
537     original_name=SUNWckr:kernel/drv/sgen.conf preserve=true
538 $(i386_ONLY)file path=kernel/drv/simnet group=sys
539 file path=kernel/drv/simnet.conf group=sys
540 $(i386_ONLY)file path=kernel/drv/smbios group=sys
541 $(i386_ONLY)file path=kernel/drv/smbios.conf group=sys
542 $(i386_ONLY)file path=kernel/drv/softmac group=sys
543 file path=kernel/drv/softmac.conf group=sys
544 $(i386_ONLY)file path=kernel/drv/spdsock group=sys
545 file path=kernel/drv/spdsock.conf group=sys
546 $(i386_ONLY)file path=kernel/drv/st group=sys
547 file path=kernel/drv/st.conf group=sys \
548     original_name=SUNWckr:kernel/drv/st.conf preserve=true
549 $(i386_ONLY)file path=kernel/drv/sy group=sys
550 file path=kernel/drv/sy.conf group=sys
551 $(i386_ONLY)file path=kernel/drv/sysevent group=sys
552 file path=kernel/drv/sysevent.conf group=sys
553 $(i386_ONLY)file path=kernel/drv/sysmsg group=sys
554 file path=kernel/drv/sysmsg.conf group=sys
555 $(i386_ONLY)file path=kernel/drv/tcp group=sys
556 file path=kernel/drv/tcp.conf group=sys
557 $(i386_ONLY)file path=kernel/drv/tcp6 group=sys
558 file path=kernel/drv/tcp6.conf group=sys
559 $(i386_ONLY)file path=kernel/drv/tl group=sys
560 file path=kernel/drv/tl.conf group=sys
561 $(i386_ONLY)file path=kernel/drv/tzmon group=sys
562 $(i386_ONLY)file path=kernel/drv/tzmon.conf group=sys
563 $(sparc_ONLY)file path=kernel/drv/uata.conf group=sys \
564     original_name=SUNWckr:kernel/drv/uata.conf preserve=true
565 $(i386_ONLY)file path=kernel/drv/ucode group=sys
566 $(i386_ONLY)file path=kernel/drv/ucode.conf group=sys
567 $(i386_ONLY)file path=kernel/drv/udp group=sys
568 file path=kernel/drv/udp.conf group=sys
569 $(i386_ONLY)file path=kernel/drv/udp6 group=sys
570 file path=kernel/drv/udp6.conf group=sys
571 $(i386_ONLY)file path=kernel/drv/vgatext group=sys
572 $(i386_ONLY)file path=kernel/drv/vnic group=sys
573 file path=kernel/drv/vnic.conf group=sys
574 $(i386_ONLY)file path=kernel/drv/wc group=sys
575 file path=kernel/drv/wc.conf group=sys
576 $(sparc_ONLY)file path=kernel/exec/$(ARCH64)/aoutexec group=sys mode=0755
577 file path=kernel/exec/$(ARCH64)/elfexec group=sys mode=0755
578 file path=kernel/exec/$(ARCH64)/intpexec group=sys mode=0755
579 $(i386_ONLY)file path=kernel/exec/elfexec group=sys mode=0755
580 $(i386_ONLY)file path=kernel/exec/intpexec group=sys mode=0755
581 file path=kernel/fs/$(ARCH64)/autofs group=sys mode=0755
582 file path=kernel/fs/$(ARCH64)/cachefs group=sys mode=0755
583 file path=kernel/fs/$(ARCH64)/ctfs group=sys mode=0755
584 file path=kernel/fs/$(ARCH64)/dcfs group=sys mode=0755
585 file path=kernel/fs/$(ARCH64)/dev group=sys mode=0755
586 file path=kernel/fs/$(ARCH64)/devfs group=sys mode=0755

```

```

587 file path=kernel/fs/$(ARCH64)/fifofs group=sys mode=0755
588 file path=kernel/fs/$(ARCH64)/hsfs group=sys mode=0755
589 file path=kernel/fs/$(ARCH64)/lofs group=sys mode=0755
590 file path=kernel/fs/$(ARCH64)/mmtfs group=sys mode=0755
591 file path=kernel/fs/$(ARCH64)/namefs group=sys mode=0755
592 file path=kernel/fs/$(ARCH64)/objfs group=sys mode=0755
593 file path=kernel/fs/$(ARCH64)/procfs group=sys mode=0755
594 file path=kernel/fs/$(ARCH64)/sharefs group=sys mode=0755
595 file path=kernel/fs/$(ARCH64)/sockfs group=sys mode=0755
596 file path=kernel/fs/$(ARCH64)/specfs group=sys mode=0755
597 file path=kernel/fs/$(ARCH64)/tmpfs group=sys mode=0755
598 file path=kernel/fs/$(ARCH64)/ufs group=sys mode=0755
599 $(i386_ONLY)file path=kernel/fs/autofs group=sys mode=0755
600 $(i386_ONLY)file path=kernel/fs/cachefs group=sys mode=0755
601 $(i386_ONLY)file path=kernel/fs/ctfs group=sys mode=0755
602 $(i386_ONLY)file path=kernel/fs/dcfs group=sys mode=0755
603 $(i386_ONLY)file path=kernel/fs/dev group=sys mode=0755
604 $(i386_ONLY)file path=kernel/fs/devfs group=sys mode=0755
605 $(i386_ONLY)file path=kernel/fs/fifofs group=sys mode=0755
606 $(i386_ONLY)file path=kernel/fs/hsfs group=sys mode=0755
607 $(i386_ONLY)file path=kernel/fs/lofs group=sys mode=0755
608 $(i386_ONLY)file path=kernel/fs/mmtfs group=sys mode=0755
609 $(i386_ONLY)file path=kernel/fs/namefs group=sys mode=0755
610 $(i386_ONLY)file path=kernel/fs/objfs group=sys mode=0755
611 $(i386_ONLY)file path=kernel/fs/procfs group=sys mode=0755
612 $(i386_ONLY)file path=kernel/fs/sharefs group=sys mode=0755
613 $(i386_ONLY)file path=kernel/fs/sockfs group=sys mode=0755
614 $(i386_ONLY)file path=kernel/fs/specfs group=sys mode=0755
615 $(i386_ONLY)file path=kernel/fs/tmpfs group=sys mode=0755
616 $(i386_ONLY)file path=kernel/fs/ufs group=sys mode=0755
617 $(i386_ONLY)file path=kernel/genunix group=sys mode=0755
618 file path=kernel/ipp/$(ARCH64)/ipppc group=sys mode=0755
619 $(i386_ONLY)file path=kernel/ipp/ipgpc group=sys mode=0755
620 file path=kernel/kiconv/$(ARCH64)/kiconv_emea group=sys mode=0755
621 file path=kernel/kiconv/$(ARCH64)/kiconv_ja group=sys mode=0755
622 file path=kernel/kiconv/$(ARCH64)/kiconv_ko group=sys mode=0755
623 file path=kernel/kiconv/$(ARCH64)/kiconv_sc group=sys mode=0755
624 file path=kernel/kiconv/$(ARCH64)/kiconv_tc group=sys mode=0755
625 $(i386_ONLY)file path=kernel/kiconv/kiconv_emea group=sys mode=0755
626 $(i386_ONLY)file path=kernel/kiconv/kiconv_ja group=sys mode=0755
627 $(i386_ONLY)file path=kernel/kiconv/kiconv_ko group=sys mode=0755
628 $(i386_ONLY)file path=kernel/kiconv/kiconv_sc group=sys mode=0755
629 $(i386_ONLY)file path=kernel/kiconv/kiconv_tc group=sys mode=0755
630 file path=kernel/mac/$(ARCH64)/mac_6to4 group=sys mode=0755
631 file path=kernel/mac/$(ARCH64)/mac_ether group=sys mode=0755
632 file path=kernel/mac/$(ARCH64)/mac_ib group=sys mode=0755
633 file path=kernel/mac/$(ARCH64)/mac_ipv4 group=sys mode=0755
634 file path=kernel/mac/$(ARCH64)/mac_ipv6 group=sys mode=0755
635 file path=kernel/mac/$(ARCH64)/mac_wifi group=sys mode=0755
636 $(i386_ONLY)file path=kernel/mac/mac_6to4 group=sys mode=0755
637 $(i386_ONLY)file path=kernel/mac/mac_ether group=sys mode=0755
638 $(i386_ONLY)file path=kernel/mac/mac_ib group=sys mode=0755
639 $(i386_ONLY)file path=kernel/mac/mac_ipv4 group=sys mode=0755
640 $(i386_ONLY)file path=kernel/mac/mac_ipv6 group=sys mode=0755
641 $(i386_ONLY)file path=kernel/mac/mac_wifi group=sys mode=0755
642 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/acpica group=sys mode=0755
643 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/agpmaster group=sys mode=0755
644 file path=kernel/misc/$(ARCH64)/bignum group=sys mode=0755
645 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/bootdev group=sys mode=0755
646 file path=kernel/misc/$(ARCH64)/busra group=sys mode=0755
647 file path=kernel/misc/$(ARCH64)/cardbus group=sys mode=0755
648 file path=kernel/misc/$(ARCH64)/cmlb group=sys mode=0755
649 file path=kernel/misc/$(ARCH64)/consconfig group=sys mode=0755
650 $(sparc_ONLY)file path=kernel/misc/$(ARCH64)/dada group=sys mode=0755
651 file path=kernel/misc/$(ARCH64)/dls group=sys mode=0755

```



```

652 file path=kernel/misc/$(ARCH64)/fssnap_if group=sys mode=0755
653 file path=kernel/misc/$(ARCH64)/gld group=sys mode=0755
654 file path=kernel/misc/$(ARCH64)/hook group=sys mode=0755
655 file path=kernel/misc/$(ARCH64)/hpcsvc group=sys mode=0755
656 file path=kernel/misc/$(ARCH64)/idmap group=sys mode=0755
657 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/iomulib group=sys mode=0755
658 file path=kernel/misc/$(ARCH64)/ipc group=sys mode=0755
659 file path=kernel/misc/$(ARCH64)/kbtrans group=sys mode=0755
660 file path=kernel/misc/$(ARCH64)/kcf group=sys mode=0755
661 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/kmdbmod group=sys mode=0755
662 file path=kernel/misc/$(ARCH64)/ksocket group=sys mode=0755
663 file path=kernel/misc/$(ARCH64)/mac group=sys mode=0755
664 file path=kernel/misc/$(ARCH64)/mii group=sys mode=0755
665 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/net80211 group=sys mode=0755
666 file path=kernel/misc/$(ARCH64)/neti group=sys mode=0755
667 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/pci_autoconfig group=sys mode=0755
668 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/pcicfg group=sys mode=0755
669 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/pcie group=sys mode=0755
670 file path=kernel/misc/$(ARCH64)/pcihp group=sys mode=0755
672 file path=kernel/misc/$(ARCH64)/pcmcia group=sys mode=0755
671 file path=kernel/misc/$(ARCH64)/rpcsec group=sys mode=0755
672 $(i386_ONLY)file path=kernel/misc/$(ARCH64)/sata group=sys mode=0755
673 file path=kernel/misc/$(ARCH64)/scsi group=sys mode=0755
674 file path=kernel/misc/$(ARCH64)/strplumb group=sys mode=0755
675 $(sparc_ONLY)file path=kernel/misc/$(ARCH64)/swappgeneric group=sys mode=0755
676 file path=kernel/misc/$(ARCH64)/tem group=sys mode=0755
677 file path=kernel/misc/$(ARCH64)/tlimod group=sys mode=0755
678 $(i386_ONLY)file path=kernel/misc/acpica group=sys mode=0755
679 $(i386_ONLY)file path=kernel/misc/agpmaster group=sys mode=0755
680 $(i386_ONLY)file path=kernel/misc/bignum group=sys mode=0755
681 $(i386_ONLY)file path=kernel/misc/bootdev group=sys mode=0755
682 $(i386_ONLY)file path=kernel/misc/busra group=sys mode=0755
685 $(i386_ONLY)file path=kernel/misc/cardbus group=sys mode=0755
683 $(i386_ONLY)file path=kernel/misc/cmlb group=sys mode=0755
684 $(i386_ONLY)file path=kernel/misc/consconfig group=sys mode=0755
685 $(i386_ONLY)file path=kernel/misc/ctf group=sys mode=0755
686 $(i386_ONLY)file path=kernel/misc/dls group=sys mode=0755
687 $(i386_ONLY)file path=kernel/misc/fssnap_if group=sys mode=0755
688 $(i386_ONLY)file path=kernel/misc/gld group=sys mode=0755
689 $(i386_ONLY)file path=kernel/misc/hook group=sys mode=0755
690 $(i386_ONLY)file path=kernel/misc/hpcsvc group=sys mode=0755
691 $(i386_ONLY)file path=kernel/misc/idmap group=sys mode=0755
692 $(i386_ONLY)file path=kernel/misc/iomulib group=sys mode=0755
693 $(i386_ONLY)file path=kernel/misc/ipc group=sys mode=0755
694 $(i386_ONLY)file path=kernel/misc/kbtrans group=sys mode=0755
695 $(i386_ONLY)file path=kernel/misc/kcf group=sys mode=0755
696 $(i386_ONLY)file path=kernel/misc/kmdbmod group=sys mode=0755
697 $(i386_ONLY)file path=kernel/misc/ksocket group=sys mode=0755
698 $(i386_ONLY)file path=kernel/misc/mac group=sys mode=0755
699 $(i386_ONLY)file path=kernel/misc/mii group=sys mode=0755
700 $(i386_ONLY)file path=kernel/misc/net80211 group=sys mode=0755
701 $(i386_ONLY)file path=kernel/misc/neti group=sys mode=0755
702 $(i386_ONLY)file path=kernel/misc/pci_autoconfig group=sys mode=0755
703 $(i386_ONLY)file path=kernel/misc/pcicfg group=sys mode=0755
704 $(i386_ONLY)file path=kernel/misc/pcie group=sys mode=0755
705 $(i386_ONLY)file path=kernel/misc/pcihp group=sys mode=0755
709 $(i386_ONLY)file path=kernel/misc/pcmcia group=sys mode=0755
706 $(i386_ONLY)file path=kernel/misc/rpcsec group=sys mode=0755
707 $(i386_ONLY)file path=kernel/misc/sata group=sys mode=0755
708 $(i386_ONLY)file path=kernel/misc/scsi group=sys mode=0755
709 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_asym_emc group=sys \
710 mode=0755
711 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_asym_lsi group=sys \
712 mode=0755
713 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_asym_sun group=sys \
714 mode=0755

```

```

715 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_sym group=sys mode=0755
716 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_sym_emc group=sys \
717 mode=0755
718 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_sym_hds group=sys \
719 mode=0755
720 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tape group=sys mode=0755
721 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tpss group=sys mode=0755
722 file path=kernel/misc/scsi_vhci/$(ARCH64)/scsi_vhci_f_tpss_tape group=sys \
723 mode=0755
724 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_emc group=sys \
725 mode=0755
726 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_lsi group=sys \
727 mode=0755
728 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_asym_sun group=sys \
729 mode=0755
730 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym group=sys \
731 mode=0755
732 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym_emc group=sys \
733 mode=0755
734 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_sym_hds group=sys \
735 mode=0755
736 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tape group=sys \
737 mode=0755
738 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tpss group=sys \
739 mode=0755
740 $(i386_ONLY)file path=kernel/misc/scsi_vhci/scsi_vhci_f_tpss_tape group=sys \
741 mode=0755
742 $(i386_ONLY)file path=kernel/misc/strplumb group=sys mode=0755
743 $(i386_ONLY)file path=kernel/misc/tem group=sys mode=0755
744 $(i386_ONLY)file path=kernel/misc/tlimod group=sys mode=0755
745 file path=kernel/sched/$(ARCH64)/SDC group=sys mode=0755
746 file path=kernel/sched/$(ARCH64)/TS group=sys mode=0755
747 file path=kernel/sched/$(ARCH64)/TS_DPTBL group=sys mode=0755
748 $(i386_ONLY)file path=kernel/sched/SDC group=sys mode=0755
749 $(i386_ONLY)file path=kernel/sched/TS group=sys mode=0755
750 $(i386_ONLY)file path=kernel/sched/TS_DPTBL group=sys mode=0755
751 file path=kernel/socketmod/$(ARCH64)/ksslf group=sys mode=0755
752 file path=kernel/socketmod/$(ARCH64)/socksctp group=sys mode=0755
753 file path=kernel/socketmod/$(ARCH64)/trill group=sys mode=0755
754 $(i386_ONLY)file path=kernel/socketmod/ksslf group=sys mode=0755
755 $(i386_ONLY)file path=kernel/socketmod/socksctp group=sys mode=0755
756 $(i386_ONLY)file path=kernel/socketmod/trill group=sys mode=0755
757 file path=kernel/strmod/$(ARCH64)/bufmod group=sys mode=0755
758 file path=kernel/strmod/$(ARCH64)/connld group=sys mode=0755
759 file path=kernel/strmod/$(ARCH64)/dedump group=sys mode=0755
760 file path=kernel/strmod/$(ARCH64)/drcompat group=sys mode=0755
761 file path=kernel/strmod/$(ARCH64)/ldterm group=sys mode=0755
762 $(sparc_ONLY)file path=kernel/strmod/$(ARCH64)/ms group=sys mode=0755
763 file path=kernel/strmod/$(ARCH64)/pckt group=sys mode=0755
764 file path=kernel/strmod/$(ARCH64)/pfmod group=sys mode=0755
765 file path=kernel/strmod/$(ARCH64)/pipemod group=sys mode=0755
766 file path=kernel/strmod/$(ARCH64)/ptem group=sys mode=0755
767 file path=kernel/strmod/$(ARCH64)/redirmod group=sys mode=0755
768 file path=kernel/strmod/$(ARCH64)/rpcmod group=sys mode=0755
769 file path=kernel/strmod/$(ARCH64)/timod group=sys mode=0755
770 file path=kernel/strmod/$(ARCH64)/ttdrwr group=sys mode=0755
771 file path=kernel/strmod/$(ARCH64)/ttcompat group=sys mode=0755
772 $(sparc_ONLY)file path=kernel/strmod/$(ARCH64)/vuid3ps2 group=sys mode=0755
773 $(i386_ONLY)file path=kernel/strmod/bufmod group=sys mode=0755
774 $(i386_ONLY)file path=kernel/strmod/connld group=sys mode=0755
775 $(i386_ONLY)file path=kernel/strmod/dedump group=sys mode=0755
776 $(i386_ONLY)file path=kernel/strmod/drcompat group=sys mode=0755
777 $(i386_ONLY)file path=kernel/strmod/ldterm group=sys mode=0755
778 $(i386_ONLY)file path=kernel/strmod/pckt group=sys mode=0755
779 $(i386_ONLY)file path=kernel/strmod/pfmod group=sys mode=0755
780 $(i386_ONLY)file path=kernel/strmod/pipemod group=sys mode=0755

```

```

781 $(i386_ONLY)file path=kernel/strmod/ptem group=sys mode=0755
782 $(i386_ONLY)file path=kernel/strmod/redirmod group=sys mode=0755
783 $(i386_ONLY)file path=kernel/strmod/rpcmod group=sys mode=0755
784 $(i386_ONLY)file path=kernel/strmod/timod group=sys mode=0755
785 $(i386_ONLY)file path=kernel/strmod/tirdwr group=sys mode=0755
786 $(i386_ONLY)file path=kernel/strmod/ttcompat group=sys mode=0755
787 file path=kernel/sys/$(ARCH64)/c2audit group=sys mode=0755
788 file path=kernel/sys/$(ARCH64)/doorfs group=sys mode=0755
789 file path=kernel/sys/$(ARCH64)/inst_sync group=sys mode=0755
790 file path=kernel/sys/$(ARCH64)/kaio group=sys mode=0755
791 file path=kernel/sys/$(ARCH64)/msgsys group=sys mode=0755
792 file path=kernel/sys/$(ARCH64)/pipe group=sys mode=0755
793 file path=kernel/sys/$(ARCH64)/portfs group=sys mode=0755
794 file path=kernel/sys/$(ARCH64)/pset group=sys mode=0755
795 file path=kernel/sys/$(ARCH64)/semsys group=sys mode=0755
796 file path=kernel/sys/$(ARCH64)/shmsys group=sys mode=0755
797 $(i386_ONLY)file path=kernel/sys/c2audit group=sys mode=0755
798 $(i386_ONLY)file path=kernel/sys/doorfs group=sys mode=0755
799 $(i386_ONLY)file path=kernel/sys/inst_sync group=sys mode=0755
800 $(i386_ONLY)file path=kernel/sys/kaio group=sys mode=0755
801 $(i386_ONLY)file path=kernel/sys/msgsys group=sys mode=0755
802 $(i386_ONLY)file path=kernel/sys/pipe group=sys mode=0755
803 $(i386_ONLY)file path=kernel/sys/portfs group=sys mode=0755
804 $(i386_ONLY)file path=kernel/sys/pset group=sys mode=0755
805 $(i386_ONLY)file path=kernel/sys/semsys group=sys mode=0755
806 $(i386_ONLY)file path=kernel/sys/shmsys group=sys mode=0755
807 file path=lib/svc/manifest/system/dumpadm.xml group=sys mode=0444
808 file path=lib/svc/manifest/system/intrd.xml group=sys mode=0444
809 file path=lib/svc/manifest/system/scheduler.xml group=sys mode=0444
810 file path=lib/svc/method/svc-dumpadm mode=0555
811 file path=lib/svc/method/svc-intrd mode=0555
812 file path=lib/svc/method/svc-scheduler mode=0555
813 $(sparc_ONLY)file path=usr/share/man/man1m/monitor.1m
814 $(sparc_ONLY)file path=usr/share/man/man1m/obpsym.1m
815 # On SPARC driver/bscv is Serverbladel specific, and in system/kernel/platform
816 # We keep the manual page generic
817 $(sparc_ONLY)file path=usr/share/man/man7d/dad.7d
818 $(i386_ONLY)file path=usr/share/man/man7d/smbios.7d
819 # Sadly vuid mouse support is in different packages on different platforms
820 # While kstat(7D) is in SUNWcs, the structures are general
821 hardlink path=kernel/misc/$(ARCH64)/md5 \
822 target=../../../../kernel/crypto/$(ARCH64)/md5
823 hardlink path=kernel/misc/$(ARCH64)/sha1 \
824 target=../../../../kernel/crypto/$(ARCH64)/sha1
825 hardlink path=kernel/misc/$(ARCH64)/sha2 \
826 target=../../../../kernel/crypto/$(ARCH64)/sha2
827 $(i386_ONLY)hardlink path=kernel/misc/md5 target=../../../../kernel/crypto/md5
828 $(i386_ONLY)hardlink path=kernel/misc/sha1 target=../../../../kernel/crypto/sha1
829 $(i386_ONLY)hardlink path=kernel/misc/sha2 target=../../../../kernel/crypto/sha2
830 hardlink path=kernel/socketmod/$(ARCH64)/icmp \
831 target=../../../../kernel/drv/$(ARCH64)/icmp
832 hardlink path=kernel/socketmod/$(ARCH64)/rts \
833 target=../../../../kernel/drv/$(ARCH64)/rts
834 hardlink path=kernel/socketmod/$(ARCH64)/tcp \
835 target=../../../../kernel/drv/$(ARCH64)/tcp
836 hardlink path=kernel/socketmod/$(ARCH64)/udp \
837 target=../../../../kernel/drv/$(ARCH64)/udp
838 $(i386_ONLY)hardlink path=kernel/socketmod/icmp target=../../../../kernel/drv/icmp
839 $(i386_ONLY)hardlink path=kernel/socketmod/rts target=../../../../kernel/drv/rts
840 $(i386_ONLY)hardlink path=kernel/socketmod/tcp target=../../../../kernel/drv/tcp
841 $(i386_ONLY)hardlink path=kernel/socketmod/udp target=../../../../kernel/drv/udp
842 hardlink path=kernel/strmod/$(ARCH64)/arp \
843 target=../../../../kernel/drv/$(ARCH64)/arp
844 hardlink path=kernel/strmod/$(ARCH64)/icmp \
845 target=../../../../kernel/drv/$(ARCH64)/icmp
846 hardlink path=kernel/strmod/$(ARCH64)/ip \

```

```

847 target=../../../../kernel/drv/$(ARCH64)/ip
848 hardlink path=kernel/strmod/$(ARCH64)/ipsecah \
849 target=../../../../kernel/drv/$(ARCH64)/ipsecah
850 hardlink path=kernel/strmod/$(ARCH64)/ipsecesp \
851 target=../../../../kernel/drv/$(ARCH64)/ipsecesp
852 hardlink path=kernel/strmod/$(ARCH64)/keysock \
853 target=../../../../kernel/drv/$(ARCH64)/keysock
854 hardlink path=kernel/strmod/$(ARCH64)/tcp \
855 target=../../../../kernel/drv/$(ARCH64)/tcp
856 hardlink path=kernel/strmod/$(ARCH64)/udp \
857 target=../../../../kernel/drv/$(ARCH64)/udp
858 $(i386_ONLY)hardlink path=kernel/strmod/arp target=../../../../kernel/drv/arp
859 $(i386_ONLY)hardlink path=kernel/strmod/icmp target=../../../../kernel/drv/icmp
860 $(i386_ONLY)hardlink path=kernel/strmod/ip target=../../../../kernel/drv/ip
861 $(i386_ONLY)hardlink path=kernel/strmod/ipsecah \
862 target=../../../../kernel/drv/ipsecah
863 $(i386_ONLY)hardlink path=kernel/strmod/ipsecesp \
864 target=../../../../kernel/drv/ipsecesp
865 $(i386_ONLY)hardlink path=kernel/strmod/keysock \
866 target=../../../../kernel/drv/keysock
867 $(i386_ONLY)hardlink path=kernel/strmod/tcp target=../../../../kernel/drv/tcp
868 $(i386_ONLY)hardlink path=kernel/strmod/udp target=../../../../kernel/drv/udp
869 hardlink path=kernel/sys/$(ARCH64)/autofs \
870 target=../../../../kernel/fs/$(ARCH64)/autofs
871 hardlink path=kernel/sys/$(ARCH64)/rpcmod \
872 target=../../../../kernel/strmod/$(ARCH64)/rpcmod
873 $(i386_ONLY)hardlink path=kernel/sys/autofs target=../../../../kernel/fs/autofs
874 $(i386_ONLY)hardlink path=kernel/sys/rpcmod target=../../../../kernel/strmod/rpcmod
875 legacy pkg=SUNWckr \
876 desc="core kernel software for a specific instruction-set architecture" \
877 name="Core Solaris Kernel (Root)"
878 license cr_Sun license=cr_Sun
879 license lic_CDDL license=lic_CDDL
880 license usr/src/cmd/mbd/common/libstand/THIRDPARTYLICENSE \
881 license=usr/src/cmd/mbd/common/libstand/THIRDPARTYLICENSE
882 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
883 license usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams \
884 license=usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams
885 $(i386_ONLY)license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman \
886 license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman
887 $(i386_ONLY)license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl \
888 license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl
889 license usr/src/common/crypto/ecc/THIRDPARTYLICENSE \
890 license=usr/src/common/crypto/ecc/THIRDPARTYLICENSE
891 $(i386_ONLY)license usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE \
892 license=usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE
893 license usr/src/common/mpi/THIRDPARTYLICENSE \
894 license=usr/src/common/mpi/THIRDPARTYLICENSE
895 license usr/src/uts/common/inet/ip/THIRDPARTYLICENSE.rts \
896 license=usr/src/uts/common/inet/ip/THIRDPARTYLICENSE.rts
897 license usr/src/uts/common/inet/tcp/THIRDPARTYLICENSE \
898 license=usr/src/uts/common/inet/tcp/THIRDPARTYLICENSE
899 license usr/src/uts/common/io/THIRDPARTYLICENSE.etheraddr \
900 license=usr/src/uts/common/io/THIRDPARTYLICENSE.etheraddr
901 license usr/src/uts/common/sys/THIRDPARTYLICENSE.icu \
902 license=usr/src/uts/common/sys/THIRDPARTYLICENSE.icu
903 license usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode \
904 license=usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode
905 $(i386_ONLY)license usr/src/uts/intel/io/acpica/THIRDPARTYLICENSE \
906 license=usr/src/uts/intel/io/acpica/THIRDPARTYLICENSE
907 $(i386_ONLY)link path=boot/solaris/bin/root_archive \
908 target=../../../../usr/sbin/root_archive
909 link path=dev/dld target=../devices/pseudo/dld@0:ctl1
910 link path=kernel/misc/$(ARCH64)/des \
911 target=../../../../kernel/crypto/$(ARCH64)/des
912 $(i386_ONLY)link path=kernel/misc/des target=../../../../kernel/crypto/des

```

new/usr/src/uts/Makefile

1

```
*****
6681 Sat Aug 9 23:41:51 2014
new/usr/src/uts/Makefile
5075 EOF cardbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 # include global definitions
27 include ../Makefile.master

29 #
30 # List of architectures to build as part of the standard build.
31 #
32 # Some of these architectures are built in parallel (see i386_PARALLEL and
33 # sparc_PARALLEL). This requires building some parts first before parallel build
34 # can start. Platform make files know what should be built as a prerequisite for
35 # the parallel build to work. The i386_PREREQ and sparc_PREREQ variables tell
36 # which platform directory to enter to start making prerequisite dependencies.
37 #
38 sparc_ARCHITECTURES = sun4v sun4u sparc

40 i386_ARCHITECTURES = i86pc i86xpv intel

42 #
43 # For i386 all architectures can be compiled in parallel.
44 #
45 # intel/Makefile knows how to build prerequisites needed for parallel build.
46 #
47 i386_PREREQ = intel
48 i386_PARALLEL = $(i386_ARCHITECTURES)

50 #
51 # For sparc all architectures can be compiled in parallel.
52 #
53 # sun4/Makefile knows how to build prerequisites needed for parallel build.
54 # can start.
55 #
56 sparc_PREREQ = sun4
57 sparc_PARALLEL = $(sparc_ARCHITECTURES)
```

new/usr/src/uts/Makefile

2

```
59 #
60 # Platforms defined in $(MACH)_PARALLEL are built in parallel. DUMMY is placed
61 # at the end in case $(MACH)_PARALLEL is empty to prevent everything going in
62 # parallel.
63 #
64 .PARALLEL: $(MACH)_PARALLEL DUMMY

66 #
67 # For build prerequisites we use a special target which is constructed by adding
68 # '.prereq' suffix to the $(MACH)_PREREQ.
69 #
70 PREREQ_TARGET = $(MACH)_PREREQ:%=%.prereq

73 def := TARGET= def
74 all := TARGET= all
75 install := TARGET= install
76 install_h := TARGET= install_h
77 clean := TARGET= clean
78 clobber := TARGET= clobber
79 clobber_h := TARGET= clobber
80 lint := TARGET= lint
81 clean.lint := TARGET= clean.lint
82 check := TARGET= check
83 modlist := TARGET= modlist
84 modlist := NO_STATE= -K $$MODSTATE$$$

86 .KEEP_STATE:

88 def all lint: all_h $(PMTMO_FILE) $(MACH)_ARCHITECTURES)

90 install: all_h install_dirs $(PMTMO_FILE) $(MACH)_ARCHITECTURES)

92 install_dirs:
93 @cd .; pwd; $(MAKE) rootdirs
94 @pwd

96 #
97 # Rule to build prerequisites. The left part of the pattern will match
98 # PREREQ_TARGET.
99 #
100 # The location of the Makefile is determined by stripping '.prereq' suffix from
101 # the target name. We add '.prereq' suffix to the target passed to the child
102 # Makefile so that it can distinguish prerequisite build from the regular one.
103 #
104 #
105 %.prereq:
106 @cd $(@:%.prereq=); pwd; $(MAKE) $(NO_STATE) $(TARGET).prereq

108 #
109 # Rule to build architecture files. Build all required prerequisites and then
110 # build the rest (potentially in parallel).
111 #
112 $(MACH)_ARCHITECTURES: $(PREREQ_TARGET) FRC
113 @cd $@; pwd; $(MAKE) $(NO_STATE) $(TARGET)

115 $(PMTMO_FILE) pmtmo_file: $(PATCH_MAKEUP_TABLE)
116 @if [ -z "$(PATCH_MAKEUP_TABLE)" ] ; then \
117 echo 'ERROR: $(PATCH_MAKEUP_TABLE) not set' \
118 'in environment' >&2 ; \
119 exit 1 ; \
120 fi
121 RELEASE="$(RELEASE)" MACH="$(MACH)" \
122 $(CTFVTPTBL) -o $(PMTMO_FILE) $(PATCH_MAKEUP_TABLE)

124 #
```

```

125 # The following is the list of directories which contain Makefiles with
126 # targets to install header file. The machine independent headers are
127 # installed by invoking the Makefile in the directory containing the
128 # header files. Machine and architecture dependent headers are installed
129 # by invoking the main makefile for that architecture/machine which,
130 # in turn, is responsible for invoking the Makefiles which install headers.
131 # It is done this way so as not to assume that all of the header files in
132 # the architecture/machine dependent subdirectories are in completely
133 # isomorphic locations.
134 #
135 COMMON_HDRDIRS= common/avs \
136                 common/c2 \
137                 common/des \
138                 common/fs \
139                 common/gssapi \
140                 common/idmap \
141                 common/klm \
142                 common/inet \
143                 common/inet/ipf/netinet \
144                 common/inet/kssl \
145                 common/inet/nca \
146                 common/inet/sockmods/netpacket \
147                 common/io/bpf/net \
148                 common/io/fibre-channel/fca/qlc \
149                 common/io/lvm/md \
150                 common/ipp \
151                 common/net \
152                 common/netinet \
153                 common/nfs \
154                 common/pcmcia/sys \
155                 common/rpc \
156                 common/rpcsvc \
157                 common/sharefs \
158                 common/smb \
159                 common/smbsrv \
160                 common/sys \
161                 common/vm
162
163 #
164 # Subset of COMMON_HDRDIRS in which at least one header is generated
165 # at runtime (e.g., rpcgen), and in which "make clean" should run.
166 # Other directories should be included here, but do not yet have the
167 # necessary Makefile support (make clean). See 6414855.
168 #
169 DYNHDRDIRS =   common/avs \
170               common/gssapi \
171               common/idmap \
172               common/io/fibre-channel/fca/qlc \
173               common/io/lvm/md \
174               common/klm \
175               common/rpc \
176               common/rpcsvc \
177               common/sys
178
179 sparc_HDRDIRS= sun/sys
180 i386_HDRDIRS= i86pc/vm i86xpv/vm
181
182 HDRDIRS= $(COMMON_HDRDIRS) ${$(MACH)_HDRDIRS}
183 install_h check: $(HDRDIRS) ${$(MACH)_ARCHITECTURES}
184
185 $(HDRDIRS): FRC
186     @cd $@; pwd; $(MAKE) $(TARGET)
187
188 # ensures that headers made by rpcgen and others are available in uts source
189 # for kernel builds to reference without building install_h

```

```

190 #
191 all_h: FRC
192     @cd common/sys; pwd; $(MAKE) $@
193     @cd common/rpc; pwd; $(MAKE) $@
194     @cd common/rpcsvc; pwd; $(MAKE) $@
195     @cd common/gssapi; pwd; $(MAKE) $@
196     @cd common/idmap; pwd; $(MAKE) $@
197     @cd common/klm; pwd; $(MAKE) $@
198
199 clean clobber: ${$(MACH)_ARCHITECTURES} ${DYNHDRDIRS}
200     @if [ '$(PATCH_BUILD)' != '#' ]; then \
201         echo $(RM) $(PMTMO_FILE) ; \
202         $(RM) $(PMTMO_FILE) ; \
203     fi
204
205 # testing convenience
206 clobber_h: $(DYNHDRDIRS)
207
208 clean.lint modlist: ${$(MACH)_ARCHITECTURES}
209
210 #
211 # Cross-reference customization: build a cross-reference over all of
212 # the supported architectures. Although there's no correct way to set
213 # the include path (since we don't know what architecture is the one
214 # the user will be interested in), it's historically been set to
215 # mirror the $(XRDIRS) list, and that works kinda sorta okay.
216 #
217 XRDIRS = $(sparc_ARCHITECTURES) ${i386_ARCHITECTURES} sun4 sfmmu \
218         sun common
219
220 XRINCDIRS = $(XRDIRS)
221
222 cscope.out tags: FRC
223     $(XREF) -x $@
224
225 FRC:

```

new/usr/src/uts/common/Makefile.files

1

\*\*\*\*\*

43976 Sat Aug 9 23:41:51 2014

new/usr/src/uts/common/Makefile.files

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright (c) 2013 by Delphix. All rights reserved.
26 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
27 #
28 #
29 #
30 # This Makefile defines all file modules for the directory uts/common
31 # and its children. These are the source files which may be considered
32 # common to all SunOS systems.
33 #
34 i386_CORE_OBJS += \
35     atomic.o      \
36     avintr.o      \
37     pic.o
38 #
39 sparc_CORE_OBJS +=
40 #
41 COMMON_CORE_OBJS += \
42     beep.o        \
43     bitset.o      \
44     bp_map.o      \
45     brand.o       \
46     cpucaps.o     \
47     cmt.o         \
48     cmt_policy.o  \
49     cpu.o         \
50     cpu_event.o   \
51     cpu_intr.o    \
52     cpu_pm.o      \
53     cpupart.o     \
54     cap_util.o    \
55     disp.o        \
56     group.o       \
57     kstat_fr.o    \
58     iscsiboot_prop.o \
```

new/usr/src/uts/common/Makefile.files

2

```
59     lgrp.o        \
60     lgrp_topo.o   \
61     mmapobj.o     \
62     mutex.o       \
63     page_lock.o   \
64     page_retire.o \
65     panic.o       \
66     param.o       \
67     pg.o          \
68     pghw.o        \
69     putnext.o     \
70     rctl_proc.o   \
71     rwlock.o      \
72     seg_kmem.o    \
73     softint.o     \
74     string.o      \
75     strtol.o      \
76     strtoul.o     \
77     strtoll.o     \
78     strtoull.o    \
79     thread_intr.o \
80     vm_page.o     \
81     vm_pagelist.o \
82     zlib_obj.o    \
83     clock_tick.o
84 #
85 CORE_OBJS += $(COMMON_CORE_OBJS) $(MACH)_CORE_OBJS
86 #
87 ZLIB_OBJS = zutil.o zmod.o zmod_subr.o \
88     adler32.o crc32.o deflate.o inffast.o \
89     inflate.o inftrees.o trees.o
90 #
91 GENUNIX_OBJS += \
92     access.o      \
93     acl.o         \
94     acl_common.o \
95     adjtime.o     \
96     alarm.o       \
97     aio_subr.o    \
98     auditsys.o    \
99     audit_core.o  \
100    audit_zone.o  \
101    audit_memory.o \
102    autoconf.o    \
103    avl.o         \
104    bdev_dsort.o  \
105    bio.o         \
106    bitmap.o      \
107    blabel.o      \
108    brandsys.o    \
109    bz2blocksort.o \
110    bz2compress.o \
111    bz2decompress.o \
112    bz2randtable.o \
113    bz2zlib.o     \
114    bz2crctable.o \
115    bz2huffman.o  \
116    callb.o       \
117    callout.o     \
118    chdir.o       \
119    chmod.o       \
120    chown.o       \
121    cladm.o       \
122    class.o       \
123    clock.o       \
124    clock_highres.o \
```

## new/usr/src/uts/common/Makefile.files

3

```

125         clock_realtime.o \
126         close.o           \
127         compress.o        \
128         condvar.o         \
129         conf.o            \
130         console.o         \
131         contract.o        \
132         copyops.o         \
133         core.o            \
134         corectl.o         \
135         cred.o            \
136         cs_stubs.o        \
136         dacf.o           \
137         dacf_clnt.o       \
138         damap.o \
139         cyclic.o          \
140         ddi.o             \
141         ddifm.o           \
142         ddi_hp_impl.o     \
143         ddi_hp_ndi.o      \
144         ddi_intr.o        \
145         ddi_intr_impl.o   \
146         ddi_intr_irm.o    \
147         ddi_nodeid.o      \
148         ddi_periodic.o    \
149         devcfg.o          \
150         devcache.o        \
151         device.o          \
152         devid.o          \
153         devid_cache.o     \
154         devid_scsi.o      \
155         devid_smp.o       \
156         devpolicy.o       \
157         disp_lock.o       \
158         dnlc.o            \
159         driver.o          \
160         dumpsubr.o        \
161         driver_lyr.o       \
162         dtrace_subr.o     \
163         errorq.o          \
164         etheraddr.o       \
165         evchannels.o      \
166         exacct.o          \
167         exacct_core.o     \
168         exec.o            \
169         exit.o            \
170         fbio.o            \
171         fcntl.o           \
172         fdbuffer.o        \
173         fdsync.o          \
174         fem.o             \
175         ffs.o             \
176         fio.o             \
177         flock.o           \
178         fm.o              \
179         fork.o            \
180         vpm.o             \
181         fs_reparse.o      \
182         fs_subr.o         \
183         fsflush.o         \
184         ftrace.o          \
185         getcwd.o          \
186         getdents.o        \
187         getloadavg.o       \
188         getpagesizes.o    \
189         getpid.o          \

```

## new/usr/src/uts/common/Makefile.files

4

```

190         gfs.o             \
191         rusagesys.o       \
192         gid.o             \
193         groups.o          \
194         grow.o            \
195         hat_refmod.o      \
196         id32.o            \
197         id_space.o        \
198         inet_ntop.o       \
199         instance.o        \
200         ioctl.o           \
201         ip_cksum.o        \
202         issetugid.o       \
203         ipppconf.o        \
204         kcpic.o           \
205         kdi.o             \
206         kiconv.o          \
207         klpd.o            \
208         kmem.o            \
209         ksyms_snapshot.o  \
210         l_strplumb.o      \
211         labelsys.o        \
212         link.o            \
213         list.o            \
214         lockstat_subr.o   \
215         log_sysevent.o    \
216         logsubr.o         \
217         lookup.o          \
218         lseek.o           \
219         ltos.o            \
220         lwp.o             \
221         lwp_create.o      \
222         lwp_info.o        \
223         lwp_self.o        \
224         lwp_sobj.o        \
225         lwp_timer.o       \
226         lwpsys.o          \
227         main.o            \
228         mmapobjsys.o      \
229         memcntl.o         \
230         memstr.o          \
231         lgrpsys.o         \
232         mkdir.o           \
233         mknod.o           \
234         mount.o           \
235         move.o            \
236         msacct.o          \
237         multidata.o       \
238         nbmlock.o         \
239         ndifm.o           \
240         nice.o            \
241         netstack.o        \
242         ntptime.o         \
243         nvpair.o           \
244         nvpair_alloc_system.o \
245         nvpair_alloc_fixed.o \
246         fnvpair.o         \
247         octet.o           \
248         open.o            \
249         p_online.o        \
250         pathconf.o        \
251         pathname.o        \
252         pause.o           \
253         serializer.o      \
254         pci_intr_lib.o    \
255         pci_cap.o         \

```

## new/usr/src/uts/common/Makefile.files

```

256          pcifm.o          \
257          pgrp.o          \
258          pgrpsys.o       \
259          pid.o           \
260          pkp_hash.o      \
261          policy.o        \
262          poll.o          \
263          pool.o          \
264          pool_pset.o     \
265          port_subr.o     \
266          ppriv.o         \
267          printf.o        \
268          priocntl.o      \
269          priv.o          \
270          priv_const.o    \
271          proc.o          \
272          procset.o       \
273          processor_bind.o \
274          processor_info.o \
275          profil.o        \
276          project.o       \
277          qsort.o         \
278          rctl.o          \
279          rctlsys.o       \
280          readlink.o      \
281          refstr.o        \
282          rename.o        \
283          resolvepath.o   \
284          retire_store.o  \
285          process.o       \
286          rlimit.o        \
287          rmap.o          \
288          rw.o            \
289          rwstlock.o      \
290          sad_conf.o      \
291          sid.o           \
292          sidsys.o        \
293          sched.o         \
294          schedctl.o      \
295          sctp_crc32.o    \
296          seg_dev.o       \
297          seg_kp.o        \
298          seg_kpm.o       \
299          seg_map.o       \
300          seg_vn.o        \
301          seg_spt.o       \
302          semaphore.o     \
303          sendfile.o      \
304          session.o       \
305          share.o         \
306          shuttle.o       \
307          sig.o           \
308          sigaction.o     \
309          sigaltstack.o   \
310          signotify.o     \
311          sigpending.o    \
312          sigprocmask.o   \
313          sigqueue.o      \
314          sigendset.o     \
315          sigsuspend.o    \
316          sigtimedwait.o  \
317          sleepq.o        \
318          sock_conf.o     \
319          space.o         \
320          sscanf.o        \
321          stat.o          \

```

5

## new/usr/src/uts/common/Makefile.files

```

322          statfs.o        \
323          statvfs.o       \
324          stol.o          \
325          str_conf.o      \
326          strcalls.o     \
327          stream.o        \
328          streamio.o      \
329          strext.o        \
330          strsubr.o       \
331          strsun.o        \
332          subr.o          \
333          sunddi.o        \
334          sunmdi.o        \
335          sunndi.o        \
336          sunpci.o        \
337          sunpm.o         \
338          sundlpi.o       \
339          suntpi.o        \
340          swap_subr.o     \
341          swap_vnops.o    \
342          symlink.o       \
343          sync.o          \
344          sysclass.o      \
345          sysconfig.o     \
346          sysent.o        \
347          sysfs.o         \
348          systeminfo.o    \
349          task.o          \
350          taskq.o         \
351          tasksys.o       \
352          time.o          \
353          timer.o         \
354          times.o         \
355          timers.o        \
356          thread.o        \
357          tlabel.o        \
358          tnf_res.o       \
359          turnstile.o     \
360          tty_common.o    \
361          u8_textprep.o   \
362          uadmin.o        \
363          uconv.o         \
364          ucredsys.o      \
365          uid.o           \
366          umask.o         \
367          umount.o        \
368          uname.o         \
369          unix_bb.o       \
370          unlink.o        \
371          urw.o           \
372          utime.o         \
373          utssys.o        \
374          uucopy.o        \
375          vfs.o           \
376          vfs_conf.o      \
377          vmem.o          \
378          vm_anon.o       \
379          vm_as.o         \
380          vm_meter.o      \
381          vm_pageout.o    \
382          vm_pvn.o        \
383          vm_rm.o         \
384          vm_seg.o        \
385          vm_subr.o       \
386          vm_swap.o       \
387          vm_usage.o      \

```

6

## new/usr/src/uts/common/Makefile.files

7

```

388          vnode.o          \
389          vuid_queue.o     \
390          vuid_store.o     \
391          waitq.o          \
392          watchpoint.o    \
393          yield.o          \
394          scsi_confdata.o  \
395          xattr.o          \
396          xattr_common.o   \
397          xdr_mblk.o       \
398          xdr_mem.o        \
399          xdr.o            \
400          xdr_array.o      \
401          xdr_refer.o      \
402          xhat.o           \
403          zone.o

405 #
406 #     Stubs for the stand-alone linker/loader
407 #
408 sparc_GENSTUBS_OBJS = \
409     kobj_stubs.o

411 i386_GENSTUBS_OBJS =

413 COMMON_GENSTUBS_OBJS =

415 GENSTUBS_OBJS += $(COMMON_GENSTUBS_OBJS) $($ (MACH)_GENSTUBS_OBJS)

417 #
418 #     DTrace and DTrace Providers
419 #
420 DTRACE_OBJS += dtrace.o dtrace_isa.o dtrace_asm.o

422 SDT_OBJS += sdt_subr.o

424 PROFILE_OBJS += profile.o

426 SYSTRACE_OBJS += systrace.o

428 LOCKSTAT_OBJS += lockstat.o

430 FASTTRAP_OBJS += fasttrap.o fasttrap_isa.o

432 DCPC_OBJS += dcpc.o

434 #
435 #     Driver (pseudo-driver) Modules
436 #
437 IPP_OBJS += ippctl.o

439 AUDIO_OBJS += audio_client.o audio_ddi.o audio_engine.o \
440     audio_fltdata.o audio_format.o audio_ctrl.o \
441     audio_grc3.o audio_output.o audio_input.o \
442     audio_oss.o audio_sun.o

444 AUDIOEMU10K_OBJS += audioemu10k.o

446 AUDIOENS_OBJS += audioens.o

448 AUDIOVIA823X_OBJS += audiovia823x.o

450 AUDIOVIA97_OBJS += audiovia97.o

452 AUDIO1575_OBJS += audio1575.o

```

## new/usr/src/uts/common/Makefile.files

8

```

454 AUDIO810_OBJS += audio810.o

456 AUDIOCMI_OBJS += audiocmi.o

458 AUDIOCMIHD_OBJS += audiocmihd.o

460 AUDIOHD_OBJS += audiohd.o

462 AUDIOIXP_OBJS += audioixp.o

464 AUDIOLS_OBJS += audiols.o

466 AUDIOP16X_OBJS += audiop16x.o

468 AUDIOPCI_OBJS += audiopci.o

470 AUDIOSOLO_OBJS += audiosolo.o

472 AUDIOTS_OBJS += audiots.o

474 AC97_OBJS += ac97.o ac97_ad.o ac97_alc.o ac97_cmi.o

476 BLKDEV_OBJS += blkdev.o

479 CARDBUS_OBJS += cardbus.o cardbus_hp.o cardbus_cfg.o

478 CONSKBD_OBJS += conskbd.o

480 CONSMS_OBJS += consms.o

482 OLDPTY_OBJS += tty_ptyconf.o

484 PTC_OBJS += tty_pty.o

486 PTSL_OBJS += tty_pts.o

488 PTM_OBJS += ptm.o

490 MII_OBJS += mii.o mii_cicada.o mii_natsemi.o mii_intel.o mii_qualsemi.o \
491     mii_marvell.o mii_realtek.o mii_other.o

493 PTS_OBJS += pts.o

495 PTY_OBJS += ptms_conf.o

497 SAD_OBJS += sad.o

499 MD4_OBJS += md4.o md4_mod.o

501 MD5_OBJS += md5.o md5_mod.o

503 SHA1_OBJS += sha1.o sha1_mod.o

505 SHA2_OBJS += sha2.o sha2_mod.o

507 IPGPC_OBJS += classifierddi.o classifier.o filters.o trie.o table.o \
508     ba_table.o

510 DSCPMK_OBJS += dscpmk.o dscpmkddi.o

512 DLCOSMK_OBJS += dlcosmk.o dlcosmkddi.o

514 FLOWACCT_OBJS += flowacctddi.o flowacct.o

516 TOKENMT_OBJS += tokenmt.o tokenmtddi.o

```



```

518 TSWTCL_OBJS += tswtcl.o tswtclddi.o
520 ARP_OBJS += arpddi.o
522 ICMP_OBJS += icmpddi.o
524 ICMP6_OBJS += icmp6ddi.o
526 RTS_OBJS += rtsddi.o
528 IP_ICMP_OBJS = icmp.o icmp_opt_data.o
529 IP_RTS_OBJS = rts.o rts_opt_data.o
530 IP_TCP_OBJS = tcp.o tcp_fusion.o tcp_opt_data.o tcp_sack.o tcp_stats.o \
531 tcp_misc.o tcp_timers.o tcp_time_wait.o tcp_tpi.o tcp_output.o \
532 tcp_input.o tcp_socket.o tcp_bind.o tcp_cluster.o tcp_tunables.o
533 IP_UDP_OBJS = udp.o udp_opt_data.o udp_tunables.o udp_stats.o
534 IP_SCTP_OBJS = sctp.o sctp_opt_data.o sctp_output.o \
535 sctp_init.o sctp_input.o sctp_cookie.o \
536 sctp_conn.o sctp_error.o sctp_snmp.o \
537 sctp_tunables.o sctp_shutdown.o sctp_common.o \
538 sctp_timer.o sctp_heartbeat.o sctp_hash.o \
539 sctp_bind.o sctp_notify.o sctp_asconf.o \
540 sctp_addr.o tn_ipopt.o tnet.o ip_netinfo.o \
541 sctp_misc.o
542 IP_ILB_OBJS = ilb.o ilb_nat.o ilb_conn.o ilb_alg_hash.o ilb_alg_rr.o

544 IP_OBJS += igmp.o ipmp.o ip.o ip6.o ip6_asp.o ip6_if.o ip6_ire.o \
545 ip6_rts.o ip_if.o ip_ire.o ip_listutils.o ip_mroutel.o \
546 ip_multi.o ip2mac.o ip_ndp.o ip_rts.o ip_srcid.o \
547 ipddi.o ipdrop.o mi.o nd.o tunables.o optcom.o snmpcom.o \
548 ipsec_loader.o spd.o ipclassifier.o inet_common.o ip_queue.o \
549 squeue.o ip_sadb.o ip_ftable.o proto_set.o radix.o ip_dummy.o \
550 ip_helper_stream.o ip_tunables.o \
551 ip_output.o ip_input.o ip6_input.o ip6_output.o ip_arp.o \
552 conn_opt.o ip_attr.o ip_dce.o \
553 $(IP_ICMP_OBJS) \
554 $(IP_RTS_OBJS) \
555 $(IP_TCP_OBJS) \
556 $(IP_UDP_OBJS) \
557 $(IP_SCTP_OBJS) \
558 $(IP_ILB_OBJS)

560 IP6_OBJS += ip6ddi.o
562 HOOK_OBJS += hook.o
564 NETI_OBJS += neti_impl.o neti_mod.o neti_stack.o
566 KEYSOCK_OBJS += keysockddi.o keysock.o keysock_opt_data.o
568 IPNET_OBJS += ipnet.o ipnet_bpf.o
570 SPDSOCK_OBJS += spdsockddi.o spdsock.o spdsock_opt_data.o
572 IPSECESP_OBJS += ipsecespddi.o ipsecesp.o
574 IPSECAH_OBJS += ipsecahddi.o ipsecah.o sadb.o
576 SPPP_OBJS += sPPP.o sPPP_dlpi.o sPPP_mod.o sPPP_common.o
578 SPPPTUN_OBJS += sPPPtun.o sPPPtun_mod.o
580 SPPPASYN_OBJS += sPPPpasyn.o sPPPpasyn_mod.o
582 SPPPCOMP_OBJS += sPPPcomp.o sPPPcomp_mod.o deflate.o BSD-comp.o vjcompress.o \
583 zlib.o

```

```

585 TCP_OBJS += tcpddi.o
587 TCP6_OBJS += tcp6ddi.o
589 NCA_OBJS += ncaddi.o
591 SDP SOCK_MOD_OBJS += sockmod_sdp.o socksdp.o socksdp_subr.o
593 SCTP SOCK_MOD_OBJS += sockmod_sctp.o sockscctp.o sockscctp_subr.o
595 PFP SOCK_MOD_OBJS += sockmod_pfp.o
597 RDS SOCK_MOD_OBJS += sockmod_rds.o
599 RDS_OBJS += rdsddi.o rdssubr.o rds_opt.o rds_ioctl.o
601 RDSIB_OBJS += rdsib.o rdsib_ib.o rdsib_cm.o rdsib_ep.o rdsib_buf.o \
602 rdsib_debug.o rdsib_sc.o
604 RDSV3_OBJS += af_rds.o rdsv3_ddi.o bind.o loop.o threads.o connection.o \
605 transport.o cong.o sysctl.o message.o rds_rcv.o send.o \
606 stats.o info.o page.o rdma_transport.o ib_ring.o ib_rdma.o \
607 ib_rcv.o ib.o ib_send.o ib_sysctl.o ib_stats.o ib_cm.o \
608 rdsv3_sc.o rdsv3_debug.o rdsv3_impl.o rdma.o rdsv3_af_thr.o
610 ISER_OBJS += iser.o iser_cm.o iser_cg.o iser_ib.o iser_idm.o \
611 iser_resource.o iser_xfer.o
613 UDP_OBJS += udpddi.o
615 UDP6_OBJS += udp6ddi.o
617 SY_OBJS += gentyty.o
619 TCO_OBJS += ticots.o
621 TCOO_OBJS += ticotsord.o
623 TCL_OBJS += ticlts.o
625 TL_OBJS += tl.o
627 DUMP_OBJS += dump.o
629 BPF_OBJS += bpf.o bpf_filter.o bpf_mod.o bpf_dlt.o bpf_mac.o
631 CLONE_OBJS += clone.o
633 CN_OBJS += cons.o
635 DLD_OBJS += dld_drv.o dld_proto.o dld_str.o dld_flow.o
637 DLS_OBJS += dls.o dls_link.o dls_mod.o dls_stat.o dls_mgmt.o
639 GLD_OBJS += gld.o gldutil.o
641 MAC_OBJS += mac.o mac_bcast.o mac_client.o mac_datapath_setup.o mac_flow.o
642 mac_hio.o mac_mod.o mac_ndd.o mac_provider.o mac_sched.o \
643 mac_protect.o mac_soft_ring.o mac_stat.o mac_util.o
645 MAC_6TO4_OBJS += mac_6to4.o
647 MAC_ETHER_OBJS += mac_ether.o
649 MAC_IPV4_OBJS += mac_ipv4.o

```

```

651 MAC_IPV6_OBJS +=      mac_ipv6.o
653 MAC_WIFI_OBJS +=      mac_wifi.o
655 MAC_IB_OBJS +=        mac_ib.o
657 IPTUN_OBJS +=        iptun_dev.o iptun_ctl.o iptun.o
659 AGGR_OBJS +=          aggr_dev.o aggr_ctl.o aggr_grp.o aggr_port.o \
660                        aggr_send.o aggr_recv.o aggr_lacp.o
662 SOFTMAC_OBJS +=        softmac_main.o softmac_ctl.o softmac_capab.o \
663                        softmac_dev.o softmac_stat.o softmac_pkt.o softmac_fp.o
665 NET80211_OBJS +=       net80211.o net80211_proto.o net80211_input.o \
666                        net80211_output.o net80211_node.o net80211_crypto.o \
667                        net80211_crypto_none.o net80211_crypto_wep.o net80211_ioctl.o \
668                        net80211_crypto_tkip.o net80211_crypto_ccmp.o \
669                        net80211_ht.o
671 VNIC_OBJS +=          vnic_ctl.o vnic_dev.o
673 SIMNET_OBJS +=        simnet.o
675 IB_OBJS +=            ibnex.o ibnex_ioctl.o ibnex_hca.o
677 IBCM_OBJS +=          ibcm_impl.o ibcm_sm.o ibcm_ti.o ibcm_utils.o ibcm_path.o \
678                        ibcm_arp.o ibcm_arp_link.o
680 IBDM_OBJS +=          ibdm.o
682 IBDMA_OBJS +=         ibdma.o
684 IBMF_OBJS +=          ibmf.o ibmf_impl.o ibmf_dr.o ibmf_wqe.o ibmf_ud_dest.o ibmf_mod.
685                        ibmf_send.o ibmf_recv.o ibmf_handlers.o ibmf_trans.o \
686                        ibmf_timers.o ibmf_msg.o ibmf_utils.o ibmf_rmpp.o \
687                        ibmf_saa.o ibmf_saa_impl.o ibmf_saa_utils.o ibmf_saa_events.o
689 IBTL_OBJS +=          ibtl_impl.o ibtl_util.o ibtl_mem.o ibtl_handlers.o ibtl_qp.o \
690                        ibtl_cq.o ibtl_wr.o ibtl_hca.o ibtl_chan.o ibtl_cm.o \
691                        ibtl_mcg.o ibtl_ibnex.o ibtl_srq.o ibtl_part.o
693 TAVOR_OBJS +=         tavor.o tavor_agents.o tavor_cfg.o tavor_ci.o tavor_cmd.o \
694                        tavor_cq.o tavor_event.o tavor_ioctl.o tavor_misc.o \
695                        tavor_mr.o tavor_qp.o tavor_qpmod.o tavor_rsrc.o \
696                        tavor_srq.o tavor_stats.o tavor_umap.o tavor_wr.o
698 HERMON_OBJS +=        hermon.o hermon_agents.o hermon_cfg.o hermon_ci.o hermon_cmd.o \
699                        hermon_cq.o hermon_event.o hermon_ioctl.o hermon_misc.o \
700                        hermon_mr.o hermon_qp.o hermon_qpmod.o hermon_rsrc.o \
701                        hermon_srq.o hermon_stats.o hermon_umap.o hermon_wr.o \
702                        hermon_fcoib.o hermon_fm.o
704 DAPLT_OBJS +=         daplt.o
706 SOL_OFS_OBJS +=       sol_cma.o sol_ib_cma.o sol_uobj.o \
707                        sol_ofs_debug_util.o sol_ofs_gen_util.o \
708                        sol_kverbs.o
710 SOL_UCMA_OBJS +=      sol_ucma.o
712 SOL_UVERBS_OBJS +=    sol_uverbs.o sol_uverbs_comp.o sol_uverbs_event.o \
713                        sol_uverbs_hca.o sol_uverbs_qp.o
715 SOL_UMAD_OBJS +=      sol_umad.o

```

```

717 KSTAT_OBJS +=        kstat.o
719 KSYMS_OBJS +=        ksyms.o
721 INSTANCE_OBJS +=     inst_sync.o
723 IWSCN_OBJS +=        iwscn.o
725 LOFI_OBJS +=         lofi.o LzmaDec.o
727 FSSNAP_OBJS +=       fssnap.o
729 FSSNAPIF_OBJS +=     fssnap_if.o
731 MM_OBJS +=           mem.o
733 PHYSMEM_OBJS +=     physmem.o
735 OPTIONS_OBJS +=     options.o
737 WINLOCK_OBJS +=      winlockio.o
739 PM_OBJS +=           pm.o
740 SRN_OBJS +=          srn.o
742 PSEUDO_OBJS +=       pseudonex.o
744 RAMDISK_OBJS +=      ramdisk.o
746 LLC1_OBJS +=         llc1.o
748 USBKBM_OBJS +=       usbkbm.o
750 USBWCM_OBJS +=       usbwcm.o
752 BOFI_OBJS +=         bofi.o
754 HID_OBJS +=          hid.o
756 HWA_RC_OBJS +=       hwarc.o
758 USBSKEL_OBJS +=       usbskel.o
760 USBVC_OBJS +=         usbvc.o usbvc_v412.o
762 HIDPARSER_OBJS +=    hidparser.o
764 USB_AC_OBJS +=        usb_ac.o
766 USB_AS_OBJS +=        usb_as.o
768 USB_AH_OBJS +=        usb_ah.o
770 USBMS_OBJS +=        usbms.o
772 USBPRN_OBJS +=        usbprn.o
774 UGEN_OBJS +=         ugen.o
776 USBSER_OBJS +=        usbser.o usbser_rseq.o
778 USBSACM_OBJS +=       usb_sacm.o
780 USBSER_KEYSPAN_OBJS += usbser_keyspan.o keyspan_dsd.o keyspan_pipe.o

```

## new/usr/src/uts/common/Makefile.files

13

```

782 USBS49_FW_OBJS += keyspan_49fw.o
784 USBSPRL_OBJS += usbser_pl2303.o pl2303_dsd.o
786 WUSB_CA_OBJS += wusb_ca.o
788 USBFTDI_OBJS += usbser_uftdi.o uftdi_dsd.o
790 USBECM_OBJS += usbecm.o
792 WC_OBJS += wscons.o vcons.o
794 VCONS_CONF_OBJS += vcons_conf.o
796 SCSI_OBJS +=      scsi_capabilities.o scsi_confsubr.o scsi_control.o \
797                  scsi_data.o scsi_fm.o scsi_hba.o scsi_reset_notify.o \
798                  scsi_resource.o scsi_subr.o scsi_transport.o scsi_watch.o \
799                  smp_transport.o
801 SCSI_VHCI_OBJS +=      scsi_vhci.o mpapi_impl.o scsi_vhci_tpgs.o
803 SCSI_VHCI_F_SYM_OBJS +=      sym.o
805 SCSI_VHCI_F_TPGS_OBJS +=      tpgs.o
807 SCSI_VHCI_F_ASYM_SUN_OBJS +=  asym_sun.o
809 SCSI_VHCI_F_SYM_HDS_OBJS +=  sym_hds.o
811 SCSI_VHCI_F_TAPE_OBJS +=      tape.o
813 SCSI_VHCI_F_TPGS_TAPE_OBJS += tpgs_tape.o
815 SGEN_OBJS +=      sgen.o
817 SMP_OBJS +=      smp.o
819 SATA_OBJS +=      sata.o
821 USBA_OBJS +=      hcidi.o usba.o usbai.o hubdi.o parser.o genconsole.o \
822                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
823                  usba_devdb.o usba10_calls.o usba_uugen.o whcdi.o wa.o
824 USBA_WITHOUT_WUSB_OBJS +=      hcidi.o usba.o usbai.o hubdi.o parser.o gencons
825                  usbai_pipe_mgmt.o usbai_req.o usbai_util.o usbai_register.o \
826                  usba_devdb.o usba10_calls.o usba_uugen.o
828 USBA10_OBJS +=      usba10.o
830 RSM_OBJS +=      rsm.o rsmka_pathmanager.o rsmka_util.o
832 RSMOPS_OBJS +=      rsmops.o
834 S1394_OBJS +=      t1394.o t1394_errmsg.o s1394.o s1394_addr.o s1394_async.o \
835                  s1394_bus_reset.o s1394_cmp.o s1394_csr.o s1394_dev_disc.o \
836                  s1394_fa.o s1394_fcp.o \
837                  s1394_hotplug.o s1394_isoch.o s1394_misc.o h1394.o nx1394.o
839 HCI1394_OBJS +=      hcil1394.o hcil1394_async.o hcil1394_attach.o hcil1394_buf.o \
840                  hcil1394_csr.o hcil1394_detach.o hcil1394_extern.o \
841                  hcil1394_ioctl.o hcil1394_isoch.o hcil1394_isr.o \
842                  hcil1394_ixl_comp.o hcil1394_ixl_isr.o hcil1394_ixl_misc.o \
843                  hcil1394_ixl_update.o hcil1394_misc.o hcil1394_ohci.o \
844                  hcil1394_q.o hcil1394_s1394if.o hcil1394_tlabel.o \
845                  hcil1394_tlist.o hcil1394_vendor.o
847 AV1394_OBJS +=      av1394.o av1394_as.o av1394_async.o av1394_cfgrom.o \

```

## new/usr/src/uts/common/Makefile.files

14

```

848                  av1394_cmp.o av1394_fcp.o av1394_isoch.o av1394_isoch_chan.o \
849                  av1394_isoch_recv.o av1394_isoch_xmit.o av1394_list.o \
850                  av1394_queue.o
852 DCAM1394_OBJS +=      dcam.o dcam_frame.o dcam_param.o dcam_reg.o \
853                  dcam_ring_buff.o
855 SCSA1394_OBJS +=      hba.o sbp2_driver.o sbp2_bus.o
857 SBP2_OBJS +=      cfgrom.o sbp2.o
859 PMODEM_OBJS +=      pmodem.o pmodem_cis.o cis.o cis_callout.o cis_handlers.o cis_para
861 DSW_OBJS +=      dsw.o dsw_dev.o ii_tree.o
863 NCALL_OBJS +=      ncall.o \
864                  ncall_stub.o
866 RDC_OBJS +=      rdc.o \
867                  rdc_dev.o \
868                  rdc_io.o \
869                  rdc_clnt.o \
870                  rdc_prot_xdr.o \
871                  rdc_svc.o \
872                  rdc_bitmap.o \
873                  rdc_health.o \
874                  rdc_subr.o \
875                  rdc_diskq.o
877 RDCSRV_OBJS +=      rdcsrv.o
879 RDCSTUB_OBJS +=      rdc_stub.o
881 SDBC_OBJS +=      sd_bcache.o \
882                  sd_bio.o \
883                  sd_conf.o \
884                  sd_ft.o \
885                  sd_hash.o \
886                  sd_io.o \
887                  sd_misc.o \
888                  sd_pcu.o \
889                  sd_tdaemon.o \
890                  sd_trace.o \
891                  sd_iob_impl0.o \
892                  sd_iob_impl1.o \
893                  sd_iob_impl2.o \
894                  sd_iob_impl3.o \
895                  sd_iob_impl4.o \
896                  sd_iob_impl5.o \
897                  sd_iob_impl6.o \
898                  sd_iob_impl7.o \
899                  safestore.o \
900                  safestore_ram.o
902 NSCTL_OBJS +=      nsctl.o \
903                  nsc_cache.o \
904                  nsc_disk.o \
905                  nsc_dev.o \
906                  nsc_freeze.o \
907                  nsc_gen.o \
908                  nsc_mem.o \
909                  nsc_ncallio.o \
910                  nsc_power.o \
911                  nsc_resv.o \
912                  nsc_rmspin.o \
913                  nsc_solaris.o \

```

```

914         nsc_trap.o \
915         nsc_list.o
916 UNISTAT_OBJS += spuni.o \
917         spcs_s_k.o

919 NSKERN_OBJS += nsc_ddi.o \
920         nsc_proc.o \
921         nsc_raw.o \
922         nsc_thread.o \
923         nskernd.o

925 SV_OBJS += sv.o

927 PMCS_OBJS += pmcs_attach.o pmcs_ds.o pmcs_intr.o pmcs_nvram.o pmcs_sata.o \
928         pmcs_scsa.o pmcs_smhba.o pmcs_subr.o pmcs_fwlog.o

930 PMCS8001FW_C_OBJS += pmcs_fw_hdr.o
931 PMCS8001FW_OBJS += $(PMCS8001FW_C_OBJS) SPCBoot.o ila.o firmware.o

933 #
934 #       Build up defines and paths.

936 ST_OBJS += st.o st_conf.o

938 EMLXS_OBJS += emlxs_clock.o emlxs_dfc.o emlxs_dhchap.o emlxs_diag.o \
939         emlxs_download.o emlxs_dump.o emlxs_els.o emlxs_event.o \
940         emlxs_fcf.o emlxs_fcp.o emlxs_fct.o emlxs_hba.o emlxs_ip.o \
941         emlxs_mbox.o emlxs_mem.o emlxs_msg.o emlxs_node.o \
942         emlxs_pkt.o emlxs_sli3.o emlxs_sli4.o emlxs_solaris.o \
943         emlxs_thread.o

945 EMLXS_FW_OBJS += emlxs_fw.o

947 OCE_OBJS += oce_buf.o oce_fm.o oce_gld.o oce_hw.o oce_intr.o oce_main.o \
948         oce_mbx.o oce_mq.o oce_queue.o oce_rx.o oce_stat.o oce_tx.o \
949         oce_utils.o

951 FCT_OBJS += discovery.o fct.o

953 QLT_OBJS += 2400.o 2500.o 8100.o qlt.o qlt_dma.o

955 SRPT_OBJS += srpt_mod.o srpt_ch.o srpt_cm.o srpt_ioc.o srpt_stp.o

957 FCOE_OBJS += fcoe.o fcoe_eth.o fcoe_fc.o

959 FCOET_OBJS += fcoet.o fcoet_eth.o fcoet_fc.o

961 FCOEI_OBJS += fcoei.o fcoei_eth.o fcoei_lv.o

963 ISCSIT_SHARED_OBJS += \
964         iscsit_common.o

966 ISCSIT_OBJS += $(ISCSIT_SHARED_OBJS) \
967         iscsit.o iscsit_tgt.o iscsit_sess.o iscsit_login.o \
968         iscsit_text.o iscsit_isns.o iscsit_radiusauth.o \
969         iscsit_radiuspacket.o iscsit_auth.o iscsit_authclient.o

971 PPPT_OBJS += alua_ic_if.o pppt.o pppt_msg.o pppt_tgt.o

973 STMF_OBJS += lun_map.o stmf.o

975 STMF_SBD_OBJS += sbd.o sbd_scsi.o sbd_pgr.o sbd_zvol.o

977 SYMSG_OBJS += sysmsg.o

979 SES_OBJS += ses.o ses_sen.o ses_safte.o ses_ses.o

```

```

981 TNF_OBJS += tnf_buf.o tnf_trace.o tnf_writer.o trace_init.o \
982         trace_funcs.o tnf_probe.o tnf.o

984 LOGINDMUX_OBJS += logindmux.o

986 DEVINFO_OBJS += devinfo.o

988 DEVPOLL_OBJS += devpoll.o

990 DEVPOOL_OBJS += devpool.o

992 I8042_OBJS += i8042.o

994 KB8042_OBJS += \
995         at_keyprocess.o \
996         kb8042.o \
997         kb8042_keytables.o

999 MOUSE8042_OBJS += mouse8042.o

1001 FDC_OBJS += fdc.o

1003 ASY_OBJS += asy.o

1005 ECPP_OBJS += ecpp.o

1007 VUIDM3P_OBJS += vuidmice.o vuidm3p.o

1009 VUIDM4P_OBJS += vuidmice.o vuidm4p.o

1011 VUIDM5P_OBJS += vuidmice.o vuidm5p.o

1013 VUIDPS2_OBJS += vuidmice.o vuidps2.o

1015 HPCSV_OBJS += hpcsvc.o

1017 PCIE_MISC_OBJS += pcie.o pcie_fault.o pcie_hp.o pciehpc.o pcishpc.o pcie_pwr.o p

1019 PCIHPNEXUS_OBJS += pcihp.o

1021 OPENEPR_OBJS += openprom.o

1023 RANDOM_OBJS += random.o

1025 PSHOT_OBJS += pshot.o

1027 GEN_DRV_OBJS += gen_drv.o

1029 TCLIENT_OBJS += tclient.o

1031 TPHCI_OBJS += tphci.o

1033 TVHCI_OBJS += tvhci.o

1035 EMUL64_OBJS += emul64.o emul64_bsd.o

1037 FCP_OBJS += fcp.o

1039 FCIP_OBJS += fcip.o

1041 FCSM_OBJS += fcsm.o

1043 FCTL_OBJS += fctl.o

1045 FP_OBJS += fp.o

```

```

1047 QLC_OBJS += ql_api.o ql_debug.o ql_hba_fru.o ql_init.o ql_iocb.o ql_ioctl.o \
1048     ql_isr.o ql_mbx.o ql_nx.o ql_xioctl.o ql_fw_table.o

1050 QLC_FW_2200_OBJS += ql_fw_2200.o

1052 QLC_FW_2300_OBJS += ql_fw_2300.o

1054 QLC_FW_2400_OBJS += ql_fw_2400.o

1056 QLC_FW_2500_OBJS += ql_fw_2500.o

1058 QLC_FW_6322_OBJS += ql_fw_6322.o

1060 QLC_FW_8100_OBJS += ql_fw_8100.o

1062 QLGE_OBJS += qlge.o qlge_dbg.o qlge_flash.o qlge_fm.o qlge_gld.o qlge_mpi.o

1064 ZCONS_OBJS += zcons.o

1066 NV_SATA_OBJS += nv_sata.o

1068 SI3124_OBJS += si3124.o

1070 AHCI_OBJS += ahci.o

1072 PCIIDE_OBJS += pci-ide.o

1074 PCEPP_OBJS += pcepp.o

1076 CPC_OBJS += cpc.o

1078 CPUID_OBJS += cpuid_drv.o

1080 SYSEVENT_OBJS += sysevent.o

1082 BL_OBJS += bl.o

1084 DRM_OBJS += drm_sunmod.o drm_kstat.o drm_agpsupport.o \
1085     drm_auth.o drm_bufs.o drm_context.o drm_dma.o \
1086     drm_drawable.o drm_drv.o drm_fops.o drm_ioctl.o drm_irq.o \
1087     drm_lock.o drm_memory.o drm_msg.o drm_pci.o drm_scatter.o \
1088     drm_cache.o drm_gem.o drm_mm.o ati_pciart.o

1090 FM_OBJS += devfm.o devfm_machdep.o

1092 RTLS_OBJS += rtls.o

1094 #
1095 #         exec modules
1096 #
1097 ACUTEEXEC_OBJS += aout.o

1099 ELFEXEC_OBJS += elf.o elf_notes.o old_notes.o

1101 INTPEXEC_OBJS += intp.o

1103 SHBINEXEC_OBJS += shbin.o

1105 JAVAEXEC_OBJS += java.o

1107 #
1108 #         file system modules
1109 #
1110 AUTOFS_OBJS += auto_vfsops.o auto_vnops.o auto_subr.o auto_xdr.o auto_sys.o

```

```

1112 CACHEFS_OBJS += cachefs_cnode.o         cachefs_cod.o \
1113     cachefs_dir.o         cachefs_dlog.o  cachefs_filegrp.o \
1114     cachefs_fscache.o    cachefs_ioctl.o cachefs_log.o \
1115     cachefs_module.o \
1116     cachefs_noopc.o      cachefs_resource.o \
1117     cachefs_strict.o \
1118     cachefs_subr.o       cachefs_vfsops.o \
1119     cachefs_vnops.o

1121 DCFS_OBJS += dc_vnops.o

1123 DEVFS_OBJS += devfs_subr.o  devfs_vfsops.o  devfs_vnops.o

1125 DEV_OBJS  += sdev_subr.o     sdev_vfsops.o  sdev_vnops.o  \
1126     sdev_ptsops.o  sdev_zvolops.o  sdev_comm.o   \
1127     sdev_profile.o sdev_ncache.o  sdev_netops.o \
1128     sdev_ipnetops.o \
1129     sdev_vtops.o

1131 CTFS_OBJS += ctfs_all.o ctfs_cdir.o ctfs_ctl.o ctfs_event.o \
1132     ctfs_latest.o ctfs_root.o ctfs_sym.o ctfs_tdir.o ctfs_tmpl.o

1134 OBJFS_OBJS += objfs_vfs.o  objfs_root.o  objfs_common.o \
1135     objfs_odir.o  objfs_data.o

1137 FDFS_OBJS += fdops.o

1139 FIFO_OBJS += fifosubr.o  fifovnops.o

1141 PIPE_OBJS += pipe.o

1143 HSFS_OBJS += hsfs_node.o  hsfs_subr.o  hsfs_vfsops.o  hsfs_vnops.o \
1144     hsfs_susp.o  hsfs_rrip.o  hsfs_susp_subr.o

1146 LOFS_OBJS += lofs_subr.o  lofs_vfsops.o  lofs_vnops.o

1148 NAMEFS_OBJS += namevfs.o  namevno.o

1150 NFS_OBJS += nfs_client.o  nfs_common.o  nfs_dump.o \
1151     nfs_subr.o  nfs_vfsops.o  nfs_vnops.o \
1152     nfs_xdr.o  nfs_sys.o  nfs_strerror.o \
1153     nfs3_vfsops.o  nfs3_vnops.o  nfs3_xdr.o \
1154     nfs_acl_vnops.o  nfs_acl_xdr.o  nfs4_vfsops.o \
1155     nfs4_vnops.o  nfs4_xdr.o  nfs4_idmap.o \
1156     nfs4_shadow.o  nfs4_subr.o \
1157     nfs4_attr.o  nfs4_rnode.o  nfs4_client.o \
1158     nfs4_acache.o  nfs4_common.o  nfs4_client_state.o \
1159     nfs4_callback.o  nfs4_recovery.o  nfs4_client_secinfo.o \
1160     nfs4_client_debug.o  nfs_stats.o \
1161     nfs4_acl.o  nfs4_stub_vnops.o  nfs_cmd.o

1163 NFSSRV_OBJS += nfs_server.o  nfs_srv.o  nfs3_srv.o \
1164     nfs_acl_srv.o  nfs_auth.o  nfs_auth_xdr.o \
1165     nfs_export.o  nfs_log.o  nfs_log_xdr.o \
1166     nfs4_srv.o  nfs4_state.o  nfs4_srv_attr.o \
1167     nfs4_srv_ns.o  nfs4_db.o  nfs4_srv_deleg.o \
1168     nfs4_deleg_ops.o  nfs4_srv_readdir.o  nfs4_dispatch.o

1170 SMBSRV_SHARED_OBJS += \
1171     smb_inet.o \
1172     smb_match.o \
1173     smb_msgbuf.o \
1174     smb_oem.o \
1175     smb_string.o \
1176     smb_utf8.o \
1177     smb_door_legacy.o \

```

## new/usr/src/uts/common/Makefile.files

```

1178         smb_xdr.o \
1179         smb_token.o \
1180         smb_token_xdr.o \
1181         smb_sid.o \
1182         smb_native.o \
1183         smb_netbios_util.o

1185 SMBSRV_OBJS += $(SMBSRV_SHARED_OBJS) \
1186         smb_acl.o \
1187         smb_alloc.o \
1188         smb_close.o \
1189         smb_common_open.o \
1190         smb_common_transact.o \
1191         smb_create.o \
1192         smb_delete.o \
1193         smb_directory.o \
1194         smb_dispatch.o \
1195         smb_echo.o \
1196         smb_fem.o \
1197         smb_find.o \
1198         smb_flush.o \
1199         smb_fsinfo.o \
1200         smb_fsops.o \
1201         smb_init.o \
1202         smb_kdoor.o \
1203         smb_kshare.o \
1204         smb_kutil.o \
1205         smb_lock.o \
1206         smb_lock_byte_range.o \
1207         smb_locking_andx.o \
1208         smb_logoff_andx.o \
1209         smb_mangle_name.o \
1210         smb_mbuf_marshall.o \
1211         smb_mbuf_util.o \
1212         smb_negotiate.o \
1213         smb_net.o \
1214         smb_node.o \
1215         smb_nt_cancel.o \
1216         smb_nt_create_andx.o \
1217         smb_nt_transact_create.o \
1218         smb_nt_transact_ioctl.o \
1219         smb_nt_transact_notify_change.o \
1220         smb_nt_transact_quota.o \
1221         smb_nt_transact_security.o \
1222         smb_odir.o \
1223         smb_ofile.o \
1224         smb_open_andx.o \
1225         smb_opipe.o \
1226         smb_oplock.o \
1227         smb_pathname.o \
1228         smb_print.o \
1229         smb_process_exit.o \
1230         smb_query_fileinfo.o \
1231         smb_read.o \
1232         smb_rename.o \
1233         smb_sd.o \
1234         smb_seek.o \
1235         smb_server.o \
1236         smb_session.o \
1237         smb_session_setup_andx.o \
1238         smb_set_fileinfo.o \
1239         smb_signing.o \
1240         smb_tree.o \
1241         smb_trans2_create_directory.o \
1242         smb_trans2_dfs.o \
1243         smb_trans2_find.o

```

19

## new/usr/src/uts/common/Makefile.files

```

1244         smb_tree_connect.o \
1245         smb_unlock_byte_range.o \
1246         smb_user.o \
1247         smb_vfs.o \
1248         smb_vops.o \
1249         smb_vss.o \
1250         smb_write.o \
1251         smb_write_raw.o

1253 PCFS_OBJS += pc_alloc.o pc_dir.o pc_node.o pc_subr.o \
1254         pc_vfsops.o pc_vnops.o

1256 PROC_OBJS += prcontrol.o prioctl.o prsubr.o prusr.o \
1257         prvnops.o

1259 MNTFS_OBJS += mntvfsops.o mntvnops.o

1261 SHAREFS_OBJS += sharetab.o sharefs_vfsops.o sharefs_vnops.o

1263 SPEC_OBJS += specsubr.o specvops.o specvnops.o

1265 SOCK_OBJS += socksubr.o sockvops.o sockparams.o \
1266         socksyscalls.o socktpi.o sockstr.o \
1267         sockcommon_vnops.o sockcommon_subr.o \
1268         sockcommon_sops.o sockcommon.o \
1269         sock_notsupp.o socknotify.o \
1270         nl7c.o nl7curi.o nl7chttp.o nl7clogd.o \
1271         nl7cnca.o sodirect.o sockfilter.o

1273 TMPFS_OBJS += tmp_dir.o tmp_subr.o tmp_tnode.o tmp_vfsops.o \
1274         tmp_vnops.o

1276 UDFS_OBJS += udf_alloc.o udf_bmap.o udf_dir.o \
1277         udf_inode.o udf_subr.o udf_vfsops.o \
1278         udf_vnops.o

1280 UFS_OBJS += ufs_alloc.o ufs_bmap.o ufs_dir.o ufs_xattr.o \
1281         ufs_inode.o ufs_subr.o ufs_tables.o ufs_vfsops.o \
1282         ufs_vnops.o quota.o quotacalls.o quota_ufs.o \
1283         ufs_filio.o ufs_lockfs.o ufs_thread.o ufs_trans.o \
1284         ufs_acl.o ufs_panic.o ufs_directio.o ufs_log.o \
1285         ufs_extvnops.o ufs_snap.o lufs.o lufs_thread.o \
1286         lufs_log.o lufs_map.o lufs_top.o lufs_debug.o \
1287         vscan_drv.o vscan_svc.o vscan_door.o

1289 NSMB_OBJS += smb_conn.o smb_dev.o smb_iod.o smb_pass.o \
1290         smb_rq.o smb_sign.o smb_smb.o smb_subrs.o \
1291         smb_time.o smb_tran.o smb_trantcp.o smb_usr.o \
1292         subr_mchain.o

1294 SMBFS_COMMON_OBJS += smbfs_ntacl.o \
1295         smbfs_vfsops.o smbfs_vnops.o smbfs_node.o \
1296         smbfs_acl.o smbfs_client.o smbfs_smb.o \
1297         smbfs_subr.o smbfs_subr2.o \
1298         smbfs_rwlock.o smbfs_xattr.o \
1299         $(SMBFS_COMMON_OBJS)

1302 #
1303 # LVM modules
1304 #
1305 MD_OBJS += md.o md_error.o md_ioctl.o md_mddb.o md_names.o \
1306         md_med.o md_rename.o md_subr.o

1308 MD_COMMON_OBJS = md_convert.o md_crc.o md_revchk.o

```

20

## new/usr/src/uts/common/Makefile.files

21

```

1310 MD_DERIVED_OBJS = metamed_xdr.o meta_basic_xdr.o
1312 SOFTPART_OBJS += sp.o sp_ioctl.o
1314 STRIPE_OBJS += stripe.o stripe_ioctl.o
1316 HOTSPARES_OBJS += hotspares.o

1318 RAID_OBJS += raid.o raid_ioctl.o raid_replay.o raid_resync.o raid_hotspare.o

1320 MIRROR_OBJS += mirror.o mirror_ioctl.o mirror_resync.o

1322 NOTIFY_OBJS += md_notify.o

1324 TRANS_OBJS += mdtrans.o trans_ioctl.o trans_log.o

1326 ZFS_COMMON_OBJS += \
1327     arc.o \
1328     blkptr.o \
1329     bplist.o \
1330     bpobj.o \
1331     bptree.o \
1332     dbuf.o \
1333     ddt.o \
1334     ddt_zap.o \
1335     dmuf.o \
1336     dmuf_diff.o \
1337     dmuf_send.o \
1338     dmuf_object.o \
1339     dmuf_objset.o \
1340     dmuf_traverse.o \
1341     dmuf_tx.o \
1342     dnode.o \
1343     dnode_sync.o \
1344     dsl_bookmark.o \
1345     dsl_dir.o \
1346     dsl_dataset.o \
1347     dsl_deadlist.o \
1348     dsl_destroy.o \
1349     dsl_pool.o \
1350     dsl_synctask.o \
1351     dsl_userhold.o \
1352     dmuf_zfetch.o \
1353     dsl_deleg.o \
1354     dsl_prop.o \
1355     dsl_scan.o \
1356     zfeature.o \
1357     gzip.o \
1358     lz4.o \
1359     lzjb.o \
1360     metaslab.o \
1361     range_tree.o \
1362     refcount.o \
1363     rrwlock.o \
1364     sa.o \
1365     sha256.o \
1366     spa.o \
1367     spa_config.o \
1368     spa_errlog.o \
1369     spa_history.o \
1370     spa_misc.o \
1371     space_map.o \
1372     space_reftree.o \
1373     txg.o \
1374     uberblock.o \
1375     unique.o \

```

## new/usr/src/uts/common/Makefile.files

22

```

1376     vdev.o \
1377     vdev_cache.o \
1378     vdev_file.o \
1379     vdev_label.o \
1380     vdev_mirror.o \
1381     vdev_missing.o \
1382     vdev_queue.o \
1383     vdev_raidz.o \
1384     vdev_root.o \
1385     zap.o \
1386     zap_leaf.o \
1387     zap_micro.o \
1388     zfs_byteswap.o \
1389     zfs_debug.o \
1390     zfs_fm.o \
1391     zfs_fuid.o \
1392     zfs_sa.o \
1393     zfs_znode.o \
1394     zil.o \
1395     zio.o \
1396     zio_checksum.o \
1397     zio_compress.o \
1398     zio_inject.o \
1399     zle.o \
1400     zlock.o

1402 ZFS_SHARED_OBJS += \
1403     zfeature_common.o \
1404     zfs_comutil.o \
1405     zfs_deleg.o \
1406     zfs_fletcher.o \
1407     zfs_namecheck.o \
1408     zfs_prop.o \
1409     zpool_prop.o \
1410     zprop_common.o

1412 ZFS_OBJS += \
1413     $(ZFS_COMMON_OBJS) \
1414     $(ZFS_SHARED_OBJS) \
1415     vdev_disk.o \
1416     zfs_acl.o \
1417     zfs_ctldir.o \
1418     zfs_dir.o \
1419     zfs_ioctl.o \
1420     zfs_log.o \
1421     zfs_onexit.o \
1422     zfs_replay.o \
1423     zfs_rlock.o \
1424     zfs_vfsops.o \
1425     zfs_vnops.o \
1426     zvol.o

1428 ZUT_OBJS += \
1429     zut.o

1431 #
1432 # streams modules
1433 #
1434 BUFMOD_OBJS += bufmod.o

1436 CONNLD_OBJS += connld.o

1438 DEDUMP_OBJS += dedump.o

1440 DRCOMPAT_OBJS += drcompat.o

```

## new/usr/src/uts/common/Makefile.files

23

```

1442 LDLINUX_OBJS += ldlinux.o
1444 LDTERM_OBJS += ldterm.o uwidth.o
1446 PKCT_OBJS += pckt.o
1448 PFMOD_OBJS += pfmod.o
1450 PTEM_OBJS += ptem.o
1452 REDIRMOD_OBJS += strredirm.o
1454 TIMOD_OBJS += timod.o
1456 TIRDWR_OBJS += tirdwr.o
1458 TTCOMPAT_OBJS +=ttcompat.o
1460 LOG_OBJS += log.o
1462 PIPEMOD_OBJS += pipemod.o
1464 RPCMOD_OBJS += rpcmod.o      clnt_cots.o      clnt_clts.o \
1465                  clnt_gen.o      clnt_perr.o      mt_rpcinit.o      rpc_calmsg.o \
1466                  rpc_prot.o      rpc_sztypes.o   rpc_subr.o      rpcb_prot.o \
1467                  svc.o            svc_clts.o      svc_gen.o      svc_cots.o \
1468                  rpcsys.o      xdr_sizeof.o   clnt_rdma.o     svc_rdma.o \
1469                  xdr_rdma.o      rdma_subr.o     xdrdma_sizeof.o
1471 KLMMOD_OBJS += klmmod.o \
1472                  nlm_impl.o \
1473                  nlm_rpc_handle.o \
1474                  nlm_dispatch.o \
1475                  nlm_rpc_svc.o \
1476                  nlm_client.o \
1477                  nlm_service.o \
1478                  nlm_prot_clnt.o \
1479                  nlm_prot_xdr.o \
1480                  nlm_rpc_clnt.o \
1481                  nsm_addr_clnt.o \
1482                  nsm_addr_xdr.o \
1483                  sm_inter_clnt.o \
1484                  sm_inter_xdr.o
1486 KLMOPS_OBJS += klmops.o
1488 TLIMOD_OBJS += tlimod.o      t_kalloc.o      t_kbind.o      t_kclose.o \
1489                  t_kconnect.o  t_kfree.o      t_kgtstate.o   t_kopen.o \
1490                  t_krcvdat.o    t_ksndudat.o  t_kspoll.o     t_kunbind.o \
1491                  t_kutil.o
1493 RLMOD_OBJS += rlmod.o
1495 TELMOD_OBJS += telmod.o
1497 CRYPTMOD_OBJS += cryptmod.o
1499 KB_OBJS += kbd.o      keytables.o
1501 #
1502 #          ID mapping module
1503 #
1504 IDMAP_OBJS += idmap_mod.o      idmap_kapi.o      idmap_xdr.o      idmap_cache.o
1506 #
1507 #          scheduling class modules

```

## new/usr/src/uts/common/Makefile.files

24

```

1508 #
1509 SDC_OBJS +=          sysdc.o
1511 RT_OBJS +=          rt.o
1512 RT_DPTBL_OBJS +=    rt_dptbl.o
1514 TS_OBJS +=          ts.o
1515 TS_DPTBL_OBJS +=    ts_dptbl.o
1517 IA_OBJS +=          ia.o
1519 FSS_OBJS +=         fss.o
1521 FX_OBJS +=          fx.o
1522 FX_DPTBL_OBJS +=    fx_dptbl.o
1524 #
1525 #          Inter-Process Communication (IPC) modules
1526 #
1527 IPC_OBJS +=         ipc.o
1529 IPCMSG_OBJS +=      msg.o
1531 IPCSEM_OBJS +=      sem.o
1533 IPCSHM_OBJS +=      shm.o
1535 #
1536 #          bignum module
1537 #
1538 COMMON_BIGNUM_OBJS += bignum_mod.o bignumimpl.o
1540 BIGNUM_OBJS += $(COMMON_BIGNUM_OBJS) $(BIGNUM_PSR_OBJS)
1542 #
1543 #          kernel cryptographic framework
1544 #
1545 KCF_OBJS +=         kcf.o kcf_callprov.o kcf_cbufcall.o kcf_cipher.o kcf_crypto.o \
1546                  kcf_cryptoadm.o kcf_ctxops.o kcf_digest.o kcf_dual.o \
1547                  kcf_keys.o kcf_mac.o kcf_mech_tabs.o kcf_miscapi.o \
1548                  kcf_object.o kcf_policy.o kcf_prov_lib.o kcf_prov_tabs.o \
1549                  kcf_sched.o kcf_session.o kcf_sign.o kcf_spi.o kcf_verify.o \
1550                  kcf_random.o modes.o ecb.o cbc.o ctr.o ccm.o gcm.o \
1551                  fips_random.o
1553 CRYPTOADM_OBJS +=  cryptoadm.o
1555 CRYPTO_OBJS +=     crypto.o
1557 DPROV_OBJS +=      dprov.o
1559 DCA_OBJS +=         dca.o dca_3des.o dca_debug.o dca_dsa.o dca_kstat.o dca_rng.o \
1560                  dca_rsa.o
1562 AESPROV_OBJS +=    aes.o aes_impl.o aes_modes.o
1564 ARCFOURPROV_OBJS += arcfour.o arcfour_crypt.o
1566 BLOWFISHPROV_OBJS += blowfish.o blowfish_impl.o
1568 ECCPROV_OBJS +=    ecc.o ec.o ec2_163.o ec2_mont.o ecdecode.o ecl_mult.o \
1569                  ecp_384.o ecp_jac.o ec2_193.o ecl.o ecp_192.o ecp_521.o \
1570                  ecp_jm.o ec2_233.o ecl_curve.o ecp_224.o ecp_aff.o \
1571                  ecp_mont.o ec2_aff.o ec_naf.o ecl_gf.o ecp_256.o mp_gf2m.o \
1572                  mpi.o mplogic.o mpmontg.o mpprime.o oid.o \
1573                  secitem.o ec2_test.o ecp_test.o

```



```

1575 RSAPROV_OBJS += rsa.o rsa_impl.o pkcs1.o
1577 SWRANDPROV_OBJS += swrand.o

1579 #
1580 #             kernel SSL
1581 #
1582 KSSL_OBJS += kssl.o ksslioct1.o

1584 KSSL_SOCKETFIL_MOD_OBJS += ksslfilter.o ksslapi.o ksslrec.o

1586 #
1587 #             misc. modules
1588 #

1590 C2AUDIT_OBJS += adr.o audit.o audit_event.o audit_io.o \
1591 audit_path.o audit_start.o audit_syscalls.o audit_token.o \
1592 audit_mem.o

1597 PCIC_OBJS += pcic.o

1594 RPCSEC_OBJS += secmod.o sec_clnt.o sec_svc.o sec_gen.o \
1595 auth_des.o auth_kern.o auth_none.o auth_loopb.o \
1596 authdesprt.o authdesubr.o authu_prot.o \
1597 key_call.o key_prot.o svc_authu.o svcauthdes.o

1599 RPCSEC_GSS_OBJS += rpcsec_gssmod.o rpcsec_gss.o rpcsec_gss_misc.o \
1600 rpcsec_gss_utils.o svc_rpcsec_gss.o

1602 CONSCONFIG_OBJS += consconfig.o

1604 CONSCONFIG_DACF_OBJS += consconfig_dacf.o consplat.o

1606 TEM_OBJS += tem.o tem_safe.o 6x10.o 7x14.o 12x22.o

1608 KBTRANS_OBJS += \
1609 kbtrans.o \
1610 kbtrans_keytables.o \
1611 kbtrans_polled.o \
1612 kbtrans_streams.o \
1613 usb_keytables.o

1615 KGSSD_OBJS += gssd_clnt_stubs.o gssd_handle.o gssd_prot.o \
1616 gss_display_name.o gss_release_name.o gss_import_name.o \
1617 gss_release_buffer.o gss_release_oid_set.o gen_oids.o gssdmod.o

1619 KGSSD_DERIVED_OBJS = gssd_xdr.o

1621 KGSS_DUMMY_OBJS += dmech.o

1623 KSOCKET_OBJS += ksocket.o ksocket_mod.o

1625 CRYPTO= cksumtypes.o decrypt.o encrypt.o encrypt_length.o etypes.o \
1626 nfold.o verify_checksum.o prng.o block_size.o make_checksum.o \
1627 checksum_length.o hmac.o default_state.o mandatory_sumtype.o

1629 # crypto/des
1630 CRYPTO_DES= f_cbc.o f_cksum.o f_parity.o weak_key.o d3_cbc.o ef_crypto.o

1632 CRYPTO_DK= checksum.o derive.o dk_decrypt.o dk_encrypt.o

1634 CRYPTO_ARCFOUR= k5_arcfour.o

1636 # crypto/enc_provider
1637 CRYPTO_ENC= des.o des3.o arcfour_provider.o aes_provider.o

```

```

1639 # crypto/hash_provider
1640 CRYPTO_HASH= hash_kef_generic.o hash_kmd5.o hash_crc32.o hash_kshal.o

1642 # crypto/keyhash_provider
1643 CRYPTO_KEYHASH= descbc.o k5_kmd5des.o k_hmac_md5.o

1645 # crypto/crc32
1646 CRYPTO_CRC32= crc32.o

1648 # crypto/old
1649 CRYPTO_OLD= old_decrypt.o old_encrypt.o

1651 # crypto/raw
1652 CRYPTO_RAW= raw_decrypt.o raw_encrypt.o

1654 K5_KRB= kfree.o copy_key.o \
1655 parse.o init_ctx.o \
1656 ser_adata.o ser_addr.o \
1657 ser_auth.o ser_cksum.o \
1658 ser_key.o ser_princ.o \
1659 serialize.o unparse.o \
1660 ser_actx.o

1662 K5_OS= timeofday.o toffset.o \
1663 init_os_ctx.o c_uptime.o

1665 SEAL= seal.o unseal.o

1667 MECH= delete_sec_context.o \
1668 import_sec_context.o \
1669 gssapi_krb5.o \
1670 k5seal.o k5unseal.o k5sealv3.o \
1671 ser_sctx.o \
1672 sign.o \
1673 util_crypt.o \
1674 util_validate.o util_ordering.o \
1675 util_seqnum.o util_set.o util_seed.o \
1676 wrap_size_limit.o verify.o

1680 MECH_GEN= util_token.o

1683 KGSS_KRB5_OBJS += krb5mech.o \
1684 $(MECH) $(SEAL) $(MECH_GEN) \
1685 $(CRYPTO) $(CRYPTO_DES) $(CRYPTO_DK) $(CRYPTO_ARCFOUR) \
1686 $(CRYPTO_ENC) $(CRYPTO_HASH) \
1687 $(CRYPTO_KEYHASH) $(CRYPTO_CRC32) \
1688 $(CRYPTO_OLD) \
1689 $(CRYPTO_RAW) $(K5_KRB) $(K5_OS)

1691 DES_OBJS += des_crypt.o des_impl.o des_ks.o des_soft.o

1693 DLBOOT_OBJS += bootparam_xdr.o nfs_dlinet.o scan.o

1695 KRTLD_OBJS += kobj_bootflags.o getoptstr.o \
1696 kobj.o kobj_kdi.o kobj_lm.o kobj_subr.o

1698 MOD_OBJS += modctl.o modsubr.o modsysfile.o modconf.o modhash.o

1700 STRPLUMB_OBJS += strplumb.o

1702 CPR_OBJS += cpr_driver.o cpr_dump.o \
1703 cpr_main.o cpr_misc.o cpr_mod.o cpr_stat.o \

```

```

1704          cpr_uthread.o
1706 PROF_OBJS +=   prf.o
1708 SE_OBJS +=   se_driver.o
1710 SYSACCT_OBJS += acct.o
1712 ACCTCTL_OBJS += acctctl.o
1714 EXACCTSYS_OBJS += exacctsys.o
1716 KAI_OBJS +=   aio.o
1723 PCMCIA_OBJS += pcmcia.o cs.o cis.o cis_callout.o cis_handlers.o cis_params.o
1718 BUSRA_OBJS += busra.o
1727 PCS_OBJS +=   pcs.o
1720 PSET_OBJS +=   pset.o
1722 OHCI_OBJS +=   ohci.o ohci_hub.o ohci_polled.o
1724 UHCI_OBJS +=   uhci.o uhciutil.o uhci_tgt.o uhcihub.o uhcipolled.o
1726 EHCI_OBJS +=   ehci.o ehci_hub.o ehci_xfer.o ehci_intr.o ehci_util.o ehci_polled.o
1728 HUBD_OBJS +=   hubd.o
1730 USB_MID_OBJS += usb_mid.o
1732 USB_IA_OBJS += usb_ia.o
1734 UWBA_OBJS +=   uwba.o uwbai.o
1736 SCSA2USB_OBJS += scsa2usb.o usb_ms_bulkonly.o usb_ms_cbi.o
1738 HWAHC_OBJS +=   hwahc.o hwahc_util.o
1740 WUSB_DF_OBJS += wusb_df.o
1741 WUSB_FWMOD_OBJS += wusb_fwmod.o
1743 IPF_OBJS +=   ip_fil_solaris.o fil.o solaris.o ip_state.o ip_frag.o ip_nat.o \
1744         ip_proxy.o ip_auth.o ip_pool.o ip_hstable.o ip_lookup.o \
1745         ip_log.o misc.o ip_compat.o ip_nat6.o drand48.o
1747 IPD_OBJS +=   ipd.o
1749 IBD_OBJS +=   ibd.o ibd_cm.o
1751 EIBNX_OBJS +=   enx_main.o enx_hdlrs.o enx_ibt.o enx_log.o enx_fip.o \
1752         enx_misc.o enx_q.o enx_ctl.o
1754 EOIB_OBJS +=   eib_adm.o eib_chan.o eib_cmn.o eib_ctl.o eib_data.o \
1755         eib_fip.o eib_ibt.o eib_log.o eib_mac.o eib_main.o \
1756         eib_rsrc.o eib_svc.o eib_vnic.o
1758 DLPSTUB_OBJS += dlpstub.o
1760 SDP_OBJS +=   sdpddi.o
1762 TRILL_OBJS +=   trill.o
1764 CTF_OBJS +=   ctf_create.o ctf_decl.o ctf_error.o ctf_hash.o ctf_labels.o \
1765         ctf_lookup.o ctf_open.o ctf_types.o ctf_util.o ctf_subr.o ctf_mod.o

```

```

1767 SMBIOS_OBJS += smb_error.o smb_info.o smb_open.o smb_subr.o smb_dev.o
1769 RPCIB_OBJS += rpcib.o
1771 KMDB_OBJS +=   kdrv.o
1773 AFE_OBJS +=   afe.o
1775 BGE_OBJS +=   bge_main2.o bge_chip2.o bge_kstats.o bge_log.o bge_ndd.o \
1776         bge_atomic.o bge_mii.o bge_send.o bge_rcv2.o bge_mii_5906.o
1778 DMFE_OBJS +=   dmfe_log.o dmfe_main.o dmfe_mii.o
1780 EFE_OBJS +=   efe.o
1782 ELXL_OBJS +=   elxl.o
1784 HME_OBJS +=   hme.o
1786 IXGB_OBJS +=   ixgb.o ixgb_atomic.o ixgb_chip.o ixgb_gld.o ixgb_kstats.o \
1787         ixgb_log.o ixgb_ndd.o ixgb_rx.o ixgb_tx.o ixgb_xmii.o
1789 NGE_OBJS +=   nge_main.o nge_atomic.o nge_chip.o nge_ndd.o nge_kstats.o \
1790         nge_log.o nge_rx.o nge_tx.o nge_xmii.o
1792 PCN_OBJS +=   pcn.o
1794 RGE_OBJS +=   rge_main.o rge_chip.o rge_ndd.o rge_kstats.o rge_log.o rge_rxtx.o
1796 URTW_OBJS +=   urtw.o
1798 ARN_OBJS +=   arn_hw.o arn_eeprom.o arn_mac.o arn_calib.o arn_ani.o arn_phy.o arn_
1799         arn_main.o arn_rcv.o arn_xmit.o arn_rc.o
1801 ATH_OBJS +=   ath_aux.o ath_main.o ath_osdep.o ath_rate.o
1803 ATU_OBJS +=   atu.o
1805 IPW_OBJS +=   ipw2100_hw.o ipw2100.o
1807 IWI_OBJS +=   ipw2200_hw.o ipw2200.o
1809 IWH_OBJS +=   iwh.o
1811 IWK_OBJS +=   iwk2.o
1813 IWP_OBJS +=   iwp.o
1815 MWL_OBJS +=   mwl.o
1817 MWLFW_OBJS += mwlfw_mode.o
1819 WPI_OBJS +=   wpi.o
1821 RAL_OBJS +=   rt2560.o ral_rate.o
1823 RUM_OBJS +=   rum.o
1825 RWD_OBJS +=   rt2661.o
1827 RWN_OBJS +=   rt2860.o
1829 UATH_OBJS +=   uath.o
1831 UATHFW_OBJS += uathfw_mod.o

```

```

1833 URAL_OBJS += ural.o
1835 RTW_OBJS += rtw.o smc93cx6.o rtwphy.o rtwphyio.o
1837 ZYD_OBJS += zyd.o zyd_usb.o zyd_hw.o zyd_fw.o
1839 MXFE_OBJS += mxfe.o
1841 MPTSAS_OBJS += mptsas.o mptsas_hash.o mptsas_impl.o mptsas_init.o \
1842             mptsas_raid.o mptsas_smhba.o
1844 SFE_OBJS += sfe.o sfe_util.o
1846 BFE_OBJS += bfe.o
1848 BRIDGE_OBJS += bridge.o
1850 IDM_SHARED_OBJS += base64.o
1852 IDM_OBJS += $(IDM_SHARED_OBJS) \
1853             idm.o idm_impl.o idm_text.o idm_conn_sm.o idm_so.o
1855 VR_OBJS += vr.o
1857 ATGE_OBJS += atge_main.o atge_lle.o atge_mii.o atge_ll.o atge_llc.o
1859 YGE_OBJS = yge.o
1861 #
1862 #     Build up defines and paths.
1863 #
1864 LINT_DEFS     += -Dunix
1866 #
1867 #     This duality can be removed when the native and target compilers
1868 #     are the same (or at least recognize the same command line syntax!)
1869 #     It is a bug in the current compilation system that the assembler
1870 #     can't process the -Y I, flag.
1871 #
1872 NATIVE_INC_PATH += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1873 AS_INC_PATH     += $(INC_PATH) -I$(UTSBASE)/common
1874 INCLUDE_PATH   += $(INC_PATH) $(CCYFLAG)$(UTSBASE)/common
1876 PCIEB_OBJS += pcieb.o
1878 #     Chelsio N110 10G NIC driver module
1879 #
1880 CH_OBJS = ch.o glue.o pe.o sge.o
1882 CH_COM_OBJS = ch_mac.o ch_subr.o csapi.o espi.o ixfl1010.o mc3.o mc4.o mc5.o \
1883             mv88e1xxx.o mv88x201x.o my3126.o pm3393.o tp.o ulp.o \
1884             vsc7321.o vsc7326.o xpak.o
1886 #
1887 #     Chelsio Terminator 4 10G NIC nexus driver module
1888 #
1889 CXGBE_FW_OBJS = t4_fw.o t4_cfg.o
1890 CXGBE_COM_OBJS = t4_hw.o common.o
1891 CXGBE_NEX_OBJS = t4_nexus.o t4_sge.o t4_mac.o t4_ioctl.o shared.o \
1892             t4_l2t.o adapter.o osdep.o
1894 #
1895 #     Chelsio Terminator 4 10G NIC driver module
1896 #
1897 CXGBE_OBJS = cxgbe.o

```

```

1899 #
1900 #     PCI strings file
1901 #
1902 PCI_STRING_OBJS = pci_strings.o
1904 NET_DACF_OBJS += net_dacf.o
1906 #
1907 #     Xframe 10G NIC driver module
1908 #
1909 XGE_OBJS = xge.o xgell.o
1911 XGE_HAL_OBJS = xgehal-channel.o xgehal-fifo.o xgehal-ring.o xgehal-config.o \
1912             xgehal-driver.o xgehal-mm.o xgehal-stats.o xgehal-device.o \
1913             xge-queue.o xgehal-mgmt.o xgehal-mgmtaux.o
1915 #
1916 #     e1000/igb common objs
1917 #
1918 #     Historically e1000g and igb had separate copies of all of the common
1919 #     code. At this time while they are now sharing the same copy of it, they
1920 #     are building it into their own modules which is due to the differences
1921 #     in the osdep and debug portions of their code.
1922 #
1923 E1000API_OBJS += e1000_80003es2lan.o e1000_82540.o e1000_82541.o e1000_82542.o \
1924             e1000_82543.o e1000_82571.o e1000_api.o e1000_ich8lan.o \
1925             e1000_mac.o e1000_manage.o e1000_nvmm.o e1000_phy.o \
1926             e1000_82575.o e1000_i210.o e1000_mbx.o e1000_vf.o
1928 #
1929 #     e1000g module
1930 #
1931 E1000G_OBJS += e1000g_debug.o e1000g_main.o e1000g_alloc.o \
1932             e1000g_tx.o e1000g_rx.o e1000g_stat.o \
1933             e1000g_osdep.o e1000g_workarounds.o
1934
1936 #
1937 #     Intel 82575 1G NIC driver module
1938 #
1939 IGB_OBJS = igb_buf.o igb_debug.o igb_gld.o igb_log.o igb_main.o \
1940             igb_rx.o igb_stat.o igb_tx.o igb_osdep.o
1942 #
1943 #     Intel Pro/100 NIC driver module
1944 #
1945 IPRB_OBJS = iprb.o
1947 #
1948 #     Intel 10GbE PCIE NIC driver module
1949 #
1950 IXGBE_OBJS = ixgbe_82598.o ixgbe_82599.o ixgbe_api.o \
1951             ixgbe_common.o ixgbe_phy.o \
1952             ixgbe_buf.o ixgbe_debug.o ixgbe_gld.o \
1953             ixgbe_log.o ixgbe_main.o \
1954             ixgbe_osdep.o ixgbe_rx.o ixgbe_stat.o \
1955             ixgbe_tx.o ixgbe_x540.o ixgbe_mbx.o
1957 #
1958 #     NIU 10G/1G driver module
1959 #
1960 NXGE_OBJS = nxge_mac.o nxge_ipp.o nxge_rxdma.o \
1961             nxge_txdma.o nxge_txc.o nxge_main.o \
1962             nxge_hw.o nxge_fzc.o nxge_virtual.o \
1963             nxge_send.o nxge_classify.o nxge_fflp.o

```

## new/usr/src/uts/common/Makefile.files

31

```

1964          nxge_fflp_hash.o nxge_ndd.o nxge_kstats.o \
1965          nxge_zcp.o nxge_fm.o nxge_espc.o nxge_hv.o \
1966          nxge_hio.o nxge_hio_guest.o nxge_intr.o

1968 NXGE_NPI_OBJS = \
1969          npi.o npi_mac.o npi_ipp.o \
1970          npi_txdma.o npi_rxdma.o npi_txc.o \
1971          npi_zcp.o npi_espc.o npi_fflp.o \
1972          npi_vir.o

1974 NXGE_HCALL_OBJS = \
1975          nxge_hcall.o

1977 #
1978 # Virtio modules
1979 #

1981 # Virtio core
1982 VIRTIO_OBJS = virtio.o

1984 # Virtio block driver
1985 VIOBLK_OBJS = vioblk.o

1987 #
1988 #          kiconv modules
1989 #
1990 KICONV_EMEA_OBJS += kiconv_emea.o

1992 KICONV_JA_OBJS += kiconv_ja.o

1994 KICONV_KO_OBJS += kiconv_cck_common.o kiconv_ko.o

1996 KICONV_SC_OBJS += kiconv_cck_common.o kiconv_sc.o

1998 KICONV_TC_OBJS += kiconv_cck_common.o kiconv_tc.o

2000 #
2001 #          AAC module
2002 #
2003 AAC_OBJS = aac.o aac_ioctl.o

2005 #
2006 #          sdcards modules
2007 #
2008 SDA_OBJS = sda_cmd.o sda_host.o sda_init.o sda_mem.o sda_mod.o sda_slot.o
2009 SDHOST_OBJS = sdhost.o

2011 #
2012 #          hxge 10G driver module
2013 #
2014 HXGE_OBJS = hxge_main.o hxge_vmac.o hxge_send.o \
2015          hxge_txdma.o hxge_rxdma.o hxge_virtual.o \
2016          hxge_fm.o hxge_fzc.o hxge_hw.o hxge_kstats.o \
2017          hxge_ndd.o hxge_pfc.o \
2018          hpi.o hpi_vmac.o hpi_rxdma.o hpi_txdma.o \
2019          hpi_vir.o hpi_pfc.o

2021 #
2022 #          MEGARAID_SAS module
2023 #
2024 MEGA_SAS_OBJS = megaraid_sas.o

2026 #
2027 #          MR_SAS module
2028 #
2029 MR_SAS_OBJS = ld_pd_map.o mr_sas.o mr_sas_tbolt.o mr_sas_list.o

```

## new/usr/src/uts/common/Makefile.files

32

```

2031 #
2032 #          CPQARY3 module
2033 #
2034 CPQARY3_OBJS = cpqary3.o cpqary3_noe.o cpqary3_talk2ctrl.o \
2035          cpqary3_isr.o cpqary3_transport.o cpqary3_mem.o \
2036          cpqary3_scsi.o cpqary3_util.o cpqary3_ioctl.o \
2037          cpqary3_bd.o

2039 #
2040 #          ISCSI_INITIATOR module
2041 #
2042 ISCSI_INITIATOR_OBJS = chap.o iscsi_io.o iscsi_thread.o \
2043          iscsi_ioctl.o iscsid.o iscsi.o \
2044          iscsi_login.o isns_client.o iscsiAuthClient.o \
2045          iscsi_lun.o iscsiAuthClientGlue.o \
2046          iscsi_net.o nvfile.o iscsi_cmd.o \
2047          iscsi_queue.o persistent.o iscsi_conn.o \
2048          iscsi_sess.o radius_auth.o iscsi_crc.o \
2049          iscsi_stats.o radius_packet.o iscsi_doorctl.o \
2050          iscsi_targetparam.o utils.o kifconf.o

2052 #
2053 #          ntxn 10Gb/1Gb NIC driver module
2054 #
2055 NTXN_OBJS = unm_nic_init.o unm_gem.o unm_nic_hw.o unm_ndd.o \
2056          unm_nic_main.o unm_nic_isr.o unm_nic_ctx.o niu.o

2058 #
2059 #          Myricom 10Gb NIC driver module
2060 #
2061 MYRI10GE_OBJS = myri10ge.o myri10ge_lro.o

2063 #
2064 #          nulldriver module
2065 NULLDRIVER_OBJS = nulldriver.o

2067 TPM_OBJS = tpm.o tpm_hcall.o

```

\*\*\*\*\*

72257 Sat Aug 9 23:41:51 2014

new/usr/src/uts/common/Makefile.rules

5075 EOF cardbus & pcmcia

2398 pcs driver should be removed

Reviewed by: TBD

Approved by: TBD

\*\*\*\*\*

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1991, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
26 #
27 #
28 #
29 # uts/common/Makefile.rules
30 #
31 # This Makefile defines all the file build rules for the directory
32 # uts/common and its children. These are the source files which may
33 # be considered common to all SunOS systems.
34 #
35 # The following two-level ordering must be maintained in this file.
36 # Lines are sorted first in order of decreasing specificity based on
37 # the first directory component. That is, sun4u rules come before
38 # sparc rules come before common rules.
39 #
40 # Lines whose initial directory components are equal are sorted
41 # alphabetically by the remaining components.
42 #
43 #
44 # Section 1a: C objects build rules
45 #
46 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/aes/%.c
47 $(COMPILE.c) -o $@ $<
48 $(CTFCONVERT_O)
49 #
50 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/arcfour/%.c
51 $(COMPILE.c) -o $@ $<
52 $(CTFCONVERT_O)
53 #
54 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/blowfish/%.c
55 $(COMPILE.c) -o $@ $<
56 $(CTFCONVERT_O)
57 #
58 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/ecc/%.c

```

```

59 $(COMPILE.c) -o $@ $<
60 $(CTFCONVERT_O)
61 #
62 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/modes/%.c
63 $(COMPILE.c) -o $@ $<
64 $(CTFCONVERT_O)
65 #
66 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/padding/%.c
67 $(COMPILE.c) -o $@ $<
68 $(CTFCONVERT_O)
69 #
70 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/rng/%.c
71 $(COMPILE.c) -o $@ $<
72 $(CTFCONVERT_O)
73 #
74 $(OBJS_DIR)/%.o: $(COMMONBASE)/crypto/rsa/%.c
75 $(COMPILE.c) -o $@ $<
76 $(CTFCONVERT_O)
77 #
78 $(OBJS_DIR)/%.o: $(COMMONBASE)/bignum/%.c
79 $(COMPILE.c) -o $@ $<
80 $(CTFCONVERT_O)
81 #
82 $(OBJS_DIR)/%.o: $(UTSBASE)/common/bignum/%.c
83 $(COMPILE.c) -o $@ $<
84 $(CTFCONVERT_O)
85 #
86 $(OBJS_DIR)/%.o: $(COMMONBASE)/mpi/%.c
87 $(COMPILE.c) -o $@ $<
88 $(CTFCONVERT_O)
89 #
90 $(OBJS_DIR)/%.o: $(COMMONBASE)/acl/%.c
91 $(COMPILE.c) -o $@ $<
92 $(CTFCONVERT_O)
93 #
94 $(OBJS_DIR)/%.o: $(COMMONBASE)/avl/%.c
95 $(COMPILE.c) -o $@ $<
96 $(CTFCONVERT_O)
97 #
98 $(OBJS_DIR)/%.o: $(COMMONBASE)/ucode/%.c
99 $(COMPILE.c) -o $@ $<
100 $(CTFCONVERT_O)
101 #
102 $(OBJS_DIR)/%.o: $(UTSBASE)/common/brand/snl/%.c
103 $(COMPILE.c) -o $@ $<
104 $(CTFCONVERT_O)
105 #
106 $(OBJS_DIR)/%.o: $(UTSBASE)/common/brand/solaris10/%.c
107 $(COMPILE.c) -o $@ $<
108 $(CTFCONVERT_O)
109 #
110 $(OBJS_DIR)/%.o: $(UTSBASE)/common/c2/%.c
111 $(COMPILE.c) -o $@ $<
112 $(CTFCONVERT_O)
113 #
114 $(OBJS_DIR)/%.o: $(UTSBASE)/common/conf/%.c
115 $(COMPILE.c) -o $@ $<
116 $(CTFCONVERT_O)
117 #
118 $(OBJS_DIR)/%.o: $(UTSBASE)/common/contract/%.c
119 $(COMPILE.c) -o $@ $<
120 $(CTFCONVERT_O)
121 #
122 $(OBJS_DIR)/%.o: $(UTSBASE)/common/cpr/%.c
123 $(COMPILE.c) -o $@ $<
124 $(CTFCONVERT_O)

```

```

126 $(OBJSDIR)/%.o: $(UTSBASE)/common/ctf/%.c
127 $(COMPILE.c) -o $@ $<
128 $(CTFCONVERT_O)

130 $(OBJSDIR)/%.o: $(COMMONBASE)/ctf/%.c
131 $(COMPILE.c) -o $@ $<
132 $(CTFCONVERT_O)

134 $(OBJSDIR)/%.o: $(COMMONBASE)/crypto/des/%.c
135 $(COMPILE.c) -o $@ $<
136 $(CTFCONVERT_O)

138 $(OBJSDIR)/%.o: $(COMMONBASE)/smbios/%.c
139 $(COMPILE.c) -o $@ $<
140 $(CTFCONVERT_O)

142 $(OBJSDIR)/%.o: $(UTSBASE)/common/des/%.c
143 $(COMPILE.c) -o $@ $<
144 $(CTFCONVERT_O)

146 $(OBJSDIR)/%.o: $(UTSBASE)/common/crypto/api/%.c
147 $(COMPILE.c) -o $@ $<
148 $(CTFCONVERT_O)

150 $(OBJSDIR)/%.o: $(UTSBASE)/common/crypto/core/%.c
151 $(COMPILE.c) -o $@ $<
152 $(CTFCONVERT_O)

154 $(OBJSDIR)/%.o: $(UTSBASE)/common/crypto/io/%.c
155 $(COMPILE.c) -o $@ $<
156 $(CTFCONVERT_O)

158 $(OBJSDIR)/%.o: $(UTSBASE)/common/crypto/spi/%.c
159 $(COMPILE.c) -o $@ $<
160 $(CTFCONVERT_O)

162 $(OBJSDIR)/%.o: $(COMMONBASE)/pci/%.c
163 $(COMPILE.c) -o $@ $<
164 $(CTFCONVERT_O)

166 $(OBJSDIR)/%.o: $(COMMONBASE)/devid/%.c
167 $(COMPILE.c) -o $@ $<
168 $(CTFCONVERT_O)

170 $(OBJSDIR)/%.o: $(UTSBASE)/common/disp/%.c
171 $(COMPILE.c) -o $@ $<
172 $(CTFCONVERT_O)

174 $(OBJSDIR)/%.o: $(UTSBASE)/common/dtrace/%.c
175 $(COMPILE.c) -o $@ $<
176 $(CTFCONVERT_O)

178 $(OBJSDIR)/%.o: $(COMMONBASE)/exacct/%.c
179 $(COMPILE.c) -o $@ $<
180 $(CTFCONVERT_O)

182 $(OBJSDIR)/%.o: $(UTSBASE)/common/exec/aout/%.c
183 $(COMPILE.c) -o $@ $<
184 $(CTFCONVERT_O)

186 $(OBJSDIR)/%.o: $(UTSBASE)/common/exec/elf/%.c
187 $(COMPILE.c) -o $@ $<
188 $(CTFCONVERT_O)

190 $(OBJSDIR)/%.o: $(UTSBASE)/common/exec/intp/%.c

```

```

191 $(COMPILE.c) -o $@ $<
192 $(CTFCONVERT_O)

194 $(OBJSDIR)/%.o: $(UTSBASE)/common/exec/shbin/%.c
195 $(COMPILE.c) -o $@ $<
196 $(CTFCONVERT_O)

198 $(OBJSDIR)/%.o: $(UTSBASE)/common/exec/java/%.c
199 $(COMPILE.c) -o $@ $<
200 $(CTFCONVERT_O)

202 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/%.c
203 $(COMPILE.c) -o $@ $<
204 $(CTFCONVERT_O)

206 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/autofs/%.c
207 $(COMPILE.c) -o $@ $<
208 $(CTFCONVERT_O)

210 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/cachefs/%.c
211 $(COMPILE.c) -o $@ $<
212 $(CTFCONVERT_O)

214 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/dcfis/%.c
215 $(COMPILE.c) -o $@ $<
216 $(CTFCONVERT_O)

218 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/devfs/%.c
219 $(COMPILE.c) -o $@ $<
220 $(CTFCONVERT_O)

222 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/ctfs/%.c
223 $(COMPILE.c) -o $@ $<
224 $(CTFCONVERT_O)

226 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/doorfs/%.c
227 $(COMPILE.c) -o $@ $<
228 $(CTFCONVERT_O)

230 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/dev/%.c
231 $(COMPILE.c) -o $@ $<
232 $(CTFCONVERT_O)

234 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/fd/%.c
235 $(COMPILE.c) -o $@ $<
236 $(CTFCONVERT_O)

238 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/fifofs/%.c
239 $(COMPILE.c) -o $@ $<
240 $(CTFCONVERT_O)

242 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/hsfs/%.c
243 $(COMPILE.c) -o $@ $<
244 $(CTFCONVERT_O)

246 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/lofs/%.c
247 $(COMPILE.c) -o $@ $<
248 $(CTFCONVERT_O)

250 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/mntfs/%.c
251 $(COMPILE.c) -o $@ $<
252 $(CTFCONVERT_O)

254 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/namefs/%.c
255 $(COMPILE.c) -o $@ $<
256 $(CTFCONVERT_O)

```

```

258 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/nfs/%.c
259 $(COMPILE.c) -o $@ $<
260 $(CTFCONVERT_O)

262 $(OBJSDIR)/%.o: $(COMMONBASE)/smbsrv/%.c
263 $(COMPILE.c) -o $@ $<
264 $(CTFCONVERT_O)

266 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/smbsrv/%.c
267 $(COMPILE.c) -o $@ $<
268 $(CTFCONVERT_O)

270 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/objfs/%.c
271 $(COMPILE.c) -o $@ $<
272 $(CTFCONVERT_O)

274 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/pcfs/%.c
275 $(COMPILE.c) -o $@ $<
276 $(CTFCONVERT_O)

278 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/portfs/%.c
279 $(COMPILE.c) -o $@ $<
280 $(CTFCONVERT_O)

282 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/proc/%.c
283 $(COMPILE.c) -o $@ $<
284 $(CTFCONVERT_O)

286 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/sharefs/%.c
287 $(COMPILE.c) -o $@ $<
288 $(CTFCONVERT_O)

290 $(OBJSDIR)/%.o: $(COMMONBASE)/smbclnt/%.c
291 $(COMPILE.c) -o $@ $<
292 $(CTFCONVERT_O)

294 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/smbclnt/net smb/%.c
295 $(COMPILE.c) -o $@ $<
296 $(CTFCONVERT_O)

298 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
299 $(COMPILE.c) -o $@ $<
300 $(CTFCONVERT_O)

302 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/sockfs/%.c
303 $(COMPILE.c) -o $@ $<
304 $(CTFCONVERT_O)

306 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/specfs/%.c
307 $(COMPILE.c) -o $@ $<
308 $(CTFCONVERT_O)

310 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/swapfs/%.c
311 $(COMPILE.c) -o $@ $<
312 $(CTFCONVERT_O)

314 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/tmpfs/%.c
315 $(COMPILE.c) -o $@ $<
316 $(CTFCONVERT_O)

318 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/udfs/%.c
319 $(COMPILE.c) -o $@ $<
320 $(CTFCONVERT_O)

322 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/ufs/%.c

```

```

323 $(COMPILE.c) -o $@ $<
324 $(CTFCONVERT_O)

326 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/vscan/%.c
327 $(COMPILE.c) -o $@ $<
328 $(CTFCONVERT_O)

330 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/zfs/%.c
331 $(COMPILE.c) -o $@ $<
332 $(CTFCONVERT_O)

334 $(OBJSDIR)/%.o: $(UTSBASE)/common/fs/zut/%.c
335 $(COMPILE.c) -o $@ $<
336 $(CTFCONVERT_O)

338 $(OBJSDIR)/%.o: $(COMMONBASE)/xattr/%.c
339 $(COMPILE.c) -o $@ $<
340 $(CTFCONVERT_O)

342 $(OBJSDIR)/%.o: $(COMMONBASE)/zfs/%.c
343 $(COMPILE.c) -o $@ $<
344 $(CTFCONVERT_O)

346 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
347 $(COMPILE.c) -o $@ $<
348 $(CTFCONVERT_O)

350 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/pmcs/%.bin
351 $(COMPILE.b) -o $@ $<
352 $(CTFCONVERT_O)

354 $(OBJSDIR)/%.o: $(COMMONBASE)/fsreparse/%.c
355 $(COMPILE.c) -o $@ $<
356 $(CTFCONVERT_O)

358 KMECHKRB5_BASE=$(UTSBASE)/common/gssapi/mechs/krb5

360 KGSSDFLAGS=-I $(UTSBASE)/common/gssapi/include

362 # Note, KRB5_DEFS can be assigned various preprocessor flags,
363 # typically -D defines on the make invocation. The standard compiler
364 # flags will not be overwritten.
365 KGSSDFLAGS += $(KRB5_DEFS)

367 $(OBJSDIR)/%.o: $(UTSBASE)/common/gssapi/%.c
368 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
369 $(CTFCONVERT_O)

371 $(OBJSDIR)/%.o: $(UTSBASE)/common/gssapi/mechs/dummy/%.c
372 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
373 $(CTFCONVERT_O)

375 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/%.c
376 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
377 $(CTFCONVERT_O)

379 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/%.c
380 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
381 $(CTFCONVERT_O)

383 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/des/%.c
384 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
385 $(CTFCONVERT_O)

387 $(OBJSDIR)/%.o: $(KMECHKRB5_BASE)/crypto/arcfour/%.c
388 $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<

```

```

389      $(CTFCONVERT_O)

391 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/dk/%.c
392   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
393   $(CTFCONVERT_O)

395 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
396   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
397   $(CTFCONVERT_O)

399 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
400   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
401   $(CTFCONVERT_O)

403 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
404   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
405   $(CTFCONVERT_O)

407 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/raw/%.c
408   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
409   $(CTFCONVERT_O)

411 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/crypto/old/%.c
412   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
413   $(CTFCONVERT_O)

415 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/krb5/krb/%.c
416   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
417   $(CTFCONVERT_O)

419 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/krb5/os/%.c
420   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
421   $(CTFCONVERT_O)

423 $(OBJS_DIR)/ser_sctx.o := CPPFLAGS += -DPROVIDE_KERNEL_IMPORT=1

425 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/mech/%.c
426   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
427   $(CTFCONVERT_O)

429 $(OBJS_DIR)/%.o:                $(KMECHKRB5_BASE)/profile/%.c
430   $(COMPILE.c) $(KGSSDFLAGS) -o $@ $<
431   $(CTFCONVERT_O)

433 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ncall/%.c
434   $(COMPILE.c) -o $@ $<
435   $(CTFCONVERT_O)

437 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/dsw/%.c
438   $(COMPILE.c) -o $@ $<
439   $(CTFCONVERT_O)

441 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/nsctl/%.c
442   $(COMPILE.c) -o $@ $<
443   $(CTFCONVERT_O)

445 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/rdc/%.c
446   $(COMPILE.c) -o $@ $<
447   $(CTFCONVERT_O)

449 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/sdbc/%.c
450   $(COMPILE.c) -o $@ $<
451   $(CTFCONVERT_O)

453 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/solaris/%.c
454   $(COMPILE.c) -o $@ $<

```

```

455      $(CTFCONVERT_O)

457 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/sv/%.c
458   $(COMPILE.c) -o $@ $<
459   $(CTFCONVERT_O)

461 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/avs/ns/unistat/%.c
462   $(COMPILE.c) -o $@ $<
463   $(CTFCONVERT_O)

465 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/idmap/%.c
466   $(COMPILE.c) -o $@ $<
467   $(CTFCONVERT_O)

469 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/%.c
470   $(COMPILE.c) -o $@ $<
471   $(CTFCONVERT_O)

473 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/arp/%.c
474   $(COMPILE.c) -o $@ $<
475   $(CTFCONVERT_O)

477 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/ip/%.c
478   $(COMPILE.c) -o $@ $<
479   $(CTFCONVERT_O)

481 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/ipnet/%.c
482   $(COMPILE.c) -o $@ $<
483   $(CTFCONVERT_O)

485 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/iptun/%.c
486   $(COMPILE.c) -o $@ $<
487   $(CTFCONVERT_O)

489 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/kssl/%.c
490   $(COMPILE.c) -o $@ $<
491   $(CTFCONVERT_O)

493 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/sctp/%.c
494   $(COMPILE.c) -o $@ $<
495   $(CTFCONVERT_O)

497 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/tcp/%.c
498   $(COMPILE.c) -o $@ $<
499   $(CTFCONVERT_O)

501 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/ilb/%.c
502   $(COMPILE.c) -o $@ $<
503   $(CTFCONVERT_O)

505 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/ipf/%.c
506   $(COMPILE.c) -o $@ $<
507   $(CTFCONVERT_O)

509 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/ipd/%.c
510   $(COMPILE.c) -o $@ $<
511   $(CTFCONVERT_O)

513 $(OBJS_DIR)/%.o:                $(COMMONBASE)/net/patricia/%.c
514   $(COMPILE.c) -o $@ $<
515   $(CTFCONVERT_O)

517 $(OBJS_DIR)/%.o:                $(UTSBASE)/common/inet/udp/%.c
518   $(COMPILE.c) -o $@ $<
519   $(CTFCONVERT_O)

```



```

521 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/nca/%.c
522 $(COMPILE.c) -o $@ $<
523 $(CTFCONVERT_O)

525 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/sockmods/%.c
526 $(COMPILE.c) -o $@ $<
527 $(CTFCONVERT_O)

529 $(OBJSDIR)/%.o: $(UTSBASE)/common/inet/dlpistub/%.c
530 $(COMPILE.c) -o $@ $<
531 $(CTFCONVERT_O)

533 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/%.c
534 $(COMPILE.c) -o $@ $<
535 $(CTFCONVERT_O)

537 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/l394/%.c
538 $(COMPILE.c) -o $@ $<
539 $(CTFCONVERT_O)

541 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/l394/adapters/%.c
542 $(COMPILE.c) -o $@ $<
543 $(CTFCONVERT_O)

545 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/l394/targets/av1394/%.c
546 $(COMPILE.c) -o $@ $<
547 $(CTFCONVERT_O)

549 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/l394/targets/dcaml394/%.c
550 $(COMPILE.c) -o $@ $<
551 $(CTFCONVERT_O)

553 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/l394/targets/scsal394/%.c
554 $(COMPILE.c) -o $@ $<
555 $(CTFCONVERT_O)

557 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sbp2/%.c
558 $(COMPILE.c) -o $@ $<
559 $(CTFCONVERT_O)

561 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aac/%.c
562 $(COMPILE.c) -o $@ $<
563 $(CTFCONVERT_O)

565 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/afe/%.c
566 $(COMPILE.c) -o $@ $<
567 $(CTFCONVERT_O)

569 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atge/%.c
570 $(COMPILE.c) -o $@ $<
571 $(CTFCONVERT_O)

573 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/arn/%.c
574 $(COMPILE.c) -o $@ $<
575 $(CTFCONVERT_O)

577 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ath/%.c
578 $(COMPILE.c) -o $@ $<
579 $(CTFCONVERT_O)

581 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/atu/%.c
582 $(COMPILE.c) -o $@ $<
583 $(CTFCONVERT_O)

585 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/impl/%.c
586 $(COMPILE.c) -o $@ $<

```

```

587 $(CTFCONVERT_O)

589 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/ac97/%.c
590 $(COMPILE.c) -o $@ $<
591 $(CTFCONVERT_O)

593 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioens/%.c
594 $(COMPILE.c) -o $@ $<
595 $(CTFCONVERT_O)

597 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioemu10k/%.c
598 $(COMPILE.c) -o $@ $<
599 $(CTFCONVERT_O)

601 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
602 $(COMPILE.c) -o $@ $<
603 $(CTFCONVERT_O)

605 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audio810/%.c
606 $(COMPILE.c) -o $@ $<
607 $(CTFCONVERT_O)

609 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
610 $(COMPILE.c) -o $@ $<
611 $(CTFCONVERT_O)

613 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiocmhd/%.c
614 $(COMPILE.c) -o $@ $<
615 $(CTFCONVERT_O)

617 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
618 $(COMPILE.c) -o $@ $<
619 $(CTFCONVERT_O)

621 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
622 $(COMPILE.c) -o $@ $<
623 $(CTFCONVERT_O)

625 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiols/%.c
626 $(COMPILE.c) -o $@ $<
627 $(CTFCONVERT_O)

629 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
630 $(COMPILE.c) -o $@ $<
631 $(CTFCONVERT_O)

633 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiopl6x/%.c
634 $(COMPILE.c) -o $@ $<
635 $(CTFCONVERT_O)

637 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
638 $(COMPILE.c) -o $@ $<
639 $(CTFCONVERT_O)

641 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiotots/%.c
642 $(COMPILE.c) -o $@ $<
643 $(CTFCONVERT_O)

645 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
646 $(COMPILE.c) -o $@ $<
647 $(CTFCONVERT_O)

649 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
650 $(COMPILE.c) -o $@ $<
651 $(CTFCONVERT_O)

```

```

653 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bfe/%.c
654 $(COMPILE.c) -o $@ $<
655 $(CTFCONVERT_O)

657 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bge/%.c
658 $(COMPILE.c) -o $@ $<
659 $(CTFCONVERT_O)

661 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/blkdev/%.c
662 $(COMPILE.c) -o $@ $<
663 $(CTFCONVERT_O)

665 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/bpf/%.c
666 $(COMPILE.c) -o $@ $<
667 $(CTFCONVERT_O)

669 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cardbus/%.c
670 $(COMPILE.c) -o $@ $<
671 $(CTFCONVERT_O)

669 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/stmf/%.c
670 $(COMPILE.c) -o $@ $<
671 $(CTFCONVERT_O)

673 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fct/%.c
674 $(COMPILE.c) -o $@ $<
675 $(CTFCONVERT_O)

677 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/qlt/%.c
678 $(COMPILE.c) -o $@ $<
679 $(CTFCONVERT_O)

681 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/srpt/%.c
682 $(COMPILE.c) -o $@ $<
683 $(CTFCONVERT_O)

685 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
686 $(COMPILE.c) -o $@ $<
687 $(CTFCONVERT_O)

689 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsit/%.c
690 $(COMPILE.c) -o $@ $<
691 $(CTFCONVERT_O)

693 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
694 $(COMPILE.c) -o $@ $<
695 $(CTFCONVERT_O)

697 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/port/pppt/%.c
698 $(COMPILE.c) -o $@ $<
699 $(CTFCONVERT_O)

701 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
702 $(COMPILE.c) -o $@ $<
703 $(CTFCONVERT_O)

705 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/cpqary3/%.c
706 $(COMPILE.c) -o $@ $<
707 $(CTFCONVERT_O)

709 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dld/%.c
710 $(COMPILE.c) -o $@ $<
711 $(CTFCONVERT_O)

713 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dls/%.c
714 $(COMPILE.c) -o $@ $<

```

```

715 $(CTFCONVERT_O)

717 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/dmfe/%.c
718 $(COMPILE.c) -o $@ $<
719 $(CTFCONVERT_O)

721 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/drm/%.c
722 $(COMPILE.c) -o $@ $<
723 $(CTFCONVERT_O)

725 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/efe/%.c
726 $(COMPILE.c) -o $@ $<
727 $(CTFCONVERT_O)

729 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/elxl/%.c
730 $(COMPILE.c) -o $@ $<
731 $(CTFCONVERT_O)

733 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fcoe/%.c
734 $(COMPILE.c) -o $@ $<
735 $(CTFCONVERT_O)

737 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hme/%.c
738 $(COMPILE.c) -o $@ $<
739 $(CTFCONVERT_O)

741 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/%.c
742 $(COMPILE.c) -o $@ $<
743 $(CTFCONVERT_O)

745 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
746 $(COMPILE.c) -o $@ $<
747 $(CTFCONVERT_O)

749 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pciex/hotplug/%.c
750 $(COMPILE.c) -o $@ $<
751 $(CTFCONVERT_O)

753 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/hotplug/pcihp/%.c
754 $(COMPILE.c) -o $@ $<
755 $(CTFCONVERT_O)

757 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rds/%.c
758 $(COMPILE.c) -o $@ $<
759 $(CTFCONVERT_O)

761 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/rdsv3/%.c
762 $(COMPILE.c) -o $@ $<
763 $(CTFCONVERT_O)

765 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/iser/%.c
766 $(COMPILE.c) -o $@ $<
767 $(CTFCONVERT_O)

769 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/ibd/%.c
770 $(COMPILE.c) -o $@ $<
771 $(CTFCONVERT_O)

773 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/eoib/%.c
774 $(COMPILE.c) -o $@ $<
775 $(CTFCONVERT_O)

777 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
778 $(COMPILE.c) -o $@ $<
779 $(CTFCONVERT_O)

```

```

781 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
782 $(COMPILE.c) -o $@ $<
783 $(CTFCONVERT_O)

785 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
786 $(COMPILE.c) -o $@ $<
787 $(CTFCONVERT_O)

789 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.
790 $(COMPILE.c) -o $@ $<
791 $(CTFCONVERT_O)

793 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/sdp/%.c
794 $(COMPILE.c) -o $@ $<
795 $(CTFCONVERT_O)

797 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
798 $(COMPILE.c) -o $@ $<
799 $(CTFCONVERT_O)

801 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
802 $(COMPILE.c) -o $@ $<
803 $(CTFCONVERT_O)

805 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
806 $(COMPILE.c) -o $@ $<
807 $(CTFCONVERT_O)

809 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
810 $(COMPILE.c) -o $@ $<
811 $(CTFCONVERT_O)

813 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibnex/%.c
814 $(COMPILE.c) -o $@ $<
815 $(CTFCONVERT_O)

817 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/ibtl/%.c
818 $(COMPILE.c) -o $@ $<
819 $(CTFCONVERT_O)

821 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
822 $(COMPILE.c) -o $@ $<
823 $(CTFCONVERT_O)

825 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
826 $(COMPILE.c) -o $@ $<
827 $(CTFCONVERT_O)

829 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ib/clients/daplt/%.c
830 $(COMPILE.c) -o $@ $<
831 $(CTFCONVERT_O)

833 $(OBJSDIR)/%.o: $(COMMONBASE)/iscsi/%.c
834 $(COMPILE.c) -o $@ $<
835 $(CTFCONVERT_O)

837 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/idm/%.c
838 $(COMPILE.c) -o $@ $<
839 $(CTFCONVERT_O)

841 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ipw/%.c
842 $(COMPILE.c) -o $@ $<
843 $(CTFCONVERT_O)

845 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwh/%.c
846 $(COMPILE.c) -o $@ $<

```

```

847 $(CTFCONVERT_O)

849 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwi/%.c
850 $(COMPILE.c) -o $@ $<
851 $(CTFCONVERT_O)

853 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwk/%.c
854 $(COMPILE.c) -o $@ $<
855 $(CTFCONVERT_O)

857 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/iwp/%.c
858 $(COMPILE.c) -o $@ $<
859 $(CTFCONVERT_O)

861 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kb8042/%.c
862 $(COMPILE.c) -o $@ $<
863 $(CTFCONVERT_O)

865 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/kbtrans/%.c
866 $(COMPILE.c) -o $@ $<
867 $(CTFCONVERT_O)

869 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ksocket/%.c
870 $(COMPILE.c) -o $@ $<
871 $(CTFCONVERT_O)

873 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/aggr/%.c
874 $(COMPILE.c) -o $@ $<
875 $(CTFCONVERT_O)

877 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lp/%.c
878 $(COMPILE.c) -o $@ $<
879 $(CTFCONVERT_O)

881 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/hotspares/%.c
882 $(COMPILE.c) -o $@ $<
883 $(CTFCONVERT_O)

885 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/md/%.c
886 $(COMPILE.c) -o $@ $<
887 $(CTFCONVERT_O)

889 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/mirror/%.c
890 $(COMPILE.c) -o $@ $<
891 $(CTFCONVERT_O)

893 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/notify/%.c
894 $(COMPILE.c) -o $@ $<
895 $(CTFCONVERT_O)

897 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/raid/%.c
898 $(COMPILE.c) -o $@ $<
899 $(CTFCONVERT_O)

901 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/softpart/%.c
902 $(COMPILE.c) -o $@ $<
903 $(CTFCONVERT_O)

905 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/stripe/%.c
906 $(COMPILE.c) -o $@ $<
907 $(CTFCONVERT_O)

909 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/lvm/trans/%.c
910 $(COMPILE.c) -o $@ $<
911 $(CTFCONVERT_O)

```

```

913 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/%.c
914 $(COMPILE.c) -o $@ $<
915 $(CTFCONVERT_O)

917 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mac/plugins/%.c
918 $(COMPILE.c) -o $@ $<
919 $(CTFCONVERT_O)

921 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mega_sas/%.c
922 $(COMPILE.c) -o $@ $<
923 $(CTFCONVERT_O)

925 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mii/%.c
926 $(COMPILE.c) -o $@ $<
927 $(CTFCONVERT_O)

929 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mr_sas/%.c
930 $(COMPILE.c) -o $@ $<
931 $(CTFCONVERT_O)

933 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
934 $(COMPILE.c) -o $@ $<
935 $(CTFCONVERT_O)

937 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mxfe/%.c
938 $(COMPILE.c) -o $@ $<
939 $(CTFCONVERT_O)

941 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/%.c
942 $(COMPILE.c) -o $@ $<
943 $(CTFCONVERT_O)

945 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
946 $(COMPILE.c) -o $@ $<
947 $(CTFCONVERT_O)

949 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/net80211/%.c
950 $(COMPILE.c) -o $@ $<
951 $(CTFCONVERT_O)

953 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nge/%.c
954 $(COMPILE.c) -o $@ $<
955 $(CTFCONVERT_O)

957 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.c
958 $(COMPILE.c) -o $@ $<
959 $(CTFCONVERT_O)

961 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/npi/%.c
962 $(COMPILE.c) -o $@ $<
963 $(CTFCONVERT_O)

965 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/nxge/%.s
966 $(COMPILE.s) -o $@ $<

968 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pci-ide/%.c
969 $(COMPILE.c) -o $@ $<
970 $(CTFCONVERT_O)

972 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/pcn/%.c
973 $(COMPILE.c) -o $@ $<
974 $(CTFCONVERT_O)

976 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppp/%.c
977 $(COMPILE.c) -o $@ $<
978 $(CTFCONVERT_O)

```

```

980 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppasyn/%.c
981 $(COMPILE.c) -o $@ $<
982 $(CTFCONVERT_O)

984 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ppp/sppptun/%.c
985 $(COMPILE.c) -o $@ $<
986 $(CTFCONVERT_O)

988 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ral/%.c
989 $(COMPILE.c) -o $@ $<
990 $(CTFCONVERT_O)

992 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rge/%.c
993 $(COMPILE.c) -o $@ $<
994 $(CTFCONVERT_O)

996 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtls/%.c
997 $(COMPILE.c) -o $@ $<
998 $(CTFCONVERT_O)

1000 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rsm/%.c
1001 $(COMPILE.c) -o $@ $<
1002 $(CTFCONVERT_O)

1004 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rtw/%.c
1005 $(COMPILE.c) -o $@ $<
1006 $(CTFCONVERT_O)

1008 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rum/%.c
1009 $(COMPILE.c) -o $@ $<
1010 $(CTFCONVERT_O)

1012 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwd/%.c
1013 $(COMPILE.c) -o $@ $<
1014 $(CTFCONVERT_O)

1016 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/rwn/%.c
1017 $(COMPILE.c) -o $@ $<
1018 $(CTFCONVERT_O)

1020 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
1021 $(COMPILE.c) -o $@ $<
1022 $(CTFCONVERT_O)

1024 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
1025 $(COMPILE.c) -o $@ $<
1026 $(CTFCONVERT_O)

1028 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
1029 $(COMPILE.c) -o $@ $<
1030 $(CTFCONVERT_O)

1032 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sata/impl/%.c
1033 $(COMPILE.c) -o $@ $<
1034 $(CTFCONVERT_O)

1036 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/conf/%.c
1037 $(COMPILE.c) -o $@ $<
1038 $(CTFCONVERT_O)

1040 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/impl/%.c
1041 $(COMPILE.c) -o $@ $<
1042 $(CTFCONVERT_O)

1044 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/targets/%.c

```

```

1045 $(COMPILE.c) -o $@ $<
1046 $(CTFCONVERT_O)

1048 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/%.c
1049 $(COMPILE.c) -o $@ $<
1050 $(CTFCONVERT_O)

1052 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
1053 $(COMPILE.c) -o $@ $<
1054 $(CTFCONVERT_O)

1056 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
1057 $(COMPILE.c) -o $@ $<
1058 $(CTFCONVERT_O)

1060 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
1061 $(COMPILE.c) -o $@ $<
1062 $(CTFCONVERT_O)

1064 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
1065 $(COMPILE.c) -o $@ $<
1066 $(CTFCONVERT_O)

1068 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/impl/%.c
1069 $(COMPILE.c) -o $@ $<
1070 $(CTFCONVERT_O)

1072 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
1073 $(COMPILE.c) -o $@ $<
1074 $(CTFCONVERT_O)

1076 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
1077 $(COMPILE.c) -o $@ $<
1078 $(CTFCONVERT_O)

1080 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
1081 $(COMPILE.c) -o $@ $<
1082 $(CTFCONVERT_O)

1084 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
1085 $(COMPILE.c) -o $@ $<
1086 $(CTFCONVERT_O)

1088 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
1089 $(COMPILE.c) -o $@ $<
1090 $(CTFCONVERT_O)

1092 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
1093 $(COMPILE.c) -o $@ $<
1094 $(CTFCONVERT_O)

1096 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/impl/%.c
1097 $(COMPILE.c) -o $@ $<
1098 $(CTFCONVERT_O)

1100 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
1101 $(COMPILE.c) -o $@ $<
1102 $(CTFCONVERT_O)

1104 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/sfe/%.c
1105 $(COMPILE.c) -o $@ $<
1106 $(CTFCONVERT_O)

1108 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/simnet/%.c
1109 $(COMPILE.c) -o $@ $<
1110 $(CTFCONVERT_O)

```

```

1112 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/softmac/%.c
1113 $(COMPILE.c) -o $@ $<
1114 $(CTFCONVERT_O)

1116 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/%.c
1117 $(COMPILE.c) -o $@ $<
1118 $(CTFCONVERT_O)

1120 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/uath/uath_fw/%.c
1121 $(COMPILE.c) -o $@ $<
1122 $(CTFCONVERT_O)

1124 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/ural/%.c
1125 $(COMPILE.c) -o $@ $<
1126 $(CTFCONVERT_O)

1128 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/urtw/%.c
1129 $(COMPILE.c) -o $@ $<
1130 $(CTFCONVERT_O)

1132 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.c
1133 $(COMPILE.c) -o $@ $<
1134 $(CTFCONVERT_O)

1136 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.c
1137 $(COMPILE.c) -o $@ $<
1138 $(CTFCONVERT_O)

1140 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.c
1141 $(COMPILE.c) -o $@ $<
1142 $(CTFCONVERT_O)

1144 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
1145 $(COMPILE.c) -o $@ $<
1146 $(CTFCONVERT_O)

1148 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
1149 $(COMPILE.c) -o $@ $<
1150 $(CTFCONVERT_O)

1152 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
1153 $(COMPILE.c) -o $@ $<
1154 $(CTFCONVERT_O)

1156 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hid/%.c
1157 $(COMPILE.c) -o $@ $<
1158 $(CTFCONVERT_O)

1160 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
1161 $(COMPILE.c) -o $@ $<
1162 $(CTFCONVERT_O)

1164 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/printer/%.c
1165 $(COMPILE.c) -o $@ $<
1166 $(CTFCONVERT_O)

1168 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbbkm/%.c
1169 $(COMPILE.c) -o $@ $<
1170 $(CTFCONVERT_O)

1172 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbms/%.c
1173 $(COMPILE.c) -o $@ $<
1174 $(CTFCONVERT_O)

1176 $(OBJSDIR)/%.o: $(UTSBASE)/common/io/usb/clients/usbinp/usbwcm

```

```

1177      $(COMPILE.c) -o $$@ $<
1178      $(CTFCONVERT_O)

1180 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/ugen/%.c
1181      $(COMPILE.c) -o $$@ $<
1182      $(CTFCONVERT_O)

1184 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbser/%.c
1185      $(COMPILE.c) -o $$@ $<
1186      $(CTFCONVERT_O)

1188 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
1189      $(COMPILE.c) -o $$@ $<
1190      $(CTFCONVERT_O)

1192 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
1193      $(COMPILE.c) -o $$@ $<
1194      $(CTFCONVERT_O)

1196 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
1197      $(COMPILE.c) -o $$@ $<
1198      $(CTFCONVERT_O)

1200 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
1201      $(COMPILE.c) -o $$@ $<
1202      $(CTFCONVERT_O)

1204 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
1205      $(COMPILE.c) -o $$@ $<
1206      $(CTFCONVERT_O)

1208 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/hwal480_fw/%.c
1209      $(COMPILE.c) -o $$@ $<
1210      $(CTFCONVERT_O)

1212 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
1213      $(COMPILE.c) -o $$@ $<
1214      $(CTFCONVERT_O)

1216 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/clients/usbecm/%.c
1217      $(COMPILE.c) -o $$@ $<
1218      $(CTFCONVERT_O)

1220 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/hcd/openhci/%.c
1221      $(COMPILE.c) -o $$@ $<
1222      $(CTFCONVERT_O)

1224 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/hcd/ehci/%.c
1225      $(COMPILE.c) -o $$@ $<
1226      $(CTFCONVERT_O)

1228 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/hcd/uhci/%.c
1229      $(COMPILE.c) -I.../common -o $$@ $<
1230      $(CTFCONVERT_O)

1232 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/hubd/%.c
1233      $(COMPILE.c) -o $$@ $<
1234      $(CTFCONVERT_O)

1236 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/scsa2usb/%.c
1237      $(COMPILE.c) -o $$@ $<
1238      $(CTFCONVERT_O)

1240 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/usb_mid/%.c
1241      $(COMPILE.c) -o $$@ $<
1242      $(CTFCONVERT_O)

```

```

1244 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/usb_ia/%.c
1245      $(COMPILE.c) -o $$@ $<
1246      $(CTFCONVERT_O)

1248 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/usba/%.c
1249      $(COMPILE.c) -o $$@ $<
1250      $(CTFCONVERT_O)

1252 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/usba10/%.c
1253      $(COMPILE.c) -o $$@ $<
1254      $(CTFCONVERT_O)

1256 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
1257      $(COMPILE.c) -o $$@ $<
1258      $(CTFCONVERT_O)

1260 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/uwb/uwba/%.c
1261      $(COMPILE.c) -o $$@ $<
1262      $(CTFCONVERT_O)

1264 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vuidmice/%.c
1265      $(COMPILE.c) -o $$@ $<
1266      $(CTFCONVERT_O)

1268 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vnic/%.c
1269      $(COMPILE.c) -o $$@ $<
1270      $(CTFCONVERT_O)

1272 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/wpi/%.c
1273      $(COMPILE.c) -o $$@ $<
1274      $(CTFCONVERT_O)

1276 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/zyd/%.c
1277      $(COMPILE.c) -o $$@ $<
1278      $(CTFCONVERT_O)

1280 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/chxge/com/%.c
1281      $(COMPILE.c) -o $$@ $<
1282      $(CTFCONVERT_O)

1284 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/chxge/%.c
1285      $(COMPILE.c) -o $$@ $<
1286      $(CTFCONVERT_O)

1288 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/cxgbe/common/%.c
1289      $(COMPILE.c) -o $$@ $<
1290      $(CTFCONVERT_O)

1292 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/cxgbe/shared/%.c
1293      $(COMPILE.c) -o $$@ $<
1294      $(CTFCONVERT_O)

1296 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/cxgbe/firmware/%.c
1297      $(COMPILE.c) -o $$@ $<
1298      $(CTFCONVERT_O)

1300 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/cxgbe/t4nex/%.c
1301      $(COMPILE.c) -o $$@ $<
1302      $(CTFCONVERT_O)

1304 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
1305      $(COMPILE.c) -o $$@ $<
1306      $(CTFCONVERT_O)

1308 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/ixgb/%.c

```

```

1309      $(COMPILE.c) -o $@ $<
1310      $(CTFCONVERT_O)

1312 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/xge/drv/%.c
1313      $(COMPILE.c) -o $@ $<
1314      $(CTFCONVERT_O)

1316 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/xge/hal/xgehal/%.c
1317      $(COMPILE.c) -o $@ $<
1318      $(CTFCONVERT_O)

1320 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/e1000api/%.c
1321      $(COMPILE.c) -o $@ $<
1322      $(CTFCONVERT_O)

1324 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/e1000g/%.c
1325      $(COMPILE.c) -o $@ $<
1326      $(CTFCONVERT_O)

1328 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/igb/%.c
1329      $(COMPILE.c) -o $@ $<
1330      $(CTFCONVERT_O)

1332 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/iprb/%.c
1333      $(COMPILE.c) -o $@ $<
1334      $(CTFCONVERT_O)

1336 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/ixgbe/%.c
1337      $(COMPILE.c) -o $@ $<
1338      $(CTFCONVERT_O)

1340 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/ntxn/%.c
1341      $(COMPILE.c) -o $@ $<
1342      $(CTFCONVERT_O)

1344 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/myril0ge/drv/%.c
1345      $(COMPILE.c) -o $@ $<
1346      $(CTFCONVERT_O)

1348 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/%.c
1349      $(COMPILE.c) -o $@ $<
1350      $(CTFCONVERT_O)

1352 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/ipgpc/%.c
1353      $(COMPILE.c) -o $@ $<
1354      $(CTFCONVERT_O)

1356 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/dlcosmk/%.c
1357      $(COMPILE.c) -o $@ $<
1358      $(CTFCONVERT_O)

1360 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/flowacct/%.c
1361      $(COMPILE.c) -o $@ $<
1362      $(CTFCONVERT_O)

1364 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/dscpmk/%.c
1365      $(COMPILE.c) -o $@ $<
1366      $(CTFCONVERT_O)

1368 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ipp/meters/%.c
1369      $(COMPILE.c) -o $@ $<
1370      $(CTFCONVERT_O)

1372 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kiconv/kiconv_emea/%.c
1373      $(COMPILE.c) -o $@ $<
1374      $(CTFCONVERT_O)

```

```

1376 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kiconv/kiconv_ja/%.c
1377      $(COMPILE.c) -o $@ $<
1378      $(CTFCONVERT_O)

1380 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kiconv/kiconv_ko/%.c
1381      $(COMPILE.c) -o $@ $<
1382      $(CTFCONVERT_O)

1384 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kiconv/kiconv_sc/%.c
1385      $(COMPILE.c) -o $@ $<
1386      $(CTFCONVERT_O)

1388 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kiconv/kiconv_tc/%.c
1389      $(COMPILE.c) -o $@ $<
1390      $(CTFCONVERT_O)

1392 $(OBJSDIR)/%.o:      $(UTSBASE)/common/klm/%.c
1393      $(COMPILE.c) -o $@ $<
1394      $(CTFCONVERT_O)

1396 $(OBJSDIR)/%.o:      $(UTSBASE)/common/kmdb/%.c
1397      $(COMPILE.c) -o $@ $<
1398      $(CTFCONVERT_O)

1400 $(OBJSDIR)/%.o:      $(UTSBASE)/common/ktli/%.c
1401      $(COMPILE.c) -o $@ $<
1402      $(CTFCONVERT_O)

1404 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
1405      $(COMPILE.c) -o $@ $<
1406      $(CTFCONVERT_O)

1408 $(OBJSDIR)/%.o:      $(COMMONBASE)/iscsi/%.c
1409      $(COMPILE.c) -o $@ $<
1410      $(CTFCONVERT_O)

1412 $(OBJSDIR)/%.o:      $(UTSBASE)/common/inet/kifconf/%.c
1413      $(COMPILE.c) -o $@ $<
1414      $(CTFCONVERT_O)

1416 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vr/%.c
1417      $(COMPILE.c) -o $@ $<
1418      $(CTFCONVERT_O)

1420 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/yge/%.c
1421      $(COMPILE.c) -o $@ $<
1422      $(CTFCONVERT_O)

1424 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/virtio/%.c
1425      $(COMPILE.c) -o $@ $<
1426      $(CTFCONVERT_O)

1428 $(OBJSDIR)/%.o:      $(UTSBASE)/common/io/vioblk/%.c
1429      $(COMPILE.c) -o $@ $<
1430      $(CTFCONVERT_O)

1432 #
1433 # krtld must refer to its own bzero/bcopy until the kernel is fully linked
1434 #
1435 $(OBJSDIR)/bootrd.o      := CPPFLAGS += -DKOBJ_OVERRIDES
1436 $(OBJSDIR)/doreloc.o     := CPPFLAGS += -DKOBJ_OVERRIDES
1437 $(OBJSDIR)/kobj.o        := CPPFLAGS += -DKOBJ_OVERRIDES
1438 $(OBJSDIR)/kobj_boot.o   := CPPFLAGS += -DKOBJ_OVERRIDES
1439 $(OBJSDIR)/kobj_bootflags.o := CPPFLAGS += -DKOBJ_OVERRIDES
1440 $(OBJSDIR)/kobj_convrelstr.o := CPPFLAGS += -DKOBJ_OVERRIDES

```

```

1441 $(OBJSDIR)/kobj_isa.o      := CPPFLAGS += -DKOBJ_OVERRIDES
1442 $(OBJSDIR)/kobj_kdi.o      := CPPFLAGS += -DKOBJ_OVERRIDES
1443 $(OBJSDIR)/kobj_lm.o       := CPPFLAGS += -DKOBJ_OVERRIDES
1444 $(OBJSDIR)/kobj_reloc.o    := CPPFLAGS += -DKOBJ_OVERRIDES
1445 $(OBJSDIR)/kobj_stubs.o    := CPPFLAGS += -DKOBJ_OVERRIDES
1446 $(OBJSDIR)/kobj_subr.o     := CPPFLAGS += -DKOBJ_OVERRIDES

1448 $(OBJSDIR)/%.o:            $(UTSBASE)/common/krtld/%.c
1449     $(COMPILE.c) -o $@ $<
1450     $(CTFCONVERT_O)

1452 $(OBJSDIR)/%.o:            $(COMMONBASE)/list/%.c
1453     $(COMPILE.c) -o $@ $<
1454     $(CTFCONVERT_O)

1456 $(OBJSDIR)/%.o:            $(COMMONBASE)/lvm/%.c
1457     $(COMPILE.c) -o $@ $<
1458     $(CTFCONVERT_O)

1460 $(OBJSDIR)/%.o:            $(COMMONBASE)/lzma/%.c
1461     $(COMPILE.c) -o $@ $<
1462     $(CTFCONVERT_O)

1464 $(OBJSDIR)/%.o:            $(COMMONBASE)/crypto/md4/%.c
1465     $(COMPILE.c) -o $@ $<
1466     $(CTFCONVERT_O)

1468 $(OBJSDIR)/%.o:            $(COMMONBASE)/crypto/md5/%.c
1469     $(COMPILE.c) -o $@ $<
1470     $(CTFCONVERT_O)

1472 $(OBJSDIR)/%.o:            $(COMMONBASE)/net/dhcp/%.c
1473     $(COMPILE.c) -o $@ $<
1474     $(CTFCONVERT_O)

1476 $(OBJSDIR)/%.o:            $(COMMONBASE)/nvpair/%.c
1477     $(COMPILE.c) -o $@ $<
1478     $(CTFCONVERT_O)

1480 $(OBJSDIR)/%.o:            $(UTSBASE)/common/os/%.c
1481     $(COMPILE.c) -o $@ $<
1482     $(CTFCONVERT_O)

1488 $(OBJSDIR)/%.o:            $(UTSBASE)/common/pcmcia/cis/%.c
1489     $(COMPILE.c) -o $@ $<
1490     $(CTFCONVERT_O)

1492 $(OBJSDIR)/%.o:            $(UTSBASE)/common/pcmcia/cs/%.c
1493     $(COMPILE.c) -o $@ $<
1494     $(CTFCONVERT_O)

1496 $(OBJSDIR)/%.o:            $(UTSBASE)/common/pcmcia/nexus/%.c
1497     $(COMPILE.c) -o $@ $<
1498     $(CTFCONVERT_O)

1500 $(OBJSDIR)/%.o:            $(UTSBASE)/common/pcmcia/pcs/%.c
1501     $(COMPILE.c) -o $@ $<
1502     $(CTFCONVERT_O)

1484 $(OBJSDIR)/%.o:            $(UTSBASE)/common/rpc/%.c
1485     $(COMPILE.c) -o $@ $<
1486     $(CTFCONVERT_O)

1488 $(OBJSDIR)/%.o:            $(UTSBASE)/common/rpc/sec/%.c
1489     $(COMPILE.c) -o $@ $<
1490     $(CTFCONVERT_O)

```

```

1492 $(OBJSDIR)/%.o:            $(UTSBASE)/common/rpc/sec_gss/%.c
1493     $(COMPILE.c) -o $@ $<
1494     $(CTFCONVERT_O)

1496 $(OBJSDIR)/%.o:            $(COMMONBASE)/crypto/shal/%.c
1497     $(COMPILE.c) -o $@ $<
1498     $(CTFCONVERT_O)

1500 $(OBJSDIR)/%.o:            $(COMMONBASE)/crypto/sha2/%.c
1501     $(COMPILE.c) -o $@ $<
1502     $(CTFCONVERT_O)

1504 $(OBJSDIR)/%.o:            $(UTSBASE)/common/syscall/%.c
1505     $(COMPILE.c) -o $@ $<
1506     $(CTFCONVERT_O)

1508 $(OBJSDIR)/%.o:            $(UTSBASE)/common/tnf/%.c
1509     $(COMPILE.c) -o $@ $<
1510     $(CTFCONVERT_O)

1512 $(OBJSDIR)/%.o:            $(COMMONBASE)/tsol/%.c
1513     $(COMPILE.c) -o $@ $<
1514     $(CTFCONVERT_O)

1516 $(OBJSDIR)/%.o:            $(COMMONBASE)/util/%.c
1517     $(COMPILE.c) -o $@ $<
1518     $(CTFCONVERT_O)

1520 $(OBJSDIR)/%.o:            $(COMMONBASE)/unicode/%.c
1521     $(COMPILE.c) -o $@ $<
1522     $(CTFCONVERT_O)

1524 $(OBJSDIR)/%.o:            $(UTSBASE)/common/vm/%.c
1525     $(COMPILE.c) -o $@ $<
1526     $(CTFCONVERT_O)

1528 $(OBJSDIR)/%.o:            $(UTSBASE)/common/zmod/%.c
1529     $(COMPILE.c) -o $@ $<
1530     $(CTFCONVERT_O)

1532 $(OBJSDIR)/zlib_obj.o:      $(ZLIB_OBJSDIR)=$(OBJSDIR)/%
1533     $(LD) -r -Breduce -M$(UTSBASE)/common/zmod/mapfile -o $@ \
1534     $(ZLIB_OBJSDIR)=$(OBJSDIR)/%
1535     $(CTFMERGE) -t -f -L VERSION -o $@ $(ZLIB_OBJSDIR)=$(OBJSDIR)/%

1537 $(OBJSDIR)/%.o:            $(UTSBASE)/common/io/hxge/%.c
1538     $(COMPILE.c) -o $@ $<
1539     $(CTFCONVERT_O)

1541 $(OBJSDIR)/%.o:            $(UTSBASE)/common/io/tpm/%.c
1542     $(COMPILE.c) -o $@ $<
1543     $(CTFCONVERT_O)

1545 $(OBJSDIR)/%.o:            $(UTSBASE)/common/io/tpm/%.s
1546     $(COMPILE.s) -o $@ $<

1548 $(OBJSDIR)/bz2%.o:          $(COMMONBASE)/bzip2/%.c
1549     $(COMPILE.c) -o $@ -I$(COMMONBASE)/bzip2 $<
1550     $(CTFCONVERT_O)

1552 BZ2LINT = -erroff=%all -I$(UTSBASE)/common/bzip2

1554 $(LINTSDIR)/bz2%.ln:         $(COMMONBASE)/bzip2/%.c
1555     @$(LHEAD) $(LINT.c) -C $(LINTSDIR)/`basename $@ .ln` $(BZ2LINT) $< $(

```



```

1557 #
1558 #     Section 1b:     Lint 'objects'
1559 #
1560 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/aes/%.c
1561     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1563 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/arcfour/%.c
1564     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1566 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/blowfish/%.c
1567     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1569 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/ecc/%.c
1570     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1572 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/modes/%.c
1573     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1575 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/padding/%.c
1576     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1578 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rng/%.c
1579     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1581 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/rsa/%.c
1582     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1584 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/bignum/%.c
1585     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1587 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/bignum/%.c
1588     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1590 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/mpi/%.c
1591     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1593 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/acl/%.c
1594     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1596 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/avl/%.c
1597     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1599 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ucode/%.c
1600     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1602 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/sn1/%.c
1603     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1605 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/brand/solaris10/%.c
1606     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1608 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/c2/%.c
1609     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1611 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/conf/%.c
1612     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1614 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/contract/%.c
1615     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1617 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/cpr/%.c
1618     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1620 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/ctf/%.c
1621     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1623 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/ctf/%.c
1624     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1626 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/pci/%.c
1627     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1629 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/devid/%.c
1630     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1632 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/crypto/des/%.c
1633     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1635 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/smbios/%.c
1636     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1638 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ncall/%.c
1639     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1641 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/dsw/%.c
1642     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1644 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/nsctl/%.c
1645     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1647 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/rdc/%.c
1648     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1650 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sdbc/%.c
1651     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1653 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/solaris/%.c
1654     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1656 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/sv/%.c
1657     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1659 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/avs/ns/unistat/%.c
1660     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1662 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/des/%.c
1663     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1665 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/api/%.c
1666     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1668 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/core/%.c
1669     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1671 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/io/%.c
1672     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1674 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/crypto/spi/%.c
1675     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1677 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/disp/%.c
1678     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1680 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/dtrace/%.c
1681     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1683 $(LINTS_DIR)/%.ln:      $(COMMONBASE)/exacct/%.c
1684     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1686 $(LINTS_DIR)/%.ln:      $(UTSBASE)/common/exec/aout/%.c
1687     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1689 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/elf/%.c
1690     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1692 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/intp/%.c
1693     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1695 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/shbin/%.c
1696     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1698 $(LINTSDIR)/%.ln: $(UTSBASE)/common/exec/java/%.c
1699     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1701 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/%.c
1702     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1704 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/autofs/%.c
1705     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1707 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/cacheufs/%.c
1708     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1710 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ctfs/%.c
1711     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1713 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/doorfs/%.c
1714     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1716 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/dcfis/%.c
1717     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1719 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/devfs/%.c
1720     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1722 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/dev/%.c
1723     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1725 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/fd/%.c
1726     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1728 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/fifofs/%.c
1729     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1731 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/hsfs/%.c
1732     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1734 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/lofs/%.c
1735     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1737 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/mntfs/%.c
1738     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1740 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/namefs/%.c
1741     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1743 $(LINTSDIR)/%.ln: $(COMMONBASE)/smbsrv/%.c
1744     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1746 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbsrv/%.c
1747     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1749 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/nfs/%.c
1750     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1752 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/objfs/%.c
1753     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1755 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/pcfs/%.c
1756     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1758 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/portfs/%.c
1759     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1761 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/proc/%.c
1762     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1764 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/sharefs/%.c
1765     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1767 $(LINTSDIR)/%.ln: $(COMMONBASE)/smbclnt/%.c
1768     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1770 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbclnt/netsmb/%.c
1771     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1773 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/smbclnt/smbfs/%.c
1774     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1776 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/sockfs/%.c
1777     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1779 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/specfs/%.c
1780     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1782 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/swapfs/%.c
1783     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1785 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/tmpfs/%.c
1786     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1788 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/udfs/%.c
1789     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1791 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ufs/%.c
1792     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1794 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/ufs_log/%.c
1795     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1797 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vscan/%.c
1798     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1800 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/zfs/%.c
1801     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1803 $(LINTSDIR)/%.ln: $(UTSBASE)/common/fs/zut/%.c
1804     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1806 $(LINTSDIR)/%.ln: $(COMMONBASE)/xattr/%.c
1807     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1809 $(LINTSDIR)/%.ln: $(COMMONBASE)/zfs/%.c
1810     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1812 $(LINTSDIR)/%.ln: $(UTSBASE)/common/gssapi/%.c
1813     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1815 $(LINTSDIR)/%.ln: $(UTSBASE)/common/gssapi/mechs/dummy/%.c
1816     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1818 $(LINTSDIR)/%.ln: $(KMECHKRB5_BASE)/%.c
1819     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

```

```

1821 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/%.c
1822     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1824 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/des/%.c
1825     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1827 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/dk/%.c
1828     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1830 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/os/%.c
1831     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1833 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/arcfour/%.c
1834     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1836 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/enc_provider/%.c
1837     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1839 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/hash_provider/%.c
1840     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1842 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/keyhash_provider/%.c
1843     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1845 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/raw/%.c
1846     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1848 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/crypto/old/%.c
1849     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1851 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/krb5/krb/%.c
1852     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1854 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/krb5/os/%.c
1855     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1857 $(LINTSDIR)/%.ln:          $(KMECHKRB5_BASE)/mech/%.c
1858     @$(LHEAD) $(LINT.c) $(KGSSDFLAGS) $< $(LTAIL))

1860 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/idmap/%.c
1861     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1863 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/%.c
1864     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1866 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/sockmods/%.c
1867     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1869 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/arp/%.c
1870     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1872 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/ip/%.c
1873     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1875 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/ipnet/%.c
1876     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1878 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/iptun/%.c
1879     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1881 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/ipd/%.c
1882     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1884 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/ipf/%.c
1885     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))

```

```

1887 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/kssl/%.c
1888     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1890 $(LINTSDIR)/%.ln:          $(COMMONBASE)/net/patricia/%.c
1891     @$(LHEAD) $(LINT.c) $(IPFFLAGS) $< $(LTAIL))

1893 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/udp/%.c
1894     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1896 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/sctp/%.c
1897     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1899 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/tcp/%.c
1900     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1902 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/ilb/%.c
1903     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1905 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/nca/%.c
1906     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1908 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/inet/dlpistub/%.c
1909     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1911 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/%.c
1912     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1914 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/1394/%.c
1915     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1917 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/1394/adapters/%.c
1918     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1920 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/1394/targets/av1394/%.c
1921     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1923 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/1394/targets/dcaml394/%.c
1924     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1926 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/1394/targets/scsal394/%.c
1927     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1929 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/sbp2/%.c
1930     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1932 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/aac/%.c
1933     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1935 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/afe/%.c
1936     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1938 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/atge/%.c
1939     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1941 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/arn/%.c
1942     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1944 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/ath/%.c
1945     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1947 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/atu/%.c
1948     @$(LHEAD) $(LINT.c) $< $(LTAIL))

1950 $(LINTSDIR)/%.ln:          $(UTSBASE)/common/io/audio/impl/%.c
1951     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

1953 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/ac97/%.c
1954 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1956 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio1575/%.c
1957 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1959 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audio810/%.c
1960 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1962 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmi/%.c
1963 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1965 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiocmihd/%.c
1966 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1968 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioens/%.c
1969 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1971 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioemul0k/%.c
1972 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1974 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiohd/%.c
1975 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1977 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audioixp/%.c
1978 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1980 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiols/%.c
1981 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1983 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiopci/%.c
1984 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1986 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiop16x/%.c
1987 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1989 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiosolo/%.c
1990 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1992 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiots/%.c
1993 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1995 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia823x/%.c
1996 @$(LHEAD) $(LINT.c) $< $(LTAIL))

1998 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/audio/drv/audiovia97/%.c
1999 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2001 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bfe/%.c
2002 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2004 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bpf/%.c
2005 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2007 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/bge/%.c
2008 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2010 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/blkdev/%.c
2011 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2013 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cardbus/%.c
2014 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2016 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/lu/stmf_sbd/%.c
2017 @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2019 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fct/%.c
2020 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2022 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/qlt/%.c
2023 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2025 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/srpt/%.c
2026 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2028 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsit/%.c
2029 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2031 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/fcoet/%.c
2032 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2034 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/iscsit/%.c
2035 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2037 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/port/pppt/%.c
2038 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2040 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/comstar/stmf/%.c
2041 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2043 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cpgary3/%.c
2044 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2046 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dld/%.c
2047 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2049 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dls/%.c
2050 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2052 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/dmfe/%.c
2053 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2055 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/drm/%.c
2056 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2058 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/efe/%.c
2059 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2061 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/elxl/%.c
2062 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2064 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fcoe/%.c
2065 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2067 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hme/%.c
2068 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2070 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/%.c
2071 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2073 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/hpcsvc/%.c
2074 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2076 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pciex/hotplug/%.c
2077 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2079 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/hotplug/pcihp/%.c
2080 @$(LHEAD) $(LINT.c) $< $(LTAIL))

2082 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds/%.c
2083 @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2085 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/rds3v3/%.c
2086     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2088 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/iser/%.c
2089     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2091 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/ibd/%.c
2092     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2094 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/eoib/%.c
2095     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2097 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ofs/%.c
2098     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2100 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_ucma/%.c
2101     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2103 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_umad/%.c
2104     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2106 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/of/sol_uverbs/%.
2107     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2109 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/sdp/%.c
2110     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2112 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibcm/%.c
2113     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2115 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdm/%.c
2116     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2118 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibdma/%.c
2119     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2121 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/mgt/ibmf/%.c
2122     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2124 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibnex/%.c
2125     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2127 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/ibt1/%.c
2128     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2130 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/tavor/%.c
2131     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2133 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/adapters/hermon/%.c
2134     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2136 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ib/clients/daplt/%.c
2137     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2139 $(LINTSDIR)/%.ln: $(COMMONBASE)/iscsi/%.c
2140     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2142 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/idm/%.c
2143     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2145 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ipw/%.c
2146     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2148 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwh/%.c
2149     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2151 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwi/%.c
2152     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2154 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwk/%.c
2155     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2157 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iwp/%.c
2158     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2160 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kb8042/%.c
2161     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2163 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/kbtrans/%.c
2164     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2166 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ksocket/%.c
2167     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2169 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/aggr/%.c
2170     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2172 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lp/%.c
2173     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2175 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/hotspares/%.c
2176     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2178 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/md/%.c
2179     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2181 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/mirror/%.c
2182     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2184 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/raid/%.c
2185     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2187 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/softpart/%.c
2188     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2190 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/stripes/%.c
2191     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2193 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/notify/%.c
2194     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2196 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/lvm/trans/%.c
2197     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2199 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/%.c
2200     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2202 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mac/plugins/%.c
2203     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2205 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mega_sas/%.c
2206     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2208 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mii/%.c
2209     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2211 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mr_sas/%.c
2212     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2214 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/mpt_sas/%.c
2215     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2217 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mxfe/%.c
2218     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2220 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/%.c
2221     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2223 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/mwl/mwl_fw/%.c
2224     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2226 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/net80211/%.c
2227     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2229 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nge/%.c
2230     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2232 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.c
2233     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2235 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/%.s
2236     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2238 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/nxge/npi/%.c
2239     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2241 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pci-ide/%.c
2242     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2244 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/pcn/%.c
2245     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2247 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/sppp/%.c
2248     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2250 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/spppasyn/%.c
2251     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2253 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ppp/spptun/%.c
2254     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2256 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ral/%.c
2257     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2259 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rge/%.c
2260     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2262 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtls/%.c
2263     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2265 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rsm/%.c
2266     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2268 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rtw/%.c
2269     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2271 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rum/%.c
2272     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2274 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwd/%.c
2275     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2277 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/rwn/%.c
2278     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2280 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/ahci/%.c
2281     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2283 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/nv_sata/%.c
2284     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2286 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/adapters/si3124/%.c
2287     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2289 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sata/impl/%.c
2290     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2292 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/%.c
2293     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2295 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/blk2scsa/%.c
2296     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2298 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/pmcs/%.c
2299     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2301 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/%.c
2302     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2304 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/adapters/scsi_vhci/fop
2305     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2307 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/ulp/%.c
2308     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2310 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/impl/%.c
2311     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2313 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlc/%.c
2314     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2316 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/qlge/%.c
2317     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2319 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/emlxs/%.c
2320     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2322 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/oce/%.c
2323     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2325 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/fibre-channel/fca/fcoei/%.c
2326     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2328 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/conf/%.c
2329     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2331 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/impl/%.c
2332     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2334 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/scsi/targets/%.c
2335     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2337 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/adapters/sdhost/%.c
2338     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2340 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/impl/%.c
2341     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2343 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sdcard/targets/sdcard/%.c
2344     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2346 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/sfe/%.c
2347     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2349 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/simnet/%.c
2350     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2352 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/softmac/%.c
2353     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2355 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/%.c
2356     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2358 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uath/uath_fw/%.c
2359     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2361 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ural/%.c
2362     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2364 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/urtw/%.c
2365     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2367 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ac/%.
2368     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2370 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_as/%.
2371     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2373 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/audio/usb_ah/%.
2374     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2376 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbskel/%.c
2377     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2379 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/video/usbvc/%.c
2380     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2382 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwarc/%.c
2383     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2385 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hid/%.c
2386     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2388 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hidparser/%.c
2389     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2391 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbkbm/%.c
2392     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2394 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbms/%.c
2395     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2397 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbinput/usbwcm
2398     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2400 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/ugen/%.c
2401     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2403 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/printer/%.c
2404     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2406 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/%.c
2407     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2409 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsacm/
2410     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2412 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbftdi/
2413     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2415 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbser_k
2416     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2418 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbser/usbsprl/
2419     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2421 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_df/%.c
2422     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2424 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/hwal480_fw/%.c
2425     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2427 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/wusb_ca/%.c
2428     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2430 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/clients/usbecm/%.c
2431     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2433 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/openhci/%.c
2434     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2436 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/ehci/%.c
2437     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2439 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hcd/uhci/%.c
2440     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2442 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hubd/%.c
2443     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2445 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/scsa2usb/%.c
2446     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2448 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_mid/%.c
2449     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2451 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usb_ia/%.c
2452     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2454 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba/%.c
2455     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2457 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/usba10/%.c
2458     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2460 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/uwb/uwba/%.c
2461     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2463 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/usb/hwa/hwahc/%.c
2464     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2466 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vuidmice/%.c
2467     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2469 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/vnic/%.c
2470     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2472 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/wpi/%.c
2473     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2475 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/zyd/%.c
2476     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2478 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/com/%.c
2479     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2481 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/chxge/%.c
2482     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2484 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/common/%.c
2485     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2487 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/shared/%.c
2488     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2490 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/firmware/%.c
2491     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2493 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/t4nex/%.c
2494     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2496 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/cxgbe/cxgbe/%.c
2497     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2499 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgb/%.c
2500     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2502 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/drv/%.c
2503     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2505 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/xge/hal/xgehal/%.c
2506     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2508 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000g/%.c
2509     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2511 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/e1000api/%.c
2512     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2514 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/igb/%.c
2515     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2517 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/iprb/%.c
2518     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2520 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ixgbe/%.c
2521     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2523 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/ntxn/%.c
2524     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2526 $(LINTSDIR)/%.ln: $(UTSBASE)/common/io/myril0ge/drv/%.c
2527     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2529 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/%.c
2530     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2532 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/ipgpc/%.c
2533     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2535 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dlcosmk/%.c
2536     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2538 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/flowacct/%.c
2539     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2541 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/dscpmk/%.c
2542     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2544 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ipp/meters/%.c
2545     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2547 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_emea/%.c
2548     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2550 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ja/%.c
2551     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2553 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_ko/%.c
2554     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2556 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_sc/%.c
2557     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2559 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kiconv/kiconv_tc/%.c
2560     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2562 $(LINTSDIR)/%.ln: $(UTSBASE)/common/klm/%.c
2563     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2565 $(LINTSDIR)/%.ln: $(UTSBASE)/common/kmdb/%.c
2566     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2568 $(LINTSDIR)/%.ln: $(UTSBASE)/common/krtld/%.c
2569     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2571 $(LINTSDIR)/%.ln: $(UTSBASE)/common/ktli/%.c
2572     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2574 $(LINTSDIR)/%.ln: $(COMMONBASE)/list/%.c
2575     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2577 $(LINTSDIR)/%.ln: $(COMMONBASE)/lvm/%.c
2578     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2580 $(LINTSDIR)/%.ln: $(COMMONBASE)/lzma/%.c
2581     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2583 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md4/%.c
2584     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2586 $(LINTSDIR)/%.ln: $(COMMONBASE)/crypto/md5/%.c
2587     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2589 $(LINTSDIR)/%.ln: $(COMMONBASE)/net/dhcp/%.c
2590     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2592 $(LINTSDIR)/%.ln: $(COMMONBASE)/nvpair/%.c
2593     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2595 $(LINTSDIR)/%.ln: $(UTSBASE)/common/os/%.c
2596     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2598 $(LINTSDIR)/%.ln: $(UTSBASE)/common/rpc/%.c
2599     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2621 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cs/%.c
2622     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2624 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/cis/%.c
2625     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2627 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/nexus/%.c
2628     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2630 $(LINTSDIR)/%.ln: $(UTSBASE)/common/pcmcia/pcs/%.c
2631     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```



```

2601 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/%.c
2602     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2604 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/sec/%.c
2605     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2607 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/rpc/sec_gss/%.c
2608     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2610 $(LINTSDIR)/%.ln:      $(COMMONBASE)/crypto/shal/%.c
2611     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2613 $(LINTSDIR)/%.ln:      $(COMMONBASE)/crypto/sha2/%.c
2614     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2616 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/syscall/%.c
2617     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2619 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/tnf/%.c
2620     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2622 $(LINTSDIR)/%.ln:      $(COMMONBASE)/tsol/%.c
2623     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2625 $(LINTSDIR)/%.ln:      $(COMMONBASE)/util/%.c
2626     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2628 $(LINTSDIR)/%.ln:      $(COMMONBASE)/unicode/%.c
2629     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2631 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/vm/%.c
2632     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2634 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/scsi/adapters/iscsi/%.c
2635     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2637 $(LINTSDIR)/%.ln:      $(COMMONBASE)/iscsi/%.c
2638     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2640 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/inet/kifconf/%.c
2641     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2643 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/virtio/%.c
2644     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2646 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/vioblk/%.c
2647     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2649 ZMODLINTFLAGS = -erroff=E_CONSTANT_CONDITION

2651 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/zmod/%.c
2652     @$(LHEAD) $(LINT.c) $(ZMODLINTFLAGS) $< $(LTAIL))

2654 $(LINTSDIR)/zlib_obj.ln:  $(ZLIB_OBJS:%.o=$(LINTSDIR)/%.ln) \
2655     $(UTSBASE)/common/zmod/zlib_lint.c
2656     @$(LHEAD) $(LINT.c) -C $(LINTSDIR)/zlib_obj \
2657     $(UTSBASE)/common/zmod/zlib_lint.c $(LTAIL))

2659 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/hxge/%.c
2660     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2662 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.c
2663     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2665 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/tpm/%.s
2666     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

2668 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/vr/%.c
2669     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2671 $(LINTSDIR)/%.ln:      $(UTSBASE)/common/io/yge/%.c
2672     @$(LHEAD) $(LINT.c) $< $(LTAIL))

2674 $(LINTSDIR)/%.ln:      $(COMMONBASE)/fsreparse/%.c
2675     @$(LHEAD) $(LINT.c) $< $(LTAIL))

```

```

*****
22253 Sat Aug 9 23:41:53 2014
new/usr/src/uts/common/sys/Makefile
5075 EOF cardbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2013, Joyent, Inc. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
24 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
25 #

27 include $(SRC)/uts/Makefile.uts

29 FILEMODE=644

31 #
32 # Note that the following headers are present in the kernel but
33 # neither installed or shipped as part of the product:
34 # cpuid_drv.h: Private interface for cpuid consumers
35 # unix_bb_info.h: Private interface to kcov
36 #

38 i386_HDRS= \
39 agp/agpamd64gart_io.h \
40 agp/agpdefs.h \
41 agp/agpgart_impl.h \
42 agp/agpmaster_io.h \
43 agp/agptarget_io.h \
44 agpgart.h \
45 asy.h \
46 fd_debug.h \
47 fdc.h \
48 fdmedia.h \
49 mouse.h \
50 ucode.h

52 sparc_HDRS= \
53 mouse.h \
54 scsi/targets/ssddef.h \
55 $(MDESCHDRS)

57 # Generated headers

```

```

58 GENHDRS= \
59 priv_const.h \
60 priv_names.h \
61 usb/usbdevs.h

63 CHKHDRS= \
64 acpi_drv.h \
65 acct.h \
66 acctctl.h \
67 acl.h \
68 acl_impl.h \
69 aggr.h \
70 aggr_impl.h \
71 aio.h \
72 aio_impl.h \
73 aio_req.h \
74 aiocb.h \
75 ascii.h \
76 asynch.h \
77 atomic.h \
78 attr.h \
79 audio.h \
80 audioio.h \
81 autoconf.h \
82 auxv.h \
83 auxv_386.h \
84 auxv_SPARC.h \
85 avl.h \
86 avl_impl.h \
87 bitmap.h \
88 bitset.h \
89 bl.h \
90 blkdev.h \
91 bofi.h \
92 bofi_impl.h \
93 bpp_io.h \
94 bootstat.h \
95 brand.h \
96 buf.h \
97 bufmod.h \
98 bustypes.h \
99 byteorder.h \
100 callb.h \
101 callo.h \
102 cap_util.h \
103 cpucaps.h \
104 cpucaps_impl.h \
105 ccompile.h \
106 cdio.h \
107 cladm.h \
108 class.h \
109 clconf.h \
110 clock_impl.h \
111 cmlb.h \
112 cmn_err.h \
113 compress.h \
114 condvar.h \
115 condvar_impl.h \
116 conf.h \
117 consdev.h \
118 console.h \
119 consplat.h \
120 vt.h \
121 vtdaemon.h \
122 kd.h \
123 contract.h

```

```

124 contract_impl.h  \
125 copyops.h       \
126 core.h          \
127 corectl.h       \
128 cpc_impl.h      \
129 cpc_pcbe.h      \
130 cpr.h           \
131 cpupart.h       \
132 cpuvar.h        \
133 crc32.h         \
134 cred.h          \
135 cred_impl.h     \
136 crtctl.h        \
137 cryptmod.h      \
138 csioctl.h       \
139 ctf.h           \
140 ctfs.h          \
141 ctfs_impl.h     \
142 ctf_api.h       \
143 ctype.h         \
144 cyclic.h        \
145 cyclic_impl.h  \
146 dacf.h         \
147 dacf_impl.h    \
148 damap.h         \
149 damap_impl.h   \
150 dc_ki.h         \
151 ddi.h           \
152 ddifm.h        \
153 ddifm_impl.h   \
154 ddi_hp.h        \
155 ddi_hp_impl.h  \
156 ddi_intr.h      \
157 ddi_intr_impl.h \
158 ddi_impldefs.h \
159 ddi_implfuncs.h \
160 ddi_obsolete.h \
161 ddi_periodic.h \
162 ddidevmap.h    \
163 ddiidmareq.h  \
164 ddimapreq.h    \
165 ddiopropdefs.h \
166 dditypes.h     \
167 debug.h        \
168 des.h          \
169 devctl.h       \
170 devcache.h     \
171 devcache_impl.h \
172 devfm.h        \
173 devid_cache.h  \
174 devinfo_impl.h \
175 devops.h       \
176 devpolicy.h    \
177 devpoll.h      \
178 dirent.h       \
179 disp.h         \
180 dkbad.h        \
181 dkio.h         \
182 dklabel.h     \
183 dl.h           \
184 dlpi.h         \
185 dld.h         \
186 dld_impl.h    \
187 dld_ioc.h     \
188 dls.h         \
189 dls_mgmt.h    \

```

```

190 dls_impl.h      \
191 dma_i8237A.h   \
192 dnlc.h         \
193 door.h         \
194 door_data.h    \
195 door_impl.h    \
196 dtrace.h       \
197 dtrace_impl.h  \
198 dumpadm.h      \
199 dumphdr.h      \
200 ecppsys.h      \
201 ecppio.h       \
202 ecppreg.h      \
203 ecppvar.h      \
204 efi_partition.h \
205 elf.h          \
206 elf_386.h      \
207 elf_SPARC.h    \
208 elf_notes.h    \
209 elf_amd64.h    \
210 elftypes.h     \
211 emul64.h       \
212 emul64cmd.h    \
213 emul64var.h    \
214 epm.h          \
215 errno.h        \
216 errorq.h       \
217 errorq_impl.h  \
218 esunddi.h      \
219 ethernet.h     \
220 euc.h          \
221 eucioctl.h     \
222 exacct.h       \
223 exacct_catalog.h \
224 exacct_impl.h \
225 exec.h         \
226 exechedr.h    \
227 extdirent.h   \
228 fault.h       \
229 fasttrap.h     \
230 fasttrap_impl.h \
231 fbio.h         \
232 fbuf.h         \
233 fcntl.h       \
234 fct.h         \
235 fct_defines.h \
236 fctio.h       \
237 fdbuffer.h    \
238 fdio.h        \
239 feature_tests.h \
240 fem.h         \
241 file.h        \
242 filio.h       \
243 flock.h       \
244 flock_impl.h  \
245 fork.h        \
246 fss.h         \
247 fsspriocntl.h \
248 fsid.h        \
249 fssnap.h      \
250 fssnap_if.h  \
251 fstyp.h       \
252 ftrace.h     \
253 fx.h         \
254 fxpriocntl.h \
255 gfs.h         \

```

```

256      gld.h                \|
257      gldpriv.h           \|
258      group.h             \|
259      hdio.h              \|
260      hook.h              \|
261      hook_event.h        \|
262      hook_impl.h         \|
263      hwconf.h            \|
264      ia.h                 \|
265      iapriocntl.h        \|
266      ibpart.h            \|
267      id32.h              \|
268      idmap.h             \|
269      ieeeep.h            \|
270      id_space.h          \|
271      instance.h          \|
272      int_const.h         \|
273      int_fmtdio.h        \|
274      int_limits.h        \|
275      int_types.h         \|
276      inttypes.h          \|
277      ioccom.h            \|
278      ioctl.h             \|
279      ipc.h                \|
280      ipc_impl.h          \|
281      ipc_rctl.h          \|
282      ipd.h                \|
283      ipmi.h              \|
284      isa_defs.h          \|
285      iscsi_authclient.h  \|
286      iscsi_authclientglue.h \|
287      iscsi_protocol.h    \|
288      jioctl.h            \|
289      kbd.h                \|
290      kbdrereg.h          \|
291      kbio.h              \|
292      kcpic.h             \|
293      kdi.h                \|
294      kdi_impl.h          \|
295      kiconv.h            \|
296      kiconv_big5_utf8.h  \|
297      kiconv_ck_common.h  \|
298      kiconv_cp950hkscs_utf8.h \|
299      kiconv_emeal.h      \|
300      kiconv_emea2.h      \|
301      kiconv_euckr_utf8.h \|
302      kiconv_euctw_utf8.h \|
303      kiconv_gb18030_utf8.h \|
304      kiconv_gb2312_utf8.h \|
305      kiconv_hkscs_utf8.h \|
306      kiconv_ja.h         \|
307      kiconv_ja_jis_to_unicode.h \|
308      kiconv_ja_unicode_to_jis.h \|
309      kiconv_ko.h         \|
310      kiconv_latin1.h     \|
311      kiconv_sc.h         \|
312      kiconv_tc.h        \|
313      kiconv_uhc_utf8.h  \|
314      kiconv_utf8_big5.h  \|
315      kiconv_utf8_cp950hkscs.h \|
316      kiconv_utf8_euckr.h \|
317      kiconv_utf8_euctw.h \|
318      kiconv_utf8_gb18030.h \|
319      kiconv_utf8_gb2312.h \|
320      kiconv_utf8_hkscs.h \|
321      kiconv_utf8_uhc.h  \|

```

```

322      kidmap.h            \|
323      klpd.h              \|
324      klwp.h              \|
325      kmdb.h              \|
326      kmem.h              \|
327      kmem_impl.h        \|
328      kobj.h              \|
329      kobj_impl.h        \|
330      ksocket.h           \|
331      kstat.h             \|
332      kstr.h              \|
333      ksyms.h             \|
334      ksynch.h           \|
335      ldterm.h           \|
336      lgrp.h              \|
337      lgrp_user.h        \|
338      libc_kernel.h      \|
339      link.h              \|
340      list.h              \|
341      list_impl.h        \|
342      llcl.h              \|
343      loadavg.h           \|
344      lock.h              \|
345      lockfs.h           \|
346      lockstat.h         \|
347      lofi.h              \|
348      log.h                \|
349      loginmux.h          \|
350      loginmux_impl.h    \|
351      lwp.h                \|
352      lwp_timer_impl.h   \|
353      lwp_upimutex_impl.h \|
354      lpif.h              \|
355      mac.h                \|
356      mac_client.h        \|
357      mac_client_impl.h  \|
358      mac_ether.h         \|
359      mac_flow.h          \|
360      mac_flow_impl.h    \|
361      mac_impl.h          \|
362      mac_provider.h     \|
363      mac_soft_ring.h    \|
364      mac_stat.h          \|
365      machelf.h           \|
366      map.h                \|
367      md4.h                \|
368      md5.h                \|
369      md5_consts.h        \|
370      mdi_impldefs.h     \|
371      mem.h                \|
372      mem_config.h        \|
373      memlist.h           \|
374      mkdev.h             \|
375      mhd.h                \|
376      mii.h                \|
377      miiregs.h           \|
378      mixer.h             \|
379      mman.h              \|
380      mmapobj.h           \|
381      mntent.h            \|
382      mntio.h             \|
383      mnttab.h            \|
384      modctl.h            \|
385      mode.h              \|
386      model.h             \|
387      modhash.h           \|

```

```

388     modhash_impl.h  \
389     mount.h         \
390     mouse.h         \
391     msacct.h        \
392     msg.h           \
393     msg_impl.h      \
394     msio.h          \
395     msreg.h         \
396     mtio.h          \
397     multidata.h     \
398     multidata_impl.h \
399     mutex.h         \
400     nbmlock.h       \
401     ndifm.h         \
402     ndi_impldefs.h  \
403     net80211.h      \
404     net80211_crypto.h \
405     net80211_ht.h   \
406     net80211_proto.h \
407     netconfig.h     \
408     neti.h          \
409     netstack.h      \
410     nexusdefs.h     \
411     note.h          \
412     nvpair.h        \
413     nvpair_impl.h   \
414     objfs.h         \
415     objfs_impl.h    \
416     ontrap.h        \
417     open.h          \
418     openpromio.h    \
419     panic.h         \
420     param.h         \
421     pathconf.h      \
422     pathname.h      \
423     pattn.h         \
424     queue.h         \
425     serializer.h    \
426     pbio.h          \
427     pccard.h        \
427     pci.h           \
428     pcie.h          \
429     pci_impl.h      \
430     pci_tools.h     \
432     pcmcia.h        \
431     ptypes.h       \
432     pfmod.h        \
433     pg.h            \
434     pghw.h         \
435     physmem.h       \
436     pkp_hash.h      \
437     pm.h            \
438     policy.h        \
439     poll.h          \
440     poll_impl.h     \
441     pool.h          \
442     pool_impl.h     \
443     pool_pset.h     \
444     port.h          \
445     port_impl.h     \
446     port_kernel.h   \
447     portif.h        \
448     ppmio.h         \
449     pppt_ic_if.h    \
450     pppt_ioctl.h    \
451     priocntl.h      \

```

```

452     priv.h          \
453     priv_impl.h     \
454     prnio.h         \
455     proc.h          \
456     processor.h     \
457     procfs.h        \
458     procset.h       \
459     project.h       \
460     protosw.h       \
461     prsystem.h      \
462     pset.h          \
463     pshot.h         \
464     ptem.h          \
465     ptms.h          \
466     ptyvar.h        \
467     raidioctl.h     \
468     ramdisk.h       \
469     random.h        \
470     rctl.h          \
471     rctl_impl.h     \
472     rds.h           \
473     reboot.h        \
474     refstr.h        \
475     refstr_impl.h   \
476     resource.h      \
477     rliocntl.h      \
478     rt.h            \
479     rtpriocntl.h    \
480     rwlock.h        \
481     rwlock_impl.h   \
482     rwstlock.h     \
483     sad.h           \
484     schedctl.h      \
485     sdt.h           \
486     select.h        \
487     sem.h           \
488     sem_impl.h      \
489     sema_impl.h     \
490     semaphore.h     \
491     sendfile.h      \
492     ser_sync.h      \
493     session.h       \
494     sha1.h          \
495     sha1_consts.h   \
496     sha2.h          \
497     sha2_consts.h   \
498     share.h         \
499     shm.h           \
500     shm_impl.h      \
501     sid.h           \
502     siginfo.h       \
503     signal.h        \
504     sleepq.h        \
505     smbios.h        \
506     smbios_impl.h   \
507     sobject.h       \
508     socket.h        \
509     socket_impl.h   \
510     socket_proto.h  \
511     socketvar.h     \
512     sockfilter.h    \
513     sockio.h        \
514     soundcard.h     \
515     queue.h         \
516     queue_impl.h    \
517     srn.h           \

```

```

520 sservice.h
518 stat.h
519 statfs.h
520 statvfs.h
521 stdbool.h
522 stdint.h
523 stermio.h
524 stmf.h
525 stmf_defines.h
526 stmf_ioctl.h
527 stmf_sbd_ioctl.h
528 stream.h
529 strft.h
530 strlog.h
531 strmdp.h
532 stropts.h
533 strredir.h
534 strstat.h
535 strsubr.h
536 strsun.h
537 strtty.h
538 sunddi.h
539 sunldi.h
540 sunldi_impl.h
541 sunmdi.h
542 sunndi.h
543 sunos_dhcp_class.h
544 sunpm.h
545 suntpi.h
546 suntty.h
547 swap.h
548 synch.h
549 sysdc.h
550 sysdc_impl.h
551 syscall.h
552 sysconf.h
553 sysconfig.h
554 sysevent.h
555 sysevent_impl.h
556 sysinfo.h
557 syslog.h
558 sysmacros.h
559 sysmsg_impl.h
560 systeminfo.h
561 system.h
562 task.h
563 taskq.h
564 taskq_impl.h
565 t_kuser.h
566 t_lock.h
567 telioctl.h
568 termio.h
569 termios.h
570 termiox.h
571 thread.h
572 ticlts.h
573 ticots.h
574 ticotsord.h
575 tihdr.h
576 time.h
577 time_impl.h
578 time_std_impl.h
579 timeb.h
580 timer.h
581 times.h
582 timex.h

```

```

583 timod.h
584 tirdwr.h
585 tiuser.h
586 tl.h
587 tnf.h
588 tnf_com.h
589 tnf_probe.h
590 tnf_writer.h
591 todio.h
592 tpicommon.h
593 ts.h
594 tspriocntl.h
595 ttcompat.h
596 ttold.h
597 tty.h
598 ttychars.h
599 ttydev.h
600 tuneable.h
601 turnstile.h
602 types.h
603 types32.h
604 tzfile.h
605 u8_textprep.h
606 u8_textprep_data.h
607 uadmin.h
608 ucred.h
609 uio.h
610 ulimit.h
611 un.h
612 unistd.h
613 user.h
614 ustat.h
615 utime.h
616 utsname.h
617 utssys.h
618 uuid.h
619 va_impl.h
620 va_list.h
621 var.h
622 varargs.h
623 vfs.h
624 vfs_opreg.h
625 vfstab.h
626 vgareg.h
627 videodev2.h
628 visual_io.h
629 vlan.h
630 vm.h
631 vm_usage.h
632 vmem.h
633 vmem_impl.h
634 vmsystem.h
635 vnic.h
636 vnic_impl.h
637 vnode.h
638 vscan.h
639 vtoc.h
640 vtrace.h
641 void_event.h
642 void_wheel.h
643 void_queue.h
644 void_state.h
645 void_store.h
646 wait.h
647 waitq.h
648 wanboot_impl.h

```

```

649     watchpoint.h      \
650     winlockio.h       \
651     zcons.h           \
652     zone.h            \
653     xti_inet.h        \
654     xti_osi.h         \
655     xti_xtiopt.h      \
656     zmod.h            \

658 HDRS=                \
659     $(GENHDRS)        \
660     $(CHKHDRS)        \

662 AUDIOHDRS=           \
663     ac97.h            \
664     audio_common.h   \
665     audio_driver.h   \
666     audio_oss.h      \
667     g711.h           \

669 AVHDRS=              \
670     iec61883.h       \

672 BSCHDRS=            \
673     bscbus.h         \
674     bscv_impl.h     \
675     lom_ebuscodes.h \
676     lom_io.h        \
677     lom_priv.h      \
678     lombus.h        \

680 MDESCHDRS=          \
681     mdesc.h         \
682     mdesc_impl.h   \

684 CPUDRVHDRS=        \
685     cpudrv.h       \

687 CRYPTOHDRS=        \
688     elfsign.h      \
689     ioctl.h        \
690     ioctladmin.h  \
691     common.h       \
692     impl.h         \
693     spi.h          \
694     api.h          \
695     ops_impl.h     \
696     sched_impl.h   \

698 DCAMHDRS=          \
699     dcaml394_io.h  \

701 IBHDRS=            \
702     ib_types.h     \
703     ib_pkt_hdrs.h  \

705 IBTLHDRS=          \
706     ibtl_types.h   \
707     ibtl_status.h  \
708     ibti.h         \
709     ibti_cm.h      \
710     ibci.h         \
711     ibti_common.h  \
712     ibvti.h        \
713     ibtl_ci_types.h

```

```

715 IBTLIMPLHDRS=      \
716     ibtl_util.h    \

718 IBNEXHDRS=         \
719     ibnex_devctl.h \

721 IBMFHDRS=          \
722     ibmf.h         \
723     ibmf_msg.h     \
724     ibmf_saa.h     \
725     ibmf_utils.h   \

727 IBMGTHDRS=         \
728     ib_dm_attr.h   \
729     ib_mad.h       \
730     sm_attr.h      \
731     sa_recs.h      \

733 IBDHDRS=           \
734     ibd.h          \

736 OFHDRS=            \
737     ofa_solaris.h  \
738     ofed_kernel.h \

740 RDMAHDRS=          \
741     ib_addr.h      \
742     ib_user_mad.h  \
743     ib_user_sa.h   \
744     ib_user_verbs.h \
745     ib_verbs.h     \
746     rdma_cm.h      \
747     rdma_user_cm.h \

749 SOL_UVERBSHDRS=    \
750     sol_uverbs.h   \
751     sol_uverbs2ucma.h \
752     sol_uverbs_comp.h \
753     sol_uverbs_hca.h \
754     sol_uverbs_qp.h \
755     sol_uverbs_event.h \

757 SOL_UMADHDRS=      \
758     sol_umad.h     \

760 SOL_UCMAHDRS=      \
761     sol_ucma.h     \
762     sol_rdma_user_cm.h \

764 SOL_OFSHDRS=       \
765     sol_cma.h      \
766     sol_ib_cma.h   \
767     sol_ofs_common.h \
768     sol_kverb_impl.h \

770 TAVORHDRS=         \
771     tavor_ioctl.h \

773 HERMONHDRS=        \
774     hermon_ioctl.h \

776 MLNXHDRS=          \
777     mlnx_umap.h    \

779 IDMHDRS=           \
780     idm.h          \

```

```

781     idm_impl.h      \
782     idm_so.h        \
783     idm_text.h      \
784     idm_transport.h \
785     idm_conn_sm.h

787 ISCSITHDRS= \
788     radius_packet.h \
789     radius_protocol.h \
790     chap.h          \
791     isns_protocol.h \
792     iscsi_if.h      \
793     iscsit_common.h

795 ISOHDRS= \
796     signal_iso.h

798 DERIVED_LVMHDRS= \
799     md_mdiox.h     \
800     md_basic.h     \
801     mdmed.h        \
802     md_mhdx.h     \
803     mdmn_commd.h

805 LVMHDRS= \
806     md_convert.h  \
807     md_crc.h      \
808     md_hotspares.h \
809     md_mddb.h     \
810     md_mirror.h   \
811     md_mirror_shared.h \
812     md_names.h    \
813     md_notify.h   \
814     md_raid.h     \
815     md_rename.h   \
816     md_sp.h       \
817     md_stripe.h   \
818     md_trans.h    \
819     mdio.h        \
820     mdvar.h

822 ALL_LVMHDRS= \
823     $(LVMHDRS) \
824     $(DERIVED_LVMHDRS)

826 FMHDRS= \
827     protocol.h    \
828     util.h

830 FMFSHDRS= \
831     zfs.h

833 FMIOHDRS= \
834     ddi.h         \
835     disk.h        \
836     pci.h         \
837     scsi.h        \
838     sun4upci.h   \
839     opl_mc_fm.h

841 FSHDRS= \
842     autofs.h      \
843     cachefs_dir.h \
844     cachefs_dlog.h \
845     cachefs_filegrp.h \
846     cachefs_fs.h

```

```

847     cachefs_fscache.h \
848     cachefs_ioctl.h   \
849     cachefs_log.h    \
850     decomp.h         \
851     dv_node.h        \
852     sdev_impl.h      \
853     fifonode.h       \
854     hsfs_isospec.h   \
855     hsfs_node.h      \
856     hsfs_rrip.h      \
857     hsfs_spec.h      \
858     hsfs_susp.h      \
859     lofs_info.h      \
860     lofs_node.h      \
861     mntdata.h        \
862     namenode.h       \
863     pc_dir.h         \
864     pc_fs.h          \
865     pc_label.h       \
866     pc_node.h        \
867     pxfi_ki.h        \
868     snode.h          \
869     swapnode.h       \
870     tmp.h            \
871     tmpnode.h        \
872     udf_inode.h      \
873     udf_volume.h     \
874     ufs_acl.h        \
875     ufs_bio.h        \
876     ufs_filio.h     \
877     ufs_fs.h         \
878     ufs_fsdir.h     \
879     ufs_inode.h      \
880     ufs_lockfs.h    \
881     ufs_log.h        \
882     ufs_mount.h     \
883     ufs_panic.h     \
884     ufs_prot.h       \
885     ufs_quota.h     \
886     ufs_snap.h      \
887     ufs_trans.h     \
888     zfs.h            \
889     zut.h

891 SCSIHDRS= \
892     scsi.h          \
893     scsi_address.h \
894     scsi_ctl.h     \
895     scsi_fm.h      \
896     scsi_params.h  \
897     scsi_pkt.h     \
898     scsi_resource.h \
899     scsi_types.h   \
900     scsi_watch.h

902 SCSSICONFHDRS= \
903     autoconf.h     \
904     device.h

906 SCSSIGENHDRS= \
907     commands.h     \
908     dad_mode.h     \
909     inquiry.h      \
910     message.h      \
911     mode.h         \
912     persist.h

```



```

913     sense.h \
914     sff_frames.h \
915     smp_frames.h \
916     status.h

918 SCIIIMPLHDRS= \
919     commands.h \
920     inquiry.h \
921     mode.h \
922     scsi_reset_notify.h \
923     scsi_sas.h \
924     sense.h \
925     services.h \
926     smp_transport.h \
927     spc3_types.h \
928     status.h \
929     transport.h \
930     types.h \
931     uscsi.h \
932     usmp.h

934 SCSTITARGETSHDRS= \
935     ses.h \
936     sesio.h \
937     sgendef.h \
938     stdef.h \
939     sddef.h \
940     smp.h

942 SCSIADHDRS=

944 SCASICADHDRS=

946 SCIIISCSIHDRS= \
947     iscsi_door.h \
948     iscsi_if.h

950 SCIVHCIHDRS= \
951     scsi_vhci.h \
952     mpapi_impl.h \
953     mpapi_scsi_vhci.h

955 SDCARDHDRS= \
956     sda.h \
957     sda_impl.h \
958     sda_ioctl.h

960 FC4HDRS= \
961     fc_transport.h \
962     linkapp.h \
963     fc.h \
964     fcp.h \
965     fcal_transport.h \
966     fcal.h \
967     fcal_linkapp.h \
968     fcio.h

970 FCHDRS= \
971     fc.h \
972     fcio.h \
973     fc_types.h \
974     fc_appif.h

976 FCIMPLHDRS= \
977     fc_error.h \
978     fcph.h

```

```

980 FCULPHDRS= \
981     fcp_util.h \
982     fcsn.h

984 SATAGENHDRS= \
985     sata_hba.h \
986     sata_defs.h \
987     sata_cfgadm.h

989 SYSEVENTHDRS= \
990     ap_driver.h \
991     dev.h \
992     domain.h \
993     dr.h \
994     env.h \
995     eventdefs.h \
996     ipmp.h \
997     pwrctl.h \
998     svm.h \
999     vrrp.h

1001 CONTRACTHDRS= \
1002     process.h \
1003     process_impl.h \
1004     device.h \
1005     device_impl.h

1007 USBHDRS= \
1008     usba.h \
1009     usbai.h

1011 UWBHDRS= \
1012     uwb.h \
1013     uwbai.h

1015 UWBAHDRS= \
1016     uwba.h

1018 USBAUDHDRS= \
1019     usb_audio.h

1021 USBHUBDHDRS= \
1022     hub.h \
1023     hubd_impl.h

1025 USBHIDHDRS= \
1026     hid.h

1028 USBHWARDHDRS= \
1029     hwarc.h

1031 USBMSHDRS= \
1032     usb_bulkonly.h \
1033     usb_cbi.h

1035 USBPRNHDRS= \
1036     usb_printer.h

1038 USBDCDCHDRS= \
1039     usb_cdc.h

1041 USBVIDHDRS= \
1042     usbvc.h

1044 USBWCMHDRS= \

```

```

1045     usbwcm.h
1047 UGENHDRS= \
1048     usb_ugen.h
1050 HOTPLUGHDRS= \
1051     hpcsvc.h \
1052     hpctrl.h
1054 HOTPLUGPCIHDRS= \
1055     pcicfg.h \
1056     pcihp.h
1058 RSMHDRS= \
1059     rsm.h \
1060     rsm_common.h \
1061     rsmapi_common.h \
1062     rsmapi.h \
1063     rsmapi_driver.h \
1064     rsmka_path_int.h
1066 TSOLHDRS= \
1067     label.h \
1068     label_macro.h \
1069     priv.h \
1070     tndb.h \
1071     tsyscall.h
1073 I1394HDRS= \
1074     cmd1394.h \
1075     id1394.h \
1076     ieee1212.h \
1077     ieee1394.h \
1078     ixl1394.h \
1079     sl1394_impl.h \
1080     tl1394.h
1082 # "cmdk" headers used on sparc
1083 SDKTPHDRS= \
1084     dadkio.h \
1085     fdisk.h
1087 # "cmdk" headers used on i386
1088 DKTPHDRS= \
1089     altsctr.h \
1090     bbh.h \
1091     cm.h \
1092     cmdev.h \
1093     cmdk.h \
1094     cmpkt.h \
1095     controller.h \
1096     dadev.h \
1097     dadk.h \
1098     dadkio.h \
1099     fctypes.h \
1100     fdisk.h \
1101     flowctrl.h \
1102     gda.h \
1103     quetypes.h \
1104     queue.h \
1105     tgcom.h \
1106     tgdk.h
1108 # "pc" header files used on i386
1109 PCHDRS= \
1110     avintr.h

```

```

1111     dma_engine.h \
1112     i8272A.h \
1116     pcic_reg.h \
1117     pcic_var.h \
1113     pic.h \
1114     pit.h \
1115     rtc.h
1117 NXGEHDRS= \
1118     nxge.h \
1119     nxge_common.h \
1120     nxge_common_impl.h \
1121     nxge_defs.h \
1122     nxge_hw.h \
1123     nxge_impl.h \
1124     nxge_ipp.h \
1125     nxge_ipp_hw.h \
1126     nxge_mac.h \
1127     nxge_mac_hw.h \
1128     nxge_fflp.h \
1129     nxge_fflp_hw.h \
1130     nxge_mii.h \
1131     nxge_rxdma.h \
1132     nxge_rxdma_hw.h \
1133     nxge_txc.h \
1134     nxge_txc_hw.h \
1135     nxge_txdma.h \
1136     nxge_txdma_hw.h \
1137     nxge_virtual.h \
1138     nxge_espc.h
1140 include Makefile.syshdrs
1142 dcam/%.check: dcam/%.h
1143     $(DOT_H_CHECK)
1145 CHECKHDRS= \
1146     $(MACH)_HDRS:%.h=%%.check) \
1147     $(AUDIOHDRS:%.h=audio/%.check) \
1148     $(AVHDRS:%.h=av/%.check) \
1149     $(BSCHDRS:%.h=%%.check) \
1150     $(CHKHDRS:%.h=%%.check) \
1151     $(CPUDRVHDRS:%.h=%%.check) \
1152     $(CRYPTOHDRS:%.h=crypto/%.check) \
1153     $(DCAMHDRS:%.h=dcam/%.check) \
1154     $(FC4HDRS:%.h=fc4/%.check) \
1155     $(FCHDRS:%.h=fibre-channel/%.check) \
1156     $(FCIMPLHDRS:%.h=fibre-channel/impl/%.check) \
1157     $(FCULPHDRS:%.h=fibre-channel/ulp/%.check) \
1158     $(IBHDRS:%.h=ib/%.check) \
1159     $(IBDHDRS:%.h=ib/clients/ibd/%.check) \
1160     $(IBTLHDRS:%.h=ib/ibt1/%.check) \
1161     $(IBTLIMPLHDRS:%.h=ib/ibt1/impl/%.check) \
1162     $(IBNEXHDRS:%.h=ib/ibnex/%.check) \
1163     $(IBMGTHDRS:%.h=ib/mgt/%.check) \
1164     $(IBMFHDRS:%.h=ib/mgt/ibmf/%.check) \
1165     $(OFHDRS:%.h=ib/clients/of/%.check) \
1166     $(RDMAHDRS:%.h=ib/clients/of/rdma/%.check) \
1167     $(SOL_UVERBSHDRS:%.h=ib/clients/of/sol_uverbs/%.check) \
1168     $(SOL_UCMAHDRS:%.h=ib/clients/of/sol_ucma/%.check) \
1169     $(SOL_OFSHDRS:%.h=ib/clients/of/sol_ofs/%.check) \
1170     $(TAVORHDRS:%.h=ib/adapters/tavor/%.check) \
1171     $(HERMONHDRS:%.h=ib/adapters/hermon/%.check) \
1172     $(MLNXHDRS:%.h=ib/adapters/%.check) \
1173     $(IDMHDRS:%.h=idm/%.check) \
1174     $(ISCSIHDRS:%.h=iscsi/%.check)

```

```

1175 $(ISCSITHDRS:%.h=iscsit/%.check) \
1176 $(ISOHDRS:%.h=iso/%.check) \
1177 $(FMHDRS:%.h=fm/%.check) \
1178 $(FMFHDRS:%.h=fm/fs/%.check) \
1179 $(FMIOHDRS:%.h=fm/io/%.check) \
1180 $(FSHDRS:%.h=fs/%.check) \
1181 $(LVMHDRS:%.h=lvm/%.check) \
1182 $(SCSIHDRS:%.h=scsi/%.check) \
1183 $(SCSIADHDRS:%.h=scsi/adapters/%.check) \
1184 $(SCSICONFHDRS:%.h=scsi/conf/%.check) \
1185 $(SCSIIMPLHDRS:%.h=scsi/impl/%.check) \
1186 $(SCSIISCSIHDRS:%.h=scsi/adapters/%.check) \
1187 $(SCSIGHDRS:%.h=scsi/generic/%.check) \
1188 $(SCSITARGETSHDRS:%.h=scsi/targets/%.check) \
1189 $(SCSIVHCIHDRS:%.h=scsi/adapters/%.check) \
1190 $(SATAGENHDRS:%.h=sata/%.check) \
1191 $(SDCARDHDRS:%.h=sdcard/%.check) \
1192 $(SYSEVENTHDRS:%.h=sysevent/%.check) \
1193 $(CONTRACTHDRS:%.h=contract/%.check) \
1194 $(USBAUDHDRS:%.h=usb/clients/audio/%.check) \
1195 $(USBHUBDHDRS:%.h=usb/hubd/%.check) \
1196 $(USBHIDHDRS:%.h=usb/clients/hid/%.check) \
1197 $(USBHWARCHDRS:%.h=usb/clients/hwarc/%.check) \
1198 $(USBMSHDRS:%.h=usb/clients/mass_storage/%.check) \
1199 $(USBPRNHDRS:%.h=usb/clients/printer/%.check) \
1200 $(USBDCDCHDRS:%.h=usb/clients/usbcdc/%.check) \
1201 $(USBVIDHDRS:%.h=usb/clients/video/usbvc/%.check) \
1202 $(USBWCMHDRS:%.h=usb/clients/usbinput/usbwcm/%.check) \
1203 $(UGENHDRS:%.h=usb/clients/ugen/%.check) \
1204 $(USBHDRS:%.h=usb/%.check) \
1205 $(UWBHDRS:%.h=uwb/%.check) \
1206 $(UWBAHDRS:%.h=uwb/uwba/%.check) \
1207 $(I1394HDRS:%.h=1394/%.check) \
1208 $(RSMHDRS:%.h=rsm/%.check) \
1209 $(TSOLHDRS:%.h=tsol/%.check) \
1210 $(NXGEHDRS:%.h=nxge/%.check)

```

```
1213 .KEEP_STATE:
```

```

1215 .PARALLEL: \
1216 $(CHECKHDRS) \
1217 $(ROOTHDRS) \
1218 $(ROOTAUDHDRS) \
1219 $(ROOTAVHDRS) \
1220 $(ROOTCRYPTOHDRS) \
1221 $(ROOTDCAMHDRS) \
1222 $(ROOTISOHDRS) \
1223 $(ROOTIDMHDRS) \
1224 $(ROOTISCSIHDRS) \
1225 $(ROOTISCSITHDRS) \
1226 $(ROOTFC4HDRS) \
1227 $(ROOTFCHDRS) \
1228 $(ROOTFCIMPLHDRS) \
1229 $(ROOTFCULPHDRS) \
1230 $(ROOTFMHDRS) \
1231 $(ROOTFMIOHDRS) \
1232 $(ROOTFMFHDRS) \
1233 $(ROOTFSDHDRS) \
1234 $(ROOTIBDHDRS) \
1235 $(ROOTIBHDRS) \
1236 $(ROOTIBTLHDRS) \
1237 $(ROOTIBTLIMPLHDRS) \
1238 $(ROOTIBNEXHDRS) \
1239 $(ROOTIBMGTHDRS) \
1240 $(ROOTIBMFHDRS) \

```

```

1241 $(ROOTOFHDRS) \
1242 $(ROOTRDMHDRS) \
1243 $(ROOTSOL_OFSHDRS) \
1244 $(ROOTSOL_UMADHDRS) \
1245 $(ROOTSOL_UVERBSHDRS) \
1246 $(ROOTSOL_UCMAHDRS) \
1247 $(ROOTTAVORHDRS) \
1248 $(ROOTTHERMONHDRS) \
1249 $(ROOTMLNXHDRS) \
1250 $(ROOTLVMHDRS) \
1251 $(ROOTSCSIHDRS) \
1252 $(ROOTSCSIADHDRS) \
1253 $(ROOTSCSICONFHDRS) \
1254 $(ROOTSCSII SCSIHDRS) \
1255 $(ROOTSCSIGHDRS) \
1256 $(ROOTSCSIIMPLHDRS) \
1257 $(ROOTSCSIVHCIHDRS) \
1258 $(ROOTSDCARDHDRS) \
1259 $(ROOTSYSEVENTHDRS) \
1260 $(ROOTCONTRACTHDRS) \
1261 $(ROOTUSBHDRS) \
1262 $(ROOTUWBHDRS) \
1263 $(ROOTUWBAHDRS) \
1264 $(ROOTUSBAUDHDRS) \
1265 $(ROOTUSBHUBDHDRS) \
1266 $(ROOTUSBHIDHDRS) \
1267 $(ROOTUSBHRCCHDRS) \
1268 $(ROOTUSBMSHDRS) \
1269 $(ROOTUSBERNHDRS) \
1270 $(ROOTUSBCDCHDRS) \
1271 $(ROOTUSBVIDHDRS) \
1272 $(ROOTUSBWCMHDRS) \
1273 $(ROOTUGENHDRS) \
1274 $(ROOTI1394HDRS) \
1275 $(ROOTHOTPLUGHDRS) \
1276 $(ROOTHOTPLUGPCIHDRS) \
1277 $(ROOTRSMHDRS) \
1278 $(ROOTTSOLHDRS) \
1279 $( $(MACH)_ROOTHDRS)

```

```

1282 install_h: \
1283 $(ROOTDIRS) \
1284 LVMDERIVED_H \
1285 .WAIT \
1286 $(ROOTHDRS) \
1287 $(ROOTAUDHDRS) \
1288 $(ROOTAVHDRS) \
1289 $(ROOTCRYPTOHDRS) \
1290 $(ROOTDCAMHDRS) \
1291 $(ROOTISOHDRS) \
1292 $(ROOTIDMHDRS) \
1293 $(ROOTISCSIHDRS) \
1294 $(ROOTISCSITHDRS) \
1295 $(ROOTFC4HDRS) \
1296 $(ROOTFCHDRS) \
1297 $(ROOTFCIMPLHDRS) \
1298 $(ROOTFCULPHDRS) \
1299 $(ROOTFMHDRS) \
1300 $(ROOTFMFHDRS) \
1301 $(ROOTFMIOHDRS) \
1302 $(ROOTFSDHDRS) \
1303 $(ROOTIBDHDRS) \
1304 $(ROOTIBHDRS) \
1305 $(ROOTIBTLHDRS) \
1306 $(ROOTIBTLIMPLHDRS) \

```

```
1307 $(ROOTIBNEXHDRS) \
1308 $(ROOTIBMGTHDRS) \
1309 $(ROOTIBMFHDRS) \
1310 $(ROOTOFHDRS) \
1311 $(ROOTRDMAHDRS) \
1312 $(ROOTSOL_OFSHDRS) \
1313 $(ROOTSOL_UMADHDRS) \
1314 $(ROOTSOL_UVERBSHDRS) \
1315 $(ROOTSOL_UCMAHDRS) \
1316 $(ROOTTAVORHDRS) \
1317 $(ROOTTHERMONHDRS) \
1318 $(ROOTMLNXHDRS) \
1319 $(ROOTLVMHDRS) \
1320 $(ROOTSCSIHDRS) \
1321 $(ROOTSCSIADHDRS) \
1322 $(ROOTSCSIISCSIHDRS) \
1323 $(ROOTSCSICONFHDRS) \
1324 $(ROOTSCSIGENHDRS) \
1325 $(ROOTSCSIIMPLHDRS) \
1326 $(ROOTSCSIVHCIHDRS) \
1327 $(ROOTSDCARDHDRS) \
1328 $(ROOTSYSEVENTHDRS) \
1329 $(ROOTCONTRACTHDRS) \
1330 $(ROOTUWBHDRS) \
1331 $(ROOTUWBAHDRS) \
1332 $(ROOTUSBHDRS) \
1333 $(ROOTUSBAUDHDRS) \
1334 $(ROOTUSBHUBDHDRS) \
1335 $(ROOTUSBHIDHDRS) \
1336 $(ROOTUSBHRCHDRS) \
1337 $(ROOTUSBMSHDRS) \
1338 $(ROOTUSBPRNHDRS) \
1339 $(ROOTUSBCDCHDRS) \
1340 $(ROOTUSVIDHDRS) \
1341 $(ROOTUSBWCMHDRS) \
1342 $(ROOTUGENHDRS) \
1343 $(ROOT1394HDRS) \
1344 $(ROOTHOTPLUGHDRS) \
1345 $(ROOTHOTPLUGPCIHDRS) \
1346 $(ROOTRSMHDRS) \
1347 $(ROOTTSOLHDRS) \
1348 $( $(MACH)_ROOTHDRS)

1350 all_h: $(GENHDRS)

1352 priv_const.h: $(PRIVS_AWK) $(PRIVS_DEF)
1353 $(NAWK) -f $(PRIVS_AWK) < $(PRIVS_DEF) -v privhfile=$@

1355 priv_names.h: $(PRIVS_AWK) $(PRIVS_DEF)
1356 $(NAWK) -f $(PRIVS_AWK) < $(PRIVS_DEF) -v pubhfile=$@

1358 usb/usbdevs.h: $(USBDEVS_AWK) $(USBDEVS_DATA)
1359 $(NAWK) -f $(USBDEVS_AWK) $(USBDEVS_DATA) -H > $@

1361 LVMDERIVED_H:
1362 cd $(SRC)/uts/common/sys/lvm; pwd; $(MAKE) all_h

1364 clean:
1365 $(RM) $(GENHDRS)

1367 clobber: clean
1368 cd $(SRC)/uts/common/sys/lvm; pwd; $(MAKE) clobber

1370 check: $(CHECKHDRS)

1372 FRC:
```

new/usr/src/uts/intel/Makefile.intel

1

```
*****
15898 Sat Aug 9 23:41:53 2014
new/usr/src/uts/intel/Makefile.intel
5075 EOF carbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #
21 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
22 # Copyright (c) 2012 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 2013 Andrew Stormont. All rights reserved.
24 #
25 #
26 # This makefile contains the common definitions for all intel
27 # implementation architecture independent modules.
28 #
29 #
30 #
31 # Machine type (implementation architecture):
32 #
33 PLATFORM = i86pc
34 #
35 #
36 # Everybody needs to know how to build modstubs.o and to locate unix.o.
37 # Note that unix.o must currently be selected from among the possible
38 # "implementation architectures". Note further, that unix.o is only
39 # used as an optional error check for undefines so (theoretically)
40 # any "implementation architectures" could be used. We choose i86pc
41 # because it is the reference port.
42 #
43 UNIX_DIR = $(UTSBASE)/i86pc/unix
44 GENLIB_DIR = $(UTSBASE)/intel/genunix
45 IPDRV_DIR = $(UTSBASE)/intel/ip
46 MODSTUBS_DIR = $(UNIX_DIR)
47 DSF_DIR = $(UTSBASE)/$(PLATFORM)/genassym
48 LINTS_DIR = $(OBJS_DIR)
49 LINT_LIB_DIR = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)
50 #
51 UNIX_O = $(UNIX_DIR)/$(OBJS_DIR)/unix.o
52 GENLIB = $(GENLIB_DIR)/$(OBJS_DIR)/libgenunix.so
53 MODSTUBS_O = $(MODSTUBS_DIR)/$(OBJS_DIR)/modstubs.o
54 LINT_LIB = $(UTSBASE)/i86pc/lint-libs/$(OBJS_DIR)/llib-lunix.ln
55 GEN_LINT_LIB = $(UTSBASE)/intel/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln
56 #
57 #
58 # Include the makefiles which define build rule templates, the
```

new/usr/src/uts/intel/Makefile.intel

2

```
59 # collection of files per module, and a few specific flags. Note
60 # that order is significant, just as with an include path. The
61 # first build rule template which matches the files name will be
62 # used. By including these in order from most machine dependent
63 # to most machine independent, we allow a machine dependent file
64 # to be used in preference over a machine independent version
65 # (Such as a machine specific optimization, which preserves the
66 # interfaces.)
67 #
68 include $(UTSBASE)/intel/Makefile.files
69 include $(UTSBASE)/common/Makefile.files
70 #
71 #
72 # ----- TRANSITIONAL SECTION -----
73 #
74 #
75 #
76 # Not everything which *should* be a module is a module yet. The
77 # following is a list of such objects which are currently part of
78 # genunix but which might someday become kmods. This must be
79 # defined before we include Makefile.uts, or else genunix's build
80 # won't be as parallel as we might like.
81 #
82 NOT_YET_KMODS = $(OLDPTY_OBJS) $(PTY_OBJS) $(VCONS_CONF_OBJS) $(MOD_OBJS)
83 #
84 #
85 # ----- END OF TRANSITIONAL SECTION -----
86 #
87 # Include machine independent rules. Note that this does not imply
88 # that the resulting module from rules in Makefile.uts is machine
89 # independent. Only that the build rules are machine independent.
90 #
91 include $(UTSBASE)/Makefile.uts
92 #
93 #
94 # The following must be defined for all implementations:
95 #
96 MODSTUBS = $(UTSBASE)/intel/ia32/ml/modstubs.s
97 #
98 #
99 # Define supported builds
100 #
101 DEF_BUILDS = $(DEF_BUILDS64) $(DEF_BUILDS32)
102 ALL_BUILDS = $(ALL_BUILDS64) $(ALL_BUILDS32)
103 #
104 #
105 # x86 or amd64 inline templates
106 #
107 INLINES_32 = $(UTSBASE)/intel/ia32/ml/ia32.il
108 INLINES_64 = $(UTSBASE)/intel/amd64/ml/amd64.il
109 INLINES += $(INLINES_$(CLASS))
110 #
111 #
112 # kernel-specific optimizations; override default in Makefile.master
113 #
114 #
115 CFLAGS_XARCH_32 = $(i386_CFLAGS)
116 CFLAGS_XARCH_64 = $(amd64_CFLAGS)
117 CFLAGS_XARCH = $(CFLAGS_XARCH_$(CLASS))
118 #
119 COPTFLAG_32 = $(COPTFLAG)
120 COPTFLAG_64 = $(COPTFLAG64)
121 COPTIMIZE = $(COPTFLAG_$(CLASS))
122 #
123 CFLAGS = $(CFLAGS_XARCH)
124 CFLAGS += $(COPTIMIZE)
```

```

125 CFLAGS          += $(INLINES) -D_ASM_INLINES
126 CFLAGS          += $(CCMODE)
127 CFLAGS          += $(SPACEFLAG)
128 CFLAGS          += $(CCUNBOUND)
129 CFLAGS          += $(CFLAGS_uts)
130 CFLAGS          += -xstrconst

132 ASFLAGS_XARCH_32 = $(i386_ASFLAGS)
133 ASFLAGS_XARCH_64 = $(amd64_ASFLAGS)
134 ASFLAGS_XARCH    = $(ASFLAGS_XARCH_$(CLASS))

136 ASFLAGS          += $(ASFLAGS_XARCH)

138 #
139 #       Define the base directory for installation.
140 #
141 BASE_INS_DIR     = $(ROOT)

143 #
144 #       Debugging level
145 #
146 #       Special knowledge of which special debugging options affect which
147 #       file is used to optimize the build if these flags are changed.
148 #
149 DEBUG_DEFS_OBJ32 =
150 DEBUG_DEFS_DBG32 = -DDEBUG
151 DEBUG_DEFS_OBJ64 =
152 DEBUG_DEFS_DBG64 = -DDEBUG
153 DEBUG_DEFS       = $(DEBUG_DEFS_$(BUILD_TYPE))

155 DEBUG_COND_OBJ32 = $(POUND_SIGN)
156 DEBUG_COND_DBG32 =
157 DEBUG_COND_OBJ64 = $(POUND_SIGN)
158 DEBUG_COND_DBG64 =
159 IF_DEBUG_OBJ     = $(DEBUG_COND_$(BUILD_TYPE))$(OBJS_DIR)/

161 $(IF_DEBUG_OBJ)syscall.o      :=      DEBUG_DEFS      += -DSYSCALLTRACE
162 $(IF_DEBUG_OBJ)clock.o       :=      DEBUG_DEFS      += -DKSLICE=1

164 #
165 #       Collect the preprocessor definitions to be associated with *all*
166 #       files.
167 #
168 ALL_DEFS         = $(DEBUG_DEFS) $(OPTION_DEFS)

170 #
171 #       The kernels modules which are "implementation architecture"
172 #       specific for this machine are enumerated below. Note that most
173 #       of these modules must exist (in one form or another) for each
174 #       architecture.
175 #
176 #       Common Drivers (usually pseudo drivers) (/kernel/drv)
177 #       DRV_KMODS are built both 32-bit and 64-bit
178 #       DRV_KMODS_32 are built only 32-bit
179 #       DRV_KMODS_64 are built only 64-bit
180 #
181 DRV_KMODS        += aac
182 DRV_KMODS        += aggr
183 DRV_KMODS        += ahci
184 DRV_KMODS        += amd64_gart
185 DRV_KMODS        += amr
186 DRV_KMODS        += agpgart
187 DRV_KMODS        += srn
188 DRV_KMODS        += agptarget
189 DRV_KMODS        += arn
190 DRV_KMODS        += arp

```

```

191 DRV_KMODS        += asy
192 DRV_KMODS        += ata
193 DRV_KMODS        += ath
194 DRV_KMODS        += atu
195 DRV_KMODS        += audio
196 DRV_KMODS        += audio1575
197 DRV_KMODS        += audio810
198 DRV_KMODS        += audiocmi
199 DRV_KMODS        += audiocmihd
200 DRV_KMODS        += audioemu10k
201 DRV_KMODS        += audioens
202 DRV_KMODS        += audiohd
203 DRV_KMODS        += audioixp
204 DRV_KMODS        += audiols
205 DRV_KMODS        += audiopl6x
206 DRV_KMODS        += audiopci
207 DRV_KMODS        += audiosolo
208 DRV_KMODS        += audiotst
209 DRV_KMODS        += audiovia823x
210 DRV_KMODS_32    += audiovia97
211 DRV_KMODS        += bl
212 DRV_KMODS        += blkdev
213 DRV_KMODS        += bge
214 DRV_KMODS        += bofi
215 DRV_KMODS        += bpf
216 DRV_KMODS        += bridge
217 DRV_KMODS        += bsdbus
218 DRV_KMODS        += bscv
219 DRV_KMODS        += chxge
220 DRV_KMODS        += cxgbe
221 DRV_KMODS        += ntxn
222 DRV_KMODS        += myri10ge
223 DRV_KMODS        += clone
224 DRV_KMODS        += cmdk
225 DRV_KMODS        += cn
226 DRV_KMODS        += conskbd
227 DRV_KMODS        += consms
228 DRV_KMODS        += cpgary3
229 DRV_KMODS        += cpuid
230 DRV_KMODS        += cpunex
231 DRV_KMODS        += crypto
232 DRV_KMODS        += cryptoadm
233 DRV_KMODS        += dca
234 DRV_KMODS        += devinfo
235 DRV_KMODS        += dld
236 DRV_KMODS        += dlpistub
237 DRV_KMODS_32    += dnet
238 DRV_KMODS        += dump
239 DRV_KMODS        += ecpp
240 DRV_KMODS        += emlxs
241 DRV_KMODS        += fd
242 DRV_KMODS        += fdc
243 DRV_KMODS        += fm
244 DRV_KMODS        += fssnap
245 DRV_KMODS        += hxge
246 DRV_KMODS        += i8042
247 DRV_KMODS        += i915
248 DRV_KMODS        += icmp
249 DRV_KMODS        += icmp6
250 DRV_KMODS        += intel_nb5000
251 DRV_KMODS        += intel_nhm
252 DRV_KMODS        += ip
253 DRV_KMODS        += ip6
254 DRV_KMODS        += ipd
255 DRV_KMODS        += ipf
256 DRV_KMODS        += ipnet

```

```

257 DRV_KMODS += ippctl
258 DRV_KMODS += ipsecah
259 DRV_KMODS += ipsecesp
260 DRV_KMODS += ipw
261 DRV_KMODS += iwh
262 DRV_KMODS += iwi
263 DRV_KMODS += iwk
264 DRV_KMODS += iwp
265 DRV_KMODS += iwscn
266 DRV_KMODS += kb8042
267 DRV_KMODS += keysock
268 DRV_KMODS += kssl
269 DRV_KMODS += kstat
270 DRV_KMODS += ksyms
271 DRV_KMODS += kmdb
272 DRV_KMODS += llcl
273 DRV_KMODS += lofi
274 DRV_KMODS += log
275 DRV_KMODS += logindmux
276 DRV_KMODS += mega_sas
277 DRV_KMODS += mc-amd
278 DRV_KMODS += mm
279 DRV_KMODS += mouse8042
280 DRV_KMODS += mpt_sas
281 DRV_KMODS += mr_sas
282 DRV_KMODS += mwl
283 DRV_KMODS += nca
284 DRV_KMODS += nsmb
285 DRV_KMODS += nulldriver
286 DRV_KMODS += nv_sata
287 DRV_KMODS += nxge
288 DRV_KMODS += oce
289 DRV_KMODS += openepr
290 DRV_KMODS += pci_pci
291 DRV_KMODS += pcic
291 DRV_KMODS += pcieb
292 DRV_KMODS += physmem
293 DRV_KMODS += pit_bEEP
294 DRV_KMODS += pm
295 DRV_KMODS += poll
296 DRV_KMODS += pool
297 DRV_KMODS += power
298 DRV_KMODS += pseudo
299 DRV_KMODS += ptc
300 DRV_KMODS += ptm
301 DRV_KMODS += pts
302 DRV_KMODS += ptsl
303 DRV_KMODS += qlge
304 DRV_KMODS += radeon
305 DRV_KMODS += ral
306 DRV_KMODS += ramdisk
307 DRV_KMODS += random
308 DRV_KMODS += rds
309 DRV_KMODS += rdsv3
310 DRV_KMODS += rpcib
311 DRV_KMODS += rsm
312 DRV_KMODS += rts
313 DRV_KMODS += rtw
314 DRV_KMODS += rum
315 DRV_KMODS += rwd
316 DRV_KMODS += rwn
317 DRV_KMODS += sad
318 DRV_KMODS += sd
319 DRV_KMODS += sdhost
320 DRV_KMODS += sgen
321 DRV_KMODS += si3124

```

```

322 DRV_KMODS += smbios
323 DRV_KMODS += softmac
324 DRV_KMODS += spdssock
325 DRV_KMODS += smbsrv
326 DRV_KMODS += smp
327 DRV_KMODS += spps
328 DRV_KMODS += sppptun
329 DRV_KMODS += srpt
330 DRV_KMODS += st
331 DRV_KMODS += sy
332 DRV_KMODS += sysevent
333 DRV_KMODS += sysmsg
334 DRV_KMODS += tcp
335 DRV_KMODS += tcp6
336 DRV_KMODS += tl
337 DRV_KMODS += tnf
338 DRV_KMODS += tpm
339 DRV_KMODS += trill
340 DRV_KMODS += udp
341 DRV_KMODS += udp6
342 DRV_KMODS += ucode
343 DRV_KMODS += ural
344 DRV_KMODS += uath
345 DRV_KMODS += urtw
346 DRV_KMODS += vgatext
347 DRV_KMODS += heci
348 DRV_KMODS += vnica
349 DRV_KMODS += vscan
350 DRV_KMODS += wc
351 DRV_KMODS += winlock
352 DRV_KMODS += wpi
353 DRV_KMODS += xge
354 DRV_KMODS += yge
355 DRV_KMODS += zcons
356 DRV_KMODS += zyd
357 DRV_KMODS += simnet
358 DRV_KMODS += stmf
359 DRV_KMODS += stmf_sbd
360 DRV_KMODS += fct
361 DRV_KMODS += fcoe
362 DRV_KMODS += fcoet
363 DRV_KMODS += fcoel
364 DRV_KMODS += qlt
365 DRV_KMODS += iscsit
366 DRV_KMODS += pppt
367 DRV_KMODS += ncall nsctl sdbc nsfern sv
368 DRV_KMODS += ii rdc rdcsrv rdcstub
369 DRV_KMODS += iptun

371 #
372 # Common code drivers
373 #

375 DRV_KMODS += afe
376 DRV_KMODS += atge
377 DRV_KMODS += bfe
378 DRV_KMODS += dmfe
379 DRV_KMODS += el000g
380 DRV_KMODS += efe
381 DRV_KMODS += elxl
382 DRV_KMODS += hme
383 DRV_KMODS += mxfe
384 DRV_KMODS += nge
385 DRV_KMODS += pcn
386 DRV_KMODS += rge
387 DRV_KMODS += rtls

```

```

388 DRV_KMODS      += sfe
389 DRV_KMODS      += amd8111s
390 DRV_KMODS      += igb
391 DRV_KMODS      += ipmi
392 DRV_KMODS      += iprb
393 DRV_KMODS      += ixgbe
394 DRV_KMODS      += vr

396 #
397 # Virtio drivers
398 #

400 # Virtio core
401 DRV_KMODS      += virtio

403 # Virtio block driver
404 DRV_KMODS      += vioblk

406 #
407 #      DTrace and DTrace Providers
408 #
409 DRV_KMODS      += dtrace
410 DRV_KMODS      += fbt
411 DRV_KMODS      += lockstat
412 DRV_KMODS      += profile
413 DRV_KMODS      += sdt
414 DRV_KMODS      += systrace
415 DRV_KMODS      += fasttrap
416 DRV_KMODS      += dcpc

418 #
419 #      I/O framework test drivers
420 #
421 DRV_KMODS      += pshot
422 DRV_KMODS      += gen_drv
423 DRV_KMODS      += tvhci tphci tclient
424 DRV_KMODS      += emul64

426 #
427 #      Machine Specific Driver Modules (/kernel/drv):
428 #
429 DRV_KMODS      += options
430 DRV_KMODS      += scsi_vhci
431 DRV_KMODS      += pmcs
432 DRV_KMODS      += pmcs8001fw
433 DRV_KMODS      += arcmsr
434 DRV_KMODS      += fcp
435 DRV_KMODS      += fcip
436 DRV_KMODS      += fcsm
437 DRV_KMODS      += fp
438 DRV_KMODS      += qlc
439 DRV_KMODS      += iscsi

441 #
443 #      PCMCIA specific module(s)
444 #
445 DRV_KMODS      += pcs
446 MISC_KMODS     += cardbus

448 #
442 #      SCSI Enclosure Services driver
443 #
444 DRV_KMODS      += ses

446 #
447 #      USB specific modules

```

```

448 #
449 DRV_KMODS      += hid
450 DRV_KMODS      += hwarc hwahc
451 DRV_KMODS      += hubd
452 DRV_KMODS      += uhci
453 DRV_KMODS      += ehci
454 DRV_KMODS      += ohci
455 DRV_KMODS      += usb_mid
456 DRV_KMODS      += usb_ia
457 DRV_KMODS      += scsa2usb
458 DRV_KMODS      += usbprn
459 DRV_KMODS      += ugen
460 DRV_KMODS      += usbser
461 DRV_KMODS      += usbsacm
462 DRV_KMODS      += usbsksp
463 DRV_KMODS      += usbspri
464 DRV_KMODS      += usb_ac
465 DRV_KMODS      += usb_as
466 DRV_KMODS      += usbskel
467 DRV_KMODS      += usbvc
468 DRV_KMODS      += usbftdi
469 DRV_KMODS      += wusb_df
470 DRV_KMODS      += wusb_ca
471 DRV_KMODS      += usbecm

473 #
474 #      1394 modules
475 #
476 MISC_KMODS     += s1394 sbp2
477 DRV_KMODS      += hcil394 scsa1394
478 DRV_KMODS      += av1394
479 DRV_KMODS      += dcam1394

481 #
482 #      InfiniBand pseudo drivers
483 #
484 DRV_KMODS      += ib ibp eibnx eoib rdsib sdp iser daplt hermon tavor sol_ucma
485 DRV_KMODS      += sol_umad

487 #
488 #      LVM modules
489 #
490 DRV_KMODS      += md
491 MISC_KMODS     += md_stripe md_hotspares md_mirror md_raid md_trans md_notify
492 MISC_KMODS     += md_sp

494 #
495 #      Brand modules
496 #
497 BRAND_KMODS    += snl_brand s10_brand

499 #
500 #      Exec Class Modules (/kernel/exec):
501 #
502 EXEC_KMODS     += elfexec intpexec shbinexec javaexec

504 #
505 #      Scheduling Class Modules (/kernel/sched):
506 #
507 SCHED_KMODS    += IA RT TS RT_DPTBL TS_DPTBL FSS FX FX_DPTBL SDC

509 #
510 #      File System Modules (/kernel/fs):
511 #
512 FS_KMODS       += autofs cachefs ctfs dcfs dev devfs fdfs fifofs hsfds lofs
513 FS_KMODS       += mntfs namefs nfs objfs zfs zut

```



```

514 FS_KMODS      += pcfs procfs sockfs specfs tmpfs udfs ufs sharefs
515 FS_KMODS      += smbfs

517 #
518 #           Streams Modules (/kernel/strmod):
519 #
520 STRMOD_KMODS   += bufmod connld dedump ldterm pckt pfmod pipemod
521 STRMOD_KMODS   += ptem redirmod rpcmod rlmod telmod timod
522 STRMOD_KMODS   += sppsasyn sppscomp
523 STRMOD_KMODS   += tirdwr ttcompat
524 STRMOD_KMODS   += usbkbm
525 STRMOD_KMODS   += usbms
526 STRMOD_KMODS   += usbwcm
527 STRMOD_KMODS   += usb_ah
528 STRMOD_KMODS   += drcompat
529 STRMOD_KMODS   += cryptmod
530 STRMOD_KMODS   += vuid2ps2
531 STRMOD_KMODS   += vuid3ps2
532 STRMOD_KMODS   += vuidm3p
533 STRMOD_KMODS   += vuidm4p
534 STRMOD_KMODS   += vuidm5p

536 #
537 #           'System' Modules (/kernel/sys):
538 #
539 SYS_KMODS      += c2audit
540 SYS_KMODS      += doorfs
541 SYS_KMODS      += exacctsys
542 SYS_KMODS      += inst_sync
543 SYS_KMODS      += kaio
544 SYS_KMODS      += msgsys
545 SYS_KMODS      += pipe
546 SYS_KMODS      += portfs
547 SYS_KMODS      += pset
548 SYS_KMODS      += semsys
549 SYS_KMODS      += shmsys
550 SYS_KMODS      += sysacct
551 SYS_KMODS      += acctctl

553 #
554 #           'Misc' Modules (/kernel/misc)
555 #           MISC_KMODS are built both 32-bit and 64-bit
556 #           MISC_KMODS_32 are built only 32-bit
557 #           MISC_KMODS_64 are built only 64-bit
558 #
559 MISC_KMODS     += ac97
560 MISC_KMODS     += acpica
561 MISC_KMODS     += agpmaster
562 MISC_KMODS     += bignum
563 MISC_KMODS     += bootdev
564 MISC_KMODS     += busra
565 MISC_KMODS     += cmlb
566 MISC_KMODS     += consconfig
567 MISC_KMODS     += ctf
568 MISC_KMODS     += dadk
569 MISC_KMODS     += dcopy
570 MISC_KMODS     += dls
571 MISC_KMODS     += drm
572 MISC_KMODS     += fssnap_if
573 MISC_KMODS     += gda
574 MISC_KMODS     += gld
575 MISC_KMODS     += hidparser
576 MISC_KMODS     += hook
577 MISC_KMODS     += hpcsvc
578 MISC_KMODS     += ibcm
579 MISC_KMODS     += ibdm

```

```

580 MISC_KMODS     += ibdma
581 MISC_KMODS     += ibmf
582 MISC_KMODS     += ibt1
583 MISC_KMODS     += idm
584 MISC_KMODS     += idmap
585 MISC_KMODS     += iomulib
586 MISC_KMODS     += ipc
587 MISC_KMODS     += kbtrans
588 MISC_KMODS     += kcf
589 MISC_KMODS     += kgssapi
590 MISC_KMODS     += kmech_dummy
591 MISC_KMODS     += kmech_krb5
592 MISC_KMODS     += ksocket
593 MISC_KMODS     += mac
594 MISC_KMODS     += mii
595 MISC_KMODS     += mwlfw
596 MISC_KMODS     += net80211
597 MISC_KMODS     += nfs_dlboot
598 MISC_KMODS     += nfssrv
599 MISC_KMODS     += neti
600 MISC_KMODS     += pci_autoconfig
601 MISC_KMODS     += pcicfg
602 MISC_KMODS     += pcihp
603 MISC_KMODS     += pcmcia
604 MISC_KMODS     += rpcsec
605 MISC_KMODS     += rpcsec_gss
606 MISC_KMODS     += rsmops
607 MISC_KMODS     += sata
608 MISC_KMODS     += scsi
609 MISC_KMODS     += sda
610 MISC_KMODS     += sol_ofs
611 MISC_KMODS     += spuni
612 MISC_KMODS     += strategy
613 MISC_KMODS     += strplumb
614 MISC_KMODS     += tem
615 MISC_KMODS     += tlimod
616 MISC_KMODS     += usba usba10 usbs49_fw
617 MISC_KMODS     += scsi_vhci_f_sym_hds
618 MISC_KMODS     += scsi_vhci_f_sym
619 MISC_KMODS     += scsi_vhci_f_tpgs
620 MISC_KMODS     += scsi_vhci_f_asym_sun
621 MISC_KMODS     += scsi_vhci_f_tape
622 MISC_KMODS     += scsi_vhci_f_tpgs_tape
623 MISC_KMODS     += fctl
624 MISC_KMODS     += emlxs_fw
625 MISC_KMODS     += qlc_fw_2200
626 MISC_KMODS     += qlc_fw_2300
627 MISC_KMODS     += qlc_fw_2400
628 MISC_KMODS     += qlc_fw_2500
629 MISC_KMODS     += qlc_fw_6322
630 MISC_KMODS     += qlc_fw_8100
631 MISC_KMODS     += hwal480_fw
632 MISC_KMODS     += uathfw
633 MISC_KMODS     += uwba

634 MISC_KMODS     += klmmod klmops

636 #
637 #           Software Cryptographic Providers (/kernel/crypto):
638 #
639 CRYPTO_KMODS   += aes
640 CRYPTO_KMODS   += arcfour
641 CRYPTO_KMODS   += blowfish
642 CRYPTO_KMODS   += des
643 CRYPTO_KMODS   += ecc
644 CRYPTO_KMODS   += md4

```

```
645 CRYPTO_KMODS += md5
646 CRYPTO_KMODS += rsa
647 CRYPTO_KMODS += sha1
648 CRYPTO_KMODS += sha2
649 CRYPTO_KMODS += swrand

651 #
652 #     IP Policy Modules (/kernel/ipp)
653 #
654 IPP_KMODS     += dlcosmk
655 IPP_KMODS     += flowacct
656 IPP_KMODS     += ipgpc
657 IPP_KMODS     += dscpmk
658 IPP_KMODS     += tokenmt
659 IPP_KMODS     += tswtclmt

661 #
662 #     generic-unix module (/kernel/genunix):
663 #
664 GENUNIX_KMODS += genunix

666 #
667 #     Modules eXcluded from the product:
668 #

670 #
671 #     'Dacf' Modules (/kernel/dacf):
672 #

674 #
675 #     Performance Counter BackEnd modules (/usr/kernel/pcbe)
676 #
677 PCBE_KMODS    += p123_pcbe p4_pcbe opteron_pcbe core_pcbe

679 #
680 #     MAC-Type Plugin Modules (/kernel/mac)
681 #
682 MAC_KMODS     += mac_6to4
683 MAC_KMODS     += mac_ether
684 MAC_KMODS     += mac_ipv4
685 MAC_KMODS     += mac_ipv6
686 MAC_KMODS     += mac_wifi
687 MAC_KMODS     += mac_ib

689 #
690 #     socketmod (kernel/socketmod)
691 #
692 SOCKET_KMODS  += sockpfp
693 SOCKET_KMODS  += socksctp
694 SOCKET_KMODS  += socksdp
695 SOCKET_KMODS  += sockrds
696 SOCKET_KMODS  += ksslf

698 #
699 #     kiconv modules (/kernel/kiconv):
700 #
701 KICONV_KMODS  += kiconv_emea kiconv_ja kiconv_ko kiconv_sc kiconv_tc

703 #
704 #     'Dacf' Modules (/kernel/dacf):
705 #
706 DACF_KMODS    += net_dacf

708 #
709 # Ensure that the variable member of the cpu_t (cpu_m) is defined
710 # for the lint builds so as not to cause lint errors during the
```

```
711 # global cross check.
712 #
713 LINTFLAGS      += -D_MACHDEP -I$(UTSBASE)/i86pc
```

```

*****
13257 Sat Aug 9 23:41:54 2014
new/usr/src/uts/sparc/Makefile.sparc
5075 EOF cardbus & pcmcia
2398 pcs driver should be removed
Reviewed by: TBD
Approved by: TBD
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
22 # Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright (c) 2013 Andrew Stormont. All rights reserved.
24 #
26 #
27 # This makefile contains the common definitions for all sparc
28 # implementation architecture independent modules.
29 #
31 #
32 # Define supported builds
33 #
34 DEF_BUILDS = $(DEF_BUILDS64)
35 ALL_BUILDS = $(ALL_BUILDS64)
36 #
37 #
38 # Everybody needs to know how to build modstubs.o and to locate unix.o.
39 # Note that unix.o must currently be selected from among the possible
40 # "implementation architectures". Note further, that unix.o is only
41 # used as an optional error check for undefines so (theoretically)
42 # any "implementation architectures" could be used. We choose sun4u
43 # because it is the reference port.
44 #
45 UNIX_DIR = $(UTSBASE)/sun4u/unix
46 GENLIB_DIR = $(UTSBASE)/sun4u/genunix
47 IPDRV_DIR = $(UTSBASE)/sparc/ip
48 MODSTUBS_DIR = $(UNIX_DIR)
49 DSF_DIR = $(UNIX_DIR)
50 LINTS_DIR = $(OBJS_DIR)
51 LINT_LIB_DIR = $(UTSBASE)/sparc/lint-libs/$(OBJS_DIR)
52 #
53 UNIX_O = $(UNIX_DIR)/$(OBJS_DIR)/unix.o
54 MODSTUBS_O = $(MODSTUBS_DIR)/$(OBJS_DIR)/modstubs.o
55 GENLIB = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/libgenunix.so
56 #
57 LINT_LIB_32 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lunix.ln
58 GEN_LINT_LIB_32 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln

```

```

60 LINT_LIB_64 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lunix.ln
61 GEN_LINT_LIB_64 = $(UTSBASE)/sun4u/lint-libs/$(OBJS_DIR)/llib-lgenunix.ln
62 #
63 LINT_LIB = $(LINT_LIB_$(CLASS))
64 GEN_LINT_LIB = $(GEN_LINT_LIB_$(CLASS))
65 #
66 LINT32_DIRS = $(LINT32_BUILDS:%=$(UTSBASE)/sparc/lint-libs/%)
67 LINT32_FILES = $(LINT32_DIRS:%=%/llib-l$(MODULE).ln)
68 #
69 LINT64_DIRS = $(LINT64_BUILDS:%=$(UTSBASE)/sparc/lint-libs/%)
70 LINT64_FILES = $(LINT64_DIRS:%=%/llib-l$(MODULE).ln)
71 #
72 #
73 # Include the makefiles which define build rule templates, the
74 # collection of files per module, and a few specific flags. Note
75 # that order is significant, just as with an include path. The
76 # first build rule template which matches the files name will be
77 # used. By including these in order from most machine dependent
78 # to most machine independent, we allow a machine dependent file
79 # to be used in preference over a machine independent version
80 # (Such as a machine specific optimization, which preserves the
81 # interfaces.)
82 #
83 include $(UTSBASE)/sparc/Makefile.files
84 include $(UTSBASE)/sparc/v9/Makefile.files
85 include $(UTSBASE)/sun/Makefile.files
86 include $(UTSBASE)/common/Makefile.files
87 #
88 # ----- TRANSITIONAL SECTION -----
89 #
90 #
91 #
92 #
93 # Not everything which *should* be a module is a module yet. The
94 # following is a list of such objects which are currently part of
95 # genunix but which might someday become kmods. This must be
96 # defined before we include Makefile.uts, or else genunix's build
97 # won't be as parallel as we might like.
98 #
99 NOT_YET_KMODS = $(OLDPTY_OBJS) $(PTY_OBJS) $(VCONS_CONF_OBJS) $(MOD_OBJS)
100 #
101 # ----- END OF TRANSITIONAL SECTION -----
102 #
103 #
104 # Include machine independent rules. Note that this does not imply
105 # that the resulting module from rules in Makefile.uts is machine
106 # independent. Only that the build rules are machine independent.
107 #
108 include $(UTSBASE)/Makefile.uts
109 #
110 #
111 # machine specific optimization, override default in Makefile.master
112 #
113 XARCH_32 = -xarch=v8
114 XARCH_64 = -m64
115 XARCH = $(XARCH_$(CLASS))
116 #
117 COPTIMIZE_32 = -xO3
118 COPTIMIZE_64 = -xO3
119 COPTIMIZE = $(COPTIMIZE_$(CLASS))
120 #
121 CCMODE = -Xa
122 #
123 CFLAGS_32 = -xcg92
124 CFLAGS_64 = -xchip=ultra $(CCABS32) $(CCREGSYM)

```

```

125 CFLAGS          = $(CFLAGS_$(CLASS))

127 CFLAGS          += $(XARCH)
128 CFLAGS          += $(COPTIMIZE)
129 CFLAGS          += $(EXTRA_CFLAGS)
130 CFLAGS          += $(XAOPT)
131 CFLAGS          += $(INLINES) -D_ASM_INLINES
132 CFLAGS          += $(CCMODE)
133 CFLAGS          += $(SPACEFLAG)
134 CFLAGS          += $(CERRWARN)
135 CFLAGS          += $(CTF_FLAGS_$(CLASS))
136 CFLAGS          += $(C99MODE)
137 CFLAGS          += $(CCUNBOUND)
138 CFLAGS          += $(CCSTATICSYM)
139 CFLAGS          += $(CC32BITCALLERS)
140 CFLAGS          += $(CCNOAUTOINLINE)
141 CFLAGS          += $(IROPTFLAG)
142 CFLAGS          += $(CGLOBALSTATIC)
143 CFLAGS          += -xregs=no%float
144 CFLAGS          += -xstrconst
145 CFLAGS          += $(CSOURCEDEBUGFLAGS)
146 CFLAGS          += $(USERFLAGS)

148 ASFLAGS         += $(XARCH)

150 LINT_DEFS_32    =
151 LINT_DEFS_64    = -m64
152 LINT_DEFS       += $(LINT_DEFS_$(CLASS))

154 #
155 #   The following must be defined for all implementations:
156 #
157 #   MODSTUBS:      Module stubs source file.
158 #
159 MODSTUBS         = $(UTSBASE)/sparc/ml/modstubs.s

161 #
162 #   Define the actual specific platforms - obviously none.
163 #
164 MACHINE_DEFS     =

166 #
167 #   Debugging level
168 #
169 #   Special knowledge of which special debugging options effect which
170 #   file is used to optimize the build if these flags are changed.
171 #
172 #   XXX: The above could possibly be done for more flags and files, but
173 #   is left as an experiment to the interested reader. Be forewarned,
174 #   that excessive use could lead to maintenance difficulties.
175 #
176 DEBUG_DEFS_OBJ32 =
177 DEBUG_DEFS_DBG32 = -DDEBUG
178 DEBUG_DEFS_OBJ64 =
179 DEBUG_DEFS_DBG64 = -DDEBUG
180 DEBUG_DEFS        = $(DEBUG_DEFS_$(BUILD_TYPE))

182 DEBUG_COND_OBJ32 = $(POUND_SIGN)
183 DEBUG_COND_DBG32 =
184 DEBUG_COND_OBJ64 = $(POUND_SIGN)
185 DEBUG_COND_DBG64 =
186 IF_DEBUG_OBJ      = $(DEBUG_COND_$(BUILD_TYPE))$(OBJS_DIR)/

188 $(IF_DEBUG_OBJ)syscall.o      :=      DEBUG_DEFS      += -DSYSCALLTRACE
189 $(IF_DEBUG_OBJ)clock.o        :=      DEBUG_DEFS      += -DKSLICE=1

```

```

191 # Comment these out if you don't want dispatcher lock statistics.

193 # $(IF_DEBUG_OBJ)disp_lock.o      := DEBUG_DEFS      += -DDISP_LOCK_STATS

195 #
196 #   Collect the preprocessor definitions to be associated with *all*
197 #   files.
198 #
199 ALL_DEFS          = $(MACHINE_DEFS) $(DEBUG_DEFS) $(OPTION_DEFS)
200 #
201 #
202 #   The kernels modules which are "implementation architecture"
203 #   specific for this machine are enumerated below. Note that most
204 #   of these modules must exist (in one form or another) for each
205 #   architecture.
206 #
207 #   Common Drivers (usually pseudo drivers) (/kernel/drv):
208 #
209 DRV_KMODS          += aggr arp audio bl blkdev bofi clone cn conskbd consms cpuid
210 DRV_KMODS          += crypto cryptoadm devinfo dump
211 DRV_KMODS          += dtrace fasttrap fbt lockstat profile sdt systrace dcpd
212 DRV_KMODS          += fssnap icmp icmp6 ip ip6 ipnet ipsecah
213 DRV_KMODS          += ipsecesp iptun iwscn keysock kmdb kstat ksyms llc1
214 DRV_KMODS          += lofi
215 DRV_KMODS          += log logindmux kssl mm nca physmem pm poll pool
216 DRV_KMODS          += pseudo ptc ptm pts ptsl ramdisk random rsm rts sad
217 DRV_KMODS          += simnet softmac sPPP sPpPtun sy sysevent sysmsg
218 DRV_KMODS          += spdsock
219 DRV_KMODS          += tcp tcp6 tl tnf ttymux udp udp6 wc winlock zcons
220 DRV_KMODS          += ippctl
221 DRV_KMODS          += dld
222 DRV_KMODS          += ipd
223 DRV_KMODS          += ipf
224 DRV_KMODS          += rpcib
225 DRV_KMODS          += dlpistub
226 DRV_KMODS          += vnic
227 DRV_KMODS          += xge
228 DRV_KMODS          += rds
229 DRV_KMODS          += rdsv3
230 DRV_KMODS          += chxge
231 DRV_KMODS          += smbsrv
232 DRV_KMODS          += vscan
233 DRV_KMODS          += nsmb
234 DRV_KMODS          += fm
235 DRV_KMODS          += nulldriver
236 DRV_KMODS          += bridge trill
237 DRV_KMODS          += bpf
238 DRV_KMODS          += dca

240 #
241 #   Hardware Drivers in common space
242 #
244 DRV_KMODS          += afe
245 DRV_KMODS          += audio1575
246 DRV_KMODS          += audioens
247 DRV_KMODS          += audiols
248 DRV_KMODS          += audiopl6x
249 DRV_KMODS          += audiopci
250 DRV_KMODS          += audiots
251 DRV_KMODS          += e1000g
252 DRV_KMODS          += efe
253 DRV_KMODS          += hxge
254 DRV_KMODS          += mxfe
255 DRV_KMODS          += rge
256 DRV_KMODS          += rtls

```

```

257 DRV_KMODS      += sfe
258 DRV_KMODS      += aac
259 DRV_KMODS      += igb
260 DRV_KMODS      += ixgbe
261 DRV_KMODS      += vr
262 DRV_KMODS      += mr_sas
263 DRV_KMODS      += yge

265 #
266 #      Machine Specific Driver Modules (/kernel/drv):
267 #
268 DRV_KMODS      += audiocs
269 DRV_KMODS      += bge dmfe eri fas hme qfe
270 DRV_KMODS      += openepr options sd ses st
271 DRV_KMODS      += ssd
272 DRV_KMODS      += ecpp
273 DRV_KMODS      += hid hubd ehci ohci uhci usb_mid usb_ia scsa2usb usbprn ugen
274 DRV_KMODS      += usbser usbsacm usbsksp usbsprl
275 DRV_KMODS      += usb_as usb_ac
276 DRV_KMODS      += usbskel
277 DRV_KMODS      += usbvc
278 DRV_KMODS      += usbftdi
279 DRV_KMODS      += wusb_df hwahc hwarc wusb_ca
280 DRV_KMODS      += usbecm
281 DRV_KMODS      += hcil394 avl394 scsa1394 dcaml394
282 DRV_KMODS      += sbp2
283 DRV_KMODS      += ib ibp eibnx eoib rdsib sdp iser daplt hermon tavor sol_ucma
284 DRV_KMODS      += sol_umad
285 DRV_KMODS      += pci_pci pcieb pcieb_bcm
286 DRV_KMODS      += i8042 kb8042 mouse8042
287 DRV_KMODS      += fcode
288 DRV_KMODS      += mpt_sas
289 DRV_KMODS      += social
290 DRV_KMODS      += sgen
291 DRV_KMODS      += myril0ge
292 DRV_KMODS      += smp
293 DRV_KMODS      += dad
294 DRV_KMODS      += scsi_vhci
295 DRV_KMODS      += fcp
296 DRV_KMODS      += fcip
297 DRV_KMODS      += fcsn
298 DRV_KMODS      += fp
299 DRV_KMODS      += qlc
300 DRV_KMODS      += qlge
301 DRV_KMODS      += stmf
302 DRV_KMODS      += stmf_sbd
303 DRV_KMODS      += fct
304 DRV_KMODS      += fcoe
305 DRV_KMODS      += fcoet
306 DRV_KMODS      += fcoei
307 DRV_KMODS      += qlt
308 DRV_KMODS      += iscsit
309 DRV_KMODS      += pppt
310 DRV_KMODS      += ncall nctl sdbc nskern sv
311 DRV_KMODS      += ii rdc rdcsrv rdcstub
312 DRV_KMODS      += iscsi
313 DRV_KMODS      += emlxs
314 DRV_KMODS      += oce
315 DRV_KMODS      += srpt
316 DRV_KMODS      += pmcs
317 DRV_KMODS      += pmcs8001fw

319 #
320 #      I/O framework test drivers
321 #
322 DRV_KMODS      += pshot

```

```

323 DRV_KMODS      += gen_drv
324 DRV_KMODS      += tvhci tphci tclient
325 DRV_KMODS      += emul64

327 MISC_KMODS     += busra dada
327 #
328 #      PCMCIA specific module(s)
329 #
330 DRV_KMODS      += pcs
331 MISC_KMODS     += busra cardbus dada pcmcia
332 DRV_KMODS      += pcic

329 # Add lvm
330 #
331 DRV_KMODS      += md
332 MISC_KMODS     += md_mirror md_stripe md_hotspares md_raid md_trans md_notify
333 MISC_KMODS     += md_sp

335 #
336 #      Exec Class Modules (/kernel/exec):
337 #
338 EXEC_KMODS     += aoutexec elfexec intpexec shbinexec javaexec

340 #
341 #      Scheduling Class Modules (/kernel/sched):
342 #
343 SCHED_KMODS    += RT TS RT_DPTBL TS_DPTBL IA FSS FX FX_DPTBL SDC

345 #
346 #      File System Modules (/kernel/fs):
347 #
348 FS_KMODS       += dev devfs fdfs fifofs hsfhs lofs namefs nfs pcfs tmpfs zfs
349 FS_KMODS       += zut specfs udfs ufs autofc cachefs procfs sockfs mntfs
350 FS_KMODS       += ctfs objfs sharefs dcfs smbfs

352 #
353 #      Streams Modules (/kernel/strmod):
354 #
355 STRMOD_KMODS   += bufmod connld dedump ldterm ms pckt pfmod
356 STRMOD_KMODS   += pipemod ptem redirmod rpcmod rlmod telmod timod
357 STRMOD_KMODS   += sppedasyn sppedcomp
358 STRMOD_KMODS   += tirdwr ttcompat
359 STRMOD_KMODS   += usbbkm usbms usbwcm usb_ah
360 STRMOD_KMODS   += drcompat
361 STRMOD_KMODS   += cryptmod
362 STRMOD_KMODS   += vuid3ps2

364 #
365 #      'System' Modules (/kernel/sys):
366 #
367 SYS_KMODS      += c2audit
368 SYS_KMODS      += exacctsyst
369 SYS_KMODS      += inst_sync kaio msgsys semsys shmsys sysacct pipe
370 SYS_KMODS      += doorfs pset acctctl portfs

372 #
373 #      'User' Modules (/kernel/misc):
374 #
375 MISC_KMODS     += ac97
376 MISC_KMODS     += bignum
377 MISC_KMODS     += consconfig gld ipc nfs_dlboot nfssrv scsi
378 MISC_KMODS     += strplumb swapgeneric tlimod
379 MISC_KMODS     += rpcsec rpcsec_gss kgssapi kmecch_dummy
380 MISC_KMODS     += kmecch_krb5
381 MISC_KMODS     += fssnap_if
382 MISC_KMODS     += hidparser kbtrans usba usbal0 usbs49_fw

```

```

383 MISC_KMODS      += sl394
384 MISC_KMODS      += hpcsvc pcihp
385 MISC_KMODS      += rsmops
386 MISC_KMODS      += kcf
387 MISC_KMODS      += ksocket
388 MISC_KMODS      += ibcm
389 MISC_KMODS      += ibdm
390 MISC_KMODS      += ibdma
391 MISC_KMODS      += ibmf
392 MISC_KMODS      += ibttl
393 MISC_KMODS      += sol_ofs
394 MISC_KMODS      += idm
395 MISC_KMODS      += idmap
396 MISC_KMODS      += hook
397 MISC_KMODS      += neti
398 MISC_KMODS      += ctf
399 MISC_KMODS      += mac dls
400 MISC_KMODS      += cmlb
401 MISC_KMODS      += tem
402 MISC_KMODS      += pcicfg fcodem fcpci
403 MISC_KMODS      += scsi_vhci_f_sym scsi_vhci_f_tpgs scsi_vhci_f_asym_sun
404 MISC_KMODS      += scsi_vhci_f_sym_hds
405 MISC_KMODS      += scsi_vhci_f_tape scsi_vhci_f_tpgs_tape
406 MISC_KMODS      += fctl
407 MISC_KMODS      += emlxs_fw
408 MISC_KMODS      += qlc_fw_2200
409 MISC_KMODS      += qlc_fw_2300
410 MISC_KMODS      += qlc_fw_2400
411 MISC_KMODS      += qlc_fw_2500
412 MISC_KMODS      += qlc_fw_6322
413 MISC_KMODS      += qlc_fw_8100
414 MISC_KMODS      += spuni
415 MISC_KMODS      += hwal480_fw uwba
416 MISC_KMODS      += mii

418 MISC_KMODS      += klmmod klmops

420 #
421 #     Software Cryptographic Providers (/kernel/crypto):
422 #
423 CRYPTO_KMODS     += aes
424 CRYPTO_KMODS     += arcfour
425 CRYPTO_KMODS     += blowfish
426 CRYPTO_KMODS     += des
427 CRYPTO_KMODS     += md4
428 CRYPTO_KMODS     += md5
429 CRYPTO_KMODS     += ecc
430 CRYPTO_KMODS     += rsa
431 CRYPTO_KMODS     += sha1
432 CRYPTO_KMODS     += sha2
433 CRYPTO_KMODS     += swrand

435 #
436 # IP Policy Modules (/kernel/ipp):
437 #
438 IPP_KMODS         += dlcosmk
439 IPP_KMODS         += flowacct
440 IPP_KMODS         += ipgpc
441 IPP_KMODS         += dscpmk
442 IPP_KMODS         += tokenmt
443 IPP_KMODS         += tswtclmt

445 #
446 # 'Dacf' modules (/kernel/dacf)
447 DACF_KMODS       += consconfig_dacf

```

```

449 #
450 #     SVVS Testing Modules (/kernel/strmod):
451 #
452 #     These are streams and driver modules which are not to be
453 #     delivered with a released system. However, during development
454 #     it is convenient to build and install the SVVS kernel modules.
455 #
456 SVVS_KMODS       += lmodb lmode lmodr lmodt svvslo tidg tivc tmuX

458 #
459 #     Modules eXcluded from the product:
460 #
461 XMODS            +=

463 #
464 #     'Dacf' Modules (/kernel/dacf):
465 #
466 DACF_KMODS       += net_dacf

468 #
469 #     MAC-Type Plugin Modules (/kernel/mac)
470 #
471 MAC_KMODS        += mac_6to4
472 MAC_KMODS        += mac_ether
473 MAC_KMODS        += mac_ipv4
474 MAC_KMODS        += mac_ipv6
475 MAC_KMODS        += mac_wifi
476 MAC_KMODS        += mac_ib

478 #
479 # socketmod (kernel/socketmod)
480 #
481 SOCKET_KMODS     += sockpfp
482 SOCKET_KMODS     += socksctp
483 SOCKET_KMODS     += socksdp
484 SOCKET_KMODS     += sockrds
485 SOCKET_KMODS     += ksslf

487 #
488 #     kiconv modules (/kernel/kiconv):
489 #
490 KICONV_KMODS     += kiconv_emea kiconv_ja kiconv_ko kiconv_sc kiconv_tc

492 #
493 # Ensure that the variable member of the cpu_t (cpu_m) is defined
494 # for the lint builds so as not to cause lint errors during the
495 # global cross check.
496 #
497 $(LINTFLAGSSUPPRESS)LINTFLAGS += -D_MACHDEP -I$(UTSBASE)/sun4 \
498                                -I$(UTSBASE)/sun4u -I$(UTSBASE)/sfmmu

```