

new/usr/src/pkg/manifests/ diagnostic-snoop.mf

1

818 Fri May 26 19:19:45 2017

new/usr/src/pkg/manifests/ diagnostic-snoop.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
```

```
12 # Copyright 2017, Richard Lowe
```

```
14 set name=pkg.fmri value=pkg:/diagnostic/snoop@$(PKGVERS)
15 set name=pkg.summary value="snoop network traffic monitor"
16 set name=info.classification \
17     value=org.opensolaris.category.2008:Applications/Internet
18 set name=variant.arch value=$(ARCH)
19 file path=usr/sbin/snoop mode=0555
20 file path=usr/share/man/man1m/snoop.1m
21 license cr_Sun license=cr_Sun
22 license lic_CDDL license=lic_CDDL
23 #endif /* !codereview */
```

new/usr/src/pkg/manifests/network-finger.mf

1

1045 Fri May 26 19:19:46 2017

new/usr/src/pkg/manifests/network-finger.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/finger@$(PKGVERS)
15 set name=pkg.summary value="finger user information client/server"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=lib/svc/manifest/network/finger.xml group=sys mode=0444
20 file path=usr/bin/finger mode=0555
21 file path=usr/sbin/in.fingerd mode=0555
22 file path=usr/share/man/man1/finger.1
23 file path=usr/share/man/man1m/in.fingerd.1m
24 license cr_Sun license=cr_Sun
25 license lic_CDDL license=lic_CDDL
26 link path=usr/share/man/man1m/fingerd.1m target=in.fingerd.1m
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-rdist.mf

1

1121 Fri May 26 19:19:46 2017

new/usr/src/pkg/manifests/network-rdist.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/rdist@$(PKGVERS)
15 set name=pkg.summary value="file distribution and synchronization service"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=org.opensolaris.noincorp value=true
19 set name=variant.arch value=$(ARCH)
20 file path=usr/bin/rdist mode=4555
21 file path=usr/share/man/man1/rdist.1
22 license cr_Sun license=cr_Sun
23 license lic_CDDL license=lic_CDDL
24 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
25     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
26 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
27     license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
28 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-rsh.mf

1

2364 Fri May 26 19:19:46 2017

new/usr/src/pkg/manifests/network-rsh.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/network/rsh@$(PKGVERS)
28 set name=pkg.description \
29     value="Berkeley Remote Shell Commands (rsh, rlogin, rcp, rdate, rmt)"
30 set name=pkg.summary value="Berkeley Remote Shell Client Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/bin
35 dir path=usr/lib
36 dir path=usr/sbin
37 dir path=usr/share/man/man1
38 dir path=usr/share/man/man1m
39 file path=usr/bin/rcp mode=4555
40 file path=usr/bin/rdate mode=0555
41 file path=usr/bin/rlogin mode=4555
42 file path=usr/bin/rsh mode=4555
43 file path=usr/sbin/rmt mode=0555
44 file path=usr/share/man/man1/rcp.1
45 file path=usr/share/man/man1/rlogin.1
46 file path=usr/share/man/man1/rsh.1
47 file path=usr/share/man/man1m/rdate.1m
48 file path=usr/share/man/man1m/rmt.1m
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
51 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
52     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
53 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
54     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
55 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
56     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
57 link path=usr/bin/remsh target=./rsh
58 link path=usr/lib/sunw.rcp target=./bin/rcp
59 link path=usr/share/man/man1/remsh.1 target=rsh.1
60 link path=usr/share/man/man1/remsh.1 target=rsh.1
61 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-talk.mf

1

1013 Fri May 26 19:19:47 2017

new/usr/src/pkg/manifests/network-talk.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/talk@$(PKGVERS)
15 set name=pkg.summary value="Berkeley network talk"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=lib/svc/manifest/network/talk.xml group=sys mode=0444
20 file path=usr/bin/talk mode=0555
21 file path=usr/sbin/in.talkd mode=0555
22 file path=usr/share/man/man1/talk.1
23 file path=usr/share/man/man1m/in.talkd.1m
24 license cr_Sun license=cr_Sun
25 license lic_CDDL license=lic_CDDL
26 link path=usr/share/man/man1m/talkd.1m target=in.talkd.1m
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-whois.mf

1

944 Fri May 26 19:19:48 2017

new/usr/src/pkg/manifests/network-whois.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/whois@$(PKGVERS)
15 set name=pkg.summary value="WHOIS protocol client"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=usr/bin/whois mode=0555
20 file path=usr/share/man/man1/whois.1
21 license cr_Sun license=cr_Sun
22 license lic_CDDL license=lic_CDDL
23 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
24     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
25 #
26 #
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/service-network-legacy.mf

1

```
*****
3022 Fri May 26 19:19:48 2017
new/usr/src/pkg/manifests/service-network-legacy.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #

26 set name=pkg.fmri value=pkg:/service/network/legacy@$(PKGVERS)
27 set name=pkg.description \
28 value="Common Network Services: time, daytime, echo, discard, chargen, comsa
28 value="Common Network Services: time, daytime, echo, discard, chargen"
29 set name=pkg.summary \
30 value="Common Network Services: time, daytime, echo, discard, chargen, comsa
30 value="Common Network Services: time, daytime, echo, discard, chargen"
31 set name=info.classification \
32 value=org.opensolaris.category.2008:System/Services
33 set name=variant.arch value=$(ARCH)
34 dir path=lib
35 dir path=lib/svc
36 dir path=lib/svc/manifest group=sys
37 dir path=lib/svc/manifest/network group=sys
38 dir path=usr group=sys
39 dir path=usr/lib
40 dir path=usr/lib/inet
41 dir path=usr/share/man/manlm
42 file path=lib/svc/manifest/network/chargen.xml group=sys mode=0444
43 file path=lib/svc/manifest/network/comsat.xml group=sys mode=0444
44 #endif /* ! codereview */
45 file path=lib/svc/manifest/network/daytime.xml group=sys mode=0444
46 file path=lib/svc/manifest/network/discard.xml group=sys mode=0444
47 file path=lib/svc/manifest/network/echo.xml group=sys mode=0444
48 file path=lib/svc/manifest/network/time.xml group=sys mode=0444
49 file path=usr/lib/inet/in.chargend mode=0555
50 file path=usr/lib/inet/in.daytimed mode=0555
51 file path=usr/lib/inet/in.discardd mode=0555
52 file path=usr/lib/inet/in.echod mode=0555
53 file path=usr/lib/inet/in.timed mode=0555
54 file path=usr/sbin/in.comsat mode=0555
55 #endif /* ! codereview */
56 file path=usr/share/man/manlm/in.chargend.1m
57 file path=usr/share/man/manlm/in.comsat.1m
58 #endif /* ! codereview */
59 file path=usr/share/man/manlm/in.daytimed.1m
```

new/usr/src/pkg/manifests/service-network-legacy.mf

2

```
60 file path=usr/share/man/manlm/in.discardd.1m
61 file path=usr/share/man/manlm/in.echod.1m
62 file path=usr/share/man/manlm/in.timed.1m
63 legacy pkg=SUNWcnsr \
64 desc="Common Network Services (Root): time, daytime, echo, discard, chargen"
65 name="Common Network Services (Root): time, daytime, echo, discard, chargen"
66 legacy pkg=SUNWcnsu \
67 desc="Common Network Services (Usr): time, daytime, echo, discard, chargen"
68 name="Common Network Services (Usr): time, daytime, echo, discard, chargen"
69 license cr_Sun license=cr_Sun
70 license lic_CDDL license=lic_CDDL
71 license usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.comsat \
72 license=usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.comsat
73 link path=usr/share/man/manlm/comsat.1m target=in.comsat.1m
74 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

1

```
*****
1235 Fri May 26 19:19:49 2017
new/usr/src/pkg/manifests/service-network-network-clients.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-clients@$(PKGVERS)
28 set name=pkg.renamed value=true
29 set name=pkg.description \
30 value="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)"
31 set name=pkg.summary value="Remote Network Client Commands"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
29 set name=variant.arch value=$(ARCH)
30 depend fmri=diagnostic/snoop type=require
31 depend fmri=network/rdist type=require
32 depend fmri=network/rsh type=require
33 depend fmri=network/whois type=require
34 dir path=usr group=sys
35 dir path=usr/bin
36 dir path=usr/lib
37 dir path=usr/sbin
38 dir path=usr/share/man/man1
39 dir path=usr/share/man/man1m
40 file path=usr/bin/rcp mode=4555
41 file path=usr/bin/rdate mode=0555
42 file path=usr/bin/rdist mode=4555
43 file path=usr/bin/rlogin mode=4555
44 file path=usr/bin/rsh mode=4555
45 file path=usr/bin/whois mode=0555
46 file path=usr/sbin/rmt mode=0555
47 file path=usr/sbin/snoop mode=0555
48 file path=usr/share/man/man1/rcp.1
49 file path=usr/share/man/man1/rdist.1
50 file path=usr/share/man/man1/rlogin.1
51 file path=usr/share/man/man1/rsh.1
52 file path=usr/share/man/man1m/rdate.1m
53 file path=usr/share/man/man1m/rmt.1m
54 file path=usr/share/man/man1m/snoop.1m
55 legacy pkg=SUNWrcmdc \
56 desc="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)" \
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

2

```
57 name="Remote Network Client Commands"
58 license cr_Sun license=cr_Sun
59 license lic_CDDL license=lic_CDDL
60 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
61 license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
62 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
63 license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
64 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
65 license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
66 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
67 license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
68 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
69 license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
70 link path=usr/bin/remsh target=./rsh
71 link path=usr/lib/sunw/rcp target=./bin/rcp
72 link path=usr/share/man/man1/remote_shell.1 target=rsh.1
73 link path=usr/share/man/man1/remsh.1 target=rsh.1
```


new/usr/src/pkg/manifests/service-network-network-servers.mf

1

```
*****
1334 Fri May 26 19:19:50 2017
new/usr/src/pkg/manifests/service-network-network-servers.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 set name=pkg.fmri value=pkg:/service/network/network-servers@$(PKGVERS)
27 set name=pkg.description value="Berkeley Remote Network Server Commands"
28 set name=pkg.renamed value=true
29 set name=pkg.description \
30 value="Remote Network Server Commands (includes finger, talk, commands)"
31 set name=pkg.summary value="Remote Network Server Commands"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 depend fmri=network/finger type=require
35 depend fmri=network/talk type=require
36 depend fmri=service/network/rsh type=require
37 dir path=etc group=sys
38 dir path=lib
39 dir path=lib/svc
40 dir path=lib/svc/manifest group=sys
41 dir path=lib/svc/manifest/network group=sys
42 dir path=lib/svc/manifest/network/rpc group=sys
43 dir path=usr group=sys
44 dir path=usr/bin
45 dir path=usr/lib
46 dir path=usr/lib/netsvc group=sys
47 dir path=usr/sbin
48 dir path=usr/share/man
49 dir path=usr/share/man/man1
50 dir path=usr/share/man/man1m
51 dir path=usr/share/man/man4
52 file path=lib/svc/manifest/network/comsat.xml group=sys mode=0444
53 file path=lib/svc/manifest/network/finger.xml group=sys mode=0444
54 file path=lib/svc/manifest/network/login.xml group=sys mode=0444
55 file path=lib/svc/manifest/network/rexec.xml group=sys mode=0444
56 file path=lib/svc/manifest/network/shell.xml group=sys mode=0444
57 file path=lib/svc/manifest/network/talk.xml group=sys mode=0444
58 file path=usr/bin/finger mode=0555
59 file path=usr/bin/talk mode=0555
60 file path=usr/sbin/in.comsat mode=0555
```

new/usr/src/pkg/manifests/service-network-network-servers.mf

2

```
57 file path=usr/sbin/in.fingerd mode=0555
58 file path=usr/sbin/in.rexecd mode=0555
59 file path=usr/sbin/in.rlogind mode=0555
60 file path=usr/sbin/in.rshd mode=0555
61 file path=usr/sbin/in.talkd mode=0555
62 file path=usr/share/man/man1/finger.1
63 file path=usr/share/man/man1/talk.1
64 file path=usr/share/man/man1m/in.comsat.1m
65 file path=usr/share/man/man1m/in.fingerd.1m
66 file path=usr/share/man/man1m/in.rexecd.1m
67 file path=usr/share/man/man1m/in.rlogind.1m
68 file path=usr/share/man/man1m/in.rshd.1m
69 file path=usr/share/man/man1m/in.talkd.1m
70 file path=usr/share/man/man4/hosts.equiv.4
71 legacy pkg=SUNWrcmdr desc="Remote Network Server Commands (Root)" \
72 name="Remote Network Server Commands (Root)"
73 legacy pkg=SUNWrcmds \
74 desc="Remote Network Server Commands (includes finger, talk commands)" \
75 name="Remote Network Server Commands (Usr)"
76 license cr_Sun license=cr_Sun
77 license lic_CDDL license=lic_CDDL
78 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat \
79 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat
80 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind \
81 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind
82 link path=etc/rmt target=./usr/sbin/rmt
83 link path=usr/share/man/man1m/comsat.1m target=in.comsat.1m
84 link path=usr/share/man/man1m/fingerd.1m target=in.fingerd.1m
85 link path=usr/share/man/man1m/rexecd.1m target=in.rexecd.1m
86 link path=usr/share/man/man1m/rlogind.1m target=in.rlogind.1m
87 link path=usr/share/man/man1m/rshd.1m target=in.rshd.1m
88 link path=usr/share/man/man1m/talkd.1m target=in.talkd.1m
89 link path=usr/share/man/man4/hosts.4 target=hosts.equiv.4
```

new/usr/src/pkg/manifests/service-network-rsh.mf

1

```
*****
2597 Fri May 26 19:19:51 2017
new/usr/src/pkg/manifests/service-network-rsh.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/rsh@$(PKGVERS)
28 set name=pkg.description value="Berkeley Remote Shell Server Commands"
29 set name=pkg.summary value="Remote Shell Server Commands"
30 set name=info.classification value=org.opensolaris.category.2008:System/Core
31 set name=variant.arch value=$(ARCH)
32 dir path=etc group=sys
33 dir path=lib
34 dir path=lib/svc
35 dir path=lib/svc/manifest group=sys
36 dir path=lib/svc/manifest/network group=sys
37 dir path=lib/svc/manifest/network/rpc group=sys
38 dir path=usr group=sys
39 dir path=usr/bin
40 dir path=usr/lib
41 dir path=usr/lib/netsvc group=sys
42 dir path=usr/sbin
43 dir path=usr/share/man
44 dir path=usr/share/man/man1
45 dir path=usr/share/man/man1m
46 dir path=usr/share/man/man4
47 file path=lib/svc/manifest/network/login.xml group=sys mode=0444
48 file path=lib/svc/manifest/network/rexec.xml group=sys mode=0444
49 file path=lib/svc/manifest/network/shell.xml group=sys mode=0444
50 file path=usr/sbin/in.rexecd mode=0555
51 file path=usr/sbin/in.rlogind mode=0555
52 file path=usr/sbin/in.rshd mode=0555
53 file path=usr/share/man/man1m/in.rexecd.lm
54 file path=usr/share/man/man1m/in.rlogind.lm
55 file path=usr/share/man/man1m/in.rshd.lm
56 file path=usr/share/man/man4/hosts.equiv.4
57 license cr_Sun license=cr_Sun
58 license lic_CDDL license=lic_CDDL
59 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind \
60 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind
61 link path=etc/rmt target=../usr/sbin/rmt
```

new/usr/src/pkg/manifests/service-network-rsh.mf

2

```
62 link path=usr/share/man/man1m/rexecd.lm target=in.rexecd.lm
63 link path=usr/share/man/man1m/rlogind.lm target=in.rlogind.lm
64 link path=usr/share/man/man1m/rshd.lm target=in.rshd.lm
65 link path=usr/share/man/man4/hosts.4 target=hosts.equiv.4
66 #
67 #endif /* ! codereview */
```