

new/usr/src/cmd/cmd-inet/usr.bin/Makefile

1

```
*****
5287 Fri May 26 19:08:05 2017
new/usr/src/cmd/cmd-inet/usr.bin/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
25 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2016 Toomas Soome <tsoome@me.com>
27 #

29 PROG=      finger rdate whois
29 PROG=      finger rdate ruptime rwho whois
30 SUIDPROG=  rcp rlogin rsh
31 ALL=       $(PROG) $(SUIDPROG)
32 SRCS=      $(ALL:%=.c)
33 KCMDPROGS= rcp rlogin rsh

35 SUBDIRS=   chat dns-sd ftp nc nca netstat \
36            pppd pppdump pppstats rdist talk telnet tftp
37 SUBDIR1=   talk
38 MSGSUBDIRS= nca talk

40 # As programs get lint-clean, add them here. Eventually.
41 # This hack should go away, and all in PROG should be lint-clean.
42 LINTCLEAN= rlogin.c rsh.c rcp.c rdate.c whois.c
42 LINTCLEAN= rlogin.c rsh.c rcp.c rdate.c rwho.c whois.c

44 # Likewise, as subdirs get lint-clean, add them here. Once
45 # they're all clean, replace the dependency of the lint target
46 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
47 # for the lint rule.
48 LINTSUBDIRS= nca netstat pppd pppstats tftp

50 include ../Makefile.cmd
51 include ../Makefile.cmd-inet

53 COMMONOBS= kcmd.o
54 COMMONPOFILES= $(COMMONOBS:.o=.po)
55 COMMONSRCS= $(CMDINETCOMMONDIR)/$(COMMONOBS:.o=.c)

57 POFILES=   rlogin.po rsh.po rcp.po $(COMMONPOFILES)
58 POFILE=    usr.bin.po
```

new/usr/src/cmd/cmd-inet/usr.bin/Makefile

2

```
60 CLOBBERFILES += $(ALL)
61 CLEANFILES += kcmd.o rcp.o rlogin.o rsh.o

63 all:=          TARGET= all
64 install:=     TARGET= install
65 clean:=       TARGET= clean
66 clobber:=     TARGET= clobber
67 lint:=        TARGET= lint
68 _msg:=        TARGET= _msg

70 ROOTSUIDPROG= $(SUIDPROG:%=$(ROOTBIN)/%)
71 $(ROOTSUIDPROG) := FILEMODE= 04555

73 CPPFLAGS += -DSYSV -DSTRNET -DBSD_COMP -I$(CMDINETCOMMONDIR)
74 CERRWARN += -_gcc=-Wno-parentheses
75 CERRWARN += -_gcc=-Wno-uninitialized
76 CERRWARN += -_gcc=-Wno-unused-function

78 # Eventually just plain CFLAGS should be += -v, but not until all in
79 # PROGS are lint clean.
80 $(LINTCLEAN) := CFLAGS += $(CCVERBOSE)

82 finger := CFLAGS += $(CCVERBOSE)
83 # Enable large file support for reading the lastlog file.
84 finger := CPPFLAGS += -D_FILE_OFFSET_BITS=64

86 finger := LDLIBS += -lnsl -lcurses -lsocket
87 rcp lint-rcp := LDLIBS += -lsocket -lsec -lsendfile
88 rdate lint-rdate:= LDLIBS += -lsocket
89 rlogin lint-rlogin := LDLIBS += -lnsl -lsocket
90 rsh lint-rsh := LDLIBS += -lsocket
91 whois lint-whois := LDLIBS += -lsocket

93 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
94 $(KCMDPROGS) := LDLIBS += -lnsl -lmech_krb5
95 $(KCMDPROGS) := LDFLAGS += $(ZIGNORE) $(KRUNPATH) \
96               -L$(ROOT)$ (KLIBDIR_DO) \
97               -L$(ROOT)$ (KLIBDIR_GL)
98 KCMDLINTS= $(KCMDPROGS:%=lint-%)

100 $(COMMONPOFILES) \
101 rlogin.po rcp.po rsh.po \
102 $(KCMDPROGS) \
103 $(KCMDLINTS) := CPPFLAGS += -DKERBEROS \
104               -I$(CMDINETCOMMONDIR) \
105               -I$(SRC)/lib/gss_mechs/mech_krb5 \
106               -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
107               -I$(SRC)/lib/gss_mechs/mech_krb5/include \
108               -I$(SRC)/lib/gss_mechs/mech_krb5/include/krb5

110 # "-erroff=E_NAME_USED_NOT_DEF2" and "-erroff=E_NAME_DEF_NOT_USED2"
111 # are required because lint problems in the Kerberos 5 framework.
112 $(KCMDLINTS) := LINTFLAGS += -lnsl \
113               -erroff=E_NAME_USED_NOT_DEF2 \
114               -erroff=E_NAME_DEF_NOT_USED2

116 # Extra source files to lint with
117 LINTXTRA=
118 $(KCMDLINTS) := LINTXTRA += $(COMMONSRCS)

120 ROOTSUNWRCP= $(ROOT)/usr/lib/sunw,rcp
121 ROOTRSHSYMLINK= $(ROOT)/usr/uch/rsh
122 ROOTREMSHSYMLINK=$(ROOT)/usr/bin/remsh

124 .KEEP_STATE:
```

```
126 all: $(ALL) $(SUBDIRS)

128 install: all .WAIT $(ROOTPROG) $(ROOTSUIDPROG) \
129     $(SUBDIRS) $(ROOTSUNWRCP) $(ROOTRSHSYMLINK) $(ROOTREMSHSYMLINK)

131 # Messaging - copy $POFILES to $POFILE to work with the parent directory
132 # Makefile's '_msg' target.
133 #
134 _msg: $(MSGSUBDIRS) $(POFILES)
135     $(RM) $(POFILE)
136     $(CAT) $(POFILES) > $(POFILE)

138 $(COMMONPOFILES): $(COMMONSRCS)
139     $(COMPILE.cpp) $(COMMONSRCS) > $(@:.po=.c).i
140     $(XGETTEXT) $(XGETFLAGS) $(@:.po=.c).i
141     $(RM) $@
142     sed "/^domain/d" < messages.po > $@
143     $(RM) messages.po $(@:.po=.c).i

145 $(COMMONOBS): $(COMMONSRCS)
146     $(COMPILE.c) $(COMMONSRCS)

148 rlogin: rlogin.o $(COMMONOBS)
149     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
150     $(POST_PROCESS)
151
152 rcp: rcp.o $(COMMONOBS)
153     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
154     $(POST_PROCESS)

156 rsh: rsh.o $(COMMONOBS)
157     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
158     $(POST_PROCESS)
159
160 $(ROOTSUNWRCP):
161     $(RM) $@; $(SYMLINK) ../bin/rcp $@

163 $(ROOTRSHSYMLINK):
164     $(RM) $@; $(SYMLINK) ../bin/rsh $@

166 $(ROOTREMSHSYMLINK):
167     $(RM) $@; $(SYMLINK) rsh $@

169 $(SUBDIRS): FRC
170     @cd $@; pwd; $(MAKE) $(MFLAGS) $(TARGET)

172 FRC:

174 clean: $(SUBDIRS) clean_local
175 clean_local:
176     $(RM) $(CLEANFILES)

178 clobber: $(SUBDIRS) clobber_local
179 clobber_local: clean_local
180     $(RM) $(CLOBBERFILES)

182 LINTLOCALS=    $(LINTCLEAN:%.c=lint-%)

184 lint:    $(LINTSUBDIRS) $(LINTLOCALS)

186 $(LINTLOCALS):
187     $(LINT.c) $(@:lint-%=%.c) $(LINTXTRA) $(LDLIBS)
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

1

\*\*\*\*\*

8646 Fri May 26 19:08:07 2017

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

8114 EOF rwho

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 SYNCPROG=      syncinit syncloop syncstat
28 #
29 PROG=          6to4relay arp if_mpadm \
30               in.comsat in.fingerd in.rarpd in.rexecd in.rlogind \
31               in.rshd in.telnetd in.tftpd ipaddrsel \
32               in.rshd in.rwhod in.telnetd in.tftpd ipaddrsel \
33               ndd ndp $(SYNCPROG) wanbootutil
34 #
35 MANIFEST=      rarp.xml telnet.xml comsat.xml finger.xml \
36               login.xml shell.xml rexec.xml socket-filter-kssl.xml
37 #
38 SVCMETHOD=     svc-sockfilter
39 #
40 ROOTFS_PROG=   hostconfig route soconfig
41 SBINLINKS=     hostconfig route
42 #
43 RPCSVCPROG=   hostconfig
44 #
45 AUDITPROG=    in.rexecd in.rlogind in.rshd in.telnetd
46 #
47 PAMPROG=      in.rexecd in.rlogind in.rshd in.telnetd
48 #
49 SOCKETPROG=   6to4relay arp hostconfig if_mpadm in.comsat \
50               in.fingerd in.rarpd in.rexecd in.rlogind in.rshd \
51               in.telnetd in.tftpd ipaddrsel ndp route
52 #
53 NSLPROG=      6to4relay arp hostconfig in.comsat in.rarpd \
54               in.rexecd in.rlogind in.rshd in.telnetd \
55               in.rexecd in.rlogind in.rshd in.rwhod in.telnetd \
56               in.tftpd ipaddrsel ndp route
57 #
58 CMDPROG=      in.telnetd
59 #
60 K5PROGS=      in.telnetd in.rlogind in.rshd
61 #
62 TSNETPROG=    route
63 #
64 DLADMPROG=    6to4relay
65 #
66 DEFAULTFILES= telnetd.dfl
67 #
68 #
69 #
70 #
71 #
72 #
73 #
74 #
75 #
76 #
77 #
78 #
79 #
80 #
81 #
82 #
83 #
84 #
85 #
86 #
87 #
88 #
89 #
90 #
91 #
92 #
93 #
94 #
95 #
96 #
97 #
98 #
99 #
100 #
101 #
102 #
103 #
104 #
105 #
106 #
107 #
108 #
109 #
110 #
111 #
112 #
113 #
114 #
115 #
116 #
117 #
118 #
119 #
120 #
121 #
122 #
123 #
124 #
125 #
126 #
127 #
128 #
129 #
130 #
131 #
132 #
133 #
134 #
135 #
136 #
137 #
138 #
139 #
140 #
141 #
142 #
143 #
144 #
145 #
146 #
147 #
148 #
149 #
150 #
151 #
152 #
153 #
154 #
155 #
156 #
157 #
158 #
159 #
160 #
161 #
162 #
163 #
164 #
165 #
166 #
167 #
168 #
169 #
170 #
171 #
172 #
173 #
174 #
175 #
176 #
177 #
178 #
179 #
180 #
181 #
182 #
183 #
184 #
185 #
186 #
187 #
188 #
189 #
190 #
191 #
192 #
193 #
194 #
195 #
196 #
197 #
198 #
199 #
200 #
201 #
202 #
203 #
204 #
205 #
206 #
207 #
208 #
209 #
210 #
211 #
212 #
213 #
214 #
215 #
216 #
217 #
218 #
219 #
220 #
221 #
222 #
223 #
224 #
225 #
226 #
227 #
228 #
229 #
230 #
231 #
232 #
233 #
234 #
235 #
236 #
237 #
238 #
239 #
240 #
241 #
242 #
243 #
244 #
245 #
246 #
247 #
248 #
249 #
250 #
251 #
252 #
253 #
254 #
255 #
256 #
257 #
258 #
259 #
260 #
261 #
262 #
263 #
264 #
265 #
266 #
267 #
268 #
269 #
270 #
271 #
272 #
273 #
274 #
275 #
276 #
277 #
278 #
279 #
280 #
281 #
282 #
283 #
284 #
285 #
286 #
287 #
288 #
289 #
290 #
291 #
292 #
293 #
294 #
295 #
296 #
297 #
298 #
299 #
300 #
301 #
302 #
303 #
304 #
305 #
306 #
307 #
308 #
309 #
310 #
311 #
312 #
313 #
314 #
315 #
316 #
317 #
318 #
319 #
320 #
321 #
322 #
323 #
324 #
325 #
326 #
327 #
328 #
329 #
330 #
331 #
332 #
333 #
334 #
335 #
336 #
337 #
338 #
339 #
340 #
341 #
342 #
343 #
344 #
345 #
346 #
347 #
348 #
349 #
350 #
351 #
352 #
353 #
354 #
355 #
356 #
357 #
358 #
359 #
360 #
361 #
362 #
363 #
364 #
365 #
366 #
367 #
368 #
369 #
370 #
371 #
372 #
373 #
374 #
375 #
376 #
377 #
378 #
379 #
380 #
381 #
382 #
383 #
384 #
385 #
386 #
387 #
388 #
389 #
390 #
391 #
392 #
393 #
394 #
395 #
396 #
397 #
398 #
399 #
400 #
401 #
402 #
403 #
404 #
405 #
406 #
407 #
408 #
409 #
410 #
411 #
412 #
413 #
414 #
415 #
416 #
417 #
418 #
419 #
420 #
421 #
422 #
423 #
424 #
425 #
426 #
427 #
428 #
429 #
430 #
431 #
432 #
433 #
434 #
435 #
436 #
437 #
438 #
439 #
440 #
441 #
442 #
443 #
444 #
445 #
446 #
447 #
448 #
449 #
450 #
451 #
452 #
453 #
454 #
455 #
456 #
457 #
458 #
459 #
460 #
461 #
462 #
463 #
464 #
465 #
466 #
467 #
468 #
469 #
470 #
471 #
472 #
473 #
474 #
475 #
476 #
477 #
478 #
479 #
480 #
481 #
482 #
483 #
484 #
485 #
486 #
487 #
488 #
489 #
490 #
491 #
492 #
493 #
494 #
495 #
496 #
497 #
498 #
499 #
500 #
501 #
502 #
503 #
504 #
505 #
506 #
507 #
508 #
509 #
510 #
511 #
512 #
513 #
514 #
515 #
516 #
517 #
518 #
519 #
520 #
521 #
522 #
523 #
524 #
525 #
526 #
527 #
528 #
529 #
530 #
531 #
532 #
533 #
534 #
535 #
536 #
537 #
538 #
539 #
540 #
541 #
542 #
543 #
544 #
545 #
546 #
547 #
548 #
549 #
550 #
551 #
552 #
553 #
554 #
555 #
556 #
557 #
558 #
559 #
560 #
561 #
562 #
563 #
564 #
565 #
566 #
567 #
568 #
569 #
570 #
571 #
572 #
573 #
574 #
575 #
576 #
577 #
578 #
579 #
580 #
581 #
582 #
583 #
584 #
585 #
586 #
587 #
588 #
589 #
590 #
591 #
592 #
593 #
594 #
595 #
596 #
597 #
598 #
599 #
600 #
601 #
602 #
603 #
604 #
605 #
606 #
607 #
608 #
609 #
610 #
611 #
612 #
613 #
614 #
615 #
616 #
617 #
618 #
619 #
620 #
621 #
622 #
623 #
624 #
625 #
626 #
627 #
628 #
629 #
630 #
631 #
632 #
633 #
634 #
635 #
636 #
637 #
638 #
639 #
640 #
641 #
642 #
643 #
644 #
645 #
646 #
647 #
648 #
649 #
650 #
651 #
652 #
653 #
654 #
655 #
656 #
657 #
658 #
659 #
660 #
661 #
662 #
663 #
664 #
665 #
666 #
667 #
668 #
669 #
670 #
671 #
672 #
673 #
674 #
675 #
676 #
677 #
678 #
679 #
680 #
681 #
682 #
683 #
684 #
685 #
686 #
687 #
688 #
689 #
690 #
691 #
692 #
693 #
694 #
695 #
696 #
697 #
698 #
699 #
700 #
701 #
702 #
703 #
704 #
705 #
706 #
707 #
708 #
709 #
710 #
711 #
712 #
713 #
714 #
715 #
716 #
717 #
718 #
719 #
720 #
721 #
722 #
723 #
724 #
725 #
726 #
727 #
728 #
729 #
730 #
731 #
732 #
733 #
734 #
735 #
736 #
737 #
738 #
739 #
740 #
741 #
742 #
743 #
744 #
745 #
746 #
747 #
748 #
749 #
750 #
751 #
752 #
753 #
754 #
755 #
756 #
757 #
758 #
759 #
760 #
761 #
762 #
763 #
764 #
765 #
766 #
767 #
768 #
769 #
770 #
771 #
772 #
773 #
774 #
775 #
776 #
777 #
778 #
779 #
780 #
781 #
782 #
783 #
784 #
785 #
786 #
787 #
788 #
789 #
790 #
791 #
792 #
793 #
794 #
795 #
796 #
797 #
798 #
799 #
800 #
801 #
802 #
803 #
804 #
805 #
806 #
807 #
808 #
809 #
810 #
811 #
812 #
813 #
814 #
815 #
816 #
817 #
818 #
819 #
820 #
821 #
822 #
823 #
824 #
825 #
826 #
827 #
828 #
829 #
830 #
831 #
832 #
833 #
834 #
835 #
836 #
837 #
838 #
839 #
840 #
841 #
842 #
843 #
844 #
845 #
846 #
847 #
848 #
849 #
850 #
851 #
852 #
853 #
854 #
855 #
856 #
857 #
858 #
859 #
860 #
861 #
862 #
863 #
864 #
865 #
866 #
867 #
868 #
869 #
870 #
871 #
872 #
873 #
874 #
875 #
876 #
877 #
878 #
879 #
880 #
881 #
882 #
883 #
884 #
885 #
886 #
887 #
888 #
889 #
890 #
891 #
892 #
893 #
894 #
895 #
896 #
897 #
898 #
899 #
900 #
901 #
902 #
903 #
904 #
905 #
906 #
907 #
908 #
909 #
910 #
911 #
912 #
913 #
914 #
915 #
916 #
917 #
918 #
919 #
920 #
921 #
922 #
923 #
924 #
925 #
926 #
927 #
928 #
929 #
930 #
931 #
932 #
933 #
934 #
935 #
936 #
937 #
938 #
939 #
940 #
941 #
942 #
943 #
944 #
945 #
946 #
947 #
948 #
949 #
950 #
951 #
952 #
953 #
954 #
955 #
956 #
957 #
958 #
959 #
960 #
961 #
962 #
963 #
964 #
965 #
966 #
967 #
968 #
969 #
970 #
971 #
972 #
973 #
974 #
975 #
976 #
977 #
978 #
979 #
980 #
981 #
982 #
983 #
984 #
985 #
986 #
987 #
988 #
989 #
990 #
991 #
992 #
993 #
994 #
995 #
996 #
997 #
998 #
999 #
1000 #
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

2

```
59 K5RLOGINOBJ= in.rlogind.o
60 K5RSHDOBJ=   in.rshd.o
61 K5TELNETOBJ= in.telnetd.o
62 SRCS=        $(PROGSRC) $(OTHERSRC)
63 #
64 SUBDIRS=     bootconfchk ifconfig ilbadm in.rdisc in.routed \
65             in.talkd inetadm inetconv ipadm impstat ipqosconf ipsecutils \
66             kssl/kssladm kssl/ksslcfg nwamadm nwamcfg ping routeadm \
67             snoop spptun traceroute wifonfig
68 #
69 MSGSUBDIRS=  bootconfchk ifconfig ilbadm in.routed in.talkd \
70             inetadm inetconv ipadm impstat ipqosconf ipsecutils \
71             kssl/ksslcfg nwamadm nwamcfg routeadm spptun snoop wifonfig
72 #
73 # As programs get lint-clean, add them here and to the 'lint' target.
74 # Eventually this hack should go away, and all in PROG should be
75 # lint-clean.
76 LINTCLEAN=   6to4relay arp in.rlogind in.rshd in.telnetd in.tftpd \
77             ipaddrsel ndp route \
78             in.rarpd if_mpadm $(SYNCPROG)
79 # Likewise, as subdirs get lint-clean, add them here. Once
80 # they're all clean, replace the dependency of the lint target
81 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
82 # for the lint rule.
83 LINTSUBDIRS= bootconfchk ilbadm in.rdisc in.routed in.talkd inetadm \
84             inetconv impstat ipqosconf ipsecutils kssl/kssladm \
85             kssl/ksslcfg nwamadm nwamcfg ping routeadm spptun traceroute \
86             wifonfig
87 # And as programs are verified not to attempt to write into constants,
88 # -xstrconst should be used to ensure they stay that way.
89 CONSTCLEAN=
90 #
91 include ../Makefile.cmd
92 ROOTMANIFESTDIR= $(ROOTSVCNETWORK)
93 $(ROOTMANIFEST) := FILEMODE= 444
94 include ../Makefile.cmd-inet
95 #
96 ROOTSBINPROG = $(ROOTFS_PROG:%=$(ROOTSBIN)/%)
97 ROOTUSRSBINLINKS = $(SBINLINKS:%=$(ROOTUSRSBIN)/%)
98 #
99 COMMONOBS=     addr_match.o kcmd.o store_forw_creds.o
100 COMMONSRCS=    $(COMMONOBS:%.o=$(CMDINETCOMMONDIR)/%.c)
101 SRCS+=         $(COMMONSRCS)
102 #
103 CERRWARN += _gcc=-Wno-implicit-function-declaration
104 CERRWARN += _gcc=-Wno-uninitialized
105 CERRWARN += _gcc=-Wno-unused-variable
106 CERRWARN += _gcc=-Wno-unused-function
107 CERRWARN += _gcc=-Wno-parentheses
108 CERRWARN += _gcc=-Wno-char-subscripts
109 CERRWARN += _gcc=-Wno-extra
110 CERRWARN += _gcc=-Wno-address
111 #
112 #
113 # Message catalog
114 #
115 POFILES=      6to4relay.po if_mpadm.po in.comsat.po ipaddrsel.po route.po \
116             soconfig.po
117 #
118 #
119 all:=         TARGET= all
120 install:=     TARGET= install
121 clean:=       TARGET= clean
122 clobber:=     TARGET= clobber
123 lint:=        TARGET= lint
124 _msg:=        TARGET= _msg
```

```

126 CLOBBERFILES += $(ROOTFS_PROG) $(PROG)
127 CLEANFILES += $(COMMONOBS) $(K5RLOGINOBS) $(K5RSHDOBS) $(TFTPDOBS) \
128     $(K5TELNETOBS)
130 CPPFLAGS += -DSYSV -DBSD_COMP -I$(CMDINETCOMMONDIR) -I
132 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
133 K5LIBS=
135 # Eventually just plain CFLAGS should be += -v, but not until all in
136 # PROGS are lint clean.
137 $(LINTCLEAN)      := CFLAGS += $(CCVERBOSE)
138 $(CONSTCLEAN)    := CFLAGS += $(XSTRCONST)
140 $(SYNCPROG)       := LDLIBS += -ldlpi
141 $(SOCKETPROG)     := LDLIBS += -lsocket
142 $(NSLPROG)        := LDLIBS += -lnsl
143 $(AUDITPROG)      := LDLIBS += -lbsd
144 $(PAMPROG)        := LDLIBS += -lpam
145 $(RPCSVCPROG)     := LDLIBS += -lrpcsvc
146 $(K5PROGS)        := LDFLAGS += $(KRUNPATH) \
147     -L$(ROOT)$(KLIBDIR_DO) -L$(ROOT)$(KLIBDIR_GL)
148 $(K5PROGS)        := K5LIBS= -lmech_krb5
149 $(K5PROGS)        := CPPFLAGS += -I$(SRC)/head \
150     -I$(SRC)/uts/common/ \
151     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
152     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
153     -I$(SRC)/lib/pam_modules/krb5
154 LDLIBS += $(K5LIBS)
155 $(TSNETPROG)      := LDLIBS += -ltsnet
156 $(DLADMPROG)      := LDLIBS += -ldladm
158 in.rarpd          := LDLIBS += -linetutil -ldlpi
159 if_mpadm          := LDLIBS += -linetutil -lipmp
160 if_mpadm.po       := XGETFLAGS += -a
161 route             := CPPFLAGS += -DNDEBUG
162 ndd               := LDLIBS += -ldladm -lipadm
163 in.comsat         := LDFLAGS += $(MAPFILE.NGB:%=-M%)
165 .KEEP_STATE:
167 .PARALLEL:
169 all: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) THIRDPARTYLICENSE.arp
171 #
172 # message catalog
173 #
174 _msg: $(MSGSUBDIRS) $(POFILE)
176 syncutil: $(SYNCPROG)
178 $(POFILE): $(POFILES)
179     $(RM) $@
180     cat $(POFILES) > $@
182 %.o: $(CMDINETCOMMONDIR)/%.c
183     $(COMPILE.c) -o $@ $<
185 in.telnetd: $(K5TELNETOBS)
186     $(LINK.c) $(K5TELNETOBS) -o $@ $(LDLIBS)
187     $(POST_PROCESS)
189 in.rlogind: $(K5RLOGINOBS) $(COMMONOBS)
190     $(LINK.c) $(K5RLOGINOBS) $(COMMONOBS) -o $@ $(LDLIBS)

```

```

191     $(POST_PROCESS)
193 in.rshd: $(K5RSHDOBS) $(COMMONOBS)
194     $(LINK.c) $(K5RSHDOBS) $(COMMONOBS) -o $@ $(LDLIBS)
195     $(POST_PROCESS)
197 in.tftpd: $(TFTPDOBS)
198     $(LINK.c) $(TFTPDOBS) -o $@ $(LDLIBS)
199     $(POST_PROCESS)
201 tftpsubs.o: $(OTHERSRC)
202     $(COMPILE.c) $(OTHERSRC) -o $@
203     $(POST_PROCESS_O)
205 $(ROOTUSRSBINLINKS):
206     -$(RM) $@; $(SYMLINK) ../../sbin/$(@F) $@
208 install: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) .WAIT $(ROOTUSRSBINPROG) \
209     $(ROOTSBINPROG) $(ROOTUSRSBINLINKS) $(ROOTETCDEFAULTFILES) \
210     $(ROOTMANIFEST) $(ROOTSVCMETHOD) THIRDPARTYLICENSE.arp
212 THIRDPARTYLICENSE.arp: arp.c
213     $(SED) -n '/University of California/,/SUCH DAMAGE/p' arp.c > $@
215 CLOBBERFILES += THIRDPARTYLICENSE.arp
217 #
218 # The reason this rule checks for the existence of the
219 # Makefile is that some of the directories do not exist
220 # in our exportable source builds.
221 #
222 $(SUBDIRS): FRC
223     @if [ -f $@/Makefile ]; then \
224         cd $@; pwd; $(MAKE) $(TARGET); \
225     else \
226         true; \
227     fi
229 FRC:
231 check: $(CHKMANIFEST)
233 clean: $(SUBDIRS) clean_local
234 clean_local:
235     $(RM) $(CLEANFILES)
237 clobber: $(SUBDIRS) clobber_local
238 clobber_local: clean_local
239     $(RM) $(CLOBBERFILES)
241 lint: $(LINTSUBDIRS)
242     $(LINT.c) 6to4relay.c $(LDLIBS) -lsocket -ldladm
243     $(LINT.c) arp.c $(LDLIBS) -lsocket -lnsl
244     @# $(LINT.c) in.rexecd.c $(LDLIBS) -lbsd -lpam
245     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
246     -I$(SRC)/head -I$(SRC)/uts/common/ \
247     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
248     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
249     -I$(SRC)/lib/pam_modules/krb5 \
250     in.rlogind.c $(COMMONSRCS) $(LDLIBS) -lbsd -lpam -lsocket -lnsl
251     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
252     -I$(SRC)/head -I$(SRC)/uts/common/ \
253     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
254     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
255     -I$(SRC)/lib/pam_modules/krb5 \
256     in.rshd.c $(COMMONSRCS) $(LDLIBS) -lbsd -lpam -lsocket -lnsl

```

```
257 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 \  
258 -erroff=E_GLOBAL_COULD_BE_STATIC2 \  
259 -I$(SRC)/head -I$(SRC)/uts/common/ \  
260 -I$(SRC)/uts/common/gssapi/mechs/krb5/include \  
261 -I$(SRC)/lib/gss_mechs/mech_krb5/include \  
262 -I$(SRC)/lib/pam_modules/krb5 \  
263 in.telnetd.c $(LDLIBS) -lbsd -lpam -lsocket -lnsl \  
264 $(LINT.c) if_mpadm.c $(LDLIBS) -lsocket -lnsl -lipmp -linetutil \  
265 $(LINT.c) ipaddrsel.c $(LDLIBS) -lsocket -lnsl \  
266 $(LINT.c) route.c $(LDLIBS) -lsocket -lnsl -ltsnet \  
267 $(LINT.c) syncinit.c $(LDLIBS) -ldlpi \  
268 $(LINT.c) syncloop.c $(LDLIBS) -ldlpi \  
269 $(LINT.c) syncstat.c $(LDLIBS) -ldlpi \  
270 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 in.rarpd.c $(LDLIBS) \  
271 -lsocket -lnsl \  
272 $(LINT.c) ndp.c $(LDLIBS) \  
273 -lsocket -lnsl \  
274 $(LINT.c) in.tftpd.c ../usr.bin/tftp/tftpsubs.c $(LDLIBS) \  
275 -lsocket -lnsl
```

```

*****
      8433 Fri May 26 19:08:08 2017
new/usr/src/head/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
26 # Copyright 2015 Igor Kozhukhov <ikozhukhov@gmail.com>
27 # Copyright 2016 Nexenta Systems, Inc.
28 #
29 #
30 #
31 # head/Makefile
32 #
33 # include global definitions
34 include ../Makefile.master
35 #
36 sparc_HDRS=
37 i386_HDRS=      stack_unwind.h
38 #
39 # Headers are listed one per line so that TeamWare can auto-merge most changes
40 #
41 KRB5HDRS= mit_copyright.h mit-sipb-copyright.h
42 #
43 ATTRDB_HDRS=   secdb.h auth_attr.h exec_attr.h prof_attr.h user_attr.h \
44               auth_list.h
45 #
46 HDRS=  $( $(MACH)_HDRS)  $(ATTRDB_HDRS) \
47         aio.h             \
48         alloca.h         \
49         apptrace.h       \
50         apptrace_impl.h \
51         ar.h             \
52         archives.h       \
53         assert.h         \
54         atomic.h         \
55         attr.h           \
56         complex.h        \
57         config_admin.h   \
58         cpio.h           \
59         crypt.h          \
60         ctype.h          \
61         default.h

```

```

62         devid.h         \
63         devmgmt.h       \
64         devpoll.h       \
65         dial.h          \
66         dirent.h        \
67         dlfcn.h         \
68         door.h          \
69         elf.h           \
70         endian.h        \
71         err.h           \
72         errno.h         \
73         euc.h           \
74         exacct.h        \
75         exacct_impl.h   \
76         execinfo.h      \
77         fatal.h         \
78         fcntl.h         \
79         fenv.h          \
80         float.h         \
81         floatingpoint.h \
82         fmtmsg.h        \
83         fnmatch.h       \
84         ftw.h           \
85         gelf.h          \
86         getopt.h        \
87         getwidth.h      \
88         glob.h          \
89         grp.h           \
90         iconv.h         \
91         ieeefp.h        \
92         ifaddrs.h       \
93         inttypes.h      \
94         iso646.h        \
95         klpd.h          \
96         langinfo.h      \
97         lastlog.h       \
98         lber.h          \
99         ldap.h          \
100        libelf.h         \
101        libgen.h         \
102        libintl.h        \
103        libw.h           \
104        libzonecfg.h     \
105        limits.h         \
106        linenum.h        \
107        link.h           \
108        listen.h         \
109        locale.h         \
110        macros.h         \
111        malloc.h         \
112        math.h           \
113        memory.h         \
114        mon.h            \
115        monetary.h       \
116        mp.h             \
117        mqueue.h         \
118        nan.h            \
119        ndbm.h           \
120        ndpd.h           \
121        netconfig.h      \
122        netdb.h          \
123        netdir.h         \
124        nl_types.h       \
125        nlist.h          \
126        note.h           \
127        nsctl.h

```

## new/usr/src/head/Makefile

```

128      nsswitch.h      \|
129      nss_common.h   \|
130      nss_dbdefs.h   \|
131      nss_netdir.h   \|
132      paths.h        \|
133      pcsample.h     \|
134      pfmt.h         \|
135      pkgdev.h       \|
136      pkginfo.h      \|
137      pkglocs.h      \|
138      pkgstrct.h     \|
139      pkgtrans.h     \|
140      poll.h         \|
141      port.h         \|
142      priv.h         \|
143      priv_utils.h   \|
144      proc_service.h \|
145      procfs.h       \|
146      prof.h         \|
147      project.h      \|
148      pthread.h      \|
149      pw.h           \|
150      pwd.h          \|
151      rctl.h         \|
152      re_comp.h      \|
153      regex.h        \|
154      regexp.h       \|
155      resolv.h       \|
156      rje.h          \|
157      rtdb_db.h      \|
158      sac.h          \|
159      sched.h        \|
160      schedctl.h     \|
161      search.h       \|
162      semaphore.h    \|
163      setjmp.h       \|
164      sgtty.h        \|
165      shadow.h       \|
166      siginfo.h      \|
167      signal.h       \|
168      spawn.h        \|
169      stdalign.h     \|
170      stdarg.h        \|
171      stdbool.h      \|
172      stddef.h       \|
173      stdint.h       \|
174      stdio.h        \|
175      stdio_ext.h    \|
176      stdio_tag.h    \|
177      stdio_impl.h   \|
178      stdlib.h       \|
179      stdnoreturn.h  \|
180      storclass.h    \|
181      string.h       \|
182      strings.h      \|
183      stropts.h      \|
184      synch.h        \|
185      sysexits.h     \|
186      syslog.h       \|
187      syms.h         \|
188      tar.h          \|
189      termio.h       \|
190      termios.h      \|
191      tgmth.h        \|
192      thread.h       \|
193      thread_db.h    \|

```

3

## new/usr/src/head/Makefile

```

194      threads.h      \|
195      time.h         \|
196      tiuser.h       \|
197      tzfile.h       \|
198      ucontext.h     \|
199      ucred.h        \|
200      ulimit.h       \|
201      unistd.h       \|
202      userdefs.h     \|
203      ustat.h        \|
204      utime.h        \|
205      utmp.h         \|
206      utmpx.h        \|
207      valtools.h     \|
208      values.h       \|
209      varargs.h      \|
210      wait.h         \|
211      wchar.h        \|
212      wchar_impl.h   \|
213      wctype.h       \|
214      widec.h        \|
215      wordexp.h      \|
216      xlocale.h      \|
217      xti.h          \|
218      xti_inet.h     \|
219      zone.h         \|
221 ISOHDRS = \
222      ctype_iso.h    \|
223      limits_iso.h   \|
224      locale_iso.h   \|
225      math_c99.h     \|
226      math_iso.h     \|
227      setjmp_iso.h   \|
228      signal_iso.h   \|
229      stdarg_c99.h   \|
230      stdarg_iso.h   \|
231      stddef_iso.h   \|
232      stdio_c99.h    \|
233      stdio_iso.h    \|
234      stdlib_c99.h   \|
235      stdlib_c11.h   \|
236      stdlib_iso.h   \|
237      string_iso.h   \|
238      time_iso.h     \|
239      wchar_c99.h    \|
240      wchar_iso.h    \|
241      wctype_iso.h   \|
243 ARPAHDRS = \
244      ftp.h          \|
245      inet.h         \|
246      nameser.h      \|
247      telnet.h       \|
248      tftp.h         \|
249      nameser_compat.h \|
251 AUDIOHDRS = \
252      au.h           \|
254 UUIDHDRS = \
255      uuid.h         \|
257 # rpcsvc headers which are just headers (not derived from a .x file)
258 RPCSVC_SRC_HDRS = \
259      bootparam.h   \|

```

4

## new/usr/src/head/Makefile

```

260     daemon_utils.h \
261     dbm.h \
262     nis_db.h \
263     nislib.h \
264     svc_dg_priv.h \
265     yp_prot.h \
266     ypcint.h \
267     yppasswd.h \
268     yppupd.h \
269     rpc_sotypes.h

271 # rpcsvc headers which are generated from .x files
272 RPCSVC_GEN_HDRS = \
273     bootparam_prot.h \
274     mount.h \
275     nfs_prot.h \
276     nfs4_prot.h \
277     nis.h \
278     rquota.h \
279     rstat.h \
280     rusers.h \
281     rwall.h \
282     spray.h \
283     ufs_prot.h \
284     nfs_acl.h

286 SYMHDRASSERT = $(ROOT)/usr/include/iso/assert_iso.h
287 SYMHDRERRNO = $(ROOT)/usr/include/iso/errno_iso.h
288 SYMHDRFLOAT = $(ROOT)/usr/include/iso/float_iso.h
289 SYMHDRISO646 = $(ROOT)/usr/include/iso/iso646_iso.h

291 RPCGENFLAGS = -C -h
292 rpcsvc/rwall.h :=      RPCGENFLAGS += -M

294 # rpcsvc rpcgen source (.x files)
295 #
296 # yp.x is an attempt at codifying what was hand coded in RPCL.
297 # Unfortunately it doesn't quite work. (The handcoded stuff isn't
298 # expressible in RPCL) this is due to the fact that YP was written
299 # before rpcgen existed. Hence, yp_prot.h cannot be derived from yp.x
300 #
301 # There is no '.h' for nis_object.x because it is included by nis.x and
302 # the resulting .h is nis.h.

304 RPCSVCPROTS = \
305     $(RPCSVC_GEN_HDRS:%.h=%.x)      nis_object.x      yp.x

307 RPCSVCHDRS= $(RPCSVC_SRC_HDRS) $(RPCSVC_GEN_HDRS)

309 PROTOHDRS=  dumprestore.h routed.h ripngd.h timed.h
309 PROTOHDRS=  dumprestore.h routed.h ripngd.h rhod.h timed.h

311 ROOTHDRS= $(HDRS:%=$(ROOT)/usr/include/%) \
312     $(KRB5HDRS:%=$(ROOT)/usr/include/kerberos5/%) \
313     $(ISOHDRS:%=$(ROOT)/usr/include/iso/%) \
314     $(ARPAHDRS:%=$(ROOT)/usr/include/arpa/%) \
315     $(AUDIOHDRS:%=$(ROOT)/usr/include/audio/%) \
316     $(UIDHDRS:%=$(ROOT)/usr/include/uuid/%) \
317     $(RPCSVCHDRS:%=$(ROOT)/usr/include/rpcsvc/%) \
318     $(RPCSVCPROTS:%=$(ROOT)/usr/include/rpcsvc/%) \
319     $(PROTOHDRS:%=$(ROOT)/usr/include/protocols/%)

321 DIRS= iso arpa audio rpcsvc protocols security uuid kerberos5
322 ROOTDIRS= $(DIRS:%=$(ROOT)/usr/include/%)

324 # check files really don't exist

```

5

## new/usr/src/head/Makefile

```

325 #
326 # should do something with the rpcsvc headers

328 iso/%.check:      iso/%.h
329     $(DOT_H_CHECK)

331 arpa/%.check:     arpa/%.h
332     $(DOT_H_CHECK)

334 audio/%.check:   audio/%.h
335     $(DOT_H_CHECK)

337 rpcsvc/%.check:  rpcsvc/%.h
338     $(DOT_H_CHECK)

340 rpcsvc/%.check:  rpcsvc/%.x
341     $(DOT_X_CHECK)

343 protocols/%.check: protocols/%.h
344     $(DOT_H_CHECK)

346 kerberos5/%.check: kerberos5/%.h
347     $(DOT_H_CHECK)

349 uuid/%.check:    uuid/%.h
350     $(DOT_H_CHECK)

352 # Note that the derived headers (rpcgen) are not checked at this time. These
353 # need work at the source level and rpcgen itself has a bug which causes a
354 # cstyle violation. Furthermore, there seems to be good reasons for the
355 # generated headers to not pass all of the hdrchk rules.
356 #
357 # Add the following to the CHECKHDRS list to activate the .x checks:
358 #     $(RPCSVCPROTS:%.x=rpcsvc/%.check) \
359 #
360 CHECKHDRS= $(HDRS:%.h=%.check) \
361     $(KRB5HDRS:%.h=kerberos5/%.check) \
362     $(ISOHDRS:%.h=iso/%.check) \
363     $(ARPAHDRS:%.h=arpa/%.check) \
364     $(AUDIOHDRS:%.h=audio/%.check) \
365     $(UIDHDRS:%.h=uuid/%.check) \
366     $(RPCSVC_SRC_HDRS:%.h=rpcsvc/%.check) \
367     $(PROTOHDRS:%.h=protocols/%.check)

369 # headers which won't quite meet the standards...
370 #
371 # assert.h is required by ansi-c to *not* be idempotent (section 4.1.2).
372 # Hence the trailing guard is not the last thing in the file nor can it
373 # be without playing silly games.

375 assert.check := HDRCHK_TAIL = | grep -v "end guard wrong" | true

377 # install rules

379 $(ROOT)/usr/include/security/%: security/%
380     $(INS.file)

382 $(ROOT)/usr/include/protocols/%: protocols/%
383     $(INS.file)

385 $(ROOT)/usr/include/rpcsvc/%: rpcsvc/%
386     $(INS.file)

388 $(ROOT)/usr/include/kerberos5/%: kerberos5/%
389     $(INS.file)

```

6



**new/usr/src/head/Makefile**

7

```
391 $(ROOT)/usr/include/arpa/%: arpa/%
392     $(INS.file)

394 $(ROOT)/usr/include/audio/%: audio/%
395     $(INS.file)

397 $(ROOT)/usr/include/iso/%: iso/%
398     $(INS.file)

400 $(ROOT)/usr/include/uuid/%: uuid/%
401     $(INS.file)

403 $(ROOT)/usr/include/%: %
404     $(INS.file)

406 .KEEP_STATE:

408 .PARALLEL:      $(ROOTHDRS) $(CHECKHDRS)

410 install_h:      $(ROOTDIRS) .WAIT $(ROOTHDRS) $(SYMHDRASSERT) $(SYMHDRERRNO) \
411                 $(SYMHDRFLOAT) $(SYMHDRISO646)

413 check:         $(CHECKHDRS)

415 clean clobber:
416     cd rpcsvc ; $(RM) $(RPCSVC_GEN_HDRS)

418 $(ROOTDIRS):
419     $(INS.dir)

421 $(SYMHDRASSERT):
422     -$(RM) $@; $(SYMLINK) ../assert.h $@

424 $(SYMHDRERRNO):
425     -$(RM) $@; $(SYMLINK) ../errno.h $@

427 $(SYMHDRFLOAT):
428     -$(RM) $@; $(SYMLINK) ../float.h $@

430 $(SYMHDRISO646):
431     -$(RM) $@; $(SYMLINK) ../iso646.h $@

433 rpcsvc/%.h:     rpcsvc/%.x
434     $(RPCGEN) $(RPCGENFLAGS) $< -o $@

436 rpcsvc/nis.h:   rpcsvc/nis.x
437     $(RPCGEN) $(RPCGENFLAGS) rpcsvc/nis.x |\
438     $(SED) -e '/EDIT_START/, $$ d' > $@
```

```

*****
12455 Fri May 26 19:08:09 2017
new/usr/src/man/man1/Makefile
8114 EOF rwho
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
17 #
18 include      $(SRC)/Makefile.master
19 #
20 MANSECT=     1
21 #
22 MANFILES=    acctcom.1      \|
23              adb.1         \|
24              addbib.1      \|
25              alias.1      \|
26              allocate.1   \|
27              amt.1        \|
28              appcert.1    \|
29              apptrace.1   \|
30              apropos.1    \|
31              ar.1         \|
32              arch.1       \|
33              asa.1        \|
34              at.1         \|
35              atq.1        \|
36              atrm.1       \|
37              audioconvert.1 \|
38              audiocvt.1   \|
39              audioplay.1  \|
40              audiorecord.1 \|
41              audiotest.1  \|
42              auths.1      \|
43              awk.1        \|
44              banner.1     \|
45              basename.1  \|
46              bc.1         \|
47              bdiff.1     \|
48              break.1     \|
49              builtin.1   \|
50              cal.1        \|
51              calendar.1  \|
52              cancel.1    \|
53              cat.1        \|
54              cd.1         \|
55              cdrw.1       \|
56              checknr.1    \|
57              chgrp.1     \|
58              chkey.1     \|
59              chmod.1     \|
60              chown.1     \|
61              ckdate.1    \|

```

```

62              ckgid.1     \|
63              ckint.1     \|
64              ckitem.1    \|
65              ckkeywd.1   \|
66              ckpath.1   \|
67              ckrange.1  \|
68              ckstr.1     \|
69              cksum.1     \|
70              cktime.1   \|
71              ckuid.1    \|
72              ckyorn.1   \|
73              clear.1    \|
74              cmp.1      \|
75              col.1      \|
76              comm.1     \|
77              command.1  \|
78              compress.1 \|
79              cp.1       \|
80              cpio.1     \|
81              cputrack.1 \|
82              crle.1     \|
83              crontab.1  \|
84              crypt.1    \|
85              csh.1      \|
86              csplit.1   \|
87              ctags.1    \|
88              ctrun.1    \|
89              ctstat.1   \|
90              ctwatch.1  \|
91              cut.1      \|
92              date.1     \|
93              dc.1       \|
94              deallocate.1 \|
95              deroff.1   \|
96              dhcpinfo.1 \|
97              diff.1     \|
98              diff3.1    \|
99              diffmk.1   \|
100             digest.1   \|
101             dircmp.1    \|
102             dis.1      \|
103             disown.1   \|
104             dispgid.1  \|
105             dispuid.1  \|
106             dos2unix.1 \|
107             download.1 \|
108             dpost.1    \|
109             du.1       \|
110             dump.1     \|
111             dumpcs.1   \|
112             echo.1     \|
113             ed.1       \|
114             egrep.1    \|
115             eject.1    \|
116             elfdump.1  \|
117             elfedit.1  \|
118             elfsign.1  \|
119             elfwrap.1  \|
120             enable.1   \|
121             encrypt.1  \|
122             enhance.1  \|
123             env.1      \|
124             eqn.1      \|
125             exec.1     \|
126             exit.1     \|
127             expand.1   \|

```

```

128      expr.1
129      exstr.1
130      factor.1
131      fdformat.1
132      fgrep.1
133      file.1
134      filesync.1
135      find.1
136      finger.1
137      fmt.1
138      fmsg.1
139      fold.1
140      ftp.1
141      gcore.1
142      gencl.1
143      genmsg.1
144      getconf.1
145      getfacl.1
146      getlabel.1
147      getopt.1
148      getoptcv.1
149      getopts.1
150      gettext.1
151      gettxt.1
152      getzonepath.1
153      glob.1
154      gprof.1
155      grep.1
156      groups.1
157      hash.1
158      head.1
159      history.1
160      hostid.1
161      hostname.1
162      iconv.1
163      indexbib.1
164      Intro.1
165      ipcrm.1
166      ipcs.1
167      isainfo.1
168      isalist.1
169      jobs.1
170      join.1
171      kbd.1
172      kdestroy.1
173      keylogin.1
174      keylogout.1
175      kill.1
176      kinit.1
177      klist.1
178      kmdb.1
179      kmfcfg.1
180      kpasswd.1
181      krb5-config.1
182      ksh93.1
183      ktutil.1
184      kvmstat.1
185      lari.1
186      last.1
187      lastcomm.1
188      ld.1
189      ldap.1
190      ldapdelete.1
191      ldaplist.1
192      ldapmodify.1
193      ldapmodrdn.1

```

```

194      ldapsearch.1
195      ldd.1
196      ld.so.1.1
197      let.1
198      lex.1
199      lgrpinfo.1
200      limit.1
201      line.1
202      list_devices.1
203      listusers.1
204      ln.1
205      loadkeys.1
206      locale.1
207      localedef.1
208      logger.1
209      login.1
210      logname.1
211      logout.1
212      look.1
213      lookbib.1
214      lorder.1
215      lp.1
216      lpstat.1
217      ls.1
218      m4.1
219      mac.1
220      mach.1
221      madv.so.1.1
222      mail.1
223      mailcompat.1
224      mailstats.1
225      mailx.1
226      make.1
227      makekey.1
228      man.1
229      mandoc.1
230      mconnect.1
231      mcs.1
232      mdb.1
233      msg.1
234      mkdir.1
235      mkmsgs.1
236      mktemp.1
237      moe.1
238      more.1
239      mpss.so.1.1
240      msgcc.1
241      msgcpp.1
242      msgcv.1
243      msgfmt.1
244      msggen.1
245      msgget.1
246      mt.1
247      mv.1
248      nawk.1
249      nc.1
250      nca.1
251      ncab2clf.1
252      ncakmod.1
253      newform.1
254      newgrp.1
255      news.1
256      newtask.1
257      nice.1
258      nl.1
259      nm.1

```

```

260      nohup.1
261      nroff.1
262      od.1
263      optisa.1
264      pack.1
265      pagesize.1
266      pargs.1
267      passwd.1
268      paste.1
269      pathchk.1
270      pax.1
271      pfexec.1
272      pg.1
273      pgrep.1
274      pkginfo.1
275      pkgmk.1
276      pkgparam.1
277      pkgproto.1
278      pkgtrans.1
279      pktool.1
280      plabel.1
281      plgrp.1
282      plimit.1
283      pmadvise.1
284      pmap.1
285      postio.1
286      postprint.1
287      postreverse.1
288      ppgsz.1
289      ppriv.1
290      pr.1
291      praliases.1
292      prctl.1
293      preap.1
294      prex.1
295      print.1
296      printf.1
297      priocntl.1
298      proc.1
299      prof.1
300      profiles.1
301      projects.1
302      ps.1
303      psecflags.1
304      ptree.1
305      pvs.1
306      pwd.1
307      ranlib.1
308      rcapstat.1
309      rcp.1
310      rdist.1
311      read.1
312      readonly.1
313      refer.1
314      regcmp.1
315      renice.1
316      rev.1
317      rlogin.1
318      rm.1
319      rmformat.1
320      rmmount.1
321      roffbib.1
322      roles.1
323      rpcgen.1
324      rsh.1
325      runat.1

```

```

326      ruptime.1
327      rwho.1
326      sar.1
327      script.1
328      sdiff.1
329      sed.1
330      sendmail-mailq.1
331      set.1
332      setfacl.1
333      setlabel.1
334      setpgrp.1
335      shcomp.1
336      shell_builtins.1
337      shift.1
338      size.1
339      sleep.1
340      smbutil.1
341      soelim.1
342      sort.1
343      sortbib.1
344      sotruss.1
345      spell.1
346      split.1
347      srchtxt.1
348      strchg.1
349      strings.1
350      strip.1
351      stty.1
352      sum.1
353      suspend.1
354      svcprop.1
355      svcs.1
356      symorder.1
357      sysV-make.1
358      sys-suspend.1
359      tabs.1
360      tail.1
361      talk.1
362      tar.1
363      tbl.1
364      tcopy.1
365      tee.1
366      telnet.1
367      test.1
368      tftp.1
369      time.1
370      times.1
371      timex.1
372      tip.1
373      tnfdump.1
374      tnfxtract.1
375      touch.1
376      tput.1
377      tr.1
378      trap.1
379      troff.1
380      true.1
381      truss.1
382      tsort.1
383      tty.1
384      type.1
385      typeset.1
386      ul.1
387      umask.1
388      uname.1
389      unifdef.1

```

```

390          uniq.1          \|
391          units.1         \|
392          unix2dos.1      \|
393          uptime.1        \|
394          uuidgen.1       \|
395          vacation.1     \|
396          vgrind.1        \|
397          volcheck.1      \|
398          volrmmount.1    \|
399          w.1             \|
400          wait.1          \|
401          wc.1            \|
402          which.1         \|
403          who.1           \|
404          whocalls.1      \|
405          whois.1         \|
406          write.1         \|
407          xargs.1         \|
408          xgettext.1     \|
409          xstr.1          \|
410          yacc.1          \|
411          yes.1           \|
412          ypcat.1        \|
413          ypmatch.1       \|
414          yppasswd.1     \|
415          ypwhich.1      \|
416          zlogin.1       \|
417          zonename.1     \|

419 MANLINKS= batch.1      \|
420             bg.1         \|
421             case.1       \|
422             chdir.1      \|
423             checkeq.1    \|
424             continue.1  \|
425             decrypt.1   \|
426             dirname.1   \|
427             dirs.1      \|
428             disable.1   \|
429             dmake.1     \|
430             dumpkeys.1  \|
431             edit.1      \|
432             errange.1   \|
433             errdate.1   \|
434             errgid.1    \|
435             errint.1    \|
436             erritem.1   \|
437             errpath.1   \|
438             errstr.1    \|
439             errtime.1   \|
440             erruid.1    \|
441             erryorn.1   \|
442             eval.1      \|
443             export.1    \|
444             false.1     \|
445             fc.1        \|
446             fg.1        \|
447             for.1       \|
448             foreach.1   \|
449             function.1  \|
450             goto.1      \|
451             hashcheck.1 \|
452             hashmake.1  \|
453             hashstat.1  \|
454             helpdate.1  \|
455             helpgid.1   \|

```

```

456          helpint.1      \|
457          helpitem.1     \|
458          helppath.1     \|
459          helprange.1    \|
460          helpstr.1      \|
461          helptime.1     \|
462          helpuid.1      \|
463          helpyorn.1     \|
464          hist.1         \|
465          if.1           \|
466          intro.1       \|
467          jsh.1          \|
468          ksh.1          \|
469          ldapadd.1      \|
470          mailq.1        \|
471          neqn.1         \|
472          notify.1       \|
473          onintr.1       \|
474          page.1         \|
475          pcat.1         \|
476          pcred.1        \|
477          pfcsh.1        \|
478          pfiles.1       \|
479          pfksh.1        \|
480          pflags.1       \|
481          pfs.1          \|
482          pkill.1        \|
483          pldd.1         \|
484          popd.1         \|
485          prun.1         \|
486          psig.1         \|
487          pstack.1       \|
488          pstop.1        \|
489          ptime.1        \|
490          pushd.1        \|
491          pwait.1        \|
492          pwdx.1         \|
493          red.1          \|
494          rehash.1       \|
495          remote_shell.1 \|
496          remsh.1        \|
497          repeat.1       \|
498          return.1       \|
499          rksh.1         \|
500          rksh93.1       \|
501          rmail.1        \|
502          rmdir.1        \|
503          rmumount.1     \|
504          select.1       \|
505          setenv.1       \|
506          settime.1     \|
507          sh.1           \|
508          snca.1         \|
509          source.1       \|
510          spellin.1      \|
511          stop.1         \|
512          strconf.1      \|
513          switch.1       \|
514          ulimit.1       \|
515          unalias.1      \|
516          uncompress.1   \|
517          unexpand.1     \|
518          unhash.1       \|
519          unlimit.1      \|
520          unpack.1       \|
521          unset.1        \|

```

```

522          unsetenv.1      \|
523          until.1         \|
524          valdate.1       \|
525          valgid.1        \|
526          valint.1        \|
527          valpath.1       \|
528          valrange.1      \|
529          valstr.1        \|
530          valtime.1       \|
531          valuid.1        \|
532          valyorn.1       \|
533          vedit.1         \|
534          whatis.1        \|
535          whence.1        \|
536          while.1         \|
537          zcat.1          \|

539 intro.1      := LINKSRC = Intro.1

541 whatis.1     := LINKSRC = apropos.1

543 unalias.1   := LINKSRC = alias.1

545 batch.1     := LINKSRC = at.1

547 dirname.1   := LINKSRC = basename.1

549 continue.1  := LINKSRC = break.1

551 chdir.1     := LINKSRC = cd.1
552 dirs.1      := LINKSRC = cd.1
553 popd.1      := LINKSRC = cd.1
554 pushd.1     := LINKSRC = cd.1

556 errdate.1   := LINKSRC = ckdate.1
557 helpdate.1  := LINKSRC = ckdate.1
558 valdate.1   := LINKSRC = ckdate.1

560 errgid.1    := LINKSRC = ckgid.1
561 helpgid.1   := LINKSRC = ckgid.1
562 valgid.1    := LINKSRC = ckgid.1

564 errint.1    := LINKSRC = ckint.1
565 helpint.1   := LINKSRC = ckint.1
566 valint.1    := LINKSRC = ckint.1

568 erritem.1   := LINKSRC = ckitem.1
569 helpitem.1  := LINKSRC = ckitem.1

571 errpath.1   := LINKSRC = ckpath.1
572 helppath.1  := LINKSRC = ckpath.1
573 valpath.1   := LINKSRC = ckpath.1

575 errrange.1  := LINKSRC = ckrange.1
576 helprange.1 := LINKSRC = ckrange.1
577 valrange.1  := LINKSRC = ckrange.1

579 errstr.1    := LINKSRC = ckstr.1
580 helpstr.1   := LINKSRC = ckstr.1
581 valstr.1    := LINKSRC = ckstr.1

583 errtime.1   := LINKSRC = cktime.1
584 helptime.1  := LINKSRC = cktime.1
585 valtime.1   := LINKSRC = cktime.1

587 erruid.1    := LINKSRC = ckuid.1

```

```

588 helpuid.1   := LINKSRC = ckuid.1
589 valuid.1    := LINKSRC = ckuid.1

591 erryorn.1   := LINKSRC = ckyorn.1
592 helpyorn.1  := LINKSRC = ckyorn.1
593 valyorn.1   := LINKSRC = ckyorn.1

595 uncompress.1 := LINKSRC = compress.1
596 zcat.1      := LINKSRC = compress.1

598 red.1       := LINKSRC = ed.1

600 disable.1   := LINKSRC = enable.1

602 decrypt.1   := LINKSRC = encrypt.1

604 dmake.1     := LINKSRC = make.1

606 checkeq.1   := LINKSRC = eqn.1
607 neqn.1      := LINKSRC = eqn.1

609 eval.1      := LINKSRC = exec.1
610 source.1    := LINKSRC = exec.1

612 goto.1      := LINKSRC = exit.1
613 return.1    := LINKSRC = exit.1

615 unexpand.1  := LINKSRC = expand.1

617 hashstat.1  := LINKSRC = hash.1
618 rehash.1    := LINKSRC = hash.1
619 unhash.1     := LINKSRC = hash.1

621 fc.1        := LINKSRC = history.1
622 hist.1      := LINKSRC = history.1

624 bg.1        := LINKSRC = jobs.1
625 fg.1        := LINKSRC = jobs.1
626 notify.1    := LINKSRC = jobs.1
627 stop.1      := LINKSRC = jobs.1

629 jsh.1       := LINKSRC = ksh93.1
630 ksh.1       := LINKSRC = ksh93.1
631 rksh.1      := LINKSRC = ksh93.1
632 rksh93.1    := LINKSRC = ksh93.1
633 sh.1        := LINKSRC = ksh93.1

635 ldapadd.1   := LINKSRC = ldapmodify.1

637 mailq.1     := LINKSRC = sendmail-mailq.1

639 ulimit.1    := LINKSRC = limit.1
640 unlimit.1   := LINKSRC = limit.1

642 dumpkeys.1  := LINKSRC = loadkeys.1

644 rmail.1     := LINKSRC = mail.1

646 page.1      := LINKSRC = more.1

648 snca.1      := LINKSRC = nca.1

650 pcat.1      := LINKSRC = pack.1
651 unpack.1    := LINKSRC = pack.1

653 pfcsh.1     := LINKSRC = pfexec.1

```

```
654 pfksh.1      := LINKSRC = pfexec.1
655 pfsh.1       := LINKSRC = pfexec.1

657 pkill.1     := LINKSRC = pgrep.1

659 pcred.1     := LINKSRC = proc.1
660 pfiles.1    := LINKSRC = proc.1
661 pflags.1    := LINKSRC = proc.1
662 pldd.1     := LINKSRC = proc.1
663 prun.1     := LINKSRC = proc.1
664 psig.1     := LINKSRC = proc.1
665 pstack.1   := LINKSRC = proc.1
666 pstop.1    := LINKSRC = proc.1
667 ptime.1    := LINKSRC = proc.1
668 pwait.1    := LINKSRC = proc.1
669 pwdx.1     := LINKSRC = proc.1

671 rmdir.1     := LINKSRC = rm.1

673 rmumount.1  := LINKSRC = rmmount.1

675 remote_shell.1 := LINKSRC = rsh.1
676 remsh.1     := LINKSRC = rsh.1

678 export.1    := LINKSRC = set.1
679 setenv.1    := LINKSRC = set.1
680 unset.1    := LINKSRC = set.1
681 unsetenv.1 := LINKSRC = set.1

683 case.1     := LINKSRC = shell_builtins.1
684 for.1      := LINKSRC = shell_builtins.1
685 foreach.1  := LINKSRC = shell_builtins.1
686 function.1 := LINKSRC = shell_builtins.1
687 if.1       := LINKSRC = shell_builtins.1
688 repeat.1   := LINKSRC = shell_builtins.1
689 select.1   := LINKSRC = shell_builtins.1
690 switch.1   := LINKSRC = shell_builtins.1
691 until.1    := LINKSRC = shell_builtins.1
692 while.1    := LINKSRC = shell_builtins.1

694 hashcheck.1 := LINKSRC = spell.1
695 hashmake.1  := LINKSRC = spell.1
696 spellin.1   := LINKSRC = spell.1

699 strconf.1  := LINKSRC = strchg.1

701 settime.1  := LINKSRC = touch.1

703 onintr.1  := LINKSRC = trap.1

705 false.1   := LINKSRC = true.1

707 whence.1  := LINKSRC = typeset.1

709 # Links to usr/has/man

711 edit.1     := LINKSRC = ../../../has/man/man1has/edit.lhas
713 vedit.1    := LINKSRC = ../../../has/man/man1has/vi.lhas

715 .KEEP_STATE:

717 include   $(SRC)/man/Makefile.man

719 install:  $(ROOTMANFILES) $(ROOTMANLINKS)
```

\*\*\*\*\*

13294 Fri May 26 19:08:11 2017

new/usr/src/man/man1m/Makefile

8114 EOF rwho

\*\*\*\*\*

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2016 Joyent, Inc.
15 # Copyright 2016 Toomas Soome <tsoome@me.com>
16 # Copyright 2017 Nexenta Systems, Inc.
17 #

19 include \$(SRC)//Makefile.master

21 MANSECT= 1m

23 \_MANFILES= 6to4relay.1m \
24 Intro.1m \
25 Utry.1m \
26 accept.1m \
27 acct.1m \
28 acctadm.1m \
29 acctcms.1m \
30 acctcon.1m \
31 acctmerg.1m \
32 acctprc.1m \
33 acctsh.1m \
34 adbgen.1m \
35 add\_allocatable.1m \
36 add\_drv.1m \
37 addbadsec.1m \
38 arcstat.1m \
39 arp.1m \
40 atohexlabel.1m \
41 audit.1m \
42 audit\_warn.1m \
43 auditconfig.1m \
44 auditd.1m \
45 auditrecord.1m \
46 auditreduce.1m \
47 auditstat.1m \
48 automount.1m \
49 automountd.1m \
50 autopush.1m \
51 bart.1m \
52 beadm.1m \
53 boot.1m \
54 bootadm.1m \
55 bootconfchk.1m \
56 busstat.1m \
57 captainfo.1m \
58 catman.1m \
59 cfgadm.1m \
60 cfgadm\_ac.1m \
61 cfgadm\_cardbus.1m \

62 cfgadm\_fp.1m \
63 cfgadm\_ib.1m \
64 cfgadm\_pci.1m \
65 cfgadm\_sata.1m \
66 cfgadm\_sbd.1m \
67 cfgadm\_scsi.1m \
68 cfgadm\_sysctrl.1m \
69 cfgadm\_usb.1m \
70 chat.1m \
71 check-hostname.1m \
72 check-permissions.1m \
73 chroot.1m \
74 clear\_locks.1m \
75 clinfo.1m \
76 clri.1m \
77 consadm.1m \
78 conv\_lp.1m \
79 conv\_lpd.1m \
80 coreadm.1m \
81 cpustat.1m \
82 cron.1m \
83 cryptoadm.1m \
84 datadm.1m \
85 dd.1m \
86 devattr.1m \
87 devfree.1m \
88 devfsadm.1m \
89 device\_remap.1m \
90 devinfo.1m \
91 devlinks.1m \
92 devnm.1m \
93 devprop.1m \
94 devreserv.1m \
95 df.1m \
96 df\_ufs.1m \
97 dfmounts.1m \
98 dfmounts\_nfs.1m \
99 dfshares.1m \
100 dfshares\_nfs.1m \
101 dhcpagent.1m \
102 diskinfo.1m \
103 disks.1m \
104 diskscan.1m \
105 dispadmin.1m \
106 dladm.1m \
107 dlmgmt.1m \
108 dmesg.1m \
109 dminfo.1m \
110 dns-sd.1m \
111 domainname.1m \
112 drvconfig.1m \
113 dsbitmap.1m \
114 dscfg.1m \
115 dscfgadm.1m \
116 dscfglockd.1m \
117 dsstat.1m \
118 dtrace.1m \
119 dumpadm.1m \
120 editmap.1m \
121 edquota.1m \
122 eeprom.1m \
123 embedded\_su.1m \
124 etrn.1m \
125 fcinfo.1m \
126 fdetach.1m \
127 fdisk.1m \



```

128     ff.1m //
129     ff_ufs.1m //
130     fiocompress.1m //
131     flowadm.1m //
132     fmadm.1m //
133     fmd.1m //
134     fmdump.1m //
135     fmstat.1m //
136     fmthard.1m //
137     format.1m //
138     fruadm.1m //
139     fsck.1m //
140     fsck_pcfs.1m //
141     fsck_udfs.1m //
142     fsck_ufs.1m //
143     fsdb.1m //
144     fsdb_udfs.1m //
145     fsdb_ufs.1m //
146     fsirand.1m //
147     fssnap.1m //
148     fssnap_ufs.1m //
149     fsstat.1m //
150     fstyp.1m //
151     fuser.1m //
152     fwflash.1m //
153     fwtmp.1m //
154     getdev.1m //
155     getdevpolicy.1m //
156     getdgrp.1m //
157     getent.1m //
158     getty.1m //
159     getvol.1m //
160     groupadd.1m //
161     groupdel.1m //
162     groupmod.1m //
163     growfs.1m //
164     gsscred.1m //
165     gssd.1m //
166     hal-device.1m //
167     hal-fdi-validate.1m //
168     hal-find.1m //
169     hal-get-property.1m //
170     hald.1m //
171     halt.1m //
172     hextoalabel.1m //
173     hostconfig.1m //
174     ickey.1m //
175     id.1m //
176     idmap.1m //
177     idmapd.1m //
178     idsconfig.1m //
179     if_mpadm.1m //
180     ifconfig.1m //
181     ifparse.1m //
182     iadm.1m //
183     iicpbmp.1m //
184     iicpshd.1m //
185     ikeadm.1m //
186     ikecert.1m //
187     in.chargend.1m //
188     in.comsat.1m //
189     in.daytimed.1m //
190     in.discardd.1m //
191     in.echod.1m //
192     in.fingerd.1m //
193     in.iked.1m //

```

```

194     in.lpd.1m //
195     in.mpathd.1m //
196     in.ndpd.1m //
197     in.rarpd.1m //
198     in.rdisc.1m //
199     in.rexecd.1m //
200     in.ripngd.1m //
201     in.rlogind.1m //
202     in.routed.1m //
203     in.rshd.1m //
204     in.rwhod.1m //
204     in.talkd.1m //
205     in.telnetd.1m //
206     in.tftpd.1m //
207     in.timed.1m //
208     in.uucpd.1m //
209     inetadm.1m //
210     inetconv.1m //
211     inetd.1m //
212     infocmp.1m //
213     init.1m //
214     inityp2l.1m //
215     install.1m //
216     installboot.1m //
217     installf.1m //
218     installgrub.1m //
219     intrd.1m //
220     intrstat.1m //
221     iostat.1m //
222     ipaddrsel.1m //
223     ipadm.1m //
224     ipdadm.1m //
225     ipf.1m //
226     ipfs.1m //
227     ipfstat.1m //
228     ipmon.1m //
229     ipmpstat.1m //
230     ipnat.1m //
231     ippool.1m //
232     ipqosconf.1m //
233     ipsecalgs.1m //
234     ipsecconf.1m //
235     ipseckey.1m //
236     iscsiadm.1m //
237     isns.1m //
238     isnsadm.1m //
239     itadm.1m //
240     k5srvutil.1m //
241     kadb.1m //
242     kadmin.1m //
243     kadmind.1m //
244     kclient.1m //
245     kdb5_ldap_util.1m //
246     kdb5_util.1m //
247     kdcmgr.1m //
248     kernel.1m //
249     keyserv.1m //
250     killall.1m //
251     kprop.1m //
252     kpropd.1m //
253     kproplog.1m //
254     krb5kdc.1m //
255     ksslcfg.1m //
256     kstat.1m //
257     ktkt_warnd.1m //
258     labelit.1m //

```

```

259 labelit_hsf.1m //
260 labelit_udf.1m //
261 labelit_uf.1m //
262 latencytop.1m //
263 ldap_cachemgr.1m //
264 ldapaddent.1m //
265 ldapclient.1m //
266 link.1m //
267 listdgrp.1m //
268 listen.1m //
269 locator.1m //
270 lockfs.1m //
271 lockstat.1m //
272 lofiadm.1m //
273 logadm.1m //
274 logins.1m //
275 lpadmin.1m //
276 lpfilter.1m //
277 lpforms.1m //
278 lpget.1m //
279 lpmove.1m //
280 lpsched.1m //
281 lpset.1m //
282 lpsht.1m //
283 lpsystem.1m //
284 lpusers.1m //
285 luxadm.1m //
286 mail.local.1m //
287 mailwrapper.1m //
288 makedbm.1m //
289 makemap.1m //
290 mdnsd.1m //
291 mkdevalloc.1m //
292 mkdevmaps.1m //
293 mkfifo.1m //
294 mkfile.1m //
295 mkfs.1m //
296 mkfs_pcfs.1m //
297 mkfs_udf.1m //
298 mkfs_uf.1m //
299 mknod.1m //
300 mkpwdict.1m //
301 modinfo.1m //
302 modload.1m //
303 modunload.1m //
304 mount.1m //
305 mount_hsf.1m //
306 mount_nfs.1m //
307 mount_pcfs.1m //
308 mount_smbfs.1m //
309 mount_tmpfs.1m //
310 mount_udf.1m //
311 mount_uf.1m //
312 mountall.1m //
313 mountd.1m //
314 mpathadm.1m //
315 mpstat.1m //
316 msgid.1m //
317 mvd.1m //
318 ncaconfd.1m //
319 ncheck.1m //
320 ncheck_uf.1m //
321 ndd.1m //
322 ndp.1m //
323 ndmpadm.1m //
324 ndmpd.1m //

```

```

325 ndmpstat.1m //
326 netstat.1m //
327 netstrategy.1m //
328 newaliases.1m //
329 newfs.1m //
330 newkey.1m //
331 nfs4cbd.1m //
332 nfsd.1m //
333 nfslogd.1m //
334 nfsmapid.1m //
335 nfsstat.1m //
336 nlsadmin.1m //
337 nscadm.1m //
338 nscd.1m //
339 nwamd.1m //
340 passmgmt.1m //
341 pbind.1m //
342 picld.1m //
343 ping.1m //
344 pkgadd.1m //
345 pkgadm.1m //
346 pkgask.1m //
347 pkgchk.1m //
348 pkgrm.1m //
349 plockstat.1m //
350 pmadm.1m //
351 pmconfig.1m //
352 polkit-is-privileged.1m //
353 pooladm.1m //
354 poolbind.1m //
355 poolcfg.1m //
356 pool.1m //
357 poolstat.1m //
358 ports.1m //
359 powerd.1m //
360 powertop.1m //
361 ppdmgr.1m //
362 pppd.1m //
363 pppdump.1m //
364 pppoec.1m //
365 pppoed.1m //
366 pppstats.1m //
367 praudit.1m //
368 print-service.1m //
369 printmgr.1m //
370 projadd.1m //
371 projdel.1m //
372 projmod.1m //
373 prstat.1m //
374 prtconf.1m //
375 prtdiag.1m //
376 prtfru.1m //
377 prtpicl.1m //
378 prtvtoc.1m //
379 psradm.1m //
380 psrinfo.1m //
381 psrset.1m //
382 putdev.1m //
383 putdgrp.1m //
384 pwck.1m //
385 pwconv.1m //
386 quot.1m //
387 quota.1m //
388 quotacheck.1m //
389 quotaon.1m //
390 raidctl.1m //

```

```

391 ramdiskadm.1m //
392 rcapadm.1m //
393 rcapd.1m //
394 rctladm.1m //
395 rdate.1m //
396 reboot.1m //
397 rem_drv.1m //
398 remove_allocatable.1m //
399 removef.1m //
400 repquota.1m //
401 rmmount.1m //
402 rmt.1m //
403 rmvolmgr.1m //
404 roleadd.1m //
405 roledel.1m //
406 rolemod.1m //
407 root_archive.1m //
408 route.1m //
409 routeadm.1m //
410 rpc.bootparamd.1m //
411 rpc.smsrverd.1m //
412 rpc.yppasswdd.1m //
413 rpc.ypupdated.1m //
414 rpcbnd.1m //
415 rpcinfo.1m //
416 rquotad.1m //
417 rsh.1m //
418 rtc.1m //
419 rtquery.1m //
420 runacct.1m //
421 sac.1m //
422 sacadm.1m //
423 saf.1m //
424 sar.1m //
425 sasinfo.1m //
426 savecore.1m //
427 sbdadm.1m //
428 scadm.1m //
429 scmadm.1m //
430 sdpadm.1m //
431 sendmail.1m //
432 setuname.1m //
433 share.1m //
434 share_nfs.1m //
435 shareall.1m //
436 sharectl.1m //
437 sharemgr.1m //
438 showmount.1m //
439 shutdown.1m //
440 slpd.1m //
441 smbadm.1m //
442 smbd.1m //
443 smbiod.1m //
444 smbios.1m //
445 smbstat.1m //
446 smrsh.1m //
447 sndradm.1m //
448 sndrdr.1m //
449 sndrsyncd.1m //
450 snoop.1m //
451 soconfig.1m //
452 sppptun.1m //
453 statd.1m //
454 stmfadm.1m //
455 stmsboot.1m //
456 strace.1m //

```

```

457 strclean.1m //
458 strerr.1m //
459 sttydefs.1m //
460 su.1m //
461 sulin.1m //
462 svadm.1m //
463 svc.configd.1m //
464 svc.ipfd.1m //
465 svc.startd.1m //
466 svcadm.1m //
467 svccfg.1m //
468 swap.1m //
469 sync.1m //
470 syncinit.1m //
471 syncloop.1m //
472 syncstat.1m //
473 sysdef.1m //
474 syseventadm.1m //
475 syseventconfd.1m //
476 syseventd.1m //
477 syslogd.1m //
478 tapes.1m //
479 tcpd.1m //
480 tcpdchk.1m //
481 tcpdmatch.1m //
482 th_define.1m //
483 th_manage.1m //
484 tic.1m //
485 tnchddb.1m //
486 tnctl.1m //
487 tnd.1m //
488 tninfo.1m //
489 tpmadm.1m //
490 traceroute.1m //
491 trapstat.1m //
492 ttyadm.1m //
493 ttymon.1m //
494 tuneefs.1m //
495 txzonemgr.1m //
496 tzselect.1m //
497 uadmin.1m //
498 ucodeadm.1m //
499 ufsdump.1m //
500 ufsrestore.1m //
501 unshare.1m //
502 unshare_nfs.1m //
503 update_drv.1m //
504 updatehome.1m //
505 useradd.1m //
506 userdel.1m //
507 usermod.1m //
508 utmpd.1m //
509 uucheck.1m //
510 uucico.1m //
511 uucleanup.1m //
512 uusched.1m //
513 uuxqt.1m //
514 vmstat.1m //
515 volcopy.1m //
516 volcopy_ufs.1m //
517 vscanadm.1m //
518 vs cand.1m //
519 wall.1m //
520 wanboot_keygen.1m //
521 wanboot_keygmt.1m //
522 wanboot_p12split.1m //

```

```

523 wanbootutil.1m //
524 whodo.1m //
525 wificonfig.1m //
526 wpad.1m //
527 wracct.1m //
528 ypbind.1m //
529 ypinit.1m //
530 ypmake.1m //
531 ypmmap2src.1m //
532 yppoll.1m //
533 yppush.1m //
534 ypserv.1m //
535 ypset.1m //
536 ypstart.1m //
537 ypxfr.1m //
538 zdb.1m //
539 zdump.1m //
540 zfs.1m //
541 zic.1m //
542 zoneadm.1m //
543 zoneadmd.1m //
544 zonecfg.1m //
545 zpool.1m //
546 zstreamdump.1m //

548 i386_MANFILES= //
549 acpidump.1m //
550 acpixtract.1m //

552 sparc_MANFILES= //
553 dcs.1m //
554 drd.1m //
555 efdaemon.1m //
556 ldmad.1m //
557 monitor.1m //
558 obpsym.1m //
559 oplhpd.1m //
560 prtdscp.1m //
561 sckmd.1m //
562 sf880drd.1m //
563 vntsd.1m //

565 MANLINKS= //
566 acctcon1.1m //
567 acctcon2.1m //
568 acctdisk.1m //
569 acctdusg.1m //
570 accton.1m //
571 acctprc1.1m //
572 acctprc2.1m //
573 acctwtmp.1m //
574 bootparamd.1m //
575 chargefee.1m //
576 ckpacct.1m //
577 closewtmp.1m //
578 comsat.1m //
579 dcopy.1m //
580 devfsadmd.1m //
581 dodisk.1m //
582 fcadm.1m //
583 fingerd.1m //
584 grpck.1m //
585 hal-find-by-capability.1m //
586 hal-find-by-property.1m //
587 hal-set-property.1m //
588 intro.1m //
589 kadmin.local.1m //

```

```

589 lastlogin.1m //
590 monacct.1m //
591 nulladm.1m //
592 poweroff.1m //
593 prctmp.1m //
594 prdaily.1m //
595 prtacct.1m //
596 quotaoff.1m //
597 rarpd.1m //
598 rdisc.1m //
599 reject.1m //
600 restricted_shell.1m //
601 rexecd.1m //
602 rlogind.1m //
603 routed.1m //
604 rshd.1m //
605 sal.1m //
606 sa2.1m //
607 sadc.1m //
608 shutacct.1m //
609 startup.1m //
610 talkd.1m //
611 telinit.1m //
612 telnetd.1m //
613 tftpd.1m //
614 turnacct.1m //
615 umount.1m //
616 umount_smbfs.1m //
617 umountall.1m //
618 unlink.1m //
619 unshareall.1m //
620 utmp2wtmp.1m //
621 uucpd.1m //
622 uutry.1m //
623 wttmpfix.1m //
624 yppasswdd.1m //
625 ypstop.1m //
626 yppupdated.1m //
627 ypxfr_1perday.1m //
628 ypxfr_1perhour.1m //
629 ypxfr_2perday.1m //
630 ypxfrd.1m //

632 MANFILES= $(MANFILES) $(MACH)_MANFILES

634 intro.1m := LINKSRC = Intro.1m

636 uutry.1m := LINKSRC = Uutry.1m

638 reject.1m := LINKSRC = accept.1m

640 acctdisk.1m := LINKSRC = acct.1m
641 acctdusg.1m := LINKSRC = acct.1m
642 accton.1m := LINKSRC = acct.1m
643 acctwtmp.1m := LINKSRC = acct.1m
644 closewtmp.1m := LINKSRC = acct.1m
645 utmp2wtmp.1m := LINKSRC = acct.1m

647 acctcon1.1m := LINKSRC = acctcon.1m
648 acctcon2.1m := LINKSRC = acctcon.1m

650 acctprc1.1m := LINKSRC = acctprc.1m
651 acctprc2.1m := LINKSRC = acctprc.1m

653 chargefee.1m := LINKSRC = acctsh.1m
654 ckpacct.1m := LINKSRC = acctsh.1m

```

```

655 dodisk.lm           := LINKSRC = acctsh.lm
656 lastlogin.lm       := LINKSRC = acctsh.lm
657 monacct.lm         := LINKSRC = acctsh.lm
658 nulladm.lm         := LINKSRC = acctsh.lm
659 prctmp.lm          := LINKSRC = acctsh.lm
660 prdaily.lm          := LINKSRC = acctsh.lm
661 prtacct.lm          := LINKSRC = acctsh.lm
662 shutacct.lm         := LINKSRC = acctsh.lm
663 startup.lm          := LINKSRC = acctsh.lm
664 turnacct.lm         := LINKSRC = acctsh.lm

666 dcopy.lm           := LINKSRC = clri.lm

668 devfsadmd.lm       := LINKSRC = devfsadm.lm

670 fcadm.lm           := LINKSRC = fcinfo.lm

672 wttmpfix.lm        := LINKSRC = fwtmp.lm

674 hal-find-by-capability.lm := LINKSRC = hal-find.lm
675 hal-find-by-property.lm  := LINKSRC = hal-find.lm

677 hal-set-property.lm := LINKSRC = hal-get-property.lm

679 poweroff.lm        := LINKSRC = halt.lm

682 comsat.lm          := LINKSRC = in.comsat.lm
683 fingerd.lm         := LINKSRC = in.fingerd.lm
684 rarpd.lm           := LINKSRC = in.rarpd.lm
685 rdisc.lm           := LINKSRC = in.rdisc.lm
686 rexecd.lm          := LINKSRC = in.rexecd.lm
687 rlogind.lm         := LINKSRC = in.rlogind.lm
688 routed.lm          := LINKSRC = in.routed.lm
689 rshd.lm            := LINKSRC = in.rshd.lm
690 rwhod.lm           := LINKSRC = in.rwhod.lm
691 talkd.lm           := LINKSRC = in.talkd.lm
692 telnetd.lm         := LINKSRC = in.telnetd.lm
693 tftpd.lm           := LINKSRC = in.tftpd.lm
694 uucpd.lm           := LINKSRC = in.uucpd.lm

696 telinit.lm         := LINKSRC = init.lm

698 kadmin.local.lm    := LINKSRC = kadmin.lm

700 unlink.lm          := LINKSRC = link.lm

702 umount.lm          := LINKSRC = mount.lm

704 umount_smbfs.lm    := LINKSRC = mount_smbfs.lm

706 umountall.lm       := LINKSRC = mountall.lm

708 grpck.lm           := LINKSRC = pwck.lm

710 quotaoff.lm        := LINKSRC = quotaon.lm

712 bootparamd.lm      := LINKSRC = rpc.bootparamd.lm
713 yppasswdd.lm        := LINKSRC = rpc.yppasswdd.lm
714 ypubdated.lm       := LINKSRC = rpc.ypubdated.lm

716 restricted_shell.lm := LINKSRC = rsh.lm

718 sa1.lm             := LINKSRC = sar.lm
719 sa2.lm             := LINKSRC = sar.lm
720 sadc.lm            := LINKSRC = sar.lm

```

```

722 unshareall.lm      := LINKSRC = shareall.lm

724 ypxfrd.lm          := LINKSRC = ypserv.lm

726 ypstop.lm          := LINKSRC = ypstart.lm

728 ypxfr_1perday.lm   := LINKSRC = ypxfr.lm
729 ypxfr_1perhour.lm := LINKSRC = ypxfr.lm
730 ypxfr_2perday.lm   := LINKSRC = ypxfr.lm

733 .KEEP_STATE:

735 include             $(SRC)/man/Makefile.man

737 install:            $(ROOTMANFILES) $(ROOTMANLINKS)

```

new/usr/src/pkg/manifests/compatibility-ucb.mf

1

```
*****
9609 Fri May 26 19:08:13 2017
new/usr/src/pkg/manifests/compatibility-ucb.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/compatibility/ucb@$(PKGVERS)
28 set name=pkg.description \
29     value="utilities for user interface and source build compatibility with SunO
30 set name=pkg.summary value="Source Compatibility"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=etc group=sys
34 dir path=etc/mail group=mail
35 dir path=usr group=sys
36 dir path=usr/bin
37 dir path=usr/lib
38 dir path=usr/share/man
39 dir path=usr/share/man/man1b
40 dir path=usr/ucb
41 $(i386_ONLY)dir path=usr/ucb/$(ARCH32)
42 dir path=usr/ucb/$(ARCH64)
43 dir path=usr/ucblib
44 dir path=usr/ucblib/$(ARCH64)
45 file path=etc/mail/Mail.rc original_name=SUNWscpr:etc/mail/Mail.rc \
46     preserve=true
47 file path=usr/share/man/man1b/basename.1b
48 file path=usr/share/man/man1b/biff.1b
49 file path=usr/share/man/man1b/chown.1b
50 file path=usr/share/man/man1b/df.1b
51 file path=usr/share/man/man1b/du.1b
52 file path=usr/share/man/man1b/echo.1b
53 file path=usr/share/man/man1b/exportfs.1b
54 file path=usr/share/man/man1b/expr.1b
55 file path=usr/share/man/man1b/fastboot.1b
56 file path=usr/share/man/man1b/file.1b
57 file path=usr/share/man/man1b/from.1b
58 file path=usr/share/man/man1b/groups.1b
59 file path=usr/share/man/man1b/grpck.1b
60 file path=usr/share/man/man1b/ln.1b
61 file path=usr/share/man/man1b/logger.1b
```

new/usr/src/pkg/manifests/compatibility-ucb.mf

2

```
62 file path=usr/share/man/man1b/lpc.1b
63 file path=usr/share/man/man1b/lpq.1b
64 file path=usr/share/man/man1b/lpr.1b
65 file path=usr/share/man/man1b/lprm.1b
66 file path=usr/share/man/man1b/lptest.1b
67 file path=usr/share/man/man1b/mail.1b
68 file path=usr/share/man/man1b/mkstr.1b
69 file path=usr/share/man/man1b/printenv.1b
70 file path=usr/share/man/man1b/ps.1b
71 file path=usr/share/man/man1b/rusage.1b
72 file path=usr/share/man/man1b/shutdown.1b
73 file path=usr/share/man/man1b/stty.1b
74 file path=usr/share/man/man1b/sum.1b
75 file path=usr/share/man/man1b/test.1b
76 file path=usr/share/man/man1b/touch.1b
77 file path=usr/share/man/man1b/tset.1b
78 file path=usr/share/man/man1b/users.1b
79 file path=usr/share/man/man1b/vipw.1b
80 file path=usr/share/man/man1b/whereis.1b
81 file path=usr/share/man/man1b/whoami.1b
82 file path=usr/ucb/basename mode=0755
83 file path=usr/ucb/biff mode=0755
84 file path=usr/ucb/chown mode=0755
85 file path=usr/ucb/df mode=0755
86 file path=usr/ucb/du mode=0755
87 file path=usr/ucb/echo mode=0755
88 file path=usr/ucb/expr mode=0755
89 file path=usr/ucb/fastboot mode=0555
90 file path=usr/ucb/fasthalt mode=0555
91 file path=usr/ucb/file mode=0555
92 file path=usr/ucb/from mode=0755
93 file path=usr/ucb/groups mode=0755
94 file path=usr/ucb/install mode=0755
95 file path=usr/ucb/ln mode=0755
96 file path=usr/ucb/ls mode=0755
97 file path=usr/ucb/mkstr mode=0555
98 file path=usr/ucb/printenv mode=0755
99 file path=usr/ucb/rusage mode=0755
100 file path=usr/ucb/sed mode=0555
101 file path=usr/ucb/shutdown mode=0755
102 file path=usr/ucb/stty mode=0755
103 file path=usr/ucb/sum mode=0755
104 file path=usr/ucb/test mode=0755
105 file path=usr/ucb/touch mode=0755
106 file path=usr/ucb/tr mode=0755
107 file path=usr/ucb/tset mode=0755
108 file path=usr/ucb/users mode=0755
109 file path=usr/ucb/vipw mode=0555
110 file path=usr/ucb/whereis mode=0755
111 file path=usr/ucb/whoami mode=0755
112 file path=usr/ucblib/$(ARCH64)/libcurses.so.1
113 file path=usr/ucblib/$(ARCH64)/libdbm.so.1
114 file path=usr/ucblib/$(ARCH64)/librpcsoc.so.1
115 file path=usr/ucblib/$(ARCH64)/libtermcap.so.1
116 file path=usr/ucblib/$(ARCH64)/libuch.so.1
117 file path=usr/ucblib/libcurses.so.1
118 file path=usr/ucblib/libdbm.so.1
119 file path=usr/ucblib/librpcsoc.so.1
120 file path=usr/ucblib/libtermcap.so.1
121 file path=usr/ucblib/libuch.so.1
122 $(i386_ONLY)hardlink path=usr/ucb/$(ARCH32)/ps target=../bin/$(ARCH32)/ps
123 hardlink path=usr/ucb/$(ARCH64)/ps target=../bin/$(ARCH64)/ps
124 hardlink path=usr/ucb/ps target=../usr/lib/isaexec
125 legacy pkg=SUNWscpr \
126     desc="utilities for user interface and source build compatibility with SunOS
127     name="Source Compatibility, (Root)"
```

```

128 legacy pkg=SUNWscpu \
129   desc="utilities for user interface and source build compatibility with SunOS
130   name="Source Compatibility, (Usr)"
131 license cr_Sun license=cr_Sun
132 license lic_CDDL license=lic_CDDL
133 license usr/src/ucbcmd/basename/THIRDPARTYLICENSE \
134   license=usr/src/ucbcmd/basename/THIRDPARTYLICENSE
135 license usr/src/ucbcmd/echo/THIRDPARTYLICENSE \
136   license=usr/src/ucbcmd/echo/THIRDPARTYLICENSE
137 license usr/src/ucbcmd/from/THIRDPARTYLICENSE \
138   license=usr/src/ucbcmd/from/THIRDPARTYLICENSE
139 license usr/src/ucbcmd/groups/THIRDPARTYLICENSE \
140   license=usr/src/ucbcmd/groups/THIRDPARTYLICENSE
141 license usr/src/ucbcmd/ln/THIRDPARTYLICENSE \
142   license=usr/src/ucbcmd/ln/THIRDPARTYLICENSE
143 license usr/src/ucbcmd/ls/THIRDPARTYLICENSE \
144   license=usr/src/ucbcmd/ls/THIRDPARTYLICENSE
145 license usr/src/ucbcmd/sum/THIRDPARTYLICENSE \
146   license=usr/src/ucbcmd/sum/THIRDPARTYLICENSE
147 license usr/src/ucbcmd/test/THIRDPARTYLICENSE \
148   license=usr/src/ucbcmd/test/THIRDPARTYLICENSE
149 license usr/src/ucbcmd/tset/THIRDPARTYLICENSE \
150   license=usr/src/ucbcmd/tset/THIRDPARTYLICENSE
151 license usr/src/ucbcmd/users/THIRDPARTYLICENSE \
152   license=usr/src/ucbcmd/users/THIRDPARTYLICENSE
153 license usr/src/ucbcmd/whereis/THIRDPARTYLICENSE \
154   license=usr/src/ucbcmd/whereis/THIRDPARTYLICENSE
155 license usr/src/ucbcmd/whoami/THIRDPARTYLICENSE \
156   license=usr/src/ucbcmd/whoami/THIRDPARTYLICENSE
157 license usr/src/ucb/lib/libcurses/THIRDPARTYLICENSE \
158   license=usr/src/ucb/lib/libcurses/THIRDPARTYLICENSE
159 license usr/src/ucb/lib/libtermcap/THIRDPARTYLICENSE \
160   license=usr/src/ucb/lib/libtermcap/THIRDPARTYLICENSE
161 license usr/src/ucb/lib/libucb/THIRDPARTYLICENSE \
162   license=usr/src/ucb/lib/libucb/THIRDPARTYLICENSE
163 link path=etc/chroot target=../usr/sbin/chroot
164 link path=etc/fuser target=../usr/sbin/fuser
165 link path=etc/link target=../usr/sbin/link
166 link path=etc/mvdir target=../usr/sbin/mvdir
167 link path=etc/pwck target=../usr/sbin/pwck
168 link path=etc/termcap target=../usr/share/lib/termcap
169 link path=etc/unlink target=../usr/sbin/unlink
170 link path=usr/5bin target=../bin
171 link path=usr/share/man/man1b/Mail.1b target=mail.1b
172 link path=usr/share/man/man1b/fasthalt.1b target=fastboot.1b
173 link path=usr/share/man/man1b/reset.1b target=tset.1b
174 link path=usr/ucb/Mail target=../bin/mailx
175 link path=usr/ucb/arch target=../bin/arch
176 link path=usr/ucb/clear target=../bin/clear
177 link path=usr/ucb/e target=../bin/edit
178 link path=usr/ucb/edit target=../bin/edit
179 link path=usr/ucb/ex target=../bin/edit
180 link path=usr/ucb/finger target=../bin/finger
181 link path=usr/ucb/fmt target=../bin/fmt
182 link path=usr/ucb/fold target=../bin/fold
183 link path=usr/ucb/ftp target=../bin/ftp
184 link path=usr/ucb/head target=../bin/head
185 link path=usr/ucb/hostid target=../bin/hostid
186 link path=usr/ucb/hostname target=../bin/hostname
187 link path=usr/ucb/logger target=../bin/logger
188 link path=usr/ucb/mach target=../bin/mach
189 link path=usr/ucb/mail target=../bin/mailx
190 link path=usr/ucb/more target=../bin/more
191 link path=usr/ucb/netstat target=../bin/netstat
192 link path=usr/ucb/page target=../bin/more
193 link path=usr/ucb/pagesize target=../bin/pagesize

```

```

194 link path=usr/ucb/quota target=../lib/fs/ufs/quota
195 link path=usr/ucb/rcp target=../bin/rcp
196 link path=usr/ucb/rdate target=../bin/rdate
197 link path=usr/ucb/rdist target=../bin/rdist
198 link path=usr/ucb/renice target=../bin/renice
199 link path=usr/ucb/reset target=../tset
200 link path=usr/ucb/rlogin target=../bin/rlogin
201 link path=usr/ucb/rsh target=../bin/rsh
202 link path=usr/ucb/ruptime target=../bin/ruptime
203 link path=usr/ucb/rwho target=../bin/rwho
204 link path=usr/ucb/script target=../bin/script
205 link path=usr/ucb/tail target=../bin/tail
206 link path=usr/ucb/talk target=../bin/talk
207 link path=usr/ucb/tcopy target=../bin/tcopy
208 link path=usr/ucb/telnet target=../bin/telnet
209 link path=usr/ucb/tftp target=../bin/tftp
210 link path=usr/ucb/uptime target=../bin/uptime
211 link path=usr/ucb/vacation target=../bin/vacation
212 link path=usr/ucb/vedit target=../bin/vedit
213 link path=usr/ucb/vi target=../bin/edit
214 link path=usr/ucb/view target=../bin/edit
215 link path=usr/ucb/vmstat target=../bin/vmstat
216 link path=usr/ucb/w target=../bin/w
217 link path=usr/ucb/wc target=../bin/wc
218 link path=usr/ucb/whois target=../bin/whois
219 link path=usr/ucb/xstr target=../bin/xstr
220 link path=usr/ucb/lib/$(ARCH64)/libcurses.so target=../libcurses.so.1
221 link path=usr/ucb/lib/$(ARCH64)/libdbm.so target=../libdbm.so.1
222 link path=usr/ucb/lib/$(ARCH64)/libpcap.so target=../libpcap.so.1
223 link path=usr/ucb/lib/$(ARCH64)/libtermcap.so target=../libtermcap.so.1
224 link path=usr/ucb/lib/32 target=..
225 link path=usr/ucb/lib/64 target=$(ARCH64)
226 link path=usr/ucb/lib/libcurses.so target=../libcurses.so.1
227 link path=usr/ucb/lib/libdbm.so target=../libdbm.so.1
228 link path=usr/ucb/lib/libpcap.so target=../libpcap.so.1
229 link path=usr/ucb/lib/libtermcap.so target=../libtermcap.so.1

```

new/usr/src/pkg/manifests/service-network-network-clients.mf

1

```
*****
3062 Fri May 26 19:08:14 2017
new/usr/src/pkg/manifests/service-network-network-clients.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-clients@$(PKGVERS)
28 set name=pkg.description \
29     value="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)"
30 set name=pkg.summary value="Remote Network Client Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/bin
35 dir path=usr/lib
36 dir path=usr/sbin
37 dir path=usr/share/man/man1
38 dir path=usr/share/man/man1m
39 file path=usr/bin/filesync mode=0555
40 file path=usr/bin/rcp mode=4555
41 file path=usr/bin/rdate mode=0555
42 file path=usr/bin/rdist mode=4555
43 file path=usr/bin/rlogin mode=4555
44 file path=usr/bin/rsh mode=4555
45 file path=usr/bin/ruptime mode=0555
46 file path=usr/bin/whois mode=0555
47 file path=usr/sbin/rmt mode=0555
48 file path=usr/sbin/snoop mode=0555
49 file path=usr/share/man/man1/filesync.1
50 file path=usr/share/man/man1/rcp.1
51 file path=usr/share/man/man1/rdate.1
52 file path=usr/share/man/man1/rlogin.1
53 file path=usr/share/man/man1/rsh.1
54 file path=usr/share/man/man1/ruptime.1
55 file path=usr/share/man/man1/whois.1
56 file path=usr/share/man/man1m/rdate.1m
57 file path=usr/share/man/man1m/rmt.1m
58 file path=usr/share/man/man1m/snoop.1m
59 legacy pkg=SUNWrcmdc \
60     desc="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)" \
61     name="Remote Network Client Commands"
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

2

```
60 license cr_Sun license=cr_Sun
61 license lic_CDDL license=lic_CDDL
62 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
63     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
64 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
65     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
66 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
67     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
68 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
69     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
70 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
71     license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
72 link path=usr/bin/remsh target=./rsh
73 link path=usr/lib/sunw/rcp target=./bin/rcp
74 link path=usr/share/man/man1/remote_shell.1 target=rsh.1
75 link path=usr/share/man/man1/remsh.1 target=rsh.1
```



new/usr/src/pkg/manifests/service-network-network-servers.mf

1

```
*****
3804 Fri May 26 19:08:15 2017
new/usr/src/pkg/manifests/service-network-network-servers.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-servers@(PKGVERS)
28 set name=pkg.description \
29 value="Remote Network Server Commands (includes finger, talk, commands)"
30 set name=summary value="Remote Network Server Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=etc group=sys
34 dir path=lib
35 dir path=lib/svc
36 dir path=lib/svc/manifest group=sys
37 dir path=lib/svc/manifest/network group=sys
38 dir path=lib/svc/manifest/network/rpc group=sys
39 dir path=usr group=sys
40 dir path=usr/bin
41 dir path=usr/lib
42 dir path=usr/lib/netsvc group=sys
43 dir path=usr/sbin
44 dir path=usr/share/man
45 dir path=usr/share/man/man1
46 dir path=usr/share/man/man1m
47 dir path=usr/share/man/man4
48 file path=lib/svc/manifest/network/comsat.xml group=sys mode=0444
49 file path=lib/svc/manifest/network/finger.xml group=sys mode=0444
50 file path=lib/svc/manifest/network/login.xml group=sys mode=0444
51 file path=lib/svc/manifest/network/rexec.xml group=sys mode=0444
52 file path=lib/svc/manifest/network/shell.xml group=sys mode=0444
53 file path=lib/svc/manifest/network/talk.xml group=sys mode=0444
54 file path=usr/bin/finger mode=0555
55 file path=usr/bin/rwho mode=0555
56 file path=usr/bin/talk mode=0555
57 file path=usr/sbin/in.comsat mode=0555
58 file path=usr/sbin/in.fingerd mode=0555
59 file path=usr/sbin/in.rexecd mode=0555
60 file path=usr/sbin/in.rlogind mode=0555
```

new/usr/src/pkg/manifests/service-network-network-servers.mf

2

```
60 file path=usr/sbin/in.rshd mode=0555
62 file path=usr/sbin/in.rwhod mode=0555
61 file path=usr/sbin/in.talkd mode=0555
62 file path=usr/share/man/man1/finger.1
65 file path=usr/share/man/man1/rwho.1
63 file path=usr/share/man/man1/talk.1
64 file path=usr/share/man/man1m/in.comsat.1m
65 file path=usr/share/man/man1m/in.fingerd.1m
66 file path=usr/share/man/man1m/in.rexecd.1m
67 file path=usr/share/man/man1m/in.rlogind.1m
68 file path=usr/share/man/man1m/in.rshd.1m
72 file path=usr/share/man/man1m/in.rwhod.1m
69 file path=usr/share/man/man1m/in.talkd.1m
70 file path=usr/share/man/man4/hosts.equiv.4
71 legacy pkg=SUNWrcmdr desc="Remote Network Server Commands (Root)" \
72 name="Remote Network Server Commands (Root)"
73 legacy pkg=SUNWrcmds \
74 desc="Remote Network Server Commands (includes finger, talk commands)" \
78 desc="Remote Network Server Commands (includes finger, talk, rwho commands)"
75 name="Remote Network Server Commands (Usr)"
76 license cr_Sun license=cr_Sun
77 license lic_CDDL license=lic_CDDL
78 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat \
79 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat
80 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind \
81 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind
82 link path=etc/rmt target=../usr/sbin/rmt
83 link path=usr/share/man/man1m/comsat.1m target=in.comsat.1m
84 link path=usr/share/man/man1m/fingerd.1m target=in.fingerd.1m
85 link path=usr/share/man/man1m/rexecd.1m target=in.rexecd.1m
86 link path=usr/share/man/man1m/rlogind.1m target=in.rlogind.1m
87 link path=usr/share/man/man1m/rshd.1m target=in.rshd.1m
92 link path=usr/share/man/man1m/rwhod.1m target=in.rwhod.1m
88 link path=usr/share/man/man1m/talkd.1m target=in.talkd.1m
89 link path=usr/share/man/man4/rhosts.4 target=hosts.equiv.4
```

new/usr/src/pkg/manifests/system-header.mf

1

```
*****
89479 Fri May 26 19:08:16 2017
new/usr/src/pkg/manifests/system-header.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2013 Saso Kiselkov. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 # Copyright 2016 Nexenta Systems, Inc.
28 # Copyright 2016 Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
29 #
30 #
31 set name=pkg.fmri value=pkg:/system/header@$(PKGVERS)
32 set name=pkg.description \
33   value="SunOS C/C++ header files for general development of software"
34 set name=pkg.summary value="SunOS Header Files"
35 set name=info.classification value=org.opensolaris.category.2008:System/Core
36 set name=variant.arch value=$(ARCH)
37 dir path=usr group=sys
38 dir path=usr/include
39 $(i386_ONLY)dir path=usr/include/$(ARCH64)
40 $(i386_ONLY)dir path=usr/include/$(ARCH64)/sys
41 dir path=usr/include/ads
42 dir path=usr/include/arpa
43 dir path=usr/include/asm
44 dir path=usr/include/ast
45 dir path=usr/include/bsm
46 dir path=usr/include/dat
47 dir path=usr/include/des
48 dir path=usr/include/gssapi
49 dir path=usr/include/hal
50 $(i386_ONLY)dir path=usr/include/ia32
51 $(i386_ONLY)dir path=usr/include/ia32/sys
52 dir path=usr/include/inet
53 dir path=usr/include/inet/kssl
54 dir path=usr/include/ipp
55 dir path=usr/include/ipp/ipgpc
56 dir path=usr/include/iso
57 dir path=usr/include/kerberosv5
58 dir path=usr/include/libpolkit
59 dir path=usr/include/net
60 dir path=usr/include/netinet
61 dir path=usr/include/nfs
```

new/usr/src/pkg/manifests/system-header.mf

2

```
62 dir path=usr/include/protocols
63 dir path=usr/include/rpc
64 dir path=usr/include/rpcsvc
65 dir path=usr/include/sasl
66 dir path=usr/include/scsi
67 dir path=usr/include/scsi/plugins
68 dir path=usr/include/scsi/plugins/ses
69 dir path=usr/include/scsi/plugins/ses/framework
70 dir path=usr/include/scsi/plugins/ses/vendor
71 dir path=usr/include/scsi/plugins/smp
72 dir path=usr/include/scsi/plugins/smp/engine
73 dir path=usr/include/scsi/plugins/smp/framework
74 dir path=usr/include/security
75 dir path=usr/include/sharefs
76 dir path=usr/include/sys
77 dir path=usr/include/sys/av
78 dir path=usr/include/sys/contract
79 dir path=usr/include/sys/crypto
80 dir path=usr/include/sys/dktp
81 dir path=usr/include/sys/fc4
82 dir path=usr/include/sys/fm
83 dir path=usr/include/sys/fm/cpu
84 dir path=usr/include/sys/fm/fs
85 dir path=usr/include/sys/fm/io
86 $(sparc_ONLY)dir path=usr/include/sys/fpu
87 dir path=usr/include/sys/fs
88 dir path=usr/include/sys/hotplug
89 dir path=usr/include/sys/hotplug/pci
90 dir path=usr/include/sys/ib
91 dir path=usr/include/sys/ib/adapters
92 dir path=usr/include/sys/ib/adapters/hermon
93 dir path=usr/include/sys/ib/adapters/tavor
94 dir path=usr/include/sys/ib/clients
95 dir path=usr/include/sys/ib/clients/ibd
96 dir path=usr/include/sys/ib/clients/of
97 dir path=usr/include/sys/ib/clients/of/rdma
98 dir path=usr/include/sys/ib/clients/of/sol_ofs
99 dir path=usr/include/sys/ib/clients/of/sol_ucma
100 dir path=usr/include/sys/ib/clients/of/sol_umad
101 dir path=usr/include/sys/ib/clients/of/sol_uverbs
102 dir path=usr/include/sys/ib/ibnec
103 dir path=usr/include/sys/ib/ibtl
104 dir path=usr/include/sys/ib/ibtl/impl
105 dir path=usr/include/sys/ib/mgt
106 dir path=usr/include/sys/ib/mgt/ibmf
107 dir path=usr/include/sys/iso
108 dir path=usr/include/sys/proc
109 dir path=usr/include/sys/rsm
110 $(i386_ONLY)dir path=usr/include/sys/sata group=sys
111 dir path=usr/include/sys/scsi
112 dir path=usr/include/sys/scsi/adapters
113 dir path=usr/include/sys/scsi/conf
114 dir path=usr/include/sys/scsi/generic
115 dir path=usr/include/sys/scsi/impl
116 dir path=usr/include/sys/scsi/targets
117 dir path=usr/include/sys/sysevent
118 dir path=usr/include/sys/tsol
119 dir path=usr/include/tsol
120 dir path=usr/include/uuid
121 $(sparc_ONLY)dir path=usr/include/v7
122 $(sparc_ONLY)dir path=usr/include/v7/sys
123 $(sparc_ONLY)dir path=usr/include/v9
124 $(sparc_ONLY)dir path=usr/include/v9/sys
125 dir path=usr/include/vm
126 dir path=usr/platform group=sys
127 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
```

```

128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/include
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/include
132 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel1 group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
142 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
143 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
144 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
145 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
146 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
147 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
148 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
149 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
150 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
151 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
152 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-2 group=sys
153 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-250 group=sys
154 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-4 group=sys
155 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise-10000 group=sys
157 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40 group=sys
158 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60 group=sys
159 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIi-Netract group=sys
160 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
161 $(i386_ONLY)dir path=usr/platform/i86pc/include
162 $(i386_ONLY)dir path=usr/platform/i86pc/include/sys
163 $(i386_ONLY)dir path=usr/platform/i86pc/include/vm
164 $(i386_ONLY)dir path=usr/platform/i86xpv group=sys
165 $(i386_ONLY)dir path=usr/platform/i86xpv/include
166 $(i386_ONLY)dir path=usr/platform/i86xpv/include/sys
167 $(i386_ONLY)dir path=usr/platform/i86xpv/include/vm
168 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
169 $(sparc_ONLY)dir path=usr/platform/sun4u/include
170 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys
171 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c
172 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/clients
173 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/misc
174 $(sparc_ONLY)dir path=usr/platform/sun4u/include/vm
175 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
176 $(sparc_ONLY)dir path=usr/platform/sun4v/include
177 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
178 $(sparc_ONLY)dir path=usr/platform/sun4v/include/vm
179 dir path=usr/share
180 dir path=usr/share/man
181 dir path=usr/share/man/man3head
182 dir path=usr/share/man/man4
183 dir path=usr/share/man/man5
184 dir path=usr/share/man/man7i
185 dir path=usr/share/src group=sys
186 dir path=usr/share/src/uts
187 $(i386_ONLY)dir path=usr/share/src/uts/i86pc
188 $(i386_ONLY)dir path=usr/share/src/uts/i86xpv
189 $(sparc_ONLY)dir path=usr/share/src/uts/sun4u
190 $(sparc_ONLY)dir path=usr/share/src/uts/sun4v
191 dir path=usr/xpg4
192 dir path=usr/xpg4/include
193 $(i386_ONLY)file path=usr/include/(ARCH64)/sys/kdi_regs.h

```

```

194 $(i386_ONLY)file path=usr/include/(ARCH64)/sys/privmregs.h
195 $(i386_ONLY)file path=usr/include/(ARCH64)/sys/privregs.h
196 file path=usr/include/ads/dsgetdc.h
197 file path=usr/include/aio.h
198 file path=usr/include/alloca.h
199 file path=usr/include/apprtrace.h
200 file path=usr/include/apprtrace_impl.h
201 file path=usr/include/ar.h
202 file path=usr/include/archives.h
203 file path=usr/include/arpa/ftp.h
204 file path=usr/include/arpa/inet.h
205 file path=usr/include/arpa/nameser.h
206 file path=usr/include/arpa/nameser_compat.h
207 file path=usr/include/arpa/telnet.h
208 file path=usr/include/arpa/tftp.h
209 $(i386_ONLY)file path=usr/include/asm/atomic.h
210 $(i386_ONLY)file path=usr/include/asm/bitmap.h
211 $(i386_ONLY)file path=usr/include/asm/byteorder.h
212 $(i386_ONLY)file path=usr/include/asm/clock.h
213 $(i386_ONLY)file path=usr/include/asm/cpu.h
214 $(i386_ONLY)file path=usr/include/asm/cpuvar.h
215 $(sparc_ONLY)file path=usr/include/asm/flush.h
216 $(i386_ONLY)file path=usr/include/asm/htable.h
217 $(i386_ONLY)file path=usr/include/asm/mmu.h
218 file path=usr/include/asm/sunddi.h
219 file path=usr/include/asm/thread.h
220 file path=usr/include/assert.h
221 file path=usr/include/ast/align.h
222 file path=usr/include/ast/ast.h
223 file path=usr/include/ast/ast_botch.h
224 file path=usr/include/ast/ast_ccode.h
225 file path=usr/include/ast/ast_common.h
226 file path=usr/include/ast/ast_dir.h
227 file path=usr/include/ast/ast_dirent.h
228 file path=usr/include/ast/ast_fcntl.h
229 file path=usr/include/ast/ast_float.h
230 file path=usr/include/ast/ast_fs.h
231 file path=usr/include/ast/ast_getopt.h
232 file path=usr/include/ast/ast_iconv.h
233 file path=usr/include/ast/ast_lib.h
234 file path=usr/include/ast/ast_limits.h
235 file path=usr/include/ast/ast_map.h
236 file path=usr/include/ast/ast_mmap.h
237 file path=usr/include/ast/ast_mode.h
238 file path=usr/include/ast/ast_namval.h
239 file path=usr/include/ast/ast_ndbm.h
240 file path=usr/include/ast/ast_nl_types.h
241 file path=usr/include/ast/ast_param.h
242 file path=usr/include/ast/ast_standards.h
243 file path=usr/include/ast/ast_std.h
244 file path=usr/include/ast/ast_stdio.h
245 file path=usr/include/ast/ast_sys.h
246 file path=usr/include/ast/ast_time.h
247 file path=usr/include/ast/ast_tty.h
248 file path=usr/include/ast/ast_version.h
249 file path=usr/include/ast/ast_vfork.h
250 file path=usr/include/ast/ast_wait.h
251 file path=usr/include/ast/ast_wchar.h
252 file path=usr/include/ast/ast_windows.h
253 file path=usr/include/ast/bytesex.h
254 file path=usr/include/ast/ccode.h
255 file path=usr/include/ast/cdt.h
256 file path=usr/include/ast/cmd.h
257 file path=usr/include/ast/cmdext.h
258 file path=usr/include/ast/debug.h
259 file path=usr/include/ast/dirent.h

```

260 file path=usr/include/ast/dlldefs.h  
261 file path=usr/include/ast/dt.h  
262 file path=usr/include/ast/endian.h  
263 file path=usr/include/ast/error.h  
264 file path=usr/include/ast/find.h  
265 file path=usr/include/ast/fnmatch.h  
266 file path=usr/include/ast/fnv.h  
267 file path=usr/include/ast/fs3d.h  
268 file path=usr/include/ast/fts.h  
269 file path=usr/include/ast/ftw.h  
270 file path=usr/include/ast/ftwalk.h  
271 file path=usr/include/ast/getopt.h  
272 file path=usr/include/ast/glob.h  
273 file path=usr/include/ast/hash.h  
274 file path=usr/include/ast/hashkey.h  
275 file path=usr/include/ast/hashpart.h  
276 file path=usr/include/ast/history.h  
277 file path=usr/include/ast/iconv.h  
278 file path=usr/include/ast/ip6.h  
279 file path=usr/include/ast/lc.h  
280 file path=usr/include/ast/ls.h  
281 file path=usr/include/ast/magic.h  
282 file path=usr/include/ast/magicid.h  
283 file path=usr/include/ast/mc.h  
284 file path=usr/include/ast/mime.h  
285 file path=usr/include/ast/mnt.h  
286 file path=usr/include/ast/modecanon.h  
287 file path=usr/include/ast/modex.h  
288 file path=usr/include/ast/namval.h  
289 file path=usr/include/ast/nl\_types.h  
290 file path=usr/include/ast/nval.h  
291 file path=usr/include/ast/option.h  
292 file path=usr/include/ast/preroot.h  
293 file path=usr/include/ast/proc.h  
294 file path=usr/include/ast/prototyped.h  
295 file path=usr/include/ast/re\_comp.h  
296 file path=usr/include/ast/recfmt.h  
297 file path=usr/include/ast/regex.h  
298 file path=usr/include/ast/regexp.h  
299 file path=usr/include/ast/sfdisc.h  
300 file path=usr/include/ast/sfio.h  
301 file path=usr/include/ast/sfio\_s.h  
302 file path=usr/include/ast/sfio\_t.h  
303 file path=usr/include/ast/shcmd.h  
304 file path=usr/include/ast/shell.h  
305 file path=usr/include/ast/sig.h  
306 file path=usr/include/ast/stack.h  
307 file path=usr/include/ast/stak.h  
308 file path=usr/include/ast/stdio.h  
309 file path=usr/include/ast/stk.h  
310 file path=usr/include/ast/sum.h  
311 file path=usr/include/ast/swap.h  
312 file path=usr/include/ast/tar.h  
313 file path=usr/include/ast/times.h  
314 file path=usr/include/ast/tm.h  
315 file path=usr/include/ast/tmx.h  
316 file path=usr/include/ast/tok.h  
317 file path=usr/include/ast/tv.h  
318 file path=usr/include/ast/usage.h  
319 file path=usr/include/ast/vdb.h  
320 file path=usr/include/ast/vecargs.h  
321 file path=usr/include/ast/vmalloc.h  
322 file path=usr/include/ast/wait.h  
323 file path=usr/include/ast/wchar.h  
324 file path=usr/include/ast/wordexp.h  
325 file path=usr/include/atomic.h

326 file path=usr/include/attr.h  
327 file path=usr/include/auth\_attr.h  
328 file path=usr/include/bsm/adt.h  
329 file path=usr/include/bsm/adt\_event.h  
330 file path=usr/include/bsm/audit.h  
331 file path=usr/include/bsm/audit\_kernel.h  
332 file path=usr/include/bsm/audit\_kevents.h  
333 file path=usr/include/bsm/audit\_record.h  
334 file path=usr/include/bsm/audit\_uevents.h  
335 file path=usr/include/bsm/devices.h  
336 file path=usr/include/bsm/libbsm.h  
337 file path=usr/include/config\_admin.h  
338 file path=usr/include/cpio.h  
339 file path=usr/include/crypt.h  
340 file path=usr/include/cryptoutil.h  
341 file path=usr/include/ctype.h  
342 file path=usr/include/curses.h  
343 file path=usr/include/dat/dat.h  
344 file path=usr/include/dat/dat\_error.h  
345 file path=usr/include/dat/dat\_platform\_specific.h  
346 file path=usr/include/dat/dat\_redirection.h  
347 file path=usr/include/dat/dat\_registry.h  
348 file path=usr/include/dat/dat\_vendor\_specific.h  
349 file path=usr/include/dat/udat.h  
350 file path=usr/include/dat/udat\_config.h  
351 file path=usr/include/dat/udat\_redirection.h  
352 file path=usr/include/dat/udat\_vendor\_specific.h  
353 file path=usr/include/deflt.h  
354 file path=usr/include/des/des.h  
355 file path=usr/include/des/desdata.h  
356 file path=usr/include/des/softdes.h  
357 file path=usr/include/devfsadm.h  
358 file path=usr/include/device\_info.h  
359 file path=usr/include/devid.h  
360 file path=usr/include/devmgmt.h  
361 file path=usr/include/devpoll.h  
362 file path=usr/include/dial.h  
363 file path=usr/include/dirent.h  
364 file path=usr/include/dlfcn.h  
365 file path=usr/include/door.h  
366 file path=usr/include/elf.h  
367 file path=usr/include/endian.h  
368 file path=usr/include/err.h  
369 file path=usr/include/errno.h  
370 file path=usr/include/eti.h  
371 file path=usr/include/euc.h  
372 file path=usr/include/exacct.h  
373 file path=usr/include/exacct\_impl.h  
374 file path=usr/include/exec\_attr.h  
375 file path=usr/include/execinfo.h  
376 file path=usr/include/fatal.h  
377 file path=usr/include/fcntl.h  
378 file path=usr/include/float.h  
379 file path=usr/include/fmtmsg.h  
380 file path=usr/include/fnmatch.h  
381 file path=usr/include/form.h  
382 file path=usr/include/ftw.h  
383 file path=usr/include/gelf.h  
384 file path=usr/include/getopt.h  
385 file path=usr/include/getwidth.h  
386 file path=usr/include/glob.h  
387 file path=usr/include/grp.h  
388 file path=usr/include/gssapi/gssapi.h  
389 file path=usr/include/gssapi/gssapi\_ext.h  
390 file path=usr/include/hal/libhal-storage.h  
391 file path=usr/include/hal/libhal.h

```

392 $(i386_ONLY)file path=usr/include/ia32/sys/asm_linkage.h
393 $(i386_ONLY)file path=usr/include/ia32/sys/kdi_regs.h
394 $(i386_ONLY)file path=usr/include/ia32/sys/machtypes.h
395 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
396 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
397 $(i386_ONLY)file path=usr/include/ia32/sys/psw.h
398 $(i386_ONLY)file path=usr/include/ia32/sys/pte.h
399 $(i386_ONLY)file path=usr/include/ia32/sys/reg.h
400 $(i386_ONLY)file path=usr/include/ia32/sys/stack.h
401 $(i386_ONLY)file path=usr/include/ia32/sys/trap.h
402 $(i386_ONLY)file path=usr/include/ia32/sys/traptrace.h
403 file path=usr/include/iconv.h
404 file path=usr/include/idmap.h
405 file path=usr/include/ieeeep.h
406 file path=usr/include/ifaddrs.h
407 file path=usr/include/inet/arp.h
408 file path=usr/include/inet/common.h
409 file path=usr/include/inet/ip.h
410 file path=usr/include/inet/ip6.h
411 file path=usr/include/inet/ip6_asp.h
412 file path=usr/include/inet/ip_arp.h
413 file path=usr/include/inet/ip_ftable.h
414 file path=usr/include/inet/ip_if.h
415 file path=usr/include/inet/ip_ire.h
416 file path=usr/include/inet/ip_multi.h
417 file path=usr/include/inet/ip_netinfo.h
418 file path=usr/include/inet/ip_rts.h
419 file path=usr/include/inet/ip_stack.h
420 file path=usr/include/inet/ipclassifier.h
421 file path=usr/include/inet/ipdrop.h
422 file path=usr/include/inet/ipnet.h
423 file path=usr/include/inet/ipp_common.h
424 file path=usr/include/inet/kssl/ksslap.h
425 file path=usr/include/inet/led.h
426 file path=usr/include/inet/mi.h
427 file path=usr/include/inet/mib2.h
428 file path=usr/include/inet/nd.h
429 file path=usr/include/inet/optcom.h
430 file path=usr/include/inet/sctp_itf.h
431 file path=usr/include/inet/snmpcom.h
432 file path=usr/include/inet/tcp.h
433 file path=usr/include/inet/tcp_sack.h
434 file path=usr/include/inet/tcp_stack.h
435 file path=usr/include/inet/tcp_stats.h
436 file path=usr/include/inet/tunables.h
437 file path=usr/include/inet/wifi_ioctl.h
438 file path=usr/include/inttypes.h
439 file path=usr/include/ipmp.h
440 file path=usr/include/ipmp_admin.h
441 file path=usr/include/ipmp_mpathd.h
442 file path=usr/include/ipmp_query.h
443 file path=usr/include/ipp/ipgpc/ipgpc.h
444 file path=usr/include/ipp/ipp.h
445 file path=usr/include/ipp/ipp_config.h
446 file path=usr/include/ipp/ipp_impl.h
447 file path=usr/include/ipp/ippctl.h
448 file path=usr/include/iso/ctype_iso.h
449 file path=usr/include/iso/limits_iso.h
450 file path=usr/include/iso/locale_iso.h
451 file path=usr/include/iso/setjmp_iso.h
452 file path=usr/include/iso/signal_iso.h
453 file path=usr/include/iso/stdarg_c99.h
454 file path=usr/include/iso/stdarg_iso.h
455 file path=usr/include/iso/stddef_iso.h
456 file path=usr/include/iso/stdio_c99.h
457 file path=usr/include/iso/stdio_iso.h

```

```

458 file path=usr/include/iso/stdlib_c11.h
459 file path=usr/include/iso/stdlib_c99.h
460 file path=usr/include/iso/stdlib_iso.h
461 file path=usr/include/iso/string_iso.h
462 file path=usr/include/iso/time_iso.h
463 file path=usr/include/iso/wchar_c99.h
464 file path=usr/include/iso/wchar_iso.h
465 file path=usr/include/iso/wctype_iso.h
466 file path=usr/include/iso646.h
467 file path=usr/include/kerberos5/com_err.h
468 file path=usr/include/kerberos5/krb5.h
469 file path=usr/include/kerberos5/locate_plugin.h
470 file path=usr/include/kerberos5/mit-sipb-copyright.h
471 file path=usr/include/kerberos5/mit-copyright.h
472 file path=usr/include/klpd.h
473 file path=usr/include/kmfapi.h
474 file path=usr/include/kmftypes.h
475 file path=usr/include/kstat.h
476 file path=usr/include/kvm.h
477 file path=usr/include/langinfo.h
478 file path=usr/include/lastlog.h
479 file path=usr/include/lber.h
480 file path=usr/include/ldap.h
481 file path=usr/include/libcontract.h
482 file path=usr/include/libctf.h
483 file path=usr/include/libdevice.h
484 file path=usr/include/libdevinfo.h
485 file path=usr/include/libdladm.h
486 file path=usr/include/libdlbridge.h
487 file path=usr/include/libdlib.h
488 file path=usr/include/libdllink.h
489 file path=usr/include/libdmpi.h
490 file path=usr/include/libdvlvlan.h
491 file path=usr/include/libelf.h
492 $(i386_ONLY)file path=usr/include/libfdisk.h
493 file path=usr/include/libfstyp.h
494 file path=usr/include/libfstyp_module.h
495 file path=usr/include/libgen.h
496 file path=usr/include/libgrubmgmt.h
497 file path=usr/include/libintl.h
498 file path=usr/include/libipmi.h
499 file path=usr/include/libipp.h
500 file path=usr/include/libnvpair.h
501 file path=usr/include/libnwam.h
502 file path=usr/include/libpolkit/libpolkit.h
503 file path=usr/include/libproc.h
504 file path=usr/include/librcm.h
505 file path=usr/include/libscf.h
506 file path=usr/include/libscf_priv.h
507 file path=usr/include/libshare.h
508 file path=usr/include/libsysevent.h
509 file path=usr/include/libsysevent_impl.h
510 file path=usr/include/libtsnet.h
511 $(sparc_ONLY)file path=usr/include/libv12n.h
512 file path=usr/include/libw.h
513 file path=usr/include/libzfs.h
514 file path=usr/include/libzfs_core.h
515 file path=usr/include/libzoneinfo.h
516 file path=usr/include/limits.h
517 file path=usr/include/linenum.h
518 file path=usr/include/link.h
519 file path=usr/include/listen.h
520 file path=usr/include/locale.h
521 file path=usr/include/macros.h
522 file path=usr/include/maillock.h
523 file path=usr/include/malloc.h

```

524 file path=usr/include/md4.h  
525 file path=usr/include/md5.h  
526 file path=usr/include/memory.h  
527 file path=usr/include/menu.h  
528 file path=usr/include/mon.h  
529 file path=usr/include/monetary.h  
530 file path=usr/include/mp.h  
531 file path=usr/include/mqueue.h  
532 file path=usr/include/mtmalloc.h  
533 file path=usr/include/nan.h  
534 file path=usr/include/ndbm.h  
535 file path=usr/include/ndpd.h  
536 file path=usr/include/net/af.h  
537 file path=usr/include/net/bridge.h  
538 file path=usr/include/net/if.h  
539 file path=usr/include/net/if\_arp.h  
540 file path=usr/include/net/if\_dl.h  
541 file path=usr/include/net/if\_types.h  
542 file path=usr/include/net/pfkeyv2.h  
543 file path=usr/include/net/pfpolicy.h  
544 file path=usr/include/net/ppp-comp.h  
545 file path=usr/include/net/ppp\_defs.h  
546 file path=usr/include/net/pppio.h  
547 file path=usr/include/net/radix.h  
548 file path=usr/include/net/route.h  
549 file path=usr/include/net/trill.h  
550 file path=usr/include/net/vjcompress.h  
551 file path=usr/include/netconfig.h  
552 file path=usr/include/netdb.h  
553 file path=usr/include/netdir.h  
554 file path=usr/include/netinet/arp.h  
555 file path=usr/include/netinet/dhcp.h  
556 file path=usr/include/netinet/dhcp6.h  
557 file path=usr/include/netinet/icmp6.h  
558 file path=usr/include/netinet/icmp\_var.h  
559 file path=usr/include/netinet/if\_ether.h  
560 file path=usr/include/netinet/igmp.h  
561 file path=usr/include/netinet/igmp\_var.h  
562 file path=usr/include/netinet/in.h  
563 file path=usr/include/netinet/in\_pcb.h  
564 file path=usr/include/netinet/in\_sysm.h  
565 file path=usr/include/netinet/in\_var.h  
566 file path=usr/include/netinet/ip.h  
567 file path=usr/include/netinet/ip6.h  
568 file path=usr/include/netinet/ip\_icmp.h  
569 file path=usr/include/netinet/ip\_mroute.h  
570 file path=usr/include/netinet/ip\_var.h  
571 file path=usr/include/netinet/pim.h  
572 file path=usr/include/netinet/sctp.h  
573 file path=usr/include/netinet/tcp.h  
574 file path=usr/include/netinet/tcp\_debug.h  
575 file path=usr/include/netinet/tcp\_fsm.h  
576 file path=usr/include/netinet/tcp\_seq.h  
577 file path=usr/include/netinet/tcp\_timer.h  
578 file path=usr/include/netinet/tcp\_var.h  
579 file path=usr/include/netinet/tcpip.h  
580 file path=usr/include/netinet/udp.h  
581 file path=usr/include/netinet/udp\_var.h  
582 file path=usr/include/netinet/vrrp.h  
583 file path=usr/include/nfs/auth.h  
584 file path=usr/include/nfs/export.h  
585 file path=usr/include/nfs/lm.h  
586 file path=usr/include/nfs/mapid.h  
587 file path=usr/include/nfs/mount.h  
588 file path=usr/include/nfs/nfs.h  
589 file path=usr/include/nfs/nfs4.h

590 file path=usr/include/nfs/nfs4\_attr.h  
591 file path=usr/include/nfs/nfs4\_clnt.h  
592 file path=usr/include/nfs/nfs4\_db\_impl.h  
593 file path=usr/include/nfs/nfs4\_idmap\_impl.h  
594 file path=usr/include/nfs/nfs4\_kprot.h  
595 file path=usr/include/nfs/nfs\_acl.h  
596 file path=usr/include/nfs/nfs\_clnt.h  
597 file path=usr/include/nfs/nfs\_cmd.h  
598 file path=usr/include/nfs/nfs\_log.h  
599 file path=usr/include/nfs/nfs\_sec.h  
600 file path=usr/include/nfs/nfsid\_map.h  
601 file path=usr/include/nfs/nfssys.h  
602 file path=usr/include/nfs/rnode.h  
603 file path=usr/include/nfs/rnode4.h  
604 file path=usr/include/nl\_types.h  
605 file path=usr/include/nlist.h  
606 file path=usr/include/note.h  
607 file path=usr/include/nss\_common.h  
608 file path=usr/include/nss\_dbdefs.h  
609 file path=usr/include/nss\_netdir.h  
610 file path=usr/include/nsswitch.h  
611 file path=usr/include/panel.h  
612 file path=usr/include/paths.h  
613 file path=usr/include/pcsample.h  
614 file path=usr/include/pfmt.h  
615 file path=usr/include/pkgdev.h  
616 file path=usr/include/pkginfo.h  
617 file path=usr/include/pkglocs.h  
618 file path=usr/include/pkgstrct.h  
619 file path=usr/include/pkgtrans.h  
620 file path=usr/include/poll.h  
621 file path=usr/include/port.h  
622 file path=usr/include/priv.h  
623 file path=usr/include/proc\_service.h  
624 file path=usr/include/procfs.h  
625 file path=usr/include/prof.h  
626 file path=usr/include/prof\_attr.h  
627 file path=usr/include/project.h  
628 file path=usr/include/protocols/dumprestore.h  
629 file path=usr/include/protocols/routed.h  
630 file path=usr/include/protocols/rwhod.h  
631 file path=usr/include/protocols/timed.h  
632 file path=usr/include/pthread.h  
633 file path=usr/include/pw.h  
634 file path=usr/include/rcm\_module.h  
635 file path=usr/include/rctl.h  
636 file path=usr/include/re\_comp.h  
637 file path=usr/include/regex.h  
638 file path=usr/include/regexp.h  
639 file path=usr/include/regexpr.h  
640 file path=usr/include/resolv.h  
641 file path=usr/include/rje.h  
642 file path=usr/include/rp\_plugin.h  
643 file path=usr/include/rpc/auth.h  
644 file path=usr/include/rpc/auth\_des.h  
645 file path=usr/include/rpc/auth\_sys.h  
646 file path=usr/include/rpc/auth\_unix.h  
647 file path=usr/include/rpc/bootparam.h  
648 file path=usr/include/rpc/clnt.h  
649 file path=usr/include/rpc/clnt\_soc.h  
650 file path=usr/include/rpc/clnt\_stat.h  
651 file path=usr/include/rpc/des\_crypt.h  
652 \$(sparc\_ONLY)file path=usr/include/rpc/ib.h  
653 file path=usr/include/rpc/key\_prot.h  
654 file path=usr/include/rpc/nettype.h

```

655 file path=usr/include/rpc/pmap_clnt.h
656 file path=usr/include/rpc/pmap_prot.h
657 file path=usr/include/rpc/pmap_prot.x
658 file path=usr/include/rpc/pmap_rmt.h
659 file path=usr/include/rpc/raw.h
660 file path=usr/include/rpc/rpc.h
661 file path=usr/include/rpc/rpc_com.h
662 file path=usr/include/rpc/rpc_msg.h
663 file path=usr/include/rpc/rpc_rdma.h
664 file path=usr/include/rpc/rpc_sztypes.h
665 file path=usr/include/rpc/rpcb_clnt.h
666 file path=usr/include/rpc/rpcb_prot.h
667 file path=usr/include/rpc/rpcb_prot.x
668 file path=usr/include/rpc/rpcent.h
669 file path=usr/include/rpc/rpcsec_gss.h
670 file path=usr/include/rpc/rpcsys.h
671 file path=usr/include/rpc/svc.h
672 file path=usr/include/rpc/svc_auth.h
673 file path=usr/include/rpc/svc_mt.h
674 file path=usr/include/rpc/svc_soc.h
675 file path=usr/include/rpc/types.h
676 file path=usr/include/rpc/xdr.h
677 file path=usr/include/rpcsvc/autofs_prot.h
678 file path=usr/include/rpcsvc/autofs_prot.x
679 file path=usr/include/rpcsvc/bootparam.h
680 file path=usr/include/rpcsvc/bootparam_prot.h
681 file path=usr/include/rpcsvc/bootparam_prot.x
682 file path=usr/include/rpcsvc/dbm.h
683 file path=usr/include/rpcsvc/key_prot.x
684 file path=usr/include/rpcsvc/mount.h
685 file path=usr/include/rpcsvc/mount.x
686 file path=usr/include/rpcsvc/nfs4_prot.h
687 file path=usr/include/rpcsvc/nfs4_prot.x
688 file path=usr/include/rpcsvc/nfs_acl.h
689 file path=usr/include/rpcsvc/nfs_acl.x
690 file path=usr/include/rpcsvc/nfs_prot.h
691 file path=usr/include/rpcsvc/nfs_prot.x
692 file path=usr/include/rpcsvc/nis.h
693 file path=usr/include/rpcsvc/nis.x
694 file path=usr/include/rpcsvc/nis_db.h
695 file path=usr/include/rpcsvc/nis_object.x
696 file path=usr/include/rpcsvc/nislib.h
697 file path=usr/include/rpcsvc/nlm_prot.h
698 file path=usr/include/rpcsvc/nlm_prot.x
699 file path=usr/include/rpcsvc/nsm_addr.h
700 file path=usr/include/rpcsvc/nsm_addr.x
701 file path=usr/include/rpcsvc/rpc_sztypes.h
702 file path=usr/include/rpcsvc/rpc_sztypes.x
703 file path=usr/include/rpcsvc/rquota.h
704 file path=usr/include/rpcsvc/rquota.x
705 file path=usr/include/rpcsvc/rstat.h
706 file path=usr/include/rpcsvc/rstat.x
707 file path=usr/include/rpcsvc/rusers.h
708 file path=usr/include/rpcsvc/rusers.x
709 file path=usr/include/rpcsvc/rwall.h
710 file path=usr/include/rpcsvc/rwall.x
711 file path=usr/include/rpcsvc/sm_inter.h
712 file path=usr/include/rpcsvc/sm_inter.x
713 file path=usr/include/rpcsvc/spray.h
714 file path=usr/include/rpcsvc/spray.x
715 file path=usr/include/rpcsvc/ufs_prot.h
716 file path=usr/include/rpcsvc/ufs_prot.x
717 file path=usr/include/rpcsvc/yp.x
718 file path=usr/include/rpcsvc/yp_prot.h
719 file path=usr/include/rpcsvc/ypclnt.h
720 file path=usr/include/rpcsvc/yppasswd.h

```

```

721 file path=usr/include/rpcsvc/ypupd.h
722 file path=usr/include/rsmapi.h
723 file path=usr/include/rtld_db.h
724 file path=usr/include/sac.h
725 file path=usr/include/sasl/prop.h
726 file path=usr/include/sasl/sasl.h
727 file path=usr/include/sasl/saslplug.h
728 file path=usr/include/sasl/saslutil.h
729 file path=usr/include/sched.h
730 file path=usr/include/schedctl.h
731 file path=usr/include/scsi/libscsi.h
732 file path=usr/include/scsi/libses.h
733 file path=usr/include/scsi/libses_plugin.h
734 file path=usr/include/scsi/libsmph.h
735 file path=usr/include/scsi/libsmph_plugin.h
736 file path=usr/include/scsi/plugins/ses/framework/libses.h
737 file path=usr/include/scsi/plugins/ses/framework/ses2.h
738 file path=usr/include/scsi/plugins/ses/framework/ses2_impl.h
739 file path=usr/include/scsi/plugins/ses/vendor/sun.h
740 file path=usr/include/sdp.h
741 file path=usr/include/search.h
742 file path=usr/include/secdb.h
743 file path=usr/include/security/auditd.h
744 file path=usr/include/security/cryptoki.h
745 file path=usr/include/security/pam_appl.h
746 file path=usr/include/security/pam_modules.h
747 file path=usr/include/security/pkcs11.h
748 file path=usr/include/security/pkcs11f.h
749 file path=usr/include/security/pkcs11t.h
750 file path=usr/include/semaphore.h
751 file path=usr/include/setjmp.h
752 file path=usr/include/sgtty.h
753 file path=usr/include/shal.h
754 file path=usr/include/sha2.h
755 file path=usr/include/shadow.h
756 file path=usr/include/sharefs/share.h
757 file path=usr/include/sharefs/sharefs.h
758 file path=usr/include/sharefs/sharetab.h
759 file path=usr/include/siginfo.h
760 file path=usr/include/signal.h
761 file path=usr/include/sip.h
762 file path=usr/include/skein.h
763 file path=usr/include/smbios.h
764 file path=usr/include/spawn.h
765 $(i386_ONLY)file path=usr/include/stack_unwind.h
766 file path=usr/include/stdalign.h
767 file path=usr/include/stdarg.h
768 file path=usr/include/stdbool.h
769 file path=usr/include/stddef.h
770 file path=usr/include/stdint.h
771 file path=usr/include/stdio.h
772 file path=usr/include/stdio_ext.h
773 file path=usr/include/stdio_impl.h
774 file path=usr/include/stdio_tag.h
775 file path=usr/include/stdlib.h
776 file path=usr/include/stdnoreturn.h
777 file path=usr/include/storclass.h
778 file path=usr/include/string.h
779 file path=usr/include/strings.h
780 file path=usr/include/stropts.h
781 file path=usr/include/syms.h
782 file path=usr/include/synch.h
783 file path=usr/include/sys/acct.h
784 file path=usr/include/sys/acctctl.h
785 file path=usr/include/sys/acl.h
786 file path=usr/include/sys/acl_impl.h

```

```

787 file path=usr/include/sys/acpi_drv.h
788 file path=usr/include/sys/aio.h
789 file path=usr/include/sys/aio_impl.h
790 file path=usr/include/sys/aio_req.h
791 file path=usr/include/sys/aioCb.h
792 file path=usr/include/sys/archsystem.h
793 file path=usr/include/sys/ascii.h
794 file path=usr/include/sys/asm_linkage.h
795 file path=usr/include/sys/asynch.h
796 file path=usr/include/sys/atomic.h
797 file path=usr/include/sys/attr.h
798 file path=usr/include/sys/autoconf.h
799 file path=usr/include/sys/auxv.h
800 file path=usr/include/sys/auxv_386.h
801 file path=usr/include/sys/auxv_SPARC.h
802 file path=usr/include/sys/av/ie61883.h
803 file path=usr/include/sys/avintr.h
804 file path=usr/include/sys/avl.h
805 file path=usr/include/sys/avl_impl.h
806 file path=usr/include/sys/bitmap.h
807 file path=usr/include/sys/bitset.h
808 file path=usr/include/sys/bl.h
809 file path=usr/include/sys/blkdev.h
810 file path=usr/include/sys/bofi.h
811 file path=usr/include/sys/bofi_impl.h
812 file path=usr/include/sys/bootconf.h
813 file path=usr/include/sys/bootregs.h
814 file path=usr/include/sys/bootstat.h
815 file path=usr/include/sys/bootsvcs.h
816 file path=usr/include/sys/bpp_io.h
817 file path=usr/include/sys/brand.h
818 file path=usr/include/sys/buf.h
819 file path=usr/include/sys/bufmod.h
820 file path=usr/include/sys/bustypes.h
821 file path=usr/include/sys/byteorder.h
822 file path=usr/include/sys/callb.h
823 file path=usr/include/sys/callo.h
824 file path=usr/include/sys/cap_util.h
825 file path=usr/include/sys/ccompile.h
826 file path=usr/include/sys/cdio.h
827 file path=usr/include/sys/cis.h
828 file path=usr/include/sys/cis_handlers.h
829 file path=usr/include/sys/cis_protos.h
830 file path=usr/include/sys/cladm.h
831 file path=usr/include/sys/class.h
832 file path=usr/include/sys/clconf.h
833 file path=usr/include/sys/cmlb.h
834 file path=usr/include/sys/cmm_err.h
835 file path=usr/include/sys/cmprgs.h
836 file path=usr/include/sys/compress.h
837 file path=usr/include/sys/condvar.h
838 file path=usr/include/sys/condvar_impl.h
839 file path=usr/include/sys/conf.h
840 file path=usr/include/sys/consdev.h
841 file path=usr/include/sys/console.h
842 file path=usr/include/sys/consplat.h
843 file path=usr/include/sys/contract.h
844 file path=usr/include/sys/contract/device.h
845 file path=usr/include/sys/contract/device_impl.h
846 file path=usr/include/sys/contract/process.h
847 file path=usr/include/sys/contract/process_impl.h
848 file path=usr/include/sys/contract_impl.h
849 file path=usr/include/sys/controlregs.h
850 file path=usr/include/sys/copyops.h
851 file path=usr/include/sys/core.h
852 file path=usr/include/sys/corectl.h

```

```

853 file path=usr/include/sys/cpc_impl.h
854 file path=usr/include/sys/cpc_pcbe.h
855 file path=usr/include/sys/cpr.h
856 file path=usr/include/sys/cpu.h
857 file path=usr/include/sys/cpucaps.h
858 file path=usr/include/sys/cpucaps_impl.h
859 file path=usr/include/sys/cpupart.h
860 file path=usr/include/sys/cpuvar.h
861 file path=usr/include/sys/crc32.h
862 file path=usr/include/sys/cred.h
863 file path=usr/include/sys/cred_impl.h
864 file path=usr/include/sys/crtctl.h
865 file path=usr/include/sys/crypto/api.h
866 file path=usr/include/sys/crypto/common.h
867 file path=usr/include/sys/crypto/ioctl.h
868 file path=usr/include/sys/crypto/ioctladmin.h
869 file path=usr/include/sys/crypto/spi.h
870 file path=usr/include/sys/cs.h
871 file path=usr/include/sys/cs_priv.h
872 file path=usr/include/sys/cs_strings.h
873 file path=usr/include/sys/cs_stubs.h
874 file path=usr/include/sys/cs_types.h
875 file path=usr/include/sys/csioctl.h
876 file path=usr/include/sys/ctf.h
877 file path=usr/include/sys/ctf_api.h
878 file path=usr/include/sys/ctfs.h
879 file path=usr/include/sys/ctfs_impl.h
880 file path=usr/include/sys/ctype.h
881 file path=usr/include/sys/cyclic.h
882 file path=usr/include/sys/cyclic_impl.h
883 file path=usr/include/sys/dacf.h
884 file path=usr/include/sys/dacf_impl.h
885 file path=usr/include/sys/damap.h
886 file path=usr/include/sys/damap_impl.h
887 file path=usr/include/sys/dc_ki.h
888 file path=usr/include/sys/ddi.h
889 file path=usr/include/sys/ddi_hp.h
890 file path=usr/include/sys/ddi_hp_impl.h
891 file path=usr/include/sys/ddi_impldefs.h
892 file path=usr/include/sys/ddi_implfuncs.h
893 file path=usr/include/sys/ddi_intr.h
894 file path=usr/include/sys/ddi_intr_impl.h
895 file path=usr/include/sys/ddi_isa.h
896 file path=usr/include/sys/ddi_obsolete.h
897 file path=usr/include/sys/ddi_periodic.h
898 file path=usr/include/sys/ddidevmap.h
899 file path=usr/include/sys/ddidmareq.h
900 file path=usr/include/sys/ddifm.h
901 file path=usr/include/sys/ddifm_impl.h
902 file path=usr/include/sys/ddimapreq.h
903 file path=usr/include/sys/ddipropdefs.h
904 file path=usr/include/sys/dditypes.h
905 file path=usr/include/sys/debug.h
906 file path=usr/include/sys/debugreg.h
907 file path=usr/include/sys/des.h
908 file path=usr/include/sys/devcache.h
909 file path=usr/include/sys/devcache_impl.h
910 file path=usr/include/sys/devctl.h
911 file path=usr/include/sys/devfm.h
912 file path=usr/include/sys/devid_cache.h
913 file path=usr/include/sys/devinfo_impl.h
914 file path=usr/include/sys/devops.h
915 file path=usr/include/sys/devpolicy.h
916 file path=usr/include/sys/devpoll.h
917 file path=usr/include/sys/dirent.h
918 file path=usr/include/sys/disp.h

```



```

919 file path=usr/include/sys/dkbad.h
920 file path=usr/include/sys/dkio.h
921 file path=usr/include/sys/dklabel.h
922 $(sparc_ONLY)file path=usr/include/sys/dkmpio.h
923 $(i386_ONLY)file path=usr/include/sys/dktp/altsctr.h
924 $(i386_ONLY)file path=usr/include/sys/dktp/cmpkt.h
925 file path=usr/include/sys/dktp/dadkio.h
926 file path=usr/include/sys/dktp/fdisk.h
927 file path=usr/include/sys/dl.h
928 file path=usr/include/sys/dld.h
929 file path=usr/include/sys/dlpi.h
930 file path=usr/include/sys/dls_mgmt.h
931 $(i386_ONLY)file path=usr/include/sys/dma_engine.h
932 file path=usr/include/sys/dma_i8237A.h
933 file path=usr/include/sys/dnlc.h
934 file path=usr/include/sys/door.h
935 file path=usr/include/sys/door_data.h
936 file path=usr/include/sys/door_impl.h
937 file path=usr/include/sys/dumphdr.h
938 file path=usr/include/sys/ecppio.h
939 file path=usr/include/sys/ecppreg.h
940 file path=usr/include/sys/ecppsys.h
941 file path=usr/include/sys/ecppvar.h
942 file path=usr/include/sys/edonr.h
943 file path=usr/include/sys/efi_partition.h
944 file path=usr/include/sys/elf.h
945 file path=usr/include/sys/elf_386.h
946 file path=usr/include/sys/elf_SPARC.h
947 file path=usr/include/sys/elf_amd64.h
948 file path=usr/include/sys/elf_notes.h
949 file path=usr/include/sys/elftypes.h
950 file path=usr/include/sys/epm.h
951 file path=usr/include/sys/epoll.h
952 file path=usr/include/sys/errno.h
953 file path=usr/include/sys/errorq.h
954 file path=usr/include/sys/errorq_impl.h
955 file path=usr/include/sys/esunddi.h
956 file path=usr/include/sys/ethernet.h
957 file path=usr/include/sys/euc.h
958 file path=usr/include/sys/eucioctl.h
959 file path=usr/include/sys/eventfd.h
960 file path=usr/include/sys/exacct.h
961 file path=usr/include/sys/exacct_catalog.h
962 file path=usr/include/sys/exacct_impl.h
963 file path=usr/include/sys/exec.h
964 file path=usr/include/sys/exechdr.h
965 file path=usr/include/sys/fault.h
966 file path=usr/include/sys/fbio.h
967 file path=usr/include/sys/fbuf.h
968 file path=usr/include/sys/fc4/fc.h
969 file path=usr/include/sys/fc4/fc_transport.h
970 file path=usr/include/sys/fc4/fcal.h
971 file path=usr/include/sys/fc4/fcal_linkapp.h
972 file path=usr/include/sys/fc4/fcal_transport.h
973 file path=usr/include/sys/fc4/fcio.h
974 file path=usr/include/sys/fc4/fcp.h
975 file path=usr/include/sys/fc4/linkapp.h
976 file path=usr/include/sys/fcntl.h
977 file path=usr/include/sys/fdbuffer.h
978 file path=usr/include/sys/fdio.h
979 $(sparc_ONLY)file path=usr/include/sys/fdreg.h
980 $(sparc_ONLY)file path=usr/include/sys/fdvar.h
981 file path=usr/include/sys/feature_tests.h
982 file path=usr/include/sys/fem.h
983 file path=usr/include/sys/file.h
984 file path=usr/include/sys/filio.h

```

```

985 file path=usr/include/sys/firmload.h
986 file path=usr/include/sys/flock.h
987 file path=usr/include/sys/flock_impl.h
988 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/SPARC64-VI.h
989 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-II.h
990 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-III.h
991 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-T1.h
992 file path=usr/include/sys/fm/fs/zfs.h
993 file path=usr/include/sys/fm/io/ddi.h
994 file path=usr/include/sys/fm/io/disk.h
995 file path=usr/include/sys/fm/io/opl_mc_fm.h
996 file path=usr/include/sys/fm/io/pci.h
997 file path=usr/include/sys/fm/io/scsi.h
998 file path=usr/include/sys/fm/io/sun4upci.h
999 file path=usr/include/sys/fm/protocol.h
1000 file path=usr/include/sys/fm/util.h
1001 file path=usr/include/sys/fork.h
1002 $(i386_ONLY)file path=usr/include/sys/fp.h
1003 $(sparc_ONLY)file path=usr/include/sys/fpu/fpu_simulator.h
1004 $(sparc_ONLY)file path=usr/include/sys/fpu/fpusystem.h
1005 $(sparc_ONLY)file path=usr/include/sys/fpu/globals.h
1006 $(sparc_ONLY)file path=usr/include/sys/fpu/ieee.h
1007 file path=usr/include/sys/frame.h
1008 file path=usr/include/sys/fs/autofs.h
1009 file path=usr/include/sys/fs/decomp.h
1010 file path=usr/include/sys/fs/dv_node.h
1011 file path=usr/include/sys/fs/fifonode.h
1012 file path=usr/include/sys/fs/hsfs_isospec.h
1013 file path=usr/include/sys/fs/hsfs_node.h
1014 file path=usr/include/sys/fs/hsfs_rrip.h
1015 file path=usr/include/sys/fs/hsfs_spec.h
1016 file path=usr/include/sys/fs/hsfs_susp.h
1017 file path=usr/include/sys/fs/lofs_info.h
1018 file path=usr/include/sys/fs/lofs_node.h
1019 file path=usr/include/sys/fs/mntdata.h
1020 file path=usr/include/sys/fs/namenode.h
1021 file path=usr/include/sys/fs/pc_dir.h
1022 file path=usr/include/sys/fs/pc_fs.h
1023 file path=usr/include/sys/fs/pc_label.h
1024 file path=usr/include/sys/fs/pc_node.h
1025 file path=usr/include/sys/fs/pxfs_ki.h
1026 file path=usr/include/sys/fs/sdev_impl.h
1027 file path=usr/include/sys/fs/snoder.h
1028 file path=usr/include/sys/fs/swapnode.h
1029 file path=usr/include/sys/fs/tmp.h
1030 file path=usr/include/sys/fs/tmpnode.h
1031 file path=usr/include/sys/fs/udf_inode.h
1032 file path=usr/include/sys/fs/udf_volume.h
1033 file path=usr/include/sys/fs/ufs_acl.h
1034 file path=usr/include/sys/fs/ufs_bio.h
1035 file path=usr/include/sys/fs/ufs_filio.h
1036 file path=usr/include/sys/fs/ufs_fs.h
1037 file path=usr/include/sys/fs/ufs_fsdire.h
1038 file path=usr/include/sys/fs/ufs_inode.h
1039 file path=usr/include/sys/fs/ufs_lockfs.h
1040 file path=usr/include/sys/fs/ufs_log.h
1041 file path=usr/include/sys/fs/ufs_mount.h
1042 file path=usr/include/sys/fs/ufs_panic.h
1043 file path=usr/include/sys/fs/ufs_prot.h
1044 file path=usr/include/sys/fs/ufs_quota.h
1045 file path=usr/include/sys/fs/ufs_snap.h
1046 file path=usr/include/sys/fs/ufs_trans.h
1047 file path=usr/include/sys/fs/zfs.h
1048 file path=usr/include/sys/fs_reparse.h
1049 file path=usr/include/sys/fs_subr.h
1050 file path=usr/include/sys/fsid.h

```

```

1051 $(sparc_ONLY)file path=usr/include/sys/fsr.h
1052 file path=usr/include/sys/fss.h
1053 file path=usr/include/sys/fssnap.h
1054 file path=usr/include/sys/fssnap_if.h
1055 file path=usr/include/sys/fsspriocntl.h
1056 file path=usr/include/sys/fstyp.h
1057 file path=usr/include/sys/ftrace.h
1058 file path=usr/include/sys/fix.h
1059 file path=usr/include/sys/fixpriocntl.h
1060 file path=usr/include/sys/gfs.h
1061 file path=usr/include/sys/gfx_private.h
1062 file path=usr/include/sys/gld.h
1063 file path=usr/include/sys/gldpriv.h
1064 file path=usr/include/sys/group.h
1065 file path=usr/include/sys/hdio.h
1066 file path=usr/include/sys/hook.h
1067 file path=usr/include/sys/hook_event.h
1068 file path=usr/include/sys/hook_impl.h
1069 file path=usr/include/sys/hotplug/hpcsvc.h
1070 file path=usr/include/sys/hotplug/hpctrl.h
1071 file path=usr/include/sys/hotplug/pci/pcicfg.h
1072 file path=usr/include/sys/hotplug/pci/pcihp.h
1073 file path=usr/include/sys/hwconf.h
1074 $(i386_ONLY)file path=usr/include/sys/hypervisor.h
1075 $(i386_ONLY)file path=usr/include/sys/i8272A.h
1076 file path=usr/include/sys/ia.h
1077 file path=usr/include/sys/iapriocntl.h
1078 file path=usr/include/sys/ib/adapters/hermon/hermon_ioctl.h
1079 file path=usr/include/sys/ib/adapters/mlnx_umap.h
1080 file path=usr/include/sys/ib/adapters/tavor/tavor_ioctl.h
1081 file path=usr/include/sys/ib/clients/ibd/ibd.h
1082 file path=usr/include/sys/ib/clients/of/ofa_solaris.h
1083 file path=usr/include/sys/ib/clients/of/ofed_kernel.h
1084 file path=usr/include/sys/ib/clients/of/rdma/ib_addr.h
1085 file path=usr/include/sys/ib/clients/of/rdma/ib_user_mad.h
1086 file path=usr/include/sys/ib/clients/of/rdma/ib_user_sa.h
1087 file path=usr/include/sys/ib/clients/of/rdma/ib_user_verbs.h
1088 file path=usr/include/sys/ib/clients/of/rdma/ib_verbs.h
1089 file path=usr/include/sys/ib/clients/of/rdma/rdma_cm.h
1090 file path=usr/include/sys/ib/clients/of/rdma/rdma_user_cm.h
1091 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_cma.h
1092 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ib_cma.h
1093 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_kverb_impl.h
1094 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ofs_common.h
1095 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_rdma_user_cm.h
1096 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_ucma.h
1097 file path=usr/include/sys/ib/clients/of/sol_umad/sol_umad.h
1098 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs.h
1099 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs2ucma.h
1100 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_comp.h
1101 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_event.h
1102 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_hca.h
1103 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_qp.h
1104 file path=usr/include/sys/ib/ib_pkt_hdrs.h
1105 file path=usr/include/sys/ib/ib_types.h
1106 file path=usr/include/sys/ib/ibnex/ibnex_devctl.h
1107 file path=usr/include/sys/ib/ibt1/ibci.h
1108 file path=usr/include/sys/ib/ibt1/ibti.h
1109 file path=usr/include/sys/ib/ibt1/ibti_cm.h
1110 file path=usr/include/sys/ib/ibt1/ibti_common.h
1111 file path=usr/include/sys/ib/ibt1/ibt1_ci_types.h
1112 file path=usr/include/sys/ib/ibt1/ibt1_status.h
1113 file path=usr/include/sys/ib/ibt1/ibt1_types.h
1114 file path=usr/include/sys/ib/ibt1/ibvti.h
1115 file path=usr/include/sys/ib/ibt1/impl/ibt1_util.h
1116 file path=usr/include/sys/ib/mgt/ib_dm_attr.h

```

```

1117 file path=usr/include/sys/ib/mgt/ib_mad.h
1118 file path=usr/include/sys/ib/mgt/ibmf/ibmf.h
1119 file path=usr/include/sys/ib/mgt/ibmf/ibmf_msg.h
1120 file path=usr/include/sys/ib/mgt/ibmf/ibmf_saa.h
1121 file path=usr/include/sys/ib/mgt/ibmf/ibmf_utils.h
1122 file path=usr/include/sys/ib/mgt/sa_recs.h
1123 file path=usr/include/sys/ib/mgt/sm_attr.h
1124 file path=usr/include/sys/ibpart.h
1125 file path=usr/include/sys/id32.h
1126 file path=usr/include/sys/id_space.h
1127 file path=usr/include/sys/idmap.h
1128 file path=usr/include/sys/inline.h
1129 file path=usr/include/sys/instance.h
1130 file path=usr/include/sys/int_const.h
1131 file path=usr/include/sys/int_fmtio.h
1132 file path=usr/include/sys/int_limits.h
1133 file path=usr/include/sys/int_types.h
1134 file path=usr/include/sys/inttypes.h
1135 file path=usr/include/sys/ioccom.h
1136 file path=usr/include/sys/ioctl.h
1137 $(i386_ONLY)file path=usr/include/sys/iommuib.h
1138 file path=usr/include/sys/ipc.h
1139 file path=usr/include/sys/ipc_impl.h
1140 file path=usr/include/sys/ipc_rctl.h
1141 file path=usr/include/sys/isa_defs.h
1142 file path=usr/include/sys/iso/signal_iso.h
1143 file path=usr/include/sys/jioctl.h
1144 file path=usr/include/sys/kbd.h
1145 file path=usr/include/sys/kbdreg.h
1146 file path=usr/include/sys/kbio.h
1147 file path=usr/include/sys/kcpc.h
1148 file path=usr/include/sys/kd.h
1149 file path=usr/include/sys/kdi.h
1150 file path=usr/include/sys/kdi_impl.h
1151 file path=usr/include/sys/kdi_machimpl.h
1152 $(i386_ONLY)file path=usr/include/sys/kdi_regs.h
1153 file path=usr/include/sys/kiconv.h
1154 file path=usr/include/sys/kidmap.h
1155 file path=usr/include/sys/klpd.h
1156 file path=usr/include/sys/klwp.h
1157 file path=usr/include/sys/kmem.h
1158 file path=usr/include/sys/kmem_impl.h
1159 file path=usr/include/sys/kobj.h
1160 file path=usr/include/sys/kobj_impl.h
1161 file path=usr/include/sys/ksocket.h
1162 file path=usr/include/sys/kstat.h
1163 file path=usr/include/sys/kstr.h
1164 file path=usr/include/sys/ksyms.h
1165 file path=usr/include/sys/ksynch.h
1166 file path=usr/include/sys/lc_core.h
1167 file path=usr/include/sys/ldterm.h
1168 file path=usr/include/sys/lgrp.h
1169 file path=usr/include/sys/lgrp_user.h
1170 file path=usr/include/sys/link.h
1171 file path=usr/include/sys/list.h
1172 file path=usr/include/sys/list_impl.h
1173 file path=usr/include/sys/llcl.h
1174 file path=usr/include/sys/loadavg.h
1175 file path=usr/include/sys/localedef.h
1176 file path=usr/include/sys/lock.h
1177 file path=usr/include/sys/lockfs.h
1178 file path=usr/include/sys/lofi.h
1179 file path=usr/include/sys/log.h
1180 file path=usr/include/sys/logindmux.h
1181 file path=usr/include/sys/lwp.h
1182 file path=usr/include/sys/lwp_timer_impl.h

```

1183 file path=usr/include/sys/lwp\_upimutex\_impl.h  
 1184 file path=usr/include/sys/mac.h  
 1185 file path=usr/include/sys/mac\_ether.h  
 1186 file path=usr/include/sys/mac\_flow.h  
 1187 file path=usr/include/sys/mac\_provider.h  
 1188 file path=usr/include/sys/machelf.h  
 1189 file path=usr/include/sys/machlock.h  
 1190 file path=usr/include/sys/machsig.h  
 1191 file path=usr/include/sys/machtypes.h  
 1192 file path=usr/include/sys/map.h  
 1193 \$(i386\_ONLY)file path=usr/include/sys/mc.h  
 1194 \$(i386\_ONLY)file path=usr/include/sys/mc\_amd.h  
 1195 \$(i386\_ONLY)file path=usr/include/sys/mc\_intel.h  
 1196 \$(i386\_ONLY)file path=usr/include/sys/mca\_amd.h  
 1197 \$(i386\_ONLY)file path=usr/include/sys/mca\_x86.h  
 1198 file path=usr/include/sys/mcontext.h  
 1199 file path=usr/include/sys/md4.h  
 1200 file path=usr/include/sys/md5.h  
 1201 file path=usr/include/sys/md5\_consts.h  
 1202 file path=usr/include/sys/mdi\_impldefs.h  
 1203 file path=usr/include/sys/mem.h  
 1204 file path=usr/include/sys/mem\_config.h  
 1205 file path=usr/include/sys/memlist.h  
 1206 file path=usr/include/sys/mhd.h  
 1207 file path=usr/include/sys/mii.h  
 1208 file path=usr/include/sys/miiregs.h  
 1209 file path=usr/include/sys/mkdev.h  
 1210 file path=usr/include/sys/mman.h  
 1211 file path=usr/include/sys/mmapobj.h  
 1212 file path=usr/include/sys/mntent.h  
 1213 file path=usr/include/sys/mntio.h  
 1214 file path=usr/include/sys/mnttab.h  
 1215 file path=usr/include/sys/modctl.h  
 1216 file path=usr/include/sys/mode.h  
 1217 file path=usr/include/sys/model.h  
 1218 file path=usr/include/sys/modhash.h  
 1219 file path=usr/include/sys/modhash\_impl.h  
 1220 file path=usr/include/sys/mount.h  
 1221 file path=usr/include/sys/mouse.h  
 1222 file path=usr/include/sys/msacct.h  
 1223 file path=usr/include/sys/msg.h  
 1224 file path=usr/include/sys/msg\_impl.h  
 1225 file path=usr/include/sys/msio.h  
 1226 file path=usr/include/sys/msreg.h  
 1227 file path=usr/include/sys/mtio.h  
 1228 file path=usr/include/sys/multidata.h  
 1229 file path=usr/include/sys/mutex.h  
 1230 \$(i386\_ONLY)file path=usr/include/sys/mutex\_impl.h  
 1231 file path=usr/include/sys/nbmlck.h  
 1232 file path=usr/include/sys/ndi\_impldefs.h  
 1233 file path=usr/include/sys/ndifm.h  
 1234 file path=usr/include/sys/netconfig.h  
 1235 file path=usr/include/sys/neti.h  
 1236 file path=usr/include/sys/netstack.h  
 1237 file path=usr/include/sys/nexusdefs.h  
 1238 file path=usr/include/sys/note.h  
 1239 file path=usr/include/sys/null.h  
 1240 file path=usr/include/sys/nvpair.h  
 1241 file path=usr/include/sys/nvpair\_impl.h  
 1242 file path=usr/include/sys/objfs.h  
 1243 file path=usr/include/sys/objfs\_impl.h  
 1244 file path=usr/include/sys/obpdefs.h  
 1245 file path=usr/include/sys/old\_procfs.h  
 1246 file path=usr/include/sys/open.h  
 1247 file path=usr/include/sys/openpromio.h  
 1248 file path=usr/include/sys/panic.h

1249 file path=usr/include/sys/param.h  
 1250 file path=usr/include/sys/pathconf.h  
 1251 file path=usr/include/sys/pathname.h  
 1252 file path=usr/include/sys/pattr.h  
 1253 file path=usr/include/sys/pbio.h  
 1254 file path=usr/include/sys/pcb.h  
 1255 file path=usr/include/sys/pccard.h  
 1256 file path=usr/include/sys/pci.h  
 1257 \$(i386\_ONLY)file path=usr/include/sys/pcic\_reg.h  
 1258 \$(i386\_ONLY)file path=usr/include/sys/pcic\_var.h  
 1259 file path=usr/include/sys/pcie.h  
 1260 file path=usr/include/sys/pcmcia.h  
 1261 file path=usr/include/sys/pctypes.h  
 1262 file path=usr/include/sys/pfmod.h  
 1263 file path=usr/include/sys/pg.h  
 1264 file path=usr/include/sys/pghw.h  
 1265 file path=usr/include/sys/phymem.h  
 1266 \$(i386\_ONLY)file path=usr/include/sys/pic.h  
 1267 \$(i386\_ONLY)file path=usr/include/sys/pit.h  
 1268 file path=usr/include/sys/pkp\_hash.h  
 1269 file path=usr/include/sys/pm.h  
 1270 \$(i386\_ONLY)file path=usr/include/sys/pmem.h  
 1271 file path=usr/include/sys/policy.h  
 1272 file path=usr/include/sys/poll.h  
 1273 file path=usr/include/sys/poll\_impl.h  
 1274 file path=usr/include/sys/pool.h  
 1275 file path=usr/include/sys/pool\_impl.h  
 1276 file path=usr/include/sys/pool\_pset.h  
 1277 file path=usr/include/sys/port.h  
 1278 file path=usr/include/sys/port\_impl.h  
 1279 file path=usr/include/sys/port\_kernel.h  
 1280 file path=usr/include/sys/ppmio.h  
 1281 file path=usr/include/sys/priocntl.h  
 1282 file path=usr/include/sys/priv.h  
 1283 file path=usr/include/sys/priv\_const.h  
 1284 file path=usr/include/sys/priv\_impl.h  
 1285 file path=usr/include/sys/priv\_names.h  
 1286 \$(i386\_ONLY)file path=usr/include/sys/privregs.h  
 1287 \$(i386\_ONLY)file path=usr/include/sys/privregs.h  
 1288 file path=usr/include/sys/prnio.h  
 1289 file path=usr/include/sys/proc.h  
 1290 file path=usr/include/sys/proc/prdata.h  
 1291 file path=usr/include/sys/processor.h  
 1292 file path=usr/include/sys/procfs.h  
 1293 file path=usr/include/sys/procfs\_isa.h  
 1294 file path=usr/include/sys/procset.h  
 1295 file path=usr/include/sys/project.h  
 1296 \$(i386\_ONLY)file path=usr/include/sys/prom\_emul.h  
 1297 \$(i386\_ONLY)file path=usr/include/sys/prom\_isa.h  
 1298 \$(i386\_ONLY)file path=usr/include/sys/prom\_plat.h  
 1299 file path=usr/include/sys/promif.h  
 1300 file path=usr/include/sys/promimpl.h  
 1301 file path=usr/include/sys/protosw.h  
 1302 file path=usr/include/sys/prsystem.h  
 1303 file path=usr/include/sys/pset.h  
 1304 file path=usr/include/sys/psw.h  
 1305 \$(i386\_ONLY)file path=usr/include/sys/pte.h  
 1306 file path=usr/include/sys/ptem.h  
 1307 file path=usr/include/sys/ptms.h  
 1308 file path=usr/include/sys/ptyvar.h  
 1309 file path=usr/include/sys/queue.h  
 1310 file path=usr/include/sys/raidioctl.h  
 1311 file path=usr/include/sys/ramdisk.h  
 1312 file path=usr/include/sys/random.h  
 1313 file path=usr/include/sys/rctl.h  
 1314 file path=usr/include/sys/rctl\_impl.h

1315 file path=usr/include/sys/rds.h  
1316 file path=usr/include/sys/reboot.h  
1317 file path=usr/include/sys/refstr.h  
1318 file path=usr/include/sys/refstr\_impl.h  
1319 file path=usr/include/sys/reg.h  
1320 file path=usr/include/sys/regset.h  
1321 file path=usr/include/sys/resource.h  
1322 file path=usr/include/sys/rliocntl.h  
1323 file path=usr/include/sys/rsm/rsm.h  
1324 file path=usr/include/sys/rsm/rsm\_common.h  
1325 file path=usr/include/sys/rsm/rsmapi\_common.h  
1326 file path=usr/include/sys/rsm/rsmka\_path\_int.h  
1327 file path=usr/include/sys/rsm/rsmmdi.h  
1328 file path=usr/include/sys/rsm/rsmmpi.h  
1329 file path=usr/include/sys/rsm/rsmmpi\_driver.h  
1330 file path=usr/include/sys/rt.h  
1331 \$(i386\_ONLY)file path=usr/include/sys/rtc.h  
1332 file path=usr/include/sys/rtpriocntl.h  
1333 file path=usr/include/sys/rwlock.h  
1334 file path=usr/include/sys/rwlock\_impl.h  
1335 file path=usr/include/sys/rwstlock.h  
1336 file path=usr/include/sys/sad.h  
1337 \$(i386\_ONLY)file path=usr/include/sys/sata/sata\_defs.h  
1338 \$(i386\_ONLY)file path=usr/include/sys/sata/sata\_hba.h  
1339 file path=usr/include/sys/schedctl.h  
1340 \$(sparc\_ONLY)file path=usr/include/sys/scsi/adapters/ifpio.h  
1341 file path=usr/include/sys/scsi/adapters/scsi\_vhci.h  
1342 \$(sparc\_ONLY)file path=usr/include/sys/scsi/adapters/sfvar.h  
1343 file path=usr/include/sys/scsi/conf/autoconf.h  
1344 file path=usr/include/sys/scsi/conf/device.h  
1345 file path=usr/include/sys/scsi/generic/commands.h  
1346 file path=usr/include/sys/scsi/generic/dad\_mode.h  
1347 file path=usr/include/sys/scsi/generic/inquiry.h  
1348 file path=usr/include/sys/scsi/generic/message.h  
1349 file path=usr/include/sys/scsi/generic/mode.h  
1350 file path=usr/include/sys/scsi/generic/persist.h  
1351 file path=usr/include/sys/scsi/generic/sense.h  
1352 file path=usr/include/sys/scsi/generic/sff\_frames.h  
1353 file path=usr/include/sys/scsi/generic/smp\_frames.h  
1354 file path=usr/include/sys/scsi/generic/status.h  
1355 file path=usr/include/sys/scsi/impl/commands.h  
1356 file path=usr/include/sys/scsi/impl/inquiry.h  
1357 file path=usr/include/sys/scsi/impl/mode.h  
1358 file path=usr/include/sys/scsi/impl/scsi\_reset\_notify.h  
1359 file path=usr/include/sys/scsi/impl/scsi\_sas.h  
1360 file path=usr/include/sys/scsi/impl/sense.h  
1361 file path=usr/include/sys/scsi/impl/services.h  
1362 file path=usr/include/sys/scsi/impl/smp\_transport.h  
1363 file path=usr/include/sys/scsi/impl/spc3\_types.h  
1364 file path=usr/include/sys/scsi/impl/status.h  
1365 file path=usr/include/sys/scsi/impl/transport.h  
1366 file path=usr/include/sys/scsi/impl/types.h  
1367 file path=usr/include/sys/scsi/impl/uscsi.h  
1368 file path=usr/include/sys/scsi/impl/usmp.h  
1369 file path=usr/include/sys/scsi/scsi.h  
1370 file path=usr/include/sys/scsi/scsi\_address.h  
1371 file path=usr/include/sys/scsi/scsi\_ctl.h  
1372 file path=usr/include/sys/scsi/scsi\_fm.h  
1373 file path=usr/include/sys/scsi/scsi\_names.h  
1374 file path=usr/include/sys/scsi/scsi\_params.h  
1375 file path=usr/include/sys/scsi/scsi\_pkt.h  
1376 file path=usr/include/sys/scsi/scsi\_resource.h  
1377 file path=usr/include/sys/scsi/scsi\_types.h  
1378 file path=usr/include/sys/scsi/scsi\_watch.h  
1379 file path=usr/include/sys/scsi/targets/sddef.h  
1380 file path=usr/include/sys/scsi/targets/ses.h

1381 file path=usr/include/sys/scsi/targets/sesio.h  
1382 file path=usr/include/sys/scsi/targets/sgendef.h  
1383 file path=usr/include/sys/scsi/targets/smp.h  
1384 \$(sparc\_ONLY)file path=usr/include/sys/scsi/targets/ssddef.h  
1385 file path=usr/include/sys/scsi/targets/stddef.h  
1386 file path=usr/include/sys/secflags.h  
1387 \$(i386\_ONLY)file path=usr/include/sys/segment.h  
1388 \$(i386\_ONLY)file path=usr/include/sys/segments.h  
1389 file path=usr/include/sys/select.h  
1390 file path=usr/include/sys/sem.h  
1391 file path=usr/include/sys/sem\_impl.h  
1392 file path=usr/include/sys/semaphore.h  
1393 file path=usr/include/sys/semaphore.h  
1394 file path=usr/include/sys/sendfile.h  
1395 \$(sparc\_ONLY)file path=usr/include/sys/ser\_async.h  
1396 file path=usr/include/sys/ser\_sync.h  
1397 \$(sparc\_ONLY)file path=usr/include/sys/ser\_zscc.h  
1398 file path=usr/include/sys/serializer.h  
1399 file path=usr/include/sys/session.h  
1400 file path=usr/include/sys/sha1.h  
1401 file path=usr/include/sys/sha2.h  
1402 file path=usr/include/sys/share.h  
1403 file path=usr/include/sys/shm.h  
1404 file path=usr/include/sys/shm\_impl.h  
1405 file path=usr/include/sys/sid.h  
1406 file path=usr/include/sys/signinfo.h  
1407 file path=usr/include/sys/signal.h  
1408 file path=usr/include/sys/signalfd.h  
1409 file path=usr/include/sys/skein.h  
1410 file path=usr/include/sys/sleepq.h  
1411 file path=usr/include/sys/smbios.h  
1412 file path=usr/include/sys/smbios\_impl.h  
1413 file path=usr/include/sys/smedia.h  
1414 file path=usr/include/sys/sobject.h  
1415 \$(sparc\_ONLY)file path=usr/include/sys/social\_cq\_defs.h  
1416 \$(sparc\_ONLY)file path=usr/include/sys/socialio.h  
1417 \$(sparc\_ONLY)file path=usr/include/sys/socialmap.h  
1418 \$(sparc\_ONLY)file path=usr/include/sys/socialreg.h  
1419 \$(sparc\_ONLY)file path=usr/include/sys/socialvar.h  
1420 file path=usr/include/sys/socket.h  
1421 file path=usr/include/sys/socket\_impl.h  
1422 file path=usr/include/sys/socket\_proto.h  
1423 file path=usr/include/sys/socketvar.h  
1424 file path=usr/include/sys/sockio.h  
1425 file path=usr/include/sys/spl.h  
1426 file path=usr/include/sys/queue.h  
1427 file path=usr/include/sys/queue\_impl.h  
1428 file path=usr/include/sys/sservice.h  
1429 file path=usr/include/sys/stack.h  
1430 file path=usr/include/sys/stat.h  
1431 file path=usr/include/sys/stat\_impl.h  
1432 file path=usr/include/sys/statfs.h  
1433 file path=usr/include/sys/statvfs.h  
1434 file path=usr/include/sys/stdbool.h  
1435 file path=usr/include/sys/stddef.h  
1436 file path=usr/include/sys/stdint.h  
1437 file path=usr/include/sys/stermio.h  
1438 file path=usr/include/sys/stream.h  
1439 file path=usr/include/sys/strft.h  
1440 file path=usr/include/sys/strlog.h  
1441 file path=usr/include/sys/strmdep.h  
1442 file path=usr/include/sys/stropts.h  
1443 file path=usr/include/sys/strrmdir.h  
1444 file path=usr/include/sys/strstat.h  
1445 file path=usr/include/sys/strsubr.h  
1446 file path=usr/include/sys/strsun.h

1447 file path=usr/include/sys/strtty.h  
 1448 file path=usr/include/sys/sunddi.h  
 1449 file path=usr/include/sys/sunldi.h  
 1450 file path=usr/include/sys/sunldi\_impl.h  
 1451 file path=usr/include/sys/sunmdi.h  
 1452 file path=usr/include/sys/sunndi.h  
 1453 file path=usr/include/sys/sunpm.h  
 1454 file path=usr/include/sys/suntpi.h  
 1455 file path=usr/include/sys/suntty.h  
 1456 file path=usr/include/sys/swap.h  
 1457 file path=usr/include/sys/synch.h  
 1458 file path=usr/include/sys/syscall.h  
 1459 file path=usr/include/sys/sysconf.h  
 1460 file path=usr/include/sys/sysconfig.h  
 1461 file path=usr/include/sys/sysconfig\_impl.h  
 1462 file path=usr/include/sys/sysdc.h  
 1463 file path=usr/include/sys/sysdc\_impl.h  
 1464 file path=usr/include/sys/seyevent.h  
 1465 file path=usr/include/sys/seyevent/ap\_driver.h  
 1466 file path=usr/include/sys/seyevent/dev.h  
 1467 file path=usr/include/sys/seyevent/domain.h  
 1468 file path=usr/include/sys/seyevent/dr.h  
 1469 file path=usr/include/sys/seyevent/env.h  
 1470 file path=usr/include/sys/seyevent/eventdefs.h  
 1471 file path=usr/include/sys/seyevent/ipmp.h  
 1472 file path=usr/include/sys/seyevent/pwrctl.h  
 1473 file path=usr/include/sys/seyevent/vrrp.h  
 1474 file path=usr/include/sys/seyevent\_impl.h  
 1475 \$(i386\_ONLY)file path=usr/include/sys/sysi86.h  
 1476 file path=usr/include/sys/sysinfo.h  
 1477 file path=usr/include/sys/syslog.h  
 1478 file path=usr/include/sys/sysmacros.h  
 1479 file path=usr/include/sys/systeminfo.h  
 1480 file path=usr/include/sys/systm.h  
 1481 file path=usr/include/sys/t\_kuser.h  
 1482 file path=usr/include/sys/t\_lock.h  
 1483 file path=usr/include/sys/task.h  
 1484 file path=usr/include/sys/taskq.h  
 1485 file path=usr/include/sys/taskq\_impl.h  
 1486 file path=usr/include/sys/teliocntl.h  
 1487 file path=usr/include/sys/termio.h  
 1488 file path=usr/include/sys/termios.h  
 1489 file path=usr/include/sys/termiox.h  
 1490 file path=usr/include/sys/thread.h  
 1491 file path=usr/include/sys/ticlts.h  
 1492 file path=usr/include/sys/ticots.h  
 1493 file path=usr/include/sys/ticotsord.h  
 1494 file path=usr/include/sys/tihdr.h  
 1495 file path=usr/include/sys/time.h  
 1496 file path=usr/include/sys/time\_impl.h  
 1497 file path=usr/include/sys/time\_std\_impl.h  
 1498 file path=usr/include/sys/timeb.h  
 1499 file path=usr/include/sys/timer.h  
 1500 file path=usr/include/sys/timerfd.h  
 1501 file path=usr/include/sys/times.h  
 1502 file path=usr/include/sys/timex.h  
 1503 file path=usr/include/sys/timod.h  
 1504 file path=usr/include/sys/tirdwr.h  
 1505 file path=usr/include/sys/tiuser.h  
 1506 file path=usr/include/sys/tl.h  
 1507 file path=usr/include/sys/tnf.h  
 1508 file path=usr/include/sys/tnf\_com.h  
 1509 file path=usr/include/sys/tnf\_probe.h  
 1510 file path=usr/include/sys/tnf\_writer.h  
 1511 file path=usr/include/sys/todio.h  
 1512 file path=usr/include/sys/tpicommon.h

1513 file path=usr/include/sys/trap.h  
 1514 \$(i386\_ONLY)file path=usr/include/sys/traptrace.h  
 1515 file path=usr/include/sys/ts.h  
 1516 file path=usr/include/sys/tsol/label.h  
 1517 file path=usr/include/sys/tsol/label\_macro.h  
 1518 file path=usr/include/sys/tsol/priv.h  
 1519 file path=usr/include/sys/tsol/tndb.h  
 1520 file path=usr/include/sys/tsol/tsyscall.h  
 1521 file path=usr/include/sys/tspricocntl.h  
 1522 \$(i386\_ONLY)file path=usr/include/sys/tss.h  
 1523 file path=usr/include/sys/ttcompat.h  
 1524 file path=usr/include/sys/ttold.h  
 1525 file path=usr/include/sys/tty.h  
 1526 file path=usr/include/sys/ttychars.h  
 1527 file path=usr/include/sys/ttydev.h  
 1528 \$(sparc\_ONLY)file path=usr/include/sys/tytmux.h  
 1529 \$(sparc\_ONLY)file path=usr/include/sys/tytmuxuser.h  
 1530 file path=usr/include/sys/tuneable.h  
 1531 file path=usr/include/sys/turnstile.h  
 1532 file path=usr/include/sys/types.h  
 1533 file path=usr/include/sys/types32.h  
 1534 file path=usr/include/sys/tzfile.h  
 1535 file path=usr/include/sys/u8\_textprep.h  
 1536 file path=usr/include/sys/uadmin.h  
 1537 \$(i386\_ONLY)file path=usr/include/sys/ucode.h  
 1538 file path=usr/include/sys/ucontext.h  
 1539 file path=usr/include/sys/uio.h  
 1540 file path=usr/include/sys/ulimit.h  
 1541 file path=usr/include/sys/un.h  
 1542 file path=usr/include/sys/unistd.h  
 1543 file path=usr/include/sys/user.h  
 1544 file path=usr/include/sys/ustat.h  
 1545 file path=usr/include/sys/utime.h  
 1546 file path=usr/include/sys/utrap.h  
 1547 file path=usr/include/sys/utsname.h  
 1548 file path=usr/include/sys/utssys.h  
 1549 file path=usr/include/sys/uuid.h  
 1550 file path=usr/include/sys/va\_impl.h  
 1551 file path=usr/include/sys/va\_list.h  
 1552 file path=usr/include/sys/var.h  
 1553 file path=usr/include/sys/varargs.h  
 1554 file path=usr/include/sys/vfs.h  
 1555 file path=usr/include/sys/vfs\_opreg.h  
 1556 file path=usr/include/sys/vfstab.h  
 1557 file path=usr/include/sys/videodev2.h  
 1558 file path=usr/include/sys/visual\_io.h  
 1559 file path=usr/include/sys/vm.h  
 1560 file path=usr/include/sys/vm\_usage.h  
 1561 file path=usr/include/sys/vmem.h  
 1562 file path=usr/include/sys/vmem\_impl.h  
 1563 file path=usr/include/sys/vmem\_impl\_user.h  
 1564 file path=usr/include/sys/vmparam.h  
 1565 file path=usr/include/sys/vmsystem.h  
 1566 file path=usr/include/sys/vnode.h  
 1567 file path=usr/include/sys/vt.h  
 1568 file path=usr/include/sys/vtdaemon.h  
 1569 file path=usr/include/sys/vtocc.h  
 1570 file path=usr/include/sys/vtrace.h  
 1571 file path=usr/include/sys/vuid\_event.h  
 1572 file path=usr/include/sys/vuid\_queue.h  
 1573 file path=usr/include/sys/vuid\_state.h  
 1574 file path=usr/include/sys/vuid\_store.h  
 1575 file path=usr/include/sys/vuid\_wheel.h  
 1576 file path=usr/include/sys/wait.h  
 1577 file path=usr/include/sys/waitq.h  
 1578 file path=usr/include/sys/watchpoint.h

```

1579 $(i386_ONLY)file path=usr/include/sys/x86_archext.h
1580 $(i386_ONLY)file path=usr/include/sys/xen_errno.h
1581 file path=usr/include/sys/xti_inet.h
1582 file path=usr/include/sys/xti_osi.h
1583 file path=usr/include/sys/xti_xtiopt.h
1584 file path=usr/include/sys/zcons.h
1585 file path=usr/include/sys/zmod.h
1586 file path=usr/include/sys/zone.h
1587 $(sparc_ONLY)file path=usr/include/sys/zsdev.h
1588 file path=usr/include/syssexits.h
1589 file path=usr/include/syslog.h
1590 file path=usr/include/tar.h
1591 file path=usr/include/tcpd.h
1592 file path=usr/include/term.h
1593 file path=usr/include/termcap.h
1594 file path=usr/include/termio.h
1595 file path=usr/include/termios.h
1596 file path=usr/include/thread.h
1597 file path=usr/include/thread_db.h
1598 file path=usr/include/threads.h
1599 file path=usr/include/time.h
1600 file path=usr/include/tiuser.h
1601 file path=usr/include/tsol/label.h
1602 file path=usr/include/tzfile.h
1603 file path=usr/include/ucontext.h
1604 file path=usr/include/ucred.h
1605 file path=usr/include/uid_stp.h
1606 file path=usr/include/ulimit.h
1607 file path=usr/include/umem.h
1608 file path=usr/include/umem_impl.h
1609 file path=usr/include/unctrl.h
1610 file path=usr/include/unistd.h
1611 file path=usr/include/user_attr.h
1612 file path=usr/include/userdefs.h
1613 file path=usr/include/ustat.h
1614 file path=usr/include/utility.h
1615 file path=usr/include/utime.h
1616 file path=usr/include/utmp.h
1617 file path=usr/include/utmpx.h
1618 file path=usr/include/uuid/uuid.h
1619 $(sparc_ONLY)file path=usr/include/v7/sys/machpcb.h
1620 $(sparc_ONLY)file path=usr/include/v7/sys/machtrap.h
1621 $(sparc_ONLY)file path=usr/include/v7/sys/mutex_impl.h
1622 $(sparc_ONLY)file path=usr/include/v7/sys/privregs.h
1623 $(sparc_ONLY)file path=usr/include/v7/sys/prom_isa.h
1624 $(sparc_ONLY)file path=usr/include/v7/sys/psr.h
1625 $(sparc_ONLY)file path=usr/include/v7/sys/traptrace.h
1626 $(sparc_ONLY)file path=usr/include/v9/sys/asi.h
1627 $(sparc_ONLY)file path=usr/include/v9/sys/machpcb.h
1628 $(sparc_ONLY)file path=usr/include/v9/sys/machtrap.h
1629 $(sparc_ONLY)file path=usr/include/v9/sys/membar.h
1630 $(sparc_ONLY)file path=usr/include/v9/sys/mutex_impl.h
1631 $(sparc_ONLY)file path=usr/include/v9/sys/privregs.h
1632 $(sparc_ONLY)file path=usr/include/v9/sys/prom_isa.h
1633 $(sparc_ONLY)file path=usr/include/v9/sys/psr_compat.h
1634 $(sparc_ONLY)file path=usr/include/v9/sys/vis_simulator.h
1635 file path=usr/include/valtools.h
1636 file path=usr/include/values.h
1637 file path=usr/include/varargs.h
1638 file path=usr/include/vm/anon.h
1639 file path=usr/include/vm/as.h
1640 file path=usr/include/vm/faultcode.h
1641 file path=usr/include/vm/hat.h
1642 file path=usr/include/vm/kpm.h
1643 file path=usr/include/vm/page.h
1644 file path=usr/include/vm/pvn.h

```

```

1645 file path=usr/include/vm/rm.h
1646 file path=usr/include/vm/seg.h
1647 file path=usr/include/vm/seg_dev.h
1648 file path=usr/include/vm/seg_enum.h
1649 file path=usr/include/vm/seg_kmem.h
1650 file path=usr/include/vm/seg_kp.h
1651 file path=usr/include/vm/seg_kpm.h
1652 file path=usr/include/vm/seg_map.h
1653 file path=usr/include/vm/seg_spt.h
1654 file path=usr/include/vm/seg_vn.h
1655 file path=usr/include/vm/vpage.h
1656 file path=usr/include/vm/vpm.h
1657 file path=usr/include/volmgt.h
1658 file path=usr/include/wait.h
1659 file path=usr/include/wchar.h
1660 file path=usr/include/wchar_impl.h
1661 file path=usr/include/wctype.h
1662 file path=usr/include/widec.h
1663 file path=usr/include/wordec.h
1664 file path=usr/include/xlocale.h
1665 file path=usr/include/xti.h
1666 file path=usr/include/xti_inet.h
1667 file path=usr/include/zone.h
1668 file path=usr/include/zonestat.h
1669 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/acpidev.h
1670 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/amd_iommu.h
1671 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/asm_misc.h
1672 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/clock.h
1673 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/cram.h
1674 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/ddi_subrdefs.h
1675 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/debug_info.h
1676 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/fastboot.h
1677 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/mach_mmu.h
1678 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machclock.h
1679 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machcpuvar.h
1680 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machparam.h
1681 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machprivregs.h
1682 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machsystem.h
1683 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machthread.h
1684 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/memmode.h
1685 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/pc_mmu.h
1686 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm.h
1687 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_defs.h
1688 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_modctl.h
1689 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_types.h
1690 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/rm_platter.h
1691 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/sbd_ioctl.h
1692 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/smp_impldefs.h
1693 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/vm_machparam.h
1694 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/x_call.h
1695 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_levels.h
1696 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xsvc.h
1697 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_i86.h
1698 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_pte.h
1699 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hment.h
1700 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/htable.h
1701 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/kboot_mmu.h
1702 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/balloon.h
1703 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/machprivregs.h
1704 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xen_mmu.h
1705 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xpv_impl.h
1706 $(i386_ONLY)file path=usr/platform/i86xpv/include/vm/seg_mf.h
1707 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ac.h
1708 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/async.h
1709 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cheetahregs.h
1710 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h

```

```

1711 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/clock.h
1712 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cmp.h
1713 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpc_ultra.h
1714 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpr_impl.h
1715 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_impl.h
1716 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_sgnblk_defs.h
1717 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cvc.h
1718 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/daktari.h
1719 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ddi_subrdefs.h
1720 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/dvma.h
1721 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ecc_kstat.h
1722 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/eeprom.h
1723 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl.h
1724 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_gen.h
1725 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue250.h
1726 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue450.h
1727 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/environ.h
1728 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/errclassify.h
1729 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/fhc.h
1730 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/gpio_87317.h
1731 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/hpc3130_events.h
1732 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/hpc3130.h
1733 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/i2c_client.h
1734 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/lm75.h
1735 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/max1617.h
1736 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/pcf8591.h
1737 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/ssc050.h
1738 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/misc/i2c_svc.h
1739 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/idprom.h
1740 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intr.h
1741 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intreg.h
1742 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iocache.h
1743 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ionmmu.h
1744 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ivintr.h
1745 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/lom_io.h
1746 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machasi.h
1747 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machclock.h
1748 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machcpuvar.h
1749 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machparam.h
1750 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machsystem.h
1751 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machthread.h
1752 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mem_cache.h
1753 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memlist_plat.h
1754 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memnode.h
1755 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mmu.h
1756 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/nexusdebug.h
1757 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_hwdesc.h
1758 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_module.h
1759 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_debug.h
1760 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_plat.h
1761 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/pte.h
1762 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sbd_ioctl.h
1763 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scb.h
1764 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scsb_led.h
1765 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/simmstat.h
1766 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sprtregrs.h
1767 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sram.h
1768 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1769 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sun4asi.h
1770 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysctrl.h
1771 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysioerr.h
1772 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysiosbus.h
1773 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tod.h
1774 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/todmostek.h
1775 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/trapstat.h
1776 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/traptrace.h

```

```

1777 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vis.h
1778 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vm_machparam.h
1779 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/x_call.h
1780 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_impl.h
1781 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/zsmach.h
1782 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/hat_sfmmu.h
1783 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/mach_sfmmu.h
1784 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/clock.h
1785 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cmp.h
1786 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpc_ultra.h
1787 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpu_sgnblk_defs.h
1788 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ddi_subrdefs.h
1789 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_pri.h
1790 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_smp.h
1791 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/dvma.h
1792 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/eeprom.h
1793 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fcode.h
1794 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hsvc.h
1795 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hypervisor_api.h
1796 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/idprom.h
1797 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intr.h
1798 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intreg.h
1799 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ivintr.h
1800 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machasi.h
1801 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machclock.h
1802 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machcpuvar.h
1803 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machintreg.h
1804 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machparam.h
1805 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machsystem.h
1806 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machthread.h
1807 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memlist_plat.h
1808 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memnode.h
1809 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/mmu.h
1810 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nexusdebug.h
1811 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagaraasi.h
1812 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagararegs.h
1813 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ntwdt.h
1814 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pri.h
1815 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_debug.h
1816 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_plat.h
1817 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pte.h
1818 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/qcn.h
1819 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/scb.h
1820 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/soft_state.h
1821 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/sun4asi.h
1822 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/tod.h
1823 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/trapstat.h
1824 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/traptrace.h
1825 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vis.h
1826 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vm_machparam.h
1827 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/x_call.h
1828 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/xc_impl.h
1829 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/zsmach.h
1830 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/hat_sfmmu.h
1831 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/mach_sfmmu.h
1832 file path=usr/share/man/man3head/acct.h.3head
1833 file path=usr/share/man/man3head/aio.h.3head
1834 file path=usr/share/man/man3head/ar.h.3head
1835 file path=usr/share/man/man3head/archives.h.3head
1836 file path=usr/share/man/man3head/assert.h.3head
1837 file path=usr/share/man/man3head/complex.h.3head
1838 file path=usr/share/man/man3head/cpio.h.3head
1839 file path=usr/share/man/man3head/dirent.h.3head
1840 file path=usr/share/man/man3head/endian.h.3head
1841 file path=usr/share/man/man3head/errno.h.3head
1842 file path=usr/share/man/man3head/fcntl.h.3head

```

```

1843 file path=usr/share/man/man3head/fenv.h.3head
1844 file path=usr/share/man/man3head/float.h.3head
1845 file path=usr/share/man/man3head/floatingpoint.h.3head
1846 file path=usr/share/man/man3head/fmtmsg.h.3head
1847 file path=usr/share/man/man3head/fnmatch.h.3head
1848 file path=usr/share/man/man3head/ftw.h.3head
1849 file path=usr/share/man/man3head/glob.h.3head
1850 file path=usr/share/man/man3head/grp.h.3head
1851 file path=usr/share/man/man3head/iconv.h.3head
1852 file path=usr/share/man/man3head/if.h.3head
1853 file path=usr/share/man/man3head/in.h.3head
1854 file path=usr/share/man/man3head/inet.h.3head
1855 file path=usr/share/man/man3head/inttypes.h.3head
1856 file path=usr/share/man/man3head/ipc.h.3head
1857 file path=usr/share/man/man3head/iso646.h.3head
1858 file path=usr/share/man/man3head/langinfo.h.3head
1859 file path=usr/share/man/man3head/libgen.h.3head
1860 file path=usr/share/man/man3head/libintl.h.3head
1861 file path=usr/share/man/man3head/limits.h.3head
1862 file path=usr/share/man/man3head/locale.h.3head
1863 file path=usr/share/man/man3head/math.h.3head
1864 file path=usr/share/man/man3head/mman.h.3head
1865 file path=usr/share/man/man3head/monetary.h.3head
1866 file path=usr/share/man/man3head/mqueue.h.3head
1867 file path=usr/share/man/man3head/msg.h.3head
1868 file path=usr/share/man/man3head/ndbm.h.3head
1869 file path=usr/share/man/man3head/netdb.h.3head
1870 file path=usr/share/man/man3head/nl_types.h.3head
1871 file path=usr/share/man/man3head/poll.h.3head
1872 file path=usr/share/man/man3head/pthread.h.3head
1873 file path=usr/share/man/man3head/pwd.h.3head
1874 file path=usr/share/man/man3head/regex.h.3head
1875 file path=usr/share/man/man3head/resource.h.3head
1876 file path=usr/share/man/man3head/sched.h.3head
1877 file path=usr/share/man/man3head/search.h.3head
1878 file path=usr/share/man/man3head/select.h.3head
1879 file path=usr/share/man/man3head/sem.h.3head
1880 file path=usr/share/man/man3head/semaphore.h.3head
1881 file path=usr/share/man/man3head/setjmp.h.3head
1882 file path=usr/share/man/man3head/shm.h.3head
1883 file path=usr/share/man/man3head/signinfo.h.3head
1884 file path=usr/share/man/man3head/signal.h.3head
1885 file path=usr/share/man/man3head/socket.h.3head
1886 file path=usr/share/man/man3head/spawn.h.3head
1887 file path=usr/share/man/man3head/stat.h.3head
1888 file path=usr/share/man/man3head/statvfs.h.3head
1889 file path=usr/share/man/man3head/stdbool.h.3head
1890 file path=usr/share/man/man3head/stddef.h.3head
1891 file path=usr/share/man/man3head/stdint.h.3head
1892 file path=usr/share/man/man3head/stdio.h.3head
1893 file path=usr/share/man/man3head/stdlib.h.3head
1894 file path=usr/share/man/man3head/string.h.3head
1895 file path=usr/share/man/man3head/strings.h.3head
1896 file path=usr/share/man/man3head/stropts.h.3head
1897 file path=usr/share/man/man3head/syslog.h.3head
1898 file path=usr/share/man/man3head/tar.h.3head
1899 file path=usr/share/man/man3head/tcp.h.3head
1900 file path=usr/share/man/man3head/termios.h.3head
1901 file path=usr/share/man/man3head/tgmath.h.3head
1902 file path=usr/share/man/man3head/time.h.3head
1903 file path=usr/share/man/man3head/timeb.h.3head
1904 file path=usr/share/man/man3head/times.h.3head
1905 file path=usr/share/man/man3head/types.h.3head
1906 file path=usr/share/man/man3head/types32.h.3head
1907 file path=usr/share/man/man3head/ucontext.h.3head
1908 file path=usr/share/man/man3head/uiio.h.3head

```

```

1909 file path=usr/share/man/man3head/ulimit.h.3head
1910 file path=usr/share/man/man3head/un.h.3head
1911 file path=usr/share/man/man3head/unistd.h.3head
1912 file path=usr/share/man/man3head/utime.h.3head
1913 file path=usr/share/man/man3head/utmpx.h.3head
1914 file path=usr/share/man/man3head/utsname.h.3head
1915 file path=usr/share/man/man3head/values.h.3head
1916 file path=usr/share/man/man3head/wait.h.3head
1917 file path=usr/share/man/man3head/wchar.h.3head
1918 file path=usr/share/man/man3head/wctype.h.3head
1919 file path=usr/share/man/man3head/wordep.h.3head
1920 file path=usr/share/man/man3head/xlocale.h.3head
1921 file path=usr/share/man/man4/note.4
1922 file path=usr/share/man/man5/prof.5
1923 file path=usr/share/man/man7i/cdio.7i
1924 file path=usr/share/man/man7i/dkio.7i
1925 file path=usr/share/man/man7i/fbio.7i
1926 file path=usr/share/man/man7i/fdio.7i
1927 file path=usr/share/man/man7i/hdio.7i
1928 file path=usr/share/man/man7i/iec61883.7i
1929 file path=usr/share/man/man7i/mhd.7i
1930 file path=usr/share/man/man7i/mtio.7i
1931 file path=usr/share/man/man7i/prnio.7i
1932 file path=usr/share/man/man7i/quotactl.7i
1933 file path=usr/share/man/man7i/sesio.7i
1934 file path=usr/share/man/man7i/sockio.7i
1935 file path=usr/share/man/man7i/streamio.7i
1936 file path=usr/share/man/man7i/termio.7i
1937 file path=usr/share/man/man7i/termiox.7i
1938 file path=usr/share/man/man7i/uscsi.7i
1939 file path=usr/share/man/man7i/visual_io.7i
1940 file path=usr/share/man/man7i/vt.7i
1941 file path=usr/xpg4/include/curses.h
1942 file path=usr/xpg4/include/term.h
1943 file path=usr/xpg4/include/unctrl.h
1944 legacy pkg=SUNWhea \
1945     desc="SunOS C/C++ header files for general development of software" \
1946     name="SunOS Header Files"
1947 license cr_Sun license=cr_Sun
1948 license lic_CDDL license=lic_CDDL
1949 license license_in_headers license=license_in_headers
1950 license usr/src/lib/pkcs11/include/THIRDPARTYLICENSE \
1951     license=usr/src/lib/pkcs11/include/THIRDPARTYLICENSE
1952 license usr/src/uts/common/sys/THIRDPARTYLICENSE.firmload \
1953     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.firmload
1954 link path=usr/include/iso/assert_iso.h target=./assert.h
1955 link path=usr/include/iso/errno_iso.h target=./errno.h
1956 link path=usr/include/iso/float_iso.h target=./float.h
1957 link path=usr/include/iso/iso646_iso.h target=./iso646.h
1958 $(sparc_ONLY)link path=usr/platform/SUNW,A70/include target=./sun4u/include
1959 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T12/include \
1960     target=./sun4u/include
1961 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/include \
1962     target=./sun4u/include
1963 $(sparc_ONLY)link path=usr/platform/SUNW,SPARC-Enterprise/include \
1964     target=./sun4u/include
1965 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblade1/include \
1966     target=./sun4u/include
1967 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-100/include \
1968     target=./sun4u/include
1969 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1000/include \
1970     target=./sun4u/include
1971 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1500/include \
1972     target=./sun4u/include
1973 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-2500/include \
1974     target=./sun4u/include

```



```

1975 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-15000/include \
1976     target=../sun4u/include
1977 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-280R/include \
1978     target=../sun4u/include
1979 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-480R/include \
1980     target=../sun4u/include
1981 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/include \
1982     target=../sun4u/include
1983 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/include \
1984     target=../sun4u/include
1985 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/include \
1986     target=../sun4u/include
1987 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/include \
1988     target=../sun4u/include
1989 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/include \
1990     target=../sun4u/include
1991 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/include \
1992     target=../sun4u/include
1993 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V490/include \
1994     target=../sun4u/include
1995 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V890/include \
1996     target=../sun4u/include
1997 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire/include \
1998     target=../sun4u/include
1999 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-2/include \
2000     target=../sun4u/include
2001 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-250/include \
2002     target=../sun4u/include
2003 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-4/include \
2004     target=../sun4u/include
2005 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise-10000/include \
2006     target=../sun4u/include
2007 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise/include \
2008     target=../sun4u/include
2009 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40/include \
2010     target=../sun4u/include
2011 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60/include \
2012     target=../sun4u/include
2013 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIi-Netract/include \
2014     target=../sun4u/include
2015 link path=usr/share/man/man3head/acct.3head target=acct.h.3head
2016 link path=usr/share/man/man3head/aio.3head target=aio.h.3head
2017 link path=usr/share/man/man3head/ar.3head target=ar.h.3head
2018 link path=usr/share/man/man3head/archives.3head target=archives.h.3head
2019 link path=usr/share/man/man3head/assert.3head target=assert.h.3head
2020 link path=usr/share/man/man3head/complex.3head target=complex.h.3head
2021 link path=usr/share/man/man3head/cpio.3head target=cpio.h.3head
2022 link path=usr/share/man/man3head/dirent.3head target=dirent.h.3head
2023 link path=usr/share/man/man3head/errno.3head target=errno.h.3head
2024 link path=usr/share/man/man3head/fcntl.3head target=fcntl.h.3head
2025 link path=usr/share/man/man3head/fenv.3head target=fenv.h.3head
2026 link path=usr/share/man/man3head/float.3head target=float.h.3head
2027 link path=usr/share/man/man3head/floatingpoint.3head \
2028     target=floatingpoint.h.3head
2029 link path=usr/share/man/man3head/fmtmsg.3head target=fmtmsg.h.3head
2030 link path=usr/share/man/man3head/fnmatch.3head target=fnmatch.h.3head
2031 link path=usr/share/man/man3head/ftw.3head target=ftw.h.3head
2032 link path=usr/share/man/man3head/glob.3head target=glob.h.3head
2033 link path=usr/share/man/man3head/grp.3head target=grp.h.3head
2034 link path=usr/share/man/man3head/iconv.3head target=iconv.h.3head
2035 link path=usr/share/man/man3head/if.3head target=if.h.3head
2036 link path=usr/share/man/man3head/in.3head target=in.h.3head
2037 link path=usr/share/man/man3head/inet.3head target=inet.h.3head
2038 link path=usr/share/man/man3head/inttypes.3head target=inttypes.h.3head
2039 link path=usr/share/man/man3head/ipc.3head target=ipc.h.3head
2040 link path=usr/share/man/man3head/iso646.3head target=iso646.h.3head

```

```

2041 link path=usr/share/man/man3head/langinfo.3head target=langinfo.h.3head
2042 link path=usr/share/man/man3head/libgen.3head target=libgen.h.3head
2043 link path=usr/share/man/man3head/libintl.3head target=libintl.h.3head
2044 link path=usr/share/man/man3head/limits.3head target=limits.h.3head
2045 link path=usr/share/man/man3head/locale.3head target=locale.h.3head
2046 link path=usr/share/man/man3head/math.3head target=math.h.3head
2047 link path=usr/share/man/man3head/mman.3head target=mman.h.3head
2048 link path=usr/share/man/man3head/monetary.3head target=monetary.h.3head
2049 link path=usr/share/man/man3head/mqueue.3head target=mqueue.h.3head
2050 link path=usr/share/man/man3head/msg.3head target=msg.h.3head
2051 link path=usr/share/man/man3head/ndbm.3head target=ndbm.h.3head
2052 link path=usr/share/man/man3head/netdb.3head target=netdb.h.3head
2053 link path=usr/share/man/man3head/nl_types.3head target=nl_types.h.3head
2054 link path=usr/share/man/man3head/poll.3head target=poll.h.3head
2055 link path=usr/share/man/man3head/pthread.3head target=pthread.h.3head
2056 link path=usr/share/man/man3head/pwd.3head target=pwd.h.3head
2057 link path=usr/share/man/man3head/regex.3head target=regex.h.3head
2058 link path=usr/share/man/man3head/resource.3head target=resource.h.3head
2059 link path=usr/share/man/man3head/sched.3head target=sched.h.3head
2060 link path=usr/share/man/man3head/search.3head target=search.h.3head
2061 link path=usr/share/man/man3head/select.3head target=select.h.3head
2062 link path=usr/share/man/man3head/sem.3head target=sem.h.3head
2063 link path=usr/share/man/man3head/semaphore.3head target=semaphore.h.3head
2064 link path=usr/share/man/man3head/setjmp.3head target=setjmp.h.3head
2065 link path=usr/share/man/man3head/shm.3head target=shm.h.3head
2066 link path=usr/share/man/man3head/signinfo.3head target=signinfo.h.3head
2067 link path=usr/share/man/man3head/signal.3head target=signal.h.3head
2068 link path=usr/share/man/man3head/socket.3head target=socket.h.3head
2069 link path=usr/share/man/man3head/spawn.3head target=spawn.h.3head
2070 link path=usr/share/man/man3head/stat.3head target=stat.h.3head
2071 link path=usr/share/man/man3head/statvfs.3head target=statvfs.h.3head
2072 link path=usr/share/man/man3head/stdbool.3head target=stdbool.h.3head
2073 link path=usr/share/man/man3head/stddef.3head target=stddef.h.3head
2074 link path=usr/share/man/man3head/stdint.3head target=stdint.h.3head
2075 link path=usr/share/man/man3head/stdio.3head target=stdio.h.3head
2076 link path=usr/share/man/man3head/stdlib.3head target=stdlib.h.3head
2077 link path=usr/share/man/man3head/string.3head target=string.h.3head
2078 link path=usr/share/man/man3head/strings.3head target=strings.h.3head
2079 link path=usr/share/man/man3head/stropts.3head target=stropts.h.3head
2080 link path=usr/share/man/man3head/syslog.3head target=syslog.h.3head
2081 link path=usr/share/man/man3head/tar.3head target=tar.h.3head
2082 link path=usr/share/man/man3head/tcp.3head target=tc.h.3head
2083 link path=usr/share/man/man3head/termios.3head target=termios.h.3head
2084 link path=usr/share/man/man3head/tgmath.3head target=tgmath.h.3head
2085 link path=usr/share/man/man3head/time.3head target=time.h.3head
2086 link path=usr/share/man/man3head/timeb.3head target=timeb.h.3head
2087 link path=usr/share/man/man3head/times.3head target=times.h.3head
2088 link path=usr/share/man/man3head/types.3head target=types.h.3head
2089 link path=usr/share/man/man3head/types32.3head target=types32.h.3head
2090 link path=usr/share/man/man3head/ucontext.3head target=ucontext.h.3head
2091 link path=usr/share/man/man3head/uio.3head target=uio.h.3head
2092 link path=usr/share/man/man3head/ulimit.3head target=ulimit.h.3head
2093 link path=usr/share/man/man3head/un.3head target=un.h.3head
2094 link path=usr/share/man/man3head/unistd.3head target=unistd.h.3head
2095 link path=usr/share/man/man3head/utime.3head target=utime.h.3head
2096 link path=usr/share/man/man3head/utmpx.3head target=utmpx.h.3head
2097 link path=usr/share/man/man3head/utsname.3head target=utsname.h.3head
2098 link path=usr/share/man/man3head/values.3head target=values.h.3head
2099 link path=usr/share/man/man3head/wait.3head target=wait.h.3head
2100 link path=usr/share/man/man3head/wchar.3head target=wchar.h.3head
2101 link path=usr/share/man/man3head/wctype.3head target=wctype.h.3head
2102 link path=usr/share/man/man3head/wordexp.3head target=wordexp.h.3head
2103 link path=usr/share/man/man3head/xlocale.3head target=xlocale.h.3head
2104 $(i386_ONLY)link path=usr/share/src/uts/i86pc/sys \
2105     target=../../../../platform/i86pc/include/sys
2106 $(i386_ONLY)link path=usr/share/src/uts/i86pc/vm \

```

```
2107     target=../../../../platform/i86pc/include/vm
2108 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/sys \
2109     target=../../../../platform/i86xpv/include/sys
2110 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/vm \
2111     target=../../../../platform/i86xpv/include/vm
2112 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/sys \
2113     target=../../../../platform/sun4u/include/sys
2114 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/vm \
2115     target=../../../../platform/sun4u/include/vm
2116 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/sys \
2117     target=../../../../platform/sun4v/include/sys
2118 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/vm \
2119     target=../../../../platform/sun4v/include/vm
```

new/usr/src/ucbcmd/Makefile

1

```

*****
3632 Fri May 26 19:08:17 2017
new/usr/src/ucbcmd/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 #
27 # ucbcmd/Makefile
28 #
29 # include global definitions; SRC should be defined in the shell.
30 # SRC is needed until RPE 1026993 is implemented.
31 include $(SRC)/Makefile.master
32 include $(SRC)/ucbcmd/Makefile.ucbcmd
33 #
34 COMMON_SUBDIRS= \
35     basename \
36     biff \
37     chown \
38     df \
39     du \
40     echo \
41     expr \
42     fastboot \
43     fasthalt \
44     file \
45     from \
46     groups \
47     install.d \
48     ln \
49     ls \
50     mkstr \
51     printenv \
52     rusage \
53     sed \
54     shutdown \
55     stty \
56     sum \
57     test \
58     touch \
59     tr \
60     tset \
61     users \

```

new/usr/src/ucbcmd/Makefile

2

```

62     vipw \
63     whereis \
64     whoami \
65 #
66 sparc_SUBDIRS= sbcp
67 #
68 SUBDIRS= $(COMMON_SUBDIRS) $(MACH)_SUBDIRS
69 #
70 # commands messaged
71 MSGSUBDIRS = biff install.d mkstr rusage shutdown
72 #
73 BWOSDIRS=
74 #
75 all:= TARGET= all
76 install:= TARGET= install
77 clean:= TARGET= clean
78 clobber:= TARGET= clobber
79 lint:= TARGET= lint
80 _msg:= TARGET= _msg
81 #
82 # Since pre-5.0 system users were told to put /usr/5bin in their path to
83 # get the 5.0 system behavior, we need this link so that the PATH of
84 # /usr/5bin:/usr/ucb:/usr/bin does the right thing. (let's see, without
85 # this link, 5.0 behaves like UCB and 4.1 behaves like SysV... I'm so
86 # confused...)
87 ROOTUSR = $(ROOT)/usr
88 S5LINK = $(ROOTUSR)/5bin
89 DICTLINK = $(ROOTUSR)/dict
90 #
91 # Symbolic links for source compatibility. Many utilities that
92 # were under /usr/ucb in SunOS 4.1, are now in the base; the
93 # symbolic links are provided for compatibility.
94 LINKDEST= ../bin/$(@F)
95 #
96 BINLINKS= \
97     arch \
98     clear \
99     e \
100    edit \
101    ex \
102    vedit \
103    vi \
104    view \
105    finger \
106    fmt \
107    fold \
108    ftp \
109    head \
110    hostid \
111    hostname \
112    logger \
113    mach \
114    more \
115    page \
116    pagesize \
117    netstat \
118    quota \
119    rcp \
120    rdate \
121    renice \
122    rlogin \
123    rsh \
124    ruptime \
125    rwho \
124    script \
125    tail \

```

new/usr/src/ucbcmd/Makefile

3

```
126      talk          \|
127      tcopy         \|
128      telnet        \|
129      tftp          \|
130      uptime        \|
131      vacation      \|
132      vmstat        \|
133      w             \|
134      wc            \|
135      whois         \|
136      xstr          \|

138 ROOTBINLINKS = $(BINLINKS:%=$(ROOTBIN)/%)

140 OTHERLINKS = $(ROOTETC)/termcap \
141              $(ROOTSHLIB)/zoneinfo/posixrules

143 $(S5LINK) :=          LINKDEST= bin
144 $(DICTLINK) :=       LINKDEST= share/lib/dict
145 $(ROOTBIN)/e :=     LINKDEST= ../bin/edit
146 $(ROOTBIN)/ex :=    LINKDEST= ../bin/edit
147 $(ROOTBIN)/page :=  LINKDEST= ../bin/more
148 $(ROOTBIN)/quota := LINKDEST= ../lib/fs/ufs/quota
149 $(ROOTETC)/termcap := LINKDEST= ../usr/share/lib/termcap
150 $(ROOTBIN)/vi :=    LINKDEST= ../bin/edit
151 $(ROOTBIN)/view :=  LINKDEST= ../bin/edit
152 $(ROOTSHLIB)/zoneinfo/posixrules := LINKDEST= US/Eastern

154 .KEEP_STATE:

156 .PARALLEL:      $(SUBDIRS)

158 all clean clobber: $(SUBDIRS)

160 install: $(SUBDIRS) .WAIT rootlinks

162 # For messaging catalog
163 #
164 _msg:  $(MSGSUBDIRS)

168 bwos: $(BWOSDIRS) .WAIT $(SUBDIRS)

170 $(BWOSDIRS) $(SUBDIRS): FRC
171     @cd $@; pwd; $(MAKE) $(TARGET)

173 rootlinks: $(S5LINK) $(DICTLINK) $(ROOTBINLINKS) $(OTHERLINKS)

175 $(S5LINK) $(DICTLINK) $(ROOTBINLINKS) $(OTHERLINKS):
176     $(RM) $@; $(SYMLINK) $(LINKDEST) $@

178 FRC:
```