

```

*****
27427 Fri Nov 9 22:01:42 2012
new/exception_lists/packaging
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 #endif /* ! codereview */
27 #
28 #
29 #
30 # Exception List for validate_pkg
31 #
32 #
33 #
34 # The following entries are built in the /proto area
35 # but not included in any packages - this is intentional.
36 #
37 usr/include/auth_list.h
38 usr/include/bsm/audit_door_infc.h
39 usr/include/bsm/audit_private.h
40 usr/include/bsm/devalloc.h
41 usr/include/getxby_door.h
42 usr/include/passwdutil.h
43 usr/include/priv_utils.h
44 usr/include/rpcsvc/daemon_utils.h
45 usr/include/rpcsvc/svc_dg_priv.h
46 usr/include/security/pam_impl.h
47 usr/include/sys/clock_impl.h
48 usr/include/sys/ieeefp.h
49 usr/include/sys/winlockio.h
50 usr/include/scsi/plugins/ses/vendor/sun_impl.h
51 #
52 # Private/Internal libraries of the Cryptographic Framework.
53 #
54 lib/libkcf.so
55 lib/libelfsign
56 lib/libelfsign.ln
57 lib/liblkcfd
58 lib/liblkcfd.ln
59 usr/include/libelfsign.h
60 usr/lib/lib-lsoftcrypto
61 usr/lib/lib-lsoftcrypto.ln

```

```

62 usr/lib/amd64/lib-lsoftcrypto.ln      i386
63 usr/lib/sparcv9/lib-lsoftcrypto.ln    sparc
64 #
65 #
66 # The following files are used by the DHCP service, the
67 # standalone's DHCP implementation, and the kernel (nfs_dhboot).
68 # They contain interfaces which are currently private.
69 #
70 usr/include/dhcp_svc_confkey.h
71 usr/include/dhcp_svc_confopt.h
72 usr/include/dhcp_svc_private.h
73 usr/include/dhcp_symbol.h
74 usr/include/sys/sunos_dhcp_class.h
75 usr/lib/libdhcpsvc.so
76 usr/lib/lib-ldhcpsvc
77 usr/lib/lib-ldhcpsvc.ln
78 #
79 # Private MAC driver header files
80 #
81 usr/include/inet/iptun.h
82 usr/include/sys/aggr_impl.h
83 usr/include/sys/aggr.h
84 usr/include/sys/dld_impl.h
85 usr/include/sys/dld_ioc.h
86 usr/include/sys/dls_impl.h
87 usr/include/sys/dls.h
88 usr/include/sys/mac_client_impl.h
89 usr/include/sys/mac_client.h
90 usr/include/sys/mac_flow_impl.h
91 usr/include/sys/mac_impl.h
92 usr/include/sys/mac_soft_ring.h
93 usr/include/sys/mac_stat.h
94 #
95 # Private GLDv3 userland libraries and headers
96 #
97 usr/include/libdladm_impl.h
98 usr/include/libdlaggr.h
99 usr/include/libdlether.h
100 usr/include/libdlflow_impl.h
101 usr/include/libdlflow.h
102 usr/include/libdliptun.h
103 usr/include/libdlmgmt.h
104 usr/include/libdlsim.h
105 usr/include/libdlstat.h
106 usr/include/libdlvnic.h
107 usr/include/libdlwlan_impl.h
108 usr/include/libdlwlan.h
109 #
110 # Virtual Network Interface Card (VNIC)
111 #
112 usr/include/sys/vnic.h
113 usr/include/sys/vnic_impl.h
114 #
115 # Private libipadm lint library and header files
116 #
117 usr/include/ipadm_ipmgmt.h
118 usr/include/ipadm_ndpd.h
119 usr/include/libipadm.h
120 lib/libipadm
121 lib/libipadm.ln
122 lib/libipadm.so
123 #
124 # Private libsocket header file
125 #
126 usr/include/libsocket_priv.h
127 #

```

```

128 # IKE and IPsec support library exceptions. The IKE support
129 # library contains exclusively private interfaces, as does
130 # libipsecutil. My apologies for the glut of header files here.
131 #
132 usr/include/errfp.h
133 usr/include/ikedoor.h
134 usr/include/ipsec_util.h
135 usr/lib/libike.so
136 usr/lib/amd64/libike.so          i386
137 usr/lib/sparcv9/libike.so       sparc
138 usr/lib/libipsecutil.so
139 usr/lib/amd64/libipsecutil.so   i386
140 usr/lib/sparcv9/libipsecutil.so sparc
141 usr/lib/llib-like
142 usr/lib/llib-like.ln
143 usr/lib/amd64/llib-like.ln     i386
144 usr/lib/sparcv9/llib-like.ln   sparc
145 usr/lib/llib-lipsecutil
146 usr/lib/llib-lipsecutil.ln
147 usr/lib/amd64/llib-lipsecutil.ln i386
148 usr/lib/sparcv9/llib-lipsecutil.ln sparc
149 #
150 usr/include/inet/ip_impl.h
151 usr/include/inet/ip_ndp.h
152 usr/include/inet/ip2mac_impl.h
153 usr/include/inet/ip2mac.h
154 usr/include/inet/rawip_impl.h
155 usr/include/inet/tcp_impl.h
156 usr/include/inet/udp_impl.h
157 usr/include/libmail.h
158 usr/include/libnwam_priv.h
159 usr/include/protocols/ripngd.h
160 usr/include/s_string.h
161 usr/include/sys/logindmux_impl.h
162 usr/include/sys/vgareg.h
163 #
164 # Some IPsec headers can't be shipped lest we hit export controls...
165 #
166 usr/include/inet/ipsec_impl.h
167 usr/include/inet/ipsec_info.h
168 usr/include/inet/ipsec.h
169 usr/include/inet/ipsecesp.h
170 usr/include/inet/keysock.h
171 usr/include/inet/sadb.h
172 usr/include/sys/sha1_consts.h
173 usr/include/sys/sha2_consts.h
174 #
175 #
176 # Filtering out directories not shipped
177 #
178 usr/4lib          i386
179 #
180 # These files contain definitions shared privately between the kernel
181 # and libc. There is no reason for them to be part of a package that
182 # a customer should ever see. They are installed in the proto area by
183 # the uts build because libc and other components, like truss, are
184 # dependent upon their contents and should not have their own copies.
185 #
186 usr/include/sys/libc_kernel.h
187 usr/include/sys/synch32.h
188 #
189 # These files are installed in the proto area by the build of libproc for
190 # the benefit of the builds of cmd/truss, cmd/gcore and cmd/ptools, which
191 # use libproc as their common process-control library. These are not
192 # interfaces for customer use, so the files are excluded from packaging.
193 #

```

```

194 lib/llib-lproc
195 lib/llib-lproc.ln
196 lib/amd64/llib-lproc.ln       i386
197 lib/sparcv9/llib-lproc.ln     sparc
198 usr/include/libproc.h
199 #
200 # Private interfaces for libdisasm
201 #
202 usr/include/libdisasm.h
203 usr/lib/llib-ldisasm
204 usr/lib/llib-ldisasm.ln
205 usr/lib/amd64/llib-ldisasm.ln i386
206 usr/lib/sparcv9/llib-ldisasm.ln sparc
207 #
208 # Private interfaces for libraidcfg
209 #
210 usr/include/raidcfg_spi.h
211 usr/include/raidcfg.h
212 usr/lib/libraidcfg.so
213 usr/lib/amd64/libraidcfg.so     i386
214 usr/lib/sparcv9/libraidcfg.so   sparc
215 usr/lib/llib-lraidcfg
216 usr/lib/llib-lraidcfg.ln
217 usr/lib/amd64/llib-lraidcfg.ln i386
218 usr/lib/sparcv9/llib-lraidcfg.ln sparc
219 #
220 # This file is used for private communication between mdb, drv/kmdb, and
221 # misc/kmdb. The interfaces described herein are not intended for customer
222 # use, and are thus excluded from packaging.
223 #
224 usr/include/sys/kmdb.h
225 #
226 # These files are installed in the proto area by the build of libdhcpagent
227 # and libdhcputil for the benefit of DHCP-related networking commands such
228 # as dhcpageant, dhcpcinfo, ifconfig, and netstat. These are not interfaces
229 # for customer use, so the files are excluded from packaging.
230 #
231 lib/libdhcpagent.so
232 lib/libdhcputil.so
233 lib/amd64/libdhcputil.so       i386
234 lib/sparcv9/libdhcputil.so     sparc
235 #endif /* ! codereview */
236 lib/llib-ldhcpagent
237 lib/llib-ldhcpagent.ln
238 lib/llib-ldhcputil
239 lib/llib-ldhcputil.ln
240 lib/amd64/llib-ldhcputil.ln   i386
241 lib/sparcv9/llib-ldhcputil.ln sparc
242 #endif /* ! codereview */
243 usr/include/dhcp_hostconf.h
244 usr/include/dhcp_impl.h
245 usr/include/dhcp_inittab.h
246 usr/include/dhcp_stable.h
247 usr/include/dhcp_symbol_common.h
248 usr/include/dhcpagent_ipc.h
249 usr/include/dhcpagent_util.h
250 usr/include/dhcpmsg.h
251 usr/lib/libdhcpagent.so
252 usr/lib/libdhcputil.so
253 usr/lib/amd64/libdhcputil.so   i386
254 usr/lib/sparcv9/libdhcputil.so sparc
255 #endif /* ! codereview */
256 usr/lib/llib-ldhcpagent
257 usr/lib/llib-ldhcpagent.ln
258 usr/lib/llib-ldhcputil
259 usr/lib/llib-ldhcputil.ln

```

```

260 usr/lib/amd64/llib-ldhcputil.ln      i386
261 usr/lib/sparcv9/llib-ldhcputil.ln    sparc
262 #endif /* ! codereview */
263 #
264 # These files are installed in the proto area by the build of libinstzones
265 # and libpkg
266 #
267 usr/lib/llib-linstzones
268 usr/lib/llib-linstzones.ln
269 usr/lib/amd64/llib-linstzones.ln      i386
270 usr/lib/sparcv9/llib-linstzones.ln    sparc
271 #endif /* ! codereview */
272 usr/lib/llib-lpkg
273 usr/lib/llib-lpkg.ln
274 #
275 # Don't ship header files private to libipmp and in.mpathd
276 #
277 usr/include/ipmp_query_impl.h
278 #
279 # These files are installed in the proto area by the build of libinetsvc,
280 # an inetd-specific library shared by inetd, inetadm and inetconv. Only
281 # the shared object is shipped.
282 #
283 usr/include/inetsvc.h
284 usr/lib/libinetsvc.so
285 usr/lib/llib-linetsvc
286 usr/lib/llib-linetsvc.ln
287 #
288 # These files are installed in the proto area by the build of libinetutil,
289 # a general purpose library for the benefit of internet utilities. Only
290 # the shared object is shipped.
291 #
292 lib/libinetutil.so
293 lib/amd64/libinetutil.so                i386
294 lib/sparcv9/libinetutil.so             sparc
295 lib/llib-linetutil
296 lib/llib-linetutil.ln
297 lib/amd64/llib-linetutil.ln           i386
298 lib/sparcv9/llib-linetutil.ln        sparc
299 usr/include/libinetutil.h
300 usr/include/netinet/inetutil.h
301 usr/include/ofmt.h
302 usr/lib/libinetutil.so
303 usr/lib/amd64/libinetutil.so            i386
304 usr/lib/sparcv9/libinetutil.so         sparc
305 usr/lib/llib-linetutil
306 usr/lib/llib-linetutil.ln
307 usr/lib/amd64/llib-linetutil.ln       i386
308 usr/lib/sparcv9/llib-linetutil.ln     sparc
309 #
310 # Miscellaneous kernel interfaces or kernel<->user interfaces that are
311 # consolidation private and we do not want to export at this time.
312 #
313 usr/include/sys/cryptmod.h
314 usr/include/sys/dumpadm.h
315 usr/include/sys/ontrap.h
316 usr/include/sys/sysmsg_impl.h
317 usr/include/sys/vlan.h
318 #
319 # These files are installed in the proto area so lvm can use
320 # them during the build process.
321 #
322 lib/llib-lmeta
323 lib/llib-lmeta.ln
324 usr/include/sdssc.h
325 usr/lib/llib-lmeta

```

```

326 usr/lib/llib-lmeta.ln
327 #
328 # non-public pci header
329 #
330 usr/include/sys/pci_impl.h
331 usr/include/sys/pci_tools.h
332 #
333 # Exception list for RCM project, included by librcm and rcm_daemon
334 #
335 usr/include/librcm_event.h
336 usr/include/librcm_impl.h
337 #
338 # MDB deliverables that are not yet public
339 #
340 usr/lib/mdb/proc/mdb_test.so
341 usr/lib/mdb/proc/sparcv9/mdb_test.so    sparc
342 #
343 # SNCA project exception list
344 #
345 usr/include/inet/kssl/kssl.h
346 usr/include/inet/kssl/ksslimpl.h
347 usr/include/inet/kssl/ksslproto.h
348 usr/include/inet/nca
349 #
350 # these are "removed" from the source product build because the only
351 # packages that currently deliver them are removed.
352 # they really should't be in here.
353 #
354 etc/sfw
355 #
356 # Entries for the libmech_krb5 symlink, which has been included
357 # for build purposes only, not delivered to customers.
358 #
359 usr/lib/gss/libmech_krb5.so
360 usr/lib/amd64/gss/libmech_krb5.so       i386
361 usr/lib/sparcv9/gss/libmech_krb5.so    sparc
362 usr/lib/libmech_krb5.so
363 usr/lib/amd64/libmech_krb5.so           i386
364 usr/lib/sparcv9/libmech_krb5.so        sparc
365 #
366 # Entries for headers from efcodes project which user does not need to see
367 #
368 usr/platform/sun4u/include/sys/fc_plat.h      sparc
369 usr/platform/sun4u/include/sys/fcode.h        sparc
370 #
371 # Private net80211 headers
372 #
373 usr/include/sys/net80211_crypto.h
374 usr/include/sys/net80211_ht.h
375 usr/include/sys/net80211_proto.h
376 usr/include/sys/net80211.h
377 #
378 usr/include/net/wpa.h
379 #
380 # PPPoE files not delivered to customers.
381 #
382 usr/include/net/pppoe.h
383 usr/include/net/sppptun.h
384 #
385 # Simnet
386 #
387 usr/include/net/simnet.h
388 #
389 # Bridging internal data structures
390 #
391 usr/include/net/bridge_impl.h

```

```

392 #
393 # User<->kernel interface used by cfgadm/USB only
394 #
395 usr/include/sys/usb/hubd/hubd_impl.h
396 #
397 # User<->kernel interface used by cfgadm/SATA only
398 #
399 usr/include/sys/sata/sata_cfgadm.h          i386
400 #
401 # Private ucred kernel header
402 #
403 usr/include/sys/ucred.h
404 #
405 # Private and/or platform-specific smf(5) files
406 #
407 lib/librestart.so
408 lib/llib-lrestart
409 lib/llib-lrestart.ln
410 lib/amd64/llib-lrestart.ln          i386
411 lib/sparcv9/llib-lrestart.ln       sparc
412 usr/include/libcontract_priv.h
413 usr/include/librestart_priv.h
414 usr/include/librestart.h
415 usr/lib/librestart.so
416 usr/lib/sparcv9/librestart.so       sparc
417 lib/svc/manifest/platform/sun4u    i386
418 lib/svc/manifest/platform/sun4v    i386
419 var/svc/manifest/platform/sun4u    i386
420 var/svc/manifest/platform/sun4v    i386
421 etc/svc/profile/platform_sun4v.xml  i386
422 etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml i386
423 etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml i386
424 etc/svc/profile/platform_SUNW,Sun-Fire-880.xml i386
425 etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml i386
426 etc/svc/profile/platform_SUNW,Sun-Fire.xml i386
427 etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml i386
428 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml i386
429 etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml i386
430 etc/svc/profile/platform_SUNW,UltraSPARC-IIi-NetraCT.xml i386
431 #
432 # Private libuutil files
433 #
434 lib/libuutil.so
435 lib/llib-luutil
436 lib/llib-luutil.ln
437 lib/sparcv9/llib-luutil.ln         sparc
438 usr/include/libuutil_impl.h
439 usr/lib/libuutil.so
440 usr/lib/sparcv9/libuutil.so         sparc
441 #
442 # Private Multidata file.
443 #
444 usr/include/sys/multidata_impl.h
445 #
446 # The following files are used by wanboot.
447 # They contain interfaces which are currently private.
448 #
449 usr/include/sys/wanboot_impl.h
450 usr/include/wanboot
451 usr/include/wanbootutil.h
452 #
453 # Even though all the objects built under usr/src/stand are later glommed
454 # together into a couple of second-stage boot loaders, we dump the static
455 # archives and lint libraries into $(ROOT)/stand for intermediate use
456 # (e.g., for lint, linking the second-stage boot loaders, ...). Since
457 # these are merely intermediate objects, they do not need to be packaged.

```

```

458 #
459 stand                                sparc
460 #
461 # Private KCF header files
462 #
463 usr/include/sys/crypto/elfsign.h
464 usr/include/sys/crypto/impl.h
465 usr/include/sys/crypto/ops_impl.h
466 usr/include/sys/crypto/sched_impl.h
467 #
468 # The following files are installed in the proto area
469 # by the build of libavl (AVL Tree Interface Library).
470 # libavl contains interfaces which are all private interfaces.
471 #
472 lib/libavl.so
473 lib/amd64/libavl.so                  i386
474 lib/sparcv9/libavl.so                sparc
475 lib/llib-lavl
476 lib/llib-lavl.ln
477 lib/amd64/llib-lavl.ln              i386
478 lib/sparcv9/llib-lavl.ln           sparc
479 usr/lib/libavl.so
480 usr/lib/amd64/libavl.so              i386
481 usr/lib/sparcv9/libavl.so            sparc
482 usr/lib/llib-lavl
483 usr/lib/llib-lavl.ln
484 usr/lib/amd64/llib-lavl.ln          i386
485 usr/lib/sparcv9/llib-lavl.ln       sparc
486 #
487 # The following files are installed in the proto area
488 # by the build of libcmdutils (Command Utilities Library).
489 # libcmdutils contains interfaces which are all private interfaces.
490 #
491 lib/libcmdutils.so
492 lib/amd64/libcmdutils.so             i386
493 lib/sparcv9/libcmdutils.so           sparc
494 lib/llib-lcmdutils
495 lib/llib-lcmdutils.ln
496 lib/amd64/llib-lcmdutils.ln         i386
497 lib/sparcv9/llib-lcmdutils.ln       sparc
498 usr/include/libcmdutils.h
499 usr/lib/libcmdutils.so
500 usr/lib/amd64/libcmdutils.so          i386
501 usr/lib/sparcv9/libcmdutils.so        sparc
502 usr/lib/llib-lcmdutils
503 usr/lib/llib-lcmdutils.ln
504 usr/lib/amd64/llib-lcmdutils.ln     i386
505 usr/lib/sparcv9/llib-lcmdutils.ln   sparc
506 #
507 # Private interfaces in libsec
508 #
509 usr/include/acutils.h
510 #
511 # USB skeleton driver stays in sync with the rest of USB but doesn't ship.
512 #
513 kernel/drv/usbskel                  i386
514 kernel/drv/amd64/usbskel             i386
515 kernel/drv/sparcv9/usbskel           sparc
516 kernel/drv/usbskel.conf
517 #
518 # Consolidation and Sun private libdevid interfaces
519 # Public libdevid interfaces provided by devid.h
520 #
521 usr/include/sys/libdevid.h
522 #
523 # The following files are installed in the proto area by the build of

```

```

524 # libprtdiag. libprtdiag contains interfaces which are all private.
525 # Only the shared object is shipped.
526 #
527 usr/platform/sun4u/lib/llib-lprtdiag          sparc
528 usr/platform/sun4u/lib/llib-lprtdiag.ln      sparc
529 usr/platform/sun4v/lib/llib-lprtdiag.ln      sparc
530 #
531 # The following files are installed in the proto area by the build of
532 # mdesc driver in sun4v. These header files are used on in the build
533 # and do not need to be shipped to customers.
534 #
535 usr/include/sys/mdesc.h                      sparc
536 usr/include/sys/mdesc_impl.h                sparc
537 usr/platform/sun4v/include/sys/mach_descrip.h sparc
538 #
539 # The following files are installed in the proto area by the build of
540 # libpcp. libpcp contains interfaces which are all private.
541 # Only the shared object is shipped.
542 #
543 usr/platform/sun4v/lib/llib-lpcp.ln          sparc
544 usr/platform/SUNW,Netra-CP3060/lib/llib-lpcp.ln sparc
545 usr/platform/SUNW,Netra-CP3260/lib/llib-lpcp.ln sparc
546 usr/platform/SUNW,Netra-T5220/lib/llib-lpcp.ln sparc
547 usr/platform/SUNW,Netra-T5440/lib/llib-lpcp.ln sparc
548 usr/platform/SUNW,SPARC-Enterprise-T5120/lib/llib-lpcp.ln sparc
549 usr/platform/SUNW,Sun-Blade-T6300/lib/llib-lpcp.ln sparc
550 usr/platform/SUNW,Sun-Blade-T6320/lib/llib-lpcp.ln sparc
551 usr/platform/SUNW,Sun-Fire-T200/lib/llib-lpcp.ln sparc
552 usr/platform/SUNW,T5140/lib/llib-lpcp.ln      sparc
553 usr/platform/SUNW,USBRDT-5240/lib/llib-lpcp.ln sparc
554 #
555 # ZFS internal tools and lint libraries
556 #
557 usr/lib/llib-lzfs_jni
558 usr/lib/llib-lzfs_jni.ln
559 usr/lib/amd64/llib-lzfs_jni.ln                i386
560 usr/lib/sparcv9/llib-lzfs_jni.ln             sparc
561 usr/lib/llib-lzpool
562 usr/lib/llib-lzpool.ln                       i386
563 usr/lib/amd64/llib-lzpool.ln                 i386
564 usr/lib/sparcv9/llib-lzpool.ln               sparc
565 #
566 # ZFS JNI headers
567 #
568 usr/include/libzfs_jni_dataset.h
569 usr/include/libzfs_jni_disk.h
570 usr/include/libzfs_jni_diskmgt.h
571 usr/include/libzfs_jni_ipool.h
572 usr/include/libzfs_jni_main.h
573 usr/include/libzfs_jni_pool.h
574 usr/include/libzfs_jni_property.h
575 usr/include/libzfs_jni_util.h
576 #
577 # These files are installed in the proto area for Solaris scsi_vhci driver
578 # (for MPAPI support) and should not be shipped
579 #
580 usr/include/sys/scsi/adapters/mpapi_impl.h
581 usr/include/sys/scsi/adapters/mpapi_scsi_vhci.h
582 #
583 # This library is installed in the proto area by the build of libdisasm, and is
584 # only used when building the KMDB disasm module.
585 #
586 usr/lib/libstanddisasm.so
587 usr/lib/amd64/libstanddisasm.so                i386
588 usr/lib/sparcv9/libstanddisasm.so             sparc
589 #

```

```

590 # TSol: tsol doesn't ship lint source, and tsnet isn't for customers at all.
591 #
592 lib/libtsnet.so
593 usr/lib/llib-ltsnet
594 usr/lib/llib-ltsol
595 #
596 # nss interfaces shared between libnsl and other ON libraries.
597 #
598 usr/include/nss.h
599 #
600 # AT&T AST (ksh93) files which are currently needed only to build OS/Net
601 # (msgcc&co.)
602 # libast
603 usr/lib/libast.so
604 usr/lib/amd64/libast.so                        i386
605 usr/lib/sparcv9/libast.so                     sparc
606 usr/lib/llib-last
607 usr/lib/llib-last.ln
608 usr/lib/amd64/llib-last.ln                   i386
609 usr/lib/sparcv9/llib-last.ln                 sparc
610 # libcmd
611 usr/lib/llib-lcmd
612 usr/lib/llib-lcmd.ln
613 usr/lib/amd64/llib-lcmd.ln                   i386
614 usr/lib/sparcv9/llib-lcmd.ln                 sparc
615 # libdll
616 usr/lib/libdll.so
617 usr/lib/amd64/libdll.so                       i386
618 usr/lib/sparcv9/libdll.so                     sparc
619 usr/lib/llib-ldll
620 usr/lib/llib-ldll.ln
621 usr/lib/amd64/llib-ldll.ln                   i386
622 usr/lib/sparcv9/llib-ldll.ln                 sparc
623 # libpp (a helper library needed by AST's msgcc)
624 usr/lib/libpp.so
625 usr/lib/llib-lpp
626 usr/lib/llib-lpp.ln
627 usr/lib/locale/C/LC_MESSAGES/libpp
628 # libshell
629 usr/lib/libshell.so
630 usr/lib/amd64/libshell.so                     i386
631 usr/lib/sparcv9/libshell.so                   sparc
632 usr/lib/llib-lshell
633 usr/lib/llib-lshell.ln
634 usr/lib/amd64/llib-lshell.ln                 i386
635 usr/lib/sparcv9/llib-lshell.ln               sparc
636 # libsum
637 usr/lib/libsum.so
638 usr/lib/amd64/libsum.so                       i386
639 usr/lib/sparcv9/libsum.so                     sparc
640 usr/lib/llib-lsum
641 usr/lib/llib-lsum.ln
642 usr/lib/amd64/llib-lsum.ln                   i386
643 usr/lib/sparcv9/llib-lsum.ln                 sparc
644 #
645 # This file is used in ON to build DSCP clients. It is not for customers.
646 #
647 usr/include/libdscp.h                        sparc
648 #
649 # These files are used by the iSCSI Target and the iSCSI Initiator
650 #
651 usr/include/sys/iscsi_protocol.h
652 usr/include/sys/iscsi_authclient.h
653 usr/include/sys/iscsi_authclientglue.h
654 #
655 # These files are used by the COMSTAR iSCSI target port provider

```

```

656 #
657 usr/include/sys/idm
658 usr/include/sys/iscsit/chap.h
659 usr/include/sys/iscsit/iscsi_if.h
660 usr/include/sys/iscsit/isns_protocol.h
661 usr/include/sys/iscsit/radius_packet.h
662 usr/include/sys/iscsit/radius_protocol.h
663 #
664 # libshare is private and the 64-bit sharemgr is not delivered.
665 #
666 usr/lib/libshare.so
667 usr/lib/amd64/libshare.so          i386
668 usr/lib/sparcv9/libshare.so       sparc
669 usr/lib/fs/autofs/libshare_autofs.so
670 usr/lib/fs/autofs/amd64/libshare_autofs.so          i386
671 usr/lib/fs/autofs/sparcv9/libshare_autofs.so       sparc
672 usr/lib/fs/nfs/libshare_nfs.so
673 usr/lib/fs/nfs/amd64/libshare_nfs.so          i386
674 usr/lib/fs/nfs/sparcv9/libshare_nfs.so       sparc
675 usr/lib/fs/smb/libshare_smb.so
676 usr/lib/fs/smb/amd64/libshare_smb.so          i386
677 usr/lib/fs/smb/sparcv9/libshare_smb.so       sparc
678 usr/lib/fs/smbfs/libshare_smbfs.so
679 usr/lib/fs/smbfs/amd64/libshare_smbfs.so       i386
680 usr/lib/fs/smbfs/sparcv9/libshare_smbfs.so    sparc
681 usr/include/libshare_impl.h
682 usr/include/scfutil.h
683 #
684 # These files are installed in the proto area by the build of libpri for
685 # the benefit of the builds of FMA libldom, Zeus, picld plugins, and/or
686 # other libpri consumers. However, the libpri interfaces are private to
687 # Sun (Consolidation Private) and not intended for customer use. So these
688 # files (the symlink and the lint library) are excluded from packaging.
689 #
690 usr/lib/libpri.so                  sparc
691 usr/lib/llib-lpri                 sparc
692 usr/lib/llib-lpri.ln              sparc
693 usr/lib/sparcv9/libpri.so          sparc
694 usr/lib/sparcv9/llib-lpri.ln      sparc
695 #
696 # These files are installed in the proto area by the build of libds for
697 # the benefit of the builds of sun4v IO FMA and/or other libds
698 # consumers. However, the libds interfaces are private to Sun
699 # (Consolidation Private) and not intended for customer use. So these
700 # files (the symlink and the lint library) are excluded from packaging.
701 #
702 usr/lib/libds.so                   sparc
703 usr/lib/sparcv9/libds.so           sparc
704 usr/lib/llib-lds                   sparc
705 usr/lib/llib-lds.ln               sparc
706 usr/lib/sparcv9/llib-lds.ln       sparc
707 usr/lib/libdscfg.so
708 usr/lib/llib-ldscfg.ln
709 usr/platform/sun4v/include/sys/libds.h sparc
710 usr/platform/sun4v/include/sys/vlds.h sparc
711 #
712 # Private/Internal u8_textprep header file. Do not ship.
713 #
714 usr/include/sys/u8_textprep_data.h
715 #
716 # SQLite is private, used by SMF (svc.configd), idmapd and libsmb.
717 #
718 usr/include/sqlite
719 usr/lib/libsqlite-native.o
720 usr/lib/libsqlite.o
721 usr/lib/llib-lsqlite.ln

```

```

722 usr/lib/smbdrv/libsqlite.so
723 #
724 # Private/Internal kiconv header files. Do not ship.
725 #
726 usr/include/sys/kiconv_big5_utf8.h
727 usr/include/sys/kiconv_cck_common.h
728 usr/include/sys/kiconv_cp950hkscs_utf8.h
729 usr/include/sys/kiconv_emea1.h
730 usr/include/sys/kiconv_emea2.h
731 usr/include/sys/kiconv_euckr_utf8.h
732 usr/include/sys/kiconv_euctw_utf8.h
733 usr/include/sys/kiconv_gb18030_utf8.h
734 usr/include/sys/kiconv_gb2312_utf8.h
735 usr/include/sys/kiconv_hkscs_utf8.h
736 usr/include/sys/kiconv_ja_jis_to_unicode.h
737 usr/include/sys/kiconv_ja_unicode_to_jis.h
738 usr/include/sys/kiconv_ja.h
739 usr/include/sys/kiconv_ko.h
740 usr/include/sys/kiconv_latin1.h
741 usr/include/sys/kiconv_sc.h
742 usr/include/sys/kiconv_tc.h
743 usr/include/sys/kiconv_uhc_utf8.h
744 usr/include/sys/kiconv_utf8_big5.h
745 usr/include/sys/kiconv_utf8_cp950hkscs.h
746 usr/include/sys/kiconv_utf8_euckr.h
747 usr/include/sys/kiconv_utf8_euctw.h
748 usr/include/sys/kiconv_utf8_gb18030.h
749 usr/include/sys/kiconv_utf8_gb2312.h
750 usr/include/sys/kiconv_utf8_hkscs.h
751 usr/include/sys/kiconv_utf8_uhc.h
752 #
753 # At this time, the ttydefs.cleanup file is only useful on sun4u systems
754 #
755 etc/flash/postdeployment/ttydefs.cleanup          i386
756 #
757 # This header file is shared only between the power commands and
758 # ppm/srn modules # and should not be in any package
759 #
760 usr/include/sys/srn.h
761 #
762 # Private/Internal header files of smbdrv. Do not ship.
763 #
764 usr/include/smb
765 usr/include/smbdrv
766 #
767 # Private/Internal dtrace scripts of smbdrv. Do not ship.
768 #
769 usr/lib/smbdrv/dtrace
770 #
771 # Private/Internal (lint) libraries of smbdrv. Do not ship.
772 #
773 usr/lib/reparse/llib-lreparse_smb
774 usr/lib/reparse/llib-lreparse_smb.ln
775 usr/lib/smbdrv/llib-lmlrpc
776 usr/lib/smbdrv/llib-lmlrpc.ln
777 usr/lib/smbdrv/llib-lmlsvc
778 usr/lib/smbdrv/llib-lmlsvc.ln
779 usr/lib/smbdrv/llib-lsmb
780 usr/lib/smbdrv/llib-lsmb.ln
781 usr/lib/smbdrv/llib-lsmbns
782 usr/lib/smbdrv/llib-lsmbns.ln
783 #
784 #
785 # Private/Internal 64-bit libraries of smbdrv. Do not ship.
786 #
787 usr/lib/smbdrv/amd64                  i386

```

```

788 usr/lib/smbstrv/sparcv9          sparc
790 usr/lib/reparse/amd64/libreparse_smb.so    i386
791 usr/lib/reparse/amd64/libreparse_smb.so.1  i386
792 usr/lib/reparse/amd64/l1lib-lreparse_smb.ln i386
793 usr/lib/reparse/sparcv9/libreparse_smb.so  sparc
794 usr/lib/reparse/sparcv9/libreparse_smb.so.1 sparc
795 usr/lib/reparse/sparcv9/l1lib-lreparse_smb.ln sparc
796 #
797 # Private dirent, extended to include flags, for use by SMB server
798 #
799 usr/include/sys/extdirent.h
800 #
801 # Private header files for vsfan service
802 #
803 usr/include/libvsfan.h
804 usr/include/sys/vscan.h
805 #
806 # libvsfan is private
807 #
808 usr/lib/vscan/l1lib-lvscan
809 usr/lib/vscan/l1lib-lvscan.ln
810 #
811 # i86hvm is not a full platform. It is just a home for paravirtualized
812 # drivers. There is no usr/ component to this sub-platform, but the
813 # directory is created in the proto area to keep other tools happy.
814 #
815 usr/platform/i86hvm                i386
816 #
817 # Private sdcard framework headers
818 #
819 usr/include/sys/sdcard
820 #
821 # libsmbfs is private
822 #
823 usr/include/netsmb
824 usr/lib/libsmbsfs.so
825 usr/lib/amd64/libsmbsfs.so          i386
826 usr/lib/sparcv9/libsmbsfs.so      sparc
827 usr/lib/l1lib-lsmbsfs
828 usr/lib/l1lib-lsmbsfs.ln
829 usr/lib/amd64/l1lib-lsmbsfs.ln    i386
830 usr/lib/sparcv9/l1lib-lsmbsfs.ln  sparc
831 #
832 # demo & test program for smbfs (private) ACL support
833 #
834 usr/lib/fs/smbfs/chacl
835 usr/lib/fs/smbfs/lsacl
836 usr/lib/fs/smbfs/testnp
837 #
838 # FC related files
839 kernel/kmdb/fcip                  i386
840 kernel/kmdb/amd64/fcip            i386
841 kernel/kmdb/sparcv9/fcip         sparc
842 kernel/kmdb/fcp                   i386
843 kernel/kmdb/amd64/fcp            i386
844 kernel/kmdb/sparcv9/fcp         sparc
845 kernel/kmdb/fctl                  i386
846 kernel/kmdb/amd64/fctl           i386
847 kernel/kmdb/sparcv9/fctl        sparc
848 kernel/kmdb/qlc                   i386
849 kernel/kmdb/amd64/qlc            i386
850 kernel/kmdb/sparcv9/qlc         sparc
851 lib/l1lib-la5k                    sparc
852 lib/l1lib-la5k.ln                 sparc
853 lib/sparcv9/l1lib-la5k.ln        sparc

```

```

854 lib/l1lib-lg_fc                  sparc
855 lib/l1lib-lg_fc.ln               sparc
856 lib/sparcv9/l1lib-lg_fc.ln      sparc
857 usr/include/a_state.h            sparc
858 usr/include/a5k.h                sparc
859 usr/include/exec.h               sparc
860 usr/include/g_scsi.h             sparc
861 usr/include/g_state.h            sparc
862 usr/include/gfc.h                sparc
863 usr/include/l_common.h           sparc
864 usr/include/l_error.h            sparc
865 usr/include/rom.h                sparc
866 usr/include/stgcom.h             sparc
867 usr/include/sys/fibre-channel
868 usr/lib/l1lib-LHBAAPI
869 usr/lib/l1lib-LHBAAPI.ln
870 usr/lib/amd64/l1lib-LHBAAPI.ln   i386
871 usr/lib/sparcv9/l1lib-LHBAAPI.ln sparc
872 #
873 usr/bin/dscfgcli
874 usr/bin/sd_diag
875 usr/bin/sd_stats
876 usr/include/nsctl.h
877 usr/include/sys/ncall
878 usr/include/sys/nsc_ddi.h
879 usr/include/sys/nsc_thread.h
880 usr/include/sys/nsctl
881 usr/include/sys/nskernd.h
882 usr/include/sys/unistat
883 usr/lib/libnsctl.so
884 usr/lib/librdc.so
885 usr/lib/libunistat.so
886 usr/lib/l1lib-lnsctl.ln
887 usr/lib/l1lib-lrdc.ln
888 usr/lib/l1lib-lunistat.ln
889 #
890 # These files are used by the iSCSI initiator only.
891 # No reason to ship them.
892 #
893 usr/include/sys/scsi/adapters/iscsi_door.h
894 usr/include/sys/scsi/adapters/iscsi_if.h
895 #
896 # sbd ioctl hdr
897 #
898 usr/include/sys/stmf_sbd_ioctl.h
899 #
900 # proxy port provider interface
901 #
902 usr/include/sys/pppt_ic_if.h
903 usr/include/sys/pppt_ioctl.h
904 #
905 # proxy daemon lint library
906 #
907 usr/lib/l1lib-lstmfproxy
908 usr/lib/l1lib-lstmfproxy.ln
909 usr/lib/amd64/l1lib-lstmfproxy.ln i386
910 usr/lib/sparcv9/l1lib-lstmfproxy.ln sparc
911 #
912 # portable object file and dictionary used by libfmd_msg test
913 #
914 usr/lib/fm/dict/TEST.dict
915 usr/lib/locale/C/LC_MESSAGES/TEST.mo
916 usr/lib/locale/C/LC_MESSAGES/TEST.po
917 #
918 # Private idmap RPC protocol
919 #

```

```
920 usr/include/rpcsvc/idmap_prot.h
921 usr/include/rpcsvc/idmap_prot.x
922 #
923 # Private idmap directory API
924 #
925 usr/include/directory.h
926 #
927 # librstp is private for bridging
928 #
929 usr/include/stp_bpdu.h
930 usr/include/stp_in.h
931 usr/include/stp_vectors.h
932 usr/lib/librstp.so
933 usr/lib/llib-lrstp
934 usr/lib/llib-lrstp.ln
935 #
936 # Private nvfru API
937 #
938 usr/include/nvfru.h
939 #
940 # vrrp
941 #
942 usr/include/libvrrpadm.h
943 usr/lib/libvrrpadm.so
944 usr/lib/amd64/libvrrpadm.so      i386
945 usr/lib/sparcv9/libvrrpadm.so   sparc
946 usr/lib/llib-lvrrpadm
947 usr/lib/llib-lvrrpadm.ln
948 usr/lib/amd64/llib-lvrrpadm.ln  i386
949 usr/lib/sparcv9/llib-lvrrpadm.ln sparc
950 #
951 # This is only used during the -t tools build
952 #
953 opt/onbld/bin/i386/elfsign      i386
954 opt/onbld/bin/sparc/elfsign     sparc
955 #
956 #
957 # Private libdwarf
958 #
959 opt/onbld/lib/i386/libdwarf.so  i386
960 opt/onbld/lib/sparc/libdwarf.so sparc
961 #
962 #
963 # Private socket filter API
964 #
965 usr/include/sys/sockfilter.h
966 #
967 # We don't actually validate license action payloads, and the license
968 # staging area is provided as a separate basedir for package
969 # publication. The net result is that everything therein should be
970 # ignored for packaging validation.
971 #
972 licenses
973 #
974 # Libbe is private
975 #
976 usr/include/libbe_priv.h
977 #
978 # ipmi is at present only useful on i386, but for historical reasons is
979 # delivered on SPARC and used by the build.
980 #
981 usr/include/sys/ipmi.h sparc
```



```

*****
70086 Fri Nov 9 22:01:42 2012
new/usr/src/Targetdirs
3352 would like 64bit install libraries
*****
1 # CDDL HEADER START
2 #
3 # The contents of this file are subject to the terms of the
4 # Common Development and Distribution License (the "License").
5 # You may not use this file except in compliance with the License.
6 #
7 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
8 # or http://www.opensolaris.org/os/licensing.
9 # See the License for the specific language governing permissions
10 # and limitations under the License.
11 #
12 # When distributing Covered Code, include this CDDL HEADER in each
13 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
14 # If applicable, add the following below this CDDL HEADER, with the
15 # fields enclosed by brackets "[]" replaced with your own identifying
16 # information: Portions Copyright [yyyy] [name of copyright owner]
17 #
18 # CDDL HEADER END
19 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2011, Richard Lowe
24 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
25 # Copyright (c) 2012 by Delphix. All rights reserved.
26 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
27 #endif /* ! codereview */
28 #
30 #
31 # It is easier to think in terms of directory names without the ROOT macro
32 # prefix. ROOTDIRS is TARGETDIRS with ROOT prefixes. It is necessary
33 # to work with ROOT prefixes when controlling conditional assignments.
34 #
36 DIRLINKS=      $(SYM.DIRS)
37 $(BUILD64)     DIRLINKS += $(SYM.DIRS64)
39 FILELINKS= $(SYM.USRCCSLIB) $(SYM.USRLIB)
40 $(BUILD64)     FILELINKS += $(SYM.USRCCSLIB64) $(SYM.USRLIB64)
42 TARGETDIRS=    $(DIRS)
43 $(BUILD64)     TARGETDIRS += $(DIRS64)
45 TARGETDIRS     += $(FILELINKS) $(DIRLINKS)
47 i386_DIRS=    \
48 /boot/acpi    \
49 /boot/acpi/tables \
50 /boot/grub    \
51 /boot/grub/bin \
52 /platform/i86pc \
53 /usr/lib/xen  \
54 /usr/lib/xen/bin
56 sparc_DIRS=   \
57 /usr/lib/ldoms
59 # EXPORT DELETE START
60 XDIRS= \
61 /usr/lib/inet/wanboot

```

```

62 # EXPORT DELETE END
64 sparc_64ONLY= $(POUND_SIGN)
65 64ONLY=      $(MACH)_64ONLY)

67 $(64ONLY) MACH32_DIRS=/usr/ucb/$(MACH32)

69 DIRS= \
70 /boot \
71 /boot/solaris \
72 /boot/solaris/bin \
73 $(MACH)_DIRS \
74 /dev \
75 /dev/dsk \
76 /dev/fd \
77 /dev/ipnet \
78 /dev/net \
79 /dev/rdisk \
80 /dev/rmt \
81 /dev/pts \
82 /dev/sad \
83 /dev/swap \
84 /dev/term \
85 /dev/vt \
86 /dev/zcons \
87 /devices \
88 /devices/pseudo \
89 /etc \
90 /etc/brand \
91 /etc/brand/solaris10 \
92 /etc/cron.d \
93 /etc/crypto \
94 /etc/crypto/certs \
95 /etc/crypto/crls \
96 /etc/dbus-1 \
97 /etc/dbus-1/system.d \
98 /etc/default \
99 /etc/devices \
100 /etc/dev \
101 /etc/dfs \
102 /etc/dladm \
103 /etc/fs \
104 /etc/fs/nfs \
105 /etc/fs/zfs \
106 /etc/ftpd \
107 /etc/hal \
108 /etc/hal/fdi \
109 /etc/hal/fdi/information \
110 /etc/hal/fdi/information/10freedesktop \
111 /etc/hal/fdi/information/20thirdparty \
112 /etc/hal/fdi/information/30user \
113 /etc/hal/fdi/policy \
114 /etc/hal/fdi/policy/10osvendor \
115 /etc/hal/fdi/policy/20thirdparty \
116 /etc/hal/fdi/policy/30user \
117 /etc/hal/fdi/preprobe \
118 /etc/hal/fdi/preprobe/10osvendor \
119 /etc/hal/fdi/preprobe/20thirdparty \
120 /etc/hal/fdi/preprobe/30user \
121 /etc/ipadm \
122 /etc/iscsi \
123 /etc/rpcsec \
124 /etc/security \
125 /etc/security/auth_attr.d \
126 /etc/security/exec_attr.d \
127 /etc/security/prof_attr.d \

```

```

128 /etc/security/tsol \
129 /etc/gss \
130 /etc/init.d \
131 /etc/dhcp \
132 /etc/lib \
133 /etc/mail \
134 /etc/mail/cf \
135 /etc/mail/cf/cf \
136 /etc/mail/cf/domain \
137 /etc/mail/cf/feature \
138 /etc/mail/cf/m4 \
139 /etc/mail/cf/mailler \
140 /etc/mail/cf/ostype \
141 /etc/mail/cf/sh \
142 /etc/net-snmp \
143 /etc/net-snmp/snmp \
144 /etc/opt \
145 /etc/rc0.d \
146 /etc/rc1.d \
147 /etc/rc2.d \
148 /etc/rc3.d \
149 /etc/rcS.d \
150 /etc/saf \
151 /etc/sasl \
152 /etc/sfw \
153 /etc/svc \
154 /etc/svc/profile \
155 /etc/svc/profile/site \
156 /etc/svc/volatile \
157 /etc/tm \
158 /etc/usb \
159 /etc/user_attr.d \
160 /etc/zfs \
161 /etc/zones \
162 /export \
163 /home \
164 /lib \
165 /lib/crypto \
166 /lib/inet \
167 /lib/fm \
168 /lib/secure \
169 /lib/svc \
170 /lib/svc/bin \
171 /lib/svc/capture \
172 /lib/svc/manifest \
173 /lib/svc/manifest/milestone \
174 /lib/svc/manifest/device \
175 /lib/svc/manifest/system \
176 /lib/svc/manifest/system/device \
177 /lib/svc/manifest/system/filesystem \
178 /lib/svc/manifest/system/security \
179 /lib/svc/manifest/system/svc \
180 /lib/svc/manifest/network \
181 /lib/svc/manifest/network/dns \
182 /lib/svc/manifest/network/ipsec \
183 /lib/svc/manifest/network/ldap \
184 /lib/svc/manifest/network/nfs \
185 /lib/svc/manifest/network/nis \
186 /lib/svc/manifest/network/rpc \
187 /lib/svc/manifest/network/security \
188 /lib/svc/manifest/network/shares \
189 /lib/svc/manifest/network/ssl \
190 /lib/svc/manifest/application \
191 /lib/svc/manifest/application/management \
192 /lib/svc/manifest/application/security \
193 /lib/svc/manifest/application/print \

```

```

194 /lib/svc/manifest/platform \
195 /lib/svc/manifest/platform/sun4u \
196 /lib/svc/manifest/platform/sun4v \
197 /lib/svc/manifest/site \
198 /lib/svc/method \
199 /lib/svc/monitor \
200 /lib/svc/seed \
201 /lib/svc/share \
202 /kernel \
203 /mnt \
204 /opt \
205 /platform \
206 /proc \
207 /root \
208 /sbin \
209 /system \
210 /system/contract \
211 /system/object \
212 /tmp \
213 /usr \
214 /usr/4lib \
215 /usr/ast \
216 /usr/ast/bin \
217 /usr/bin \
218 /usr/bin/$(MACH32) \
219 /usr/ccs \
220 /usr/ccs/bin \
221 /usr/ccs/lib \
222 /usr/demo \
223 /usr/demo/SOUND \
224 /usr/games \
225 /usr/has \
226 /usr/has/bin \
227 /usr/has/lib \
228 /usr/has/man \
229 /usr/has/man/manlhas \
230 /usr/include \
231 /usr/include/ast \
232 /usr/include/fm \
233 /usr/include/gssapi \
234 /usr/include/hal \
235 /usr/include/kerberosv5 \
236 /usr/include/libmilter \
237 /usr/include/libpolkit \
238 /usr/include/sasl \
239 /usr/include/scsi \
240 /usr/include/security \
241 /usr/include/sys/crypto \
242 /usr/include/tsol \
243 /usr/kernel \
244 /usr/kvm \
245 /usr/lib \
246 /usr/lib/abi \
247 /usr/lib/brand \
248 /usr/lib/brand/ipkg \
249 /usr/lib/brand/labeled \
250 /usr/lib/brand/shared \
251 /usr/lib/brand/sn1 \
252 /usr/lib/brand/solaris10 \
253 /usr/lib/class \
254 /usr/lib/class/FSS \
255 /usr/lib/class/FX \
256 /usr/lib/class/IA \
257 /usr/lib/class/RT \
258 /usr/lib/class/SDC \
259 /usr/lib/class/TS \

```

```

260 /usr/lib/crypto \
261 /usr/lib/drv \
262 /usr/lib/elfedit \
263 /usr/lib/fm \
264 /usr/lib/font \
265 /usr/lib/fs \
266 /usr/lib/fs/nfs \
267 /usr/lib/fs/proc \
268 /usr/lib/fs/smb \
269 /usr/lib/fs/zfs \
270 /usr/lib/gss \
271 /usr/lib/hal \
272 /usr/lib/inet \
273 /usr/lib/inet/dhccp \
274 /usr/lib/inet/dhccp/nsu \
275 /usr/lib/inet/dhccp/svc \
276 /usr/lib/inet/dhccp/svcdm \
277 /usr/lib/inet/ilb \
278 /usr/lib/inet/${MACH32} \
279 ${XDIRS} \
280 /usr/lib/krb5 \
281 /usr/lib/link_audit \
282 /usr/lib/libp \
283 /usr/lib/lwp \
284 /usr/lib/mdb \
285 /usr/lib/mdb/kvm \
286 /usr/lib/mdb/proc \
287 /usr/lib/nfs \
288 /usr/net \
289 /usr/net/servers \
290 /usr/lib/pool \
291 /usr/lib/python2.6 \
292 /usr/lib/python2.6/vendor-packages \
293 /usr/lib/python2.6/vendor-packages/64 \
294 #endif /* !codereview */
295 /usr/lib/python2.6/vendor-packages/solaris \
296 /usr/lib/python2.6/vendor-packages/zfs \
297 /usr/lib/python2.6/vendor-packages/beamd \
298 /usr/lib/rcap \
299 /usr/lib/rcap/${MACH32} \
300 /usr/lib/sa \
301 /usr/lib/saf \
302 /usr/lib/sasl \
303 /usr/lib/scsi \
304 /usr/lib/secure \
305 /usr/lib/security \
306 /usr/lib/smsrv \
307 /usr/lib/vscan \
308 /usr/lib/zfs \
309 /usr/lib/zones \
310 /usr/old \
311 /usr/platform \
312 /usr/proc \
313 /usr/proc/bin \
314 /usr/sadm \
315 /usr/sadm/install \
316 /usr/sadm/install/bin \
317 /usr/sadm/install/scripts \
318 /usr/sbin \
319 /usr/sbin/${MACH32} \
320 /usr/share \
321 /usr/share/applications \
322 /usr/share/audio \
323 /usr/share/audio/samples \
324 /usr/share/audio/samples/au \
325 /usr/share/gnome \

```

```

326 /usr/share/gnome/autostart \
327 /usr/share/hwdata \
328 /usr/share/lib \
329 /usr/share/lib/ccs \
330 /usr/share/lib/tmac \
331 /usr/share/lib/ldif \
332 /usr/share/lib/xml \
333 /usr/share/lib/xml/dtd \
334 /usr/share/man \
335 /usr/share/man/man1 \
336 /usr/share/man/man1b \
337 /usr/share/man/man1c \
338 /usr/share/man/man1m \
339 /usr/share/man/man2 \
340 /usr/share/man/man3 \
341 /usr/share/man/man3bsm \
342 /usr/share/man/man3c \
343 /usr/share/man/man3c_db \
344 /usr/share/man/man3cfgadm \
345 /usr/share/man/man3commputil \
346 /usr/share/man/man3contract \
347 /usr/share/man/man3cpc \
348 /usr/share/man/man3curses \
349 /usr/share/man/man3dat \
350 /usr/share/man/man3devic \
351 /usr/share/man/man3devinfo \
352 /usr/share/man/man3dlpi \
353 /usr/share/man/man3dns_sd \
354 /usr/share/man/man3elf \
355 /usr/share/man/man3exacct \
356 /usr/share/man/man3ext \
357 /usr/share/man/man3fcoe \
358 /usr/share/man/man3fstyp \
359 /usr/share/man/man3gen \
360 /usr/share/man/man3gss \
361 /usr/share/man/man3head \
362 /usr/share/man/man3iscsit \
363 /usr/share/man/man3kstat \
364 /usr/share/man/man3kvm \
365 /usr/share/man/man3ldap \
366 /usr/share/man/man3lgrp \
367 /usr/share/man/man3lib \
368 /usr/share/man/man3libucb \
369 /usr/share/man/man3mail \
370 /usr/share/man/man3malloc \
371 /usr/share/man/man3mp \
372 /usr/share/man/man3mpapi \
373 /usr/share/man/man3nsl \
374 /usr/share/man/man3nvpair \
375 /usr/share/man/man3pam \
376 /usr/share/man/man3papi \
377 /usr/share/man/man3perl \
378 /usr/share/man/man3picl \
379 /usr/share/man/man3picltree \
380 /usr/share/man/man3pool \
381 /usr/share/man/man3proc \
382 /usr/share/man/man3project \
383 /usr/share/man/man3resolv \
384 /usr/share/man/man3rpc \
385 /usr/share/man/man3rsm \
386 /usr/share/man/man3sas1 \
387 /usr/share/man/man3scf \
388 /usr/share/man/man3sec \
389 /usr/share/man/man3secdb \
390 /usr/share/man/man3sip \
391 /usr/share/man/man3slp \

```

```

392 /usr/share/man/man3socket \
393 /usr/share/man/man3stmf \
394 /usr/share/man/man3sysevent \
395 /usr/share/man/man3tecla \
396 /usr/share/man/man3tnf \
397 /usr/share/man/man3tsol \
398 /usr/share/man/man3ucb \
399 /usr/share/man/man3uuid \
400 /usr/share/man/man3volmgt \
401 /usr/share/man/man3xcurses \
402 /usr/share/man/man3xnet \
403 /usr/share/man/man4 \
404 /usr/share/man/man5 \
405 /usr/share/man/man7 \
406 /usr/share/man/man7d \
407 /usr/share/man/man7fs \
408 /usr/share/man/man7i \
409 /usr/share/man/man7ipp \
410 /usr/share/man/man7m \
411 /usr/share/man/man7p \
412 /usr/share/man/man9 \
413 /usr/share/man/man9e \
414 /usr/share/man/man9f \
415 /usr/share/man/man9p \
416 /usr/share/man/man9s \
417 /usr/share/src \
418 /usr/snadm \
419 /usr/snadm/lib \
420 /usr/ucb \
421 $(MACH32_DIRS) \
422 /usr/ucblib \
423 /usr/xpg4 \
424 /usr/xpg4/bin \
425 /usr/xpg4/include \
426 /usr/xpg4/lib \
427 /usr/xpg6 \
428 /usr/xpg6/bin \
429 /var \
430 /var/adm \
431 /var/adm/exacct \
432 /var/adm/log \
433 /var/adm/pool \
434 /var/adm/sa \
435 /var/adm/sm.bin \
436 /var/adm/streams \
437 /var/cores \
438 /var/cron \
439 /var/db \
440 /var/db/ipf \
441 /var/games \
442 /var/idmap \
443 /var/krb5 \
444 /var/krb5/rcache \
445 /var/krb5/rcache/root \
446 /var/ld \
447 /var/log \
448 /var/log/pool \
449 /var/logadm \
450 /var/mail \
451 /var/news \
452 /var/opt \
453 /var/preserve \
454 /var/run \
455 /var/saf \
456 /var/sadm \
457 /var/sadm/install \

```

```

458 /var/sadm/install/admin \
459 /var/sadm/install/logs \
460 /var/sadm/pkg \
461 /var/sadm/security \
462 /var/smb \
463 /var/smb/cvol \
464 /var/smb/cvol/windows \
465 /var/smb/cvol/windows/system32 \
466 /var/smb/cvol/windows/system32/vss \
467 /var/spool \
468 /var/spool/cron \
469 /var/spool/cron/atjobs \
470 /var/spool/cron/crontabs \
471 /var/spool/lp \
472 /var/spool/pkg \
473 /var/spool/uucp \
474 /var/spool/uucppublic \
475 /var/svc \
476 /var/svc/log \
477 /var/svc/manifest \
478 /var/svc/manifest/milestone \
479 /var/svc/manifest/device \
480 /var/svc/manifest/system \
481 /var/svc/manifest/system/device \
482 /var/svc/manifest/system/filesystem \
483 /var/svc/manifest/system/security \
484 /var/svc/manifest/system/svc \
485 /var/svc/manifest/network \
486 /var/svc/manifest/network/dns \
487 /var/svc/manifest/network/ipsec \
488 /var/svc/manifest/network/ldap \
489 /var/svc/manifest/network/nfs \
490 /var/svc/manifest/network/nis \
491 /var/svc/manifest/network/rpc \
492 /var/svc/manifest/network/routing \
493 /var/svc/manifest/network/security \
494 /var/svc/manifest/network/shares \
495 /var/svc/manifest/network/ssl \
496 /var/svc/manifest/application \
497 /var/svc/manifest/application/management \
498 /var/svc/manifest/application/print \
499 /var/svc/manifest/application/security \
500 /var/svc/manifest/platform \
501 /var/svc/manifest/platform/sun4u \
502 /var/svc/manifest/platform/sun4v \
503 /var/svc/manifest/site \
504 /var/svc/profile \
505 /var/uucp \
506 /var/tmp \
507 /var/tsol \
508 /var/tsol/doors

510 sparcv9_DIRS64= \
511 /platform/sun4u \
512 /platform/sun4u/lib \
513 /platform/sun4u/lib/$(MACH64) \
514 /usr/platform/sun4u \
515 /usr/platform/sun4u/sbin \
516 /usr/platform/sun4u/lib \
517 /platform/sun4v/lib \
518 /platform/sun4v/lib/$(MACH64) \
519 /usr/platform/sun4v/sbin \
520 /usr/platform/sun4v/lib \
521 /usr/platform/sun4u-us3/lib \
522 /usr/platform/sun4u-opl/lib

```

```

524 amd64_DIRS64= \
525     /platform/i86pc/amd64

527 DIRS64= \
528     $( $(MACH64)_DIRS64 ) \
529     /lib/$(MACH64) \
530     /lib/crypto/$(MACH64) \
531     /lib/fm/$(MACH64) \
532     /lib/secure/$(MACH64) \
533     /usr/bin/$(MACH64) \
534     /usr/ccs/bin/$(MACH64) \
535     /usr/ccs/lib/$(MACH64) \
536     /usr/lib/$(MACH64) \
537     /usr/lib/$(MACH64)/gss \
538     /usr/lib/brand/sn1/$(MACH64) \
539     /usr/lib/brand/solaris10/$(MACH64) \
540     /usr/lib/elfedit/$(MACH64) \
541     /usr/lib/fm/$(MACH64) \
542     /usr/lib/fs/nfs/$(MACH64) \
543     /usr/lib/fs/smb/$(MACH64) \
544     /usr/lib/inet/$(MACH64) \
545     /usr/lib/krb5/$(MACH64) \
546     /usr/lib/libp/$(MACH64) \
547     /usr/lib/link_audit/$(MACH64) \
548     /usr/lib/lwp/$(MACH64) \
549     /usr/lib/mdb/kvm/$(MACH64) \
550     /usr/lib/mdb/proc/$(MACH64) \
551     /usr/lib/rcap/$(MACH64) \
552     /usr/lib/sasl/$(MACH64) \
553     /usr/lib/scsi/$(MACH64) \
554     /usr/lib/secure/$(MACH64) \
555     /usr/lib/security/$(MACH64) \
556     /usr/lib/smbsrv/$(MACH64) \
557     /usr/lib/abi/$(MACH64) \
558     /usr/sbin/$(MACH64) \
559     /usr/ucb/$(MACH64) \
560     /usr/ucb/lib/$(MACH64) \
561     /usr/xpg4/lib/$(MACH64) \
562     /var/ld/$(MACH64)

564 # /var/mail/:saved is built directly by the rootdirs target in
565 # /usr/src/Makefile because of the colon in its name.

567 # macros for symbolic links
568 SYM.DIRS= \
569     /bin \
570     /dev/stdin \
571     /dev/stdout \
572     /dev/stderr \
573     /etc/lib/ld.so.1 \
574     /etc/lib/libdl.so.1 \
575     /etc/lib/nss_files.so.1 \
576     /etc/log \
577     /lib/32 \
578     /lib/crypto/32 \
579     /lib/secure/32 \
580     /usr/adm \
581     /usr/spool \
582     /usr/lib/tmac \
583     /usr/ccs/lib/link_audit \
584     /usr/news \
585     /usr/preserve \
586     /usr/lib/32 \
587     /usr/lib/cron \
588     /usr/lib/elfedit/32 \
589     /usr/lib/libp/32 \

```

```

590     /usr/lib/lwp/32 \
591     /usr/lib/link_audit/32 \
592     /usr/lib/secure/32 \
593     /usr/mail \
594     /usr/man \
595     /usr/pub \
596     /usr/src \
597     /usr/tmp \
598     /usr/ucb/lib/32 \
599     /var/ld/32

601 sparc_SYM.DIRS64=

603 SYM.DIRS64= \
604     $( $(MACH)_SYM.DIRS64 ) \
605     /lib/64 \
606     /lib/crypto/64 \
607     /lib/secure/64 \
608     /usr/lib/64 \
609     /usr/lib/brand/sn1/64 \
610     /usr/lib/brand/solaris10/64 \
611     /usr/lib/elfedit/64 \
612     /usr/lib/libp/64 \
613     /usr/lib/link_audit/64 \
614     /usr/lib/lwp/64 \
615     /usr/lib/secure/64 \
616     /usr/lib/security/64 \
617     /usr/xpg4/lib/64 \
618     /var/ld/64 \
619     /usr/ucb/lib/64

621 # prepend the ROOT prefix

623 ROOTDIRS=      $(TARGETDIRS:%=$(ROOT)%)

625 # conditional assignments
626 #
627 # Target directories with non-default values for owner and group must
628 # be referenced here, using their fully-prefixed names, and the non-
629 # default values assigned. If a directory is mentioned above and not
630 # mentioned below, it has default values for attributes.
631 #
632 # The default value for DIRMODE is specified in usr/src/Makefile.master.
633 #

635 $(ROOT)/var/adm \
636 $(ROOT)/var/adm/sa :=          DIRMODE= 775

638 $(ROOT)/var/spool/lp:=        DIRMODE= 775

640 # file mode
641 #
642 $(ROOT)/tmp \
643 $(ROOT)/var/krb5/rcache \
644 $(ROOT)/var/preserve \
645 $(ROOT)/var/spool/pkg \
646 $(ROOT)/var/spool/uucppublic \
647 $(ROOT)/var/tmp:=            DIRMODE= 1777

649 $(ROOT)/root:=              DIRMODE= 700

651 $(ROOT)/var/krb5/rcache/root:= DIRMODE= 700

654 #
655 # These permissions must match those set

```

```

656 # in the package manifests.
657 #
658 $(ROOT)/var/sadm/pkg \
659 $(ROOT)/var/sadm/security \
660 $(ROOT)/var/sadm/install/logs :=          DIRMODE= 555

663 #
664 # These permissions must match the ones set
665 # internally by fdfs and autofs.
666 #
667 $(ROOT)/dev/fd \
668 $(ROOT)/home:=                          DIRMODE= 555

670 $(ROOT)/var/mail:=                      DIRMODE=1777

672 $(ROOT)/proc:=                          DIRMODE= 555

674 $(ROOT)/system/contract:=              DIRMODE= 555
675 $(ROOT)/system/object:=                DIRMODE= 555

677 # symlink assignments, LINKDEST is the value of the symlink
678 #
679 $(ROOT)/usr/lib/cron:=                   LINKDEST=../etc/cron.d
680 $(ROOT)/bin:=                           LINKDEST=usr/bin
681 $(ROOT)/lib/32:=                         LINKDEST=.
682 $(ROOT)/lib/crypto/32:=                 LINKDEST=.
683 $(ROOT)/lib/secure/32:=                 LINKDEST=.
684 $(ROOT)/dev/stdin:=                     LINKDEST=fd/0
685 $(ROOT)/dev/stdout:=                    LINKDEST=fd/1
686 $(ROOT)/dev/stderr:=                    LINKDEST=fd/2
687 $(ROOT)/usr/pub:=                       LINKDEST=share/lib/pub
688 $(ROOT)/usr/man:=                       LINKDEST=share/man
689 $(ROOT)/usr/src:=                       LINKDEST=share/src
690 $(ROOT)/usr/adm:=                       LINKDEST=../var/adm
691 $(ROOT)/etc/lib/ld.so.1:=                LINKDEST=../lib/ld.so.1
692 $(ROOT)/etc/lib/libdl.so.1:=            LINKDEST=../lib/libdl.so.1
693 $(ROOT)/etc/lib/nss_files.so.1:=        LINKDEST=../lib/nss_files.so.1
694 $(ROOT)/etc/log:=                       LINKDEST=../var/adm/log
695 $(ROOT)/usr/mail:=                     LINKDEST=../var/mail
696 $(ROOT)/usr/news:=                     LINKDEST=../var/news
697 $(ROOT)/usr/preserve:=                  LINKDEST=../var/preserve
698 $(ROOT)/usr/spool:=                    LINKDEST=../var/spool
699 $(ROOT)/usr/tmp:=                      LINKDEST=../var/tmp
700 $(ROOT)/usr/lib/tmac:=                  LINKDEST=../share/lib/tmac
701 $(ROOT)/usr/lib/32:=                    LINKDEST=.
702 $(ROOT)/usr/lib/elfedit/32:=            LINKDEST=.
703 $(ROOT)/usr/lib/libp/32:=               LINKDEST=.
704 $(ROOT)/usr/lib/lwp/32:=                LINKDEST=.
705 $(ROOT)/usr/lib/link_audit/32:=         LINKDEST=.
706 $(ROOT)/usr/lib/secure/32:=             LINKDEST=.
707 $(ROOT)/usr/ccs/lib/link_audit:=        LINKDEST=../lib/link_audit
708 $(ROOT)/var/ld/32:=                    LINKDEST=.
709 $(ROOT)/usr/ucblib/32:=                 LINKDEST=.

712 $(BUILD64) $(ROOT)/lib/64:=            LINKDEST=$(MACH64)
713 $(BUILD64) $(ROOT)/lib/crypto/64:=     LINKDEST=$(MACH64)
714 $(BUILD64) $(ROOT)/lib/secure/64:=     LINKDEST=$(MACH64)
715 $(BUILD64) $(ROOT)/usr/lib/64:=        LINKDEST=$(MACH64)
716 $(BUILD64) $(ROOT)/usr/lib/elfedit/64:= LINKDEST=$(MACH64)
717 $(BUILD64) $(ROOT)/usr/lib/brand/snl/64:= LINKDEST=$(MACH64)
718 $(BUILD64) $(ROOT)/usr/lib/brand/solaris10/64:= LINKDEST=$(MACH64)
719 $(BUILD64) $(ROOT)/usr/lib/libp/64:=   LINKDEST=$(MACH64)
720 $(BUILD64) $(ROOT)/usr/lib/lwp/64:=    LINKDEST=$(MACH64)
721 $(BUILD64) $(ROOT)/usr/lib/link_audit/64:= LINKDEST=$(MACH64)

```

```

722 $(BUILD64) $(ROOT)/usr/lib/secure/64:= LINKDEST=$(MACH64)
723 $(BUILD64) $(ROOT)/usr/lib/security/64:= LINKDEST=$(MACH64)
724 $(BUILD64) $(ROOT)/usr/xpg4/lib/64:=   LINKDEST=$(MACH64)
725 $(BUILD64) $(ROOT)/var/ld/64:=        LINKDEST=$(MACH64)
726 $(BUILD64) $(ROOT)/usr/ucblib/64:=    LINKDEST=$(MACH64)

728 #
729 # Installing a directory symlink calls for overriding INS.dir to install
730 # a symlink.
731 #
732 $(DIRLINKS:%=$(ROOT)%):= \
733   INS.dir= -$(RM) -r $@; $(SYMLINK) $(LINKDEST) $@

735 # Special symlinks to populate usr/ccs/lib, whose objects
736 # have actually been moved to usr/lib
737 # Rather than adding another set of rules, we add usr/lib/lwp files here
738 $(ROOT)/usr/ccs/lib/libcurses.so:=      REALPATH=../lib/libcurses.so.1
739 $(ROOT)/usr/ccs/lib/llib-lcurses:=     REALPATH=../lib/llib-lcurses
740 $(ROOT)/usr/ccs/lib/llib-lcurses.ln:=  REALPATH=../lib/llib-lcurses.ln
741 $(ROOT)/usr/ccs/lib/libform.so:=       REALPATH=../lib/libform.so.1
742 $(ROOT)/usr/ccs/lib/llib-lform:=      REALPATH=../lib/llib-lform
743 $(ROOT)/usr/ccs/lib/llib-lform.ln:=   REALPATH=../lib/llib-lform.ln
744 $(ROOT)/usr/ccs/lib/libgen.so:=       REALPATH=../lib/libgen.so.1
745 $(ROOT)/usr/ccs/lib/llib-lgen:=       REALPATH=../lib/llib-lgen
746 $(ROOT)/usr/ccs/lib/llib-lgen.ln:=    REALPATH=../lib/llib-lgen.ln
747 $(ROOT)/usr/ccs/lib/libmalloc.so:=    REALPATH=../lib/libmalloc.so.1
748 $(ROOT)/usr/ccs/lib/libmenu.so:=      REALPATH=../lib/libmenu.so.1
749 $(ROOT)/usr/ccs/lib/llib-lmenu:=     REALPATH=../lib/llib-lmenu
750 $(ROOT)/usr/ccs/lib/llib-lmenu.ln:=   REALPATH=../lib/llib-lmenu.ln
751 $(ROOT)/usr/ccs/lib/libpanel.so:=     REALPATH=../lib/libpanel.so.1
752 $(ROOT)/usr/ccs/lib/llib-lpanel:=     REALPATH=../lib/llib-lpanel
753 $(ROOT)/usr/ccs/lib/llib-lpanel.ln:=  REALPATH=../lib/llib-lpanel.ln
754 $(ROOT)/usr/ccs/lib/libtermcap.so:=   REALPATH=../lib/lib-ltermcap.so.1
755 $(ROOT)/usr/ccs/lib/llib-ltermcap:=   REALPATH=../lib/llib-ltermcap.ln
756 $(ROOT)/usr/ccs/lib/libtermcap.ln:=   REALPATH=../lib/lib-ltermcap.ln
757 $(ROOT)/usr/ccs/lib/libtermcap.so:=   REALPATH=../lib/libtermcap.so.1
758 $(ROOT)/usr/ccs/lib/llib-ltermcap:=   REALPATH=../lib/llib-ltermcap
759 $(ROOT)/usr/ccs/lib/llib-ltermcap.ln:= REALPATH=../lib/llib-ltermcap.ln
760 $(ROOT)/usr/ccs/lib/values-Xa.o:=     REALPATH=../lib/values-Xa.o
761 $(ROOT)/usr/ccs/lib/values-Xc.o:=     REALPATH=../lib/values-Xc.o
762 $(ROOT)/usr/ccs/lib/values-Xs.o:=     REALPATH=../lib/values-Xs.o
763 $(ROOT)/usr/ccs/lib/values-Xt.o:=     REALPATH=../lib/values-Xt.o
764 $(ROOT)/usr/ccs/lib/values-xpg4.o:=   REALPATH=../lib/values-xpg4.o
765 $(ROOT)/usr/ccs/lib/values-xpg6.o:=   REALPATH=../lib/values-xpg6.o
766 $(ROOT)/usr/ccs/lib/libl.so:=         REALPATH=../lib/libl.so.1
767 $(ROOT)/usr/ccs/lib/llib-ll.ln:=     REALPATH=../lib/llib-ll.ln
768 $(ROOT)/usr/ccs/lib/liby.so:=        REALPATH=../lib/liby.so.1
769 $(ROOT)/usr/ccs/lib/llib-ly.ln:=     REALPATH=../lib/llib-ly.ln
770 $(ROOT)/usr/lib/libp/libc.so.1:=     REALPATH=../lib/libc.so.1
771 $(ROOT)/usr/lib/lwp/libthread.so.1:=  REALPATH=../libthread.so.1
772 $(ROOT)/usr/lib/lwp/libthread_db.so.1:= REALPATH=../libthread_db.so.1

774 # symlinks to populate usr/ccs/lib/$(MACH64)
775 $(ROOT)/usr/ccs/lib/$(MACH64)/libcurses.so:= \
776   REALPATH=../lib/$(MACH64)/libcurses.so.1
777 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lcurses.ln:= \
778   REALPATH=../lib/$(MACH64)/llib-lcurses.ln
779 $(ROOT)/usr/ccs/lib/$(MACH64)/libform.so:= \
780   REALPATH=../lib/$(MACH64)/libform.so.1
781 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lform.ln:= \
782   REALPATH=../lib/$(MACH64)/llib-lform.ln
783 $(ROOT)/usr/ccs/lib/$(MACH64)/libgen.so:= \
784   REALPATH=../lib/$(MACH64)/libgen.so.1
785 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lgen.ln:= \
786   REALPATH=../lib/$(MACH64)/llib-lgen.ln
787 $(ROOT)/usr/ccs/lib/$(MACH64)/libmalloc.so:= \

```

```

788 REALPATH=../../../../lib/$(MACH64)/libmalloc.so.1
789 $(ROOT)/usr/ccs/lib/$(MACH64)/libmenu.so:= \
790 REALPATH=../../../../lib/$(MACH64)/libmenu.so.1
791 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lmenu.ln:= \
792 REALPATH=../../../../lib/$(MACH64)/llib-lmenu.ln
793 $(ROOT)/usr/ccs/lib/$(MACH64)/libpanel.so:= \
794 REALPATH=../../../../lib/$(MACH64)/libpanel.so.1
795 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-lpanel.ln:= \
796 REALPATH=../../../../lib/$(MACH64)/llib-lpanel.ln
797 $(ROOT)/usr/ccs/lib/$(MACH64)/libtermcap.so:= \
798 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
799 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ltermcap.ln:= \
800 REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
801 $(ROOT)/usr/ccs/lib/$(MACH64)/libtermcap.so:= \
802 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
803 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ltermcap.ln:= \
804 REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
805 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xa.o:= \
806 REALPATH=../../../../lib/$(MACH64)/values-Xa.o
807 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xc.o:= \
808 REALPATH=../../../../lib/$(MACH64)/values-Xc.o
809 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xs.o:= \
810 REALPATH=../../../../lib/$(MACH64)/values-Xs.o
811 $(ROOT)/usr/ccs/lib/$(MACH64)/values-Xt.o:= \
812 REALPATH=../../../../lib/$(MACH64)/values-Xt.o
813 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg4.o:= \
814 REALPATH=../../../../lib/$(MACH64)/values-xpg4.o
815 $(ROOT)/usr/ccs/lib/$(MACH64)/values-xpg6.o:= \
816 REALPATH=../../../../lib/$(MACH64)/values-xpg6.o
817 $(ROOT)/usr/ccs/lib/$(MACH64)/libl.so:= \
818 REALPATH=../../../../lib/$(MACH64)/libl.so.1
819 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ll.ln:= \
820 REALPATH=../../../../lib/$(MACH64)/llib-ll.ln
821 $(ROOT)/usr/ccs/lib/$(MACH64)/liby.so:= \
822 REALPATH=../../../../lib/$(MACH64)/liby.so.1
823 $(ROOT)/usr/ccs/lib/$(MACH64)/llib-ly.ln:= \
824 REALPATH=../../../../lib/$(MACH64)/llib-ly.ln
825 $(ROOT)/usr/lib/libp/$(MACH64)/libc.so.1:= \
826 REALPATH=../../../../lib/$(MACH64)/libc.so.1
827 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread.so.1:= \
828 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
829 $(ROOT)/usr/lib/lwp/$(MACH64)/libthread_db.so.1:= \
830 REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1

832 SYM.USRCCSLIB= \
833 /usr/ccs/lib/libcurses.so \
834 /usr/ccs/lib/llib-lcurses \
835 /usr/ccs/lib/llib-lcurses.ln \
836 /usr/ccs/lib/libform.so \
837 /usr/ccs/lib/llib-lform \
838 /usr/ccs/lib/llib-lform.ln \
839 /usr/ccs/lib/liblgen.so \
840 /usr/ccs/lib/llib-lgen \
841 /usr/ccs/lib/llib-lgen.ln \
842 /usr/ccs/lib/libmalloc.so \
843 /usr/ccs/lib/libmenu.so \
844 /usr/ccs/lib/llib-lmenu \
845 /usr/ccs/lib/llib-lmenu.ln \
846 /usr/ccs/lib/libpanel.so \
847 /usr/ccs/lib/llib-lpanel \
848 /usr/ccs/lib/llib-lpanel.ln \
849 /usr/ccs/lib/libtermcap.so \
850 /usr/ccs/lib/llib-ltermcap \
851 /usr/ccs/lib/llib-ltermcap.ln \
852 /usr/ccs/lib/libtermcap.so \
853 /usr/ccs/lib/llib-ltermcap \

```

```

854 /usr/ccs/lib/llib-ltermcap.ln \
855 /usr/ccs/lib/values-Xa.o \
856 /usr/ccs/lib/values-Xc.o \
857 /usr/ccs/lib/values-Xs.o \
858 /usr/ccs/lib/values-Xt.o \
859 /usr/ccs/lib/values-xpg4.o \
860 /usr/ccs/lib/values-xpg6.o \
861 /usr/ccs/lib/libl.so \
862 /usr/ccs/lib/llib-ll.ln \
863 /usr/ccs/lib/liby.so \
864 /usr/ccs/lib/llib-ly.ln \
865 /usr/lib/libp/libc.so.1 \
866 /usr/lib/lwp/libthread.so.1 \
867 /usr/lib/lwp/libthread_db.so.1

869 SYM.USRCCSLIB64= \
870 /usr/ccs/lib/$(MACH64)/libcurses.so \
871 /usr/ccs/lib/$(MACH64)/llib-lcurses.ln \
872 /usr/ccs/lib/$(MACH64)/libform.so \
873 /usr/ccs/lib/$(MACH64)/llib-lform.ln \
874 /usr/ccs/lib/$(MACH64)/libgen.so \
875 /usr/ccs/lib/$(MACH64)/llib-lgen.ln \
876 /usr/ccs/lib/$(MACH64)/libmalloc.so \
877 /usr/ccs/lib/$(MACH64)/libmenu.so \
878 /usr/ccs/lib/$(MACH64)/llib-lmenu.ln \
879 /usr/ccs/lib/$(MACH64)/libpanel.so \
880 /usr/ccs/lib/$(MACH64)/llib-lpanel.ln \
881 /usr/ccs/lib/$(MACH64)/libtermcap.so \
882 /usr/ccs/lib/$(MACH64)/llib-ltermcap.ln \
883 /usr/ccs/lib/$(MACH64)/libtermcap.so \
884 /usr/ccs/lib/$(MACH64)/llib-ltermcap.ln \
885 /usr/ccs/lib/$(MACH64)/values-Xa.o \
886 /usr/ccs/lib/$(MACH64)/values-Xc.o \
887 /usr/ccs/lib/$(MACH64)/values-Xs.o \
888 /usr/ccs/lib/$(MACH64)/values-Xt.o \
889 /usr/ccs/lib/$(MACH64)/values-xpg4.o \
890 /usr/ccs/lib/$(MACH64)/values-xpg6.o \
891 /usr/ccs/lib/$(MACH64)/libl.so \
892 /usr/ccs/lib/$(MACH64)/llib-ll.ln \
893 /usr/ccs/lib/$(MACH64)/liby.so \
894 /usr/ccs/lib/$(MACH64)/llib-ly.ln \
895 /usr/lib/libp/$(MACH64)/libc.so.1 \
896 /usr/lib/lwp/$(MACH64)/libthread.so.1 \
897 /usr/lib/lwp/$(MACH64)/libthread_db.so.1

899 # Special symlinks to direct libraries that have been moved
900 # from /usr/lib to /lib in order to live in the root filesystem.
901 $(ROOT)/lib/libposix4.so.1:= REALPATH=librt.so.1
902 $(ROOT)/lib/libposix4.so:= REALPATH=libposix4.so.1
903 $(ROOT)/lib/llib-lposix4:= REALPATH=llib-lrt
904 $(ROOT)/lib/llib-lposix4.ln:= REALPATH=llib-lrt.ln
905 $(ROOT)/lib/libthread_db.so.1:= REALPATH=libc_db.so.1
906 $(ROOT)/lib/libthread_db.so:= REALPATH=libc_db.so.1
907 $(ROOT)/usr/lib/ld.so.1:= REALPATH=../../../../lib/ld.so.1
908 $(ROOT)/usr/lib/libadm.so.1:= REALPATH=../../../../lib/libadm.so.1
909 $(ROOT)/usr/lib/libadm.so:= REALPATH=../../../../lib/libadm.so.1
910 $(ROOT)/usr/lib/libaio.so.1:= REALPATH=../../../../lib/libaio.so.1
911 $(ROOT)/usr/lib/libaio.so:= REALPATH=../../../../lib/libaio.so.1
912 $(ROOT)/usr/lib/libavl.so.1:= REALPATH=../../../../lib/libavl.so.1
913 $(ROOT)/usr/lib/libavl.so:= REALPATH=../../../../lib/libavl.so.1
914 $(ROOT)/usr/lib/libbsm.so.1:= REALPATH=../../../../lib/libbsm.so.1
915 $(ROOT)/usr/lib/libbsm.so:= REALPATH=../../../../lib/libbsm.so.1
916 $(ROOT)/usr/lib/libc.so.1:= REALPATH=../../../../lib/libc.so.1
917 $(ROOT)/usr/lib/libc.so:= REALPATH=../../../../lib/libc.so.1
918 $(ROOT)/usr/lib/libc_db.so.1:= REALPATH=../../../../lib/libc_db.so.1
919 $(ROOT)/usr/lib/libc_db.so:= REALPATH=../../../../lib/libc_db.so.1

```

```

920 $(ROOT)/usr/lib/libcmdutils.so.1:= REALPATH=../lib/libcmdutils.so.1
921 $(ROOT)/usr/lib/libcmdutils.so:= REALPATH=../lib/libcmdutils.so.1
922 $(ROOT)/usr/lib/libcontract.so.1:= REALPATH=../lib/libcontract.so.1
923 $(ROOT)/usr/lib/libcontract.so:= REALPATH=../lib/libcontract.so.1
924 $(ROOT)/usr/lib/libcryptoutil.so.1:= REALPATH=../lib/libcryptoutil.so.1
925 $(ROOT)/usr/lib/libcryptoutil.so:= REALPATH=../lib/libcryptoutil.so.1
926 $(ROOT)/usr/lib/libctf.so.1:= REALPATH=../lib/libctf.so.1
927 $(ROOT)/usr/lib/libctf.so:= REALPATH=../lib/libctf.so.1
928 $(ROOT)/usr/lib/libcurses.so.1:= REALPATH=../lib/libcurses.so.1
929 $(ROOT)/usr/lib/libcurses.so:= REALPATH=../lib/libcurses.so.1
930 $(ROOT)/usr/lib/libdevice.so.1:= REALPATH=../lib/libdevice.so.1
931 $(ROOT)/usr/lib/libdevice.so:= REALPATH=../lib/libdevice.so.1
932 $(ROOT)/usr/lib/libdevinfo.so.1:= REALPATH=../lib/libdevinfo.so.1
933 $(ROOT)/usr/lib/libdevinfo.so:= REALPATH=../lib/libdevinfo.so.1
934 $(ROOT)/usr/lib/libdevinfo.so.1:= REALPATH=../lib/libdevinfo.so.1
935 $(ROOT)/usr/lib/libdevinfo.so:= REALPATH=../lib/libdevinfo.so.1
936 $(ROOT)/usr/lib/libdhcpcagent.so.1:= REALPATH=../lib/libdhcpcagent.so.1
937 $(ROOT)/usr/lib/libdhcpcagent.so:= REALPATH=../lib/libdhcpcagent.so.1
938 $(ROOT)/usr/lib/libdhcputil.so.1:= REALPATH=../lib/libdhcputil.so.1
939 $(ROOT)/usr/lib/libdhcputil.so:= REALPATH=../lib/libdhcputil.so.1
940 $(ROOT)/usr/lib/libddl.so.1:= REALPATH=../lib/libddl.so.1
941 $(ROOT)/usr/lib/libddl.so:= REALPATH=../lib/libddl.so.1
942 $(ROOT)/usr/lib/libdipi.so.1:= REALPATH=../lib/libdipi.so.1
943 $(ROOT)/usr/lib/libdipi.so:= REALPATH=../lib/libdipi.so.1
944 $(ROOT)/usr/lib/libdoor.so.1:= REALPATH=../lib/libdoor.so.1
945 $(ROOT)/usr/lib/libdoor.so:= REALPATH=../lib/libdoor.so.1
946 $(ROOT)/usr/lib/libefi.so.1:= REALPATH=../lib/libefi.so.1
947 $(ROOT)/usr/lib/libefi.so:= REALPATH=../lib/libefi.so.1
948 $(ROOT)/usr/lib/libelf.so.1:= REALPATH=../lib/libelf.so.1
949 $(ROOT)/usr/lib/libelf.so:= REALPATH=../lib/libelf.so.1
950 $(ROOT)/usr/lib/libfdisk.so.1:= REALPATH=../lib/libfdisk.so.1
951 $(ROOT)/usr/lib/libfdisk.so:= REALPATH=../lib/libfdisk.so.1
952 $(ROOT)/usr/lib/libgen.so.1:= REALPATH=../lib/libgen.so.1
953 $(ROOT)/usr/lib/libgen.so:= REALPATH=../lib/libgen.so.1
954 $(ROOT)/usr/lib/libinetutil.so.1:= REALPATH=../lib/libinetutil.so.1
955 $(ROOT)/usr/lib/libinetutil.so:= REALPATH=../lib/libinetutil.so.1
956 $(ROOT)/usr/lib/libintl.so.1:= REALPATH=../lib/libintl.so.1
957 $(ROOT)/usr/lib/libintl.so:= REALPATH=../lib/libintl.so.1
958 $(ROOT)/usr/lib/libkmbf.so.1:= REALPATH=../lib/libkmbf.so.1
959 $(ROOT)/usr/lib/libkmbf.so:= REALPATH=../lib/libkmbf.so.1
960 $(ROOT)/usr/lib/libkmbfberder.so.1:= REALPATH=../lib/libkmbfberder.so.1
961 $(ROOT)/usr/lib/libkmbfberder.so:= REALPATH=../lib/libkmbfberder.so.1
962 $(ROOT)/usr/lib/libkstat.so.1:= REALPATH=../lib/libkstat.so.1
963 $(ROOT)/usr/lib/libkstat.so:= REALPATH=../lib/libkstat.so.1
964 $(ROOT)/usr/lib/liblddbg.so.4:= REALPATH=../lib/liblddbg.so.4
965 $(ROOT)/usr/lib/libmd.so.1:= REALPATH=../lib/libmd.so.1
966 $(ROOT)/usr/lib/libmd.so:= REALPATH=../lib/libmd.so.1
967 $(ROOT)/usr/lib/libmd5.so.1:= REALPATH=../lib/libmd5.so.1
968 $(ROOT)/usr/lib/libmd5.so:= REALPATH=../lib/libmd5.so.1
969 $(ROOT)/usr/lib/libmeta.so.1:= REALPATH=../lib/libmeta.so.1
970 $(ROOT)/usr/lib/libmeta.so:= REALPATH=../lib/libmeta.so.1
971 $(ROOT)/usr/lib/libmp.so.1:= REALPATH=../lib/libmp.so.1
972 $(ROOT)/usr/lib/libmp.so.2:= REALPATH=../lib/libmp.so.2
973 $(ROOT)/usr/lib/libmp.so:= REALPATH=../lib/libmp.so.2
974 $(ROOT)/usr/lib/libnsl.so.1:= REALPATH=../lib/libnsl.so.1
975 $(ROOT)/usr/lib/libnsl.so:= REALPATH=../lib/libnsl.so.1
976 $(ROOT)/usr/lib/libnvpair.so.1:= REALPATH=../lib/libnvpair.so.1
977 $(ROOT)/usr/lib/libnvpair.so:= REALPATH=../lib/libnvpair.so.1
978 $(ROOT)/usr/lib/libpam.so.1:= REALPATH=../lib/libpam.so.1
979 $(ROOT)/usr/lib/libpam.so:= REALPATH=../lib/libpam.so.1
980 $(ROOT)/usr/lib/libposix4.so.1:= REALPATH=../lib/librt.so.1
981 $(ROOT)/usr/lib/libposix4.so:= REALPATH=../lib/librt.so.1
982 $(ROOT)/usr/lib/libproc.so.1:= REALPATH=../lib/libproc.so.1
983 $(ROOT)/usr/lib/libproc.so:= REALPATH=../lib/libproc.so.1
984 $(ROOT)/usr/lib/libpthread.so.1:= REALPATH=../lib/libpthread.so.1
985 $(ROOT)/usr/lib/libpthread.so:= REALPATH=../lib/libpthread.so.1

```

```

986 $(ROOT)/usr/lib/librcm.so.1:= REALPATH=../lib/librcm.so.1
987 $(ROOT)/usr/lib/librcm.so:= REALPATH=../lib/librcm.so.1
988 $(ROOT)/usr/lib/libresolv.so.1:= REALPATH=../lib/libresolv.so.1
989 $(ROOT)/usr/lib/libresolv.so.2:= REALPATH=../lib/libresolv.so.2
990 $(ROOT)/usr/lib/libresolv.so:= REALPATH=../lib/libresolv.so.2
991 $(ROOT)/usr/lib/librestart.so.1:= REALPATH=../lib/librestart.so.1
992 $(ROOT)/usr/lib/librestart.so:= REALPATH=../lib/librestart.so.1
993 $(ROOT)/usr/lib/librpcsvc.so.1:= REALPATH=../lib/librpcsvc.so.1
994 $(ROOT)/usr/lib/librpcsvc.so:= REALPATH=../lib/librpcsvc.so.1
995 $(ROOT)/usr/lib/librt.so.1:= REALPATH=../lib/librt.so.1
996 $(ROOT)/usr/lib/librt.so:= REALPATH=../lib/librt.so.1
997 $(ROOT)/usr/lib/librtld.so.1:= REALPATH=../lib/librtld.so.1
998 $(ROOT)/usr/lib/librtld_db.so.1:= REALPATH=../lib/librtld_db.so.1
999 $(ROOT)/usr/lib/librtld_db.so:= REALPATH=../lib/librtld_db.so.1
1000 $(ROOT)/usr/lib/libscf.so.1:= REALPATH=../lib/libscf.so.1
1001 $(ROOT)/usr/lib/libscf.so:= REALPATH=../lib/libscf.so.1
1002 $(ROOT)/usr/lib/libsec.so.1:= REALPATH=../lib/libsec.so.1
1003 $(ROOT)/usr/lib/libsec.so:= REALPATH=../lib/libsec.so.1
1004 $(ROOT)/usr/lib/libsecdb.so.1:= REALPATH=../lib/libsecdb.so.1
1005 $(ROOT)/usr/lib/libsecdb.so:= REALPATH=../lib/libsecdb.so.1
1006 $(ROOT)/usr/lib/libsendfile.so.1:= REALPATH=../lib/libsendfile.so.1
1007 $(ROOT)/usr/lib/libsendfile.so:= REALPATH=../lib/libsendfile.so.1
1008 $(ROOT)/usr/lib/libsocket.so.1:= REALPATH=../lib/libsocket.so.1
1009 $(ROOT)/usr/lib/libsocket.so:= REALPATH=../lib/libsocket.so.1
1010 $(ROOT)/usr/lib/libsysevent.so.1:= REALPATH=../lib/libsysevent.so.1
1011 $(ROOT)/usr/lib/libsysevent.so:= REALPATH=../lib/libsysevent.so.1
1012 $(ROOT)/usr/lib/libtermcap.so.1:= REALPATH=../lib/libtermcap.so.1
1013 $(ROOT)/usr/lib/libtermcap.so:= REALPATH=../lib/libtermcap.so.1
1014 $(ROOT)/usr/lib/libtermplib.so.1:= REALPATH=../lib/libcurses.so.1
1015 $(ROOT)/usr/lib/libtermplib.so:= REALPATH=../lib/libcurses.so.1
1016 $(ROOT)/usr/lib/libthread.so.1:= REALPATH=../lib/libthread.so.1
1017 $(ROOT)/usr/lib/libthread.so:= REALPATH=../lib/libthread.so.1
1018 $(ROOT)/usr/lib/libthread_db.so.1:= REALPATH=../lib/libc_db.so.1
1019 $(ROOT)/usr/lib/libthread_db.so:= REALPATH=../lib/libc_db.so.1
1020 $(ROOT)/usr/lib/libtsnet.so.1:= REALPATH=../lib/libtsnet.so.1
1021 $(ROOT)/usr/lib/libtsnet.so:= REALPATH=../lib/libtsnet.so.1
1022 $(ROOT)/usr/lib/libtsol.so.2:= REALPATH=../lib/libtsol.so.2
1023 $(ROOT)/usr/lib/libtsol.so:= REALPATH=../lib/libtsol.so.2
1024 $(ROOT)/usr/lib/libumem.so.1:= REALPATH=../lib/libumem.so.1
1025 $(ROOT)/usr/lib/libumem.so:= REALPATH=../lib/libumem.so.1
1026 $(ROOT)/usr/lib/libuuid.so.1:= REALPATH=../lib/libuuid.so.1
1027 $(ROOT)/usr/lib/libuuid.so:= REALPATH=../lib/libuuid.so.1
1028 $(ROOT)/usr/lib/libuutil.so.1:= REALPATH=../lib/libuutil.so.1
1029 $(ROOT)/usr/lib/libuutil.so:= REALPATH=../lib/libuutil.so.1
1030 $(ROOT)/usr/lib/libw.so.1:= REALPATH=../lib/libw.so.1
1031 $(ROOT)/usr/lib/libw.so:= REALPATH=../lib/libw.so.1
1032 $(ROOT)/usr/lib/libxnet.so.1:= REALPATH=../lib/libxnet.so.1
1033 $(ROOT)/usr/lib/libxnet.so:= REALPATH=../lib/libxnet.so.1
1034 $(ROOT)/usr/lib/libzfs.so.1:= REALPATH=../lib/libzfs.so.1
1035 $(ROOT)/usr/lib/libzfs.so:= REALPATH=../lib/libzfs.so.1
1036 $(ROOT)/usr/lib/libzfs_core.so.1:= REALPATH=../lib/libzfs_core.so.1
1037 $(ROOT)/usr/lib/libzfs_core.so:= REALPATH=../lib/libzfs_core.so.1
1038 $(ROOT)/usr/lib/lib-ladm.ln:= REALPATH=../lib/lib-ladm.ln
1039 $(ROOT)/usr/lib/lib-ladm:= REALPATH=../lib/lib-ladm.ln
1040 $(ROOT)/usr/lib/lib-lao.ln:= REALPATH=../lib/lib-lao.ln
1041 $(ROOT)/usr/lib/lib-lao:= REALPATH=../lib/lib-lao.ln
1042 $(ROOT)/usr/lib/lib-lavl.ln:= REALPATH=../lib/lib-lavl.ln
1043 $(ROOT)/usr/lib/lib-lavl:= REALPATH=../lib/lib-lavl.ln
1044 $(ROOT)/usr/lib/lib-lbsm.ln:= REALPATH=../lib/lib-lbsm.ln
1045 $(ROOT)/usr/lib/lib-lbsm:= REALPATH=../lib/lib-lbsm.ln
1046 $(ROOT)/usr/lib/lib-lc.ln:= REALPATH=../lib/lib-lc.ln
1047 $(ROOT)/usr/lib/lib-lc:= REALPATH=../lib/lib-lc.ln
1048 $(ROOT)/usr/lib/lib-lcmdutils.ln:= REALPATH=../lib/lib-lcmdutils.ln
1049 $(ROOT)/usr/lib/lib-lcmdutils:= REALPATH=../lib/lib-lcmdutils.ln
1050 $(ROOT)/usr/lib/lib-lcontract.ln:= REALPATH=../lib/lib-lcontract.ln
1051 $(ROOT)/usr/lib/lib-lcontract:= REALPATH=../lib/lib-lcontract.ln

```



```

1052 $(ROOT)/usr/lib/lib-lctf.ln:= REALPATH=../../../../lib/lib-lctf.ln
1053 $(ROOT)/usr/lib/lib-lctf:= REALPATH=../../../../lib/lib-lctf
1054 $(ROOT)/usr/lib/lib-lcurses.ln:= REALPATH=../../../../lib/lib-lcurses.ln
1055 $(ROOT)/usr/lib/lib-lcurses:= REALPATH=../../../../lib/lib-lcurses
1056 $(ROOT)/usr/lib/lib-ldevice.ln:= REALPATH=../../../../lib/lib-ldevice.ln
1057 $(ROOT)/usr/lib/lib-ldevice:= REALPATH=../../../../lib/lib-ldevice
1058 $(ROOT)/usr/lib/lib-ldevid.ln:= REALPATH=../../../../lib/lib-ldevid.ln
1059 $(ROOT)/usr/lib/lib-ldevid:= REALPATH=../../../../lib/lib-ldevid
1060 $(ROOT)/usr/lib/lib-ldevinfo.ln:= REALPATH=../../../../lib/lib-ldevinfo.ln
1061 $(ROOT)/usr/lib/lib-ldevinfo:= REALPATH=../../../../lib/lib-ldevinfo
1062 $(ROOT)/usr/lib/lib-ldhcpagent.ln:= REALPATH=../../../../lib/lib-ldhcpagent.ln
1063 $(ROOT)/usr/lib/lib-ldhcpagent:= REALPATH=../../../../lib/lib-ldhcpagent
1064 $(ROOT)/usr/lib/lib-ldhcputil.ln:= REALPATH=../../../../lib/lib-ldhcputil.ln
1065 $(ROOT)/usr/lib/lib-ldhcputil:= REALPATH=../../../../lib/lib-ldhcputil
1066 $(ROOT)/usr/lib/lib-ldl.ln:= REALPATH=../../../../lib/lib-ldl.ln
1067 $(ROOT)/usr/lib/lib-ldl:= REALPATH=../../../../lib/lib-ldl
1068 $(ROOT)/usr/lib/lib-ldoor.ln:= REALPATH=../../../../lib/lib-ldoor.ln
1069 $(ROOT)/usr/lib/lib-ldoor:= REALPATH=../../../../lib/lib-ldoor
1070 $(ROOT)/usr/lib/lib-ldefi.ln:= REALPATH=../../../../lib/lib-ldefi.ln
1071 $(ROOT)/usr/lib/lib-ldefi:= REALPATH=../../../../lib/lib-ldefi
1072 $(ROOT)/usr/lib/lib-lelf.ln:= REALPATH=../../../../lib/lib-lelf.ln
1073 $(ROOT)/usr/lib/lib-lelf:= REALPATH=../../../../lib/lib-lelf
1074 $(ROOT)/usr/lib/lib-lfdisk.ln:= REALPATH=../../../../lib/lib-lfdisk.ln
1075 $(ROOT)/usr/lib/lib-lfdisk:= REALPATH=../../../../lib/lib-lfdisk
1076 $(ROOT)/usr/lib/lib-lgen.ln:= REALPATH=../../../../lib/lib-lgen.ln
1077 $(ROOT)/usr/lib/lib-lgen:= REALPATH=../../../../lib/lib-lgen
1078 $(ROOT)/usr/lib/lib-linetutil.ln:= REALPATH=../../../../lib/lib-linetutil.ln
1079 $(ROOT)/usr/lib/lib-linetutil:= REALPATH=../../../../lib/lib-linetutil
1080 $(ROOT)/usr/lib/lib-lintl.ln:= REALPATH=../../../../lib/lib-lintl.ln
1081 $(ROOT)/usr/lib/lib-lintl:= REALPATH=../../../../lib/lib-lintl
1082 $(ROOT)/usr/lib/lib-lkstat.ln:= REALPATH=../../../../lib/lib-lkstat.ln
1083 $(ROOT)/usr/lib/lib-lkstat:= REALPATH=../../../../lib/lib-lkstat
1084 $(ROOT)/usr/lib/lib-lmd5.ln:= REALPATH=../../../../lib/lib-lmd5.ln
1085 $(ROOT)/usr/lib/lib-lmd5:= REALPATH=../../../../lib/lib-lmd5
1086 $(ROOT)/usr/lib/lib-lmeta.ln:= REALPATH=../../../../lib/lib-lmeta.ln
1087 $(ROOT)/usr/lib/lib-lmeta:= REALPATH=../../../../lib/lib-lmeta
1088 $(ROOT)/usr/lib/lib-lns1.ln:= REALPATH=../../../../lib/lib-lns1.ln
1089 $(ROOT)/usr/lib/lib-lns1:= REALPATH=../../../../lib/lib-lns1
1090 $(ROOT)/usr/lib/lib-lnvpair.ln:= REALPATH=../../../../lib/lib-lnvpair.ln
1091 $(ROOT)/usr/lib/lib-lnvpair:= REALPATH=../../../../lib/lib-lnvpair
1092 $(ROOT)/usr/lib/lib-lpam.ln:= REALPATH=../../../../lib/lib-lpam.ln
1093 $(ROOT)/usr/lib/lib-lpam:= REALPATH=../../../../lib/lib-lpam
1094 $(ROOT)/usr/lib/lib-lposix4.ln:= REALPATH=../../../../lib/lib-lrt.ln
1095 $(ROOT)/usr/lib/lib-lposix4:= REALPATH=../../../../lib/lib-lrt
1096 $(ROOT)/usr/lib/lib-lpthread.ln:= REALPATH=../../../../lib/lib-lpthread.ln
1097 $(ROOT)/usr/lib/lib-lpthread:= REALPATH=../../../../lib/lib-lpthread
1098 $(ROOT)/usr/lib/lib-lresolv.ln:= REALPATH=../../../../lib/lib-lresolv.ln
1099 $(ROOT)/usr/lib/lib-lresolv:= REALPATH=../../../../lib/lib-lresolv
1100 $(ROOT)/usr/lib/lib-lrpcsvc.ln:= REALPATH=../../../../lib/lib-lrpcsvc.ln
1101 $(ROOT)/usr/lib/lib-lrpcsvc:= REALPATH=../../../../lib/lib-lrpcsvc
1102 $(ROOT)/usr/lib/lib-lrt.ln:= REALPATH=../../../../lib/lib-lrt.ln
1103 $(ROOT)/usr/lib/lib-lrt:= REALPATH=../../../../lib/lib-lrt
1104 $(ROOT)/usr/lib/lib-lrtld_db.ln:= REALPATH=../../../../lib/lib-lrtld_db.ln
1105 $(ROOT)/usr/lib/lib-lrtld_db:= REALPATH=../../../../lib/lib-lrtld_db
1106 $(ROOT)/usr/lib/lib-lscf.ln:= REALPATH=../../../../lib/lib-lscf.ln
1107 $(ROOT)/usr/lib/lib-lscf:= REALPATH=../../../../lib/lib-lscf
1108 $(ROOT)/usr/lib/lib-lsec.ln:= REALPATH=../../../../lib/lib-lsec.ln
1109 $(ROOT)/usr/lib/lib-lsec:= REALPATH=../../../../lib/lib-lsec
1110 $(ROOT)/usr/lib/lib-lsecdb.ln:= REALPATH=../../../../lib/lib-lsecdb.ln
1111 $(ROOT)/usr/lib/lib-lsecdb:= REALPATH=../../../../lib/lib-lsecdb
1112 $(ROOT)/usr/lib/lib-lsendfile.ln:= REALPATH=../../../../lib/lib-lsendfile.ln
1113 $(ROOT)/usr/lib/lib-lsendfile:= REALPATH=../../../../lib/lib-lsendfile
1114 $(ROOT)/usr/lib/lib-lsocket.ln:= REALPATH=../../../../lib/lib-lsocket.ln
1115 $(ROOT)/usr/lib/lib-lsocket:= REALPATH=../../../../lib/lib-lsocket
1116 $(ROOT)/usr/lib/lib-lsysevent.ln:= REALPATH=../../../../lib/lib-lsysevent.ln
1117 $(ROOT)/usr/lib/lib-lsysevent:= REALPATH=../../../../lib/lib-lsysevent

```

```

1118 $(ROOT)/usr/lib/lib-ltermcap.ln:= REALPATH=../../../../lib/lib-ltermcap.ln
1119 $(ROOT)/usr/lib/lib-ltermcap:= REALPATH=../../../../lib/lib-ltermcap
1120 $(ROOT)/usr/lib/lib-ltermlib.ln:= REALPATH=../../../../lib/lib-lcurses.ln
1121 $(ROOT)/usr/lib/lib-ltermlib:= REALPATH=../../../../lib/lib-lcurses
1122 $(ROOT)/usr/lib/lib-lthread.ln:= REALPATH=../../../../lib/lib-lthread.ln
1123 $(ROOT)/usr/lib/lib-lthread:= REALPATH=../../../../lib/lib-lthread
1124 $(ROOT)/usr/lib/lib-lthread_db.ln:= REALPATH=../../../../lib/lib-lc_db.ln
1125 $(ROOT)/usr/lib/lib-lthread_db:= REALPATH=../../../../lib/lib-lc_db
1126 $(ROOT)/usr/lib/lib-ltsnet.ln:= REALPATH=../../../../lib/lib-ltsnet.ln
1127 $(ROOT)/usr/lib/lib-ltsnet:= REALPATH=../../../../lib/lib-ltsnet
1128 $(ROOT)/usr/lib/lib-ltsol.ln:= REALPATH=../../../../lib/lib-ltsol.ln
1129 $(ROOT)/usr/lib/lib-ltsol:= REALPATH=../../../../lib/lib-ltsol
1130 $(ROOT)/usr/lib/lib-lumem.ln:= REALPATH=../../../../lib/lib-lumem.ln
1131 $(ROOT)/usr/lib/lib-lumem:= REALPATH=../../../../lib/lib-lumem
1132 $(ROOT)/usr/lib/lib-luuid.ln:= REALPATH=../../../../lib/lib-luuid.ln
1133 $(ROOT)/usr/lib/lib-luuid:= REALPATH=../../../../lib/lib-luuid
1134 $(ROOT)/usr/lib/lib-lxnet.ln:= REALPATH=../../../../lib/lib-lxnet.ln
1135 $(ROOT)/usr/lib/lib-lxnet:= REALPATH=../../../../lib/lib-lxnet
1136 $(ROOT)/usr/lib/lib-lzfs.ln:= REALPATH=../../../../lib/lib-lzfs.ln
1137 $(ROOT)/usr/lib/lib-lzfs:= REALPATH=../../../../lib/lib-lzfs
1138 $(ROOT)/usr/lib/lib-lzfs_core.ln:= REALPATH=../../../../lib/lib-lzfs_core.ln
1139 $(ROOT)/usr/lib/lib-lzfs_core:= REALPATH=../../../../lib/lib-lzfs_core
1140 $(ROOT)/usr/lib/nss_compat.so.1:= REALPATH=../../../../lib/nss_compat.so.1
1141 $(ROOT)/usr/lib/nss_dns.so.1:= REALPATH=../../../../lib/nss_dns.so.1
1142 $(ROOT)/usr/lib/nss_files.so.1:= REALPATH=../../../../lib/nss_files.so.1
1143 $(ROOT)/usr/lib/nss_nis.so.1:= REALPATH=../../../../lib/nss_nis.so.1
1144 $(ROOT)/usr/lib/nss_user.so.1:= REALPATH=../../../../lib/nss_user.so.1
1145 $(ROOT)/usr/lib/fm/libfmevent.so.1:= REALPATH=../../../../lib/fm/libfmevent.so.1
1146 $(ROOT)/usr/lib/fm/libfmevent.so:= REALPATH=../../../../lib/fm/libfmevent.so.1
1147 $(ROOT)/usr/lib/fm/lib-lfmevent.ln:= REALPATH=../../../../lib/fm/lib-lfmevent.ln
1148 $(ROOT)/usr/lib/fm/lib-lfmevent:= REALPATH=../../../../lib/fm/lib-lfmevent

1150 $(ROOT)/lib/$(MACH64)/libposix4.so.1:= \
1151     REALPATH=librt.so.1
1152 $(ROOT)/lib/$(MACH64)/libposix4.so:= \
1153     REALPATH=libposix4.so.1
1154 $(ROOT)/lib/$(MACH64)/lib-lposix4.ln:= \
1155     REALPATH=lib-lrt.ln
1156 $(ROOT)/lib/$(MACH64)/libthread_db.so.1:= \
1157     REALPATH=libc_db.so.1
1158 $(ROOT)/lib/$(MACH64)/libthread_db.so:= \
1159     REALPATH=libc_db.so.1
1160 $(ROOT)/usr/lib/$(MACH64)/ld.so.1:= \
1161     REALPATH=../../../../lib/$(MACH64)/ld.so.1
1162 $(ROOT)/usr/lib/$(MACH64)/libadm.so.1:= \
1163     REALPATH=../../../../lib/$(MACH64)/libadm.so.1
1164 $(ROOT)/usr/lib/$(MACH64)/libadm.so:= \
1165     REALPATH=../../../../lib/$(MACH64)/libadm.so.1
1166 $(ROOT)/usr/lib/$(MACH64)/libaio.so.1:= \
1167     REALPATH=../../../../lib/$(MACH64)/libaio.so.1
1168 $(ROOT)/usr/lib/$(MACH64)/libaio.so:= \
1169     REALPATH=../../../../lib/$(MACH64)/libaio.so.1
1170 $(ROOT)/usr/lib/$(MACH64)/libavl.so.1:= \
1171     REALPATH=../../../../lib/$(MACH64)/libavl.so.1
1172 $(ROOT)/usr/lib/$(MACH64)/libavl.so:= \
1173     REALPATH=../../../../lib/$(MACH64)/libavl.so.1
1174 $(ROOT)/usr/lib/$(MACH64)/libbsm.so.1:= \
1175     REALPATH=../../../../lib/$(MACH64)/libbsm.so.1
1176 $(ROOT)/usr/lib/$(MACH64)/libbsm.so:= \
1177     REALPATH=../../../../lib/$(MACH64)/libbsm.so.1
1178 $(ROOT)/usr/lib/$(MACH64)/libc.so.1:= \
1179     REALPATH=../../../../lib/$(MACH64)/libc.so.1
1180 $(ROOT)/usr/lib/$(MACH64)/libc.so:= \
1181     REALPATH=../../../../lib/$(MACH64)/libc.so.1
1182 $(ROOT)/usr/lib/$(MACH64)/libc_db.so.1:= \
1183     REALPATH=../../../../lib/$(MACH64)/libc_db.so.1

```

```

1184 $(ROOT)/usr/lib/$(MACH64)/libc_db.so:= \
1185     REALPATH=../../../../lib/$(MACH64)/libc_db.so.1
1186 $(ROOT)/usr/lib/$(MACH64)/libcndutils.so.1:= \
1187     REALPATH=../../../../lib/$(MACH64)/libcndutils.so.1
1188 $(ROOT)/usr/lib/$(MACH64)/libcndutils.so:= \
1189     REALPATH=../../../../lib/$(MACH64)/libcndutils.so.1
1190 $(ROOT)/usr/lib/$(MACH64)/libcontract.so.1:= \
1191     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1192 $(ROOT)/usr/lib/$(MACH64)/libcontract.so:= \
1193     REALPATH=../../../../lib/$(MACH64)/libcontract.so.1
1194 $(ROOT)/usr/lib/$(MACH64)/libctf.so.1:= \
1195     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1196 $(ROOT)/usr/lib/$(MACH64)/libctf.so:= \
1197     REALPATH=../../../../lib/$(MACH64)/libctf.so.1
1198 $(ROOT)/usr/lib/$(MACH64)/libcurses.so.1:= \
1199     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1200 $(ROOT)/usr/lib/$(MACH64)/libcurses.so:= \
1201     REALPATH=../../../../lib/$(MACH64)/libcurses.so.1
1202 $(ROOT)/usr/lib/$(MACH64)/libdevice.so.1:= \
1203     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1204 $(ROOT)/usr/lib/$(MACH64)/libdevice.so:= \
1205     REALPATH=../../../../lib/$(MACH64)/libdevice.so.1
1206 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so.1:= \
1207     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1208 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so:= \
1209     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1210 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so.1:= \
1211     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1212 $(ROOT)/usr/lib/$(MACH64)/libdevinfo.so:= \
1213     REALPATH=../../../../lib/$(MACH64)/libdevinfo.so.1
1214 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so.1:= \
1215     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1216 $(ROOT)/usr/lib/$(MACH64)/libdhcputil.so:= \
1217     REALPATH=../../../../lib/$(MACH64)/libdhcputil.so.1
1218 #endif /* ! codereview */
1219 $(ROOT)/usr/lib/$(MACH64)/libdl.so.1:= \
1220     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1221 $(ROOT)/usr/lib/$(MACH64)/libdl.so:= \
1222     REALPATH=../../../../lib/$(MACH64)/libdl.so.1
1223 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so.1:= \
1224     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1225 $(ROOT)/usr/lib/$(MACH64)/libdlpi.so:= \
1226     REALPATH=../../../../lib/$(MACH64)/libdlpi.so.1
1227 $(ROOT)/usr/lib/$(MACH64)/libdoor.so.1:= \
1228     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1229 $(ROOT)/usr/lib/$(MACH64)/libdoor.so:= \
1230     REALPATH=../../../../lib/$(MACH64)/libdoor.so.1
1231 $(ROOT)/usr/lib/$(MACH64)/libefi.so.1:= \
1232     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1233 $(ROOT)/usr/lib/$(MACH64)/libefi.so:= \
1234     REALPATH=../../../../lib/$(MACH64)/libefi.so.1
1235 $(ROOT)/usr/lib/$(MACH64)/libelf.so.1:= \
1236     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1237 $(ROOT)/usr/lib/$(MACH64)/libelf.so:= \
1238     REALPATH=../../../../lib/$(MACH64)/libelf.so.1
1239 $(ROOT)/usr/lib/$(MACH64)/libgen.so.1:= \
1240     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
1241 $(ROOT)/usr/lib/$(MACH64)/libgen.so:= \
1242     REALPATH=../../../../lib/$(MACH64)/libgen.so.1
1243 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so.1:= \
1244     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1245 $(ROOT)/usr/lib/$(MACH64)/libinetutil.so:= \
1246     REALPATH=../../../../lib/$(MACH64)/libinetutil.so.1
1247 $(ROOT)/usr/lib/$(MACH64)/libintl.so.1:= \
1248     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1249 $(ROOT)/usr/lib/$(MACH64)/libintl.so:= \

```

```

1250     REALPATH=../../../../lib/$(MACH64)/libintl.so.1
1251 $(ROOT)/usr/lib/$(MACH64)/libkstat.so.1:= \
1252     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1253 $(ROOT)/usr/lib/$(MACH64)/libkstat.so:= \
1254     REALPATH=../../../../lib/$(MACH64)/libkstat.so.1
1255 $(ROOT)/usr/lib/$(MACH64)/libldbg.so.4:= \
1256     REALPATH=../../../../lib/$(MACH64)/libldbg.so.4
1257 $(ROOT)/usr/lib/$(MACH64)/libmd.so.1:= \
1258     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1259 $(ROOT)/usr/lib/$(MACH64)/libmd.so:= \
1260     REALPATH=../../../../lib/$(MACH64)/libmd.so.1
1261 $(ROOT)/usr/lib/$(MACH64)/libmd5.so.1:= \
1262     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1263 $(ROOT)/usr/lib/$(MACH64)/libmd5.so:= \
1264     REALPATH=../../../../lib/$(MACH64)/libmd5.so.1
1265 $(ROOT)/usr/lib/$(MACH64)/libmp.so.2:= \
1266     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1267 $(ROOT)/usr/lib/$(MACH64)/libmp.so:= \
1268     REALPATH=../../../../lib/$(MACH64)/libmp.so.2
1269 $(ROOT)/usr/lib/$(MACH64)/libnsl.so.1:= \
1270     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1271 $(ROOT)/usr/lib/$(MACH64)/libnsl.so:= \
1272     REALPATH=../../../../lib/$(MACH64)/libnsl.so.1
1273 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so.1:= \
1274     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1275 $(ROOT)/usr/lib/$(MACH64)/libnvpair.so:= \
1276     REALPATH=../../../../lib/$(MACH64)/libnvpair.so.1
1277 $(ROOT)/usr/lib/$(MACH64)/libpam.so.1:= \
1278     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1279 $(ROOT)/usr/lib/$(MACH64)/libpam.so:= \
1280     REALPATH=../../../../lib/$(MACH64)/libpam.so.1
1281 $(ROOT)/usr/lib/$(MACH64)/libposix4.so.1:= \
1282     REALPATH=../../../../lib/$(MACH64)/libposix4.so.1
1283 $(ROOT)/usr/lib/$(MACH64)/libposix4.so:= \
1284     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1285 $(ROOT)/usr/lib/$(MACH64)/libproc.so.1:= \
1286     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1287 $(ROOT)/usr/lib/$(MACH64)/libproc.so:= \
1288     REALPATH=../../../../lib/$(MACH64)/libproc.so.1
1289 $(ROOT)/usr/lib/$(MACH64)/libpthread.so.1:= \
1290     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1291 $(ROOT)/usr/lib/$(MACH64)/libpthread.so:= \
1292     REALPATH=../../../../lib/$(MACH64)/libpthread.so.1
1293 $(ROOT)/usr/lib/$(MACH64)/librcm.so.1:= \
1294     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1295 $(ROOT)/usr/lib/$(MACH64)/librcm.so:= \
1296     REALPATH=../../../../lib/$(MACH64)/librcm.so.1
1297 $(ROOT)/usr/lib/$(MACH64)/libresolv.so.2:= \
1298     REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
1299 $(ROOT)/usr/lib/$(MACH64)/libresolv.so:= \
1300     REALPATH=../../../../lib/$(MACH64)/libresolv.so.2
1301 $(ROOT)/usr/lib/$(MACH64)/librestart.so.1:= \
1302     REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1303 $(ROOT)/usr/lib/$(MACH64)/librestart.so:= \
1304     REALPATH=../../../../lib/$(MACH64)/librestart.so.1
1305 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so.1:= \
1306     REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1307 $(ROOT)/usr/lib/$(MACH64)/librpcsvc.so:= \
1308     REALPATH=../../../../lib/$(MACH64)/librpcsvc.so.1
1309 $(ROOT)/usr/lib/$(MACH64)/librt.so.1:= \
1310     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1311 $(ROOT)/usr/lib/$(MACH64)/librt.so:= \
1312     REALPATH=../../../../lib/$(MACH64)/librt.so.1
1313 $(ROOT)/usr/lib/$(MACH64)/librtld.so.1:= \
1314     REALPATH=../../../../lib/$(MACH64)/librtld.so.1
1315 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so.1:= \

```

```

1316 REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1317 $(ROOT)/usr/lib/$(MACH64)/librtld_db.so:= \
1318 REALPATH=../../../../lib/$(MACH64)/librtld_db.so.1
1319 $(ROOT)/usr/lib/$(MACH64)/libscf.so.1:= \
1320 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1321 $(ROOT)/usr/lib/$(MACH64)/libscf.so:= \
1322 REALPATH=../../../../lib/$(MACH64)/libscf.so.1
1323 $(ROOT)/usr/lib/$(MACH64)/libsec.so.1:= \
1324 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1325 $(ROOT)/usr/lib/$(MACH64)/libsec.so:= \
1326 REALPATH=../../../../lib/$(MACH64)/libsec.so.1
1327 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so.1:= \
1328 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1329 $(ROOT)/usr/lib/$(MACH64)/libsecdb.so:= \
1330 REALPATH=../../../../lib/$(MACH64)/libsecdb.so.1
1331 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so.1:= \
1332 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1333 $(ROOT)/usr/lib/$(MACH64)/libsendfile.so:= \
1334 REALPATH=../../../../lib/$(MACH64)/libsendfile.so.1
1335 $(ROOT)/usr/lib/$(MACH64)/libsocket.so.1:= \
1336 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1337 $(ROOT)/usr/lib/$(MACH64)/libsocket.so:= \
1338 REALPATH=../../../../lib/$(MACH64)/libsocket.so.1
1339 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so.1:= \
1340 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1341 $(ROOT)/usr/lib/$(MACH64)/libsysevent.so:= \
1342 REALPATH=../../../../lib/$(MACH64)/libsysevent.so.1
1343 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so.1:= \
1344 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1345 $(ROOT)/usr/lib/$(MACH64)/libtermcap.so:= \
1346 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1347 $(ROOT)/usr/lib/$(MACH64)/libtermlib.so.1:= \
1348 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1349 $(ROOT)/usr/lib/$(MACH64)/libtermlib.so:= \
1350 REALPATH=../../../../lib/$(MACH64)/libtermcap.so.1
1351 $(ROOT)/usr/lib/$(MACH64)/libthread.so.1:= \
1352 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1353 $(ROOT)/usr/lib/$(MACH64)/libthread.so:= \
1354 REALPATH=../../../../lib/$(MACH64)/libthread.so.1
1355 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so.1:= \
1356 REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1
1357 $(ROOT)/usr/lib/$(MACH64)/libthread_db.so:= \
1358 REALPATH=../../../../lib/$(MACH64)/libthread_db.so.1
1359 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so.1:= \
1360 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1361 $(ROOT)/usr/lib/$(MACH64)/libtsnet.so:= \
1362 REALPATH=../../../../lib/$(MACH64)/libtsnet.so.1
1363 $(ROOT)/usr/lib/$(MACH64)/libtsol.so.2:= \
1364 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2
1365 $(ROOT)/usr/lib/$(MACH64)/libtsol.so:= \
1366 REALPATH=../../../../lib/$(MACH64)/libtsol.so.2
1367 $(ROOT)/usr/lib/$(MACH64)/libumem.so.1:= \
1368 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1369 $(ROOT)/usr/lib/$(MACH64)/libumem.so:= \
1370 REALPATH=../../../../lib/$(MACH64)/libumem.so.1
1371 $(ROOT)/usr/lib/$(MACH64)/libuuid.so.1:= \
1372 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1373 $(ROOT)/usr/lib/$(MACH64)/libuuid.so:= \
1374 REALPATH=../../../../lib/$(MACH64)/libuuid.so.1
1375 $(ROOT)/usr/lib/$(MACH64)/libuutil.so.1:= \
1376 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1377 $(ROOT)/usr/lib/$(MACH64)/libuutil.so:= \
1378 REALPATH=../../../../lib/$(MACH64)/libuutil.so.1
1379 $(ROOT)/usr/lib/$(MACH64)/libw.so.1:= \
1380 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1381 $(ROOT)/usr/lib/$(MACH64)/libw.so:= \

```

```

1382 REALPATH=../../../../lib/$(MACH64)/libw.so.1
1383 $(ROOT)/usr/lib/$(MACH64)/libxnet.so.1:= \
1384 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1385 $(ROOT)/usr/lib/$(MACH64)/libxnet.so:= \
1386 REALPATH=../../../../lib/$(MACH64)/libxnet.so.1
1387 $(ROOT)/usr/lib/$(MACH64)/libzfs.so:= \
1388 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1389 $(ROOT)/usr/lib/$(MACH64)/libzfs.so.1:= \
1390 REALPATH=../../../../lib/$(MACH64)/libzfs.so.1
1391 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so:= \
1392 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1393 $(ROOT)/usr/lib/$(MACH64)/libzfs_core.so.1:= \
1394 REALPATH=../../../../lib/$(MACH64)/libzfs_core.so.1
1395 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so.1:= \
1396 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1397 $(ROOT)/usr/lib/$(MACH64)/libfdisk.so:= \
1398 REALPATH=../../../../lib/$(MACH64)/libfdisk.so.1
1399 $(ROOT)/usr/lib/$(MACH64)/llib-ladm.ln:= \
1400 REALPATH=../../../../lib/$(MACH64)/llib-ladm.ln
1401 $(ROOT)/usr/lib/$(MACH64)/llib-laio.ln:= \
1402 REALPATH=../../../../lib/$(MACH64)/llib-laio.ln
1403 $(ROOT)/usr/lib/$(MACH64)/llib-lavl.ln:= \
1404 REALPATH=../../../../lib/$(MACH64)/llib-lavl.ln
1405 $(ROOT)/usr/lib/$(MACH64)/llib-lbsm.ln:= \
1406 REALPATH=../../../../lib/$(MACH64)/llib-lbsm.ln
1407 $(ROOT)/usr/lib/$(MACH64)/llib-lc.ln:= \
1408 REALPATH=../../../../lib/$(MACH64)/llib-lc.ln
1409 $(ROOT)/usr/lib/$(MACH64)/llib-lcmdutils.ln:= \
1410 REALPATH=../../../../lib/$(MACH64)/llib-lcmdutils.ln
1411 $(ROOT)/usr/lib/$(MACH64)/llib-lcontract.ln:= \
1412 REALPATH=../../../../lib/$(MACH64)/llib-lcontract.ln
1413 $(ROOT)/usr/lib/$(MACH64)/llib-lctf.ln:= \
1414 REALPATH=../../../../lib/$(MACH64)/llib-lctf.ln
1415 $(ROOT)/usr/lib/$(MACH64)/llib-lcurses.ln:= \
1416 REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
1417 $(ROOT)/usr/lib/$(MACH64)/llib-ldevice.ln:= \
1418 REALPATH=../../../../lib/$(MACH64)/llib-ldevice.ln
1419 $(ROOT)/usr/lib/$(MACH64)/llib-ldevid.ln:= \
1420 REALPATH=../../../../lib/$(MACH64)/llib-ldevid.ln
1421 $(ROOT)/usr/lib/$(MACH64)/llib-ldevinfo.ln:= \
1422 REALPATH=../../../../lib/$(MACH64)/llib-ldevinfo.ln
1423 $(ROOT)/usr/lib/$(MACH64)/llib-ldhcputil.ln:= \
1424 REALPATH=../../../../lib/$(MACH64)/llib-ldhcputil.ln
1425 #endif /* ! codereview */
1426 $(ROOT)/usr/lib/$(MACH64)/llib-ldl.ln:= \
1427 REALPATH=../../../../lib/$(MACH64)/llib-ldl.ln
1428 $(ROOT)/usr/lib/$(MACH64)/llib-ldoor.ln:= \
1429 REALPATH=../../../../lib/$(MACH64)/llib-ldoor.ln
1430 $(ROOT)/usr/lib/$(MACH64)/llib-lefi.ln:= \
1431 REALPATH=../../../../lib/$(MACH64)/llib-lefi.ln
1432 $(ROOT)/usr/lib/$(MACH64)/llib-lelf.ln:= \
1433 REALPATH=../../../../lib/$(MACH64)/llib-lelf.ln
1434 $(ROOT)/usr/lib/$(MACH64)/llib-lgen.ln:= \
1435 REALPATH=../../../../lib/$(MACH64)/llib-lgen.ln
1436 $(ROOT)/usr/lib/$(MACH64)/llib-linetutil.ln:= \
1437 REALPATH=../../../../lib/$(MACH64)/llib-linetutil.ln
1438 $(ROOT)/usr/lib/$(MACH64)/llib-lintl.ln:= \
1439 REALPATH=../../../../lib/$(MACH64)/llib-lintl.ln
1440 $(ROOT)/usr/lib/$(MACH64)/llib-lkstat.ln:= \
1441 REALPATH=../../../../lib/$(MACH64)/llib-lkstat.ln
1442 $(ROOT)/usr/lib/$(MACH64)/llib-lmd5.ln:= \
1443 REALPATH=../../../../lib/$(MACH64)/llib-lmd5.ln
1444 $(ROOT)/usr/lib/$(MACH64)/llib-lns1.ln:= \
1445 REALPATH=../../../../lib/$(MACH64)/llib-lns1.ln
1446 $(ROOT)/usr/lib/$(MACH64)/llib-lnvpair.ln:= \
1447 REALPATH=../../../../lib/$(MACH64)/llib-lnvpair.ln

```

```

1448 $(ROOT)/usr/lib/$(MACH64)/llib-lpam.ln:= \
1449     REALPATH=../../../../lib/$(MACH64)/llib-lpam.ln
1450 $(ROOT)/usr/lib/$(MACH64)/llib-lposix4.ln:= \
1451     REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1452 $(ROOT)/usr/lib/$(MACH64)/llib-lpthread.ln:= \
1453     REALPATH=../../../../lib/$(MACH64)/llib-lpthread.ln
1454 $(ROOT)/usr/lib/$(MACH64)/llib-lresolv.ln:= \
1455     REALPATH=../../../../lib/$(MACH64)/llib-lresolv.ln
1456 $(ROOT)/usr/lib/$(MACH64)/llib-lrpcsvc.ln:= \
1457     REALPATH=../../../../lib/$(MACH64)/llib-lrpcsvc.ln
1458 $(ROOT)/usr/lib/$(MACH64)/llib-lrt.ln:= \
1459     REALPATH=../../../../lib/$(MACH64)/llib-lrt.ln
1460 $(ROOT)/usr/lib/$(MACH64)/llib-lrtld_db.ln:= \
1461     REALPATH=../../../../lib/$(MACH64)/llib-lrtld_db.ln
1462 $(ROOT)/usr/lib/$(MACH64)/llib-lscf.ln:= \
1463     REALPATH=../../../../lib/$(MACH64)/llib-lscf.ln
1464 $(ROOT)/usr/lib/$(MACH64)/llib-lsec.ln:= \
1465     REALPATH=../../../../lib/$(MACH64)/llib-lsec.ln
1466 $(ROOT)/usr/lib/$(MACH64)/llib-lsecdb.ln:= \
1467     REALPATH=../../../../lib/$(MACH64)/llib-lsecdb.ln
1468 $(ROOT)/usr/lib/$(MACH64)/llib-lsendfile.ln:= \
1469     REALPATH=../../../../lib/$(MACH64)/llib-lsendfile.ln
1470 $(ROOT)/usr/lib/$(MACH64)/llib-lsocket.ln:= \
1471     REALPATH=../../../../lib/$(MACH64)/llib-lsocket.ln
1472 $(ROOT)/usr/lib/$(MACH64)/llib-lsysevent.ln:= \
1473     REALPATH=../../../../lib/$(MACH64)/llib-lsysevent.ln
1474 $(ROOT)/usr/lib/$(MACH64)/llib-ltermcap.ln:= \
1475     REALPATH=../../../../lib/$(MACH64)/llib-ltermcap.ln
1476 $(ROOT)/usr/lib/$(MACH64)/llib-ltermplib.ln:= \
1477     REALPATH=../../../../lib/$(MACH64)/llib-lcurses.ln
1478 $(ROOT)/usr/lib/$(MACH64)/llib-lthread.ln:= \
1479     REALPATH=../../../../lib/$(MACH64)/llib-lthread.ln
1480 $(ROOT)/usr/lib/$(MACH64)/llib-lthread_db.ln:= \
1481     REALPATH=../../../../lib/$(MACH64)/llib-lc_db.ln
1482 $(ROOT)/usr/lib/$(MACH64)/llib-ltsnet.ln:= \
1483     REALPATH=../../../../lib/$(MACH64)/llib-ltsnet.ln
1484 $(ROOT)/usr/lib/$(MACH64)/llib-ltsol.ln:= \
1485     REALPATH=../../../../lib/$(MACH64)/llib-ltsol.ln
1486 $(ROOT)/usr/lib/$(MACH64)/llib-lumem.ln:= \
1487     REALPATH=../../../../lib/$(MACH64)/llib-lumem.ln
1488 $(ROOT)/usr/lib/$(MACH64)/llib-luuid.ln:= \
1489     REALPATH=../../../../lib/$(MACH64)/llib-luuid.ln
1490 $(ROOT)/usr/lib/$(MACH64)/llib-lxnet.ln:= \
1491     REALPATH=../../../../lib/$(MACH64)/llib-lxnet.ln
1492 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs.ln:= \
1493     REALPATH=../../../../lib/$(MACH64)/llib-lzfs.ln
1494 $(ROOT)/usr/lib/$(MACH64)/llib-lzfs_core.ln:= \
1495     REALPATH=../../../../lib/$(MACH64)/llib-lzfs_core.ln
1496 $(ROOT)/usr/lib/$(MACH64)/llib-lfdisk.ln:= \
1497     REALPATH=../../../../lib/$(MACH64)/llib-lfdisk.ln
1498 $(ROOT)/usr/lib/$(MACH64)/nss_compat.so.1:= \
1499     REALPATH=../../../../lib/$(MACH64)/nss_compat.so.1
1500 $(ROOT)/usr/lib/$(MACH64)/nss_dns.so.1:= \
1501     REALPATH=../../../../lib/$(MACH64)/nss_dns.so.1
1502 $(ROOT)/usr/lib/$(MACH64)/nss_files.so.1:= \
1503     REALPATH=../../../../lib/$(MACH64)/nss_files.so.1
1504 $(ROOT)/usr/lib/$(MACH64)/nss_nis.so.1:= \
1505     REALPATH=../../../../lib/$(MACH64)/nss_nis.so.1
1506 $(ROOT)/usr/lib/$(MACH64)/nss_user.so.1:= \
1507     REALPATH=../../../../lib/$(MACH64)/nss_user.so.1
1508 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so.1:= \
1509     REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1510 $(ROOT)/usr/lib/fm/$(MACH64)/libfmevent.so:= \
1511     REALPATH=../../../../lib/fm/$(MACH64)/libfmevent.so.1
1512 $(ROOT)/usr/lib/fm/$(MACH64)/llib-lfmevent.ln:= \
1513     REALPATH=../../../../lib/fm/$(MACH64)/llib-lfmevent.ln

```

```

1515 i386_SYM.USRLIB= \
1516     /usr/lib/libfdisk.so \
1517     /usr/lib/libfdisk.so.1 \
1518     /usr/lib/llib-lfdisk \
1519     /usr/lib/llib-lfdisk.ln
1521 SYM.USRLIB= \
1522     $(MACH)_SYM.USRLIB) \
1523     /lib/libposix4.so \
1524     /lib/libposix4.so.1 \
1525     /lib/llib-lposix4 \
1526     /lib/llib-lposix4.ln \
1527     /lib/libthread_db.so \
1528     /lib/libthread_db.so.1 \
1529     /usr/lib/ld.so.1 \
1530     /usr/lib/libadm.so \
1531     /usr/lib/libadm.so.1 \
1532     /usr/lib/libaio.so \
1533     /usr/lib/libaio.so.1 \
1534     /usr/lib/libavl.so \
1535     /usr/lib/libavl.so.1 \
1536     /usr/lib/libbsm.so \
1537     /usr/lib/libbsm.so.1 \
1538     /usr/lib/libc.so \
1539     /usr/lib/libc.so.1 \
1540     /usr/lib/libc_db.so \
1541     /usr/lib/libc_db.so.1 \
1542     /usr/lib/libcmdutils.so \
1543     /usr/lib/libcmdutils.so.1 \
1544     /usr/lib/libcontract.so \
1545     /usr/lib/libcontract.so.1 \
1546     /usr/lib/libctf.so \
1547     /usr/lib/libctf.so.1 \
1548     /usr/lib/libcurses.so \
1549     /usr/lib/libcurses.so.1 \
1550     /usr/lib/libdevice.so \
1551     /usr/lib/libdevice.so.1 \
1552     /usr/lib/libdevid.so \
1553     /usr/lib/libdevid.so.1 \
1554     /usr/lib/libdevinfo.so \
1555     /usr/lib/libdevinfo.so.1 \
1556     /usr/lib/libdhcpcagent.so \
1557     /usr/lib/libdhcpcagent.so.1 \
1558     /usr/lib/libdhcputil.so \
1559     /usr/lib/libdhcputil.so.1 \
1560     /usr/lib/libdl.so \
1561     /usr/lib/libdl.so.1 \
1562     /usr/lib/libdmpi.so \
1563     /usr/lib/libdmpi.so.1 \
1564     /usr/lib/libdoor.so \
1565     /usr/lib/libdoor.so.1 \
1566     /usr/lib/libefi.so \
1567     /usr/lib/libefi.so.1 \
1568     /usr/lib/libelf.so \
1569     /usr/lib/libelf.so.1 \
1570     /usr/lib/libgen.so \
1571     /usr/lib/libgen.so.1 \
1572     /usr/lib/libinetutil.so \
1573     /usr/lib/libinetutil.so.1 \
1574     /usr/lib/libintl.so \
1575     /usr/lib/libintl.so.1 \
1576     /usr/lib/libkstat.so \
1577     /usr/lib/libkstat.so.1 \
1578     /usr/lib/liblddbg.so.4 \
1579     /usr/lib/libmd.so \

```

```

1580 /usr/lib/libmd.so.1 \
1581 /usr/lib/libmd5.so \
1582 /usr/lib/libmd5.so.1 \
1583 /usr/lib/libmeta.so \
1584 /usr/lib/libmeta.so.1 \
1585 /usr/lib/libmp.so \
1586 /usr/lib/libmp.so.1 \
1587 /usr/lib/libmp.so.2 \
1588 /usr/lib/libnsl.so \
1589 /usr/lib/libnsl.so.1 \
1590 /usr/lib/libnvpair.so \
1591 /usr/lib/libnvpair.so.1 \
1592 /usr/lib/libpam.so \
1593 /usr/lib/libpam.so.1 \
1594 /usr/lib/libposix4.so \
1595 /usr/lib/libposix4.so.1 \
1596 /usr/lib/libproc.so \
1597 /usr/lib/libproc.so.1 \
1598 /usr/lib/libpthread.so \
1599 /usr/lib/libpthread.so.1 \
1600 /usr/lib/librcm.so \
1601 /usr/lib/librcm.so.1 \
1602 /usr/lib/libresolv.so \
1603 /usr/lib/libresolv.so.1 \
1604 /usr/lib/libresolv.so.2 \
1605 /usr/lib/librestart.so \
1606 /usr/lib/librestart.so.1 \
1607 /usr/lib/librpcsvc.so \
1608 /usr/lib/librpcsvc.so.1 \
1609 /usr/lib/librt.so \
1610 /usr/lib/librt.so.1 \
1611 /usr/lib/librtld.so.1 \
1612 /usr/lib/librtld_db.so \
1613 /usr/lib/librtld_db.so.1 \
1614 /usr/lib/libscf.so \
1615 /usr/lib/libscf.so.1 \
1616 /usr/lib/libsec.so \
1617 /usr/lib/libsec.so.1 \
1618 /usr/lib/libsecdb.so \
1619 /usr/lib/libsecdb.so.1 \
1620 /usr/lib/libsendfile.so \
1621 /usr/lib/libsendfile.so.1 \
1622 /usr/lib/libsocket.so \
1623 /usr/lib/libsocket.so.1 \
1624 /usr/lib/libsyssevent.so \
1625 /usr/lib/libsyssevent.so.1 \
1626 /usr/lib/libtermcap.so \
1627 /usr/lib/libtermcap.so.1 \
1628 /usr/lib/libtermplib.so \
1629 /usr/lib/libtermplib.so.1 \
1630 /usr/lib/libthread.so \
1631 /usr/lib/libthread.so.1 \
1632 /usr/lib/libthread_db.so \
1633 /usr/lib/libthread_db.so.1 \
1634 /usr/lib/libtsnet.so \
1635 /usr/lib/libtsnet.so.1 \
1636 /usr/lib/libtsol.so \
1637 /usr/lib/libtsol.so.2 \
1638 /usr/lib/libumem.so \
1639 /usr/lib/libumem.so.1 \
1640 /usr/lib/libuuid.so \
1641 /usr/lib/libuuid.so.1 \
1642 /usr/lib/libuutil.so \
1643 /usr/lib/libuutil.so.1 \
1644 /usr/lib/libw.so \
1645 /usr/lib/libw.so.1 \

```

```

1646 /usr/lib/libxnet.so \
1647 /usr/lib/libxnet.so.1 \
1648 /usr/lib/libzfs.so \
1649 /usr/lib/libzfs.so.1 \
1650 /usr/lib/libzfs_core.so \
1651 /usr/lib/libzfs_core.so.1 \
1652 /usr/lib/libladm \
1653 /usr/lib/libladm.ln \
1654 /usr/lib/liblaio \
1655 /usr/lib/liblaio.ln \
1656 /usr/lib/liblav1 \
1657 /usr/lib/liblav1.ln \
1658 /usr/lib/liblasm \
1659 /usr/lib/liblasm.ln \
1660 /usr/lib/liblc \
1661 /usr/lib/liblc.ln \
1662 /usr/lib/liblcmdutils \
1663 /usr/lib/liblcmdutils.ln \
1664 /usr/lib/liblcontract \
1665 /usr/lib/liblcontract.ln \
1666 /usr/lib/liblctf \
1667 /usr/lib/liblctf.ln \
1668 /usr/lib/liblcurses \
1669 /usr/lib/liblcurses.ln \
1670 /usr/lib/libldevice \
1671 /usr/lib/libldevice.ln \
1672 /usr/lib/libldevid \
1673 /usr/lib/libldevid.ln \
1674 /usr/lib/libldevinfo \
1675 /usr/lib/libldevinfo.ln \
1676 /usr/lib/libldhcpagent \
1677 /usr/lib/libldhcpagent.ln \
1678 /usr/lib/libldhcputil \
1679 /usr/lib/libldhcputil.ln \
1680 /usr/lib/libld1 \
1681 /usr/lib/libld1.ln \
1682 /usr/lib/libldoor \
1683 /usr/lib/libldoor.ln \
1684 /usr/lib/liblefi \
1685 /usr/lib/liblefi.ln \
1686 /usr/lib/liblelf \
1687 /usr/lib/liblelf.ln \
1688 /usr/lib/liblgen \
1689 /usr/lib/liblgen.ln \
1690 /usr/lib/liblinetutil \
1691 /usr/lib/liblinetutil.ln \
1692 /usr/lib/liblint1 \
1693 /usr/lib/liblint1.ln \
1694 /usr/lib/liblkstat \
1695 /usr/lib/liblkstat.ln \
1696 /usr/lib/liblmd5 \
1697 /usr/lib/liblmd5.ln \
1698 /usr/lib/liblmeta \
1699 /usr/lib/liblmeta.ln \
1700 /usr/lib/liblnsl \
1701 /usr/lib/liblnsl.ln \
1702 /usr/lib/liblnvpair \
1703 /usr/lib/liblnvpair.ln \
1704 /usr/lib/liblpam \
1705 /usr/lib/liblpam.ln \
1706 /usr/lib/liblposix4 \
1707 /usr/lib/liblposix4.ln \
1708 /usr/lib/liblpthread \
1709 /usr/lib/liblpthread.ln \
1710 /usr/lib/liblresolv \
1711 /usr/lib/liblresolv.ln \

```

```

1712 /usr/lib/lib-lrpcsvc \
1713 /usr/lib/lib-lrpcsvc.ln \
1714 /usr/lib/lib-lrt \
1715 /usr/lib/lib-lrt.ln \
1716 /usr/lib/lib-lrtld_db \
1717 /usr/lib/lib-lrtld_db.ln \
1718 /usr/lib/lib-lscf \
1719 /usr/lib/lib-lscf.ln \
1720 /usr/lib/lib-lsec \
1721 /usr/lib/lib-lsec.ln \
1722 /usr/lib/lib-lsecdb \
1723 /usr/lib/lib-lsecdb.ln \
1724 /usr/lib/lib-lsendfile \
1725 /usr/lib/lib-lsendfile.ln \
1726 /usr/lib/lib-lsocket \
1727 /usr/lib/lib-lsocket.ln \
1728 /usr/lib/lib-lsysevent \
1729 /usr/lib/lib-lsysevent.ln \
1730 /usr/lib/lib-ltermcap \
1731 /usr/lib/lib-ltermcap.ln \
1732 /usr/lib/lib-ltermplib \
1733 /usr/lib/lib-ltermplib.ln \
1734 /usr/lib/lib-lthread \
1735 /usr/lib/lib-lthread.ln \
1736 /usr/lib/lib-lthread_db \
1737 /usr/lib/lib-lthread_db.ln \
1738 /usr/lib/lib-ltsnet \
1739 /usr/lib/lib-ltsnet.ln \
1740 /usr/lib/lib-ltsol \
1741 /usr/lib/lib-ltsol.ln \
1742 /usr/lib/lib-lumem \
1743 /usr/lib/lib-lumem.ln \
1744 /usr/lib/lib-luuid \
1745 /usr/lib/lib-luuid.ln \
1746 /usr/lib/lib-lxnet \
1747 /usr/lib/lib-lxnet.ln \
1748 /usr/lib/lib-lzfs \
1749 /usr/lib/lib-lzfs.ln \
1750 /usr/lib/lib-lzfs_core \
1751 /usr/lib/lib-lzfs_core.ln \
1752 /usr/lib/nss_compat.so.1 \
1753 /usr/lib/nss_dns.so.1 \
1754 /usr/lib/nss_files.so.1 \
1755 /usr/lib/nss_nis.so.1 \
1756 /usr/lib/nss_user.so.1 \
1757 /usr/lib/fm/libfmevent.so \
1758 /usr/lib/fm/libfmevent.so.1 \
1759 /usr/lib/fm/lib-lfmevent \
1760 /usr/lib/fm/lib-lfmevent.ln

```

1762 sparcv9_SYM.USRLIB64=

```

1764 amd64_SYM.USRLIB64= \
1765 /usr/lib/amd64/libfdisk.so \
1766 /usr/lib/amd64/libfdisk.so.1 \
1767 /usr/lib/amd64/lib-lfdisk.ln

```

1770 SYM.USRLIB64= \

```

1771 $(MACH64)_SYM.USRLIB64 \
1772 /lib/$(MACH64)/libposix4.so \
1773 /lib/$(MACH64)/libposix4.so.1 \
1774 /lib/$(MACH64)/lib-lposix4.ln \
1775 /lib/$(MACH64)/libthread_db.so \
1776 /lib/$(MACH64)/libthread_db.so.1 \
1777 /usr/lib/$(MACH64)/ld.so.1 \

```

```

1778 /usr/lib/$(MACH64)/libadm.so \
1779 /usr/lib/$(MACH64)/libadm.so.1 \
1780 /usr/lib/$(MACH64)/libaio.so \
1781 /usr/lib/$(MACH64)/libaio.so.1 \
1782 /usr/lib/$(MACH64)/libavl.so \
1783 /usr/lib/$(MACH64)/libavl.so.1 \
1784 /usr/lib/$(MACH64)/libbsm.so \
1785 /usr/lib/$(MACH64)/libbsm.so.1 \
1786 /usr/lib/$(MACH64)/libc.so \
1787 /usr/lib/$(MACH64)/libc.so.1 \
1788 /usr/lib/$(MACH64)/libc_db.so \
1789 /usr/lib/$(MACH64)/libc_db.so.1 \
1790 /usr/lib/$(MACH64)/libcmdutils.so \
1791 /usr/lib/$(MACH64)/libcmdutils.so.1 \
1792 /usr/lib/$(MACH64)/libcontract.so \
1793 /usr/lib/$(MACH64)/libcontract.so.1 \
1794 /usr/lib/$(MACH64)/libctf.so \
1795 /usr/lib/$(MACH64)/libctf.so.1 \
1796 /usr/lib/$(MACH64)/libcurses.so \
1797 /usr/lib/$(MACH64)/libcurses.so.1 \
1798 /usr/lib/$(MACH64)/libdevice.so \
1799 /usr/lib/$(MACH64)/libdevice.so.1 \
1800 /usr/lib/$(MACH64)/libdevvid.so \
1801 /usr/lib/$(MACH64)/libdevvid.so.1 \
1802 /usr/lib/$(MACH64)/libdevinfo.so \
1803 /usr/lib/$(MACH64)/libdevinfo.so.1 \
1804 /usr/lib/$(MACH64)/libdhcputil.so \
1805 /usr/lib/$(MACH64)/libdhcputil.so.1 \
1806 #endif /* ! codereview */
1807 /usr/lib/$(MACH64)/libdl.so \
1808 /usr/lib/$(MACH64)/libdl.so.1 \
1809 /usr/lib/$(MACH64)/libdlpi.so \
1810 /usr/lib/$(MACH64)/libdlpi.so.1 \
1811 /usr/lib/$(MACH64)/libdoor.so \
1812 /usr/lib/$(MACH64)/libdoor.so.1 \
1813 /usr/lib/$(MACH64)/libefi.so \
1814 /usr/lib/$(MACH64)/libefi.so.1 \
1815 /usr/lib/$(MACH64)/libelf.so \
1816 /usr/lib/$(MACH64)/libelf.so.1 \
1817 /usr/lib/$(MACH64)/libgen.so \
1818 /usr/lib/$(MACH64)/libgen.so.1 \
1819 /usr/lib/$(MACH64)/libinetutil.so \
1820 /usr/lib/$(MACH64)/libinetutil.so.1 \
1821 /usr/lib/$(MACH64)/libintl.so \
1822 /usr/lib/$(MACH64)/libintl.so.1 \
1823 /usr/lib/$(MACH64)/libkstat.so \
1824 /usr/lib/$(MACH64)/libkstat.so.1 \
1825 /usr/lib/$(MACH64)/liblddbg.so.4 \
1826 /usr/lib/$(MACH64)/libmd.so \
1827 /usr/lib/$(MACH64)/libmd.so.1 \
1828 /usr/lib/$(MACH64)/libmd5.so \
1829 /usr/lib/$(MACH64)/libmd5.so.1 \
1830 /usr/lib/$(MACH64)/libmp.so \
1831 /usr/lib/$(MACH64)/libmp.so.2 \
1832 /usr/lib/$(MACH64)/libnsl.so \
1833 /usr/lib/$(MACH64)/libnsl.so.1 \
1834 /usr/lib/$(MACH64)/libnvpair.so \
1835 /usr/lib/$(MACH64)/libnvpair.so.1 \
1836 /usr/lib/$(MACH64)/libpam.so \
1837 /usr/lib/$(MACH64)/libpam.so.1 \
1838 /usr/lib/$(MACH64)/libposix4.so \
1839 /usr/lib/$(MACH64)/libposix4.so.1 \
1840 /usr/lib/$(MACH64)/libproc.so \
1841 /usr/lib/$(MACH64)/libproc.so.1 \
1842 /usr/lib/$(MACH64)/libpthread.so \
1843 /usr/lib/$(MACH64)/libpthread.so.1 \

```

```

1844 /usr/lib/$(MACH64)/librcm.so \
1845 /usr/lib/$(MACH64)/librcm.so.1 \
1846 /usr/lib/$(MACH64)/libresolv.so \
1847 /usr/lib/$(MACH64)/libresolv.so.2 \
1848 /usr/lib/$(MACH64)/librestart.so \
1849 /usr/lib/$(MACH64)/librestart.so.1 \
1850 /usr/lib/$(MACH64)/librpcsvc.so \
1851 /usr/lib/$(MACH64)/librpcsvc.so.1 \
1852 /usr/lib/$(MACH64)/librt.so \
1853 /usr/lib/$(MACH64)/librt.so.1 \
1854 /usr/lib/$(MACH64)/librtld.so.1 \
1855 /usr/lib/$(MACH64)/librtld_db.so \
1856 /usr/lib/$(MACH64)/librtld_db.so.1 \
1857 /usr/lib/$(MACH64)/libscf.so \
1858 /usr/lib/$(MACH64)/libscf.so.1 \
1859 /usr/lib/$(MACH64)/libsec.so \
1860 /usr/lib/$(MACH64)/libsec.so.1 \
1861 /usr/lib/$(MACH64)/libsecdb.so \
1862 /usr/lib/$(MACH64)/libsecdb.so.1 \
1863 /usr/lib/$(MACH64)/libsendfile.so \
1864 /usr/lib/$(MACH64)/libsendfile.so.1 \
1865 /usr/lib/$(MACH64)/libsocket.so \
1866 /usr/lib/$(MACH64)/libsocket.so.1 \
1867 /usr/lib/$(MACH64)/libsysevent.so \
1868 /usr/lib/$(MACH64)/libsysevent.so.1 \
1869 /usr/lib/$(MACH64)/libtermcap.so \
1870 /usr/lib/$(MACH64)/libtermcap.so.1 \
1871 /usr/lib/$(MACH64)/libtermmlib.so \
1872 /usr/lib/$(MACH64)/libtermmlib.so.1 \
1873 /usr/lib/$(MACH64)/libthread.so \
1874 /usr/lib/$(MACH64)/libthread.so.1 \
1875 /usr/lib/$(MACH64)/libthread_db.so \
1876 /usr/lib/$(MACH64)/libthread_db.so.1 \
1877 /usr/lib/$(MACH64)/libtsnet.so \
1878 /usr/lib/$(MACH64)/libtsnet.so.1 \
1879 /usr/lib/$(MACH64)/libtsol.so \
1880 /usr/lib/$(MACH64)/libtsol.so.2 \
1881 /usr/lib/$(MACH64)/libumem.so \
1882 /usr/lib/$(MACH64)/libumem.so.1 \
1883 /usr/lib/$(MACH64)/libuuid.so \
1884 /usr/lib/$(MACH64)/libuuid.so.1 \
1885 /usr/lib/$(MACH64)/libuutil.so \
1886 /usr/lib/$(MACH64)/libuutil.so.1 \
1887 /usr/lib/$(MACH64)/libw.so \
1888 /usr/lib/$(MACH64)/libw.so.1 \
1889 /usr/lib/$(MACH64)/libxnet.so \
1890 /usr/lib/$(MACH64)/libxnet.so.1 \
1891 /usr/lib/$(MACH64)/libzfs.so \
1892 /usr/lib/$(MACH64)/libzfs.so.1 \
1893 /usr/lib/$(MACH64)/libzfs_core.so \
1894 /usr/lib/$(MACH64)/libzfs_core.so.1 \
1895 /usr/lib/$(MACH64)/llib-ladm.ln \
1896 /usr/lib/$(MACH64)/llib-laio.ln \
1897 /usr/lib/$(MACH64)/llib-lavl.ln \
1898 /usr/lib/$(MACH64)/llib-lbsm.ln \
1899 /usr/lib/$(MACH64)/llib-lc.ln \
1900 /usr/lib/$(MACH64)/llib-lcmdutils.ln \
1901 /usr/lib/$(MACH64)/llib-lcontract.ln \
1902 /usr/lib/$(MACH64)/llib-lctf.ln \
1903 /usr/lib/$(MACH64)/llib-lcurses.ln \
1904 /usr/lib/$(MACH64)/llib-ldevice.ln \
1905 /usr/lib/$(MACH64)/llib-ldevvid.ln \
1906 /usr/lib/$(MACH64)/llib-ldevinfo.ln \
1907 /usr/lib/$(MACH64)/llib-ldhcputil.ln \
1908 #endif /* ! codereview */
1909 /usr/lib/$(MACH64)/llib-ld1.ln \

```

```

1910 /usr/lib/$(MACH64)/llib-ldoor.ln \
1911 /usr/lib/$(MACH64)/llib-lefi.ln \
1912 /usr/lib/$(MACH64)/llib-lelf.ln \
1913 /usr/lib/$(MACH64)/llib-lgen.ln \
1914 /usr/lib/$(MACH64)/llib-linetutil.ln \
1915 /usr/lib/$(MACH64)/llib-lintl.ln \
1916 /usr/lib/$(MACH64)/llib-lkstat.ln \
1917 /usr/lib/$(MACH64)/llib-lmd5.ln \
1918 /usr/lib/$(MACH64)/llib-lnsl.ln \
1919 /usr/lib/$(MACH64)/llib-lnvpair.ln \
1920 /usr/lib/$(MACH64)/llib-lpam.ln \
1921 /usr/lib/$(MACH64)/llib-lposix4.ln \
1922 /usr/lib/$(MACH64)/llib-lpthread.ln \
1923 /usr/lib/$(MACH64)/llib-lresolv.ln \
1924 /usr/lib/$(MACH64)/llib-lrpcsvc.ln \
1925 /usr/lib/$(MACH64)/llib-lrt.ln \
1926 /usr/lib/$(MACH64)/llib-lrtld_db.ln \
1927 /usr/lib/$(MACH64)/llib-lscf.ln \
1928 /usr/lib/$(MACH64)/llib-lsec.ln \
1929 /usr/lib/$(MACH64)/llib-lsecdb.ln \
1930 /usr/lib/$(MACH64)/llib-lsendfile.ln \
1931 /usr/lib/$(MACH64)/llib-lsocket.ln \
1932 /usr/lib/$(MACH64)/llib-lsysevent.ln \
1933 /usr/lib/$(MACH64)/llib-ltermcap.ln \
1934 /usr/lib/$(MACH64)/llib-ltermmlib.ln \
1935 /usr/lib/$(MACH64)/llib-lthread.ln \
1936 /usr/lib/$(MACH64)/llib-lthread_db.ln \
1937 /usr/lib/$(MACH64)/llib-ltsnet.ln \
1938 /usr/lib/$(MACH64)/llib-ltsol.ln \
1939 /usr/lib/$(MACH64)/llib-lumem.ln \
1940 /usr/lib/$(MACH64)/llib-luuid.ln \
1941 /usr/lib/$(MACH64)/llib-lxnet.ln \
1942 /usr/lib/$(MACH64)/llib-lzfs.ln \
1943 /usr/lib/$(MACH64)/llib-lzfs_core.ln \
1944 /usr/lib/$(MACH64)/nss_compat.so.1 \
1945 /usr/lib/$(MACH64)/nss_dns.so.1 \
1946 /usr/lib/$(MACH64)/nss_files.so.1 \
1947 /usr/lib/$(MACH64)/nss_nis.so.1 \
1948 /usr/lib/$(MACH64)/nss_user.so.1 \
1949 /usr/lib/fm/$(MACH64)/libfmevent.so \
1950 /usr/lib/fm/$(MACH64)/libfmevent.so.1 \
1951 /usr/lib/fm/$(MACH64)/llib-lfmevent.ln

1953 #
1954 # usr/src/Makefile uses INS.dir for any member of ROOTDIRS, the fact
1955 # these are symlinks to files has no bearing on this.
1956 #
1957 $(FILELINKS:%=$(ROOT)%):= \
1958     INS.dir= -$(RM) $@; $(SYMLINK) $(REALPATH) $@

```

new/usr/src/lib/libbe/Makefile

1

```
*****
1568 Fri Nov 9 22:01:43 2012
new/usr/src/lib/libbe/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 include      ../Makefile.lib
29 #
30 HDRS=        libbe.h \
31             libbe_priv.h
32 #
33 HDRDIR=      common
34 #
35 SUBDIRS=     $(MACH)
36 $(BUILD64)SUBDIRS += $(MACH64)
37 #endif /* ! codereview */
38 #
39 all :=       TARGET= all
40 clean :=     TARGET= clean
41 clobber :=   TARGET= clobber
42 install :=   TARGET= install
43 lint :=      TARGET= lint
44 #
45 POFILE =     libbe.po
46 MSGFILES =   `$(GREP) -l gettext $(HDRDIR)/*.ch`
47 #
48 .KEEP_STATE:
49 #
50 all install lint: install_h $(SUBDIRS)
51 #
52 clean clobber: $(SUBDIRS)
53 #
54 $(POFILE):   pofile_MSGFILES
55 #
56 install_h:   $(ROOTHDRS)
57 #
58 check:       $(CHECKHDRS)
59 #
60 _msg: $(MSGDOMAINPOFILE)
```

new/usr/src/lib/libbe/Makefile

2

```
62 $(SUBDIRS): FRC
63     @cd $@; pwd; $(MAKE) $(TARGET)
64 #
65 FRC:
66 #
67 include $(SRC)/Makefile.msg.targ
68 include $(SRC)/lib/Makefile.targ
```



```

*****
1619 Fri Nov 9 22:01:43 2012
new/usr/src/lib/libbe/Makefile.com
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
27 #endif /* ! codereview */
28 #

31 LIBRARY=      libbe.a
32 VERS=         .1

34 OBJECTS=      \
35               be_activate.o \
36               be_create.o \
37               be_list.o \
38               be_mount.o \
39               be_rename.o \
40               be_snapshot.o \
41               be_utils.o \
42               be_zones.o

44 include ../../Makefile.lib

46 LIBS=         $(DYNLIB) $(LINTLIB)

48 SRCDIR=       ../common

50 INCS += -I$(SRCDIR)

52 C99MODE=      $(C99_ENABLE)

54 LDLIBS +=     -lzfs -linstzones -luuid -lnvpair -lc -lgen -ldevinfo
55 CPPFLAGS +=   $(INCS)
56 CERRWARN +=   -_gcc=-Wno-unused-label
57 CERRWARN +=   -_gcc=-Wno-uninitialized
58 CERRWARN +=   -_gcc=-Wno-address

60 $(LINTLIB) := SRCS=      $(SRCDIR)/$(LINTSRC)

```

```

62 .KEEP_STATE:

64 all: $(LIBS) $(LIBRARY)

66 lint: lintcheck

26 install: $(ROOTLIBS)

68 include ../../Makefile.targ

```

new/usr/src/lib/libbe/amd64/Makefile

1

1043 Fri Nov 9 22:01:44 2012

new/usr/src/lib/libbe/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2011 OmniTI Computer Consulting, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26
27 include ../Makefile.com
28 include .././Makefile.lib.64
29
30 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
31 #endif /* ! codereview */
```

new/usr/src/lib/libbe/sparcv9/Makefile

1

1043 Fri Nov 9 22:01:44 2012

new/usr/src/lib/libbe/sparcv9/Makefile
3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2011 OmniTI Computer Consulting, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
27 include ../Makefile.com
28 include .././Makefile.lib.64
30 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
31 #endif /* ! codereview */
```

```

*****
1874 Fri Nov 9 22:01:44 2012
new/usr/src/lib/libdhcputil/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #endif /* ! codereview */
25 # Use is subject to license terms.
26 #
27 # ident "%Z%M% %I% %E% SMI"
28 #

28 include $(SRC)/lib/Makefile.lib

30 LOCHDRS =      dhcp_inittab.h dhcp_symbol.h dhcplib.h
31 COMHDRS =      dhcp_impl.h dhcp_symbol_common.h
32 HDRS =         $(LOCHDRS) $(COMHDRS)
33 LOCHDRDIR =    common
34 COMHDRDIR =    $(SRC)/common/net/dhcp
35 HDRDIR =       $(LOCHDRDIR)
36 SUBDIRS =     $(MACH)
37 $(BUILD64)SUBDIRS += $(MACH64)
38 #endif /* ! codereview */
39 POFILE =       libdhcputil.po
40 MSGFILES =     common/dhcpmsg.c
41 XGETFLAGS =    -a -x libdhcputil.xcl

43 # Override HDRSRCS so check only local headers
44 HDRSRCS =      $(LOCHDRS:%=$(HDRDIR)/%)

46 all :=         TARGET = all
47 clean :=       TARGET = clean
48 clobber :=     TARGET = clobber
49 install :=     TARGET = install
50 lint :=        TARGET = lint

52 .KEEP_STATE:

54 all clean clobber install lint: $(SUBDIRS)

56 install_h:     $(ROTHDRS)

58 $(ROTHDRDIR)/%: $(COMHDRDIR)/%
59     $(INS.file)

```

```

61 check:         $(CHECKHDRS)

63 $(POFILE):     pofile_MSGFILES

65 _msg:          $(MSGDOMAINPOFILE)

67 $(SUBDIRS): FRC
68     @cd $@; pwd; $(MAKE) $(TARGET)

70 FRC:

72 include $(SRC)/Makefile.msg.targ
73 include $(SRC)/lib/Makefile.targ

```

new/usr/src/lib/libdhcputil/amd64/Makefile

1

1008 Fri Nov 9 22:01:44 2012

new/usr/src/lib/libdhcputil/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
30 #endif /* ! codereview */
```

new/usr/src/lib/libdhcputil/sparcv9/Makefile

1

1008 Fri Nov 9 22:01:45 2012

new/usr/src/lib/libdhcputil/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
30 #endif /* ! codereview */
```

new/usr/src/lib/libfdisk/amd64/Makefile

1

1012 Fri Nov 9 22:01:45 2012

new/usr/src/lib/libfdisk/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
25 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
```

new/usr/src/lib/libfdisk/sparcv9/Makefile

1

987 Fri Nov 9 22:01:45 2012

new/usr/src/lib/libfdisk/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
23 #
24
25 include ../Makefile.com
26 include ../../Makefile.lib.64
27
28 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
29 #endif /* !codereview */
```


new/usr/src/lib/libfstyp/Makefile

1

```
*****
1413 Fri Nov 9 22:01:45 2012
new/usr/src/lib/libfstyp/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #
25 # ident "%Z%M% %I% %E% SMI"
25 #

27 include ../Makefile.lib

29 HDRS=          libfstyp.h libfstyp_module.h

31 HDRDIR=        common

33 SUBDIRS=       $(MACH)
34 $(BUILD64)SUBDIRS += $(MACH64)
35 #endif /* ! codereview */

37 all :=         TARGET= all
38 install :=     TARGET= install
39 clean :=       TARGET= clean
40 clobber :=     TARGET= clobber
41 lint :=        TARGET= lint

43 .KEEP_STATE:

45 all install clean clobber lint: $(SUBDIRS)

47 install_h: $(ROOTHDRS)

49 check: $(CHECKHDRS)

51 $(SUBDIRS): FRC
52     @cd $@; pwd; $(MAKE) $(TARGET)

54 FRC:

56 include $(SRC)/lib/Makefile.targ
```

new/usr/src/lib/libfstyp/amd64/Makefile

1

973 Fri Nov 9 22:01:46 2012

new/usr/src/lib/libfstyp/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
23 #
24
25 include ../Makefile.com
26 include ../../Makefile.lib.64
27
28 install: all $(ROOTLIBS64) $(ROOTLINKS64)
29 #endif /* !codereview */
```

new/usr/src/lib/libfstyp/sparcv9/Makefile

1

971 Fri Nov 9 22:01:46 2012

new/usr/src/lib/libfstyp/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
22 #

24 include ../Makefile.com
25 include ../../Makefile.lib.64

27 install: all $(ROOTLIBS64) $(ROOTLINKS64)
28 #endif /* ! codereview */
```

```

*****
1522 Fri Nov 9 22:01:46 2012
new/usr/src/lib/libinstzones/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #endif /* ! codereview */
25 # Use is subject to license terms.
26 #

29 # include library definitions
30 include $(SRC)/lib/Makefile.lib

32 HDRS =      instzones_api.h
33 HDRDIR =    hdrs

36 SUBDIRS =   $(MACH)
37 $(BUILD64)SUBDIRS += $(MACH64)
38 #endif /* ! codereview */

40 all :=      TARGET = all
41 install :=  TARGET = install
42 clean :=    TARGET = clean
43 clobber :=  TARGET = clobber
44 _msg :=     TARGET = _msg
45 lint :=     TARGET = lint

48 .KEEP_STATE:

50 all clean clobber install _msg lint: $(SUBDIRS)

52 $(SUBDIRS): FRC
53     @cd $@; pwd; $(MAKE) $(TARGET)

56 install_h: $(ROTHDRS)

58 check:      $(CHECKHDRS)

61 FRC:

```

```

63 # include library targets
64 include $(SRC)/lib/Makefile.targ

```

new/usr/src/lib/libinstzones/amd64/Makefile

1

1043 Fri Nov 9 22:01:46 2012

new/usr/src/lib/libinstzones/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2011 OmniTI Computer Consulting, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26
27 include ../Makefile.com
28 include .././Makefile.lib.64
29
30 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
31 #endif /* ! codereview */
```

new/usr/src/lib/libinstzones/sparcv9/Makefile

1

1043 Fri Nov 9 22:01:47 2012

new/usr/src/lib/libinstzones/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2011 OmniTI Computer Consulting, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26
27 include ../Makefile.com
28 include .././Makefile.lib.64
29
30 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
31 #endif /* ! codereview */
```

```

*****
1980 Fri Nov 9 22:01:47 2012
new/usr/src/lib/libwanboot/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #
25 #
25 # ident "%Z%M% %I% %E% SMI"
25 #

27 include $(SRC)/lib/Makefile.lib

29 SUBDIRS = $(MACH)
30 $(BUILD64)SUBDIRS += $(MACH64)
31 #endif /* ! codereview */

33 HDRS = boot_http.h \
34 bootinfo.h \
35 bootlog.h \
36 netboot_paths.h \
37 parseURL.h \
38 pl2aux.h \
39 pl2access.h \
40 pl2err.h \
41 wanboot_conf.h
42 HDRDIR = $(SRCDIR) $(SRC)/common/net/wanboot

44 CHECKHDRS += $(SRC)/common/net/wanboot/auxutil.h

46 POFILE = libwanboot.po
47 MSGFILES = $(SRC)/common/net/wanboot/bootconf_errmsg.c \
48 $(SRC)/common/net/wanboot/boot_http.c \
49 $(SRC)/common/net/wanboot/bootlog.c \
50 $(SRC)/common/net/wanboot/http_errorstr.c \
51 $(SRC)/common/net/wanboot/pl2err.c
52 XGETFLAGS = -a -x libwanboot.xcl

54 all := TARGET = all
55 clean := TARGET = clean
56 clobber := TARGET = clobber
57 install := TARGET = install
58 lint := TARGET = lint

```

```

60 .KEEP_STATE:

62 all clean clobber install lint: $(SUBDIRS)

64 install_h: $(ROOTHDRS)

66 check: $(CHECKHDRS)

68 $(POFILE): pofile_MSGFILES

70 _msg: $(MSGDOMAINPOFILE)

72 $(SUBDIRS): FRC
73 @cd $@; pwd; $(MAKE) $(TARGET)

75 FRC:

77 include $(SRC)/Makefile.msg.targ
78 include $(SRC)/lib/Makefile.targ

```

new/usr/src/lib/libwanboot/amd64/Makefile

1

1011 Fri Nov 9 22:01:47 2012

new/usr/src/lib/libwanboot/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)

33 #endif /* ! codereview */
```


new/usr/src/lib/libwanboot/sparcv9/Makefile

1

1011 Fri Nov 9 22:01:47 2012

new/usr/src/lib/libwanboot/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)

33 #endif /* ! codereview */
```

new/usr/src/lib/libwanbootutil/Makefile

1

```
*****
2537 Fri Nov 9 22:01:47 2012
new/usr/src/lib/libwanbootutil/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #
25 # ident "%Z%M% %I% %E% SMI"

27 include ../Makefile.lib

29 SUBDIRS = $(MACH)
30 $(BUILD64)SUBDIRS += $(MACH64)
31 #endif /* !codereview */

33 # Library header.
34 HDRS = wanbootutil.h
35 HDRDIR = common

37 # Headers who get installed into $(ROOT)/usr/include/wanboot
38 LOCHDRS = key_util.h \
39 key_xdr.h \
40 wbio.h
41 LOCSRCS = $(LOCHDRS:%=$(HDRDIR)/%)

43 # Must define targets for these headers being installed into
44 # a non-default location.
45 WBKUHDRDIR = $(ROOT)/usr/include/wanboot
46 WBKUHDRS = $(LOCHDRS:%=$(WBKUHDRDIR)/%)

48 # Must override CHECKHDRS so that it does not check the
49 # RPC generated header.
50 CHECKHDRS = $(HDRDIR)/key_util.check

52 # Must rpcgen XDR source.
53 RPCFILES = common/key_xdr.c common/key_xdr.h

55 POFILE = libwanbootutil.po
56 MSGFILES = common/key_util.c
57 XGETFLAGS = -a -x libwanbootutil.xcl

59 all := TARGET = all
```

new/usr/src/lib/libwanbootutil/Makefile

2

```
60 clean := TARGET = clean
61 clobber := TARGET = clobber
62 install := TARGET = install
63 lint := TARGET = lint

65 .KEEP_STATE:
66 .PARALLEL: $(ROOTHDRS)

68 all clean clobber install: $(RPCFILES) $(SUBDIRS)

70 lint: $(SUBDIRS)

72 install_h: $(ROOTHDRDIR) $(WBKUHDRDIR) .WAIT $(ROOTHDRS) $(WBKUHDRS)

74 check: $(CHECKHDRS)

76 $(POFILE): pofile_MSGFILES

78 _msg: $(MSGDOMAINPOFILE)

80 $(SUBDIRS): FRC
81 @cd $@; pwd; $(MAKE) $(TARGET)

83 FRC:

85 # No rules for this in Makefile.lib.
86 $(WBKUHDRDIR)/%: $(HDRDIR)/%
87 $(INS.file)
88 $(WBKUHDRDIR):
89 $(INS.dir)

91 # No rules for this in Makefile.lib.
92 common/key_xdr.c: common/key_xdr.x
93 cd common; $(RPCGEN) -cC -o key_xdr.c key_xdr.x; cd ..

95 common/key_xdr.h: common/key_xdr.x
96 cd common; $(RPCGEN) -h -o key_xdr.h key_xdr.x; cd ..

98 include $(SRC)/Makefile.msg.targ
99 include $(SRC)/lib/Makefile.targ
```

new/usr/src/lib/libwanbootutil/amd64/Makefile

1

1008 Fri Nov 9 22:01:48 2012

new/usr/src/lib/libwanbootutil/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
30 #endif /* ! codereview */
```

new/usr/src/lib/libwanbootutil/sparcv9/Makefile

1

1008 Fri Nov 9 22:01:48 2012

new/usr/src/lib/libwanbootutil/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
30 #endif /* ! codereview */
```

new/usr/src/lib/libzoneinfo/Makefile

1

1396 Fri Nov 9 22:01:48 2012

new/usr/src/lib/libzoneinfo/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #
26 # ident "%Z%M% %I% %E% SMI"
27 #
28
29 include      ../Makefile.lib
30
31 HDRS=        libzoneinfo.h
32 HDRDIR=      common
33 SUBDIRS=     $(MACH)
34 $(BUILD64)SUBDIRS += $(MACH64)
35 #endif /* !codereview */
36
37 all :=       TARGET = all
38 clean :=    TARGET = clean
39 clobber :=  TARGET = clobber
40 install :=  TARGET = install
41 lint :=     TARGET = lint
42
43 .KEEP_STATE:
44
45 all clean clobber install lint: $(SUBDIRS)
46
47 install_h:   $(ROTHDRS)
48
49 check:       $(CHECKHDRS)
50
51 $(SUBDIRS): FRC
52 @cd $@; pwd; $(MAKE) $(TARGET)
53
54 FRC:
55
56 include ../Makefile.targ
```

new/usr/src/lib/libzoneinfo/amd64/Makefile

1

1006 Fri Nov 9 22:01:49 2012

new/usr/src/lib/libzoneinfo/amd64/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
23 #
24
25 include ../Makefile.com
26 include ../../Makefile.lib.64
27
28 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
29 #endif /* ! codereview */
```

new/usr/src/lib/libzoneinfo/sparcv9/Makefile

1

1008 Fri Nov 9 22:01:49 2012

new/usr/src/lib/libzoneinfo/sparcv9/Makefile

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #

26 include ../Makefile.com
27 include ../../Makefile.lib.64

29 install: all $(ROOTLIBS64) $(ROOTLINKS64) $(ROOTLINT64)
30 #endif /* ! codereview */
```

new/usr/src/lib/pylibbe/Makefile

1

```
*****
1474 Fri Nov 9 22:01:49 2012
new/usr/src/lib/pylibbe/Makefile
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 include ../Makefile.lib
29 #
30 SUBDIRS= $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
32 #endif /* ! codereview */
33 XGETTEXT= $(GNUXGETTEXT)
34 XGETFLAGS= $(GNUXGETFLAGS)
35 #
36 all := TARGET= all
37 install := TARGET= install
38 clean := TARGET= clean
39 clobber := TARGET= clobber
40 lint := TARGET= lint
41 #
42 MSGFILES = $(FIND) . -name '*.py' -o -name '*.c' \
43 POFILE = libbe_py.po
44 #
45 .KEEP_STATE:
46 #
47 all install clean clobber lint: $(SUBDIRS)
48 #
49 $(POFILE): pofile_MSGFILES
50 #
51 _msg: $(MSGDOMAINPOFILE)
52 #
53 $(SUBDIRS): FRC
54 @cd $@; pwd; $(MAKE) $(TARGET)
55 #
56 FRC:
57 #
58 include ../..//Makefile.msg.targ
```



```

*****
1696 Fri Nov 9 22:01:49 2012
new/usr/src/lib/pylibbe/Makefile.com
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 LIBRARY =      libbe_py.a
29 VERS =
30 OBJECTS =     libbe_py.o
31 #
32 include ../../Makefile.lib
33 #
34 PYTHON =      $(PYTHON_26)
35 LIBLINKS =
36 SRCDIR =      ../common
37 ROOTLIBDIR=   $(ROOT)/usr/lib/python2.6/vendor-packages
38 ROOTLIBDIR64= $(ROOT)/usr/lib/python2.6/vendor-packages/64
39 #endif /* ! codereview */
40 PYOBS=        $(PYSRCS:%.py=$(SRCDIR)/%.pyc)
41 PYFILES=      $(PYSRCS) $(PYSRCS:%.py=%.pyc)
42 ROOTPYBEFILES= $(PYFILES:%=$(ROOTLIBDIR)/%)
43 #
44 C99MODE=      $(C99_ENABLE)
45 #
46 LIBS =        $(DYNLIB)
47 LDLIBS +=    -lbe -lnvpair -lc
48 CFLAGS +=    $(CCVERBOSE)
49 CPPFLAGS +=  -I/usr/include/python2.6 -D_FILE_OFFSET_BITS=64 -I../../libbe/co
50 #
51 .KEEP_STATE:
52 #
53 all install := LDLIBS += -lpython2.6
54 #
55 all: $(PYOBS) $(LIBS)
56 #
57 install: all $(ROOTPYBEFILES)
58 #
59 $(ROOTLIBDIR)/%: %
60     $(INS.pyfile)

```

```

62 lint: lintcheck
64 include ../../Makefile.targ

```

new/usr/src/lib/pylibbe/amd64/Makefile

1

```
*****  
959 Fri Nov 9 22:01:50 2012  
new/usr/src/lib/pylibbe/amd64/Makefile  
3352 would like 64bit install libraries  
*****
```

```
1 #  
2 # CDDL HEADER START  
3 #  
4 # The contents of this file are subject to the terms of the  
5 # Common Development and Distribution License (the "License").  
6 # You may not use this file except in compliance with the License.  
7 #  
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE  
9 # or http://www.opensolaris.org/os/licensing.  
10 # See the License for the specific language governing permissions  
11 # and limitations under the License.  
12 #  
13 # When distributing Covered Code, include this CDDL HEADER in each  
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.  
15 # If applicable, add the following below this CDDL HEADER, with the  
16 # fields enclosed by brackets "[]" replaced with your own identifying  
17 # information: Portions Copyright [yyyy] [name of copyright owner]  
18 #  
19 # CDDL HEADER END  
20 #  
  
22 #  
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.  
24 #  
  
26 include ../Makefile.com  
27 include ../../Makefile.lib.64  
  
29 install: all $(ROOTLIBS64)  
30 #endif /* ! codereview */
```

```

*****
28258 Fri Nov 9 22:01:50 2012
new/usr/src/lib/pylibbe/common/libbe_py.c
3352 would like 64bit install libraries
*****
1 /*
2  * CDDL HEADER START
3  *
4  * The contents of this file are subject to the terms of the
5  * Common Development and Distribution License (the "License").
6  * You may not use this file except in compliance with the License.
7  *
8  * You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9  * or http://www.opensolaris.org/os/licensing.
10 * See the License for the specific language governing permissions
11 * and limitations under the License.
12 *
13 * When distributing Covered Code, include this CDDL HEADER in each
14 * file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 * If applicable, add the following below this CDDL HEADER, with the
16 * fields enclosed by brackets "[]" replaced with your own identifying
17 * information: Portions Copyright [yyyy] [name of copyright owner]
18 *
19 * CDDL HEADER END
20 */

22 /*
23  * Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
24  * Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 */

28 #include <Python.h>
29 #include <sys/varargs.h>
30 #include <stdio.h>
31 #include <libnvpair.h>

33 #include <libbe.h>
34 #include <libbe_priv.h>

36 enum {
37     BE_PY_SUCCESS = 0,
38     BE_PY_ERR_APPEND = 6000,
39     BE_PY_ERR_DICT,
40     BE_PY_ERR_LIST,
41     BE_PY_ERR_NVLIST,
42     BE_PY_ERR_PARSETUPLE,
43     BE_PY_ERR_PRINT_ERR,
44     BE_PY_ERR_VAR_CONV,
45 } bePyErr;

47 /*
48  * public libbe functions
49  */

51 PyObject *beCreateSnapshot(PyObject *, PyObject *);
52 PyObject *beCopy(PyObject *, PyObject *);
53 PyObject *beList(PyObject *, PyObject *);
54 PyObject *beActivate(PyObject *, PyObject *);
55 PyObject *beDestroy(PyObject *, PyObject *);
56 PyObject *beDestroysnapshot(PyObject *, PyObject *);
57 PyObject *beRename(PyObject *, PyObject *);
58 PyObject *beMount(PyObject *, PyObject *);
59 PyObject *beUnmount(PyObject *, PyObject *);
60 PyObject *bePrintErrors(PyObject *, PyObject *);
61 PyObject *beGetErrDesc(PyObject *, PyObject *);

```

```

62 char *beMapLibbePyErrorToString(int);
63 void initlibbe_py();

65 static boolean_t convertBEInfoToDictionary(be_node_list_t *be,
66     PyObject **listDict);
67 static boolean_t convertDatasetInfoToDictionary(be_dataset_list_t *ds,
68     PyObject **listDict);
69 static boolean_t convertSnapshotInfoToDictionary(be_snapshot_list_t *ss,
70     PyObject **listDict);
71 static boolean_t convertPyArgsToNvlist(nvlist_t **nvList, int numArgs, ...);

74 /* ~~~~~ */
75 /* Public Funtions */
76 /* ~~~~~ */

78 /*
79  * Function:    beCreateSnapshot
80  * Description: Convert Python args to nvlist pairs and
81  *              call libbe:be_create_snapshot to create a
82  *              snapshot of all the datasets within a BE
83  * Parameters:
84  *   args -      pointer to a python object containing:
85  *   beName -    The name of the BE to create a snapshot of
86  *   snapName - The name of the snapshot to create (optional)
87  *
88  * The following public attribute values. defined by libbe.h,
89  * are used by this function:
90  *
91  * Returns a pointer to a python object and an optional snapshot name:
92  *   0, [snapName] - Success
93  *   1, [snapName] - Failure
94  * Scope:
95  *   Public
96  */
97 /* ARGSUSED */
98 PyObject *
99 beCreateSnapshot(PyObject *self, PyObject *args)
100 {
101     char *beName = NULL;
102     char *snapName = NULL;
103     int ret = BE_PY_SUCCESS;
104     nvlist_t *beAttrs = NULL;
105     PyObject *retVals = NULL;

107     if (!PyArg_ParseTuple(args, "z|z", &beName, &snapName)) {
108         return (Py_BuildValue("is]", BE_PY_ERR_PARSETUPLE, NULL));
109     }

111     if (!convertPyArgsToNvlist(&beAttrs, 4,
112         BE_ATTR_ORIG_BE_NAME, beName,
113         BE_ATTR_SNAP_NAME, snapName)) {
114         nvlist_free(beAttrs);
115         return (Py_BuildValue("is]", BE_PY_ERR_NVLIST, NULL));
116     }

118     if (beAttrs == NULL) {
119         return (Py_BuildValue("i", BE_PY_ERR_NVLIST));
120     }

122     if ((ret = be_create_snapshot(beAttrs)) != 0) {
123         nvlist_free(beAttrs);
124         return (Py_BuildValue("is]", ret, NULL));
125     }

126     if (snapName == NULL) {
127         if (nvlist_lookup_pairs(beAttrs, NV_FLAG_NOENTOK,

```

```

128     BE_ATTR_SNAP_NAME, DATA_TYPE_STRING, &snapName,
129     NULL) != 0) {
130         nvlist_free(beAttrs);
131         return (Py_BuildValue("[is]",
132             BE_PY_ERR_NVLIST, NULL));
133     }
134     retVals = Py_BuildValue("[is]", ret, snapName);
135     nvlist_free(beAttrs);
136     return (retVals);
137 }
138 nvlist_free(beAttrs);
139
140     return (Py_BuildValue("[is]", ret, NULL));
141 }
142
143 /*
144 * Function:    beCopy
145 * Description: Convert Python args to nvlist pairs and call libbe:be_copy
146 *              to create a Boot Environment
147 * Parameters:
148 *   args -     pointer to a python object containing:
149 *   trgtBeName - The name of the BE to create
150 *   srcBeName - The name of the BE used to create trgtBeName (optional)
151 *   rpool - The pool to create the new BE in (optional)
152 *   srcSnapName - The snapshot name (optional)
153 *   beNameProperties - The properties to use when creating
154 *                     the BE (optional)
155 *
156 * Returns a pointer to a python object. That Python object will consist of
157 * the return code and optional attributes, trgtBeName and snapName
158 * BE_SUCCESS, [trgtBeName], [trgtSnapName] - Success
159 * 1, [trgtBeName], [trgtSnapName] - Failure
160 * Scope:
161 *   Public
162 */
163 /* ARGSUSED */
164 PyObject *
165 beCopy(PyObject *self, PyObject *args)
166 {
167     char *trgtBeName = NULL;
168     char *srcBeName = NULL;
169     char *srcSnapName = NULL;
170     char *trgtSnapName = NULL;
171     char *rpool = NULL;
172     char *beDescription = NULL;
173     Py_ssize_t pos = 0;
174     int ret = BE_PY_SUCCESS;
175     nvlist_t *beAttrs = NULL;
176     nvlist_t *beProps = NULL;
177     PyObject *beNameProperties = NULL;
178     PyObject *pkey = NULL;
179     PyObject *pvalue = NULL;
180     PyObject *retVals = NULL;
181
182     if (!PyArg_ParseTuple(args, "|zzzOz", &trgtBeName, &srcBeName,
183         &srcSnapName, &rpool, &beNameProperties, &beDescription)) {
184         return (Py_BuildValue("[iss]", BE_PY_ERR_PARSETUPLE,
185             NULL, NULL));
186     }
187
188     if (!convertPyArgsToNvlist(&beAttrs, 10,
189         BE_ATTR_NEW_BE_NAME, trgtBeName,
190         BE_ATTR_ORIG_BE_NAME, srcBeName,
191         BE_ATTR_SNAP_NAME, srcSnapName,
192         BE_ATTR_NEW_BE_POOL, rpool,

```

```

193     BE_ATTR_NEW_BE_DESC, beDescription)) {
194         nvlist_free(beAttrs);
195         return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST, NULL, NULL));
196     }
197
198     if (beNameProperties != NULL) {
199         if (nvlist_alloc(&beProps, NV_UNIQUE_NAME, 0) != 0) {
200             (void) printf("nvlist_alloc failed.\n");
201             nvlist_free(beAttrs);
202             return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST,
203                 NULL, NULL));
204         }
205         while (PyDict_Next(beNameProperties, &pos, &pkey, &pvalue)) {
206             if (!convertPyArgsToNvlist(&beProps, 2,
207                 PyString_AsString(pkey),
208                 PyString_AsString(pvalue))) {
209                 nvlist_free(beProps);
210                 nvlist_free(beAttrs);
211                 return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST,
212                     NULL, NULL));
213             }
214         }
215     }
216
217     if (beProps != NULL && beAttrs != NULL &&
218         nvlist_add_nvlist(beAttrs, BE_ATTR_ZFS_PROPERTIES,
219             beProps) != 0) {
220         nvlist_free(beProps);
221         nvlist_free(beAttrs);
222         return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST,
223             NULL, NULL));
224     }
225
226     if (beProps != NULL) nvlist_free(beProps);
227
228     if (trgtBeName == NULL) {
229         /*
230          * Caller wants to get back the BE_ATTR_NEW_BE_NAME and
231          * BE_ATTR_SNAP_NAME
232          */
233         if ((ret = be_copy(beAttrs)) != BE_SUCCESS) {
234             nvlist_free(beAttrs);
235             return (Py_BuildValue("[iss]", ret, NULL, NULL));
236         }
237
238         /*
239          * When no trgtBeName is passed to be_copy, be_copy
240          * returns an auto generated beName and snapshot name.
241          */
242         if (nvlist_lookup_string(beAttrs, BE_ATTR_NEW_BE_NAME,
243             &trgtBeName) != 0) {
244             nvlist_free(beAttrs);
245             return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST,
246                 NULL, NULL));
247         }
248         if (nvlist_lookup_string(beAttrs, BE_ATTR_SNAP_NAME,
249             &trgtSnapName) != 0) {
250             nvlist_free(beAttrs);
251             return (Py_BuildValue("[iss]", BE_PY_ERR_NVLIST,
252                 NULL, NULL));
253         }
254     }
255
256     retVals = Py_BuildValue("[iss]", BE_PY_SUCCESS,
257         trgtBeName, trgtSnapName);
258     nvlist_free(beAttrs);
259     return (retVals);

```

```
260     } else {  
261         ret = be_copy(beAttrs);  
262         nvlist_free(beAttrs);  
263         return (Py_BuildValue("[iss]", ret, NULL, NULL));  
264     }  
265 }  
unchanged_portion_omitted
```

new/usr/src/lib/pylibbe/sparcv9/Makefile

1

959 Fri Nov 9 22:01:50 2012

new/usr/src/lib/pylibbe/sparcv9/Makefile
3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
24 #
25 #
26 include ../Makefile.com
27 include ../../Makefile.lib.64
28 #
29 install: all $(ROOTLIBS64)
30 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/developer-library-lint.mf

1

```
*****
24072 Fri Nov 9 22:01:50 2012
new/usr/src/pkg/manifests/developer-library-lint.mf
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/developer/library/lint@$(PKGVERS)
30 set name=pkg.description \
31     value="lint libraries and startup objects for software development"
32 set name=pkg.summary value="Lint Libraries"
33 set name=info.classification value=org.opensolaris.category.2008:Development/C
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/$(ARCH64)
37 dir path=usr group=sys
38 dir path=usr/ccs
39 dir path=usr/ccs/lib
40 dir path=usr/ccs/lib/$(ARCH64)
41 dir path=usr/lib
42 dir path=usr/lib/$(ARCH64)
43 dir path=usr/lib/scsi
44 dir path=usr/lib/scsi/$(ARCH64)
45 dir path=usr/xpg4
46 dir path=usr/xpg4/lib
47 dir path=usr/xpg4/lib/$(ARCH64)
48 file path=lib/$(ARCH64)/llib-ladm.ln
49 file path=lib/$(ARCH64)/llib-laio.ln
50 file path=lib/$(ARCH64)/llib-lbsm.ln
51 file path=lib/$(ARCH64)/llib-lc.ln
52 file path=lib/$(ARCH64)/llib-lc_db.ln
53 file path=lib/$(ARCH64)/llib-lcontract.ln
54 file path=lib/$(ARCH64)/llib-lcryptoutil.ln
55 file path=lib/$(ARCH64)/llib-lctf.ln
56 file path=lib/$(ARCH64)/llib-lcurses.ln
57 file path=lib/$(ARCH64)/llib-ldevice.ln
58 file path=lib/$(ARCH64)/llib-ldevvid.ln
59 file path=lib/$(ARCH64)/llib-ldevinfo.ln
60 file path=lib/$(ARCH64)/llib-ldl.ln
61 file path=lib/$(ARCH64)/llib-ldladm.ln
```

new/usr/src/pkg/manifests/developer-library-lint.mf

2

```
62 file path=lib/$(ARCH64)/llib-ldlpi.ln
63 file path=lib/$(ARCH64)/llib-ldoor.ln
64 file path=lib/$(ARCH64)/llib-lefi.ln
65 file path=lib/$(ARCH64)/llib-lelf.ln
66 $(i386_ONLY)file path=lib/$(ARCH64)/llib-lfdisk.ln
67 file path=lib/$(ARCH64)/llib-lgen.ln
68 file path=lib/$(ARCH64)/llib-lintl.ln
69 file path=lib/$(ARCH64)/llib-lkmf.ln
70 file path=lib/$(ARCH64)/llib-lkmfberder.ln
71 file path=lib/$(ARCH64)/llib-lkstat.ln
72 file path=lib/$(ARCH64)/llib-lmd.ln
73 file path=lib/$(ARCH64)/llib-lmd5.ln
74 file path=lib/$(ARCH64)/llib-lnsl.ln
75 file path=lib/$(ARCH64)/llib-lnvpair.ln
76 file path=lib/$(ARCH64)/llib-lpam.ln
77 file path=lib/$(ARCH64)/llib-lpthread.ln
78 file path=lib/$(ARCH64)/llib-lrcm.ln
79 file path=lib/$(ARCH64)/llib-lresolv.ln
80 file path=lib/$(ARCH64)/llib-lrpsvc.ln
81 file path=lib/$(ARCH64)/llib-lrt.ln
82 file path=lib/$(ARCH64)/llib-lrtld_db.ln
83 file path=lib/$(ARCH64)/llib-lscf.ln
84 file path=lib/$(ARCH64)/llib-lsec.ln
85 file path=lib/$(ARCH64)/llib-lsecdb.ln
86 file path=lib/$(ARCH64)/llib-lsendfile.ln
87 file path=lib/$(ARCH64)/llib-lsocket.ln
88 file path=lib/$(ARCH64)/llib-lsysevent.ln
89 file path=lib/$(ARCH64)/llib-ltermcap.ln
90 file path=lib/$(ARCH64)/llib-lthread.ln
91 file path=lib/$(ARCH64)/llib-ltsnet.ln
92 file path=lib/$(ARCH64)/llib-ltsol.ln
93 file path=lib/$(ARCH64)/llib-lumem.ln
94 file path=lib/$(ARCH64)/llib-luuid.ln
95 $(i386_ONLY)file path=lib/$(ARCH64)/llib-luutil.ln
96 file path=lib/$(ARCH64)/llib-lxnet.ln
97 file path=lib/llib-ladm
98 file path=lib/llib-ladm.ln
99 file path=lib/llib-laio
100 file path=lib/llib-laio.ln
101 file path=lib/llib-lbsm
102 file path=lib/llib-lbsm.ln
103 file path=lib/llib-lc
104 file path=lib/llib-lc.ln
105 file path=lib/llib-lc_db
106 file path=lib/llib-lc_db.ln
107 file path=lib/llib-lcontract
108 file path=lib/llib-lcontract.ln
109 file path=lib/llib-lcryptoutil
110 file path=lib/llib-lcryptoutil.ln
111 file path=lib/llib-lctf
112 file path=lib/llib-lctf.ln
113 file path=lib/llib-lcurses
114 file path=lib/llib-lcurses.ln
115 file path=lib/llib-ldevice
116 file path=lib/llib-ldevice.ln
117 file path=lib/llib-ldevvid
118 file path=lib/llib-ldevvid.ln
119 file path=lib/llib-ldevinfo
120 file path=lib/llib-ldevinfo.ln
121 file path=lib/llib-ldl
122 file path=lib/llib-ldl.ln
123 file path=lib/llib-ldladm
124 file path=lib/llib-ldladm.ln
125 file path=lib/llib-ldlpi
126 file path=lib/llib-ldlpi.ln
127 file path=lib/llib-ldoor
```

```

128 file path=lib/llib-ldoor.ln
129 file path=lib/llib-lefi
130 file path=lib/llib-lefi.ln
131 file path=lib/llib-lelf
132 file path=lib/llib-lelf.ln
133 $(i386_ONLY)file path=lib/llib-lfdisk
134 $(i386_ONLY)file path=lib/llib-lfdisk.ln
135 file path=lib/llib-lgen
136 file path=lib/llib-lgen.ln
137 file path=lib/llib-lintl
138 file path=lib/llib-lintl.ln
139 file path=lib/llib-lipmp
140 file path=lib/llib-lipmp.ln
141 file path=lib/llib-lkmf.ln
142 file path=lib/llib-lkmfberder.ln
143 file path=lib/llib-lkstat
144 file path=lib/llib-lkstat.ln
145 file path=lib/llib-lmd
146 file path=lib/llib-lmd.ln
147 file path=lib/llib-lmd5
148 file path=lib/llib-lmd5.ln
149 file path=lib/llib-lnsl
150 file path=lib/llib-lnsl.ln
151 file path=lib/llib-lnvpair
152 file path=lib/llib-lnvpair.ln
153 file path=lib/llib-lnwam
154 file path=lib/llib-lnwam.ln
155 file path=lib/llib-lpam
156 file path=lib/llib-lpam.ln
157 file path=lib/llib-lpthread
158 file path=lib/llib-lpthread.ln
159 file path=lib/llib-lrcm
160 file path=lib/llib-lrcm.ln
161 file path=lib/llib-lresolv
162 file path=lib/llib-lresolv.ln
163 file path=lib/llib-lrpcsvc
164 file path=lib/llib-lrpcsvc.ln
165 file path=lib/llib-lrt
166 file path=lib/llib-lrt.ln
167 file path=lib/llib-lrtld_db
168 file path=lib/llib-lrtld_db.ln
169 file path=lib/llib-lscf
170 file path=lib/llib-lscf.ln
171 file path=lib/llib-lsec
172 file path=lib/llib-lsec.ln
173 file path=lib/llib-lsecdb
174 file path=lib/llib-lsecdb.ln
175 file path=lib/llib-lsendfile
176 file path=lib/llib-lsendfile.ln
177 file path=lib/llib-lsocket
178 file path=lib/llib-lsocket.ln
179 file path=lib/llib-lsysevent
180 file path=lib/llib-lsysevent.ln
181 file path=lib/llib-ltermcap
182 file path=lib/llib-ltermcap.ln
183 file path=lib/llib-lthread
184 file path=lib/llib-lthread.ln
185 file path=lib/llib-ltsnet
186 file path=lib/llib-ltsnet.ln
187 file path=lib/llib-ltsol
188 file path=lib/llib-ltsol.ln
189 file path=lib/llib-lumem
190 file path=lib/llib-lumem.ln
191 file path=lib/llib-luuid
192 file path=lib/llib-luuid.ln
193 file path=lib/llib-lxnet

```

```

194 file path=lib/llib-lxnet.ln
195 $(i386_ONLY)file path=usr/lib/$(ARCH64)/crt1.o
196 file path=usr/lib/$(ARCH64)/crt1.o
197 file path=usr/lib/$(ARCH64)/crtn.o
198 $(i386_ONLY)file path=usr/lib/$(ARCH64)/gcrt1.o
199 file path=usr/lib/$(ARCH64)/llib-ladutils.ln
200 file path=usr/lib/$(ARCH64)/llib-lbsdmalloc.ln
201 file path=usr/lib/$(ARCH64)/llib-lcfgadm.ln
202 file path=usr/lib/$(ARCH64)/llib-lcomputil.ln
203 file path=usr/lib/$(ARCH64)/llib-lcrypt.ln
204 file path=usr/lib/$(ARCH64)/llib-lexacct.ln
205 file path=usr/lib/$(ARCH64)/llib-lform.ln
206 file path=usr/lib/$(ARCH64)/llib-lfstyp.ln
207 #endif /* ! codereview */
208 file path=usr/lib/$(ARCH64)/llib-lgss.ln
209 file path=usr/lib/$(ARCH64)/llib-lhotplug.ln
210 file path=usr/lib/$(ARCH64)/llib-lidmap.ln
211 file path=usr/lib/$(ARCH64)/llib-lipmi.ln
212 file path=usr/lib/$(ARCH64)/llib-lipp.ln
213 file path=usr/lib/$(ARCH64)/llib-lkvmln
214 file path=usr/lib/$(ARCH64)/llib-lldap.ln
215 file path=usr/lib/$(ARCH64)/llib-llgrp.ln
216 file path=usr/lib/$(ARCH64)/llib-lmail.ln
217 file path=usr/lib/$(ARCH64)/llib-lmalloc.ln
218 file path=usr/lib/$(ARCH64)/llib-lmapmalloc.ln
219 file path=usr/lib/$(ARCH64)/llib-lmenu.ln
220 file path=usr/lib/$(ARCH64)/llib-lmtmalloc.ln
221 file path=usr/lib/$(ARCH64)/llib-lnls.ln
222 file path=usr/lib/$(ARCH64)/llib-lpanel.ln
223 file path=usr/lib/$(ARCH64)/llib-lpasswdutil.ln
224 file path=usr/lib/$(ARCH64)/llib-lpkcs11.ln
225 file path=usr/lib/$(ARCH64)/llib-lproject.ln
226 file path=usr/lib/$(ARCH64)/llib-lreparse.ln
227 file path=usr/lib/$(ARCH64)/llib-lsas1.ln
228 file path=usr/lib/$(ARCH64)/llib-lsched.ln
229 file path=usr/lib/$(ARCH64)/llib-lsctp.ln
230 file path=usr/lib/$(ARCH64)/llib-lshare.ln
231 file path=usr/lib/$(ARCH64)/llib-lsip.ln
232 file path=usr/lib/$(ARCH64)/llib-lsldap.ln
233 file path=usr/lib/$(ARCH64)/llib-lsmbios.ln
234 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/llib-lv12n.ln
235 file path=usr/lib/$(ARCH64)/llib-lvolmgt.ln
236 file path=usr/lib/$(ARCH64)/llib-lzoneinfo.ln
237 #endif /* ! codereview */
238 file path=usr/lib/$(ARCH64)/values-Xa.o
239 file path=usr/lib/$(ARCH64)/values-Xc.o
240 file path=usr/lib/$(ARCH64)/values-Xs.o
241 file path=usr/lib/$(ARCH64)/values-Xt.o
242 file path=usr/lib/$(ARCH64)/values-xpg4.o
243 file path=usr/lib/$(ARCH64)/values-xpg6.o
244 $(i386_ONLY)file path=usr/lib/crt1.o
245 file path=usr/lib/crt1.o
246 file path=usr/lib/crtn.o
247 $(i386_ONLY)file path=usr/lib/gcrt1.o
248 file path=usr/lib/llib-ladutils
249 file path=usr/lib/llib-ladutils.ln
250 file path=usr/lib/llib-lbsdmalloc
251 file path=usr/lib/llib-lbsdmalloc.ln
252 file path=usr/lib/llib-lcfgadm
253 file path=usr/lib/llib-lcfgadm.ln
254 file path=usr/lib/llib-lcomputil
255 file path=usr/lib/llib-lcomputil.ln
256 file path=usr/lib/llib-lcrypt
257 file path=usr/lib/llib-lcrypt.ln
258 file path=usr/lib/llib-lexacct
259 file path=usr/lib/llib-lexacct.ln

```



```

260 file path=usr/lib/llib-lform
261 file path=usr/lib/llib-lform.ln
262 file path=usr/lib/llib-lfstyp
263 file path=usr/lib/llib-lfstyp.ln
264 file path=usr/lib/llib-lgss
265 file path=usr/lib/llib-lgss.ln
266 file path=usr/lib/llib-lhotplug
267 file path=usr/lib/llib-lhotplug.ln
268 file path=usr/lib/llib-lidmap
269 file path=usr/lib/llib-lidmap.ln
270 file path=usr/lib/llib-lipmi
271 file path=usr/lib/llib-lipmi.ln
272 file path=usr/lib/llib-lipp
273 file path=usr/lib/llib-lipp.ln
274 file path=usr/lib/llib-lkvm
275 file path=usr/lib/llib-lkvm.ln
276 file path=usr/lib/llib-ldap
277 file path=usr/lib/llib-ldap.ln
278 file path=usr/lib/llib-llgrp
279 file path=usr/lib/llib-llgrp.ln
280 file path=usr/lib/llib-lmail
281 file path=usr/lib/llib-lmail.ln
282 file path=usr/lib/llib-lmalloc
283 file path=usr/lib/llib-lmalloc.ln
284 file path=usr/lib/llib-lmapmalloc
285 file path=usr/lib/llib-lmapmalloc.ln
286 file path=usr/lib/llib-lmenu
287 file path=usr/lib/llib-lmenu.ln
288 file path=usr/lib/llib-lmtmalloc.ln
289 file path=usr/lib/llib-lnls
290 file path=usr/lib/llib-lnls.ln
291 file path=usr/lib/llib-lpanel
292 file path=usr/lib/llib-lpanel.ln
293 file path=usr/lib/llib-lpasswdutil
294 file path=usr/lib/llib-lpasswdutil.ln
295 file path=usr/lib/llib-lpkcs11
296 file path=usr/lib/llib-lpkcs11.ln
297 file path=usr/lib/llib-lproject
298 file path=usr/lib/llib-lproject.ln
299 file path=usr/lib/llib-lreparse
300 file path=usr/lib/llib-lreparse.ln
301 file path=usr/lib/llib-lsas1
302 file path=usr/lib/llib-lsas1.ln
303 file path=usr/lib/llib-lsched
304 file path=usr/lib/llib-lsched.ln
305 file path=usr/lib/llib-lsctp
306 file path=usr/lib/llib-lsctp.ln
307 file path=usr/lib/llib-lshare
308 file path=usr/lib/llib-lshare.ln
309 file path=usr/lib/llib-lsip
310 file path=usr/lib/llib-lsip.ln
311 file path=usr/lib/llib-lsldap
312 file path=usr/lib/llib-lsldap.ln
313 file path=usr/lib/llib-lsmbios
314 file path=usr/lib/llib-lsmbios.ln
315 $(sparc_ONLY)file path=usr/lib/llib-lv12n
316 $(sparc_ONLY)file path=usr/lib/llib-lv12n.ln
317 file path=usr/lib/llib-lvolmgt
318 file path=usr/lib/llib-lvolmgt.ln
319 file path=usr/lib/llib-lwrap
320 file path=usr/lib/llib-lwrap.ln
321 file path=usr/lib/llib-lzoneinfo
322 file path=usr/lib/llib-lzoneinfo.ln
323 file path=usr/lib/scsi/$(ARCH64)/llib-lscsi.ln
324 file path=usr/lib/scsi/$(ARCH64)/llib-lses.ln
325 file path=usr/lib/scsi/$(ARCH64)/llib-lsmp.ln

```

```

326 file path=usr/lib/scsi/llib-lscsi
327 file path=usr/lib/scsi/llib-lscsi.ln
328 file path=usr/lib/scsi/llib-lses
329 file path=usr/lib/scsi/llib-lses.ln
330 file path=usr/lib/scsi/llib-lsmp
331 file path=usr/lib/scsi/llib-lsmp.ln
332 file path=usr/lib/values-Xa.o
333 file path=usr/lib/values-Xc.o
334 file path=usr/lib/values-Xs.o
335 file path=usr/lib/values-Xt.o
336 file path=usr/lib/values-xpg4.o
337 file path=usr/lib/values-xpg6.o
338 file path=usr/xpg4/lib/$(ARCH64)/llib-lcurses.ln
339 file path=usr/xpg4/lib/llib-lcurses
340 file path=usr/xpg4/lib/llib-lcurses.ln
341 legacy pkg=SUNWarc \
342 desc="lint libraries and startup objects for software development" \
343 name="Lint Libraries (usr)"
344 legacy pkg=SUNWarc desc="lint libraries for software development" \
345 name="Lint Libraries (root)"
346 license cr_Sun license=cr_Sun
347 license lic_CDDL license=lic_CDDL
348 link path=lib/$(ARCH64)/llib-lposix4.ln target=../llib-lrt.ln
349 link path=lib/$(ARCH64)/llib-lterm.lib.ln target=../llib-lcurses.ln
350 link path=lib/llib-lposix4 target=../llib-lrt
351 link path=lib/llib-lposix4.ln target=../llib-lrt.ln
352 link path=lib/llib-lterm.lib target=../llib-lcurses
353 link path=lib/llib-lterm.lib.ln target=../llib-lcurses.ln
354 link path=usr/ccs/lib/$(ARCH64)/llib-lcurses.ln \
355 target=../../../../lib/$(ARCH64)/llib-lcurses.ln
356 link path=usr/ccs/lib/$(ARCH64)/llib-lform.ln \
357 target=../../../../lib/$(ARCH64)/llib-lform.ln
358 link path=usr/ccs/lib/$(ARCH64)/llib-lgen.ln \
359 target=../../../../lib/$(ARCH64)/llib-lgen.ln
360 link path=usr/ccs/lib/$(ARCH64)/llib-ll.ln \
361 target=../../../../lib/$(ARCH64)/llib-ll.ln
362 link path=usr/ccs/lib/$(ARCH64)/llib-lmenu.ln \
363 target=../../../../lib/$(ARCH64)/llib-lmenu.ln
364 link path=usr/ccs/lib/$(ARCH64)/llib-lpanel.ln \
365 target=../../../../lib/$(ARCH64)/llib-lpanel.ln
366 link path=usr/ccs/lib/$(ARCH64)/llib-ltermcap.ln \
367 target=../../../../lib/$(ARCH64)/llib-ltermcap.ln
368 link path=usr/ccs/lib/$(ARCH64)/llib-lterm.lib.ln \
369 target=../../../../lib/$(ARCH64)/llib-lcurses.ln
370 link path=usr/ccs/lib/$(ARCH64)/llib-ly.ln \
371 target=../../../../lib/$(ARCH64)/llib-ly.ln
372 link path=usr/ccs/lib/$(ARCH64)/values-Xa.o \
373 target=../../../../lib/$(ARCH64)/values-Xa.o
374 link path=usr/ccs/lib/$(ARCH64)/values-Xc.o \
375 target=../../../../lib/$(ARCH64)/values-Xc.o
376 link path=usr/ccs/lib/$(ARCH64)/values-Xs.o \
377 target=../../../../lib/$(ARCH64)/values-Xs.o
378 link path=usr/ccs/lib/$(ARCH64)/values-Xt.o \
379 target=../../../../lib/$(ARCH64)/values-Xt.o
380 link path=usr/ccs/lib/$(ARCH64)/values-xpg4.o \
381 target=../../../../lib/$(ARCH64)/values-xpg4.o
382 link path=usr/ccs/lib/$(ARCH64)/values-xpg6.o \
383 target=../../../../lib/$(ARCH64)/values-xpg6.o
384 link path=usr/ccs/lib/llib-lcurses target=../../../../lib/llib-lcurses
385 link path=usr/ccs/lib/llib-lcurses.ln target=../../../../lib/llib-lcurses.ln
386 link path=usr/ccs/lib/llib-lform target=../../../../lib/llib-lform
387 link path=usr/ccs/lib/llib-lform.ln target=../../../../lib/llib-lform.ln
388 link path=usr/ccs/lib/llib-lgen target=../../../../lib/llib-lgen
389 link path=usr/ccs/lib/llib-lgen.ln target=../../../../lib/llib-lgen.ln
390 link path=usr/ccs/lib/llib-lmenu target=../../../../lib/llib-lmenu
391 link path=usr/ccs/lib/llib-lmenu.ln target=../../../../lib/llib-lmenu.ln

```

```

392 link path=usr/ccs/lib/llib-lpanel target=../lib/llib-lpanel
393 link path=usr/ccs/lib/llib-lpanel.ln target=../lib/llib-lpanel.ln
394 link path=usr/ccs/lib/llib-ltermcap target=../lib/llib-ltermcap
395 link path=usr/ccs/lib/llib-ltermcap.ln target=../lib/llib-ltermcap.ln
396 link path=usr/ccs/lib/llib-ltermplib target=../lib/llib-lcurses
397 link path=usr/ccs/lib/llib-ltermplib.ln target=../lib/llib-lcurses.ln
398 link path=usr/ccs/lib/values-Xa.o target=../lib/values-Xa.o
399 link path=usr/ccs/lib/values-Xc.o target=../lib/values-Xc.o
400 link path=usr/ccs/lib/values-Xs.o target=../lib/values-Xs.o
401 link path=usr/ccs/lib/values-Xt.o target=../lib/values-Xt.o
402 link path=usr/ccs/lib/values-xpg4.o target=../lib/values-xpg4.o
403 link path=usr/ccs/lib/values-xpg6.o target=../lib/values-xpg6.o
404 link path=usr/lib/$(ARCH64)/llib-ladm.ln \
405 target=../lib/$(ARCH64)/llib-ladm.ln
406 link path=usr/lib/$(ARCH64)/llib-laio.ln \
407 target=../lib/$(ARCH64)/llib-laio.ln
408 link path=usr/lib/$(ARCH64)/llib-lbsm.ln \
409 target=../lib/$(ARCH64)/llib-lbsm.ln
410 link path=usr/lib/$(ARCH64)/llib-lc.ln \
411 target=../lib/$(ARCH64)/llib-lc.ln
412 link path=usr/lib/$(ARCH64)/llib-lcontract.ln \
413 target=../lib/$(ARCH64)/llib-lcontract.ln
414 link path=usr/lib/$(ARCH64)/llib-lctf.ln \
415 target=../lib/$(ARCH64)/llib-lctf.ln
416 link path=usr/lib/$(ARCH64)/llib-lcurses.ln \
417 target=../lib/$(ARCH64)/llib-lcurses.ln
418 link path=usr/lib/$(ARCH64)/llib-ldevice.ln \
419 target=../lib/$(ARCH64)/llib-ldevice.ln
420 link path=usr/lib/$(ARCH64)/llib-ldevid.ln \
421 target=../lib/$(ARCH64)/llib-ldevid.ln
422 link path=usr/lib/$(ARCH64)/llib-ldevinfo.ln \
423 target=../lib/$(ARCH64)/llib-ldevinfo.ln
424 link path=usr/lib/$(ARCH64)/llib-ldl.ln \
425 target=../lib/$(ARCH64)/llib-ldl.ln
426 link path=usr/lib/$(ARCH64)/llib-ldoor.ln \
427 target=../lib/$(ARCH64)/llib-ldoor.ln
428 link path=usr/lib/$(ARCH64)/llib-lefi.ln \
429 target=../lib/$(ARCH64)/llib-lefi.ln
430 link path=usr/lib/$(ARCH64)/llib-lelf.ln \
431 target=../lib/$(ARCH64)/llib-lelf.ln
432 $(i386_ONLY)link path=usr/lib/$(ARCH64)/llib-lfdisk.ln \
433 target=../lib/$(ARCH64)/llib-lfdisk.ln
434 link path=usr/lib/$(ARCH64)/llib-lgen.ln \
435 target=../lib/$(ARCH64)/llib-lgen.ln
436 link path=usr/lib/$(ARCH64)/llib-lintl.ln \
437 target=../lib/$(ARCH64)/llib-lintl.ln
438 link path=usr/lib/$(ARCH64)/llib-lkstat.ln \
439 target=../lib/$(ARCH64)/llib-lkstat.ln
440 link path=usr/lib/$(ARCH64)/llib-lmd5.ln \
441 target=../lib/$(ARCH64)/llib-lmd5.ln
442 link path=usr/lib/$(ARCH64)/llib-lnsl.ln \
443 target=../lib/$(ARCH64)/llib-lnsl.ln
444 link path=usr/lib/$(ARCH64)/llib-lnvpair.ln \
445 target=../lib/$(ARCH64)/llib-lnvpair.ln
446 link path=usr/lib/$(ARCH64)/llib-lpam.ln \
447 target=../lib/$(ARCH64)/llib-lpam.ln
448 link path=usr/lib/$(ARCH64)/llib-lposix4.ln \
449 target=../lib/$(ARCH64)/llib-lrt.ln
450 link path=usr/lib/$(ARCH64)/llib-lpthread.ln \
451 target=../lib/$(ARCH64)/llib-lpthread.ln
452 link path=usr/lib/$(ARCH64)/llib-lresolv.ln \
453 target=../lib/$(ARCH64)/llib-lresolv.ln
454 link path=usr/lib/$(ARCH64)/llib-lrpcsvc.ln \
455 target=../lib/$(ARCH64)/llib-lrpcsvc.ln
456 link path=usr/lib/$(ARCH64)/llib-lrt.ln \
457 target=../lib/$(ARCH64)/llib-lrt.ln

```

```

458 link path=usr/lib/$(ARCH64)/llib-lrtld_db.ln \
459 target=../lib/$(ARCH64)/llib-lrtld_db.ln
460 link path=usr/lib/$(ARCH64)/llib-lscf.ln \
461 target=../lib/$(ARCH64)/llib-lscf.ln
462 link path=usr/lib/$(ARCH64)/llib-lsec.ln \
463 target=../lib/$(ARCH64)/llib-lsec.ln
464 link path=usr/lib/$(ARCH64)/llib-lsecdb.ln \
465 target=../lib/$(ARCH64)/llib-lsecdb.ln
466 link path=usr/lib/$(ARCH64)/llib-lsendfile.ln \
467 target=../lib/$(ARCH64)/llib-lsendfile.ln
468 link path=usr/lib/$(ARCH64)/llib-lsocket.ln \
469 target=../lib/$(ARCH64)/llib-lsocket.ln
470 link path=usr/lib/$(ARCH64)/llib-lsyevent.ln \
471 target=../lib/$(ARCH64)/llib-lsyevent.ln
472 link path=usr/lib/$(ARCH64)/llib-ltermcap.ln \
473 target=../lib/$(ARCH64)/llib-ltermcap.ln
474 link path=usr/lib/$(ARCH64)/llib-ltermplib.ln \
475 target=../lib/$(ARCH64)/llib-lcurses.ln
476 link path=usr/lib/$(ARCH64)/llib-lthread.ln \
477 target=../lib/$(ARCH64)/llib-lthread.ln
478 link path=usr/lib/$(ARCH64)/llib-lthread_db.ln \
479 target=../lib/$(ARCH64)/llib-lc_db.ln
480 link path=usr/lib/$(ARCH64)/llib-ltsnet.ln \
481 target=../lib/$(ARCH64)/llib-ltsnet.ln
482 link path=usr/lib/$(ARCH64)/llib-ltsol.ln \
483 target=../lib/$(ARCH64)/llib-ltsol.ln
484 link path=usr/lib/$(ARCH64)/llib-lumem.ln \
485 target=../lib/$(ARCH64)/llib-lumem.ln
486 link path=usr/lib/$(ARCH64)/llib-luuid.ln \
487 target=../lib/$(ARCH64)/llib-luuid.ln
488 link path=usr/lib/$(ARCH64)/llib-lxnet.ln \
489 target=../lib/$(ARCH64)/llib-lxnet.ln
490 link path=usr/lib/llib-ladm target=../lib/llib-ladm
491 link path=usr/lib/llib-ladm.ln target=../lib/llib-ladm.ln
492 link path=usr/lib/llib-laio target=../lib/llib-laio
493 link path=usr/lib/llib-laio.ln target=../lib/llib-laio.ln
494 link path=usr/lib/llib-lbsm target=../lib/llib-lbsm
495 link path=usr/lib/llib-lbsm.ln target=../lib/llib-lbsm.ln
496 link path=usr/lib/llib-lc target=../lib/llib-lc
497 link path=usr/lib/llib-lc.ln target=../lib/llib-lc.ln
498 link path=usr/lib/llib-lcontract target=../lib/llib-lcontract
499 link path=usr/lib/llib-lcontract.ln target=../lib/llib-lcontract.ln
500 link path=usr/lib/llib-lctf target=../lib/llib-lctf
501 link path=usr/lib/llib-lctf.ln target=../lib/llib-lctf.ln
502 link path=usr/lib/llib-lcurses target=../lib/llib-lcurses
503 link path=usr/lib/llib-lcurses.ln target=../lib/llib-lcurses.ln
504 link path=usr/lib/llib-ldevice target=../lib/llib-ldevice
505 link path=usr/lib/llib-ldevice.ln target=../lib/llib-ldevice.ln
506 link path=usr/lib/llib-ldevid target=../lib/llib-ldevid
507 link path=usr/lib/llib-ldevid.ln target=../lib/llib-ldevid.ln
508 link path=usr/lib/llib-ldevinfo target=../lib/llib-ldevinfo
509 link path=usr/lib/llib-ldevinfo.ln target=../lib/llib-ldevinfo.ln
510 link path=usr/lib/llib-ldl target=../lib/llib-ldl
511 link path=usr/lib/llib-ldl.ln target=../lib/llib-ldl.ln
512 link path=usr/lib/llib-ldoor target=../lib/llib-ldoor
513 link path=usr/lib/llib-ldoor.ln target=../lib/llib-ldoor.ln
514 link path=usr/lib/llib-lefi target=../lib/llib-lefi
515 link path=usr/lib/llib-lefi.ln target=../lib/llib-lefi.ln
516 link path=usr/lib/llib-lelf target=../lib/llib-lelf
517 link path=usr/lib/llib-lelf.ln target=../lib/llib-lelf.ln
518 $(i386_ONLY)link path=usr/lib/llib-lfdisk target=../lib/llib-lfdisk
519 $(i386_ONLY)link path=usr/lib/llib-lfdisk.ln target=../lib/llib-lfdisk.ln
520 link path=usr/lib/llib-lgen target=../lib/llib-lgen
521 link path=usr/lib/llib-lgen.ln target=../lib/llib-lgen.ln
522 link path=usr/lib/llib-lintl target=../lib/llib-lintl
523 link path=usr/lib/llib-lintl.ln target=../lib/llib-lintl.ln

```

```
524 link path=usr/lib/lib-lkstat target=../lib/lib-lkstat
525 link path=usr/lib/lib-lkstat.ln target=../lib/lib-lkstat.ln
526 link path=usr/lib/lib-lmd5 target=../lib/lib-lmd5
527 link path=usr/lib/lib-lmd5.ln target=../lib/lib-lmd5.ln
528 link path=usr/lib/lib-lns1 target=../lib/lib-lns1
529 link path=usr/lib/lib-lns1.ln target=../lib/lib-lns1.ln
530 link path=usr/lib/lib-lnvpair target=../lib/lib-lnvpair
531 link path=usr/lib/lib-lnvpair.ln target=../lib/lib-lnvpair.ln
532 link path=usr/lib/lib-lpam target=../lib/lib-lpam
533 link path=usr/lib/lib-lpam.ln target=../lib/lib-lpam.ln
534 link path=usr/lib/lib-lposix4 target=../lib/lib-lrt
535 link path=usr/lib/lib-lposix4.ln target=../lib/lib-lrt.ln
536 link path=usr/lib/lib-lpthread target=../lib/lib-lpthread
537 link path=usr/lib/lib-lpthread.ln target=../lib/lib-lpthread.ln
538 link path=usr/lib/lib-lresolv target=../lib/lib-lresolv
539 link path=usr/lib/lib-lresolv.ln target=../lib/lib-lresolv.ln
540 link path=usr/lib/lib-lrpcsvc target=../lib/lib-lrpcsvc
541 link path=usr/lib/lib-lrpcsvc.ln target=../lib/lib-lrpcsvc.ln
542 link path=usr/lib/lib-lrt target=../lib/lib-lrt
543 link path=usr/lib/lib-lrt.ln target=../lib/lib-lrt.ln
544 link path=usr/lib/lib-lrtld_db target=../lib/lib-lrtld_db
545 link path=usr/lib/lib-lrtld_db.ln target=../lib/lib-lrtld_db.ln
546 link path=usr/lib/lib-lscf target=../lib/lib-lscf
547 link path=usr/lib/lib-lscf.ln target=../lib/lib-lscf.ln
548 link path=usr/lib/lib-lsec target=../lib/lib-lsec
549 link path=usr/lib/lib-lsec.ln target=../lib/lib-lsec.ln
550 link path=usr/lib/lib-lsecdb target=../lib/lib-lsecdb
551 link path=usr/lib/lib-lsecdb.ln target=../lib/lib-lsecdb.ln
552 link path=usr/lib/lib-lsendfile target=../lib/lib-lsendfile
553 link path=usr/lib/lib-lsendfile.ln target=../lib/lib-lsendfile.ln
554 link path=usr/lib/lib-lsocket target=../lib/lib-lsocket
555 link path=usr/lib/lib-lsocket.ln target=../lib/lib-lsocket.ln
556 link path=usr/lib/lib-lsysevent target=../lib/lib-lsysevent
557 link path=usr/lib/lib-lsysevent.ln target=../lib/lib-lsysevent.ln
558 link path=usr/lib/lib-ltermcap target=../lib/lib-ltermcap
559 link path=usr/lib/lib-ltermcap.ln target=../lib/lib-ltermcap.ln
560 link path=usr/lib/lib-ltermplib target=../lib/lib-lcurses
561 link path=usr/lib/lib-ltermplib.ln target=../lib/lib-lcurses.ln
562 link path=usr/lib/lib-lthread target=../lib/lib-lthread
563 link path=usr/lib/lib-lthread.ln target=../lib/lib-lthread.ln
564 link path=usr/lib/lib-lthread_db target=../lib/lib-lc_db
565 link path=usr/lib/lib-lthread_db.ln target=../lib/lib-lc_db.ln
566 link path=usr/lib/lib-ltsnet.ln target=../lib/lib-ltsnet.ln
567 link path=usr/lib/lib-ltsol.ln target=../lib/lib-ltsol.ln
568 link path=usr/lib/lib-lumem target=../lib/lib-lumem
569 link path=usr/lib/lib-lumem.ln target=../lib/lib-lumem.ln
570 link path=usr/lib/lib-luuid target=../lib/lib-luuid
571 link path=usr/lib/lib-luuid.ln target=../lib/lib-luuid.ln
572 link path=usr/lib/lib-lxnet target=../lib/lib-lxnet
573 link path=usr/lib/lib-lxnet.ln target=../lib/lib-lxnet.ln
```

new/usr/src/pkg/manifests/install-beadm.mf

1

```
*****
2248 Fri Nov 9 22:01:51 2012
new/usr/src/pkg/manifests/install-beadm.mf
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2010 Nexenta Systems, Inc. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #

28 set name=pkg.fmri value=pkg:/install/beadm@$(PKGVERS)
29 set name=pkg.description value="Boot Environment Management Tool"
30 set name=pkg.summary value="beadm utility"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=sbin group=sys
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/lib
37 dir path=usr/lib/$(ARCH64)
38 #endif /* ! codereview */
39 dir path=usr/lib/python2.6
40 dir path=usr/lib/python2.6/vendor-packages
41 dir path=usr/lib/python2.6/vendor-packages/64
42 #endif /* ! codereview */
43 dir path=usr/lib/python2.6/vendor-packages/beadm
44 dir path=usr/sbin
45 dir path=usr/share
46 dir path=usr/share/man
47 dir path=usr/share/man/man1m
48 file path=sbin/beadm mode=0555
49 file path=usr/include/libbe.h
50 file path=usr/lib/$(ARCH64)/libbe.so.1
51 file path=usr/lib/$(ARCH64)/llib-lbe.ln
52 #endif /* ! codereview */
53 file path=usr/lib/libbe.so.1
54 file path=usr/lib/llib-lbe
55 file path=usr/lib/llib-lbe.ln
56 file path=usr/lib/python2.6/vendor-packages/64/libbe_py.so
57 #endif /* ! codereview */
58 file path=usr/lib/python2.6/vendor-packages/libbe_py.so
59 file path=usr/share/man/man1m/beadm.1m
60 license cr_Sun license=cr_Sun
61 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/install-beadm.mf

2

```
62 link path=usr/lib/$(ARCH64)/libbe.so target=./libbe.so.1
63 #endif /* ! codereview */
64 link path=usr/lib/libbe.so target=./libbe.so.1
65 link path=usr/sbin/beadm target=../../sbin/beadm
```

new/usr/src/pkg/manifests/package-svr4.mf

1

```
*****
5074 Fri Nov 9 22:01:51 2012
new/usr/src/pkg/manifests/package-svr4.mf
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/package/svr4@$(PKGVERS)
29 set name=pkg.description value="Solaris System V Release 4 Packaging Commands"
30 set name=pkg.summary value="SVr4 packaging commands"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Packaging
33 set name=variant.arch value=$(ARCH)
34 dir path=lib
35 dir path=lib/svc
36 dir path=lib/svc/manifest group=sys
37 dir path=lib/svc/manifest/system group=sys
38 dir path=usr group=sys
39 dir path=usr/bin
40 dir path=usr/lib
41 dir path=usr/lib/$(ARCH64)
42 #endif /* ! codereview */
43 dir path=usr/sadm
44 dir path=usr/sadm/install
45 dir path=usr/sadm/install/bin
46 dir path=usr/sadm/install/scripts
47 dir path=usr/sbin
48 dir path=usr/share/man
49 dir path=usr/share/man/man1
50 dir path=usr/share/man/man1m
51 dir path=usr/share/man/man4
52 dir path=var group=sys
53 dir path=var/sadm group=sys
54 dir path=var/sadm/install
55 dir path=var/sadm/install/admin
56 dir path=var/sadm/install/logs mode=0555
57 dir path=var/sadm/pkg group=sys mode=0555
58 dir path=var/sadm/security group=sys mode=0555
59 dir path=var/spool
60 dir path=var/spool/pkg mode=1777
61 file path=lib/svc/manifest/system/pkgserv.xml group=sys mode=0444
```

new/usr/src/pkg/manifests/package-svr4.mf

2

```
62 file path=usr/bin/pkgadm mode=0555
63 file path=usr/bin/pkgcond group=sys mode=0555
64 file path=usr/bin/pkginfo group=sys mode=0555
65 file path=usr/bin/pkgmk mode=0555
66 file path=usr/bin/pkgparam group=sys mode=0555
67 file path=usr/bin/pkgproto mode=0555
68 file path=usr/bin/pkgtrans mode=0555
69 file path=usr/lib/$(ARCH64)/libinstzones.so.1
70 #endif /* ! codereview */
71 file path=usr/lib/libinstzones.so.1
72 file path=usr/lib/libpkg.so.1
73 file path=usr/sadm/install/bin/pkginstall group=sys mode=0555
74 file path=usr/sadm/install/bin/pkgname group=sys mode=0555
75 file path=usr/sadm/install/bin/pkgremove group=sys mode=0555
76 file path=usr/sadm/install/bin/pkgserv group=sys mode=0555
77 file path=usr/sadm/install/scripts/cmdexec group=sys mode=0555
78 file path=usr/sadm/install/scripts/i.CompCpio group=sys mode=0555
79 file path=usr/sadm/install/scripts/i.awk group=sys mode=0555
80 file path=usr/sadm/install/scripts/i.build group=sys mode=0555
81 file path=usr/sadm/install/scripts/i.preserve group=sys mode=0555
82 file path=usr/sadm/install/scripts/i.sed group=sys mode=0555
83 file path=usr/sadm/install/scripts/r.awk group=sys mode=0555
84 file path=usr/sadm/install/scripts/r.build group=sys mode=0555
85 file path=usr/sadm/install/scripts/r.sed group=sys mode=0555
86 file path=usr/sbin/installf group=sys mode=0555
87 file path=usr/sbin/pkgadd group=sys mode=0555
88 file path=usr/sbin/pkgchk group=sys mode=0555
89 file path=usr/sbin/pkgrm group=sys mode=0555
90 file path=usr/share/man/man1/pkginfo.1
91 file path=usr/share/man/man1/pkgmk.1
92 file path=usr/share/man/man1/pkgparam.1
93 file path=usr/share/man/man1/pkgproto.1
94 file path=usr/share/man/man1/pkgtrans.1
95 file path=usr/share/man/man1m/installf.1m
96 file path=usr/share/man/man1m/pkgadd.1m
97 file path=usr/share/man/man1m/pkgadm.1m
98 file path=usr/share/man/man1m/pkgask.1m
99 file path=usr/share/man/man1m/pkgchk.1m
100 file path=usr/share/man/man1m/pkgrm.1m
101 file path=usr/share/man/man1m/removef.1m
102 file path=usr/share/man/man4/admin.4
103 file path=usr/share/man/man4/compver.4
104 file path=usr/share/man/man4/contents.4
105 file path=usr/share/man/man4/copyright.4
106 file path=usr/share/man/man4/depend.4
107 file path=usr/share/man/man4/pkginfo.4
108 file path=usr/share/man/man4/pkgmap.4
109 file path=usr/share/man/man4/prototype.4
110 file path=usr/share/man/man4/space.4
111 file path=var/sadm/install/admin/default group=sys mode=0444
112 hardlink path=usr/sadm/install/scripts/i.CONFIG.prsv target=./i.preserve
113 hardlink path=usr/sbin/pkgask target=../../usr/sbin/pkgadd
114 hardlink path=usr/sbin/removef target=../../usr/sbin/installf
115 legacy pkg=SUNWpkgcmdsr \
116     desc="Solaris System V release 4 Package Commands (root)" \
117     name="SVr4 package commands (root)" version=11.11.1,REV=2009.11.11
118 legacy pkg=SUNWpkgcmdsu \
119     desc="Solaris System V Release 4 Packaging Commands (usr)" \
120     name="SVr4 packaging commands (usr)" version=11.11.1,REV=2009.11.11
121 license cr_ATT license=cr_ATT
122 license cr_Sun license=cr_Sun
123 license lic_CDDL license=lic_CDDL
124 license usr/src/lib/libpkg/THIRDPARTYLICENSE \
125     license=usr/src/lib/libpkg/THIRDPARTYLICENSE
126 link path=usr/lib/libpkg.so target=./libpkg.so.1
```

new/usr/src/pkg/manifests/system-boot-wanboot-internal.mf

1

2245 Fri Nov 9 22:01:52 2012

new/usr/src/pkg/manifests/system-boot-wanboot-internal.mf
3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/boot/wanboot/internal@$(PKGVERS)
29 set name=pkg.description value="Solaris WAN boot internal"
30 set name=pkg.summary value="WAN boot internal"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/include
35 dir path=usr/lib
36 file path=usr/include/boot_http.h
37 file path=usr/include/bootinfo.h
38 file path=usr/include/bootlog.h
39 file path=usr/include/netboot_paths.h
40 file path=usr/include/pl2access.h
41 file path=usr/include/pl2aux.h
42 file path=usr/include/pl2err.h
43 file path=usr/include/parseURL.h
44 file path=usr/include/wanboot_conf.h
45 file path=usr/lib/$(ARCH64)/llib-lwanboot.ln
46 file path=usr/lib/$(ARCH64)/llib-lwanbootutil.ln
47 #endif /* ! codereview */
48 file path=usr/lib/llib-lwanboot
49 file path=usr/lib/llib-lwanboot.ln
50 file path=usr/lib/llib-lwanbootutil
51 file path=usr/lib/llib-lwanbootutil.ln
52 legacy pkg=SUNWwbint desc="Solaris WAN boot internal" name="WAN boot internal"
53 license cr_Sun license=cr_Sun
54 license lic_CDDL license=lic_CDDL
55 link path=usr/lib/$(ARCH64)/libwanboot.so target=./libwanboot.so.1
56 link path=usr/lib/$(ARCH64)/libwanbootutil.so target=./libwanbootutil.so.1
57 #endif /* ! codereview */
58 link path=usr/lib/libwanboot.so target=./libwanboot.so.1
59 link path=usr/lib/libwanbootutil.so target=./libwanbootutil.so.1
```

new/usr/src/pkg/manifests/system-boot-wanboot.mf

1

```
*****
2573 Fri Nov 9 22:01:52 2012
new/usr/src/pkg/manifests/system-boot-wanboot.mf
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/boot/wanboot@$(PKGVERS)
29 set name=pkg.description value="Solaris WAN boot support"
30 set name=pkg.summary value="WAN boot support"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/lib
35 dir path=usr/lib/abi
36 dir path=usr/lib/inet
37 dir path=usr/lib/inet/wanboot
38 dir path=usr/sbin
39 dir path=usr/share/man/man1m
40 file path=usr/lib/$(ARCH64)/libwanboot.so.1
41 file path=usr/lib/$(ARCH64)/libwanbootutil.so.1
42 #endif /* ! codereview */
43 file path=usr/lib/inet/wanboot/bootlog-cgi mode=0555
44 file path=usr/lib/inet/wanboot/encr mode=0555
45 file path=usr/lib/inet/wanboot/hmac mode=0555
46 file path=usr/lib/inet/wanboot/ickey mode=0555
47 file path=usr/lib/inet/wanboot/keygen mode=0555
48 file path=usr/lib/inet/wanboot/keygmt mode=0555
49 file path=usr/lib/inet/wanboot/netbootinfo mode=0555
50 file path=usr/lib/inet/wanboot/p12split mode=0555
51 file path=usr/lib/inet/wanboot/wanboot-cgi mode=0555
52 file path=usr/lib/libwanboot.so.1
53 file path=usr/lib/libwanbootutil.so.1
54 file path=usr/sbin/bootconfchk mode=0555
55 file path=usr/sbin/wanbootutil mode=0555
56 file path=usr/share/man/man1m/bootconfchk.1m
57 file path=usr/share/man/man1m/ickey.1m
58 file path=usr/share/man/man1m/wanboot_keygen.1m
59 file path=usr/share/man/man1m/wanboot_keygmt.1m
60 file path=usr/share/man/man1m/wanboot_p12split.1m
61 file path=usr/share/man/man1m/wanbootutil.1m
```

new/usr/src/pkg/manifests/system-boot-wanboot.mf

2

```
62 legacy pkg=SUNWwbsup desc="Solaris WAN boot support" name="WAN boot support"
63 license cr_Sun license=cr_Sun
64 license lic_CDDL license=lic_CDDL
65 license usr/src/common/openssl/LICENSE license=usr/src/common/openssl/LICENSE
```

new/usr/src/pkg/manifests/system-library-install-libinstzones.mf

1

1706 Fri Nov 9 22:01:52 2012

new/usr/src/pkg/manifests/system-library-install-libinstzones.mf

3352 would like 64bit install libraries

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/install/libinstzones@$(PKGVERS)
29 set name=pkg.description value="Solaris Install internal files"
30 set name=pkg.summary value="Solaris Install Internal Files"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:Development/System
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/lib
37 dir path=usr/lib/$(ARCH64)
38 #endif /* ! codereview */
39 file path=usr/include/instzones_api.h
40 legacy pkg=SUNWinstallint desc="Solaris Install internal files" \
41     name="Solaris Install Internal Files"
42 license cr_Sun license=cr_Sun
43 license lic_CDDL license=lic_CDDL
44 link path=usr/lib/$(ARCH64)/libinstzones.so target=./libinstzones.so.1
45 #endif /* ! codereview */
46 link path=usr/lib/libinstzones.so target=./libinstzones.so.1
```



```

*****
59893 Fri Nov 9 22:01:53 2012
new/usr/src/pkg/manifests/system-library.mf
3352 would like 64bit install libraries
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 #endif /* ! codereview */
27 #
28 #
29 <include system-library.man3.inc>
30 <include system-library.man3bsm.inc>
31 <include system-library.man3c.inc>
32 <include system-library.man3c_db.inc>
33 <include system-library.man3cfgadm.inc>
34 <include system-library.man3commutil.inc>
35 <include system-library.man3contract.inc>
36 <include system-library.man3curses.inc>
37 <include system-library.man3devid.inc>
38 <include system-library.man3devinfo.inc>
39 <include system-library.man3dlpi.inc>
40 <include system-library.man3elf.inc>
41 <include system-library.man3exacct.inc>
42 <include system-library.man3ext.inc>
43 <include system-library.man3fstyp.inc>
44 <include system-library.man3gen.inc>
45 <include system-library.man3kstat.inc>
46 <include system-library.man3kvm.inc>
47 <include system-library.man3ldap.inc>
48 <include system-library.man3lgrp.inc>
49 <include system-library.man3lib.inc>
50 <include system-library.man3mail.inc>
51 <include system-library.man3malloc.inc>
52 <include system-library.man3mp.inc>
53 <include system-library.man3nsl.inc>
54 <include system-library.man3nvpair.inc>
55 <include system-library.man3pam.inc>
56 <include system-library.man3scf.inc>
57 <include system-library.man3sec.inc>
58 <include system-library.man3secdb.inc>
59 <include system-library.man3sip.inc>
60 <include system-library.man3socket.inc>
61 <include system-library.man3tsol.inc>

```

```

62 <include system-library.man3uuid.inc>
63 <include system-library.man3volmgt.inc>
64 <include system-library.man3xcurses.inc>
65 <include system-library.man3xnet.inc>
66 <include system-library.man4.inc>
67 <include system-library.man5.inc>
68 <include system-library.man7p.inc>
69 set name=pkg.fmri value=pkg:/system/library@(PKGVERS)
70 set name=pkg.description \
71     value="core shared libraries for a specific instruction-set architecture"
72 set name=pkg.summary value="Core Solaris, (Shared Libs)"
73 set name=info.classification value=org.opensolaris.category.2008:System/Core
74 set name=variant.arch value=$(ARCH)
75 $(i386_ONLY)dir path=etc group=sys
76 $(i386_ONLY)dir path=etc/flash group=sys
77 $(i386_ONLY)dir path=etc/flash/postcreation group=sys mode=0700
78 $(i386_ONLY)dir path=etc/flash/precreation group=sys mode=0700
79 $(i386_ONLY)dir path=etc/flash/preexit group=sys mode=0700
80 dir path=lib
81 dir path=lib/$(ARCH64)
82 dir path=lib/crypto
83 dir path=lib/crypto/$(ARCH64)
84 dir path=lib/mpxio
85 dir path=lib/secure
86 dir path=lib/secure/$(ARCH64)
87 dir path=usr group=sys
88 dir path=usr/bin
89 dir path=usr/ccs
90 dir path=usr/ccs/lib
91 dir path=usr/ccs/lib/$(ARCH64)
92 dir path=usr/lib
93 dir path=usr/lib/$(ARCH64)
94 dir path=usr/lib/cfgadm
95 dir path=usr/lib/cfgadm/$(ARCH64)
96 dir path=usr/lib/iconv/$(ARCH64)
97 $(i386_ONLY)dir path=usr/lib/libc
98 dir path=usr/lib/lwp
99 dir path=usr/lib/lwp/$(ARCH64)
100 dir path=usr/lib/python2.6
101 dir path=usr/lib/python2.6/vendor-packages
102 dir path=usr/lib/python2.6/vendor-packages/solaris
103 dir path=usr/lib/raidcfg
104 dir path=usr/lib/raidcfg/$(ARCH64)
105 dir path=usr/lib/scsi
106 dir path=usr/lib/scsi/$(ARCH64)
107 dir path=usr/lib/scsi/plugins
108 dir path=usr/lib/scsi/plugins/scsi
109 dir path=usr/lib/scsi/plugins/scsi/engines
110 dir path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)
111 dir path=usr/lib/scsi/plugins/ses
112 dir path=usr/lib/scsi/plugins/ses/framework
113 dir path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)
114 dir path=usr/lib/scsi/plugins/ses/vendor
115 $(sparc_ONLY)dir path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)
116 dir path=usr/lib/scsi/plugins/smp
117 dir path=usr/lib/scsi/plugins/smp/engine
118 dir path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)
119 dir path=usr/lib/scsi/plugins/smp/framework
120 dir path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)
121 dir path=usr/lib/security
122 dir path=usr/lib/security/$(ARCH64)
123 dir path=usr/share/man
124 dir path=usr/share/man/man3
125 dir path=usr/share/man/man3bsm
126 dir path=usr/share/man/man3c
127 dir path=usr/share/man/man3c_db

```

```

128 dir path=usr/share/man/man3cfgadm
129 dir path=usr/share/man/man3commutil
130 dir path=usr/share/man/man3contract
131 dir path=usr/share/man/man3curses
132 dir path=usr/share/man/man3devinfo
133 dir path=usr/share/man/man3devinfo
134 dir path=usr/share/man/man3dlpi
135 dir path=usr/share/man/man3elf
136 dir path=usr/share/man/man3exacct
137 dir path=usr/share/man/man3ext
138 dir path=usr/share/man/man3fstyp
139 dir path=usr/share/man/man3gen
140 dir path=usr/share/man/man3kstat
141 dir path=usr/share/man/man3kvm
142 dir path=usr/share/man/man3ldap
143 dir path=usr/share/man/man3lgrp
144 dir path=usr/share/man/man3lib
145 dir path=usr/share/man/man3mail
146 dir path=usr/share/man/man3malloc
147 dir path=usr/share/man/man3mp
148 dir path=usr/share/man/man3nsl
149 dir path=usr/share/man/man3nvpair
150 dir path=usr/share/man/man3pam
151 dir path=usr/share/man/man3pool
152 dir path=usr/share/man/man3scf
153 dir path=usr/share/man/man3sec
154 dir path=usr/share/man/man3seccdb
155 dir path=usr/share/man/man3sip
156 dir path=usr/share/man/man3socket
157 dir path=usr/share/man/man3tsol
158 dir path=usr/share/man/man3uuid
159 dir path=usr/share/man/man3volmgt
160 dir path=usr/share/man/man3xcurses
161 dir path=usr/share/man/man3xnet
162 dir path=usr/share/man/man5
163 dir path=usr/share/man/man7p
164 dir path=usr/xpg4
165 dir path=usr/xpg4/lib
166 dir path=usr/xpg4/lib/$(ARCH64)
167 $(i386_ONLY)file path=etc/flash/precreation/caplib group=sys mode=0500
168 file path=lib/$(ARCH64)/c_synonyms.so.1
169 file path=lib/$(ARCH64)/ld.so.1
170 file path=lib/$(ARCH64)/libadm.so.1
171 file path=lib/$(ARCH64)/libaio.so.1
172 file path=lib/$(ARCH64)/libavl.so.1
173 file path=lib/$(ARCH64)/libbsm.so.1
174 file path=lib/$(ARCH64)/libc.so.1
175 file path=lib/$(ARCH64)/libc_db.so.1
176 file path=lib/$(ARCH64)/libcmdutils.so.1
177 file path=lib/$(ARCH64)/libcontract.so.1
178 file path=lib/$(ARCH64)/libcryptoutil.so.1
179 file path=lib/$(ARCH64)/libctf.so.1
180 file path=lib/$(ARCH64)/libcurses.so.1
181 file path=lib/$(ARCH64)/libdevice.so.1
182 file path=lib/$(ARCH64)/libdevinfo.so.1
183 file path=lib/$(ARCH64)/libdevinfo.so.1
184 file path=lib/$(ARCH64)/libdhcputil.so.1
185 #endif /* ! codereview */
186 file path=lib/$(ARCH64)/libdl.so.1
187 file path=lib/$(ARCH64)/libdladm.so.1
188 file path=lib/$(ARCH64)/libdlpi.so.1
189 file path=lib/$(ARCH64)/libdoor.so.1
190 file path=lib/$(ARCH64)/libefi.so.1
191 file path=lib/$(ARCH64)/libelf.so.1
192 $(i386_ONLY)file path=lib/$(ARCH64)/libfdisk.so.1
193 file path=lib/$(ARCH64)/libgen.so.1

```

```

194 file path=lib/$(ARCH64)/libinetutil.so.1
195 file path=lib/$(ARCH64)/libintl.so.1
196 file path=lib/$(ARCH64)/libkmf.so.1
197 file path=lib/$(ARCH64)/libkmfborder.so.1
198 file path=lib/$(ARCH64)/libkstat.so.1
199 file path=lib/$(ARCH64)/libld.so.4
200 file path=lib/$(ARCH64)/liblddbg.so.4
201 file path=lib/$(ARCH64)/libmd.so.1
202 file path=lib/$(ARCH64)/libmd5.so.1
203 file path=lib/$(ARCH64)/libmp.so.2
204 file path=lib/$(ARCH64)/libnsl.so.1
205 file path=lib/$(ARCH64)/libnvpair.so.1
206 file path=lib/$(ARCH64)/libpam.so.1
207 file path=lib/$(ARCH64)/libproc.so.1
208 file path=lib/$(ARCH64)/libpthread.so.1
209 file path=lib/$(ARCH64)/librcm.so.1
210 file path=lib/$(ARCH64)/libresolv.so.2
211 file path=lib/$(ARCH64)/librestart.so.1
212 file path=lib/$(ARCH64)/librpcsvc.so.1
213 file path=lib/$(ARCH64)/librt.so.1
214 file path=lib/$(ARCH64)/librtld.so.1
215 file path=lib/$(ARCH64)/librtld_db.so.1
216 file path=lib/$(ARCH64)/libscf.so.1
217 file path=lib/$(ARCH64)/libsec.so.1
218 file path=lib/$(ARCH64)/libsecdb.so.1
219 file path=lib/$(ARCH64)/libsendfile.so.1
220 file path=lib/$(ARCH64)/libsocket.so.1
221 file path=lib/$(ARCH64)/libsysevent.so.1
222 file path=lib/$(ARCH64)/libtermcap.so.1
223 file path=lib/$(ARCH64)/libthread.so.1
224 file path=lib/$(ARCH64)/libtsnet.so.1
225 file path=lib/$(ARCH64)/libtsol.so.2
226 file path=lib/$(ARCH64)/libumem.so.1
227 file path=lib/$(ARCH64)/libuuid.so.1
228 file path=lib/$(ARCH64)/libutil.so.1
229 file path=lib/$(ARCH64)/libw.so.1
230 file path=lib/$(ARCH64)/libxnet.so.1
231 file path=lib/$(ARCH64)/nss_compat.so.1
232 file path=lib/$(ARCH64)/nss_dns.so.1
233 file path=lib/$(ARCH64)/nss_files.so.1
234 file path=lib/$(ARCH64)/nss_nis.so.1
235 file path=lib/$(ARCH64)/nss_user.so.1
236 file path=lib/c_synonyms.so.1
237 file path=lib/crypto/$(ARCH64)/kmf_mapper_cn.so.1
238 file path=lib/crypto/$(ARCH64)/kmf_nss.so.1
239 file path=lib/crypto/$(ARCH64)/kmf_openssl.so.1
240 file path=lib/crypto/$(ARCH64)/kmf_pkcs11.so.1
241 file path=lib/crypto/kmf_mapper_cn.so.1
242 file path=lib/crypto/kmf_nss.so.1
243 file path=lib/crypto/kmf_openssl.so.1
244 file path=lib/crypto/kmf_pkcs11.so.1
245 file path=lib/ld.so.1
246 file path=lib/libadm.so.1
247 file path=lib/libaio.so.1
248 file path=lib/libavl.so.1
249 file path=lib/libbsm.so.1
250 file path=lib/libc.so.1 reboot-needed=true
251 file path=lib/libc_db.so.1
252 file path=lib/libcmdutils.so.1
253 file path=lib/libcontract.so.1
254 file path=lib/libcryptoutil.so.1
255 file path=lib/libctf.so.1
256 file path=lib/libcurses.so.1
257 file path=lib/libdevice.so.1
258 file path=lib/libdevinfo.so.1
259 file path=lib/libdevinfo.so.1

```

```
260 file path=lib/libdhcpageant.so.1
261 file path=lib/libdhcputil.so.1
262 file path=lib/libddl.so.1
263 file path=lib/libddladm.so.1
264 file path=lib/libdmpi.so.1
265 file path=lib/libdoor.so.1
266 file path=lib/libefi.so.1
267 file path=lib/libelf.so.1
268 file path=lib/libelfsign.so.1
269 $(i386_ONLY)file path=lib/libfdisk.so.1
270 file path=lib/libgen.so.1
271 file path=lib/libinetutil.so.1
272 file path=lib/libintl.so.1
273 file path=lib/libipadm.so.1
274 file path=lib/libipmp.so.1
275 file path=lib/libkccfd.so.1
276 file path=lib/libkmf.so.1
277 file path=lib/libkmfberder.so.1
278 file path=lib/libkstat.so.1
279 file path=lib/libld.so.4
280 file path=lib/liblddbg.so.4
281 file path=lib/libmd.so.1
282 file path=lib/libmd5.so.1
283 file path=lib/libmp.so.1
284 file path=lib/libmp.so.2
285 file path=lib/libnsl.so.1
286 file path=lib/libnvpair.so.1
287 file path=lib/libnwam.so.1
288 file path=lib/libpam.so.1
289 file path=lib/libproc.so.1
290 file path=lib/libpthread.so.1
291 file path=lib/librcm.so.1
292 file path=lib/libresolv.so.1
293 file path=lib/libresolv.so.2
294 file path=lib/librestart.so.1
295 file path=lib/librpcsvc.so.1
296 file path=lib/librt.so.1
297 file path=lib/librtdb.so.1
298 file path=lib/librtdb_db.so.1
299 file path=lib/libscf.so.1
300 file path=lib/libsec.so.1
301 file path=lib/libsecdb.so.1
302 file path=lib/libsendfile.so.1
303 file path=lib/libsocket.so.1
304 file path=lib/libsysevent.so.1
305 file path=lib/libtermcap.so.1
306 file path=lib/libthread.so.1
307 file path=lib/libtsnet.so.1
308 file path=lib/libtsol.so.2
309 file path=lib/libumem.so.1
310 file path=lib/libuuid.so.1
311 file path=lib/libuutil.so.1
312 file path=lib/libw.so.1
313 file path=lib/libxnet.so.1
314 file path=lib/mpxio/stmsboot_util mode=0555
315 file path=lib/nss_compat.so.1
316 file path=lib/nss_dns.so.1
317 file path=lib/nss_files.so.1
318 file path=lib/nss_nis.so.1
319 file path=lib/nss_user.so.1
320 file path=usr/lib/$(ARCH64)/0@0.so.1
321 file path=usr/lib/$(ARCH64)/libadutils.so.1
322 file path=usr/lib/$(ARCH64)/libast.so.1
323 file path=usr/lib/$(ARCH64)/libbsdmalloc.so.1
324 file path=usr/lib/$(ARCH64)/libcfdm.so.1
325 file path=usr/lib/$(ARCH64)/libcfdm.so.1
```

```
326 file path=usr/lib/$(ARCH64)/libcommutil.so.1
327 file path=usr/lib/$(ARCH64)/libcrle.so.1
328 file path=usr/lib/$(ARCH64)/libcrypt.so.1
329 file path=usr/lib/$(ARCH64)/libdisasm.so.1
330 file path=usr/lib/$(ARCH64)/libdll.so.1
331 file path=usr/lib/$(ARCH64)/libexacct.so.1
332 file path=usr/lib/$(ARCH64)/libform.so.1
333 file path=usr/lib/$(ARCH64)/libfstyp.so.1
334 #endif /* ! codereview */
335 file path=usr/lib/$(ARCH64)/libhotplug.so.1
336 file path=usr/lib/$(ARCH64)/libidmap.so.1
337 file path=usr/lib/$(ARCH64)/libike.so.1
338 file path=usr/lib/$(ARCH64)/libipmi.so.1
339 file path=usr/lib/$(ARCH64)/libipp.so.1
340 file path=usr/lib/$(ARCH64)/libipsecutil.so.1
341 file path=usr/lib/$(ARCH64)/libkvm.so.1
342 file path=usr/lib/$(ARCH64)/libl.so.1
343 file path=usr/lib/$(ARCH64)/libldap.so.5
344 file path=usr/lib/$(ARCH64)/liblgrp.so.1
345 file path=usr/lib/$(ARCH64)/liblm.so.1
346 file path=usr/lib/$(ARCH64)/libmail.so.1
347 file path=usr/lib/$(ARCH64)/libmalloc.so.1
348 file path=usr/lib/$(ARCH64)/libmapmalloc.so.1
349 file path=usr/lib/$(ARCH64)/libmenu.so.1
350 file path=usr/lib/$(ARCH64)/libmtmalloc.so.1
351 file path=usr/lib/$(ARCH64)/libnls.so.1
352 file path=usr/lib/$(ARCH64)/libpanel.so.1
353 file path=usr/lib/$(ARCH64)/libpkcs11.so.1
354 file path=usr/lib/$(ARCH64)/libproject.so.1
355 file path=usr/lib/$(ARCH64)/libraidcfg.so.1
356 file path=usr/lib/$(ARCH64)/libreparse.so.1
357 file path=usr/lib/$(ARCH64)/libsched.so.1
358 file path=usr/lib/$(ARCH64)/libsctp.so.1
359 file path=usr/lib/$(ARCH64)/libshell.so.1
360 file path=usr/lib/$(ARCH64)/libsip.so.1
361 file path=usr/lib/$(ARCH64)/libsldap.so.1
362 file path=usr/lib/$(ARCH64)/libsmbios.so.1
363 file path=usr/lib/$(ARCH64)/libsoftcrypto.so.1
364 file path=usr/lib/$(ARCH64)/libsum.so.1
365 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/libv12n.so.1
366 file path=usr/lib/$(ARCH64)/libvolmgt.so.1
367 file path=usr/lib/$(ARCH64)/liby.so.1
368 file path=usr/lib/$(ARCH64)/libzoneinfo.so.1
369 #endif /* ! codereview */
370 file path=usr/lib/$(ARCH64)/nss_ad.so.1
371 file path=usr/lib/$(ARCH64)/nss_ldap.so.1
372 file path=usr/lib/$(ARCH64)/passwdutil.so.1
373 file path=usr/lib/$(ARCH64)/straddr.so.2
374 file path=usr/lib/$(ARCH64)/watchmalloc.so.1
375 file path=usr/lib/0@0.so.1
376 file path=usr/lib/cfgadm/$(ARCH64)/ib.so.1
377 file path=usr/lib/cfgadm/$(ARCH64)/pci.so.1
378 $(i386_ONLY)file path=usr/lib/cfgadm/$(ARCH64)/sata.so.1
379 file path=usr/lib/cfgadm/$(ARCH64)/scsi.so.1
380 file path=usr/lib/cfgadm/$(ARCH64)/shp.so.1
381 file path=usr/lib/cfgadm/$(ARCH64)/usb.so.1
382 file path=usr/lib/cfgadm/ib.so.1
383 file path=usr/lib/cfgadm/pci.so.1
384 $(i386_ONLY)file path=usr/lib/cfgadm/sata.so.1
385 file path=usr/lib/cfgadm/scsi.so.1
386 file path=usr/lib/cfgadm/shp.so.1
387 file path=usr/lib/cfgadm/usb.so.1
388 file path=usr/lib/extendedFILE.so.1
389 file path=usr/lib/lib.b mode=0444
390 file path=usr/lib/libadutils.so.1
391 file path=usr/lib/libast.so.1
```

```

392 file path=usr/lib/libbsdmalloc.so.1
393 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi.so.1 reboot-needed=true
394 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi2.so.1 reboot-needed=true
395 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi3.so.1 reboot-needed=true
396 file path=usr/lib/libcfdm.so.1
397 file path=usr/lib/libcmd.so.1
398 file path=usr/lib/libcommutil.so.1
399 file path=usr/lib/libcrl.so.1
400 file path=usr/lib/libcrypt.so.1
401 file path=usr/lib/libdisasm.so.1
402 file path=usr/lib/libdll.so.1
403 file path=usr/lib/libexacct.so.1
404 file path=usr/lib/libform.so.1
405 file path=usr/lib/libfstyp.so.1
406 file path=usr/lib/libhotplug.so.1
407 file path=usr/lib/libidmap.so.1
408 file path=usr/lib/libike.so.1
409 file path=usr/lib/libinetsvc.so.1
410 file path=usr/lib/libipmi.so.1
411 file path=usr/lib/libipp.so.1
412 file path=usr/lib/libipsecutil.so.1
413 file path=usr/lib/libkvm.so.1
414 file path=usr/lib/libl.so.1
415 file path=usr/lib/libldap.so.5
416 file path=usr/lib/liblgrp.so.1
417 file path=usr/lib/liblm.so.1
418 file path=usr/lib/libmail.so.1
419 file path=usr/lib/libmalloc.so.1
420 file path=usr/lib/libmapmalloc.so.1
421 file path=usr/lib/libmenu.so.1
422 file path=usr/lib/libmtmalloc.so.1
423 file path=usr/lib/libnls.so.1
424 file path=usr/lib/libpanel.so.1
425 file path=usr/lib/libpkcs11.so.1
426 file path=usr/lib/libproject.so.1
427 file path=usr/lib/libraidcfg.so.1
428 file path=usr/lib/librepase.so.1
429 file path=usr/lib/libsched.so.1
430 file path=usr/lib/libsectp.so.1
431 file path=usr/lib/libshell.so.1
432 file path=usr/lib/libsip.so.1
433 file path=usr/lib/libslldap.so.1
434 file path=usr/lib/libsmbios.so.1
435 file path=usr/lib/libsoftcrypto.so.1
436 file path=usr/lib/libsum.so.1
437 file path=usr/lib/libsys.so.1
438 $(sparc_ONLY)file path=usr/lib/libv12n.so.1
439 file path=usr/lib/libvolmgt.so.1
440 file path=usr/lib/libwrap.so.1.0
441 file path=usr/lib/liby.so.1
442 file path=usr/lib/libzoneinfo.so.1
443 file path=usr/lib/nss_ad.so.1
444 file path=usr/lib/nss_ldap.so.1
445 file path=usr/lib/passwdutil.so.1
446 file path=usr/lib/python2.6/vendor-packages/solaris/__init__.py
447 file path=usr/lib/python2.6/vendor-packages/solaris/__init__.pyc
448 file path=usr/lib/python2.6/vendor-packages/solaris/misc.so
449 file path=usr/lib/raidcfg/$(ARCH64)/mpt.so.1
450 file path=usr/lib/raidcfg/mpt.so.1
451 file path=usr/lib/scsi/$(ARCH64)/libscsi.so.1
452 file path=usr/lib/scsi/$(ARCH64)/libses.so.1
453 file path=usr/lib/scsi/$(ARCH64)/libsmp.so.1
454 file path=usr/lib/scsi/libscsi.so.1
455 file path=usr/lib/scsi/libses.so.1
456 file path=usr/lib/scsi/libsmp.so.1
457 file path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)/uscsci.so

```

```

458 file path=usr/lib/scsi/plugins/scsi/engines/uscsci.so
459 file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/libses.so
460 file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/ses2.so
461 file path=usr/lib/scsi/plugins/ses/framework/libses.so
462 file path=usr/lib/scsi/plugins/ses/framework/ses2.so
463 file path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)/usmp.so
464 file path=usr/lib/scsi/plugins/smp/engine/usmp.so
465 file path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)/sas2.so
466 file path=usr/lib/scsi/plugins/smp/framework/sas2.so
467 file path=usr/lib/security/$(ARCH64)/crypt_bsdbf.so.1
468 file path=usr/lib/security/$(ARCH64)/crypt_bsdmd5.so.1
469 file path=usr/lib/security/$(ARCH64)/crypt_sha256.so.1
470 file path=usr/lib/security/$(ARCH64)/crypt_sha512.so.1
471 file path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so.1
472 file path=usr/lib/security/$(ARCH64)/pam_allow.so.1
473 file path=usr/lib/security/$(ARCH64)/pam_authok_check.so.1
474 file path=usr/lib/security/$(ARCH64)/pam_authok_get.so.1
475 file path=usr/lib/security/$(ARCH64)/pam_authok_store.so.1
476 file path=usr/lib/security/$(ARCH64)/pam_deny.so.1
477 file path=usr/lib/security/$(ARCH64)/pam_dhkeys.so.1
478 file path=usr/lib/security/$(ARCH64)/pam_dial_auth.so.1
479 file path=usr/lib/security/$(ARCH64)/pam_ldap.so.1
480 file path=usr/lib/security/$(ARCH64)/pam_list.so.1
481 file path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so.1
482 file path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so.1
483 file path=usr/lib/security/$(ARCH64)/pam_roles.so.1
484 file path=usr/lib/security/$(ARCH64)/pam_sample.so.1
485 file path=usr/lib/security/$(ARCH64)/pam_tsol_account.so.1
486 file path=usr/lib/security/$(ARCH64)/pam_unix_account.so.1
487 file path=usr/lib/security/$(ARCH64)/pam_unix_auth.so.1
488 file path=usr/lib/security/$(ARCH64)/pam_unix_cred.so.1
489 file path=usr/lib/security/$(ARCH64)/pam_unix_session.so.1
490 file path=usr/lib/security/$(ARCH64)/pkcs11_kernel.so.1
491 file path=usr/lib/security/$(ARCH64)/pkcs11_softtoken.so.1
492 file path=usr/lib/security/$(ARCH64)/pkcs11_tpm.so.1
493 file path=usr/lib/security/audit_binfile.so.1
494 file path=usr/lib/security/audit_remote.so.1
495 file path=usr/lib/security/audit_syslog.so.1
496 file path=usr/lib/security/crypt_bsdbf.so.1
497 file path=usr/lib/security/crypt_bsdmd5.so.1
498 file path=usr/lib/security/crypt_sha256.so.1
499 file path=usr/lib/security/crypt_sha512.so.1
500 file path=usr/lib/security/crypt_sunmd5.so.1
501 file path=usr/lib/security/pam_allow.so.1
502 file path=usr/lib/security/pam_authok_check.so.1
503 file path=usr/lib/security/pam_authok_get.so.1
504 file path=usr/lib/security/pam_authok_store.so.1
505 file path=usr/lib/security/pam_deny.so.1
506 file path=usr/lib/security/pam_dhkeys.so.1
507 file path=usr/lib/security/pam_dial_auth.so.1
508 file path=usr/lib/security/pam_ldap.so.1
509 file path=usr/lib/security/pam_list.so.1
510 file path=usr/lib/security/pam_passwd_auth.so.1
511 file path=usr/lib/security/pam_rhosts_auth.so.1
512 file path=usr/lib/security/pam_roles.so.1
513 file path=usr/lib/security/pam_sample.so.1
514 file path=usr/lib/security/pam_tsol_account.so.1
515 file path=usr/lib/security/pam_unix_account.so.1
516 file path=usr/lib/security/pam_unix_auth.so.1
517 file path=usr/lib/security/pam_unix_cred.so.1
518 file path=usr/lib/security/pam_unix_session.so.1
519 file path=usr/lib/security/pkcs11_kernel.so.1
520 file path=usr/lib/security/pkcs11_softtoken.so.1
521 file path=usr/lib/security/pkcs11_tpm.so.1
522 file path=usr/lib/straddr.so.2
523 file path=usr/lib/watchmalloc.so.1

```

```

524 # XXX: Obsoleted by open il8n?
525 file path=usr/xpg4/lib/${ARCH64}/libcurses.so.1
526 file path=usr/xpg4/lib/${ARCH64}/libcurses.so.2
527 file path=usr/xpg4/lib/libcurses.so.1
528 file path=usr/xpg4/lib/libcurses.so.2
529 legacy pkg=SUNWcsl \
530     desc="core shared libraries for a specific instruction-set architecture" \
531     name="Core Solaris, (Shared Libs)"
532 legacy pkg=SUNWcslr \
533     desc="core software for a specific instruction-set architecture" \
534     name="Core Solaris Libraries (Root)"
535 license cr_Sun license=cr_Sun
536 license lic_CDDL license=lic_CDDL
537 license lic_OSBL license=lic_OSBL
538 license lic_OSBL_preamble license=lic_OSBL_preamble
539 # libwrap is part of tcp wrappers along with tcpd
540 license usr/src/cmd/tcpd/THIRDPARTYLICENSE \
541     license=usr/src/cmd/tcpd/THIRDPARTYLICENSE
542 license usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams \
543     license=usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams
544 license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman \
545     license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman
546 license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl \
547     license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl
548 license usr/src/common/crypto/ecc/THIRDPARTYLICENSE \
549     license=usr/src/common/crypto/ecc/THIRDPARTYLICENSE
550 license usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE \
551     license=usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE
552 license usr/src/common/mpi/THIRDPARTYLICENSE \
553     license=usr/src/common/mpi/THIRDPARTYLICENSE
554 license usr/src/lib/libast/THIRDPARTYLICENSE \
555     license=usr/src/lib/libast/THIRDPARTYLICENSE
556 license usr/src/lib/libbsdmalloc/THIRDPARTYLICENSE \
557     license=usr/src/lib/libbsdmalloc/THIRDPARTYLICENSE
558 license usr/src/lib/libc/THIRDPARTYLICENSE \
559     license=usr/src/lib/libc/THIRDPARTYLICENSE
560 license usr/src/lib/libcmd/THIRDPARTYLICENSE \
561     license=usr/src/lib/libcmd/THIRDPARTYLICENSE
562 license usr/src/lib/libdll/THIRDPARTYLICENSE \
563     license=usr/src/lib/libdll/THIRDPARTYLICENSE
564 license usr/src/lib/libinetutil/common/THIRDPARTYLICENSE \
565     license=usr/src/lib/libinetutil/common/THIRDPARTYLICENSE
566 license usr/src/lib/libkmf/THIRDPARTYLICENSE \
567     license=usr/src/lib/libkmf/THIRDPARTYLICENSE
568 license usr/src/lib/libldap5/THIRDPARTYLICENSE \
569     license=usr/src/lib/libldap5/THIRDPARTYLICENSE
570 license usr/src/lib/libmp/common/THIRDPARTYLICENSE \
571     license=usr/src/lib/libmp/common/THIRDPARTYLICENSE
572 license usr/src/lib/libresolv/THIRDPARTYLICENSE \
573     license=usr/src/lib/libresolv/THIRDPARTYLICENSE
574 license usr/src/lib/libresolv2/THIRDPARTYLICENSE \
575     license=usr/src/lib/libresolv2/THIRDPARTYLICENSE
576 license usr/src/lib/libshell/THIRDPARTYLICENSE \
577     license=usr/src/lib/libshell/THIRDPARTYLICENSE
578 license usr/src/lib/libsum/THIRDPARTYLICENSE \
579     license=usr/src/lib/libsum/THIRDPARTYLICENSE
580 license usr/src/lib/pam_modules/authok_check/THIRDPARTYLICENSE \
581     license=usr/src/lib/pam_modules/authok_check/THIRDPARTYLICENSE
582 license usr/src/lib/passwdutil/THIRDPARTYLICENSE \
583     license=usr/src/lib/passwdutil/THIRDPARTYLICENSE
584 license usr/src/lib/pkcs11/pkcs11_tpm/THIRDPARTYLICENSE \
585     license=usr/src/lib/pkcs11/pkcs11_tpm/THIRDPARTYLICENSE
586 license usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode \
587     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode
588 link path=lib/${ARCH64}/libadm.so target=libadm.so.1
589 link path=lib/${ARCH64}/libaio.so target=libaio.so.1

```

```

590 link path=lib/${ARCH64}/libbsm.so target=libbsm.so.1
591 link path=lib/${ARCH64}/libc.so reboot-needed=true target=libc.so.1
592 link path=lib/${ARCH64}/libc_db.so target=libc_db.so.1
593 link path=lib/${ARCH64}/libcontract.so target=libcontract.so.1
594 link path=lib/${ARCH64}/libcryptoutil.so target=libcryptoutil.so.1
595 link path=lib/${ARCH64}/libctf.so target=libctf.so.1
596 link path=lib/${ARCH64}/libcurses.so target=libcurses.so.1
597 link path=lib/${ARCH64}/libdevice.so target=libdevice.so.1
598 link path=lib/${ARCH64}/libdevinfo.so target=libdevinfo.so.1
599 link path=lib/${ARCH64}/libdevinfo.so target=libdevinfo.so.1
600 link path=lib/${ARCH64}/libdl.so target=libdl.so.1
601 link path=lib/${ARCH64}/libdladm.so target=libdladm.so.1
602 link path=lib/${ARCH64}/libdlpi.so target=libdlpi.so.1
603 link path=lib/${ARCH64}/libdoor.so target=libdoor.so.1
604 link path=lib/${ARCH64}/libefi.so target=libefi.so.1
605 link path=lib/${ARCH64}/libelf.so target=libelf.so.1
606 ${i386_ONLY}link path=lib/${ARCH64}/libfdisk.so target=libfdisk.so.1
607 link path=lib/${ARCH64}/libgen.so target=libgen.so.1
608 link path=lib/${ARCH64}/libintl.so target=libintl.so.1
609 link path=lib/${ARCH64}/libkmf.so target=libkmf.so.1
610 link path=lib/${ARCH64}/libkmfberder.so target=libkmfberder.so.1
611 link path=lib/${ARCH64}/libkstat.so target=libkstat.so.1
612 link path=lib/${ARCH64}/libmd.so target=libmd.so.1
613 link path=lib/${ARCH64}/libmd5.so target=libmd5.so.1
614 link path=lib/${ARCH64}/libmp.so target=libmp.so.2
615 link path=lib/${ARCH64}/libnsl.so target=libnsl.so.1
616 link path=lib/${ARCH64}/libnvpair.so target=libnvpair.so.1
617 link path=lib/${ARCH64}/libpam.so target=libpam.so.1
618 link path=lib/${ARCH64}/libposix4.so target=libposix4.so.1
619 link path=lib/${ARCH64}/libposix4.so.1 target=librt.so.1
620 link path=lib/${ARCH64}/libproc.so target=libproc.so.1
621 link path=lib/${ARCH64}/libpthread.so target=libpthread.so.1
622 link path=lib/${ARCH64}/librcm.so target=librcm.so.1
623 link path=lib/${ARCH64}/libresolv.so target=libresolv.so.2
624 link path=lib/${ARCH64}/librestart.so target=librestart.so.1
625 link path=lib/${ARCH64}/librpcsvc.so target=librpcsvc.so.1
626 link path=lib/${ARCH64}/librt.so target=librt.so.1
627 link path=lib/${ARCH64}/librtld_db.so target=librtld_db.so.1
628 link path=lib/${ARCH64}/libscaf.so target=libscaf.so.1
629 link path=lib/${ARCH64}/libsec.so target=libsec.so.1
630 link path=lib/${ARCH64}/libsecdb.so target=libsecdb.so.1
631 link path=lib/${ARCH64}/libsendfile.so target=libsendfile.so.1
632 link path=lib/${ARCH64}/libsocket.so target=libsocket.so.1
633 link path=lib/${ARCH64}/libsysevent.so target=libsysevent.so.1
634 link path=lib/${ARCH64}/libtermcap.so target=libtermcap.so.1
635 link path=lib/${ARCH64}/libtermmlib.so target=libtermmlib.so.1
636 link path=lib/${ARCH64}/libtermmlib.so.1 target=libcurses.so.1
637 link path=lib/${ARCH64}/libthread.so target=libthread.so.1
638 link path=lib/${ARCH64}/libthread_db.so target=libc_db.so.1
639 link path=lib/${ARCH64}/libthread_db.so.1 target=libc_db.so.1
640 link path=lib/${ARCH64}/libtsnet.so target=libtsnet.so.1
641 link path=lib/${ARCH64}/libtsol.so target=libtsol.so.2
642 link path=lib/${ARCH64}/libumem.so target=libumem.so.1
643 link path=lib/${ARCH64}/libuuid.so target=libuuid.so.1
644 link path=lib/${ARCH64}/libutil.so target=libutil.so.1
645 link path=lib/${ARCH64}/libw.so target=libw.so.1
646 link path=lib/${ARCH64}/libxnet.so target=libxnet.so.1
647 link path=lib/32 target=.
648 link path=lib/64 target=${ARCH64}
649 link path=lib/crypto/32 target=.
650 link path=lib/crypto/64 target=${ARCH64}
651 link path=lib/libadm.so target=libadm.so.1
652 link path=lib/libaio.so target=libaio.so.1
653 link path=lib/libbsm.so target=libbsm.so.1
654 link path=lib/libc.so target=libc.so.1
655 link path=lib/libc_db.so target=libc_db.so.1

```

```

656 link path=lib/libcontract.so target=libcontract.so.1
657 link path=lib/libcryptoutil.so target=libcryptoutil.so.1
658 link path=lib/libctf.so target=libctf.so.1
659 link path=lib/libcurses.so target=libcurses.so.1
660 link path=lib/libdevice.so target=libdevice.so.1
661 link path=lib/libdevvid.so target=libdevvid.so.1
662 link path=lib/libdevinfo.so target=libdevinfo.so.1
663 link path=lib/libdl.so target=libdl.so.1
664 link path=lib/libdladm.so target=libdladm.so.1
665 link path=lib/libdlpi.so target=libdlpi.so.1
666 link path=lib/libdoor.so target=libdoor.so.1
667 link path=lib/libefi.so target=libefi.so.1
668 link path=lib/libelf.so target=libelf.so.1
669 link path=lib/libelfsign.so target=libelfsign.so.1
670 $(i386_ONLY)link path=lib/libfdisk.so target=libfdisk.so.1
671 link path=lib/libgen.so target=libgen.so.1
672 link path=lib/libintl.so target=libintl.so.1
673 link path=lib/libipmp.so target=libipmp.so.1
674 link path=lib/libkrmf.so target=libkrmf.so.1
675 link path=lib/libkrmfborder.so target=libkrmfborder.so.1
676 link path=lib/libkstat.so target=libkstat.so.1
677 link path=lib/libmd.so target=libmd.so.1
678 link path=lib/libmd5.so target=libmd5.so.1
679 link path=lib/libmp.so target=libmp.so.2
680 link path=lib/libnsl.so target=libnsl.so.1
681 link path=lib/libnvpair.so target=libnvpair.so.1
682 link path=lib/libnwam.so target=libnwam.so.1
683 link path=lib/libpam.so target=libpam.so.1
684 link path=lib/libposix4.so target=libposix4.so.1
685 link path=lib/libposix4.so.1 target=librt.so.1
686 link path=lib/libproc.so target=libproc.so.1
687 link path=lib/libpthread.so target=libpthread.so.1
688 link path=lib/librcm.so target=librcm.so.1
689 link path=lib/libresolv.so target=libresolv.so.2
690 link path=lib/librpcsvc.so target=librpcsvc.so.1
691 link path=lib/librt.so target=librt.so.1
692 link path=lib/librtld_db.so target=librtld_db.so.1
693 link path=lib/libscf.so target=libscf.so.1
694 link path=lib/libsec.so target=libsec.so.1
695 link path=lib/libsecdb.so target=libsecdb.so.1
696 link path=lib/libsendfile.so target=libsendfile.so.1
697 link path=lib/libsocket.so target=libsocket.so.1
698 link path=lib/libsysevent.so target=libsysevent.so.1
699 link path=lib/libtermcap.so target=libtermcap.so.1
700 link path=lib/libtermmlib.so target=libtermmlib.so.1
701 link path=lib/libtermmlib.so.1 target=libcurses.so.1
702 link path=lib/libthread.so target=libthread.so.1
703 link path=lib/libthread_db.so target=libthread_db.so.1
704 link path=lib/libthread_db.so.1 target=libc_db.so.1
705 link path=lib/libtsol.so target=libtsol.so.2
706 link path=lib/libumem.so target=libumem.so.1
707 link path=lib/libuuid.so target=libuuid.so.1
708 link path=lib/libw.so target=libw.so.1
709 link path=lib/libxnet.so target=libxnet.so.1
710 link path=lib/secure/32 target=
711 link path=lib/secure/64 target=$(ARCH64)
712 link path=usr/ccs/lib/$(ARCH64)/libcurses.so \
713 target=../../../../lib/$(ARCH64)/libcurses.so.1
714 link path=usr/ccs/lib/$(ARCH64)/libform.so \
715 target=../../../../lib/$(ARCH64)/libform.so.1
716 link path=usr/ccs/lib/$(ARCH64)/libgen.so \
717 target=../../../../lib/$(ARCH64)/libgen.so.1
718 link path=usr/ccs/lib/$(ARCH64)/libl.so \
719 target=../../../../lib/$(ARCH64)/libl.so.1
720 link path=usr/ccs/lib/$(ARCH64)/libmalloc.so \
721 target=../../../../lib/$(ARCH64)/libmalloc.so.1

```

```

722 link path=usr/ccs/lib/$(ARCH64)/libmenu.so \
723 target=../../../../lib/$(ARCH64)/libmenu.so.1
724 link path=usr/ccs/lib/$(ARCH64)/libpanel.so \
725 target=../../../../lib/$(ARCH64)/libpanel.so.1
726 link path=usr/ccs/lib/$(ARCH64)/libtermcap.so \
727 target=../../../../lib/$(ARCH64)/libtermcap.so.1
728 link path=usr/ccs/lib/$(ARCH64)/libtermmlib.so \
729 target=../../../../lib/$(ARCH64)/libcurses.so.1
730 link path=usr/ccs/lib/$(ARCH64)/liby.so \
731 target=../../../../lib/$(ARCH64)/liby.so.1
732 link path=usr/ccs/lib/libcurses.so target=../../../../lib/libcurses.so.1
733 link path=usr/ccs/lib/libform.so target=../../../../lib/libform.so.1
734 link path=usr/ccs/lib/libgen.so target=../../../../lib/libgen.so.1
735 link path=usr/ccs/lib/libl.so target=../../../../lib/libl.so.1
736 link path=usr/ccs/lib/libmalloc.so target=../../../../lib/libmalloc.so.1
737 link path=usr/ccs/lib/libmenu.so target=../../../../lib/libmenu.so.1
738 link path=usr/ccs/lib/libpanel.so target=../../../../lib/libpanel.so.1
739 link path=usr/ccs/lib/libtermcap.so target=../../../../lib/libtermcap.so.1
740 link path=usr/ccs/lib/libtermmlib.so target=../../../../lib/libcurses.so.1
741 link path=usr/ccs/lib/liby.so target=../../../../lib/liby.so.1
742 link path=usr/lib/$(ARCH64)/libadm.so \
743 target=../../../../lib/$(ARCH64)/libadm.so.1
744 link path=usr/lib/$(ARCH64)/libadm.so.1 \
745 target=../../../../lib/$(ARCH64)/libadm.so.1
746 link path=usr/lib/$(ARCH64)/libadutils.so target=libadutils.so.1
747 link path=usr/lib/$(ARCH64)/libaio.so \
748 target=../../../../lib/$(ARCH64)/libaio.so.1
749 link path=usr/lib/$(ARCH64)/libaio.so.1 \
750 target=../../../../lib/$(ARCH64)/libaio.so.1
751 link path=usr/lib/$(ARCH64)/libavl.so.1 \
752 target=../../../../lib/$(ARCH64)/libavl.so.1
753 link path=usr/lib/$(ARCH64)/libbsdmalloc.so target=libbsdmalloc.so.1
754 link path=usr/lib/$(ARCH64)/libbsm.so \
755 target=../../../../lib/$(ARCH64)/libbsm.so.1
756 link path=usr/lib/$(ARCH64)/libbsm.so.1 \
757 target=../../../../lib/$(ARCH64)/libbsm.so.1
758 link path=usr/lib/$(ARCH64)/libc.so target=../../../../lib/$(ARCH64)/libc.so.1
759 link path=usr/lib/$(ARCH64)/libc.so.1 target=../../../../lib/$(ARCH64)/libc.so.1
760 link path=usr/lib/$(ARCH64)/libc_db.so \
761 target=../../../../lib/$(ARCH64)/libc_db.so.1
762 link path=usr/lib/$(ARCH64)/libc_db.so.1 \
763 target=../../../../lib/$(ARCH64)/libc_db.so.1
764 link path=usr/lib/$(ARCH64)/libcfgadm.so target=libcfgadm.so.1
765 link path=usr/lib/$(ARCH64)/libcmd.so target=libcmd.so.1
766 link path=usr/lib/$(ARCH64)/libcmdutils.so.1 \
767 target=../../../../lib/$(ARCH64)/libcmdutils.so.1
768 link path=usr/lib/$(ARCH64)/libcommputil.so target=libcommputil.so.1
769 link path=usr/lib/$(ARCH64)/libcontract.so \
770 target=../../../../lib/$(ARCH64)/libcontract.so.1
771 link path=usr/lib/$(ARCH64)/libcontract.so.1 \
772 target=../../../../lib/$(ARCH64)/libcontract.so.1
773 link path=usr/lib/$(ARCH64)/libcrypt.so target=libcrypt.so.1
774 link path=usr/lib/$(ARCH64)/libcrypt_d.so target=libcrypt.so
775 link path=usr/lib/$(ARCH64)/libcrypt_d.so.1 target=libcrypt.so.1
776 link path=usr/lib/$(ARCH64)/libcrypt_i.so target=libcrypt.so
777 link path=usr/lib/$(ARCH64)/libcrypt_i.so.1 target=libcrypt.so.1
778 link path=usr/lib/$(ARCH64)/libctf.so \
779 target=../../../../lib/$(ARCH64)/libctf.so.1
780 link path=usr/lib/$(ARCH64)/libctf.so.1 \
781 target=../../../../lib/$(ARCH64)/libctf.so.1
782 link path=usr/lib/$(ARCH64)/libcurses.so \
783 target=../../../../lib/$(ARCH64)/libcurses.so.1
784 link path=usr/lib/$(ARCH64)/libcurses.so.1 \
785 target=../../../../lib/$(ARCH64)/libcurses.so.1
786 link path=usr/lib/$(ARCH64)/libdevice.so \
787 target=../../../../lib/$(ARCH64)/libdevice.so.1

```

```

788 link path=usr/lib/$(ARCH64)/libdevice.so.1 \
789     target=../../../../lib/$(ARCH64)/libdevice.so.1
790 link path=usr/lib/$(ARCH64)/libdevvid.so \
791     target=../../../../lib/$(ARCH64)/libdevvid.so.1
792 link path=usr/lib/$(ARCH64)/libdevvid.so.1 \
793     target=../../../../lib/$(ARCH64)/libdevvid.so.1
794 link path=usr/lib/$(ARCH64)/libdevinfo.so \
795     target=../../../../lib/$(ARCH64)/libdevinfo.so.1
796 link path=usr/lib/$(ARCH64)/libdevinfo.so.1 \
797     target=../../../../lib/$(ARCH64)/libdevinfo.so.1
798 link path=usr/lib/$(ARCH64)/libdhcputil.so.1 \
799     target=../../../../lib/$(ARCH64)/libdhcputil.so.1
800 #endif /* ! codereview */
801 link path=usr/lib/$(ARCH64)/libdisasm.so target=libdisasm.so.1
802 link path=usr/lib/$(ARCH64)/libdl.so target=../../../../lib/$(ARCH64)/libdl.so.1
803 link path=usr/lib/$(ARCH64)/libdl.so.1 \
804     target=../../../../lib/$(ARCH64)/libdl.so.1
805 link path=usr/lib/$(ARCH64)/libdlpi.so \
806     target=../../../../lib/$(ARCH64)/libdlpi.so.1
807 link path=usr/lib/$(ARCH64)/libdlpi.so.1 \
808     target=../../../../lib/$(ARCH64)/libdlpi.so.1
809 link path=usr/lib/$(ARCH64)/libdoor.so \
810     target=../../../../lib/$(ARCH64)/libdoor.so.1
811 link path=usr/lib/$(ARCH64)/libdoor.so.1 \
812     target=../../../../lib/$(ARCH64)/libdoor.so.1
813 link path=usr/lib/$(ARCH64)/libefi.so \
814     target=../../../../lib/$(ARCH64)/libefi.so.1
815 link path=usr/lib/$(ARCH64)/libefi.so.1 \
816     target=../../../../lib/$(ARCH64)/libefi.so.1
817 link path=usr/lib/$(ARCH64)/libelf.so \
818     target=../../../../lib/$(ARCH64)/libelf.so.1
819 link path=usr/lib/$(ARCH64)/libelf.so.1 \
820     target=../../../../lib/$(ARCH64)/libelf.so.1
821 link path=usr/lib/$(ARCH64)/libexacct.so target=libexacct.so.1
822 $(i386_ONLY)link path=usr/lib/$(ARCH64)/libfdisk.so \
823     target=../../../../lib/$(ARCH64)/libfdisk.so.1
824 $(i386_ONLY)link path=usr/lib/$(ARCH64)/libfdisk.so.1 \
825     target=../../../../lib/$(ARCH64)/libfdisk.so.1
826 link path=usr/lib/$(ARCH64)/libform.so target=libform.so.1
827 link path=usr/lib/$(ARCH64)/libfstyp.so target=libfstyp.so.1
828 #endif /* ! codereview */
829 link path=usr/lib/$(ARCH64)/libgen.so \
830     target=../../../../lib/$(ARCH64)/libgen.so.1
831 link path=usr/lib/$(ARCH64)/libgen.so.1 \
832     target=../../../../lib/$(ARCH64)/libgen.so.1
833 link path=usr/lib/$(ARCH64)/libhotplug.so target=libhotplug.so.1
834 link path=usr/lib/$(ARCH64)/libidmap.so target=libidmap.so.1
835 link path=usr/lib/$(ARCH64)/libinetutil.so.1 \
836     target=../../../../lib/$(ARCH64)/libinetutil.so.1
837 link path=usr/lib/$(ARCH64)/libintl.so \
838     target=../../../../lib/$(ARCH64)/libintl.so.1
839 link path=usr/lib/$(ARCH64)/libintl.so.1 \
840     target=../../../../lib/$(ARCH64)/libintl.so.1
841 link path=usr/lib/$(ARCH64)/libipmi.so target=libipmi.so.1
842 link path=usr/lib/$(ARCH64)/libipp.so target=libipp.so.1
843 link path=usr/lib/$(ARCH64)/libkstat.so \
844     target=../../../../lib/$(ARCH64)/libkstat.so.1
845 link path=usr/lib/$(ARCH64)/libkstat.so.1 \
846     target=../../../../lib/$(ARCH64)/libkstat.so.1
847 link path=usr/lib/$(ARCH64)/libkvm.so target=libkvm.so.1
848 link path=usr/lib/$(ARCH64)/libl.so target=libl.so.1
849 link path=usr/lib/$(ARCH64)/libldap.so target=libldap.so.5
850 link path=usr/lib/$(ARCH64)/liblddbg.so.4 \
851     target=../../../../lib/$(ARCH64)/liblddbg.so.4
852 link path=usr/lib/$(ARCH64)/liblgrp.so target=liblgrp.so.1
853 link path=usr/lib/$(ARCH64)/liblm.so target=liblm.so.1

```

```

854 link path=usr/lib/$(ARCH64)/libmail.so target=libmail.so.1
855 link path=usr/lib/$(ARCH64)/libmalloc.so target=libmalloc.so.1
856 link path=usr/lib/$(ARCH64)/libmapmalloc.so target=libmapmalloc.so.1
857 link path=usr/lib/$(ARCH64)/libmd.so target=../../../../lib/$(ARCH64)/libmd.so.1
858 link path=usr/lib/$(ARCH64)/libmd.so.1 \
859     target=../../../../lib/$(ARCH64)/libmd.so.1
860 link path=usr/lib/$(ARCH64)/libmd5.so \
861     target=../../../../lib/$(ARCH64)/libmd5.so.1
862 link path=usr/lib/$(ARCH64)/libmd5.so.1 \
863     target=../../../../lib/$(ARCH64)/libmd5.so.1
864 link path=usr/lib/$(ARCH64)/libmenu.so target=libmenu.so.1
865 link path=usr/lib/$(ARCH64)/libmp.so target=../../../../lib/$(ARCH64)/libmp.so.2
866 link path=usr/lib/$(ARCH64)/libmp.so.2 \
867     target=../../../../lib/$(ARCH64)/libmp.so.2
868 link path=usr/lib/$(ARCH64)/libmtmalloc.so target=libmtmalloc.so.1
869 link path=usr/lib/$(ARCH64)/libnls.so target=libnls.so.1
870 link path=usr/lib/$(ARCH64)/libnsl.so \
871     target=../../../../lib/$(ARCH64)/libnsl.so.1
872 link path=usr/lib/$(ARCH64)/libnsl.so.1 \
873     target=../../../../lib/$(ARCH64)/libnsl.so.1
874 link path=usr/lib/$(ARCH64)/libnvpair.so \
875     target=../../../../lib/$(ARCH64)/libnvpair.so.1
876 link path=usr/lib/$(ARCH64)/libnvpair.so.1 \
877     target=../../../../lib/$(ARCH64)/libnvpair.so.1
878 link path=usr/lib/$(ARCH64)/libpam.so \
879     target=../../../../lib/$(ARCH64)/libpam.so.1
880 link path=usr/lib/$(ARCH64)/libpam.so.1 \
881     target=../../../../lib/$(ARCH64)/libpam.so.1
882 link path=usr/lib/$(ARCH64)/libpanel.so target=libpanel.so.1
883 link path=usr/lib/$(ARCH64)/libpkcs11.so target=libpkcs11.so.1
884 link path=usr/lib/$(ARCH64)/libposix4.so \
885     target=../../../../lib/$(ARCH64)/librt.so.1
886 link path=usr/lib/$(ARCH64)/libposix4.so.1 \
887     target=../../../../lib/$(ARCH64)/librt.so.1
888 link path=usr/lib/$(ARCH64)/libproc.so \
889     target=../../../../lib/$(ARCH64)/libproc.so.1
890 link path=usr/lib/$(ARCH64)/libproc.so.1 \
891     target=../../../../lib/$(ARCH64)/libproc.so.1
892 link path=usr/lib/$(ARCH64)/libproject.so target=libproject.so.1
893 link path=usr/lib/$(ARCH64)/libpthread.so \
894     target=../../../../lib/$(ARCH64)/libpthread.so.1
895 link path=usr/lib/$(ARCH64)/libpthread.so.1 \
896     target=../../../../lib/$(ARCH64)/libpthread.so.1
897 link path=usr/lib/$(ARCH64)/librcm.so \
898     target=../../../../lib/$(ARCH64)/librcm.so.1
899 link path=usr/lib/$(ARCH64)/librcm.so.1 \
900     target=../../../../lib/$(ARCH64)/librcm.so.1
901 link path=usr/lib/$(ARCH64)/libreparse.so target=libreparse.so.1
902 link path=usr/lib/$(ARCH64)/libresolv.so \
903     target=../../../../lib/$(ARCH64)/libresolv.so.2
904 link path=usr/lib/$(ARCH64)/libresolv.so.2 \
905     target=../../../../lib/$(ARCH64)/libresolv.so.2
906 $(i386_ONLY)link path=usr/lib/$(ARCH64)/librestart.so \
907     target=../../../../lib/$(ARCH64)/librestart.so.1
908 link path=usr/lib/$(ARCH64)/librestart.so.1 \
909     target=../../../../lib/$(ARCH64)/librestart.so.1
910 link path=usr/lib/$(ARCH64)/librpcsvc.so \
911     target=../../../../lib/$(ARCH64)/librpcsvc.so.1
912 link path=usr/lib/$(ARCH64)/librpcsvc.so.1 \
913     target=../../../../lib/$(ARCH64)/librpcsvc.so.1
914 link path=usr/lib/$(ARCH64)/librt.so target=../../../../lib/$(ARCH64)/librt.so.1
915 link path=usr/lib/$(ARCH64)/librt.so.1 \
916     target=../../../../lib/$(ARCH64)/librt.so.1
917 link path=usr/lib/$(ARCH64)/librtld.so.1 \
918     target=../../../../lib/$(ARCH64)/librtld.so.1
919 link path=usr/lib/$(ARCH64)/librtld_db.so \

```

```

920 target=../../../../lib/$(ARCH64)/librtld_db.so.1
921 link path=usr/lib/$(ARCH64)/librtld_db.so.1 \
922 target=../../../../lib/$(ARCH64)/librtld_db.so.1
923 link path=usr/lib/$(ARCH64)/libscf.so \
924 target=../../../../lib/$(ARCH64)/libscf.so.1
925 link path=usr/lib/$(ARCH64)/libscf.so.1 \
926 target=../../../../lib/$(ARCH64)/libscf.so.1
927 link path=usr/lib/$(ARCH64)/libsched.so target=libsched.so.1
928 link path=usr/lib/$(ARCH64)/libsctp.so target=libsctp.so.1
929 link path=usr/lib/$(ARCH64)/libsec.so \
930 target=../../../../lib/$(ARCH64)/libsec.so.1
931 link path=usr/lib/$(ARCH64)/libsec.so.1 \
932 target=../../../../lib/$(ARCH64)/libsec.so.1
933 link path=usr/lib/$(ARCH64)/libsecdb.so \
934 target=../../../../lib/$(ARCH64)/libsecdb.so.1
935 link path=usr/lib/$(ARCH64)/libsecdb.so.1 \
936 target=../../../../lib/$(ARCH64)/libsecdb.so.1
937 link path=usr/lib/$(ARCH64)/libsendfile.so \
938 target=../../../../lib/$(ARCH64)/libsendfile.so.1
939 link path=usr/lib/$(ARCH64)/libsendfile.so.1 \
940 target=../../../../lib/$(ARCH64)/libsendfile.so.1
941 link path=usr/lib/$(ARCH64)/libsip.so target=libsip.so.1
942 link path=usr/lib/$(ARCH64)/libldap.so target=libldap.so.1
943 link path=usr/lib/$(ARCH64)/libsmbios.so target=libsmbios.so.1
944 link path=usr/lib/$(ARCH64)/libsocket.so \
945 target=../../../../lib/$(ARCH64)/libsocket.so.1
946 link path=usr/lib/$(ARCH64)/libsocket.so.1 \
947 target=../../../../lib/$(ARCH64)/libsocket.so.1
948 link path=usr/lib/$(ARCH64)/libsoftcrypto.so target=libsoftcrypto.so.1
949 link path=usr/lib/$(ARCH64)/libsysevent.so \
950 target=../../../../lib/$(ARCH64)/libsysevent.so.1
951 link path=usr/lib/$(ARCH64)/libsysevent.so.1 \
952 target=../../../../lib/$(ARCH64)/libsysevent.so.1
953 link path=usr/lib/$(ARCH64)/libtermcap.so \
954 target=../../../../lib/$(ARCH64)/libtermcap.so.1
955 link path=usr/lib/$(ARCH64)/libtermcap.so.1 \
956 target=../../../../lib/$(ARCH64)/libtermcap.so.1
957 link path=usr/lib/$(ARCH64)/libtermplib.so \
958 target=../../../../lib/$(ARCH64)/libcurses.so.1
959 link path=usr/lib/$(ARCH64)/libtermplib.so.1 \
960 target=../../../../lib/$(ARCH64)/libcurses.so.1
961 link path=usr/lib/$(ARCH64)/libthread.so \
962 target=../../../../lib/$(ARCH64)/libthread.so.1
963 link path=usr/lib/$(ARCH64)/libthread.so.1 \
964 target=../../../../lib/$(ARCH64)/libthread.so.1
965 link path=usr/lib/$(ARCH64)/libthread_db.so \
966 target=../../../../lib/$(ARCH64)/libc_db.so.1
967 link path=usr/lib/$(ARCH64)/libthread_db.so.1 \
968 target=../../../../lib/$(ARCH64)/libc_db.so.1
969 link path=usr/lib/$(ARCH64)/libtsnet.so \
970 target=../../../../lib/$(ARCH64)/libtsnet.so.1
971 link path=usr/lib/$(ARCH64)/libtsnet.so.1 \
972 target=../../../../lib/$(ARCH64)/libtsnet.so.1
973 link path=usr/lib/$(ARCH64)/libtsol.so \
974 target=../../../../lib/$(ARCH64)/libtsol.so.2
975 link path=usr/lib/$(ARCH64)/libtsol.so.2 \
976 target=../../../../lib/$(ARCH64)/libtsol.so.2
977 link path=usr/lib/$(ARCH64)/libumem.so \
978 target=../../../../lib/$(ARCH64)/libumem.so.1
979 link path=usr/lib/$(ARCH64)/libumem.so.1 \
980 target=../../../../lib/$(ARCH64)/libumem.so.1
981 link path=usr/lib/$(ARCH64)/libuuid.so \
982 target=../../../../lib/$(ARCH64)/libuuid.so.1
983 link path=usr/lib/$(ARCH64)/libuuid.so.1 \
984 target=../../../../lib/$(ARCH64)/libuuid.so.1
985 $(i386_ONLY)link path=usr/lib/$(ARCH64)/libutil.so \

```

```

986 target=../../../../lib/$(ARCH64)/libutil.so.1
987 link path=usr/lib/$(ARCH64)/libutil.so.1 \
988 target=../../../../lib/$(ARCH64)/libutil.so.1
989 $(sparc_ONLY)link path=usr/lib/$(ARCH64)/libv12n.so target=libv12n.so.1
990 link path=usr/lib/$(ARCH64)/libvolmgt.so target=libvolmgt.so.1
991 link path=usr/lib/$(ARCH64)/libw.so target=../../../../lib/$(ARCH64)/libw.so.1
992 link path=usr/lib/$(ARCH64)/libw.so.1 target=../../../../lib/$(ARCH64)/libw.so.1
993 link path=usr/lib/$(ARCH64)/libxnet.so \
994 target=../../../../lib/$(ARCH64)/libxnet.so.1
995 link path=usr/lib/$(ARCH64)/libxnet.so.1 \
996 target=../../../../lib/$(ARCH64)/libxnet.so.1
997 link path=usr/lib/$(ARCH64)/liby.so target=liby.so.1
998 link path=usr/lib/$(ARCH64)/libzoneinfo.so target=libzoneinfo.so.1
999 #endif /* ! codereview */
1000 link path=usr/lib/$(ARCH64)/nss_compat.so.1 \
1001 target=../../../../lib/$(ARCH64)/nss_compat.so.1
1002 link path=usr/lib/$(ARCH64)/nss_dns.so.1 \
1003 target=../../../../lib/$(ARCH64)/nss_dns.so.1
1004 link path=usr/lib/$(ARCH64)/nss_files.so.1 \
1005 target=../../../../lib/$(ARCH64)/nss_files.so.1
1006 link path=usr/lib/$(ARCH64)/nss_nis.so.1 \
1007 target=../../../../lib/$(ARCH64)/nss_nis.so.1
1008 link path=usr/lib/$(ARCH64)/nss_user.so.1 \
1009 target=../../../../lib/$(ARCH64)/nss_user.so.1
1010 link path=usr/lib/$(ARCH64)/straddr.so target=straddr.so.2
1011 link path=usr/lib/32 target=
1012 link path=usr/lib/64 target=$(ARCH64)
1013 link path=usr/lib/cfgadm/$(ARCH64)/ib.so target=ib.so.1
1014 link path=usr/lib/cfgadm/$(ARCH64)/pci.so target=pci.so.1
1015 $(i386_ONLY)link path=usr/lib/cfgadm/$(ARCH64)/sata.so target=sata.so.1
1016 link path=usr/lib/cfgadm/$(ARCH64)/scsi.so target=scsi.so.1
1017 link path=usr/lib/cfgadm/$(ARCH64)/shp.so target=shp.so.1
1018 link path=usr/lib/cfgadm/$(ARCH64)/usb.so target=usb.so.1
1019 link path=usr/lib/cfgadm/ib.so target=ib.so.1
1020 link path=usr/lib/cfgadm/pci.so target=pci.so.1
1021 $(i386_ONLY)link path=usr/lib/cfgadm/sata.so target=sata.so.1
1022 link path=usr/lib/cfgadm/scsi.so target=scsi.so.1
1023 link path=usr/lib/cfgadm/shp.so target=shp.so.1
1024 link path=usr/lib/cfgadm/usb.so target=usb.so.1
1025 link path=usr/lib/libadm.so target=lib/libadm.so.1
1026 link path=usr/lib/libadm.so.1 target=lib/libadm.so.1
1027 link path=usr/lib/libadutils.so target=libadutils.so.1
1028 link path=usr/lib/libaio.so target=lib/libaio.so.1
1029 link path=usr/lib/libaio.so.1 target=lib/libaio.so.1
1030 link path=usr/lib/libavl.so.1 target=lib/libavl.so.1
1031 link path=usr/lib/libbsdmalloc.so target=libbsdmalloc.so.1
1032 link path=usr/lib/libbsm.so target=lib/libbsm.so.1
1033 link path=usr/lib/libbsm.so.1 target=lib/libbsm.so.1
1034 link path=usr/lib/libc.so target=lib/libc.so.1
1035 link path=usr/lib/libc.so.1 target=lib/libc.so.1
1036 link path=usr/lib/libc_db.so target=lib/libc_db.so.1
1037 link path=usr/lib/libc_db.so.1 target=lib/libc_db.so.1
1038 link path=usr/lib/libcfgadm.so target=libcfgadm.so.1
1039 link path=usr/lib/libcmd.so target=libcmd.so.1
1040 link path=usr/lib/libcmdutils.so.1 target=lib/libcmdutils.so.1
1041 link path=usr/lib/libcommutil.so target=libcommutil.so.1
1042 link path=usr/lib/libcontract.so target=lib/libcontract.so.1
1043 link path=usr/lib/libcontract.so.1 target=lib/libcontract.so.1
1044 link path=usr/lib/libcrypt.so target=libcrypt.so.1
1045 link path=usr/lib/libcrypt_d.so target=libcrypt.so
1046 link path=usr/lib/libcrypt_d.so.1 target=libcrypt.so.1
1047 link path=usr/lib/libcrypt_i.so target=libcrypt.so
1048 link path=usr/lib/libcrypt_i.so.1 target=libcrypt.so.1
1049 link path=usr/lib/libctf.so target=lib/libctf.so.1
1050 link path=usr/lib/libctf.so.1 target=lib/libctf.so.1
1051 link path=usr/lib/libcurses.so target=lib/libcurses.so.1

```



```

1052 link path=usr/lib/libcurses.so.1 target=../lib/libcurses.so.1
1053 link path=usr/lib/libdevice.so target=../lib/libdevice.so.1
1054 link path=usr/lib/libdevice.so.1 target=../lib/libdevice.so.1
1055 link path=usr/lib/libdevvid.so target=../lib/libdevvid.so.1
1056 link path=usr/lib/libdevvid.so.1 target=../lib/libdevvid.so.1
1057 link path=usr/lib/libdevinfo.so target=../lib/libdevinfo.so.1
1058 link path=usr/lib/libdevinfo.so.1 target=../lib/libdevinfo.so.1
1059 link path=usr/lib/libdhcpcagent.so.1 target=../lib/libdhcpcagent.so.1
1060 link path=usr/lib/libdhcputil.so.1 target=../lib/libdhcputil.so.1
1061 link path=usr/lib/libdisasm.so target=../lib/libdisasm.so.1
1062 link path=usr/lib/libddl.so target=../lib/libddl.so.1
1063 link path=usr/lib/libddl.so.1 target=../lib/libddl.so.1
1064 link path=usr/lib/libdlpi.so target=../lib/libdlpi.so.1
1065 link path=usr/lib/libdlpi.so.1 target=../lib/libdlpi.so.1
1066 link path=usr/lib/libdoor.so target=../lib/libdoor.so.1
1067 link path=usr/lib/libdoor.so.1 target=../lib/libdoor.so.1
1068 link path=usr/lib/libefi.so target=../lib/libefi.so.1
1069 link path=usr/lib/libefi.so.1 target=../lib/libefi.so.1
1070 link path=usr/lib/libelf.so target=../lib/libelf.so.1
1071 link path=usr/lib/libelf.so.1 target=../lib/libelf.so.1
1072 link path=usr/lib/libexacct.so target=../lib/libexacct.so.1
1073 $(i386_ONLY)link path=usr/lib/libfdisk.so target=../lib/libfdisk.so.1
1074 $(i386_ONLY)link path=usr/lib/libfdisk.so.1 target=../lib/libfdisk.so.1
1075 link path=usr/lib/libform.so target=../lib/libform.so.1
1076 link path=usr/lib/libfstyp.so target=../lib/libfstyp.so.1
1077 link path=usr/lib/libgen.so target=../lib/libgen.so.1
1078 link path=usr/lib/libgen.so.1 target=../lib/libgen.so.1
1079 link path=usr/lib/libhotplug.so target=../lib/libhotplug.so.1
1080 link path=usr/lib/libidmap.so target=../lib/libidmap.so.1
1081 link path=usr/lib/libinetutil.so.1 target=../lib/libinetutil.so.1
1082 link path=usr/lib/libintl.so target=../lib/libintl.so.1
1083 link path=usr/lib/libintl.so.1 target=../lib/libintl.so.1
1084 link path=usr/lib/libipmi.so target=../lib/libipmi.so.1
1085 link path=usr/lib/libipp.so target=../lib/libipp.so.1
1086 link path=usr/lib/libkstat.so target=../lib/libkstat.so.1
1087 link path=usr/lib/libkstat.so.1 target=../lib/libkstat.so.1
1088 link path=usr/lib/libkvm.so target=../lib/libkvm.so.1
1089 link path=usr/lib/libl1.so target=../lib/libl1.so.1
1090 link path=usr/lib/libldap.so target=../lib/libldap.so.5
1091 link path=usr/lib/liblddbg.so.4 target=../lib/liblddbg.so.4
1092 link path=usr/lib/liblgrp.so target=../lib/liblgrp.so.1
1093 link path=usr/lib/liblm.so target=../lib/liblm.so.1
1094 link path=usr/lib/libmail.so target=../lib/libmail.so.1
1095 link path=usr/lib/libmalloc.so target=../lib/libmalloc.so.1
1096 link path=usr/lib/libmapmalloc.so target=../lib/libmapmalloc.so.1
1097 link path=usr/lib/libmd.so target=../lib/libmd.so.1
1098 link path=usr/lib/libmd.so.1 target=../lib/libmd.so.1
1099 link path=usr/lib/libmd5.so target=../lib/libmd5.so.1
1100 link path=usr/lib/libmd5.so.1 target=../lib/libmd5.so.1
1101 link path=usr/lib/libmenu.so target=../lib/libmenu.so.1
1102 link path=usr/lib/libmp.so target=../lib/libmp.so.2
1103 link path=usr/lib/libmp.so.1 target=../lib/libmp.so.1
1104 link path=usr/lib/libmp.so.2 target=../lib/libmp.so.2
1105 link path=usr/lib/libmtmalloc.so target=../lib/libmtmalloc.so.1
1106 link path=usr/lib/libnls.so target=../lib/libnls.so.1
1107 link path=usr/lib/libnsl.so target=../lib/libnsl.so.1
1108 link path=usr/lib/libnsl.so.1 target=../lib/libnsl.so.1
1109 link path=usr/lib/libnvpair.so target=../lib/libnvpair.so.1
1110 link path=usr/lib/libnvpair.so.1 target=../lib/libnvpair.so.1
1111 link path=usr/lib/libpam.so target=../lib/libpam.so.1
1112 link path=usr/lib/libpam.so.1 target=../lib/libpam.so.1
1113 link path=usr/lib/libpanel.so target=../lib/libpanel.so.1
1114 link path=usr/lib/libpkcs11.so target=../lib/libpkcs11.so.1
1115 link path=usr/lib/libposix4.so target=../lib/librt.so.1
1116 link path=usr/lib/libposix4.so.1 target=../lib/librt.so.1
1117 link path=usr/lib/libproc.so target=../lib/libproc.so.1

```

```

1118 link path=usr/lib/libproc.so.1 target=../lib/libproc.so.1
1119 link path=usr/lib/libproject.so target=../lib/libproject.so.1
1120 link path=usr/lib/libpthread.so target=../lib/libpthread.so.1
1121 link path=usr/lib/libpthread.so.1 target=../lib/libpthread.so.1
1122 link path=usr/lib/librcm.so target=../lib/librcm.so.1
1123 link path=usr/lib/librcm.so.1 target=../lib/librcm.so.1
1124 link path=usr/lib/librepase.so target=../lib/repase.so.1
1125 link path=usr/lib/libresolv.so target=../lib/libresolv.so.2
1126 link path=usr/lib/libresolv.so.1 target=../lib/libresolv.so.1
1127 link path=usr/lib/libresolv.so.2 target=../lib/libresolv.so.2
1128 link path=usr/lib/librestart.so.1 target=../lib/librestart.so.1
1129 link path=usr/lib/librpcsvc.so target=../lib/librpcsvc.so.1
1130 link path=usr/lib/librpcsvc.so.1 target=../lib/librpcsvc.so.1
1131 link path=usr/lib/librt.so target=../lib/librt.so.1
1132 link path=usr/lib/librt.so.1 target=../lib/librt.so.1
1133 link path=usr/lib/librtld.so.1 target=../lib/librtld.so.1
1134 link path=usr/lib/librtld_db.so target=../lib/librtld_db.so.1
1135 link path=usr/lib/librtld_db.so.1 target=../lib/librtld_db.so.1
1136 link path=usr/lib/libscf.so target=../lib/libscf.so.1
1137 link path=usr/lib/libscf.so.1 target=../lib/libscf.so.1
1138 link path=usr/lib/libsched.so target=../lib/libsched.so.1
1139 link path=usr/lib/libscctp.so target=../lib/libscctp.so.1
1140 link path=usr/lib/libsec.so target=../lib/libsec.so.1
1141 link path=usr/lib/libsec.so.1 target=../lib/libsec.so.1
1142 link path=usr/lib/libsecdb.so target=../lib/libsecdb.so.1
1143 link path=usr/lib/libsecdb.so.1 target=../lib/libsecdb.so.1
1144 link path=usr/lib/libsendfile.so target=../lib/libsendfile.so.1
1145 link path=usr/lib/libsendfile.so.1 target=../lib/libsendfile.so.1
1146 link path=usr/lib/libsip.so target=../lib/libsip.so.1
1147 link path=usr/lib/libldap.so target=../lib/libldap.so.1
1148 link path=usr/lib/libmbios.so target=../lib/libmbios.so.1
1149 link path=usr/lib/libsocket.so target=../lib/libsocket.so.1
1150 link path=usr/lib/libsocket.so.1 target=../lib/libsocket.so.1
1151 link path=usr/lib/libsoftcrypto.so target=../lib/libsoftcrypto.so.1
1152 link path=usr/lib/libsys.so target=../lib/libsys.so.1
1153 link path=usr/lib/libsysevent.so target=../lib/libsysevent.so.1
1154 link path=usr/lib/libsysevent.so.1 target=../lib/libsysevent.so.1
1155 link path=usr/lib/libtermcap.so target=../lib/libtermcap.so.1
1156 link path=usr/lib/libtermcap.so.1 target=../lib/libtermcap.so.1
1157 link path=usr/lib/libtermlib.so target=../lib/libcurses.so.1
1158 link path=usr/lib/libtermmlib.so.1 target=../lib/libcurses.so.1
1159 link path=usr/lib/libthread.so target=../lib/libthread.so.1
1160 link path=usr/lib/libthread.so.1 target=../lib/libthread.so.1
1161 link path=usr/lib/libthread_db.so target=../lib/libc_db.so.1
1162 link path=usr/lib/libthread_db.so.1 target=../lib/libc_db.so.1
1163 link path=usr/lib/libtsnet.so target=../lib/libtsnet.so.1
1164 link path=usr/lib/libtsnet.so.1 target=../lib/libtsnet.so.1
1165 link path=usr/lib/libtsol.so target=../lib/libtsol.so.2
1166 link path=usr/lib/libtsol.so.2 target=../lib/libtsol.so.2
1167 link path=usr/lib/libumem.so target=../lib/libumem.so.1
1168 link path=usr/lib/libumem.so.1 target=../lib/libumem.so.1
1169 link path=usr/lib/libuuid.so target=../lib/libuuid.so.1
1170 link path=usr/lib/libuuid.so.1 target=../lib/libuuid.so.1
1171 link path=usr/lib/libuutil.so.1 target=../lib/libuutil.so.1
1172 $(sparc_ONLY)link path=usr/lib/libv12n.so target=../lib/libv12n.so.1
1173 link path=usr/lib/libvolmgt.so target=../lib/libvolmgt.so.1
1174 link path=usr/lib/libw.so target=../lib/libw.so.1
1175 link path=usr/lib/libw.so.1 target=../lib/libw.so.1
1176 link path=usr/lib/libwrap.so target=../lib/libwrap.so.1.0
1177 link path=usr/lib/libwrap.so.1 target=../lib/libwrap.so.1.0
1178 link path=usr/lib/libxnet.so target=../lib/libxnet.so.1
1179 link path=usr/lib/libxnet.so.1 target=../lib/libxnet.so.1
1180 link path=usr/lib/liby.so target=../lib/liby.so.1
1181 link path=usr/lib/libzoneinfo.so target=../lib/libzoneinfo.so.1
1182 link path=usr/lib/lwp/$(ARCH64)/libthread.so.1 \
1183 target=../lib/$(ARCH64)/libthread.so.1

```

```

1184 link path=usr/lib/lwp/$(ARCH64)/libthread_db.so.1 \
1185     target=../$(ARCH64)/libthread_db.so.1
1186 link path=usr/lib/lwp/32 target=
1187 link path=usr/lib/lwp/64 target=$(ARCH64)
1188 link path=usr/lib/lwp/libthread.so.1 target=../libthread.so.1
1189 link path=usr/lib/lwp/libthread_db.so.1 target=../libthread_db.so.1
1190 link path=usr/lib/nss_compat.so.1 target=../lib/nss_compat.so.1
1191 link path=usr/lib/nss_dns.so.1 target=../lib/nss_dns.so.1
1192 link path=usr/lib/nss_files.so.1 target=../lib/nss_files.so.1
1193 link path=usr/lib/nss_nis.so.1 target=../lib/nss_nis.so.1
1194 link path=usr/lib/nss_user.so.1 target=../lib/nss_user.so.1
1195 link path=usr/lib/scsi/$(ARCH64)/libscsi.so target=../libscsi.so.1
1196 link path=usr/lib/scsi/$(ARCH64)/libsesc.so target=../libsesc.so.1
1197 link path=usr/lib/scsi/$(ARCH64)/libsmp.so target=../libsmp.so.1
1198 link path=usr/lib/scsi/libscsi.so target=../libscsi.so.1
1199 link path=usr/lib/scsi/libsesc.so target=../libsesc.so.1
1200 link path=usr/lib/scsi/libsmp.so target=../libsmp.so.1
1201 link path=usr/lib/security/$(ARCH64)/crypt_bsdbf.so target=../crypt_bsdbf.so.1
1202 link path=usr/lib/security/$(ARCH64)/crypt_bsmd5.so \
1203     target=../crypt_bsmd5.so.1
1204 link path=usr/lib/security/$(ARCH64)/crypt_sha256.so \
1205     target=../crypt_sha256.so.1
1206 link path=usr/lib/security/$(ARCH64)/crypt_sha512.so \
1207     target=../crypt_sha512.so.1
1208 link path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so \
1209     target=../crypt_sunmd5.so.1
1210 link path=usr/lib/security/$(ARCH64)/pam_allow.so target=../pam_allow.so.1
1211 link path=usr/lib/security/$(ARCH64)/pam_authtok_check.so \
1212     target=../pam_authtok_check.so.1
1213 link path=usr/lib/security/$(ARCH64)/pam_authtok_get.so \
1214     target=../pam_authtok_get.so.1
1215 link path=usr/lib/security/$(ARCH64)/pam_authtok_store.so \
1216     target=../pam_authtok_store.so.1
1217 link path=usr/lib/security/$(ARCH64)/pam_deny.so target=../pam_deny.so.1
1218 link path=usr/lib/security/$(ARCH64)/pam_dhkeys.so target=../pam_dhkeys.so.1
1219 link path=usr/lib/security/$(ARCH64)/pam_dial_auth.so \
1220     target=../pam_dial_auth.so.1
1221 link path=usr/lib/security/$(ARCH64)/pam_ldap.so target=../pam_ldap.so.1
1222 link path=usr/lib/security/$(ARCH64)/pam_list.so target=../pam_list.so.1
1223 link path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so \
1224     target=../pam_passwd_auth.so.1
1225 link path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so \
1226     target=../pam_rhosts_auth.so.1
1227 link path=usr/lib/security/$(ARCH64)/pam_roles.so target=../pam_roles.so.1
1228 link path=usr/lib/security/$(ARCH64)/pam_sample.so target=../pam_sample.so.1
1229 link path=usr/lib/security/$(ARCH64)/pam_tsol_account.so \
1230     target=../pam_tsol_account.so.1
1231 link path=usr/lib/security/$(ARCH64)/pam_unix_account.so \
1232     target=../pam_unix_account.so.1
1233 link path=usr/lib/security/$(ARCH64)/pam_unix_auth.so \
1234     target=../pam_unix_auth.so.1
1235 link path=usr/lib/security/$(ARCH64)/pam_unix_cred.so \
1236     target=../pam_unix_cred.so.1
1237 link path=usr/lib/security/$(ARCH64)/pam_unix_session.so \
1238     target=../pam_unix_session.so.1
1239 link path=usr/lib/security/$(ARCH64)/pkcs11_kernel.so \
1240     target=../pkcs11_kernel.so.1
1241 link path=usr/lib/security/$(ARCH64)/pkcs11_softtoken.so \
1242     target=../pkcs11_softtoken.so.1
1243 link path=usr/lib/security/$(ARCH64)/pkcs11_tpm.so target=../pkcs11_tpm.so.1
1244 link path=usr/lib/security/64 target=$(ARCH64)
1245 link path=usr/lib/security/audit_binfile.so target=../audit_binfile.so.1
1246 link path=usr/lib/security/audit_remote.so target=../audit_remote.so.1
1247 link path=usr/lib/security/audit_syslog.so target=../audit_syslog.so.1
1248 link path=usr/lib/security/crypt_bsdbf.so target=../crypt_bsdbf.so.1
1249 link path=usr/lib/security/crypt_bsmd5.so target=../crypt_bsmd5.so.1

```

```

1250 link path=usr/lib/security/crypt_sha256.so target=../crypt_sha256.so.1
1251 link path=usr/lib/security/crypt_sha512.so target=../crypt_sha512.so.1
1252 link path=usr/lib/security/crypt_sunmd5.so target=../crypt_sunmd5.so.1
1253 link path=usr/lib/security/pam_allow.so target=../pam_allow.so.1
1254 link path=usr/lib/security/pam_authtok_check.so \
1255     target=../pam_authtok_check.so.1
1256 link path=usr/lib/security/pam_authtok_get.so target=../pam_authtok_get.so.1
1257 link path=usr/lib/security/pam_authtok_store.so \
1258     target=../pam_authtok_store.so.1
1259 link path=usr/lib/security/pam_deny.so target=../pam_deny.so.1
1260 link path=usr/lib/security/pam_dhkeys.so target=../pam_dhkeys.so.1
1261 link path=usr/lib/security/pam_dial_auth.so target=../pam_dial_auth.so.1
1262 link path=usr/lib/security/pam_ldap.so target=../pam_ldap.so.1
1263 link path=usr/lib/security/pam_list.so target=../pam_list.so.1
1264 link path=usr/lib/security/pam_passwd_auth.so target=../pam_passwd_auth.so.1
1265 link path=usr/lib/security/pam_rhosts_auth.so target=../pam_rhosts_auth.so.1
1266 link path=usr/lib/security/pam_roles.so target=../pam_roles.so.1
1267 link path=usr/lib/security/pam_sample.so target=../pam_sample.so.1
1268 link path=usr/lib/security/pam_tsol_account.so target=../pam_tsol_account.so.1
1269 link path=usr/lib/security/pam_unix_account.so target=../pam_unix_account.so.1
1270 link path=usr/lib/security/pam_unix_auth.so target=../pam_unix_auth.so.1
1271 link path=usr/lib/security/pam_unix_cred.so target=../pam_unix_cred.so.1
1272 link path=usr/lib/security/pam_unix_session.so target=../pam_unix_session.so.1
1273 link path=usr/lib/security/pkcs11_kernel.so target=../pkcs11_kernel.so.1
1274 link path=usr/lib/security/pkcs11_softtoken.so target=../pkcs11_softtoken.so.1
1275 link path=usr/lib/security/pkcs11_tpm.so target=../pkcs11_tpm.so.1
1276 link path=usr/lib/straddr.so target=../straddr.so.2
1277 link path=usr/xpg4/lib/$(ARCH64)/libcurses.so target=../libcurses.so.2
1278 link path=usr/xpg4/lib/64 target=$(ARCH64)
1279 link path=usr/xpg4/lib/libcurses.so target=../libcurses.so.2
1280 #
1281 # libcurses.so needs to dlopen(3C) plugins from usr/lib/scsi/plugins/ses/vendor/,
1282 # a dependency which cannot be automatically derived
1283 #
1284 depend fmri=system/library/storage/scsi-plugins type=require

```