

```

*****
10837 Fri May 26 19:23:47 2017
new/usr/src/cmd/Makefile
8277 EOF filesync
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2016 Joyent, Inc.
25 # Copyright (c) 2012 by Delphix. All rights reserved.
26 # Copyright (c) 2013 DEY Storage Systems, Inc. All rights reserved.
27 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
28 # Copyright 2016 Toomas Soome <tsoome@me.com>
29 # Copyright 2016 Nexenta Systems, Inc.
30 #

32 include ../Makefile.master

34 #
35 # Note that the commands 'lp', and 'perl' are first in
36 # the list, violating alphabetical order. This is because they are very
37 # long-running and should be given the most wall-clock time for a
38 # parallel build.
39 #
40 # Commands in the FIRST_SUBDIRS list are built before starting the build
41 # of other commands. Currently this includes only 'isaexec' and
42 # 'platexec'. This is necessary because $(ROOT)/usr/lib/isaexec or
43 # $(ROOT)/usr/lib/platexec must exist when some other commands are built
44 # because their 'make install' creates a hard link to one of them.
45 #
46 # Commands are listed one per line so that TeamWare can auto-merge most
47 # changes.
48 #

50 FIRST_SUBDIRS= \
51 isaexec \
52 platexec

54 COMMON_SUBDIRS= \
55 allocate \
56 availdevs \
57 lp \
58 perl \
59 Adm \
60 abi \
61 adbgen

```

```

62 acct \
63 acctadm \
64 arch \
65 asa \
66 ast \
67 audio \
68 auths \
69 autopush \
70 avs \
71 awk \
72 awk_xpg4 \
73 backup \
74 banner \
75 bart \
76 basename \
77 bc \
78 bdiff \
79 beadm \
80 bnu \
81 boot \
82 busstat \
83 cal \
84 calendar \
85 captainfo \
86 cat \
87 cdrw \
88 cfgadm \
89 checkeq \
90 checknr \
91 chgrp \
92 chmod \
93 chown \
94 chroot \
95 clear \
96 clinfo \
97 cmd-crypto \
98 cmd-inet \
99 col \
100 compress \
101 consadm \
102 coreadm \
103 cpio \
104 cpc \
105 cron \
106 crypt \
107 csh \
108 csplit \
109 ctrun \
110 ctstat \
111 ctwatch \
112 datadm \
113 date \
114 dc \
115 dd \
116 deroff \
117 devfsadm \
118 syseventd \
119 devctl \
120 devinfo \
121 devmgmt \
122 devprop \
123 dfs.cmds \
124 diff \
125 diff3 \
126 diffmk \
127 dircmp \

```

new/usr/src/cmd/Makefile

```

128     dirname //
129     dis //
130     diskinfo //
131     diskmgtd //
132     dispadmin //
133     dladm //
134     dlstat //
135     dmesg //
136     dodatadm //
137     dtrace //
138     du //
139     dumpadm //
140     dumpcs //
141     echo //
142     ed //
143     eeprom //
144     egrep //
145     eject //
146     emul64ioct1 //
147     enhance //
148     env //
149     eqn //
150     expand //
151     expr //
152     exstr //
153     factor //
154     false //
155     fcinfo //
156     fcoesvc //
157     fdetach //
158     fdformat //
159     fdisk //
160     ficl //
161     filesync //
161     fgrep //
162     file //
163     find //
164     flowadm //
165     flowstat //
166     fm //
167     fmt //
168     fmthard //
169     fmtmsg //
170     fold //
171     format //
172     fs.d //
173     fstyp //
174     fuser //
175     fwflash //
176     gcore //
177     gencat //
178     geniconvtbl //
179     genmsg //
180     getconf //
181     getdevpolicy //
182     getent //
183     getfacl //
184     getmajor //
185     getopt //
186     gettext //
187     gettxt //
188     grep //
189     grep_xpg4 //
190     groups //
191     growfs //
192     grpck //

```

3

new/usr/src/cmd/Makefile

```

193     gss //
194     hal //
195     halt //
196     head //
197     hostid //
198     hostname //
199     hotplug //
200     hotplugd //
201     ibd_upgrade //
202     iconv //
203     id //
204     idmap //
205     infocmp //
206     init //
207     initpkg //
208     install.d //
209     intrd //
210     intrstat //
211     ipcrm //
212     ipcs //
213     ipdadm //
214     ipf //
215     isainfo //
216     isalist //
217     itutools //
218     iscsiadm //
219     iscsid //
220     iscsitsvc //
221     isns //
222     itadm //
223     kbd //
224     keyserv //
225     killall //
226     krb5 //
227     ksh //
228     kvmstat //
229     last //
230     lastcomm //
231     latencytop //
232     ldap //
233     ldapcachemgr //
234     lgrpinfo //
235     line //
236     link //
237     dlmgmt //
238     listen //
239     loadkeys //
240     locale //
241     localedef //
242     lockstat //
243     locator //
244     lofiadm //
245     logadm //
246     logger //
247     login //
248     logins //
249     look //
250     ls //
251     luxadm //
252     mach //
253     mail //
254     mailwrapper //
255     mailx //
256     make //
257     makekey //
258     man //

```

4

new/usr/src/cmd/Makefile

```

259      mandoc      //
260      mdb         //
261      mesg       //
262      mkdir      //
263      mkfifo     //
264      mkfile     //
265      mkmsgs     //
266      mknod      //
267      mkpwdict   //
268      mktemp     //
269      modload    //
270      more       //
271      mpathadm   //
272      msgfmt     //
273      msgid      //
274      mt         //
275      mv         //
276      mvdir     //
277      ndmpadm    //
278      ndmpd      //
279      ndmpstat   //
280      netadm     //
281      netfiles   //
282      newform    //
283      newgrp     //
284      news       //
285      newtask    //
286      nice       //
287      nl         //
288      nlsadmin   //
289      nohup     //
290      nsadmin    //
291      nscd       //
292      oamuser    //
293      oawk       //
294      od         //
295      pack       //
296      pagesize   //
297      passgmt    //
298      passwd     //
299      pathchk    //
300      pbind      //
301      pcidr      //
302      pcitool    //
303      pfexec     //
304      pfexecd    //
305      pginfo     //
306      pgstat     //
307      pgrep      //
308      picl       //
309      plimit     //
310      policykit  //
311      pools     //
312      power      //
313      powertop   //
314      ppgsz     //
315      pg         //
316      plockstat //
317      pr         //
318      prctl     //
319      print      //
320      printf     //
321      priocntl   //
322      profiles   //
323      projadd    //
324      projects   //

```

5

new/usr/src/cmd/Makefile

```

325      prstat    //
326      prtconf   //
327      prtdiag   //
328      prtvtoc   //
329      ps        //
330      psradm    //
331      psrinfo   //
332      psrset    //
333      ptools    //
334      pwck      //
335      pwconv    //
336      pwd       //
337      pyzfs     //
338      raidctl   //
339      ramdiskadm //
340      rcap      //
341      rcm_daemon //
342      rctldadm //
343      refer     //
344      regcmp    //
345      renice    //
346      rm        //
347      rmdir     //
348      rmformat  //
349      rmmount   //
350      rmt       //
351      rmvolmgr  //
352      roles     //
353      rpcbind   //
354      rpcgen    //
355      rpcinfo   //
356      rpcsvc    //
357      runat     //
358      sa        //
359      saf       //
360      sasinfo   //
361      savecore  //
362      sbdadm    //
363      script    //
364      scsi      //
365      sdiff     //
366      sdpadm    //
367      sed       //
368      sendmail  //
369      setfacl   //
370      setmnt    //
371      setpgrp   //
372      setuname  //
373      sgs       //
374      sh        //
375      shcomp    //
376      sbios     //
377      smbsrv    //
378      smserverd //
379      soelim    //
380      sort      //
381      spell     //
382      split     //
383      sqlite    //
384      srchtxt   //
385      srptadm   //
386      srptsvc   //
387      ssh       //
388      stat      //
389      stmfadm   //
390      stmfproxy //

```

6

new/usr/src/cmd/Makefile

```

391      stmfsvc      \|
392      stmsboot    \|
393      streams     \|
394      strings     \|
395      su          \|
396      sulogin     \|
397      sunpc       \|
398      svc         \|
399      svr4pkg     \|
400      swap        \|
401      sync        \|
402      sysdef      \|
403      syseventadm \|
404      syslogd     \|
405      tabs        \|
406      tail        \|
407      tar         \|
408      tbl         \|
409      tcopy       \|
410      tcpd        \|
411      th_tools    \|
412      tic         \|
413      time        \|
414      tip         \|
415      tnf         \|
416      touch       \|
417      tput        \|
418      tr          \|
419      trapstat   \|
420      troff       \|
421      true        \|
422      truss       \|
423      tsol        \|
424      tty         \|
425      ttymon     \|
426      tzreload   \|
427      uadmin      \|
428      ul          \|
429      uname       \|
430      units       \|
431      unlink      \|
432      unpack      \|
433      userattr    \|
434      users       \|
435      utmp_update \|
436      utmpd       \|
437      uuidgen     \|
438      valtools    \|
439      vgrind      \|
440      vi          \|
441      volcheck    \|
442      volrmmount \|
443      vrrpadm     \|
444      vscan       \|
445      vt          \|
446      w           \|
447      wall        \|
448      which       \|
449      who         \|
450      whodo       \|
451      wracct      \|
452      write       \|
453      xargs       \|
454      xhci        \|
455      xstr        \|
456      yes         \|

```

7

new/usr/src/cmd/Makefile

```

457      ypcmd      \|
458      yppasswd   \|
459      zdb         \|
460      zdump      \|
461      zfs         \|
462      zhack      \|
463      zic         \|
464      zinject    \|
465      zlogin     \|
466      zoneadm    \|
467      zoneadm    \|
468      zonecfg    \|
469      zonename   \|
470      zpool      \|
471      zlook      \|
472      zonestat   \|
473      zstreamdump \|
474      ztest      \|

476      i386_SUBDIRS= \|
477      acpi        \|
478      acpihp      \|
479      addbadsec   \|
480      biosdev     \|
481      diskscan    \|
482      rtc         \|
483      ucodeadm    \|
484      xvm         \|

486      sparc_SUBDIRS= \|
487      cvcd        \|
488      dcs         \|
489      device_remap \|
490      drd         \|
491      fruadm      \|
492      ldmad       \|
493      oplhpd      \|
494      prttdscp    \|
495      prtfru      \|
496      scadm       \|
497      sckmd       \|
498      sf880drd    \|
499      virtinfo    \|
500      vntsd       \|

502 #
503 # Commands that are messaged. Note that 'lp' comes first
504 # (see previous comment about 'lp'.)
505 #
506      MSGSUBDIRS= \|
507      lp          \|
508      abi         \|
509      acctadm     \|
510      allocate    \|
511      asa         \|
512      audio       \|
513      audit       \|
514      auditconfig \|
515      auditd      \|
516      auditrecord \|
517      auditset    \|
518      auths       \|
519      autopush    \|
520      avs         \|
521      awk         \|
522      awk_xpg4    \|

```

8

new/usr/src/cmd/Makefile

```

523      backup      //
524      banner      //
525      bart        //
526      basename    //
527      beadm       //
528      bnu         //
529      busstat     //
530      cal         //
531      cat         //
532      cdrw        //
533      cfgadm      //
534      checkeg     //
535      checknr     //
536      chgrp       //
537      chmod       //
538      chown       //
539      cmd-crypto  //
540      cmd-inet    //
541      col         //
542      compress    //
543      consadm     //
544      coreadm     //
545      cpio        //
546      cpc         //
547      cron        //
548      csh         //
549      csplit      //
550      ctrun       //
551      ctstat      //
552      ctwatch     //
553      datadm      //
554      date        //
555      dc          //
556      dcs         //
557      dd          //
558      deroff      //
559      devfsadm   //
560      dfs.cmds    //
561      diff        //
562      diffmk      //
563      dladm       //
564      dlstat     //
565      du          //
566      dumpcs     //
567      ed          //
568      eject       //
569      env         //
570      eqn         //
571      expand      //
572      expr        //
573      fcinfo     //
574      fgrep      //
575      file        //
577      filesync   //
576      find       //
577      flowadm    //
578      flowstat   //
579      fm         //
580      fold       //
581      fs.d       //
582      fwflash    //
583      geniconvtbl //
584      genmsg     //
585      getconf    //
586      getent     //
587      gettext    //

```

9

new/usr/src/cmd/Makefile

```

588      gettxt     //
589      grep       //
590      grep_xpg4  //
591      grpck      //
592      gss        //
593      halt       //
594      head       //
595      hostname   //
596      hotplug    //
597      iconv      //
598      id         //
599      idmap      //
600      isaexec    //
601      iscsiadm   //
602      iscsid     //
603      isns       //
604      itadm      //
605      kbd        //
606      krb5       //
607      ksh        //
608      last       //
609      ldap       //
610      ldapcachemgr //
611      lgrpinfo   //
612      locale     //
613      lofiadm    //
614      logadm     //
615      logger     //
616      logins     //
617      ls         //
618      luxadm     //
619      mailx      //
620      make       //
621      man        //
622      msg        //
623      mkdir     //
624      mkpwdict   //
625      mktemp     //
626      more       //
627      mpathadm   //
628      msgfmt     //
629      mv         //
630      ndmpadm    //
631      ndmpstat   //
632      newgrp     //
633      newtask    //
634      nice       //
635      nohup      //
636      oawk       //
637      pack       //
638      passwd     //
639      passmgmt   //
640      pathchk    //
641      pexec      //
642      pg         //
643      pgrep      //
644      picl       //
645      pools     //
646      power      //
647      pr         //
648      praudit    //
649      print      //
650      profiles   //
651      projadd    //
652      projects   //
653      prstat     //

```

10

```

654      prtdiag      \
655      ps           \
656      psrinfo     \
657      ptools      \
658      pwconv      \
659      pwd         \
660      pyzfs       \
661      raidctl     \
662      ramdiskadm  \
663      rcap        \
664      rcm_daemon  \
665      refer       \
666      regcmp      \
667      renice      \
668      roles       \
669      rm          \
670      rmdir       \
671      rmformat    \
672      rmmount     \
673      rmvolmgr    \
674      sasinfo     \
675      sbdadm      \
676      scadm       \
677      script      \
678      scsi        \
679      sdiff       \
680      sdpadm      \
681      sgs         \
682      sh          \
683      shcomp      \
684      smbstrv     \
685      sort        \
686      split       \
687      srptadm     \
688      stat        \
689      stmfadm     \
690      stmsboot    \
691      strings     \
692      su          \
693      svc         \
694      svr4pkg     \
695      swap        \
696      syseventadm \
697      syseventd   \
698      tabs        \
699      tar         \
700      tbl        \
701      time        \
702      tnf         \
703      touch       \
704      tput        \
705      troff       \
706      tsol        \
707      tty         \
708      ttymon      \
709      tzreload    \
710      ul          \
711      uname       \
712      units       \
713      unlink      \
714      unpack      \
715      userattr    \
716      valtools    \
717      vgrind      \
718      vi          \
719      volcheck    \

```

```

720      volrmmount \
721      vrrpadm    \
722      vsca       \
723      w          \
724      who        \
725      whodo     \
726      wracct    \
727      write     \
728      xargs     \
729      yppasswd  \
730      zdump     \
731      zfs       \
732      zic       \
733      zlogin    \
734      zoneadm   \
735      zoneadmd  \
736      zonecfg   \
737      zonename  \
738      zpool     \
739      zonestat  \

741      sparc_MSGSUBDIRS= \
742      fruadm           \
743      prtdscp         \
744      prtfru          \
745      virtinfo        \
746      vntsd           \

748      i386_MSGSUBDIRS= \
749      ucodeadm         \

751 #
752 # commands that use dcgettext for localized time, LC_TIME
753 #
754      DCSUBDIRS= \
755      cal          \
756      cfgadm      \
757      diff        \
758      ls          \
759      pr          \
760      ps          \
761      tar         \
762      w           \
763      who        \
764      whodo     \
765      write     \

767 #
768 # commands that belong only to audit.
769 #
770      AUDITSUBDIRS= \
771      amt          \
772      audit       \
773      audit_warn  \
774      auditconfig \
775      auditd      \
776      auditrecord \
777      auditreduce \
778      auditset    \
779      auditstat   \
780      praudit     \

782 #
783 # commands not owned by the systems group
784 #
785      BWOSDIRS=

```

```
788 all :=          TARGET = all
789 install :=      TARGET = install
790 clean :=        TARGET = clean
791 clobber :=      TARGET = clobber
792 lint :=         TARGET = lint
793 _msg :=         TARGET = _msg
794 _dc :=          TARGET = _dc

796 .KEEP_STATE:

798 SUBDIRS = $(COMMON_SUBDIRS) $($ (MACH)_SUBDIRS)

800 .PARALLEL:      $(BWOSDIRS) $(SUBDIRS) $(MSGSUBDIRS) $(AUDITSUBDIRS)

802 all install clean clobber lint: $(FIRST_SUBDIRS) .WAIT $(SUBDIRS) \
803     $(AUDITSUBDIRS)

805 #
806 # Manifests cannot be checked in parallel, because we are using
807 # the global repository that is in $(SRC)/cmd/svc/seed/global.db.
808 # For this reason, to avoid .PARALLEL and .NO_PARALLEL conflicts,
809 # we spawn off a sub-make to perform the non-parallel 'make check'
810 #
811 check:
812     $(MAKE) -f Makefile.check check

814 #
815 # The .WAIT directive works around an apparent bug in parallel make.
816 # Evidently make was getting the target _msg vs. _dc confused under
817 # some level of parallelization, causing some of the _dc objects
818 # not to be built.
819 #
820 _msg: $(MSGSUBDIRS) $($ (MACH)_MSGSUBDIRS) .WAIT _dc

822 _dc: $(DCSUBDIRS)

824 #
825 # Dependencies
826 #
827 fs.d:    fstyp
828 ksh:     shcomp isaexec
829 print:   lp
830 fmt:     mailx

832 $(FIRST_SUBDIRS) $(BWOSDIRS) $(SUBDIRS) $(AUDITSUBDIRS): FRC
833     @if [ -f $@/Makefile ]; then \
834         cd $@; pwd; $(MAKE) $(TARGET); \
835     else \
836         true; \
837     fi

839 FRC:
```

new/usr/src/cmd/cmd-inet/usr.bin/Makefile

1

```
*****
5287 Fri May 26 19:23:50 2017
new/usr/src/cmd/cmd-inet/usr.bin/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
25 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2016 Toomas Soome <tsoome@me.com>
27 #

29 PROG=      finger rdate whois
29 PROG=      finger rdate ruptime rwho whois
30 SUIDPROG=   rcp rlogin rsh
31 ALL=        $(PROG) $(SUIDPROG)
32 SRCS=       $(ALL:%=.c)
33 KCMDPROGS=  rcp rlogin rsh

35 SUBDIRS=    chat dns-sd ftp nc nca netstat \
36             pppd pppdump pppstats rdist talk telnet tftp
37 SUBDIR1=    talk
38 MSGSUBDIRS= nca talk

40 # As programs get lint-clean, add them here. Eventually.
41 # This hack should go away, and all in PROG should be lint-clean.
42 LINTCLEAN=  rlogin.c rsh.c rcp.c rdate.c whois.c
42 LINTCLEAN=  rlogin.c rsh.c rcp.c rdate.c rwho.c whois.c

44 # Likewise, as subdirs get lint-clean, add them here. Once
45 # they're all clean, replace the dependency of the lint target
46 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
47 # for the lint rule.
48 LINTSUBDIRS= nca netstat pppd pppstats tftp

50 include ../Makefile.cmd
51 include ../Makefile.cmd-inet

53 COMMONOBS=  kcmd.o
54 COMMONPOFILES= $(COMMONOBS:.o=.po)
55 COMMONSRCS=  $(CMDINETCOMMONDIR)/$(COMMONOBS:.o=.c)

57 POFILES=    rlogin.po rsh.po rcp.po $(COMMONPOFILES)
58 POFILE=     usr.bin.po
```

new/usr/src/cmd/cmd-inet/usr.bin/Makefile

2

```
60 CLOBBERFILES += $(ALL)
61 CLEANFILES +=  kcmd.o rcp.o rlogin.o rsh.o

63 all:=          TARGET= all
64 install:=     TARGET= install
65 clean:=       TARGET= clean
66 clobber:=     TARGET= clobber
67 lint:=        TARGET= lint
68 _msg:=        TARGET= _msg

70 ROOTSUIDPROG= $(SUIDPROG:%=$(ROOTBIN)/%)
71 $(ROOTSUIDPROG) := FILEMODE= 04555

73 CPPFLAGS +=   -DSYSV -DSTRNET -DBSD_COMP -I$(CMDINETCOMMONDIR)
74 CERRWARN +=   -_gcc=-Wno-parentheses
75 CERRWARN +=   -_gcc=-Wno-uninitialized
76 CERRWARN +=   -_gcc=-Wno-unused-function

78 # Eventually just plain CFLAGS should be += -v, but not until all in
79 # PROGS are lint clean.
80 $(LINTCLEAN) := CFLAGS += $(CCVERBOSE)

82 finger :=     CFLAGS += $(CCVERBOSE)
83 # Enable large file support for reading the lastlog file.
84 finger :=     CPPFLAGS += -D_FILE_OFFSET_BITS=64

86 finger :=     LDLIBS += -lnsl -lcurses -lsocket
87 rcp lint-rcp := LDLIBS += -lsocket -lsec -lsendfile
88 rdate lint-rdate:= LDLIBS += -lsocket
89 rlogin lint-rlogin := LDLIBS += -lnsl -lsocket
90 rsh lint-rsh :=   LDLIBS += -lsocket
91 whois lint-whois := LDLIBS += -lsocket

93 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
94 $(KCMDPROGS) := LDLIBS += -lnsl -lmech_krb5
95 $(KCMDPROGS) := LDFLAGS += $(ZIGNORE) $(KRUNPATH) \
96                -L$(ROOT)$ (KLIBDIR_DO) \
97                -L$(ROOT)$ (KLIBDIR_GL)
98 KCMDLINTS=    $(KCMDPROGS:%=lint-%)

100 $(COMMONPOFILES) \
101 rlogin.po rcp.po rsh.po \
102 $(KCMDPROGS) \
103 $(KCMDLINTS) := CPPFLAGS += -DKERBEROS \
104                -I$(CMDINETCOMMONDIR) \
105                -I$(SRC)/lib/gss_mechs/mech_krb5 \
106                -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
107                -I$(SRC)/lib/gss_mechs/mech_krb5/include \
108                -I$(SRC)/lib/gss_mechs/mech_krb5/include/krb5

110 # "-eroff=E_NAME_USED_NOT_DEF2" and "-eroff=E_NAME_DEF_NOT_USED2"
111 # are required because lint problems in the Kerberos 5 framework.
112 $(KCMDLINTS) := LINTFLAGS += -lnsl \
113                -eroff=E_NAME_USED_NOT_DEF2 \
114                -eroff=E_NAME_DEF_NOT_USED2

116 # Extra source files to lint with
117 LINTXTRA=
118 $(KCMDLINTS) := LINTXTRA += $(COMMONSRCS)

120 ROOTSUNWRCP=  $(ROOT)/usr/lib/sunw,rcp
121 ROOTRSHSYMLINK= $(ROOT)/usr/uch/rsh
122 ROOTREMSHSYMLINK=$(ROOT)/usr/bin/remsh

124 .KEEP_STATE:
```



```
126 all: $(ALL) $(SUBDIRS)

128 install: all .WAIT $(ROOTPROG) $(ROOTSUIDPROG) \
129     $(SUBDIRS) $(ROOTSUNWRCP) $(ROOTRSHSYMLINK) $(ROOTREMSHSYMLINK)

131 # Messaging - copy $POFILES to $POFILE to work with the parent directory
132 # Makefile's '_msg' target.
133 #
134 _msg: $(MSGSUBDIRS) $(POFILES)
135     $(RM) $(POFILE)
136     $(CAT) $(POFILES) > $(POFILE)

138 $(COMMONPOFILES): $(COMMONSRCS)
139     $(COMPILE.cpp) $(COMMONSRCS) > $(@:.po=.c).i
140     $(XGETTEXT) $(XGETFLAGS) $(@:.po=.c).i
141     $(RM) $@
142     sed "/^domain/d" < messages.po > $@
143     $(RM) messages.po $(@:.po=.c).i

145 $(COMMONOBS): $(COMMONSRCS)
146     $(COMPILE.c) $(COMMONSRCS)

148 rlogin: rlogin.o $(COMMONOBS)
149     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
150     $(POST_PROCESS)
151
152 rcp: rcp.o $(COMMONOBS)
153     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
154     $(POST_PROCESS)

156 rsh: rsh.o $(COMMONOBS)
157     $(LINK.c) $@.o $(COMMONOBS) -o $@ $(LDLIBS)
158     $(POST_PROCESS)
159
160 $(ROOTSUNWRCP):
161     $(RM) $@; $(SYMLINK) ../bin/rcp $@

163 $(ROOTRSHSYMLINK):
164     $(RM) $@; $(SYMLINK) ../bin/rsh $@

166 $(ROOTREMSHSYMLINK):
167     $(RM) $@; $(SYMLINK) rsh $@

169 $(SUBDIRS): FRC
170     @cd $@; pwd; $(MAKE) $(MFLAGS) $(TARGET)

172 FRC:

174 clean: $(SUBDIRS) clean_local
175 clean_local:
176     $(RM) $(CLEANFILES)

178 clobber: $(SUBDIRS) clobber_local
179 clobber_local: clean_local
180     $(RM) $(CLOBBERFILES)

182 LINTLOCALS=    $(LINTCLEAN:%.c=lint-%)

184 lint:    $(LINTSUBDIRS) $(LINTLOCALS)

186 $(LINTLOCALS):
187     $(LINT.c) $(@:lint-%=%.c) $(LINTXTRA) $(LDLIBS)
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

1

```
*****
8646 Fri May 26 19:23:52 2017
new/usr/src/cmd/cmd-inet/usr.sbin/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1990, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
25 #
26 #
27 SYNCPROG=      syncinit syncloop syncstat
28 #
29 PROG=          6to4relay arp if_mpadm \
30                in.comsat in.fingerd in.rarpd in.rexecd in.rlogind \
31                in.rshd in.telnetd in.tftpd ipaddrsel \
32                in.rshd in.rwhod in.telnetd in.tftpd ipaddrsel \
33                ndd ndp $(SYNCPROG) wanbootutil
34 #
35 MANIFEST=      rarp.xml telnet.xml comsat.xml finger.xml \
36                login.xml shell.xml rexec.xml socket-filter-kssl.xml
37 #
38 SVCMETHOD=     svc-sockfilter
39 #
40 ROOTFS_PROG=   hostconfig route soconfig
41 SBINLINKS=     hostconfig route
42 #
43 RPCSVCPROG=   hostconfig
44 AUDITPROG=    in.rexecd in.rlogind in.rshd in.telnetd
45 PAMPROG=      in.rexecd in.rlogind in.rshd in.telnetd
46 SOCKETPROG=   6to4relay arp hostconfig if_mpadm in.comsat \
47                in.fingerd in.rarpd in.rexecd in.rlogind in.rshd \
48                in.telnetd in.tftpd ipaddrsel ndp route
49                in.rwhod in.telnetd in.tftpd ipaddrsel ndp route
50 #
51 NSLPROG=      6to4relay arp hostconfig in.comsat in.rarpd \
52                in.rexecd in.rlogind in.rshd in.telnetd \
53                in.rexecd in.rlogind in.rshd in.rwhod in.telnetd \
54                in.tftpd ipaddrsel ndp route
55 #
56 CMDPROG=      in.telnetd
57 K5PROGS=      in.telnetd in.rlogind in.rshd
58 TSNETPROG=    route
59 DLADMPROG=    6to4relay
60 DEFAULTFILES= telnetd.dfl
61 #
62 #
63 #
64 #
65 #
66 #
67 #
68 #
69 #
70 #
71 #
72 #
73 #
74 #
75 #
76 #
77 #
78 #
79 #
80 #
81 #
82 #
83 #
84 #
85 #
86 #
87 #
88 #
89 #
90 #
91 #
92 #
93 #
94 #
95 #
96 #
97 #
98 #
99 #
100 #
101 #
102 #
103 #
104 #
105 #
106 #
107 #
108 #
109 #
110 #
111 #
112 #
113 #
114 #
115 #
116 #
117 #
118 #
119 #
120 #
121 #
122 #
123 #
124 #
125 #
126 #
127 #
128 #
129 #
130 #
131 #
132 #
133 #
134 #
135 #
136 #
137 #
138 #
139 #
140 #
141 #
142 #
143 #
144 #
145 #
146 #
147 #
148 #
149 #
150 #
151 #
152 #
153 #
154 #
155 #
156 #
157 #
158 #
159 #
160 #
161 #
162 #
163 #
164 #
165 #
166 #
167 #
168 #
169 #
170 #
171 #
172 #
173 #
174 #
175 #
176 #
177 #
178 #
179 #
180 #
181 #
182 #
183 #
184 #
185 #
186 #
187 #
188 #
189 #
190 #
191 #
192 #
193 #
194 #
195 #
196 #
197 #
198 #
199 #
200 #
201 #
202 #
203 #
204 #
205 #
206 #
207 #
208 #
209 #
210 #
211 #
212 #
213 #
214 #
215 #
216 #
217 #
218 #
219 #
220 #
221 #
222 #
223 #
224 #
225 #
226 #
227 #
228 #
229 #
230 #
231 #
232 #
233 #
234 #
235 #
236 #
237 #
238 #
239 #
240 #
241 #
242 #
243 #
244 #
245 #
246 #
247 #
248 #
249 #
250 #
251 #
252 #
253 #
254 #
255 #
256 #
257 #
258 #
259 #
260 #
261 #
262 #
263 #
264 #
265 #
266 #
267 #
268 #
269 #
270 #
271 #
272 #
273 #
274 #
275 #
276 #
277 #
278 #
279 #
280 #
281 #
282 #
283 #
284 #
285 #
286 #
287 #
288 #
289 #
290 #
291 #
292 #
293 #
294 #
295 #
296 #
297 #
298 #
299 #
300 #
301 #
302 #
303 #
304 #
305 #
306 #
307 #
308 #
309 #
310 #
311 #
312 #
313 #
314 #
315 #
316 #
317 #
318 #
319 #
320 #
321 #
322 #
323 #
324 #
325 #
326 #
327 #
328 #
329 #
330 #
331 #
332 #
333 #
334 #
335 #
336 #
337 #
338 #
339 #
340 #
341 #
342 #
343 #
344 #
345 #
346 #
347 #
348 #
349 #
350 #
351 #
352 #
353 #
354 #
355 #
356 #
357 #
358 #
359 #
360 #
361 #
362 #
363 #
364 #
365 #
366 #
367 #
368 #
369 #
370 #
371 #
372 #
373 #
374 #
375 #
376 #
377 #
378 #
379 #
380 #
381 #
382 #
383 #
384 #
385 #
386 #
387 #
388 #
389 #
390 #
391 #
392 #
393 #
394 #
395 #
396 #
397 #
398 #
399 #
400 #
401 #
402 #
403 #
404 #
405 #
406 #
407 #
408 #
409 #
410 #
411 #
412 #
413 #
414 #
415 #
416 #
417 #
418 #
419 #
420 #
421 #
422 #
423 #
424 #
425 #
426 #
427 #
428 #
429 #
430 #
431 #
432 #
433 #
434 #
435 #
436 #
437 #
438 #
439 #
440 #
441 #
442 #
443 #
444 #
445 #
446 #
447 #
448 #
449 #
450 #
451 #
452 #
453 #
454 #
455 #
456 #
457 #
458 #
459 #
460 #
461 #
462 #
463 #
464 #
465 #
466 #
467 #
468 #
469 #
470 #
471 #
472 #
473 #
474 #
475 #
476 #
477 #
478 #
479 #
480 #
481 #
482 #
483 #
484 #
485 #
486 #
487 #
488 #
489 #
490 #
491 #
492 #
493 #
494 #
495 #
496 #
497 #
498 #
499 #
500 #
501 #
502 #
503 #
504 #
505 #
506 #
507 #
508 #
509 #
510 #
511 #
512 #
513 #
514 #
515 #
516 #
517 #
518 #
519 #
520 #
521 #
522 #
523 #
524 #
525 #
526 #
527 #
528 #
529 #
530 #
531 #
532 #
533 #
534 #
535 #
536 #
537 #
538 #
539 #
540 #
541 #
542 #
543 #
544 #
545 #
546 #
547 #
548 #
549 #
550 #
551 #
552 #
553 #
554 #
555 #
556 #
557 #
558 #
559 #
560 #
561 #
562 #
563 #
564 #
565 #
566 #
567 #
568 #
569 #
570 #
571 #
572 #
573 #
574 #
575 #
576 #
577 #
578 #
579 #
580 #
581 #
582 #
583 #
584 #
585 #
586 #
587 #
588 #
589 #
590 #
591 #
592 #
593 #
594 #
595 #
596 #
597 #
598 #
599 #
600 #
601 #
602 #
603 #
604 #
605 #
606 #
607 #
608 #
609 #
610 #
611 #
612 #
613 #
614 #
615 #
616 #
617 #
618 #
619 #
620 #
621 #
622 #
623 #
624 #
625 #
626 #
627 #
628 #
629 #
630 #
631 #
632 #
633 #
634 #
635 #
636 #
637 #
638 #
639 #
640 #
641 #
642 #
643 #
644 #
645 #
646 #
647 #
648 #
649 #
650 #
651 #
652 #
653 #
654 #
655 #
656 #
657 #
658 #
659 #
660 #
661 #
662 #
663 #
664 #
665 #
666 #
667 #
668 #
669 #
670 #
671 #
672 #
673 #
674 #
675 #
676 #
677 #
678 #
679 #
680 #
681 #
682 #
683 #
684 #
685 #
686 #
687 #
688 #
689 #
690 #
691 #
692 #
693 #
694 #
695 #
696 #
697 #
698 #
699 #
700 #
701 #
702 #
703 #
704 #
705 #
706 #
707 #
708 #
709 #
710 #
711 #
712 #
713 #
714 #
715 #
716 #
717 #
718 #
719 #
720 #
721 #
722 #
723 #
724 #
725 #
726 #
727 #
728 #
729 #
730 #
731 #
732 #
733 #
734 #
735 #
736 #
737 #
738 #
739 #
740 #
741 #
742 #
743 #
744 #
745 #
746 #
747 #
748 #
749 #
750 #
751 #
752 #
753 #
754 #
755 #
756 #
757 #
758 #
759 #
760 #
761 #
762 #
763 #
764 #
765 #
766 #
767 #
768 #
769 #
770 #
771 #
772 #
773 #
774 #
775 #
776 #
777 #
778 #
779 #
780 #
781 #
782 #
783 #
784 #
785 #
786 #
787 #
788 #
789 #
790 #
791 #
792 #
793 #
794 #
795 #
796 #
797 #
798 #
799 #
800 #
801 #
802 #
803 #
804 #
805 #
806 #
807 #
808 #
809 #
810 #
811 #
812 #
813 #
814 #
815 #
816 #
817 #
818 #
819 #
820 #
821 #
822 #
823 #
824 #
825 #
826 #
827 #
828 #
829 #
830 #
831 #
832 #
833 #
834 #
835 #
836 #
837 #
838 #
839 #
840 #
841 #
842 #
843 #
844 #
845 #
846 #
847 #
848 #
849 #
850 #
851 #
852 #
853 #
854 #
855 #
856 #
857 #
858 #
859 #
860 #
861 #
862 #
863 #
864 #
865 #
866 #
867 #
868 #
869 #
870 #
871 #
872 #
873 #
874 #
875 #
876 #
877 #
878 #
879 #
880 #
881 #
882 #
883 #
884 #
885 #
886 #
887 #
888 #
889 #
890 #
891 #
892 #
893 #
894 #
895 #
896 #
897 #
898 #
899 #
900 #
901 #
902 #
903 #
904 #
905 #
906 #
907 #
908 #
909 #
910 #
911 #
912 #
913 #
914 #
915 #
916 #
917 #
918 #
919 #
920 #
921 #
922 #
923 #
924 #
925 #
926 #
927 #
928 #
929 #
930 #
931 #
932 #
933 #
934 #
935 #
936 #
937 #
938 #
939 #
940 #
941 #
942 #
943 #
944 #
945 #
946 #
947 #
948 #
949 #
950 #
951 #
952 #
953 #
954 #
955 #
956 #
957 #
958 #
959 #
960 #
961 #
962 #
963 #
964 #
965 #
966 #
967 #
968 #
969 #
970 #
971 #
972 #
973 #
974 #
975 #
976 #
977 #
978 #
979 #
980 #
981 #
982 #
983 #
984 #
985 #
986 #
987 #
988 #
989 #
990 #
991 #
992 #
993 #
994 #
995 #
996 #
997 #
998 #
999 #
1000 #
```

new/usr/src/cmd/cmd-inet/usr.sbin/Makefile

2

```
59 K5RLOGINOBJ= in.rlogind.o
60 K5RSHDOBJ=    in.rshd.o
61 K5TELNETOBJ=  in.telnetd.o
62 SRCS=         $(PROGSRC) $(OTHERSRC)
63 #
64 SUBDIRS=      bootconfchk ifconfig ilbadm in.rdisc in.routed \
65                in.talkd inetadm inetconv ipadm impstat ipqosconf ipsecutils \
66                kssl/kssladm kssl/ksslcfg nwamadm nwamcfg ping routeadm \
67                snoop spptun traceroute wifonfig
68 #
69 MSGSUBDIRS=   bootconfchk ifconfig ilbadm in.routed in.talkd \
70                inetadm inetconv ipadm impstat ipqosconf ipsecutils \
71                kssl/ksslcfg nwamadm nwamcfg routeadm spptun snoop wifonfig
72 #
73 # As programs get lint-clean, add them here and to the 'lint' target.
74 # Eventually this hack should go away, and all in PROG should be
75 # lint-clean.
76 LINTCLEAN=    6to4relay arp in.rlogind in.rshd in.telnetd in.tftpd \
77                ipaddrsel ndp route \
78                in.rarpd if_mpadm $(SYNCPROG)
79 # Likewise, as subdirs get lint-clean, add them here. Once
80 # they're all clean, replace the dependency of the lint target
81 # with SUBDIRS. Also (sigh) deal with the commented-out build lines
82 # for the lint rule.
83 LINTSUBDIRS=  bootconfchk ilbadm in.rdisc in.routed in.talkd inetadm \
84                inetconv impstat ipqosconf ipsecutils kssl/kssladm \
85                kssl/ksslcfg nwamadm nwamcfg ping routeadm spptun traceroute \
86                wifonfig
87 # And as programs are verified not to attempt to write into constants,
88 # -xstrconst should be used to ensure they stay that way.
89 CONSTCLEAN=
90 #
91 include ../Makefile.cmd
92 ROOTMANIFESTDIR= $(ROOTSVCNETWORK)
93 $(ROOTMANIFEST) := FILEMODE= 444
94 include ../Makefile.cmd-inet
95 #
96 ROOTSBINPROG = $(ROOTFS_PROG:%=$(ROOTSBIN)/%)
97 ROOTUSRSBINLINKS = $(SBINLINKS:%=$(ROOTUSRSBIN)/%)
98 #
99 COMMONOBJ=     addr_match.o kcmd.o store_forw_creds.o
100 COMMONSRC=     $(COMMONOBJ:%.o=$(CMDINETCOMMONDIR)/%.c)
101 SRCS+=         $(COMMONSRC)
102 #
103 CERRWARN +=   -_gcc=-Wno-implicit-function-declaration
104 CERRWARN +=   -_gcc=-Wno-uninitialized
105 CERRWARN +=   -_gcc=-Wno-unused-variable
106 CERRWARN +=   -_gcc=-Wno-unused-function
107 CERRWARN +=   -_gcc=-Wno-parentheses
108 CERRWARN +=   -_gcc=-Wno-char-subscripts
109 CERRWARN +=   -_gcc=-Wno-extra
110 CERRWARN +=   -_gcc=-Wno-address
111 #
112 #
113 # Message catalog
114 #
115 POFILES=      6to4relay.po if_mpadm.po in.comsat.po ipaddrsel.po route.po \
116                soconfig.po
117 #
118 #
119 all:=         TARGET= all
120 install:=     TARGET= install
121 clean:=       TARGET= clean
122 clobber:=     TARGET= clobber
123 lint:=        TARGET= lint
124 _msg:=        TARGET= _msg
```

```

126 CLOBBERFILES += $(ROOTFS_PROG) $(PROG)
127 CLEANFILES += $(COMMONOBS) $(K5RLOGINOBS) $(K5RSHDOBS) $(TFTPDOBS) \
128     $(K5TELNETOBS)

130 CPPFLAGS += -DSYSV -DBSD_COMP -I$(CMDINETCOMMONDIR) -I

132 include $(SRC)/lib/gss_mechs/mech_krb5/Makefile.mech_krb5
133 K5LIBS=

135 # Eventually just plain CFLAGS should be += -v, but not until all in
136 # PROGS are lint clean.
137 $(LINTCLEAN)      :=      CFLAGS += $(CCVERBOSE)
138 $(CONSTCLEAN)    :=      CFLAGS += $(XSTRCONST)

140 $(SYNCPROG)       :=      LDLIBS += -ldlpi
141 $(SOCKETPROG)    :=      LDLIBS += -lsocket
142 $(NSLPROG)       :=      LDLIBS += -lnsl
143 $(AUDITPROG)     :=      LDLIBS += -lbsm
144 $(PAMPROG)       :=      LDLIBS += -lpam
145 $(RPCSVCPROG)    :=      LDLIBS += -lrpcsvc
146 $(K5PROGS)       :=      LDFLAGS += $(KRUNPATH) \
147     -L$(ROOT)$(KLIBDIR_DO) -L$(ROOT)$(KLIBDIR_GL)
148 $(K5PROGS)       :=      K5LIBS= -lmech_krb5
149 $(K5PROGS)       :=      CPPFLAGS += -I$(SRC)/head \
150     -I$(SRC)/uts/common/ \
151     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
152     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
153     -I$(SRC)/lib/pam_modules/krb5
154 LDLIBS += $(K5LIBS)
155 $(TSNETPROG)     :=      LDLIBS += -ltsnet
156 $(DLADMPROG)    :=      LDLIBS += -ldladm

158 in.rarpd         :=      LDLIBS += -linetutil -ldlpi
159 if_mpadm         :=      LDLIBS += -linetutil -lipmp
160 if_mpadm.po      :=      XGETFLAGS += -a
161 route            :=      CPPFLAGS += -DNDEBUG
162 ndd              :=      LDLIBS += -ldladm -lipadm
163 in.comsat        :=      LDFLAGS += $(MAPFILE.NGB:%=-M%)

165 .KEEP_STATE:

167 .PARALLEL:

169 all: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) THIRDPARTYLICENSE.arp

171 #
172 # message catalog
173 #
174 _msg: $(MSGSUBDIRS) $(POFILE)

176 syncutil: $(SYNCPROG)

178 $(POFILE): $(POFILES)
179     $(RM) $@
180     cat $(POFILES) > $@

182 %.o: $(CMDINETCOMMONDIR)/%.c
183     $(COMPILE.c) -o $@ $<

185 in.telnetd: $(K5TELNETOBS)
186     $(LINK.c) $(K5TELNETOBS) -o $@ $(LDLIBS)
187     $(POST_PROCESS)

189 in.rlogind: $(K5RLOGINOBS) $(COMMONOBS)
190     $(LINK.c) $(K5RLOGINOBS) $(COMMONOBS) -o $@ $(LDLIBS)

```

```

191     $(POST_PROCESS)

193 in.rshd: $(K5RSHDOBS) $(COMMONOBS)
194     $(LINK.c) $(K5RSHDOBS) $(COMMONOBS) -o $@ $(LDLIBS)
195     $(POST_PROCESS)

197 in.tftpd: $(TFTPDOBS)
198     $(LINK.c) $(TFTPDOBS) -o $@ $(LDLIBS)
199     $(POST_PROCESS)

201 tftpsubs.o: $(OTHERSRC)
202     $(COMPILE.c) $(OTHERSRC) -o $@
203     $(POST_PROCESS_O)

205 $(ROOTUSRSBINLINKS):
206     -$(RM) $@; $(SYMLINK) ../../sbin/$(@F) $@

208 install: $(PROG) $(ROOTFS_PROG) $(SUBDIRS) .WAIT $(ROOTUSRSBINPROG) \
209     $(ROOTSBINPROG) $(ROOTUSRSBINLINKS) $(ROOTETCDEFAULTFILES) \
210     $(ROOTMANIFEST) $(ROOTSVCMETHOD) THIRDPARTYLICENSE.arp

212 THIRDPARTYLICENSE.arp: arp.c
213     $(SED) -n '/University of California/,/SUCH DAMAGE/p' arp.c > $@

215 CLOBBERFILES += THIRDPARTYLICENSE.arp

217 #
218 # The reason this rule checks for the existence of the
219 # Makefile is that some of the directories do not exist
220 # in our exportable source builds.
221 #
222 $(SUBDIRS): FRC
223     @if [ -f $@/Makefile ]; then \
224         cd $@; pwd; $(MAKE) $(TARGET); \
225     else \
226         true; \
227     fi

229 FRC:

231 check: $(CHKMANIFEST)

233 clean: $(SUBDIRS) clean_local
234 clean_local:
235     $(RM) $(CLEANFILES)

237 clobber: $(SUBDIRS) clobber_local
238 clobber_local: clean_local
239     $(RM) $(CLOBBERFILES)

241 lint: $(LINTSUBDIRS)
242     $(LINT.c) 6to4relay.c $(LDLIBS) -lsocket -ldladm
243     $(LINT.c) arp.c $(LDLIBS) -lsocket -lnsl
244     @# $(LINT.c) in.rexecd.c $(LDLIBS) -lbsm -lpam
245     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
246     -I$(SRC)/head -I$(SRC)/uts/common/ \
247     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
248     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
249     -I$(SRC)/lib/pam_modules/krb5 \
250     in.rlogind.c $(COMMONSRCS) $(LDLIBS) -lbsm -lpam -lsocket -lnsl
251     $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 -erroff=E_NAME_DEF_NOT_USED2 \
252     -I$(SRC)/head -I$(SRC)/uts/common/ \
253     -I$(SRC)/uts/common/gssapi/mechs/krb5/include \
254     -I$(SRC)/lib/gss_mechs/mech_krb5/include \
255     -I$(SRC)/lib/pam_modules/krb5 \
256     in.rshd.c $(COMMONSRCS) $(LDLIBS) -lbsm -lpam -lsocket -lnsl

```

```
257 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 \  
258 -erroff=E_GLOBAL_COULD_BE_STATIC2 \  
259 -I$(SRC)/head -I$(SRC)/uts/common/ \  
260 -I$(SRC)/uts/common/gssapi/mechs/krb5/include \  
261 -I$(SRC)/lib/gss_mechs/mech_krb5/include \  
262 -I$(SRC)/lib/pam_modules/krb5 \  
263 in.telnetd.c $(LDLIBS) -lbsd -lpam -lsocket -lnsl \  
264 $(LINT.c) if_mpadm.c $(LDLIBS) -lsocket -lnsl -lipmp -linetutil \  
265 $(LINT.c) ipaddrsel.c $(LDLIBS) -lsocket -lnsl \  
266 $(LINT.c) route.c $(LDLIBS) -lsocket -lnsl -ltsnet \  
267 $(LINT.c) syncinit.c $(LDLIBS) -ldlpi \  
268 $(LINT.c) syncloop.c $(LDLIBS) -ldlpi \  
269 $(LINT.c) syncstat.c $(LDLIBS) -ldlpi \  
270 $(LINT.c) -erroff=E_NAME_USED_NOT_DEF2 in.rarpd.c $(LDLIBS) \  
271 -lsocket -lnsl \  
272 $(LINT.c) ndp.c $(LDLIBS) \  
273 -lsocket -lnsl \  
274 $(LINT.c) in.tftpd.c ../usr.bin/tftp/tftpsubs.c $(LDLIBS) \  
275 -lsocket -lnsl
```

new/usr/src/cmd/dtrace/test/tst/common/mib/tst.udp.ksh

1

```
*****
1449 Fri May 26 19:23:53 2017
new/usr/src/cmd/dtrace/test/tst/common/mib/tst.udp.ksh
8112 EOF crazier RPC daemons
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2007 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "%Z%M% %I% %E% SMI"
27 #
28 # This script tests that several of the the mib::udp* probes fire and fire
29 # with a valid args[0].
30 #
31 script()
32 {
33     $dtrace -s /dev/stdin <<EOF
34     mib::udpHCOutDatagrams
35     {
36         out = args[0];
37     }
38
39     mib::udpHCInDatagrams
40     {
41         in = args[0];
42     }
43
44     profile:::tick-10msec
45     /in && out/
46     {
47         exit(0);
48     }
49 EOF
50 }
51
52 udpper()
53 rupper()
54 {
55     while true; do
56         showmount localhost >/dev/null 2>&1
57         rup localhost
58         /usr/bin/sleep 1
59     done
60 }
58 }
```

new/usr/src/cmd/dtrace/test/tst/common/mib/tst.udp.ksh

2

```
60 if [ $# != 1 ]; then
61     echo expected one argument: '<dtrace-path>'
62     exit 2
63 fi
64
65 dtrace=$1
66
67 udpper &
68 udpper=$!
69 rupper &
70 rupper=$!
71 script
72 status=$?
73
74 kill $udpper
75 kill $rupper
76 exit $status
```

```

*****
1697 Fri May 26 19:24:01 2017
new/usr/src/cmd/rpcsvc/Makefile
8112 EOF crazier RPC daemons
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
25 #
26 # cmd/rpcsvc/Makefile

28 PROTOCOL_DIR= $(ROOT)/usr/include/rpcsvc

30 BINPROG= rusers rup
31 SBINPROG= rwall spray
32 RPROG= rpc.rusersd
33 SPROG= rpc.sprayd
34 WPROG= rpc.rwalld
35 TPROG= rpc.rstatd

37 PROG= $(BINPROG) $(SBINPROG) $(RPROG) $(SPROG) $(WPROG) $(TPROG)

39 MANIFEST= \
40     rusers.xml \
41     spray.xml \
42     wall.xml \
43     rstat.xml

45 SVCMETHOD=

47 SCLNTOBJS= spray.o spray_clnt.o
48 SSVCOBJS= spray_subr.o spray_svc.o
49 WCLNTOBJS= rwall.o rwall_clnt.o
50 WSVCOBJS= rwall_subr.o rwall_svc.o
51 TSVCOBJS= rstat_main.o rstat_proc.o rstat_svc.o rstat_v2_svc.o rstat_v2_xdr.o

53 DERIVED_FILES = rstat.x rstat.h rstat_svc.c rstat_v2.h rstat_v2_svc.c \
54     rstat_v2_xdr.c spray.x spray.h spray_clnt.c spray_svc.c \
55     rwall.x rwall.h rwall_svc.c rwall_clnt.c

30 include ../Makefile.cmd

59 ROOTMANIFESTDIR= $(ROOTSVCNETWORKRPC)

61 CPPFLAGS= -I. $(CPPFLAGS.master)

```

```

62 CERRWARN += -_gcc=-Wno-implicit-function-declaration
63 CERRWARN += -_gcc=-Wno-unused-variable
64 CERRWARN += -_gcc=-Wno-parentheses
65 CERRWARN += -_gcc=-Wno-extra
66 CERRWARN += -_gcc=-Wno-unused-function
67 LDLIBS += -lnsl
68 rusers := CFLAGS += $(CCVERBOSE)
69 $(BINPROG) := LDLIBS += -lrpcsvc
70 $(RPROG) := LDLIBS += -lrpcsvc
71 $(SPROG) := LDLIBS += -lrpcsvc
72 $(TPROG) := LDLIBS += -lrpcsvc
73 spray := LDLIBS += -lrpcsvc

32 SUBDIRS= rpc.bootparamd
77 OBJS= $(SCLNTOBJS) $(SSVCOBJS) $(WCLNTOBJS) $(WSVCOBJS) $(TSVCOBJS)
78 SRCS= $(OBJS:%.o=%.c) rusers.c rpc.rusersd.c rup.c

33 ETCFILES= rpc

35 TXTS= $(ETCFILES:%=net_files%)

37 NETSVC= $(ROOTLIB)/netsvc
38 NIS = $(NETSVC)/nis
86 RWALL= $(NETSVC)/rwall
87 RUSERS= $(NETSVC)/rusers
88 SPRAY= $(NETSVC)/spray
89 RSTAT= $(NETSVC)/rstat

40 ROOTDIRS= \
41     $(NETSVC) \
42     $(NIS) \

94     $(RWALL) \
95     $(RUSERS) \
96     $(SPRAY) \
97     $(RSTAT)

99 IBINPROG= $(BINPROG:%=$(ROOTBIN)/%)
100 ISBINPROG= $(SBINPROG:%=$(ROOTUSRSBIN)/%)
101 IWPROG= $(WPROG:%=$(RWALL)/%)
102 ISPROG= $(SPROG:%=$(SPRAY)/%)
103 IRPROG= $(RPROG:%=$(RUSERS)/%)
104 ITPROG= $(TPROG:%=$(RSTAT)/%)
44 IETCFILES= $(ETCFILES:%=$(ROOTETC)/%)

46 # non-default file attributes
47 $(ROOTETC)/rpc := FILEMODE= 0644

49 all:= TARGET= all
50 install:= TARGET= install
51 clean:= TARGET= clean
52 clobber:= TARGET= clobber
53 lint:= TARGET= lint

116 rpc.rstatd:= LDLIBS += -lkstat
117 rwall:= CPPFLAGS += -D_REENTRANT
118 rpc.rwalld:= CPPFLAGS += -D_REENTRANT

55 # install rules

122 $(RWALL)/% $(SPRAY)/% $(RUSERS)/% $(RSTAT)/%: %
123     $(INS.file)

57 $(ROOTETC)/%: ./net_files/%
58     $(INS.file)

```

```

60 .KEEP_STATE:

62 all: $(TXTS) $(SUBDIRS)
130 all: $(PROG) $(TXTS) $(SUBDIRS)

132 # multi-object targets
133 #
134 spray: $(SCLNTOBJS)
135     $(LINK.c) $(SCLNTOBJS) -o $@ $(LDLIBS)
136     $(POST_PROCESS)

138 spray_svc.o spray_clnt.o: spray.h

140 rpc.sprayd: $(SSVCOBJS)
141     $(LINK.c) $(SSVCOBJS) -o $@ $(LDLIBS)
142     $(POST_PROCESS)

144 rwall_svc.o rwall_clnt.o: rwall.h

146 rwall: $(WCLNTOBJS)
147     $(LINK.c) $(WCLNTOBJS) -o $@ $(LDLIBS)
148     $(POST_PROCESS)

150 rpc.rwalld: $(WSVCOBJS)
151     $(LINK.c) $(WSVCOBJS) -o $@ $(LDLIBS)
152     $(POST_PROCESS)

154 rstat_main.o: rstat.h rstat_v2.h

156 rstat_svc.o: rstat.h

64 install: $(TXTS) .WAIT $(ROOTDIRS) .WAIT $(IETCFILES) $(SUBDIRS)
158 rstat_v2_svc.o rstat_v2_xdr.o: rstat_v2.h

160 rpc.rstatd: $(TSVCOBJS)
161     $(LINK.c) $(TSVCOBJS) -o $@ $(LDLIBS)
162     $(POST_PROCESS)

164 install: $(PROG) $(TXTS) .WAIT $(ROOTDIRS) .WAIT $(IBINPROG) $(ISBINPROG) \
165     $(IWPROG) $(ISPROG) $(IRPROG) $(ITPROG) $(IETCFILES) $(SUBDIRS) \
166     $(ROOTMANIFEST) $(ROOTSVCMETHOD)

66 $(ROOTDIRS):
67     $(INS.dir)

69 $(SUBDIRS): FRC
70     @cd $@; pwd; $(MAKE) $(TARGET)

72 check:
174 #
175 # Derived files
176 #

178 rstat.x: $(PROTOCOL_DIR)/rstat.x
179     $(RM) rstat.x
180     $(CP) $(PROTOCOL_DIR)/rstat.x rstat.x

182 rstat.h: $(PROTOCOL_DIR)/rstat.h
183     $(RM) rstat.h
184     $(CP) $(PROTOCOL_DIR)/rstat.h rstat.h

186 rstat_svc.c: rstat.x
187     $(RPCGEN) -C -m rstat.x > $@

189 rstat_v2.h: rstat_v2.x

```

```

190     $(RPCGEN) -C -h rstat_v2.x > $@

192 rstat_v2_svc.c: rstat_v2.x
193     $(RPCGEN) -C -m rstat_v2.x > $@

195 rstat_v2_xdr.c: rstat_v2.x
196     $(RPCGEN) -c rstat_v2.x > $@

198 spray.x: $(PROTOCOL_DIR)/spray.x
199     $(RM) spray.x
200     $(CP) $(PROTOCOL_DIR)/spray.x spray.x

202 spray.h: $(PROTOCOL_DIR)/spray.h
203     $(RM) spray.h
204     $(CP) $(PROTOCOL_DIR)/spray.h spray.h

206 spray_svc.c: spray.x
207     $(RPCGEN) -s datagram_v -s circuit_v spray.x > $@

209 spray_clnt.c: spray.x
210     $(RPCGEN) -l spray.x > $@

212 rwall.x: $(PROTOCOL_DIR)/rwall.x
213     $(RM) rwall.x
214     $(CP) $(PROTOCOL_DIR)/rwall.x rwall.x

216 rwall.h: $(PROTOCOL_DIR)/rwall.h
217     $(RM) rwall.h
218     $(CP) $(PROTOCOL_DIR)/rwall.h rwall.h

220 rwall_svc.c: rwall.x
221     $(RPCGEN) -A -s datagram_v rwall.x > $@

223 rwall_clnt.c: rwall.x
224     $(RPCGEN) -l -M rwall.x > $@

226 check: $(CHKMANIFEST)

74 clean: $(SUBDIRS)
229     -$(RM) $(OBJS) $(DERIVED_FILES)

76 clobber: $(SUBDIRS)

78 lint:
234     $(LINT.c) $(WCLNTOBJS:%.o=%.c) -lnsl -lrpcsvc
235     $(LINT.c) $(WSVCOBJS:%.o=%.c) -lnsl -lrpcsvc
236     $(LINT.c) rusers.c -lnsl -lrpcsvc

80 FRC:

82 include ../Makefile.targ

```

new/usr/src/cmd/svc/profile/generic_limited_net.xml

1

```
*****
11896 Fri May 26 19:24:07 2017
new/usr/src/cmd/svc/profile/generic_limited_net.xml
8112 EOF crazier RPC daemons
*****
1 <?xml version='1.0'?>
2 <!DOCTYPE service_bundle SYSTEM '/usr/share/lib/xml/dtd/service_bundle.dtd.1'>
3 <!--
4 CDDL HEADER START

6 The contents of this file are subject to the terms of the
7 Common Development and Distribution License (the "License").
8 You may not use this file except in compliance with the License.

10 You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
11 or http://www.opensolaris.org/os/licensing.
12 See the License for the specific language governing permissions
13 and limitations under the License.

15 When distributing Covered Code, include this CDDL HEADER in each
16 file and include the License file at usr/src/OPENSOLARIS.LICENSE.
17 If applicable, add the following below this CDDL HEADER, with the
18 fields enclosed by brackets "[]" replaced with your own identifying
19 information: Portions Copyright [yyyy] [name of copyright owner]

21 CDDL HEADER END

23 Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 Use is subject to license terms.

26 The purpose of the limited_net profile is to provide a set of
27 active services that allow one to connect to the machine via ssh
28 (requires sshd). The services which are deactivated here are those
29 that are at odds with this goal. Those which are activated are
30 explicit requirements for the goal's satisfaction.

32 NOTE: Service profiles delivered by this package are not editable,
33 and their contents will be overwritten by package or patch
34 operations, including operating system upgrade. Make customizations
35 in a distinct file. The paths, /etc/svc/profile/site.xml and
36 /var/svc/profile/site.xml, are distinguished locations for site-specific
37 service profile, treated otherwise equivalently to this file.
38 -->
39 <service_bundle type='profile' name='generic_limited_net'
40 xmlns:xi='http://www.w3.org/2003/XInclude' >
41 <!--
42 Include name service profile, as set by system id tools.
43 -->
44 <xi:include href='file:/etc/svc/profile/name_service.xml' />

46 <!--
47 svc.startd(1M) services
48 -->
49 <service name='system/coreadm' version='1' type='service'>
50 <instance name='default' enabled='true'/>
51 </service>
52 <service name='system/cron' version='1' type='service'>
53 <instance name='default' enabled='true'/>
54 </service>
55 <service name='system/cryptosvc' version='1' type='service'>
56 <instance name='default' enabled='true'/>
57 </service>
58 <service name='system/dbus' version='1' type='service'>
59 <instance name='default' enabled='true'/>
60 </service>
61 <service name='system/extended-accounting' version='1' type='service'>
```

new/usr/src/cmd/svc/profile/generic_limited_net.xml

2

```
62 <instance name='flow' enabled='false'/>
63 <instance name='process' enabled='false'/>
64 <instance name='task' enabled='false'/>
65 <instance name='net' enabled='false'/>
66 </service>
67 <service name='system/hal' version='1' type='service'>
68 <instance name='default' enabled='true'/>
69 </service>
70 <service name='system/identity' version='1' type='service'>
71 <instance name='domain' enabled='true'/>
72 </service>
73 <service name='system/intrd' version='1' type='service'>
74 <instance name='default' enabled='true'/>
75 </service>
76 <service name='system/keymap' version='1' type='service'>
77 <instance name='default' enabled='true'/>
78 </service>
79 <service name='system/picl' version='1' type='service'>
80 <instance name='default' enabled='true'/>
81 </service>
82 <service name='system/sac' version='1' type='service'>
83 <instance name='default' enabled='true'/>
84 </service>
85 <service name='system/scheduler' version='1' type='service'>
86 <instance name='default' enabled='true'/>
87 </service>
88 <service name='system/system-log' version='1' type='service'>
89 <instance name='default' enabled='true'/>
90 </service>
91 <service name='system/utmp' version='1' type='service'>
92 <instance name='default' enabled='true'/>
93 </service>
94 <service name='system/zones' version='1' type='service'>
95 <instance name='default' enabled='true'/>
96 </service>
97 <service name='network/rpc/bind' version='1' type='service'>
98 <instance name='default' enabled='true'/>
99 </service>
100 <service name='system/name-service-cache' version='1' type='service'>
101 <instance name='default' enabled='true'/>
102 </service>
103 <service name='network/nfs/status' version='1' type='service'>
104 <instance name='default' enabled='false'/>
105 </service>
106 <service name='network/nfs/nlockmgr' version='1' type='service'>
107 <instance name='default' enabled='false'/>
108 </service>
109 <service name='network/nfs/client' version='1' type='service'>
110 <instance name='default' enabled='false'/>
111 </service>
112 <service name='network/nfs/server' version='1' type='service'>
113 <instance name='default' enabled='false'/>
114 </service>
115 <service name='network/nfs/rquota' version='1' type='service'>
116 <instance name='default' enabled='false'/>
117 </service>
118 <service name='network/nfs/cbd' version='1' type='service'>
119 <instance name='default' enabled='false'/>
120 </service>
121 <service name='network/nfs/mapid' version='1' type='service'>
122 <instance name='default' enabled='false'/>
123 </service>
124 <service name='network/smb/client' version='1' type='service'>
125 <instance name='default' enabled='false'/>
126 </service>
```



```

128 <service name='network/ssh' version='1' type='service'>
129   <instance name='default' enabled='true' />
130 </service>
131 <service name='network/smtp' version='1' type='service'>
132   <instance name='sendmail' enabled='true' />
133 </service>
134 <service name='network/sendmail-client' version='1' type='service'>
135   <instance name='default' enabled='true' />
136 </service>
137 <service name='network/inetd' version='1' type='restarter'>
138   <instance name='default' enabled='true' />
139 </service>
140 <service name='system/filesystem/autofs' version='1' type='service'>
141   <instance name='default' enabled='true' />
142 </service>
143 <service name='system/filesystem/rmvolmgr' version='1' type='service'>
144   <instance name='default' enabled='true' />
145 </service>
146 <service name='system/power' version='1' type='service'>
147   <instance name='default' enabled='true' />
148 </service>

150 <service name='network/dns/multicast' version='1' type='service'>
151   <instance name='default' enabled='false' />
152 </service>
153 <service name='network/dhcp-server' version='1' type='service'>
154   <instance name='default' enabled='false' />
155 </service>
156 <service name='network/ntp' version='1' type='service'>
157   <instance name='default' enabled='false' />
158 </service>
159 <service name='network/rarp' version='1' type='service'>
160   <instance name='default' enabled='false' />
161 </service>
162 <service name='network/slp' version='1' type='service'>
163   <instance name='default' enabled='false' />
164 </service>
165 <service name='network/security/kadmind' version='1' type='service'>
166   <instance name='default' enabled='false' />
167 </service>
168 <service name='network/security/krb5_prop' version='1' type='service'>
169   <instance name='default' enabled='false' />
170 </service>
171 <service name='network/security/krb5kdc' version='1' type='service'>
172   <instance name='default' enabled='false' />
173 </service>

175 <service name='application/management/net-snmp' version='1' type='service'>
176   <instance name='default' enabled='false' />
177 </service>
178 <service name='application/management/seaport' version='1' type='service'>
179   <instance name='default' enabled='false' />
180 </service>
181 <service name='application/management/snmpdx' version='1' type='service'>
182   <instance name='default' enabled='false' />
183 </service>
184 <service name='application/management/wbem' version='1' type='service'>
185   <instance name='default' enabled='true' />
186 </service>
187 <service name='application/print/ipp-listener' version='1' type='service'>
188   <instance name='default' enabled='false' />
189 </service>
190 <service name='application/print/ppd-cache-update' version='1' type='service'>
191   <instance name='default' enabled='true' />
192 </service>
193 <service name='application/print/rfcl179' version='1' type='service'>

```

```

194   <instance name='default' enabled='false' />
195 </service>
196 <service name='application/cups/in-lpd' version='1' type='service'>
197   <instance name='default' enabled='false' />
198 </service>
199 <service name='application/stosreg' version='1' type='service'>
200   <instance name='default' enabled='true' />
201 </service>

203 <!--
204   default inetd(1M) services
205 -->
206 <service name='network/finger' version='1' type='service'>
207   <instance name='default' enabled='false' />
208 </service>
209 <service name='network/login' version='1' type='service'>
210   <instance name='rlogin' enabled='false' />
211   <instance name='klogin' enabled='false' />
212   <instance name='eklogin' enabled='false' />
213 </service>
214 <service name='network/shell' version='1' type='service'>
215   <instance name='default' enabled='false' />
216   <instance name='kshell' enabled='false' />
217 </service>
218 <service name='network/telnet' version='1' type='service'>
219   <instance name='default' enabled='false' />
220 </service>

222 <!--
223   non-default inetd(1M) services
224 -->
225 <service name='network/uucp' version='1' type='service'>
226   <instance name='default' enabled='false' />
227 </service>
228 <service name='network/chargen' version='1' type='service'>
229   <instance name='stream' enabled='false' />
230   <instance name='dgram' enabled='false' />
231 </service>
232 <service name='network/daytime' version='1' type='service'>
233   <instance name='stream' enabled='false' />
234   <instance name='dgram' enabled='false' />
235 </service>
236 <service name='network/discard' version='1' type='service'>
237   <instance name='stream' enabled='false' />
238   <instance name='dgram' enabled='false' />
239 </service>
240 <service name='network/echo' version='1' type='service'>
241   <instance name='stream' enabled='false' />
242   <instance name='dgram' enabled='false' />
243 </service>
244 <service name='network/time' version='1' type='service'>
245   <instance name='stream' enabled='false' />
246   <instance name='dgram' enabled='false' />
247 </service>
248 <service name='network/comsat' version='1' type='service'>
249   <instance name='default' enabled='false' />
250 </service>
251 <service name='network/rexec' version='1' type='service'>
252   <instance name='default' enabled='false' />
253 </service>
254 <service name='network/talk' version='1' type='service'>
255   <instance name='default' enabled='false' />
256 </service>
257 <service name='network/stdiscover' version='1' type='service'>
258   <instance name='default' enabled='false' />
259 </service>

```

```

260 <service name='network/stlisten' version='1' type='service'>
261   <instance name='default' enabled='false' />
262 </service>

264 <!--
265   default inetd(1M) RPC services enabled
266 -->
267 <service name='network/rpc/gss' version='1' type='service'>
268   <instance name='default' enabled='true' />
269 </service>
270 <service name='network/rpc/mdcomm' version='1' type='service'>
271   <instance name='default' enabled='false' />
272 </service>
270 <service name='network/rpc/smsserver' version='1' type='service'>
271   <instance name='default' enabled='true' />
272 </service>
273 <service name='network/security/ktkt_warn' version='1' type='service'>
274   <instance name='default' enabled='true' />
275 </service>

280 <!--
281   default inetd(1M) RPC services disabled
282 -->
283 <service name='network/rpc/rstat' version='1' type='service'>
284   <instance name='default' enabled='false' />
285 </service>
286 <service name='network/rpc/rusers' version='1' type='service'>
287   <instance name='default' enabled='false' />
288 </service>

290 <!--
291   non-default inetd(1M) RPC services disabled
292 -->
293 <service name='network/rpc/rex' version='1' type='service'>
294   <instance name='default' enabled='false' />
295 </service>
296 <service name='network/rpc/spray' version='1' type='service'>
297   <instance name='default' enabled='false' />
298 </service>
299 <service name='network/rpc/wall' version='1' type='service'>
300   <instance name='default' enabled='false' />
301 </service>

278 <!--
279   Disable Avahi mDNS bridge service
280 -->
281 <service name='system/avahi-bridge-dsd' version='1' type='service'>
282   <instance name='default' enabled='false' />
283 </service>

285 <!--
286   Enable gdm
311   Enable CDE/ToolTalk/GDM services.
287 -->
313 <service name='network/rpc/cde-ttdbserver' version='1' type='service'>
314   <instance name='tcp' enabled='true' />
315 </service>
288 <service name='application/graphical-login/gdm' version='1'
289   type='service'>
290   <instance name='default' enabled='true' />
291 </service>
320 <service name='network/rpc/cde-calendar-manager' version='1' type='service'>
321   <instance name='default' enabled='true' />
322 </service>

293 <!--

```

```

294   Disable X11 services.
295 -->
296 <service name='application/x11/xfs' version='1' type='service'>
297   <instance name='default' enabled='false' />
298 </service>

300 <!--
301   Enable VNC config service for xVM
302 -->
303 <service name='system/xvm/vnc-config' version='1' type='service'>
304   <instance name='default' enabled='true' />
305 </service>

307 <service name='system/xvm/ipagent' version='1' type='service'>
308   <instance name='default' enabled='true' />
309 </service>

311 </service_bundle>

```

```

*****
2416 Fri May 26 19:24:08 2017
new/usr/src/cmd/svc/profile/inetd_generic.xml
8112 EOF crazier RPC daemons
*****
1 <?xml version='1.0'?>
2 <!DOCTYPE service_bundle SYSTEM '/usr/share/lib/xml/dtd/service_bundle.dtd.1'>
3 <!--
4 CDDL HEADER START
5
6 The contents of this file are subject to the terms of the
7 Common Development and Distribution License (the "License").
8 You may not use this file except in compliance with the License.
9
10 You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
11 or http://www.opensolaris.org/os/licensing.
12 See the License for the specific language governing permissions
13 and limitations under the License.
14
15 When distributing Covered Code, include this CDDL HEADER in each
16 file and include the License file at usr/src/OPENSOLARIS.LICENSE.
17 If applicable, add the following below this CDDL HEADER, with the
18 fields enclosed by brackets "[]" replaced with your own identifying
19 information: Portions Copyright [yyyy] [name of copyright owner]
20
21 CDDL HEADER END
22
23 Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 Use is subject to license terms.

26 Service profile to enable default inetd services.

28 NOTE: Service profiles delivered by this package are not editable,
29 and their contents will be overwritten by package or patch
30 operations, including operating system upgrade. Make customizations
31 in a distinct file.
32 -->
33 <service_bundle type='profile' name='default'>
34 <!--
35 inetd(1M) services
36 -->
37 <service name='network/finger' version='1' type='service'>
38 <instance name='default' enabled='true' />
39 </service>
40 <service name='network/login' version='1' type='service'>
41 <instance name='rlogin' enabled='true' />
42 </service>
43 <service name='network/shell' version='1' type='service'>
44 <instance name='default' enabled='true' />
45 </service>
46 <service name='network/telnet' version='1' type='service'>
47 <instance name='default' enabled='true' />
48 </service>

50 <!--
51 inetd(1M) RPC services
52 -->
53 <service name='network/nfs/rquota' version='1' type='service'>
54 <instance name='default' enabled='true' />
55 </service>
56 <service name='network/rpc/gss' version='1' type='service'>
57 <instance name='default' enabled='true' />
58 </service>
59 <service name='network/rpc/rstat' version='1' type='service'>
60 <instance name='default' enabled='true' />
61 </service>

```

```

62 <service name='network/rpc/rusers' version='1' type='service'>
63 <instance name='default' enabled='true' />
64 </service>
65 <service name='network/rpc/smsserver' version='1' type='service'>
66 <instance name='default' enabled='true' />
67 </service>
68 <service name='network/security/ktkt_warn' version='1' type='service'>
69 <instance name='default' enabled='true' />
70 </service>

72 <!--
73 Enable CDE services.
74 -->
75 <service name='network/rpc/cde-ttdbserver' version='1' type='service'>
76 <instance name='tcp' enabled='true' />
77 </service>
78 <service name='network/rpc/cde-calendar-manager' version='1'
79 type='service'>
80 <instance name='default' enabled='true' />
81 </service>

65 </service_bundle>

```

```

*****
      8433 Fri May 26 19:24:09 2017
new/usr/src/head/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
26 # Copyright 2015 Igor Kozhukhov <ikozhukhov@gmail.com>
27 # Copyright 2016 Nexenta Systems, Inc.
28 #
29 #
30 #
31 # head/Makefile
32 #
33 # include global definitions
34 include ../Makefile.master
35 #
36 sparcs_HDRS=
37 i386_HDRS=      stack_unwind.h
38 #
39 # Headers are listed one per line so that TeamWare can auto-merge most changes
40 #
41 KRB5HDRS= mit_copyright.h mit-sipb-copyright.h
42 #
43 ATTRDB_HDRS=   secdb.h auth_attr.h exec_attr.h prof_attr.h user_attr.h \
44               auth_list.h
45 #
46 HDRS=  $( $(MACH)_HDRS)  $(ATTRDB_HDRS) \
47         aio.h             \
48         alloca.h         \
49         apptrace.h       \
50         apptrace_impl.h \
51         ar.h             \
52         archives.h       \
53         assert.h         \
54         atomic.h         \
55         attr.h           \
56         complex.h        \
57         config_admin.h   \
58         cpio.h           \
59         crypt.h          \
60         ctype.h          \
61         deflt.h          \

```

```

62         devid.h         \
63         devmgmt.h       \
64         devpoll.h       \
65         dial.h          \
66         dirent.h        \
67         dlfcn.h         \
68         door.h          \
69         elf.h           \
70         endian.h        \
71         err.h           \
72         errno.h         \
73         euc.h           \
74         exacct.h        \
75         exacct_impl.h   \
76         execinfo.h      \
77         fatal.h         \
78         fcntl.h         \
79         fenv.h          \
80         float.h         \
81         floatingpoint.h \
82         fmtmsg.h        \
83         fnmatch.h       \
84         ftw.h           \
85         gelf.h          \
86         getopt.h        \
87         getwidth.h      \
88         glob.h          \
89         grp.h           \
90         iconv.h         \
91         ieeefp.h        \
92         ifaddrs.h       \
93         inttypes.h      \
94         iso646.h        \
95         klpd.h          \
96         langinfo.h      \
97         lastlog.h       \
98         lber.h          \
99         ldap.h          \
100        libelf.h         \
101        libgen.h         \
102        libintl.h        \
103        libw.h           \
104        libzonecfg.h     \
105        limits.h         \
106        linenum.h        \
107        link.h           \
108        listen.h         \
109        locale.h         \
110        macros.h         \
111        malloc.h         \
112        math.h           \
113        memory.h         \
114        mon.h            \
115        monetary.h       \
116        mp.h             \
117        mqueue.h         \
118        nan.h            \
119        ndbm.h           \
120        ndpd.h           \
121        netconfig.h      \
122        netdb.h          \
123        netdir.h         \
124        nl_types.h       \
125        nlist.h          \
126        note.h           \
127        nsctl.h          \

```

new/usr/src/head/Makefile

```

128     nsswitch.h      \|
129     nss_common.h   \|
130     nss_dbdefs.h   \|
131     nss_netdir.h   \|
132     paths.h        \|
133     pcsample.h     \|
134     pfmt.h         \|
135     pkgdev.h       \|
136     pkginfo.h      \|
137     pkglocs.h      \|
138     pkgstrct.h     \|
139     pkgtrans.h     \|
140     poll.h         \|
141     port.h         \|
142     priv.h         \|
143     priv_utils.h   \|
144     proc_service.h \|
145     procfs.h       \|
146     prof.h         \|
147     project.h      \|
148     pthread.h      \|
149     pw.h           \|
150     pwd.h          \|
151     rctl.h         \|
152     re_comp.h      \|
153     regex.h        \|
154     regexp.h       \|
155     resolv.h       \|
156     rje.h          \|
157     rtdb_db.h      \|
158     sac.h          \|
159     sched.h        \|
160     schedctl.h     \|
161     search.h       \|
162     semaphore.h    \|
163     setjmp.h       \|
164     sgtty.h        \|
165     shadow.h       \|
166     siginfo.h      \|
167     signal.h       \|
168     spawn.h        \|
169     stdalign.h     \|
170     stdarg.h        \|
171     stdbool.h      \|
172     stddef.h       \|
173     stdint.h       \|
174     stdio.h        \|
175     stdio_ext.h    \|
176     stdio_tag.h    \|
177     stdio_impl.h   \|
178     stdlib.h       \|
179     stdnoreturn.h \|
180     storclass.h    \|
181     string.h       \|
182     strings.h      \|
183     stropts.h      \|
184     synch.h        \|
185     sysexits.h     \|
186     syslog.h       \|
187     syms.h         \|
188     tar.h          \|
189     termio.h       \|
190     termios.h      \|
191     tgmth.h        \|
192     thread.h       \|
193     thread_db.h    \|

```

3

new/usr/src/head/Makefile

```

194     threads.h      \|
195     time.h         \|
196     tiuser.h       \|
197     tzfile.h       \|
198     ucontext.h     \|
199     ucred.h        \|
200     ulimit.h       \|
201     unistd.h       \|
202     userdefs.h     \|
203     ustat.h        \|
204     utime.h        \|
205     utmp.h         \|
206     utmpx.h        \|
207     valtools.h     \|
208     values.h       \|
209     varargs.h      \|
210     wait.h         \|
211     wchar.h        \|
212     wchar_impl.h   \|
213     wctype.h       \|
214     widec.h        \|
215     wordexp.h      \|
216     xlocale.h     \|
217     xti.h          \|
218     xti_inet.h     \|
219     zone.h         \|

221 ISOHDRS = \
222     ctype_iso.h    \|
223     limits_iso.h  \|
224     locale_iso.h  \|
225     math_c99.h     \|
226     math_iso.h     \|
227     setjmp_iso.h  \|
228     signal_iso.h  \|
229     stdarg_c99.h   \|
230     stdarg_iso.h  \|
231     stddef_iso.h  \|
232     stdio_c99.h   \|
233     stdio_iso.h   \|
234     stdlib_c99.h  \|
235     stdlib_c11.h  \|
236     stdlib_iso.h  \|
237     string_iso.h  \|
238     time_iso.h    \|
239     wchar_c99.h   \|
240     wchar_iso.h   \|
241     wctype_iso.h  \|

243 ARPAHDRS = \
244     ftp.h          \|
245     inet.h         \|
246     nameser.h     \|
247     telnet.h      \|
248     tftp.h        \|
249     nameser_compat.h \|

251 AUDIOHDRS = \
252     au.h          \|

254 UUIDHDRS = \
255     uuid.h        \|

257 # rpcsvc headers which are just headers (not derived from a .x file)
258 RPCSVC_SRC_HDRS = \
259     bootparam.h  \|

```

4

new/usr/src/head/Makefile

```

260     daemon_utils.h \
261     dbm.h \
262     nis_db.h \
263     nislib.h \
264     svc_dg_priv.h \
265     yp_prot.h \
266     ypcint.h \
267     yppasswd.h \
268     yppupd.h \
269     rpc_sotypes.h

271 # rpcsvc headers which are generated from .x files
272 RPCSVC_GEN_HDRS = \
273     bootparam_prot.h \
274     mount.h \
275     nfs_prot.h \
276     nfs4_prot.h \
277     nis.h \
278     rquota.h \
279     rstat.h \
280     rusers.h \
281     rwall.h \
282     spray.h \
283     ufs_prot.h \
284     nfs_acl.h

286 SYMHDRASSERT = $(ROOT)/usr/include/iso/assert_iso.h
287 SYMHDRERRNO = $(ROOT)/usr/include/iso/errno_iso.h
288 SYMHDRFLOAT = $(ROOT)/usr/include/iso/float_iso.h
289 SYMHDRISO646 = $(ROOT)/usr/include/iso/iso646_iso.h

291 RPCGENFLAGS = -C -h
292 rpcsvc/rwall.h :=      RPCGENFLAGS += -M

294 # rpcsvc rpcgen source (.x files)
295 #
296 # yp.x is an attempt at codifying what was hand coded in RPCL.
297 # Unfortunately it doesn't quite work. (The handcoded stuff isn't
298 # expressible in RPCL) this is due to the fact that YP was written
299 # before rpcgen existed. Hence, yp_prot.h cannot be derived from yp.x
300 #
301 # There is no '.h' for nis_object.x because it is included by nis.x and
302 # the resulting .h is nis.h.

304 RPCSVCPROTS = \
305     $(RPCSVC_GEN_HDRS:%.h=%.x)      nis_object.x      yp.x

307 RPCSVCHDRS= $(RPCSVC_SRC_HDRS) $(RPCSVC_GEN_HDRS)

309 PROTOHDRS=  dumprestore.h routed.h ripngd.h timed.h
309 PROTOHDRS=  dumprestore.h routed.h ripngd.h rhod.h timed.h

311 ROOTHDRS= $(HDRS:%=$(ROOT)/usr/include/%) \
312     $(KRB5HDRS:%=$(ROOT)/usr/include/kerberos5/%) \
313     $(ISOHDRS:%=$(ROOT)/usr/include/iso/%) \
314     $(ARPAHDRS:%=$(ROOT)/usr/include/arpa/%) \
315     $(AUDIOHDRS:%=$(ROOT)/usr/include/audio/%) \
316     $(UIDHDRS:%=$(ROOT)/usr/include/uuid/%) \
317     $(RPCSVCHDRS:%=$(ROOT)/usr/include/rpcsvc/%) \
318     $(RPCSVCPROTS:%=$(ROOT)/usr/include/rpcsvc/%) \
319     $(PROTOHDRS:%=$(ROOT)/usr/include/protocols/%)

321 DIRS= iso arpa audio rpcsvc protocols security uuid kerberos5
322 ROOTDIRS= $(DIRS:%=$(ROOT)/usr/include/%)

324 # check files really don't exist

```

5

new/usr/src/head/Makefile

```

325 #
326 # should do something with the rpcsvc headers

328 iso/%.check:      iso/%.h
329     $(DOT_H_CHECK)

331 arpa/%.check:     arpa/%.h
332     $(DOT_H_CHECK)

334 audio/%.check:   audio/%.h
335     $(DOT_H_CHECK)

337 rpcsvc/%.check:  rpcsvc/%.h
338     $(DOT_H_CHECK)

340 rpcsvc/%.check:  rpcsvc/%.x
341     $(DOT_X_CHECK)

343 protocols/%.check: protocols/%.h
344     $(DOT_H_CHECK)

346 kerberos5/%.check: kerberos5/%.h
347     $(DOT_H_CHECK)

349 uuid/%.check:    uuid/%.h
350     $(DOT_H_CHECK)

352 # Note that the derived headers (rpcgen) are not checked at this time. These
353 # need work at the source level and rpcgen itself has a bug which causes a
354 # cstyle violation. Furthermore, there seems to be good reasons for the
355 # generated headers to not pass all of the hdrchk rules.
356 #
357 # Add the following to the CHECKHDRS list to activate the .x checks:
358 #     $(RPCSVCPROTS:%.x=rpcsvc/%.check) \
359 #
360 CHECKHDRS= $(HDRS:%.h=%.check) \
361     $(KRB5HDRS:%.h=kerberos5/%.check) \
362     $(ISOHDRS:%.h=iso/%.check) \
363     $(ARPAHDRS:%.h=arpa/%.check) \
364     $(AUDIOHDRS:%.h=audio/%.check) \
365     $(UIDHDRS:%.h=uuid/%.check) \
366     $(RPCSVC_SRC_HDRS:%.h=rpcsvc/%.check) \
367     $(PROTOHDRS:%.h=protocols/%.check)

369 # headers which won't quite meet the standards...
370 #
371 # assert.h is required by ansi-c to *not* be idempotent (section 4.1.2).
372 # Hence the trailing guard is not the last thing in the file nor can it
373 # be without playing silly games.

375 assert.check := HDRCHK_TAIL = | grep -v "end guard wrong" | true

377 # install rules

379 $(ROOT)/usr/include/security/%: security/%
380     $(INS.file)

382 $(ROOT)/usr/include/protocols/%: protocols/%
383     $(INS.file)

385 $(ROOT)/usr/include/rpcsvc/%: rpcsvc/%
386     $(INS.file)

388 $(ROOT)/usr/include/kerberos5/%: kerberos5/%
389     $(INS.file)

```

6

new/usr/src/head/Makefile

7

```
391 $(ROOT)/usr/include/arpa/%: arpa/%
392     $(INS.file)

394 $(ROOT)/usr/include/audio/%: audio/%
395     $(INS.file)

397 $(ROOT)/usr/include/iso/%: iso/%
398     $(INS.file)

400 $(ROOT)/usr/include/uuid/%: uuid/%
401     $(INS.file)

403 $(ROOT)/usr/include/%: %
404     $(INS.file)

406 .KEEP_STATE:

408 .PARALLEL:      $(ROOTHDRS) $(CHECKHDRS)

410 install_h:      $(ROOTDIRS) .WAIT $(ROOTHDRS) $(SYMHDRASSERT) $(SYMHDRERRNO) \
411                 $(SYMHDRFLOAT) $(SYMHDRISO646)

413 check:         $(CHECKHDRS)

415 clean clobber:
416     cd rpcsvc ; $(RM) $(RPCSVC_GEN_HDRS)

418 $(ROOTDIRS):
419     $(INS.dir)

421 $(SYMHDRASSERT):
422     -$(RM) $@; $(SYMLINK) ../assert.h $@

424 $(SYMHDRERRNO):
425     -$(RM) $@; $(SYMLINK) ../errno.h $@

427 $(SYMHDRFLOAT):
428     -$(RM) $@; $(SYMLINK) ../float.h $@

430 $(SYMHDRISO646):
431     -$(RM) $@; $(SYMLINK) ../iso646.h $@

433 rpcsvc/%.h:     rpcsvc/%.x
434     $(RPCGEN) $(RPCGENFLAGS) $< -o $@

436 rpcsvc/nis.h:   rpcsvc/nis.x
437     $(RPCGEN) $(RPCGENFLAGS) rpcsvc/nis.x |\
438     $(SED) -e '/EDIT_START/, $$ d' > $@
```

```

*****
12437 Fri May 26 19:24:11 2017
new/usr/src/man/man1/Makefile
8277 EOF filesync
8114 EOF rwho
8112 EOF crazier RPC daemons
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
17 #
18 include      $(SRC)/Makefile.master
19 #
20 MANSECT=     1
21 #
22 MANFILES=
23 acctcom.1
24 adb.1
25 addbib.1
26 alias.1
27 allocate.1
28 amt.1
29 appcert.1
30 apptrace.1
31 apropos.1
32 ar.1
33 arch.1
34 asa.1
35 at.1
36 atq.1
37 atrm.1
38 audioconvert.1
39 audiocvt.1
40 audioplay.1
41 audiorecord.1
42 audiotest.1
43 auths.1
44 awk.1
45 banner.1
46 basename.1
47 bc.1
48 bdiff.1
49 break.1
50 builtin.1
51 cal.1
52 calendar.1
53 cancel.1
54 cat.1
55 cd.1
56 cdrw.1
57 checknr.1
58 chgrp.1
59 chkey.1
60 chmod.1

```

```

61 chown.1
62 ckdate.1
63 ckgid.1
64 ckint.1
65 ckitem.1
66 ckkeywd.1
67 ckpath.1
68 ckrange.1
69 ckstr.1
70 cksum.1
71 cktime.1
72 ckuid.1
73 ckyorn.1
74 clear.1
75 cmp.1
76 col.1
77 comm.1
78 command.1
79 compress.1
80 cp.1
81 cpio.1
82 cputrack.1
83 crle.1
84 crontab.1
85 crypt.1
86 csh.1
87 csplit.1
88 ctags.1
89 ctrun.1
90 ctstat.1
91 ctwatch.1
92 cut.1
93 date.1
94 dc.1
95 deallocate.1
96 deroff.1
97 dhcpcd.1
98 diff.1
99 diff3.1
100 diffmk.1
101 digest.1
102 dircmp.1
103 dis.1
104 disown.1
105 dispgid.1
106 dispuid.1
107 dos2unix.1
108 download.1
109 dpost.1
110 du.1
111 dump.1
112 dumpcs.1
113 echo.1
114 ed.1
115 egrep.1
116 eject.1
117 elfdump.1
118 elfedit.1
119 elfsign.1
120 elfwrap.1
121 enable.1
122 encrypt.1
123 enhance.1
124 env.1
125 eqn.1
126 exec.1

```



```

126          exit.1
127          expand.1
128          expr.1
129          exstr.1
130          factor.1
131          fdformat.1
132          fgrep.1
133          file.1
134          filesync.1
134          find.1
135          finger.1
136          fmt.1
137          fmtmsg.1
138          fold.1
139          ftp.1
140          gcov.1
141          gencat.1
142          genmsg.1
143          getconf.1
144          getfacl.1
145          getlabel.1
146          getopt.1
147          getoptcv.1
148          getopts.1
149          gettext.1
150          gettxt.1
151          getzonepath.1
152          glob.1
153          gprof.1
154          grep.1
155          groups.1
156          hash.1
157          head.1
158          history.1
159          hostid.1
160          hostname.1
161          iconv.1
162          indxbib.1
163          Intro.1
164          ipcrm.1
165          ipcs.1
166          isainfo.1
167          isalist.1
168          jobs.1
169          join.1
170          kbd.1
171          kdestroy.1
172          keylogin.1
173          keylogout.1
174          kill.1
175          kinit.1
176          klist.1
177          kmdb.1
178          kmfcfg.1
179          kpasswd.1
180          krb5-config.1
181          ksh93.1
182          ktutil.1
183          kvmstat.1
184          lari.1
185          last.1
186          lastcomm.1
187          ld.1
188          ldap.1
189          ldapdelete.1
190          ldaplist.1

```

```

191          ldapmodify.1
192          ldapmodrdn.1
193          ldapsearch.1
194          ldd.1
195          ld.so.1.1
196          let.1
197          lex.1
198          lgrpinfo.1
199          limit.1
200          line.1
201          list_devices.1
202          listusers.1
203          ln.1
204          loadkeys.1
205          locale.1
206          localedef.1
207          logger.1
208          login.1
209          logname.1
210          logout.1
211          look.1
212          lookbib.1
213          lorder.1
214          lp.1
215          lpstat.1
216          ls.1
217          m4.1
218          mac.1
219          mach.1
220          madv.so.1.1
221          mail.1
222          mailcompat.1
223          mailstats.1
224          mailx.1
225          make.1
226          makekey.1
227          man.1
228          mandoc.1
229          mconnect.1
230          mcs.1
231          mdb.1
232          msg.1
233          mkdir.1
234          mkmsgs.1
235          mktemp.1
236          moe.1
237          more.1
238          mpss.so.1.1
239          msgcc.1
240          msgcpp.1
241          msgcv.1
242          msgfmt.1
243          msggen.1
244          msgget.1
245          mt.1
246          mv.1
247          nawk.1
248          nc.1
249          nca.1
250          ncab2clf.1
251          ncakmod.1
252          newform.1
253          newgrp.1
254          news.1
255          newtask.1
256          nice.1

```

```

257      nl.1
258      nm.1
259      nohup.1
260      nroff.1
261      od.1
262      optisa.1
263      pack.1
264      pagesize.1
265      pargs.1
266      passwd.1
267      paste.1
268      pathchk.1
269      pax.1
270      pfexec.1
271      pg.1
272      pgrep.1
273      pkginfo.1
274      pkgmk.1
275      pkgparam.1
276      pkgproto.1
277      pkgtrans.1
278      pktool.1
279      plabel.1
280      plgrp.1
281      plimit.1
282      pmadvise.1
283      pmap.1
284      postio.1
285      postprint.1
286      postreverse.1
287      ppgsz.1
288      ppriv.1
289      pr.1
290      praliases.1
291      prctl.1
292      preap.1
293      prex.1
294      print.1
295      printf.1
296      prionctl.1
297      proc.1
298      prof.1
299      profiles.1
300      projects.1
301      ps.1
302      psecflags.1
303      ptree.1
304      pvs.1
305      pwd.1
306      ranlib.1
307      rcapstat.1
308      rcp.1
309      rdist.1
310      read.1
311      readonly.1
312      refer.1
313      regcmp.1
314      renice.1
315      rev.1
316      rlogin.1
317      rm.1
318      rmformat.1
319      rmmount.1
320      roffbib.1
321      roles.1
322      rpcgen.1

```

```

323      rsh.1
324      runat.1
326      rup.1
327      ruptime.1
328      rusers.1
329      rwho.1
325      sar.1
326      script.1
327      sdiff.1
328      sed.1
329      sendmail-mailq.1
330      set.1
331      setfacl.1
332      setlabel.1
333      setpgpr.1
334      shcomp.1
335      shell_builtins.1
336      shift.1
337      size.1
338      sleep.1
339      smbutil.1
340      soelim.1
341      sort.1
342      sortbib.1
343      sotruss.1
344      spell.1
345      split.1
346      srchtxt.1
347      strchg.1
348      strings.1
349      strip.1
350      stty.1
351      sum.1
352      suspend.1
353      svcprop.1
354      svcs.1
355      symorder.1
356      sysV-make.1
357      sys-suspend.1
358      tabs.1
359      tail.1
360      talk.1
361      tar.1
362      tbl.1
363      tcopy.1
364      tee.1
365      telnet.1
366      test.1
367      tftp.1
368      time.1
369      times.1
370      timex.1
371      tip.1
372      tnfdump.1
373      tnfxtract.1
374      touch.1
375      tput.1
376      tr.1
377      trap.1
378      troff.1
379      true.1
380      truss.1
381      tsort.1
382      tty.1
383      type.1
384      typeset.1

```

```

385         ul.1          \|
386         umask.1       \|
387         uname.1      \|
388         unifdef.1    \|
389         uniq.1       \|
390         units.1      \|
391         unix2dos.1   \|
392         uptime.1     \|
393         uuidgen.1    \|
394         vacation.1  \|
395         vgrind.1     \|
396         volcheck.1   \|
397         volrmmount.1 \|
398         w.1          \|
399         wait.1       \|
400         wc.1         \|
401         which.1      \|
402         who.1        \|
403         whocalls.1   \|
404         whois.1      \|
405         write.1      \|
406         xargs.1      \|
407         xgettext.1   \|
408         xstr.1       \|
409         yacc.1       \|
410         yes.1        \|
411         ypcat.1      \|
412         ypmatch.1    \|
413         yppasswd.1   \|
414         ypwhich.1    \|
415         zlogin.1     \|
416         zonename.1  \|

418 MANLINKS= batch.1 \|
419             bg.1     \|
420             case.1   \|
421             chdir.1  \|
422             checkeq.1 \|
423             continue.1 \|
424             decrypt.1 \|
425             dirname.1 \|
426             dirs.1   \|
427             disable.1 \|
428             dmake.1  \|
429             dumpkeys.1 \|
430             edit.1   \|
431             errange.1 \|
432             errdate.1 \|
433             errgid.1  \|
434             errint.1  \|
435             erritem.1 \|
436             errpath.1 \|
437             errstr.1  \|
438             errtime.1 \|
439             erruid.1  \|
440             erryorn.1 \|
441             eval.1   \|
442             export.1 \|
443             false.1  \|
444             fc.1     \|
445             fg.1     \|
446             for.1    \|
447             foreach.1 \|
448             function.1 \|
449             goto.1   \|
450             hashcheck.1 \|

```

```

451         hashmake.1   \|
452         hashstat.1   \|
453         helpdate.1   \|
454         helpgid.1    \|
455         helpint.1    \|
456         helpitem.1   \|
457         helppath.1   \|
458         helprange.1  \|
459         helpstr.1    \|
460         helptime.1   \|
461         helpuid.1    \|
462         helpyorn.1   \|
463         hist.1       \|
464         if.1         \|
465         intro.1      \|
466         jsh.1        \|
467         ksh.1        \|
468         ldapadd.1    \|
469         mailq.1      \|
470         negn.1       \|
471         notify.1     \|
472         onintr.1     \|
473         page.1       \|
474         pcat.1       \|
475         pcred.1      \|
476         pfcsh.1      \|
477         pfiles.1     \|
478         pfksh.1      \|
479         pflags.1     \|
480         pfsh.1       \|
481         pkill.1      \|
482         pldd.1       \|
483         popd.1       \|
484         prun.1       \|
485         psig.1       \|
486         pstack.1     \|
487         pstop.1      \|
488         ptime.1      \|
489         pushd.1      \|
490         pwait.1      \|
491         pwdx.1       \|
492         red.1        \|
493         rehash.1     \|
494         remote_shell.1 \|
495         remsh.1      \|
496         repeat.1     \|
497         return.1     \|
498         rksh.1       \|
499         rksh93.1     \|
500         rmail.1      \|
501         rmdir.1      \|
502         rmmount.1    \|
503         select.1     \|
504         setenv.1     \|
505         setttime.1   \|
506         sh.1         \|
507         snca.1       \|
508         source.1     \|
509         spellin.1    \|
510         stop.1       \|
511         strconf.1    \|
512         switch.1     \|
513         ulimit.1     \|
514         unalias.1    \|
515         uncompress.1 \|
516         unexpand.1  \|

```

```

517          unhash.1          \|
518          unlimit.1         \|
519          unpack.1          \|
520          unset.1           \|
521          unsetenv.1        \|
522          until.1           \|
523          valdate.1         \|
524          valgid.1          \|
525          valint.1          \|
526          valpath.1         \|
527          valrange.1        \|
528          valstr.1          \|
529          valtime.1         \|
530          valuid.1          \|
531          valyorn.1         \|
532          vedit.1           \|
533          whatis.1          \|
534          whence.1         \|
535          while.1           \|
536          zcat.1            \|

538 intro.1      := LINKSRC = Intro.1

540 whatis.1     := LINKSRC = apropos.1

542 unalias.1   := LINKSRC = alias.1

544 batch.1     := LINKSRC = at.1

546 dirname.1   := LINKSRC = basename.1

548 continue.1  := LINKSRC = break.1

550 chdir.1     := LINKSRC = cd.1
551 dirs.1      := LINKSRC = cd.1
552 popd.1      := LINKSRC = cd.1
553 pushd.1     := LINKSRC = cd.1

555 errdate.1   := LINKSRC = ckdate.1
556 helpdate.1 := LINKSRC = ckdate.1
557 valdate.1   := LINKSRC = ckdate.1

559 errgid.1    := LINKSRC = ckgid.1
560 helpgid.1   := LINKSRC = ckgid.1
561 valgid.1    := LINKSRC = ckgid.1

563 errrint.1   := LINKSRC = ckint.1
564 helpint.1   := LINKSRC = ckint.1
565 valint.1    := LINKSRC = ckint.1

567 erritem.1   := LINKSRC = ckitem.1
568 helpitem.1  := LINKSRC = ckitem.1

570 errpath.1   := LINKSRC = ckpath.1
571 helppath.1  := LINKSRC = ckpath.1
572 valpath.1   := LINKSRC = ckpath.1

574 errrange.1 := LINKSRC = ckrange.1
575 helprange.1 := LINKSRC = ckrange.1
576 valrange.1 := LINKSRC = ckrange.1

578 errstr.1    := LINKSRC = ckstr.1
579 helpstr.1   := LINKSRC = ckstr.1
580 valstr.1    := LINKSRC = ckstr.1

582 errtime.1  := LINKSRC = cktime.1

```

```

583 helptime.1 := LINKSRC = cktime.1
584 valtime.1 := LINKSRC = cktime.1

586 erruid.1   := LINKSRC = ckuid.1
587 helpuid.1  := LINKSRC = ckuid.1
588 valuid.1   := LINKSRC = ckuid.1

590 erryorn.1  := LINKSRC = ckyorn.1
591 helpyorn.1 := LINKSRC = ckyorn.1
592 valyorn.1  := LINKSRC = ckyorn.1

594 uncompress.1 := LINKSRC = compress.1
595 zcat.1       := LINKSRC = compress.1

597 red.1      := LINKSRC = ed.1

599 disable.1  := LINKSRC = enable.1

601 decrypt.1  := LINKSRC = encrypt.1

603 dmake.1    := LINKSRC = make.1

605 checkeq.1  := LINKSRC = eqn.1
606 neqn.1     := LINKSRC = eqn.1

608 eval.1     := LINKSRC = exec.1
609 source.1   := LINKSRC = exec.1

611 goto.1     := LINKSRC = exit.1
612 return.1   := LINKSRC = exit.1

614 unexpand.1 := LINKSRC = expand.1

616 hashstat.1 := LINKSRC = hash.1
617 rehash.1   := LINKSRC = hash.1
618 unhash.1   := LINKSRC = hash.1

620 fc.1       := LINKSRC = history.1
621 hist.1     := LINKSRC = history.1

623 bg.1       := LINKSRC = jobs.1
624 fg.1       := LINKSRC = jobs.1
625 notify.1   := LINKSRC = jobs.1
626 stop.1     := LINKSRC = jobs.1

628 jsh.1      := LINKSRC = ksh93.1
629 ksh.1      := LINKSRC = ksh93.1
630 rksh.1     := LINKSRC = ksh93.1
631 rksh93.1   := LINKSRC = ksh93.1
632 sh.1       := LINKSRC = ksh93.1

634 ldapadd.1 := LINKSRC = ldapmodify.1

636 mailq.1   := LINKSRC = sendmail-mailq.1

638 ulimit.1  := LINKSRC = limit.1
639 unlimit.1 := LINKSRC = limit.1

641 dumpkeys.1 := LINKSRC = loadkeys.1

643 rmail.1   := LINKSRC = mail.1

645 page.1    := LINKSRC = more.1

647 snca.1    := LINKSRC = nca.1

```

```

649 pcat.1      := LINKSRC = pack.1
650 unpack.1    := LINKSRC = pack.1

652 pfcsh.1     := LINKSRC = pfexec.1
653 pfksh.1     := LINKSRC = pfexec.1
654 pfsh.1      := LINKSRC = pfexec.1

656 pkill.1     := LINKSRC = pgrep.1

658 pcred.1     := LINKSRC = proc.1
659 pfiles.1    := LINKSRC = proc.1
660 pflags.1    := LINKSRC = proc.1
661 pldd.1      := LINKSRC = proc.1
662 prun.1     := LINKSRC = proc.1
663 psig.1      := LINKSRC = proc.1
664 pstack.1   := LINKSRC = proc.1
665 pstop.1    := LINKSRC = proc.1
666 ptime.1    := LINKSRC = proc.1
667 pwait.1    := LINKSRC = proc.1
668 pwdx.1     := LINKSRC = proc.1

670 rmdir.1    := LINKSRC = rm.1

672 rmumount.1 := LINKSRC = rmmount.1

674 remote_shell.1 := LINKSRC = rsh.1
675 remsh.1       := LINKSRC = rsh.1

677 export.1     := LINKSRC = set.1
678 setenv.1     := LINKSRC = set.1
679 unset.1      := LINKSRC = set.1
680 unsetenv.1   := LINKSRC = set.1

682 case.1       := LINKSRC = shell_builtins.1
683 for.1         := LINKSRC = shell_builtins.1
684 foreach.1    := LINKSRC = shell_builtins.1
685 function.1   := LINKSRC = shell_builtins.1
686 if.1         := LINKSRC = shell_builtins.1
687 repeat.1     := LINKSRC = shell_builtins.1
688 select.1     := LINKSRC = shell_builtins.1
689 switch.1     := LINKSRC = shell_builtins.1
690 until.1      := LINKSRC = shell_builtins.1
691 while.1      := LINKSRC = shell_builtins.1

693 hashcheck.1 := LINKSRC = spell.1
694 hashmake.1  := LINKSRC = spell.1
695 spellin.1   := LINKSRC = spell.1

698 strconf.1   := LINKSRC = strchg.1

700 settime.1    := LINKSRC = touch.1

702 onintr.1    := LINKSRC = trap.1

704 false.1     := LINKSRC = true.1

706 whence.1    := LINKSRC = typeset.1

708 # Links to usr/has/man
710 edit.1      := LINKSRC = ../../../../has/man/manlhas/edit.lhas
712 vedit.1     := LINKSRC = ../../../../has/man/manlhas/vi.lhas
714 .KEEP_STATE:

```

```

716 include      $(SRC)/man/Makefile.man
718 install:     $(ROOTMANFILES) $(ROOTMANLINKS)

```

new/usr/src/man/man1c/Makefile

1

944 Fri May 26 19:24:13 2017

new/usr/src/man/man1c/Makefile

8112 EOF crazier RPC daemons

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 #
```

```
17 include      $(SRC)/Makefile.master
```

```
19 MANSECT=     lc
```

```
21 MANFILES=    ct.1c      \
22              cu.1c      \
23              rup.1c     \
23              uucp.1c    \
24              uuencode.1c \
25              uuglist.1c \
26              uustat.1c  \
27              uuto.1c    \
28              uux.1c
```

```
30 MANLINKS=    uudecode.1c \
31              uulog.1c    \
32              uuname.1c   \
33              uupick.1c
```

```
35 uulog.1c     := LINKSRC = uucp.1c
36 uuname.1c    := LINKSRC = uucp.1c
```

```
38 uudecode.1c := LINKSRC = uuencode.1c
```

```
40 uupick.1c   := LINKSRC = uuto.1c
```

```
42 .KEEP_STATE:
```

```
44 include      $(SRC)/man/Makefile.man
```

```
46 install:     $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
13294 Fri May 26 19:24:15 2017
new/usr/src/man/man1m/Makefile
8114 EOF rwho
8112 EOF crazier RPC daemons
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2016 Joyent, Inc.
15 # Copyright 2016 Toomas Soome <tsoome@me.com>
16 # Copyright 2017 Nexenta Systems, Inc.
17 #
18 #
19 include      $(SRC)//Makefile.master
20 #
21 MANSECT=     1m
22 #
23 _MANFILES=   6to4relay.1m      //
24               intro.1m         //
25               Uutry.1m         //
26               accept.1m       //
27               acct.1m         //
28               acctadm.1m      //
29               acctcms.1m     //
30               acctcon.1m     //
31               acctmerg.1m    //
32               acctprc.1m     //
33               acctsh.1m      //
34               adbggen.1m     //
35               add_allocatable.1m //
36               add_drv.1m     //
37               addbadsec.1m   //
38               arcstat.1m     //
39               arp.1m         //
40               atohexlabel.1m //
41               audit.1m       //
42               audit_warn.1m  //
43               auditconfig.1m //
44               auditd.1m     //
45               auditrecord.1m //
46               auditreduce.1m //
47               auditstat.1m   //
48               automount.1m   //
49               automountd.1m //
50               autopush.1m   //
51               bart.1m        //
52               beadm.1m       //
53               boot.1m        //
54               bootadm.1m     //
55               bootconfchk.1m //
56               busstat.1m     //
57               captainfo.1m  //
58               catman.1m     //
59               cfgadm.1m     //
60               cfgadm_ac.1m  //

```

```

61               cfgadm_cardbus.1m //
62               cfgadm_fp.1m   //
63               cfgadm_ib.1m   //
64               cfgadm_pci.1m  //
65               cfgadm_sata.1m //
66               cfgadm_sbd.1m  //
67               cfgadm_scsi.1m //
68               cfgadm_sysctrl.1m //
69               cfgadm_usb.1m  //
70               chat.1m        //
71               check-hostname.1m //
72               check-permissions.1m //
73               chroot.1m     //
74               clear_locks.1m //
75               clinfo.1m     //
76               clri.1m       //
77               consadm.1m    //
78               conv_lp.1m    //
79               conv_lpd.1m   //
80               coreadm.1m    //
81               cpustat.1m    //
82               cron.1m       //
83               cryptoadm.1m  //
84               datadm.1m     //
85               dd.1m         //
86               devattr.1m    //
87               devfree.1m    //
88               devfsadm.1m   //
89               device_remap.1m //
90               devinfo.1m    //
91               devlinks.1m   //
92               devnm.1m      //
93               devprop.1m    //
94               devreserv.1m  //
95               df.1m         //
96               df_ufs.1m     //
97               dfmounts.1m   //
98               dfmounts_nfs.1m //
99               dfshares.1m   //
100              dfshares_nfs.1m //
101              dhcpagent.1m   //
102              diskinfo.1m   //
103              disks.1m     //
104              diskscan.1m   //
105              dispadmin.1m  //
106              dladm.1m     //
107              dlmgmt.1m     //
108              dmesg.1m      //
109              dminfo.1m     //
110              dns-sd.1m     //
111              domainname.1m //
112              drvconfig.1m  //
113              dsbitmap.1m   //
114              dscfg.1m     //
115              dscfgadm.1m   //
116              dscfglockd.1m //
117              dsstat.1m     //
118              dtrace.1m    //
119              dumpadm.1m   //
120              editmap.1m   //
121              edquota.1m   //
122              eeeprom.1m   //
123              embedded_su.1m //
124              etrn.1m      //
125              fcinfo.1m    //
126              fdetach.1m   //

```

```

127         fdisk.lm          //
128         ff.lm             //
129         ff_ufs.lm         //
130         fiocompress.lm   //
131         flowadm.lm        //
132         fmadm.lm          //
133         fmd.lm            //
134         fmdump.lm         //
135         fmstat.lm         //
136         fmthard.lm        //
137         format.lm         //
138         fruadm.lm         //
139         fsck.lm           //
140         fsck_pcfs.lm      //
141         fsck_udfs.lm      //
142         fsck_ufs.lm       //
143         fsdb.lm           //
144         fsdb_udfs.lm      //
145         fsdb_ufs.lm       //
146         fsirand.lm        //
147         fssnap.lm         //
148         fssnap_ufs.lm     //
149         fsstat.lm         //
150         fstyp.lm          //
151         fuser.lm          //
152         fwflash.lm        //
153         fwtmp.lm          //
154         getdev.lm         //
155         getdevpolicy.lm   //
156         getdgrp.lm        //
157         getent.lm         //
158         getty.lm          //
159         getvol.lm         //
160         groupadd.lm        //
161         groupdel.lm        //
162         groupmod.lm        //
163         growfs.lm         //
164         gsscred.lm         //
165         gssd.lm           //
166         hal-device.lm     //
167         hal-fdi-validate.lm //
168         hal-find.lm        //
169         hal-get-property.lm //
170         hald.lm           //
171         halt.lm           //
172         hextoalabel.lm    //
173         hostconfig.lm     //
174         ickey.lm          //
175         id.lm             //
176         idmap.lm          //
177         idmapd.lm         //
178         idconfig.lm        //
179         if_mpadm.lm        //
180         ifconfig.lm        //
181         ifparse.lm         //
182         iiadm.lm          //
183         iicpbmp.lm        //
184         iicpshd.lm        //
185         ikeadm.lm         //
186         ikecert.lm        //
187         in.chargend.lm     //
188         in.comsat.lm       //
189         in.daytimed.lm     //
190         in.discardd.lm     //
191         in.echod.lm        //
192         in.fingerd.lm     //

```

```

193         in.iked.lm        //
194         in.lpd.lm         //
195         in.mpathd.lm      //
196         in.ndpd.lm        //
197         in.rarpd.lm       //
198         in.rdisc.lm       //
199         in.rexecd.lm       //
200         in.ripngd.lm      //
201         in.rlogind.lm     //
202         in.routed.lm      //
203         in.rshd.lm        //
204         in.rwhod.lm       //
204         in.talkd.lm       //
205         in.telnetd.lm     //
206         in.tftpd.lm       //
207         in.timed.lm       //
208         in.uucpd.lm       //
209         inetadm.lm        //
210         inetconv.lm       //
211         inetd.lm          //
212         infocmp.lm        //
213         init.lm           //
214         inityp2l.lm       //
215         install.lm        //
216         installboot.lm    //
217         installf.lm       //
218         installgrub.lm    //
219         intrd.lm          //
220         intrstat.lm       //
221         iostat.lm         //
222         ipaddrsel.lm      //
223         ipadm.lm          //
224         ipdadm.lm         //
225         ipf.lm            //
226         ipfs.lm           //
227         ipfstat.lm        //
228         ipmon.lm          //
229         ipmpstat.lm       //
230         ipnat.lm          //
231         ippool.lm         //
232         ipqosconf.lm      //
233         ipsecalgs.lm      //
234         ipsecconf.lm      //
235         ipseckey.lm       //
236         iscsiadm.lm       //
237         isns.lm           //
238         isnsadm.lm        //
239         itadm.lm          //
240         k5srvutil.lm      //
241         kadb.lm           //
242         kadmin.lm         //
243         kadmind.lm        //
244         kclient.lm        //
245         kdb5_ldap_util.lm //
246         kdb5_util.lm     //
247         kdcmgr.lm         //
248         kernel.lm         //
249         keyserv.lm        //
250         killall.lm        //
251         kprop.lm          //
252         kpropd.lm         //
253         kproplog.lm       //
254         krb5kdc.lm        //
255         ksslcfg.lm        //
256         kstat.lm          //
257         ktkk_warnd.lm     //

```



```

258 labelit.lm //
259 labelit_hfs.lm //
260 labelit_udfs.lm //
261 labelit_ufs.lm //
262 latencytop.lm //
263 ldap_cachemgr.lm //
264 ldapaddent.lm //
265 ldapclient.lm //
266 link.lm //
267 listdgrp.lm //
268 listen.lm //
269 locator.lm //
270 lockfs.lm //
271 lockstat.lm //
272 lofiadm.lm //
273 logadm.lm //
274 logins.lm //
275 lpadm.lm //
276 lpfilter.lm //
277 lpforms.lm //
278 lpget.lm //
279 lpmove.lm //
280 lpsched.lm //
281 lpset.lm //
282 lpshut.lm //
283 lpssystem.lm //
284 lpusers.lm //
285 luxadm.lm //
286 mail.local.lm //
287 mailwrapper.lm //
288 makedbm.lm //
289 makemap.lm //
290 mcdnsd.lm //
291 nkdevalloc.lm //
292 mkdevmaps.lm //
293 mkfifo.lm //
294 mkfile.lm //
295 mkfs.lm //
296 mkfs_pcfs.lm //
297 mkfs_udfs.lm //
298 mkfs_ufs.lm //
299 mknod.lm //
300 mkpwdict.lm //
301 modinfo.lm //
302 modload.lm //
303 modunload.lm //
304 mount.lm //
305 mount_hfs.lm //
306 mount_nfs.lm //
307 mount_pcfs.lm //
308 mount_smbfs.lm //
309 mount_tmpfs.lm //
310 mount_udfs.lm //
311 mount_ufs.lm //
312 mountall.lm //
313 mountd.lm //
314 mpathadm.lm //
315 mpstat.lm //
316 msgid.lm //
317 mvdir.lm //
318 ncaconfd.lm //
319 ncheck.lm //
320 ncheck_ufs.lm //
321 ndd.lm //
322 ndp.lm //
323 ndmpadm.lm //

```

```

324 ndmpd.lm //
325 ndmpstat.lm //
326 netstat.lm //
327 netstrategy.lm //
328 newaliases.lm //
329 newfs.lm //
330 newkey.lm //
331 nfs4cbd.lm //
332 nfsd.lm //
333 nfslogd.lm //
334 nfsmapid.lm //
335 nfsstat.lm //
336 nlsadmin.lm //
337 nscadm.lm //
338 nscd.lm //
339 nwamd.lm //
340 passmgmt.lm //
341 pbind.lm //
342 picld.lm //
343 ping.lm //
344 pkgadd.lm //
345 pkgadm.lm //
346 pkgask.lm //
347 pkgchk.lm //
348 pkgrm.lm //
349 plockstat.lm //
350 pmadm.lm //
351 pmconfig.lm //
352 polkit-is-privileged.lm //
353 pooladm.lm //
354 poolbind.lm //
355 poolcfg.lm //
356 poold.lm //
357 poolstat.lm //
358 ports.lm //
359 powerd.lm //
360 powertop.lm //
361 pppmgr.lm //
362 pppd.lm //
363 pppdump.lm //
364 pppoec.lm //
365 pppoed.lm //
366 pppstats.lm //
367 praudit.lm //
368 print-service.lm //
369 printmgr.lm //
370 projadd.lm //
371 projdel.lm //
372 projmod.lm //
373 prstat.lm //
374 prtconf.lm //
375 prtdiag.lm //
376 prtfru.lm //
377 prtpicl.lm //
378 prtvtoc.lm //
379 psradm.lm //
380 psrinfo.lm //
381 psrset.lm //
382 putdev.lm //
383 putdgrp.lm //
384 pwck.lm //
385 pwconv.lm //
386 quot.lm //
387 quota.lm //
388 quotacheck.lm //
389 quotaon.lm //

```

```

390 raidctl.1m //
391 ramdiskadm.1m //
392 rcapadm.1m //
393 rcapd.1m //
394 rctladm.1m //
395 rdate.1m //
396 reboot.1m //
397 rem_drv.1m //
398 remove_allocatable.1m //
399 removef.1m //
400 repquota.1m //
401 rmmount.1m //
402 rmt.1m //
403 rmvolmgr.1m //
404 roleadd.1m //
405 roledel.1m //
406 rolemod.1m //
407 root_archive.1m //
408 route.1m //
409 routeadm.1m //
410 rpc.bootparamd.1m //
412 rpc.rstatd.1m //
413 rpc.rusersd.1m //
414 rpc.rwald.1m //
411 rpc.smsvervd.1m //
416 rpc.sprayd.1m //
412 rpc.yppasswdd.1m //
413 rpc.ypupdated.1m //
414 rpcbind.1m //
415 rpcinfo.1m //
416 rquotad.1m //
417 rsh.1m //
418 rtc.1m //
419 rtquery.1m //
420 runacct.1m //
426 rwall.1m //
421 sac.1m //
422 sacadm.1m //
423 saf.1m //
424 sar.1m //
425 sasinfo.1m //
426 savecore.1m //
427 sbdadm.1m //
428 scadm.1m //
429 scmadm.1m //
430 sdpadm.1m //
431 sendmail.1m //
432 setuname.1m //
433 share.1m //
434 share_nfs.1m //
435 shareall.1m //
436 sharectl.1m //
437 sharemgr.1m //
438 showmount.1m //
439 shutdown.1m //
440 slpd.1m //
441 smbadm.1m //
442 smbd.1m //
443 smbiod.1m //
444 smbios.1m //
445 smbstat.1m //
446 smrsh.1m //
447 sndradm.1m //
448 sndrd.1m //
449 sndrsyncd.1m //
450 snoop.1m //

```

```

451 soconfig.1m //
452 sppptun.1m //
459 spray.1m //
453 statd.1m //
454 stmfadm.1m //
455 stmsboot.1m //
456 strace.1m //
457 strclean.1m //
458 strerr.1m //
459 sttydefs.1m //
460 su.1m //
461 sulogin.1m //
462 svadm.1m //
463 svc.configd.1m //
464 svc.ipfd.1m //
465 svc.startd.1m //
466 svcadm.1m //
467 svccfg.1m //
468 swap.1m //
469 sync.1m //
470 syncinit.1m //
471 syncloop.1m //
472 syncstat.1m //
473 sysdef.1m //
474 syseventadm.1m //
475 syseventconfd.1m //
476 syseventd.1m //
477 syslogd.1m //
478 tapes.1m //
479 tcpd.1m //
480 tcpdchk.1m //
481 tcpdmatch.1m //
482 th_define.1m //
483 th_manage.1m //
484 tic.1m //
485 tnchfdb.1m //
486 tnctl.1m //
487 tnd.1m //
488 tninfo.1m //
489 tpmadm.1m //
490 traceroute.1m //
491 trapstat.1m //
492 ttyadm.1m //
493 ttymon.1m //
494 tuneefs.1m //
495 txzonemgr.1m //
496 tzselect.1m //
497 uadmin.1m //
498 ucodeadm.1m //
499 ufsdump.1m //
500 ufsrestore.1m //
501 unshare.1m //
502 unshare_nfs.1m //
503 update_drv.1m //
504 updatehome.1m //
505 useradd.1m //
506 userdel.1m //
507 usermod.1m //
508 utmpd.1m //
509 uuccheck.1m //
510 uucico.1m //
511 uucleanup.1m //
512 uusched.1m //
513 uuxqt.1m //
514 vmstat.1m //
515 volcopy.1m //

```

```

516          volcopy_ufs.1m      //
517          vscanadm.1m        //
518          vscand.1m          //
519          wall.1m             //
520          wanboot_keygen.1m   //
521          wanboot_keygmt.1m   //
522          wanboot_pl2split.1m //
523          wanbootutil.1m     //
524          whodo.1m           //
525          wificonfig.1m      //
526          wpad.1m            //
527          wracct.1m          //
528          ypbind.1m          //
529          yppinit.1m         //
530          ypmake.1m          //
531          ypmap2src.1m       //
532          yppoll.1m          //
533          yppush.1m          //
534          ypserv.1m          //
535          ypset.1m           //
536          ypstart.1m         //
537          ypxfr.1m           //
538          zdb.1m             //
539          zdump.1m           //
540          zfs.1m             //
541          zic.1m             //
542          zoneadm.1m         //
543          zoneadmd.1m        //
544          zonecfg.1m         //
545          zpool.1m           //
546          zstreamdump.1m     //

548 i386_MANFILES= //
549          acpidump.1m        //
550          acpixtract.1m      //

552 sparc_MANFILES= //
553          cvcd.1m            //
554          dcs.1m             //
555          drd.1m             //
556          efdaemon.1m        //
557          ldmad.1m           //
558          monitor.1m         //
559          obpsym.1m          //
560          oplhpd.1m          //
561          prtdscp.1m         //
562          sckmd.1m           //
563          sf880drd.1m        //
564          vntsd.1m           //

565 MANLINKS= //
566          acctcon1.1m        //
567          acctcon2.1m        //
568          acctdisk.1m        //
569          acctdusg.1m        //
570          accton.1m          //
571          acctprc1.1m        //
572          acctprc2.1m        //
573          acctwtmp.1m        //
574          bootparamd.1m      //
575          chargefee.1m       //
576          ckpacct.1m         //
577          closewtmp.1m       //
578          comsat.1m          //
579          dcopy.1m           //
580          devfsadmd.1m       //
581          dodisk.1m          //
582          fcadm.1m           //

```

```

582          fingerd.1m         //
583          grpck.1m           //
584          hal-find-by-capability.1m //
585          hal-find-by-property.1m //
586          hal-set-property.1m //
587          intro.1m           //
588          kadmin.local.1m    //
589          lastlogin.1m       //
590          monacct.1m         //
591          nulladm.1m         //
592          poweroff.1m        //
593          prctmp.1m          //
594          prdaily.1m         //
595          prtacct.1m         //
596          quotaoff.1m        //
597          rarpd.1m           //
598          rdisc.1m           //
599          reject.1m          //
600          restricted_shell.1m //
601          rexecd.1m          //
602          rlogind.1m         //
603          routed.1m          //
604          rshd.1m            //
605          rstatd.1m          //
606          rusersd.1m         //
607          rwall.1m           //
608          rwhod.1m           //
609          sal.1m             //
610          sa2.1m             //
611          sadc.1m            //
612          shutacct.1m        //
613          sprayd.1m          //
614          startup.1m         //
615          talkd.1m           //
616          telinit.1m         //
617          telnetd.1m         //
618          tftpd.1m           //
619          turnacct.1m        //
620          umount.1m          //
621          umount_smbfs.1m    //
622          umountall.1m      //
623          unlink.1m          //
624          unshareall.1m     //
625          utmp2wtmp.1m       //
626          uucpd.1m           //
627          uutry.1m           //
628          wtmpfix.1m         //
629          yppasswdd.1m       //
630          ypstop.1m          //
631          yppupdated.1m      //
632          ypxfr_1perday.1m   //
633          ypxfr_1perhour.1m //
634          ypxfr_2perday.1m //
635          ypxfrd.1m          //

632 MANFILES= $(MANFILES) $(MACH)_MANFILES

634 intro.1m := LINKSRC = Intro.1m

636 uutry.1m := LINKSRC = Uutry.1m

638 reject.1m := LINKSRC = accept.1m

640 acctdisk.1m := LINKSRC = acct.1m
641 acctdusg.1m := LINKSRC = acct.1m
642 accton.1m := LINKSRC = acct.1m

```

```

643 acctwtmp.lm           := LINKSRC = acct.lm
644 closewtmp.lm         := LINKSRC = acct.lm
645 utmp2wtmp.lm         := LINKSRC = acct.lm

647 acctcon1.lm          := LINKSRC = acctcon.lm
648 acctcon2.lm          := LINKSRC = acctcon.lm

650 acctprc1.lm          := LINKSRC = acctprc.lm
651 acctprc2.lm          := LINKSRC = acctprc.lm

653 chargefee.lm        := LINKSRC = acctsh.lm
654 ckpacct.lm          := LINKSRC = acctsh.lm
655 dodisk.lm           := LINKSRC = acctsh.lm
656 lastlogin.lm        := LINKSRC = acctsh.lm
657 monacct.lm          := LINKSRC = acctsh.lm
658 nulladm.lm          := LINKSRC = acctsh.lm
659 prctmp.lm           := LINKSRC = acctsh.lm
660 prdaily.lm          := LINKSRC = acctsh.lm
661 prtacct.lm          := LINKSRC = acctsh.lm
662 shutacct.lm         := LINKSRC = acctsh.lm
663 startup.lm          := LINKSRC = acctsh.lm
664 turnacct.lm         := LINKSRC = acctsh.lm

666 dcopy.lm            := LINKSRC = clri.lm

668 devfsadmd.lm        := LINKSRC = devfsadm.lm

670 fcdm.lm             := LINKSRC = fcinfo.lm

672 wtmpfix.lm          := LINKSRC = fwtmp.lm

674 hal-find-by-capability.lm := LINKSRC = hal-find.lm
675 hal-find-by-property.lm  := LINKSRC = hal-find.lm

677 hal-set-property.lm   := LINKSRC = hal-get-property.lm

679 poweroff.lm         := LINKSRC = halt.lm

682 comsat.lm           := LINKSRC = in.comsat.lm
683 fingerd.lm          := LINKSRC = in.fingerd.lm
684 rarpd.lm            := LINKSRC = in.rarpd.lm
685 rdisc.lm            := LINKSRC = in.rdisc.lm
686 rexecd.lm           := LINKSRC = in.rexecd.lm
687 rlogind.lm          := LINKSRC = in.rlogind.lm
688 routed.lm           := LINKSRC = in.routed.lm
689 rshd.lm             := LINKSRC = in.rshd.lm
690 rwhod.lm            := LINKSRC = in.rwhod.lm
691 talkd.lm            := LINKSRC = in.talkd.lm
692 telnetd.lm          := LINKSRC = in.telnetd.lm
693 tftpd.lm            := LINKSRC = in.tftpd.lm
694 uucpd.lm            := LINKSRC = in.uucpd.lm

696 telinit.lm          := LINKSRC = init.lm

698 kadmin.local.lm     := LINKSRC = kadmin.lm

700 unlink.lm           := LINKSRC = link.lm

702 umount.lm           := LINKSRC = mount.lm

704 umount_smbfs.lm     := LINKSRC = mount_smbfs.lm

706 umountall.lm        := LINKSRC = mountall.lm

708 grpck.lm            := LINKSRC = pwck.lm

```

```

710 quotaoff.lm         := LINKSRC = quotaon.lm

712 bootparamd.lm       := LINKSRC = rpc.bootparamd.lm
725 rstatd.lm          := LINKSRC = rpc.rstatd.lm
726 rusersd.lm          := LINKSRC = rpc.rusersd.lm
727 rwall.d.lm          := LINKSRC = rpc.rwall.d.lm
728 sprayd.lm           := LINKSRC = rpc.sprayd.lm
713 yppasswdd.lm        := LINKSRC = rpc.yppasswdd.lm
714 yppupdated.lm       := LINKSRC = rpc.yppupdated.lm

716 restricted_shell.lm := LINKSRC = rsh.lm

718 sa1.lm              := LINKSRC = sar.lm
719 sa2.lm              := LINKSRC = sar.lm
720 sadc.lm             := LINKSRC = sar.lm

722 unshareall.lm       := LINKSRC = shareall.lm

724 ypxfrd.lm           := LINKSRC = ypserv.lm

726 ypstop.lm           := LINKSRC = ypstart.lm

728 ypxfr_1perday.lm    := LINKSRC = ypxfr.lm
729 ypxfr_1perhour.lm  := LINKSRC = ypxfr.lm
730 ypxfr_2perday.lm   := LINKSRC = ypxfr.lm

733 .KEEP_STATE:

735 include              $(SRC)/man/Makefile.man

737 install:             $(ROOTMANFILES) $(ROOTMANLINKS)

```

new/usr/src/man/man3rpc/Makefile

1

829 Fri May 26 19:24:19 2017

new/usr/src/man/man3rpc/Makefile

8112 EOF crazier RPC daemons

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 #
```

```
17 include      $(SRC)/Makefile.master
```

```
19 MANSECT=     3rpc
```

```
21 MANFILES=    rstat.3rpc   \
22              rusers.3rpc  \
23              rwall.3rpc   \
24              spray.3rpc
23              rwall.3rpc
```

```
26 MANLINKS=    havedisk.3rpc \
27              rnusers.3rpc
```

```
29 havedisk.3rpc := LINKSRC = rstat.3rpc
```

```
31 rnusers.3rpc  := LINKSRC = rusers.3rpc
```

```
33 .KEEP_STATE:
```

```
35 include      $(SRC)/man/Makefile.man
```

```
37 install:     $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
2434 Fri May 26 19:24:20 2017
new/usr/src/man/man3rpc/rstat.3rpc
8112 EOF crazier RPC daemons
*****
1  \" te
2  \. Copyright 1989 AT&T Copyright (c) 1997, Sun Microsystems, Inc. All Rights
3  \. The contents of this file are subject to the terms of the Common Development
4  \. You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
5  \. When distributing Covered Code, include this CDDL HEADER in each file and in
6  .TH RSTAT 3RPC "Dec 30, 1996"
7  .SH NAME
8  rstat, havedisk \- get performance data from remote kernel
9  .SH SYNOPSIS
10 .LP
11 .nf
12 \fBcc\fR [ \fIfIflag\fR ... ] \fIfIfile\fR ... \fIfB-lrpcsvc\fR [ \fIfIlibrary\fR ... ]
13 #include <rpc/rpc.h>
14 #include <rpcsvc/rstat.h>

16 \fBenum clnt_stat\fR \fBBrstat\fR(\fBbchar *fR\fIhost\fR, \fBstruct statstime *fR
17 .fi

19 .LP
20 .nf
21 \fBint\fR \fBhavedisk\fR(\fBbchar *fR\fIhost\fR);
22 .fi

24 .SH PROTOCOL
25 .sp
25 .LP
26 \fB/usr/include/rpcsvc/rstat.x\fR
27 .SH DESCRIPTION
28 .sp
28 .LP
29 These routines require that the \fBBrpc.rstatd\fR(1M) daemon be configured and
30 available on the remote system indicated by \fIhost\fR. The \fBBrstat()\fR
31 protocol is used to gather statistics from remote kernel. Statistics will be
32 available on items such as paging, swapping, and cpu utilization.
33 .sp
34 .LP
35 \fBBrstat()\fR fills in the \fBstatstime\fR structure \fIstatp\fR for
36 \fIhost\fR. \fIstatp\fR must point to an allocated \fBstatstime\fR structure.
37 \fBBrstat()\fR returns \fBRPC_SUCCESS\fR if it was successful; otherwise a
38 \fBenum clnt_stat\fR is returned which can be displayed using
39 \fBclnt_perrno\fR(3NSL).
40 .sp
41 .LP
42 \fBhavedisk()\fR returns \fB1\fR if \fIhost\fR has disk, \fB0\fR if it does
43 not, and \fB(mil)\fR if this cannot be determined.
44 .sp
45 .LP
46 The following XDR routines are available in \fBlibrpcsvc\fR:
47 .sp
48 .in +2
49 .nf
50 xdr_statstime
51 xdr_statsvar
52 .fi
53 .in -2
54 .sp

56 .SH ATTRIBUTES
59 .sp
57 .LP
58 See \fBAttributes\fR(5) for descriptions of the following attributes:

```

```

59 .sp
61 .sp
62 .TS
63 box;
64 c | c
65 l | l .
66 ATTRIBUTE TYPE ATTRIBUTE VALUE
67 _
68 MT-Level MT-Safe
69 .TE

71 .SH SEE ALSO
75 .sp
72 .LP
73 \fBBrpc_clnt_calls\fR(3NSL), \fBAttributes\fR(5)
77 \fBBrup\fR(1), \fBBrpc.rstatd\fR(1M), \fBBrpc_clnt_calls\fR(3NSL),
78 \fBAttributes\fR(5)

```

```

*****
4062 Fri May 26 19:24:21 2017
new/usr/src/man/man3rpc/spray.3rpc
8112 EOF crazier RPC daemons
*****
1 \" te
2.\" Copyright 1989 AT&T Copyright (c) 1997, Sun Microsystems, Inc. All Rights
3.\" The contents of this file are subject to the terms of the Common Development
4.\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
5.\" When distributing Covered Code, include this CDDL HEADER in each file and in
6.TH SPRAY 3RPC \"Apr 13, 2017\"
6.TH SPRAY 3SOCKET \"Dec 30, 1996\"
7.SH NAME
8 spray \- scatter data in order to test the network
9.SH SYNOPSIS
10.LP
11.nf
12 \fBcc\fR [ \fIflag\fR ... ] \fIfile\fR ... \fB-lsocket\fR \fB-lnsl\fR \
13 \fB-lrpcsvc\fR [ \fIlibrary\fR ... ]
14 \fBcc\fR [ \fIflag\fR ... ] \fIfile\fR ... \fB-lsocket\fR \fB-lnsl\fR [ \fIlib
14 #include <rpcsvc/spray.h>

16 \fBbool_t\fR \fBxdr_sprayarr\fR(\fBXDR *\fR\fIdxrs\fR, \fBsprayarr *\fR\fIobjp\f
17 .fi

19.LP
20.nf
21 \fBbool_t\fR \fBxdr_spraycumul\fR(\fBXDR *\fR\fIdxrs\fR, \fBspraycumul *\fR\fIobj
22 .fi

24.SH DESCRIPTION
24.sp
25.LP
26 The spray program sends packets to a given machine to test communications with
27 that machine.
28.sp
29.LP
30 The spray program is not a C function interface, per se, but it can be accessed
31 using the generic remote procedure calling interface \fBclnt_call()\fR. See
32 \fBbrpc_clnt_calls\fR(3NSL). The program sends a packet to the called host. The
33 host acknowledges receipt of the packet. The program counts the number of
34 acknowledgments and can return that count.
35.sp
36.LP
37 The spray program currently supports the following procedures, which should be
38 called in the order given:
39.sp
40.ne 2
41.na
42 \fBfbfsprayproc_clear\fR\fR
43.ad
44.RS 19n
45 This procedure clears the counter.
46.RE

48.sp
49.ne 2
50.na
51 \fBfbfsprayproc_spray\fR\fR
52.ad
53.RS 19n
54 This procedure sends the packet.
55.RE

57.sp
58.ne 2

```

```

59.na
60 \fBfbfsprayproc_get\fR\fR
61.ad
62.RS 19n
63 This procedure returns the count and the amount of time since the last
64 \fBfbfsprayproc_clear\fR.
65.RE

67.SH EXAMPLES
68.LP
69 \fBExample 1 \fRUsing \fBspray()\fR
70.sp
71.LP
72 The following code fragment demonstrates how the spray program is used:

74.sp
75.in +2
76.nf
77 #include <rpc/rpc.h>
78 #include <rpcsvc/spray.h>
79 .
80 spraycumul spray_result;
81 sprayarr spray_data;
82 char buf[100]; /* arbitrary data */
83 int loop = 1000;
84 CLIENT *clnt;
85 struct timeval timeout0 = {0, 0};
86 struct timeval timeout25 = {25, 0};
87 spray_data.sprayarr_len = (uint_t)100;
88 spray_data.sprayarr_val = buf;
89 clnt = clnt_create("somehost", SPRAYPROC, SPRAYVERS, "netpath");
90 if (clnt == (CLIENT *)NULL) {
91 /* handle this error */
92 }
93 if (clnt_call(clnt, SPRAYPROC_CLEAR,
94 xdr_void, NULL, xdr_void, NULL, timeout25)) {
95 /* handle this error */
96 }
97 while (loop\mi > 0) {
98 if (clnt_call(clnt, SPRAYPROC_SPRAY,
99 xdr_sprayarr, &spray_data, xdr_void, NULL, timeout0)) {
100 /* handle this error */
101 }
102 }
103 if (clnt_call(clnt, SPRAYPROC_GET,
104 xdr_void, NULL, xdr_spraycumul, &spray_result, timeout25)) {
105 /* handle this error */
106 }
107 printf("Acknowledged %ld of 1000 packets in %d secs %d usecs\n",
108 spray_result.counter,
109 spray_result.clock.sec,
110 spray_result.clock.usec);
111 .fi
112.in -2

114.SH ATTRIBUTES
115.sp
115.LP
116 See \fBattributes\fR(5) for descriptions of the following attributes:
117.sp

119.sp
120.TS
121 box;
122 c | c
123 1 | 1 .

```

```
124 ATTRIBUTE TYPE    ATTRIBUTE VALUE
125 _
126 MT-Level          Unsafe
127 .TE
```

```
129 .SH SEE ALSO
```

```
131 .sp
```

```
130 .LP
```

```
131 \fBrpc_clnt_calls\fR(3NSL), \fBattributes\fR(5)
```

```
133 \fBspray\fR(1M), \fBrpc_clnt_calls\fR(3NSL), \fBattributes\fR(5)
```

```
132 .SH NOTES
```

```
135 .sp
```

```
133 .LP
```

```
134 This interface is unsafe in multithreaded applications.  Unsafe interfaces
135 should be called only from the main thread.
```

```
136 .sp
```

```
137 .LP
```

```
138 A spray program is not useful as a networking benchmark as it uses unreliable
139 connectionless transports, for example, udp. It can report a large number of
140 packets dropped, when the drops were caused by the program sending packets
141 faster than they can be buffered locally, that is, before the packets get to
142 the network medium.
```



```

*****
      8484 Fri May 26 19:24:23 2017
new/usr/src/man/man3socket/Makefile
8112 EOF crazier RPC daemons
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2013, OmniTI Computer Consulting, Inc.
16 #
17 #
18 include      $(SRC)/Makefile.master
19 #
20 MANSECT=     3socket
21 #
22 MANFILES=    accept.3socket      \|
23              bind.3socket        \|
24              byteorder.3socket   \|
25              connect.3socket     \|
26              ethers.3socket      \|
27              getaddrinfo.3socket \|
28              getifaddrs.3socket  \|
29              getipnodebyname.3socket \|
30              getnetbyname.3socket \|
31              getpeername.3socket \|
32              getprotobyname.3socket \|
33              getservbyname.3socket \|
34              getsockname.3socket \|
35              getssockopt.3socket \|
36              getsourcefilter.3socket \|
37              icmp6_filter.3socket \|
38              if_nametoindex.3socket \|
39              inet.3socket         \|
40              inet6_opt.3socket    \|
41              inet6_rth.3socket    \|
42              listen.3socket       \|
43              rcmd.3socket         \|
44              recv.3socket         \|
45              rexec.3socket        \|
46              sctp_bindx.3socket   \|
47              sctp_getladdrs.3socket \|
48              sctp_getpaddrs.3socket \|
49              sctp_opt_info.3socket \|
50              sctp_peeloff.3socket \|
51              sctp_recvmmsg.3socket \|
52              sctp_send.3socket    \|
53              sctp_sendmsg.3socket \|
54              send.3socket         \|
55              sockaddr.3socket     \|
56              shutdown.3socket    \|
57              socket.3socket       \|
58              socketpair.3socket \|
58              socketpair.3socket \|
59              spray.3socket

```

```

60 MANLINKS=    accept4.3socket      \|
61              endnetent.3socket    \|
62              endprotoent.3socket  \|
63              endservent.3socket   \|
64              ether_aton.3socket   \|
65              ether_aton_r.3socket \|
66              ether_hostton.3socket \|
67              ether_line.3socket   \|
68              ether_ntoa.3socket   \|
69              ether_ntoa_r.3socket \|
70              ether_ntohost.3socket \|
71              freeaddrinfo.3socket \|
72              freehostent.3socket  \|
73              freeifaddrs.3socket  \|
74              gai_strerror.3socket \|
75              getipnodebyaddr.3socket \|
76              getipv4sourcefilter.3socket \|
77              getnameinfo.3socket  \|
78              getnetbyaddr.3socket  \|
79              getnetbyaddr_r.3socket \|
80              getnetbyname_r.3socket \|
81              getnetent.3socket    \|
82              getnetent_r.3socket   \|
83              getprotobyname_r.3socket \|
84              getprotobyname.3socket \|
85              getprotobyname_r.3socket \|
86              getprotoent.3socket  \|
87              getprotoent_r.3socket \|
88              getservbyname_r.3socket \|
89              getservbyport.3socket \|
90              getservbyport_r.3socket \|
91              getservent.3socket   \|
92              getservent_r.3socket  \|
93              htonl.3socket        \|
94              htonll.3socket       \|
95              htons.3socket        \|
96              if_freenameindex.3socket \|
97              if_indextoname.3socket \|
98              if_nameindex.3socket  \|
99              inet6.3socket        \|
100             inet6_opt_append.3socket \|
101             inet6_opt_find.3socket  \|
102             inet6_opt_finish.3socket \|
103             inet6_opt_get_val.3socket \|
104             inet6_opt_init.3socket  \|
105             inet6_opt_next.3socket  \|
106             inet6_opt_set_val.3socket \|
107             inet6_rth_add.3socket    \|
108             inet6_rth_getaddr.3socket \|
109             inet6_rth_init.3socket   \|
110             inet6_rth_reverse.3socket \|
111             inet6_rth_segments.3socket \|
112             inet6_rth_space.3socket  \|
113             inet_addr.3socket        \|
114             inet_aton.3socket        \|
115             inet_lnaof.3socket       \|
116             inet_makeaddr.3socket    \|
117             inet_netof.3socket       \|
118             inet_network.3socket     \|
119             inet_ntoa.3socket        \|
120             inet_ntop.3socket        \|
121             inet_pton.3socket        \|
122             ntohl.3socket            \|
123             ntohs.3socket            \|
124             ntohs.3socket            \|
125             rcmd_af.3socket

```

```

126     recvfrom.3socket      //
127     recvmsg.3socket      //
128     rexec_af.3socket     //
129     rresvport.3socket   //
130     rresvport_af.3socket //
131     ruserok.3socket     //
132     sctp_freeladdrs.3socket //
133     sctp_freepaddrs.3socket //
134     sendmsg.3socket     //
135     sendto.3socket      //
136     setipv4sourcefilter.3socket //
137     setnetent.3socket   //
138     setprotoent.3socket //
139     setservent.3socket  //
140     setsockopt.3socket  //
141     setsourcefilter.3socket //
142     sockaddr_dl.3socket //
143     sockaddr_in.3socket //
144     sockaddr_in6.3socket //
145     sockaddr_ll.3socket //
146     sockaddr_storage.3socket //
147     sockaddr_un.3socket //

149 accept4.3socket      := LINKSRC = accept.3socket

151 htonl.3socket        := LINKSRC = byteorder.3socket
152 htonl.3socket        := LINKSRC = byteorder.3socket
153 htons.3socket         := LINKSRC = byteorder.3socket
154 ntohl.3socket         := LINKSRC = byteorder.3socket
155 ntohll.3socket        := LINKSRC = byteorder.3socket
156 ntohs.3socket         := LINKSRC = byteorder.3socket

158 ether_aton.3socket   := LINKSRC = ethers.3socket
159 ether_aton_r.3socket := LINKSRC = ethers.3socket
160 ether_hostton.3socket := LINKSRC = ethers.3socket
161 ether_line.3socket   := LINKSRC = ethers.3socket
162 ether_ntoa.3socket   := LINKSRC = ethers.3socket
163 ether_ntoa_r.3socket := LINKSRC = ethers.3socket
164 ether_ntohost.3socket := LINKSRC = ethers.3socket

166 freeaddrinfo.3socket := LINKSRC = getaddrinfo.3socket
167 gai_strerror.3socket := LINKSRC = getaddrinfo.3socket
168 getnameinfo.3socket  := LINKSRC = getaddrinfo.3socket

170 freeifaddrs.3socket := LINKSRC = getifaddrs.3socket

172 freehostent.3socket := LINKSRC = getipnodebyname.3socket
173 getipnodebyaddr.3socket := LINKSRC = getipnodebyname.3socket

175 endnetent.3socket   := LINKSRC = getnetbyname.3socket
176 getnetbyaddr.3socket := LINKSRC = getnetbyname.3socket
177 getnetbyaddr_r.3socket := LINKSRC = getnetbyname.3socket
178 getnetbyname_r.3socket := LINKSRC = getnetbyname.3socket
179 getnetent.3socket   := LINKSRC = getnetbyname.3socket
180 getnetent_r.3socket := LINKSRC = getnetbyname.3socket
181 setnetent.3socket   := LINKSRC = getnetbyname.3socket

183 endprotoent.3socket := LINKSRC = getprotobyname.3socket
184 getprotobyname_r.3socket := LINKSRC = getprotobyname.3socket
185 getprotobyname.3socket := LINKSRC = getprotobyname.3socket
186 getprotobyname_r.3socket := LINKSRC = getprotobyname.3socket
187 getprotoent.3socket   := LINKSRC = getprotobyname.3socket
188 getprotoent_r.3socket := LINKSRC = getprotobyname.3socket
189 setprotoent.3socket   := LINKSRC = getprotobyname.3socket

191 endservent.3socket  := LINKSRC = getservbyname.3socket

```

```

192 getservbyname_r.3socket := LINKSRC = getservbyname.3socket
193 getservbyport.3socket  := LINKSRC = getservbyname.3socket
194 getservbyport_r.3socket := LINKSRC = getservbyname.3socket
195 getservent.3socket     := LINKSRC = getservbyname.3socket
196 getservent_r.3socket  := LINKSRC = getservbyname.3socket
197 setservent.3socket     := LINKSRC = getservbyname.3socket

199 setsockopt.3socket     := LINKSRC = getsockopt.3socket

201 getipv4sourcefilter.3socket := LINKSRC = getsourcefilter.3socket
202 setipv4sourcefilter.3socket := LINKSRC = getsourcefilter.3socket
203 setsourcefilter.3socket   := LINKSRC = getsourcefilter.3socket

205 if_freenameindex.3socket := LINKSRC = if_nametoindex.3socket
206 if_indebyname.3socket    := LINKSRC = if_nametoindex.3socket
207 if_nameindex.3socket     := LINKSRC = if_nametoindex.3socket

209 inet6.3socket          := LINKSRC = inet.3socket
210 inet_addr.3socket      := LINKSRC = inet.3socket
211 inet_aton.3socket      := LINKSRC = inet.3socket
212 inet_lnaof.3socket     := LINKSRC = inet.3socket
213 inet_makeaddr.3socket := LINKSRC = inet.3socket
214 inet_netof.3socket     := LINKSRC = inet.3socket
215 inet_network.3socket   := LINKSRC = inet.3socket
216 inet_ntoa.3socket     := LINKSRC = inet.3socket
217 inet_ntop.3socket     := LINKSRC = inet.3socket
218 inet_pton.3socket     := LINKSRC = inet.3socket

220 inet6_opt_append.3socket := LINKSRC = inet6_opt.3socket
221 inet6_opt_find.3socket  := LINKSRC = inet6_opt.3socket
222 inet6_opt_finish.3socket := LINKSRC = inet6_opt.3socket
223 inet6_opt_get_val.3socket := LINKSRC = inet6_opt.3socket
224 inet6_opt_init.3socket  := LINKSRC = inet6_opt.3socket
225 inet6_opt_next.3socket  := LINKSRC = inet6_opt.3socket
226 inet6_opt_set_val.3socket := LINKSRC = inet6_opt.3socket

228 inet6_rth_add.3socket   := LINKSRC = inet6_rth.3socket
229 inet6_rth_getaddr.3socket := LINKSRC = inet6_rth.3socket
230 inet6_rth_init.3socket  := LINKSRC = inet6_rth.3socket
231 inet6_rth_reverse.3socket := LINKSRC = inet6_rth.3socket
232 inet6_rth_segments.3socket := LINKSRC = inet6_rth.3socket
233 inet6_rth_space.3socket := LINKSRC = inet6_rth.3socket

235 rcmd_af.3socket        := LINKSRC = rcmd.3socket
236 rresvport.3socket     := LINKSRC = rcmd.3socket
237 rresvport_af.3socket  := LINKSRC = rcmd.3socket
238 ruserok.3socket       := LINKSRC = rcmd.3socket

240 recvfrom.3socket      := LINKSRC = recv.3socket
241 recvmsg.3socket       := LINKSRC = recv.3socket

243 rexec_af.3socket     := LINKSRC = rexec.3socket

245 sctp_freeladdrs.3socket := LINKSRC = sctp_getladdrs.3socket

247 sctp_freepaddrs.3socket := LINKSRC = sctp_getpaddrs.3socket

249 sendmsg.3socket      := LINKSRC = send.3socket
250 sendto.3socket       := LINKSRC = send.3socket

252 sockaddr_dl.3socket   := LINKSRC = sockaddr.3socket
253 sockaddr_in.3socket   := LINKSRC = sockaddr.3socket
254 sockaddr_in6.3socket  := LINKSRC = sockaddr.3socket
255 sockaddr_ll.3socket   := LINKSRC = sockaddr.3socket
256 sockaddr_storage.3socket := LINKSRC = sockaddr.3socket
257 sockaddr_un.3socket   := LINKSRC = sockaddr.3socket

```

new/usr/src/man/man3socket/Makefile

5

259 .KEEP_STATE:

261 include \$(SRC)/man/Makefile.man

263 install: \$(ROOTMANFILES) \$(ROOTMANLINKS)

```

*****
5561 Fri May 26 19:24:24 2017
new/usr/src/man/man4/Makefile
8277 EOF filesync
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015, Joyent, Inc.
15 # Copyright 2016 Nexenta Systems, Inc.
16 #
17 #
18 include      $(SRC)/Makefile.master
19 #
20 MANSECT=     4
21 #
22 _MANFILES=   Intro.4 \
23              NISLDAPmapping.4 \
24              a.out.4 \
25              admin.4 \
26              alias.4 \
27              aliases.4 \
28              au.4 \
29              audit.log.4 \
30              audit_class.4 \
31              audit_event.4 \
32              auth_attr.4 \
33              autofs.4 \
34              bart_manifest.4 \
35              bart_rules.4 \
36              bootparams.4 \
37              cardbus.4 \
38              compver.4 \
39              contents.4 \
40              contract.4 \
41              copyright.4 \
42              core.4 \
43              crypt.conf.4 \
44              crypto_certs.4 \
45              ctf.4 \
46              d_passwd.4 \
47              dacf.conf.4 \
48              dat.conf.4 \
49              default_fs.4 \
50              defaultdomain.4 \
51              defaultrouter.4 \
52              depend.4 \
53              device_allocate.4 \
54              device_contract.4 \
55              device_maps.4 \
56              devices.4 \
57              dfstab.4 \
58              dhcp_inittab.4 \
59              dialups.4 \
60              dir_ufs.4 \
61              driver.conf.4

```

```

62          ds.log.4 \
63          ethers.4 \
64          exec_attr.4 \
65          fdi.4 \
66          format.dat.4 \
67          fspec.4 \
68          fstypes.4 \
69          ftp.4 \
70          ftpusers.4 \
71          fx_dptbl.4 \
72          gateways.4 \
73          group.4 \
74          gsscred.conf.4 \
75          hba.conf.4 \
76          holidays.4 \
77          hosts.4 \
78          hosts.equiv.4 \
79          hosts_access.4 \
80          hosts_options.4 \
81          ib.4 \
82          ike.config.4 \
83          ike.preshared.4 \
84          ipf.4 \
85          ipmon.4 \
86          ipnat.4 \
87          ippool.4 \
88          inet_type.4 \
89          inetd.conf.4 \
90          init.4 \
91          init.d.4 \
92          inittab.4 \
93          ipaddrsel.conf.4 \
94          ipnodes.4 \
95          issue.4 \
96          kadm5.acl.4 \
97          kdc.conf.4 \
98          keytables.4 \
99          krb5.conf.4 \
100         ldapfilter.conf.4 \
101         ldapsearchprefs.conf.4 \
102         ldaptemplates.conf.4 \
103         loader.conf.4 \
104         logadm.conf.4 \
105         logindevperm.4 \
106         loginlog.4 \
107         magic.4 \
108         mailer.conf.4 \
109         mech.4 \
110         mnttab.4 \
111         mpapi.conf.4 \
112         nca.if.4 \
113         ncad_addr.4 \
114         ncakmod.conf.4 \
115         ncalogd.conf.4 \
116         ncaport.conf.4 \
117         ndmp.4 \
118         ndpd.conf.4 \
119         netconfig.4 \
120         netgroup.4 \
121         netid.4 \
122         netmasks.4 \
123         netrc.4 \
124         networks.4 \
125         nfs.4 \
126         nfslog.conf.4 \
127         nfssec.conf.4

```

```

128          nodename.4
129          nologin.4
130          note.4
131          notrouter.4
132          nscd.conf.4
133          nsmbrc.4
134          nss.4
135          nsswitch.conf.4
136          packingrules.4
136          pam.conf.4
137          passwd.4
138          path_to_inst.4
139          pci.4
140          phones.4
141          pkginfo.4
142          pkgmap.4
143          policy.conf.4
144          power.conf.4
145          printers.4
146          printers.conf.4
147          priv_names.4
148          proc.4
149          process.4
150          prof_attr.4
151          profile.4
152          project.4
153          protocols.4
154          prototype.4
155          pseudo.4
156          publickey.4
157          queuedefs.4
158          rcmscript.4
159          rdc.cf.4
160          remote.4
161          resolv.conf.4
162          rmtab.4
163          rpc.4
164          rt_dptbl.4
165          sasl_appname.conf.4
166          scsi.4
167          securenets.4
168          sel_config.4
169          sendmail.4
170          service_bundle.4
171          service_provider.conf.4
172          services.4
173          shadow.4
174          sharetab.4
175          shells.4
176          slp.conf.4
177          slpd.reg.4
178          smb.4
179          smbautohome.4
180          smhba.conf.4
181          sndr.4
182          sock2path.d.4
183          space.4
184          sulog.4
185          syslog.conf.4
186          system.4
187          term.4
188          terminfo.4
189          timezone.4
190          tnfn_kernel_probes.4
191          ts_dptbl.4
192          ttydefs.4

```

```

193          ttysrch.4
194          ufsdump.4
195          updaters.4
196          user_attr.4
197          utmp.4
198          utmpx.4
199          vfstab.4
200          wanboot.conf.4
201          warn.conf.4
202          ypfiles.4
203          yppasswdd.4
204          ypserv.4
205          zoneinfo.4

207 sparc_MANFILES= sbus.4

209 i386_MANFILES= sysbus.4

211 _MANLINKS= addresses.4
212             devid_cache.4
213             devname_cache.4
214             dir.4
215             dumpdates.4
216             fbtab.4
217             forward.4
218             fs.4
219             hosts.allow.4
220             hosts.deny.4
221             intro.4
222             ipf.conf.4
223             ipf6.conf.4
224             ipmon.conf.4
225             ipnat.conf.4
226             ippool.conf.4
227             mdi_ib_cache.4
228             mdi_scsi_vhci_cache.4
229             pci_unitaddr_persistent.4
230             pcie.4
231             qop.4
232             rhosts.4
233             sendmail.cf.4
234             snapshot_cache.4
235             submit.cf.4
236             wtmp.4
237             wtmpx.4

239 i386_MANLINKS= isa.4

241 MANFILES=  $(MANFILES) $(MACH)_MANFILES
242 MANLINKS=  $(MANLINKS) $(MACH)_MANLINKS

244 intro.4           := LINKSRC = Intro.4

246 addresses.4      := LINKSRC = aliases.4
247 forward.4        := LINKSRC = aliases.4

249 fs.4             := LINKSRC = default_fs.4

251 devid_cache.4    := LINKSRC = devices.4
252 devname_cache.4  := LINKSRC = devices.4
253 mdi_ib_cache.4   := LINKSRC = devices.4
254 mdi_scsi_vhci_cache.4 := LINKSRC = devices.4
255 pci_unitaddr_persistent.4 := LINKSRC = devices.4
256 snapshot_cache.4 := LINKSRC = devices.4

258 dir.4            := LINKSRC = dir_ufs.4

```

```
260 rhosts.4           := LINKSRC = hosts.equiv.4
262 hosts.allow.4      := LINKSRC = hosts_access.4
263 hosts.deny.4       := LINKSRC = hosts_access.4
265 ipf.conf.4         := LINKSRC = ipf.4
266 ipf6.conf.4        := LINKSRC = ipf.4
268 ipmon.conf.4       := LINKSRC = ipmon.4
270 ipnat.conf.4       := LINKSRC = ipnat.4
272 ippool.conf.4      := LINKSRC = ippool.4
274 fbtab.4           := LINKSRC = logindevperm.4
276 qop.4             := LINKSRC = mech.4
278 pcie.4            := LINKSRC = pci.4
280 sendmail.cf.4      := LINKSRC = sendmail.4
281 submit.cf.4        := LINKSRC = sendmail.4
283 isa.4             := LINKSRC = sysbus.4
285 dumpdates.4       := LINKSRC = ufsdump.4
287 wtmp.4            := LINKSRC = utmp.4
289 wtmpx.4           := LINKSRC = utmpx.4
291 .KEEP_STATE:
293 include             $(SRC)/man/Makefile.man
295 install:           $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/pkg/manifests/SUNWcs.man4.inc

1

4798 Fri May 26 19:24:25 2017

new/usr/src/pkg/manifests/SUNWcs.man4.inc

8277 EOF filesync

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 #
16 #
17 file path=usr/share/man/man4/Intro.4
18 file path=usr/share/man/man4/audit.log.4
19 file path=usr/share/man/man4/audit_class.4
20 file path=usr/share/man/man4/audit_event.4
21 file path=usr/share/man/man4/auth_attr.4
22 file path=usr/share/man/man4/contract.4
23 file path=usr/share/man/man4/core.4
24 file path=usr/share/man/man4/crypt.conf.4
25 file path=usr/share/man/man4/crypto_certs.4
26 file path=usr/share/man/man4/ctf.4
27 file path=usr/share/man/man4/d_passwd.4
28 file path=usr/share/man/man4/dacf.conf.4
29 file path=usr/share/man/man4/default_fs.4
30 file path=usr/share/man/man4/defaultrouter.4
31 file path=usr/share/man/man4/device_allocate.4
32 file path=usr/share/man/man4/device_contract.4
33 file path=usr/share/man/man4/device_maps.4
34 file path=usr/share/man/man4/devices.4
35 file path=usr/share/man/man4/dfstab.4
36 file path=usr/share/man/man4/dhcp_inittab.4
37 file path=usr/share/man/man4/dialups.4
38 file path=usr/share/man/man4/ethers.4
39 file path=usr/share/man/man4/exec_attr.4
40 file path=usr/share/man/man4/format.dat.4
41 file path=usr/share/man/man4/fspec.4
42 file path=usr/share/man/man4/fstypes.4
43 file path=usr/share/man/man4/ftpusers.4
44 file path=usr/share/man/man4/fx_dptbl.4
45 file path=usr/share/man/man4/group.4
46 file path=usr/share/man/man4/hosts.4
47 file path=usr/share/man/man4/ike.config.4
48 file path=usr/share/man/man4/ike.preshared.4
49 file path=usr/share/man/man4/inet_type.4
50 file path=usr/share/man/man4/inetd.conf.4
51 file path=usr/share/man/man4/init.4
52 file path=usr/share/man/man4/init.d.4
53 file path=usr/share/man/man4/inittab.4
54 file path=usr/share/man/man4/ipaddrsel.conf.4
55 file path=usr/share/man/man4/ipnodes.4
56 file path=usr/share/man/man4/issue.4
57 file path=usr/share/man/man4/logadm.conf.4
58 file path=usr/share/man/man4/logindevperm.4
59 file path=usr/share/man/man4/loginlog.4
60 file path=usr/share/man/man4/magic.4
61 file path=usr/share/man/man4/mnttab.4
```

new/usr/src/pkg/manifests/SUNWcs.man4.inc

2

```
62 file path=usr/share/man/man4/ndpd.conf.4
63 file path=usr/share/man/man4/netconfig.4
64 file path=usr/share/man/man4/netgroup.4
65 file path=usr/share/man/man4/netid.4
66 file path=usr/share/man/man4/netmasks.4
67 file path=usr/share/man/man4/networks.4
68 file path=usr/share/man/man4/nodename.4
69 file path=usr/share/man/man4/nologin.4
70 file path=usr/share/man/man4/notrouter.4
71 file path=usr/share/man/man4/nscd.conf.4
72 file path=usr/share/man/man4/nsswitch.conf.4
73 file path=usr/share/man/man4/packingerules.4
73 file path=usr/share/man/man4/pam.conf.4
74 file path=usr/share/man/man4/passwd.4
75 file path=usr/share/man/man4/phones.4
76 file path=usr/share/man/man4/policy.conf.4
77 file path=usr/share/man/man4/prof_attr.4
78 file path=usr/share/man/man4/profile.4
79 file path=usr/share/man/man4/project.4
80 file path=usr/share/man/man4/protocols.4
81 file path=usr/share/man/man4/queuedefs.4
82 file path=usr/share/man/man4/rcmscript.4
83 file path=usr/share/man/man4/remote.4
84 file path=usr/share/man/man4/rpc.4
85 file path=usr/share/man/man4/rt_dptbl.4
86 file path=usr/share/man/man4/service_bundle.4
87 file path=usr/share/man/man4/service_provider.conf.4
88 file path=usr/share/man/man4/services.4
89 file path=usr/share/man/man4/shadow.4
90 file path=usr/share/man/man4/sharetab.4
91 file path=usr/share/man/man4/shells.4
92 file path=usr/share/man/man4/sulog.4
93 file path=usr/share/man/man4/syslog.conf.4
94 file path=usr/share/man/man4/term.4
95 file path=usr/share/man/man4/terminfo.4
96 file path=usr/share/man/man4/timezone.4
97 file path=usr/share/man/man4/ttydefs.4
98 file path=usr/share/man/man4/ttysrch.4
99 file path=usr/share/man/man4/ufsdump.4
100 file path=usr/share/man/man4/user_attr.4
101 file path=usr/share/man/man4/utmp.4
102 file path=usr/share/man/man4/utmpx.4
103 file path=usr/share/man/man4/vfstab.4
104 file path=usr/share/man/man4/wanboot.conf.4
105 file path=usr/share/man/man4/zoneinfo.4
106 link path=usr/share/man/man4/devid_cache.4 target=devices.4
107 link path=usr/share/man/man4/devname_cache.4 target=devices.4
108 link path=usr/share/man/man4/dumpdates.4 target=ufsdump.4
109 link path=usr/share/man/man4/fbtabs.4 target=logindevperm.4
110 link path=usr/share/man/man4/fs.4 target=default_fs.4
111 link path=usr/share/man/man4/intro.4 target=Intro.4
112 link path=usr/share/man/man4/mdi_ib_cache.4 target=devices.4
113 link path=usr/share/man/man4/mdi_scsi_vhci_cache.4 target=devices.4
114 link path=usr/share/man/man4/pci_unitaddr_persistent.4 target=devices.4
115 link path=usr/share/man/man4/snapshot_cache.4 target=devices.4
116 link path=usr/share/man/man4/wtmp.4 target=utmp.4
117 link path=usr/share/man/man4/wtmpx.4 target=utmpx.4
```

new/usr/src/pkg/manifests/compatibility-ucb.mf

1

```
*****
9609 Fri May 26 19:24:26 2017
new/usr/src/pkg/manifests/compatibility-ucb.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/compatibility/ucb@$(PKGVERS)
28 set name=pkg.description \
29     value="utilities for user interface and source build compatibility with SunO
30 set name=pkg.summary value="Source Compatibility"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=etc group=sys
34 dir path=etc/mail group=mail
35 dir path=usr group=sys
36 dir path=usr/bin
37 dir path=usr/lib
38 dir path=usr/share/man
39 dir path=usr/share/man/man1b
40 dir path=usr/ucb
41 $(i386_ONLY)dir path=usr/ucb/$(ARCH32)
42 dir path=usr/ucb/$(ARCH64)
43 dir path=usr/ucb/lib
44 dir path=usr/ucb/lib/$(ARCH64)
45 file path=etc/mail/Mail.rc original_name=SUNWscpr:etc/mail/Mail.rc \
46     preserve=true
47 file path=usr/share/man/man1b/basename.1b
48 file path=usr/share/man/man1b/biff.1b
49 file path=usr/share/man/man1b/chown.1b
50 file path=usr/share/man/man1b/df.1b
51 file path=usr/share/man/man1b/du.1b
52 file path=usr/share/man/man1b/echo.1b
53 file path=usr/share/man/man1b/exportfs.1b
54 file path=usr/share/man/man1b/expr.1b
55 file path=usr/share/man/man1b/fastboot.1b
56 file path=usr/share/man/man1b/file.1b
57 file path=usr/share/man/man1b/from.1b
58 file path=usr/share/man/man1b/groups.1b
59 file path=usr/share/man/man1b/grpck.1b
60 file path=usr/share/man/man1b/ln.1b
61 file path=usr/share/man/man1b/logger.1b
```

new/usr/src/pkg/manifests/compatibility-ucb.mf

2

```
62 file path=usr/share/man/man1b/lpc.1b
63 file path=usr/share/man/man1b/lpq.1b
64 file path=usr/share/man/man1b/lpr.1b
65 file path=usr/share/man/man1b/lprm.1b
66 file path=usr/share/man/man1b/lptest.1b
67 file path=usr/share/man/man1b/mail.1b
68 file path=usr/share/man/man1b/mkstr.1b
69 file path=usr/share/man/man1b/printenv.1b
70 file path=usr/share/man/man1b/ps.1b
71 file path=usr/share/man/man1b/rusage.1b
72 file path=usr/share/man/man1b/shutdown.1b
73 file path=usr/share/man/man1b/stty.1b
74 file path=usr/share/man/man1b/sum.1b
75 file path=usr/share/man/man1b/test.1b
76 file path=usr/share/man/man1b/touch.1b
77 file path=usr/share/man/man1b/tset.1b
78 file path=usr/share/man/man1b/users.1b
79 file path=usr/share/man/man1b/vipw.1b
80 file path=usr/share/man/man1b/whereis.1b
81 file path=usr/share/man/man1b/whoami.1b
82 file path=usr/ucb/basename mode=0755
83 file path=usr/ucb/biff mode=0755
84 file path=usr/ucb/chown mode=0755
85 file path=usr/ucb/df mode=0755
86 file path=usr/ucb/du mode=0755
87 file path=usr/ucb/echo mode=0755
88 file path=usr/ucb/expr mode=0755
89 file path=usr/ucb/fastboot mode=0555
90 file path=usr/ucb/fasthalt mode=0555
91 file path=usr/ucb/file mode=0555
92 file path=usr/ucb/from mode=0755
93 file path=usr/ucb/groups mode=0755
94 file path=usr/ucb/install mode=0755
95 file path=usr/ucb/ln mode=0755
96 file path=usr/ucb/ls mode=0755
97 file path=usr/ucb/mkstr mode=0555
98 file path=usr/ucb/printenv mode=0755
99 file path=usr/ucb/rusage mode=0755
100 file path=usr/ucb/sed mode=0555
101 file path=usr/ucb/shutdown mode=0755
102 file path=usr/ucb/stty mode=0755
103 file path=usr/ucb/sum mode=0755
104 file path=usr/ucb/test mode=0755
105 file path=usr/ucb/touch mode=0755
106 file path=usr/ucb/tr mode=0755
107 file path=usr/ucb/tset mode=0755
108 file path=usr/ucb/users mode=0755
109 file path=usr/ucb/vipw mode=0555
110 file path=usr/ucb/whereis mode=0755
111 file path=usr/ucb/whoami mode=0755
112 file path=usr/ucb/lib/$(ARCH64)/libcurses.so.1
113 file path=usr/ucb/lib/$(ARCH64)/libdbm.so.1
114 file path=usr/ucb/lib/$(ARCH64)/librpcsoc.so.1
115 file path=usr/ucb/lib/$(ARCH64)/libtermcap.so.1
116 file path=usr/ucb/lib/$(ARCH64)/libuch.so.1
117 file path=usr/ucb/lib/libcurses.so.1
118 file path=usr/ucb/lib/libdbm.so.1
119 file path=usr/ucb/lib/librpcsoc.so.1
120 file path=usr/ucb/lib/libtermcap.so.1
121 file path=usr/ucb/lib/libuch.so.1
122 $(i386_ONLY)hardlink path=usr/ucb/$(ARCH32)/ps target=../bin/$(ARCH32)/ps
123 hardlink path=usr/ucb/$(ARCH64)/ps target=../bin/$(ARCH64)/ps
124 hardlink path=usr/ucb/ps target=../usr/lib/isaexec
125 legacy pkg=SUNWscpr \
126     desc="utilities for user interface and source build compatibility with SunOS
127     name="Source Compatibility, (Root)"
```



```

128 legacy pkg=SUNWscpu \
129   desc="utilities for user interface and source build compatibility with SunOS
130   name="Source Compatibility, (Usr)"
131 license cr_Sun license=cr_Sun
132 license lic_CDDL license=lic_CDDL
133 license usr/src/ucbcmd/basename/THIRDPARTYLICENSE \
134   license=usr/src/ucbcmd/basename/THIRDPARTYLICENSE
135 license usr/src/ucbcmd/echo/THIRDPARTYLICENSE \
136   license=usr/src/ucbcmd/echo/THIRDPARTYLICENSE
137 license usr/src/ucbcmd/from/THIRDPARTYLICENSE \
138   license=usr/src/ucbcmd/from/THIRDPARTYLICENSE
139 license usr/src/ucbcmd/groups/THIRDPARTYLICENSE \
140   license=usr/src/ucbcmd/groups/THIRDPARTYLICENSE
141 license usr/src/ucbcmd/ln/THIRDPARTYLICENSE \
142   license=usr/src/ucbcmd/ln/THIRDPARTYLICENSE
143 license usr/src/ucbcmd/ls/THIRDPARTYLICENSE \
144   license=usr/src/ucbcmd/ls/THIRDPARTYLICENSE
145 license usr/src/ucbcmd/sum/THIRDPARTYLICENSE \
146   license=usr/src/ucbcmd/sum/THIRDPARTYLICENSE
147 license usr/src/ucbcmd/test/THIRDPARTYLICENSE \
148   license=usr/src/ucbcmd/test/THIRDPARTYLICENSE
149 license usr/src/ucbcmd/tset/THIRDPARTYLICENSE \
150   license=usr/src/ucbcmd/tset/THIRDPARTYLICENSE
151 license usr/src/ucbcmd/users/THIRDPARTYLICENSE \
152   license=usr/src/ucbcmd/users/THIRDPARTYLICENSE
153 license usr/src/ucbcmd/whereis/THIRDPARTYLICENSE \
154   license=usr/src/ucbcmd/whereis/THIRDPARTYLICENSE
155 license usr/src/ucbcmd/whoami/THIRDPARTYLICENSE \
156   license=usr/src/ucbcmd/whoami/THIRDPARTYLICENSE
157 license usr/src/ucb/lib/libcurses/THIRDPARTYLICENSE \
158   license=usr/src/ucb/lib/libcurses/THIRDPARTYLICENSE
159 license usr/src/ucb/lib/libtermcap/THIRDPARTYLICENSE \
160   license=usr/src/ucb/lib/libtermcap/THIRDPARTYLICENSE
161 license usr/src/ucb/lib/libucb/THIRDPARTYLICENSE \
162   license=usr/src/ucb/lib/libucb/THIRDPARTYLICENSE
163 link path=etc/chroot target=../usr/sbin/chroot
164 link path=etc/fuser target=../usr/sbin/fuser
165 link path=etc/link target=../usr/sbin/link
166 link path=etc/mvdir target=../usr/sbin/mvdir
167 link path=etc/pwck target=../usr/sbin/pwck
168 link path=etc/termcap target=../usr/share/lib/termcap
169 link path=etc/unlink target=../usr/sbin/unlink
170 link path=usr/5bin target=../bin
171 link path=usr/share/man/man1b/Mail.1b target=mail.1b
172 link path=usr/share/man/man1b/fasthalt.1b target=fastboot.1b
173 link path=usr/share/man/man1b/reset.1b target=tset.1b
174 link path=usr/ucb/Mail target=../bin/mailx
175 link path=usr/ucb/arch target=../bin/arch
176 link path=usr/ucb/clear target=../bin/clear
177 link path=usr/ucb/e target=../bin/edit
178 link path=usr/ucb/edit target=../bin/edit
179 link path=usr/ucb/ex target=../bin/edit
180 link path=usr/ucb/finger target=../bin/finger
181 link path=usr/ucb/fmt target=../bin/fmt
182 link path=usr/ucb/fold target=../bin/fold
183 link path=usr/ucb/ftp target=../bin/ftp
184 link path=usr/ucb/head target=../bin/head
185 link path=usr/ucb/hostid target=../bin/hostid
186 link path=usr/ucb/hostname target=../bin/hostname
187 link path=usr/ucb/logger target=../bin/logger
188 link path=usr/ucb/mach target=../bin/mach
189 link path=usr/ucb/mail target=../bin/mailx
190 link path=usr/ucb/more target=../bin/more
191 link path=usr/ucb/netstat target=../bin/netstat
192 link path=usr/ucb/page target=../bin/more
193 link path=usr/ucb/pagesize target=../bin/pagesize

```

```

194 link path=usr/ucb/quota target=../lib/fs/ufs/quota
195 link path=usr/ucb/rcp target=../bin/rcp
196 link path=usr/ucb/rdate target=../bin/rdate
197 link path=usr/ucb/rdist target=../bin/rdist
198 link path=usr/ucb/renice target=../bin/renice
199 link path=usr/ucb/reset target=../tset
200 link path=usr/ucb/rlogin target=../bin/rlogin
201 link path=usr/ucb/rsh target=../bin/rsh
202 link path=usr/ucb/ruptime target=../bin/ruptime
203 link path=usr/ucb/rwho target=../bin/rwho
202 link path=usr/ucb/script target=../bin/script
203 link path=usr/ucb/tail target=../bin/tail
204 link path=usr/ucb/talk target=../bin/talk
205 link path=usr/ucb/tcopy target=../bin/tcopy
206 link path=usr/ucb/telnet target=../bin/telnet
207 link path=usr/ucb/tftp target=../bin/tftp
208 link path=usr/ucb/uptime target=../bin/uptime
209 link path=usr/ucb/vacation target=../bin/vacation
210 link path=usr/ucb/vedit target=../bin/vedit
211 link path=usr/ucb/vi target=../bin/edit
212 link path=usr/ucb/view target=../bin/edit
213 link path=usr/ucb/vmstat target=../bin/vmstat
214 link path=usr/ucb/w target=../bin/w
215 link path=usr/ucb/wc target=../bin/wc
216 link path=usr/ucb/whois target=../bin/whois
217 link path=usr/ucb/xstr target=../bin/xstr
218 link path=usr/ucb/lib/$(ARCH64)/libcurses.so target=../libcurses.so.1
219 link path=usr/ucb/lib/$(ARCH64)/libdbm.so target=../libdbm.so.1
220 link path=usr/ucb/lib/$(ARCH64)/librpcsoc.so target=../librpcsoc.so.1
221 link path=usr/ucb/lib/$(ARCH64)/libtermcap.so target=../libtermcap.so.1
222 link path=usr/ucb/lib/$(ARCH64)/libucb.so target=../libucb.so.1
223 link path=usr/ucb/lib/32 target=
224 link path=usr/ucb/lib/64 target=$(ARCH64)
225 link path=usr/ucb/lib/libcurses.so target=../libcurses.so.1
226 link path=usr/ucb/lib/libdbm.so target=../libdbm.so.1
227 link path=usr/ucb/lib/librpcsoc.so target=../librpcsoc.so.1
228 link path=usr/ucb/lib/libtermcap.so target=../libtermcap.so.1
229 link path=usr/ucb/lib/libucb.so target=../libucb.so.1

```

new/usr/src/pkg/manifests/ diagnostic-snoop.mf

1

818 Fri May 26 19:24:27 2017

new/usr/src/pkg/manifests/ diagnostic-snoop.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/diagnostic/snoop@$(PKGVERS)
15 set name=pkg.summary value="snoop network traffic monitor"
16 set name=info.classification \
17     value=org.opensolaris.category.2008:Applications/Internet
18 set name=variant.arch value=$(ARCH)
19 file path=usr/sbin/snoop mode=0555
20 file path=usr/share/man/man1m/snoop.1m
21 license cr_Sun license=cr_Sun
22 license lic_CDDL license=lic_CDDL
23 #endif /* !codereview */
```

new/usr/src/pkg/manifests/network-finger.mf

1

1045 Fri May 26 19:24:28 2017

new/usr/src/pkg/manifests/network-finger.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/finger@$(PKGVERS)
15 set name=pkg.summary value="finger user information client/server"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=lib/svc/manifest/network/finger.xml group=sys mode=0444
20 file path=usr/bin/finger mode=0555
21 file path=usr/sbin/in.fingerd mode=0555
22 file path=usr/share/man/man1/finger.1
23 file path=usr/share/man/man1m/in.fingerd.1m
24 license cr_Sun license=cr_Sun
25 license lic_CDDL license=lic_CDDL
26 link path=usr/share/man/man1m/fingerd.1m target=in.fingerd.1m
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-rdist.mf

1

1121 Fri May 26 19:24:28 2017

new/usr/src/pkg/manifests/network-rdist.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/rdist@$(PKGVERS)
15 set name=pkg.summary value="file distribution and synchronization service"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=org.opensolaris.noincorp value=true
19 set name=variant.arch value=$(ARCH)
20 file path=usr/bin/rdist mode=4555
21 file path=usr/share/man/man1/rdist.1
22 license cr_Sun license=cr_Sun
23 license lic_CDDL license=lic_CDDL
24 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
25     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
26 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
27     license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
28 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-rsh.mf

1

2364 Fri May 26 19:24:29 2017

new/usr/src/pkg/manifests/network-rsh.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/network/rsh@$(PKGVERS)
28 set name=pkg.description \
29     value="Berkeley Remote Shell Commands (rsh, rlogin, rcp, rdate, rmt)"
30 set name=pkg.summary value="Berkeley Remote Shell Client Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/bin
35 dir path=usr/lib
36 dir path=usr/sbin
37 dir path=usr/share/man/man1
38 dir path=usr/share/man/man1m
39 file path=usr/bin/rcp mode=4555
40 file path=usr/bin/rdate mode=0555
41 file path=usr/bin/rlogin mode=4555
42 file path=usr/bin/rsh mode=4555
43 file path=usr/sbin/rmt mode=0555
44 file path=usr/share/man/man1/rcp.1
45 file path=usr/share/man/man1/rlogin.1
46 file path=usr/share/man/man1/rsh.1
47 file path=usr/share/man/man1m/rdate.1m
48 file path=usr/share/man/man1m/rmt.1m
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
51 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
52     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
53 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
54     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
55 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
56     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
57 link path=usr/bin/remsh target=./rsh
58 link path=usr/lib/sunw,rcp target=./bin/rcp
59 link path=usr/share/man/man1/remote_shell.1 target=rsh.1
60 link path=usr/share/man/man1/remsh.1 target=rsh.1
61 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-talk.mf

1

1013 Fri May 26 19:24:29 2017

new/usr/src/pkg/manifests/network-talk.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/talk@$(PKGVERS)
15 set name=pkg.summary value="Berkeley network talk"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=lib/svc/manifest/network/talk.xml group=sys mode=0444
20 file path=usr/bin/talk mode=0555
21 file path=usr/sbin/in.talkd mode=0555
22 file path=usr/share/man/man1/talk.1
23 file path=usr/share/man/man1m/in.talkd.1m
24 license cr_Sun license=cr_Sun
25 license lic_CDDL license=lic_CDDL
26 link path=usr/share/man/man1m/talkd.1m target=in.talkd.1m
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/network-whois.mf

1

944 Fri May 26 19:24:30 2017

new/usr/src/pkg/manifests/network-whois.mf

8113 Split the old network clients/servers packages into more easily minimizable

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
11 #
12 # Copyright 2017, Richard Lowe
13 #
14 set name=pkg.fmri value=pkg:/network/whois@$(PKGVERS)
15 set name=pkg.summary value="WHOIS protocol client"
16 set name=info.classification \
17     value="org.opensolaris.category.2008:Applications/System Utilities"
18 set name=variant.arch value=$(ARCH)
19 file path=usr/bin/whois mode=0555
20 file path=usr/share/man/man1/whois.1
21 license cr_Sun license=cr_Sun
22 license lic_CDDL license=lic_CDDL
23 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
24     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
25 #
26 #
27 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/service-network-legacy.mf

1

```
*****
3022 Fri May 26 19:24:30 2017
new/usr/src/pkg/manifests/service-network-legacy.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #

26 set name=pkg.fmri value=pkg:/service/network/legacy@$(PKGVERS)
27 set name=pkg.description \
28 value="Common Network Services: time, daytime, echo, discard, chargen, comsa
28 value="Common Network Services: time, daytime, echo, discard, chargen"
29 set name=pkg.summary \
30 value="Common Network Services: time, daytime, echo, discard, chargen, comsa
30 value="Common Network Services: time, daytime, echo, discard, chargen"
31 set name=info.classification \
32 value=org.opensolaris.category.2008:System/Services
33 set name=variant.arch value=$(ARCH)
34 dir path=lib
35 dir path=lib/svc
36 dir path=lib/svc/manifest group=sys
37 dir path=lib/svc/manifest/network group=sys
38 dir path=usr group=sys
39 dir path=usr/lib
40 dir path=usr/lib/inet
41 dir path=usr/share/man/manlm
42 file path=lib/svc/manifest/network/chargen.xml group=sys mode=0444
43 file path=lib/svc/manifest/network/comsat.xml group=sys mode=0444
44 #endif /* ! codereview */
45 file path=lib/svc/manifest/network/daytime.xml group=sys mode=0444
46 file path=lib/svc/manifest/network/discard.xml group=sys mode=0444
47 file path=lib/svc/manifest/network/echo.xml group=sys mode=0444
48 file path=lib/svc/manifest/network/time.xml group=sys mode=0444
49 file path=usr/lib/inet/in.chargend mode=0555
50 file path=usr/lib/inet/in.daytimed mode=0555
51 file path=usr/lib/inet/in.discardd mode=0555
52 file path=usr/lib/inet/in.echod mode=0555
53 file path=usr/lib/inet/in.timed mode=0555
54 file path=usr/sbin/in.comsat mode=0555
55 #endif /* ! codereview */
56 file path=usr/share/man/manlm/in.chargend.1m
57 file path=usr/share/man/manlm/in.comsat.1m
58 #endif /* ! codereview */
59 file path=usr/share/man/manlm/in.daytimed.1m
```

new/usr/src/pkg/manifests/service-network-legacy.mf

2

```
60 file path=usr/share/man/manlm/in.discardd.1m
61 file path=usr/share/man/manlm/in.echod.1m
62 file path=usr/share/man/manlm/in.timed.1m
63 legacy pkg=SUNWcnsr \
64 desc="Common Network Services (Root): time, daytime, echo, discard, chargen"
65 name="Common Network Services (Root): time, daytime, echo, discard, chargen"
66 legacy pkg=SUNWcnsu \
67 desc="Common Network Services (Usr): time, daytime, echo, discard, chargen"
68 name="Common Network Services (Usr): time, daytime, echo, discard, chargen"
69 license cr_Sun license=cr_Sun
70 license lic_CDDL license=lic_CDDL
71 license usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.comsat \
72 license=usr/src/cmd/cmd-inet/usr.sbin/THIRDPARTYLICENSE.comsat
73 link path=usr/share/man/manlm/comsat.1m target=in.comsat.1m
74 #endif /* ! codereview */
```


new/usr/src/pkg/manifests/service-network-network-clients.mf

1

```
*****
1235 Fri May 26 19:24:31 2017
new/usr/src/pkg/manifests/service-network-network-clients.mf
8113 Split the old network clients/servers packages into more easily minimizable
8277 EOF filesync
8114 EOF rwho
8112 EOF crazier RPC daemons
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-clients@$(PKGVERS)
28 set name=pkg.renamed value=true
29 set name=pkg.description \
30   value="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)"
31 set name=pkg.summary value="Remote Network Client Commands"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
29 set name=variant.arch value=$(ARCH)
30 depend fmri=diagnostic/snoop type=require
31 depend fmri=network/rdist type=require
32 depend fmri=network/rsh type=require
33 depend fmri=network/whois type=require
34 dir path=usr group=sys
35 dir path=usr/bin
36 dir path=usr/lib
37 dir path=usr/sbin
38 dir path=usr/share/man/man1
39 dir path=usr/share/man/man1m
39 file path=usr/bin/filesync mode=0555
40 file path=usr/bin/rcp mode=4555
41 file path=usr/bin/rdate mode=0555
42 file path=usr/bin/rdist mode=4555
43 file path=usr/bin/rlogin mode=4555
44 file path=usr/bin/rsh mode=4555
45 file path=usr/bin/rup mode=0555
46 file path=usr/bin/ruptime mode=0555
47 file path=usr/bin/rusers mode=0555
48 file path=usr/bin/whois mode=0555
49 file path=usr/sbin/rmt mode=0555
50 file path=usr/sbin/rwall mode=0555
51 file path=usr/sbin/snoop mode=0555
52 file path=usr/sbin/spray mode=0555
53 file path=usr/share/man/man1/filesync.1
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

2

```
54 file path=usr/share/man/man1/rcp.1
55 file path=usr/share/man/man1/rdist.1
56 file path=usr/share/man/man1/rlogin.1
57 file path=usr/share/man/man1/rsh.1
58 file path=usr/share/man/man1/rup.1
59 file path=usr/share/man/man1/ruptime.1
60 file path=usr/share/man/man1/rusers.1
61 file path=usr/share/man/man1/whois.1
62 file path=usr/share/man/man1m/rdate.1m
63 file path=usr/share/man/man1m/rmt.1m
64 file path=usr/share/man/man1m/rwall.1m
65 file path=usr/share/man/man1m/snoop.1m
66 file path=usr/share/man/man1m/spray.1m
67 legacy pkg=SUNWrcmdc \
68   desc="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)" \
69   name="Remote Network Client Commands"
70 license cr_Sun license=cr_Sun
71 license lic_CDDL license=lic_CDDL
72 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
73   license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
74 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
75   license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
76 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
77   license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
78 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
79   license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
80 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
81   license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
82 link path=usr/bin/remsh target=./rsh
83 link path=usr/lib/sunw/rcp target=./bin/rcp
84 link path=usr/share/man/man1/remote_shell.1 target=rsh.1
85 link path=usr/share/man/man1/remsh.1 target=rsh.1
```

new/usr/src/pkg/manifests/service-network-network-servers.mf

1

```
*****
1334 Fri May 26 19:24:32 2017
new/usr/src/pkg/manifests/service-network-network-servers.mf
8113 Split the old network clients/servers packages into more easily minimizable
8114 EOF rwho
8112 EOF crazier RPC daemons
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-servers@$(PKGVERS)
28 set name=pkg.description value="Berkeley Remote Network Server Commands"
29 set name=pkg.renamed value=true
28 set name=pkg.description \
29 value="Remote Network Server Commands (includes finger, talk, rwho commands)"
30 set name=pkg.summary value="Remote Network Server Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
31 set name=variant.arch value=$(ARCH)
32 depend fmri=network/finger type=require
33 depend fmri=network/talk type=require
34 depend fmri=service/network/rsh type=require
35 dir path=etc group=sys
36 dir path=lib
37 dir path=lib/svc
38 dir path=lib/svc/manifest group=sys
39 dir path=lib/svc/manifest/network group=sys
40 dir path=lib/svc/manifest/network/rpc group=sys
41 dir path=usr group=sys
42 dir path=usr/bin
43 dir path=usr/lib
44 dir path=usr/lib/netsh group=sys
45 dir path=usr/lib/netsh/rstat group=sys
46 dir path=usr/lib/netsh/rusers group=sys
47 dir path=usr/lib/netsh/rwall group=sys
48 dir path=usr/lib/netsh/spray group=sys
49 dir path=usr/sbin
50 dir path=usr/share/man
51 dir path=usr/share/man/man1
52 dir path=usr/share/man/man1m
53 dir path=usr/share/man/man4
52 file path=lib/svc/manifest/network/comsat.xml group=sys mode=0444
53 file path=lib/svc/manifest/network/finger.xml group=sys mode=0444
54 file path=lib/svc/manifest/network/login.xml group=sys mode=0444
```

new/usr/src/pkg/manifests/service-network-network-servers.mf

2

```
55 file path=lib/svc/manifest/network/rexec.xml group=sys mode=0444
56 file path=lib/svc/manifest/network/rpc/rstat.xml group=sys mode=0444
57 file path=lib/svc/manifest/network/rpc/rusers.xml group=sys mode=0444
58 file path=lib/svc/manifest/network/rpc/spray.xml group=sys mode=0444
59 file path=lib/svc/manifest/network/rpc/wall.xml group=sys mode=0444
60 file path=lib/svc/manifest/network/shell.xml group=sys mode=0444
61 file path=lib/svc/manifest/network/talk.xml group=sys mode=0444
62 file path=usr/bin/finger mode=0555
63 file path=usr/bin/rwho mode=0555
64 file path=usr/bin/talk mode=0555
65 file path=usr/lib/netsh/rstat/rpc.rstatd mode=0555
66 file path=usr/lib/netsh/rusers/rpc.rusersd mode=0555
67 file path=usr/lib/netsh/rwall/rpc.rwalld mode=0555
68 file path=usr/lib/netsh/spray/rpc.sprayd mode=0555
69 file path=usr/sbin/in.comsat mode=0555
70 file path=usr/sbin/in.fingerd mode=0555
71 file path=usr/sbin/in.rexecd mode=0555
72 file path=usr/sbin/in.rlogind mode=0555
73 file path=usr/sbin/in.rshd mode=0555
74 file path=usr/sbin/in.rwhod mode=0555
75 file path=usr/sbin/in.talkd mode=0555
76 file path=usr/share/man/man1/finger.1
77 file path=usr/share/man/man1/rwho.1
78 file path=usr/share/man/man1/talk.1
79 file path=usr/share/man/man1m/in.comsat.1m
80 file path=usr/share/man/man1m/in.fingerd.1m
81 file path=usr/share/man/man1m/in.rexecd.1m
82 file path=usr/share/man/man1m/in.rlogind.1m
83 file path=usr/share/man/man1m/in.rshd.1m
84 file path=usr/share/man/man1m/in.rwhod.1m
85 file path=usr/share/man/man1m/in.talkd.1m
86 file path=usr/share/man/man1m/rpc.rstatd.1m
87 file path=usr/share/man/man1m/rpc.rusersd.1m
88 file path=usr/share/man/man1m/rpc.rwalld.1m
89 file path=usr/share/man/man1m/rpc.sprayd.1m
90 file path=usr/share/man/man4/hosts.equiv.4
91 legacy pkg=SUNWrcmdr desc="Remote Network Server Commands (Root)" \
92 name="Remote Network Server Commands (Root)"
93 legacy pkg=SUNWrcmds \
94 desc="Remote Network Server Commands (includes finger, talk, rwho commands)"
95 name="Remote Network Server Commands (Usr)"
96 license cr_Sun license=cr_Sun
97 license lic_CDDL license=lic_CDDL
98 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat \
99 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.comsat
100 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind \
101 license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind
102 link path=etc/rmt target=../usr/sbin/rmt
103 link path=usr/share/man/man1m/comsat.1m target=in.comsat.1m
104 link path=usr/share/man/man1m/fingerd.1m target=in.fingerd.1m
105 link path=usr/share/man/man1m/rexecd.1m target=in.rexecd.1m
106 link path=usr/share/man/man1m/rlogind.1m target=in.rlogind.1m
107 link path=usr/share/man/man1m/rshd.1m target=in.rshd.1m
108 link path=usr/share/man/man1m/rstatd.1m target=rpc.rstatd.1m
109 link path=usr/share/man/man1m/rusersd.1m target=rpc.rusersd.1m
110 link path=usr/share/man/man1m/rwalld.1m target=rpc.rwalld.1m
111 link path=usr/share/man/man1m/rwhod.1m target=in.rwhod.1m
112 link path=usr/share/man/man1m/sprayd.1m target=rpc.sprayd.1m
113 link path=usr/share/man/man1m/talkd.1m target=in.talkd.1m
114 link path=usr/share/man/man4/hosts.4 target=hosts.equiv.4
```

new/usr/src/pkg/manifests/service-network-rsh.mf

1

```
*****
2597 Fri May 26 19:24:33 2017
new/usr/src/pkg/manifests/service-network-rsh.mf
8113 Split the old network clients/servers packages into more easily minimizable
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/rsh@$(PKGVERS)
28 set name=pkg.description value="Berkeley Remote Shell Server Commands"
29 set name=pkg.summary value="Remote Shell Server Commands"
30 set name=info.classification value=org.opensolaris.category.2008:System/Core
31 set name=variant.arch value=$(ARCH)
32 dir path=etc group=sys
33 dir path=lib
34 dir path=lib/svc
35 dir path=lib/svc/manifest group=sys
36 dir path=lib/svc/manifest/network group=sys
37 dir path=lib/svc/manifest/network/rpc group=sys
38 dir path=usr group=sys
39 dir path=usr/bin
40 dir path=usr/lib
41 dir path=usr/lib/netsvc group=sys
42 dir path=usr/sbin
43 dir path=usr/share/man
44 dir path=usr/share/man/man1
45 dir path=usr/share/man/man1m
46 dir path=usr/share/man/man4
47 file path=lib/svc/manifest/network/login.xml group=sys mode=0444
48 file path=lib/svc/manifest/network/rexec.xml group=sys mode=0444
49 file path=lib/svc/manifest/network/shell.xml group=sys mode=0444
50 file path=usr/sbin/in.rexecd mode=0555
51 file path=usr/sbin/in.rlogind mode=0555
52 file path=usr/sbin/in.rshd mode=0555
53 file path=usr/share/man/man1m/in.rexecd.lm
54 file path=usr/share/man/man1m/in.rlogind.lm
55 file path=usr/share/man/man1m/in.rshd.lm
56 file path=usr/share/man/man4/hosts.equiv.4
57 license cr_Sun license=cr_Sun
58 license lic_CDDL license=lic_CDDL
59 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind \
60   license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.rlogind
61 link path=etc/rmt target=../usr/sbin/rmt
```

new/usr/src/pkg/manifests/service-network-rsh.mf

2

```
62 link path=usr/share/man/man1m/rexecd.lm target=in.rexecd.lm
63 link path=usr/share/man/man1m/rlogind.lm target=in.rlogind.lm
64 link path=usr/share/man/man1m/rshd.lm target=in.rshd.lm
65 link path=usr/share/man/man4/hosts.4 target=hosts.equiv.4
66 #
67 #endif /* ! codereview */
```

new/usr/src/pkg/manifests/service-network-uucp.mf

1

```
*****
6903 Fri May 26 19:24:33 2017
new/usr/src/pkg/manifests/service-network-uucp.mf
8112 EOF crazier RPC daemons
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/uucp@$(PKGVERS)
28 set name=pkg.description value="UUCP utilities and daemon"
29 set name=pkg.summary value="Networking UUCP Utilities"
30 set name=info.classification \
31     value=org.opensolaris.category.2008:System/Services
32 set name=variant.arch value=$(ARCH)
33 dir path=etc group=sys
34 dir path=etc/init.d group=sys
35 dir path=etc/rc2.d group=sys
36 dir path=etc/uucp group=uucp owner=uucp
37 dir path=lib
38 dir path=lib/svc
39 dir path=lib/svc/manifest group=sys
40 dir path=lib/svc/manifest/network group=sys
41 dir path=usr group=sys
42 dir path=usr/bin
43 dir path=usr/lib
44 dir path=usr/lib/uucp group=uucp owner=uucp
45 dir path=usr/sbin
46 dir path=usr/share/man/man1c
47 dir path=usr/share/man/man1m
48 dir path=var group=sys
49 dir path=var/spool
50 dir path=var/spool/uucp group=uucp owner=uucp
51 dir path=var/spool/uucp/.Corrupt group=uucp owner=uucp
52 dir path=var/spool/uucp/.Workspace group=uucp owner=uucp
53 dir path=var/spool/uucp/.Xqtdir group=uucp owner=uucp
54 dir path=var/spool/uucppublic group=uucp mode=1777 owner=uucp
55 dir path=var/uucp group=uucp owner=uucp
56 dir path=var/uucp/.Admin group=uucp owner=uucp
57 dir path=var/uucp/.Log group=uucp owner=uucp
58 dir path=var/uucp/.Log/uucico group=uucp owner=uucp
59 dir path=var/uucp/.Log/uucp group=uucp owner=uucp
60 dir path=var/uucp/.Log/uux group=uucp owner=uucp
61 dir path=var/uucp/.Log/uuxqt group=uucp owner=uucp
```

new/usr/src/pkg/manifests/service-network-uucp.mf

2

```
62 dir path=var/uucp/.Old group=uucp owner=uucp
63 dir path=var/uucp/.Sequence group=uucp owner=uucp
64 dir path=var/uucp/.Status group=uucp owner=uucp
65 file path=etc/init.d/uucp group=sys mode=0744 \
66     original_name=SUNWbnu:etc/init.d/uucp preserve=true
67 file path=etc/uucp/Config group=uucp original_name=SUNWbnu:etc/uucp/Config \
68     owner=uucp preserve=true
69 file path=etc/uucp/Devconfig group=uucp \
70     original_name=SUNWbnu:etc/uucp/Devconfig owner=uucp preserve=true
71 file path=etc/uucp/Devices group=uucp original_name=SUNWbnu:etc/uucp/Devices \
72     owner=uucp preserve=true
73 file path=etc/uucp/Dialcodes group=uucp \
74     original_name=SUNWbnu:etc/uucp/Dialcodes owner=uucp preserve=true
75 file path=etc/uucp/Dialers group=uucp original_name=SUNWbnu:etc/uucp/Dialers \
76     owner=uucp preserve=true
77 file path=etc/uucp/Grades group=uucp original_name=SUNWbnu:etc/uucp/Grades \
78     owner=uucp preserve=true
79 file path=etc/uucp/Limits group=uucp original_name=SUNWbnu:etc/uucp/Limits \
80     owner=uucp preserve=true
81 file path=etc/uucp/Permissions group=uucp mode=0600 \
82     original_name=SUNWbnu:etc/uucp/Permissions owner=uucp preserve=true
83 file path=etc/uucp/Poll group=uucp original_name=SUNWbnu:etc/uucp/Poll \
84     owner=uucp preserve=true
85 file path=etc/uucp/Sysfiles group=uucp original_name=SUNWbnu:etc/uucp/Sysfiles \
86     owner=uucp preserve=true
87 file path=etc/uucp/Systems group=uucp mode=0600 \
88     original_name=SUNWbnu:etc/uucp/Systems owner=uucp preserve=true
89 file path=lib/svc/manifest/network/uucp.xml group=sys mode=0444
90 file path=usr/bin/ct group=uucp mode=4511
91 file path=usr/bin/cu group=uucp mode=4511 owner=uucp
92 file path=usr/bin/uucp group=uucp mode=4511 owner=uucp
93 file path=usr/bin/uuglist group=uucp mode=4511 owner=uucp
94 file path=usr/bin/uulog group=uucp mode=0555
95 file path=usr/bin/uuname group=uucp mode=4511 owner=uucp
96 file path=usr/bin/uupick group=uucp mode=0555
97 file path=usr/bin/uustat group=uucp mode=4511 owner=uucp
98 file path=usr/bin/uuto group=uucp mode=0555
99 file path=usr/bin/uux group=uucp mode=4511 owner=uucp
100 file path=usr/lib/uucp/Uutry group=uucp mode=0555
101 file path=usr/lib/uucp/bnuconvert group=uucp mode=0510 owner=uucp
102 file path=usr/lib/uucp/remote.unknown group=uucp mode=4511 owner=uucp
103 file path=usr/lib/uucp/uuccheck group=uucp mode=0510 owner=uucp
104 file path=usr/lib/uucp/uucico group=uucp mode=4511 owner=uucp
105 file path=usr/lib/uucp/uucleanup group=uucp mode=0510 owner=uucp
106 file path=usr/lib/uucp/uudemon.admin group=uucp mode=0555
107 file path=usr/lib/uucp/uudemon.cleanup group=uucp mode=0555
108 file path=usr/lib/uucp/uudemon.crontab group=uucp mode=0444
109 file path=usr/lib/uucp/uudemon.hour group=uucp mode=0555
110 file path=usr/lib/uucp/uudemon.poll group=uucp mode=0555
111 file path=usr/lib/uucp/uusched group=uucp mode=4511 owner=uucp
112 file path=usr/lib/uucp/uuxqt group=uucp mode=4511 owner=uucp
113 file path=usr/sbin/in.uucpd group=uucp mode=0555
114 file path=usr/share/man/man1c/ct.1c
115 file path=usr/share/man/man1c/cu.1c
116 file path=usr/share/man/man1c/rup.1c
117 file path=usr/share/man/man1c/uucp.1c
118 file path=usr/share/man/man1c/uuencode.1c
119 file path=usr/share/man/man1c/uuglist.1c
120 file path=usr/share/man/man1c/uustat.1c
121 file path=usr/share/man/man1c/uuto.1c
122 file path=usr/share/man/man1c/uux.1c
123 file path=usr/share/man/man1m/Uutry.1m
124 file path=usr/share/man/man1m/in.uucpd.1m
125 file path=usr/share/man/man1m/uuccheck.1m
126 file path=usr/share/man/man1m/uucleanup.1m
```

```
127 file path=usr/share/man/man1m/uusched.1m
128 file path=usr/share/man/man1m/uuxqt.1m
129 hardlink path=etc/rc2.d/S70uucp target=../../etc/init.d/uucp
130 legacy pkg=SUNWbnur desc="configuration and start-up files for UUCP utilities" \
131     name="Networking UUCP Utilities, (Root)"
132 legacy pkg=SUNWbnuu desc="UUCP utilities and daemon" \
133     name="Networking UUCP Utilities, (Usr)"
134 license cr_Sun license=cr_Sun
135 license lic_CDDL license=lic_CDDL
136 license usr/src/cmd/bnu/THIRDPARTYLICENSE \
137     license=usr/src/cmd/bnu/THIRDPARTYLICENSE
138 link path=etc/uucp/remote.unknown target=../../usr/lib/uucp/remote.unknown
139 link path=usr/share/man/man1c/uudecode.1c target=uencode.1c
140 link path=usr/share/man/man1c/uulog.1c target=uucp.1c
141 link path=usr/share/man/man1c/uuname.1c target=uucp.1c
142 link path=usr/share/man/man1c/uupick.1c target=uuto.1c
143 link path=usr/share/man/man1m/uucpd.1m target=in.uucpd.1m
144 link path=usr/share/man/man1m/uutry.1m target=Uutry.1m
145 link path=var/spool/uucp/.Admin target=../../uucp/.Admin
146 link path=var/spool/uucp/.Log target=../../uucp/.Log
147 link path=var/spool/uucp/.Old target=../../uucp/.Old
148 link path=var/spool/uucp/.Sequence target=../../uucp/.Sequence
149 link path=var/spool/uucp/.Status target=../../uucp/.Status
```

new/usr/src/pkg/manifests/system-header.mf

1

```
*****
89479 Fri May 26 19:24:34 2017
new/usr/src/pkg/manifests/system-header.mf
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2013 Saso Kiselkov. All rights reserved.
26 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
27 # Copyright 2016 Nexenta Systems, Inc.
28 # Copyright 2016 Hans Rosenfeld <rosenfeld@grumpf.hope-2000.org>
29 #
30 #
31 set name=pkg.fmri value=pkg:/system/header@$(PKGVERS)
32 set name=pkg.description \
33   value="SunOS C/C++ header files for general development of software"
34 set name=pkg.summary value="SunOS Header Files"
35 set name=info.classification value=org.opensolaris.category.2008:System/Core
36 set name=variant.arch value=$(ARCH)
37 dir path=usr group=sys
38 dir path=usr/include
39 $(i386_ONLY)dir path=usr/include/$(ARCH64)
40 $(i386_ONLY)dir path=usr/include/$(ARCH64)/sys
41 dir path=usr/include/ads
42 dir path=usr/include/arpa
43 dir path=usr/include/asm
44 dir path=usr/include/ast
45 dir path=usr/include/bsm
46 dir path=usr/include/dat
47 dir path=usr/include/des
48 dir path=usr/include/gssapi
49 dir path=usr/include/hal
50 $(i386_ONLY)dir path=usr/include/ia32
51 $(i386_ONLY)dir path=usr/include/ia32/sys
52 dir path=usr/include/inet
53 dir path=usr/include/inet/kssl
54 dir path=usr/include/ipp
55 dir path=usr/include/ipp/ipgpc
56 dir path=usr/include/iso
57 dir path=usr/include/kerberosv5
58 dir path=usr/include/libpolkit
59 dir path=usr/include/net
60 dir path=usr/include/netinet
61 dir path=usr/include/nfs
```

new/usr/src/pkg/manifests/system-header.mf

2

```
62 dir path=usr/include/protocols
63 dir path=usr/include/rpc
64 dir path=usr/include/rpcsvc
65 dir path=usr/include/sasl
66 dir path=usr/include/scsi
67 dir path=usr/include/scsi/plugins
68 dir path=usr/include/scsi/plugins/ses
69 dir path=usr/include/scsi/plugins/ses/framework
70 dir path=usr/include/scsi/plugins/ses/vendor
71 dir path=usr/include/scsi/plugins/smp
72 dir path=usr/include/scsi/plugins/smp/engine
73 dir path=usr/include/scsi/plugins/smp/framework
74 dir path=usr/include/security
75 dir path=usr/include/sharefs
76 dir path=usr/include/sys
77 dir path=usr/include/sys/av
78 dir path=usr/include/sys/contract
79 dir path=usr/include/sys/crypto
80 dir path=usr/include/sys/dktp
81 dir path=usr/include/sys/fc4
82 dir path=usr/include/sys/fm
83 dir path=usr/include/sys/fm/cpu
84 dir path=usr/include/sys/fm/fs
85 dir path=usr/include/sys/fm/io
86 $(sparc_ONLY)dir path=usr/include/sys/fpu
87 dir path=usr/include/sys/fs
88 dir path=usr/include/sys/hotplug
89 dir path=usr/include/sys/hotplug/pci
90 dir path=usr/include/sys/ib
91 dir path=usr/include/sys/ib/adapters
92 dir path=usr/include/sys/ib/adapters/hermon
93 dir path=usr/include/sys/ib/adapters/tavor
94 dir path=usr/include/sys/ib/clients
95 dir path=usr/include/sys/ib/clients/ibd
96 dir path=usr/include/sys/ib/clients/of
97 dir path=usr/include/sys/ib/clients/of/rdma
98 dir path=usr/include/sys/ib/clients/of/sol_ofs
99 dir path=usr/include/sys/ib/clients/of/sol_ucma
100 dir path=usr/include/sys/ib/clients/of/sol_umad
101 dir path=usr/include/sys/ib/clients/of/sol_uverbs
102 dir path=usr/include/sys/ib/ibnec
103 dir path=usr/include/sys/ib/ibt1
104 dir path=usr/include/sys/ib/ibt1/impl
105 dir path=usr/include/sys/ib/mgt
106 dir path=usr/include/sys/ib/mgt/ibmf
107 dir path=usr/include/sys/iso
108 dir path=usr/include/sys/proc
109 dir path=usr/include/sys/rsm
110 $(i386_ONLY)dir path=usr/include/sys/sata group=sys
111 dir path=usr/include/sys/scsi
112 dir path=usr/include/sys/scsi/adapters
113 dir path=usr/include/sys/scsi/conf
114 dir path=usr/include/sys/scsi/generic
115 dir path=usr/include/sys/scsi/impl
116 dir path=usr/include/sys/scsi/targets
117 dir path=usr/include/sys/sysevent
118 dir path=usr/include/sys/tsol
119 dir path=usr/include/tsol
120 dir path=usr/include/uuid
121 $(sparc_ONLY)dir path=usr/include/v7
122 $(sparc_ONLY)dir path=usr/include/v7/sys
123 $(sparc_ONLY)dir path=usr/include/v9
124 $(sparc_ONLY)dir path=usr/include/v9/sys
125 dir path=usr/include/vm
126 dir path=usr/platform group=sys
127 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
```

```

128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/include
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/include
132 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel1 group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
142 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
143 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
144 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
145 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
146 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
147 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
148 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
149 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
150 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
151 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
152 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-2 group=sys
153 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-250 group=sys
154 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-4 group=sys
155 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise-10000 group=sys
157 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40 group=sys
158 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60 group=sys
159 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIi-Netract group=sys
160 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
161 $(i386_ONLY)dir path=usr/platform/i86pc/include
162 $(i386_ONLY)dir path=usr/platform/i86pc/include/sys
163 $(i386_ONLY)dir path=usr/platform/i86pc/include/vm
164 $(i386_ONLY)dir path=usr/platform/i86xpv group=sys
165 $(i386_ONLY)dir path=usr/platform/i86xpv/include
166 $(i386_ONLY)dir path=usr/platform/i86xpv/include/sys
167 $(i386_ONLY)dir path=usr/platform/i86xpv/include/vm
168 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
169 $(sparc_ONLY)dir path=usr/platform/sun4u/include
170 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys
171 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c
172 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/clients
173 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/misc
174 $(sparc_ONLY)dir path=usr/platform/sun4u/include/vm
175 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
176 $(sparc_ONLY)dir path=usr/platform/sun4v/include
177 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
178 $(sparc_ONLY)dir path=usr/platform/sun4v/include/vm
179 dir path=usr/share
180 dir path=usr/share/man
181 dir path=usr/share/man/man3head
182 dir path=usr/share/man/man4
183 dir path=usr/share/man/man5
184 dir path=usr/share/man/man7i
185 dir path=usr/share/src group=sys
186 dir path=usr/share/src/uts
187 $(i386_ONLY)dir path=usr/share/src/uts/i86pc
188 $(i386_ONLY)dir path=usr/share/src/uts/i86xpv
189 $(sparc_ONLY)dir path=usr/share/src/uts/sun4u
190 $(sparc_ONLY)dir path=usr/share/src/uts/sun4v
191 dir path=usr/xpg4
192 dir path=usr/xpg4/include
193 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/kdi_regs.h

```

```

194 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privmregs.h
195 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privregs.h
196 file path=usr/include/ads/dsgetdc.h
197 file path=usr/include/aio.h
198 file path=usr/include/alloca.h
199 file path=usr/include/apprtrace.h
200 file path=usr/include/apprtrace_impl.h
201 file path=usr/include/ar.h
202 file path=usr/include/archives.h
203 file path=usr/include/arpa/ftp.h
204 file path=usr/include/arpa/inet.h
205 file path=usr/include/arpa/nameser.h
206 file path=usr/include/arpa/nameser_compat.h
207 file path=usr/include/arpa/telnet.h
208 file path=usr/include/arpa/tftp.h
209 $(i386_ONLY)file path=usr/include/asm/atomic.h
210 $(i386_ONLY)file path=usr/include/asm/bitmap.h
211 $(i386_ONLY)file path=usr/include/asm/byteorder.h
212 $(i386_ONLY)file path=usr/include/asm/clock.h
213 $(i386_ONLY)file path=usr/include/asm/cpu.h
214 $(i386_ONLY)file path=usr/include/asm/cpuvar.h
215 $(sparc_ONLY)file path=usr/include/asm/flush.h
216 $(i386_ONLY)file path=usr/include/asm/htable.h
217 $(i386_ONLY)file path=usr/include/asm/mmu.h
218 file path=usr/include/asm/sunddi.h
219 file path=usr/include/asm/thread.h
220 file path=usr/include/assert.h
221 file path=usr/include/ast/align.h
222 file path=usr/include/ast/ast.h
223 file path=usr/include/ast/ast_botch.h
224 file path=usr/include/ast/ast_ccode.h
225 file path=usr/include/ast/ast_common.h
226 file path=usr/include/ast/ast_dir.h
227 file path=usr/include/ast/ast_dirent.h
228 file path=usr/include/ast/ast_fcntl.h
229 file path=usr/include/ast/ast_float.h
230 file path=usr/include/ast/ast_fs.h
231 file path=usr/include/ast/ast_getopt.h
232 file path=usr/include/ast/ast_iconv.h
233 file path=usr/include/ast/ast_lib.h
234 file path=usr/include/ast/ast_limits.h
235 file path=usr/include/ast/ast_map.h
236 file path=usr/include/ast/ast_mmap.h
237 file path=usr/include/ast/ast_mode.h
238 file path=usr/include/ast/ast_namval.h
239 file path=usr/include/ast/ast_ndbm.h
240 file path=usr/include/ast/ast_nl_types.h
241 file path=usr/include/ast/ast_param.h
242 file path=usr/include/ast/ast_standards.h
243 file path=usr/include/ast/ast_std.h
244 file path=usr/include/ast/ast_stdio.h
245 file path=usr/include/ast/ast_sys.h
246 file path=usr/include/ast/ast_time.h
247 file path=usr/include/ast/ast_tty.h
248 file path=usr/include/ast/ast_version.h
249 file path=usr/include/ast/ast_vfork.h
250 file path=usr/include/ast/ast_wait.h
251 file path=usr/include/ast/ast_wchar.h
252 file path=usr/include/ast/ast_windows.h
253 file path=usr/include/ast/bytesex.h
254 file path=usr/include/ast/ccode.h
255 file path=usr/include/ast/cdt.h
256 file path=usr/include/ast/cmd.h
257 file path=usr/include/ast/cmdext.h
258 file path=usr/include/ast/debug.h
259 file path=usr/include/ast/dirent.h

```

260 file path=usr/include/ast/dlldefs.h
261 file path=usr/include/ast/dt.h
262 file path=usr/include/ast/endian.h
263 file path=usr/include/ast/error.h
264 file path=usr/include/ast/find.h
265 file path=usr/include/ast/fnmatch.h
266 file path=usr/include/ast/fnv.h
267 file path=usr/include/ast/fs3d.h
268 file path=usr/include/ast/fts.h
269 file path=usr/include/ast/ftw.h
270 file path=usr/include/ast/ftwalk.h
271 file path=usr/include/ast/getopt.h
272 file path=usr/include/ast/glob.h
273 file path=usr/include/ast/hash.h
274 file path=usr/include/ast/hashkey.h
275 file path=usr/include/ast/hashpart.h
276 file path=usr/include/ast/history.h
277 file path=usr/include/ast/iconv.h
278 file path=usr/include/ast/ip6.h
279 file path=usr/include/ast/lc.h
280 file path=usr/include/ast/ls.h
281 file path=usr/include/ast/magic.h
282 file path=usr/include/ast/magicid.h
283 file path=usr/include/ast/mc.h
284 file path=usr/include/ast/mime.h
285 file path=usr/include/ast/mnt.h
286 file path=usr/include/ast/modecanon.h
287 file path=usr/include/ast/modex.h
288 file path=usr/include/ast/namval.h
289 file path=usr/include/ast/nl_types.h
290 file path=usr/include/ast/nval.h
291 file path=usr/include/ast/option.h
292 file path=usr/include/ast/preroot.h
293 file path=usr/include/ast/proc.h
294 file path=usr/include/ast/prototyped.h
295 file path=usr/include/ast/re_comp.h
296 file path=usr/include/ast/recfmt.h
297 file path=usr/include/ast/regex.h
298 file path=usr/include/ast/regexp.h
299 file path=usr/include/ast/sfdisc.h
300 file path=usr/include/ast/sfio.h
301 file path=usr/include/ast/sfio_s.h
302 file path=usr/include/ast/sfio_t.h
303 file path=usr/include/ast/shcmd.h
304 file path=usr/include/ast/shell.h
305 file path=usr/include/ast/sig.h
306 file path=usr/include/ast/stack.h
307 file path=usr/include/ast/stak.h
308 file path=usr/include/ast/stdio.h
309 file path=usr/include/ast/stk.h
310 file path=usr/include/ast/sum.h
311 file path=usr/include/ast/swap.h
312 file path=usr/include/ast/tar.h
313 file path=usr/include/ast/times.h
314 file path=usr/include/ast/tm.h
315 file path=usr/include/ast/tmx.h
316 file path=usr/include/ast/tok.h
317 file path=usr/include/ast/tv.h
318 file path=usr/include/ast/usage.h
319 file path=usr/include/ast/vdb.h
320 file path=usr/include/ast/vecargs.h
321 file path=usr/include/ast/vmalloc.h
322 file path=usr/include/ast/wait.h
323 file path=usr/include/ast/wchar.h
324 file path=usr/include/ast/wordexp.h
325 file path=usr/include/atomic.h

326 file path=usr/include/attr.h
327 file path=usr/include/auth_attr.h
328 file path=usr/include/bsm/adt.h
329 file path=usr/include/bsm/adt_event.h
330 file path=usr/include/bsm/audit.h
331 file path=usr/include/bsm/audit_kernel.h
332 file path=usr/include/bsm/audit_kevents.h
333 file path=usr/include/bsm/audit_record.h
334 file path=usr/include/bsm/audit_uevents.h
335 file path=usr/include/bsm/devices.h
336 file path=usr/include/bsm/libbsm.h
337 file path=usr/include/config_admin.h
338 file path=usr/include/cpio.h
339 file path=usr/include/crypt.h
340 file path=usr/include/cryptoutil.h
341 file path=usr/include/ctype.h
342 file path=usr/include/curses.h
343 file path=usr/include/dat/dat.h
344 file path=usr/include/dat/dat_error.h
345 file path=usr/include/dat/dat_platform_specific.h
346 file path=usr/include/dat/dat_redirection.h
347 file path=usr/include/dat/dat_registry.h
348 file path=usr/include/dat/dat_vendor_specific.h
349 file path=usr/include/dat/udat.h
350 file path=usr/include/dat/udat_config.h
351 file path=usr/include/dat/udat_redirection.h
352 file path=usr/include/dat/udat_vendor_specific.h
353 file path=usr/include/deflt.h
354 file path=usr/include/des/des.h
355 file path=usr/include/des/desdata.h
356 file path=usr/include/des/softdes.h
357 file path=usr/include/devfsadm.h
358 file path=usr/include/device_info.h
359 file path=usr/include/devid.h
360 file path=usr/include/devmgmt.h
361 file path=usr/include/devpoll.h
362 file path=usr/include/dial.h
363 file path=usr/include/dirent.h
364 file path=usr/include/dlfcn.h
365 file path=usr/include/door.h
366 file path=usr/include/elf.h
367 file path=usr/include/endian.h
368 file path=usr/include/err.h
369 file path=usr/include/errno.h
370 file path=usr/include/eti.h
371 file path=usr/include/euc.h
372 file path=usr/include/exacct.h
373 file path=usr/include/exacct_impl.h
374 file path=usr/include/exec_attr.h
375 file path=usr/include/execinfo.h
376 file path=usr/include/fatal.h
377 file path=usr/include/fcntl.h
378 file path=usr/include/float.h
379 file path=usr/include/fmtmsg.h
380 file path=usr/include/fnmatch.h
381 file path=usr/include/form.h
382 file path=usr/include/ftw.h
383 file path=usr/include/gelf.h
384 file path=usr/include/getopt.h
385 file path=usr/include/getwidth.h
386 file path=usr/include/glob.h
387 file path=usr/include/grp.h
388 file path=usr/include/gssapi/gssapi.h
389 file path=usr/include/gssapi/gssapi_ext.h
390 file path=usr/include/hal/libhal-storage.h
391 file path=usr/include/hal/libhal.h


```

392 $(i386_ONLY)file path=usr/include/ia32/sys/asm_linkage.h
393 $(i386_ONLY)file path=usr/include/ia32/sys/kdi_regs.h
394 $(i386_ONLY)file path=usr/include/ia32/sys/machtypes.h
395 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
396 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
397 $(i386_ONLY)file path=usr/include/ia32/sys/psw.h
398 $(i386_ONLY)file path=usr/include/ia32/sys/pte.h
399 $(i386_ONLY)file path=usr/include/ia32/sys/reg.h
400 $(i386_ONLY)file path=usr/include/ia32/sys/stack.h
401 $(i386_ONLY)file path=usr/include/ia32/sys/trap.h
402 $(i386_ONLY)file path=usr/include/ia32/sys/traptrace.h
403 file path=usr/include/iconv.h
404 file path=usr/include/idmap.h
405 file path=usr/include/ieeeefp.h
406 file path=usr/include/ifaddrs.h
407 file path=usr/include/inet/arp.h
408 file path=usr/include/inet/common.h
409 file path=usr/include/inet/ip.h
410 file path=usr/include/inet/ip6.h
411 file path=usr/include/inet/ip6_asp.h
412 file path=usr/include/inet/ip_arp.h
413 file path=usr/include/inet/ip_ftable.h
414 file path=usr/include/inet/ip_if.h
415 file path=usr/include/inet/ip_ire.h
416 file path=usr/include/inet/ip_multi.h
417 file path=usr/include/inet/ip_netinfo.h
418 file path=usr/include/inet/ip_rts.h
419 file path=usr/include/inet/ip_stack.h
420 file path=usr/include/inet/ipclassifier.h
421 file path=usr/include/inet/ipdrop.h
422 file path=usr/include/inet/ipnet.h
423 file path=usr/include/inet/ipp_common.h
424 file path=usr/include/inet/kssl/ksslapl.h
425 file path=usr/include/inet/led.h
426 file path=usr/include/inet/mi.h
427 file path=usr/include/inet/mib2.h
428 file path=usr/include/inet/nd.h
429 file path=usr/include/inet/optcom.h
430 file path=usr/include/inet/sctp_itf.h
431 file path=usr/include/inet/snmpcom.h
432 file path=usr/include/inet/tcp.h
433 file path=usr/include/inet/tcp_sack.h
434 file path=usr/include/inet/tcp_stack.h
435 file path=usr/include/inet/tcp_stats.h
436 file path=usr/include/inet/tunables.h
437 file path=usr/include/inet/wifi_ioctl.h
438 file path=usr/include/inttypes.h
439 file path=usr/include/ipmp.h
440 file path=usr/include/ipmp_admin.h
441 file path=usr/include/ipmp_mpathd.h
442 file path=usr/include/ipmp_query.h
443 file path=usr/include/ipp/ipgpc/ipgpc.h
444 file path=usr/include/ipp/ipp.h
445 file path=usr/include/ipp/ipp_config.h
446 file path=usr/include/ipp/ipp_impl.h
447 file path=usr/include/ipp/ippctl.h
448 file path=usr/include/iso/ctype_iso.h
449 file path=usr/include/iso/limits_iso.h
450 file path=usr/include/iso/locale_iso.h
451 file path=usr/include/iso/setjmp_iso.h
452 file path=usr/include/iso/signal_iso.h
453 file path=usr/include/iso/stdarg_c99.h
454 file path=usr/include/iso/stdarg_iso.h
455 file path=usr/include/iso/stddef_iso.h
456 file path=usr/include/iso/stdio_c99.h
457 file path=usr/include/iso/stdio_iso.h

```

```

458 file path=usr/include/iso/stdlib_c11.h
459 file path=usr/include/iso/stdlib_c99.h
460 file path=usr/include/iso/stdlib_iso.h
461 file path=usr/include/iso/string_iso.h
462 file path=usr/include/iso/time_iso.h
463 file path=usr/include/iso/wchar_c99.h
464 file path=usr/include/iso/wchar_iso.h
465 file path=usr/include/iso/wctype_iso.h
466 file path=usr/include/iso646.h
467 file path=usr/include/kerberosv5/com_err.h
468 file path=usr/include/kerberosv5/krb5.h
469 file path=usr/include/kerberosv5/locate_plugin.h
470 file path=usr/include/kerberosv5/mit-sipb-copyright.h
471 file path=usr/include/kerberosv5/mit_copyright.h
472 file path=usr/include/klpd.h
473 file path=usr/include/kmfapi.h
474 file path=usr/include/kmftypes.h
475 file path=usr/include/kstat.h
476 file path=usr/include/kvm.h
477 file path=usr/include/langinfo.h
478 file path=usr/include/lastlog.h
479 file path=usr/include/lber.h
480 file path=usr/include/ldap.h
481 file path=usr/include/libcontract.h
482 file path=usr/include/libctf.h
483 file path=usr/include/libdevice.h
484 file path=usr/include/libdevinfo.h
485 file path=usr/include/libdladm.h
486 file path=usr/include/libdlbridge.h
487 file path=usr/include/libdlib.h
488 file path=usr/include/libdllink.h
489 file path=usr/include/libdmpi.h
490 file path=usr/include/libdvlvlan.h
491 file path=usr/include/libelf.h
492 $(i386_ONLY)file path=usr/include/libfdisk.h
493 file path=usr/include/libfstyp.h
494 file path=usr/include/libfstyp_module.h
495 file path=usr/include/libgen.h
496 file path=usr/include/libgrubmgmt.h
497 file path=usr/include/libintl.h
498 file path=usr/include/libipmi.h
499 file path=usr/include/libipp.h
500 file path=usr/include/libnvpair.h
501 file path=usr/include/libnwm.h
502 file path=usr/include/libpolkit/libpolkit.h
503 file path=usr/include/libproc.h
504 file path=usr/include/librcm.h
505 file path=usr/include/libscf.h
506 file path=usr/include/libscf_priv.h
507 file path=usr/include/libshare.h
508 file path=usr/include/libsysevent.h
509 file path=usr/include/libsysevent_impl.h
510 file path=usr/include/libtsnet.h
511 $(sparc_ONLY)file path=usr/include/libv12n.h
512 file path=usr/include/libw.h
513 file path=usr/include/libzfs.h
514 file path=usr/include/libzfs_core.h
515 file path=usr/include/libzoneinfo.h
516 file path=usr/include/limits.h
517 file path=usr/include/linenum.h
518 file path=usr/include/link.h
519 file path=usr/include/listen.h
520 file path=usr/include/locale.h
521 file path=usr/include/macros.h
522 file path=usr/include/maillock.h
523 file path=usr/include/malloc.h

```

```

524 file path=usr/include/md4.h
525 file path=usr/include/md5.h
526 file path=usr/include/memory.h
527 file path=usr/include/menu.h
528 file path=usr/include/mon.h
529 file path=usr/include/monetary.h
530 file path=usr/include/mp.h
531 file path=usr/include/mqueue.h
532 file path=usr/include/mtmalloc.h
533 file path=usr/include/nan.h
534 file path=usr/include/ndbm.h
535 file path=usr/include/ndpd.h
536 file path=usr/include/net/af.h
537 file path=usr/include/net/bridge.h
538 file path=usr/include/net/if.h
539 file path=usr/include/net/if_arp.h
540 file path=usr/include/net/if_dl.h
541 file path=usr/include/net/if_types.h
542 file path=usr/include/net/pfkeyv2.h
543 file path=usr/include/net/pfpolicy.h
544 file path=usr/include/net/ppp-comp.h
545 file path=usr/include/net/ppp_defs.h
546 file path=usr/include/net/pppio.h
547 file path=usr/include/net/radix.h
548 file path=usr/include/net/route.h
549 file path=usr/include/net/trill.h
550 file path=usr/include/net/vjcompress.h
551 file path=usr/include/netconfig.h
552 file path=usr/include/netdb.h
553 file path=usr/include/netdir.h
554 file path=usr/include/netinet/arp.h
555 file path=usr/include/netinet/dhcp.h
556 file path=usr/include/netinet/dhcp6.h
557 file path=usr/include/netinet/icmp6.h
558 file path=usr/include/netinet/icmp_var.h
559 file path=usr/include/netinet/if_ether.h
560 file path=usr/include/netinet/igmp.h
561 file path=usr/include/netinet/igmp_var.h
562 file path=usr/include/netinet/in.h
563 file path=usr/include/netinet/in_pcb.h
564 file path=usr/include/netinet/in_sysm.h
565 file path=usr/include/netinet/in_var.h
566 file path=usr/include/netinet/ip.h
567 file path=usr/include/netinet/ip6.h
568 file path=usr/include/netinet/ip_icmp.h
569 file path=usr/include/netinet/ip_mroute.h
570 file path=usr/include/netinet/ip_var.h
571 file path=usr/include/netinet/pim.h
572 file path=usr/include/netinet/sctp.h
573 file path=usr/include/netinet/tcp.h
574 file path=usr/include/netinet/tcp_debug.h
575 file path=usr/include/netinet/tcp_fsm.h
576 file path=usr/include/netinet/tcp_seq.h
577 file path=usr/include/netinet/tcp_timer.h
578 file path=usr/include/netinet/tcp_var.h
579 file path=usr/include/netinet/tcpip.h
580 file path=usr/include/netinet/udp.h
581 file path=usr/include/netinet/udp_var.h
582 file path=usr/include/netinet/vrrp.h
583 file path=usr/include/nfs/auth.h
584 file path=usr/include/nfs/export.h
585 file path=usr/include/nfs/lm.h
586 file path=usr/include/nfs/mapid.h
587 file path=usr/include/nfs/mount.h
588 file path=usr/include/nfs/nfs.h
589 file path=usr/include/nfs/nfs4.h

```

```

590 file path=usr/include/nfs/nfs4_attr.h
591 file path=usr/include/nfs/nfs4_clnt.h
592 file path=usr/include/nfs/nfs4_db_impl.h
593 file path=usr/include/nfs/nfs4_idmap_impl.h
594 file path=usr/include/nfs/nfs4_kprot.h
595 file path=usr/include/nfs/nfs_acl.h
596 file path=usr/include/nfs/nfs_clnt.h
597 file path=usr/include/nfs/nfs_cmd.h
598 file path=usr/include/nfs/nfs_log.h
599 file path=usr/include/nfs/nfs_sec.h
600 file path=usr/include/nfs/nfsid_map.h
601 file path=usr/include/nfs/nfssys.h
602 file path=usr/include/nfs/rnode.h
603 file path=usr/include/nfs/rnode4.h
604 file path=usr/include/nl_types.h
605 file path=usr/include/nlist.h
606 file path=usr/include/note.h
607 file path=usr/include/nss_common.h
608 file path=usr/include/nss_dbdefs.h
609 file path=usr/include/nss_netdir.h
610 file path=usr/include/nsswitch.h
611 file path=usr/include/panel.h
612 file path=usr/include/paths.h
613 file path=usr/include/pcsample.h
614 file path=usr/include/pfmt.h
615 file path=usr/include/pkgdev.h
616 file path=usr/include/pkginfo.h
617 file path=usr/include/pkglocs.h
618 file path=usr/include/pkgstrct.h
619 file path=usr/include/pkgtrans.h
620 file path=usr/include/poll.h
621 file path=usr/include/port.h
622 file path=usr/include/priv.h
623 file path=usr/include/proc_service.h
624 file path=usr/include/procfs.h
625 file path=usr/include/prof.h
626 file path=usr/include/prof_attr.h
627 file path=usr/include/project.h
628 file path=usr/include/protocols/dumprestore.h
629 file path=usr/include/protocols/routed.h
630 file path=usr/include/protocols/rwhod.h
631 file path=usr/include/protocols/timed.h
632 file path=usr/include/pthread.h
633 file path=usr/include/pw.h
634 file path=usr/include/rcm_module.h
635 file path=usr/include/rctl.h
636 file path=usr/include/re_comp.h
637 file path=usr/include/regex.h
638 file path=usr/include/regexp.h
639 file path=usr/include/regexpr.h
640 file path=usr/include/resolv.h
641 file path=usr/include/rje.h
642 file path=usr/include/rp_plugin.h
643 file path=usr/include/rpc/auth.h
644 file path=usr/include/rpc/auth_des.h
645 file path=usr/include/rpc/auth_sys.h
646 file path=usr/include/rpc/auth_unix.h
647 file path=usr/include/rpc/bootparam.h
648 file path=usr/include/rpc/clnt.h
649 file path=usr/include/rpc/clnt_soc.h
650 file path=usr/include/rpc/clnt_stat.h
651 file path=usr/include/rpc/des_crypt.h
652 $(sparc_ONLY)file path=usr/include/rpc/ib.h
653 file path=usr/include/rpc/key_prot.h
654 file path=usr/include/rpc/nettype.h

```

```

655 file path=usr/include/rpc/pmap_clnt.h
656 file path=usr/include/rpc/pmap_prot.h
657 file path=usr/include/rpc/pmap_prot.x
658 file path=usr/include/rpc/pmap_rmt.h
659 file path=usr/include/rpc/raw.h
660 file path=usr/include/rpc/rpc.h
661 file path=usr/include/rpc/rpc_com.h
662 file path=usr/include/rpc/rpc_msg.h
663 file path=usr/include/rpc/rpc_rdma.h
664 file path=usr/include/rpc/rpc_sztypes.h
665 file path=usr/include/rpc/rpcb_clnt.h
666 file path=usr/include/rpc/rpcb_prot.h
667 file path=usr/include/rpc/rpcb_prot.x
668 file path=usr/include/rpc/rpcent.h
669 file path=usr/include/rpc/rpcsec_gss.h
670 file path=usr/include/rpc/rpcsys.h
671 file path=usr/include/rpc/svc.h
672 file path=usr/include/rpc/svc_auth.h
673 file path=usr/include/rpc/svc_mt.h
674 file path=usr/include/rpc/svc_soc.h
675 file path=usr/include/rpc/types.h
676 file path=usr/include/rpc/xdr.h
677 file path=usr/include/rpcsvc/autofs_prot.h
678 file path=usr/include/rpcsvc/autofs_prot.x
679 file path=usr/include/rpcsvc/bootparam.h
680 file path=usr/include/rpcsvc/bootparam_prot.h
681 file path=usr/include/rpcsvc/bootparam_prot.x
682 file path=usr/include/rpcsvc/dbm.h
683 file path=usr/include/rpcsvc/key_prot.x
684 file path=usr/include/rpcsvc/mount.h
685 file path=usr/include/rpcsvc/mount.x
686 file path=usr/include/rpcsvc/nfs4_prot.h
687 file path=usr/include/rpcsvc/nfs4_prot.x
688 file path=usr/include/rpcsvc/nfs_acl.h
689 file path=usr/include/rpcsvc/nfs_acl.x
690 file path=usr/include/rpcsvc/nfs_prot.h
691 file path=usr/include/rpcsvc/nfs_prot.x
692 file path=usr/include/rpcsvc/nis.h
693 file path=usr/include/rpcsvc/nis.x
694 file path=usr/include/rpcsvc/nis_db.h
695 file path=usr/include/rpcsvc/nis_object.x
696 file path=usr/include/rpcsvc/nislib.h
697 file path=usr/include/rpcsvc/nlm_prot.h
698 file path=usr/include/rpcsvc/nlm_prot.x
699 file path=usr/include/rpcsvc/nsm_addr.h
700 file path=usr/include/rpcsvc/nsm_addr.x
701 file path=usr/include/rpcsvc/rpc_sztypes.h
702 file path=usr/include/rpcsvc/rpc_sztypes.x
703 file path=usr/include/rpcsvc/rquota.h
704 file path=usr/include/rpcsvc/rquota.x
705 file path=usr/include/rpcsvc/rstat.h
706 file path=usr/include/rpcsvc/rstat.x
707 file path=usr/include/rpcsvc/rusers.h
708 file path=usr/include/rpcsvc/rusers.x
709 file path=usr/include/rpcsvc/rwall.h
710 file path=usr/include/rpcsvc/rwall.x
711 file path=usr/include/rpcsvc/sm_inter.h
712 file path=usr/include/rpcsvc/sm_inter.x
713 file path=usr/include/rpcsvc/spray.h
714 file path=usr/include/rpcsvc/spray.x
715 file path=usr/include/rpcsvc/ufs_prot.h
716 file path=usr/include/rpcsvc/ufs_prot.x
717 file path=usr/include/rpcsvc/yp.x
718 file path=usr/include/rpcsvc/yp_prot.h
719 file path=usr/include/rpcsvc/ypclnt.h
720 file path=usr/include/rpcsvc/yppasswd.h

```

```

721 file path=usr/include/rpcsvc/ypupd.h
722 file path=usr/include/rsmapi.h
723 file path=usr/include/rtld_db.h
724 file path=usr/include/sac.h
725 file path=usr/include/sasl/prop.h
726 file path=usr/include/sasl/sasl.h
727 file path=usr/include/sasl/saslplug.h
728 file path=usr/include/sasl/saslutil.h
729 file path=usr/include/sched.h
730 file path=usr/include/schedctl.h
731 file path=usr/include/scsi/libscsi.h
732 file path=usr/include/scsi/libses.h
733 file path=usr/include/scsi/libses_plugin.h
734 file path=usr/include/scsi/libsmpt.h
735 file path=usr/include/scsi/libsmpt_plugin.h
736 file path=usr/include/scsi/plugins/ses/framework/libses.h
737 file path=usr/include/scsi/plugins/ses/framework/ses2.h
738 file path=usr/include/scsi/plugins/ses/framework/ses2_impl.h
739 file path=usr/include/scsi/plugins/ses/vendor/sun.h
740 file path=usr/include/sdp.h
741 file path=usr/include/search.h
742 file path=usr/include/secdb.h
743 file path=usr/include/security/auditd.h
744 file path=usr/include/security/cryptoki.h
745 file path=usr/include/security/pam_appl.h
746 file path=usr/include/security/pam_modules.h
747 file path=usr/include/security/pkcs11.h
748 file path=usr/include/security/pkcs11f.h
749 file path=usr/include/security/pkcs11t.h
750 file path=usr/include/semaphore.h
751 file path=usr/include/setjmp.h
752 file path=usr/include/sgtty.h
753 file path=usr/include/shal.h
754 file path=usr/include/sha2.h
755 file path=usr/include/shadow.h
756 file path=usr/include/sharefs/share.h
757 file path=usr/include/sharefs/sharefs.h
758 file path=usr/include/sharefs/sharetab.h
759 file path=usr/include/siginfo.h
760 file path=usr/include/signal.h
761 file path=usr/include/sip.h
762 file path=usr/include/skein.h
763 file path=usr/include/smbios.h
764 file path=usr/include/spawn.h
765 $(i386_ONLY)file path=usr/include/stack_unwind.h
766 file path=usr/include/stdalign.h
767 file path=usr/include/stdarg.h
768 file path=usr/include/stdbool.h
769 file path=usr/include/stddef.h
770 file path=usr/include/stdint.h
771 file path=usr/include/stdio.h
772 file path=usr/include/stdio_ext.h
773 file path=usr/include/stdio_impl.h
774 file path=usr/include/stdio_tag.h
775 file path=usr/include/stdlib.h
776 file path=usr/include/stdnoreturn.h
777 file path=usr/include/storclass.h
778 file path=usr/include/string.h
779 file path=usr/include/strings.h
780 file path=usr/include/stropts.h
781 file path=usr/include/syms.h
782 file path=usr/include/synch.h
783 file path=usr/include/sys/acct.h
784 file path=usr/include/sys/acctctl.h
785 file path=usr/include/sys/acl.h
786 file path=usr/include/sys/acl_impl.h

```

```

787 file path=usr/include/sys/acpi_drv.h
788 file path=usr/include/sys/aio.h
789 file path=usr/include/sys/aio_impl.h
790 file path=usr/include/sys/aio_req.h
791 file path=usr/include/sys/aioCb.h
792 file path=usr/include/sys/archsystem.h
793 file path=usr/include/sys/ascii.h
794 file path=usr/include/sys/asm_linkage.h
795 file path=usr/include/sys/asynch.h
796 file path=usr/include/sys/atomic.h
797 file path=usr/include/sys/attr.h
798 file path=usr/include/sys/autoconf.h
799 file path=usr/include/sys/auxv.h
800 file path=usr/include/sys/auxv_386.h
801 file path=usr/include/sys/auxv_SPARC.h
802 file path=usr/include/sys/av/ie61883.h
803 file path=usr/include/sys/avintr.h
804 file path=usr/include/sys/avl.h
805 file path=usr/include/sys/avl_impl.h
806 file path=usr/include/sys/bitmap.h
807 file path=usr/include/sys/bitset.h
808 file path=usr/include/sys/bl.h
809 file path=usr/include/sys/blkdev.h
810 file path=usr/include/sys/bofi.h
811 file path=usr/include/sys/bofi_impl.h
812 file path=usr/include/sys/bootconf.h
813 file path=usr/include/sys/bootregs.h
814 file path=usr/include/sys/bootstat.h
815 file path=usr/include/sys/bootsvcs.h
816 file path=usr/include/sys/bpp_io.h
817 file path=usr/include/sys/brand.h
818 file path=usr/include/sys/buf.h
819 file path=usr/include/sys/bufmod.h
820 file path=usr/include/sys/bustypes.h
821 file path=usr/include/sys/byteorder.h
822 file path=usr/include/sys/callb.h
823 file path=usr/include/sys/callo.h
824 file path=usr/include/sys/cap_util.h
825 file path=usr/include/sys/ccompile.h
826 file path=usr/include/sys/cdio.h
827 file path=usr/include/sys/cis.h
828 file path=usr/include/sys/cis_handlers.h
829 file path=usr/include/sys/cis_protos.h
830 file path=usr/include/sys/cladm.h
831 file path=usr/include/sys/class.h
832 file path=usr/include/sys/clconf.h
833 file path=usr/include/sys/cmlb.h
834 file path=usr/include/sys/cmm_err.h
835 file path=usr/include/sys/cmprgs.h
836 file path=usr/include/sys/compress.h
837 file path=usr/include/sys/condvar.h
838 file path=usr/include/sys/condvar_impl.h
839 file path=usr/include/sys/conf.h
840 file path=usr/include/sys/consdev.h
841 file path=usr/include/sys/console.h
842 file path=usr/include/sys/consplat.h
843 file path=usr/include/sys/contract.h
844 file path=usr/include/sys/contract/device.h
845 file path=usr/include/sys/contract/device_impl.h
846 file path=usr/include/sys/contract/process.h
847 file path=usr/include/sys/contract/process_impl.h
848 file path=usr/include/sys/contract_impl.h
849 file path=usr/include/sys/controlregs.h
850 file path=usr/include/sys/copyops.h
851 file path=usr/include/sys/core.h
852 file path=usr/include/sys/corectl.h

```

```

853 file path=usr/include/sys/cpc_impl.h
854 file path=usr/include/sys/cpc_pcbe.h
855 file path=usr/include/sys/cpr.h
856 file path=usr/include/sys/cpu.h
857 file path=usr/include/sys/cpucaps.h
858 file path=usr/include/sys/cpucaps_impl.h
859 file path=usr/include/sys/cpupart.h
860 file path=usr/include/sys/cpuvar.h
861 file path=usr/include/sys/crc32.h
862 file path=usr/include/sys/cred.h
863 file path=usr/include/sys/cred_impl.h
864 file path=usr/include/sys/crtctl.h
865 file path=usr/include/sys/crypto/api.h
866 file path=usr/include/sys/crypto/common.h
867 file path=usr/include/sys/crypto/ioctl.h
868 file path=usr/include/sys/crypto/ioctladmin.h
869 file path=usr/include/sys/crypto/spi.h
870 file path=usr/include/sys/cs.h
871 file path=usr/include/sys/cs_priv.h
872 file path=usr/include/sys/cs_strings.h
873 file path=usr/include/sys/cs_stubs.h
874 file path=usr/include/sys/cs_types.h
875 file path=usr/include/sys/csioctl.h
876 file path=usr/include/sys/ctf.h
877 file path=usr/include/sys/ctf_api.h
878 file path=usr/include/sys/ctfs.h
879 file path=usr/include/sys/ctfs_impl.h
880 file path=usr/include/sys/ctype.h
881 file path=usr/include/sys/cyclic.h
882 file path=usr/include/sys/cyclic_impl.h
883 file path=usr/include/sys/dacf.h
884 file path=usr/include/sys/dacf_impl.h
885 file path=usr/include/sys/damap.h
886 file path=usr/include/sys/damap_impl.h
887 file path=usr/include/sys/dc_ki.h
888 file path=usr/include/sys/ddi.h
889 file path=usr/include/sys/ddi_hp.h
890 file path=usr/include/sys/ddi_hp_impl.h
891 file path=usr/include/sys/ddi_impldefs.h
892 file path=usr/include/sys/ddi_implfuncs.h
893 file path=usr/include/sys/ddi_intr.h
894 file path=usr/include/sys/ddi_intr_impl.h
895 file path=usr/include/sys/ddi_isa.h
896 file path=usr/include/sys/ddi_obsolete.h
897 file path=usr/include/sys/ddi_periodic.h
898 file path=usr/include/sys/ddidevmap.h
899 file path=usr/include/sys/ddidmareq.h
900 file path=usr/include/sys/ddifm.h
901 file path=usr/include/sys/ddifm_impl.h
902 file path=usr/include/sys/ddimapreq.h
903 file path=usr/include/sys/ddipropdefs.h
904 file path=usr/include/sys/dditypes.h
905 file path=usr/include/sys/debug.h
906 file path=usr/include/sys/debugreg.h
907 file path=usr/include/sys/des.h
908 file path=usr/include/sys/devcache.h
909 file path=usr/include/sys/devcache_impl.h
910 file path=usr/include/sys/devctl.h
911 file path=usr/include/sys/devfm.h
912 file path=usr/include/sys/devid_cache.h
913 file path=usr/include/sys/devinfo_impl.h
914 file path=usr/include/sys/devops.h
915 file path=usr/include/sys/devpolicy.h
916 file path=usr/include/sys/devpoll.h
917 file path=usr/include/sys/dirent.h
918 file path=usr/include/sys/disp.h

```

```

919 file path=usr/include/sys/dkbad.h
920 file path=usr/include/sys/dkio.h
921 file path=usr/include/sys/dklabel.h
922 $(sparc_ONLY)file path=usr/include/sys/dkmpio.h
923 $(i386_ONLY)file path=usr/include/sys/dktp/altsctr.h
924 $(i386_ONLY)file path=usr/include/sys/dktp/cmpkt.h
925 file path=usr/include/sys/dktp/dadkio.h
926 file path=usr/include/sys/dktp/fdisk.h
927 file path=usr/include/sys/dl.h
928 file path=usr/include/sys/dld.h
929 file path=usr/include/sys/dlpi.h
930 file path=usr/include/sys/dls_mgmt.h
931 $(i386_ONLY)file path=usr/include/sys/dma_engine.h
932 file path=usr/include/sys/dma_i8237A.h
933 file path=usr/include/sys/dnlc.h
934 file path=usr/include/sys/door.h
935 file path=usr/include/sys/door_data.h
936 file path=usr/include/sys/door_impl.h
937 file path=usr/include/sys/dumphdr.h
938 file path=usr/include/sys/ecppio.h
939 file path=usr/include/sys/ecppreg.h
940 file path=usr/include/sys/ecppsys.h
941 file path=usr/include/sys/ecppvar.h
942 file path=usr/include/sys/edonr.h
943 file path=usr/include/sys/efi_partition.h
944 file path=usr/include/sys/elf.h
945 file path=usr/include/sys/elf_386.h
946 file path=usr/include/sys/elf_SPARC.h
947 file path=usr/include/sys/elf_amd64.h
948 file path=usr/include/sys/elf_notes.h
949 file path=usr/include/sys/elftypes.h
950 file path=usr/include/sys/epm.h
951 file path=usr/include/sys/epoll.h
952 file path=usr/include/sys/errno.h
953 file path=usr/include/sys/errorq.h
954 file path=usr/include/sys/errorq_impl.h
955 file path=usr/include/sys/esunddi.h
956 file path=usr/include/sys/ethernet.h
957 file path=usr/include/sys/euc.h
958 file path=usr/include/sys/eucioctl.h
959 file path=usr/include/sys/eventfd.h
960 file path=usr/include/sys/exacct.h
961 file path=usr/include/sys/exacct_catalog.h
962 file path=usr/include/sys/exacct_impl.h
963 file path=usr/include/sys/exec.h
964 file path=usr/include/sys/exechdr.h
965 file path=usr/include/sys/fault.h
966 file path=usr/include/sys/fbio.h
967 file path=usr/include/sys/fbuf.h
968 file path=usr/include/sys/fc4/fc.h
969 file path=usr/include/sys/fc4/fc_transport.h
970 file path=usr/include/sys/fc4/fcal.h
971 file path=usr/include/sys/fc4/fcal_linkapp.h
972 file path=usr/include/sys/fc4/fcal_transport.h
973 file path=usr/include/sys/fc4/fcio.h
974 file path=usr/include/sys/fc4/fcp.h
975 file path=usr/include/sys/fc4/linkapp.h
976 file path=usr/include/sys/fcntl.h
977 file path=usr/include/sys/fdbuffer.h
978 file path=usr/include/sys/fdio.h
979 $(sparc_ONLY)file path=usr/include/sys/fdreg.h
980 $(sparc_ONLY)file path=usr/include/sys/fdvar.h
981 file path=usr/include/sys/feature_tests.h
982 file path=usr/include/sys/fem.h
983 file path=usr/include/sys/file.h
984 file path=usr/include/sys/filio.h

```

```

985 file path=usr/include/sys/firmload.h
986 file path=usr/include/sys/flock.h
987 file path=usr/include/sys/flock_impl.h
988 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/SPARC64-VI.h
989 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-II.h
990 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-III.h
991 $(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-T1.h
992 file path=usr/include/sys/fm/fs/zfs.h
993 file path=usr/include/sys/fm/io/ddi.h
994 file path=usr/include/sys/fm/io/disk.h
995 file path=usr/include/sys/fm/io/opl_mc_fm.h
996 file path=usr/include/sys/fm/io/pci.h
997 file path=usr/include/sys/fm/io/scsi.h
998 file path=usr/include/sys/fm/io/sun4upci.h
999 file path=usr/include/sys/fm/protocol.h
1000 file path=usr/include/sys/fm/util.h
1001 file path=usr/include/sys/fork.h
1002 $(i386_ONLY)file path=usr/include/sys/fp.h
1003 $(sparc_ONLY)file path=usr/include/sys/fpu/fpu_simulator.h
1004 $(sparc_ONLY)file path=usr/include/sys/fpu/fpusystem.h
1005 $(sparc_ONLY)file path=usr/include/sys/fpu/globals.h
1006 $(sparc_ONLY)file path=usr/include/sys/fpu/ieee.h
1007 file path=usr/include/sys/frame.h
1008 file path=usr/include/sys/fs/autofs.h
1009 file path=usr/include/sys/fs/decomp.h
1010 file path=usr/include/sys/fs/dv_node.h
1011 file path=usr/include/sys/fs/fifonode.h
1012 file path=usr/include/sys/fs/hsfs_isospec.h
1013 file path=usr/include/sys/fs/hsfs_node.h
1014 file path=usr/include/sys/fs/hsfs_rrip.h
1015 file path=usr/include/sys/fs/hsfs_spec.h
1016 file path=usr/include/sys/fs/hsfs_susp.h
1017 file path=usr/include/sys/fs/lofs_info.h
1018 file path=usr/include/sys/fs/lofs_node.h
1019 file path=usr/include/sys/fs/mntdata.h
1020 file path=usr/include/sys/fs/namenode.h
1021 file path=usr/include/sys/fs/pc_dir.h
1022 file path=usr/include/sys/fs/pc_fs.h
1023 file path=usr/include/sys/fs/pc_label.h
1024 file path=usr/include/sys/fs/pc_node.h
1025 file path=usr/include/sys/fs/pxfs_ki.h
1026 file path=usr/include/sys/fs/sdev_impl.h
1027 file path=usr/include/sys/fs/snoder.h
1028 file path=usr/include/sys/fs/swapnode.h
1029 file path=usr/include/sys/fs/tmp.h
1030 file path=usr/include/sys/fs/tmpnode.h
1031 file path=usr/include/sys/fs/udf_inode.h
1032 file path=usr/include/sys/fs/udf_volume.h
1033 file path=usr/include/sys/fs/ufs_acl.h
1034 file path=usr/include/sys/fs/ufs_bio.h
1035 file path=usr/include/sys/fs/ufs_filio.h
1036 file path=usr/include/sys/fs/ufs_fs.h
1037 file path=usr/include/sys/fs/ufs_fsdire.h
1038 file path=usr/include/sys/fs/ufs_inode.h
1039 file path=usr/include/sys/fs/ufs_lockfs.h
1040 file path=usr/include/sys/fs/ufs_log.h
1041 file path=usr/include/sys/fs/ufs_mount.h
1042 file path=usr/include/sys/fs/ufs_panic.h
1043 file path=usr/include/sys/fs/ufs_prot.h
1044 file path=usr/include/sys/fs/ufs_quota.h
1045 file path=usr/include/sys/fs/ufs_snap.h
1046 file path=usr/include/sys/fs/ufs_trans.h
1047 file path=usr/include/sys/fs/zfs.h
1048 file path=usr/include/sys/fs_reparse.h
1049 file path=usr/include/sys/fs_subr.h
1050 file path=usr/include/sys/fsid.h

```

```

1051 $(sparc_ONLY)file path=usr/include/sys/fsr.h
1052 file path=usr/include/sys/fss.h
1053 file path=usr/include/sys/fssnap.h
1054 file path=usr/include/sys/fssnap_if.h
1055 file path=usr/include/sys/fsspriocntl.h
1056 file path=usr/include/sys/fstyp.h
1057 file path=usr/include/sys/ftrace.h
1058 file path=usr/include/sys/fx.h
1059 file path=usr/include/sys/fxpriocntl.h
1060 file path=usr/include/sys/gfs.h
1061 file path=usr/include/sys/gfx_private.h
1062 file path=usr/include/sys/gld.h
1063 file path=usr/include/sys/gldpriv.h
1064 file path=usr/include/sys/group.h
1065 file path=usr/include/sys/hdio.h
1066 file path=usr/include/sys/hook.h
1067 file path=usr/include/sys/hook_event.h
1068 file path=usr/include/sys/hook_impl.h
1069 file path=usr/include/sys/hotplug/hpcsvc.h
1070 file path=usr/include/sys/hotplug/hpctrl.h
1071 file path=usr/include/sys/hotplug/pci/pcicfg.h
1072 file path=usr/include/sys/hotplug/pci/pcihp.h
1073 file path=usr/include/sys/hwconf.h
1074 $(i386_ONLY)file path=usr/include/sys/hypervisor.h
1075 $(i386_ONLY)file path=usr/include/sys/i8272A.h
1076 file path=usr/include/sys/ia.h
1077 file path=usr/include/sys/iapriocntl.h
1078 file path=usr/include/sys/ib/adapters/hermon/hermon_ioctl.h
1079 file path=usr/include/sys/ib/adapters/mlnx_umap.h
1080 file path=usr/include/sys/ib/adapters/tavor/tavor_ioctl.h
1081 file path=usr/include/sys/ib/clients/ibd/ibd.h
1082 file path=usr/include/sys/ib/clients/of/ofa_solaris.h
1083 file path=usr/include/sys/ib/clients/of/ofed_kernel.h
1084 file path=usr/include/sys/ib/clients/of/rdma/ib_addr.h
1085 file path=usr/include/sys/ib/clients/of/rdma/ib_user_mad.h
1086 file path=usr/include/sys/ib/clients/of/rdma/ib_user_sa.h
1087 file path=usr/include/sys/ib/clients/of/rdma/ib_user_verbs.h
1088 file path=usr/include/sys/ib/clients/of/rdma/ib_verbs.h
1089 file path=usr/include/sys/ib/clients/of/rdma/rdma_cm.h
1090 file path=usr/include/sys/ib/clients/of/rdma/rdma_user_cm.h
1091 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_cma.h
1092 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ib_cma.h
1093 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_kverb_impl.h
1094 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ofs_common.h
1095 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_rdma_user_cm.h
1096 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_ucma.h
1097 file path=usr/include/sys/ib/clients/of/sol_umad/sol_umad.h
1098 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs.h
1099 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs2ucma.h
1100 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_comp.h
1101 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_event.h
1102 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_hca.h
1103 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_qp.h
1104 file path=usr/include/sys/ib/ib_pkt_hdrs.h
1105 file path=usr/include/sys/ib/ib_types.h
1106 file path=usr/include/sys/ib/ibnex/ibnex_devctl.h
1107 file path=usr/include/sys/ib/ibt1/ibci.h
1108 file path=usr/include/sys/ib/ibt1/ibti.h
1109 file path=usr/include/sys/ib/ibt1/ibti_cm.h
1110 file path=usr/include/sys/ib/ibt1/ibti_common.h
1111 file path=usr/include/sys/ib/ibt1/ibt1_ci_types.h
1112 file path=usr/include/sys/ib/ibt1/ibt1_status.h
1113 file path=usr/include/sys/ib/ibt1/ibt1_types.h
1114 file path=usr/include/sys/ib/ibt1/ibvti.h
1115 file path=usr/include/sys/ib/ibt1/impl/ibt1_util.h
1116 file path=usr/include/sys/ib/mgt/ib_dm_attr.h

```

```

1117 file path=usr/include/sys/ib/mgt/ib_mad.h
1118 file path=usr/include/sys/ib/mgt/ibmf/ibmf.h
1119 file path=usr/include/sys/ib/mgt/ibmf/ibmf_msg.h
1120 file path=usr/include/sys/ib/mgt/ibmf/ibmf_saa.h
1121 file path=usr/include/sys/ib/mgt/ibmf/ibmf_utils.h
1122 file path=usr/include/sys/ib/mgt/sa_recvs.h
1123 file path=usr/include/sys/ib/mgt/sm_attr.h
1124 file path=usr/include/sys/ibpart.h
1125 file path=usr/include/sys/id32.h
1126 file path=usr/include/sys/id_space.h
1127 file path=usr/include/sys/idmap.h
1128 file path=usr/include/sys/inline.h
1129 file path=usr/include/sys/instance.h
1130 file path=usr/include/sys/int_const.h
1131 file path=usr/include/sys/int_fmtio.h
1132 file path=usr/include/sys/int_limits.h
1133 file path=usr/include/sys/int_types.h
1134 file path=usr/include/sys/inttypes.h
1135 file path=usr/include/sys/ioccom.h
1136 file path=usr/include/sys/ioctl.h
1137 $(i386_ONLY)file path=usr/include/sys/iommuib.h
1138 file path=usr/include/sys/ipc.h
1139 file path=usr/include/sys/ipc_impl.h
1140 file path=usr/include/sys/ipc_rctl.h
1141 file path=usr/include/sys/isa_defs.h
1142 file path=usr/include/sys/iso/signal_iso.h
1143 file path=usr/include/sys/jioctl.h
1144 file path=usr/include/sys/kbd.h
1145 file path=usr/include/sys/kbdreg.h
1146 file path=usr/include/sys/kbio.h
1147 file path=usr/include/sys/kcpc.h
1148 file path=usr/include/sys/kd.h
1149 file path=usr/include/sys/kdi.h
1150 file path=usr/include/sys/kdi_impl.h
1151 file path=usr/include/sys/kdi_machimpl.h
1152 $(i386_ONLY)file path=usr/include/sys/kdi_regs.h
1153 file path=usr/include/sys/kiconv.h
1154 file path=usr/include/sys/kidmap.h
1155 file path=usr/include/sys/klpd.h
1156 file path=usr/include/sys/klwp.h
1157 file path=usr/include/sys/kmem.h
1158 file path=usr/include/sys/kmem_impl.h
1159 file path=usr/include/sys/kobj.h
1160 file path=usr/include/sys/kobj_impl.h
1161 file path=usr/include/sys/ksocket.h
1162 file path=usr/include/sys/kstat.h
1163 file path=usr/include/sys/kstr.h
1164 file path=usr/include/sys/ksyms.h
1165 file path=usr/include/sys/ksynch.h
1166 file path=usr/include/sys/lc_core.h
1167 file path=usr/include/sys/ldterm.h
1168 file path=usr/include/sys/lgrp.h
1169 file path=usr/include/sys/lgrp_user.h
1170 file path=usr/include/sys/link.h
1171 file path=usr/include/sys/list.h
1172 file path=usr/include/sys/list_impl.h
1173 file path=usr/include/sys/llcl.h
1174 file path=usr/include/sys/loadavg.h
1175 file path=usr/include/sys/localedef.h
1176 file path=usr/include/sys/lock.h
1177 file path=usr/include/sys/lockfs.h
1178 file path=usr/include/sys/lofi.h
1179 file path=usr/include/sys/log.h
1180 file path=usr/include/sys/logindmux.h
1181 file path=usr/include/sys/lwp.h
1182 file path=usr/include/sys/lwp_timer_impl.h

```

1183 file path=usr/include/sys/lwp_upimutex_impl.h
 1184 file path=usr/include/sys/mac.h
 1185 file path=usr/include/sys/mac_ether.h
 1186 file path=usr/include/sys/mac_flow.h
 1187 file path=usr/include/sys/mac_provider.h
 1188 file path=usr/include/sys/machelf.h
 1189 file path=usr/include/sys/machlock.h
 1190 file path=usr/include/sys/machsig.h
 1191 file path=usr/include/sys/machtypes.h
 1192 file path=usr/include/sys/map.h
 1193 \$(i386_ONLY)file path=usr/include/sys/mc.h
 1194 \$(i386_ONLY)file path=usr/include/sys/mc_amd.h
 1195 \$(i386_ONLY)file path=usr/include/sys/mc_intel.h
 1196 \$(i386_ONLY)file path=usr/include/sys/mca_amd.h
 1197 \$(i386_ONLY)file path=usr/include/sys/mca_x86.h
 1198 file path=usr/include/sys/mcontext.h
 1199 file path=usr/include/sys/md4.h
 1200 file path=usr/include/sys/md5.h
 1201 file path=usr/include/sys/md5_consts.h
 1202 file path=usr/include/sys/mdi_impldefs.h
 1203 file path=usr/include/sys/mem.h
 1204 file path=usr/include/sys/mem_config.h
 1205 file path=usr/include/sys/memlist.h
 1206 file path=usr/include/sys/mhd.h
 1207 file path=usr/include/sys/mii.h
 1208 file path=usr/include/sys/miiregs.h
 1209 file path=usr/include/sys/mkdev.h
 1210 file path=usr/include/sys/mman.h
 1211 file path=usr/include/sys/mmapobj.h
 1212 file path=usr/include/sys/mntent.h
 1213 file path=usr/include/sys/mntio.h
 1214 file path=usr/include/sys/mnttab.h
 1215 file path=usr/include/sys/modctl.h
 1216 file path=usr/include/sys/mode.h
 1217 file path=usr/include/sys/model.h
 1218 file path=usr/include/sys/modhash.h
 1219 file path=usr/include/sys/modhash_impl.h
 1220 file path=usr/include/sys/mount.h
 1221 file path=usr/include/sys/mouse.h
 1222 file path=usr/include/sys/msacct.h
 1223 file path=usr/include/sys/msg.h
 1224 file path=usr/include/sys/msg_impl.h
 1225 file path=usr/include/sys/msio.h
 1226 file path=usr/include/sys/msreg.h
 1227 file path=usr/include/sys/mtio.h
 1228 file path=usr/include/sys/multidata.h
 1229 file path=usr/include/sys/mutex.h
 1230 \$(i386_ONLY)file path=usr/include/sys/mutex_impl.h
 1231 file path=usr/include/sys/nbmlck.h
 1232 file path=usr/include/sys/ndi_impldefs.h
 1233 file path=usr/include/sys/ndifm.h
 1234 file path=usr/include/sys/netconfig.h
 1235 file path=usr/include/sys/neti.h
 1236 file path=usr/include/sys/netstack.h
 1237 file path=usr/include/sys/nexusdefs.h
 1238 file path=usr/include/sys/note.h
 1239 file path=usr/include/sys/null.h
 1240 file path=usr/include/sys/nvpair.h
 1241 file path=usr/include/sys/nvpair_impl.h
 1242 file path=usr/include/sys/objfs.h
 1243 file path=usr/include/sys/objfs_impl.h
 1244 file path=usr/include/sys/obpdefs.h
 1245 file path=usr/include/sys/old_procfs.h
 1246 file path=usr/include/sys/open.h
 1247 file path=usr/include/sys/openpromio.h
 1248 file path=usr/include/sys/panic.h

1249 file path=usr/include/sys/param.h
 1250 file path=usr/include/sys/pathconf.h
 1251 file path=usr/include/sys/pathname.h
 1252 file path=usr/include/sys/pattr.h
 1253 file path=usr/include/sys/pbio.h
 1254 file path=usr/include/sys/pcb.h
 1255 file path=usr/include/sys/pccard.h
 1256 file path=usr/include/sys/pci.h
 1257 \$(i386_ONLY)file path=usr/include/sys/pcic_reg.h
 1258 \$(i386_ONLY)file path=usr/include/sys/pcic_var.h
 1259 file path=usr/include/sys/pcie.h
 1260 file path=usr/include/sys/pcmcia.h
 1261 file path=usr/include/sys/pctypes.h
 1262 file path=usr/include/sys/pfmod.h
 1263 file path=usr/include/sys/pg.h
 1264 file path=usr/include/sys/pghw.h
 1265 file path=usr/include/sys/phymem.h
 1266 \$(i386_ONLY)file path=usr/include/sys/pic.h
 1267 \$(i386_ONLY)file path=usr/include/sys/pit.h
 1268 file path=usr/include/sys/pkp_hash.h
 1269 file path=usr/include/sys/pm.h
 1270 \$(i386_ONLY)file path=usr/include/sys/pmem.h
 1271 file path=usr/include/sys/policy.h
 1272 file path=usr/include/sys/poll.h
 1273 file path=usr/include/sys/poll_impl.h
 1274 file path=usr/include/sys/pool.h
 1275 file path=usr/include/sys/pool_impl.h
 1276 file path=usr/include/sys/pool_pset.h
 1277 file path=usr/include/sys/port.h
 1278 file path=usr/include/sys/port_impl.h
 1279 file path=usr/include/sys/port_kernel.h
 1280 file path=usr/include/sys/ppmio.h
 1281 file path=usr/include/sys/priocntl.h
 1282 file path=usr/include/sys/priv.h
 1283 file path=usr/include/sys/priv_const.h
 1284 file path=usr/include/sys/priv_impl.h
 1285 file path=usr/include/sys/priv_names.h
 1286 \$(i386_ONLY)file path=usr/include/sys/privregs.h
 1287 \$(i386_ONLY)file path=usr/include/sys/privregs.h
 1288 file path=usr/include/sys/prnio.h
 1289 file path=usr/include/sys/proc.h
 1290 file path=usr/include/sys/proc/prdata.h
 1291 file path=usr/include/sys/processor.h
 1292 file path=usr/include/sys/procfs.h
 1293 file path=usr/include/sys/procfs_isa.h
 1294 file path=usr/include/sys/procset.h
 1295 file path=usr/include/sys/project.h
 1296 \$(i386_ONLY)file path=usr/include/sys/prom_emul.h
 1297 \$(i386_ONLY)file path=usr/include/sys/prom_isa.h
 1298 \$(i386_ONLY)file path=usr/include/sys/prom_plat.h
 1299 file path=usr/include/sys/promif.h
 1300 file path=usr/include/sys/promimpl.h
 1301 file path=usr/include/sys/protosw.h
 1302 file path=usr/include/sys/prsystem.h
 1303 file path=usr/include/sys/pset.h
 1304 file path=usr/include/sys/psw.h
 1305 \$(i386_ONLY)file path=usr/include/sys/pte.h
 1306 file path=usr/include/sys/ptem.h
 1307 file path=usr/include/sys/ptms.h
 1308 file path=usr/include/sys/ptyvar.h
 1309 file path=usr/include/sys/queue.h
 1310 file path=usr/include/sys/raidioctl.h
 1311 file path=usr/include/sys/ramdisk.h
 1312 file path=usr/include/sys/random.h
 1313 file path=usr/include/sys/rctl.h
 1314 file path=usr/include/sys/rctl_impl.h

1315 file path=usr/include/sys/rds.h
1316 file path=usr/include/sys/reboot.h
1317 file path=usr/include/sys/refstr.h
1318 file path=usr/include/sys/refstr_impl.h
1319 file path=usr/include/sys/reg.h
1320 file path=usr/include/sys/regset.h
1321 file path=usr/include/sys/resource.h
1322 file path=usr/include/sys/rliocntl.h
1323 file path=usr/include/sys/rsm/rsm.h
1324 file path=usr/include/sys/rsm/rsm_common.h
1325 file path=usr/include/sys/rsm/rsmapi_common.h
1326 file path=usr/include/sys/rsm/rsmka_path_int.h
1327 file path=usr/include/sys/rsm/rsmmdi.h
1328 file path=usr/include/sys/rsm/rsmmpi.h
1329 file path=usr/include/sys/rsm/rsmmpi_driver.h
1330 file path=usr/include/sys/rt.h
1331 \$(i386_ONLY)file path=usr/include/sys/rtc.h
1332 file path=usr/include/sys/rtpriocntl.h
1333 file path=usr/include/sys/rwlock.h
1334 file path=usr/include/sys/rwlock_impl.h
1335 file path=usr/include/sys/rwstlock.h
1336 file path=usr/include/sys/sad.h
1337 \$(i386_ONLY)file path=usr/include/sys/sata/sata_defs.h
1338 \$(i386_ONLY)file path=usr/include/sys/sata/sata_hba.h
1339 file path=usr/include/sys/schedctl.h
1340 \$(sparc_ONLY)file path=usr/include/sys/scsi/adapters/ifpio.h
1341 file path=usr/include/sys/scsi/adapters/scsi_vhci.h
1342 \$(sparc_ONLY)file path=usr/include/sys/scsi/adapters/sfvar.h
1343 file path=usr/include/sys/scsi/conf/autoconf.h
1344 file path=usr/include/sys/scsi/conf/device.h
1345 file path=usr/include/sys/scsi/generic/commands.h
1346 file path=usr/include/sys/scsi/generic/dad_mode.h
1347 file path=usr/include/sys/scsi/generic/inquiry.h
1348 file path=usr/include/sys/scsi/generic/message.h
1349 file path=usr/include/sys/scsi/generic/mode.h
1350 file path=usr/include/sys/scsi/generic/persist.h
1351 file path=usr/include/sys/scsi/generic/sense.h
1352 file path=usr/include/sys/scsi/generic/sff_frames.h
1353 file path=usr/include/sys/scsi/generic/smp_frames.h
1354 file path=usr/include/sys/scsi/generic/status.h
1355 file path=usr/include/sys/scsi/impl/commands.h
1356 file path=usr/include/sys/scsi/impl/inquiry.h
1357 file path=usr/include/sys/scsi/impl/mode.h
1358 file path=usr/include/sys/scsi/impl/scsi_reset_notify.h
1359 file path=usr/include/sys/scsi/impl/scsi_sas.h
1360 file path=usr/include/sys/scsi/impl/sense.h
1361 file path=usr/include/sys/scsi/impl/services.h
1362 file path=usr/include/sys/scsi/impl/smp_transport.h
1363 file path=usr/include/sys/scsi/impl/spc3_types.h
1364 file path=usr/include/sys/scsi/impl/status.h
1365 file path=usr/include/sys/scsi/impl/transport.h
1366 file path=usr/include/sys/scsi/impl/types.h
1367 file path=usr/include/sys/scsi/impl/uscsi.h
1368 file path=usr/include/sys/scsi/impl/usmp.h
1369 file path=usr/include/sys/scsi/scsi.h
1370 file path=usr/include/sys/scsi/scsi_address.h
1371 file path=usr/include/sys/scsi/scsi_ctl.h
1372 file path=usr/include/sys/scsi/scsi_fm.h
1373 file path=usr/include/sys/scsi/scsi_names.h
1374 file path=usr/include/sys/scsi/scsi_params.h
1375 file path=usr/include/sys/scsi/scsi_pkt.h
1376 file path=usr/include/sys/scsi/scsi_resource.h
1377 file path=usr/include/sys/scsi/scsi_types.h
1378 file path=usr/include/sys/scsi/scsi_watch.h
1379 file path=usr/include/sys/scsi/targets/sddef.h
1380 file path=usr/include/sys/scsi/targets/ses.h

1381 file path=usr/include/sys/scsi/targets/sesio.h
1382 file path=usr/include/sys/scsi/targets/sgendef.h
1383 file path=usr/include/sys/scsi/targets/smp.h
1384 \$(sparc_ONLY)file path=usr/include/sys/scsi/targets/ssddef.h
1385 file path=usr/include/sys/scsi/targets/stddef.h
1386 file path=usr/include/sys/secflags.h
1387 \$(i386_ONLY)file path=usr/include/sys/segment.h
1388 \$(i386_ONLY)file path=usr/include/sys/segments.h
1389 file path=usr/include/sys/select.h
1390 file path=usr/include/sys/sem.h
1391 file path=usr/include/sys/sem_impl.h
1392 file path=usr/include/sys/sema_impl.h
1393 file path=usr/include/sys/semaphore.h
1394 file path=usr/include/sys/sendfile.h
1395 \$(sparc_ONLY)file path=usr/include/sys/ser_async.h
1396 file path=usr/include/sys/ser_sync.h
1397 \$(sparc_ONLY)file path=usr/include/sys/ser_zscc.h
1398 file path=usr/include/sys/serializer.h
1399 file path=usr/include/sys/session.h
1400 file path=usr/include/sys/sha1.h
1401 file path=usr/include/sys/sha2.h
1402 file path=usr/include/sys/share.h
1403 file path=usr/include/sys/shm.h
1404 file path=usr/include/sys/shm_impl.h
1405 file path=usr/include/sys/sid.h
1406 file path=usr/include/sys/signinfo.h
1407 file path=usr/include/sys/signal.h
1408 file path=usr/include/sys/signalfd.h
1409 file path=usr/include/sys/skein.h
1410 file path=usr/include/sys/sleepq.h
1411 file path=usr/include/sys/smbios.h
1412 file path=usr/include/sys/smbios_impl.h
1413 file path=usr/include/sys/smedia.h
1414 file path=usr/include/sys/sobject.h
1415 \$(sparc_ONLY)file path=usr/include/sys/social_cq_defs.h
1416 \$(sparc_ONLY)file path=usr/include/sys/socialio.h
1417 \$(sparc_ONLY)file path=usr/include/sys/socialmap.h
1418 \$(sparc_ONLY)file path=usr/include/sys/socialreg.h
1419 \$(sparc_ONLY)file path=usr/include/sys/socialvar.h
1420 file path=usr/include/sys/socket.h
1421 file path=usr/include/sys/socket_impl.h
1422 file path=usr/include/sys/socket_proto.h
1423 file path=usr/include/sys/socketvar.h
1424 file path=usr/include/sys/sockio.h
1425 file path=usr/include/sys/spl.h
1426 file path=usr/include/sys/queue.h
1427 file path=usr/include/sys/queue_impl.h
1428 file path=usr/include/sys/sservice.h
1429 file path=usr/include/sys/stack.h
1430 file path=usr/include/sys/stat.h
1431 file path=usr/include/sys/stat_impl.h
1432 file path=usr/include/sys/statfs.h
1433 file path=usr/include/sys/statvfs.h
1434 file path=usr/include/sys/stdbool.h
1435 file path=usr/include/sys/stddef.h
1436 file path=usr/include/sys/stdint.h
1437 file path=usr/include/sys/stermio.h
1438 file path=usr/include/sys/stream.h
1439 file path=usr/include/sys/strft.h
1440 file path=usr/include/sys/strlog.h
1441 file path=usr/include/sys/strmdep.h
1442 file path=usr/include/sys/stropts.h
1443 file path=usr/include/sys/strrmdir.h
1444 file path=usr/include/sys/strstat.h
1445 file path=usr/include/sys/strsubr.h
1446 file path=usr/include/sys/strsun.h

1447 file path=usr/include/sys/strtty.h
 1448 file path=usr/include/sys/sunddi.h
 1449 file path=usr/include/sys/sunldi.h
 1450 file path=usr/include/sys/sunldi_impl.h
 1451 file path=usr/include/sys/sunmdi.h
 1452 file path=usr/include/sys/sunndi.h
 1453 file path=usr/include/sys/sunpm.h
 1454 file path=usr/include/sys/suntpi.h
 1455 file path=usr/include/sys/suntty.h
 1456 file path=usr/include/sys/swap.h
 1457 file path=usr/include/sys/synch.h
 1458 file path=usr/include/sys/syscall.h
 1459 file path=usr/include/sys/sysconf.h
 1460 file path=usr/include/sys/sysconfig.h
 1461 file path=usr/include/sys/sysconfig_impl.h
 1462 file path=usr/include/sys/sysdc.h
 1463 file path=usr/include/sys/sysdc_impl.h
 1464 file path=usr/include/sys/seyevent.h
 1465 file path=usr/include/sys/seyevent/ap_driver.h
 1466 file path=usr/include/sys/seyevent/dev.h
 1467 file path=usr/include/sys/seyevent/domain.h
 1468 file path=usr/include/sys/seyevent/dr.h
 1469 file path=usr/include/sys/seyevent/env.h
 1470 file path=usr/include/sys/seyevent/eventdefs.h
 1471 file path=usr/include/sys/seyevent/ipmp.h
 1472 file path=usr/include/sys/seyevent/pwrctl.h
 1473 file path=usr/include/sys/seyevent/vrrp.h
 1474 file path=usr/include/sys/seyevent_impl.h
 1475 \$(i386_ONLY)file path=usr/include/sys/sysi86.h
 1476 file path=usr/include/sys/sysinfo.h
 1477 file path=usr/include/sys/syslog.h
 1478 file path=usr/include/sys/sysmacros.h
 1479 file path=usr/include/sys/systeminfo.h
 1480 file path=usr/include/sys/systm.h
 1481 file path=usr/include/sys/t_kuser.h
 1482 file path=usr/include/sys/t_lock.h
 1483 file path=usr/include/sys/task.h
 1484 file path=usr/include/sys/taskq.h
 1485 file path=usr/include/sys/taskq_impl.h
 1486 file path=usr/include/sys/teliocntl.h
 1487 file path=usr/include/sys/termio.h
 1488 file path=usr/include/sys/termios.h
 1489 file path=usr/include/sys/termiox.h
 1490 file path=usr/include/sys/thread.h
 1491 file path=usr/include/sys/ticlts.h
 1492 file path=usr/include/sys/ticots.h
 1493 file path=usr/include/sys/ticotsord.h
 1494 file path=usr/include/sys/tihdr.h
 1495 file path=usr/include/sys/time.h
 1496 file path=usr/include/sys/time_impl.h
 1497 file path=usr/include/sys/time_std_impl.h
 1498 file path=usr/include/sys/timeb.h
 1499 file path=usr/include/sys/timer.h
 1500 file path=usr/include/sys/timerfd.h
 1501 file path=usr/include/sys/times.h
 1502 file path=usr/include/sys/timex.h
 1503 file path=usr/include/sys/timod.h
 1504 file path=usr/include/sys/tirdwr.h
 1505 file path=usr/include/sys/tiuser.h
 1506 file path=usr/include/sys/tl.h
 1507 file path=usr/include/sys/tnf.h
 1508 file path=usr/include/sys/tnf_com.h
 1509 file path=usr/include/sys/tnf_probe.h
 1510 file path=usr/include/sys/tnf_writer.h
 1511 file path=usr/include/sys/todio.h
 1512 file path=usr/include/sys/tpicommon.h

1513 file path=usr/include/sys/trap.h
 1514 \$(i386_ONLY)file path=usr/include/sys/traptrace.h
 1515 file path=usr/include/sys/ts.h
 1516 file path=usr/include/sys/tsol/label.h
 1517 file path=usr/include/sys/tsol/label_macro.h
 1518 file path=usr/include/sys/tsol/priv.h
 1519 file path=usr/include/sys/tsol/tndb.h
 1520 file path=usr/include/sys/tsol/tsyscall.h
 1521 file path=usr/include/sys/tspricocntl.h
 1522 \$(i386_ONLY)file path=usr/include/sys/tss.h
 1523 file path=usr/include/sys/ttcompat.h
 1524 file path=usr/include/sys/ttold.h
 1525 file path=usr/include/sys/tty.h
 1526 file path=usr/include/sys/ttychars.h
 1527 file path=usr/include/sys/ttydev.h
 1528 \$(sparc_ONLY)file path=usr/include/sys/tytmux.h
 1529 \$(sparc_ONLY)file path=usr/include/sys/tytmuxuser.h
 1530 file path=usr/include/sys/tuneable.h
 1531 file path=usr/include/sys/turnstile.h
 1532 file path=usr/include/sys/types.h
 1533 file path=usr/include/sys/types32.h
 1534 file path=usr/include/sys/tzfile.h
 1535 file path=usr/include/sys/u8_textprep.h
 1536 file path=usr/include/sys/uadmin.h
 1537 \$(i386_ONLY)file path=usr/include/sys/ucode.h
 1538 file path=usr/include/sys/ucontext.h
 1539 file path=usr/include/sys/uio.h
 1540 file path=usr/include/sys/ulimit.h
 1541 file path=usr/include/sys/un.h
 1542 file path=usr/include/sys/unistd.h
 1543 file path=usr/include/sys/user.h
 1544 file path=usr/include/sys/ustat.h
 1545 file path=usr/include/sys/utime.h
 1546 file path=usr/include/sys/utrap.h
 1547 file path=usr/include/sys/utsname.h
 1548 file path=usr/include/sys/utssys.h
 1549 file path=usr/include/sys/uuid.h
 1550 file path=usr/include/sys/va_impl.h
 1551 file path=usr/include/sys/va_list.h
 1552 file path=usr/include/sys/var.h
 1553 file path=usr/include/sys/varargs.h
 1554 file path=usr/include/sys/vfs.h
 1555 file path=usr/include/sys/vfs_opreg.h
 1556 file path=usr/include/sys/vfstab.h
 1557 file path=usr/include/sys/videodev2.h
 1558 file path=usr/include/sys/visual_io.h
 1559 file path=usr/include/sys/vm.h
 1560 file path=usr/include/sys/vm_usage.h
 1561 file path=usr/include/sys/vmem.h
 1562 file path=usr/include/sys/vmem_impl.h
 1563 file path=usr/include/sys/vmem_impl_user.h
 1564 file path=usr/include/sys/vmparam.h
 1565 file path=usr/include/sys/vmsystem.h
 1566 file path=usr/include/sys/vnode.h
 1567 file path=usr/include/sys/vt.h
 1568 file path=usr/include/sys/vtdaemon.h
 1569 file path=usr/include/sys/vtocc.h
 1570 file path=usr/include/sys/vtrace.h
 1571 file path=usr/include/sys/vuid_event.h
 1572 file path=usr/include/sys/vuid_queue.h
 1573 file path=usr/include/sys/vuid_state.h
 1574 file path=usr/include/sys/vuid_store.h
 1575 file path=usr/include/sys/vuid_wheel.h
 1576 file path=usr/include/sys/wait.h
 1577 file path=usr/include/sys/waitq.h
 1578 file path=usr/include/sys/watchpoint.h

```

1579 $(i386_ONLY)file path=usr/include/sys/x86_archext.h
1580 $(i386_ONLY)file path=usr/include/sys/xen_errno.h
1581 file path=usr/include/sys/xti_inet.h
1582 file path=usr/include/sys/xti_osi.h
1583 file path=usr/include/sys/xti_xtiopt.h
1584 file path=usr/include/sys/zcons.h
1585 file path=usr/include/sys/zmod.h
1586 file path=usr/include/sys/zone.h
1587 $(sparc_ONLY)file path=usr/include/sys/zsdev.h
1588 file path=usr/include/syssexits.h
1589 file path=usr/include/syslog.h
1590 file path=usr/include/tar.h
1591 file path=usr/include/tcpd.h
1592 file path=usr/include/term.h
1593 file path=usr/include/termcap.h
1594 file path=usr/include/termio.h
1595 file path=usr/include/termios.h
1596 file path=usr/include/thread.h
1597 file path=usr/include/thread_db.h
1598 file path=usr/include/threads.h
1599 file path=usr/include/time.h
1600 file path=usr/include/tiuser.h
1601 file path=usr/include/tsol/label.h
1602 file path=usr/include/tzfile.h
1603 file path=usr/include/ucontext.h
1604 file path=usr/include/ucred.h
1605 file path=usr/include/uid_stp.h
1606 file path=usr/include/ulimit.h
1607 file path=usr/include/umem.h
1608 file path=usr/include/umem_impl.h
1609 file path=usr/include/unctrl.h
1610 file path=usr/include/unistd.h
1611 file path=usr/include/user_attr.h
1612 file path=usr/include/userdefs.h
1613 file path=usr/include/ustat.h
1614 file path=usr/include/utility.h
1615 file path=usr/include/utime.h
1616 file path=usr/include/utmp.h
1617 file path=usr/include/utmpx.h
1618 file path=usr/include/uuid/uuid.h
1619 $(sparc_ONLY)file path=usr/include/v7/sys/machpcb.h
1620 $(sparc_ONLY)file path=usr/include/v7/sys/machtrap.h
1621 $(sparc_ONLY)file path=usr/include/v7/sys/mutex_impl.h
1622 $(sparc_ONLY)file path=usr/include/v7/sys/privregs.h
1623 $(sparc_ONLY)file path=usr/include/v7/sys/prom_isa.h
1624 $(sparc_ONLY)file path=usr/include/v7/sys/psr.h
1625 $(sparc_ONLY)file path=usr/include/v7/sys/traptrace.h
1626 $(sparc_ONLY)file path=usr/include/v9/sys/asi.h
1627 $(sparc_ONLY)file path=usr/include/v9/sys/machpcb.h
1628 $(sparc_ONLY)file path=usr/include/v9/sys/machtrap.h
1629 $(sparc_ONLY)file path=usr/include/v9/sys/membar.h
1630 $(sparc_ONLY)file path=usr/include/v9/sys/mutex_impl.h
1631 $(sparc_ONLY)file path=usr/include/v9/sys/privregs.h
1632 $(sparc_ONLY)file path=usr/include/v9/sys/prom_isa.h
1633 $(sparc_ONLY)file path=usr/include/v9/sys/psr_compat.h
1634 $(sparc_ONLY)file path=usr/include/v9/sys/vis_simulator.h
1635 file path=usr/include/valtools.h
1636 file path=usr/include/values.h
1637 file path=usr/include/varargs.h
1638 file path=usr/include/vm/anon.h
1639 file path=usr/include/vm/as.h
1640 file path=usr/include/vm/faultcode.h
1641 file path=usr/include/vm/hat.h
1642 file path=usr/include/vm/kpm.h
1643 file path=usr/include/vm/page.h
1644 file path=usr/include/vm/pvn.h

```

```

1645 file path=usr/include/vm/rm.h
1646 file path=usr/include/vm/seg.h
1647 file path=usr/include/vm/seg_dev.h
1648 file path=usr/include/vm/seg_enum.h
1649 file path=usr/include/vm/seg_kmem.h
1650 file path=usr/include/vm/seg_kp.h
1651 file path=usr/include/vm/seg_kpm.h
1652 file path=usr/include/vm/seg_map.h
1653 file path=usr/include/vm/seg_spt.h
1654 file path=usr/include/vm/seg_vn.h
1655 file path=usr/include/vm/vpage.h
1656 file path=usr/include/vm/vpm.h
1657 file path=usr/include/volmgt.h
1658 file path=usr/include/wait.h
1659 file path=usr/include/wchar.h
1660 file path=usr/include/wchar_impl.h
1661 file path=usr/include/wctype.h
1662 file path=usr/include/widec.h
1663 file path=usr/include/wordec.h
1664 file path=usr/include/xlocale.h
1665 file path=usr/include/xti.h
1666 file path=usr/include/xti_inet.h
1667 file path=usr/include/zone.h
1668 file path=usr/include/zonestat.h
1669 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/acpidev.h
1670 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/amd_iommu.h
1671 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/asm_misc.h
1672 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/clock.h
1673 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/cram.h
1674 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/ddi_subrdefs.h
1675 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/debug_info.h
1676 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/fastboot.h
1677 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/mach_mmu.h
1678 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machclock.h
1679 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machcpuvar.h
1680 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machparam.h
1681 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machprivregs.h
1682 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machsystem.h
1683 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machthread.h
1684 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/memmode.h
1685 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/pc_mmu.h
1686 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm.h
1687 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_defs.h
1688 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_modctl.h
1689 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_types.h
1690 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/rm_platler.h
1691 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/sbd_ioctl.h
1692 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/smp_impldefs.h
1693 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/vm_machparam.h
1694 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/x_call.h
1695 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_levels.h
1696 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xsvc.h
1697 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_i86.h
1698 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_pte.h
1699 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hment.h
1700 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/htable.h
1701 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/kboot_mmu.h
1702 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/balloon.h
1703 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/machprivregs.h
1704 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xen_mmu.h
1705 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xpv_impl.h
1706 $(i386_ONLY)file path=usr/platform/i86xpv/include/vm/seg_mf.h
1707 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ac.h
1708 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/async.h
1709 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cheetahregs.h
1710 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h

```

```

1711 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/clock.h
1712 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cmp.h
1713 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpc_ultra.h
1714 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpr_impl.h
1715 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_impl.h
1716 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_sgnblk_defs.h
1717 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cvc.h
1718 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/daktari.h
1719 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ddi_subrdefs.h
1720 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/dvma.h
1721 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ecc_kstat.h
1722 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/eeprom.h
1723 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl.h
1724 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_gen.h
1725 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue250.h
1726 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue450.h
1727 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/environ.h
1728 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/errclassify.h
1729 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/fhc.h
1730 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/gpio_87317.h
1731 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/hpc3130_events.h
1732 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/hpc3130.h
1733 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/i2c_client.h
1734 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/lm75.h
1735 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/max1617.h
1736 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/pcf8591.h
1737 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c_clients/ssc050.h
1738 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/misc/i2c_svc.h
1739 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/idprom.h
1740 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intr.h
1741 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intreg.h
1742 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iocache.h
1743 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ionmmu.h
1744 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ivintr.h
1745 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/lom_io.h
1746 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machasi.h
1747 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machclock.h
1748 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machcpuvar.h
1749 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machparam.h
1750 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machsystem.h
1751 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machthread.h
1752 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mem_cache.h
1753 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memlist_plat.h
1754 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memnode.h
1755 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mmu.h
1756 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/nexusdebug.h
1757 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_hwdesc.h
1758 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_module.h
1759 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_debug.h
1760 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_plat.h
1761 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/pte.h
1762 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sbd_ioctl.h
1763 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scb.h
1764 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scsb_led.h
1765 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/simmstat.h
1766 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sprtregrs.h
1767 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sram.h
1768 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1769 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sun4asi.h
1770 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysctrl.h
1771 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysioerr.h
1772 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysiosbus.h
1773 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tod.h
1774 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/todmostek.h
1775 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/trapstat.h
1776 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/traptrace.h

```

```

1777 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vis.h
1778 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vm_machparam.h
1779 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/x_call.h
1780 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_impl.h
1781 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/zsmach.h
1782 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/hat_sfmmu.h
1783 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/mach_sfmmu.h
1784 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/clock.h
1785 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cmp.h
1786 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpc_ultra.h
1787 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpu_sgnblk_defs.h
1788 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ddi_subrdefs.h
1789 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_pri.h
1790 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_smp.h
1791 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/dvma.h
1792 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/eeprom.h
1793 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fcode.h
1794 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hsvc.h
1795 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hypervisor_api.h
1796 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/idprom.h
1797 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intr.h
1798 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intreg.h
1799 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ivintr.h
1800 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machasi.h
1801 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machclock.h
1802 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machcpuvar.h
1803 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machintreg.h
1804 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machparam.h
1805 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machsystem.h
1806 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machthread.h
1807 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memlist_plat.h
1808 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memnode.h
1809 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/mmu.h
1810 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nexusdebug.h
1811 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagaraasi.h
1812 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagararegs.h
1813 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ntwdt.h
1814 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pri.h
1815 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_debug.h
1816 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_plat.h
1817 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pte.h
1818 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/qcn.h
1819 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/scb.h
1820 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/soft_state.h
1821 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/sun4asi.h
1822 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/tod.h
1823 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/trapstat.h
1824 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/traptrace.h
1825 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vis.h
1826 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vm_machparam.h
1827 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/x_call.h
1828 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/xc_impl.h
1829 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/zsmach.h
1830 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/hat_sfmmu.h
1831 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/mach_sfmmu.h
1832 file path=usr/share/man/man3head/acct.h.3head
1833 file path=usr/share/man/man3head/aio.h.3head
1834 file path=usr/share/man/man3head/ar.h.3head
1835 file path=usr/share/man/man3head/archives.h.3head
1836 file path=usr/share/man/man3head/assert.h.3head
1837 file path=usr/share/man/man3head/complex.h.3head
1838 file path=usr/share/man/man3head/cpio.h.3head
1839 file path=usr/share/man/man3head/dirent.h.3head
1840 file path=usr/share/man/man3head/endian.h.3head
1841 file path=usr/share/man/man3head/errno.h.3head
1842 file path=usr/share/man/man3head/fcntl.h.3head

```

```

1843 file path=usr/share/man/man3head/fenv.h.3head
1844 file path=usr/share/man/man3head/float.h.3head
1845 file path=usr/share/man/man3head/floatingpoint.h.3head
1846 file path=usr/share/man/man3head/fmtmsg.h.3head
1847 file path=usr/share/man/man3head/fnmatch.h.3head
1848 file path=usr/share/man/man3head/ftw.h.3head
1849 file path=usr/share/man/man3head/glob.h.3head
1850 file path=usr/share/man/man3head/grp.h.3head
1851 file path=usr/share/man/man3head/iconv.h.3head
1852 file path=usr/share/man/man3head/if.h.3head
1853 file path=usr/share/man/man3head/in.h.3head
1854 file path=usr/share/man/man3head/inet.h.3head
1855 file path=usr/share/man/man3head/inttypes.h.3head
1856 file path=usr/share/man/man3head/ipc.h.3head
1857 file path=usr/share/man/man3head/iso646.h.3head
1858 file path=usr/share/man/man3head/langinfo.h.3head
1859 file path=usr/share/man/man3head/libgen.h.3head
1860 file path=usr/share/man/man3head/libintl.h.3head
1861 file path=usr/share/man/man3head/limits.h.3head
1862 file path=usr/share/man/man3head/locale.h.3head
1863 file path=usr/share/man/man3head/math.h.3head
1864 file path=usr/share/man/man3head/mman.h.3head
1865 file path=usr/share/man/man3head/monetary.h.3head
1866 file path=usr/share/man/man3head/mqueue.h.3head
1867 file path=usr/share/man/man3head/msg.h.3head
1868 file path=usr/share/man/man3head/ndbm.h.3head
1869 file path=usr/share/man/man3head/netdb.h.3head
1870 file path=usr/share/man/man3head/nl_types.h.3head
1871 file path=usr/share/man/man3head/poll.h.3head
1872 file path=usr/share/man/man3head/pthread.h.3head
1873 file path=usr/share/man/man3head/pwd.h.3head
1874 file path=usr/share/man/man3head/regex.h.3head
1875 file path=usr/share/man/man3head/resource.h.3head
1876 file path=usr/share/man/man3head/sched.h.3head
1877 file path=usr/share/man/man3head/search.h.3head
1878 file path=usr/share/man/man3head/select.h.3head
1879 file path=usr/share/man/man3head/sem.h.3head
1880 file path=usr/share/man/man3head/semaphore.h.3head
1881 file path=usr/share/man/man3head/setjmp.h.3head
1882 file path=usr/share/man/man3head/shm.h.3head
1883 file path=usr/share/man/man3head/siginfo.h.3head
1884 file path=usr/share/man/man3head/signal.h.3head
1885 file path=usr/share/man/man3head/socket.h.3head
1886 file path=usr/share/man/man3head/spawn.h.3head
1887 file path=usr/share/man/man3head/stat.h.3head
1888 file path=usr/share/man/man3head/statvfs.h.3head
1889 file path=usr/share/man/man3head/stdbool.h.3head
1890 file path=usr/share/man/man3head/stddef.h.3head
1891 file path=usr/share/man/man3head/stdint.h.3head
1892 file path=usr/share/man/man3head/stdio.h.3head
1893 file path=usr/share/man/man3head/stdlib.h.3head
1894 file path=usr/share/man/man3head/string.h.3head
1895 file path=usr/share/man/man3head/strings.h.3head
1896 file path=usr/share/man/man3head/stropts.h.3head
1897 file path=usr/share/man/man3head/syslog.h.3head
1898 file path=usr/share/man/man3head/tar.h.3head
1899 file path=usr/share/man/man3head/tcp.h.3head
1900 file path=usr/share/man/man3head/termios.h.3head
1901 file path=usr/share/man/man3head/tgmath.h.3head
1902 file path=usr/share/man/man3head/time.h.3head
1903 file path=usr/share/man/man3head/timeb.h.3head
1904 file path=usr/share/man/man3head/times.h.3head
1905 file path=usr/share/man/man3head/types.h.3head
1906 file path=usr/share/man/man3head/types32.h.3head
1907 file path=usr/share/man/man3head/ucontext.h.3head
1908 file path=usr/share/man/man3head/uiio.h.3head

```

```

1909 file path=usr/share/man/man3head/ulimit.h.3head
1910 file path=usr/share/man/man3head/un.h.3head
1911 file path=usr/share/man/man3head/unistd.h.3head
1912 file path=usr/share/man/man3head/utime.h.3head
1913 file path=usr/share/man/man3head/utmpx.h.3head
1914 file path=usr/share/man/man3head/utsname.h.3head
1915 file path=usr/share/man/man3head/values.h.3head
1916 file path=usr/share/man/man3head/wait.h.3head
1917 file path=usr/share/man/man3head/wchar.h.3head
1918 file path=usr/share/man/man3head/wctype.h.3head
1919 file path=usr/share/man/man3head/wordexp.h.3head
1920 file path=usr/share/man/man3head/xlocale.h.3head
1921 file path=usr/share/man/man4/note.4
1922 file path=usr/share/man/man5/prof.5
1923 file path=usr/share/man/man7i/cdio.7i
1924 file path=usr/share/man/man7i/dkio.7i
1925 file path=usr/share/man/man7i/fbio.7i
1926 file path=usr/share/man/man7i/fdio.7i
1927 file path=usr/share/man/man7i/hdio.7i
1928 file path=usr/share/man/man7i/iec61883.7i
1929 file path=usr/share/man/man7i/mhd.7i
1930 file path=usr/share/man/man7i/mtio.7i
1931 file path=usr/share/man/man7i/prnio.7i
1932 file path=usr/share/man/man7i/quotactl.7i
1933 file path=usr/share/man/man7i/sesio.7i
1934 file path=usr/share/man/man7i/sockio.7i
1935 file path=usr/share/man/man7i/streamio.7i
1936 file path=usr/share/man/man7i/termio.7i
1937 file path=usr/share/man/man7i/termiox.7i
1938 file path=usr/share/man/man7i/uscsi.7i
1939 file path=usr/share/man/man7i/visual_io.7i
1940 file path=usr/share/man/man7i/vt.7i
1941 file path=usr/xpg4/include/curses.h
1942 file path=usr/xpg4/include/term.h
1943 file path=usr/xpg4/include/unctrl.h
1944 legacy pkg=SUNWhea \
1945     desc="SunOS C/C++ header files for general development of software" \
1946     name="SunOS Header Files"
1947 license cr_Sun license=cr_Sun
1948 license lic_CDDL license=lic_CDDL
1949 license license_in_headers license=license_in_headers
1950 license usr/src/lib/pkcs11/include/THIRDPARTYLICENSE \
1951     license=usr/src/lib/pkcs11/include/THIRDPARTYLICENSE
1952 license usr/src/uts/common/sys/THIRDPARTYLICENSE.firmload \
1953     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.firmload
1954 link path=usr/include/iso/assert_iso.h target=../assert.h
1955 link path=usr/include/iso/errno_iso.h target=../errno.h
1956 link path=usr/include/iso/float_iso.h target=../float.h
1957 link path=usr/include/iso/iso646_iso.h target=../iso646.h
1958 $(sparc_ONLY)link path=usr/platform/SUNW,A70/include target=../sun4u/include
1959 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T12/include \
1960     target=../sun4u/include
1961 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/include \
1962     target=../sun4u/include
1963 $(sparc_ONLY)link path=usr/platform/SUNW,SPARC-Enterprise/include \
1964     target=../sun4u/include
1965 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblade1/include \
1966     target=../sun4u/include
1967 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-100/include \
1968     target=../sun4u/include
1969 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1000/include \
1970     target=../sun4u/include
1971 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1500/include \
1972     target=../sun4u/include
1973 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-2500/include \
1974     target=../sun4u/include

```

```

1975 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-15000/include \
1976     target=../sun4u/include
1977 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-280R/include \
1978     target=../sun4u/include
1979 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-480R/include \
1980     target=../sun4u/include
1981 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/include \
1982     target=../sun4u/include
1983 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/include \
1984     target=../sun4u/include
1985 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/include \
1986     target=../sun4u/include
1987 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/include \
1988     target=../sun4u/include
1989 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/include \
1990     target=../sun4u/include
1991 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/include \
1992     target=../sun4u/include
1993 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V490/include \
1994     target=../sun4u/include
1995 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V890/include \
1996     target=../sun4u/include
1997 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire/include \
1998     target=../sun4u/include
1999 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-2/include \
2000     target=../sun4u/include
2001 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-250/include \
2002     target=../sun4u/include
2003 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-4/include \
2004     target=../sun4u/include
2005 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise-10000/include \
2006     target=../sun4u/include
2007 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise/include \
2008     target=../sun4u/include
2009 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40/include \
2010     target=../sun4u/include
2011 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60/include \
2012     target=../sun4u/include
2013 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIi-Netract/include \
2014     target=../sun4u/include
2015 link path=usr/share/man/man3head/acct.3head target=acct.h.3head
2016 link path=usr/share/man/man3head/aio.3head target=aio.h.3head
2017 link path=usr/share/man/man3head/ar.3head target=ar.h.3head
2018 link path=usr/share/man/man3head/archives.3head target=archives.h.3head
2019 link path=usr/share/man/man3head/assert.3head target=assert.h.3head
2020 link path=usr/share/man/man3head/complex.3head target=complex.h.3head
2021 link path=usr/share/man/man3head/cpio.3head target=cpio.h.3head
2022 link path=usr/share/man/man3head/dirent.3head target=dirent.h.3head
2023 link path=usr/share/man/man3head/errno.3head target=errno.h.3head
2024 link path=usr/share/man/man3head/fcntl.3head target=fcntl.h.3head
2025 link path=usr/share/man/man3head/fenv.3head target=fenv.h.3head
2026 link path=usr/share/man/man3head/float.3head target=float.h.3head
2027 link path=usr/share/man/man3head/floatingpoint.3head \
2028     target=floatingpoint.h.3head
2029 link path=usr/share/man/man3head/fmtmsg.3head target=fmtmsg.h.3head
2030 link path=usr/share/man/man3head/fnmatch.3head target=fnmatch.h.3head
2031 link path=usr/share/man/man3head/ftw.3head target=ftw.h.3head
2032 link path=usr/share/man/man3head/glob.3head target=glob.h.3head
2033 link path=usr/share/man/man3head/grp.3head target=grp.h.3head
2034 link path=usr/share/man/man3head/iconv.3head target=iconv.h.3head
2035 link path=usr/share/man/man3head/if.3head target=if.h.3head
2036 link path=usr/share/man/man3head/in.3head target=in.h.3head
2037 link path=usr/share/man/man3head/inet.3head target=inet.h.3head
2038 link path=usr/share/man/man3head/inttypes.3head target=inttypes.h.3head
2039 link path=usr/share/man/man3head/ipc.3head target=ipc.h.3head
2040 link path=usr/share/man/man3head/iso646.3head target=iso646.h.3head

```

```

2041 link path=usr/share/man/man3head/langinfo.3head target=langinfo.h.3head
2042 link path=usr/share/man/man3head/libgen.3head target=libgen.h.3head
2043 link path=usr/share/man/man3head/libintl.3head target=libintl.h.3head
2044 link path=usr/share/man/man3head/limits.3head target=limits.h.3head
2045 link path=usr/share/man/man3head/locale.3head target=locale.h.3head
2046 link path=usr/share/man/man3head/math.3head target=math.h.3head
2047 link path=usr/share/man/man3head/mman.3head target=mman.h.3head
2048 link path=usr/share/man/man3head/monetary.3head target=monetary.h.3head
2049 link path=usr/share/man/man3head/mqueue.3head target=mqueue.h.3head
2050 link path=usr/share/man/man3head/msg.3head target=msg.h.3head
2051 link path=usr/share/man/man3head/ndbm.3head target=ndbm.h.3head
2052 link path=usr/share/man/man3head/netdb.3head target=netdb.h.3head
2053 link path=usr/share/man/man3head/nl_types.3head target=nl_types.h.3head
2054 link path=usr/share/man/man3head/poll.3head target=poll.h.3head
2055 link path=usr/share/man/man3head/pthread.3head target=pthread.h.3head
2056 link path=usr/share/man/man3head/pwd.3head target=pwd.h.3head
2057 link path=usr/share/man/man3head/regex.3head target=regex.h.3head
2058 link path=usr/share/man/man3head/resource.3head target=resource.h.3head
2059 link path=usr/share/man/man3head/sched.3head target=sched.h.3head
2060 link path=usr/share/man/man3head/search.3head target=search.h.3head
2061 link path=usr/share/man/man3head/select.3head target=select.h.3head
2062 link path=usr/share/man/man3head/sem.3head target=sem.h.3head
2063 link path=usr/share/man/man3head/semaphore.3head target=semaphore.h.3head
2064 link path=usr/share/man/man3head/setjmp.3head target=setjmp.h.3head
2065 link path=usr/share/man/man3head/shm.3head target=shm.h.3head
2066 link path=usr/share/man/man3head/signinfo.3head target=signinfo.h.3head
2067 link path=usr/share/man/man3head/signal.3head target=signal.h.3head
2068 link path=usr/share/man/man3head/socket.3head target=socket.h.3head
2069 link path=usr/share/man/man3head/spawn.3head target=spawn.h.3head
2070 link path=usr/share/man/man3head/stat.3head target=stat.h.3head
2071 link path=usr/share/man/man3head/statvfs.3head target=statvfs.h.3head
2072 link path=usr/share/man/man3head/stdbool.3head target=stdbool.h.3head
2073 link path=usr/share/man/man3head/stddef.3head target=stddef.h.3head
2074 link path=usr/share/man/man3head/stdint.3head target=stdint.h.3head
2075 link path=usr/share/man/man3head/stdio.3head target=stdio.h.3head
2076 link path=usr/share/man/man3head/stdlib.3head target=stdlib.h.3head
2077 link path=usr/share/man/man3head/string.3head target=string.h.3head
2078 link path=usr/share/man/man3head/strings.3head target=strings.h.3head
2079 link path=usr/share/man/man3head/stropts.3head target=stropts.h.3head
2080 link path=usr/share/man/man3head/syslog.3head target=syslog.h.3head
2081 link path=usr/share/man/man3head/tar.3head target=tar.h.3head
2082 link path=usr/share/man/man3head/tcp.3head target=tc.h.3head
2083 link path=usr/share/man/man3head/termios.3head target=termios.h.3head
2084 link path=usr/share/man/man3head/tgmath.3head target=tgmath.h.3head
2085 link path=usr/share/man/man3head/time.3head target=time.h.3head
2086 link path=usr/share/man/man3head/timeb.3head target=timeb.h.3head
2087 link path=usr/share/man/man3head/times.3head target=times.h.3head
2088 link path=usr/share/man/man3head/types.3head target=types.h.3head
2089 link path=usr/share/man/man3head/types32.3head target=types32.h.3head
2090 link path=usr/share/man/man3head/ucontext.3head target=ucontext.h.3head
2091 link path=usr/share/man/man3head/uio.3head target=uio.h.3head
2092 link path=usr/share/man/man3head/ulimit.3head target=ulimit.h.3head
2093 link path=usr/share/man/man3head/un.3head target=un.h.3head
2094 link path=usr/share/man/man3head/unistd.3head target=unistd.h.3head
2095 link path=usr/share/man/man3head/utime.3head target=utime.h.3head
2096 link path=usr/share/man/man3head/utmpx.3head target=utmpx.h.3head
2097 link path=usr/share/man/man3head/utsname.3head target=utsname.h.3head
2098 link path=usr/share/man/man3head/values.3head target=values.h.3head
2099 link path=usr/share/man/man3head/wait.3head target=wait.h.3head
2100 link path=usr/share/man/man3head/wchar.3head target=wchar.h.3head
2101 link path=usr/share/man/man3head/wctype.3head target=wctype.h.3head
2102 link path=usr/share/man/man3head/wordexp.3head target=wordexp.h.3head
2103 link path=usr/share/man/man3head/xlocale.3head target=xlocale.h.3head
2104 $(i386_ONLY)link path=usr/share/src/uts/i86pc/sys \
2105     target=../../../../platform/i86pc/include/sys
2106 $(i386_ONLY)link path=usr/share/src/uts/i86pc/vm \

```

```
2107     target=../../../../platform/i86pc/include/vm
2108 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/sys \
2109     target=../../../../platform/i86xpv/include/sys
2110 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/vm \
2111     target=../../../../platform/i86xpv/include/vm
2112 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/sys \
2113     target=../../../../platform/sun4u/include/sys
2114 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/vm \
2115     target=../../../../platform/sun4u/include/vm
2116 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/sys \
2117     target=../../../../platform/sun4v/include/sys
2118 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/vm \
2119     target=../../../../platform/sun4v/include/vm
```

new/usr/src/pkg/manifests/system-library.man3rpc.inc

1

736 Fri May 26 19:24:36 2017

new/usr/src/pkg/manifests/system-library.man3rpc.inc

8112 EOF crazier RPC daemons

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 # Copyright 2017, Richard Lowe
```

```
14 file path=usr/share/man/man3rpc/rstat.3rpc
15 file path=usr/share/man/man3rpc/rusers.3rpc
16 file path=usr/share/man/man3rpc/rwall.3rpc
17 file path=usr/share/man/man3rpc/spray.3rpc
18 #endif /* ! codereview */
19 link path=usr/share/man/man3rpc/havedisk.3rpc target=rstat.3rpc
20 link path=usr/share/man/man3rpc/rnusers.3rpc target=rusers.3rpc
```

new/usr/src/pkg/manifests/system-library.man3socket.inc

1

```
*****
9957 Fri May 26 19:24:37 2017
new/usr/src/pkg/manifests/system-library.man3socket.inc
8112 EOF crazier RPC daemons
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2013, OmniTI Computer Consulting, Inc.
16 #
17 #
18 file path=usr/share/man/man3socket/accept.3socket
19 file path=usr/share/man/man3socket/bind.3socket
20 file path=usr/share/man/man3socket/byteorder.3socket
21 file path=usr/share/man/man3socket/connect.3socket
22 file path=usr/share/man/man3socket/ethers.3socket
23 file path=usr/share/man/man3socket/getaddrinfo.3socket
24 file path=usr/share/man/man3socket/getifaddrs.3socket
25 file path=usr/share/man/man3socket/getipnodebyname.3socket
26 file path=usr/share/man/man3socket/getnetbyname.3socket
27 file path=usr/share/man/man3socket/getpeername.3socket
28 file path=usr/share/man/man3socket/getprotobyname.3socket
29 file path=usr/share/man/man3socket/getservbyname.3socket
30 file path=usr/share/man/man3socket/getsockname.3socket
31 file path=usr/share/man/man3socket/getsockopt.3socket
32 file path=usr/share/man/man3socket/getsourcefilter.3socket
33 file path=usr/share/man/man3socket/icmp6_filter.3socket
34 file path=usr/share/man/man3socket/if_nametoindex.3socket
35 file path=usr/share/man/man3socket/inet.3socket
36 file path=usr/share/man/man3socket/inet6_opt.3socket
37 file path=usr/share/man/man3socket/inet6_rth.3socket
38 file path=usr/share/man/man3socket/listen.3socket
39 file path=usr/share/man/man3socket/rcmd.3socket
40 file path=usr/share/man/man3socket/recv.3socket
41 file path=usr/share/man/man3socket/rexec.3socket
42 file path=usr/share/man/man3socket/sctp_bindx.3socket
43 file path=usr/share/man/man3socket/sctp_getladdrs.3socket
44 file path=usr/share/man/man3socket/sctp_getpaddrs.3socket
45 file path=usr/share/man/man3socket/sctp_opt_info.3socket
46 file path=usr/share/man/man3socket/sctp_peeloff.3socket
47 file path=usr/share/man/man3socket/sctp_recvmmsg.3socket
48 file path=usr/share/man/man3socket/sctp_send.3socket
49 file path=usr/share/man/man3socket/sctp_sendmsg.3socket
50 file path=usr/share/man/man3socket/send.3socket
51 file path=usr/share/man/man3socket/shutdown.3socket
52 file path=usr/share/man/man3socket/sockaddr.3socket
53 file path=usr/share/man/man3socket/socket.3socket
54 file path=usr/share/man/man3socket/socketpair.3socket
55 file path=usr/share/man/man3socket/spray.3socket
56 link path=usr/share/man/man3socket/accept4.3socket target=accept.3socket
57 link path=usr/share/man/man3socket/endnetent.3socket \
  target=getnetbyname.3socket
58 link path=usr/share/man/man3socket/endprotoent.3socket \
  target=getprotobyname.3socket
59 link path=usr/share/man/man3socket/endservent.3socket \
  target=getservbyname.3socket
```

new/usr/src/pkg/manifests/system-library.man3socket.inc

2

```
61 target=getservbyname.3socket
62 link path=usr/share/man/man3socket/ether_aton.3socket target=ethers.3socket
63 link path=usr/share/man/man3socket/ether_aton_r.3socket target=ethers.3socket
64 link path=usr/share/man/man3socket/ether_hostton.3socket target=ethers.3socket
65 link path=usr/share/man/man3socket/ether_line.3socket target=ethers.3socket
66 link path=usr/share/man/man3socket/ether_ntoa.3socket target=ethers.3socket
67 link path=usr/share/man/man3socket/ether_ntoa_r.3socket target=ethers.3socket
68 link path=usr/share/man/man3socket/ether_ntohost.3socket target=ethers.3socket
69 link path=usr/share/man/man3socket/freeaddrinfo.3socket \
70 target=getaddrinfo.3socket
71 link path=usr/share/man/man3socket/freehostent.3socket \
72 target=getipnodebyname.3socket
73 link path=usr/share/man/man3socket/freeifaddrs.3socket \
74 target=getifaddrs.3socket
75 link path=usr/share/man/man3socket/gai_strerror.3socket \
76 target=getaddrinfo.3socket
77 link path=usr/share/man/man3socket/getipnodebyaddr.3socket \
78 target=getipnodebyname.3socket
79 link path=usr/share/man/man3socket/getip4sourcefilter.3socket \
80 target=getsourcefilter.3socket
81 link path=usr/share/man/man3socket/getnameinfo.3socket \
82 target=getaddrinfo.3socket
83 link path=usr/share/man/man3socket/getnetbyaddr.3socket \
84 target=getnetbyname.3socket
85 link path=usr/share/man/man3socket/getnetbyaddr_r.3socket \
86 target=getnetbyname.3socket
87 link path=usr/share/man/man3socket/getnetbyname_r.3socket \
88 target=getnetbyname.3socket
89 link path=usr/share/man/man3socket/getnetent.3socket \
90 target=getnetbyname.3socket
91 link path=usr/share/man/man3socket/getnetent_r.3socket \
92 target=getnetbyname.3socket
93 link path=usr/share/man/man3socket/getprotobyname_r.3socket \
94 target=getprotobyname.3socket
95 link path=usr/share/man/man3socket/getprotobynumber.3socket \
96 target=getprotobyname.3socket
97 link path=usr/share/man/man3socket/getprotobynumber_r.3socket \
98 target=getprotobyname.3socket
99 link path=usr/share/man/man3socket/getprotoent.3socket \
100 target=getprotobyname.3socket
101 link path=usr/share/man/man3socket/getprotoent_r.3socket \
102 target=getprotobyname.3socket
103 link path=usr/share/man/man3socket/getservbyname_r.3socket \
104 target=getservbyname.3socket
105 link path=usr/share/man/man3socket/getservbyport.3socket \
106 target=getservbyname.3socket
107 link path=usr/share/man/man3socket/getservbyport_r.3socket \
108 target=getservbyname.3socket
109 link path=usr/share/man/man3socket/getservent.3socket \
110 target=getservbyname.3socket
111 link path=usr/share/man/man3socket/getservent_r.3socket \
112 target=getservbyname.3socket
113 link path=usr/share/man/man3socket/htonl.3socket target=byteorder.3socket
114 link path=usr/share/man/man3socket/htonll.3socket target=byteorder.3socket
115 link path=usr/share/man/man3socket/htons.3socket target=byteorder.3socket
116 link path=usr/share/man/man3socket/if_freenameindex.3socket \
117 target=if_nametoindex.3socket
118 link path=usr/share/man/man3socket/if_indextoname.3socket \
119 target=if_nametoindex.3socket
120 link path=usr/share/man/man3socket/if_nameindex.3socket \
121 target=if_nametoindex.3socket
122 link path=usr/share/man/man3socket/inet6.3socket target=inet.3socket
123 link path=usr/share/man/man3socket/inet6_opt_append.3socket \
124 target=inet6_opt.3socket
125 link path=usr/share/man/man3socket/inet6_opt_find.3socket \
126 target=inet6_opt.3socket
```



```

127 link path=usr/share/man/man3socket/inet6_opt_finish.3socket \
128     target=inet6_opt.3socket
129 link path=usr/share/man/man3socket/inet6_opt_get_val.3socket \
130     target=inet6_opt.3socket
131 link path=usr/share/man/man3socket/inet6_opt_init.3socket \
132     target=inet6_opt.3socket
133 link path=usr/share/man/man3socket/inet6_opt_next.3socket \
134     target=inet6_opt.3socket
135 link path=usr/share/man/man3socket/inet6_opt_set_val.3socket \
136     target=inet6_opt.3socket
137 link path=usr/share/man/man3socket/inet6_rth_add.3socket \
138     target=inet6_rth.3socket
139 link path=usr/share/man/man3socket/inet6_rth_getaddr.3socket \
140     target=inet6_rth.3socket
141 link path=usr/share/man/man3socket/inet6_rth_init.3socket \
142     target=inet6_rth.3socket
143 link path=usr/share/man/man3socket/inet6_rth_reverse.3socket \
144     target=inet6_rth.3socket
145 link path=usr/share/man/man3socket/inet6_rth_segments.3socket \
146     target=inet6_rth.3socket
147 link path=usr/share/man/man3socket/inet6_rth_space.3socket \
148     target=inet6_rth.3socket
149 link path=usr/share/man/man3socket/inet_addr.3socket target=inet.3socket
150 link path=usr/share/man/man3socket/inet_aton.3socket target=inet.3socket
151 link path=usr/share/man/man3socket/inet_lnaof.3socket target=inet.3socket
152 link path=usr/share/man/man3socket/inet_makeaddr.3socket target=inet.3socket
153 link path=usr/share/man/man3socket/inet_netof.3socket target=inet.3socket
154 link path=usr/share/man/man3socket/inet_network.3socket target=inet.3socket
155 link path=usr/share/man/man3socket/inet_ntoa.3socket target=inet.3socket
156 link path=usr/share/man/man3socket/inet_ntop.3socket target=inet.3socket
157 link path=usr/share/man/man3socket/inet_pton.3socket target=inet.3socket
158 link path=usr/share/man/man3socket/ntohl.3socket target=byteorder.3socket
159 link path=usr/share/man/man3socket/ntohl1.3socket target=byteorder.3socket
160 link path=usr/share/man/man3socket/ntohs.3socket target=byteorder.3socket
161 link path=usr/share/man/man3socket/rcmd_af.3socket target=rcmd.3socket
162 link path=usr/share/man/man3socket/recvfrom.3socket target=recv.3socket
163 link path=usr/share/man/man3socket/recvmsg.3socket target=recv.3socket
164 link path=usr/share/man/man3socket/rexec_af.3socket target=rexec.3socket
165 link path=usr/share/man/man3socket/rresvport.3socket target=rcmd.3socket
166 link path=usr/share/man/man3socket/rresvport_af.3socket target=rcmd.3socket
167 link path=usr/share/man/man3socket/ruserok.3socket target=rcmd.3socket
168 link path=usr/share/man/man3socket/sctp_freeladdrs.3socket \
169     target=sctp_getladdrs.3socket
170 link path=usr/share/man/man3socket/sctp_freepaddrs.3socket \
171     target=sctp_getpaddrs.3socket
172 link path=usr/share/man/man3socket/sendmsg.3socket target=send.3socket
173 link path=usr/share/man/man3socket/sendto.3socket target=send.3socket
174 link path=usr/share/man/man3socket/setip4sourcefilter.3socket \
175     target=getsourcefilter.3socket
176 link path=usr/share/man/man3socket/setnetent.3socket \
177     target=getnetbyname.3socket
178 link path=usr/share/man/man3socket/setprotoent.3socket \
179     target=getprotobyname.3socket
180 link path=usr/share/man/man3socket/setserverent.3socket \
181     target=getservbyname.3socket
182 link path=usr/share/man/man3socket/setsockopt.3socket \
183     target=getsockopt.3socket
184 link path=usr/share/man/man3socket/setsourcefilter.3socket \
185     target=getsourcefilter.3socket
186 link path=usr/share/man/man3socket/sockaddr_dl.3socket target=sockaddr.3socket
187 link path=usr/share/man/man3socket/sockaddr_in.3socket target=sockaddr.3socket
188 link path=usr/share/man/man3socket/sockaddr_in6.3socket \
189     target=sockaddr.3socket
190 link path=usr/share/man/man3socket/sockaddr_ll.3socket target=sockaddr.3socket
191 link path=usr/share/man/man3socket/sockaddr_storage.3socket \
192     target=sockaddr.3socket

```

```

193 link path=usr/share/man/man3socket/sockaddr_un.3socket target=sockaddr.3socket

```

new/usr/src/ucbcmd/Makefile

1

```

*****
3632 Fri May 26 19:24:38 2017
new/usr/src/ucbcmd/Makefile
8114 EOF rwho
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 #
27 # ucbcmd/Makefile
28 #
29 # include global definitions; SRC should be defined in the shell.
30 # SRC is needed until RPE 1026993 is implemented.
31 include $(SRC)/Makefile.master
32 include $(SRC)/ucbcmd/Makefile.ucbcmd
33 #
34 COMMON_SUBDIRS= \
35     basename \
36     biff \
37     chown \
38     df \
39     du \
40     echo \
41     expr \
42     fastboot \
43     fasthalt \
44     file \
45     from \
46     groups \
47     install.d \
48     ln \
49     ls \
50     mkstr \
51     printenv \
52     rusage \
53     sed \
54     shutdown \
55     stty \
56     sum \
57     test \
58     touch \
59     tr \
60     tset \
61     users \

```

new/usr/src/ucbcmd/Makefile

2

```

62     vipw \
63     whereis \
64     whoami \
65 #
66 sparc_SUBDIRS= sbcp
67 #
68 SUBDIRS= $(COMMON_SUBDIRS) $(MACH)_SUBDIRS
69 #
70 # commands messaged
71 MSGSUBDIRS = biff install.d mkstr rusage shutdown
72 #
73 BWOSDIRS=
74 #
75 all:= TARGET= all
76 install:= TARGET= install
77 clean:= TARGET= clean
78 clobber:= TARGET= clobber
79 lint:= TARGET= lint
80 _msg:= TARGET= _msg
81 #
82 # Since pre-5.0 system users were told to put /usr/5bin in their path to
83 # get the 5.0 system behavior, we need this link so that the PATH of
84 # /usr/5bin:/usr/ucb:/usr/bin does the right thing. (let's see, without
85 # this link, 5.0 behaves like UCB and 4.1 behaves like SysV... I'm so
86 # confused...)
87 ROOTUSR = $(ROOT)/usr
88 S5LINK = $(ROOTUSR)/5bin
89 DICTLINK = $(ROOTUSR)/dict
90 #
91 # Symbolic links for source compatibility. Many utilities that
92 # were under /usr/ucb in SunOS 4.1, are now in the base; the
93 # symbolic links are provided for compatibility.
94 LINKDEST= ../bin/$(@F)
95 #
96 BINLINKS= \
97     arch \
98     clear \
99     e \
100    edit \
101    ex \
102    vedit \
103    vi \
104    view \
105    finger \
106    fmt \
107    fold \
108    ftp \
109    head \
110    hostid \
111    hostname \
112    logger \
113    mach \
114    more \
115    page \
116    pagesize \
117    netstat \
118    quota \
119    rcp \
120    rdate \
121    renice \
122    rlogin \
123    rsh \
124    ruptime \
125    rwho \
126    script \
127    tail \

```

new/usr/src/ucbcmd/Makefile

3

```
126      talk          \|
127      tcopy         \|
128      telnet        \|
129      tftp          \|
130      uptime        \|
131      vacation      \|
132      vmstat        \|
133      w             \|
134      wc            \|
135      whois         \|
136      xstr          \|

138 ROOTBINLINKS = $(BINLINKS:%=$(ROOTBIN)/%)

140 OTHERLINKS = $(ROOTETC)/termcap \
141              $(ROOTSHLIB)/zoneinfo/posixrules

143 $(S5LINK) :=          LINKDEST= bin
144 $(DICTLINK) :=       LINKDEST= share/lib/dict
145 $(ROOTBIN)/e :=     LINKDEST= ../bin/edit
146 $(ROOTBIN)/ex :=    LINKDEST= ../bin/edit
147 $(ROOTBIN)/page :=  LINKDEST= ../bin/more
148 $(ROOTBIN)/quota := LINKDEST= ../lib/fs/ufs/quota
149 $(ROOTETC)/termcap := LINKDEST= ../usr/share/lib/termcap
150 $(ROOTBIN)/vi :=    LINKDEST= ../bin/edit
151 $(ROOTBIN)/view :=  LINKDEST= ../bin/edit
152 $(ROOTSHLIB)/zoneinfo/posixrules := LINKDEST= US/Eastern

154 .KEEP_STATE:

156 .PARALLEL:      $(SUBDIRS)

158 all clean clobber: $(SUBDIRS)

160 install: $(SUBDIRS) .WAIT rootlinks

162 # For messaging catalog
163 #
164 _msg:   $(MSGSUBDIRS)

168 bwos: $(BWOSDIRS) .WAIT $(SUBDIRS)

170 $(BWOSDIRS) $(SUBDIRS): FRC
171     @cd $@; pwd; $(MAKE) $(TARGET)

173 rootlinks: $(S5LINK) $(DICTLINK) $(ROOTBINLINKS) $(OTHERLINKS)

175 $(S5LINK) $(DICTLINK) $(ROOTBINLINKS) $(OTHERLINKS):
176     $(RM) $@; $(SYMLINK) $(LINKDEST) $@

178 FRC:
```