

```

*****
34696 Fri Apr 11 13:24:01 2014
new/usr/src/Makefile.master
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 #
30 # Makefile.master, global definitions for system source
31 #
32 ROOT=          /proto
33 #
34 #
35 # Adjunct root, containing an additional proto area to be used for headers
36 # and libraries.
37 #
38 ADJUNCT_PROTO=
39 #
40 #
41 # Adjunct for building things that run on the build machine.
42 #
43 NATIVE_ADJUNCT= /usr
44 #
45 #
46 # RELEASE_BUILD should be cleared for final release builds.
47 # NOT_RELEASE_BUILD is exactly what the name implies.
48 #
49 # __GNUC toggles the building of ON components using gcc and related tools.
50 # Normally set to '#', set it to '' to do gcc build.
51 #
52 # The declaration POUND_SIGN is always '#'. This is needed to get around the
53 # make feature that '#' is always a comment delimiter, even when escaped or
54 # quoted. We use this macro expansion method to get POUND_SIGN rather than
55 # always breaking out a shell because the general case can cause a noticeable
56 # slowdown in build times when so many Makefiles include Makefile.master.
57 #
58 # While the majority of users are expected to override the setting below
59 # with an env file (via nightly or bldenv), if you aren't building that way
60 # (ie, you're using "ws" or some other bootstrapping method) then you need
61 # this definition in order to avoid the subshell invocation mentioned above.

```

```

62 #
63 PRE_POUND=
64 POUND_SIGN=          pre\#
65                          $(PRE_POUND:pre\%=%)
66 #
67 NOT_RELEASE_BUILD=
68 RELEASE_BUILD=          $(POUND_SIGN)
69 $(RELEASE_BUILD)NOT_RELEASE_BUILD= $(POUND_SIGN)
70 PATCH_BUILD=          $(POUND_SIGN)
71 #
72 # SPARC_BLD is '#' for an Intel build.
73 # INTEL_BLD is '#' for a Sparc build.
74 SPARC_BLD_1=          $(MACH:i386=$(POUND_SIGN))
75 SPARC_BLD=            $(SPARC_BLD_1:sparc=)
76 INTEL_BLD_1=          $(MACH:sparc=$(POUND_SIGN))
77 INTEL_BLD=            $(INTEL_BLD_1:i386=)
78 #
79 # The variables below control the compilers used during the build.
80 # There are a number of permutations.
81 #
82 # __GNUC and __SUNC control (and indicate) the primary compiler. Whichever
83 # one is not POUND_SIGN is the primary, with the other as the shadow. They
84 # may also be used to control entirely compiler-specific Makefile assignments.
85 # __GNUC and GCC are the default.
86 #
87 # __GNUC64 indicates that the 64bit build should use the GNU C compiler.
88 # There is no Sun C analogue.
89 #
90 # The following version-specific options are operative regardless of which
91 # compiler is primary, and control the versions of the given compilers to be
92 # used. They also allow compiler-version specific Makefile fragments.
93 #
94 #
95 __SUNC=              $(POUND_SIGN)
96 $(__SUNC)__GNUC=      $(POUND_SIGN)
97 __GNUC64=            $(__GNUC)
98 #
99 # CLOSED is the root of the tree that contains source which isn't released
100 # as open source
101 CLOSED=              $(SRC)/../closed
102 #
103 # BUILD_TOOLS is the root of all tools including compilers.
104 # ONBLD_TOOLS is the root of all the tools that are part of SUNWonbld.
105 #
106 BUILD_TOOLS=          /ws/onnv-tools
107 ONBLD_TOOLS=          $(BUILD_TOOLS)/onbld
108 #
109 JAVA_ROOT=           /usr/java
110 #
111 SFW_ROOT=             /usr/sfw
112 SFWINCDIR=           $(SFW_ROOT)/include
113 SFWLIBDIR=           $(SFW_ROOT)/lib
114 SFWLIBDIR64=         $(SFW_ROOT)/lib/$(MACH64)
115 #
116 GCC_ROOT=             /opt/gcc/4.4.4
117 GCCLIBDIR=           $(GCC_ROOT)/lib
118 GCCLIBDIR64=         $(GCC_ROOT)/lib/$(MACH64)
119 #
120 DOCBOOK_XSL_ROOT=   /usr/share/sgml/docbook/xsl-stylesheets
121 #
122 RPCGEN=               /usr/bin/rpcgen
123 STABS=                $(ONBLD_TOOLS)/bin/$(MACH)/stabs
124 ELFEXTRACT=          $(ONBLD_TOOLS)/bin/$(MACH)/elfextract
125 MBH_PATCH=           $(ONBLD_TOOLS)/bin/$(MACH)/mbh_patch
126 ECHO=                 echo
127 INS=                  install

```

```

128 TRUE= true
129 SYMLINK= /usr/bin/ln -s
130 LN= /usr/bin/ln
131 CHMOD= /usr/bin/chmod
132 MV= /usr/bin/mv -f
133 RM= /usr/bin/rm -f
134 CUT= /usr/bin/cut
135 NM= /usr/ccs/bin/nm
136 DIFF= /usr/bin/diff
137 GREP= /usr/bin/grep
138 EGREP= /usr/bin/egrep
139 ELFWRAP= /usr/bin/elfwrap
140 KSH93= /usr/bin/ksh93
141 SED= /usr/bin/sed
142 NAWK= /usr/bin/nawk
143 CP= /usr/bin/cp -f
144 MCS= /usr/ccs/bin/mcs
145 CAT= /usr/bin/cat
146 ELFDUMP= /usr/ccs/bin/elfdump
147 M4= /usr/ccs/bin/m4
148 STRIP= /usr/ccs/bin/strip
149 LEX= /usr/ccs/bin/lex
150 FLEX= $(SFW_ROOT)/bin/flex
151 YACC= /usr/ccs/bin/yacc
152 CPP= /usr/lib/cpp
153 JAVAC= $(JAVA_ROOT)/bin/javac
154 JAVAH= $(JAVA_ROOT)/bin/javah
155 JAVADOC= $(JAVA_ROOT)/bin/javadoc
156 RMIC= $(JAVA_ROOT)/bin/rmic
157 JAR= $(JAVA_ROOT)/bin/jar
158 CTFCONVERT= $(ONBLD_TOOLS)/bin/$(MACH)/ctfconvert
159 CTFMERGE= $(ONBLD_TOOLS)/bin/$(MACH)/ctfmerge
160 CTFSTABS= $(ONBLD_TOOLS)/bin/$(MACH)/ctfstabs
161 CTFSTRIP= $(ONBLD_TOOLS)/bin/$(MACH)/ctfstrip
162 NDRGEN= $(ONBLD_TOOLS)/bin/$(MACH)/ndrgen
163 GENOFFSETS= $(ONBLD_TOOLS)/bin/genoffsets
164 CTFCVTPTBL= $(ONBLD_TOOLS)/bin/ctfcvtptbl
165 CTFFINDMOD= $(ONBLD_TOOLS)/bin/ctffindmod
166 XREF= $(ONBLD_TOOLS)/bin/xref
167 FIND= /usr/bin/find
168 PERL= /usr/bin/perl
169 PYTHON_26= /usr/bin/python2.6
170 PYTHON= $(PYTHON_26)
171 SORT= /usr/bin/sort
172 TOUCH= /usr/bin/touch
173 WC= /usr/bin/wc
174 XARGS= /usr/bin/xargs
175 ELFEDIT= /usr/bin/elfedit
176 ELFSIGN= /usr/bin/elfsign
177 DTRACE= /usr/sbin/dtrace -xnolib
178 UNIQ= /usr/bin/uniq
179 TAR= /usr/bin/tar
180 ASTBINDIR= /usr/ast/bin
181 MSGCC= $(ASTBINDIR)/msgcc

183 FILEMODE= 644
184 DIRMODE= 755

186 #
187 # The version of the patch makeup table optimized for build-time use. Used
188 # during patch builds only.
189 $(PATCH_BUILD)PMTMO_FILE=$(SRC)/patch_makeup_table.mo

191 # Declare that nothing should be built in parallel.
192 # Individual Makefiles can use the .PARALLEL target to declare otherwise.
193 .NO_PARALLEL:

```

```

195 # For stylistic checks
196 #
197 # Note that the X and C checks are not used at this time and may need
198 # modification when they are actually used.
199 #
200 CSTYLE= $(ONBLD_TOOLS)/bin/cstyle
201 CSTYLE_TAIL=
202 HDRCHK= $(ONBLD_TOOLS)/bin/hdrchk
203 HDRCHK_TAIL=
204 JSTYLE= $(ONBLD_TOOLS)/bin/jstyle

206 DOT_H_CHECK= \
207   @$(ECHO) "checking $<"; $(CSTYLE) $< $(CSTYLE_TAIL); \
208   $(HDRCHK) $< $(HDRCHK_TAIL)

210 DOT_X_CHECK= \
211   @$(ECHO) "checking $<"; $(RPCGEN) -C -h $< | $(CSTYLE) $(CSTYLE_TAIL); \
212   $(RPCGEN) -C -h $< | $(HDRCHK) $< $(HDRCHK_TAIL)

214 DOT_C_CHECK= \
215   @$(ECHO) "checking $<"; $(CSTYLE) $< $(CSTYLE_TAIL)

217 MANIFEST_CHECK= \
218   @$(ECHO) "checking $<"; \
219   SVCCFG_DTD=$(SRC)/cmd/svc/dtd/service_bundle.dtd.1 \
220   SVCCFG_REPOSITORY=$(SRC)/cmd/svc/seed/global.db \
221   SVCCFG_CONFIGD_PATH=$(SRC)/cmd/svc/configd/svc.configd-native \
222   $(SRC)/cmd/svc/svccfg/svccfg-native validate $<

224 INS.file= $(RM) $@; $(INS) -s -m $(FILEMODE) -f $(@D) $<
225 INS.dir= $(INS) -s -d -m $(DIRMODE) $@
226 # installs and renames at once
227 #
228 INS.rename= $(INS.file); $(MV) $(@D)/$(<F) $@

230 # install a link
231 INSLINKTARGET= $<
232 INS.link= $(RM) $@; $(LN) $(INSLINKTARGET) $@
233 INS.symlink= $(RM) $@; $(SYMLINK) $(INSLINKTARGET) $@

235 #
236 # Python bakes the mtime of the .py file into the compiled .pyc and
237 # rebuilds if the baked-in mtime != the mtime of the source file
238 # (rather than only if it's less than), thus when installing python
239 # files we must make certain to not adjust the mtime of the source
240 # (.py) file.
241 #
242 INS.pyfile= $(INS.file); $(TOUCH) -r $< $@

244 # MACH must be set in the shell environment per uname -p on the build host
245 # More specific architecture variables should be set in lower makefiles.
246 #
247 # MACH64 is derived from MACH, and BUILD64 is set to '#' for
248 # architectures on which we do not build 64-bit versions.
249 # (There are no such architectures at the moment.)
250 #
251 # Set BUILD64=# in the environment to disable 64-bit builds.
252 # Set BUILD64=# in the environment to disable 64-bit amd64
253 # builds on i386 machines.

253 MACH64_1= $(MACH:sparc=sparcv9)
254 MACH64= $(MACH64_1:i386=amd64)

256 MACH32_1= $(MACH:sparc=sparcv7)
257 MACH32= $(MACH32_1:i386=i86)

```

```

259 BUILD64=
260 sparc_BUILD64= $(POUND_SIGN)
261 i386_BUILD64= $(POUND_SIGN)
262 $($ (MACH)_BUILD64)= $(BUILD64)

264 NOT_BUILD64=
265 $($ (BUILD64)NOT_BUILD64)= $(POUND_SIGN)
34 sparc_BUILD64=
35 i386_BUILD64=
36 BUILD64= $($ (MACH)_BUILD64)

267 #
268 # C compiler mode. Future compilers may change the default on us,
269 # so force extended ANSI mode globally. Lower level makefiles can
270 # override this by setting CCMODE.
271 #
272 CCMODE= -Xa
273 CCMODE64= -Xa

275 #
276 # C compiler verbose mode. This is so we can enable it globally,
277 # but turn it off in the lower level makefiles of things we cannot
278 # (or aren't going to) fix.
279 #
280 CCVERBOSE= -v

282 # set this to the secret flag "-Wc,-Qiselect-v9abiwarn=1" to get warnings
283 # from the compiler about places the -xarch=v9 may differ from -xarch=v9c.
284 V9ABIWARN=

286 # set this to the secret flag "-Wc,-Qiselect-regsym=0" to disable register
287 # symbols (used to detect conflicts between objects that use global registers)
288 # we disable this now for safety, and because genunix doesn't link with
289 # this feature (the v9 default) enabled.
290 #
291 # REGSYM is separate since the C++ driver syntax is different.
292 CCREGSYM= -Wc,-Qiselect-regsym=0
293 CCCREGSYM= -Qoption cg -Qiselect-regsym=0

295 # Prevent the removal of static symbols by the SPARC code generator (cg).
296 # The x86 code generator (ube) does not remove such symbols and as such
297 # using this workaround is not applicable for x86.
298 #
299 CCSTATICSYM= -Wc,-Qassembler-ounrefsym=0
300 #
301 # generate 32-bit addresses in the v9 kernel. Saves memory.
302 CCABS32= -Wc,-xcode=abs32
303 #
304 # generate v9 code which tolerates callers using the v7 ABI, for the sake of
305 # system calls.
306 CC32BITCALLERS= -_gcc=-massume-32bit-callers

308 # GCC, especially, is increasingly beginning to auto-inline functions and
309 # sadly does so separately not under the general -fno-inline-functions
310 # Additionally, we wish to prevent optimisations which cause GCC to clone
311 # functions -- in particular, these may cause unhelpful symbols to be
312 # emitted instead of function names
313 CCNOAUTOINLINE= _gcc=-fno-inline-small-functions \
314 -_gcc=-fno-inline-functions-called-once \
315 -_gcc=-fno-ipa-cp

317 # One optimization the compiler might perform is to turn this:
318 # #pragma weak foo
319 # extern int foo;
320 # if (&foo)

```

```

321 # foo = 5;
322 # into
323 # foo = 5;
324 # Since we do some of this (foo might be referenced in common kernel code
325 # but provided only for some cpu modules or platforms), we disable this
326 # optimization.
327 #
328 sparc_CCUNBOUND = -Wd,-xsafe=unboundsym
329 i386_CCUNBOUND =
330 CCUNBOUND = $($ (MACH)_CCUNBOUND)

332 #
333 # compiler '-xarch' flag. This is here to centralize it and make it
334 # overridable for testing.
335 sparc_XARCH= -m32
336 sparcv9_XARCH= -m64
337 i386_XARCH=
338 amd64_XARCH= -m64 -Ui386 -U__i386

340 # assembler '-xarch' flag. Different from compiler '-xarch' flag.
341 sparc_AS_XARCH= -xarch=v8plus
342 sparcv9_AS_XARCH= -xarch=v9
343 i386_AS_XARCH=
344 amd64_AS_XARCH= -xarch=amd64 -P -Ui386 -U__i386

346 #
347 # These flags define what we need to be 'standalone' i.e. -not- part
348 # of the rather more cosy userland environment. This basically means
349 # the kernel.
350 #
351 # XX64 future versions of gcc will make -mmodel=kernel imply -mno-red-zone
352 #
353 sparc_STAND_FLAGS= -_gcc=-ffreestanding
354 sparcv9_STAND_FLAGS= -_gcc=-ffreestanding
355 # Disabling MMX also disables 3DNow, disabling SSE also disables all later
356 # additions to SSE (SSE2, AVX ,etc.)
357 NO_SIMD= -_gcc=-mno-mmx -_gcc=-mno-sse
358 i386_STAND_FLAGS= -_gcc=-ffreestanding $(NO_SIMD)
359 amd64_STAND_FLAGS= -xmodel=kernel $(NO_SIMD)

361 SAVEARGS= -Wu,-save_args
362 amd64_STAND_FLAGS += $(SAVEARGS)

364 STAND_FLAGS_32 = $($ (MACH)_STAND_FLAGS)
365 STAND_FLAGS_64 = $($ (MACH64)_STAND_FLAGS)

367 #
368 # disable the incremental linker
369 ILDOFF= -xildoff
370 #
371 XDEPEND= -xdepend
372 XFFLAG= -xF=%all
373 XESS= -xs
374 XSTRCONST= -xstrconst

376 #
377 # turn warnings into errors (C)
378 CERRWARN = -errtags=yes -errwarn=%all
379 CERRWARN += -erroff=E_EMPTY_TRANSLATION_UNIT
380 CERRWARN += -erroff=E_STATEMENT_NOT_REACHED

382 CERRWARN += -_gcc=-Wno-missing-braces
383 CERRWARN += -_gcc=-Wno-sign-compare
384 CERRWARN += -_gcc=-Wno-unknown-pragmas
385 CERRWARN += -_gcc=-Wno-unused-parameter
386 CERRWARN += -_gcc=-Wno-missing-field-initializers

```

```

388 # Unfortunately, this option can misfire very easily and unfixably.
389 CERRWARN +=      -_gcc=-Wno-array-bounds

391 # DEBUG v. -nd make for frequent unused variables, empty conditions, etc. in
392 # -nd builds
393 $(RELEASE_BUILD)CERRWARN += -_gcc=-Wno-unused
394 $(RELEASE_BUILD)CERRWARN += -_gcc=-Wno-empty-body

396 #
397 # turn warnings into errors (C++)
398 CCERRWARN=      -xwe

400 # C99 mode
401 C99_ENABLE=     -xc99=%all
402 C99_DISABLE=   -xc99=%none
403 C99MODE=       $(C99_DISABLE)
404 C99LMODE=      $(C99MODE:-xc99%=-Xc99%)

406 # In most places, assignments to these macros should be appended with +=
407 # (CPPFLAGS.master allows values to be prepended to CPPFLAGS).
408 sparc_CFLAGS=   $(sparc_XARCH) $(CCSTATICSYM)
409 sparcv9_CFLAGS= $(sparcv9_XARCH) -dalign $(CCVERBOSE) $(V9ABIWARN) $(CCREGSYM) \
410                $(CCSTATICSYM)
411 i386_CFLAGS=    $(i386_XARCH)
412 amd64_CFLAGS=   $(amd64_XARCH)

414 sparc_ASFLAGS=  $(sparc_AS_XARCH)
415 sparcv9_ASFLAGS=$(sparcv9_AS_XARCH)
416 i386_ASFLAGS=   $(i386_AS_XARCH)
417 amd64_ASFLAGS=  $(amd64_AS_XARCH)

419 #
420 sparc_COPTFLAG= -xO3
421 sparcv9_COPTFLAG= -xO3
422 i386_COPTFLAG=  -O
423 amd64_COPTFLAG= -xO3

425 COPTFLAG=      $($(_MACH)_COPTFLAG)
426 COPTFLAG64=   $($(_MACH64)_COPTFLAG)

428 # When -g is used, the compiler globalizes static objects
429 # (gives them a unique prefix). Disable that.
430 CNOGLOBAL=     -W0,-noglobal

432 # Direct the Sun Studio compiler to use a static globalization prefix based on t
433 # name of the module rather than something unique. Otherwise, objects
434 # will not build deterministically, as subsequent compilations of identical
435 # source will yield objects that always look different.
436 #
437 # In the same spirit, this will also remove the date from the N_OPT stab.
438 CGLOBALSTATIC= -W0,-xglobalstatic

440 # Sometimes we want all symbols and types in debugging information even
441 # if they aren't used.
442 CALLSYMS=     -W0,-xdbggen=no%usedonly

444 #
445 # Default debug format for Sun Studio 11 is dwarf, so force it to
446 # generate stabs.
447 #
448 DEBUGFORMAT=  -xdebugformat=stabs

450 #
451 # Flags used to build in debug mode for ctf generation.  Bugs in the Devpro
452 # compilers currently prevent us from building with cc-emitted DWARF.

```

```

453 #
454 CTF_FLAGS_sparc = -g -Wc,-Qiselect-T1 $(C99MODE) $(CNOGLOBAL) $(CDWARFSTR)
455 CTF_FLAGS_i386  = -g $(C99MODE) $(CNOGLOBAL) $(CDWARFSTR)

457 CTF_FLAGS_sparcv9      = $(CTF_FLAGS_sparc)
458 CTF_FLAGS_amd64        = $(CTF_FLAGS_i386)

460 # Sun Studio produces broken userland code when saving arguments.
461 $(_GNUCC)CTF_FLAGS_amd64 += $(SAVEARGS)

463 CTF_FLAGS_32          = $(CTF_FLAGS_${_MACH}) $(DEBUGFORMAT)
464 CTF_FLAGS_64          = $(CTF_FLAGS_${_MACH64}) $(DEBUGFORMAT)
465 CTF_FLAGS              = $(CTF_FLAGS_32)

467 #
468 # Flags used with genoffsets
469 #
470 GOFLAGS = -_noecho \
471           $(CALLSYMS) \
472           $(CDWARFSTR)

474 OFFSETS_CREATE = $(GENOFFSETS) -s $(CTFSTABS) -r $(CTFCONVERT) \
475                 $(CC) $(GOFLAGS) $(CFLAGS) $(CPPFLAGS)

477 OFFSETS_CREATE64 = $(GENOFFSETS) -s $(CTFSTABS) -r $(CTFCONVERT) \
478                   $(CC) $(GOFLAGS) $(CFLAGS64) $(CPPFLAGS)

480 #
481 # tradeoff time for space (smaller is better)
482 #
483 sparc_SPACEFLAG      = -xspace -W0,-Lt
484 sparcv9_SPACEFLAG    = -xspace -W0,-Lt
485 i386_SPACEFLAG       = -xspace
486 amd64_SPACEFLAG      =

488 SPACEFLAG           = $($(_MACH)_SPACEFLAG)
489 SPACEFLAG64         = $($(_MACH64)_SPACEFLAG)

491 #
492 # The Sun Studio 11 compiler has changed the behaviour of integer
493 # wrap arounds and so a flag is needed to use the legacy behaviour
494 # (without this flag panics/hangs could be exposed within the source).
495 #
496 sparc_IROPTFLAG      = -W2,-xwrap_int
497 sparcv9_IROPTFLAG    = -W2,-xwrap_int
498 i386_IROPTFLAG       =
499 amd64_IROPTFLAG      =

501 IROPTFLAG           = $($(_MACH)_IROPTFLAG)
502 IROPTFLAG64         = $($(_MACH64)_IROPTFLAG)

504 sparc_XREGSFLAG      = -xregs=no%appl
505 sparcv9_XREGSFLAG    = -xregs=no%appl
506 i386_XREGSFLAG       =
507 amd64_XREGSFLAG      =

509 XREGSFLAG           = $($(_MACH)_XREGSFLAG)
510 XREGSFLAG64         = $($(_MACH64)_XREGSFLAG)

512 # dmake SOURCEDEBUG=yes ... enables source-level debugging information, and
513 # avoids stripping it.
514 SOURCEDEBUG         = $(POUND_SIGN)
515 SRCDBGBLD           = $(SOURCEDEBUG:yes=)

517 #
518 # These variables are intended ONLY for use by developers to safely pass extra

```

```

519 # flags to the compilers without unintentionally overriding Makefile-set
520 # flags.  They should NEVER be set to any value in a Makefile.
521 #
522 # They come last in the associated FLAGS variable such that they can
523 # explicitly override things if necessary, there are gaps in this, but it's
524 # the best we can manage.
525 #
526 CUSERFLAGS =
527 CUSERFLAGS64 = $(CUSERFLAGS)
528 CCUSERFLAGS =
529 CCUSERFLAGS64 = $(CCUSERFLAGS)

531 CSOURCEDEBUGFLAGS =
532 CCSOURCEDEBUGFLAGS =
533 $(SRCDBGBLD)CSOURCEDEBUGFLAGS = -g -xs
534 $(SRCDBGBLD)CCSOURCEDEBUGFLAGS = -g -xs

536 CFLAGS= $(COPTFLAG) $($ (MACH)_CFLAGS) $(SPACEFLAG) $(CCMODE) \
537 $(ILDOFF) $(CERRWARN) $(C99MODE) $(CCUNBOUND) $(IROPTFLAG) \
538 $(GLOBALSTATIC) $(CCNOAUTOINLINE) $(CSOURCEDEBUGFLAGS) \
539 $(CUSERFLAGS)
540 CFLAGS64= $(COPTFLAG64) $($ (MACH64)_CFLAGS) $(SPACEFLAG64) $(CCMODE64) \
541 $(ILDOFF) $(CERRWARN) $(C99MODE) $(CCUNBOUND) $(IROPTFLAG64) \
542 $(GLOBALSTATIC) $(CCNOAUTOINLINE) $(CSOURCEDEBUGFLAGS) \
543 $(CUSERFLAGS64)
544 #
545 # Flags that are used to build parts of the code that are subsequently
546 # run on the build machine (also known as the NATIVE_BUILD).
547 #
548 NATIVE_CFLAGS= $(COPTFLAG) $($ (NATIVE_MACH)_CFLAGS) $(CCMODE) \
549 $(ILDOFF) $(CERRWARN) $(C99MODE) $($ (NATIVE_MACH)_CCUNBOUND) \
550 $(IROPTFLAG) $(GLOBALSTATIC) $(CCNOAUTOINLINE) \
551 $(CSOURCEDEBUGFLAGS) $(CUSERFLAGS)

553 DTEXTDOM=-DTEXT_DOMAIN="\$(TEXT_DOMAIN)" # For messaging.
554 DTS_ERRNO=-D_TS_ERRNO
555 CPPFLAGS.master=$(DTEXTDOM) $(DTS_ERRNO) \
556 $(ENVCPPFLAGS1) $(ENVCPPFLAGS2) $(ENVCPPFLAGS3) $(ENVCPPFLAGS4) \
557 $(ADJUNCT_PROTO:%=-I%/usr/include)
558 CPPFLAGS.native=$(ENVCPPFLAGS1) $(ENVCPPFLAGS2) $(ENVCPPFLAGS3) \
559 $(ENVCPPFLAGS4) -I$(NATIVE_ADJUNCT)/include
560 CPPFLAGS= $(CPPFLAGS.master)
561 AS_CPPFLAGS= $(CPPFLAGS.master)
562 JAVAFLAGS= -deprecation

564 #
565 # For source message catalogue
566 #
567 .SUFFIXES: $(SUFFIXES) .i .po
568 MSGROOT= $(ROOT)/catalog
569 MSGDOMAIN= $(MSGROOT)/$(TEXT_DOMAIN)
570 MSGDOMAINPOFILE = $(MSGDOMAIN)/$(POFILE)
571 DCMSGDOMAIN= $(MSGROOT)/LC_TIME/$(TEXT_DOMAIN)
572 DCMSGDOMAINPOFILE = $(DCMSGDOMAIN)/$(DCFILE:.dc=.po)

574 CLOBBERFILES += $(POFILE) $(POFILES)
575 COMPILE.cpp= $(CC) -E -C $(CFLAGS) $(CPPFLAGS)
576 XGETTEXT= /usr/bin/xgettext
577 XGETTEXTFLAGS= -c TRANSLATION_NOTE
578 GNUXGETTEXT= /usr/gnu/bin/xgettext
579 GNUXGETTEXTFLAGS= --add-comments=TRANSLATION_NOTE --keyword=_ \
580 --strict --no-location --omit-header
581 BUILD.po= $(XGETTEXT) $(XGETTEXTFLAGS) -d $(<F) $<.i ;\
582 $(RM) $@ ;\
583 $(SED) "/^domain/d" < $(<F).po > $@ ;\
584 $(RM) $(<F).po $<.i

```

```

586 #
587 # This is overwritten by local Makefile when PROG is a list.
588 #
589 POFILE= $(PROG).po

591 sparc_CCFLAGS= -cg92 -compat=4 \
592 -Ooption ccfe -messages=no%anachronism \
593 $(CCERRWARN)
594 sparcv9_CCFLAGS= $(sparcv9_XARCH) -dalign -compat=5 \
595 -Ooption ccfe -messages=no%anachronism \
596 -Ooption ccfe -features=no%conststrings \
597 $(CCREGSYM) \
598 $(CCERRWARN)
599 i386_CCFLAGS= -compat=4 \
600 -Ooption ccfe -messages=no%anachronism \
601 -Ooption ccfe -features=no%conststrings \
602 $(CCERRWARN)
603 amd64_CCFLAGS= $(amd64_XARCH) -compat=5 \
604 -Ooption ccfe -messages=no%anachronism \
605 -Ooption ccfe -features=no%conststrings \
606 $(CCERRWARN)

608 sparc_CCOPTFLAG= -O
609 sparcv9_CCOPTFLAG= -O
610 i386_CCOPTFLAG= -O
611 amd64_CCOPTFLAG= -O

613 CCOPTFLAG= $($ (MACH)_CCOPTFLAG)
614 CCOPTFLAG64= $($ (MACH64)_CCOPTFLAG)
615 CCFLAGS= $(COPTFLAG) $($ (MACH)_CCFLAGS) $(CSOURCEDEBUGFLAGS) \
616 $(CUSERFLAGS)
617 CCFLAGS64= $(COPTFLAG64) $($ (MACH64)_CCFLAGS) $(CSOURCEDEBUGFLAGS) \
618 $(CUSERFLAGS64)

620 #
621 #
622 #
623 ELFWRAP_FLAGS =
624 ELFWRAP_FLAGS64 = -64

626 #
627 # Various mapfiles that are used throughout the build, and delivered to
628 # /usr/lib/ld.
629 #
630 MAPFILE.NED_i386 = $(SRC)/common/mapfiles/common/map.noexdata
631 MAPFILE.NED_sparc =
632 MAPFILE.NED = $(MAPFILE.NED_$(MACH))
633 MAPFILE.PGA = $(SRC)/common/mapfiles/common/map.pagealign
634 MAPFILE.NES = $(SRC)/common/mapfiles/common/map.noexstk
635 MAPFILE.FLT = $(SRC)/common/mapfiles/common/map.filter
636 MAPFILE.LEX = $(SRC)/common/mapfiles/common/map.lex.yy

638 #
639 # Generated mapfiles that are compiler specific, and used throughout the
640 # build.  These mapfiles are not delivered in /usr/lib/ld.
641 #
642 MAPFILE.NGB_sparc= $(SRC)/common/mapfiles/gen/sparc_cc_map.noexglobs
643 $(__GNU64)MAPFILE.NGB_sparc= \
644 $(SRC)/common/mapfiles/gen/sparc_gcc_map.noexglobs
645 MAPFILE.NGB_sparcv9= $(SRC)/common/mapfiles/gen/sparcv9_cc_map.noexglobs
646 $(__GNU64)MAPFILE.NGB_sparcv9= \
647 $(SRC)/common/mapfiles/gen/sparcv9_gcc_map.noexglobs
648 MAPFILE.NGB_i386= $(SRC)/common/mapfiles/gen/i386_cc_map.noexglobs
649 $(__GNU64)MAPFILE.NGB_i386= \
650 $(SRC)/common/mapfiles/gen/i386_gcc_map.noexglobs

```

```

651 MAPFILE.NGB_amd64= $(SRC)/common/mapfiles/gen/amd64_cc_map.noexeglobs
652 $(__GNUC64)MAPFILE.NGB_amd64= \
653 $(SRC)/common/mapfiles/gen/amd64_gcc_map.noexeglobs
654 MAPFILE.NGB = $(MAPFILE.NGB_$(MACH))

656 #
657 # A generic interface mapfile name, used by various dynamic objects to define
658 # the interfaces and interposers the object must export.
659 #
660 MAPFILE.INT = mapfile-intf

662 #
663 # LDLIBS32 can be set in the environment to override the following assignment.
664 # LDLIBS64 can be set to override the assignment made in Makefile.master.64.
665 # These environment settings make sure that no libraries are searched outside
666 # of the local workspace proto area:
667 # LDLIBS32=-YP,$ROOT/lib:$ROOT/usr/lib
668 # LDLIBS64=-YP,$ROOT/lib/$MACH64:$ROOT/usr/lib/$MACH64
669 #
670 LDLIBS32 = $(ENVLDLIBS1) $(ENVLDLIBS2) $(ENVLDLIBS3)
671 LDLIBS32 += $(ADJUNCT_PROTO:%=-L%/usr/lib -L%/lib)
672 LDLIBS.cmd = $(LDLIBS32)
673 LDLIBS.lib = $(LDLIBS32)
674 #
675 # Define compilation macros.
676 #
677 COMPILE.c= $(CC) $(CFLAGS) $(CPPFLAGS) -c
678 COMPILE64.c= $(CC) $(CFLAGS64) $(CPPFLAGS) -c
679 COMPILE.cc= $(CCC) $(CCFLAGS) $(CPPFLAGS) -c
680 COMPILE64.cc= $(CCC) $(CCFLAGS64) $(CPPFLAGS) -c
681 COMPILE.s= $(AS) $(ASFLAGS) $(AS_CPPFLAGS)
682 COMPILE64.s= $(AS) $(ASFLAGS) $(MACH64)_AS_XARCH) $(AS_CPPFLAGS)
683 COMPILE.d= $(DTRACE) -G -32
684 COMPILE64.d= $(DTRACE) -G -64
685 COMPILE.b= $(ELFWRAP) $(ELFWRAP_FLAGS$(CLASS))
686 COMPILE64.b= $(ELFWRAP) $(ELFWRAP_FLAGS$(CLASS))

688 CLASSPATH= .
689 COMPILE.java= $(JAVAC) $(JAVAFLAGS) -classpath $(CLASSPATH)

691 #
692 # Link time macros
693 #
694 CCNEEDED = -lc
695 CCEXTNEEDED = -lcrun -lcstd
696 $(__GNUC)CCNEEDED = -L$(GCCLIBDIR) -lstdc++ -lgcc_s
697 $(__GNUC)CCEXTNEEDED = $(CCNEEDED)

699 LINK.c= $(CC) $(CFLAGS) $(CPPFLAGS) $(LDLFLAGS)
700 LINK64.c= $(CC) $(CFLAGS64) $(CPPFLAGS) $(LDLFLAGS)
701 NORUNPATH= -norunpath -nolib
702 LINK.cc= $(CCC) $(CCFLAGS) $(CPPFLAGS) $(NORUNPATH) \
703 $(LDLFLAGS) $(CCNEEDED)
704 LINK64.cc= $(CCC) $(CCFLAGS64) $(CPPFLAGS) $(NORUNPATH) \
705 $(LDLFLAGS) $(CCNEEDED)

707 #
708 # lint macros
709 #
710 # Note that the undefine of __PRAGMA_REDEFINE_EXTNAME can be removed once
711 # ON is built with a version of lint that has the fix for 4484186.
712 #
713 ALWAYS_LINT_DEFS = -errtags=yes -s
714 ALWAYS_LINT_DEFS += -erroff=E_PTRDIFF_OVERFLOW
715 ALWAYS_LINT_DEFS += -erroff=E_ASSIGN_NARROW_CONV
716 ALWAYS_LINT_DEFS += -U__PRAGMA_REDEFINE_EXTNAME

```

```

717 ALWAYS_LINT_DEFS += $(C99LMODE)
718 ALWAYS_LINT_DEFS += -errsecurity=$(SECLEVEL)
719 ALWAYS_LINT_DEFS += -erroff=E_SEC_CREAT_WITHOUT_EXCL
720 ALWAYS_LINT_DEFS += -erroff=E_SEC_FORBIDDEN_WARN_CREAT
721 # XX64 -- really only needed for amd64 lint
722 ALWAYS_LINT_DEFS += -erroff=E_ASSIGN_INT_TO_SMALL_INT
723 ALWAYS_LINT_DEFS += -erroff=E_CAST_INT_CONST_TO_SMALL_INT
724 ALWAYS_LINT_DEFS += -erroff=E_CAST_INT_TO_SMALL_INT
725 ALWAYS_LINT_DEFS += -erroff=E_CAST_TO_PTR_FROM_INT
726 ALWAYS_LINT_DEFS += -erroff=E_COMP_INT_WITH_LARGE_INT
727 ALWAYS_LINT_DEFS += -erroff=E_INTEGRAL_CONST_EXP_EXPECTED
728 ALWAYS_LINT_DEFS += -erroff=E_PASS_INT_TO_SMALL_INT
729 ALWAYS_LINT_DEFS += -erroff=E_PTR_CONV_LOSES_BITS

731 # This forces lint to pick up note.h and sys/note.h from Devpro rather than
732 # from the proto area. The note.h that ON delivers would disable NOTE().
733 ONLY_LINT_DEFS = -I$(SPRO_VROOT)/prod/include/lint

735 SECLEVEL= core
736 LINT.c= $(LINT) $(ONLY_LINT_DEFS) $(LINTFLAGS) $(CPPFLAGS) \
737 $(ALWAYS_LINT_DEFS)
738 LINT64.c= $(LINT) $(ONLY_LINT_DEFS) $(LINTFLAGS64) $(CPPFLAGS) \
739 $(ALWAYS_LINT_DEFS)
740 LINT.s= $(LINT.c)

742 # For some future builds, NATIVE_MACH and MACH might be different.
743 # Therefore, NATIVE_MACH needs to be redefined in the
744 # environment as 'uname -p' to override this macro.
745 #
746 # For now at least, we cross-compile amd64 on i386 machines.
747 NATIVE_MACH= $(MACH:amd64=i386)

749 # Define native compilation macros
750 #

752 # Base directory where compilers are loaded.
753 # Defined here so it can be overridden by developer.
754 #
755 SPRO_ROOT= $(BUILD_TOOLS)/SUNWspro
756 SPRO_VROOT= $(SPRO_ROOT)/SS12
757 GNU_ROOT= $(SFW_ROOT)

759 # Till SS12u1 formally becomes the NV CBE, LINT is hard
760 # coded to be picked up from the $SPRO_ROOT/sunstudio12.1/
761 # location. Impacted variables are sparc_LINT, sparcv9_LINT,
762 # i386_LINT, amd64_LINT.
763 # Reset them when SS12u1 is rolled out.
764 #

766 # Specify platform compiler versions for languages
767 # that we use (currently only c and c++).
768 #
769 sparc_CC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_cc
770 $(__GNUC)sparc_CC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_gcc
771 sparc_CCC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_CC
772 $(__GNUC)sparc_CCC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_g++
773 sparc_CPP= /usr/ccs/lib/cpp
774 sparc_AS= /usr/ccs/bin/as -xregsym=no
775 sparc_LD= /usr/ccs/bin/ld
776 sparc_LINT= $(SPRO_ROOT)/sunstudio12.1/bin/lint

778 sparcv9_CC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_cc
779 $(__GNUC64)sparcv9_CC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_gcc
780 sparcv9_CCC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_CC
781 $(__GNUC64)sparcv9_CCC= $(ONBLD_TOOLS)/bin/$(MACH)/cw -_g++
782 sparcv9_CPP= /usr/ccs/lib/cpp

```

```

783 sparcv9_AS=      /usr/ccs/bin/as -xregsym=no
784 sparcv9_LD=      /usr/ccs/bin/ld
785 sparcv9_LINT=    $(SPRO_ROOT)/sunstudio12.1/bin/lint

787 i386_CC=        $(ONBLD_TOOLS)/bin/$(MACH)/cw -_cc
788 $(__GNUC) i386_CC=    $(ONBLD_TOOLS)/bin/$(MACH)/cw -_gcc
789 i386_CCC=        $(ONBLD_TOOLS)/bin/$(MACH)/cw -_CC
790 $(__GNUC) i386_CCC=    $(ONBLD_TOOLS)/bin/$(MACH)/cw -_g++
791 i386_CPP=        /usr/ccs/lib/cpp
792 i386_AS=         /usr/ccs/bin/as
793 $(__GNUC) i386_AS=    $(ONBLD_TOOLS)/bin/$(MACH)/aw
794 i386_LD=         /usr/ccs/bin/ld
795 i386_LINT=       $(SPRO_ROOT)/sunstudio12.1/bin/lint

797 amd64_CC=        $(ONBLD_TOOLS)/bin/$(MACH)/cw -_cc
798 $(__GNUC64) amd64_CC=    $(ONBLD_TOOLS)/bin/$(MACH)/cw -_gcc
799 amd64_CCC=        $(ONBLD_TOOLS)/bin/$(MACH)/cw -_CC
800 $(__GNUC64) amd64_CCC=    $(ONBLD_TOOLS)/bin/$(MACH)/cw -_g++
801 amd64_CPP=        /usr/ccs/lib/cpp
802 amd64_AS=         $(ONBLD_TOOLS)/bin/$(MACH)/aw
803 amd64_LD=         /usr/ccs/bin/ld
804 amd64_LINT=       $(SPRO_ROOT)/sunstudio12.1/bin/lint

806 NATIVECC=        $( $(NATIVE_MACH)_CC )
807 NATIVECCC=        $( $(NATIVE_MACH)_CCC )
808 NATIVECPP=        $( $(NATIVE_MACH)_CPP )
809 NATIVEAS=         $( $(NATIVE_MACH)_AS )
810 NATIVELD=         $( $(NATIVE_MACH)_LD )
811 NATIVELINT=       $( $(NATIVE_MACH)_LINT )

813 #
814 # Makefile.master.64 overrides these settings
815 #
816 CC=                $(NATIVECC)
817 CCC=                $(NATIVECCC)
818 CPP=                $(NATIVECPP)
819 AS=                 $(NATIVEAS)
820 LD=                 $(NATIVELD)
821 LINT=               $(NATIVELINT)

823 # The real compilers used for this build
824 CW_CC_CMD=          $(CC) -_compiler
825 CW_CCC_CMD=         $(CCC) -_compiler
826 REAL_CC=            $(CW_CC_CMD:sh)
827 REAL_CCC=           $(CW_CCC_CMD:sh)

829 # Pass -Y flag to cpp (method of which is release-dependent)
830 CCYFLAG=            -Y I,

832 BDIRECT=           -Bdirect
833 BDYNAMIC=           -Bdynamic
834 BLOCAL=             -Blocal
835 BNODIRECT=          -Bnodirect
836 BREDUCE=            -Breduce
837 BSTATIC=            -Bstatic

839 ZDEFS=              -zdefs
840 ZDIRECT=             -zdirect
841 ZIGNORE=             -zignore
842 ZINITFIRST=         -zinitfirst
843 ZINTERPOSE=         -zinterpose
844 ZLAZYLOAD=          -zlazyload
845 ZLOADFLTR=          -zloadfltr
846 ZMULDEFS=           -zmuldefs
847 ZNODEFAULTLIB=      -znodefaultlib
848 ZNODEFS=             -znodefs

```

```

849 ZNODELETE=         -znodelete
850 ZNODLOPEN=         -znodlopen
851 ZNODUMP=            -znodump
852 ZNOLAZYLOAD=       -znolazyload
853 ZNOLDYNYSYM=       -znoldynsym
854 ZNORELOC=           -znoreloc
855 ZNOVERSION=         -znoversion
856 ZRECORD=            -zrecord
857 ZREDLOCSYM=        -zredlocsymb
858 ZTEXT=              -ztext
859 ZVERBOSE=           -zverbose

861 GSHARED=            -G
862 CCMT=               -mt

864 # Handle different PIC models on different ISAs
865 # (May be overridden by lower-level Makefiles)

867 sparc_C_PICFLAGS =    -K pic
868 sparcv9_C_PICFLAGS =  -K pic
869 i386_C_PICFLAGS =     -K pic
870 amd64_C_PICFLAGS =    -K pic
871 C_PICFLAGS =          $( $(MACH)_C_PICFLAGS )
872 C_PICFLAGS64 =        $( $(MACH64)_C_PICFLAGS )

874 sparc_C_BIGPICFLAGS = -K PIC
875 sparcv9_C_BIGPICFLAGS = -K PIC
876 i386_C_BIGPICFLAGS =  -K PIC
877 amd64_C_BIGPICFLAGS =  -K PIC
878 C_BIGPICFLAGS =       $( $(MACH)_C_BIGPICFLAGS )
879 C_BIGPICFLAGS64 =     $( $(MACH64)_C_BIGPICFLAGS )

881 # CC requires there to be no space between '-K' and 'pic' or 'PIC'.
882 sparc_CC_PICFLAGS =   -Kpic
883 sparcv9_CC_PICFLAGS = -Kpic
884 i386_CC_PICFLAGS =    -Kpic
885 amd64_CC_PICFLAGS =   -Kpic
886 CC_PICFLAGS =         $( $(MACH)_CC_PICFLAGS )
887 CC_PICFLAGS64 =       $( $(MACH64)_CC_PICFLAGS )

889 AS_PICFLAGS=          $(C_PICFLAGS)
890 AS_BIGPICFLAGS=        $(C_BIGPICFLAGS)

892 #
893 # Default label for CTF sections
894 #
895 CTFCVTFLAGS=          -i -L VERSION
896 $(SRCDBGBLD)CTFCVTFLAGS += -g

898 #
899 # Override to pass module-specific flags to ctfmerge. Currently used only by
900 # krtld to turn on fuzzy matching, and source-level debugging to inhibit
901 # stripping.
902 #
903 CTFMRGFLAGS=          -i -L VERSION
904 $(SRCDBGBLD)CTFMRGFLAGS += -g

907 CTFCONVERT_O          = $(CTFCONVERT) $(CTFCVTFLAGS) $@

909 ELFSIGN_O=            $(TRUE)
910 ELFSIGN_CRYPT=        $(ELFSIGN_O)
911 ELFSIGN_OBJECT=       $(ELFSIGN_O)

913 # Rules (normally from make.rules) and macros which are used for post
914 # processing files. Normally, these do stripping of the comment section

```

```

915 # automatically.
916 #   RELEASE_CM:      Should be edited to reflect the release.
917 #   POST_PROCESS_O:  Post-processing for '.o' files.
918 #   POST_PROCESS_A:  Post-processing for '.a' files (currently null).
919 #   POST_PROCESS_SO: Post-processing for '.so' files.
920 #   POST_PROCESS:    Post-processing for executable files (no suffix).
921 # Note that these macros are not completely generalized as they are to be
922 # used with the file name to be processed following.
923 #
924 # It is left as an exercise to Release Engineering to embellish the generation
925 # of the release comment string.
926 #
927 #   If this is a standard development build:
928 #       compress the comment section (mcs -c)
929 #       add the standard comment (mcs -a $(RELEASE_CM))
930 #       add the development specific comment (mcs -a $(DEV_CM))
931 #
932 #   If this is an installation build:
933 #       delete the comment section (mcs -d)
934 #       add the standard comment (mcs -a $(RELEASE_CM))
935 #       add the development specific comment (mcs -a $(DEV_CM))
936 #
937 #   If this is an release build:
938 #       delete the comment section (mcs -d)
939 #       add the standard comment (mcs -a $(RELEASE_CM))
940 #
941 # The following list of macros are used in the definition of RELEASE_CM
942 # which is used to label all binaries in the build:
943 #
944 #   RELEASE          Specific release of the build, eg: 5.2
945 #   RELEASE_MAJOR    Major version number part of $(RELEASE)
946 #   RELEASE_MINOR    Minor version number part of $(RELEASE)
947 #   VERSION           Version of the build (alpha, beta, Generic)
948 #   PATCHID          If this is a patch this value should contain
949 #                   the patchid value (eg: "Generic 100832-01"), otherwise
950 #                   it will be set to $(VERSION)
951 #   RELEASE_DATE     Date of the Release Build
952 #   PATCH_DATE       Date the patch was created, if this is blank it
953 #                   will default to the RELEASE_DATE
954 #
955 RELEASE_MAJOR= 5
956 RELEASE_MINOR= 11
957 RELEASE= $(RELEASE_MAJOR).$(RELEASE_MINOR)
958 VERSION= SunOS Development
959 PATCHID= $(VERSION)
960 RELEASE_DATE= release date not set
961 PATCH_DATE= $(RELEASE_DATE)
962 RELEASE_CM= "@$(POUND_SIGN)SunOS $(RELEASE) $(PATCHID) $(PATCH_DATE)"
963 DEV_CM= "@$(POUND_SIGN)SunOS Internal Development: non-nightly build"
964 #
965 PROCESS_COMMENT= @?${MCS} -d -a $(RELEASE_CM) -a $(DEV_CM)
966 $(RELEASE_BUILD)PROCESS_COMMENT= @?${MCS} -d -a $(RELEASE_CM)
967 #
968 STRIP_STABS= :
969 $(RELEASE_BUILD)STRIP_STABS= $(STRIP) -x $@
970 $(SRCDBGBLD)STRIP_STABS= :
971 #
972 POST_PROCESS_O= $(PROCESS_COMMENT) $@
973 POST_PROCESS_A=
974 POST_PROCESS_SO= $(PROCESS_COMMENT) $@ ; $(STRIP_STABS) ; \
975                 $(ELFSIGN_OBJECT)
976 POST_PROCESS= $(PROCESS_COMMENT) $@ ; $(STRIP_STABS) ; \
977              $(ELFSIGN_OBJECT)
978 #
979 #
980 # chk4ubin is a tool that inspects a module for a symbol table

```

```

981 # ELF section size which can trigger an OBP bug on older platforms.
982 # This problem affects only specific sun4u bootable modules.
983 #
984 CHK4UBIN= $(ONBLD_TOOLS)/bin/$(MACH)/chk4ubin
985 CHK4UBINFLAGS=
986 CHK4UBINARY= $(CHK4UBIN) $(CHK4UBINFLAGS) @$
987 #
988 #
989 # PKGARCHIVE specifies the default location where packages should be
990 # placed if built.
991 #
992 $(RELEASE_BUILD)PKGARCHIVESUFFIX= -nd
993 PKGARCHIVE=$(SRC)/../../packages/$(MACH)/nightly$(PKGARCHIVESUFFIX)
994 #
995 #
996 # The repositories will be created with these publisher settings. To
997 # update an image to the resulting repositories, this must match the
998 # publisher name provided to "pkg set-publisher."
999 #
1000 PKGPUBLISHER_REDIST= on-nightly
1001 PKGPUBLISHER_NONREDIST= on-extra
1002 #
1003 # Default build rules which perform comment section post-processing.
1004 #
1005 .c:
1006     $(LINK.c) -o $@ $< $(LDLIBS)
1007     $(POST_PROCESS)
1008 .c.o:
1009     $(COMPILE.c) $(OUTPUT_OPTION) $< $(CTFCONVERT_HOOK)
1010     $(POST_PROCESS_O)
1011 .c.a:
1012     $(COMPILE.c) -o $% $<
1013     $(PROCESS_COMMENT) $%
1014     $(AR) $(ARFLAGS) $@ $%
1015     $(RM) $%
1016 .s.o:
1017     $(COMPILE.s) -o $@ $<
1018     $(POST_PROCESS_O)
1019 .s.a:
1020     $(COMPILE.s) -o $% $<
1021     $(PROCESS_COMMENT) $%
1022     $(AR) $(ARFLAGS) $@ $%
1023     $(RM) $%
1024 .cc:
1025     $(LINK.cc) -o $@ $< $(LDLIBS)
1026     $(POST_PROCESS)
1027 .cc.o:
1028     $(COMPILE.cc) $(OUTPUT_OPTION) $<
1029     $(POST_PROCESS_O)
1030 .cc.a:
1031     $(COMPILE.cc) -o $% $<
1032     $(AR) $(ARFLAGS) $@ $%
1033     $(PROCESS_COMMENT) $%
1034     $(RM) $%
1035 .y:
1036     $(YACC.y) $<
1037     $(LINK.c) -o $@ y.tab.c $(LDLIBS)
1038     $(POST_PROCESS)
1039     $(RM) y.tab.c
1040 .y.o:
1041     $(YACC.y) $<
1042     $(COMPILE.c) -o $@ y.tab.c $(CTFCONVERT_HOOK)
1043     $(POST_PROCESS_O)
1044     $(RM) y.tab.c
1045 .l:
1046     $(RM) $*.c

```



```

1047 $(LEX.l) $< > $*.c
1048 $(LINK.c) -o $@ $*.c -ll $(LDLIBS)
1049 $(POST_PROCESS)
1050 $(RM) $*.c
1051 .l.o:
1052 $(RM) $*.c
1053 $(LEX.l) $< > $*.c
1054 $(COMPILE.c) -o $@ $*.c $(CTFCONVERT_HOOK)
1055 $(POST_PROCESS_O)
1056 $(RM) $*.c

1058 .bin.o:
1059 $(COMPILE.b) -o $@ $<
1060 $(POST_PROCESS_O)

1062 .java.class:
1063 $(COMPILE.java) $<

1065 # Bourne and Korn shell script message catalog build rules.
1066 # We extract all gettext strings with sed(1) (being careful to permit
1067 # multiple gettext strings on the same line), weed out the dups, and
1068 # build the catalogue with awk(1).

1070 .sh.po .ksh.po:
1071 $(SED) -n -e ":a" \
1072 -e "h" \
1073 -e "s/.*gettext *\([^\"]*\)\.*/\1/p" \
1074 -e "x" \
1075 -e "s/\/(.*)gettext *\([^\"]*\)\.*/\1\2/" \
1076 -e "t a" \
1077 $< | sort -u | awk '{ print "msgid\t" $$0 "\nmsgstr" }' > $@

1079 #
1080 # Python and Perl executable and message catalog build rules.
1081 #
1082 .SUFFIXES: .pl .pm .py .pyc

1084 .pl:
1085 $(RM) $@;
1086 $(SED) -e "s@TEXT_DOMAIN@\$(TEXT_DOMAIN)\@" $< > $@;
1087 $(CHMOD) +x $@

1089 .py:
1090 $(RM) $@; $(CAT) $< > $@; $(CHMOD) +x $@

1092 .py.pyc:
1093 $(RM) $@
1094 $(PYTHON) -mpy_compile $<
1095 @[ $(<)c = $@ ] || $(MV) $(<)c $@

1097 .py.po:
1098 $(GNUXGETTEXT) $(GNUXGETTEXTFLAGS) -d $(<F:%.py=%) $< ;

1100 .pl.po .pm.po:
1101 $(XGETTEXT) $(XGETTEXTFLAGS) -d $(<F) $< ;
1102 $(RM) $@ ;
1103 $(SED) "/^domain/d" < $(<F).po > $@ ;
1104 $(RM) $(<F).po

1106 #
1107 # When using xgettext, we want messages to go to the default domain,
1108 # rather than the specified one. This special version of the
1109 # COMPILE.cpp macro effectively prevents expansion of TEXT_DOMAIN,
1110 # causing xgettext to put all messages into the default domain.
1111 #
1112 CPPFORPO=$(COMPILE.cpp:\$(TEXT_DOMAIN)\=TEXT_DOMAIN)

```

```

1114 .c.i:
1115 $(CPPFORPO) $< > $@

1117 .h.i:
1118 $(CPPFORPO) $< > $@

1120 .y.i:
1121 $(YACC) -d $<
1122 $(CPPFORPO) y.tab.c > $@
1123 $(RM) y.tab.c

1125 .l.i:
1126 $(LEX) $<
1127 $(CPPFORPO) lex.yy.c > $@
1128 $(RM) lex.yy.c

1130 .c.po:
1131 $(CPPFORPO) $< > $<.i
1132 $(BUILD.po)

1134 .y.po:
1135 $(YACC) -d $<
1136 $(CPPFORPO) y.tab.c > $<.i
1137 $(BUILD.po)
1138 $(RM) y.tab.c

1140 .l.po:
1141 $(LEX) $<
1142 $(CPPFORPO) lex.yy.c > $<.i
1143 $(BUILD.po)
1144 $(RM) lex.yy.c

1146 #
1147 # Rules to perform stylistic checks
1148 #
1149 .SUFFIXES: .x .xml .check .xmlchk

1151 .h.check:
1152 $(DOT_H_CHECK)

1154 .x.check:
1155 $(DOT_X_CHECK)

1157 .xml.xmlchk:
1158 $(MANIFEST_CHECK)

1160 #
1161 # Include rules to render automated sccs get rules "safe".
1162 #
1163 include $(SRC)/Makefile.noget

```

new/usr/src/Makefile.master.64

1

```
*****
3146 Fri Apr 11 13:24:01 2014
new/usr/src/Makefile.master.64
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2014 Andrew Stormont.
24 #endif /* ! codereview */
25 #

27 # rebind basic build macros to 64-bit versions

29 CFLAGS=      $(CFLAGS64)
30 CCFLAGS=     $(CCFLAGS64)
31 COPTFLAG=    $(COPTFLAG64)
32 CCOPTFLAG=   $(CCOPTFLAG64)
33 COMPILE.c=   $(COMPILE64.c)
34 COMPILE.cc=  $(COMPILE64.cc)
35 COMPILE.s=   $(COMPILE64.s)
36 COMPILE.d=   $(COMPILE64.d)
37 COMPILE.b=   $(COMPILE64.b)
38 LINK.c=     $(LINK64.c)
39 LINK.cc=    $(LINK64.cc)
40 LINT.c=     $(LINT64.c)

42 $(NOT_BUILD64)COMPILE.c=      /usr/bin/false
43 $(NOT_BUILD64)COMPILE.cc=     /usr/bin/false
44 $(NOT_BUILD64)COMPILE.s=     /usr/bin/false
45 $(NOT_BUILD64)COMPILE.d=     /usr/bin/false
46 $(NOT_BUILD64)COMPILE.b=     /usr/bin/false
47 $(NOT_BUILD64)LINK.c=        /usr/bin/false
48 $(NOT_BUILD64)LINK.cc=       /usr/bin/false
49 $(NOT_BUILD64)LINT.c=        /usr/bin/false

51 #endif /* ! codereview */
52 CTF_FLAGS=      $(CTF_FLAGS_64)

54 OFFSETS_CREATE= $(OFFSETS_CREATE64)

56 #
57 # Some library path hackery, to allow building of partial workspaces
58 # and properly set the 64-bit library paths with 'ws'
59 #
60 LDLIBS1=      $(ENVLDLIBS1:%=%/$(MACH64))
61 LDLIBS2=      $(ENVLDLIBS2:%=%/$(MACH64))
```

new/usr/src/Makefile.master.64

2

```
62 LDLIBS3=      $(ENVLDLIBS3:%=%/$(MACH64))
63 LDLIBS64 =    $(LDLIBS1) $(LDLIBS2) $(LDLIBS3)
64 LDLIBS64 +=   $(ADJUNCT_PROTO:%=-L%/usr/lib/$(MACH64) -L%/lib/$(MACH64))
65 #
66 # Moved these up to the top level here, so they can be overridden
67 #
68 LDLIBS.cmd =  $(LDLIBS64)
69 LDLIBS.lib =  $(LDLIBS64)

71 #
72 # Override Makefile.master's settings of SFWLIBDIR and GCCLIBDIR
73 #
74 SFWLIBDIR=    $(SFWLIBDIR64)
75 GCCLIBDIR=    $(GCCLIBDIR64)

77 #
78 # Override Makefile.master's settings of CC, CCC, AS and LINT
79 #
80 CC=           $$($(MACH64)_CC)
81 CCC=         $$($(MACH64)_CCC)
82 CPP=         $$($(MACH64)_CPP)
83 AS=          $$($(MACH64)_AS)
84 LD=          $$($(MACH64)_LD)
85 LINT=        $$($(MACH64)_LINT)

87 $(NOT_BUILD64)CC=      /usr/bin/false
88 $(NOT_BUILD64)CCC=     /usr/bin/false
89 $(NOT_BUILD64)CPP=     /usr/bin/false
90 $(NOT_BUILD64)AS=     /usr/bin/false
91 $(NOT_BUILD64)LD=     /usr/bin/false
92 $(NOT_BUILD64)LINT=   /usr/bin/false

94 #endif /* ! codereview */
95 REAL_CC=      $(CW_CC_CMD:sh)
96 REAL_CCC=     $(CW_CCC_CMD:sh)

98 BUILD.SO=    $(CC) $(CFLAGS) -o $@ $(GSHARED) $(DYNFLAGS) \
99             $(PICS) $(EXTPICS) -L $(ROOTLIBDIR64) $(LDLIBS)

101 #
102 # ld(1) requires the -64 option to create a 64-bit filter solely from a mapfile
103 #
104 MAPFILECLASS= -64

106 CCNEEDED =    -lCrun
107 $(__GNUCC64)CCNEEDED = -L$(GCCLIBDIR) -lstdc++
108 $(__GNUCC64)CCNEEDED += -lgcc_s

110 BUILDCCC.SO=  $(CCC) $(CCFLAGS) -o $@ $(GSHARED) $(DYNFLAGS) \
111             $(PICS) $(EXTPICS) $(LDLIBS) $(CCNEEDED)
112 MAPFILE.NGB = $(MAPFILE.NGB_$(MACH64))
```

new/usr/src/cmd/sgs/elfedit/modules/Makefile

1

1350 Fri Apr 11 13:24:01 2014

new/usr/src/cmd/sgs/elfedit/modules/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # ident "%Z%M% %I% %E% SMI"
23 #
24 # Copyright 2007 Sun Microsystems, Inc. All rights reserved.
25 # Use is subject to license terms.
26 # Copyright 2014 Andrew Stormont.
27 #endif /* ! codereview */
28 #

28 include $(SRC)/Makefile.master

31 SUBDIRS= $(MACH)
32 $(BUILD64)SUBDIRS += $(MACH64)
33 #endif /* ! codereview */

35 all:= TARGET= all
36 chkmsg:= TARGET= chkmsg
37 catalog:= TARGET= catalog
38 install:= TARGET= install
39 package:= TARGET= package
40 clean:= TARGET= clean
41 clobber:= TARGET= clobber
42 lint:= TARGET= lint

44 .KEEP_STATE:

46 package all chkmsg catalog clean clobber lint install: \
47 $(SUBDIRS)

49 $(SUBDIRS): FRC
50 @cd $@; pwd; $(MAKE) $(TARGET)
51 @if [ -d $(MACH64) ]; then \
52 cd $(MACH64); pwd; $(MAKE) $(TARGET); \
53 else /bin/true; fi
```

53 FRC:

```

*****
2218 Fri Apr 11 13:24:01 2014
new/usr/src/cmd/sgs/link_audit/Makefile
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 # Copyright 2014 Andrew Stormont.
24 #endif /* ! codereview */
25 #

27 include      ../../../../Makefile.master

29 ROOTDEMODIRBASE=      $(ROOT)/usr/demo/link_audit

31 DEMOFILES= \
32     00README \
33     Makefile \
34     man/perfcnt.man \
35     man/symbindrep.man \
36     man/dumpbind.man \
37     src/bindings.c \
38     src/bindings.h \
39     src/dumpbind.c \
40     src/env.c \
41     src/env.h \
42     src/hash.c \
43     src/hash.h \
44     src/sotruss.ksh \
45     src/mach.h \
46     src/perfcnt.c \
47     src/perfcnt.ksh \
48     src/symbindrep.c \
49     src/symbindrep.ksh \
50     src/truss.c \
51     src/who.c \
52     src/who.h \
53     src/whocalls.ksh

55 ROOTDEMODIRS=      $(ROOTDEMODIRBASE) .WAIT \
56     $(ROOTDEMODIRBASE)/man \
57     $(ROOTDEMODIRBASE)/src

59 ROOTDEMOFILES=      $(DEMOFILES:%=$(ROOTDEMODIRBASE)/%)

61 $(ROOTDEMODIRS) :=      DIRMODE =      755

```

```

65 SUBDIRS=          $(MACH)
66 $(BUILD64)SUBDIRS += $(MACH64)
67 #endif /* ! codereview */

69 all:=             TARGET= all
70 install:=         TARGET= install
71 package:=         TARGET= package
72 clean:=           TARGET= clean
73 clobber:=         TARGET= clobber
74 lint:=            TARGET= lint

76 .PARALLEL: $(ROOTDEMOFILES)

78 .KEEP_STATE:

80 all clean clobber lint : \
81     $(SUBDIRS)

83 package install : \
84     $(ROOTDEMODIRS) .WAIT $(SUBDIRS) $(ROOTDEMOFILES)

86 $(SUBDIRS):      FRC
87     @cd $@; pwd; $(MAKE) $(TARGET)
23     @if [ -d $(MACH64) ]; then \
24         cd $(MACH64); pwd; $(MAKE) $(TARGET); \
25     else /bin/true; fi

89 $(ROOTDEMODIRS):
90     $(INS.dir)

92 $(ROOTDEMODIRBASE)/man/%: man/%
93     $(INS.file)

95 $(ROOTDEMODIRBASE)/src/%: common/%
96     $(INS.file)

98 $(ROOTDEMODIRBASE)/%: common/%
99     $(INS.file)

101 $(ROOTDEMODIRBASE)/%: common/%.demo
102     $(INS.rename)

104 FRC:

```

new/usr/src/cmd/strings/Makefile

1

1375 Fri Apr 11 13:24:02 2014

new/usr/src/cmd/strings/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #ident "%Z%M% %I% %E% SMI"
23 #
24 # Copyright 2008 Sun Microsystems, Inc. All rights reserved.
25 # Use is subject to license terms.
26 # Copyright 2014 Andrew Stormont.
27 #endif /* ! codereview */
28 #
29 # cmd/strings/Makefile
30
31 PROG = strings
32 PROG:sh=      basename `pwd`
33
34 include ../Makefile.cmd
35
36 SUBDIRS =      $(MACH)
37 $(BUILD64)SUBDIRS += $(MACH64)
38 SUBDIRS =      $(MACH) $(MACH64)
39
40 all          :=      TARGET = all
41 install     :=      TARGET = install
42 clean       :=      TARGET = clean
43 clobber     :=      TARGET = clobber
44 lint        :=      TARGET = lint
45
46 .KEEP_STATE:
47
48 all clean clobber lint: $(SUBDIRS)
49
50 install:      $(SUBDIRS)
51              -$(RM) $(ROOTPROG)
52              -$(LN) $(ISAEEXEC) $(ROOTPROG)
53
54 $(SUBDIRS):  FRC
55              @cd $@; pwd; $(MAKE) $(TARGET)
56
57 FRC:
58
59 include ../Makefile.targ
```

new/usr/src/lib/cfgadm_plugins/sata/Makefile

1

1814 Fri Apr 11 13:24:02 2014

new/usr/src/lib/cfgadm_plugins/sata/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2008 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
```

```
29 include ../../Makefile.lib
```

```
31 $(INTEL_BLD)SUBDIRS = $(MACH)
32 $(BUILD64)SUBDIRS += $(MACH64)
24 $(INTEL_BLD)SUBDIRS = $(MACH) $(BUILD64) $(MACH64)
```

```
34 all := TARGET= all
35 clean := TARGET= clean
36 clobber := TARGET= clobber
37 delete := TARGET= delete
38 install := TARGET= install
39 lint := TARGET= lint
40 _msg := TARGET= _msg
41 package := TARGET= package
```

```
43 TEXT_DOMAIN= SUNW_OST_OSLIB
44 XGETFLAGS= -a -x sata.xcl
45 POFILE= sata.po
46 POFILES= generic.po
```

```
48 SED= sed
49 GREP= grep
```

```
51 .KEEP_STATE:
```

```
53 all clean delete install lint package: $(SUBDIRS)
54 clobber: $(SUBDIRS)
55 $(RM) $(POFILE) $(POFILES)
```

```
57 $(SUBDIRS): FRC
58 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
60 _msg: $(MSGDOMAIN) $(POFILE)
```

new/usr/src/lib/cfgadm_plugins/sata/Makefile

2

```
61 $(RM) $(MSGDOMAIN)/$(POFILE)
62 $(CP) $(POFILE) $(MSGDOMAIN)
```

```
64 $(POFILE): $(POFILES)
65 $(RM) $@
66 $(CAT) $(POFILES) > $@
```

```
68 $(POFILES):
69 $(RM) messages.po
70 $(XGETTEXT) $(XGETFLAGS) `$(GREP) -l gettext */*.[ch]`
71 $(SED) -e '/^# msg/d' -e '/^domain/d' messages.po > $@
72 $(RM) messages.po
```

```
74 FRC:
```

new/usr/src/lib/libaio/Makefile

1

1223 Fri Apr 11 13:24:02 2014

new/usr/src/lib/libaio/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=          TARGET= all
34 clean :=        TARGET= clean
35 clobber :=      TARGET= clobber
36 install :=      TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):    FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

```

*****
6981 Fri Apr 11 13:24:02 2014
new/usr/src/lib/libc/Makefile
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 #
24 # Copyright 2010 Nexenta Systems, Inc. All rights reserved.
25 # Use is subject to license terms.
26 #
27 # Copyright 2014 Andrew Stormont.
28 #
29 #endif /* ! codereview */

31 LIBBASENAME=    libc
32 LIBRARY=        $(LIBBASENAME:%=%.a)
33 VERS=          .1

35 # Note that we build libc_pic.a for the benefit of building
36 # ld.so.1, but we do not install it. Only ld.so.1 needs it
37 # and it must be built in the same workspace as libc.
38 LIB_PIC= libc_pic.a

40 ROOTLIB=        $(ROOT)/usr/lib
41 ROOTFS_LIB=     $(ROOT)/lib
42 ROOTLIB64=     $(ROOTLIB)/$(MACH64)
43 ROOTFS_LIB64=  $(ROOTFS_LIB)/$(MACH64)

45 ROOTVARIANTDIR= $(ROOTLIB)/libc
46 ROOTVARIANTDIR64= $(ROOTLIB64)/libc

48 ROOTFS_LINTDIR= $(ROOTFS_LIB)
49 ROOTFS_LINTDIR64= $(ROOTFS_LIB64)
50 ROOTFS_LINTLIB= $(ROOTFS_LINTDIR)/$(LINTLIB)
51 ROOTFS_LINTLIB64= $(ROOTFS_LINTDIR64)/$(LINTLIB)

53 # include common library definitions
54 include ../Makefile.lib

56 #
57 # on some architectures, we build multiple libc variants
58 #
59 VAR1 =          hwcap1
60 VAR2 =          hwcap2
61 VAR3 =          hwcap3

```

```

63 VARBLD_1=      $(MACH:sparc=sparc)
64 VARBLD=        $(VARBLD_1:i386=)

66 VARBLD64_1=   $(MACH:sparc=sparcv9)
67 VARBLD64=     $(VARBLD64_1:i386=)

69 VAR1_DYNLIB =  $(LIBRARY:%.a=%_$(VAR1).so$(VERS))
70 VAR1_BLDLDIR = $(MACH)_$(VAR1)/$(VARBLD)
71 VAR2_DYNLIB =  $(LIBRARY:%.a=%_$(VAR2).so$(VERS))
72 VAR2_BLDLDIR = $(MACH)_$(VAR2)/$(VARBLD)
73 VAR3_DYNLIB =  $(LIBRARY:%.a=%_$(VAR3).so$(VERS))
74 VAR3_BLDLDIR = $(MACH)_$(VAR3)/$(VARBLD)

76 VAR1_DYNLIB64 = $(LIBRARY:%.a=%_$(VAR1).so$(VERS))
77 VAR1_BLDLDIR64 = $(MACH)_$(VAR1)/$(VARBLD64)

79 i386_VARIANTS= $(VAR1) $(VAR2) $(VAR3)
80 sparc_VARIANTS=
81 sparcv9_VARIANTS=

83 i386_COMP=
84 sparc_COMP=    capabilities

86 MACH_COMP=    $(MACH)_COMP

88 i386_ETC=     $(MACH)/etc
89 sparc_ETC=

91 VARIANTS=     $(MACH)_VARIANTS
92 VARIANT_SUBDIRS = $(VARIANTS:%=$(MACH)_%/$(VARBLD))

94 VARIANTS64=   $(MACH64)_VARIANTS
95 VARIANT_SUBDIRS64 = $(VARIANTS64:%=$(MACH)_%/$(VARBLD64))

97 SUBDIRS=      $(MACH_CAP) $(MACH) $(MACH_ETC) $(VARIANT_SUBDIRS)
98 $(BUILD64)SUBDIRS += $(MACH64) $(VARIANT_SUBDIRS64)

100 LIBS =        $(DYNLIB) $(LINTLIB)

102 ROOTLIBS64=   $(ROOTLIBDIR64)/$(DYNLIB) $(ROOTLIBDIR64)/$(LINTLIB)
103 MACHLIBS64=   $(MACH64)/$(DYNLIB) $(MACH64)/$(LINTLIB)
104 VARIANTLIBS=  $(VARIANTS:%=$(MACH)_%/$(VARBLD)/$(LIBBASENAME)_%.so.1)
105 VARIANTLIBS64= $(VARIANTS64:%=$(MACH)_%/$(VARBLD64)/$(LIBBASENAME)_%.so.1)
106 ROOTVARIANTLIBS= $(VARIANTS:%=$(ROOTVARIANTDIR)/$(LIBBASENAME)_%.so.1)
107 ROOTVARIANTLIBS64= $(VARIANTS64:%=$(ROOTVARIANTDIR64)/$(LIBBASENAME)_%.so.1)

109 # definitions for install_h target
110 BASEHDRS=     getxby_door.h
111 CHECKHDRS=    $(BASEHDRS:%.h=port/gen/%.check)
112 HDRS=         $(BASEHDRS)

114 CLOBBERFILES += THIRDPARTYLICENSE extract-copyright

116 # install rules for install_h target
117 $(ROOTHDRDIR)/%: port/gen/%
118     $(INS.file)

120 $(ROOTLIBDIR)/$(DYNLIB) := FILEMODE = 755
121 $(ROOTLIBDIR64)/$(DYNLIB) := FILEMODE = 755
122 $(ROOTFS_LIBDIR)/$(DYNLIB) := FILEMODE = 755
123 $(ROOTFS_LIBDIR64)/$(DYNLIB) := FILEMODE = 755

125 $(ROOTVARIANTDIR) := FILEMODE= 755
126 $(ROOTVARIANTDIR)/$(VAR1_DYNLIB) := FILEMODE= 755
127 $(ROOTVARIANTDIR)/$(VAR2_DYNLIB) := FILEMODE= 755

```



```

128 $(ROOTVARIANTDIR)/$(VAR3_DYNLIB)      := FILEMODE= 755
130 $(ROOTVARIANTDIR64)                   := FILEMODE= 755
131 $(ROOTVARIANTDIR64)/$(VAR1_DYNLIB64)   := FILEMODE= 755
133 .KEEP_STATE:
135 all:    all_h lib .WAIT etc THIRDPARTYLICENSE
137 all:    all_h lib32 $(BUILD64) .WAIT lib64 .WAIT etc THIRDPARTYLICENSE

137 THIRDPARTYLICENSE: extract-copyright
138     $(RM) $@
139     ./extract-copyright . > $@

141 etc:    $(MACH)_ETC

143 lib32:  $(MACH_COMP) $(MACHLIBS) $(MACH)/$(LIB_PIC) $(VARIANTLIBS)
144     @if $(ELFDUMP) -r $(MACH)/$(DYNLIB) | $(GREP) -w environ ; then \
145     $(ECHO) "Error: Invalid reference to environ" ; \
146     $(ECHO) "Error: See comments in port/gen/env_data.c" ; \
147     exit 1 ; \
148     fi

150 lib64:  $(MACH_COMP) $(MACHLIBS64) $(MACH64)/$(LIB_PIC) $(VARIANTLIBS64)
151     @if $(ELFDUMP) -r $(MACH64)/$(DYNLIB) | $(GREP) -w environ ; then \
152     $(ECHO) "Error: Invalid reference to environ" ; \
153     $(ECHO) "Error: See comments in port/gen/env_data.c" ; \
154     exit 1 ; \
155     fi

157 lib: lib32 $(BUILD64) .WAIT lib64

159 #endif /* ! codereview */
160 $(MACH)/assym.h $(MACH64)/assym.h:
161     @cd $(@D); $(MAKE) assym.h

163 $(VARIANTLIBS): FRC
164     @cd $(@D); pwd; VERSION='$(VERSION)' $(MAKE) $(@F)

166 $(VARIANTLIBS64): FRC
167     @cd $(@D); pwd; VERSION='$(VERSION)' $(MAKE) $(@F)

169 $(MACH)_ETC: FRC
170     @cd $(@); pwd; $(MAKE) $(TARGET)

172 $(MACH)_COMP: FRC
173     @cd $(@); pwd; $(MAKE) $(TARGET)

175 install:    all etc inslib
49 install:    all          \
50             etc          \
51             inslib32     \
52             $(BUILD64) inslib64

177 inslib32:   $(ROOTFS_LIBS) $(ROOTFS_LINKS) $(ROOTFS_LINT) \
178             $(ROOTFS_LINTLIB) \
179             $(ROOTVARIANTLIBS)

181 inslib64:   $(ROOTFS_LIBS64) $(ROOTFS_LINKS64) \
182             $(ROOTFS_LINTLIB64) \
183             $(ROOTVARIANTLIBS64)

185 inslib: inslib32 $(BUILD64) inslib64

187 #endif /* ! codereview */
188 install_h: all_h $(ROOTHDRS)

```

```

190 all_h:    $(MACH)/assym.h $(BUILD64) $(MACH64)/assym.h
62 all_h:    $(MACH)/assym.h $(MACH64)/assym.h

192 check:   $(CHECKHDRS)

194 $(ROOTFS_LIB)/%: $(MACH)/%
195     $(INS.file)
196 $(ROOTFS_LIBDIR)/$(LIBLINKS): $(ROOTFS_LIBDIR)/$(LIBLINKS)$(VERS)
197     $(INS.liblink)
198 $(ROOTFS_LIB64)/%: $(MACH64)/%
199     $(INS.file)
200 $(ROOTFS_LIBDIR64)/$(LIBLINKS): $(ROOTFS_LIBDIR64)/$(LIBLINKS)$(VERS)
201     $(INS.liblink)

203 $(ROOTVARIANTDIR): $(ROOTLIB)
204     $(INS.dir)
205 $(ROOTVARIANTDIR)/%: $(ROOTVARIANTDIR) $(VAR1_BLDLDIR)/%
206     $(INS.file)
207 $(ROOTVARIANTDIR)/%: $(ROOTVARIANTDIR) $(VAR2_BLDLDIR)/%
208     $(INS.file)
209 $(ROOTVARIANTDIR)/%: $(ROOTVARIANTDIR) $(VAR3_BLDLDIR)/%
210     $(INS.file)

212 $(ROOTVARIANTDIR64): $(ROOTLIB64)
213     $(INS.dir)
214 $(ROOTVARIANTDIR64)/%: $(ROOTVARIANTDIR64) $(VAR1_BLDLDIR64)/%
215     $(INS.file)

217 # install rule for lint library target
218 $(ROOTFS_LINTDIR)/%: port/%
219     $(INS.file)
220 $(ROOTFS_LINTDIR64)/%: port/%
221     $(INS.file)
222 $(ROOTFS_LINTDIR)/%: $(MACH)/%
223     $(INS.file)
224 $(ROOTFS_LINTDIR64)/%: $(MACH64)/%
225     $(INS.file)

227 $(LINTLIB):
228     @cd $(MACH); pwd; VERSION='$(VERSION)' $(MAKE) $@
229 $(LINTLIB64):
230     @cd $(MACH64); pwd; VERSION='$(VERSION)' $(MAKE) $@

232 $(MACH)/$(LIB_PIC): FRC
233     @cd $(MACH); pwd; VERSION='$(VERSION)' $(MAKE) $(LIB_PIC)
234 $(MACH64)/$(LIB_PIC): FRC
235     @cd $(MACH64); pwd; VERSION='$(VERSION)' $(MAKE) $(LIB_PIC)

237 all      := TARGET= all
238 install  := TARGET= install
239 clean    := TARGET= clean
240 clobber  := TARGET= clobber
241 lint     := TARGET= lint

243 .PARALLEL: $(SUBDIRS)

245 $(SUBDIRS): FRC
246     @cd $@; pwd; VERSION='$(VERSION)' $(MAKE) $(TARGET)

248 clean: $(SUBDIRS)
249 clobber: $(SUBDIRS) etc clobber_local
250 clobber_local:
251     $(RM) $(CLOBBERFILES)

253 lint: $(SUBDIRS)

```

new/usr/src/lib/libc/Makefile

5

```
255 _msg:    $(MSGDOMAIN) catalog
257 catalog:
258     sh ./makelibccatalog.sh $(MSGDOMAIN)

260 $(MSGDOMAIN):
261     $(INS.dir)

263 cscope.out tags: FRC
264     $(XREF) -x $@

266 FRC:
267 # include MACH-specific library targets
268 include ../Makefile.mach
```

new/usr/src/lib/libdoor/Makefile

1

1223 Fri Apr 11 13:24:02 2014

new/usr/src/lib/libdoor/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =     $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =    $(MACH) $(BUILD64) $(MACH64)

33 all :=       TARGET= all
34 clean :=     TARGET= clean
35 clobber :=   TARGET= clobber
36 install :=   TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):  FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libintl/Makefile

1

1223 Fri Apr 11 13:24:03 2014

new/usr/src/lib/libintl/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=        TARGET= all
34 clean :=      TARGET= clean
35 clobber :=    TARGET= clobber
36 install :=    TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):   FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libkrb5/Makefile

1

```
*****
1733 Fri Apr 11 13:24:03 2014
new/usr/src/lib/libkrb5/Makefile
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 INSTALLED_HDRS = \
34 com_err.h krb5.h
35 COMERRH =      $(SRC)/lib/gss_mechs/mech_krb5/include/com_err.h
36 KRB5H =        $(SRC)/uts/common/gssapi/mechs/krb5/include/krb5.h

38 KRB5INCDIR=    $(ROOT)/usr/include/kerberosv5

40 COMERRHINST =  $(KRB5INCDIR)/com_err.h
41 KRB5HINST =    $(KRB5INCDIR)/krb5.h

43 KRB5HDRS =     $(INSTALLED_HDRS:%=$(KRB5INCDIR)/%)

45 all :=         TARGET= all
46 clean :=       TARGET= clean
47 clobber :=     TARGET= clobber
48 install :=     TARGET= install

50 .KEEP_STATE:

52 all clean clobber install: $(SUBDIRS)

54 lint check:

56 $(SUBDIRS):    FRC
57 @cd $@; pwd; $(MAKE) $(TARGET)

59 install_h:     $(KRB5INCDIR) $(KRB5HDRS)
```

new/usr/src/lib/libkrb5/Makefile

2

```
61 $(COMERRHINST): $(COMERRH)
62 install -s -m 644 -f $(KRB5INCDIR) $(COMERRH)
63 $(KRB5HINST): $(KRB5H)
64 install -s -m 644 -f $(KRB5INCDIR) $(KRB5H)

66 FRC:
```

new/usr/src/lib/libmd/Makefile

1

1456 Fri Apr 11 13:24:03 2014

new/usr/src/lib/libmd/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2006, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 include $(SRC)/lib/Makefile.lib
29 #
30 $(SPARC_BLD)CAPDIR = capabilities
31 #
32 SUBDIRS= $(MACH)
33 $(BUILD64)SUBDIRS += $(MACH64)
34 SUBDIRS= $(MACH) $(BUILD64) $(MACH64)
35 #
36 HDRS = md4.h md5.h sha1.h sha2.h
37 HDRDIR = common
38 #
39 all := TARGET= all
40 clean := TARGET= clean
41 clobber := TARGET= clobber
42 install := TARGET= install
43 lint := TARGET= lint
44 #
45 .KEEP_STATE:
46 #
47 .PARALLEL: $(SUBDIRS)
48 all clean clobber install lint: \
49 $(CAPDIR) .WAIT $(SUBDIRS)
50 #
51 install_h: $(ROOTHDRS)
52 #
53 check: $(CHECKHDRS)
54 #
55 $(CAPDIR) \
56 $(SUBDIRS): FRC
57 @cd $@; pwd; $(MAKE) $(TARGET)
58 #
59 FRC:
```

new/usr/src/lib/libmd/Makefile

2

```
61 include $(SRC)/lib/Makefile.targ
```

new/usr/src/lib/libmd5/Makefile

1

1223 Fri Apr 11 13:24:03 2014

new/usr/src/lib/libmd5/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =     $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =    $(MACH) $(BUILD64) $(MACH64)

33 all :=       TARGET= all
34 clean :=     TARGET= clean
35 clobber :=   TARGET= clobber
36 install :=   TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):  FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libpthread/Makefile

1

1223 Fri Apr 11 13:24:03 2014

new/usr/src/lib/libpthread/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=        TARGET= all
34 clean :=      TARGET= clean
35 clobber :=    TARGET= clobber
36 install :=    TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):   FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```


new/usr/src/lib/librt/Makefile

1

1223 Fri Apr 11 13:24:04 2014

new/usr/src/lib/librt/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=        TARGET= all
34 clean :=      TARGET= clean
35 clobber :=    TARGET= clobber
36 install :=    TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):   FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libsched/Makefile

1

1223 Fri Apr 11 13:24:04 2014

new/usr/src/lib/libsched/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=        TARGET= all
34 clean :=      TARGET= clean
35 clobber :=    TARGET= clobber
36 install :=    TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):   FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libthread/Makefile

1

1223 Fri Apr 11 13:24:04 2014

new/usr/src/lib/libthread/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=        TARGET= all
34 clean :=      TARGET= clean
35 clobber :=    TARGET= clobber
36 install :=    TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):   FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libw/Makefile

1

1223 Fri Apr 11 13:24:04 2014

new/usr/src/lib/libw/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=          TARGET= all
34 clean :=        TARGET= clean
35 clobber :=      TARGET= clobber
36 install :=      TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):    FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/libxnet/Makefile

1

1223 Fri Apr 11 13:24:04 2014

new/usr/src/lib/libxnet/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #

28 include      ../Makefile.lib

30 SUBDIRS =      $(MACH)
31 $(BUILD64)SUBDIRS += $(MACH64)
24 SUBDIRS =      $(MACH) $(BUILD64) $(MACH64)

33 all :=          TARGET= all
34 clean :=        TARGET= clean
35 clobber :=      TARGET= clobber
36 install :=      TARGET= install

38 .KEEP_STATE:

40 all clean clobber install: $(SUBDIRS)

42 lint:

44 $(SUBDIRS):     FRC
45     @cd $@; pwd; $(MAKE) $(TARGET)

47 FRC:
```

new/usr/src/lib/pkcs11/libsoftcrypto/Makefile

1

1382 Fri Apr 11 13:24:05 2014

new/usr/src/lib/pkcs11/libsoftcrypto/Makefile

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 include      $(SRC)/lib/Makefile.lib
29 #
30 CAPDIR =      capabilities
31 SUBDIRS =     $(MACH)
32 $(BUILD64)SUBDIRS += $(MACH64)
33 SUBDIRS +=    $(PLATFORMS)
34 SUBDIRS =     $(MACH) $(BUILD64) $(MACH64) $(PLATFORMS)
35 #
36 all :=       TARGET= all
37 clean :=     TARGET= clean
38 clobber :=   TARGET= clobber
39 install :=   TARGET= install
40 lint :=      TARGET= lint
41 #
42 .KEEP_STATE:
43 #
44 .PARALLEL:   $(SUBDIRS)
45 #
46 all clean clobber install lint: \
47     $(CAPDIR) .WAIT $(SUBDIRS)
48 #
49 install_h:   $(ROOTHDRS)
50 #
51 check:       $(CHECKHDRS)
52 #
53 $(CAPDIR) \
54 $(SUBDIRS):  FRC
55 @cd $@; pwd; $(MAKE) $(TARGET)
56 #
57 FRC:
```

```

*****
24393 Fri Apr 11 13:24:05 2014
new/usr/src/pkg/Makefile
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 include $(SRC)/Makefile.master
29 include $(SRC)/Makefile.buildnum
30 #
31 #
32 # Make sure we're getting a consistent execution environment for the
33 # embedded scripts.
34 #
35 SHELL= /usr/bin/ksh93
36 #
37 #
38 # To suppress package dependency generation on any system, regardless
39 # of how it was installed, set SUPPRESSPKGDEP=true in the build
40 # environment.
41 #
42 SUPPRESSPKGDEP= false
43 #
44 #
45 # Comment this line out or set "PKGDEBUG=" in your build environment
46 # to get more verbose output from the make processes in usr/src/pkg
47 #
48 PKGDEBUG= @
49 #
50 #
51 # Cross platform packaging notes
52 #
53 # By default, we package the proto area from the same architecture as
54 # the packaging build. In other words, if you're running nightly or
55 # bldenv on an x86 platform, it will take objects from the x86 proto
56 # area and use them to create x86 repositories.
57 #
58 # If you want to create repositories for an architecture that's
59 # different from $(uname -p), you do so by setting PKGMACH in your
60 # build environment.
61 #

```

```

62 # For this to work correctly, the following must all happen:
63 #
64 # 1. You need the desired proto area, which you can get either by
65 # doing a gatekeeper-style build with the -U option to
66 # nightly(1), or by using rsync. If you don't do this, you will
67 # get packaging failures building all packages, because pkgsend
68 # is unable to find the required binaries.
69 #
70 # 2. You need the desired tools proto area, which you can get in the
71 # same ways as the normal proto area. If you don't do this, you
72 # will get packaging failures building onbld, because pkgsend is
73 # unable to find the tools binaries.
74 #
75 # 3. The remainder of this Makefile should never refer directly to
76 # $(MACH). Instead, $(PKGMACH) should be used whenever an
77 # architecture-specific path or token is needed. If this is done
78 # incorrectly, then packaging will fail, and you will see the
79 # value of $(uname -p) instead of the value of $(PKGMACH) in the
80 # commands that fail.
81 #
82 # 4. Each time a rule in this Makefile invokes $(MAKE), it should
83 # pass PKGMACH=$(PKGMACH) explicitly on the command line. If
84 # this is done incorrectly, then packaging will fail, and you
85 # will see the value of $(uname -p) instead of the value of
86 # $(PKGMACH) in the commands that fail.
87 #
88 # Refer also to the convenience targets defined later in this
89 # Makefile.
90 #
91 #
92 PKGMACH= $(MACH)
93 #
94 #
95 # ROOT, TOOLS_PROTO, and PKGARCHIVE should be set by nightly or
96 # bldenv. These macros translate them into terms of $PKGMACH, instead
97 # of $ARCH.
98 #
99 PKGROOT.cmd= print $(ROOT) | sed -e s:/root_$(MACH):/root_$(PKGMACH):
100 PKGROOT= $(PKGROOT.cmd:sh)
101 TOOLSROOT.cmd= print $(TOOLS_PROTO) | sed -e s:/root_$(MACH):/root_$(PKGMACH):
102 TOOLSROOT= $(TOOLSROOT.cmd:sh)
103 PKGDEST.cmd= print $(PKGARCHIVE) | sed -e s:/$(MACH):/$(PKGMACH):
104 PKGDEST= $(PKGDEST.cmd:sh)
105 #
106 EXCEPTIONS= packaging
107 #
108 PKGMOGRIFY= pkgmogrify
109 #
110 #
111 # Always build the redistributable repository, but only build the
112 # nonredistributable bits if we have access to closed source.
113 #
114 # Some objects that result from the closed build are still
115 # redistributable, and should be packaged as part of an open-only
116 # build. Access to those objects is provided via the closed-bins
117 # tarball. See usr/src/tools/scripts/bindrop.sh for details.
118 #
119 REPOS= redist
120 #
121 #
122 # The packages directory will contain the processed manifests as
123 # direct build targets and subdirectories for package metadata extracted
124 # incidentally during manifest processing.
125 #
126 # Nothing underneath $(PDIR) should ever be managed by SCM.
127 #
128 PDIR= packages.$(PKGMACH)
129 #
130 #
131 # The tools proto must be specified for dependency generation.

```

```

128 # Publication from the tools proto area is managed in the
129 # publication rule.
130 #
131 $(PDIR)/developer-build-onbld.dep:= PKGROOT= $(TOOLSROOT)

133 PKGPUBLISHER= $(PKGPUBLISHER_REDIST)

135 #
136 # To get these defaults, manifests should simply refer to $(PKGVERS).
137 #
138 PKGVERS_COMPONENT= 0.$(RELEASE)
139 PKGVERS_BUILTON= $(RELEASE)
140 PKGVERS_BRANCH= 0.$(ONNV_BUILDNUM)
141 PKGVERS= $(PKGVERS_COMPONENT),$(PKGVERS_BUILTON)-$(PKGVERS_BRANCH)

143 #
144 # The ARCH32 and ARCH64 macros are used in the manifests to express
145 # architecture-specific subdirectories in the installation paths
146 # for isaexec'd commands.
147 #
148 # We can't simply use $(MACH32) and $(MACH64) here, because they're
149 # only defined for the build architecture. To do cross-platform
150 # packaging, we need both values.
151 #
152 i386_ARCH32= i86
153 sparc_ARCH32= sparcv7
154 i386_ARCH64= amd64
155 sparc_ARCH64= sparcv9

157 #
158 # macros and transforms needed by pkgmogrify
159 #
160 # If you append to this list using target-specific assignments (:=),
161 # be very careful that the targets are of the form $(PDIR)/pkgname. If
162 # you use a higher level target, or a package list, you'll trigger a
163 # complete reprocessing of all manifests because they'll fail command
164 # dependency checking.
165 #
166 PM_TRANSFORMS= common actions publish restart_fmri facets defaults \
167               extract_metadata
168 PM_INC= transforms manifests

170 PKGMOG_DEFINES= \
171     i386_ONLY=$(POUND_SIGN) \
172     sparc_ONLY=$(POUND_SIGN) \
173     $(PKGMACH)_ONLY= \
174     i386_BUILD64=$(POUND_SIGN) \
175     sparc_BUILD64=$(POUND_SIGN) \
176     $(PKGMACH)_BUILD64= \
177 #endif /* ! codereview */
178     ARCH=$(PKGMACH) \
179     ARCH32=$( $(PKGMACH)_ARCH32) \
180     ARCH64=$( $(PKGMACH)_ARCH64) \
181     BUILD64=$(BUILD64) \
182 #endif /* ! codereview */
183     PKGVERS_COMPONENT=$(PKGVERS_COMPONENT) \
184     PKGVERS_BUILTON=$(PKGVERS_BUILTON) \
185     PKGVERS_BRANCH=$(PKGVERS_BRANCH) \
186     PKGVERS=$(PKGVERS)

188 PKGDEP_TOKENS_i386= \
189     'PLATFORM=i86hvm' \
190     'PLATFORM=i86pc' \
191     'PLATFORM=i86xpv' \
192     'ISALIST=amd64' \
193     'ISALIST=i386'

```

```

194 PKGDEP_TOKENS_sparc= \
195     'PLATFORM=sun4u' \
196     'PLATFORM=sun4v' \
197     'ISALIST=sparcv9' \
198     'ISALIST=sparc'
199 PKGDEP_TOKENS= $(PKGDEP_TOKENS_$(PKGMACH))

201 #
202 # The package lists are generated with $(PKGDEP_TYPE) as their
203 # dependency types, so that they can be included by either an
204 # incorporation or a group package.
205 #
206 $(PDIR)/osnet-redist.mog := PKGDEP_TYPE= require
207 $(PDIR)/osnet-incorporation.mog:= PKGDEP_TYPE= incorporate

209 PKGDEP_INCORP= \
210     depend_fmri=consolidation/osnet/osnet-incorporation type=require

212 #
213 # All packaging build products should go into $(PDIR), so they don't
214 # need to be included separately in CLOBBERFILES.
215 #
216 CLOBBERFILES= $(PDIR) proto_list_$(PKGMACH) install-$(PKGMACH).out \
217     license-list

219 #
220 # By default, PKGS will list all manifests. To build and/or publish a
221 # subset of packages, override this on the command line or in the
222 # build environment and then reference (implicitly or explicitly) the all
223 # or install targets.
224 #
225 MANIFESTS :sh= (cd manifests; print *.mf)
226 PKGS= $(MANIFESTS:%.mf=)
227 DEP_PKGS= $(PKGS:%=$(PDIR)/%.dep)
228 PROC_PKGS= $(PKGS:%=$(PDIR)/%.mog)

230 #
231 # Track the synthetic manifests separately so we can properly express
232 # build rules and dependencies. The synthetic and real packages use
233 # different sets of transforms and macros for pkgmogrify.
234 #
235 SYNTH_PKGS= osnet-incorporation osnet-redist
236 DEP_SYNTH_PKGS= $(SYNTH_PKGS:%=$(PDIR)/%.dep)
237 PROC_SYNTH_PKGS= $(SYNTH_PKGS:%=$(PDIR)/%.mog)

239 #
240 # Root of pkg image to use for dependency resolution
241 # Normally / on the machine used to build the binaries
242 #
243 PKGDEP_RESOLVE_IMAGE = /

245 #
246 # For each package, we determine the target repository based on
247 # manifest-embedded metadata. Because we make that determination on
248 # the fly, the publication target cannot be expressed as a
249 # subdirectory inside the unknown-by-the-makefile target repository.
250 #
251 # In order to limit the target set to real files in known locations,
252 # we use a ".pub" file in $(PDIR) for each processed manifest, regardless
253 # of content or target repository.
254 #
255 PUB_PKGS= $(SYNTH_PKGS:%=$(PDIR)/%.pub) $(PKGS:%=$(PDIR)/%.pub)

257 #
258 # Any given repository- and status-specific package list may be empty,
259 # but we can only determine that dynamically, so we always generate all

```



```

260 # lists for each repository we're building.
261 #
262 # The meanings of each package status are as follows:
263 #
264 #     PKGSTAT      meaning
265 #     -----
266 #     noincorp     Do not include in incorporation or group package
267 #     obsolete     Include in incorporation, but not group package
268 #     renamed      Include in incorporation, but not group package
269 #     current      Include in incorporation and group package
270 #
271 # Since the semantics of the "noincorp" package status dictate that
272 # such packages are not included in the incorporation or group packages,
273 # there is no need to build noincorp package lists.
274 #
275 PKGLISTS= \
276   $(REPOS:%=$(PDIR)/packages.%current) \
277   $(REPOS:%=$(PDIR)/packages.%renamed) \
278   $(REPOS:%=$(PDIR)/packages.%obsolete)
280 .KEEP_STATE:
282 .PARALLEL: $(PKGS) $(PROC_PKGS) $(DEP_PKGS) \
283   $(PROC_SYNTH_PKGS) $(DEP_SYNTH_PKGS) $(PUB_PKGS)
285 #
286 # For a single manifest, the dependency chain looks like this:
287 #
288 #     raw manifest (mypkg.mf)
289 #     |
290 #     use pkgmogrify to process raw manifest
291 #     |
292 #     processed manifest (mypkg.mog)
293 #     |
294 #     * use pkgdepend generate to generate dependencies
295 #     |
296 #     manifest with TBD dependencies (mypkg.dep)
297 #     |
298 #     % use pkgdepend resolve to resolve dependencies
299 #     |
300 #     manifest with dependencies resolved (mypkg.res)
301 #     |
302 #     use pkgsend to publish the package
303 #     |
304 #     placeholder to indicate successful publication (mypkg.pub)
305 #
306 # * This may be suppressed via SUPPRESSPKGDEP. The resulting
307 # packages will install correctly, but care must be taken to
308 # install all dependencies, because pkg will not have the input
309 # it needs to determine this automatically.
310 #
311 # % This is included in this diagram to make the picture complete, but
312 # this is a point of synchronization in the build process.
313 # Dependency resolution is actually done once on the entire set of
314 # manifests, not on a per-package basis.
315 #
316 # The full dependency chain for generating everything that needs to be
317 # published, without actually publishing it, looks like this:
318 #
319 #     processed synthetic packages
320 #     |
321 #     package lists      synthetic package manifests
322 #     |
323 #     processed real packages
324 #     |
325 #     package dir      real package manifests

```

```

326 #
327 # Here, each item is a set of real or synthetic packages. For this
328 # portion of the build, no reference is made to the proto area. It is
329 # therefore suitable for the "all" target, as opposed to "install."
330 #
331 # Since each of these steps is expressed explicitly, "all" need only
332 # depend on the head of the chain.
333 #
334 # From the end of manifest processing, the publication dependency
335 # chain looks like this:
336 #
337 #     repository metadata (catalogs and search indices)
338 #     |
339 #     pkgrepo refresh
340 #     |
341 #     published packages
342 #     |
343 #     pkgsend publish
344 #     |
345 #     repositories      resolved dependencies
346 #     |                  |
347 #     pkgsend            pkgdepend resolve
348 #     create-repository |
349 #     |                  |
350 #     repo directories  generated dependencies
351 #     |                  |
352 #     |                  pkgdepend
353 #     |                  |
354 #     |                  processed manifests
355 #
356 ALL_TARGETS= $(PROC_SYNTH_PKGS) proto_list_$(PKGSMACH)
358 all: $(ALL_TARGETS)
360 #
361 # This will build the directory to contain the processed manifests
362 # and the metadata symlinks.
363 #
364 $(PDIR):
365   @print "Creating $(@)"
366   $(PKGDEBUG)$(INS.dir)
368 #
369 # This rule resolves dependencies across all published manifests.
370 #
371 # We shouldn't have to ignore the error from pkgdepend, but until
372 # 16012 and its dependencies are resolved, pkgdepend will always exit
373 # with an error.
374 #
375 $(PDIR)/gendeps: $(DEP_SYNTH_PKGS) $(DEP_PKGS)
376   -$(PKGDEBUG)if [ "$(SUPPRESSPKGDEP)" = "true" ]; then \
377     print "Suppressing dependency resolution"; \
378     for p in $(DEP_PKGS:%.dep=); do \
379       $(CP) $$p.dep $$p.res; \
380     done; \
381   else \
382     print "Resolving dependencies"; \
383     pkgdepend -R $(PKGDEP_RESOLVE_IMAGE) resolve \
384       -m $(DEP_SYNTH_PKGS) $(DEP_PKGS); \
385     for p in $(DEP_SYNTH_PKGS:%.dep=) $(DEP_PKGS:%.dep=); do \
386       if [ "$$(print $$p.metadata.*)" = \
387         "$$(print $$p.metadata.noincorp.*)" ]; \
388       then \
389         print "Removing dependency versions from $$p"; \
390         $(PKGMOGRIFY) $(PKGMOG_VERBOSE) \
391           -O $$p.res -I transforms \

```

```

392         strip_versions $$p.dep.res; \
393         $(RM) $$p.dep.res; \
394     else \
395         $(MV) $$p.dep.res $$p.res; \
396     fi; \
397 done; \
398 fi
399 $(PKGDEBUG)$(TOUCH) $(@)

401 install: $(ALL_TARGETS) repository-metadata

403 repository-metadata: publish_pkgs
404     $(PKGDEBUG)for r in $(REPOS); do \
405         pkgrepo refresh -s $(PKGDEST)/repo.$$r; \
406     done

408 #
409 # Since we create zero-length processed manifests for a graceful abort
410 # from pkgmogrify, we need to detect that here and make no effort to
411 # publish the package.
412 #
413 # For all other packages, we publish them regardless of status. We
414 # derive the target repository as a component of the metadata-derived
415 # symlink for each package.
416 #
417 publish_pkgs: $(REPOS:%=$(PKGDEST)/repo.%) $(PDIR)/gendeps .WAIT $(PUB_PKGS)

419 #
420 # Before publishing, we want to pull the license files from $CODEMGR_WS
421 # into the proto area. This allows us to NOT pass $SRC (or
422 # $CODEMGR_WS) as a basedir for publication.
423 #
424 $(PUB_PKGS): stage-licenses

426 #
427 # Initialize the empty on-disk repositories
428 #
429 $(REPOS:%=$(PKGDEST)/repo.%):
430     @print "Initializing $(@F)"
431     $(PKGDEBUG)$(INS.dir)
432     $(PKGDEBUG)pkgsend -s file://$(@) create-repository \
433         --set-property publisher.prefix=$(PKG PUBLISHER)

435 #
436 # rule to process real manifests
437 #
438 # To allow redistributability and package status to change, we must
439 # remove not only the actual build target (the processed manifest), but
440 # also the incidental ones (the metadata-derived symlinks).
441 #
442 # If pkgmogrify exits cleanly but fails to create the specified output
443 # file, it means that it encountered an abort directive. That means
444 # that this package should not be published for this particular build
445 # environment. Since we can't prune such packages from $(PKGS)
446 # retroactively, we need to create an empty target file to keep make
447 # from trying to rebuild it every time. For these empty targets, we
448 # do not create metadata symlinks.
449 #
450 # Automatic dependency resolution to files is also done at this phase of
451 # processing. The skipped packages are skipped due to existing bugs
452 # in pkgdepend.
453 #
454 # The incorporation dependency is tricky: it needs to go into all
455 # current and renamed manifests (ie all incorporated packages), but we
456 # don't know which those are until after we run pkgmogrify. So
457 # instead of expressing it as a transform, we tack it on ex post facto.

```

```

458 #
459 # Implementation notes:
460 #
461 # - The first $(RM) must not match other manifests, or we'll run into
462 # race conditions with parallel manifest processing.
463 #
464 # - The make macros [ie $(MACRO)] are evaluated when the makefile is
465 # read in, and will result in a fixed, macro-expanded rule for each
466 # target enumerated in $(PROC_PKGS).
467 #
468 # - The shell variables (ie $$VAR) are assigned on the fly, as the rule
469 # is executed. The results may only be referenced in the shell in
470 # which they are assigned, so from the perspective of make, all code
471 # that needs these variables needs to be part of the same line of
472 # code. Hence the use of command separators and line continuation
473 # characters.
474 #
475 # - The extract_metadata transforms are designed to spit out shell
476 # variable assignments to stdout. Those are published to the
477 # .vars temporary files, and then used as input to the eval
478 # statement. This is done in stages specifically so that pkgmogrify
479 # can signal failure if the manifest has a syntactic or other error.
480 # The eval statement should begin with the default values, and the
481 # output from pkgmogrify (if any) should be in the form of a
482 # variable assignment to override those defaults.
483 #
484 # - When this rule completes execution, it must leave an updated
485 # target file $(@) in place, or make will reprocess the package
486 # every time it encounters it as a dependency. Hence the "touch"
487 # statement to ensure that the target is created, even when
488 # pkgmogrify encounters an abort in the publish transforms.
489 #

491 .SUFFIXES: .mf .mog .dep .res .pub

493 $(PDIR)/%.mog: manifests/%.mf
494     @print "Processing manifest $(<F)"
495     @env PKGFMT_OUTPUT=v1 pkgfmt -c $<
496     $(PKGDEBUG)$(RM) $(@) $(@:%.mog=%) $(@:%.mog=%.nodepend) \
497         $(@:%.mog=%.lics) $(PDIR)/$(@F:%.mog=%).metadata.* $(@).vars
498     $(PKGDEBUG)$(PKGMOGRIFY) $(PKGMOG_VERBOSE) $(PM_INC%=-I %) \
499         $(PKGMOG_DEFINES%=-D %) -P $(@).vars -O $(@) \
500         $(<) $(PM_TRANSFORMS)
501     $(PKGDEBUG)eval REPO=redist PKGSTAT=current NODEPEND=$(SUPPRESSPKGDEP) \
502         `$(CAT) -s $(@).vars`; \
503     if [ -f $(@) ]; then \
504         if [ "$$NODEPEND" != "false" ]; then \
505             $(TOUCH) $(@:%.mog=%.nodepend); \
506         fi; \
507     $(LN) -s $(@F) \
508         $(PDIR)/$(@F:%.mog=%).metadata.$$PKGSTAT.$$REPO; \
509     if [ \
510         ("$$PKGSTAT" = "current" \) -o \
511         \
512         ("$$PKGSTAT" = "renamed" \) ]; \
513     then print $(PKGDEP_INCORP) >> $(@); \
514     fi; \
515     print $$LICS > $(@:%.mog=%.lics); \
516     else \
517         $(TOUCH) $(@) $(@:%.mog=%.lics); \
518     fi
519     $(PKGDEBUG)$(RM) $(@).vars

519 $(PDIR)/%.dep: $(PDIR)/%.mog
520     @print "Generating dependencies for $(<F)"
521     $(PKGDEBUG)$(RM) $(@)
522     $(PKGDEBUG)if [ ! -f $(@:%.dep=%.nodepend) ]; then \
523         pkgdepend generate -m $(PKGDEP_TOKENS%=-D %) $(<) \

```

```

524             $(PKGROOT) > $(@); \
525     else \
526         $(CP) $(<) $(@); \
527     fi

529 #
530 # The full chain implies that there should be a .dep.res suffix rule,
531 # but dependency generation is done on a set of manifests, rather than
532 # on a per-manifest basis. Instead, see the gendeps rule above.
533 #

535 $(PDIR)/%.pub: $(PDIR)/%.res
536     $(PKGDEBUG)m=${$(basename ${@:%.pub=%}).metadata.*}; \
537     r=${m#$(@F:%.pub=%).metadata.+(?).}; \
538     if [ -s $(<) ]; then \
539         print "Publishing ${@F:%.pub=%} to $$r repository"; \
540         pkgsend -s file://$(PKGDEST)/repo.$$r publish \
541             -d $(PKGROOT) -d $(TOOLSROOT) \
542             -d license_files -d $(PKGROOT)/licenses \
543             --fmri-in-manifest --no-index --no-catalog $(<) \
544             > /dev/null; \
545     fi; \
546     $(TOUCH) $(@);

548 #
549 # rule to build the synthetic manifests
550 #
551 # This rule necessarily has PKGDEP_TYPE that changes according to
552 # the specific synthetic manifest. Rather than escape command
553 # dependency checking for the real manifest processing, or failing to
554 # express the (indirect) dependency of synthetic manifests on real
555 # manifests, we simply split this rule out from the one above.
556 #
557 # The implementation notes from the previous rule are applicable
558 # here, too.
559 #
560 $(PROC_SYNTH_PKGS): $(PKGLISTS) ${@F:%.mog=%.mf}
561     @print "Processing synthetic manifest ${@F:%.mog=%.mf}"
562     $(PKGDEBUG)$(RM) $(@) $(PDIR)/${@F:%.mog=%}.metadata.* $(@).vars
563     $(PKGDEBUG)$(PKGMOGRIFY) $(PKGMOG_VERBOSE) -I transforms -I $(PDIR) \
564         $(PKGMOG_DEFINES:%=-D %) -D PKGDEP_TYPE=$(PKGDEP_TYPE) \
565         -P $(@).vars -O $(@) ${@F:%.mog=%.mf} \
566         $(PM_TRANSFORMS) synthetic
567     $(PKGDEBUG)eval REPO=redist PKGSTAT=current '$(CAT) -s $(@).vars'; \
568     if [ -f $(@) ]; then \
569         $(LN) -s $(@F) \
570             $(PDIR)/${@F:%.mog=%}.metadata.$$PKGSTAT.$$REPO; \
571     else \
572         $(TOUCH) $(@); \
573     fi
574     $(PKGDEBUG)$(RM) $(@).vars

576 $(DEP_SYNTH_PKGS): ${@:%.dep=%.mog}
577     @print "Skipping dependency generation for ${@F:%.dep=%}"
578     $(PKGDEBUG)$(CP) $(@:%.dep=%.mog) $(@)

580 clean:

582 clobber: clean
583     $(RM) -r $(CLOBBERFILES)

585 #
586 # This rule assumes that all links in the $PKGSTAT directories
587 # point to valid manifests, and will fail the make run if one
588 # does not contain an fmri.
589 #

```

```

590 # We do this in the BEGIN action instead of using pattern matching
591 # because we expect the fmri to be at or near the first line of each input
592 # file, and this way lets us avoid reading the rest of the file after we
593 # find what we need.
594 #
595 # We keep track of a failure to locate an fmri, so we can fail the
596 # make run, but we still attempt to process each package in the
597 # repo/pkgstat-specific subdir, in hopes of maybe giving some
598 # additional useful info.
599 #
600 # The protolist is used for bfu archive creation, which may be invoked
601 # interactively by the user. Both protolist and PKGLISTS targets
602 # depend on $(PROC_PKGS), but protolist builds them recursively.
603 # To avoid collisions, we insert protolist into the dependency chain
604 # here. This has two somewhat subtle benefits: it allows bfu archive
605 # creation to work correctly, even when -a was not part of NIGHTLY_OPTIONS,
606 # and it ensures that a protolist file here will always correspond to the
607 # contents of the processed manifests, which can vary depending on build
608 # environment.
609 #
610 $(PKGLISTS): $(PROC_PKGS)
611     $(PKGDEBUG)sdotr=${@F:packages.=%}; \
612     r=${sdotr%.+(?)}; s=${sdotr#+(?).}; \
613     print "Generating $$r $$s package list"; \
614     $(RM) $(@); $(TOUCH) $(@); \
615     $(NAWK) 'BEGIN { \
616         if (ARGC < 2) { \
617             exit; \
618         } \
619         retcode = 0; \
620         for (i = 1; i < ARGC; i++) { \
621             do { \
622                 e = getline f < ARGV[i]; \
623             } while ((e == 1) && (f !~ /name=pkg.fmri/)); \
624             close(ARGV[i]); \
625             if (e == 1) { \
626                 l = split(f, a, "="); \
627                 print "depend fmri=" a[1], \
628                     "type=${PKGDEP_TYPE}"; \
629             } else { \
630                 print "no fmri in " ARGV[i] >> "/dev/stderr"; \
631                 retcode = 2; \
632             } \
633         } \
634         exit retcode; \
635     }' `find $(PDIR) -type l -a \( $(PKGS:%=-name %.metadata.$$s.$$r -o) \
636         -name NOSUCHFILE \)` >> $(@)

638 #
639 # rules to validate proto area against manifests, check for safe
640 # file permission modes, and generate a faux proto list
641 #
642 # For the check targets, the dependencies on $(PROC_PKGS) is specified
643 # as a subordinate make process in order to suppress output.
644 #
645 makesilent:
646     @$(MAKE) -e $(PROC_PKGS) PKGMACH=$(PKGMACH) \
647         SUPPRESSPKGDEP=$(SUPPRESSPKGDEP) > /dev/null

649 #
650 # The .lics files were created during pkgmogrification, and list the
651 # set of licenses to pull from $SRC for each package. Because
652 # licenses may be duplicated between packages, we uniquify them as
653 # well as aggregating them here.
654 #
655 license-list: makesilent

```

```

656 $(PKGDEBUG)( for l in `cat $(PROC_PKGS:%.mog=%.lics)`; \
657 do print $$l; done ) | sort -u > $@

659 #
660 # Staging the license and description files in the proto area allows
661 # us to do proper unreferenced file checking of both license and
662 # description files without blanket exceptions, and to pull license
663 # content without reference to $CODEMGR_WS during publication.
664 #
665 stage-licenses: license-list FRC
666 $(PKGDEBUG)$(MAKE) -e -f Makefile.lic \
667 PKGDEBUG=$(PKGDEBUG) LICROOT=$(PKGROOT)/licenses \
668 '$(NAWK)' '{ \
669     print "$(PKGROOT)/licenses/" $$0; \
670     print "$(PKGROOT)/licenses/" $$0 ".descrip"; \
671 }' license-list > /dev/null;

673 protocmp: makesilent
674 @validate_pkg -a $(PKGMACh) -v \
675 $(EXCEPTIONS:%=-e $(CODEMGR_WS)/exception_lists/%) \
676 -m $(PDIR) -p $(PKGROOT) -p $(TOOLSROOT)

678 pmodes: makesilent
679 @validate_pkg -a $(PKGMACh) -M -m $(PDIR) \
680 -e $(CODEMGR_WS)/exception_lists/pmodes

682 check: protocmp pmodes

684 protolist: proto_list_$(PKGMACh)

686 proto_list_$(PKGMACh): $(PROC_PKGS)
687 @validate_pkg -a $(PKGMACh) -L -m $(PDIR) > $@

689 $(PROC_PKGS): $(PDIR)

691 #
692 # This is a convenience target to allow package names to function as
693 # build targets. Generally, using it is only useful when iterating on
694 # development of a manifest.
695 #
696 # When processing a manifest, use the basename (without extension) of
697 # the package. When publishing, use the basename with a ".pub"
698 # extension.
699 #
700 # Other than during manifest development, the preferred usage is to
701 # avoid these targets and override PKGS on the make command line and
702 # use the provided all and install targets.
703 #
704 $(PKGS) $(SYNTH_PKGS): $(PDIR)/$$@:%=.mog

706 $(PKGS:%=.pub) $(SYNTH_PKGS:%=.pub): $(PDIR)/$$@

708 #
709 # This is a convenience target to resolve dependencies without publishing
710 # packages.
711 #
712 gendeps: $(PDIR)/gendeps

714 #
715 # These are convenience targets for cross-platform packaging. If you
716 # want to build any of "the normal" targets for a different
717 # architecture, simply use "arch/target" as your build target.
718 #
719 # Since the most common use case for this is "install," the architecture
720 # specific install targets have been further abbreviated to elide "/install."
721 #

```

```

722 i386/% sparc/%:
723 $(MAKE) -e $(@F) PKGMACH=$(@D) SUPPRESSPKGDEP=$(SUPPRESSPKGDEP)

725 i386 sparc: $$(@)/install

727 FRC:

```

```

*****
90141 Fri Apr 11 13:24:05 2014
new/usr/src/pkg/manifests/SUNWcs.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright (c) 2013 Gary Mills
26 # Copyright 2014 Andrew Stormont.
27 #endif /* ! codereview */
28 #

30 <include SUNWcs.man1.inc>
31 <include SUNWcs.man1m.inc>
32 <include SUNWcs.man4.inc>
33 <include SUNWcs.man5.inc>
34 <include SUNWcs.man7d.inc>
35 <include SUNWcs.man7fs.inc>
36 set name=pkg.fmri value=pkg:/SUNWcs@$(PKGVERS)
37 set name=pkg.description \
38     value="core software for a specific instruction-set architecture"
39 set name=pkg.summary value="Core Solaris"
40 set name=info.classification value=org.opensolaris.category.2008:System/Core
41 set name=variant.arch value=$(ARCH)
42 dir path=dev group=sys
43 dir path=etc group=sys
44 dir path=etc/cron.d group=sys
45 dir path=etc/crypto group=sys
46 dir path=etc/crypto/certs group=sys
47 dir path=etc/crypto/crls group=sys
48 dir path=etc/default group=sys
49 dir path=etc/dev group=sys
50 dir path=etc/devices group=sys
51 dir path=etc/dfs group=sys
52 dir path=etc/dhcp group=sys
53 dir path=etc/fs group=sys
54 dir path=etc/fs/dev group=sys
55 dir path=etc/fs/hsfs group=sys
56 dir path=etc/fs/ufs group=sys
57 dir path=etc/ftpd group=sys
58 dir path=etc/inet group=sys
59 dir path=etc/init.d group=sys
60 dir path=etc/lib group=sys
61 dir path=etc/logadm.d group=sys

```

```

62 dir path=etc/mail group=mail
63 dir path=etc/net group=sys
64 dir path=etc/net/ticlts group=sys
65 dir path=etc/net/ticots group=sys
66 dir path=etc/net/ticotsord group=sys
67 dir path=etc/opt group=sys
68 dir path=etc/rc0.d group=sys
69 dir path=etc/rc1.d group=sys
70 dir path=etc/rc2.d group=sys
71 dir path=etc/rc3.d group=sys
72 dir path=etc/rcS.d group=sys
73 dir path=etc/rpcsec group=sys
74 dir path=etc/saf
75 dir path=etc/saf/zsmon group=sys
76 dir path=etc/sasl group=sys
77 dir path=etc/security group=sys
78 dir path=etc/security/audit group=sys
79 dir path=etc/security/audit/localhost group=sys
80 dir path=etc/security/auth_attr.d group=sys
81 dir path=etc/security/dev group=sys
82 dir path=etc/security/exec_attr.d group=sys
83 dir path=etc/security/lib group=sys
84 dir path=etc/security/prof_attr.d group=sys
85 dir path=etc/skel group=sys
86 dir path=etc/svc group=sys
87 dir path=etc/svc/profile group=sys
88 dir path=etc/svc/profile/site group=sys
89 dir path=etc/svc/volatile group=sys
90 dir path=etc/sysevent group=sys
91 dir path=etc/sysevent/config group=sys
92 dir path=etc/tm group=sys
93 dir path=etc/user_attr.d group=sys
94 dir path=export group=sys
95 dir path=home group=root mode=0555
96 dir path=lib
97 dir path=lib/crypto
98 dir path=lib/inet
99 dir path=lib/svc
100 dir path=lib/svc/bin
101 dir path=lib/svc/capture
102 dir path=lib/svc/manifest group=sys
103 dir path=lib/svc/manifest/application group=sys
104 dir path=lib/svc/manifest/application/management group=sys
105 dir path=lib/svc/manifest/application/security group=sys
106 dir path=lib/svc/manifest/device group=sys
107 dir path=lib/svc/manifest/milestone group=sys
108 dir path=lib/svc/manifest/network group=sys
109 dir path=lib/svc/manifest/network/dns group=sys
110 dir path=lib/svc/manifest/network/ipsec group=sys
111 dir path=lib/svc/manifest/network/ldap group=sys
112 dir path=lib/svc/manifest/network/routing group=sys
113 dir path=lib/svc/manifest/network/rpc group=sys
114 dir path=lib/svc/manifest/network/shares group=sys
115 dir path=lib/svc/manifest/network/ssl group=sys
116 dir path=lib/svc/manifest/platform group=sys
117 $(sparc_ONLY)dir path=lib/svc/manifest/platform/sun4u group=sys
118 dir path=lib/svc/manifest/site group=sys
119 dir path=lib/svc/manifest/system group=sys
120 dir path=lib/svc/manifest/system/device group=sys
121 dir path=lib/svc/manifest/system/filesystem group=sys
122 dir path=lib/svc/manifest/system/security group=sys
123 dir path=lib/svc/manifest/system/svc group=sys
124 dir path=lib/svc/method
125 dir path=lib/svc/monitor
126 dir path=lib/svc/seed
127 dir path=lib/svc/share

```

```

128 dir path=mnt group=sys
129 dir path=opt group=sys
130 dir path=proc group=root mode=0555
131 dir path=root group=root mode=0700
132 dir path=sbin group=sys
133 dir path=system group=root
134 dir path=system/contract group=root mode=0555
135 dir path=system/object group=root mode=0555
136 dir path=tmp group=sys mode=1777
137 dir path=usr group=sys
138 dir path=usr/bin
139 dir path=usr/bin/$(ARCH32)
140 $(BUILD64)dir path=usr/bin/$(ARCH64)
 26 dir path=usr/bin/$(ARCH64)
141 dir path=usr/ccs
142 dir path=usr/ccs/bin
143 dir path=usr/demo
144 dir path=usr/games
145 dir path=usr/has
146 dir path=usr/has/bin
147 dir path=usr/has/lib
148 dir path=usr/has/man
149 dir path=usr/has/man/man1has
150 dir path=usr/kernel group=sys
151 dir path=usr/kernel/drv group=sys
152 dir path=usr/kernel/drv/$(ARCH64) group=sys
153 dir path=usr/kernel/exec group=sys
154 dir path=usr/kernel/exec/$(ARCH64) group=sys
155 dir path=usr/kernel/fs group=sys
156 dir path=usr/kernel/fs/$(ARCH64) group=sys
157 dir path=usr/kernel/pcbe group=sys
158 dir path=usr/kernel/pcbe/$(ARCH64) group=sys
159 dir path=usr/kernel/sched group=sys
160 dir path=usr/kernel/sched/$(ARCH64) group=sys
161 dir path=usr/kernel/strmod group=sys
162 dir path=usr/kernel/strmod/$(ARCH64) group=sys
163 dir path=usr/kernel/sys group=sys
164 dir path=usr/kernel/sys/$(ARCH64) group=sys
165 dir path=usr/kvm
166 dir path=usr/lib
167 $(BUILD64)dir path=usr/lib/$(ARCH64)
 53 dir path=usr/lib/$(ARCH64)
168 dir path=usr/lib/audit
169 dir path=usr/lib/class
170 dir path=usr/lib/class/FX
171 dir path=usr/lib/class/IA
172 dir path=usr/lib/class/RT
173 dir path=usr/lib/class/SDC
174 dir path=usr/lib/class/TS
175 dir path=usr/lib/crypto
176 dir path=usr/lib/devfsadm group=sys
177 dir path=usr/lib/devfsadm/linkmod group=sys
178 dir path=usr/lib/fs group=sys
179 dir path=usr/lib/fs/autofs group=sys
180 $(BUILD64)dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
 66 dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
181 dir path=usr/lib/fs/cachefs group=sys
182 dir path=usr/lib/fs/ctfs group=sys
183 dir path=usr/lib/fs/dev group=sys
184 dir path=usr/lib/fs/fd group=sys
185 dir path=usr/lib/fs/hsfs group=sys
186 dir path=usr/lib/fs/lofs group=sys
187 dir path=usr/lib/fs/mntfs group=sys
188 dir path=usr/lib/fs/nfs group=sys
189 $(BUILD64)dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
 75 dir path=usr/lib/fs/nfs/$(ARCH64) group=sys

```

```

190 dir path=usr/lib/fs/objfs group=sys
191 dir path=usr/lib/fs/proc group=sys
192 dir path=usr/lib/fs/sharefs group=sys
193 dir path=usr/lib/fs/tmpfs group=sys
194 dir path=usr/lib/fs/ufs group=sys
195 dir path=usr/lib/help
196 dir path=usr/lib/help/auths
197 dir path=usr/lib/help/auths/locale
198 dir path=usr/lib/help/auths/locale/C
199 dir path=usr/lib/help/profiles
200 dir path=usr/lib/help/profiles/locale
201 dir path=usr/lib/help/profiles/locale/C
202 dir path=usr/lib/iconv
203 dir path=usr/lib/inet
204 dir path=usr/lib/inet/$(ARCH32)
205 $(BUILD64)dir path=usr/lib/inet/$(ARCH64)
 91 dir path=usr/lib/inet/$(ARCH64)
206 dir path=usr/lib/inet/dhcp
207 dir path=usr/lib/inet/dhcp/nsu
208 dir path=usr/lib/inet/dhcp/svc
209 dir path=usr/lib/locale
210 dir path=usr/lib/locale/C
211 dir path=usr/lib/locale/C/LC_COLLATE
212 dir path=usr/lib/locale/C/LC_CTYPE
213 dir path=usr/lib/locale/C/LC_MESSAGES
214 dir path=usr/lib/locale/C/LC_MONETARY
215 dir path=usr/lib/locale/C/LC_NUMERIC
216 dir path=usr/lib/locale/C/LC_TIME
217 dir path=usr/lib/netsvc group=sys
218 dir path=usr/lib/pci
219 dir path=usr/lib/rcm
220 dir path=usr/lib/rcm/modules
221 dir path=usr/lib/rcm/scripts
222 dir path=usr/lib/reparse
223 dir path=usr/lib/saf
224 dir path=usr/lib/secure
225 $(BUILD64)dir path=usr/lib/secure/$(ARCH64)
111 dir path=usr/lib/secure/$(ARCH64)
226 dir path=usr/lib/security
227 dir path=usr/lib/sysevent
228 dir path=usr/lib/sysevent/modules
229 dir path=usr/net group=sys
230 dir path=usr/net/nls group=sys
231 dir path=usr/net/servers group=sys
232 dir path=usr/old
233 dir path=usr/platform group=sys
234 dir path=usr/sadm
235 dir path=usr/sadm/bin
236 dir path=usr/sadm/install
237 dir path=usr/sadm/install/scripts
238 dir path=usr/sbin
239 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
240 $(BUILD64)dir path=usr/sbin/$(ARCH64)
126 dir path=usr/sbin/$(ARCH64)
241 dir path=usr/share
242 dir path=usr/share/doc group=other
243 dir path=usr/share/doc/ksh
244 dir path=usr/share/doc/ksh/images
245 dir path=usr/share/doc/ksh/images/callouts
246 dir path=usr/share/lib
247 dir path=usr/share/lib/mailx
248 dir path=usr/share/lib/pub
249 dir path=usr/share/lib/tabset
250 dir path=usr/share/lib/xml group=sys
251 dir path=usr/share/lib/xml/dtd group=sys
252 dir path=usr/share/lib/xml/style group=sys

```

```

253 dir path=usr/share/man
254 dir path=usr/share/man/man1
255 dir path=usr/share/man/man1m
256 dir path=usr/share/man/man4
257 dir path=usr/share/man/man5
258 dir path=usr/share/man/man7d
259 dir path=usr/share/man/man7fs
260 dir path=usr/share/src group=sys
261 dir path=var group=sys
262 dir path=var/adm group=sys mode=0775
263 dir path=var/adm/exacct group=adm owner=adm
264 dir path=var/adm/log group=adm owner=adm
265 dir path=var/adm/streams group=sys
266 dir path=var/audit group=sys
267 dir path=var/cores group=sys
268 dir path=var/cron group=sys
269 dir path=var/games
270 dir path=var/idmap group=daemon owner=daemon
271 dir path=var/inet group=sys
272 dir path=var/ld
273 $(BUILD64)dir path=var/ld/$(ARCH64)
159 dir path=var/ld/$(ARCH64)
274 dir path=var/log group=sys
275 dir path=var/logadm
276 dir path=var/mail group=mail mode=1777
277 dir path=var/mail/:saved group=mail mode=0775
278 dir path=var/news
279 dir path=var/opt group=sys
280 dir path=var/preserve mode=1777
281 dir path=var/run group=sys
282 dir path=var/sadm group=sys
283 dir path=var/sadm/system group=sys
284 dir path=var/sadm/system/admin group=sys
285 dir path=var/saf
286 dir path=var/saf/zsmon group=sys
287 dir path=var/spool
288 dir path=var/spool/cron group=sys
289 dir path=var/spool/cron/atjobs group=sys
290 dir path=var/spool/cron/crontabs group=sys
291 dir path=var/spool/locks group=uucp owner=uucp
292 dir path=var/svc group=sys
293 dir path=var/svc/log group=sys
294 dir path=var/svc/manifest group=sys
295 dir path=var/svc/manifest/application group=sys
296 dir path=var/svc/manifest/application/management group=sys
297 dir path=var/svc/manifest/application/print group=sys
298 dir path=var/svc/manifest/application/security group=sys
299 dir path=var/svc/manifest/device group=sys
300 dir path=var/svc/manifest/milestone group=sys
301 dir path=var/svc/manifest/network group=sys
302 dir path=var/svc/manifest/network/dns group=sys
303 dir path=var/svc/manifest/network/ipsec group=sys
304 dir path=var/svc/manifest/network/ldap group=sys
305 dir path=var/svc/manifest/network/nfs group=sys
306 dir path=var/svc/manifest/network/nis group=sys
307 dir path=var/svc/manifest/network/routing group=sys
308 dir path=var/svc/manifest/network/rpc group=sys
309 dir path=var/svc/manifest/network/security group=sys
310 dir path=var/svc/manifest/network/shares group=sys
311 dir path=var/svc/manifest/network/ssl group=sys
312 dir path=var/svc/manifest/platform group=sys
313 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4u group=sys
314 $(sparc_ONLY)dir path=var/svc/manifest/platform/sun4v group=sys
315 dir path=var/svc/manifest/site group=sys
316 dir path=var/svc/manifest/system group=sys
317 dir path=var/svc/manifest/system/device group=sys

```

```

318 dir path=var/svc/manifest/system/filesystem group=sys
319 dir path=var/svc/manifest/system/security group=sys
320 dir path=var/svc/manifest/system/svc group=sys
321 dir path=var/svc/profile group=sys
322 dir path=var/tmp group=sys mode=1777
323 driver name=dump perms="dump 0660 root sys"
324 driver name=fssnap \
325     policy="ctl read_priv_set=sys_config write_priv_set=sys_config" \
326     perms="* 0640 root sys" perms="ctl 0666 root sys"
327 driver name=kstat perms="* 0666 root sys"
328 driver name=ksyms perms="* 0666 root sys"
329 driver name=logindmux
330 driver name=ptm clone_perms="ptmx 0666 root sys"
331 driver name=pts perms="* 0644 root sys" perms="0 0620 root tty" \
332     perms="1 0620 root tty" perms="2 0620 root tty" perms="3 0620 root tty"
333 file path=etc/.login group=sys preserve=renamew
334 file path=etc/cron.d/.proto group=sys mode=0744
335 file path=etc/cron.d/at.deny group=sys preserve=true
336 file path=etc/cron.d/cron.deny group=sys preserve=true
337 file path=etc/cron.d/queuedefs group=sys
338 file path=etc/crypto/kmf.conf group=sys preserve=true
339 file path=etc/crypto/pkcs11.conf group=sys preserve=true
340 file path=etc/datemsk group=sys mode=0444
341 file path=etc/default/cron group=sys preserve=true
342 file path=etc/default/devfsadm group=sys preserve=true
343 file path=etc/default/fs group=sys preserve=true
344 file path=etc/default/init group=sys preserve=true
345 file path=etc/default/keyserf group=sys preserve=true
346 file path=etc/default/login group=sys preserve=true
347 file path=etc/default/nss group=sys preserve=true
348 file path=etc/default/passwd group=sys preserve=true
349 file path=etc/default/su group=sys preserve=true
350 file path=etc/default/syslogd group=sys preserve=true
351 file path=etc/default/tar group=sys preserve=true
352 file path=etc/default/useradd group=sys preserve=true
353 file path=etc/default/utmpd group=sys preserve=true
354 file path=etc/dev/reserved_devnames group=sys preserve=true
355 file path=etc/device.tab group=root mode=0444 preserve=true
356 file path=etc/dfs/dfstab group=sys preserve=true
357 file path=etc/dfs/fstypes group=root preserve=true
358 file path=etc/dfs/sharetab group=root mode=0444 preserve=true
359 file path=etc/dgroup.tab group=sys mode=0444 preserve=true
360 file path=etc/dhcp/inittab group=sys preserve=true
361 file path=etc/dhcp/inittab6 group=sys preserve=true
362 file path=etc/dumpdates group=sys mode=0664 preserve=true
363 file path=etc/format.dat group=sys preserve=true
364 file path=etc/fs/dev/mount mode=0555
365 file path=etc/fs/hfs/mount mode=0555
366 file path=etc/fs/ufs/mount mode=0555
367 file path=etc/ftpd/ftpusers group=sys preserve=true
368 file path=etc/group group=sys preserve=true
369 file path=etc/inet/hosts group=sys preserve=true
370 file path=etc/inet/inetd.conf group=sys preserve=true
371 file path=etc/inet/ipaddrsel.conf group=sys preserve=true
372 file path=etc/inet/netmasks group=sys preserve=true
373 file path=etc/inet/networks group=sys preserve=true
374 file path=etc/inet/protocols group=sys preserve=true
375 file path=etc/inet/services group=sys preserve=true
376 file path=etc/inet/wanboot.conf.sample group=sys mode=0444
377 file path=etc/init.d/PRESERVE group=sys mode=0744 preserve=true
378 file path=etc/init.d/README group=sys preserve=true
379 file path=etc/init.d/cachefs.daemon group=sys mode=0744 preserve=true
380 file path=etc/init.d/ldap.client group=sys mode=0744
381 file path=etc/init.d/nsd group=sys mode=0744
382 file path=etc/init.d/syssetup group=sys mode=0744 preserve=true
383 file path=etc/init.d/ufs_quota group=sys mode=0744 preserve=true

```

```

384 file path=etc/inittab group=sys preserve=true
385 file path=etc/ioctl.syscon group=sys preserve=true
386 file path=etc/ksh.kshrc group=sys preserve=renameold
387 file path=etc/logadm.conf group=sys preserve=true timestamp=19700101T000000Z
388 file path=etc/logindevperm group=sys preserve=true
389 file path=etc/magic mode=0444
390 file path=etc/mail/mailx.rc preserve=true
391 file path=etc/mailcap preserve=true
392 file path=etc/mime.types preserve=true
393 file path=etc/mmttab group=root mode=0444 preserve=true
394 file path=etc/motd group=sys preserve=true
395 file path=etc/net/ticlts/hosts group=sys
396 file path=etc/net/ticlts/services group=sys preserve=true
397 file path=etc/net/ticots/hosts group=sys
398 file path=etc/net/ticots/services group=sys preserve=true
399 file path=etc/net/ticotsord/hosts group=sys
400 file path=etc/net/ticotsord/services group=sys preserve=true
401 file path=etc/netconfig group=sys preserve=true
402 file path=etc/nscd.conf group=sys preserve=true
403 file path=etc/nsswitch.ad group=sys
404 file path=etc/nsswitch.conf group=sys preserve=true
405 file path=etc/nsswitch.dns group=sys
406 file path=etc/nsswitch.files group=sys
407 file path=etc/nsswitch.ldap group=sys
408 file path=etc/pam.conf group=sys preserve=true
409 file path=etc/passwd group=sys preserve=true
410 file path=etc/profile group=sys preserve=true
411 file path=etc/project group=sys preserve=true
412 file path=etc/rc2.d/README group=sys
413 file path=etc/rc3.d/README group=sys
414 file path=etc/rc5.d/README group=sys
415 file path=etc/remote preserve=true
416 file path=etc/rpc group=sys preserve=true
417 file path=etc/saf/_sactab group=sys preserve=true
418 file path=etc/saf/_sysconfig group=sys preserve=true
419 file path=etc/saf/zsmon/_pmtab group=sys preserve=true
420 file path=etc/security/audit_class group=sys preserve=renamew
421 file path=etc/security/audit_event group=sys preserve=renamew
422 file path=etc/security/audit_warn group=sys mode=0740 preserve=renamew
423 file path=etc/security/auth_attr group=sys preserve=true \
424 timestamp=19700101T000000Z
425 file path=etc/security/auth_attr.d/SUNWcs group=sys
426 file path=etc/security/crypt.conf group=sys preserve=renamew
427 file path=etc/security/dev/audio mode=0400
428 file path=etc/security/dev/fd0 mode=0400
429 file path=etc/security/dev/sr0 mode=0400
430 file path=etc/security/dev/st0 mode=0400
431 file path=etc/security/dev/st1 mode=0400
432 file path=etc/security/exec_attr group=sys preserve=true \
433 timestamp=19700101T000000Z
434 file path=etc/security/exec_attr.d/SUNWcs group=sys
435 file path=etc/security/kmfpolicy.xml
436 file path=etc/security/lib/audio_clean group=sys mode=0555
437 file path=etc/security/lib/fd_clean group=sys mode=0555
438 file path=etc/security/lib/sr_clean group=sys mode=0555
439 file path=etc/security/lib/st_clean group=sys mode=0555
440 file path=etc/security/policy.conf group=sys preserve=true
441 file path=etc/security/priv_names group=sys preserve=renameold
442 file path=etc/security/prof_attr group=sys preserve=true \
443 timestamp=19700101T000000Z
444 file path=etc/security/prof_attr.d/SUNWcs group=sys
445 file path=etc/shadow group=sys mode=0400 preserve=true
446 file path=etc/skel/.profile group=other preserve=true
447 file path=etc/skel/local.cshrc group=sys preserve=true
448 file path=etc/skel/local.login group=sys preserve=true
449 file path=etc/skel/local.profile group=sys preserve=true

```

```

450 file path=etc/svc/profile/generic_limited_net.xml group=sys mode=0444
451 file path=etc/svc/profile/generic_open.xml group=sys mode=0444
452 file path=etc/svc/profile/inetd_generic.xml group=sys mode=0444
453 file path=etc/svc/profile/inetd_upgrade.xml group=sys mode=0444
454 file path=etc/svc/profile/ns_dns.xml group=sys mode=0444
455 file path=etc/svc/profile/ns_files.xml group=sys mode=0444
456 file path=etc/svc/profile/ns_ldap.xml group=sys mode=0444
457 file path=etc/svc/profile/ns_nis.xml group=sys mode=0444
458 file path=etc/svc/profile/ns_none.xml group=sys mode=0444
459 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,SPARC-Enterprise.xml \
460 group=sys mode=0444
461 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-15000.xml \
462 group=sys mode=0444
463 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire-880.xml \
464 group=sys mode=0444
465 $(sparc_ONLY)file path=etc/svc/profile/platform_SUNW,Sun-Fire.xml group=sys \
466 mode=0444
467 $(sparc_ONLY)file \
468 path=etc/svc/profile/platform_SUNW,Ultra-Enterprise-10000.xml group=sys \
469 mode=0444
470 $(sparc_ONLY)file \
471 path=etc/svc/profile/platform_SUNW,UltraSPARC-III-Netractor.xml group=sys \
472 mode=0444
473 file path=etc/svc/profile/platform_none.xml group=sys mode=0444
474 $(sparc_ONLY)file path=etc/svc/profile/platform_sun4v.xml group=sys mode=0444
475 file path=etc/sysevent/config/README group=sys mode=0444
476 file path=etc/sysevent/config/SUNW,EC_dr,ESC_dr_req,sysevent.conf group=sys
477 file path=etc/syslog.conf group=sys preserve=true
478 file path=etc/ttydefs group=sys preserve=true
479 file path=etc/ttysrch group=sys preserve=true
480 file path=etc/user_attr group=sys preserve=true timestamp=19700101T000000Z
481 file path=etc/user_attr.d/SUNWcs group=sys
482 file path=etc/vfstab group=sys preserve=true
483 file path=lib/inet/in.mpathd mode=0555
484 file path=lib/inet/ipmgmt mode=0555
485 file path=lib/inet/netcfg mode=0555
486 file path=lib/inet/nwamd mode=0555
487 file path=lib/svc/bin/lsvcrun group=sys mode=0555
488 file path=lib/svc/bin/mfscan group=sys mode=0555
489 file path=lib/svc/bin/restore_repository group=sys mode=0555
490 file path=lib/svc/bin/sqlite group=sys mode=0555
491 file path=lib/svc/bin/svc.configd group=sys mode=0555
492 file path=lib/svc/bin/svc.ipfd group=sys mode=0555
493 file path=lib/svc/bin/svc.startd group=sys mode=0555
494 file path=lib/svc/manifest/milestone/multi-user-server.xml group=sys mode=0444
495 file path=lib/svc/manifest/milestone/multi-user.xml group=sys mode=0444
496 file path=lib/svc/manifest/milestone/name-services.xml group=sys mode=0444
497 file path=lib/svc/manifest/milestone/network.xml group=sys mode=0444
498 file path=lib/svc/manifest/milestone/single-user.xml group=sys mode=0444
499 file path=lib/svc/manifest/milestone/sysconfig.xml group=sys mode=0444
500 file path=lib/svc/manifest/network/dlmgmt.xml group=sys mode=0444
501 file path=lib/svc/manifest/network/dns/client.xml group=sys mode=0444
502 file path=lib/svc/manifest/network/dns/install.xml group=sys mode=0444
503 file path=lib/svc/manifest/network/forwarding.xml group=sys mode=0444
504 file path=lib/svc/manifest/network/inetd_upgrade.xml group=sys mode=0444
505 file path=lib/svc/manifest/network/inetd.xml group=sys mode=0444
506 file path=lib/svc/manifest/network/ipsec/ike.xml group=sys mode=0444
507 file path=lib/svc/manifest/network/ipsec/ipsecalgs.xml group=sys mode=0444
508 file path=lib/svc/manifest/network/ipsec/manual-key.xml group=sys mode=0444
509 file path=lib/svc/manifest/network/ipsec/policy.xml group=sys mode=0444
510 file path=lib/svc/manifest/network/ldap/client.xml group=sys mode=0444
511 file path=lib/svc/manifest/network/network-initial.xml group=sys mode=0444
512 file path=lib/svc/manifest/network/network-install.xml group=sys mode=0444
513 file path=lib/svc/manifest/network/network-ipmgmt.xml group=sys mode=0444
514 file path=lib/svc/manifest/network/network-ipqos.xml group=sys mode=0444
515 file path=lib/svc/manifest/network/network-iptun.xml group=sys mode=0444

```



```

516 file path=lib/svc/manifest/network/network-location.xml group=sys mode=0444
517 file path=lib/svc/manifest/network/network-loopback.xml group=sys mode=0444
518 file path=lib/svc/manifest/network/network-netcfg.xml group=sys mode=0444
519 file path=lib/svc/manifest/network/network-netmask.xml group=sys mode=0444
520 file path=lib/svc/manifest/network/network-physical.xml group=sys mode=0444
521 file path=lib/svc/manifest/network/network-routing-setup.xml group=sys \
522 mode=0444
523 file path=lib/svc/manifest/network/network-service.xml group=sys mode=0444
524 file path=lib/svc/manifest/network/network-routing/legacy-routing.xml group=sys \
525 mode=0444
526 file path=lib/svc/manifest/network/rpc/bind.xml group=sys mode=0444
527 file path=lib/svc/manifest/network/rpc/keyserv.xml group=sys mode=0444
528 file path=lib/svc/manifest/network/shares/group.xml group=sys mode=0444
529 file path=lib/svc/manifest/network/shares/reparsed.xml group=sys mode=0444
530 file path=lib/svc/manifest/network/socket-filter-kssl.xml group=sys mode=0444
531 file path=lib/svc/manifest/network/ssl/kssl-proxy.xml group=sys mode=0444
532 file path=lib/svc/manifest/system/auditd.xml group=sys mode=0444
533 file path=lib/svc/manifest/system/auditset.xml group=sys mode=0444
534 file path=lib/svc/manifest/system/boot-archive-update.xml group=sys mode=0444
535 file path=lib/svc/manifest/system/boot-archive.xml group=sys mode=0444
536 file path=lib/svc/manifest/system/boot-config.xml group=sys mode=0444
537 file path=lib/svc/manifest/system/consadm.xml group=sys mode=0444
538 file path=lib/svc/manifest/system/console-login.xml group=sys mode=0444
539 file path=lib/svc/manifest/system/coreadm.xml group=sys mode=0444
540 file path=lib/svc/manifest/system/cron.xml group=sys mode=0444
541 file path=lib/svc/manifest/system/cryptosvc.xml group=sys mode=0444
542 file path=lib/svc/manifest/system/device/allocate.xml group=sys mode=0444
543 file path=lib/svc/manifest/system/device/devices-audio.xml group=sys mode=0444
544 file path=lib/svc/manifest/system/device/devices-local.xml group=sys mode=0444
545 file path=lib/svc/manifest/system/device/mpxio-upgrade.xml group=sys mode=0444
546 file path=lib/svc/manifest/system/early-manifest-import.xml group=sys \
547 mode=0444
548 file path=lib/svc/manifest/system/extended-accounting.xml group=sys mode=0444
549 file path=lib/svc/manifest/system/filesystem/local-fs.xml group=sys mode=0444
550 file path=lib/svc/manifest/system/filesystem/minimal-fs.xml group=sys \
551 mode=0444
552 file path=lib/svc/manifest/system/filesystem/root-fs.xml group=sys mode=0444
553 file path=lib/svc/manifest/system/filesystem/usr-fs.xml group=sys mode=0444
554 $(i386_ONLY)file path=lib/svc/manifest/system/hostid.xml group=sys mode=0444
555 file path=lib/svc/manifest/system/hotplug.xml group=sys mode=0444
556 file path=lib/svc/manifest/system/identity.xml group=sys mode=0444
557 file path=lib/svc/manifest/system/idmap.xml group=sys mode=0444
558 file path=lib/svc/manifest/system/keymap.xml group=sys mode=0444
559 file path=lib/svc/manifest/system/logadm-upgrade.xml group=sys mode=0444
560 file path=lib/svc/manifest/system/manifest-import.xml group=sys mode=0444
561 file path=lib/svc/manifest/system/name-service-cache.xml group=sys mode=0444
562 file path=lib/svc/manifest/system/pfexecd.xml group=sys mode=0444
563 file path=lib/svc/manifest/system/rbac.xml group=sys mode=0444
564 file path=lib/svc/manifest/system/rmtmpfiles.xml group=sys mode=0444
565 file path=lib/svc/manifest/system/sac.xml group=sys mode=0444
566 file path=lib/svc/manifest/system/svc/global.xml group=sys mode=0444
567 file path=lib/svc/manifest/system/svc/restarter.xml group=sys mode=0444
568 file path=lib/svc/manifest/system/system-log.xml group=sys mode=0444
569 file path=lib/svc/manifest/system/utmp.xml group=sys mode=0444
570 file path=lib/svc/manifest/system/vtdaemon.xml group=sys mode=0444
571 file path=lib/svc/method/boot-archive mode=0555
572 file path=lib/svc/method/boot-archive-update mode=0555
573 file path=lib/svc/method/console-login mode=0555
574 file path=lib/svc/method/devices-audio mode=0555
575 file path=lib/svc/method/devices-local mode=0555
576 file path=lib/svc/method/dns-install mode=0555
577 file path=lib/svc/method/fs-local mode=0555
578 file path=lib/svc/method/fs-minimal mode=0555
579 file path=lib/svc/method/fs-root mode=0555
580 file path=lib/svc/method/fs-usr mode=0555
581 file path=lib/svc/method/identity-domain mode=0555

```

```

582 file path=lib/svc/method/identity-node mode=0555
583 file path=lib/svc/method/inetd-upgrade mode=0555
584 file path=lib/svc/method/keymap mode=0555
585 file path=lib/svc/method/ldap-client mode=0555
586 file path=lib/svc/method/logadm-upgrade mode=0555
587 file path=lib/svc/method/manifest-import mode=0555
588 file path=lib/svc/method/mpxio-upgrade mode=0555
589 file path=lib/svc/method/net-init mode=0555
590 file path=lib/svc/method/net-install mode=0555
591 file path=lib/svc/method/net-ipmgmt mode=0555
592 file path=lib/svc/method/net-ipqos mode=0555
593 file path=lib/svc/method/net-iptun mode=0555
594 file path=lib/svc/method/net-loc mode=0555
595 file path=lib/svc/method/net-loopback mode=0555
596 file path=lib/svc/method/net-netmask mode=0555
597 file path=lib/svc/method/net-nwam mode=0555
598 file path=lib/svc/method/net-physical mode=0555
599 file path=lib/svc/method/net-routing-setup mode=0555
600 file path=lib/svc/method/net-svc mode=0555
601 file path=lib/svc/method/rmtmpfiles mode=0555
602 file path=lib/svc/method/rpc-bind mode=0555
603 file path=lib/svc/method/svc-allocate mode=0555
604 file path=lib/svc/method/svc-auditd mode=0555
605 file path=lib/svc/method/svc-auditset mode=0555
606 file path=lib/svc/method/svc-boot-config mode=0555
607 file path=lib/svc/method/svc-consadm mode=0555
608 file path=lib/svc/method/svc-cron mode=0555
609 file path=lib/svc/method/svc-dlmgmt mode=0555
610 file path=lib/svc/method/svc-forwarding mode=0555
611 $(i386_ONLY)file path=lib/svc/method/svc-hostid mode=0555
612 file path=lib/svc/method/svc-hotplug mode=0555
613 file path=lib/svc/method/svc-legacy-routing mode=0555
614 file path=lib/svc/method/svc-mscd mode=0555
615 file path=lib/svc/method/svc-rbac mode=0555
616 file path=lib/svc/method/svc-sockfilter mode=0555
617 file path=lib/svc/method/svc-utmpd mode=0555
618 file path=lib/svc/method/system-log mode=0555
619 file path=lib/svc/method/vtdaemon mode=0555
620 file path=lib/svc/method/yp mode=0555
621 # global.db is not needed in non-global zones, and it's pretty large.
622 file path=lib/svc/seed/global.db group=sys mode=0444 \
623 variant.opensolaris.zone=global
624 # symmetrically, nonglobal.db is not needed in global zones.
625 file path=lib/svc/seed/nonglobal.db group=sys mode=0444 \
626 variant.opensolaris.zone=nonglobal
627 file path=lib/svc/share/README mode=0444
628 file path=lib/svc/share/fs_include.sh mode=0444
629 file path=lib/svc/share/ipf_include.sh mode=0444
630 file path=lib/svc/share/mfsthistory mode=0444
631 file path=lib/svc/share/net_include.sh mode=0444
632 file path=lib/svc/share/routing_include.sh mode=0444
633 file path=lib/svc/share/smf_include.sh mode=0444
634 file path=root/.bashrc group=root preserve=true
635 file path=root/.profile group=root preserve=true
636 file path=sbin/autopush mode=0555
637 $(i386_ONLY)file path=sbin/biosdev mode=0555
638 file path=sbin/bootadm mode=0555
639 file path=sbin/cryptoadm mode=0555
640 file path=sbin/devprop mode=0555
641 file path=sbin/dhcapagent mode=0555
642 file path=sbin/dhccpinfo mode=0555
643 file path=sbin/dlmgmt mode=0555
644 file path=sbin/fdisk mode=0555
645 file path=sbin/fiocompress mode=0555
646 file path=sbin/hostconfig mode=0555
647 file path=sbin/ifconfig mode=0555

```

```

648 file path=sbin/ifparse mode=0555
649 file path=sbin/init group=sys mode=0555
650 $(i386_ONLY)file path=sbin/installgrub group=sys mode=0555
651 file path=sbin/impstat mode=0555
652 file path=sbin/mount mode=0555
653 file path=sbin/mountall group=sys mode=0555
654 file path=sbin/netstrategy mode=0555
655 file path=sbin/rc0 group=sys mode=0744
656 file path=sbin/rc1 group=sys mode=0744
657 file path=sbin/rc2 group=sys mode=0744
658 file path=sbin/rc3 group=sys mode=0744
659 file path=sbin/rcS group=sys mode=0744
660 file path=sbin/route mode=0555
661 file path=sbin/routeadm mode=0555
662 file path=sbin/soconfig mode=0555
663 file path=sbin/su.static group=sys mode=0555
664 file path=sbin/sulogin mode=0555
665 file path=sbin/swapadd group=sys mode=0744
666 file path=sbin/sync mode=0555
667 file path=sbin/tzreload mode=0555
668 file path=sbin/uadmin group=sys mode=0555
669 file path=sbin/umount mode=0555
670 file path=sbin/umountall group=sys mode=0555
671 file path=sbin/uname mode=0555
672 file path=sbin/wusbadm mode=0555
673 file path=sbin/zonename mode=0555
674 $(i386_ONLY)file path=usr/bin/$(ARCH32)/amt mode=0555
675 file path=usr/bin/$(ARCH32)/decrypt mode=0555
676 file path=usr/bin/$(ARCH32)/digest mode=0555
677 file path=usr/bin/$(ARCH32)/ksh93 mode=0555
678 $(i386_ONLY)file path=usr/bin/$(ARCH32)/newtask group=sys mode=4555
679 $(i386_ONLY)file path=usr/bin/$(ARCH32)/nohup mode=0555
680 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prctl mode=0555
681 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prstat mode=0555
682 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ps mode=0555
683 file path=usr/bin/$(ARCH32)/savecore mode=0555
684 $(i386_ONLY)file path=usr/bin/$(ARCH32)/setuname mode=0555
685 $(i386_ONLY)file path=usr/bin/$(ARCH32)/uptime mode=4555
686 $(BUILD64)file path=usr/bin/$(ARCH64)/amt mode=0555
687 $(BUILD64)file path=usr/bin/$(ARCH64)/crle mode=0555
688 $(BUILD64)file path=usr/bin/$(ARCH64)/decrypt mode=0555
689 $(BUILD64)file path=usr/bin/$(ARCH64)/digest mode=0555
690 $(BUILD64)file path=usr/bin/$(ARCH64)/ksh93 mode=0555
691 $(BUILD64)file path=usr/bin/$(ARCH64)/ls mode=0555
692 $(BUILD64)file path=usr/bin/$(ARCH64)/moe mode=0555
693 $(BUILD64)file path=usr/bin/$(ARCH64)/newtask group=sys mode=4555
694 $(BUILD64)file path=usr/bin/$(ARCH64)/nohup mode=0555
695 $(BUILD64)file path=usr/bin/$(ARCH64)/prctl mode=0555
696 $(BUILD64)file path=usr/bin/$(ARCH64)/prstat mode=0555
697 $(BUILD64)file path=usr/bin/$(ARCH64)/ps mode=0555
698 $(BUILD64)file path=usr/bin/$(ARCH64)/savecore mode=0555
699 $(BUILD64)file path=usr/bin/$(ARCH64)/setuname mode=0555
700 $(BUILD64)file path=usr/bin/$(ARCH64)/uptime mode=4555
572 file path=usr/bin/$(ARCH64)/amt mode=0555
573 file path=usr/bin/$(ARCH64)/crle mode=0555
574 file path=usr/bin/$(ARCH64)/decrypt mode=0555
575 file path=usr/bin/$(ARCH64)/digest mode=0555
576 file path=usr/bin/$(ARCH64)/ksh93 mode=0555
577 file path=usr/bin/$(ARCH64)/ls mode=0555
578 file path=usr/bin/$(ARCH64)/moe mode=0555
579 file path=usr/bin/$(ARCH64)/newtask group=sys mode=4555
580 file path=usr/bin/$(ARCH64)/nohup mode=0555
581 file path=usr/bin/$(ARCH64)/prctl mode=0555
582 file path=usr/bin/$(ARCH64)/prstat mode=0555
583 file path=usr/bin/$(ARCH64)/ps mode=0555
584 file path=usr/bin/$(ARCH64)/savecore mode=0555

```

```

585 file path=usr/bin/$(ARCH64)/setuname mode=0555
586 file path=usr/bin/$(ARCH64)/uptime mode=4555
701 $(i386_ONLY)file path=usr/bin/addbadsec mode=0555
702 file path=usr/bin/alias mode=0555
703 file path=usr/bin/amt mode=0555
704 file path=usr/bin/arch mode=0555
705 file path=usr/bin/at group=sys mode=4755
706 file path=usr/bin/atq group=sys mode=4755
707 file path=usr/bin/atrm group=sys mode=4755
708 file path=usr/bin/auths mode=0555
709 file path=usr/bin/basename mode=0555
710 file path=usr/bin/busstat mode=0555
711 file path=usr/bin/captoinfo mode=0555
712 file path=usr/bin/cat mode=0555
713 file path=usr/bin/chgrp mode=0555
714 file path=usr/bin/chmod mode=0555
715 file path=usr/bin/chown mode=0555
716 file path=usr/bin/ckdate mode=0555
717 file path=usr/bin/ckgid mode=0555
718 file path=usr/bin/ckint mode=0555
719 file path=usr/bin/ckitem mode=0555
720 file path=usr/bin/ckkeywd mode=0555
721 file path=usr/bin/ckpath mode=0555
722 file path=usr/bin/ckrange mode=0555
723 file path=usr/bin/ckstr mode=0555
724 file path=usr/bin/cktime mode=0555
725 file path=usr/bin/ckuid mode=0555
726 file path=usr/bin/ckyorn mode=0555
727 file path=usr/bin/clear mode=0555
728 file path=usr/bin/coreadm mode=0555
729 file path=usr/bin/cp mode=0555
730 file path=usr/bin/cpio mode=0555
731 file path=usr/bin/crle mode=0555
732 file path=usr/bin/crontab mode=4555
733 file path=usr/bin/crypt mode=0555
734 file path=usr/bin/csh mode=0555
735 file path=usr/bin/ctrun mode=0555
736 file path=usr/bin/ctstat mode=0555
737 file path=usr/bin/ctwatch mode=0555
738 file path=usr/bin/date mode=0555
739 file path=usr/bin/dd mode=0555
740 file path=usr/bin/devattr mode=0555
741 file path=usr/bin/devfree mode=0555
742 file path=usr/bin/devreserv mode=0555
743 file path=usr/bin/dirname mode=0555
744 $(i386_ONLY)file path=usr/bin/diskscan mode=0555
745 file path=usr/bin/domainname mode=0555
746 file path=usr/bin/du mode=0555
747 file path=usr/bin/dumpcs mode=0555
748 file path=usr/bin/dumpkeys mode=0555
749 file path=usr/bin/echo mode=0555
750 file path=usr/bin/ed mode=0555
751 file path=usr/bin/egrep mode=0555
752 file path=usr/bin/eject mode=0555
753 file path=usr/bin/env mode=0555
754 file path=usr/bin/expr mode=0555
755 file path=usr/bin/false mode=0555
756 file path=usr/bin/fdetach mode=0555
757 file path=usr/bin/fdformat mode=4555
758 file path=usr/bin/fgrep mode=0555
759 file path=usr/bin/file mode=0555
760 file path=usr/bin/find mode=0555
761 file path=usr/bin/fmt mode=0555
762 file path=usr/bin/fmtmsg mode=0555
763 file path=usr/bin/fold mode=0555
764 file path=usr/bin/fsstat mode=0555

```

```

765 file path=usr/bin/geniconvtbl mode=0555
766 file path=usr/bin/getconf mode=0555
767 file path=usr/bin/getdev mode=0555
768 file path=usr/bin/getdgrp mode=0555
769 file path=usr/bin/getent mode=0555
770 file path=usr/bin/getfacl mode=0555
771 file path=usr/bin/getopt mode=0555
772 file path=usr/bin/gettext mode=0555
773 file path=usr/bin/getvol mode=0555
774 file path=usr/bin/grep mode=0555
775 file path=usr/bin/groups mode=0555
776 file path=usr/bin/head mode=0555
777 file path=usr/bin/hostid mode=0555
778 file path=usr/bin/hostname mode=0555
779 file path=usr/bin/i286 mode=0555
780 file path=usr/bin/iconv mode=0555
781 file path=usr/bin/id mode=0555
782 file path=usr/bin/infocmp mode=0555
783 file path=usr/bin/iostat mode=0555
784 file path=usr/bin/isainfo mode=0555
785 file path=usr/bin/isalist mode=0555
786 file path=usr/bin/kbd mode=0555
787 file path=usr/bin/keylogin mode=0555
788 file path=usr/bin/keylogout mode=0555
789 file path=usr/bin/kmfcfg mode=0555
790 file path=usr/bin/kvmstat mode=0555
791 file path=usr/bin/line mode=0555
792 file path=usr/bin/listdgrp mode=0555
793 file path=usr/bin/listusers mode=0555
794 file path=usr/bin/loadkeys mode=0555
795 file path=usr/bin/logger mode=0555
796 file path=usr/bin/login mode=4555
797 file path=usr/bin/logins mode=0750
798 file path=usr/bin/ls mode=0555
799 file path=usr/bin/m4 mode=0555
800 file path=usr/bin/mach mode=0555
801 file path=usr/bin/mail group=mail mode=2511
802 file path=usr/bin/mailx group=mail mode=2511
803 file path=usr/bin/makedev mode=0555
804 file path=usr/bin/mesg mode=0555
805 file path=usr/bin/mkdir mode=0555
806 file path=usr/bin/mkpwdict mode=0555
807 file path=usr/bin/mktemp mode=0555
808 file path=usr/bin/moe mode=0555
809 file path=usr/bin/more mode=0555
810 file path=usr/bin/mpstat mode=0555
811 file path=usr/bin/mt mode=0555
812 file path=usr/bin/netstat mode=0555
813 file path=usr/bin/newgrp group=sys mode=4755
814 file path=usr/bin/nice mode=0555
815 file path=usr/bin/optisa mode=0555
816 file path=usr/bin/pagesize mode=0555
817 file path=usr/bin/passwd group=sys mode=6555
818 file path=usr/bin/pathchk mode=0555
819 file path=usr/bin/pax mode=0555
820 file path=usr/bin/pfexec mode=0555
821 file path=usr/bin/pg mode=0555
822 file path=usr/bin/pgrep mode=0555
823 file path=usr/bin/pktool mode=0555
824 file path=usr/bin/pr mode=0555
825 file path=usr/bin/printf mode=0555
826 file path=usr/bin/priocntl mode=0555
827 file path=usr/bin/profiles mode=0555
828 file path=usr/bin/projects mode=0555
829 file path=usr/bin/putdev mode=0555
830 file path=usr/bin/putdgrp mode=0555

```

```

831 file path=usr/bin/pwd mode=0555
832 file path=usr/bin/renice mode=0555
833 file path=usr/bin/rm mode=0555
834 file path=usr/bin/rmdir mode=0555
835 file path=usr/bin/roles mode=0555
836 file path=usr/bin/rpcinfo mode=0555
837 file path=usr/bin/runat mode=0555
838 file path=usr/bin/script mode=0555
839 file path=usr/bin/sed mode=0555
840 file path=usr/bin/setfacl mode=0555
841 file path=usr/bin/setpggrp group=sys mode=0555
842 file path=usr/bin/settime mode=0555
843 file path=usr/bin/shcomp mode=0555
844 file path=usr/bin/strchg group=root mode=0555
845 file path=usr/bin/strconf group=root mode=0555
846 file path=usr/bin/stty mode=0555
847 file path=usr/bin/su group=sys mode=4555
848 file path=usr/bin/svcprop mode=0555
849 file path=usr/bin/svcs mode=0555
850 file path=usr/bin/tabs mode=0555
851 file path=usr/bin/tail mode=0555
852 file path=usr/bin/tic mode=0555
853 file path=usr/bin/time mode=0555
854 file path=usr/bin/tip mode=4511 owner=uucp
855 file path=usr/bin/tpmadm mode=0555
856 file path=usr/bin/tput mode=0555
857 file path=usr/bin/tr mode=0555
858 file path=usr/bin/true mode=0555
859 file path=usr/bin/tty mode=0555
860 file path=usr/bin/tzselect mode=0555
861 file path=usr/bin/userattr mode=0555
862 file path=usr/bin/vmstat mode=0555
863 file path=usr/bin/which mode=0555
864 file path=usr/bin/who mode=0555
865 file path=usr/bin/wracct mode=0555
866 file path=usr/bin/write group=tty mode=2555
867 file path=usr/bin/xargs mode=0555
868 file path=usr/bin/xstr mode=0555
869 file path=usr/has/bin/edit mode=0555
870 file path=usr/has/bin/sh mode=0555
871 file path=usr/has/man/manlhas/edit.lhas
872 file path=usr/has/man/manlhas/ex.lhas
873 file path=usr/has/man/manlhas/sh.lhas
874 file path=usr/has/man/manlhas/vi.lhas
875 file path=usr/kernel/drv/$(ARCH64)/dump group=sys
876 file path=usr/kernel/drv/$(ARCH64)/fssnap group=sys
877 file path=usr/kernel/drv/$(ARCH64)/kstat group=sys
878 file path=usr/kernel/drv/$(ARCH64)/ksyms group=sys
879 file path=usr/kernel/drv/$(ARCH64)/logindmux group=sys
880 file path=usr/kernel/drv/$(ARCH64)/ptm group=sys
881 file path=usr/kernel/drv/$(ARCH64)/pts group=sys
882 $(i386_ONLY)file path=usr/kernel/drv/dump group=sys
883 file path=usr/kernel/drv/dump.conf group=sys
884 $(i386_ONLY)file path=usr/kernel/drv/fssnap group=sys
885 file path=usr/kernel/drv/fssnap.conf group=sys
886 $(i386_ONLY)file path=usr/kernel/drv/kstat group=sys
887 file path=usr/kernel/drv/kstat.conf group=sys
888 $(i386_ONLY)file path=usr/kernel/drv/ksyms group=sys
889 file path=usr/kernel/drv/ksyms.conf group=sys
890 $(i386_ONLY)file path=usr/kernel/drv/logindmux group=sys
891 file path=usr/kernel/drv/logindmux.conf group=sys
892 $(i386_ONLY)file path=usr/kernel/drv/ptm group=sys
893 file path=usr/kernel/drv/ptm.conf group=sys
894 $(i386_ONLY)file path=usr/kernel/drv/pts group=sys
895 file path=usr/kernel/drv/pts.conf group=sys
896 file path=usr/kernel/exec/$(ARCH64)/javaexec group=sys mode=0755

```

```

897 file path=usr/kernel/exec/${ARCH64}/shbinexec group=sys mode=0755
898 $(i386_ONLY)file path=usr/kernel/exec/javaexec group=sys mode=0755
899 $(i386_ONLY)file path=usr/kernel/exec/shbinexec group=sys mode=0755
900 file path=usr/kernel/fs/${ARCH64}/fdfs group=sys mode=0755
901 file path=usr/kernel/fs/${ARCH64}/pcfs group=sys mode=0755
902 $(i386_ONLY)file path=usr/kernel/fs/fdfs group=sys mode=0755
903 $(i386_ONLY)file path=usr/kernel/fs/pcfs group=sys mode=0755
904 file path=usr/kernel/sched/${ARCH64}/FX group=sys mode=0755
905 file path=usr/kernel/sched/${ARCH64}/FX_DPTBL group=sys mode=0755
906 file path=usr/kernel/sched/${ARCH64}/IA group=sys mode=0755
907 file path=usr/kernel/sched/${ARCH64}/RT group=sys mode=0755
908 file path=usr/kernel/sched/${ARCH64}/RT_DPTBL group=sys mode=0755
909 $(i386_ONLY)file path=usr/kernel/sched/FX group=sys mode=0755
910 $(i386_ONLY)file path=usr/kernel/sched/FX_DPTBL group=sys mode=0755
911 $(i386_ONLY)file path=usr/kernel/sched/IA group=sys mode=0755
912 $(i386_ONLY)file path=usr/kernel/sched/RT group=sys mode=0755
913 $(i386_ONLY)file path=usr/kernel/sched/RT_DPTBL group=sys mode=0755
914 file path=usr/kernel/strmod/${ARCH64}/cryptmod group=sys mode=0755
915 file path=usr/kernel/strmod/${ARCH64}/rlmod group=sys mode=0755
916 file path=usr/kernel/strmod/${ARCH64}/telmod group=sys mode=0755
917 $(i386_ONLY)file path=usr/kernel/strmod/cryptmod group=sys mode=0755
918 $(i386_ONLY)file path=usr/kernel/strmod/rlmod group=sys mode=0755
919 $(i386_ONLY)file path=usr/kernel/strmod/telmod group=sys mode=0755
920 file path=usr/kernel/sys/${ARCH64}/acctctl group=sys mode=0755
921 file path=usr/kernel/sys/${ARCH64}/exacctsys group=sys mode=0755
922 file path=usr/kernel/sys/${ARCH64}/sysacct group=sys mode=0755
923 $(i386_ONLY)file path=usr/kernel/sys/acctctl group=sys mode=0755
924 $(i386_ONLY)file path=usr/kernel/sys/exacctsys group=sys mode=0755
925 $(i386_ONLY)file path=usr/kernel/sys/sysacct group=sys mode=0755
926 file path=usr/kvm/README group=sys
927 $(BUILDP64)file path=usr/lib/${ARCH64}/libshare.so.1
813 file path=usr/lib/${ARCH64}/libshare.so.1
928 file path=usr/lib/audit/audit_record_attr mode=0444
929 file path=usr/lib/calprog mode=0555
930 file path=usr/lib/class/FX/FXdispadmin mode=0555
931 file path=usr/lib/class/FX/FXprioctl mode=0555
932 file path=usr/lib/class/IA/IAdispadmin mode=0555
933 file path=usr/lib/class/IA/IAprioctl mode=0555
934 file path=usr/lib/class/RT/RTdispadmin mode=0555
935 file path=usr/lib/class/RT/RTprioctl mode=0555
936 file path=usr/lib/class/SDC/SDCdispadmin mode=0555
937 file path=usr/lib/class/SDC/SDCprioctl mode=0555
938 file path=usr/lib/class/TS/TSdispadmin mode=0555
939 file path=usr/lib/class/TS/TSprioctl mode=0555
940 file path=usr/lib/devfsadm/linkmod/SUNW_audio_link.so group=sys
941 file path=usr/lib/devfsadm/linkmod/SUNW_cfg_link.so group=sys
942 file path=usr/lib/devfsadm/linkmod/SUNW_disk_link.so group=sys
943 file path=usr/lib/devfsadm/linkmod/SUNW_fssnap_link.so group=sys
944 file path=usr/lib/devfsadm/linkmod/SUNW_ieee1394_link.so group=sys
945 file path=usr/lib/devfsadm/linkmod/SUNW_lofi_link.so group=sys
946 file path=usr/lib/devfsadm/linkmod/SUNW_md_link.so group=sys
947 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link.so group=sys
948 file path=usr/lib/devfsadm/linkmod/SUNW_misc_link_${ARCH}.so group=sys
949 file path=usr/lib/devfsadm/linkmod/SUNW_port_link.so group=sys
950 file path=usr/lib/devfsadm/linkmod/SUNW_ramdisk_link.so group=sys
951 file path=usr/lib/devfsadm/linkmod/SUNW_sgen_link.so group=sys
952 file path=usr/lib/devfsadm/linkmod/SUNW_smp_link.so group=sys
953 file path=usr/lib/devfsadm/linkmod/SUNW_tape_link.so group=sys
954 file path=usr/lib/devfsadm/linkmod/SUNW_usb_link.so group=sys
955 $(i386_ONLY)file path=usr/lib/devfsadm/linkmod/SUNW_xen_link.so group=sys
956 file path=usr/lib/diffh mode=0555
957 file path=usr/lib/expreserve mode=0555
958 file path=usr/lib/exrecover mode=0555
959 file path=usr/lib/fs/cachefs/cachefsd mode=0555
960 file path=usr/lib/fs/cachefs/cachefslog mode=0555
961 file path=usr/lib/fs/cachefs/cachefspack mode=0555

```

```

962 file path=usr/lib/fs/cachefs/cachefsstat mode=0555
963 file path=usr/lib/fs/cachefs/cachefswssize mode=0555
964 file path=usr/lib/fs/cachefs/cfsadmin mode=0555
965 file path=usr/lib/fs/cachefs/cfsfstype mode=0555
966 file path=usr/lib/fs/cachefs/cfstagchk mode=0555
967 file path=usr/lib/fs/cachefs/dfshares mode=0555
968 file path=usr/lib/fs/cachefs/fsck mode=0555
969 file path=usr/lib/fs/cachefs/mount mode=0555
970 file path=usr/lib/fs/cachefs/share mode=0555
971 file path=usr/lib/fs/cachefs/umount mode=0555
972 file path=usr/lib/fs/cachefs/unshare mode=0555
973 file path=usr/lib/fs/ctfs/mount mode=0555
974 file path=usr/lib/fs/fd/mount mode=0555
975 file path=usr/lib/fs/hsfs/fstyp.so.1 mode=0555
976 file path=usr/lib/fs/hsfs/labelit mode=0555
977 file path=usr/lib/fs/lofs/mount mode=0555
978 file path=usr/lib/fs/mntfs/mount mode=0555
979 file path=usr/lib/fs/objfs/mount mode=0555
980 file path=usr/lib/fs/proc/mount mode=0555
981 file path=usr/lib/fs/sharefs/mount mode=0555
982 file path=usr/lib/fs/tmpfs/mount mode=0555
983 file path=usr/lib/fs/ufs/clri mode=0555
984 file path=usr/lib/fs/ufs/df mode=0555
985 file path=usr/lib/fs/ufs/edquota mode=0555
986 file path=usr/lib/fs/ufs/ff mode=0555
987 file path=usr/lib/fs/ufs/fsck mode=0555
988 file path=usr/lib/fs/ufs/fsckall mode=0555
989 file path=usr/lib/fs/ufs/fsdb mode=0555
990 file path=usr/lib/fs/ufs/fsirand mode=0555
991 file path=usr/lib/fs/ufs/fssnap mode=0555
992 file path=usr/lib/fs/ufs/fstyp.so.1 mode=0555
993 file path=usr/lib/fs/ufs/labelit mode=0555
994 file path=usr/lib/fs/ufs/lockfs mode=0555
995 file path=usr/lib/fs/ufs/mkfs mode=0555
996 file path=usr/lib/fs/ufs/ncheck mode=0555
997 file path=usr/lib/fs/ufs/newfs mode=0555
998 file path=usr/lib/fs/ufs/quot mode=0555
999 file path=usr/lib/fs/ufs/quot mode=4555
1000 file path=usr/lib/fs/ufs/quotacheck mode=0555
1001 file path=usr/lib/fs/ufs/quotaoff mode=0555
1002 file path=usr/lib/fs/ufs/repquota mode=0555
1003 file path=usr/lib/fs/ufs/tunefs mode=0555
1004 file path=usr/lib/fs/ufs/ufsdump mode=4555
1005 file path=usr/lib/fs/ufs/ufsrestore mode=4555
1006 file path=usr/lib/fs/ufs/volcopy mode=0555
1007 file path=usr/lib/getoptcvt mode=0555
1008 file path=usr/lib/help/auths/locale/C/AllSolAuthsHeader.html
1009 file path=usr/lib/help/auths/locale/C/AuditHeader.html
1010 file path=usr/lib/help/auths/locale/C/AuthJobsAdmin.html
1011 file path=usr/lib/help/auths/locale/C/AuthJobsUser.html
1012 file path=usr/lib/help/auths/locale/C/AuthProfmgrAssign.html
1013 file path=usr/lib/help/auths/locale/C/AuthProfmgrDelegate.html
1014 file path=usr/lib/help/auths/locale/C/AuthProfmgrExecattrWrite.html
1015 file path=usr/lib/help/auths/locale/C/AuthProfmgrRead.html
1016 file path=usr/lib/help/auths/locale/C/AuthProfmgrWrite.html
1017 file path=usr/lib/help/auths/locale/C/AuthReadNDMP.html
1018 file path=usr/lib/help/auths/locale/C/AuthReadSMB.html
1019 file path=usr/lib/help/auths/locale/C/AuthRoleAssign.html
1020 file path=usr/lib/help/auths/locale/C/AuthRoleDelegate.html
1021 file path=usr/lib/help/auths/locale/C/AuthRoleWrite.html
1022 file path=usr/lib/help/auths/locale/C/BindStates.html
1023 file path=usr/lib/help/auths/locale/C/DevAllocHeader.html
1024 file path=usr/lib/help/auths/locale/C/DevAllocate.html
1025 file path=usr/lib/help/auths/locale/C/DevConfig.html
1026 file path=usr/lib/help/auths/locale/C/DevGrant.html
1027 file path=usr/lib/help/auths/locale/C/DevRevoke.html

```

1028 file path=usr/lib/help/auths/locale/C/DhccpmgrHeader.html
 1029 file path=usr/lib/help/auths/locale/C/DhccpmgrWrite.html
 1030 file path=usr/lib/help/auths/locale/C/HotplugHeader.html
 1031 file path=usr/lib/help/auths/locale/C/HotplugModifier.html
 1032 file path=usr/lib/help/auths/locale/C/IdmapRules.html
 1033 file path=usr/lib/help/auths/locale/C/JobHeader.html
 1034 file path=usr/lib/help/auths/locale/C/JobsGrant.html
 1035 file path=usr/lib/help/auths/locale/C/LinkSecurity.html
 1036 file path=usr/lib/help/auths/locale/C/LoginEnable.html
 1037 file path=usr/lib/help/auths/locale/C/LoginHeader.html
 1038 file path=usr/lib/help/auths/locale/C/LoginRemote.html
 1039 file path=usr/lib/help/auths/locale/C/NetworkAutoconfRead.html
 1040 file path=usr/lib/help/auths/locale/C/NetworkAutoconfSelect.html
 1041 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWlan.html
 1042 file path=usr/lib/help/auths/locale/C/NetworkAutoconfWrite.html
 1043 file path=usr/lib/help/auths/locale/C/NetworkHeader.html
 1044 file path=usr/lib/help/auths/locale/C/NetworkILBconf.html
 1045 file path=usr/lib/help/auths/locale/C/NetworkILBenable.html
 1046 file path=usr/lib/help/auths/locale/C/NetworkInterfaceConfig.html
 1047 file path=usr/lib/help/auths/locale/C/NetworkVRRP.html
 1048 file path=usr/lib/help/auths/locale/C/PriAdmin.html
 1049 file path=usr/lib/help/auths/locale/C/ProfmgrHeader.html
 1050 file path=usr/lib/help/auths/locale/C/RoleHeader.html
 1051 file path=usr/lib/help/auths/locale/C/SmfAllocate.html
 1052 file path=usr/lib/help/auths/locale/C/SmfAutofsStates.html
 1053 file path=usr/lib/help/auths/locale/C/SmfCoreadmStates.html
 1054 file path=usr/lib/help/auths/locale/C/SmfCronStates.html
 1055 file path=usr/lib/help/auths/locale/C/SmfExAcctFlowStates.html
 1056 file path=usr/lib/help/auths/locale/C/SmfExAcctNetStates.html
 1057 file path=usr/lib/help/auths/locale/C/SmfExAcctProcessStates.html
 1058 file path=usr/lib/help/auths/locale/C/SmfExAcctTaskStates.html
 1059 file path=usr/lib/help/auths/locale/C/SmfHeader.html
 1060 file path=usr/lib/help/auths/locale/C/SmfILBStates.html
 1061 file path=usr/lib/help/auths/locale/C/SmfIPsecStates.html
 1062 file path=usr/lib/help/auths/locale/C/SmfIdmapStates.html
 1063 file path=usr/lib/help/auths/locale/C/SmfInetdStates.html
 1064 file path=usr/lib/help/auths/locale/C/SmfLocationStates.html
 1065 file path=usr/lib/help/auths/locale/C/SmfMDNSStates.html
 1066 file path=usr/lib/help/auths/locale/C/SmfManageAudit.html
 1067 file path=usr/lib/help/auths/locale/C/SmfManageHeader.html
 1068 file path=usr/lib/help/auths/locale/C/SmfManageHotplug.html
 1069 file path=usr/lib/help/auths/locale/C/SmfManageZFSSnap.html
 1070 file path=usr/lib/help/auths/locale/C/SmfModifyApp1.html
 1071 file path=usr/lib/help/auths/locale/C/SmfModifyDepend.html
 1072 file path=usr/lib/help/auths/locale/C/SmfModifyFramework.html
 1073 file path=usr/lib/help/auths/locale/C/SmfModifyHeader.html
 1074 file path=usr/lib/help/auths/locale/C/SmfModifyMethod.html
 1075 file path=usr/lib/help/auths/locale/C/SmfNADDStates.html
 1076 file path=usr/lib/help/auths/locale/C/SmfNDMPStates.html
 1077 file path=usr/lib/help/auths/locale/C/SmfNWAMStates.html
 1078 file path=usr/lib/help/auths/locale/C/SmfNscdStates.html
 1079 file path=usr/lib/help/auths/locale/C/SmfPowerStates.html
 1080 file path=usr/lib/help/auths/locale/C/SmfReparseStates.html
 1081 file path=usr/lib/help/auths/locale/C/SmfRoutingStates.html
 1082 file path=usr/lib/help/auths/locale/C/SmfSMBFSStates.html
 1083 file path=usr/lib/help/auths/locale/C/SmfSMBStates.html
 1084 file path=usr/lib/help/auths/locale/C/SmfSendmailStates.html
 1085 file path=usr/lib/help/auths/locale/C/SmfSshStates.html
 1086 file path=usr/lib/help/auths/locale/C/SmfSyslogStates.html
 1087 file path=usr/lib/help/auths/locale/C/SmfVRRPStates.html
 1088 file path=usr/lib/help/auths/locale/C/SmfValueAudit.html
 1089 file path=usr/lib/help/auths/locale/C/SmfValueCoreadm.html
 1090 file path=usr/lib/help/auths/locale/C/SmfValueExAcctFlow.html
 1091 file path=usr/lib/help/auths/locale/C/SmfValueExAcctNet.html
 1092 file path=usr/lib/help/auths/locale/C/SmfValueExAcctProcess.html
 1093 file path=usr/lib/help/auths/locale/C/SmfValueExAcctTask.html

1094 file path=usr/lib/help/auths/locale/C/SmfValueFirewall.html
 1095 file path=usr/lib/help/auths/locale/C/SmfValueHeader.html
 1096 file path=usr/lib/help/auths/locale/C/SmfValueIPsec.html
 1097 file path=usr/lib/help/auths/locale/C/SmfValueIdmap.html
 1098 file path=usr/lib/help/auths/locale/C/SmfValueInetd.html
 1099 file path=usr/lib/help/auths/locale/C/SmfValueMDNS.html
 1100 file path=usr/lib/help/auths/locale/C/SmfValueNADD.html
 1101 file path=usr/lib/help/auths/locale/C/SmfValueNDMP.html
 1102 file path=usr/lib/help/auths/locale/C/SmfValueNWAM.html
 1103 file path=usr/lib/help/auths/locale/C/SmfValueRouting.html
 1104 file path=usr/lib/help/auths/locale/C/SmfValueSMB.html
 1105 file path=usr/lib/help/auths/locale/C/SmfValueVscan.html
 1106 file path=usr/lib/help/auths/locale/C/SmfValueVt.html
 1107 file path=usr/lib/help/auths/locale/C/SmfVscansStates.html
 1108 file path=usr/lib/help/auths/locale/C/SmfVtStates.html
 1109 file path=usr/lib/help/auths/locale/C/SmfWpaStates.html
 1110 file path=usr/lib/help/auths/locale/C/SysCpuPowerMgmt.html
 1111 file path=usr/lib/help/auths/locale/C/SysDate.html
 1112 file path=usr/lib/help/auths/locale/C/SysHeader.html
 1113 file path=usr/lib/help/auths/locale/C/SysMaintenance.html
 1114 file path=usr/lib/help/auths/locale/C/SysPowerMgmtBrightness.html
 1115 file path=usr/lib/help/auths/locale/C/SysPowerMgmtHeader.html
 1116 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspend.html
 1117 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoDisk.html
 1118 file path=usr/lib/help/auths/locale/C/SysPowerMgmtSuspendtoRAM.html
 1119 file path=usr/lib/help/auths/locale/C/SysShutdown.html
 1120 file path=usr/lib/help/auths/locale/C/SysSyseventRead.html
 1121 file path=usr/lib/help/auths/locale/C/SysSyseventWrite.html
 1122 file path=usr/lib/help/auths/locale/C/WifiConfig.html
 1123 file path=usr/lib/help/auths/locale/C/WifiWep.html
 1124 file path=usr/lib/help/auths/locale/C/ZoneCloneFrom.html
 1125 file path=usr/lib/help/auths/locale/C/ZoneHeader.html
 1126 file path=usr/lib/help/auths/locale/C/ZoneLogin.html
 1127 file path=usr/lib/help/auths/locale/C/ZoneManage.html
 1128 file path=usr/lib/help/profiles/locale/C/RtAcctadm.html
 1129 file path=usr/lib/help/profiles/locale/C/RtAll.html
 1130 file path=usr/lib/help/profiles/locale/C/RtAuditCfg.html
 1131 file path=usr/lib/help/profiles/locale/C/RtAuditCtrl.html
 1132 file path=usr/lib/help/profiles/locale/C/RtAuditReview.html
 1133 file path=usr/lib/help/profiles/locale/C/RtCPUPowerManagement.html
 1134 file path=usr/lib/help/profiles/locale/C/RtConsUser.html
 1135 file path=usr/lib/help/profiles/locale/C/RtContractObserver.html
 1136 file path=usr/lib/help/profiles/locale/C/RtCronMngmnt.html
 1137 file path=usr/lib/help/profiles/locale/C/RtCryptoMngmnt.html
 1138 file path=usr/lib/help/profiles/locale/C/RtDHCPMngmnt.html
 1139 file path=usr/lib/help/profiles/locale/C/RtDatAdmin.html
 1140 file path=usr/lib/help/profiles/locale/C/RtDefault.html
 1141 file path=usr/lib/help/profiles/locale/C/RtDeviceMngmnt.html
 1142 file path=usr/lib/help/profiles/locale/C/RtDeviceSecurity.html
 1143 file path=usr/lib/help/profiles/locale/C/RtExAcctFlow.html
 1144 file path=usr/lib/help/profiles/locale/C/RtExAcctNet.html
 1145 file path=usr/lib/help/profiles/locale/C/RtExAcctProcess.html
 1146 file path=usr/lib/help/profiles/locale/C/RtExAcctTask.html
 1147 file path=usr/lib/help/profiles/locale/C/RtFTPMngmnt.html
 1148 file path=usr/lib/help/profiles/locale/C/RtFileSysMngmnt.html
 1149 file path=usr/lib/help/profiles/locale/C/RtFileSysSecurity.html
 1150 file path=usr/lib/help/profiles/locale/C/RtHotplugMngmnt.html
 1151 file path=usr/lib/help/profiles/locale/C/RtIPFilterMngmnt.html
 1152 file path=usr/lib/help/profiles/locale/C/RtIdmapMngmnt.html
 1153 file path=usr/lib/help/profiles/locale/C/RtIdmapNameRulesMngmnt.html
 1154 file path=usr/lib/help/profiles/locale/C/RtInetdMngmnt.html
 1155 file path=usr/lib/help/profiles/locale/C/RtKerberosClntMngmnt.html
 1156 file path=usr/lib/help/profiles/locale/C/RtKerberosSrvrMngmnt.html
 1157 file path=usr/lib/help/profiles/locale/C/RtLogMngmnt.html
 1158 file path=usr/lib/help/profiles/locale/C/RtMailMngmnt.html
 1159 file path=usr/lib/help/profiles/locale/C/RtMaintAndRepair.html

```

1160 file path=usr/lib/help/profiles/locale/C/RtMediaBkup.html
1161 file path=usr/lib/help/profiles/locale/C/RtMediaCtlg.html
1162 file path=usr/lib/help/profiles/locale/C/RtMediaRestore.html
1163 file path=usr/lib/help/profiles/locale/C/RtNDMPMngmnt.html
1164 file path=usr/lib/help/profiles/locale/C/RtNameServiceAdmin.html
1165 file path=usr/lib/help/profiles/locale/C/RtNameServiceSecure.html
1166 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfAdmin.html
1167 file path=usr/lib/help/profiles/locale/C/RtNetAutoconfUser.html
1168 file path=usr/lib/help/profiles/locale/C/RtNetILB.html
1169 file path=usr/lib/help/profiles/locale/C/RtNetIPsec.html
1170 file path=usr/lib/help/profiles/locale/C/RtNetLinkSecure.html
1171 file path=usr/lib/help/profiles/locale/C/RtNetMngmnt.html
1172 file path=usr/lib/help/profiles/locale/C/RtNetObservability.html
1173 file path=usr/lib/help/profiles/locale/C/RtNetSecure.html
1174 file path=usr/lib/help/profiles/locale/C/RtNetVRRP.html
1175 file path=usr/lib/help/profiles/locale/C/RtNetWifiMngmnt.html
1176 file path=usr/lib/help/profiles/locale/C/RtNetWifiSecure.html
1177 file path=usr/lib/help/profiles/locale/C/RtObAccessMngmnt.html
1178 file path=usr/lib/help/profiles/locale/C/RtOperator.html
1179 file path=usr/lib/help/profiles/locale/C/RtPriAdmin.html
1180 file path=usr/lib/help/profiles/locale/C/RtPrntAdmin.html
1181 file path=usr/lib/help/profiles/locale/C/RtProcManagement.html
1182 file path=usr/lib/help/profiles/locale/C/RtReparseMngmnt.html
1183 file path=usr/lib/help/profiles/locale/C/RtReservedProfile.html
1184 file path=usr/lib/help/profiles/locale/C/RtRightsDelegate.html
1185 file path=usr/lib/help/profiles/locale/C/RtSMBFPMngmnt.html
1186 file path=usr/lib/help/profiles/locale/C/RtSMBMngmnt.html
1187 file path=usr/lib/help/profiles/locale/C/RtSoftwareInstall.html
1188 file path=usr/lib/help/profiles/locale/C/RtSysAdmin.html
1189 file path=usr/lib/help/profiles/locale/C/RtSysEvMngmnt.html
1190 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmt.html
1191 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtBrightness.html
1192 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspend.html
1193 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoDisk.html
1194 file path=usr/lib/help/profiles/locale/C/RtSysPowerMgmtSuspendtoRAM.html
1195 file path=usr/lib/help/profiles/locale/C/RtUserMngmnt.html
1196 file path=usr/lib/help/profiles/locale/C/RtUserSecurity.html
1197 file path=usr/lib/help/profiles/locale/C/RtVscanMngmnt.html
1198 file path=usr/lib/help/profiles/locale/C/RtZFSFileSysMngmnt.html
1199 file path=usr/lib/help/profiles/locale/C/RtZFSStorageMngmnt.html
1200 file path=usr/lib/help/profiles/locale/C/RtZoneMngmnt.html
1201 file path=usr/lib/help/profiles/locale/C/RtZoneSecurity.html
1202 file path=usr/lib/hotplugd mode=0555
1203 file path=usr/lib/iconv/646da.8859.t mode=0444
1204 file path=usr/lib/iconv/646de.8859.t mode=0444
1205 file path=usr/lib/iconv/646en.8859.t mode=0444
1206 file path=usr/lib/iconv/646es.8859.t mode=0444
1207 file path=usr/lib/iconv/646fr.8859.t mode=0444
1208 file path=usr/lib/iconv/646it.8859.t mode=0444
1209 file path=usr/lib/iconv/646sv.8859.t mode=0444
1210 file path=usr/lib/iconv/8859.646.t mode=0444
1211 file path=usr/lib/iconv/8859.646da.t mode=0444
1212 file path=usr/lib/iconv/8859.646de.t mode=0444
1213 file path=usr/lib/iconv/8859.646en.t mode=0444
1214 file path=usr/lib/iconv/8859.646es.t mode=0444
1215 file path=usr/lib/iconv/8859.646fr.t mode=0444
1216 file path=usr/lib/iconv/8859.646it.t mode=0444
1217 file path=usr/lib/iconv/8859.646sv.t mode=0444
1218 file path=usr/lib/iconv/iconv_data mode=0444
1219 file path=usr/lib/idmapd mode=0555
1220 file path=usr/lib/inet/$(ARCH32)/in.iked mode=0555
1221 $(BUILDP4)file path=usr/lib/inet/$(ARCH64)/in.iked mode=0555
1107 file path=usr/lib/inet/$(ARCH64)/in.iked mode=0555
1222 file path=usr/lib/inet/certdb mode=0555
1223 file path=usr/lib/inet/certlocal mode=0555
1224 file path=usr/lib/inet/certrld mode=0555

```

```

1225 file path=usr/lib/inet/inetd mode=0555
1226 file path=usr/lib/intrd mode=0555
1227 file path=usr/lib/isaexec mode=0555
1228 file path=usr/lib/kssladm mode=0555
1229 $(sparc_ONLY)file path=usr/lib/ld.so
1230 file path=usr/lib/libshare.so.1
1231 file path=usr/lib/makekey mode=0555
1232 file path=usr/lib/more.help
1233 file path=usr/lib/newsyslog group=sys mode=0555
1234 file path=usr/lib/passmgmt group=sys mode=0555
1235 file path=usr/lib/pci/pcidr mode=0555
1236 file path=usr/lib/pci/pcidr_plugin.so
1237 file path=usr/lib/pfexecd mode=0555
1238 file path=usr/lib/platexec mode=0555
1239 file path=usr/lib/rcm/modules/SUNW_aggr_rcm.so mode=0555
1240 file path=usr/lib/rcm/modules/SUNW_cluster_rcm.so mode=0555
1241 file path=usr/lib/rcm/modules/SUNW_dump_rcm.so mode=0555
1242 file path=usr/lib/rcm/modules/SUNW_filesys_rcm.so mode=0555
1243 file path=usr/lib/rcm/modules/SUNW_ibpart_rcm.so mode=0555
1244 file path=usr/lib/rcm/modules/SUNW_ip_anon_rcm.so mode=0555
1245 file path=usr/lib/rcm/modules/SUNW_ip_rcm.so mode=0555
1246 file path=usr/lib/rcm/modules/SUNW_mpxio_rcm.so mode=0555
1247 file path=usr/lib/rcm/modules/SUNW_network_rcm.so mode=0555
1248 file path=usr/lib/rcm/modules/SUNW_swap_rcm.so mode=0555
1249 $(sparc_ONLY)file path=usr/lib/rcm/modules/SUNW_ttymux_rcm.so mode=0555
1250 file path=usr/lib/rcm/modules/SUNW_vlan_rcm.so mode=0555
1251 file path=usr/lib/rcm/modules/SUNW_vnic_rcm.so mode=0555
1252 file path=usr/lib/rcm/rcm_daemon mode=0555
1253 file path=usr/lib/reparse/reparsed group=sys mode=0555
1254 file path=usr/lib/saf/listen group=sys mode=0755
1255 file path=usr/lib/saf/nlps_server group=sys mode=0755
1256 file path=usr/lib/saf/sac group=sys mode=0555
1257 file path=usr/lib/saf/ttymon group=sys mode=0555
1258 file path=usr/lib/sysevent/modules/datalink_mod.so
1259 file path=usr/lib/sysevent/modules/devfsadmd_mod.so
1260 file path=usr/lib/sysevent/modules/sysevent_conf_mod.so
1261 file path=usr/lib/sysevent/modules/sysevent_reg_mod.so
1262 file path=usr/lib/sysevent/syseventconf mode=0555
1263 file path=usr/lib/sysevent/syseventd mode=0555
1264 file path=usr/lib/utmp_update mode=4555
1265 file path=usr/lib/utmpd mode=0555
1266 file path=usr/lib/vtdaemon mode=0555
1267 file path=usr/lib/vtinfo mode=0555
1268 file path=usr/lib/vtxlock mode=0555
1269 file path=usr/sadm/bin/puttext mode=0555
1270 file path=usr/sadm/install/miniroot.db group=sys mode=0444
1271 file path=usr/sadm/install/scripts/i.ipsecalgs group=sys mode=0555
1272 file path=usr/sadm/install/scripts/i.kcfconf group=sys mode=0555
1273 file path=usr/sadm/install/scripts/i.kmfconf group=sys mode=0555
1274 file path=usr/sadm/install/scripts/i.manifest group=sys mode=0555
1275 file path=usr/sadm/install/scripts/i.pkcs11conf group=sys mode=0555
1276 file path=usr/sadm/install/scripts/i.rbac group=sys mode=0555
1277 file path=usr/sadm/install/scripts/r.ipsecalgs group=sys mode=0555
1278 file path=usr/sadm/install/scripts/r.kcfconf group=sys mode=0555
1279 file path=usr/sadm/install/scripts/r.kmfconf group=sys mode=0555
1280 file path=usr/sadm/install/scripts/r.manifest group=sys mode=0555
1281 file path=usr/sadm/install/scripts/r.pkcs11conf group=sys mode=0555
1282 file path=usr/sadm/install/scripts/r.rbac group=sys mode=0555
1283 file path=usr/sadm/updates mode=0444
1284 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/add_drv group=sys mode=0555
1285 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modinfo group=sys mode=0555
1286 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modload group=sys mode=0555
1287 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/modunload group=sys mode=0555
1288 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/pbind group=sys mode=0555
1289 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/prtconf group=sys mode=2555
1290 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/psrset group=sys mode=0555

```

```

1291 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/rem_drv group=sys mode=0555
1292 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/swap group=sys mode=2555
1293 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/sysdef group=sys mode=2555
1294 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/update_drv group=sys mode=0555
1295 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/whodo mode=4555
1296 $(BUILD64)file path=usr/sbin/$(ARCH64)/add_drv group=sys mode=0555
1297 $(BUILD64)file path=usr/sbin/$(ARCH64)/modinfo group=sys mode=0555
1298 $(BUILD64)file path=usr/sbin/$(ARCH64)/modload group=sys mode=0555
1299 $(BUILD64)file path=usr/sbin/$(ARCH64)/modunload group=sys mode=0555
1300 $(BUILD64)file path=usr/sbin/$(ARCH64)/pbind group=sys mode=0555
1301 $(BUILD64)file path=usr/sbin/$(ARCH64)/prtconf group=sys mode=2555
1302 $(BUILD64)file path=usr/sbin/$(ARCH64)/psrset group=sys mode=0555
1303 $(BUILD64)file path=usr/sbin/$(ARCH64)/rem_drv group=sys mode=0555
1304 $(BUILD64)file path=usr/sbin/$(ARCH64)/swap group=sys mode=2555
1305 $(BUILD64)file path=usr/sbin/$(ARCH64)/sysdef group=sys mode=2555
1306 $(BUILD64)file path=usr/sbin/$(ARCH64)/update_drv group=sys mode=0555
1307 $(BUILD64)file path=usr/sbin/$(ARCH64)/whodo mode=4555
1182 file path=usr/sbin/$(ARCH64)/add_drv group=sys mode=0555
1183 file path=usr/sbin/$(ARCH64)/modinfo group=sys mode=0555
1184 file path=usr/sbin/$(ARCH64)/modload group=sys mode=0555
1185 file path=usr/sbin/$(ARCH64)/modunload group=sys mode=0555
1186 file path=usr/sbin/$(ARCH64)/pbind group=sys mode=0555
1187 file path=usr/sbin/$(ARCH64)/prtconf group=sys mode=2555
1188 file path=usr/sbin/$(ARCH64)/psrset group=sys mode=0555
1189 file path=usr/sbin/$(ARCH64)/rem_drv group=sys mode=0555
1190 file path=usr/sbin/$(ARCH64)/swap group=sys mode=2555
1191 file path=usr/sbin/$(ARCH64)/sysdef group=sys mode=2555
1192 file path=usr/sbin/$(ARCH64)/update_drv group=sys mode=0555
1193 file path=usr/sbin/$(ARCH64)/whodo mode=4555
1308 file path=usr/sbin/6to4relay mode=0555
1309 file path=usr/sbin/acctadm mode=0555
1310 file path=usr/sbin/allocate mode=4555
1311 file path=usr/sbin/arp mode=0555
1312 file path=usr/sbin/audit mode=0555
1313 file path=usr/sbin/auditconfig mode=0555
1314 file path=usr/sbin/auditd mode=0555
1315 file path=usr/sbin/auditrecord mode=0555
1316 file path=usr/sbin/auditreduce mode=0555
1317 file path=usr/sbin/auditstat mode=0555
1318 file path=usr/sbin/cfgadm mode=0555
1319 file path=usr/sbin/chroot mode=0555
1320 file path=usr/sbin/clear_locks mode=0555
1321 file path=usr/sbin/clinfo mode=0555
1322 file path=usr/sbin/clri mode=0555
1323 file path=usr/sbin/consadm group=sys mode=0555
1324 file path=usr/sbin/cron group=sys mode=0555
1325 file path=usr/sbin/devfsadm group=sys mode=0755
1326 file path=usr/sbin/devinfo mode=0555
1327 file path=usr/sbin/df mode=0555
1328 file path=usr/sbin/dfmounts mode=0555
1329 file path=usr/sbin/dispadm mode=0555
1330 file path=usr/sbin/dminfo mode=0555
1331 file path=usr/sbin/dumpadm mode=0555
1332 file path=usr/sbin/EEPROM group=sys mode=2555
1333 file path=usr/sbin/ff mode=0555
1334 file path=usr/sbin/fmthard group=sys mode=0555
1335 file path=usr/sbin/format mode=0555
1336 file path=usr/sbin/fsck mode=0555
1337 file path=usr/sbin/fstyp group=sys mode=0555
1338 file path=usr/sbin/fuser mode=0555
1339 file path=usr/sbin/getdevpolicy group=sys mode=0555
1340 file path=usr/sbin/getmajor group=sys mode=0755
1341 file path=usr/sbin/groupadd group=sys mode=0555
1342 file path=usr/sbin/groupdel group=sys mode=0555
1343 file path=usr/sbin/groupmod group=sys mode=0555
1344 file path=usr/sbin/grpck mode=0555

```

```

1345 file path=usr/sbin/halt mode=0755
1346 file path=usr/sbin/hotplug mode=0555
1347 file path=usr/sbin/idmap mode=0555
1348 file path=usr/sbin/if_mpadm mode=0555
1349 file path=usr/sbin/ikeadm mode=0555
1350 file path=usr/sbin/ikecert mode=0555
1351 file path=usr/sbin/inetadm mode=0555
1352 file path=usr/sbin/inetconv mode=0555
1353 file path=usr/sbin/install mode=0555
1354 file path=usr/sbin/installboot group=sys mode=0555
1355 file path=usr/sbin/ipaddrsel mode=0555
1356 file path=usr/sbin/ipsecalg mode=0555
1357 file path=usr/sbin/ipsecconf mode=0555
1358 file path=usr/sbin/ipseckey mode=0555
1359 file path=usr/sbin/keyerv group=sys mode=0555
1360 file path=usr/sbin/killall mode=0555
1361 file path=usr/sbin/ksslcfg mode=0555
1362 file path=usr/sbin/link mode=0555
1363 file path=usr/sbin/locator mode=0555
1364 file path=usr/sbin/lofiadm mode=0555
1365 file path=usr/sbin/logadm mode=0555
1366 file path=usr/sbin/makedbm mode=0555
1367 file path=usr/sbin/mkdevalloc mode=0555
1368 file path=usr/sbin/mkfile mode=0555
1369 file path=usr/sbin/mknod mode=0555
1370 file path=usr/sbin/mountall group=sys mode=0555
1371 file path=usr/sbin/msgid mode=0555
1372 file path=usr/sbin/mvdir mode=0555
1373 file path=usr/sbin/ndd mode=0555
1374 file path=usr/sbin/nlsadmin group=adm mode=0755
1375 file path=usr/sbin/nscd mode=0555
1376 file path=usr/sbin/nwamadm mode=0555
1377 file path=usr/sbin/nwamcfg mode=0555
1378 file path=usr/sbin/pmadm group=sys mode=0555
1379 file path=usr/sbin/praudit mode=0555
1380 $(i386_ONLY)file path=usr/sbin/prtdiag group=sys mode=2755
1381 file path=usr/sbin/prvtoc group=sys mode=0555
1382 file path=usr/sbin/psradm group=sys mode=0555
1383 file path=usr/sbin/psrinfo group=sys mode=0555
1384 file path=usr/sbin/pwck mode=0555
1385 file path=usr/sbin/pwconv group=sys mode=0555
1386 file path=usr/sbin/raidctl mode=0555
1387 file path=usr/sbin/ramdiskadm mode=0555
1388 file path=usr/sbin/rctladm mode=0555
1389 file path=usr/sbin/root_archive group=sys mode=0555
1390 file path=usr/sbin/rpcbind mode=0555
1391 $(i386_ONLY)file path=usr/sbin/rtc mode=0555
1392 file path=usr/sbin/sacadm group=sys mode=4755
1393 file path=usr/sbin/setmnt mode=0555
1394 file path=usr/sbin/shareall mode=0555
1395 file path=usr/sbin/sharectl mode=0555
1396 file path=usr/sbin/sharemgr mode=0555
1397 file path=usr/sbin/shutdown group=sys mode=0755
1398 file path=usr/sbin/smbios mode=0555
1399 file path=usr/sbin/stmsboot mode=0555
1400 file path=usr/sbin/strace group=sys mode=0555
1401 file path=usr/sbin/strclean group=sys mode=0555
1402 file path=usr/sbin/strerr group=sys mode=0555
1403 file path=usr/sbin/ttydefs group=sys mode=0755
1404 file path=usr/sbin/svcadm mode=0555
1405 file path=usr/sbin/svccfg mode=0555
1406 file path=usr/sbin/syncinit mode=0555
1407 file path=usr/sbin/syncloop mode=0555
1408 file path=usr/sbin/syncstat mode=0555
1409 file path=usr/sbin/sysevenadm group=sys mode=0555
1410 file path=usr/sbin/syslogd group=sys mode=0555

```

```

1411 file path=usr/sbin/tar mode=0555
1412 file path=usr/sbin/traceroute mode=4555
1413 file path=usr/sbin/trapstat mode=0555
1414 file path=usr/sbin/ttyadm group=sys mode=0755
1415 $(i386_ONLY)file path=usr/sbin/ucodeadm mode=0555
1416 file path=usr/sbin/umountall group=sys mode=0555
1417 file path=usr/sbin/unlink mode=0555
1418 file path=usr/sbin/unshareall mode=0555
1419 file path=usr/sbin/useradd group=sys mode=0555
1420 file path=usr/sbin/userdel group=sys mode=0555
1421 file path=usr/sbin/usermod group=sys mode=0555
1422 $(sparc_ONLY)file path=usr/sbin/virtinfo mode=0555
1423 file path=usr/sbin/volcopy mode=0555
1424 file path=usr/sbin/wall group=tty mode=2555
1425 file path=usr/sbin/zdump mode=0555
1426 file path=usr/sbin/zic mode=0555
1427 file path=usr/share/doc/ksh/COMPATIBILITY
1428 file path=usr/share/doc/ksh/DESIGN
1429 file path=usr/share/doc/ksh/OBSOLETE
1430 file path=usr/share/doc/ksh/README
1431 file path=usr/share/doc/ksh/RELEASE
1432 file path=usr/share/doc/ksh/TYPES
1433 file path=usr/share/doc/ksh/images/callouts/1.png
1434 file path=usr/share/doc/ksh/images/callouts/10.png
1435 file path=usr/share/doc/ksh/images/callouts/2.png
1436 file path=usr/share/doc/ksh/images/callouts/3.png
1437 file path=usr/share/doc/ksh/images/callouts/4.png
1438 file path=usr/share/doc/ksh/images/callouts/5.png
1439 file path=usr/share/doc/ksh/images/callouts/6.png
1440 file path=usr/share/doc/ksh/images/callouts/7.png
1441 file path=usr/share/doc/ksh/images/callouts/8.png
1442 file path=usr/share/doc/ksh/images/callouts/9.png
1443 file path=usr/share/doc/ksh/images/tag_bourne.png
1444 file path=usr/share/doc/ksh/images/tag_i18n.png
1445 file path=usr/share/doc/ksh/images/tag_ksh.png
1446 file path=usr/share/doc/ksh/images/tag_ksh88.png
1447 file path=usr/share/doc/ksh/images/tag_ksh93.png
1448 file path=usr/share/doc/ksh/images/tag_l10n.png
1449 file path=usr/share/doc/ksh/images/tag_perf.png
1450 file path=usr/share/doc/ksh/shell_styleguide.docbook
1451 file path=usr/share/doc/ksh/shell_styleguide.html
1452 file path=usr/share/lib/mailx/mailx.help
1453 file path=usr/share/lib/mailx/mailx.help.~
1454 file path=usr/share/lib/tabset/3101
1455 file path=usr/share/lib/tabset/bee hive
1456 file path=usr/share/lib/tabset/hds
1457 file path=usr/share/lib/tabset/hds3
1458 file path=usr/share/lib/tabset/std
1459 file path=usr/share/lib/tabset/stdcrt
1460 file path=usr/share/lib/tabset/teleray
1461 file path=usr/share/lib/tabset/vt100
1462 file path=usr/share/lib/tabset/wyse-adds
1463 file path=usr/share/lib/tabset/xerox1720
1464 file path=usr/share/lib/termcap
1465 file path=usr/share/lib/unittab
1466 file path=usr/share/lib/xml/dtd/adt_record.dtd.1
1467 file path=usr/share/lib/xml/dtd/kmfpolicy.dtd
1468 file path=usr/share/lib/xml/dtd/service_bundle.dtd.1 group=sys
1469 file path=usr/share/lib/xml/style/adt_record.xsl.1
1470 file path=var/adm/aculog mode=0600 owner=uucp preserve=true
1471 file path=var/adm/spellhist mode=0666 preserve=true
1472 file path=var/adm/utmpx preserve=true
1473 file path=var/adm/wtmpx group=adm owner=adm preserve=true
1474 file path=var/log/authlog group=sys mode=0600 preserve=true
1475 file path=var/log/syslog group=sys preserve=true
1476 file path=var/sadm/system/admin/default_java group=sys mode=0444

```

```

1477 file path=var/saf/zsmon/log group=sys preserve=true
1478 file path=var/spool/cron/crontabs/adm group=sys mode=0600 preserve=true
1479 file path=var/spool/cron/crontabs/root group=sys mode=0600 preserve=true
1480 hardlink path=etc/rc2.d/S20syssetup target=../etc/init.d/syssetup
1481 hardlink path=etc/rc2.d/S73cachefs.daemon \
1482 target=../etc/init.d/cachefs.daemon
1483 hardlink path=etc/rc2.d/S89PRESERVE target=../etc/init.d/PRESERVE
1484 $(sparc_ONLY)hardlink path=etc/svc/profile/platform_SUNW,Sun-Fire-V890.xml \
1485 target=platform_SUNW,Sun-Fire-880.xml
1486 $(sparc_ONLY)hardlink \
1487 path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-40.xml \
1488 target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1489 $(sparc_ONLY)hardlink \
1490 path=etc/svc/profile/platform_SUNW,UltraSPARC-IIe-NetraCT-60.xml \
1491 target=platform_SUNW,UltraSPARC-IIi-Netract.xml
1492 hardlink path=sbin/rc5 target=../sbin/rc0
1493 hardlink path=sbin/rc6 target=../sbin/rc0
1494 hardlink path=usr/bin/$(ARCH32)/encrypt target=decrypt
1495 hardlink path=usr/bin/$(ARCH32)/ksh target=ksh93
1496 hardlink path=usr/bin/$(ARCH32)/mac target=digest
1497 hardlink path=usr/bin/$(ARCH32)/rksh target=ksh93
1498 hardlink path=usr/bin/$(ARCH32)/rksh93 target=ksh93
1499 $(i386_ONLY)hardlink path=usr/bin/$(ARCH32)/w target=uptime
1500 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/encrypt target=decrypt
1501 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/ksh target=ksh93
1502 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/mac target=digest
1503 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/rksh target=ksh93
1504 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/rksh93 target=ksh93
1505 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/w target=uptime
1386 hardlink path=usr/bin/$(ARCH64)/encrypt target=decrypt
1387 hardlink path=usr/bin/$(ARCH64)/ksh target=ksh93
1388 hardlink path=usr/bin/$(ARCH64)/mac target=digest
1389 hardlink path=usr/bin/$(ARCH64)/rksh target=ksh93
1390 hardlink path=usr/bin/$(ARCH64)/rksh93 target=ksh93
1391 hardlink path=usr/bin/$(ARCH64)/w target=uptime
1506 hardlink path=usr/bin/bg target=../usr/bin/alias
1507 hardlink path=usr/bin/cd target=../usr/bin/alias
1508 hardlink path=usr/bin/cksum target=../usr/bin/alias
1509 hardlink path=usr/bin/cmp target=../usr/bin/alias
1510 hardlink path=usr/bin/comm target=../usr/bin/alias
1511 hardlink path=usr/bin/command target=../usr/bin/alias
1512 hardlink path=usr/bin/cut target=../usr/bin/alias
1513 hardlink path=usr/bin/decrypt target=../usr/lib/isaexec
1514 hardlink path=usr/bin/digest target=../usr/lib/isaexec
1515 hardlink path=usr/bin/dispgid target=../usr/bin/ckgid
1516 hardlink path=usr/bin/dispuid target=../usr/bin/ckuid
1517 hardlink path=usr/bin/edit target=../usr/bin/edit
1518 hardlink path=usr/bin/encrypt target=../usr/lib/isaexec
1519 hardlink path=usr/bin/fc target=../usr/bin/alias
1520 hardlink path=usr/bin/fg target=../usr/bin/alias
1521 hardlink path=usr/bin/getopts target=../usr/bin/alias
1522 hardlink path=usr/bin/hash target=../usr/bin/alias
1523 hardlink path=usr/bin/i386 target=../usr/bin/i286
1524 hardlink path=usr/bin/i486 target=../usr/bin/i286
1525 hardlink path=usr/bin/i860 target=../usr/bin/i286
1526 hardlink path=usr/bin/i86pc target=../usr/bin/i286
1527 hardlink path=usr/bin/iAPX286 target=../usr/bin/i286
1528 hardlink path=usr/bin/jobs target=../usr/bin/alias
1529 hardlink path=usr/bin/join target=../usr/bin/alias
1530 hardlink path=usr/bin/kill target=../usr/bin/alias
1531 hardlink path=usr/bin/ksh target=../usr/lib/isaexec
1532 hardlink path=usr/bin/ksh93 target=../usr/lib/isaexec
1533 hardlink path=usr/bin/ln target=../usr/bin/cp
1534 hardlink path=usr/bin/logname target=../usr/bin/alias
1535 hardlink path=usr/bin/m68k target=../usr/bin/i286
1536 hardlink path=usr/bin/mac target=../usr/lib/isaexec

```



```

1537 hardlink path=usr/bin/mc68000 target=../usr/bin/i286
1538 hardlink path=usr/bin/mc68010 target=../usr/bin/i286
1539 hardlink path=usr/bin/mc68020 target=../usr/bin/i286
1540 hardlink path=usr/bin/mc68030 target=../usr/bin/i286
1541 hardlink path=usr/bin/mc68040 target=../usr/bin/i286
1542 hardlink path=usr/bin/mv target=../usr/bin/cp
1543 hardlink path=usr/bin/newtask target=../usr/lib/isaexec
1544 hardlink path=usr/bin/nohup target=../usr/lib/isaexec
1545 hardlink path=usr/bin/page target=../usr/bin/more
1546 hardlink path=usr/bin/paste target=../usr/bin/alias
1547 hardlink path=usr/bin/pdp11 target=../usr/bin/i286
1548 hardlink path=usr/bin/pfbash target=../usr/bin/pfexec
1549 hardlink path=usr/bin/pfcsh target=../usr/bin/pfexec
1550 hardlink path=usr/bin/pfksh target=../usr/bin/pfexec
1551 hardlink path=usr/bin/pfksh93 target=../usr/bin/pfexec
1552 hardlink path=usr/bin/pfrksh target=../usr/bin/pfexec
1553 hardlink path=usr/bin/pfrksh93 target=../usr/bin/pfexec
1554 hardlink path=usr/bin/pfsh target=../usr/bin/pfexec
1555 hardlink path=usr/bin/pftcsh target=../usr/bin/pfexec
1556 hardlink path=usr/bin/pfzsh target=../usr/bin/pfexec
1557 hardlink path=usr/bin/pkill target=../usr/bin/pgrep
1558 hardlink path=usr/bin/prctl target=../usr/lib/isaexec
1559 hardlink path=usr/bin/print target=../usr/bin/alias
1560 hardlink path=usr/bin/prstat target=../usr/lib/isaexec
1561 hardlink path=usr/bin/ps target=../usr/lib/isaexec
1562 hardlink path=usr/bin/read target=../usr/bin/alias
1563 hardlink path=usr/bin/red target=../usr/bin/ed
1564 hardlink path=usr/bin/rev target=../usr/bin/alias
1565 hardlink path=usr/bin/rksh target=../usr/lib/isaexec
1566 hardlink path=usr/bin/rksh93 target=../usr/lib/isaexec
1567 hardlink path=usr/bin/savecore target=../usr/lib/isaexec
1568 hardlink path=usr/bin/setuname target=../usr/lib/isaexec
1569 hardlink path=usr/bin/sleep target=../usr/bin/alias
1570 hardlink path=usr/bin/sparc target=../usr/bin/i286
1571 hardlink path=usr/bin/sum target=../usr/bin/alias
1572 hardlink path=usr/bin/sun target=../usr/bin/i286
1573 hardlink path=usr/bin/sun2 target=../usr/bin/i286
1574 hardlink path=usr/bin/sun3 target=../usr/bin/i286
1575 hardlink path=usr/bin/sun3x target=../usr/bin/i286
1576 hardlink path=usr/bin/sun4 target=../usr/bin/i286
1577 hardlink path=usr/bin/sun4c target=../usr/bin/i286
1578 hardlink path=usr/bin/sun4d target=../usr/bin/i286
1579 hardlink path=usr/bin/sun4e target=../usr/bin/i286
1580 hardlink path=usr/bin/sun4m target=../usr/bin/i286
1581 hardlink path=usr/bin/tee target=../usr/bin/alias
1582 hardlink path=usr/bin/test target=../usr/bin/alias
1583 hardlink path=usr/bin/touch target=../usr/bin/settime
1584 hardlink path=usr/bin/type target=../usr/bin/alias
1585 hardlink path=usr/bin/u370 target=../usr/bin/i286
1586 hardlink path=usr/bin/u3b target=../usr/bin/i286
1587 hardlink path=usr/bin/u3b15 target=../usr/bin/i286
1588 hardlink path=usr/bin/u3b2 target=../usr/bin/i286
1589 hardlink path=usr/bin/u3b5 target=../usr/bin/i286
1590 hardlink path=usr/bin/ulimit target=../usr/bin/alias
1591 hardlink path=usr/bin/umask target=../usr/bin/alias
1592 hardlink path=usr/bin/unalias target=../usr/bin/alias
1593 hardlink path=usr/bin/uniq target=../usr/bin/alias
1594 hardlink path=usr/bin/uptime target=../usr/lib/isaexec
1595 hardlink path=usr/bin/vax target=../usr/bin/i286
1596 hardlink path=usr/bin/vedit target=../usr/bin/edit
1597 hardlink path=usr/bin/w target=../usr/lib/isaexec
1598 hardlink path=usr/bin/wait target=../usr/bin/alias
1599 hardlink path=usr/bin/wc target=../usr/bin/alias
1600 hardlink path=usr/has/bin/ex target=edit
1601 hardlink path=usr/has/bin/pfsh target=../usr/bin/pfexec
1602 hardlink path=usr/has/bin/vedit target=edit

```

```

1603 hardlink path=usr/has/bin/vi target=edit
1604 hardlink path=usr/has/bin/view target=edit
1605 hardlink path=usr/lib/fs/hsfs/fstyp target=../usr/sbin/fstyp
1606 hardlink path=usr/lib/fs/ufs/dcopy target=../usr/lib/fs/ufs/clri
1607 hardlink path=usr/lib/fs/ufs/fstyp target=../usr/sbin/fstyp
1608 hardlink path=usr/lib/fs/ufs/quotao \
1609 target=../usr/lib/fs/ufs/quotaooff
1610 hardlink path=usr/lib/inet/in.iked target=../usr/lib/isaexec
1611 hardlink path=usr/sadm/bin/dispgid target=../usr/bin/ckgid
1612 hardlink path=usr/sadm/bin/dispuuid target=../usr/bin/ckuid
1613 hardlink path=usr/sadm/bin/errange target=../usr/bin/ckrange
1614 hardlink path=usr/sadm/bin/errdate target=../usr/bin/ckdate
1615 hardlink path=usr/sadm/bin/errgid target=../usr/bin/ckgid
1616 hardlink path=usr/sadm/bin/errint target=../usr/bin/ckint
1617 hardlink path=usr/sadm/bin/erritem target=../usr/bin/ckitem
1618 hardlink path=usr/sadm/bin/errpath target=../usr/bin/ckpath
1619 hardlink path=usr/sadm/bin/errstr target=../usr/bin/ckstr
1620 hardlink path=usr/sadm/bin/errtime target=../usr/bin/cktime
1621 hardlink path=usr/sadm/bin/erruid target=../usr/bin/ckuid
1622 hardlink path=usr/sadm/bin/erryorn target=../usr/bin/ckyorn
1623 hardlink path=usr/sadm/bin/helpdate target=../usr/bin/ckdate
1624 hardlink path=usr/sadm/bin/helpgid target=../usr/bin/ckgid
1625 hardlink path=usr/sadm/bin/helpint target=../usr/bin/ckint
1626 hardlink path=usr/sadm/bin/helpitem target=../usr/bin/ckitem
1627 hardlink path=usr/sadm/bin/helppath target=../usr/bin/ckpath
1628 hardlink path=usr/sadm/bin/helpprange target=../usr/bin/ckrange
1629 hardlink path=usr/sadm/bin/helpstr target=../usr/bin/ckstr
1630 hardlink path=usr/sadm/bin/helptime target=../usr/bin/cktime
1631 hardlink path=usr/sadm/bin/helpuid target=../usr/bin/ckuid
1632 hardlink path=usr/sadm/bin/helpyorn target=../usr/bin/ckyorn
1633 hardlink path=usr/sadm/bin/valdate target=../usr/bin/ckdate
1634 hardlink path=usr/sadm/bin/valgid target=../usr/bin/ckgid
1635 hardlink path=usr/sadm/bin/valint target=../usr/bin/ckint
1636 hardlink path=usr/sadm/bin/valpath target=../usr/bin/ckpath
1637 hardlink path=usr/sadm/bin/valrange target=../usr/bin/ckrange
1638 hardlink path=usr/sadm/bin/valstr target=../usr/bin/ckstr
1639 hardlink path=usr/sadm/bin/valtime target=../usr/bin/cktime
1640 hardlink path=usr/sadm/bin/valuid target=../usr/bin/ckuid
1641 hardlink path=usr/sadm/bin/valyorn target=../usr/bin/ckyorn
1642 hardlink path=usr/sbin/add_drv target=../usr/lib/isaexec
1643 hardlink path=usr/sbin/audlinks target=../devfsadm
1644 hardlink path=usr/sbin/consadm target=../usr/sbin/consadm
1645 hardlink path=usr/sbin/deallocate target=../usr/sbin/allocate
1646 hardlink path=usr/sbin/devlinks target=../devfsadm
1647 hardlink path=usr/sbin/dfshares target=../usr/sbin/dfmounts
1648 hardlink path=usr/sbin/disks target=../devfsadm
1649 hardlink path=usr/sbin/drvconfig target=../devfsadm
1650 hardlink path=usr/sbin/list_devices target=../usr/sbin/allocate
1651 hardlink path=usr/sbin/mkdevmaps target=../usr/sbin/mkdevalloc
1652 hardlink path=usr/sbin/modinfo target=../usr/lib/isaexec
1653 hardlink path=usr/sbin/modload target=../usr/lib/isaexec
1654 hardlink path=usr/sbin/modunload target=../usr/lib/isaexec
1655 hardlink path=usr/sbin/pbind target=../usr/lib/isaexec
1656 hardlink path=usr/sbin/ports target=../devfsadm
1657 hardlink path=usr/sbin/poweroff target=../halt
1658 hardlink path=usr/sbin/prtconf target=../usr/lib/isaexec
1659 $(sparc_ONLY)hardlink path=usr/sbin/prtdiag target=../usr/lib/latexex
1660 hardlink path=usr/sbin/psrset target=../usr/lib/isaexec
1661 hardlink path=usr/sbin/reboot target=../halt
1662 hardlink path=usr/sbin/rem_drv target=../usr/lib/isaexec
1663 hardlink path=usr/sbin/roleadd target=../usr/sbin/useradd
1664 hardlink path=usr/sbin/roledel target=../usr/sbin/userdel
1665 hardlink path=usr/sbin/rolemod target=../usr/sbin/usermod
1666 hardlink path=usr/sbin/share target=../usr/sbin/sharemgr
1667 hardlink path=usr/sbin/swap target=../usr/lib/isaexec
1668 hardlink path=usr/sbin/sysdef target=../usr/lib/isaexec

```

```

1669 hardlink path=usr/sbin/tapes target=./devfsadm
1670 hardlink path=usr/sbin/unshare target=../../usr/sbin/sharemgr
1671 hardlink path=usr/sbin/update_drv target=../../usr/lib/isaexec
1672 hardlink path=usr/sbin/whodo target=../../usr/lib/isaexec
1673 legacy pkg=SUNWcsr \
1674     desc="core software for a specific instruction-set architecture" \
1675     name="Core Solaris, (Root)"
1676 legacy pkg=SUNWcsu \
1677     desc="core software for a specific instruction-set architecture" \
1678     name="Core Solaris, (Usr)"
1679 legacy pkg=SUNWftpr desc="FTP Server Configuration Files" \
1680     name="FTP Server, (Root)"
1681 license cr_Sun license=cr_Sun
1682 license lic_CDDL license=lic_CDDL
1683 license usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE \
1684     license=usr/src/cmd/cmd-inet/sbin/ifparse/THIRDPARTYLICENSE
1685 license usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE \
1686     license=usr/src/cmd/cmd-inet/usr.lib/in.mpathd/THIRDPARTYLICENSE
1687 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.arp \
1688     license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.arp
1689 license usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.route \
1690     license=usr/src/cmd/cmd-inet/usr/sbin/THIRDPARTYLICENSE.route
1691 license usr/src/cmd/cmd-inet/usr/sbin/ifconfig/THIRDPARTYLICENSE \
1692     license=usr/src/cmd/cmd-inet/usr/sbin/ifconfig/THIRDPARTYLICENSE
1693 license usr/src/cmd/cmd-inet/usr/sbin/in.ftpd/LICENSE \
1694     license=usr/src/cmd/cmd-inet/usr/sbin/in.ftpd/LICENSE
1695 license usr/src/cmd/cmd-inet/usr/sbin/traceroute/THIRDPARTYLICENSE \
1696     license=usr/src/cmd/cmd-inet/usr/sbin/traceroute/THIRDPARTYLICENSE
1697 license usr/src/cmd/cron/THIRDPARTYLICENSE \
1698     license=usr/src/cmd/cron/THIRDPARTYLICENSE
1699 license usr/src/cmd/csh/THIRDPARTYLICENSE \
1700     license=usr/src/cmd/csh/THIRDPARTYLICENSE
1701 license usr/src/cmd/eeprom/THIRDPARTYLICENSE \
1702     license=usr/src/cmd/eeprom/THIRDPARTYLICENSE
1703 license usr/src/cmd/fs.d/uifs/THIRDPARTYLICENSE \
1704     license=usr/src/cmd/fs.d/uifs/THIRDPARTYLICENSE
1705 license usr/src/cmd/mt/THIRDPARTYLICENSE \
1706     license=usr/src/cmd/mt/THIRDPARTYLICENSE
1707 license usr/src/cmd/script/THIRDPARTYLICENSE \
1708     license=usr/src/cmd/script/THIRDPARTYLICENSE
1709 license usr/src/cmd/sed/THIRDPARTYLICENSE \
1710     license=usr/src/cmd/sed/THIRDPARTYLICENSE
1711 license usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE \
1712     license=usr/src/cmd/stat/vmstat/THIRDPARTYLICENSE
1713 license usr/src/cmd/tail/THIRDPARTYLICENSE \
1714     license=usr/src/cmd/tail/THIRDPARTYLICENSE
1715 license usr/src/cmd/tip/THIRDPARTYLICENSE \
1716     license=usr/src/cmd/tip/THIRDPARTYLICENSE
1717 license usr/src/cmd/tr/THIRDPARTYLICENSE \
1718     license=usr/src/cmd/tr/THIRDPARTYLICENSE
1719 license usr/src/cmd/vi/THIRDPARTYLICENSE \
1720     license=usr/src/cmd/vi/THIRDPARTYLICENSE
1721 license usr/src/cmd/which/THIRDPARTYLICENSE \
1722     license=usr/src/cmd/which/THIRDPARTYLICENSE
1723 license usr/src/cmd/xstr/THIRDPARTYLICENSE \
1724     license=usr/src/cmd/xstr/THIRDPARTYLICENSE
1725 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
1726 link path=bin target=./usr/bin
1727 link path=etc/TIMEZONE target=./default/init
1728 link path=etc/autopush target=./sbin/autopush
1729 link path=etc/cfgadm target=./usr/sbin/cfgadm
1730 link path=etc/clri target=./usr/sbin/clri
1731 link path=etc/cron target=./usr/sbin/cron
1732 link path=etc/dcopy target=./usr/sbin/dcopy
1733 link path=etc/ff target=./usr/sbin/ff
1734 link path=etc/fmthard target=./usr/sbin/fmthard

```

```

1735 link path=etc/format target=./usr/sbin/format
1736 link path=etc/fsck target=./usr/sbin/fsck
1737 link path=etc/fsdb target=./usr/sbin/fsdb
1738 link path=etc/fstyp target=./usr/sbin/fstyp
1739 link path=etc/getty target=./usr/lib/saf/ttymon
1740 link path=etc/grpck target=./usr/sbin/grpck
1741 link path=etc/halt target=./usr/sbin/halt
1742 link path=etc/hosts target=./inet/hosts
1743 link path=etc/inet/ipnodes target=./hosts
1744 link path=etc/inetd.conf target=./inet/inetd.conf
1745 link path=etc/init target=./sbin/init
1746 link path=etc/install target=./usr/sbin/install
1747 link path=etc/killall target=./usr/sbin/killall
1748 link path=etc/labelit target=./usr/sbin/labelit
1749 link path=etc/lib/ld.so.1 target=../../lib/ld.so.1
1750 link path=etc/lib/libdl.so.1 target=../../lib/libdl.so.1
1751 link path=etc/lib/nss_files.so.1 target=../../lib/nss_files.so.1
1752 link path=etc/log target=./var/adm/log
1753 link path=etc/mkfs target=./usr/sbin/mkfs
1754 link path=etc/mknod target=./usr/sbin/mknod
1755 link path=etc/mount target=./sbin/mount
1756 link path=etc/mountall target=./sbin/mountall
1757 link path=etc/ncheck target=./usr/sbin/ncheck
1758 link path=etc/netmasks target=./inet/netmasks
1759 link path=etc/networks target=./inet/networks
1760 link path=etc/protocols target=./inet/protocols
1761 link path=etc/prtconf target=./usr/sbin/prtconf
1762 link path=etc/prtvtoc target=./usr/sbin/prtvtoc
1763 link path=etc/rc0 target=./sbin/rc0
1764 link path=etc/rc1 target=./sbin/rc1
1765 link path=etc/rc2 target=./sbin/rc2
1766 link path=etc/rc3 target=./sbin/rc3
1767 link path=etc/rc5 target=./sbin/rc5
1768 link path=etc/rc6 target=./sbin/rc6
1769 link path=etc/rcS target=./sbin/rcS
1770 link path=etc/reboot target=./usr/sbin/halt
1771 link path=etc/security/audit/localhost/files target=../../../var/audit
1772 link path=etc/services target=./inet/services
1773 link path=etc/setmnt target=./usr/sbin/setmnt
1774 link path=etc/shutdown target=./usr/sbin/shutdown
1775 link path=etc/sulogin target=./sbin/sulogin
1776 link path=etc/swap target=./usr/sbin/swap
1777 link path=etc/swapadd target=./sbin/swapadd
1778 link path=etc/sysdef target=./usr/sbin/sysdef
1779 link path=etc/tar target=./usr/sbin/tar
1780 link path=etc/telinit target=./sbin/init
1781 link path=etc/uadmin target=./sbin/uadmin
1782 link path=etc/umount target=./sbin/umount
1783 link path=etc/umountall target=./sbin/umountall
1784 link path=etc/utmpx target=./var/adm/utmpx
1785 link path=etc/volcopy target=./usr/sbin/volcopy
1786 link path=etc/wall target=./usr/sbin/wall
1787 link path=etc/whodo target=./usr/sbin/whodo
1788 link path=etc/wtmpx target=./var/adm/wtmpx
1789 link path=usr/bin/in.mpathd target=./lib/inet/in.mpathd
1790 link path=usr/bin/jsh target=./usr/bin/ksh93
1791 link path=usr/bin/pfsh target=./usr/bin/pfexec
1792 link path=usr/bin/sh target=./usr/bin/$(ARCH32)/ksh93
1793 link path=usr/bin/su target=./usr/bin/su
1794 link path=usr/bin/adm target=./var/adm
1795 link path=usr/bin/cachefspack target=./lib/fs/cachefs/cachefspack
1796 link path=usr/bin/cachefsstat target=./lib/fs/cachefs/cachefsstat
1797 link path=usr/bin/df target=./sbin/df
1798 link path=usr/bin/jsh target=ksh93
1799 link path=usr/bin/pwconv target=./sbin/pwconv
1800 link path=usr/bin/rmail target=./mail

```

```

1801 link path=usr/bin/sh target=$(ARCH32)/ksh93
1802 link path=usr/bin/strclean target=../sbin/strclean
1803 link path=usr/bin/strerr target=../sbin/strerr
1804 link path=usr/bin/sync target=../sbin/sync
1805 link path=usr/bin/tar target=../sbin/tar
1806 link path=usr/bin/uname target=../sbin/uname
1807 link path=usr/ccs/bin/m4 target=../bin/m4
1808 link path=usr/has/bin/jsh target=sh
1809 link path=usr/has/lib/rsh target=../bin/sh
1810 $(BUILD64)link path=usr/lib/$(ARCH64)/ld.so.1 \
1811     target=../lib/$(ARCH64)/ld.so.1
1696 link path=usr/lib/$(ARCH64)/ld.so.1 target=../lib/$(ARCH64)/ld.so.1
1812 link path=usr/lib/cron target=../etc/cron.d
1813 link path=usr/lib/devfsadm/devfsadmd target=../sbin/devfsadm
1814 link path=usr/lib/embedded_su target=../bin/su
1815 link path=usr/lib/fs/dev/mount target=../etc/fs/dev/mount
1816 link path=usr/lib/fs/hsfs/mount target=../etc/fs/hsfs/mount
1817 link path=usr/lib/fs/ufs/mount target=../etc/fs/ufs/mount
1818 link path=usr/lib/inet/in.mpathd target=../lib/inet/in.mpathd
1819 link path=usr/lib/ld.so.1 target=../lib/ld.so.1
1820 link path=usr/lib/locale/POSIX target=./C
1821 link path=usr/lib/rsh target=../bin/ksh93
1822 link path=usr/lib/secure/32 target=.
1823 $(BUILD64)link path=usr/lib/secure/64 target=$(ARCH64)
1708 link path=usr/lib/secure/64 target=$(ARCH64)
1824 link path=usr/lib/wusbd target=../sbin/wusbadm
1825 link path=usr/mail target=../var/mail
1826 link path=usr/net/nls/listen target=../lib/saf/listen
1827 link path=usr/net/nls/nlps_server target=../lib/saf/nlps_server
1828 link path=usr/news target=../var/news
1829 link path=usr/preserve target=../var/preserve
1830 link path=usr/pub target=../share/lib/pub
1831 link path=usr/sbin/autopush target=../sbin/autopush
1832 link path=usr/sbin/bootadm target=../sbin/bootadm
1833 link path=usr/sbin/cacheofslog target=../lib/fs/cacheofs/cacheofslog
1834 link path=usr/sbin/cacheofssize target=../lib/fs/cacheofs/cacheofssize
1835 link path=usr/sbin/cfsadmin target=../lib/fs/cacheofs/cfsadmin
1836 link path=usr/sbin/cryptoadm target=../sbin/cryptoadm
1837 link path=usr/sbin/dcopy target=./clri
1838 link path=usr/sbin/devnm target=./df
1839 link path=usr/sbin/dladm target=../sbin/dladm
1840 link path=usr/sbin/dlstat target=../sbin/dlstat
1841 link path=usr/sbin/edquota target=../lib/fs/ufs/edquota
1842 link path=usr/sbin/fdisk target=../sbin/fdisk
1843 link path=usr/sbin/fiocompress target=../sbin/fiocompress
1844 link path=usr/sbin/flowadm target=../sbin/flowadm
1845 link path=usr/sbin/flowstat target=../sbin/flowstat
1846 link path=usr/sbin/fsdb target=./clri
1847 link path=usr/sbin/fsirand target=../lib/fs/ufs/fsirand
1848 link path=usr/sbin/fssnap target=./clri
1849 link path=usr/sbin/hostconfig target=../sbin/hostconfig
1850 link path=usr/sbin/ifconfig target=../sbin/ifconfig
1851 link path=usr/sbin/inetd target=../lib/inet/inetd
1852 link path=usr/sbin/init target=../sbin/init
1853 $(i386_ONLY)link path=usr/sbin/installgrub target=../sbin/installgrub
1854 link path=usr/sbin/ipadm target=../sbin/ipadm
1855 link path=usr/sbin/impstat target=../sbin/impstat
1856 link path=usr/sbin/labelit target=./clri
1857 link path=usr/sbin/lockfs target=../lib/fs/ufs/lockfs
1858 link path=usr/sbin/mkfs target=./clri
1859 link path=usr/sbin/mount target=../sbin/mount
1860 link path=usr/sbin/ncheck target=./ff
1861 link path=usr/sbin/newfs target=../lib/fs/ufs/newfs
1862 link path=usr/sbin/quot target=../lib/fs/ufs/quot
1863 link path=usr/sbin/quota target=../lib/fs/ufs/quota
1864 link path=usr/sbin/quotacheck target=../lib/fs/ufs/quotacheck

```

```

1865 link path=usr/sbin/quotaooff target=../lib/fs/ufs/quotaooff
1866 link path=usr/sbin/quotaon target=../lib/fs/ufs/quotaon
1867 link path=usr/sbin/repquota target=../lib/fs/ufs/repquota
1868 link path=usr/sbin/route target=../sbin/route
1869 link path=usr/sbin/routeadm target=../sbin/routeadm
1870 link path=usr/sbin/sync target=../sbin/sync
1871 link path=usr/sbin/tunefs target=../lib/fs/ufs/tunefs
1872 link path=usr/sbin/tzreload target=../sbin/tzreload
1873 link path=usr/sbin/uadmin target=../sbin/uadmin
1874 link path=usr/sbin/ufsdump target=../lib/fs/ufs/ufsdump
1875 link path=usr/sbin/ufsrestore target=../lib/fs/ufs/ufsrestore
1876 link path=usr/sbin/umount target=../sbin/umount
1877 link path=usr/sbin/wusbadm target=../sbin/wusbadm
1878 link path=usr/sbin/spool target=../var/spool
1879 link path=usr/src target=../share/src
1880 link path=usr/tmp target=../var/tmp
1881 link path=var/ld/32 target=.
1882 $(BUILD64)link path=var/ld/64 target=$(ARCH64)
1767 link path=var/ld/64 target=$(ARCH64)
1883 #
1884 # The bootadm binary needs the etc/release file.
1885 #
1886 depend fmri=release/name type=require
1887 #
1888 # intrd and others use the illumos-defaulted perl interpreter
1889 #
1890 depend fmri=runtime/perl-510 type=require
1891 #
1892 # The loadkeys binary needs the keytables.
1893 #
1894 depend fmri=system/data/keyboard/keytables type=require
1895 #
1896 # Depend on terminfo data.
1897 #
1898 depend fmri=system/data/terminfo type=require
1899 #
1900 # Depend on zoneinfo data.
1901 #
1902 depend fmri=system/data/zoneinfo type=require

```

new/usr/src/pkg/manifests/benchmark-filebench.mf

1

```
*****
6285 Fri Apr 11 13:24:05 2014
new/usr/src/pkg/manifests/benchmark-filebench.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/benchmark/filebench@$(PKGVERS)
29 set name=pkg.description \
30 value="FileBench Commands, Workloads, Scripts, and Config Files"
31 set name=pkg.summary value=FileBench
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/benchmarks
37 dir path=usr/benchmarks/filebench
38 dir path=usr/benchmarks/filebench/bin
39 $(i386_ONLY)dir path=usr/benchmarks/filebench/bin/$(ARCH)
40 $(BUILD64)dir path=usr/benchmarks/filebench/bin/$(ARCH64)
41 dir path=usr/benchmarks/filebench/bin/$(ARCH64)
42 dir path=usr/benchmarks/filebench/config
43 dir path=usr/benchmarks/filebench/scripts
44 dir path=usr/benchmarks/filebench/workloads
45 $(i386_ONLY)file path=usr/benchmarks/filebench/bin/$(ARCH)/go_filebench \
46 mode=0555
47 $(BUILD64)file path=usr/benchmarks/filebench/bin/$(ARCH64)/go_filebench \
48 mode=0555
31 file path=usr/benchmarks/filebench/bin/$(ARCH64)/go_filebench mode=0555
49 file path=usr/benchmarks/filebench/bin/filebench mode=0555
50 file path=usr/benchmarks/filebench/config/fileio.prof mode=0444
51 file path=usr/benchmarks/filebench/config/filemacro.prof mode=0444
52 file path=usr/benchmarks/filebench/config/filemicro.prof mode=0444
53 file path=usr/benchmarks/filebench/config/generic.func mode=0444
54 file path=usr/benchmarks/filebench/config/multi_fileserver.prof mode=0444
55 file path=usr/benchmarks/filebench/config/newfeatures.prof mode=0444
56 file path=usr/benchmarks/filebench/config/randomread.prof mode=0444
57 file path=usr/benchmarks/filebench/config/segread.prof mode=0444
58 file path=usr/benchmarks/filebench/config/videoerver.prof mode=0444
59 file path=usr/benchmarks/filebench/scripts/filebench_compare mode=0555
```

new/usr/src/pkg/manifests/benchmark-filebench.mf

2

```
60 file path=usr/benchmarks/filebench/scripts/fs_flush mode=0555
61 file path=usr/benchmarks/filebench/workloads/bringover.f mode=0444
62 file path=usr/benchmarks/filebench/workloads/compflow_demo.f mode=0444
63 file path=usr/benchmarks/filebench/workloads/copyfiles.f mode=0444
64 file path=usr/benchmarks/filebench/workloads/createfiles.f mode=0444
65 file path=usr/benchmarks/filebench/workloads/deletefiles.f mode=0444
66 file path=usr/benchmarks/filebench/workloads/filemicro_create.f mode=0444
67 file path=usr/benchmarks/filebench/workloads/filemicro_createfiles.f mode=0444
68 file path=usr/benchmarks/filebench/workloads/filemicro_createrand.f mode=0444
69 file path=usr/benchmarks/filebench/workloads/filemicro_delete.f mode=0444
70 file path=usr/benchmarks/filebench/workloads/filemicro_rread.f mode=0444
71 file path=usr/benchmarks/filebench/workloads/filemicro_rwrite.f mode=0444
72 file path=usr/benchmarks/filebench/workloads/filemicro_rwritedsync.f mode=0444
73 file path=usr/benchmarks/filebench/workloads/filemicro_rwritetfsync.f mode=0444
74 file path=usr/benchmarks/filebench/workloads/filemicro_seqread.f mode=0444
75 file path=usr/benchmarks/filebench/workloads/filemicro_seqwrite.f mode=0444
76 file path=usr/benchmarks/filebench/workloads/filemicro_seqwriterand.f \
77 mode=0444
78 file path=usr/benchmarks/filebench/workloads/filemicro_seqwriterandvargam.f \
79 mode=0444
80 file path=usr/benchmarks/filebench/workloads/filemicro_seqwriterandvartab.f \
81 mode=0444
82 file path=usr/benchmarks/filebench/workloads/filemicro_statfile.f mode=0444
83 file path=usr/benchmarks/filebench/workloads/filemicro_writetfsync.f mode=0444
84 file path=usr/benchmarks/filebench/workloads/fileserver.f mode=0444
85 file path=usr/benchmarks/filebench/workloads/listdirs.f mode=0444
86 file path=usr/benchmarks/filebench/workloads/makedirs.f mode=0444
87 file path=usr/benchmarks/filebench/workloads/mongo.f mode=0444
88 file path=usr/benchmarks/filebench/workloads/multistreamread.f mode=0444
89 file path=usr/benchmarks/filebench/workloads/multistreamreaddirect.f mode=0444
90 file path=usr/benchmarks/filebench/workloads/multistreamwrite.f mode=0444
91 file path=usr/benchmarks/filebench/workloads/multistreamwritedirect.f \
92 mode=0444
93 file path=usr/benchmarks/filebench/workloads/networkfs.f mode=0444
94 file path=usr/benchmarks/filebench/workloads/oltp.f mode=0444
95 file path=usr/benchmarks/filebench/workloads/openfiles.f mode=0444
96 file path=usr/benchmarks/filebench/workloads/randomfileaccess.f mode=0444
97 file path=usr/benchmarks/filebench/workloads/randomread.f mode=0444
98 file path=usr/benchmarks/filebench/workloads/randomrw.f mode=0444
99 file path=usr/benchmarks/filebench/workloads/randomwrite.f mode=0444
100 file path=usr/benchmarks/filebench/workloads/ratelimcopyfiles.f mode=0444
101 file path=usr/benchmarks/filebench/workloads/removedirs.f mode=0444
102 file path=usr/benchmarks/filebench/workloads/singlestreamread.f mode=0444
103 file path=usr/benchmarks/filebench/workloads/singlestreamreaddirect.f \
104 mode=0444
105 file path=usr/benchmarks/filebench/workloads/singlestreamwrite.f mode=0444
106 file path=usr/benchmarks/filebench/workloads/singlestreamwritedirect.f \
107 mode=0444
108 file path=usr/benchmarks/filebench/workloads/tpcso.f mode=0444
109 file path=usr/benchmarks/filebench/workloads/varmail.f mode=0444
110 file path=usr/benchmarks/filebench/workloads/videoerver.f mode=0444
111 file path=usr/benchmarks/filebench/workloads/webproxy.f mode=0444
112 file path=usr/benchmarks/filebench/workloads/webserver.f mode=0444
113 file path=usr/share/man/man1/filebench.1
114 hardlink path=usr/benchmarks/filebench/bin/go_filebench \
115 target=../../../../usr/lib/isaexec
116 legacy pkg=SUNWfilebench \
117 desc="FileBench Commands, Workloads, Scripts, and Config Files" \
118 name=FileBench
119 license cr_Sun license=cr_Sun
120 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/compatibility-ucb.mf

1

```
*****
9879 Fri Apr 11 13:24:05 2014
new/usr/src/pkg/manifests/compatibility-ucb.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/compatibility/ucb@$(PKGVERS)
30 set name=pkg.description \
31   value="utilities for user interface and source build compatibility with SunO
32 set name=pkg.summary value="Source Compatibility"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/mail group=mail
37 dir path=usr group=sys
38 dir path=usr/bin
39 dir path=usr/lib
40 dir path=usr/share/man
41 dir path=usr/share/man/man1b
42 dir path=usr/ucb
43 $(i386_ONLY)dir path=usr/ucb/$(ARCH32)
44 $(BUILD64)dir path=usr/ucb/$(ARCH64)
45 dir path=usr/ucb/$(ARCH64)
46 $(BUILD64)dir path=usr/ucb/lib/$(ARCH64)
47 dir path=usr/ucb/lib/$(ARCH64)
48 file path=etc/mail/Mail.rc original_name=SUNWscp:etc/mail/Mail.rc \
49   preserve=true
49 file path=usr/share/man/man1b/basename.1b
50 file path=usr/share/man/man1b/biff.1b
51 file path=usr/share/man/man1b/chown.1b
52 file path=usr/share/man/man1b/df.1b
53 file path=usr/share/man/man1b/du.1b
54 file path=usr/share/man/man1b/echo.1b
55 file path=usr/share/man/man1b/exportfs.1b
56 file path=usr/share/man/man1b/expr.1b
57 file path=usr/share/man/man1b/fastboot.1b
58 file path=usr/share/man/man1b/file.1b
59 file path=usr/share/man/man1b/from.1b
```

new/usr/src/pkg/manifests/compatibility-ucb.mf

2

```
60 file path=usr/share/man/man1b/groups.1b
61 file path=usr/share/man/man1b/grpck.1b
62 file path=usr/share/man/man1b/ln.1b
63 file path=usr/share/man/man1b/logger.1b
64 file path=usr/share/man/man1b/lpc.1b
65 file path=usr/share/man/man1b/lpq.1b
66 file path=usr/share/man/man1b/lpr.1b
67 file path=usr/share/man/man1b/lprm.1b
68 file path=usr/share/man/man1b/lptest.1b
69 file path=usr/share/man/man1b/mail.1b
70 file path=usr/share/man/man1b/mkstr.1b
71 file path=usr/share/man/man1b/printenv.1b
72 file path=usr/share/man/man1b/ps.1b
73 file path=usr/share/man/man1b/rusage.1b
74 file path=usr/share/man/man1b/shutdown.1b
75 file path=usr/share/man/man1b/stty.1b
76 file path=usr/share/man/man1b/sum.1b
77 file path=usr/share/man/man1b/test.1b
78 file path=usr/share/man/man1b/touch.1b
79 file path=usr/share/man/man1b/tset.1b
80 file path=usr/share/man/man1b/users.1b
81 file path=usr/share/man/man1b/vipw.1b
82 file path=usr/share/man/man1b/whereis.1b
83 file path=usr/share/man/man1b/whoami.1b
84 file path=usr/ucb/basename mode=0755
85 file path=usr/ucb/biff mode=0755
86 file path=usr/ucb/chown mode=0755
87 file path=usr/ucb/df mode=0755
88 file path=usr/ucb/du mode=0755
89 file path=usr/ucb/echo mode=0755
90 file path=usr/ucb/expr mode=0755
91 file path=usr/ucb/fastboot mode=0555
92 file path=usr/ucb/fasthalt mode=0555
93 file path=usr/ucb/file mode=0555
94 file path=usr/ucb/from mode=0755
95 file path=usr/ucb/groups mode=0755
96 file path=usr/ucb/install mode=0755
97 file path=usr/ucb/ln mode=0755
98 file path=usr/ucb/ls mode=0755
99 file path=usr/ucb/mkstr mode=0555
100 file path=usr/ucb/printenv mode=0755
101 file path=usr/ucb/rusage mode=0755
102 file path=usr/ucb/sed mode=0555
103 file path=usr/ucb/shutdown mode=0755
104 file path=usr/ucb/stty mode=0755
105 file path=usr/ucb/sum mode=0755
106 file path=usr/ucb/test mode=0755
107 file path=usr/ucb/touch mode=0755
108 file path=usr/ucb/tr mode=0755
109 file path=usr/ucb/tset mode=0755
110 file path=usr/ucb/users mode=0755
111 file path=usr/ucb/vipw mode=0555
112 file path=usr/ucb/whereis mode=0755
113 file path=usr/ucb/whoami mode=0755
114 $(BUILD64)file path=usr/ucb/lib/$(ARCH64)/libcurses.so.1
115 $(BUILD64)file path=usr/ucb/lib/$(ARCH64)/libdbm.so.1
116 $(BUILD64)file path=usr/ucb/lib/$(ARCH64)/librpcsoc.so.1
117 $(BUILD64)file path=usr/ucb/lib/$(ARCH64)/libtermcap.so.1
118 $(BUILD64)file path=usr/ucb/lib/$(ARCH64)/libucb.so.1
95 file path=usr/ucb/lib/$(ARCH64)/libcurses.so.1
96 file path=usr/ucb/lib/$(ARCH64)/libdbm.so.1
97 file path=usr/ucb/lib/$(ARCH64)/librpcsoc.so.1
98 file path=usr/ucb/lib/$(ARCH64)/libtermcap.so.1
99 file path=usr/ucb/lib/$(ARCH64)/libucb.so.1
119 file path=usr/ucb/lib/libcurses.so.1
120 file path=usr/ucb/lib/libdbm.so.1
```

```

121 file path=usr/ucblib/librpcsoc.so.1
122 file path=usr/ucblib/libtermcap.so.1
123 file path=usr/ucblib/libuch.so.1
124 $(i386_ONLY)hardlink path=usr/ucb/$(ARCH32)/ps target=../bin/$(ARCH32)/ps
125 $(BUILD64)hardlink path=usr/ucb/$(ARCH64)/ps target=../bin/$(ARCH64)/ps
126 hardlink path=usr/ucb/$(ARCH64)/ps target=../bin/$(ARCH64)/ps
126 hardlink path=usr/ucb/ps target=../usr/lib/isaexec
127 legacy pkg=SUNWscpr \
128 desc="utilities for user interface and source build compatibility with SunOS
129 name="Source Compatibility, (Root)"
130 legacy pkg=SUNWscpu \
131 desc="utilities for user interface and source build compatibility with SunOS
132 name="Source Compatibility, (Usr)"
133 license cr_Sun license=cr_Sun
134 license lic_CDDL license=lic_CDDL
135 license usr/src/ucbcmd/basename/THIRDPARTYLICENSE \
136 license=usr/src/ucbcmd/basename/THIRDPARTYLICENSE
137 license usr/src/ucbcmd/echo/THIRDPARTYLICENSE \
138 license=usr/src/ucbcmd/echo/THIRDPARTYLICENSE
139 license usr/src/ucbcmd/from/THIRDPARTYLICENSE \
140 license=usr/src/ucbcmd/from/THIRDPARTYLICENSE
141 license usr/src/ucbcmd/groups/THIRDPARTYLICENSE \
142 license=usr/src/ucbcmd/groups/THIRDPARTYLICENSE
143 license usr/src/ucbcmd/ln/THIRDPARTYLICENSE \
144 license=usr/src/ucbcmd/ln/THIRDPARTYLICENSE
145 license usr/src/ucbcmd/ls/THIRDPARTYLICENSE \
146 license=usr/src/ucbcmd/ls/THIRDPARTYLICENSE
147 license usr/src/ucbcmd/sum/THIRDPARTYLICENSE \
148 license=usr/src/ucbcmd/sum/THIRDPARTYLICENSE
149 license usr/src/ucbcmd/test/THIRDPARTYLICENSE \
150 license=usr/src/ucbcmd/test/THIRDPARTYLICENSE
151 license usr/src/ucbcmd/tset/THIRDPARTYLICENSE \
152 license=usr/src/ucbcmd/tset/THIRDPARTYLICENSE
153 license usr/src/ucbcmd/users/THIRDPARTYLICENSE \
154 license=usr/src/ucbcmd/users/THIRDPARTYLICENSE
155 license usr/src/ucbcmd/whereis/THIRDPARTYLICENSE \
156 license=usr/src/ucbcmd/whereis/THIRDPARTYLICENSE
157 license usr/src/ucbcmd/whoami/THIRDPARTYLICENSE \
158 license=usr/src/ucbcmd/whoami/THIRDPARTYLICENSE
159 license usr/src/ucblib/libcurses/THIRDPARTYLICENSE \
160 license=usr/src/ucblib/libcurses/THIRDPARTYLICENSE
161 license usr/src/ucblib/libtermcap/THIRDPARTYLICENSE \
162 license=usr/src/ucblib/libtermcap/THIRDPARTYLICENSE
163 license usr/src/ucblib/libuch/THIRDPARTYLICENSE \
164 license=usr/src/ucblib/libuch/THIRDPARTYLICENSE
165 link path=etc/chroot target=../usr/sbin/chroot
166 link path=etc/fuser target=../usr/sbin/fuser
167 link path=etc/link target=../usr/sbin/link
168 link path=etc/mvdir target=../usr/sbin/mvdir
169 link path=etc/pwck target=../usr/sbin/pwck
170 link path=etc/termcap target=../usr/share/lib/termcap
171 link path=etc/unlink target=../usr/sbin/unlink
172 link path=usr/5bin target=../bin
173 link path=usr/share/man/man1b/Mail.1b target=mail.1b
174 link path=usr/share/man/man1b/fasthalt.1b target=fastboot.1b
175 link path=usr/share/man/man1b/reset.1b target=tset.1b
176 link path=usr/ucb/Mail target=../bin/mailx
177 link path=usr/ucb/arch target=../bin/arch
178 link path=usr/ucb/clear target=../bin/clear
179 link path=usr/ucb/e target=../bin/edit
180 link path=usr/ucb/edit target=../bin/edit
181 link path=usr/ucb/ex target=../bin/edit
182 link path=usr/ucb/finger target=../bin/finger
183 link path=usr/ucb/fmt target=../bin/fmt
184 link path=usr/ucb/fold target=../bin/fold
185 link path=usr/ucb/ftp target=../bin/ftp

```

```

186 link path=usr/ucb/head target=../bin/head
187 link path=usr/ucb/hostid target=../bin/hostid
188 link path=usr/ucb/hostname target=../bin/hostname
189 link path=usr/ucb/logger target=../bin/logger
190 link path=usr/ucb/mach target=../bin/mach
191 link path=usr/ucb/mail target=../bin/mailx
192 link path=usr/ucb/more target=../bin/more
193 link path=usr/ucb/netstat target=../bin/netstat
194 link path=usr/ucb/page target=../bin/more
195 link path=usr/ucb/pagesize target=../bin/pagesize
196 link path=usr/ucb/quota target=../lib/fs/ufs/quota
197 link path=usr/ucb/rcp target=../bin/rcp
198 link path=usr/ucb/rdate target=../bin/rdate
199 link path=usr/ucb/rdist target=../bin/rdist
200 link path=usr/ucb/renice target=../bin/renice
201 link path=usr/ucb/reset target=../tset
202 link path=usr/ucb/rlogin target=../bin/rlogin
203 link path=usr/ucb/rsh target=../bin/rsh
204 link path=usr/ucb/ruptime target=../bin/ruptime
205 link path=usr/ucb/rwho target=../bin/rwho
206 link path=usr/ucb/script target=../bin/script
207 link path=usr/ucb/tail target=../bin/tail
208 link path=usr/ucb/talk target=../bin/talk
209 link path=usr/ucb/tcopy target=../bin/tcopy
210 link path=usr/ucb/telnet target=../bin/telnet
211 link path=usr/ucb/tftp target=../bin/tftp
212 link path=usr/ucb/uptime target=../bin/uptime
213 link path=usr/ucb/vacation target=../bin/vacation
214 link path=usr/ucb/vedit target=../bin/vedit
215 link path=usr/ucb/vi target=../bin/edit
216 link path=usr/ucb/view target=../bin/edit
217 link path=usr/ucb/vmstat target=../bin/vmstat
218 link path=usr/ucb/w target=../bin/w
219 link path=usr/ucb/wc target=../bin/wc
220 link path=usr/ucb/whois target=../bin/whois
221 link path=usr/ucb/xstr target=../bin/xstr
222 $(BUILD64)link path=usr/ucblib/$(ARCH64)/libcurses.so target=../libcurses.so.1
223 $(BUILD64)link path=usr/ucblib/$(ARCH64)/libdbm.so target=../libdbm.so.1
224 $(BUILD64)link path=usr/ucblib/$(ARCH64)/librpcsoc.so target=../librpcsoc.so.1
225 $(BUILD64)link path=usr/ucblib/$(ARCH64)/libtermcap.so \
226 target=../libtermcap.so.1
227 $(BUILD64)link path=usr/ucblib/$(ARCH64)/libuch.so target=../libuch.so.1
228 link path=usr/ucblib/$(ARCH64)/libcurses.so target=../libcurses.so.1
229 link path=usr/ucblib/$(ARCH64)/libdbm.so target=../libdbm.so.1
230 link path=usr/ucblib/$(ARCH64)/librpcsoc.so target=../librpcsoc.so.1
231 link path=usr/ucblib/$(ARCH64)/libtermcap.so target=../libtermcap.so.1
232 link path=usr/ucblib/$(ARCH64)/libuch.so target=../libuch.so.1
233 link path=usr/ucblib/$(ARCH64)/librpcsoc.so target=../librpcsoc.so.1
234 link path=usr/ucblib/$(ARCH64)/libtermcap.so target=../libtermcap.so.1

```

new/usr/src/pkg/manifests/developer-apprtrace.mf

1

1782 Fri Apr 11 13:24:06 2014

new/usr/src/pkg/manifests/developer-apprtrace.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/apprtrace@$(PKGVERS)
29 set name=pkg.description \
30 value="Apptrace utility for application tracing, including shared objects"
31 set name=pkg.summary value="Apptrace Utility"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/bin
37 dir path=usr/lib
38 dir path=usr/lib/abi
39 $(BUILD64)dir path=usr/lib/abi/$(ARCH64)
24 dir path=usr/lib/abi/$(ARCH64)
40 dir path=usr/share/man
41 dir path=usr/share/man/man1
42 file path=usr/bin/apprtrace mode=0555
43 $(BUILD64)file path=usr/lib/abi/$(ARCH64)/apprtrace.so.1
28 file path=usr/lib/abi/$(ARCH64)/apprtrace.so.1
44 file path=usr/lib/abi/apprtrace.so.1
45 file path=usr/share/man/man1/apprtrace.1
46 legacy pkg=SUNWcstl \
47 desc="Apptrace utility for application tracing, including shared objects" \
48 name="Apptrace Utility"
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/developer-debug-mdb-module-module-fibre-channel.mf 1

```
*****
2039 Fri Apr 11 13:24:06 2014
new/usr/src/pkg/manifests/developer-debug-mdb-module-module-fibre-channel.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29     value=pkg:/developer/debug/mdb/module/module-fibre-channel@$(PKGVERS)
30 set name=pkg.description value="Fibre Channel adb macros and mdb modules"
31 set name=pkg.summary value="Fibre Channel adb macros and mdb modules"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:System/Hardware
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 dir path=usr/lib/mdb group=sys
38 dir path=usr/lib/mdb/kvm group=sys
39 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
40 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/fcip.so group=sys mode=0555
41 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/fcp.so group=sys mode=0555
42 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/fctl.so group=sys mode=0555
43 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
44 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/fcip.so group=sys mode=0555
45 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/fcp.so group=sys mode=0555
46 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/fctl.so group=sys mode=0555
47 legacy pkg=SUNWfcmdb desc="Fibre Channel adb macros and mdb modules" \
48     name="Fibre Channel adb macros and mdb modules"
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
```


new/usr/src/pkg/manifests/developer-debug-mdb-module-module-qlc.mf

1

1790 Fri Apr 11 13:24:06 2014

new/usr/src/pkg/manifests/developer-debug-mdb-module-module-qlc.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/debug/mdb/module/module-qlc@$(PKGVERS)
29 set name=pkg.description \
30 value="Utilities associated with the Qlogic Fibre Channel Adapter"
31 set name=pkg.summary value="Qlogic Fibre Channel Adapter Utilities"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:System/Hardware
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 dir path=usr/lib/mdb group=sys
38 dir path=usr/lib/mdb/kvm group=sys
39 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
40 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/qlc.so group=sys mode=0555
41 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
42 file path=usr/lib/mdb/kvm/$(ARCH64)/qlc.so group=sys mode=0555
43 $(i386_ONLY)file path=usr/lib/mdb/kvm/qlc.so group=sys mode=0555
44 legacy pkg=SUNWqlcu \
45 desc="Utilities associated with the Qlogic Fibre Channel Adapter" \
46 name="Qlogic Fibre Channel Adapter Utilities (usr)"
47 license cr_Sun license=cr_Sun
48 license lic_CDDL license=lic_CDDL
```

```

*****
21793 Fri Apr 11 13:24:06 2014
new/usr/src/pkg/manifests/developer-debug-mdb.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/debug/mdb@$(PKGVERS)
29 set name=pkg.description value="Modular Debugger (MDB)"
30 set name=pkg.summary value="Modular Debugger"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:Development/System
33 set name=variant.arch value=$(ARCH)
34 dir path=kernel group=sys
35 dir path=kernel/kmdb group=sys
36 dir path=kernel/kmdb/$(ARCH64) group=sys
37 dir path=platform group=sys variant.opensolaris.zone=global
38 $(i386_ONLY)dir path=platform/i86pc group=sys variant.opensolaris.zone=global
39 $(i386_ONLY)dir path=platform/i86pc/kernel group=sys \
40     variant.opensolaris.zone=global
41 $(i386_ONLY)dir path=platform/i86pc/kernel/kmdb group=sys
42 $(i386_ONLY)dir path=platform/i86pc/kernel/kmdb/$(ARCH64) group=sys
43 $(i386_ONLY)dir path=platform/i86xpv group=sys variant.opensolaris.zone=global
44 $(i386_ONLY)dir path=platform/i86xpv/kernel group=sys \
45     variant.opensolaris.zone=global
46 $(i386_ONLY)dir path=platform/i86xpv/kernel/kmdb group=sys
47 $(i386_ONLY)dir path=platform/i86xpv/kernel/kmdb/$(ARCH64) group=sys
48 $(sparc_ONLY)dir path=platform/sun4u group=sys variant.opensolaris.zone=global
49 $(sparc_ONLY)dir path=platform/sun4u/kernel group=sys \
50     variant.opensolaris.zone=global
51 $(sparc_ONLY)dir path=platform/sun4u/kernel/kmdb group=sys
52 $(sparc_ONLY)dir path=platform/sun4u/kernel/kmdb/$(ARCH64) group=sys
53 $(sparc_ONLY)dir path=platform/sun4v group=sys variant.opensolaris.zone=global
54 $(sparc_ONLY)dir path=platform/sun4v/kernel group=sys \
55     variant.opensolaris.zone=global
56 $(sparc_ONLY)dir path=platform/sun4v/kernel/kmdb group=sys
57 $(sparc_ONLY)dir path=platform/sun4v/kernel/kmdb/$(ARCH64) group=sys
58 dir path=usr group=sys
59 dir path=usr/bin
60 dir path=usr/bin/$(ARCH32)
61 $(BUILD64)dir path=usr/bin/$(ARCH64)

```

```

24 dir path=usr/bin/$(ARCH64)
62 dir path=usr/include
63 dir path=usr/include/sys
64 dir path=usr/lib
65 dir path=usr/lib/mdb group=sys
66 dir path=usr/lib/mdb/kvm group=sys
67 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
30 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
68 dir path=usr/lib/mdb/proc group=sys
69 $(sparc_BUILD64)dir path=usr/lib/mdb/proc/$(ARCH64) group=sys
70 $(i386_BUILD64)dir path=usr/lib/mdb/proc/$(ARCH64)
32 $(sparc_ONLY)dir path=usr/lib/mdb/proc/$(ARCH64) group=sys
33 $(i386_ONLY)dir path=usr/lib/mdb/proc/$(ARCH64)
71 dir path=usr/lib/mdb/raw group=sys
72 dir path=usr/platform group=sys
73 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
74 $(i386_ONLY)dir path=usr/platform/i86pc/lib
75 $(i386_ONLY)dir path=usr/platform/i86pc/lib/mdb group=sys
76 $(i386_ONLY)dir path=usr/platform/i86pc/lib/mdb/kvm group=sys
77 $(i386_ONLY)dir path=usr/platform/i86pc/lib/mdb/kvm/$(ARCH64) group=sys
78 $(i386_ONLY)dir path=usr/platform/i86xpv group=sys
79 $(i386_ONLY)dir path=usr/platform/i86xpv/lib
80 $(i386_ONLY)dir path=usr/platform/i86xpv/lib/mdb group=sys
81 $(i386_ONLY)dir path=usr/platform/i86xpv/lib/mdb/kvm group=sys
82 $(i386_ONLY)dir path=usr/platform/i86xpv/lib/mdb/kvm/$(ARCH64) group=sys
83 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
84 $(sparc_ONLY)dir path=usr/platform/sun4u/lib
85 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/mdb group=sys
86 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/mdb/kvm group=sys
87 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/mdb/kvm/$(ARCH64) group=sys
88 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
89 $(sparc_ONLY)dir path=usr/platform/sun4v/lib
90 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/mdb group=sys
91 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/mdb/kvm group=sys
92 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64) group=sys
93 dir path=usr/share/man
94 dir path=usr/share/man/man1
95 file path=kernel/kmdb/$(ARCH64)/arp group=sys mode=0555
96 file path=kernel/kmdb/$(ARCH64)/cpc group=sys mode=0555
97 $(i386_ONLY)file path=kernel/kmdb/$(ARCH64)/cpu.generic group=sys mode=0555
98 $(i386_ONLY)file path=kernel/kmdb/$(ARCH64)/cpu_ms.AuthenticAMD.15 group=sys \
99     mode=0555
100 file path=kernel/kmdb/$(ARCH64)/crypto group=sys mode=0555
101 file path=kernel/kmdb/$(ARCH64)/genunix group=sys mode=0555
102 file path=kernel/kmdb/$(ARCH64)/hook group=sys mode=0555
103 $(sparc_ONLY)file path=kernel/kmdb/$(ARCH64)/intr group=sys mode=0555
104 file path=kernel/kmdb/$(ARCH64)/ip group=sys mode=0555
105 file path=kernel/kmdb/$(ARCH64)/ipc group=sys mode=0555
106 file path=kernel/kmdb/$(ARCH64)/ipp group=sys mode=0555
107 file path=kernel/kmdb/$(ARCH64)/krtld group=sys mode=0555
108 file path=kernel/kmdb/$(ARCH64)/lofs group=sys mode=0555
109 file path=kernel/kmdb/$(ARCH64)/loginmux group=sys mode=0555
110 file path=kernel/kmdb/$(ARCH64)/mac group=sys mode=0555
111 file path=kernel/kmdb/$(ARCH64)/md group=sys mode=0555
112 file path=kernel/kmdb/$(ARCH64)/mdb_ds group=sys mode=0555
113 file path=kernel/kmdb/$(ARCH64)/mpt group=sys mode=0555
114 file path=kernel/kmdb/$(ARCH64)/mpt_sas group=sys mode=0555
115 file path=kernel/kmdb/$(ARCH64)/mr_sas group=sys mode=0555
116 file path=kernel/kmdb/$(ARCH64)/nca group=sys mode=0555
117 file path=kernel/kmdb/$(ARCH64)/neti group=sys mode=0555
118 file path=kernel/kmdb/$(ARCH64)/nfs group=sys mode=0555
119 file path=kernel/kmdb/$(ARCH64)/ptm group=sys mode=0555
120 file path=kernel/kmdb/$(ARCH64)/random group=sys mode=0555
121 file path=kernel/kmdb/$(ARCH64)/s1394 group=sys mode=0555
122 $(i386_ONLY)file path=kernel/kmdb/$(ARCH64)/sata group=sys mode=0555
123 file path=kernel/kmdb/$(ARCH64)/scsi_vhci group=sys mode=0555

```

```

124 file path=kernel/kmdb/$(ARCH64)/sctp group=sys mode=0555
125 file path=kernel/kmdb/$(ARCH64)/sd group=sys mode=0555
126 file path=kernel/kmdb/$(ARCH64)/sockfs group=sys mode=0555
127 file path=kernel/kmdb/$(ARCH64)/specfs group=sys mode=0555
128 file path=kernel/kmdb/$(ARCH64)/sppp group=sys mode=0555
129 $(sparc_ONLY)file path=kernel/kmdb/$(ARCH64)/ssd group=sys mode=0555
130 file path=kernel/kmdb/$(ARCH64)/ufs group=sys mode=0555
131 $(i386_ONLY)file path=kernel/kmdb/$(ARCH64)/uhci group=sys mode=0555
132 file path=kernel/kmdb/$(ARCH64)/usba group=sys mode=0555
133 $(i386_ONLY)file path=kernel/kmdb/arp group=sys mode=0555
134 $(i386_ONLY)file path=kernel/kmdb/cpc group=sys mode=0555
135 $(i386_ONLY)file path=kernel/kmdb/cpu.generic group=sys mode=0555
136 $(i386_ONLY)file path=kernel/kmdb/cpu_ms.AuthenticAMD.15 group=sys mode=0555
137 $(i386_ONLY)file path=kernel/kmdb/crypto group=sys mode=0555
138 $(i386_ONLY)file path=kernel/kmdb/genunix group=sys mode=0555
139 $(i386_ONLY)file path=kernel/kmdb/hook group=sys mode=0555
140 $(i386_ONLY)file path=kernel/kmdb/ip group=sys mode=0555
141 $(i386_ONLY)file path=kernel/kmdb/ipc group=sys mode=0555
142 $(i386_ONLY)file path=kernel/kmdb/ipp group=sys mode=0555
143 $(i386_ONLY)file path=kernel/kmdb/krtld group=sys mode=0555
144 $(i386_ONLY)file path=kernel/kmdb/lofs group=sys mode=0555
145 $(i386_ONLY)file path=kernel/kmdb/logindmux group=sys mode=0555
146 $(i386_ONLY)file path=kernel/kmdb/mac group=sys mode=0555
147 $(i386_ONLY)file path=kernel/kmdb/md group=sys mode=0555
148 $(i386_ONLY)file path=kernel/kmdb/mdb_ds group=sys mode=0555
149 $(i386_ONLY)file path=kernel/kmdb/mpt group=sys mode=0555
150 $(i386_ONLY)file path=kernel/kmdb/mpt_sas group=sys mode=0555
151 $(i386_ONLY)file path=kernel/kmdb/mr_sas group=sys mode=0555
152 $(i386_ONLY)file path=kernel/kmdb/nca group=sys mode=0555
153 $(i386_ONLY)file path=kernel/kmdb/neti group=sys mode=0555
154 $(i386_ONLY)file path=kernel/kmdb/nfs group=sys mode=0555
155 $(i386_ONLY)file path=kernel/kmdb/ptm group=sys mode=0555
156 $(i386_ONLY)file path=kernel/kmdb/random group=sys mode=0555
157 $(i386_ONLY)file path=kernel/kmdb/s1394 group=sys mode=0555
158 $(i386_ONLY)file path=kernel/kmdb/sata group=sys mode=0555
159 $(i386_ONLY)file path=kernel/kmdb/scsi_vhci group=sys mode=0555
160 $(i386_ONLY)file path=kernel/kmdb/sctp group=sys mode=0555
161 $(i386_ONLY)file path=kernel/kmdb/sd group=sys mode=0555
162 $(i386_ONLY)file path=kernel/kmdb/sockfs group=sys mode=0555
163 $(i386_ONLY)file path=kernel/kmdb/specfs group=sys mode=0555
164 $(i386_ONLY)file path=kernel/kmdb/sppp group=sys mode=0555
165 $(i386_ONLY)file path=kernel/kmdb/ufs group=sys mode=0555
166 $(i386_ONLY)file path=kernel/kmdb/uhci group=sys mode=0555
167 $(i386_ONLY)file path=kernel/kmdb/usba group=sys mode=0555
168 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/$(ARCH64)/apix group=sys \
169 mode=0555
170 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/$(ARCH64)/pcplusmp group=sys \
171 mode=0555
172 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/$(ARCH64)/unix group=sys \
173 mode=0555
174 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/$(ARCH64)/uppc group=sys \
175 mode=0555
176 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/apix group=sys mode=0555
177 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/pcplusmp group=sys mode=0555
178 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/unix group=sys mode=0555
179 $(i386_ONLY)file path=platform/i86pc/kernel/kmdb/uppc group=sys mode=0555
180 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/$(ARCH64)/unix group=sys \
181 mode=0555
182 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/$(ARCH64)/xpv_psm group=sys \
183 mode=0555
184 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/$(ARCH64)/xpv_uppc group=sys \
185 mode=0555
186 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/unix group=sys mode=0555
187 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/xpv_psm group=sys mode=0555
188 $(i386_ONLY)file path=platform/i86xpv/kernel/kmdb/xpv_uppc group=sys mode=0555
189 $(sparc_ONLY)file path=platform/sun4u/kernel/kmdb/$(ARCH64)/oplhwd group=sys \

```

```

190 mode=0555
191 $(sparc_ONLY)file path=platform/sun4u/kernel/kmdb/$(ARCH64)/sgenv group=sys \
192 mode=0555
193 $(sparc_ONLY)file path=platform/sun4u/kernel/kmdb/$(ARCH64)/sgsbcc group=sys \
194 mode=0555
195 $(sparc_ONLY)file path=platform/sun4u/kernel/kmdb/$(ARCH64)/unix group=sys \
196 mode=0555
197 $(sparc_ONLY)file path=platform/sun4v/kernel/kmdb/$(ARCH64)/errh group=sys \
198 mode=0555
199 $(sparc_ONLY)file path=platform/sun4v/kernel/kmdb/$(ARCH64)/ldc group=sys \
200 mode=0555
201 $(sparc_ONLY)file path=platform/sun4v/kernel/kmdb/$(ARCH64)/mdesc group=sys \
202 mode=0555
203 $(sparc_ONLY)file path=platform/sun4v/kernel/kmdb/$(ARCH64)/unix group=sys \
204 mode=0555
205 $(sparc_ONLY)file path=platform/sun4v/kernel/kmdb/$(ARCH64)/vdsk group=sys \
206 mode=0555
207 file path=usr/bin/$(ARCH32)/mdb mode=0555
208 $(BUILD64)file path=usr/bin/$(ARCH64)/mdb mode=0555
171 file path=usr/bin/$(ARCH64)/mdb mode=0555
209 file path=usr/include/sys/mdb_modapi.h
210 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/arp.so group=sys mode=0555
211 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/cpc.so group=sys mode=0555
212 $(i386_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/cpu.generic.so group=sys \
213 mode=0555
214 $(i386_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/cpu_ms.AuthenticAMD.15.so \
215 group=sys mode=0555
216 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/crypto.so group=sys mode=0555
217 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/genunix.so group=sys mode=0555
218 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/hook.so group=sys mode=0555
219 $(sparc_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/intr.so group=sys \
220 mode=0555
221 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ip.so group=sys mode=0555
222 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ipc.so group=sys mode=0555
223 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ipp.so group=sys mode=0555
224 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/krtld.so group=sys mode=0555
225 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/lofs.so group=sys mode=0555
226 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/logindmux.so group=sys mode=0555
227 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mac.so group=sys mode=0555
228 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/md.so group=sys mode=0555
229 $(i386_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mdb_kb.so group=sys \
230 mode=0555
231 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mdb_ks.so group=sys mode=0555
232 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mpt.so group=sys mode=0555
233 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mpt_sas.so group=sys mode=0555
234 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/mr_sas.so group=sys mode=0555
235 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/nca.so group=sys mode=0555
236 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/neti.so group=sys mode=0555
237 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/nfs.so group=sys mode=0555
238 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ptm.so group=sys mode=0555
239 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/random.so group=sys mode=0555
240 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/s1394.so group=sys mode=0555
241 $(i386_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sata.so group=sys mode=0555
242 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/scsi_vhci.so group=sys mode=0555
243 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sctp.so group=sys mode=0555
244 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sd.so group=sys mode=0555
245 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sockfs.so group=sys mode=0555
246 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/specfs.so group=sys mode=0555
247 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sppp.so group=sys mode=0555
248 $(sparc_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ssd.so group=sys mode=0555
249 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/ufs.so group=sys mode=0555
250 $(i386_BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/uhci.so group=sys mode=0555
251 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/usba.so group=sys mode=0555
173 file path=usr/lib/mdb/kvm/$(ARCH64)/arp.so group=sys mode=0555
174 file path=usr/lib/mdb/kvm/$(ARCH64)/cpc.so group=sys mode=0555
175 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/cpu.generic.so group=sys \

```

```

176 mode=0555
177 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/cpu_ms.AuthenticAMD.15.so \
178 group=sys mode=0555
179 file path=usr/lib/mdb/kvm/$(ARCH64)/crypto.so group=sys mode=0555
180 file path=usr/lib/mdb/kvm/$(ARCH64)/genunix.so group=sys mode=0555
181 file path=usr/lib/mdb/kvm/$(ARCH64)/hook.so group=sys mode=0555
182 $(sparc_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/intr.so group=sys mode=0555
183 file path=usr/lib/mdb/kvm/$(ARCH64)/ip.so group=sys mode=0555
184 file path=usr/lib/mdb/kvm/$(ARCH64)/ipc.so group=sys mode=0555
185 file path=usr/lib/mdb/kvm/$(ARCH64)/ipp.so group=sys mode=0555
186 file path=usr/lib/mdb/kvm/$(ARCH64)/krtld.so group=sys mode=0555
187 file path=usr/lib/mdb/kvm/$(ARCH64)/lofs.so group=sys mode=0555
188 file path=usr/lib/mdb/kvm/$(ARCH64)/logindmux.so group=sys mode=0555
189 file path=usr/lib/mdb/kvm/$(ARCH64)/mac.so group=sys mode=0555
190 file path=usr/lib/mdb/kvm/$(ARCH64)/md.so group=sys mode=0555
191 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/mdb_kb.so group=sys mode=0555
192 file path=usr/lib/mdb/kvm/$(ARCH64)/mdb_ks.so group=sys mode=0555
193 file path=usr/lib/mdb/kvm/$(ARCH64)/mpt.so group=sys mode=0555
194 file path=usr/lib/mdb/kvm/$(ARCH64)/mpt_sas.so group=sys mode=0555
195 file path=usr/lib/mdb/kvm/$(ARCH64)/mr_sas.so group=sys mode=0555
196 file path=usr/lib/mdb/kvm/$(ARCH64)/nca.so group=sys mode=0555
197 file path=usr/lib/mdb/kvm/$(ARCH64)/neti.so group=sys mode=0555
198 file path=usr/lib/mdb/kvm/$(ARCH64)/nfs.so group=sys mode=0555
199 file path=usr/lib/mdb/kvm/$(ARCH64)/ptm.so group=sys mode=0555
200 file path=usr/lib/mdb/kvm/$(ARCH64)/random.so group=sys mode=0555
201 file path=usr/lib/mdb/kvm/$(ARCH64)/s1394.so group=sys mode=0555
202 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/sata.so group=sys mode=0555
203 file path=usr/lib/mdb/kvm/$(ARCH64)/scsi_vhci.so group=sys mode=0555
204 file path=usr/lib/mdb/kvm/$(ARCH64)/sctp.so group=sys mode=0555
205 file path=usr/lib/mdb/kvm/$(ARCH64)/sd.so group=sys mode=0555
206 file path=usr/lib/mdb/kvm/$(ARCH64)/sockfs.so group=sys mode=0555
207 file path=usr/lib/mdb/kvm/$(ARCH64)/specfs.so group=sys mode=0555
208 file path=usr/lib/mdb/kvm/$(ARCH64)/sppp.so group=sys mode=0555
209 $(sparc_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/ssd.so group=sys mode=0555
210 file path=usr/lib/mdb/kvm/$(ARCH64)/ufs.so group=sys mode=0555
211 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/uhci.so group=sys mode=0555
212 file path=usr/lib/mdb/kvm/$(ARCH64)/usba.so group=sys mode=0555
213 $(i386_ONLY)file path=usr/lib/mdb/kvm/arp.so group=sys mode=0555
214 $(i386_ONLY)file path=usr/lib/mdb/kvm/cpc.so group=sys mode=0555
215 $(i386_ONLY)file path=usr/lib/mdb/kvm/cpu.generic.so group=sys mode=0555
216 $(i386_ONLY)file path=usr/lib/mdb/kvm/cpu_ms.AuthenticAMD.15.so group=sys \
217 mode=0555
218 $(i386_ONLY)file path=usr/lib/mdb/kvm/crypto.so group=sys mode=0555
219 $(i386_ONLY)file path=usr/lib/mdb/kvm/genunix.so group=sys mode=0555
220 $(i386_ONLY)file path=usr/lib/mdb/kvm/hook.so group=sys mode=0555
221 $(i386_ONLY)file path=usr/lib/mdb/kvm/ip.so group=sys mode=0555
222 $(i386_ONLY)file path=usr/lib/mdb/kvm/ipc.so group=sys mode=0555
223 $(i386_ONLY)file path=usr/lib/mdb/kvm/ipp.so group=sys mode=0555
224 $(i386_ONLY)file path=usr/lib/mdb/kvm/krtld.so group=sys mode=0555
225 $(i386_ONLY)file path=usr/lib/mdb/kvm/lofs.so group=sys mode=0555
226 $(i386_ONLY)file path=usr/lib/mdb/kvm/logindmux.so group=sys mode=0555
227 $(i386_ONLY)file path=usr/lib/mdb/kvm/mac.so group=sys mode=0555
228 $(i386_ONLY)file path=usr/lib/mdb/kvm/md.so group=sys mode=0555
229 $(i386_ONLY)file path=usr/lib/mdb/kvm/mdb_kb.so group=sys mode=0555
230 $(i386_ONLY)file path=usr/lib/mdb/kvm/mdb_ks.so group=sys mode=0555
231 $(i386_ONLY)file path=usr/lib/mdb/kvm/mpt.so group=sys mode=0555
232 $(i386_ONLY)file path=usr/lib/mdb/kvm/mpt_sas.so group=sys mode=0555
233 $(i386_ONLY)file path=usr/lib/mdb/kvm/mr_sas.so group=sys mode=0555
234 $(i386_ONLY)file path=usr/lib/mdb/kvm/nca.so group=sys mode=0555
235 $(i386_ONLY)file path=usr/lib/mdb/kvm/neti.so group=sys mode=0555
236 $(i386_ONLY)file path=usr/lib/mdb/kvm/nfs.so group=sys mode=0555
237 $(i386_ONLY)file path=usr/lib/mdb/kvm/ptm.so group=sys mode=0555
238 $(i386_ONLY)file path=usr/lib/mdb/kvm/random.so group=sys mode=0555
239 $(i386_ONLY)file path=usr/lib/mdb/kvm/s1394.so group=sys mode=0555
240 $(i386_ONLY)file path=usr/lib/mdb/kvm/sata.so group=sys mode=0555
241 $(i386_ONLY)file path=usr/lib/mdb/kvm/scsi_vhci.so group=sys mode=0555

```

```

242 $(i386_ONLY)file path=usr/lib/mdb/kvm/sctp.so group=sys mode=0555
243 $(i386_ONLY)file path=usr/lib/mdb/kvm/sd.so group=sys mode=0555
244 $(i386_ONLY)file path=usr/lib/mdb/kvm/sockfs.so group=sys mode=0555
245 $(i386_ONLY)file path=usr/lib/mdb/kvm/specfs.so group=sys mode=0555
246 $(i386_ONLY)file path=usr/lib/mdb/kvm/sppp.so group=sys mode=0555
247 $(i386_ONLY)file path=usr/lib/mdb/kvm/ufs.so group=sys mode=0555
248 $(i386_ONLY)file path=usr/lib/mdb/kvm/uhci.so group=sys mode=0555
249 $(i386_ONLY)file path=usr/lib/mdb/kvm/usba.so group=sys mode=0555
250 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/ld.so group=sys mode=0555
251 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libavl.so group=sys mode=0555
252 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libc.so group=sys mode=0555
253 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libcmdutils.so group=sys \
254 mode=0555
255 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libnvpair.so group=sys \
256 mode=0555
257 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libproc.so group=sys mode=0555
258 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libpython2.6.so group=sys \
259 mode=0555
260 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libsysevent.so group=sys \
261 mode=0555
262 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libtopo.so group=sys mode=0555
263 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libumem.so group=sys mode=0555
264 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libuutil.so group=sys mode=0555
265 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/mdb_ds.so group=sys mode=0555
266 $(i386_BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/mdb_test.so group=sys \
267 file path=usr/lib/mdb/proc/$(ARCH64)/ld.so group=sys mode=0555
268 file path=usr/lib/mdb/proc/$(ARCH64)/libavl.so group=sys mode=0555
269 file path=usr/lib/mdb/proc/$(ARCH64)/libc.so group=sys mode=0555
270 file path=usr/lib/mdb/proc/$(ARCH64)/libcmdutils.so group=sys mode=0555
271 file path=usr/lib/mdb/proc/$(ARCH64)/libnvpair.so group=sys mode=0555
272 file path=usr/lib/mdb/proc/$(ARCH64)/libproc.so group=sys mode=0555
273 file path=usr/lib/mdb/proc/$(ARCH64)/libpython2.6.so group=sys mode=0555
274 file path=usr/lib/mdb/proc/$(ARCH64)/libsysevent.so group=sys mode=0555
275 file path=usr/lib/mdb/proc/$(ARCH64)/libtopo.so group=sys mode=0555
276 file path=usr/lib/mdb/proc/$(ARCH64)/libumem.so group=sys mode=0555
277 file path=usr/lib/mdb/proc/$(ARCH64)/libuutil.so group=sys mode=0555
278 file path=usr/lib/mdb/proc/$(ARCH64)/mdb_ds.so group=sys mode=0555
279 $(i386_ONLY)file path=usr/lib/mdb/proc/$(ARCH64)/mdb_test.so group=sys \
280 mode=0555
281 file path=usr/lib/mdb/proc/ld.so group=sys mode=0555
282 file path=usr/lib/mdb/proc/libavl.so group=sys mode=0555
283 file path=usr/lib/mdb/proc/libc.so group=sys mode=0555
284 file path=usr/lib/mdb/proc/libcmdutils.so group=sys mode=0555
285 file path=usr/lib/mdb/proc/libnvpair.so group=sys mode=0555
286 file path=usr/lib/mdb/proc/libproc.so group=sys mode=0555
287 file path=usr/lib/mdb/proc/libpython2.6.so group=sys mode=0555
288 file path=usr/lib/mdb/proc/libsysevent.so group=sys mode=0555
289 file path=usr/lib/mdb/proc/libtopo.so group=sys mode=0555
290 file path=usr/lib/mdb/proc/libumem.so group=sys mode=0555
291 file path=usr/lib/mdb/proc/libuutil.so group=sys mode=0555
292 file path=usr/lib/mdb/proc/mdb_ds.so group=sys mode=0555
293 $(i386_ONLY)file path=usr/lib/mdb/proc/$(ARCH64)/apix.so \
294 group=sys mode=0555
295 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/$(ARCH64)/pcplusmp.so \
296 group=sys mode=0555
297 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/$(ARCH64)/unix.so \
298 group=sys mode=0555
299 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/$(ARCH64)/uppc.so \
300 group=sys mode=0555
301 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/apix.so group=sys \
302 mode=0555
303 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/pcplusmp.so group=sys \
304 mode=0555
305 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/unix.so group=sys \
306 mode=0555

```

```

334 mode=0555
335 $(i386_ONLY)file path=usr/platform/i86pc/lib/mdb/kvm/uppc.so group=sys \
336 mode=0555
337 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/$(ARCH64)/unix.so \
338 group=sys mode=0555
339 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/$(ARCH64)/xpv.so \
340 group=sys mode=0555
341 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/$(ARCH64)/xpv_psm.so \
342 group=sys mode=0555
343 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/$(ARCH64)/xpv_uppc.so \
344 group=sys mode=0555
345 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/unix.so group=sys \
346 mode=0555
347 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/xpv.so group=sys \
348 mode=0555
349 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/xpv_psm.so group=sys \
350 mode=0555
351 $(i386_ONLY)file path=usr/platform/i86xpv/lib/mdb/kvm/xpv_uppc.so group=sys \
352 mode=0555
353 $(sparc_ONLY)file path=usr/platform/sun4u/lib/mdb/kvm/$(ARCH64)/oplhwd.so \
354 group=sys mode=0555
355 $(sparc_ONLY)file path=usr/platform/sun4u/lib/mdb/kvm/$(ARCH64)/sgenv.so \
356 group=sys mode=0555
357 $(sparc_ONLY)file path=usr/platform/sun4u/lib/mdb/kvm/$(ARCH64)/sgsbcc.so \
358 group=sys mode=0555
359 $(sparc_ONLY)file path=usr/platform/sun4u/lib/mdb/kvm/$(ARCH64)/unix.so \
360 group=sys mode=0555
361 $(sparc_ONLY)file path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64)/errh.so \
362 group=sys mode=0555
363 $(sparc_ONLY)file path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64)/ldc.so \
364 group=sys mode=0555
365 $(sparc_ONLY)file path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64)/mdesc.so \
366 group=sys mode=0555
367 $(sparc_ONLY)file path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64)/unix.so \
368 group=sys mode=0555
369 $(sparc_ONLY)file path=usr/platform/sun4v/lib/mdb/kvm/$(ARCH64)/vdsd.so \
370 group=sys mode=0555
371 file path=usr/share/man/man1/adb.1
372 file path=usr/share/man/man1/kmdb.1
373 file path=usr/share/man/man1/mdb.1
374 hardlink path=usr/bin/$(ARCH32)/adb target=../../../../usr/bin/$(ARCH32)/mdb
375 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/adb \
376 target=../../../../usr/bin/$(ARCH64)/mdb
377 hardlink path=usr/bin/$(ARCH64)/adb target=../../../../usr/bin/$(ARCH64)/mdb
378 hardlink path=usr/bin/adb target=../../../../usr/lib/isaexec
379 hardlink path=usr/bin/mdb target=../../../../usr/lib/isaexec
379 legacy pkg=SUNWmdb desc="Modular Debugger (MDB)" name="Modular Debugger"
380 legacy pkg=SUNWmdbr desc="Modular Debugger (MDB) (Root)" \
381 name="Modular Debugger (Root)"
382 license cr_Sun license=cr_Sun
383 license lic_CDDL license=lic_CDDL
384 license usr/src/common/bzip2/LICENSE license=usr/src/common/bzip2/LICENSE
385 license usr/src/uts/common/io/mr_sas/THIRDPARTYLICENSE \
386 license=usr/src/uts/common/io/mr_sas/THIRDPARTYLICENSE
387 license usr/src/uts/common/zmod/THIRDPARTYLICENSE \
388 license=usr/src/uts/common/zmod/THIRDPARTYLICENSE
389 $(sparc_ONLY)link path=kernel/kmdb/$(ARCH64)/niux target=intr
390 $(sparc_ONLY)link path=kernel/kmdb/$(ARCH64)/pcipsy target=intr
391 $(sparc_ONLY)link path=kernel/kmdb/$(ARCH64)/pcisch target=intr
392 $(sparc_ONLY)link path=kernel/kmdb/$(ARCH64)/px target=intr
393 $(sparc_BUILD64)link path=usr/lib/mdb/kvm/$(ARCH64)/niux.so target=intr.so
394 $(sparc_BUILD64)link path=usr/lib/mdb/kvm/$(ARCH64)/pcipsy.so target=intr.so
395 $(sparc_BUILD64)link path=usr/lib/mdb/kvm/$(ARCH64)/pcisch.so target=intr.so
396 $(sparc_BUILD64)link path=usr/lib/mdb/kvm/$(ARCH64)/px.so target=intr.so
399 $(sparc_ONLY)link path=usr/lib/mdb/kvm/$(ARCH64)/niux.so target=intr.so
350 $(sparc_ONLY)link path=usr/lib/mdb/kvm/$(ARCH64)/pcipsy.so target=intr.so

```

```

351 $(sparc_ONLY)link path=usr/lib/mdb/kvm/$(ARCH64)/pcisch.so target=intr.so
352 $(sparc_ONLY)link path=usr/lib/mdb/kvm/$(ARCH64)/px.so target=intr.so

```

new/usr/src/pkg/manifests/developer-dtrace.mf

1

```
*****
27220 Fri Apr 11 13:24:06 2014
new/usr/src/pkg/manifests/developer-dtrace.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25 #
26 #
27 #
28 #
29 # Copyright (c) 2012 by Delphix. All rights reserved.
30 # Copyright 2014 Andrew Stormont.
31 #endif /* ! codereview */
32 #
33 #
34 #
35 #
36 #
37 #
38 #
39 #
40 #
41 #
42 #
43 #
44 #
45 #
46 #
47 #
48 #
49 #
50 #
51 #
52 #
53 #
54 #
55 #
56 #
57 #
58 #
59 #
60 #
61 #
62 #
63 #
64 #
65 #
66 #
67 #
68 #
69 #
70 #
71 #
72 #
73 #
74 #
75 #
76 #
77 #
78 #
79 #
80 #
81 #
82 #
83 #
84 #
85 #
86 #
87 #
88 #
89 #
90 #
91 #
92 #
93 #
94 #
95 #
96 #
97 #
98 #
99 #
100 #
101 #
102 #
103 #
104 #
105 #
106 #
107 #
108 #
109 #
110 #
111 #
112 #
113 #
114 #
115 #
116 #
117 #
118 #
119 #
120 #
121 #
122 #
123 #
124 #
125 #
126 #
127 #
128 #
129 #
130 #
131 #
132 #
133 #
134 #
135 #
136 #
137 #
138 #
139 #
140 #
141 #
142 #
143 #
144 #
145 #
146 #
147 #
148 #
149 #
150 #
151 #
152 #
153 #
154 #
155 #
156 #
157 #
158 #
159 #
160 #
161 #
162 #
163 #
164 #
165 #
166 #
167 #
168 #
169 #
170 #
171 #
172 #
173 #
174 #
175 #
176 #
177 #
178 #
179 #
180 #
181 #
182 #
183 #
184 #
185 #
186 #
187 #
188 #
189 #
190 #
191 #
192 #
193 #
194 #
195 #
196 #
197 #
198 #
199 #
200 #
201 #
202 #
203 #
204 #
205 #
206 #
207 #
208 #
209 #
210 #
211 #
212 #
213 #
214 #
215 #
216 #
217 #
218 #
219 #
220 #
221 #
222 #
223 #
224 #
225 #
226 #
227 #
228 #
229 #
230 #
231 #
232 #
233 #
234 #
235 #
236 #
237 #
238 #
239 #
240 #
241 #
242 #
243 #
244 #
245 #
246 #
247 #
248 #
249 #
250 #
251 #
252 #
253 #
254 #
255 #
256 #
257 #
258 #
259 #
260 #
261 #
262 #
263 #
264 #
265 #
266 #
267 #
268 #
269 #
270 #
271 #
272 #
273 #
274 #
275 #
276 #
277 #
278 #
279 #
280 #
281 #
282 #
283 #
284 #
285 #
286 #
287 #
288 #
289 #
290 #
291 #
292 #
293 #
294 #
295 #
296 #
297 #
298 #
299 #
300 #
301 #
302 #
303 #
304 #
305 #
306 #
307 #
308 #
309 #
310 #
311 #
312 #
313 #
314 #
315 #
316 #
317 #
318 #
319 #
320 #
321 #
322 #
323 #
324 #
325 #
326 #
327 #
328 #
329 #
330 #
331 #
332 #
333 #
334 #
335 #
336 #
337 #
338 #
339 #
340 #
341 #
342 #
343 #
344 #
345 #
346 #
347 #
348 #
349 #
350 #
351 #
352 #
353 #
354 #
355 #
356 #
357 #
358 #
359 #
360 #
361 #
362 #
363 #
364 #
365 #
366 #
367 #
368 #
369 #
370 #
371 #
372 #
373 #
374 #
375 #
376 #
377 #
378 #
379 #
380 #
381 #
382 #
383 #
384 #
385 #
386 #
387 #
388 #
389 #
390 #
391 #
392 #
393 #
394 #
395 #
396 #
397 #
398 #
399 #
400 #
401 #
402 #
403 #
404 #
405 #
406 #
407 #
408 #
409 #
410 #
411 #
412 #
413 #
414 #
415 #
416 #
417 #
418 #
419 #
420 #
421 #
422 #
423 #
424 #
425 #
426 #
427 #
428 #
429 #
430 #
431 #
432 #
433 #
434 #
435 #
436 #
437 #
438 #
439 #
440 #
441 #
442 #
443 #
444 #
445 #
446 #
447 #
448 #
449 #
450 #
451 #
452 #
453 #
454 #
455 #
456 #
457 #
458 #
459 #
460 #
461 #
462 #
463 #
464 #
465 #
466 #
467 #
468 #
469 #
470 #
471 #
472 #
473 #
474 #
475 #
476 #
477 #
478 #
479 #
480 #
481 #
482 #
483 #
484 #
485 #
486 #
487 #
488 #
489 #
490 #
491 #
492 #
493 #
494 #
495 #
496 #
497 #
498 #
499 #
500 #
501 #
502 #
503 #
504 #
505 #
506 #
507 #
508 #
509 #
510 #
511 #
512 #
513 #
514 #
515 #
516 #
517 #
518 #
519 #
520 #
521 #
522 #
523 #
524 #
525 #
526 #
527 #
528 #
529 #
530 #
531 #
532 #
533 #
534 #
535 #
536 #
537 #
538 #
539 #
540 #
541 #
542 #
543 #
544 #
545 #
546 #
547 #
548 #
549 #
550 #
551 #
552 #
553 #
554 #
555 #
556 #
557 #
558 #
559 #
560 #
561 #
562 #
563 #
564 #
565 #
566 #
567 #
568 #
569 #
570 #
571 #
572 #
573 #
574 #
575 #
576 #
577 #
578 #
579 #
580 #
581 #
582 #
583 #
584 #
585 #
586 #
587 #
588 #
589 #
590 #
591 #
592 #
593 #
594 #
595 #
596 #
597 #
598 #
599 #
600 #
601 #
602 #
603 #
604 #
605 #
606 #
607 #
608 #
609 #
610 #
611 #
612 #
613 #
614 #
615 #
616 #
617 #
618 #
619 #
620 #
621 #
622 #
623 #
624 #
625 #
626 #
627 #
628 #
629 #
630 #
631 #
632 #
633 #
634 #
635 #
636 #
637 #
638 #
639 #
640 #
641 #
642 #
643 #
644 #
645 #
646 #
647 #
648 #
649 #
650 #
651 #
652 #
653 #
654 #
655 #
656 #
657 #
658 #
659 #
660 #
661 #
662 #
663 #
664 #
665 #
666 #
667 #
668 #
669 #
670 #
671 #
672 #
673 #
674 #
675 #
676 #
677 #
678 #
679 #
680 #
681 #
682 #
683 #
684 #
685 #
686 #
687 #
688 #
689 #
690 #
691 #
692 #
693 #
694 #
695 #
696 #
697 #
698 #
699 #
700 #
701 #
702 #
703 #
704 #
705 #
706 #
707 #
708 #
709 #
710 #
711 #
712 #
713 #
714 #
715 #
716 #
717 #
718 #
719 #
720 #
721 #
722 #
723 #
724 #
725 #
726 #
727 #
728 #
729 #
730 #
731 #
732 #
733 #
734 #
735 #
736 #
737 #
738 #
739 #
740 #
741 #
742 #
743 #
744 #
745 #
746 #
747 #
748 #
749 #
750 #
751 #
752 #
753 #
754 #
755 #
756 #
757 #
758 #
759 #
760 #
761 #
762 #
763 #
764 #
765 #
766 #
767 #
768 #
769 #
770 #
771 #
772 #
773 #
774 #
775 #
776 #
777 #
778 #
779 #
780 #
781 #
782 #
783 #
784 #
785 #
786 #
787 #
788 #
789 #
790 #
791 #
792 #
793 #
794 #
795 #
796 #
797 #
798 #
799 #
800 #
801 #
802 #
803 #
804 #
805 #
806 #
807 #
808 #
809 #
810 #
811 #
812 #
813 #
814 #
815 #
816 #
817 #
818 #
819 #
820 #
821 #
822 #
823 #
824 #
825 #
826 #
827 #
828 #
829 #
830 #
831 #
832 #
833 #
834 #
835 #
836 #
837 #
838 #
839 #
840 #
841 #
842 #
843 #
844 #
845 #
846 #
847 #
848 #
849 #
850 #
851 #
852 #
853 #
854 #
855 #
856 #
857 #
858 #
859 #
860 #
861 #
862 #
863 #
864 #
865 #
866 #
867 #
868 #
869 #
870 #
871 #
872 #
873 #
874 #
875 #
876 #
877 #
878 #
879 #
880 #
881 #
882 #
883 #
884 #
885 #
886 #
887 #
888 #
889 #
890 #
891 #
892 #
893 #
894 #
895 #
896 #
897 #
898 #
899 #
900 #
901 #
902 #
903 #
904 #
905 #
906 #
907 #
908 #
909 #
910 #
911 #
912 #
913 #
914 #
915 #
916 #
917 #
918 #
919 #
920 #
921 #
922 #
923 #
924 #
925 #
926 #
927 #
928 #
929 #
930 #
931 #
932 #
933 #
934 #
935 #
936 #
937 #
938 #
939 #
940 #
941 #
942 #
943 #
944 #
945 #
946 #
947 #
948 #
949 #
950 #
951 #
952 #
953 #
954 #
955 #
956 #
957 #
958 #
959 #
960 #
961 #
962 #
963 #
964 #
965 #
966 #
967 #
968 #
969 #
970 #
971 #
972 #
973 #
974 #
975 #
976 #
977 #
978 #
979 #
980 #
981 #
982 #
983 #
984 #
985 #
986 #
987 #
988 #
989 #
990 #
991 #
992 #
993 #
994 #
995 #
996 #
997 #
998 #
999 #
1000 #
```

new/usr/src/pkg/manifests/developer-dtrace.mf

2

```
55 dir path=usr/share/lib
56 dir path=usr/share/lib/java group=sys
57 dir path=usr/share/lib/java/javadoc group=other
58 dir path=usr/share/lib/java/javadoc/dtrace group=other
59 dir path=usr/share/lib/java/javadoc/dtrace/api group=other
60 dir path=usr/share/lib/java/javadoc/dtrace/api/org group=other
61 dir path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris group=other
62 dir path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os group=other
63 dir path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace \
64 group=other
65 dir \
66 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
67 group=other
68 dir path=usr/share/lib/java/javadoc/dtrace/api/resources group=other
69 dir path=usr/share/lib/java/javadoc/dtrace/examples group=other
70 dir path=usr/share/lib/java/javadoc/dtrace/html group=other
71 dir path=usr/share/lib/java/javadoc/dtrace/images group=other
72 dir path=usr/share/man/man1m
73 dir path=usr/share/man/man3lib
74 file path=usr/demo/dtrace/applicat.d
75 file path=usr/demo/dtrace/badopen.d
76 file path=usr/demo/dtrace/begin.d
77 file path=usr/demo/dtrace/callout.d
78 file path=usr/demo/dtrace/clause.d
79 file path=usr/demo/dtrace/clear.d
80 file path=usr/demo/dtrace/countdown.d
81 file path=usr/demo/dtrace/counter.d
82 file path=usr/demo/dtrace/dateprof.d
83 file path=usr/demo/dtrace/delay.d
84 file path=usr/demo/dtrace/denorm.d
85 file path=usr/demo/dtrace/end.d
86 file path=usr/demo/dtrace/error.d
87 file path=usr/demo/dtrace/errorpath.d
88 file path=usr/demo/dtrace/find.d
89 file path=usr/demo/dtrace/firebird.d
90 file path=usr/demo/dtrace/hello.d
91 file path=usr/demo/dtrace/howlong.d
92 file path=usr/demo/dtrace/index.html
93 file path=usr/demo/dtrace/interp.d
94 file path=usr/demo/dtrace/interval.d
95 file path=usr/demo/dtrace/intr.d
96 file path=usr/demo/dtrace/iocpu.d
97 file path=usr/demo/dtrace/iosnoop.d
98 file path=usr/demo/dtrace/iorthrough.d
99 file path=usr/demo/dtrace/iotime.d
100 file path=usr/demo/dtrace/ipio.d
101 file path=usr/demo/dtrace/ipproto.d
102 $(i386_ONLY)file path=usr/demo/dtrace/iprb.d
103 file path=usr/demo/dtrace/kstat.d
104 file path=usr/demo/dtrace/ksyms.d
105 file path=usr/demo/dtrace/libc.d
106 file path=usr/demo/dtrace/lquantize.d
107 file path=usr/demo/dtrace/lwptime.d
108 file path=usr/demo/dtrace/normalize.d
109 file path=usr/demo/dtrace/nscd.d
110 file path=usr/demo/dtrace/pri.d
111 file path=usr/demo/dtrace/printa.d
112 file path=usr/demo/dtrace/pritime.d
113 file path=usr/demo/dtrace/prof.d
114 file path=usr/demo/dtrace/profpri.d
115 file path=usr/demo/dtrace/proftime.d
116 file path=usr/demo/dtrace/putnext.d
117 file path=usr/demo/dtrace/qlen.d
118 file path=usr/demo/dtrace/qtime.d
119 file path=usr/demo/dtrace/renormalize.d
120 file path=usr/demo/dtrace/restest.d
```

```

121 file path=usr/demo/dtrace/ring.d
122 file path=usr/demo/dtrace/rttime.d
123 file path=usr/demo/dtrace/rwinfo.d
124 file path=usr/demo/dtrace/rwtime.d
125 file path=usr/demo/dtrace/sig.d
126 file path=usr/demo/dtrace/soffice.d
127 file path=usr/demo/dtrace/spec.d
128 file path=usr/demo/dtrace/specopen.d
129 file path=usr/demo/dtrace/ssd.d
130 file path=usr/demo/dtrace/syscall.d
131 file path=usr/demo/dtrace/toplstbyte.d
132 file path=usr/demo/dtrace/tcpbytes.d
133 file path=usr/demo/dtrace/tcpbytesstat.d
134 file path=usr/demo/dtrace/tcpconmlat.d
135 file path=usr/demo/dtrace/tcpio.d
136 file path=usr/demo/dtrace/tcpioflags.d
137 file path=usr/demo/dtrace/tcprst.d
138 file path=usr/demo/dtrace/tcpsnoop.d
139 file path=usr/demo/dtrace/topstate.d
140 file path=usr/demo/dtrace/tcptom.d
141 file path=usr/demo/dtrace/tick.d
142 file path=usr/demo/dtrace/ticktime.d
143 file path=usr/demo/dtrace/time.d
144 file path=usr/demo/dtrace/tracewrite.d
145 file path=usr/demo/dtrace/trunc.d
146 file path=usr/demo/dtrace/trussrw.d
147 file path=usr/demo/dtrace/udpbytes.d
148 file path=usr/demo/dtrace/udpbytesstat.d
149 file path=usr/demo/dtrace/udpio.d
150 file path=usr/demo/dtrace/udpsnoop.d
151 file path=usr/demo/dtrace/udptom.d
152 file path=usr/demo/dtrace/userfunc.d
153 file path=usr/demo/dtrace/whatfor.d
154 file path=usr/demo/dtrace/whatlock.d
155 file path=usr/demo/dtrace/where.d
156 file path=usr/demo/dtrace/whererun.d
157 file path=usr/demo/dtrace/whoexec.d
158 file path=usr/demo/dtrace/whofor.d
159 file path=usr/demo/dtrace/whoio.d
160 file path=usr/demo/dtrace/whopreempt.d
161 file path=usr/demo/dtrace/whoqueue.d
162 file path=usr/demo/dtrace/whosteal.d
163 file path=usr/demo/dtrace/whowrite.d
164 file path=usr/demo/dtrace/writes.d
165 file path=usr/demo/dtrace/writesbycmd.d
166 file path=usr/demo/dtrace/writesbycmdfd.d
167 file path=usr/demo/dtrace/writetime.d
168 file path=usr/demo/dtrace/writetimeq.d
169 file path=usr/demo/dtrace/xioctl.d
170 file path=usr/demo/dtrace/xterm.d
171 file path=usr/demo/dtrace/xwork.d
172 file path=usr/include/dtrace.h
173 file path=usr/include/sys/dtrace.h
174 file path=usr/include/sys/dtrace_impl.h
175 file path=usr/include/sys/fasttrap.h
176 file path=usr/include/sys/fasttrap_impl.h
177 file path=usr/include/sys/fasttrap_isa.h
178 file path=usr/include/sys/lockstat.h
179 file path=usr/include/sys/sdt.h
180 $(BUILDP64)file path=usr/lib/$(ARCH64)/libdtrace.so.1
181 $(BUILDP64)file path=usr/lib/$(ARCH64)/libdtrace_jni.so.1
182 $(BUILDP64)file path=usr/lib/$(ARCH64)/llib-dtrace.ln
167 file path=usr/lib/$(ARCH64)/libdtrace.so.1
168 file path=usr/lib/$(ARCH64)/libdtrace_jni.so.1
169 file path=usr/lib/$(ARCH64)/llib-dtrace.ln
183 file path=usr/lib/devfsadm/linkmod/SUNW_dtrace_link.so group=sys

```

```

184 file path=usr/lib/dtrace/64/drti.o mode=0444
185 file path=usr/lib/dtrace/64/libdtrace_forceload.so mode=0555
186 file path=usr/lib/dtrace/drti.o mode=0444
187 file path=usr/lib/dtrace/errno.d mode=0444
188 file path=usr/lib/dtrace/fc.d mode=0444
189 file path=usr/lib/dtrace/io.d mode=0444
190 file path=usr/lib/dtrace/ip.d mode=0444
191 file path=usr/lib/dtrace/isccsit.d mode=0444
192 file path=usr/lib/dtrace/libdtrace_forceload.so mode=0555
193 file path=usr/lib/dtrace/net.d mode=0444
194 file path=usr/lib/dtrace/nfs.d mode=0444
195 file path=usr/lib/dtrace/nfssrv.d mode=0444
196 file path=usr/lib/dtrace/procfs.d mode=0444
197 file path=usr/lib/dtrace/regs.d mode=0444
198 file path=usr/lib/dtrace/sched.d mode=0444
199 file path=usr/lib/dtrace/scsi.d mode=0444
200 file path=usr/lib/dtrace/signal.d mode=0444
201 file path=usr/lib/dtrace/srp.d mode=0444
202 file path=usr/lib/dtrace/syseven.d mode=0444
203 file path=usr/lib/dtrace/tcp.d mode=0444
204 file path=usr/lib/dtrace/udp.d mode=0444
205 file path=usr/lib/dtrace/unistd.d mode=0444
206 file path=usr/lib/libdtrace.so.1
207 file path=usr/lib/libdtrace_jni.so.1
208 file path=usr/lib/llib-dtrace
209 file path=usr/lib/llib-dtrace.ln
210 $(BUILDP64)file path=usr/lib/mdb/kvm/$(ARCH64)/dtrace.so group=sys mode=0555
197 file path=usr/lib/mdb/kvm/$(ARCH64)/dtrace.so group=sys mode=0555
211 $(i386_ONLY)file path=usr/lib/mdb/kvm/dtrace.so group=sys mode=0555
212 $(BUILDP64)file path=usr/lib/mdb/raw/$(ARCH64)/dof.so group=sys mode=0555
199 file path=usr/lib/mdb/raw/$(ARCH64)/dof.so group=sys mode=0555
213 file path=usr/lib/mdb/raw/dof.so group=sys mode=0555
214 file path=usr/sbin/$(ARCH32)/dtrace mode=0555
215 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/intrstat mode=0555
216 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/lockstat mode=0555
217 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/plockstat mode=0555
218 $(BUILDP64)file path=usr/sbin/$(ARCH64)/dtrace mode=0555
219 $(BUILDP64)file path=usr/sbin/$(ARCH64)/intrstat mode=0555
220 $(BUILDP64)file path=usr/sbin/$(ARCH64)/lockstat mode=0555
221 $(BUILDP64)file path=usr/sbin/$(ARCH64)/plockstat mode=0555
205 file path=usr/sbin/$(ARCH64)/dtrace mode=0555
206 file path=usr/sbin/$(ARCH64)/intrstat mode=0555
207 file path=usr/sbin/$(ARCH64)/lockstat mode=0555
208 file path=usr/sbin/$(ARCH64)/plockstat mode=0555
222 file path=usr/share/lib/java/dtrace.jar group=sys
223 file path=usr/share/lib/java/javadoc/dtrace/api/allclasses-frame.html \
224 group=other
225 file path=usr/share/lib/java/javadoc/dtrace/api/allclasses-noframe.html \
226 group=other
227 file path=usr/share/lib/java/javadoc/dtrace/api/constant-values.html \
228 group=other
229 file path=usr/share/lib/java/javadoc/dtrace/api/deprecated-list.html \
230 group=other
231 file path=usr/share/lib/java/javadoc/dtrace/api/help-doc.html group=other
232 file path=usr/share/lib/java/javadoc/dtrace/api/index-all.html group=other
233 file path=usr/share/lib/java/javadoc/dtrace/api/index.html group=other
234 file \
235 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Aggrega
236 group=other
237 file \
238 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Aggrega
239 group=other
240 file \
241 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Aggrega
242 group=other
243 file \

```

```

244 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Aggrega
245 group=other
246 file \
247 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/AvgValu
248 group=other
249 file \
250 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
251 group=other
252 file \
253 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
254 group=other
255 file \
256 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
257 group=other
258 file \
259 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
260 group=other
261 file \
262 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
263 group=other
264 file \
265 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Consume
266 group=other
267 file \
268 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/CountVa
269 group=other
270 file \
271 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/DTraceE
272 group=other
273 file \
274 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/DataEve
275 group=other
276 file \
277 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Distrib
278 group=other
279 file \
280 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Distrib
281 group=other
282 file \
283 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Drop.Ki
284 group=other
285 file \
286 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Drop.ht
287 group=other
288 file \
289 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/DropEve
290 group=other
291 file \
292 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Error.h
293 group=other
294 file \
295 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ErrorEv
296 group=other
297 file \
298 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Excepti
299 group=other
300 file \
301 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ExitRec
302 group=other
303 file \
304 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Flow.Ki
305 group=other
306 file \
307 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Flow.ht
308 group=other
309 file \

```

```

310 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Interfa
311 group=other
312 file \
313 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Interfa
314 group=other
315 file \
316 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Interfa
317 group=other
318 file \
319 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/KernelS
320 group=other
321 file \
322 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/KernelS
323 group=other
324 file \
325 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/LinearD
326 group=other
327 file \
328 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/LocalCo
329 group=other
330 file \
331 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/LogDist
332 group=other
333 file \
334 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/LogLine
335 group=other
336 file \
337 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/MaxValu
338 group=other
339 file \
340 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/MinValu
341 group=other
342 file \
343 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Option.
344 group=other
345 file \
346 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/PrintaR
347 group=other
348 file \
349 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/PrintfR
350 group=other
351 file \
352 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Probe.h
353 group=other
354 file \
355 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ProbeDa
356 group=other
357 file \
358 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ProbeDa
359 group=other
360 file \
361 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ProbeDe
362 group=other
363 file \
364 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ProbeDe
365 group=other
366 file \
367 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ProbeIn
368 group=other
369 file \
370 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Process
371 group=other
372 file \
373 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Process
374 group=other
375 file \

```



```

376 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Process
377 group=other
378 file \
379 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Program
380 group=other
381 file \
382 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Program
383 group=other
384 file \
385 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Program
386 group=other
387 file \
388 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Record.
389 group=other
390 file \
391 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ScalarR
392 group=other
393 file \
394 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/StackFr
395 group=other
396 file \
397 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/StackVa
398 group=other
399 file \
400 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/StddevV
401 group=other
402 file \
403 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/SumValu
404 group=other
405 file \
406 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/SymbolV
407 group=other
408 file \
409 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/Tuple.h
410 group=other
411 file \
412 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/UserSta
413 group=other
414 file \
415 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/UserSym
416 group=other
417 file \
418 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/UserSym
419 group=other
420 file \
421 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/ValueRe
422 group=other
423 file \
424 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
425 group=other
426 file \
427 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
428 group=other
429 file \
430 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
431 group=other
432 file \
433 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
434 group=other
435 file \
436 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
437 group=other
438 file \
439 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
440 group=other
441 file \

```

```

442 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
443 group=other
444 file \
445 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
446 group=other
447 file \
448 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
449 group=other
450 file \
451 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
452 group=other
453 file \
454 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
455 group=other
456 file \
457 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
458 group=other
459 file \
460 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
461 group=other
462 file \
463 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
464 group=other
465 file \
466 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
467 group=other
468 file \
469 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
470 group=other
471 file \
472 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
473 group=other
474 file \
475 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
476 group=other
477 file \
478 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
479 group=other
480 file \
481 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
482 group=other
483 file \
484 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
485 group=other
486 file \
487 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
488 group=other
489 file \
490 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
491 group=other
492 file \
493 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
494 group=other
495 file \
496 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
497 group=other
498 file \
499 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
500 group=other
501 file \
502 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
503 group=other
504 file \
505 path=/usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
506 group=other
507 file \

```

```

508 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
509 group=other
510 file \
511 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
512 group=other
513 file \
514 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
515 group=other
516 file \
517 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
518 group=other
519 file \
520 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
521 group=other
522 file \
523 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
524 group=other
525 file \
526 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
527 group=other
528 file \
529 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
530 group=other
531 file \
532 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
533 group=other
534 file \
535 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
536 group=other
537 file \
538 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
539 group=other
540 file \
541 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
542 group=other
543 file \
544 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
545 group=other
546 file \
547 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
548 group=other
549 file \
550 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
551 group=other
552 file \
553 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
554 group=other
555 file \
556 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
557 group=other
558 file \
559 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
560 group=other
561 file \
562 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
563 group=other
564 file \
565 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
566 group=other
567 file \
568 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
569 group=other
570 file \
571 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
572 group=other
573 file \

```

```

574 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
575 group=other
576 file \
577 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
578 group=other
579 file \
580 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
581 group=other
582 file \
583 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
584 group=other
585 file \
586 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
587 group=other
588 file \
589 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
590 group=other
591 file \
592 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
593 group=other
594 file \
595 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
596 group=other
597 file \
598 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
599 group=other
600 file \
601 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
602 group=other
603 file \
604 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
605 group=other
606 file \
607 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
608 group=other
609 file \
610 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/class-u
611 group=other
612 file \
613 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/package
614 group=other
615 file \
616 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/package
617 group=other
618 file \
619 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/package
620 group=other
621 file \
622 path=usr/share/lib/java/javadoc/dtrace/api/org/opensolaris/os/dtrace/package
623 group=other
624 file path=usr/share/lib/java/javadoc/dtrace/api/overview-tree.html group=other
625 file path=usr/share/lib/java/javadoc/dtrace/api/package-list group=other
626 file path=usr/share/lib/java/javadoc/dtrace/api/resources/inherit.gif \
627 group=other
628 file path=usr/share/lib/java/javadoc/dtrace/api/serialized-form.html \
629 group=other
630 file path=usr/share/lib/java/javadoc/dtrace/api/stylessheet.css group=other
631 file path=usr/share/lib/java/javadoc/dtrace/examples/TestAPI.java group=other
632 file path=usr/share/lib/java/javadoc/dtrace/examples/TestAPI2.java group=other
633 file path=usr/share/lib/java/javadoc/dtrace/examples/TestTarget.java \
634 group=other
635 file path=usr/share/lib/java/javadoc/dtrace/examples/hello.d group=other
636 file path=usr/share/lib/java/javadoc/dtrace/examples/intrstat.d group=other
637 file path=usr/share/lib/java/javadoc/dtrace/examples/syscall.d group=other
638 file path=usr/share/lib/java/javadoc/dtrace/examples/target.d group=other
639 file path=usr/share/lib/java/javadoc/dtrace/html/JavaDTraceAPI.html \

```

```
640     group=other
641 file path=usr/share/lib/java/javadoc/dtrace/html/fast.html group=other
642 file path=usr/share/lib/java/javadoc/dtrace/images/JavaDTraceAPI.gif \
643     group=other
644 file path=usr/share/man/man1m/dtrace.1m
645 file path=usr/share/man/man1m/intrstat.1m
646 file path=usr/share/man/man1m/lockstat.1m
647 file path=usr/share/man/man1m/plockstat.1m
648 file path=usr/share/man/man3lib/libdtrace.3lib
649 hardlink path=usr/sbin/dtrace target=../../usr/lib/isaexec
650 hardlink path=usr/sbin/intrstat target=../../usr/lib/isaexec
651 hardlink path=usr/sbin/lockstat target=../../usr/lib/isaexec
652 hardlink path=usr/sbin/plockstat target=../../usr/lib/isaexec
653 legacy pkg=SUNWdtrc desc="Dynamic Tracing (DTrace) Clients" \
654     name="DTrace Clients"
655 license cr_Sun license=cr_Sun
656 license lic_CDDL license=lic_CDDL
657 $(BUILD64)link path=usr/lib/$(ARCH64)/libdtrace.so target=libdtrace.so.1
658 $(BUILD64)link path=usr/lib/$(ARCH64)/libdtrace_jni.so \
659     target=libdtrace_jni.so.1
660 link path=usr/lib/$(ARCH64)/libdtrace.so target=libdtrace.so.1
661 link path=usr/lib/$(ARCH64)/libdtrace_jni.so target=libdtrace_jni.so.1
```

new/usr/src/pkg/manifests/developer-library-lint.mf

1

```
*****
25766 Fri Apr 11 13:24:07 2014
new/usr/src/pkg/manifests/developer-library-lint.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 # Copyright 2014 Andrew Stormont.
27 #endif /* ! codereview */
28 #
29 #
30 set name=pkg.fmri value=pkg:/developer/library/lint@$(PKGVERS)
31 set name=pkg.description \
32     value="lint libraries and startup objects for software development"
33 set name=pkg.summary value="Lint Libraries"
34 set name=info.classification value=org.opensolaris.category.2008:Development/C
35 set name=variant.arch value=$(ARCH)
36 dir path=lib
37 $(BUILD64)dir path=lib/$(ARCH64)
26 dir path=lib/$(ARCH64)
38 dir path=usr group=sys
39 dir path=usr/ccs
40 dir path=usr/ccs/lib
41 $(BUILD64)dir path=usr/ccs/lib/$(ARCH64)
30 dir path=usr/ccs/lib/$(ARCH64)
42 dir path=usr/lib
43 $(BUILD64)dir path=usr/lib/$(ARCH64)
32 dir path=usr/lib/$(ARCH64)
44 dir path=usr/lib/scsi
45 $(BUILD64)dir path=usr/lib/scsi/$(ARCH64)
34 dir path=usr/lib/scsi/$(ARCH64)
46 dir path=usr/xpg4
47 dir path=usr/xpg4/lib
48 $(BUILD64)dir path=usr/xpg4/lib/$(ARCH64)
49 $(BUILD64)file path=lib/$(ARCH64)/llib-ladm.ln
50 $(BUILD64)file path=lib/$(ARCH64)/llib-laio.ln
51 $(BUILD64)file path=lib/$(ARCH64)/llib-lbsm.ln
52 $(BUILD64)file path=lib/$(ARCH64)/llib-lc.ln
53 $(BUILD64)file path=lib/$(ARCH64)/llib-lc_db.ln
54 $(BUILD64)file path=lib/$(ARCH64)/llib-lcontract.ln
55 $(BUILD64)file path=lib/$(ARCH64)/llib-lcryptoutil.ln
56 $(BUILD64)file path=lib/$(ARCH64)/llib-lctf.ln
57 $(BUILD64)file path=lib/$(ARCH64)/llib-lcurses.ln
```

new/usr/src/pkg/manifests/developer-library-lint.mf

2

```
58 $(BUILD64)file path=lib/$(ARCH64)/llib-ldevice.ln
59 $(BUILD64)file path=lib/$(ARCH64)/llib-ldevid.ln
60 $(BUILD64)file path=lib/$(ARCH64)/llib-ldevinfo.ln
61 $(BUILD64)file path=lib/$(ARCH64)/llib-ldl.ln
62 $(BUILD64)file path=lib/$(ARCH64)/llib-ldladm.ln
63 $(BUILD64)file path=lib/$(ARCH64)/llib-ldlpi.ln
64 $(BUILD64)file path=lib/$(ARCH64)/llib-ldoor.ln
65 $(BUILD64)file path=lib/$(ARCH64)/llib-lefi.ln
66 $(BUILD64)file path=lib/$(ARCH64)/llib-lelf.ln
67 $(i386_BUILD64)file path=lib/$(ARCH64)/llib-lfdisk.ln
68 $(BUILD64)file path=lib/$(ARCH64)/llib-lgen.ln
69 $(BUILD64)file path=lib/$(ARCH64)/llib-lintl.ln
70 $(BUILD64)file path=lib/$(ARCH64)/llib-lkmf.ln
71 $(BUILD64)file path=lib/$(ARCH64)/llib-lkmfberder.ln
72 $(BUILD64)file path=lib/$(ARCH64)/llib-lkstat.ln
73 $(BUILD64)file path=lib/$(ARCH64)/llib-lmd.ln
74 $(BUILD64)file path=lib/$(ARCH64)/llib-lmd5.ln
75 $(BUILD64)file path=lib/$(ARCH64)/llib-lnsl.ln
76 $(BUILD64)file path=lib/$(ARCH64)/llib-lnvpair.ln
77 $(BUILD64)file path=lib/$(ARCH64)/llib-lpam.ln
78 $(BUILD64)file path=lib/$(ARCH64)/llib-lpthread.ln
79 $(BUILD64)file path=lib/$(ARCH64)/llib-lrcm.ln
80 $(BUILD64)file path=lib/$(ARCH64)/llib-lresolv.ln
81 $(BUILD64)file path=lib/$(ARCH64)/llib-lrpcsvc.ln
82 $(BUILD64)file path=lib/$(ARCH64)/llib-lrt.ln
83 $(BUILD64)file path=lib/$(ARCH64)/llib-lrtld_db.ln
84 $(BUILD64)file path=lib/$(ARCH64)/llib-lscf.ln
85 $(BUILD64)file path=lib/$(ARCH64)/llib-lsec.ln
86 $(BUILD64)file path=lib/$(ARCH64)/llib-lsecdb.ln
87 $(BUILD64)file path=lib/$(ARCH64)/llib-lsendfile.ln
88 $(BUILD64)file path=lib/$(ARCH64)/llib-lsocket.ln
89 $(BUILD64)file path=lib/$(ARCH64)/llib-lsysevent.ln
90 $(BUILD64)file path=lib/$(ARCH64)/llib-ltermcap.ln
91 $(BUILD64)file path=lib/$(ARCH64)/llib-lthead.ln
92 $(BUILD64)file path=lib/$(ARCH64)/llib-ltsnet.ln
93 $(BUILD64)file path=lib/$(ARCH64)/llib-ltsol.ln
94 $(BUILD64)file path=lib/$(ARCH64)/llib-lumem.ln
95 $(BUILD64)file path=lib/$(ARCH64)/llib-luuid.ln
96 $(i386_BUILD64)file path=lib/$(ARCH64)/llib-luutil.ln
97 $(BUILD64)file path=lib/$(ARCH64)/llib-lxnet.ln
37 dir path=usr/xpg4/lib/$(ARCH64)
38 file path=lib/$(ARCH64)/llib-ladm.ln
39 file path=lib/$(ARCH64)/llib-laio.ln
40 file path=lib/$(ARCH64)/llib-lbsm.ln
41 file path=lib/$(ARCH64)/llib-lc.ln
42 file path=lib/$(ARCH64)/llib-lc_db.ln
43 file path=lib/$(ARCH64)/llib-lcontract.ln
44 file path=lib/$(ARCH64)/llib-lcryptoutil.ln
45 file path=lib/$(ARCH64)/llib-lctf.ln
46 file path=lib/$(ARCH64)/llib-lcurses.ln
47 file path=lib/$(ARCH64)/llib-ldevice.ln
48 file path=lib/$(ARCH64)/llib-ldevid.ln
49 file path=lib/$(ARCH64)/llib-ldevinfo.ln
50 file path=lib/$(ARCH64)/llib-ldl.ln
51 file path=lib/$(ARCH64)/llib-ldladm.ln
52 file path=lib/$(ARCH64)/llib-ldlpi.ln
53 file path=lib/$(ARCH64)/llib-ldoor.ln
54 file path=lib/$(ARCH64)/llib-lefi.ln
55 file path=lib/$(ARCH64)/llib-lelf.ln
56 $(i386_ONLY)file path=lib/$(ARCH64)/llib-lfdisk.ln
57 file path=lib/$(ARCH64)/llib-lgen.ln
58 file path=lib/$(ARCH64)/llib-lintl.ln
59 file path=lib/$(ARCH64)/llib-lkmf.ln
60 file path=lib/$(ARCH64)/llib-lkmfberder.ln
61 file path=lib/$(ARCH64)/llib-lkstat.ln
62 file path=lib/$(ARCH64)/llib-lmd.ln
```

```

63 file path=lib/$(ARCH64)/llib-lmd5.ln
64 file path=lib/$(ARCH64)/llib-lns1.ln
65 file path=lib/$(ARCH64)/llib-lnvpair.ln
66 file path=lib/$(ARCH64)/llib-lpam.ln
67 file path=lib/$(ARCH64)/llib-lpthread.ln
68 file path=lib/$(ARCH64)/llib-lrcm.ln
69 file path=lib/$(ARCH64)/llib-lresolv.ln
70 file path=lib/$(ARCH64)/llib-lrpcsvc.ln
71 file path=lib/$(ARCH64)/llib-lrt.ln
72 file path=lib/$(ARCH64)/llib-lrtld_db.ln
73 file path=lib/$(ARCH64)/llib-lscf.ln
74 file path=lib/$(ARCH64)/llib-lsec.ln
75 file path=lib/$(ARCH64)/llib-lsecdb.ln
76 file path=lib/$(ARCH64)/llib-lsendfile.ln
77 file path=lib/$(ARCH64)/llib-lsocket.ln
78 file path=lib/$(ARCH64)/llib-lsysevent.ln
79 file path=lib/$(ARCH64)/llib-ltermcap.ln
80 file path=lib/$(ARCH64)/llib-lthread.ln
81 file path=lib/$(ARCH64)/llib-ltsnet.ln
82 file path=lib/$(ARCH64)/llib-ltsol.ln
83 file path=lib/$(ARCH64)/llib-lumem.ln
84 file path=lib/$(ARCH64)/llib-luuid.ln
85 $(i386_ONLY)file path=lib/$(ARCH64)/llib-luutil.ln
86 file path=lib/$(ARCH64)/llib-lxnet.ln
98 file path=lib/llib-ladm
99 file path=lib/llib-ladm.ln
100 file path=lib/llib-laio
101 file path=lib/llib-laio.ln
102 file path=lib/llib-lbsm
103 file path=lib/llib-lbsm.ln
104 file path=lib/llib-lc
105 file path=lib/llib-lc.ln
106 file path=lib/llib-lc_db
107 file path=lib/llib-lc_db.ln
108 file path=lib/llib-lcontract
109 file path=lib/llib-lcontract.ln
110 file path=lib/llib-lcryptoutil
111 file path=lib/llib-lcryptoutil.ln
112 file path=lib/llib-lctf
113 file path=lib/llib-lctf.ln
114 file path=lib/llib-lcurses
115 file path=lib/llib-lcurses.ln
116 file path=lib/llib-ldevice
117 file path=lib/llib-ldevice.ln
118 file path=lib/llib-ldevvid
119 file path=lib/llib-ldevvid.ln
120 file path=lib/llib-ldevinfo
121 file path=lib/llib-ldevinfo.ln
122 file path=lib/llib-ldl
123 file path=lib/llib-ldl.ln
124 file path=lib/llib-ldladm
125 file path=lib/llib-ldladm.ln
126 file path=lib/llib-ldlpi
127 file path=lib/llib-ldlpi.ln
128 file path=lib/llib-ldoor
129 file path=lib/llib-ldoor.ln
130 file path=lib/llib-lefi
131 file path=lib/llib-lefi.ln
132 file path=lib/llib-lelf
133 file path=lib/llib-lelf.ln
134 $(i386_ONLY)file path=lib/llib-lfdisk
135 $(i386_ONLY)file path=lib/llib-lfdisk.ln
136 file path=lib/llib-lgen
137 file path=lib/llib-lgen.ln
138 file path=lib/llib-lintl
139 file path=lib/llib-lintl.ln

```

```

140 file path=lib/llib-lipmp
141 file path=lib/llib-lipmp.ln
142 file path=lib/llib-lkfm.ln
143 file path=lib/llib-lkfmberder.ln
144 file path=lib/llib-lkstat
145 file path=lib/llib-lkstat.ln
146 file path=lib/llib-lmd
147 file path=lib/llib-lmd.ln
148 file path=lib/llib-lmd5
149 file path=lib/llib-lmd5.ln
150 file path=lib/llib-lns1
151 file path=lib/llib-lns1.ln
152 file path=lib/llib-lnvpair
153 file path=lib/llib-lnvpair.ln
154 file path=lib/llib-lnwam
155 file path=lib/llib-lnwam.ln
156 file path=lib/llib-lpam
157 file path=lib/llib-lpam.ln
158 file path=lib/llib-lpthread
159 file path=lib/llib-lpthread.ln
160 file path=lib/llib-lrcm
161 file path=lib/llib-lrcm.ln
162 file path=lib/llib-lresolv
163 file path=lib/llib-lresolv.ln
164 file path=lib/llib-lrpcsvc
165 file path=lib/llib-lrpcsvc.ln
166 file path=lib/llib-lrt
167 file path=lib/llib-lrt.ln
168 file path=lib/llib-lrtld_db
169 file path=lib/llib-lrtld_db.ln
170 file path=lib/llib-lscf
171 file path=lib/llib-lscf.ln
172 file path=lib/llib-lsec
173 file path=lib/llib-lsec.ln
174 file path=lib/llib-lsecdb
175 file path=lib/llib-lsecdb.ln
176 file path=lib/llib-lsendfile
177 file path=lib/llib-lsendfile.ln
178 file path=lib/llib-lsocket
179 file path=lib/llib-lsocket.ln
180 file path=lib/llib-lsysevent
181 file path=lib/llib-lsysevent.ln
182 file path=lib/llib-ltermcap
183 file path=lib/llib-ltermcap.ln
184 file path=lib/llib-lthread
185 file path=lib/llib-lthread.ln
186 file path=lib/llib-ltsnet
187 file path=lib/llib-ltsnet.ln
188 file path=lib/llib-ltsol
189 file path=lib/llib-ltsol.ln
190 file path=lib/llib-lumem
191 file path=lib/llib-lumem.ln
192 file path=lib/llib-luuid
193 file path=lib/llib-luuid.ln
194 file path=lib/llib-lxnet
195 file path=lib/llib-lxnet.ln
196 $(i386_BUILD64)file path=usr/lib/$(ARCH64)/crt1.o
197 $(BUILD64)file path=usr/lib/$(ARCH64)/crti.o
198 $(BUILD64)file path=usr/lib/$(ARCH64)/crtn.o
199 $(i386_BUILD64)file path=usr/lib/$(ARCH64)/gcrt1.o
200 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ladutils.ln
201 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lbsdmmalloc.ln
202 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lcfgadm.ln
203 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lcommputil.ln
204 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lcrypt.ln
205 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lexacct.ln

```

```

206 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lform.ln
207 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lfstyp.ln
208 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lgss.ln
209 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lhotplug.ln
210 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lidmap.ln
211 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lipmi.ln
212 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lipp.ln
213 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lkvm.ln
214 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lldap.ln
215 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-llgrp.ln
216 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lmail.ln
217 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lmalloc.ln
218 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lmapmalloc.ln
219 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lmenu.ln
220 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lmtalloc.ln
221 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lnls.ln
222 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lpanel.ln
223 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lpasswdutil.ln
224 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lpkcs11.ln
225 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lproject.ln
226 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lreparse.ln
227 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsas1.ln
228 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsched.ln
229 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsctp.ln
230 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lshare.ln
231 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsip.ln
232 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsldap.ln
233 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsmbios.ln
234 $(sparc_BUILD64)file path=usr/lib/$(ARCH64)/llib-lv12n.ln
235 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lvolmgt.ln
236 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lwrap.ln
237 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lzoneinfo.ln
238 $(BUILD64)file path=usr/lib/$(ARCH64)/values-Xa.o
239 $(BUILD64)file path=usr/lib/$(ARCH64)/values-Xc.o
240 $(BUILD64)file path=usr/lib/$(ARCH64)/values-Xs.o
241 $(BUILD64)file path=usr/lib/$(ARCH64)/values-Xt.o
242 $(BUILD64)file path=usr/lib/$(ARCH64)/values-xpg4.o
243 $(BUILD64)file path=usr/lib/$(ARCH64)/values-xpg6.o
185 $(i386_ONLY)file path=usr/lib/$(ARCH64)/crt1.o
186 file path=usr/lib/$(ARCH64)/crti.o
187 file path=usr/lib/$(ARCH64)/crti.o
188 $(i386_ONLY)file path=usr/lib/$(ARCH64)/gcrt1.o
189 file path=usr/lib/$(ARCH64)/llib-ladutils.ln
190 file path=usr/lib/$(ARCH64)/llib-lbsdmalloc.ln
191 file path=usr/lib/$(ARCH64)/llib-lcfgadm.ln
192 file path=usr/lib/$(ARCH64)/llib-lcommutil.ln
193 file path=usr/lib/$(ARCH64)/llib-lcrypt.ln
194 file path=usr/lib/$(ARCH64)/llib-lexacct.ln
195 file path=usr/lib/$(ARCH64)/llib-lform.ln
196 file path=usr/lib/$(ARCH64)/llib-lfstyp.ln
197 file path=usr/lib/$(ARCH64)/llib-lgss.ln
198 file path=usr/lib/$(ARCH64)/llib-lhotplug.ln
199 file path=usr/lib/$(ARCH64)/llib-lidmap.ln
200 file path=usr/lib/$(ARCH64)/llib-lipmi.ln
201 file path=usr/lib/$(ARCH64)/llib-lipp.ln
202 file path=usr/lib/$(ARCH64)/llib-lkvm.ln
203 file path=usr/lib/$(ARCH64)/llib-lldap.ln
204 file path=usr/lib/$(ARCH64)/llib-llgrp.ln
205 file path=usr/lib/$(ARCH64)/llib-lmail.ln
206 file path=usr/lib/$(ARCH64)/llib-lmalloc.ln
207 file path=usr/lib/$(ARCH64)/llib-lmapmalloc.ln
208 file path=usr/lib/$(ARCH64)/llib-lmenu.ln
209 file path=usr/lib/$(ARCH64)/llib-lmtalloc.ln
210 file path=usr/lib/$(ARCH64)/llib-lnls.ln
211 file path=usr/lib/$(ARCH64)/llib-lpanel.ln
212 file path=usr/lib/$(ARCH64)/llib-lpasswdutil.ln

```

```

213 file path=usr/lib/$(ARCH64)/llib-lpkcs11.ln
214 file path=usr/lib/$(ARCH64)/llib-lproject.ln
215 file path=usr/lib/$(ARCH64)/llib-lreparse.ln
216 file path=usr/lib/$(ARCH64)/llib-lsas1.ln
217 file path=usr/lib/$(ARCH64)/llib-lsched.ln
218 file path=usr/lib/$(ARCH64)/llib-lsctp.ln
219 file path=usr/lib/$(ARCH64)/llib-lshare.ln
220 file path=usr/lib/$(ARCH64)/llib-lsip.ln
221 file path=usr/lib/$(ARCH64)/llib-lsldap.ln
222 file path=usr/lib/$(ARCH64)/llib-lsmbios.ln
223 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/llib-lv12n.ln
224 file path=usr/lib/$(ARCH64)/llib-lvolmgt.ln
225 file path=usr/lib/$(ARCH64)/llib-lwrap.ln
226 file path=usr/lib/$(ARCH64)/llib-lzoneinfo.ln
227 file path=usr/lib/$(ARCH64)/values-Xa.o
228 file path=usr/lib/$(ARCH64)/values-Xc.o
229 file path=usr/lib/$(ARCH64)/values-Xs.o
230 file path=usr/lib/$(ARCH64)/values-Xt.o
231 file path=usr/lib/$(ARCH64)/values-xpg4.o
232 file path=usr/lib/$(ARCH64)/values-xpg6.o
244 $(i386_ONLY)file path=usr/lib/crt1.o
245 file path=usr/lib/crti.o
246 file path=usr/lib/crti.o
247 $(i386_ONLY)file path=usr/lib/gcrt1.o
248 file path=usr/lib/llib-ladutils
249 file path=usr/lib/llib-ladutils.ln
250 file path=usr/lib/llib-lbsdmalloc
251 file path=usr/lib/llib-lbsdmalloc.ln
252 file path=usr/lib/llib-lcfgadm
253 file path=usr/lib/llib-lcfgadm.ln
254 file path=usr/lib/llib-lcommutil
255 file path=usr/lib/llib-lcommutil.ln
256 file path=usr/lib/llib-lcrypt
257 file path=usr/lib/llib-lcrypt.ln
258 file path=usr/lib/llib-lexacct
259 file path=usr/lib/llib-lexacct.ln
260 file path=usr/lib/llib-lform
261 file path=usr/lib/llib-lform.ln
262 file path=usr/lib/llib-lfstyp
263 file path=usr/lib/llib-lfstyp.ln
264 file path=usr/lib/llib-lgss
265 file path=usr/lib/llib-lgss.ln
266 file path=usr/lib/llib-lhotplug
267 file path=usr/lib/llib-lhotplug.ln
268 file path=usr/lib/llib-lidmap
269 file path=usr/lib/llib-lidmap.ln
270 file path=usr/lib/llib-lipmi
271 file path=usr/lib/llib-lipmi.ln
272 file path=usr/lib/llib-lipp
273 file path=usr/lib/llib-lipp.ln
274 file path=usr/lib/llib-lkvm
275 file path=usr/lib/llib-lldap
276 file path=usr/lib/llib-lldap.ln
277 file path=usr/lib/llib-llgrp
278 file path=usr/lib/llib-llgrp.ln
279 file path=usr/lib/llib-llgrp.ln
280 file path=usr/lib/llib-lmail
281 file path=usr/lib/llib-lmail.ln
282 file path=usr/lib/llib-lmalloc
283 file path=usr/lib/llib-lmalloc.ln
284 file path=usr/lib/llib-lmapmalloc
285 file path=usr/lib/llib-lmapmalloc.ln
286 file path=usr/lib/llib-lmenu
287 file path=usr/lib/llib-lmenu.ln
288 file path=usr/lib/llib-lmtalloc.ln
289 file path=usr/lib/llib-lnls

```

```

290 file path=usr/lib/llib-lnls.ln
291 file path=usr/lib/llib-lpanel
292 file path=usr/lib/llib-lpanel.ln
293 file path=usr/lib/llib-lpasswdutil
294 file path=usr/lib/llib-lpasswdutil.ln
295 file path=usr/lib/llib-lpkcs11
296 file path=usr/lib/llib-lpkcs11.ln
297 file path=usr/lib/llib-lproject
298 file path=usr/lib/llib-lproject.ln
299 file path=usr/lib/llib-lreparse
300 file path=usr/lib/llib-lreparse.ln
301 file path=usr/lib/llib-lsas1
302 file path=usr/lib/llib-lsas1.ln
303 file path=usr/lib/llib-lsched
304 file path=usr/lib/llib-lsched.ln
305 file path=usr/lib/llib-lsctp
306 file path=usr/lib/llib-lsctp.ln
307 file path=usr/lib/llib-lshare
308 file path=usr/lib/llib-lshare.ln
309 file path=usr/lib/llib-lsip
310 file path=usr/lib/llib-lsip.ln
311 file path=usr/lib/llib-lslldap
312 file path=usr/lib/llib-lslldap.ln
313 file path=usr/lib/llib-lsmbios
314 file path=usr/lib/llib-lsmbios.ln
315 $(sparc_ONLY)file path=usr/lib/llib-lv12n
316 $(sparc_ONLY)file path=usr/lib/llib-lv12n.ln
317 file path=usr/lib/llib-lvolmgt
318 file path=usr/lib/llib-lvolmgt.ln
319 file path=usr/lib/llib-lwrap
320 file path=usr/lib/llib-lwrap.ln
321 file path=usr/lib/llib-lzoneinfo
322 file path=usr/lib/llib-lzoneinfo.ln
323 $(BUILDD64)file path=usr/lib/scsi/$(ARCH64)/llib-lscsi.ln
324 $(BUILDD64)file path=usr/lib/scsi/$(ARCH64)/llib-lses.ln
325 $(BUILDD64)file path=usr/lib/scsi/$(ARCH64)/llib-lsmp.ln
326 file path=usr/lib/scsi/$(ARCH64)/llib-lscsi.ln
327 file path=usr/lib/scsi/llib-lscsi.ln
328 file path=usr/lib/scsi/llib-lses.ln
329 file path=usr/lib/scsi/llib-lses.ln
330 file path=usr/lib/scsi/llib-lsmp.ln
331 file path=usr/lib/scsi/llib-lsmp.ln
332 file path=usr/lib/values-Xa.o
333 file path=usr/lib/values-Xc.o
334 file path=usr/lib/values-Xs.o
335 file path=usr/lib/values-Xt.o
336 file path=usr/lib/values-xpg4.o
337 file path=usr/lib/values-xpg6.o
338 $(BUILDD64)file path=usr/xpg4/lib/$(ARCH64)/llib-lcurses.ln
327 file path=usr/xpg4/lib/$(ARCH64)/llib-lcurses.ln
339 file path=usr/xpg4/lib/llib-lcurses
340 file path=usr/xpg4/lib/llib-lcurses.ln
341 legacy pkg=SUNWarc \
342 desc="lint libraries and startup objects for software development" \
343 name="Lint Libraries (usr)"
344 legacy pkg=SUNWarc desc="lint libraries for software development" \
345 name="Lint Libraries (root)"
346 license cr_Sun license=cr_Sun
347 license lic_CDDL license=lic_CDDL
348 $(BUILDD64)link path=lib/$(ARCH64)/llib-lposix4.ln target=./llib-lrt.ln
349 $(BUILDD64)link path=lib/$(ARCH64)/llib-ltermplib.ln target=./llib-lcurses.ln
337 link path=lib/$(ARCH64)/llib-lposix4.ln target=./llib-lrt.ln
338 link path=lib/$(ARCH64)/llib-ltermplib.ln target=./llib-lcurses.ln

```

```

350 link path=lib/llib-lposix4 target=./llib-lrt
351 link path=lib/llib-lposix4.ln target=./llib-lrt.ln
352 link path=lib/llib-ltermplib target=./llib-lcurses
353 link path=lib/llib-ltermplib.ln target=./llib-lcurses.ln
354 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-lcurses.ln \
343 link path=usr/ccs/lib/$(ARCH64)/llib-lcurses.ln \
355 target=./.../lib/$(ARCH64)/llib-lcurses.ln
356 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-lform.ln \
345 link path=usr/ccs/lib/$(ARCH64)/llib-lform.ln \
357 target=./.../lib/$(ARCH64)/llib-lform.ln
358 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-lgen.ln \
347 link path=usr/ccs/lib/$(ARCH64)/llib-lgen.ln \
359 target=./.../lib/$(ARCH64)/llib-lgen.ln
360 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-ll.ln \
349 link path=usr/ccs/lib/$(ARCH64)/llib-ll.ln \
361 target=./.../lib/$(ARCH64)/llib-ll.ln
362 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-lmenu.ln \
351 link path=usr/ccs/lib/$(ARCH64)/llib-lmenu.ln \
363 target=./.../lib/$(ARCH64)/llib-lmenu.ln
364 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-lpanel.ln \
353 link path=usr/ccs/lib/$(ARCH64)/llib-lpanel.ln \
365 target=./.../lib/$(ARCH64)/llib-lpanel.ln
366 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-ltermcap.ln \
355 link path=usr/ccs/lib/$(ARCH64)/llib-ltermcap.ln \
367 target=./.../lib/$(ARCH64)/llib-ltermcap.ln
368 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-ltermplib.ln \
357 link path=usr/ccs/lib/$(ARCH64)/llib-ltermplib.ln \
369 target=./.../lib/$(ARCH64)/llib-lcurses.ln
370 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/llib-ly.ln \
359 link path=usr/ccs/lib/$(ARCH64)/llib-ly.ln \
371 target=./.../lib/$(ARCH64)/llib-ly.ln
372 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-Xa.o \
361 link path=usr/ccs/lib/$(ARCH64)/values-Xa.o \
373 target=./.../lib/$(ARCH64)/values-Xa.o
374 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-Xc.o \
363 link path=usr/ccs/lib/$(ARCH64)/values-Xc.o \
375 target=./.../lib/$(ARCH64)/values-Xc.o
376 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-Xs.o \
365 link path=usr/ccs/lib/$(ARCH64)/values-Xs.o \
377 target=./.../lib/$(ARCH64)/values-Xs.o
378 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-Xt.o \
367 link path=usr/ccs/lib/$(ARCH64)/values-Xt.o \
379 target=./.../lib/$(ARCH64)/values-Xt.o
380 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-xpg4.o \
369 link path=usr/ccs/lib/$(ARCH64)/values-xpg4.o \
381 target=./.../lib/$(ARCH64)/values-xpg4.o
382 $(BUILDD64)link path=usr/ccs/lib/$(ARCH64)/values-xpg6.o \
371 link path=usr/ccs/lib/$(ARCH64)/values-xpg6.o \
383 target=./.../lib/$(ARCH64)/values-xpg6.o
384 link path=usr/ccs/lib/llib-lcurses target=./.../lib/llib-lcurses
385 link path=usr/ccs/lib/llib-lcurses.ln target=./.../lib/llib-lcurses.ln
386 link path=usr/ccs/lib/llib-lform target=./.../lib/llib-lform
387 link path=usr/ccs/lib/llib-lform.ln target=./.../lib/llib-lform.ln
388 link path=usr/ccs/lib/llib-lgen target=./.../lib/llib-lgen
389 link path=usr/ccs/lib/llib-lgen.ln target=./.../lib/llib-lgen.ln
390 link path=usr/ccs/lib/llib-lmenu target=./.../lib/llib-lmenu
391 link path=usr/ccs/lib/llib-lmenu.ln target=./.../lib/llib-lmenu.ln
392 link path=usr/ccs/lib/llib-lpanel target=./.../lib/llib-lpanel
393 link path=usr/ccs/lib/llib-lpanel.ln target=./.../lib/llib-lpanel.ln
394 link path=usr/ccs/lib/llib-ltermcap target=./.../lib/llib-ltermcap
395 link path=usr/ccs/lib/llib-ltermcap.ln target=./.../lib/llib-ltermcap.ln
396 link path=usr/ccs/lib/llib-ltermplib target=./.../lib/llib-lcurses
397 link path=usr/ccs/lib/llib-ltermplib.ln target=./.../lib/llib-lcurses.ln
398 link path=usr/ccs/lib/values-Xa.o target=./.../lib/values-Xa.o
399 link path=usr/ccs/lib/values-Xc.o target=./.../lib/values-Xc.o
400 link path=usr/ccs/lib/values-Xs.o target=./.../lib/values-Xs.o

```

```

401 link path=usr/ccs/lib/values-Xt.o target=../lib/values-Xt.o
402 link path=usr/ccs/lib/values-xpg4.o target=../lib/values-xpg4.o
403 link path=usr/ccs/lib/values-xpg6.o target=../lib/values-xpg6.o
404 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ladm.ln \
393 link path=usr/lib/$(ARCH64)/llib-ladm.ln \
405 target=../lib/$(ARCH64)/llib-ladm.ln
406 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-laio.ln \
395 link path=usr/lib/$(ARCH64)/llib-laio.ln \
407 target=../lib/$(ARCH64)/llib-laio.ln
408 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lbsm.ln \
397 link path=usr/lib/$(ARCH64)/llib-lbsm.ln \
409 target=../lib/$(ARCH64)/llib-lbsm.ln
410 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lc.ln \
399 link path=usr/lib/$(ARCH64)/llib-lc.ln \
411 target=../lib/$(ARCH64)/llib-lc.ln
412 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lcontract.ln \
401 link path=usr/lib/$(ARCH64)/llib-lcontract.ln \
413 target=../lib/$(ARCH64)/llib-lcontract.ln
414 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lctf.ln \
403 link path=usr/lib/$(ARCH64)/llib-lctf.ln \
415 target=../lib/$(ARCH64)/llib-lctf.ln
416 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lcurses.ln \
405 link path=usr/lib/$(ARCH64)/llib-lcurses.ln \
417 target=../lib/$(ARCH64)/llib-lcurses.ln
418 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ldevice.ln \
407 link path=usr/lib/$(ARCH64)/llib-ldevice.ln \
419 target=../lib/$(ARCH64)/llib-ldevice.ln
420 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ldevid.ln \
409 link path=usr/lib/$(ARCH64)/llib-ldevid.ln \
421 target=../lib/$(ARCH64)/llib-ldevid.ln
422 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ldevinfo.ln \
411 link path=usr/lib/$(ARCH64)/llib-ldevinfo.ln \
423 target=../lib/$(ARCH64)/llib-ldevinfo.ln
424 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ldl.ln \
413 link path=usr/lib/$(ARCH64)/llib-ldl.ln \
425 target=../lib/$(ARCH64)/llib-ldl.ln
426 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ldoor.ln \
415 link path=usr/lib/$(ARCH64)/llib-ldoor.ln \
427 target=../lib/$(ARCH64)/llib-ldoor.ln
428 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lefi.ln \
417 link path=usr/lib/$(ARCH64)/llib-lefi.ln \
429 target=../lib/$(ARCH64)/llib-lefi.ln
430 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lelf.ln \
419 link path=usr/lib/$(ARCH64)/llib-lelf.ln \
431 target=../lib/$(ARCH64)/llib-lelf.ln
432 $(i386_BUILD64)link path=usr/lib/$(ARCH64)/llib-lfdisk.ln \
421 $(i386_ONLY)link path=usr/lib/$(ARCH64)/llib-lfdisk.ln \
433 target=../lib/$(ARCH64)/llib-lfdisk.ln
434 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lgen.ln \
423 link path=usr/lib/$(ARCH64)/llib-lgen.ln \
435 target=../lib/$(ARCH64)/llib-lgen.ln
436 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lintl.ln \
425 link path=usr/lib/$(ARCH64)/llib-lintl.ln \
437 target=../lib/$(ARCH64)/llib-lintl.ln
438 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lkstat.ln \
427 link path=usr/lib/$(ARCH64)/llib-lkstat.ln \
439 target=../lib/$(ARCH64)/llib-lkstat.ln
440 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lmd5.ln \
429 link path=usr/lib/$(ARCH64)/llib-lmd5.ln \
441 target=../lib/$(ARCH64)/llib-lmd5.ln
442 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lnsl.ln \
431 link path=usr/lib/$(ARCH64)/llib-lnsl.ln \
443 target=../lib/$(ARCH64)/llib-lnsl.ln
444 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lnvpair.ln \
433 link path=usr/lib/$(ARCH64)/llib-lnvpair.ln \
445 target=../lib/$(ARCH64)/llib-lnvpair.ln

```

```

446 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lpam.ln \
435 link path=usr/lib/$(ARCH64)/llib-lpam.ln \
447 target=../lib/$(ARCH64)/llib-lpam.ln
448 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lposix4.ln \
437 link path=usr/lib/$(ARCH64)/llib-lposix4.ln \
449 target=../lib/$(ARCH64)/llib-lrt.ln
450 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lpthread.ln \
439 link path=usr/lib/$(ARCH64)/llib-lpthread.ln \
451 target=../lib/$(ARCH64)/llib-lpthread.ln
452 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lresolv.ln \
441 link path=usr/lib/$(ARCH64)/llib-lresolv.ln \
453 target=../lib/$(ARCH64)/llib-lresolv.ln
454 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lrpcsvc.ln \
443 link path=usr/lib/$(ARCH64)/llib-lrpcsvc.ln \
455 target=../lib/$(ARCH64)/llib-lrpcsvc.ln
456 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lrt.ln \
445 link path=usr/lib/$(ARCH64)/llib-lrt.ln \
457 target=../lib/$(ARCH64)/llib-lrt.ln
458 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lrtld_db.ln \
447 link path=usr/lib/$(ARCH64)/llib-lrtld_db.ln \
459 target=../lib/$(ARCH64)/llib-lrtld_db.ln
460 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lscf.ln \
449 link path=usr/lib/$(ARCH64)/llib-lscf.ln \
461 target=../lib/$(ARCH64)/llib-lscf.ln
462 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lsec.ln \
451 link path=usr/lib/$(ARCH64)/llib-lsec.ln \
463 target=../lib/$(ARCH64)/llib-lsec.ln
464 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lsecdb.ln \
453 link path=usr/lib/$(ARCH64)/llib-lsecdb.ln \
465 target=../lib/$(ARCH64)/llib-lsecdb.ln
466 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lsendfile.ln \
455 link path=usr/lib/$(ARCH64)/llib-lsendfile.ln \
467 target=../lib/$(ARCH64)/llib-lsendfile.ln
468 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lsocket.ln \
457 link path=usr/lib/$(ARCH64)/llib-lsocket.ln \
469 target=../lib/$(ARCH64)/llib-lsocket.ln
470 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lsysevent.ln \
459 link path=usr/lib/$(ARCH64)/llib-lsysevent.ln \
471 target=../lib/$(ARCH64)/llib-lsysevent.ln
472 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ltermcap.ln \
461 link path=usr/lib/$(ARCH64)/llib-ltermcap.ln \
473 target=../lib/$(ARCH64)/llib-ltermcap.ln
474 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ltermplib.ln \
463 link path=usr/lib/$(ARCH64)/llib-ltermplib.ln \
475 target=../lib/$(ARCH64)/llib-lcurses.ln
476 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lthread.ln \
465 link path=usr/lib/$(ARCH64)/llib-lthread.ln \
477 target=../lib/$(ARCH64)/llib-lthread.ln
478 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lthread_db.ln \
467 link path=usr/lib/$(ARCH64)/llib-lthread_db.ln \
479 target=../lib/$(ARCH64)/llib-lc_db.ln
480 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ltsnet.ln \
469 link path=usr/lib/$(ARCH64)/llib-ltsnet.ln \
481 target=../lib/$(ARCH64)/llib-ltsnet.ln
482 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-ltsol.ln \
471 link path=usr/lib/$(ARCH64)/llib-ltsol.ln \
483 target=../lib/$(ARCH64)/llib-ltsol.ln
484 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lumem.ln \
473 link path=usr/lib/$(ARCH64)/llib-lumem.ln \
485 target=../lib/$(ARCH64)/llib-lumem.ln
486 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-luuid.ln \
475 link path=usr/lib/$(ARCH64)/llib-luuid.ln \
487 target=../lib/$(ARCH64)/llib-luuid.ln
488 $(BUILDP64)link path=usr/lib/$(ARCH64)/llib-lxnet.ln \
477 link path=usr/lib/$(ARCH64)/llib-lxnet.ln \
489 target=../lib/$(ARCH64)/llib-lxnet.ln

```



```

490 link path=usr/lib/llib-ladm target=../lib/llib-ladm
491 link path=usr/lib/llib-ladm.ln target=../lib/llib-ladm.ln
492 link path=usr/lib/llib-laio target=../lib/llib-laio
493 link path=usr/lib/llib-laio.ln target=../lib/llib-laio.ln
494 link path=usr/lib/llib-lbsm target=../lib/llib-lbsm
495 link path=usr/lib/llib-lbsm.ln target=../lib/llib-lbsm.ln
496 link path=usr/lib/llib-lc target=../lib/llib-lc
497 link path=usr/lib/llib-lc.ln target=../lib/llib-lc.ln
498 link path=usr/lib/llib-lcontract target=../lib/llib-lcontract
499 link path=usr/lib/llib-lcontract.ln target=../lib/llib-lcontract.ln
500 link path=usr/lib/llib-lctf target=../lib/llib-lctf
501 link path=usr/lib/llib-lctf.ln target=../lib/llib-lctf.ln
502 link path=usr/lib/llib-lcurses target=../lib/llib-lcurses
503 link path=usr/lib/llib-lcurses.ln target=../lib/llib-lcurses.ln
504 link path=usr/lib/llib-ldevice target=../lib/llib-ldevice
505 link path=usr/lib/llib-ldevice.ln target=../lib/llib-ldevice.ln
506 link path=usr/lib/llib-ldevic target=../lib/llib-ldevic
507 link path=usr/lib/llib-ldevic.ln target=../lib/llib-ldevic.ln
508 link path=usr/lib/llib-ldevinfo target=../lib/llib-ldevinfo
509 link path=usr/lib/llib-ldevinfo.ln target=../lib/llib-ldevinfo.ln
510 link path=usr/lib/llib-ldl target=../lib/llib-ldl
511 link path=usr/lib/llib-ldl.ln target=../lib/llib-ldl.ln
512 link path=usr/lib/llib-ldoor target=../lib/llib-ldoor
513 link path=usr/lib/llib-ldoor.ln target=../lib/llib-ldoor.ln
514 link path=usr/lib/llib-lefi target=../lib/llib-lefi
515 link path=usr/lib/llib-lefi.ln target=../lib/llib-lefi.ln
516 link path=usr/lib/llib-lelf target=../lib/llib-lelf
517 link path=usr/lib/llib-lelf.ln target=../lib/llib-lelf.ln
518 $(i386_ONLY)link path=usr/lib/llib-lfdisk target=../lib/llib-lfdisk
519 $(i386_ONLY)link path=usr/lib/llib-lfdisk.ln target=../lib/llib-lfdisk.ln
520 link path=usr/lib/llib-lgen target=../lib/llib-lgen
521 link path=usr/lib/llib-lgen.ln target=../lib/llib-lgen.ln
522 link path=usr/lib/llib-lintl target=../lib/llib-lintl
523 link path=usr/lib/llib-lintl.ln target=../lib/llib-lintl.ln
524 link path=usr/lib/llib-lkstat target=../lib/llib-lkstat
525 link path=usr/lib/llib-lkstat.ln target=../lib/llib-lkstat.ln
526 link path=usr/lib/llib-lmd5 target=../lib/llib-lmd5
527 link path=usr/lib/llib-lmd5.ln target=../lib/llib-lmd5.ln
528 link path=usr/lib/llib-lns1 target=../lib/llib-lns1
529 link path=usr/lib/llib-lns1.ln target=../lib/llib-lns1.ln
530 link path=usr/lib/llib-lnvpair target=../lib/llib-lnvpair
531 link path=usr/lib/llib-lnvpair.ln target=../lib/llib-lnvpair.ln
532 link path=usr/lib/llib-lpam target=../lib/llib-lpam
533 link path=usr/lib/llib-lpam.ln target=../lib/llib-lpam.ln
534 link path=usr/lib/llib-lposix4 target=../lib/llib-lrt
535 link path=usr/lib/llib-lposix4.ln target=../lib/llib-lrt.ln
536 link path=usr/lib/llib-lpthead target=../lib/llib-lpthead
537 link path=usr/lib/llib-lpthead.ln target=../lib/llib-lpthead.ln
538 link path=usr/lib/llib-lresolv target=../lib/llib-lresolv
539 link path=usr/lib/llib-lresolv.ln target=../lib/llib-lresolv.ln
540 link path=usr/lib/llib-lrpcsvc target=../lib/llib-lrpcsvc
541 link path=usr/lib/llib-lrpcsvc.ln target=../lib/llib-lrpcsvc.ln
542 link path=usr/lib/llib-lrt target=../lib/llib-lrt
543 link path=usr/lib/llib-lrt.ln target=../lib/llib-lrt.ln
544 link path=usr/lib/llib-lrtld_db target=../lib/llib-lrtld_db
545 link path=usr/lib/llib-lrtld_db.ln target=../lib/llib-lrtld_db.ln
546 link path=usr/lib/llib-lscf target=../lib/llib-lscf
547 link path=usr/lib/llib-lscf.ln target=../lib/llib-lscf.ln
548 link path=usr/lib/llib-lsec target=../lib/llib-lsec
549 link path=usr/lib/llib-lsec.ln target=../lib/llib-lsec.ln
550 link path=usr/lib/llib-lsecdb target=../lib/llib-lsecdb
551 link path=usr/lib/llib-lsecdb.ln target=../lib/llib-lsecdb.ln
552 link path=usr/lib/llib-lsendfile target=../lib/llib-lsendfile
553 link path=usr/lib/llib-lsendfile.ln target=../lib/llib-lsendfile.ln
554 link path=usr/lib/llib-lsocket target=../lib/llib-lsocket
555 link path=usr/lib/llib-lsocket.ln target=../lib/llib-lsocket.ln

```

```

556 link path=usr/lib/llib-lsysevent target=../lib/llib-lsysevent
557 link path=usr/lib/llib-lsysevent.ln target=../lib/llib-lsysevent.ln
558 link path=usr/lib/llib-ltermcap target=../lib/llib-ltermcap
559 link path=usr/lib/llib-ltermcap.ln target=../lib/llib-ltermcap.ln
560 link path=usr/lib/llib-ltermli target=../lib/llib-lcurses
561 link path=usr/lib/llib-ltermli.ln target=../lib/llib-lcurses.ln
562 link path=usr/lib/llib-lthead target=../lib/llib-lthead
563 link path=usr/lib/llib-lthead.ln target=../lib/llib-lthead.ln
564 link path=usr/lib/llib-lthead_db target=../lib/llib-lc_db
565 link path=usr/lib/llib-lthead_db.ln target=../lib/llib-lc_db.ln
566 link path=usr/lib/llib-ltsnet target=../lib/llib-ltsnet.ln
567 link path=usr/lib/llib-ltsol target=../lib/llib-ltsol.ln
568 link path=usr/lib/llib-lumem target=../lib/llib-lumem
569 link path=usr/lib/llib-lumem.ln target=../lib/llib-lumem.ln
570 link path=usr/lib/llib-luuid target=../lib/llib-luuid
571 link path=usr/lib/llib-luuid.ln target=../lib/llib-luuid.ln
572 link path=usr/lib/llib-lxnet target=../lib/llib-lxnet
573 link path=usr/lib/llib-lxnet.ln target=../lib/llib-lxnet.ln

```

new/usr/src/pkg/manifests/developer-library-profiled-libc.mf

1

1882 Fri Apr 11 13:24:07 2014

new/usr/src/pkg/manifests/developer-library-profiled-libc.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/library/profiled-libc@$(PKGVERS)
29 set name=pkg.description \
30 value="system libraries compiled with profiling for software development per
31 set name=pkg.summary value="Developer Profiled Libraries"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 dir path=usr/lib/libp
38 $(BUILD64)dir path=usr/lib/libp/lib/$(ARCH64)
39 legacy pkg=SUNWdpl \
40 desc="system libraries compiled with profiling for software development perf
41 name="Developer Profiled Libraries"
42 license cr_Sun license=cr_Sun
43 license lic_CDDL license=lic_CDDL
44 $(BUILD64)link path=usr/lib/libp/lib/$(ARCH64)/libc.so.1 \
45 link path=usr/lib/libp/lib/$(ARCH64)/libc.so.1 \
46 target=../../../../lib/$(ARCH64)/libc.so.1
47 $(BUILD64)link path=usr/lib/libp/64 target=$(ARCH64)
48 link path=usr/lib/libp/64 target=$(ARCH64)
49 link path=usr/lib/libp/libc.so.1 target=../../../../lib/libc.so.1
```

new/usr/src/pkg/manifests/developer-linker.mf

1

```
*****
5433 Fri Apr 11 13:24:07 2014
new/usr/src/pkg/manifests/developer-linker.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/linker@$(PKGVERS)
29 set name=pkg.description \
30 value="utilities for software development, including ld, ldd, od, and truss"
31 set name=pkg.summary value="Programming Tools"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/bin
37 dir path=usr/bin/$(ARCH32)
38 $(BUILD64)dir path=usr/bin/$(ARCH64)
39 dir path=usr/ccs
40 dir path=usr/ccs/bin
41 $(BUILD64)dir path=usr/ccs/bin/$(ARCH64)
42 dir path=usr/ccs/lib
43 dir path=usr/lib
44 $(BUILD64)dir path=usr/lib/$(ARCH64)
45 dir path=usr/lib/abi
46 dir path=usr/lib/ld
47 $(BUILD64)dir path=usr/lib/ld/$(ARCH64)
48 dir path=usr/lib/link_audit
49 $(BUILD64)dir path=usr/lib/link_audit/$(ARCH64)
50 dir path=usr/share/man
51 dir path=usr/share/man/man1
52 dir path=usr/share/man/man4
53 file path=usr/bin/$(ARCH32)/gcore mode=0555
54 $(i386_ONLY)file path=usr/bin/$(ARCH32)/plimit mode=0555
55 file path=usr/bin/$(ARCH32)/strings mode=0555
56 file path=usr/bin/$(ARCH32)/truss mode=0555
```

new/usr/src/pkg/manifests/developer-linker.mf

2

```
57 $(BUILD64)file path=usr/bin/$(ARCH64)/elfwrap mode=0555
58 $(BUILD64)file path=usr/bin/$(ARCH64)/gcore mode=0555
59 $(BUILD64)file path=usr/bin/$(ARCH64)/ld mode=0755
60 $(BUILD64)file path=usr/bin/$(ARCH64)/ldd mode=0555
61 $(BUILD64)file path=usr/bin/$(ARCH64)/plimit mode=0555
62 $(BUILD64)file path=usr/bin/$(ARCH64)/pvs mode=0555
63 $(BUILD64)file path=usr/bin/$(ARCH64)/strings mode=0555
64 $(BUILD64)file path=usr/bin/$(ARCH64)/truss mode=0555
65 file path=usr/bin/ctags mode=0555
66 file path=usr/bin/elfsign mode=0555
67 file path=usr/bin/elfwrap mode=0555
68 file path=usr/bin/exstr mode=0555
69 file path=usr/bin/ld mode=0755
70 file path=usr/bin/ldd mode=0555
71 file path=usr/bin/od mode=0555
72 file path=usr/bin/pvs mode=0555
73 file path=usr/bin/regcmp mode=0555
74 file path=usr/bin/sotruss mode=0755
75 file path=usr/bin/whocalls mode=0755
76 $(BUILD64)file path=usr/lib/$(ARCH64)/lddstub mode=0555
77 $(BUILD64)file path=usr/lib/$(ARCH64)/libldstab.so.1
78 file path=usr/lib/abi/spec2map mode=0755
79 file path=usr/lib/abi/spec2trace mode=0755
80 file path=usr/lib/ld/map.above4G mode=0444
81 file path=usr/lib/ld/map.below4G mode=0444
82 file path=usr/lib/ld/map.bssalign mode=0444
83 file path=usr/lib/ld/map.default mode=0444
84 file path=usr/lib/ld/map.execdata mode=0444
85 file path=usr/lib/ld/map.filter mode=0444
86 file path=usr/lib/ld/map.noexbss mode=0444
87 file path=usr/lib/ld/map.noexdata mode=0444
88 file path=usr/lib/ld/map.noexstk mode=0444
89 file path=usr/lib/ld/map.pagealign mode=0444
90 file path=usr/lib/lddstub mode=0555
91 file path=usr/lib/libldstab.so.1
92 $(BUILD64)file path=usr/lib/link_audit/$(ARCH64)/ldprof.so.1
93 $(BUILD64)file path=usr/lib/link_audit/$(ARCH64)/truss.so.1
94 $(BUILD64)file path=usr/lib/link_audit/$(ARCH64)/who.so.1
95 file path=usr/lib/link_audit/ldprof.so.1
96 file path=usr/lib/link_audit/truss.so.1
97 file path=usr/lib/link_audit/who.so.1
98 file path=usr/share/man/man1/ctags.1
99 file path=usr/share/man/man1/elfsign.1
100 file path=usr/share/man/man1/elfwrap.1
101 file path=usr/share/man/man1/exstr.1
102 file path=usr/share/man/man1/gcore.1
103 file path=usr/share/man/man1/ld.1
104 file path=usr/share/man/man1/ldd.1
105 file path=usr/share/man/man1/od.1
106 file path=usr/share/man/man1/plimit.1
107 file path=usr/share/man/man1/pvs.1
108 file path=usr/share/man/man1/regcmp.1
109 file path=usr/share/man/man1/sotruss.1
```

```
110 file path=usr/share/man/man1/strings.1
111 file path=usr/share/man/man1/truss.1
112 file path=usr/share/man/man1/whocalls.1
113 file path=usr/share/man/man4/a.out.4
114 hardlink path=usr/bin/gcore target=../../usr/lib/isaexec
115 hardlink path=usr/bin/plimit target=../../usr/lib/isaexec
116 hardlink path=usr/bin/strings target=../../usr/lib/isaexec
117 hardlink path=usr/bin/truss target=../../usr/lib/isaexec
118 legacy pkg=SUNWtoo \
119     desc="utilities for software development, including ld, ldd, od, and truss"
120     name="Programming Tools"
121 license cr_ATT license=cr_ATT
122 license cr_Sun license=cr_Sun
123 license lic_CDDL license=lic_CDDL
124 license lic_OSBL license=lic_OSBL
125 license lic_OSBL_preamble license=lic_OSBL_preamble
126 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/ld target=../../bin/$(ARCH64)/ld
127 link path=usr/ccs/bin/$(ARCH64)/ld target=../../bin/$(ARCH64)/ld
128 link path=usr/ccs/bin/ld target=../../bin/ld
129 link path=usr/ccs/bin/regcmp target=../../bin/regcmp
130 link path=usr/ccs/lib/link_audit target=../../lib/link_audit
131 $(BUILD64)link path=usr/lib/ld/$(ARCH64)/map.above4G target=../map.above4G
132 $(BUILD64)link path=usr/lib/ld/$(ARCH64)/map.below4G target=../map.below4G
133 $(BUILD64)link path=usr/lib/ld/$(ARCH64)/map.default target=../map.default
134 link path=usr/lib/ld/$(ARCH64)/map.above4G target=../map.above4G
135 link path=usr/lib/ld/$(ARCH64)/map.below4G target=../map.below4G
136 link path=usr/lib/ld/$(ARCH64)/map.default target=../map.default
137 link path=usr/lib/link_audit/32 target=.
138 $(BUILD64)link path=usr/lib/link_audit/64 target=$(ARCH64)
139 link path=usr/lib/link_audit/64 target=$(ARCH64)
```

new/usr/src/pkg/manifests/developer-object-file.mf

1

```
*****
7119 Fri Apr 11 13:24:07 2014
new/usr/src/pkg/manifests/developer-object-file.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/developer/object-file@$(PKGVERS)
29 set name=pkg.description \
30 value="software development utilities, including ar, dis, dump, elfdump, elf
31 set name=pkg.summary value="CCS tools bundled with SunOS"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/bin
36 $(BUILD64)dir path=usr/bin/$(ARCH64)
37 dir path=usr/ccs
38 dir path=usr/ccs/bin
39 $(BUILD64)dir path=usr/ccs/bin/$(ARCH64)
40 dir path=usr/ccs/lib
41 dir path=usr/lib
42 $(BUILD64)dir path=usr/lib/$(ARCH64)
43 dir path=usr/lib/elfedit
44 $(BUILD64)dir path=usr/lib/elfedit/$(ARCH64)
45 dir path=usr/share
46 dir path=usr/share/lib
47 dir path=usr/share/lib/ccs
48 dir path=usr/share/man/man1
49 $(BUILD64)file path=usr/bin/$(ARCH64)/ar mode=0555
50 $(BUILD64)file path=usr/bin/$(ARCH64)/dump mode=0555
51 $(BUILD64)file path=usr/bin/$(ARCH64)/elfdump mode=0555
52 $(BUILD64)file path=usr/bin/$(ARCH64)/elfedit mode=0555
53 $(BUILD64)file path=usr/bin/$(ARCH64)/mcs mode=0555
54 $(BUILD64)file path=usr/bin/$(ARCH64)/nm mode=0555
55 $(BUILD64)file path=usr/bin/$(ARCH64)/size mode=0555
37 file path=usr/bin/$(ARCH64)/ar mode=0555
38 file path=usr/bin/$(ARCH64)/dump mode=0555
```

new/usr/src/pkg/manifests/developer-object-file.mf

2

```
39 file path=usr/bin/$(ARCH64)/elfdump mode=0555
40 file path=usr/bin/$(ARCH64)/elfedit mode=0555
41 file path=usr/bin/$(ARCH64)/mcs mode=0555
42 file path=usr/bin/$(ARCH64)/nm mode=0555
43 file path=usr/bin/$(ARCH64)/size mode=0555
56 file path=usr/bin/ar mode=0555
57 file path=usr/bin/dis mode=0555
58 file path=usr/bin/dump mode=0555
59 file path=usr/bin/elfdump mode=0555
60 file path=usr/bin/elfedit mode=0555
61 file path=usr/bin/error mode=0555
62 file path=usr/bin/gprof mode=0555
63 file path=usr/bin/lari mode=0555
64 file path=usr/bin/lex mode=0555
65 file path=usr/bin/lorder mode=0555
66 file path=usr/bin/mcs mode=0555
67 file path=usr/bin/nm mode=0555
68 file path=usr/bin/prof mode=0555
69 file path=usr/bin/ranlib mode=0555
70 file path=usr/bin/rpcgen mode=0555
71 file path=usr/bin/size mode=0555
72 file path=usr/bin/symorder mode=0555
73 file path=usr/bin/tsort mode=0555
74 file path=usr/bin/unifdef mode=0555
75 file path=usr/bin/yacc mode=0555
76 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-11.ln
77 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ly.ln
78 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/cap.so
79 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/dyn.so
80 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/ehdr.so
81 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/phdr.so
82 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/shdr.so
83 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/str.so
84 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/sym.so
85 $(BUILD64)file path=usr/lib/elfedit/$(ARCH64)/syminfo.so
64 file path=usr/lib/$(ARCH64)/llib-11.ln
65 file path=usr/lib/$(ARCH64)/llib-ly.ln
66 file path=usr/lib/elfedit/$(ARCH64)/cap.so
67 file path=usr/lib/elfedit/$(ARCH64)/dyn.so
68 file path=usr/lib/elfedit/$(ARCH64)/ehdr.so
69 file path=usr/lib/elfedit/$(ARCH64)/phdr.so
70 file path=usr/lib/elfedit/$(ARCH64)/shdr.so
71 file path=usr/lib/elfedit/$(ARCH64)/str.so
72 file path=usr/lib/elfedit/$(ARCH64)/sym.so
73 file path=usr/lib/elfedit/$(ARCH64)/syminfo.so
86 file path=usr/lib/elfedit/cap.so
87 file path=usr/lib/elfedit/dyn.so
88 file path=usr/lib/elfedit/ehdr.so
89 file path=usr/lib/elfedit/phdr.so
90 file path=usr/lib/elfedit/shdr.so
91 file path=usr/lib/elfedit/str.so
92 file path=usr/lib/elfedit/sym.so
93 file path=usr/lib/elfedit/syminfo.so
94 file path=usr/lib/llib-11
95 file path=usr/lib/llib-11.ln
96 file path=usr/lib/llib-ly
97 file path=usr/lib/llib-ly.ln
98 file path=usr/share/lib/ccs/gprof.callg.blurb mode=0444
99 file path=usr/share/lib/ccs/gprof.flat.blurb mode=0444
100 file path=usr/share/lib/ccs/necufm
101 file path=usr/share/lib/ccs/nconfm
102 file path=usr/share/lib/ccs/nrform
103 file path=usr/share/lib/ccs/yaccpar
104 file path=usr/share/man/man1/ar.1
105 file path=usr/share/man/man1/dis.1
106 file path=usr/share/man/man1/dump.1
```

```

107 file path=usr/share/man/man1/elfdump.1
108 file path=usr/share/man/man1/elfedit.1
109 file path=usr/share/man/man1/gprof.1
110 file path=usr/share/man/man1/lari.1
111 file path=usr/share/man/man1/lex.1
112 file path=usr/share/man/man1/lorder.1
113 file path=usr/share/man/man1/mcs.1
114 file path=usr/share/man/man1/nm.1
115 file path=usr/share/man/man1/prof.1
116 file path=usr/share/man/man1/ranlib.1
117 file path=usr/share/man/man1/rpcgen.1
118 file path=usr/share/man/man1/size.1
119 file path=usr/share/man/man1/strip.1
120 file path=usr/share/man/man1/symorder.1
121 file path=usr/share/man/man1/tsort.1
122 file path=usr/share/man/man1/unifdef.1
123 file path=usr/share/man/man1/yacc.1
124 $(BUILD64)hardlink path=usr/bin/$(ARCH64)/strip target=../bin/$(ARCH64)/mcs
112 hardlink path=usr/bin/$(ARCH64)/strip target=../bin/$(ARCH64)/mcs
125 hardlink path=usr/bin/strip target=../bin/mcs
126 legacy pkg=SUNWbtool \
127     desc="software development utilities, including ar, dis, dump, elfdump, elfe
128     name="CCS tools bundled with SunOS"
129 license cr_Sun license=cr_Sun
130 license lic_CDDL license=lic_CDDL
131 license usr/src/cmd/backup/dump/THIRDPARTYLICENSE \
132     license=usr/src/cmd/backup/dump/THIRDPARTYLICENSE
133 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/ar target=../bin/$(ARCH64)/ar
134 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/dump \
135     target=../bin/$(ARCH64)/dump
136 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/elfdump \
137     target=../bin/$(ARCH64)/elfdump
138 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/mcs \
139     target=../bin/$(ARCH64)/mcs
140 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/nm target=../bin/$(ARCH64)/nm
141 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/size \
142     target=../bin/$(ARCH64)/size
143 $(BUILD64)link path=usr/ccs/bin/$(ARCH64)/strip \
144     target=../bin/$(ARCH64)/strip
121 link path=usr/ccs/bin/$(ARCH64)/ar target=../bin/$(ARCH64)/ar
122 link path=usr/ccs/bin/$(ARCH64)/dump target=../bin/$(ARCH64)/dump
123 link path=usr/ccs/bin/$(ARCH64)/elfdump target=../bin/$(ARCH64)/elfdump
124 link path=usr/ccs/bin/$(ARCH64)/mcs target=../bin/$(ARCH64)/mcs
125 link path=usr/ccs/bin/$(ARCH64)/nm target=../bin/$(ARCH64)/nm
126 link path=usr/ccs/bin/$(ARCH64)/size target=../bin/$(ARCH64)/size
127 link path=usr/ccs/bin/$(ARCH64)/strip target=../bin/$(ARCH64)/strip
145 link path=usr/ccs/bin/ar target=../bin/ar
146 link path=usr/ccs/bin/dis target=../bin/dis
147 link path=usr/ccs/bin/dump target=../bin/dump
148 link path=usr/ccs/bin/elfdump target=../bin/elfdump
149 link path=usr/ccs/bin/error target=../bin/error
150 link path=usr/ccs/bin/gprof target=../bin/gprof
151 link path=usr/ccs/bin/lari target=../bin/lari
152 link path=usr/ccs/bin/lex target=../bin/lex
153 link path=usr/ccs/bin/lorder target=../bin/lorder
154 link path=usr/ccs/bin/mcs target=../bin/mcs
155 link path=usr/ccs/bin/nm target=../bin/nm
156 link path=usr/ccs/bin/prof target=../bin/prof
157 link path=usr/ccs/bin/ranlib target=../bin/ranlib
158 link path=usr/ccs/bin/size target=../bin/size
159 link path=usr/ccs/bin/strip target=../bin/strip
160 link path=usr/ccs/bin/symorder target=../bin/symorder
161 link path=usr/ccs/bin/tsort target=../bin/tsort
162 link path=usr/ccs/bin/unifdef target=../bin/unifdef
163 link path=usr/ccs/bin/yacc target=../bin/yacc
164 link path=usr/ccs/bin/yaccpar target=../share/lib/ccs/yaccpar

```

```

165 link path=usr/ccs/lib/llib-11.ln target=../lib/llib-11.ln
166 link path=usr/ccs/lib/llib-ly.ln target=../lib/llib-ly.ln
167 link path=usr/lib/elfedit/32 target=
168 $(BUILD64)link path=usr/lib/elfedit/64 target=$(ARCH64)
151 link path=usr/lib/elfedit/64 target=$(ARCH64)
169 depend fmri=developer/macro/cpp type=require
170 depend fmri=runtime/perl-510 type=require

```

new/usr/src/pkg/manifests/diagnostic-cpu-counters.mf

1

```
*****
11514 Fri Apr 11 13:24:07 2014
new/usr/src/pkg/manifests/diagnostic-cpu-counters.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/diagnostic/cpu-counters@$(PKGVERS)
30 set name=pkg.description \
31     value="CPU Performance Counter libraries and utilities"
32 set name=pkg.summary value="CPU Performance Counter libraries and utilities"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/bin
37 $(i386_ONLY)dir path=usr/bin/$(ARCH32)
38 $(BUILD64)dir path=usr/bin/$(ARCH64)
25 dir path=usr/bin/$(ARCH64)
39 dir path=usr/include
40 dir path=usr/include/sys
41 dir path=usr/kernel group=sys
42 dir path=usr/kernel/pcbe group=sys
43 dir path=usr/kernel/pcbe/$(ARCH64) group=sys
44 dir path=usr/lib
45 $(BUILD64)dir path=usr/lib/$(ARCH64)
32 dir path=usr/lib/$(ARCH64)
46 dir path=usr/sbin
47 dir path=usr/share/man/man1
48 dir path=usr/share/man/man1m
49 dir path=usr/share/man/man3cpc
50 dir path=usr/share/man/man3lib
51 $(i386_ONLY)file path=usr/bin/$(ARCH32)/cputrack mode=0555
52 $(BUILD64)file path=usr/bin/$(ARCH64)/cputrack mode=0555
39 file path=usr/bin/$(ARCH64)/cputrack mode=0555
53 file path=usr/include/libcpc.h
54 file path=usr/include/libpctx.h
55 $(sparc_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.4.6 group=sys mode=0755
56 $(sparc_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.62 group=sys mode=0755
57 $(i386_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.AuthenticAMD group=sys \
58     mode=0755
```

new/usr/src/pkg/manifests/diagnostic-cpu-counters.mf

2

```
59 $(i386_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.GenuineIntel.15 group=sys \
60     mode=0755
61 $(i386_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.GenuineIntel.6 group=sys \
62     mode=0755
63 $(i386_ONLY)file path=usr/kernel/pcbe/$(ARCH64)/pcbe.GenuineIntel.6.15 \
64     group=sys mode=0755
65 $(i386_ONLY)file path=usr/kernel/pcbe/pcbe.AuthenticAMD group=sys mode=0755
66 $(i386_ONLY)file path=usr/kernel/pcbe/pcbe.GenuineIntel.15 group=sys mode=0755
67 $(i386_ONLY)file path=usr/kernel/pcbe/pcbe.GenuineIntel.6 group=sys mode=0755
68 $(i386_ONLY)file path=usr/kernel/pcbe/pcbe.GenuineIntel.6.15 group=sys \
69     mode=0755
70 $(BUILD64)file path=usr/lib/$(ARCH64)/libcpc.so.1
71 $(BUILD64)file path=usr/lib/$(ARCH64)/libpctx.so.1
72 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lcpc.ln
73 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lpctx.ln
57 file path=usr/lib/$(ARCH64)/libcpc.so.1
58 file path=usr/lib/$(ARCH64)/libpctx.so.1
59 file path=usr/lib/$(ARCH64)/llib-lcpc.ln
60 file path=usr/lib/$(ARCH64)/llib-lpctx.ln
74 file path=usr/lib/libcpc.so.1
75 file path=usr/lib/libpctx.so.1
76 file path=usr/lib/llib-lcpc
77 file path=usr/lib/llib-lcpc.ln
78 file path=usr/lib/llib-lpctx
79 file path=usr/lib/llib-lpctx.ln
80 file path=usr/sbin/cpustat mode=0555
81 file path=usr/share/man/man1/cputrack.1
82 file path=usr/share/man/man1m/cpustat.lm
83 file path=usr/share/man/man3cpc/cpc.3cpc
84 file path=usr/share/man/man3cpc/cpc_access.3cpc
85 file path=usr/share/man/man3cpc/cpc_bind_curlwp.3cpc
86 file path=usr/share/man/man3cpc/cpc_bind_event.3cpc
87 file path=usr/share/man/man3cpc/cpc_buf_create.3cpc
88 file path=usr/share/man/man3cpc/cpc_count_usr_events.3cpc
89 file path=usr/share/man/man3cpc/cpc_enable.3cpc
90 file path=usr/share/man/man3cpc/cpc_event.3cpc
91 file path=usr/share/man/man3cpc/cpc_event_diff.3cpc
92 file path=usr/share/man/man3cpc/cpc_getcpuver.3cpc
93 file path=usr/share/man/man3cpc/cpc_nplic.3cpc
94 file path=usr/share/man/man3cpc/cpc_open.3cpc
95 file path=usr/share/man/man3cpc/cpc_pctx_bind_event.3cpc
96 file path=usr/share/man/man3cpc/cpc_set_create.3cpc
97 file path=usr/share/man/man3cpc/cpc_seterrfn.3cpc
98 file path=usr/share/man/man3cpc/cpc_seterrhdlr.3cpc
99 file path=usr/share/man/man3cpc/cpc_shared_open.3cpc
100 file path=usr/share/man/man3cpc/cpc_strtoevent.3cpc
101 file path=usr/share/man/man3cpc/cpc_version.3cpc
102 file path=usr/share/man/man3cpc/generic_events.3cpc
103 file path=usr/share/man/man3cpc/pctx_capture.3cpc
104 file path=usr/share/man/man3cpc/pctx_set_events.3cpc
105 file path=usr/share/man/man3lib/libcpc.3lib
106 file path=usr/share/man/man3lib/libpctx.3lib
107 hardlink path=usr/bin/cputrack target=./lib/isaexec
108 $(sparc_ONLY)hardlink path=usr/kernel/pcbe/$(ARCH64)/pcbe.23 target=pcbe.62
109 $(sparc_ONLY)hardlink path=usr/kernel/pcbe/$(ARCH64)/pcbe.4.7 target=pcbe.4.6
110 $(i386_ONLY)hardlink path=usr/kernel/pcbe/$(ARCH64)/pcbe.GenuineIntel.5 \
111     target=pcbe.GenuineIntel.6
112 $(i386_ONLY)hardlink path=usr/kernel/pcbe/pcbe.GenuineIntel.5 \
113     target=pcbe.GenuineIntel.6
114 legacy pkg=SUNWcpcu desc="CPU Performance Counter libraries and utilities" \
115     name="CPU Performance Counter libraries and utilities"
116 license cr_Sun license=cr_Sun
117 license lic_CDDL license=lic_CDDL
118 $(i386_ONLY)license usr/src/uts/intel/pcbe/THIRDPARTYLICENSE \
119     license=usr/src/uts/intel/pcbe/THIRDPARTYLICENSE
120 $(sparc_ONLY)license usr/src/uts/sun4u/pcbe/THIRDPARTYLICENSE \
```


new/usr/src/pkg/manifests/install-beadm.mf

1

```
*****
2322 Fri Apr 11 13:24:08 2014
new/usr/src/pkg/manifests/install-beadm.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2010 Nexenta Systems, Inc. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #

29 set name=pkg.fmri value=pkg:/install/beadm@$(PKGVERS)
30 set name=pkg.description value="Boot Environment Management Tool"
31 set name=pkg.summary value="beadm utility"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=sbin group=sys
35 dir path=usr group=sys
36 dir path=usr/include
37 dir path=usr/lib
38 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
39 dir path=usr/lib/python2.6
40 dir path=usr/lib/python2.6/vendor-packages
41 dir path=usr/lib/python2.6/vendor-packages/64
42 dir path=usr/lib/python2.6/vendor-packages/beadm
43 dir path=usr/sbin
44 dir path=usr/share
45 dir path=usr/share/man
46 dir path=usr/share/man/man1m
47 file path=sbin/beadm mode=0555
48 file path=usr/include/libbe.h
49 $(BUILD64)file path=usr/lib/$(ARCH64)/libbe.so.1
50 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lbe.ln
36 file path=usr/lib/$(ARCH64)/libbe.so.1
37 file path=usr/lib/$(ARCH64)/llib-lbe.ln
51 file path=usr/lib/libbe.so.1
52 file path=usr/lib/llib-lbe
53 file path=usr/lib/llib-lbe.ln
54 file path=usr/lib/python2.6/vendor-packages/64/libbe_py.so
55 file path=usr/lib/python2.6/vendor-packages/libbe_py.so
56 file path=usr/share/man/man1m/beadm.1m
57 license cr_Sun license=cr_Sun
58 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/install-beadm.mf

2

```
59 $(BUILD64)link path=usr/lib/$(ARCH64)/libbe.so target=./libbe.so.1
46 link path=usr/lib/$(ARCH64)/libbe.so target=./libbe.so.1
60 link path=usr/lib/libbe.so target=./libbe.so.1
61 link path=usr/sbin/beadm target=../../sbin/beadm
```

new/usr/src/pkg/manifests/library-libadt_jni.mf

1

1925 Fri Apr 11 13:24:08 2014

new/usr/src/pkg/manifests/library-libadt_jni.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/library/libadt_jni@$(PKGVERS)
29 set name=pkg.description \
30 value="Java Solaris Auditing interface / AuditService Implementation"
31 set name=pkg.summary value="AuditService Implementation"
32 set name=info.classification \
33 value="org.opensolaris.category.2008:System/Administration and Configuration"
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 $(BUILD64)dir path=usr/lib/$(ARCH64)
38 dir path=usr/lib/audit
39 $(BUILD64)file path=usr/lib/$(ARCH64)/libadt_jni.so.1
40 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ladt_jni.ln
41 file path=usr/lib/audit/Audit.jar
42 file path=usr/lib/libadt_jni.so.1
43 file path=usr/lib/llib-ladt_jni.ln
44 legacy pkg=SUNWaudit \
45 desc="Java Solaris Auditing interface / AuditService Implementation" \
46 name="AuditService Implementation"
47 license cr_Sun license=cr_Sun
48 license lic_CDDL license=lic_CDDL
49 $(BUILD64)link path=usr/lib/$(ARCH64)/libadt_jni.so target=./libadt_jni.so.1
50 link path=usr/lib/$(ARCH64)/libadt_jni.so target=./libadt_jni.so.1
```

new/usr/src/pkg/manifests/library-libtecla.mf

1

```
*****
10876 Fri Apr 11 13:24:08 2014
new/usr/src/pkg/manifests/library-libtecla.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri \
30 value=pkg:/library/libtecla@1.6.0,${PKGVERS_BUILTON}-${PKGVERS_BRANCH}
31 set name=pkg.description value="Tecla command-line editing library"
32 set name=pkg.summary value="Tecla command-line editing library"
33 set name=info.classification \
34 value=org.opensolaris.category.2008:System/Libraries
35 set name=variant.arch value=${ARCH}
36 dir path=usr group=sys
37 dir path=usr/bin
38 dir path=usr/include
39 dir path=usr/lib
40 ${BUILD64}dir path=usr/lib/${ARCH64}
41 dir path=usr/share/man
42 dir path=usr/share/man/man1
43 dir path=usr/share/man/man3lib
44 dir path=usr/share/man/man3sysevent
45 dir path=usr/share/man/man3tecla
46 dir path=usr/share/man/man5
47 file path=usr/bin/enhance mode=0555
48 file path=usr/include/libtecla.h
49 ${BUILD64}file path=usr/lib/${ARCH64}/libtecla.so.1
50 ${BUILD64}file path=usr/lib/${ARCH64}/llib-ltecla.ln
51 file path=usr/lib/${ARCH64}/llib-ltecla.ln
52 file path=usr/lib/llib-ltecla
53 file path=usr/lib/llib-ltecla.ln
54 file path=usr/share/man/man1/enhance.1
55 file path=usr/share/man/man3lib/libtecla.3lib
56 file path=usr/share/man/man3sysevent/sysevent_bind_handle.3sysevent
57 file path=usr/share/man/man3sysevent/sysevent_free.3sysevent
58 file path=usr/share/man/man3sysevent/sysevent_get_attr_list.3sysevent
```

new/usr/src/pkg/manifests/library-libtecla.mf

2

```
59 file path=usr/share/man/man3sysevent/sysevent_get_class_name.3sysevent
60 file path=usr/share/man/man3sysevent/sysevent_get_vendor_name.3sysevent
61 file path=usr/share/man/man3sysevent/sysevent_post_event.3sysevent
62 file path=usr/share/man/man3sysevent/sysevent_subscribe_event.3sysevent
63 file path=usr/share/man/man3tecla/cpl_complete_word.3tecla
64 file path=usr/share/man/man3tecla/ef_expand_file.3tecla
65 file path=usr/share/man/man3tecla/gl_get_line.3tecla
66 file path=usr/share/man/man3tecla/gl_io_mode.3tecla
67 file path=usr/share/man/man3tecla/libtecla_version.3tecla
68 file path=usr/share/man/man3tecla/pca_lookup_file.3tecla
69 file path=usr/share/man/man5/tecla.5
70 legacy pkg=SUNWtecla desc="Tecla command-line editing library" \
71 name="Tecla command-line editing library"
72 license usr/src/lib/libtecla/THIRDPARTYLICENSE \
73 license=usr/src/lib/libtecla/THIRDPARTYLICENSE
74 ${BUILD64}link path=usr/lib/${ARCH64}/libtecla.so target=libtecla.so.1
59 link path=usr/lib/${ARCH64}/libtecla.so target=libtecla.so.1
75 link path=usr/lib/libtecla.so target=libtecla.so.1
76 link path=usr/share/man/man3sysevent/sysevent_get_pid.3sysevent \
77 target=sysevent_get_vendor_name.3sysevent
78 link path=usr/share/man/man3sysevent/sysevent_get_pub_name.3sysevent \
79 target=sysevent_get_vendor_name.3sysevent
80 link path=usr/share/man/man3sysevent/sysevent_get_seq.3sysevent \
81 target=sysevent_get_class_name.3sysevent
82 link path=usr/share/man/man3sysevent/sysevent_get_size.3sysevent \
83 target=sysevent_get_class_name.3sysevent
84 link path=usr/share/man/man3sysevent/sysevent_get_subclass_name.3sysevent \
85 target=sysevent_get_class_name.3sysevent
86 link path=usr/share/man/man3sysevent/sysevent_get_time.3sysevent \
87 target=sysevent_get_class_name.3sysevent
88 link path=usr/share/man/man3sysevent/sysevent_unbind_handle.3sysevent \
89 target=sysevent_bind_handle.3sysevent
90 link path=usr/share/man/man3sysevent/sysevent_unsubscribe_event.3sysevent \
91 target=sysevent_subscribe_event.3sysevent
92 link path=usr/share/man/man3tecla/cfc_file_start.3tecla \
93 target=cpl_complete_word.3tecla
94 link path=usr/share/man/man3tecla/cfc_literal_escapes.3tecla \
95 target=cpl_complete_word.3tecla
96 link path=usr/share/man/man3tecla/cfc_set_check_fn.3tecla \
97 target=cpl_complete_word.3tecla
98 link path=usr/share/man/man3tecla/cpl_add_completion.3tecla \
99 target=cpl_complete_word.3tecla
100 link path=usr/share/man/man3tecla/cpl_check_exe.3tecla \
101 target=cpl_complete_word.3tecla
102 link path=usr/share/man/man3tecla/cpl_file_completions.3tecla \
103 target=cpl_complete_word.3tecla
104 link path=usr/share/man/man3tecla/cpl_last_error.3tecla \
105 target=cpl_complete_word.3tecla
106 link path=usr/share/man/man3tecla/cpl_list_completions.3tecla \
107 target=cpl_complete_word.3tecla
108 link path=usr/share/man/man3tecla/cpl_recall_matches.3tecla \
109 target=cpl_complete_word.3tecla
110 link path=usr/share/man/man3tecla/cpl_record_error.3tecla \
111 target=cpl_complete_word.3tecla
112 link path=usr/share/man/man3tecla/del_CplFileConf.3tecla \
113 target=cpl_complete_word.3tecla
114 link path=usr/share/man/man3tecla/del_ExpandFile.3tecla \
115 target=ef_expand_file.3tecla
116 link path=usr/share/man/man3tecla/del_GetLine.3tecla target=gl_get_line.3tecla
117 link path=usr/share/man/man3tecla/del_PathCache.3tecla \
118 target=pca_lookup_file.3tecla
119 link path=usr/share/man/man3tecla/del_PcaPathConf.3tecla \
120 target=pca_lookup_file.3tecla
121 link path=usr/share/man/man3tecla/del_WordCompletion.3tecla \
122 target=cpl_complete_word.3tecla
123 link path=usr/share/man/man3tecla/ef_last_error.3tecla \
```

```

124 target=ef_expand_file.3tecla
125 link path=usr/share/man/man3tecla/ef_list_expansions.3tecla \
126 target=ef_expand_file.3tecla
127 link path=usr/share/man/man3tecla/gl_abandon_line.3tecla \
128 target=gl_io_mode.3tecla
129 link path=usr/share/man/man3tecla/gl_append_history.3tecla \
130 target=gl_get_line.3tecla
131 link path=usr/share/man/man3tecla/gl_automatic_history.3tecla \
132 target=gl_get_line.3tecla
133 link path=usr/share/man/man3tecla/gl_bind_keyseq.3tecla \
134 target=gl_get_line.3tecla
135 link path=usr/share/man/man3tecla/gl_catch_blocked.3tecla \
136 target=gl_get_line.3tecla
137 link path=usr/share/man/man3tecla/gl_change_terminal.3tecla \
138 target=gl_get_line.3tecla
139 link path=usr/share/man/man3tecla/gl_clear_history.3tecla \
140 target=gl_get_line.3tecla
141 link path=usr/share/man/man3tecla/gl_completion_action.3tecla \
142 target=gl_get_line.3tecla
143 link path=usr/share/man/man3tecla/gl_configure_getline.3tecla \
144 target=gl_get_line.3tecla
145 link path=usr/share/man/man3tecla/gl_customize_completion.3tecla \
146 target=gl_get_line.3tecla
147 link path=usr/share/man/man3tecla/gl_display_text.3tecla \
148 target=gl_get_line.3tecla
149 link path=usr/share/man/man3tecla/gl_echo_mode.3tecla \
150 target=gl_get_line.3tecla
151 link path=usr/share/man/man3tecla/gl_erase_terminal.3tecla \
152 target=gl_get_line.3tecla
153 link path=usr/share/man/man3tecla/gl_error_message.3tecla \
154 target=gl_get_line.3tecla
155 link path=usr/share/man/man3tecla/gl_group_history.3tecla \
156 target=gl_get_line.3tecla
157 link path=usr/share/man/man3tecla/gl_handle_signal.3tecla \
158 target=gl_io_mode.3tecla
159 link path=usr/share/man/man3tecla/gl_ignore_signal.3tecla \
160 target=gl_get_line.3tecla
161 link path=usr/share/man/man3tecla/gl_inactivity_timeout.3tecla \
162 target=gl_get_line.3tecla
163 link path=usr/share/man/man3tecla/gl_last_signal.3tecla \
164 target=gl_get_line.3tecla
165 link path=usr/share/man/man3tecla/gl_limit_history.3tecla \
166 target=gl_get_line.3tecla
167 link path=usr/share/man/man3tecla/gl_list_signals.3tecla \
168 target=gl_get_line.3tecla
169 link path=usr/share/man/man3tecla/gl_load_history.3tecla \
170 target=gl_get_line.3tecla
171 link path=usr/share/man/man3tecla/gl_lookup_history.3tecla \
172 target=gl_get_line.3tecla
173 link path=usr/share/man/man3tecla/gl_normal_io.3tecla target=gl_io_mode.3tecla
174 link path=usr/share/man/man3tecla/gl_pending_io.3tecla \
175 target=gl_io_mode.3tecla
176 link path=usr/share/man/man3tecla/gl_prompt_style.3tecla \
177 target=gl_get_line.3tecla
178 link path=usr/share/man/man3tecla/gl_query_char.3tecla \
179 target=gl_get_line.3tecla
180 link path=usr/share/man/man3tecla/gl_range_of_history.3tecla \
181 target=gl_get_line.3tecla
182 link path=usr/share/man/man3tecla/gl_raw_io.3tecla target=gl_io_mode.3tecla
183 link path=usr/share/man/man3tecla/gl_read_char.3tecla \
184 target=gl_get_line.3tecla
185 link path=usr/share/man/man3tecla/gl_register_action.3tecla \
186 target=gl_get_line.3tecla
187 link path=usr/share/man/man3tecla/gl_replace_prompt.3tecla \
188 target=gl_get_line.3tecla
189 link path=usr/share/man/man3tecla/gl_resize_history.3tecla \

```

```

190 target=gl_get_line.3tecla
191 link path=usr/share/man/man3tecla/gl_return_status.3tecla \
192 target=gl_get_line.3tecla
193 link path=usr/share/man/man3tecla/gl_save_history.3tecla \
194 target=gl_get_line.3tecla
195 link path=usr/share/man/man3tecla/gl_set_term_size.3tecla \
196 target=gl_get_line.3tecla
197 link path=usr/share/man/man3tecla/gl_show_history.3tecla \
198 target=gl_get_line.3tecla
199 link path=usr/share/man/man3tecla/gl_size_of_history.3tecla \
200 target=gl_get_line.3tecla
201 link path=usr/share/man/man3tecla/gl_state_of_history.3tecla \
202 target=gl_get_line.3tecla
203 link path=usr/share/man/man3tecla/gl_terminal_size.3tecla \
204 target=gl_get_line.3tecla
205 link path=usr/share/man/man3tecla/gl_toggle_history.3tecla \
206 target=gl_get_line.3tecla
207 link path=usr/share/man/man3tecla/gl_trap_signal.3tecla \
208 target=gl_get_line.3tecla
209 link path=usr/share/man/man3tecla/gl_tty_signals.3tecla \
210 target=gl_io_mode.3tecla
211 link path=usr/share/man/man3tecla/gl_watch_fd.3tecla target=gl_get_line.3tecla
212 link path=usr/share/man/man3tecla/new_CplFileConf.3tecla \
213 target=cpl_complete_word.3tecla
214 link path=usr/share/man/man3tecla/new_ExpandFile.3tecla \
215 target=ef_expand_file.3tecla
216 link path=usr/share/man/man3tecla/new_GetLine.3tecla target=gl_get_line.3tecla
217 link path=usr/share/man/man3tecla/new_PathCache.3tecla \
218 target=pca_lookup_file.3tecla
219 link path=usr/share/man/man3tecla/new_PcaPathConf.3tecla \
220 target=pca_lookup_file.3tecla
221 link path=usr/share/man/man3tecla/new_WordCompletion.3tecla \
222 target=cpl_complete_word.3tecla
223 link path=usr/share/man/man3tecla/pca_last_error.3tecla \
224 target=pca_lookup_file.3tecla
225 link path=usr/share/man/man3tecla/pca_path_completions.3tecla \
226 target=pca_lookup_file.3tecla
227 link path=usr/share/man/man3tecla/pca_scan_path.3tecla \
228 target=pca_lookup_file.3tecla
229 link path=usr/share/man/man3tecla/pca_set_check_fn.3tecla \
230 target=pca_lookup_file.3tecla
231 link path=usr/share/man/man3tecla/ppc_file_start.3tecla \
232 target=pca_lookup_file.3tecla
233 link path=usr/share/man/man3tecla/ppc_literal_escapes.3tecla \
234 target=pca_lookup_file.3tecla
235 link path=usr/share/man/man5/teclarc.5 target=tecla.5

```

new/usr/src/pkg/manifests/network-ipd.mf

1

1685 Fri Apr 11 13:24:09 2014

new/usr/src/pkg/manifests/network-ipd.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet at
9 # http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright (c) 2013 by Delphix. All rights reserved.
14 # Copyright 2014 Andrew Stormont.
15 #endif /* ! codereview */
16 #
```

```
18 set name=pkg.fmri value=pkg:/network/ipd@$(PKGVERS)
19 set name=pkg.description value="Internet Packet Disturber"
20 set name=pkg.summary value="Internet Packet Disturber"
21 set name=info.classification \
22     value=org.opensolaris.category.2008:System/Hardware
23 set name=variant.arch value=$(ARCH)
24 dir path=kernel group=sys
25 dir path=kernel/drv group=sys
26 dir path=kernel/drv/$(ARCH64) group=sys
27 dir path=usr group=sys
28 dir path=usr/lib
29 $(BUILD64)dir path=usr/lib/$(ARCH64)
14 dir path=usr/lib/$(ARCH64)
30 dir path=usr/sbin
31 dir path=usr/share/man/man1m
32 driver name=ipd perms="* 0600 root sys"
33 file path=kernel/drv/$(ARCH64)/ipd group=sys
34 $(i386_ONLY)file path=kernel/drv/ipd group=sys
35 file path=kernel/drv/ipd.conf group=sys
36 file path=usr/include/libipd.h
37 file path=usr/include/sys/ipd.h
38 $(BUILD64)file path=usr/lib/$(ARCH64)/libipd.so.1
39 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-libd.ln
23 file path=usr/lib/$(ARCH64)/libipd.so.1
24 file path=usr/lib/$(ARCH64)/llib-libd.ln
40 file path=usr/lib/libipd.so.1
41 file path=usr/lib/llib-libd
42 file path=usr/lib/llib-libd.ln
43 file path=usr/sbin/ipdadm mode=0555
44 file path=usr/share/man/man1m/ipdadm.lm
45 license cr_Sun license=cr_Sun
46 license lic_CDDL license=lic_CDDL
47 $(BUILD64)link path=usr/lib/$(ARCH64)/libipd.so target=libipd.so.1
32 link path=usr/lib/$(ARCH64)/libipd.so target=libipd.so.1
48 link path=usr/lib/libipd.so target=libipd.so.1
```

new/usr/src/pkg/manifests/network-ipfilter.mf

1

```
*****
5712 Fri Apr 11 13:24:09 2014
new/usr/src/pkg/manifests/network-ipfilter.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/network/ipfilter@$(PKGVERS)
29 set name=pkg.description value="IP Filter Utilities"
30 set name=pkg.summary value="IP Filter utilities"
31 set name=info.classification \
32   value="org.opensolaris.category.2008:System/Administration and Configuration"
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys
35 dir path=etc/ipf group=sys
36 dir path=lib
37 dir path=lib/svc
38 dir path=lib/svc/manifest group=sys
39 dir path=lib/svc/manifest/network group=sys
40 dir path=lib/svc/method
41 dir path=usr group=sys
42 dir path=usr/kernel group=sys
43 dir path=usr/kernel/drv group=sys
44 dir path=usr/kernel/drv/$(ARCH64) group=sys
45 dir path=usr/lib
46 dir path=usr/lib/ipf
47 $(i386_ONLY)dir path=usr/lib/ipf/$(ARCH32) group=sys
48 $(BUILD64)dir path=usr/lib/ipf/$(ARCH64) group=sys
24 dir path=usr/lib/ipf/$(ARCH64) group=sys
49 dir path=usr/sbin
50 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
51 $(BUILD64)dir path=usr/sbin/$(ARCH64)
27 dir path=usr/sbin/$(ARCH64)
52 dir path=usr/share
53 dir path=usr/share/ipfilter
54 dir path=usr/share/ipfilter/examples
55 dir path=usr/share/man
56 dir path=usr/share/man/man1m
57 dir path=usr/share/man/man5
58 dir path=usr/share/man/man7i
59 dir path=var group=sys
```

new/usr/src/pkg/manifests/network-ipfilter.mf

2

```
60 dir path=var/db group=sys
61 dir path=var/db/ipf group=sys
62 driver name=ipf perms="* 0666 root sys" \
63   policy="read_priv_set=sys_ip_config write_priv_set=sys_ip_config"
64 file path=etc/ipf/ipf.conf group=sys original_name=SUNWipf:etc/ipf/ipf.conf \
65   preserve=true
66 file path=lib/svc/manifest/network/ipfilter.xml group=sys mode=0444
67 file path=lib/svc/method/ipfilter mode=0555
68 file path=usr/kernel/drv/$(ARCH64)/ipf group=sys
69 $(i386_ONLY)file path=usr/kernel/drv/ipf group=sys
70 file path=usr/kernel/drv/ipf.conf group=sys
71 $(i386_ONLY)file path=usr/lib/ipf/$(ARCH32)/ipftest mode=0555
72 $(BUILD64)file path=usr/lib/ipf/$(ARCH64)/ipftest mode=0555
48 file path=usr/lib/ipf/$(ARCH64)/ipftest mode=0555
73 file path=usr/lib/ipf/IPFILTER.LICENSE
74 file path=usr/lib/serinfo mode=0555
75 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ipf mode=0555
76 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ipfs mode=0555
77 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ipfstat mode=0555
78 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ipmon mode=0555
79 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ipnat mode=0555
80 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/ippool mode=0555
81 $(BUILD64)file path=usr/sbin/$(ARCH64)/ipf mode=0555
82 $(BUILD64)file path=usr/sbin/$(ARCH64)/ipfs mode=0555
83 $(BUILD64)file path=usr/sbin/$(ARCH64)/ipfstat mode=0555
84 $(BUILD64)file path=usr/sbin/$(ARCH64)/ipmon mode=0555
85 $(BUILD64)file path=usr/sbin/$(ARCH64)/ipnat mode=0555
86 $(BUILD64)file path=usr/sbin/$(ARCH64)/ippool mode=0555
57 file path=usr/sbin/$(ARCH64)/ipf mode=0555
58 file path=usr/sbin/$(ARCH64)/ipfs mode=0555
59 file path=usr/sbin/$(ARCH64)/ipfstat mode=0555
60 file path=usr/sbin/$(ARCH64)/ipmon mode=0555
61 file path=usr/sbin/$(ARCH64)/ipnat mode=0555
62 file path=usr/sbin/$(ARCH64)/ippool mode=0555
87 file path=usr/share/ipfilter/examples/BASIC.NAT
88 file path=usr/share/ipfilter/examples/BASIC_1.FW
89 file path=usr/share/ipfilter/examples/BASIC_2.FW
90 file path=usr/share/ipfilter/examples/example.1
91 file path=usr/share/ipfilter/examples/example.10
92 file path=usr/share/ipfilter/examples/example.11
93 file path=usr/share/ipfilter/examples/example.12
94 file path=usr/share/ipfilter/examples/example.13
95 file path=usr/share/ipfilter/examples/example.2
96 file path=usr/share/ipfilter/examples/example.3
97 file path=usr/share/ipfilter/examples/example.4
98 file path=usr/share/ipfilter/examples/example.5
99 file path=usr/share/ipfilter/examples/example.6
100 file path=usr/share/ipfilter/examples/example.7
101 file path=usr/share/ipfilter/examples/example.8
102 file path=usr/share/ipfilter/examples/example.9
103 file path=usr/share/ipfilter/examples/example.sr
104 file path=usr/share/ipfilter/examples/firewall
105 file path=usr/share/ipfilter/examples/ftp-proxy
106 file path=usr/share/ipfilter/examples/ftppxy
107 file path=usr/share/ipfilter/examples/ip_rules
108 file path=usr/share/ipfilter/examples/mkfilters mode=0755
109 file path=usr/share/ipfilter/examples/nat-setup
110 file path=usr/share/ipfilter/examples/nat.eg
111 file path=usr/share/ipfilter/examples/pool.conf
112 file path=usr/share/ipfilter/examples/server
113 file path=usr/share/ipfilter/examples/tcpstate
114 file path=usr/share/man/man1m/ipf.1m
115 file path=usr/share/man/man1m/ipfs.1m
116 file path=usr/share/man/man1m/ipfstat.1m
117 file path=usr/share/man/man1m/ipmon.1m
118 file path=usr/share/man/man1m/ipnat.1m
```



```
119 file path=usr/share/man/man1m/ippool.1m
120 file path=usr/share/man/man5/ipfilter.5
121 file path=usr/share/man/man7i/ipnat.7i
122 hardlink path=usr/lib/ipf/ipftest target=../../../../usr/lib/isaexec
123 hardlink path=usr/sbin/ipf target=../../../../usr/lib/isaexec
124 hardlink path=usr/sbin/ipfs target=../../../../usr/lib/isaexec
125 hardlink path=usr/sbin/ipfstat target=../../../../usr/lib/isaexec
126 hardlink path=usr/sbin/ipmon target=../../../../usr/lib/isaexec
127 hardlink path=usr/sbin/ipnat target=../../../../usr/lib/isaexec
128 hardlink path=usr/sbin/ippool target=../../../../usr/lib/isaexec
129 legacy pkg=SUNWipfr desc="IP Filter Utilities" \
130     name="IP Filter utilities, (Root)"
131 legacy pkg=SUNWipfu desc="IP Filter Utilities" \
132     name="IP Filter utilities, (Usr)"
133 license cr_Sun license=cr_Sun
134 license usr/src/cmd/ipf/tools/IPFILTER.LICENCE \
135     license=usr/src/cmd/ipf/tools/IPFILTER.LICENCE
```

new/usr/src/pkg/manifests/network-iscsi-iser.mf

1

```
*****
2730 Fri Apr 11 13:24:09 2014
new/usr/src/pkg/manifests/network-iscsi-iser.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/network/iscsi/iser@$(PKGVERS)
35 set name=pkg.description value="Sun iSCSI Data Mover"
36 set name=pkg.summary value="Sun iSCSI Data Mover"
37 set name=info.classification \
38     value=org.opensolaris.category.2008:System/Hardware
39 set name=variant.arch value=$(ARCH)
40 dir path=kernel group=sys
41 dir path=kernel/drv group=sys
42 dir path=kernel/drv/$(ARCH64) group=sys
43 dir path=kernel/kmdb group=sys
44 dir path=kernel/kmdb/$(ARCH64) group=sys
45 dir path=kernel/misc group=sys
46 dir path=kernel/misc/$(ARCH64) group=sys
47 dir path=usr group=sys
48 dir path=usr/lib
49 dir path=usr/lib/mdb group=sys
50 dir path=usr/lib/mdb/kvm group=sys
51 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
24 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
52 dir path=usr/share/man
53 dir path=usr/share/man/man7d
54 driver name=iser perms="* 0600 root sys"
55 file path=kernel/drv/$(ARCH64)/iser group=sys
56 $(i386_ONLY)file path=kernel/drv/iser group=sys
57 file path=kernel/drv/iser.conf group=sys
58 file path=kernel/kmdb/$(ARCH64)/idm group=sys mode=0555
59 $(i386_ONLY)file path=kernel/kmdb/idm group=sys mode=0555
60 file path=kernel/misc/$(ARCH64)/idm group=sys mode=0755
```

new/usr/src/pkg/manifests/network-iscsi-iser.mf

2

```
61 $(i386_ONLY)file path=kernel/misc/idm group=sys mode=0755
62 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/idm.so group=sys mode=0555
35 file path=usr/lib/mdb/kvm/$(ARCH64)/idm.so group=sys mode=0555
63 $(i386_ONLY)file path=usr/lib/mdb/kvm/idm.so group=sys mode=0555
64 file path=usr/share/man/man7d/iser.7d
65 legacy pkg=SUNwiscsidmr desc="Sun iSCSI Data Mover (Root)" \
66     name="Sun iSCSI Data Mover (Root)"
67 legacy pkg=SUNwiscsidmu desc="Sun iSCSI Data Mover (Usr)" \
68     name="Sun iSCSI Data Mover (Usr)"
69 license cr_Sun license=cr_Sun
70 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/network-iscsi-target.mf

1

```
*****
4916 Fri Apr 11 13:24:09 2014
new/usr/src/pkg/manifests/network-iscsi-target.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/network/iscsi/target@$(PKGVERS)
30 set name=pkg.description value="Sun iSCSI COMSTAR Port Provider"
31 set name=pkg.summary value="Sun iSCSI COMSTAR Port Provider"
32 set name=info.classification \
33   value=org.opensolaris.category.2008:System/Hardware
34 set name=variant.arch value=$(ARCH)
35 dir path=kernel group=sys
36 dir path=kernel/drv group=sys
37 dir path=kernel/drv/$(ARCH64) group=sys
38 dir path=lib variant.opensolaris.zone=global
39 dir path=lib/svc variant.opensolaris.zone=global
40 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
41 dir path=lib/svc/manifest/network group=sys variant.opensolaris.zone=global
42 dir path=lib/svc/manifest/network/iscsi group=sys \
43   variant.opensolaris.zone=global
44 dir path=lib/svc/method variant.opensolaris.zone=global
45 dir path=usr group=sys
46 dir path=usr/include
47 dir path=usr/include/sys
48 dir path=usr/include/sys/iscsit
49 dir path=usr/lib
50 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
51 dir path=usr/sbin
52 dir path=usr/share/man/man1m
53 dir path=usr/share/man/man3iscsit
54 dir path=usr/share/man/man3lib
55 driver name=iscsit perms="* 0600 root sys"
56 file path=kernel/drv/$(ARCH64)/iscsit group=sys
57 $(i386_ONLY)file path=kernel/drv/iscsit group=sys
58 file path=kernel/drv/iscsit.conf group=sys
59 file path=lib/svc/manifest/network/iscsi/iscsi-target.xml group=sys mode=0444 \
60   variant.opensolaris.zone=global
```

new/usr/src/pkg/manifests/network-iscsi-target.mf

2

```
61 file path=lib/svc/method/iscsi-target mode=0555 \
62   variant.opensolaris.zone=global
63 file path=usr/include/libiscsit.h
64 file path=usr/include/sys/iscsit/iscsit_common.h
65 $(BUILD64)file path=usr/lib/$(ARCH64)/libiscsit.so.1
66 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-iscsit.ln
40 file path=usr/lib/$(ARCH64)/libiscsit.so.1
41 file path=usr/lib/$(ARCH64)/llib-iscsit.ln
67 file path=usr/lib/libiscsit.so.1
68 file path=usr/lib/llib-iscsit
69 file path=usr/lib/llib-iscsit.ln
70 file path=usr/sbin/itadm mode=0555
71 file path=usr/share/man/man1m/itadm.lm
72 file path=usr/share/man/man3iscsit/it_config_load.3iscsit
73 file path=usr/share/man/man3iscsit/it_ini_create.3iscsit
74 file path=usr/share/man/man3iscsit/it_portal_create.3iscsit
75 file path=usr/share/man/man3iscsit/it_tgt_create.3iscsit
76 file path=usr/share/man/man3iscsit/it_tpg_create.3iscsit
77 file path=usr/share/man/man3lib/libiscsit.3lib
78 legacy pkg=SUNWiscsitr desc="Sun iSCSI COMSTAR Port Provider" \
79   name="Sun iSCSI COMSTAR Port Provider (root)"
80 legacy pkg=SUNWiscsitu desc="Sun iSCSI COMSTAR Port Provider" \
81   name="Sun iSCSI COMSTAR Port Provider"
82 license cr_Sun license=cr_Sun
83 license lic_CDDL license=lic_CDDL
84 $(BUILD64)link path=usr/lib/$(ARCH64)/libiscsit.so target=libiscsit.so.1
59 link path=usr/lib/$(ARCH64)/libiscsit.so target=libiscsit.so.1
85 link path=usr/lib/libiscsit.so target=libiscsit.so.1
86 link path=usr/share/man/man3iscsit/it_config_commit.3iscsit \
87   target=it_config_load.3iscsit
88 link path=usr/share/man/man3iscsit/it_config_free.3iscsit \
89   target=it_config_load.3iscsit
90 link path=usr/share/man/man3iscsit/it_config_setprop.3iscsit \
91   target=it_config_load.3iscsit
92 link path=usr/share/man/man3iscsit/it_ini_delete.3iscsit \
93   target=it_ini_create.3iscsit
94 link path=usr/share/man/man3iscsit/it_ini_free.3iscsit \
95   target=it_ini_create.3iscsit
96 link path=usr/share/man/man3iscsit/it_ini_setprop.3iscsit \
97   target=it_ini_create.3iscsit
98 link path=usr/share/man/man3iscsit/it_portal_delete.3iscsit \
99   target=it_portal_create.3iscsit
100 link path=usr/share/man/man3iscsit/it_tgt_delete.3iscsit \
101   target=it_tgt_create.3iscsit
102 link path=usr/share/man/man3iscsit/it_tgt_free.3iscsit \
103   target=it_tgt_create.3iscsit
104 link path=usr/share/man/man3iscsit/it_tgt_setprop.3iscsit \
105   target=it_tgt_create.3iscsit
106 link path=usr/share/man/man3iscsit/it_tpg_delete.3iscsit \
107   target=it_tpg_create.3iscsit
108 link path=usr/share/man/man3iscsit/it_tpg_free.3iscsit \
109   target=it_tpg_create.3iscsit
110 link path=usr/share/man/man3iscsit/it_tpgt_create.3iscsit \
111   target=it_tgt_create.3iscsit
112 link path=usr/share/man/man3iscsit/it_tpgt_delete.3iscsit \
113   target=it_tgt_create.3iscsit
114 link path=usr/share/man/man3iscsit/it_tpgt_free.3iscsit \
115   target=it_tgt_create.3iscsit
```

new/usr/src/pkg/manifests/package-svr4.mf

1

```
*****
5128 Fri Apr 11 13:24:09 2014
new/usr/src/pkg/manifests/package-svr4.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/package/svr4@$(PKGVERS)
30 set name=pkg.description value="Solaris System V Release 4 Packaging Commands"
31 set name=pkg.summary value="SVr4 packaging commands"
32 set name=info.classification \
33   value=org.opensolaris.category.2008:System/Packaging
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/svc
37 dir path=lib/svc/manifest group=sys
38 dir path=lib/svc/manifest/system group=sys
39 dir path=usr group=sys
40 dir path=usr/bin
41 dir path=usr/lib
42 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
43 dir path=usr/sadm
44 dir path=usr/sadm/install
45 dir path=usr/sadm/install/bin
46 dir path=usr/sadm/install/scripts
47 dir path=usr/sbin
48 dir path=usr/share/man
49 dir path=usr/share/man/man1
50 dir path=usr/share/man/man1m
51 dir path=usr/share/man/man4
52 dir path=var group=sys
53 dir path=var/sadm group=sys
54 dir path=var/sadm/install
55 dir path=var/sadm/install/admin
56 dir path=var/sadm/install/logs mode=0555
57 dir path=var/sadm/pkg group=sys mode=0555
58 dir path=var/sadm/security group=sys mode=0555
59 dir path=var/spool
60 dir path=var/spool/pkg mode=1777
```

new/usr/src/pkg/manifests/package-svr4.mf

2

```
61 file path=lib/svc/manifest/system/pkgserv.xml group=sys mode=0444
62 file path=usr/bin/pkgadm mode=0555
63 file path=usr/bin/pkgcond group=sys mode=0555
64 file path=usr/bin/pkginfo group=sys mode=0555
65 file path=usr/bin/pkgmk mode=0555
66 file path=usr/bin/pkgparam group=sys mode=0555
67 file path=usr/bin/pkgproto mode=0555
68 file path=usr/bin/pkgtrans mode=0555
69 $(BUILD64)file path=usr/lib/$(ARCH64)/libinstzones.so.1
52 file path=usr/lib/$(ARCH64)/libinstzones.so.1
70 file path=usr/lib/libinstzones.so.1
71 file path=usr/lib/libpkg.so.1
72 file path=usr/sadm/install/bin/pkginstall group=sys mode=0555
73 file path=usr/sadm/install/bin/pkgname group=sys mode=0555
74 file path=usr/sadm/install/bin/pkgremove group=sys mode=0555
75 file path=usr/sadm/install/bin/pkgserv group=sys mode=0555
76 file path=usr/sadm/install/scripts/cmdexec group=sys mode=0555
77 file path=usr/sadm/install/scripts/i.CompCpio group=sys mode=0555
78 file path=usr/sadm/install/scripts/i.awk group=sys mode=0555
79 file path=usr/sadm/install/scripts/i.build group=sys mode=0555
80 file path=usr/sadm/install/scripts/i.preserve group=sys mode=0555
81 file path=usr/sadm/install/scripts/i.sed group=sys mode=0555
82 file path=usr/sadm/install/scripts/r.awk group=sys mode=0555
83 file path=usr/sadm/install/scripts/r.build group=sys mode=0555
84 file path=usr/sadm/install/scripts/r.sed group=sys mode=0555
85 file path=usr/sbin/installf group=sys mode=0555
86 file path=usr/sbin/pkgadd group=sys mode=0555
87 file path=usr/sbin/pkgchk group=sys mode=0555
88 file path=usr/sbin/pkgrm group=sys mode=0555
89 file path=usr/share/man/man1/pkginfo.1
90 file path=usr/share/man/man1/pkgmk.1
91 file path=usr/share/man/man1/pkgparam.1
92 file path=usr/share/man/man1/pkgproto.1
93 file path=usr/share/man/man1/pkgtrans.1
94 file path=usr/share/man/man1m/installf.1m
95 file path=usr/share/man/man1m/pkgadd.1m
96 file path=usr/share/man/man1m/pkgadm.1m
97 file path=usr/share/man/man1m/pkgask.1m
98 file path=usr/share/man/man1m/pkgchk.1m
99 file path=usr/share/man/man1m/pkgrm.1m
100 file path=usr/share/man/man1m/removef.1m
101 file path=usr/share/man/man4/admin.4
102 file path=usr/share/man/man4/compver.4
103 file path=usr/share/man/man4/contents.4
104 file path=usr/share/man/man4/copyright.4
105 file path=usr/share/man/man4/depend.4
106 file path=usr/share/man/man4/pkginfo.4
107 file path=usr/share/man/man4/pkgmap.4
108 file path=usr/share/man/man4/prototype.4
109 file path=usr/share/man/man4/space.4
110 file path=var/sadm/install/admin/default group=sys mode=0444
111 hardlink path=usr/sadm/install/scripts/i.CONFIG.prsv target=./i.preserve
112 hardlink path=usr/sbin/pkgask target=../../usr/sbin/pkgadd
113 hardlink path=usr/sbin/removef target=../../usr/sbin/installf
114 legacy pkg=SUNWpkgcmdsr \
115   desc="Solaris System V release 4 Package Commands (root)" \
116   name="SVr4 package commands (root)" version=11.11.1,REV=2009.11.11
117 legacy pkg=SUNWpkgcmdsu \
118   desc="Solaris System V Release 4 Packaging Commands (usr)" \
119   name="SVr4 packaging commands (usr)" version=11.11.1,REV=2009.11.11
120 license cr_ATT license=cr_ATT
121 license cr_Sun license=cr_Sun
122 license lic_CDDL license=lic_CDDL
123 license usr/src/lib/libpkg/THIRDPARTYLICENSE \
124   license=usr/src/lib/libpkg/THIRDPARTYLICENSE
125 link path=usr/lib/libpkg.so target=./libpkg.so.1
```

```

*****
46610 Fri Apr 11 13:24:10 2014
new/usr/src/pkg/manifests/service-fault-management.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/service/fault-management@$(PKGVERS)
35 set name=pkg.description value="Fault Management Daemon and Utilities"
36 set name=pkg.summary value="Fault Management Daemon and Utilities"
37 set name=info.classification \
38     value="org.opensolaris.category.2008:System/Administration and Configuration"
39 set name=variant.arch value=$(ARCH)
40 #
41 # Start by describing our directory structure.
42 #
43 # The snmp mibs are common to global and non-global zones
44 #
45 dir path=etc group=sys variant.opensolaris.zone=__NODEFAULT
46 dir path=etc/fm group=sys variant.opensolaris.zone=__NODEFAULT
47 dir path=etc/fm/fmd group=sys variant.opensolaris.zone=__NODEFAULT
48 #
49 # Our additional /etc/logadm.conf entries are common to global and local zones
50 #
51 dir path=etc/logadm.d group=sys variant.opensolaris.zone=__NODEFAULT
52 dir path=etc/net-snmplib variant.opensolaris.zone=__NODEFAULT
53 dir path=etc/net-snmplib/snmplib variant.opensolaris.zone=__NODEFAULT
54 dir path=etc/net-snmplib/snmplib/mibs variant.opensolaris.zone=__NODEFAULT
55 #
56 # Our kernel driver is global zone only
57 #
58 dir path=kernel group=sys
59 dir path=kernel/drv group=sys
60 dir path=kernel/drv/$(ARCH64) group=sys
61 #

```

```

62 # lib dirs:
63 #
64 dir path=lib/fm variant.opensolaris.zone=__NODEFAULT
65 $(BUILD64)dir path=lib/fm/$(ARCH64) variant.opensolaris.zone=__NODEFAULT
24 dir path=lib/fm/$(ARCH64) variant.opensolaris.zone=__NODEFAULT
66 #
67 # Our service manifests are common to global and non-global zones
68 #
69 dir path=lib/svc/manifest/system group=sys \
70     variant.opensolaris.zone=__NODEFAULT
71 dir path=lib/svc/manifest/system/fm group=sys \
72     variant.opensolaris.zone=__NODEFAULT
73 #
74 #
75 # usr dirs:
76 # - most are common to both global and non-global zones
77 # - those mentioning 'include' will automatically apply to both
78 # - dictionaries are delivered to both contexts, even if they
79 #   are hardware dictionaries
80 # - eversholt rules (eft) are global zone only
81 # - some plugins and all schemes apply to both contexts
82 # - we don't deliver any topo maps to non-global zones, but we
83 #   create the directory nonetheless; similarly for topo plugins
84 # - paths mentioning mdb will automatically apply to both
85 # - usr/platform is global zone only
86 #
87 dir path=usr group=sys variant.opensolaris.zone=__NODEFAULT
88 dir path=usr/include
89 dir path=usr/include/fm
90 dir path=usr/lib variant.opensolaris.zone=__NODEFAULT
91 dir path=usr/lib/fm variant.opensolaris.zone=__NODEFAULT
92 $(BUILD64)dir path=usr/lib/fm/$(ARCH64) variant.opensolaris.zone=__NODEFAULT
51 dir path=usr/lib/fm/$(ARCH64) variant.opensolaris.zone=__NODEFAULT
93 dir path=usr/lib/fm/dict variant.opensolaris.zone=__NODEFAULT
94 dir path=usr/lib/fm/eft
95 dir path=usr/lib/fm/fmd variant.opensolaris.zone=__NODEFAULT
96 dir path=usr/lib/fm/fmd/plugins variant.opensolaris.zone=__NODEFAULT
97 dir path=usr/lib/fm/fmd/schemes variant.opensolaris.zone=__NODEFAULT
98 $(BUILD64)dir path=usr/lib/fm/fmd/schemes/$(ARCH64) \
99     variant.opensolaris.zone=__NODEFAULT
57 dir path=usr/lib/fm/fmd/schemes/$(ARCH64) variant.opensolaris.zone=__NODEFAULT
100 dir path=usr/lib/fm/notify variant.opensolaris.zone=__NODEFAULT
101 dir path=usr/lib/fm/topo variant.opensolaris.zone=__NODEFAULT
102 dir path=usr/lib/fm/topo/maps variant.opensolaris.zone=__NODEFAULT
103 dir path=usr/lib/fm/topo/plugins variant.opensolaris.zone=__NODEFAULT
104 dir path=usr/lib/locale variant.opensolaris.zone=__NODEFAULT
105 dir path=usr/lib/locale/C variant.opensolaris.zone=__NODEFAULT
106 dir path=usr/lib/locale/C/LC_MESSAGES variant.opensolaris.zone=__NODEFAULT
107 dir path=usr/lib/mdb group=sys
108 dir path=usr/lib/mdb/proc group=sys
109 dir path=usr/platform group=sys
110 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060 group=sys
111 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib
112 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib/fm
113 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib/fm/fmd
114 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib/fm/fmd/plugins
115 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib/fm/topo
116 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3060/lib/fm/topo/maps
117 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260 group=sys
118 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib
119 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib/fm
120 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib/fm/fmd
121 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib/fm/fmd/plugins
122 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib/fm/topo
123 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3260/lib/fm/topo/maps
124 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220 group=sys

```

```

125 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib
126 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib/fm
127 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib/fm/fmd
128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib/fm/fmd/plugins
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib/fm/topo
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5220/lib/fm/topo/maps
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440 group=sys
132 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib/fm
134 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib/fm/fmd
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib/fm/fmd/plugins
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib/fm/topo
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T5440/lib/fm/topo/maps
138 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise-T5120 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib
141 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm
142 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/fmd
143 $(sparc_ONLY)dir \
144     path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/fmd/plugins
145 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/topo
146 $(sparc_ONLY)dir \
147     path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/topo/maps
148 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib
149 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm
150 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd
151 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd/plugins
152 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/topo
153 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/topo/maps
154 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/topo/plugins
155 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300 group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib
157 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm
158 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/fmd
159 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/fmd/plugins
160 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/topo
161 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/topo/maps
162 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320 group=sys
163 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib
164 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm
165 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/fmd
166 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/fmd/plugins
167 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/topo
168 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/topo/maps
169 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
170 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
171 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib
172 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib/fm
173 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/eft
174 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/topo
175 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/topo/maps
176 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/topo/plugins
177 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200 group=sys
178 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib
179 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib/fm
180 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/fmd
181 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/fmd/plugins
182 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo
183 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps
184 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire/lib
185 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire/lib/fm
186 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire/lib/fm/topo
187 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire/lib/fm/topo/maps
188 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire/lib/fm/topo/plugins
189 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140 group=sys
190 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib

```

```

191 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib/fm
192 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib/fm/fmd
193 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib/fm/fmd/plugins
194 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib/fm/topo
195 $(sparc_ONLY)dir path=usr/platform/SUNW,T5140/lib/fm/topo/maps
196 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240 group=sys
197 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib
198 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib/fm
199 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib/fm/fmd
200 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib/fm/fmd/plugins
201 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib/fm/topo
202 $(sparc_ONLY)dir path=usr/platform/SUNW,USBRDT-5240/lib/fm/topo/maps
203 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
204 $(i386_ONLY)dir path=usr/platform/i86pc/lib
205 $(i386_ONLY)dir path=usr/platform/i86pc/lib/fm
206 $(i386_ONLY)dir path=usr/platform/i86pc/lib/fm/eft
207 $(i386_ONLY)dir path=usr/platform/i86pc/lib/fm/topo
208 $(i386_ONLY)dir path=usr/platform/i86pc/lib/fm/topo/maps
209 $(i386_ONLY)dir path=usr/platform/i86pc/lib/fm/topo/plugins
210 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
211 $(sparc_ONLY)dir path=usr/platform/sun4u/lib
212 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm
213 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/eft
214 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/fmd
215 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/fmd/plugins
216 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/topo
217 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/topo/maps
218 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/fm/topo/plugins
219 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
220 $(sparc_ONLY)dir path=usr/platform/sun4v/include
221 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
222 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys/fm
223 $(sparc_ONLY)dir path=usr/platform/sun4v/lib
224 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm
225 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/eft
226 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/fmd
227 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/fmd/plugins
228 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/topo
229 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/topo/maps
230 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/fm/topo/plugins
231 #
232 # Some directories common to both global and non-global zones:
233 #
234 dir path=usr/sbin variant.opensolaris.zone=__NODEFAULT
235 dir path=usr/share variant.opensolaris.zone=__NODEFAULT
236 dir path=usr/share/lib variant.opensolaris.zone=__NODEFAULT
237 dir path=usr/share/lib/xml group=sys variant.opensolaris.zone=__NODEFAULT
238 dir path=usr/share/lib/xml/dtd group=sys variant.opensolaris.zone=__NODEFAULT
239 dir path=usr/share/man/man1m
240 dir path=var/fm group=sys variant.opensolaris.zone=__NODEFAULT
241 dir path=var/fm/fmd group=sys variant.opensolaris.zone=__NODEFAULT
242 dir path=var/fm/fmd/ckpt group=sys variant.opensolaris.zone=__NODEFAULT
243 dir path=var/fm/fmd/rsrsrc group=sys variant.opensolaris.zone=__NODEFAULT
244 dir path=var/fm/fmd/xprt group=sys variant.opensolaris.zone=__NODEFAULT
245 #
246 # driver is global-zone only
247 #
248 driver name=fm perms="* 0644 root sys"
249 #
250 # Our additional /etc/logadm.conf entries are common to global and local zones
251 #
252 file path=/etc/logadm.d/fmd.logadm.conf group=sys mode=0444 \
253     refresh_fmri=svc:/system/logadm-upgrade:default \
254     variant.opensolaris.zone=__NODEFAULT
255 #
256 # Now for our file and link payloads

```

```

257 #
258 # snmp MIBs are common to both global and non-global zones
259 #
260 file path=etc/net-snmp/snmp/mibs/SUN-FM-MIB.mib \
261     variant.opensolaris.zone=__NODEFAULT
262 file path=etc/net-snmp/snmp/mibs/SUN-IREPORT-MIB.mib \
263     variant.opensolaris.zone=__NODEFAULT
264 #
265 # driver is global-zone only
266 #
267 file path=kernel/drv/$(ARCH64)/fm group=sys
268 $(i386_ONLY)file path=kernel/drv/fm group=sys
269 file path=kernel/drv/fm.conf group=sys

271 #
272 # Some libraries need to be in lib for install
273 #
274 $(BUILD64)file path=lib/fm/$(ARCH64)/libfmevent.so.1 \
275     file path=lib/fm/$(ARCH64)/libfmevent.so.1 \
276     variant.opensolaris.zone=__NODEFAULT
277 $(BUILD64)file path=lib/fm/$(ARCH64)/llib-lfmevent.ln \
278     file path=lib/fm/$(ARCH64)/llib-lfmevent.ln \
279     variant.opensolaris.zone=__NODEFAULT
280 file path=lib/fm/llib-lfmevent.ln variant.opensolaris.zone=__NODEFAULT
281 #
282 # Service manifests are common to both global and non-global zones
283 #
284 file path=lib/svc/manifest/system/fm/notify-params.xml group=sys mode=0444 \
285     variant.opensolaris.zone=__NODEFAULT
286 file path=lib/svc/manifest/system/fmd.xml group=sys mode=0444 \
287     variant.opensolaris.zone=__NODEFAULT
288 #
289 # Headers are automatically included in both contexts.
290 # While some of these are from global-zone-only components
291 # there's no harm in including them in both contexts.
292 #
293 file path=usr/include/fm/diagcode.h
294 file path=usr/include/fm/fmd_adm.h
295 file path=usr/include/fm/fmd_agent.h
296 file path=usr/include/fm/fmd_api.h
297 file path=usr/include/fm/fmd_fmri.h
298 file path=usr/include/fm/fmd_log.h
299 file path=usr/include/fm/fmd_msg.h
300 file path=usr/include/fm/fmd_snmp.h
301 file path=usr/include/fm/libdiskstatus.h
302 file path=usr/include/fm/libfmevent.h
303 file path=usr/include/fm/libfmevent_ruleset.h
304 file path=usr/include/fm/libseslog.h
305 file path=usr/include/fm/libtopo.h
306 file path=usr/include/fm/topo_hc.h
307 file path=usr/include/fm/topo_list.h
308 file path=usr/include/fm/topo_method.h
309 file path=usr/include/fm/topo_mod.h
310 #
311 #     64-bit .so.1
312 #
313 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libdiagcode.so.1 \
314     file path=usr/lib/fm/$(ARCH64)/libdiagcode.so.1 \
315     variant.opensolaris.zone=__NODEFAULT
316 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libdiskstatus.so.1 \
317     file path=usr/lib/fm/$(ARCH64)/libdiskstatus.so.1 \
318     variant.opensolaris.zone=__NODEFAULT
319 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_adm.so.1 \
320     file path=usr/lib/fm/$(ARCH64)/libfmd_adm.so.1 \
321     variant.opensolaris.zone=__NODEFAULT

```

```

318     variant.opensolaris.zone=__NODEFAULT
319 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_agent.so.1 \
320     file path=usr/lib/fm/$(ARCH64)/libfmd_agent.so.1 \
321     variant.opensolaris.zone=__NODEFAULT
322 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_log.so.1 \
323     file path=usr/lib/fm/$(ARCH64)/libfmd_log.so.1 \
324     variant.opensolaris.zone=__NODEFAULT
325 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_msg.so.1 \
326     file path=usr/lib/fm/$(ARCH64)/libfmd_msg.so.1 \
327     variant.opensolaris.zone=__NODEFAULT
328 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_snmp.so.1 \
329     file path=usr/lib/fm/$(ARCH64)/libfmd_snmp.so.1 \
330     variant.opensolaris.zone=__NODEFAULT
331 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/libfmd_notify.so.1 \
332     file path=usr/lib/fm/$(ARCH64)/libfmd_notify.so.1 \
333     variant.opensolaris.zone=__NODEFAULT
334 #
335 #     64-bit lint libraries
336 #
337 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lldiagcode.ln \
338     file path=usr/lib/fm/$(ARCH64)/llib-lldiagcode.ln \
339     variant.opensolaris.zone=__NODEFAULT
340 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lldiskstatus.ln \
341     file path=usr/lib/fm/$(ARCH64)/llib-lldiskstatus.ln \
342     variant.opensolaris.zone=__NODEFAULT
343 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_adm.ln \
344     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_adm.ln \
345     variant.opensolaris.zone=__NODEFAULT
346 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_agent.ln \
347     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_agent.ln \
348     variant.opensolaris.zone=__NODEFAULT
349 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_log.ln \
350     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_log.ln \
351     variant.opensolaris.zone=__NODEFAULT
352 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_msg.ln \
353     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_msg.ln \
354     variant.opensolaris.zone=__NODEFAULT
355 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_snmp.ln \
356     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_snmp.ln \
357     variant.opensolaris.zone=__NODEFAULT
358 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lfmd_notify.ln \
359     file path=usr/lib/fm/$(ARCH64)/llib-lfmd_notify.ln \
360     variant.opensolaris.zone=__NODEFAULT
361 $(sparc_BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-llldom.ln
362 $(sparc_BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-llmdesc.ln
363 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lseslog.ln
364 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lstopo.ln \
365     file path=usr/lib/fm/$(ARCH64)/llib-lstopo.ln \
366     variant.opensolaris.zone=__NODEFAULT
367 $(sparc_BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-llldom.ln
368 $(sparc_BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-llmdesc.ln
369 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lseslog.ln
370 $(BUILD64)file path=usr/lib/fm/$(ARCH64)/llib-lstopo.ln \
371     file path=usr/lib/fm/$(ARCH64)/llib-lstopo.ln \
372     variant.opensolaris.zone=__NODEFAULT
373 #
374 # Dictionaries, whether they are hardware-specific or not, are
375 # common to both global and non-global zones.
376 #
377 $(i386_ONLY)file path=usr/lib/fm/dict/AMD.dict mode=0444 \

```

```

363 variant.opensolaris.zone=__NODEFAULT
364 file path=usr/lib/fm/dict/DISK.dict mode=0444 \
365 variant.opensolaris.zone=__NODEFAULT
366 file path=usr/lib/fm/dict/FMD.dict mode=0444 \
367 variant.opensolaris.zone=__NODEFAULT
368 file path=usr/lib/fm/dict/FMNOTIFY.dict mode=0444 \
369 variant.opensolaris.zone=__NODEFAULT
370 $(i386_ONLY)file path=usr/lib/fm/dict/GMCA.dict mode=0444 \
371 variant.opensolaris.zone=__NODEFAULT
372 $(i386_ONLY)file path=usr/lib/fm/dict/INTEL.dict mode=0444 \
373 variant.opensolaris.zone=__NODEFAULT
374 file path=usr/lib/fm/dict/NXGE.dict mode=0444 \
375 variant.opensolaris.zone=__NODEFAULT
376 file path=usr/lib/fm/dict/PCI.dict mode=0444 \
377 variant.opensolaris.zone=__NODEFAULT
378 file path=usr/lib/fm/dict/PCIEX.dict mode=0444 \
379 variant.opensolaris.zone=__NODEFAULT
380 $(sparc_ONLY)file path=usr/lib/fm/dict/SCF.dict mode=0444 \
381 variant.opensolaris.zone=__NODEFAULT
382 file path=usr/lib/fm/dict/SENSOR.dict mode=0444 \
383 variant.opensolaris.zone=__NODEFAULT
384 file path=usr/lib/fm/dict/SMF.dict mode=0444 \
385 variant.opensolaris.zone=__NODEFAULT
386 file path=usr/lib/fm/dict/STORAGE.dict mode=0444 \
387 variant.opensolaris.zone=__NODEFAULT
388 $(sparc_ONLY)file path=usr/lib/fm/dict/SUN4.dict mode=0444 \
389 variant.opensolaris.zone=__NODEFAULT
390 $(sparc_ONLY)file path=usr/lib/fm/dict/SUN4U.dict mode=0444 \
391 variant.opensolaris.zone=__NODEFAULT
392 $(sparc_ONLY)file path=usr/lib/fm/dict/SUN4V.dict mode=0444 \
393 variant.opensolaris.zone=__NODEFAULT
394 file path=usr/lib/fm/dict/SUNOS.dict mode=0444 \
395 variant.opensolaris.zone=__NODEFAULT
396 file path=usr/lib/fm/dict/ZFS.dict mode=0444 \
397 variant.opensolaris.zone=__NODEFAULT
398 #
399 # Eversholt rules are global zone only
400 #
401 file path=usr/lib/fm/eft/disk.eft mode=0444 \
402 variant.opensolaris.zone=__NODEFAULT
403 file path=usr/lib/fm/eft/neptune_xaui.eft mode=0444
404 file path=usr/lib/fm/eft/neptune_xfp.eft mode=0444
405 file path=usr/lib/fm/eft/pci.eft mode=0444
406 file path=usr/lib/fm/eft/pciex.eft mode=0444
407 file path=usr/lib/fm/eft/pciexrc.eft mode=0444
408 file path=usr/lib/fm/eft/sensor.eft mode=0444
409 file path=usr/lib/fm/eft/storage.eft mode=0444
410 #
411 # usr/lib/fm/fmd executables:
412 # - fmd is common, as are fminject, fmsim and fmtopo
413 # - ipmitopo is global zone only
414 #
415 file path=usr/lib/fm/fmd/fmd mode=0555 variant.opensolaris.zone=__NODEFAULT
416 file path=usr/lib/fm/fmd/fminject mode=0555 \
417 variant.opensolaris.zone=__NODEFAULT
418 file path=usr/lib/fm/fmd/fmsim mode=0555 variant.opensolaris.zone=__NODEFAULT
419 file path=usr/lib/fm/fmd/fmtopo mode=0555 variant.opensolaris.zone=__NODEFAULT
420 file path=usr/lib/fm/fmd/ipmitopo mode=0555
421 #
422 # fmd plugins:
423 # - most are hardware-specific and so global zone only
424 # - ext-event-transport, ip-transport, syslog-msgs,
425 #   software-diagnosis and software-response
426 #   are common to both contexts
427 #
428 file path=usr/lib/fm/fmd/plugins/cpumem-retire.conf

```

```

429 file path=usr/lib/fm/fmd/plugins/cpumem-retire.so mode=0555
430 file path=usr/lib/fm/fmd/plugins/disk-lights.conf
431 file path=usr/lib/fm/fmd/plugins/disk-lights.so mode=0555
432 file path=usr/lib/fm/fmd/plugins/disk-monitor.conf
433 file path=usr/lib/fm/fmd/plugins/disk-monitor.so mode=0555
434 file path=usr/lib/fm/fmd/plugins/disk-transport.conf
435 file path=usr/lib/fm/fmd/plugins/disk-transport.so mode=0555
436 file path=usr/lib/fm/fmd/plugins/eft.conf
437 file path=usr/lib/fm/fmd/plugins/eft.so mode=0555
438 file path=usr/lib/fm/fmd/plugins/ext-event-transport.conf \
439 variant.opensolaris.zone=__NODEFAULT
440 file path=usr/lib/fm/fmd/plugins/ext-event-transport.so mode=0555 \
441 variant.opensolaris.zone=__NODEFAULT
442 file path=usr/lib/fm/fmd/plugins/fabric-xlate.conf
443 file path=usr/lib/fm/fmd/plugins/fabric-xlate.so mode=0555
444 file path=usr/lib/fm/fmd/plugins/fdd-msg.conf
445 file path=usr/lib/fm/fmd/plugins/fdd-msg.so mode=0555
446 file path=usr/lib/fm/fmd/plugins/io-retire.conf
447 file path=usr/lib/fm/fmd/plugins/io-retire.so mode=0555
448 file path=usr/lib/fm/fmd/plugins/ip-transport.conf \
449 variant.opensolaris.zone=__NODEFAULT
450 file path=usr/lib/fm/fmd/plugins/ip-transport.so mode=0555 \
451 variant.opensolaris.zone=__NODEFAULT
452 file path=usr/lib/fm/fmd/plugins/sensor-transport.conf
453 file path=usr/lib/fm/fmd/plugins/sensor-transport.so mode=0555
454 file path=usr/lib/fm/fmd/plugins/ses-log-transport.conf
455 file path=usr/lib/fm/fmd/plugins/ses-log-transport.so mode=0555
456 file path=usr/lib/fm/fmd/plugins/software-diagnosis.conf \
457 variant.opensolaris.zone=__NODEFAULT
458 file path=usr/lib/fm/fmd/plugins/software-diagnosis.so mode=0555 \
459 variant.opensolaris.zone=__NODEFAULT
460 file path=usr/lib/fm/fmd/plugins/software-response.conf \
461 variant.opensolaris.zone=__NODEFAULT
462 file path=usr/lib/fm/fmd/plugins/software-response.so mode=0555 \
463 variant.opensolaris.zone=__NODEFAULT
464 file path=usr/lib/fm/fmd/plugins/sp-monitor.conf
465 file path=usr/lib/fm/fmd/plugins/sp-monitor.so mode=0555
466 file path=usr/lib/fm/fmd/plugins/syslog-msgs.conf \
467 variant.opensolaris.zone=__NODEFAULT
468 file path=usr/lib/fm/fmd/plugins/syslog-msgs.so mode=0555 \
469 variant.opensolaris.zone=__NODEFAULT
470 file path=usr/lib/fm/fmd/plugins/zfs-diagnosis.conf
471 file path=usr/lib/fm/fmd/plugins/zfs-diagnosis.so mode=0555
472 file path=usr/lib/fm/fmd/plugins/zfs-retire.conf
473 file path=usr/lib/fm/fmd/plugins/zfs-retire.so mode=0555
474 #
475 # fmri scheme support: all are common to both global and non-global zones
476 #
477 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/cpu.so mode=0555 \
478 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/cpu.so mode=0555 \
479 variant.opensolaris.zone=__NODEFAULT
480 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/dev.so mode=0555 \
481 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/dev.so mode=0555 \
482 variant.opensolaris.zone=__NODEFAULT
483 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/fmd.so mode=0555 \
484 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/fmd.so mode=0555 \
485 variant.opensolaris.zone=__NODEFAULT
486 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/hc.so mode=0555 \
487 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/hc.so mode=0555 \
488 variant.opensolaris.zone=__NODEFAULT
489 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/legacy-hc.so mode=0555 \
490 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/legacy-hc.so mode=0555 \
491 variant.opensolaris.zone=__NODEFAULT
492 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/mem.so mode=0555 \
493 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/mem.so mode=0555 \
494 variant.opensolaris.zone=__NODEFAULT

```



```

489 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/mod.so mode=0555 \
447 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/mod.so mode=0555 \
490 variant.opensolaris.zone=__NODEFAULT
491 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/pkg.so mode=0555 \
449 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/pkg.so mode=0555 \
492 variant.opensolaris.zone=__NODEFAULT
493 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/svc.so mode=0555 \
451 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/svc.so mode=0555 \
494 variant.opensolaris.zone=__NODEFAULT
495 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/sw.so mode=0555 \
453 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/sw.so mode=0555 \
496 variant.opensolaris.zone=__NODEFAULT
497 $(BUILD64)file path=usr/lib/fm/fmd/schemes/$(ARCH64)/zfs.so mode=0555 \
455 file path=usr/lib/fm/fmd/schemes/$(ARCH64)/zfs.so mode=0555 \
498 variant.opensolaris.zone=__NODEFAULT
499 file path=usr/lib/fm/fmd/schemes/cpu.so mode=0555 \
500 variant.opensolaris.zone=__NODEFAULT
501 file path=usr/lib/fm/fmd/schemes/dev.so mode=0555 \
502 variant.opensolaris.zone=__NODEFAULT
503 file path=usr/lib/fm/fmd/schemes/fmd.so mode=0555 \
504 variant.opensolaris.zone=__NODEFAULT
505 file path=usr/lib/fm/fmd/schemes/hc.so mode=0555 \
506 variant.opensolaris.zone=__NODEFAULT
507 file path=usr/lib/fm/fmd/schemes/legacy-hc.so mode=0555 \
508 variant.opensolaris.zone=__NODEFAULT
509 file path=usr/lib/fm/fmd/schemes/mem.so mode=0555 \
510 variant.opensolaris.zone=__NODEFAULT
511 file path=usr/lib/fm/fmd/schemes/mod.so mode=0555 \
512 variant.opensolaris.zone=__NODEFAULT
513 file path=usr/lib/fm/fmd/schemes/pkg.so mode=0555 \
514 variant.opensolaris.zone=__NODEFAULT
515 file path=usr/lib/fm/fmd/schemes/svc.so mode=0555 \
516 variant.opensolaris.zone=__NODEFAULT
517 file path=usr/lib/fm/fmd/schemes/sw.so mode=0555 \
518 variant.opensolaris.zone=__NODEFAULT
519 file path=usr/lib/fm/fmd/schemes/zfs.so mode=0555 \
520 variant.opensolaris.zone=__NODEFAULT
521 #
522 # Libraries for usr/lib/fm; we include these in both global and non-global
523 # contexts except for the ldom and seslog libraries.
524 #
525 #
526 #     32-bit .so.1
527 #
528 file path=usr/lib/fm/libdiagcode.so.1 variant.opensolaris.zone=__NODEFAULT
529 file path=usr/lib/fm/libdiskstatus.so.1 variant.opensolaris.zone=__NODEFAULT
530 file path=usr/lib/fm/libfmd_adm.so.1 variant.opensolaris.zone=__NODEFAULT
531 file path=usr/lib/fm/libfmd_agent.so.1 variant.opensolaris.zone=__NODEFAULT
532 file path=usr/lib/fm/libfmd_log.so.1 variant.opensolaris.zone=__NODEFAULT
533 file path=usr/lib/fm/libfmd_msg.so.1 variant.opensolaris.zone=__NODEFAULT
534 file path=usr/lib/fm/libfmd_snmp.so.1 variant.opensolaris.zone=__NODEFAULT
535 file path=usr/lib/fm/libfmd_notify.so.1 variant.opensolaris.zone=__NODEFAULT
536 $(sparc_ONLY)file path=usr/lib/fm/libldom.so.1
537 $(sparc_ONLY)file path=usr/lib/fm/liblmdesc.so.1
538 file path=usr/lib/fm/libseslog.so.1
539 file path=usr/lib/fm/libtopo.so.1 variant.opensolaris.zone=__NODEFAULT
540 #
541 #     32-bit lint libraries
542 #
543 file path=usr/lib/fm/llib-ldiagcode variant.opensolaris.zone=__NODEFAULT
544 file path=usr/lib/fm/llib-ldiagcode.ln variant.opensolaris.zone=__NODEFAULT
545 file path=usr/lib/fm/llib-ldiskstatus variant.opensolaris.zone=__NODEFAULT
546 file path=usr/lib/fm/llib-ldiskstatus.ln variant.opensolaris.zone=__NODEFAULT
547 file path=usr/lib/fm/llib-lfmd_adm variant.opensolaris.zone=__NODEFAULT
548 file path=usr/lib/fm/llib-lfmd_adm.ln variant.opensolaris.zone=__NODEFAULT
549 file path=usr/lib/fm/llib-lfmd_agent variant.opensolaris.zone=__NODEFAULT

```

```

550 file path=usr/lib/fm/llib-lfmd_agent.ln variant.opensolaris.zone=__NODEFAULT
551 file path=usr/lib/fm/llib-lfmd_log variant.opensolaris.zone=__NODEFAULT
552 file path=usr/lib/fm/llib-lfmd_log.ln variant.opensolaris.zone=__NODEFAULT
553 file path=usr/lib/fm/llib-lfmd_msg variant.opensolaris.zone=__NODEFAULT
554 file path=usr/lib/fm/llib-lfmd_msg.ln variant.opensolaris.zone=__NODEFAULT
555 file path=usr/lib/fm/llib-lfmd_snmp variant.opensolaris.zone=__NODEFAULT
556 file path=usr/lib/fm/llib-lfmd_snmp.ln variant.opensolaris.zone=__NODEFAULT
557 file path=usr/lib/fm/llib-lfmd_notify variant.opensolaris.zone=__NODEFAULT
558 file path=usr/lib/fm/llib-lfmd_notify.ln variant.opensolaris.zone=__NODEFAULT
559 $(sparc_ONLY)file path=usr/lib/fm/llib-ldom
560 $(sparc_ONLY)file path=usr/lib/fm/llib-ldom.ln
561 $(sparc_ONLY)file path=usr/lib/fm/llib-lmdesc
562 $(sparc_ONLY)file path=usr/lib/fm/llib-lmdesc.ln
563 file path=usr/lib/fm/llib-lseslog
564 file path=usr/lib/fm/llib-lseslog.ln
565 file path=usr/lib/fm/llib-ltopo variant.opensolaris.zone=__NODEFAULT
566 file path=usr/lib/fm/llib-ltopo.ln variant.opensolaris.zone=__NODEFAULT
567 #
568 # Topo xml maps are all global-zone only
569 #
570 file path=usr/lib/fm/topo/maps/xfp-hc-topology.xml mode=0444
571 file path=usr/lib/fm/topo/plugins/disk.so mode=0555
572 file path=usr/lib/fm/topo/plugins/fac_prov_ipmi.so mode=0555
573 file path=usr/lib/fm/topo/plugins/fac_prov_mptsas.so mode=0555
574 file path=usr/lib/fm/topo/plugins/ipmi.so mode=0555
575 file path=usr/lib/fm/topo/plugins/ses.so mode=0555
576 file path=usr/lib/fm/topo/plugins/xfp.so mode=0555
577 #
578 # Dictionaries, whether they are hardware-specific or not, are
579 # common to both global and non-global zones.
580 #
581 $(i386_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/AMD.mo mode=0444 \
582 variant.opensolaris.zone=__NODEFAULT
583 file path=usr/lib/locale/C/LC_MESSAGES/DISK.mo mode=0444 \
584 variant.opensolaris.zone=__NODEFAULT
585 file path=usr/lib/locale/C/LC_MESSAGES/FMD.mo mode=0444 \
586 variant.opensolaris.zone=__NODEFAULT
587 file path=usr/lib/locale/C/LC_MESSAGES/FMNOTIFY.mo mode=0444 \
588 variant.opensolaris.zone=__NODEFAULT
589 $(i386_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/GMCA.mo mode=0444 \
590 variant.opensolaris.zone=__NODEFAULT
591 $(i386_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/INTEL.mo mode=0444 \
592 variant.opensolaris.zone=__NODEFAULT
593 file path=usr/lib/locale/C/LC_MESSAGES/NXGE.mo mode=0444 \
594 variant.opensolaris.zone=__NODEFAULT
595 file path=usr/lib/locale/C/LC_MESSAGES/PCI.mo mode=0444 \
596 variant.opensolaris.zone=__NODEFAULT
597 file path=usr/lib/locale/C/LC_MESSAGES/PCIEX.mo mode=0444 \
598 variant.opensolaris.zone=__NODEFAULT
599 $(sparc_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/SCF.mo mode=0444 \
600 variant.opensolaris.zone=__NODEFAULT
601 file path=usr/lib/locale/C/LC_MESSAGES/SENSOR.mo mode=0444 \
602 variant.opensolaris.zone=__NODEFAULT
603 file path=usr/lib/locale/C/LC_MESSAGES/SMF.mo mode=0444 \
604 variant.opensolaris.zone=__NODEFAULT
605 file path=usr/lib/locale/C/LC_MESSAGES/STORAGE.mo mode=0444 \
606 variant.opensolaris.zone=__NODEFAULT
607 $(sparc_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/SUN4.mo mode=0444 \
608 variant.opensolaris.zone=__NODEFAULT
609 $(sparc_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/SUN4U.mo mode=0444 \
610 variant.opensolaris.zone=__NODEFAULT
611 $(sparc_ONLY)file path=usr/lib/locale/C/LC_MESSAGES/SUN4V.mo mode=0444 \
612 variant.opensolaris.zone=__NODEFAULT
613 file path=usr/lib/locale/C/LC_MESSAGES/SUNOS.mo mode=0444 \
614 variant.opensolaris.zone=__NODEFAULT
615 file path=usr/lib/locale/C/LC_MESSAGES/ZFS.mo mode=0444 \

```

```

616     variant.opensolaris.zone=__NODEFAULT
617 #
618 # mdb support will automatically be included in both contexts;
619 # we allow eft.so to be included despite not delivering
620 # the eft plugin in non-global zones
621 #
622 file path=usr/lib/mdb/proc/eft.so group=sys mode=0555
623 file path=usr/lib/mdb/proc/fmd.so group=sys mode=0555
624 #
625 # Platform-specific fmd plugins are global zone only
626 #
627 $(sparc_ONLY)file \
628     path=usr/platform/SUNW,Netra-CP3060/lib/fm/fmd/plugins/etm.conf
629 $(sparc_ONLY)file \
630     path=usr/platform/SUNW,Netra-CP3060/lib/fm/topo/maps/Netra-CP3060-hc-topolog
631     mode=0444
632 $(sparc_ONLY)file \
633     path=usr/platform/SUNW,Netra-CP3260/lib/fm/fmd/plugins/etm.conf
634 $(sparc_ONLY)file \
635     path=usr/platform/SUNW,Netra-CP3260/lib/fm/topo/maps/Netra-CP3260-hc-topolog
636     mode=0444
637 $(sparc_ONLY)file \
638     path=usr/platform/SUNW,Netra-T5220/lib/fm/fmd/plugins/etm.conf
639 $(sparc_ONLY)file \
640     path=usr/platform/SUNW,Netra-T5220/lib/fm/topo/maps/Netra-T5220-hc-topology.
641     mode=0444
642 $(sparc_ONLY)file \
643     path=usr/platform/SUNW,Netra-T5440/lib/fm/fmd/plugins/etm.conf
644 $(sparc_ONLY)file \
645     path=usr/platform/SUNW,Netra-T5440/lib/fm/topo/maps/Netra-T5440-hc-topology.
646     mode=0444
647 $(sparc_ONLY)file \
648     path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/fmd/plugins/etm.conf
649 $(sparc_ONLY)file \
650     path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/topo/maps/SPARC-Enterpr
651     mode=0444
652 $(sparc_ONLY)file \
653     path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/topo/maps/SPARC-Enterpr
654     mode=0444
655 $(sparc_ONLY)file \
656     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd/plugins/cpumem-retire.con
657 $(sparc_ONLY)file \
658     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd/plugins/cpumem-retire.so
659     mode=0555
660 $(sparc_ONLY)file \
661     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd/plugins/event-transport.c
662 $(sparc_ONLY)file \
663     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/fmd/plugins/event-transport.s
664     mode=0555
665 $(sparc_ONLY)file \
666     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/topo/maps/SPARC-Enterprise-hc
667     mode=0444
668 $(sparc_ONLY)file \
669     path=usr/platform/SUNW,SPARC-Enterprise/lib/fm/topo/plugins/ioboard.so \
670     mode=0555
671 $(sparc_ONLY)file \
672     path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/fmd/plugins/etm.conf
673 $(sparc_ONLY)file \
674     path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/topo/maps/Sun-Blade-T6300-hc-t
675     mode=0444
676 $(sparc_ONLY)file \
677     path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/fmd/plugins/etm.conf
678 $(sparc_ONLY)file \
679     path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/topo/maps/Sun-Blade-T6320-hc-t
680     mode=0444
681 $(sparc_ONLY)file \

```

```

682     path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/eft/SUNW,Sun-Fire-15000.eft \
683     mode=0444
684 $(sparc_ONLY)file \
685     path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/topo/maps/Sun-Fire-15000-hc-top
686     mode=0444
687 $(sparc_ONLY)file \
688     path=usr/platform/SUNW,Sun-Fire-15000/lib/fm/topo/plugins/ioboard.so \
689     mode=0555
690 $(sparc_ONLY)file \
691     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/fmd/plugins/etm.conf
692 $(sparc_ONLY)file \
693     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps/Netra-T2000-hc-topolog
694     mode=0444
695 $(sparc_ONLY)file \
696     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps/SPARC-Enterprise-T1000
697     mode=0444
698 $(sparc_ONLY)file \
699     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps/SPARC-Enterprise-T2000
700     mode=0444
701 $(sparc_ONLY)file \
702     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps/Sun-Fire-T1000-hc-topo
703     mode=0444
704 $(sparc_ONLY)file \
705     path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/topo/maps/Sun-Fire-T200-hc-topol
706     mode=0444
707 $(sparc_ONLY)file \
708     path=usr/platform/SUNW,Sun-Fire/lib/fm/topo/maps/Sun-Fire-hc-topology.xml \
709     mode=0444
710 $(sparc_ONLY)file \
711     path=usr/platform/SUNW,Sun-Fire/lib/fm/topo/plugins/ioboard.so mode=0555
712 $(sparc_ONLY)file path=usr/platform/SUNW,T5140/lib/fm/fmd/plugins/etm.conf
713 $(sparc_ONLY)file \
714     path=usr/platform/SUNW,T5140/lib/fm/topo/maps/Sun-Blade-T6340-hc-topology.xm
715     mode=0444
716 $(sparc_ONLY)file \
717     path=usr/platform/SUNW,T5140/lib/fm/topo/maps/T5140-hc-topology.xml \
718     mode=0444
719 $(sparc_ONLY)file \
720     path=usr/platform/SUNW,T5140/lib/fm/topo/maps/T5240-hc-topology.xml \
721     mode=0444
722 $(sparc_ONLY)file \
723     path=usr/platform/SUNW,T5140/lib/fm/topo/maps/T5440-hc-topology.xml \
724     mode=0444
725 $(sparc_ONLY)file \
726     path=usr/platform/SUNW,USBRTD-5240/lib/fm/fmd/plugins/etm.conf
727 $(sparc_ONLY)file \
728     path=usr/platform/SUNW,USBRTD-5240/lib/fm/topo/maps/USBRTD-5240-hc-topology.
729     mode=0444
730 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/eft/$(ARCH64).eft mode=0444
731 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/eft/gcpu.eft mode=0444
732 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/eft/gcpu_amd.eft mode=0444
733 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/eft/intel.eft mode=0444
734 $(i386_ONLY)file \
735     path=usr/platform/i86pc/lib/fm/topo/maps/Joyent-Compute-Platform-1101-disk-h
736     mode=0444
737 $(i386_ONLY)file \
738     path=usr/platform/i86pc/lib/fm/topo/maps/Netra-X4200-M2-disk-hc-topology.xml
739     mode=0444
740 $(i386_ONLY)file \
741     path=usr/platform/i86pc/lib/fm/topo/maps/Sun-Fire-X4200-M2-disk-hc-topology.
742     mode=0444
743 $(i386_ONLY)file \
744     path=usr/platform/i86pc/lib/fm/topo/maps/Sun-Fire-X4200-Server-disk-hc-topol
745     mode=0444
746 $(i386_ONLY)file \
747     path=usr/platform/i86pc/lib/fm/topo/maps/Sun-Fire-X4500-disk-hc-topology.xml

```

```

748 mode=0444
749 $(i386_ONLY)file \
750 path=usr/platform/i86pc/lib/fm/topo/maps/Sun-Fire-X4540-disk-hc-topology.xml
751 mode=0444
752 $(i386_ONLY)file \
753 path=usr/platform/i86pc/lib/fm/topo/maps/Sun-Fire-X4600-M2-disk-hc-topology.
754 mode=0444
755 $(i386_ONLY)file \
756 path=usr/platform/i86pc/lib/fm/topo/maps/chassis-hc-topology.xml \
757 mode=0444
758 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/maps/chip-hc-topology.xml \
759 mode=0444
760 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/maps/fan-hc-topology.xml \
761 mode=0444
762 $(i386_ONLY)file \
763 path=usr/platform/i86pc/lib/fm/topo/maps/i86pc-hc-topology.xml mode=0444
764 $(i386_ONLY)file \
765 path=usr/platform/i86pc/lib/fm/topo/maps/i86pc-legacy-hc-topology.xml \
766 mode=0444
767 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/maps/psu-hc-topology.xml \
768 mode=0444
769 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/plugins/chip.so mode=0555
770 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/plugins/hostbridge.so \
771 mode=0555
772 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/plugins/pcibus.so \
773 mode=0555
774 $(i386_ONLY)file path=usr/platform/i86pc/lib/fm/topo/plugins/x86pi.so \
775 mode=0555
776 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/fire.eft mode=0444
777 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/oberon.eft mode=0444
778 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/psycho.eft mode=0444
779 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/schizo.eft mode=0444
780 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/tomatillo.eft mode=0444
781 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/eft/xmits.eft mode=0444
782 $(sparc_ONLY)file \
783 path=usr/platform/sun4u/lib/fm/fmd/plugins/USII-io-diagnosis.conf
784 $(sparc_ONLY)file \
785 path=usr/platform/sun4u/lib/fm/fmd/plugins/USII-io-diagnosis.so mode=0555
786 $(sparc_ONLY)file \
787 path=usr/platform/sun4u/lib/fm/fmd/plugins/cpumem-diagnosis.conf
788 $(sparc_ONLY)file \
789 path=usr/platform/sun4u/lib/fm/fmd/plugins/cpumem-diagnosis.so mode=0555
790 $(sparc_ONLY)file \
791 path=usr/platform/sun4u/lib/fm/fmd/plugins/datapath-retire.conf
792 $(sparc_ONLY)file \
793 path=usr/platform/sun4u/lib/fm/fmd/plugins/datapath-retire.so mode=0555
794 $(sparc_ONLY)file \
795 path=usr/platform/sun4u/lib/fm/topo/maps/sun4u-hc-topology.xml mode=0444
796 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/topo/plugins/chip.so \
797 mode=0555
798 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/topo/plugins/hostbridge.so \
799 mode=0555
800 $(sparc_ONLY)file path=usr/platform/sun4u/lib/fm/topo/plugins/pcibus.so \
801 mode=0555
802 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fm/ldom.h
803 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/fire.eft mode=0444
804 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/gcpu.eft mode=0444
805 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/gmem.eft mode=0444
806 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/n2niu_xaui.eft mode=0444
807 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/n2niu_xfp.eft mode=0444
808 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/n2piu.eft mode=0444
809 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/sp.eft mode=0444
810 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/vfncx.eft mode=0444
811 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/eft/zambezi.eft mode=0444
812 $(sparc_ONLY)file \
813 path=usr/platform/sun4v/lib/fm/fmd/plugins/cpumem-diagnosis.conf

```

```

814 $(sparc_ONLY)file \
815 path=usr/platform/sun4v/lib/fm/fmd/plugins/cpumem-diagnosis.so mode=0555
816 $(sparc_ONLY)file \
817 path=usr/platform/sun4v/lib/fm/fmd/plugins/cpumem-retire.conf
818 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/fmd/plugins/cpumem-retire.so \
819 mode=0555
820 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/fmd/plugins/etm.conf
821 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/fmd/plugins/etm.so mode=0555
822 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/fmd/plugins/generic-mem.conf
823 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/fmd/plugins/generic-mem.so \
824 mode=0555
825 $(sparc_ONLY)file \
826 path=usr/platform/sun4v/lib/fm/topo/maps/sun4v-hc-topology.xml mode=0444
827 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/chip.so \
828 mode=0555
829 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/cpuboard.so \
830 mode=0555
831 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/dimm.so \
832 mode=0555
833 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/hostbridge.so \
834 mode=0555
835 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/motherboard.so \
836 mode=0555
837 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/niu.so mode=0555
838 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/pcibus.so \
839 mode=0555
840 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/platform-cpu.so \
841 mode=0555
842 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/platform-mem.so \
843 mode=0555
844 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/sun4vpi.so \
845 mode=0555
846 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/xaui.so \
847 mode=0555
848 $(sparc_ONLY)file path=usr/platform/sun4v/lib/fm/topo/plugins/zambezi.so \
849 mode=0555
850 #
851 # Administrative utilities are common to both contexts
852 #
853 file path=usr/sbin/fmadm mode=0555 variant.opensolaris.zone=__NODEFAULT
854 file path=usr/sbin/fmdump mode=0555 variant.opensolaris.zone=__NODEFAULT
855 file path=usr/sbin/fmstat mode=0555 variant.opensolaris.zone=__NODEFAULT
856 #
857 # Topo DTD is also common
858 #
859 file path=usr/share/lib/xml/dtd/topology.dtd.1 \
860 variant.opensolaris.zone=__NODEFAULT
861 file path=usr/share/man/man1m/fmadm.1m
862 file path=usr/share/man/man1m/fmd.1m
863 file path=usr/share/man/man1m/fmdump.1m
864 file path=usr/share/man/man1m/fmstat.1m
865 #
866 # legacy packaging and license
867 #
868 legacy pkg=SUNWfmd desc="Fault Management Daemon and Utilities" \
869 name="Fault Management Daemon and Utilities"
870 legacy pkg=SUNWfmdr desc="Fault Management Daemon and Utilities (Root)" \
871 name="Fault Management Daemon and Utilities (Root)"
872 license cr_Sun license=cr_Sun
873 license lic_CDDL license=lic_CDDL
874 #
875 #
876 # libraries .so symlinks in lib
877 #
878 $(BUILD64)link path=lib/fm/$(ARCH64)/libfmevent.so target=../libfmevent.so.1 \
836 link path=lib/fm/$(ARCH64)/libfmevent.so target=../libfmevent.so.1 \

```

```

879 variant.opensolaris.zone=__NODEFAULT
880 link path=lib/fm/libfmevent.so target=libfmevent.so.1 \
881 variant.opensolaris.zone=__NODEFAULT

883 #
884 # 64-bit .so symlinks
885 #
886 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libdiagcode.so \
887 target=libdiagcode.so.1 variant.opensolaris.zone=__NODEFAULT
888 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libdiskstatus.so \
889 target=libdiskstatus.so.1 variant.opensolaris.zone=__NODEFAULT
890 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmd_adm.so \
891 target=libfmd_adm.so.1 variant.opensolaris.zone=__NODEFAULT
892 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmd_agent.so \
893 target=libfmd_agent.so.1 variant.opensolaris.zone=__NODEFAULT
894 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmd_log.so \
895 target=libfmd_log.so.1 variant.opensolaris.zone=__NODEFAULT
896 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmd_msg.so \
897 target=libfmd_msg.so.1 variant.opensolaris.zone=__NODEFAULT
898 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmd_snmp.so \
899 target=libfmd_snmp.so.1 variant.opensolaris.zone=__NODEFAULT
900 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmevent.so \
844 link path=usr/lib/fm/$(ARCH64)/libdiagcode.so target=libdiagcode.so.1 \
845 variant.opensolaris.zone=__NODEFAULT
846 link path=usr/lib/fm/$(ARCH64)/libdiskstatus.so target=libdiskstatus.so.1 \
847 variant.opensolaris.zone=__NODEFAULT
848 link path=usr/lib/fm/$(ARCH64)/libfmd_adm.so target=libfmd_adm.so.1 \
849 variant.opensolaris.zone=__NODEFAULT
850 link path=usr/lib/fm/$(ARCH64)/libfmd_agent.so target=libfmd_agent.so.1 \
851 variant.opensolaris.zone=__NODEFAULT
852 link path=usr/lib/fm/$(ARCH64)/libfmd_log.so target=libfmd_log.so.1 \
853 variant.opensolaris.zone=__NODEFAULT
854 link path=usr/lib/fm/$(ARCH64)/libfmd_msg.so target=libfmd_msg.so.1 \
855 variant.opensolaris.zone=__NODEFAULT
856 link path=usr/lib/fm/$(ARCH64)/libfmd_snmp.so target=libfmd_snmp.so.1 \
857 variant.opensolaris.zone=__NODEFAULT
858 link path=usr/lib/fm/$(ARCH64)/libfmevent.so \
901 target=libfmevent.so.1 \
902 variant.opensolaris.zone=__NODEFAULT
903 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmevent.so.1 \
861 link path=usr/lib/fm/$(ARCH64)/libfmevent.so.1 \
904 target=libfmevent.so.1 \
905 variant.opensolaris.zone=__NODEFAULT
906 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libfmmotify.so \
907 target=libfmmotify.so.1 variant.opensolaris.zone=__NODEFAULT
908 $(sparc_BUILDD64)link path=usr/lib/fm/$(ARCH64)/libldom.so target=libldom.so.1
909 $(sparc_BUILDD64)link path=usr/lib/fm/$(ARCH64)/libmdesc.so \
910 target=libmdesc.so.1
911 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libseslog.so target=libseslog.so.1
912 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/libtopo.so target=libtopo.so.1 \
864 link path=usr/lib/fm/$(ARCH64)/libfmmotify.so target=libfmmotify.so.1 \
865 variant.opensolaris.zone=__NODEFAULT
866 $(sparc_ONLY)link path=usr/lib/fm/$(ARCH64)/libldom.so target=libldom.so.1
867 $(sparc_ONLY)link path=usr/lib/fm/$(ARCH64)/libmdesc.so target=libmdesc.so.1
868 link path=usr/lib/fm/$(ARCH64)/libseslog.so target=libseslog.so.1
869 link path=usr/lib/fm/$(ARCH64)/libtopo.so target=libtopo.so.1 \
913 variant.opensolaris.zone=__NODEFAULT
914 $(BUILDD64)link path=usr/lib/fm/$(ARCH64)/llib-lfmevent.ln \
871 link path=usr/lib/fm/$(ARCH64)/llib-lfmevent.ln \
915 target=llib-lfmevent.ln

916 #
917 # 32-bit .so symlinks
918 #
919 link path=usr/lib/fm/libdiagcode.so target=libdiagcode.so.1 \
920 variant.opensolaris.zone=__NODEFAULT
921 link path=usr/lib/fm/libdiskstatus.so target=libdiskstatus.so.1 \

```

```

922 variant.opensolaris.zone=__NODEFAULT
923 link path=usr/lib/fm/libfmd_adm.so target=libfmd_adm.so.1 \
924 variant.opensolaris.zone=__NODEFAULT
925 link path=usr/lib/fm/libfmd_agent.so target=libfmd_agent.so.1 \
926 variant.opensolaris.zone=__NODEFAULT
927 link path=usr/lib/fm/libfmd_log.so target=libfmd_log.so.1 \
928 variant.opensolaris.zone=__NODEFAULT
929 link path=usr/lib/fm/libfmd_msg.so target=libfmd_msg.so.1 \
930 variant.opensolaris.zone=__NODEFAULT
931 link path=usr/lib/fm/libfmd_snmp.so target=libfmd_snmp.so.1 \
932 variant.opensolaris.zone=__NODEFAULT
933 link path=usr/lib/fm/libfmevent.so target=libfmevent.so.1 \
934 variant.opensolaris.zone=__NODEFAULT
935 link path=usr/lib/fm/libfmevent.so.1 target=libfmevent.so.1 \
936 variant.opensolaris.zone=__NODEFAULT
937 link path=usr/lib/fm/libfmmotify.so target=libfmmotify.so.1 \
938 variant.opensolaris.zone=__NODEFAULT
939 $(sparc_ONLY)link path=usr/lib/fm/libldom.so target=libldom.so.1
940 $(sparc_ONLY)link path=usr/lib/fm/libmdesc.so target=libmdesc.so.1
941 link path=usr/lib/fm/libseslog.so target=libseslog.so.1
942 link path=usr/lib/fm/libtopo.so target=libtopo.so.1 \
943 variant.opensolaris.zone=__NODEFAULT
944 link path=usr/lib/fm/llib-lfmevent target=llib-lfmevent \
945 link path=usr/lib/fm/llib-lfmevent.ln target=llib-lfmevent.ln
946 #
947 # symlinks for fmd plugins for particular platforms
948 #
949 $(sparc_ONLY)link \
950 path=usr/platform/SUNW,Netra-CP3060/lib/fm/fmd/plugins/etm.so \
951 target=etm.so \
952 $(sparc_ONLY)link \
953 path=usr/platform/SUNW,Netra-CP3260/lib/fm/fmd/plugins/etm.so \
954 target=etm.so \
955 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T5220/lib/fm/fmd/plugins/etm.so \
956 target=etm.so \
957 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T5440/lib/fm/fmd/plugins/etm.so \
958 target=etm.so \
959 $(sparc_ONLY)link \
960 path=usr/platform/SUNW,SPARC-Enterprise-T5120/lib/fm/fmd/plugins/etm.so \
961 target=etm.so \
962 $(sparc_ONLY)link \
963 path=usr/platform/SUNW,Sun-Blade-T6300/lib/fm/fmd/plugins/etm.so \
964 target=etm.so \
965 $(sparc_ONLY)link \
966 path=usr/platform/SUNW,Sun-Blade-T6320/lib/fm/fmd/plugins/etm.so \
967 target=etm.so \
968 $(sparc_ONLY)link \
969 path=usr/platform/SUNW,Sun-Fire-T200/lib/fm/fmd/plugins/etm.so \
970 target=etm.so \
971 $(sparc_ONLY)link path=usr/platform/SUNW,T5140/lib/fm/fmd/plugins/etm.so \
972 target=etm.so \
973 $(sparc_ONLY)link path=usr/platform/SUNW,USBRDT-5240/lib/fm/fmd/plugins/etm.so \
974 target=etm.so \

```

new/usr/src/pkg/manifests/service-file-system-nfs.mf

1

```
*****
4157 Fri Apr 11 13:24:10 2014
new/usr/src/pkg/manifests/service-file-system-nfs.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28
29 set name=pkg.fmri value=pkg:/service/file-system/nfs@$(PKGVERS)
30 set name=pkg.description value="Network File System (NFS) server support"
31 set name=pkg.summary value="Network File System (NFS) server support"
32 set name=info.classification \
33   value="org.opensolaris.category.2008:System/File System"
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/default group=sys
37 dir path=etc/init.d group=sys
38 dir path=etc/nfs group=sys
39 dir path=kernel group=sys
40 dir path=kernel/misc group=sys
41 dir path=kernel/misc/$(ARCH64) group=sys
42 dir path=lib
43 dir path=lib/svc
44 dir path=lib/svc/manifest group=sys
45 dir path=lib/svc/manifest/network group=sys
46 dir path=lib/svc/manifest/network/nfs group=sys
47 dir path=lib/svc/method
48 dir path=usr group=sys
49 dir path=usr/lib
50 dir path=usr/lib/fs group=sys
51 dir path=usr/lib/fs/nfs group=sys
52 $(BUILD64)dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
25 dir path=usr/lib/fs/nfs/$(ARCH64) group=sys
53 dir path=usr/lib/nfs group=sys
54 dir path=usr/lib/reparse group=bin
55 $(BUILD64)dir path=usr/lib/reparse/$(ARCH64) group=sys
28 dir path=usr/lib/reparse/$(ARCH64) group=sys
56 dir path=usr/sbin
57 dir path=usr/share/man
58 dir path=usr/share/man/man1m
59 dir path=usr/share/man/man5
```

new/usr/src/pkg/manifests/service-file-system-nfs.mf

2

```
60 file path=etc/default/nfslogd group=sys \
61   original_name=SUNWnfss:etc/default/nfslogd preserve=true
62 file path=etc/init.d/nfs.server group=sys mode=0744 \
63   original_name=SUNWnfss:etc/init.d/nfs.server preserve=true
64 file path=etc/nfs/nfslog.conf group=sys \
65   original_name=SUNWnfss:etc/nfs/nfslog.conf preserve=true
66 file path=kernel/misc/$(ARCH64)/nfssrv group=sys mode=0755
67 $(i386_ONLY)file path=kernel/misc/nfssrv group=sys mode=0755
68 file path=lib/svc/manifest/network/nfs/nfslogd.xml group=sys mode=0444
69 file path=lib/svc/manifest/network/nfs/rquota.xml group=sys mode=0444
70 file path=lib/svc/manifest/network/nfs/server.xml group=sys mode=0444
71 file path=lib/svc/method/nfs-server mode=0555
72 $(BUILD64)file path=usr/lib/fs/nfs/$(ARCH64)/libshare_nfs.so.1
45 file path=usr/lib/fs/nfs/$(ARCH64)/libshare_nfs.so.1
73 file path=usr/lib/fs/nfs/libshare_nfs.so.1
74 file path=usr/lib/nfs/mountd mode=0555
75 file path=usr/lib/nfs/nfsd mode=0555
76 file path=usr/lib/nfs/nfslogd mode=0555
77 file path=usr/lib/nfs/rquotad mode=0555
78 $(BUILD64)file path=usr/lib/reparse/$(ARCH64)/libnfs_basic.so.1
51 file path=usr/lib/reparse/$(ARCH64)/libnfs_basic.so.1
79 file path=usr/lib/reparse/libnfs_basic.so.1
80 file path=usr/sbin/exportfs mode=0555
81 file path=usr/sbin/nfsref mode=0555
82 file path=usr/share/man/man1m/mountd.1m
83 file path=usr/share/man/man1m/nfsd.1m
84 file path=usr/share/man/man1m/nfslogd.1m
85 file path=usr/share/man/man1m/rquotad.1m
86 file path=usr/share/man/man4/nfslog.conf.4
87 file path=usr/share/man/man4/rmtab.4
88 file path=usr/share/man/man5/nfssec.5
89 legacy pkg=SUNWnfsskr \
90   desc="Network File System (NFS) server kernel support (Root)" \
91   name="Network File System (NFS) server kernel support (Root)"
92 legacy pkg=SUNWnfssr desc="Network File System (NFS) server support (Root)" \
93   name="Network File System (NFS) server support (Root)"
94 legacy pkg=SUNWnfssu desc="Network File System (NFS) server support (Usr)" \
95   name="Network File System (NFS) server support (Usr)"
96 license cr_Sun license=cr_Sun
97 license lic_CDDL license=lic_CDDL
98 $(BUILD64)link path=usr/lib/reparse/$(ARCH64)/libnfs_basic.so \
99   target=./libnfs_basic.so.1
71 link path=usr/lib/reparse/$(ARCH64)/libnfs_basic.so target=./libnfs_basic.so.1
100 link path=usr/lib/reparse/libnfs_basic.so target=./libnfs_basic.so.1
```

new/usr/src/pkg/manifests/service-file-system-smb.mf

1

```
*****
4585 Fri Apr 11 13:24:10 2014
new/usr/src/pkg/manifests/service-file-system-smb.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/file-system/smb@$(PKGVERS)
30 set name=pkg.description value="SMB Server libraries and commands"
31 set name=pkg.summary value="SMB Server"
32 set name=info.classification \
33   value="org.opensolaris.category.2008:System/File System"
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/svc
37 dir path=lib/svc/manifest group=sys
38 dir path=lib/svc/manifest/network group=sys
39 dir path=lib/svc/manifest/network/smb group=sys
40 dir path=lib/svc/method
41 dir path=usr group=sys
42 dir path=usr/kernel group=sys
43 dir path=usr/kernel/drv group=sys
44 dir path=usr/kernel/drv/$(ARCH64) group=sys
45 dir path=usr/kernel/kmdb group=sys
46 dir path=usr/kernel/kmdb/$(ARCH64) group=sys
47 dir path=usr/lib
48 dir path=usr/lib/fs group=sys
49 dir path=usr/lib/fs/smb group=sys
50 $(BUILD64)dir path=usr/lib/fs/smb/$(ARCH64) group=sys
25 dir path=usr/lib/fs/smb/$(ARCH64) group=sys
51 dir path=usr/lib/mdb group=sys
52 dir path=usr/lib/mdb/kvm group=sys
53 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
28 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
54 dir path=usr/lib/reparse
55 dir path=usr/lib/security
56 dir path=usr/lib/smbsrv
57 dir path=usr/sbin
58 dir path=usr/share/man
59 dir path=usr/share/man/man1m
```

new/usr/src/pkg/manifests/service-file-system-smb.mf

2

```
60 dir path=usr/share/man/man4
61 dir path=usr/share/man/man5
62 dir path=var group=sys
63 dir path=var/smb group=sys
64 dir path=var/smb/cvol group=sys
65 dir path=var/smb/cvol/windows group=sys
66 dir path=var/smb/cvol/windows/system32 group=sys
67 dir path=var/smb/cvol/windows/system32/vss group=sys
68 dir path=var/svc group=sys
69 driver name=smbsrv perms="* 0640 root sys"
70 file path=lib/svc/manifest/network/smb/server.xml group=sys mode=0444
71 file path=lib/svc/method/svc-smbd mode=0555
72 file path=usr/kernel/drv/$(ARCH64)/smbsrv group=sys
73 $(i386_ONLY)file path=usr/kernel/drv/smbsrv group=sys
74 file path=usr/kernel/drv/smbsrv.conf group=sys
75 file path=usr/kernel/kmdb/$(ARCH64)/smbsrv group=sys mode=0555
76 $(i386_ONLY)file path=usr/kernel/kmdb/smbsrv group=sys mode=0555
77 $(BUILD64)file path=usr/lib/fs/smb/$(ARCH64)/libshare_smb.so.1
52 file path=usr/lib/fs/smb/$(ARCH64)/libshare_smb.so.1
78 file path=usr/lib/fs/smb/libshare_smb.so.1
79 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/smbsrv.so group=sys mode=0555
54 file path=usr/lib/mdb/kvm/$(ARCH64)/smbsrv.so group=sys mode=0555
80 $(i386_ONLY)file path=usr/lib/mdb/kvm/smbsrv.so group=sys mode=0555
81 file path=usr/lib/reparse/libreparse_smb.so.1
82 file path=usr/lib/security/pam_smb_passwd.so.1
83 file path=usr/lib/smbsrv/libmlrpc.so.1
84 file path=usr/lib/smbsrv/libmlsvc.so.1
85 file path=usr/lib/smbsrv/libsmbs.so.1
86 file path=usr/lib/smbsrv/libsmbsns.so.1
87 file path=usr/lib/smbsrv/libsqlite.so.1
88 file path=usr/lib/smbsrv/smbd mode=0555
89 file path=usr/sbin/smbadm mode=0555
90 file path=usr/sbin/smbstat mode=0555
91 file path=usr/share/man/man1m/smbadm.1m
92 file path=usr/share/man/man1m/smbd.1m
93 file path=usr/share/man/man1m/smbstat.1m
94 file path=usr/share/man/man4/smb.4
95 file path=usr/share/man/man4/smbautohome.4
96 file path=usr/share/man/man5/pam_smb_passwd.5
97 file path=var/smb/cvol/windows/system32/eventlog.dll mode=0755
98 file path=var/smb/smbpasswd group=sys mode=0400 \
99   original_name=SUNWsmbs:var/smb/smbpasswd preserve=true
100 legacy pkg=SUNWsmbskr desc="SMB Server kernel root components" \
101   name="SMB Server (Kernel)"
102 legacy pkg=SUNWsmbsr desc="SMB Server root components" \
103   name="SMB Server (Root)"
104 legacy pkg=SUNWsmbsu desc="SMB Server libraries and commands" \
105   name="SMB Server (Usr)"
106 license cr_Sun license=cr_Sun
107 license lic_CDDL license=lic_CDDL
108 link path=usr/lib/reparse/libreparse_smb.so target=libreparse_smb.so.1
109 link path=usr/lib/security/pam_smb_passwd.so target=pam_smb_passwd.so.1
110 link path=usr/lib/smbsrv/libmlrpc.so target=libmlrpc.so.1
111 link path=usr/lib/smbsrv/libmlsvc.so target=libmlsvc.so.1
112 link path=usr/lib/smbsrv/libsmbs.so target=libsmbs.so.1
113 link path=usr/lib/smbsrv/libsmbsns.so target=libsmbsns.so.1
```

new/usr/src/pkg/manifests/service-hal.mf

1

```
*****
10145 Fri Apr 11 13:24:10 2014
new/usr/src/pkg/manifests/service-hal.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* !codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/hal@$(PKGVERS)
30 set name=pkg.description \
31     value="Hardware Abstraction Layer, HAL (freedesktop.org)"
32 set name=pkg.summary value="Hardware Abstraction Layer"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System:Hardware
35 set name=variant.arch value=$(ARCH)
36 dir path=etc group=sys variant.opensolaris.zone=global
37 dir path=etc/dbus-1 variant.opensolaris.zone=global
38 dir path=etc/dbus-1/system.d variant.opensolaris.zone=global
39 dir path=etc/hal variant.opensolaris.zone=global
40 dir path=etc/hal/fdi variant.opensolaris.zone=global
41 dir path=etc/hal/fdi/information variant.opensolaris.zone=global
42 dir path=etc/hal/fdi/information/10freedesktop variant.opensolaris.zone=global
43 dir path=etc/hal/fdi/information/20thirdparty variant.opensolaris.zone=global
44 dir path=etc/hal/fdi/information/30user variant.opensolaris.zone=global
45 dir path=etc/hal/fdi/policy variant.opensolaris.zone=global
46 dir path=etc/hal/fdi/policy/10osvendor variant.opensolaris.zone=global
47 dir path=etc/hal/fdi/policy/20thirdparty variant.opensolaris.zone=global
48 dir path=etc/hal/fdi/policy/30user variant.opensolaris.zone=global
49 dir path=etc/hal/fdi/preprobe variant.opensolaris.zone=global
50 dir path=etc/hal/fdi/preprobe/10osvendor variant.opensolaris.zone=global
51 dir path=etc/hal/fdi/preprobe/20thirdparty variant.opensolaris.zone=global
52 dir path=etc/hal/fdi/preprobe/30user variant.opensolaris.zone=global
53 dir path=lib variant.opensolaris.zone=global
54 dir path=lib/svc variant.opensolaris.zone=global
55 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
56 dir path=lib/svc/manifest/network group=sys variant.opensolaris.zone=global
57 dir path=lib/svc/manifest/system group=sys variant.opensolaris.zone=global
58 dir path=lib/svc/method variant.opensolaris.zone=global
59 dir path=usr group=sys
60 dir path=usr/lib
61 $(BUILD64)dir path=usr/lib/$(ARCH64)
```

new/usr/src/pkg/manifests/service-hal.mf

2

```
62 $(BUILD64)dir path=usr/lib/$(ARCH64)/pkgconfig group=other
25 dir path=usr/lib/$(ARCH64)
26 dir path=usr/lib/$(ARCH64)/pkgconfig group=other
63 dir path=usr/lib/hal
64 dir path=usr/lib/hal/sunos
65 dir path=usr/lib/pkgconfig group=other
66 dir path=usr/sbin
67 dir path=usr/share
68 dir path=usr/share/lib
69 dir path=usr/share/lib/xml group=sys
70 dir path=usr/share/lib/xml/dtd group=sys
71 dir path=usr/share/man
72 dir path=usr/share/man/man1m
73 dir path=usr/share/man/man4
74 dir path=usr/share/man/man5
75 file path=etc/dbus-1/system.d/hal.conf variant.opensolaris.zone=global
76 file path=etc/hal/fdi/information/10freedesktop/10-camera-ptp.fdi mode=0444 \
77     variant.opensolaris.zone=global
78 file path=etc/hal/fdi/information/10freedesktop/10-cd-dvd-burner.fdi mode=0444 \
79     variant.opensolaris.zone=global
80 file path=etc/hal/fdi/information/10freedesktop/10-usb-card-readers.fdi \
81     mode=0444 variant.opensolaris.zone=global
82 file path=etc/hal/fdi/information/10freedesktop/10-usb-music-players.fdi \
83     mode=0444 variant.opensolaris.zone=global
84 file path=etc/hal/fdi/information/10freedesktop/10-usb-pda.fdi mode=0444 \
85     variant.opensolaris.zone=global
86 file path=etc/hal/fdi/information/10freedesktop/10-usb-zip-drives.fdi \
87     mode=0444 variant.opensolaris.zone=global
88 file path=etc/hal/fdi/information/10freedesktop/10-wireless-mice.fdi mode=0444 \
89     variant.opensolaris.zone=global
90 file path=etc/hal/fdi/policy/10osvendor/10-cpufreq.fdi mode=0444 \
91     variant.opensolaris.zone=global
92 file path=etc/hal/fdi/policy/10osvendor/10-laptop-panel-mgmt-policy.fdi \
93     mode=0444 variant.opensolaris.zone=global
94 file path=etc/hal/fdi/policy/10osvendor/10-network-attached.fdi mode=0444 \
95     variant.opensolaris.zone=global
96 file path=etc/hal/fdi/policy/10osvendor/10-power-mgmt-policy.fdi mode=0444 \
97     variant.opensolaris.zone=global
98 file path=etc/hal/fdi/policy/10osvendor/10-toshiba-buttons.fdi mode=0444 \
99     variant.opensolaris.zone=global
100 file path=etc/hal/fdi/policy/10osvendor/20-storage-methods.fdi mode=0444 \
101     variant.opensolaris.zone=global
102 file path=etc/hal/fdi/policy/10osvendor/20-zfs-methods.fdi mode=0444 \
103     variant.opensolaris.zone=global
104 file path=etc/hal/fdi/preprobe/10osvendor/10-ide-drives.fdi mode=0444 \
105     variant.opensolaris.zone=global
106 file path=etc/hal/fdi/preprobe/10osvendor/20-ignore-fixed-storage.fdi \
107     mode=0444 variant.opensolaris.zone=global
108 file path=etc/hal/fdi/preprobe/10osvendor/20-ignore-lofi.fdi mode=0444 \
109     variant.opensolaris.zone=global
110 file path=etc/hal/fdi/preprobe/10osvendor/20-printers.fdi mode=0444 \
111     variant.opensolaris.zone=global
112 file path=lib/svc/manifest/network/network-discovery.xml group=sys mode=0444 \
113     variant.opensolaris.zone=global
114 file path=lib/svc/manifest/system/hal.xml group=sys mode=0444 \
115     variant.opensolaris.zone=global
116 file path=lib/svc/method/svc-hal mode=0555 variant.opensolaris.zone=global
117 file path=lib/svc/method/svc-network-discovery mode=0555 \
118     variant.opensolaris.zone=global
119 $(BUILD64)file path=usr/lib/$(ARCH64)/libhal-storage.so.1.0.0
120 $(BUILD64)file path=usr/lib/$(ARCH64)/libhal.so.1.0.0
121 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lhal-storage.ln
122 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lhal.ln
123 $(BUILD64)file path=usr/lib/$(ARCH64)/pkgconfig/hal-storage.pc
124 $(BUILD64)file path=usr/lib/$(ARCH64)/pkgconfig/hal.pc
83 file path=usr/lib/$(ARCH64)/libhal-storage.so.1.0.0
```

```

84 file path=usr/lib/$(ARCH64)/libhal.so.1.0.0
85 file path=usr/lib/$(ARCH64)/llib-lhal-storage.ln
86 file path=usr/lib/$(ARCH64)/llib-lhal.ln
87 file path=usr/lib/$(ARCH64)/pkgconfig/hal-storage.pc
88 file path=usr/lib/$(ARCH64)/pkgconfig/hal.pc
125 file path=usr/lib/hal/hal-functions mode=0555
126 file path=usr/lib/hal/hal-is-caller-privileged mode=0555
127 file path=usr/lib/hal/hal-storage-cleanup-all-mountpoints mode=0555
128 file path=usr/lib/hal/hal-storage-cleanup-mountpoint mode=0555
129 file path=usr/lib/hal/hal-storage-closetray mode=0555
130 file path=usr/lib/hal/hal-storage-eject mode=0555
131 file path=usr/lib/hal/hal-storage-mount mode=0555
132 file path=usr/lib/hal/hal-storage-unmount mode=0555
133 file path=usr/lib/hal/hal-storage-zpool-export mode=0555
134 file path=usr/lib/hal/hal-storage-zpool-import mode=0555
135 file path=usr/lib/hal/hal-system-lcd-get-brightness mode=0555
136 file path=usr/lib/hal/hal-system-lcd-set-brightness mode=0555
137 file path=usr/lib/hal/hal-system-power-hibernate mode=0555
138 file path=usr/lib/hal/hal-system-power-reboot mode=0555
139 file path=usr/lib/hal/hal-system-power-shutdown mode=0555
140 file path=usr/lib/hal/hal-system-power-suspend mode=0555
141 file path=usr/lib/hal/hald mode=0555
142 file path=usr/lib/hal/hald-addon-acpi mode=0555
143 file path=usr/lib/hal/hald-addon-cpufreq mode=0555
144 file path=usr/lib/hal/hald-addon-network-discovery mode=0555
145 file path=usr/lib/hal/hald-addon-storage mode=0555
146 file path=usr/lib/hal/hald-probe-acpi mode=0555
147 file path=usr/lib/hal/hald-probe-network-printer mode=0555
148 file path=usr/lib/hal/hald-probe-printer mode=0555
149 file path=usr/lib/hal/hald-probe-storage mode=0555
150 file path=usr/lib/hal/hald-probe-volume mode=0555
151 file path=usr/lib/hal/hald-probe-xkb mode=0555
152 file path=usr/lib/hal/hald-runner mode=0555
153 file path=usr/lib/hal/sunos/hal-system-lcd-get-brightness-sunos mode=0555
154 file path=usr/lib/hal/sunos/hal-system-lcd-set-brightness-sunos mode=0555
155 file path=usr/lib/hal/sunos/hal-system-power-hibernate-sunos mode=0555
156 file path=usr/lib/hal/sunos/hal-system-power-reboot-sunos mode=0555
157 file path=usr/lib/hal/sunos/hal-system-power-shutdown-sunos mode=0555
158 file path=usr/lib/hal/sunos/hal-system-power-suspend-sunos mode=0555
159 file path=usr/lib/libhal-storage.so.1.0.0
160 file path=usr/lib/libhal.so.1.0.0
161 file path=usr/lib/llib-lhal
162 file path=usr/lib/llib-lhal-storage
163 file path=usr/lib/llib-lhal-storage.ln
164 file path=usr/lib/llib-lhal.ln
165 file path=usr/lib/pkgconfig/hal-storage.pc
166 file path=usr/lib/pkgconfig/hal.pc
167 file path=usr/sbin/hal-device mode=0555
168 file path=usr/sbin/hal-fdi-validate mode=0555
169 file path=usr/sbin/hal-find-by-capability mode=0555
170 file path=usr/sbin/hal-find-by-property mode=0555
171 file path=usr/sbin/hal-get-property mode=0555
172 file path=usr/sbin/hal-set-property mode=0555
173 file path=usr/sbin/lshal mode=0555
174 file path=usr/share/lib/xml/dtd/fdi.dtd.1
175 file path=usr/share/man/man1m/hal-device.1m
176 file path=usr/share/man/man1m/hal-fdi-validate.1m
177 file path=usr/share/man/man1m/hal-find.1m
178 file path=usr/share/man/man1m/hal-get-property.1m
179 file path=usr/share/man/man1m/hald.1m
180 file path=usr/share/man/man4/fdi.4
181 file path=usr/share/man/man5/hal.5
182 legacy pkg=SUNWhal desc="Hardware Abstraction Layer, HAL (freedesktop.org)" \
183   name="Hardware Abstraction Layer"
184 legacy pkg=SUNWhalr \
185   desc="Hardware Abstraction Layer, HAL (freedesktop.org) (Root)" \

```

```

186   name="Hardware Abstraction Layer (Root)"
187 license cr_Sun license=cr_Sun
188 license lic_CDDL license=lic_CDDL
189 license usr/src/cmd/hal/LICENSE license=usr/src/cmd/hal/LICENSE
190 $(BUILD64)link path=usr/lib/$(ARCH64)/libhal-storage.so \
191 link path=usr/lib/$(ARCH64)/libhal-storage.so target=../libhal-storage.so.1.0.0
192 link path=usr/lib/$(ARCH64)/libhal-storage.so.1 \
193   target=../libhal-storage.so.1.0.0
194 $(BUILD64)link path=usr/lib/$(ARCH64)/libhal.so target=../libhal.so.1.0.0
195 $(BUILD64)link path=usr/lib/$(ARCH64)/libhal.so.1 target=../libhal.so.1.0.0
196 link path=usr/lib/$(ARCH64)/libhal.so target=../libhal.so.1.0.0
197 link path=usr/lib/$(ARCH64)/libhal.so.1 target=../libhal.so.1.0.0
198 link path=usr/lib/libhal-storage.so target=../libhal-storage.so.1.0.0
199 link path=usr/lib/libhal-storage.so.1 target=../libhal-storage.so.1.0.0
200 link path=usr/share/man/man1m/hal-find-by-capability.1m target=hal-find.1m
201 link path=usr/share/man/man1m/hal-find-by-property.1m target=hal-find.1m
202 link path=usr/share/man/man1m/hal-set-property.1m target=hal-get-property.1m

```


new/usr/src/pkg/manifests/service-network-dns-mdns.mf

1

```
*****
8909 Fri Apr 11 13:24:10 2014
new/usr/src/pkg/manifests/service-network-dns-mdns.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/network/dns/mdns@$(PKGVERS)
30 set name=pkg.description \
31   value="Root components for Multicast DNS daemon and service discovery suppor
32 set name=pkg.summary value="Multicast DNS and Service Discovery"
33 set name=info.classification \
34   value=org.opensolaris.category.2008:System/Services
35 set name=variant.arch value=$(ARCH)
36 dir path=lib
37 dir path=lib/svc
38 dir path=lib/svc/manifest group=sys
39 dir path=lib/svc/manifest/network group=sys
40 dir path=lib/svc/manifest/network/dns group=sys
41 dir path=usr group=sys
42 dir path=usr/bin
43 dir path=usr/include
44 dir path=usr/lib
45 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
46 dir path=usr/lib/inet
47 dir path=usr/share
48 dir path=usr/share/lib
49 dir path=usr/share/lib/java group=sys
50 dir path=usr/share/lib/java/javadoc group=other
51 dir path=usr/share/lib/java/javadoc/dnssd group=other
52 dir path=usr/share/lib/java/javadoc/dnssd/api group=other
53 dir path=usr/share/lib/java/javadoc/dnssd/api/com group=other
54 dir path=usr/share/lib/java/javadoc/dnssd/api/com/apple group=other
55 dir path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd group=other
56 dir path=usr/share/lib/java/javadoc/dnssd/api/resources group=other
57 dir path=usr/share/lib/java/javadoc/dnssd/examples group=other
58 dir path=usr/share/man
59 dir path=usr/share/man/man1m
60 dir path=usr/share/man/man3dns_sd
```

new/usr/src/pkg/manifests/service-network-dns-mdns.mf

2

```
61 dir path=usr/share/man/man3lib
62 file path=lib/svc/manifest/network/dns/multicast.xml group=sys mode=0444
63 file path=usr/bin/dns-sd mode=0555
64 file path=usr/include/dns_sd.h
65 $(BUILD64)file path=usr/lib/$(ARCH64)/libdns_sd.so.1
66 $(BUILD64)file path=usr/lib/$(ARCH64)/libjdns_sd.so.1
67 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ldns_sd.ln
68 $(BUILD64)file path=usr/lib/$(ARCH64)/nss_mdns.so.1
45 file path=usr/lib/$(ARCH64)/libdns_sd.so.1
46 file path=usr/lib/$(ARCH64)/libjdns_sd.so.1
47 file path=usr/lib/$(ARCH64)/llib-ldns_sd.ln
48 file path=usr/lib/$(ARCH64)/nss_mdns.so.1
69 file path=usr/lib/inet/mdnsd mode=0555
70 file path=usr/lib/libdns_sd.so.1
71 file path=usr/lib/libjdns_sd.so.1
72 file path=usr/lib/llib-ldns_sd
73 file path=usr/lib/llib-ldns_sd.ln
74 file path=usr/lib/nss_mdns.so.1
75 file path=usr/share/lib/java/dnssd.jar group=sys
76 file path=usr/share/lib/java/javadoc/dnssd/api/allclasses-frame.html \
77   group=other
78 file path=usr/share/lib/java/javadoc/dnssd/api/allclasses-noframe.html \
79   group=other
80 file \
81   path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/BaseListener.html
82   group=other
83 file \
84   path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/BrowseListener.htm
85   group=other
86 file path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSRecord.html \
87   group=other
88 file path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSSD.html \
89   group=other
90 file \
91   path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSSDException.htm
92   group=other
93 file \
94   path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSSDRecordRegistr
95   group=other
96 file \
97   path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSSDRegistration.
98   group=other
99 file \
100  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DNSSDService.html
101  group=other
102 file \
103  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/DomainListener.htm
104  group=other
105 file \
106  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/QueryListener.html
107  group=other
108 file \
109  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/RegisterListener.h
110  group=other
111 file \
112  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/RegisterRecordList
113  group=other
114 file \
115  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/ResolveListener.ht
116  group=other
117 file path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/TXTRecord.html \
118   group=other
119 file \
120  path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/package-frame.html
121  group=other
122 file \
```

```

123 path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/package-summary.ht
124 group=other
125 file \
126 path=usr/share/lib/java/javadoc/dnssd/api/com/apple/dnssd/package-tree.html
127 group=other
128 file path=usr/share/lib/java/javadoc/dnssd/api/constant-values.html \
129 group=other
130 file path=usr/share/lib/java/javadoc/dnssd/api/deprecated-list.html \
131 group=other
132 file path=usr/share/lib/java/javadoc/dnssd/api/help-doc.html group=other
133 file path=usr/share/lib/java/javadoc/dnssd/api/index-all.html group=other
134 file path=usr/share/lib/java/javadoc/dnssd/api/index.html group=other
135 file path=usr/share/lib/java/javadoc/dnssd/api/overview-tree.html group=other
136 file path=usr/share/lib/java/javadoc/dnssd/api/package-list group=other
137 file path=usr/share/lib/java/javadoc/dnssd/api/resources/inherit.gif \
138 group=other
139 file path=usr/share/lib/java/javadoc/dnssd/api/serialized-form.html \
140 group=other
141 file path=usr/share/lib/java/javadoc/dnssd/api/stylesheet.css group=other
142 file path=usr/share/lib/java/javadoc/dnssd/examples/BrowserApp.jar group=sys
143 file path=usr/share/lib/java/javadoc/dnssd/examples/SimpleChat.jar group=sys
144 file path=usr/share/man/man1/mdns-sd.1m
145 file path=usr/share/man/man3/dns_sd/DNSServiceBrowse.3dns_sd
146 file path=usr/share/man/man3/dns_sd/DNSServiceConstructFullName.3dns_sd
147 file path=usr/share/man/man3/dns_sd/DNSServiceCreateConnection.3dns_sd
148 file path=usr/share/man/man3/dns_sd/DNSServiceEnumerateDomains.3dns_sd
149 file path=usr/share/man/man3/dns_sd/DNSServiceProcessResult.3dns_sd
150 file path=usr/share/man/man3/dns_sd/DNSServiceQueryRecord.3dns_sd
151 file path=usr/share/man/man3/dns_sd/DNSServiceReconfirmRecord.3dns_sd
152 file path=usr/share/man/man3/dns_sd/DNSServiceRefDeallocate.3dns_sd
153 file path=usr/share/man/man3/dns_sd/DNSServiceRefSockFD.3dns_sd
154 file path=usr/share/man/man3/dns_sd/DNSServiceRegister.3dns_sd
155 file path=usr/share/man/man3/dns_sd/DNSServiceResolve.3dns_sd
156 file path=usr/share/man/man3/dns_sd/TXTRecordCreate.3dns_sd
157 file path=usr/share/man/man3/lib/libdns_sd.3lib
158 legacy pkg=SUNWdsdr \
159 desc="Root components for Multicast DNS daemon and service discovery support
160 name="Multicast DNS and Service Discovery (Root)"
161 legacy pkg=SUNWdsdu desc="Multicast DNS daemon and service discovery modules" \
162 name="Multicast DNS and Service Discovery (Usr)"
163 license cr_Sun license=cr_Sun
164 license lic_CDDL license=lic_CDDL
165 license usr/src/cmd/cmd-inet/usr.lib/mdnsd/THIRDPARTYLICENSE \
166 license=usr/src/cmd/cmd-inet/usr.lib/mdnsd/THIRDPARTYLICENSE
167 license usr/src/lib/libdns_sd/THIRDPARTYLICENSE \
168 license=usr/src/lib/libdns_sd/THIRDPARTYLICENSE
169 $(BUILD64)link path=usr/lib/$(ARCH64)/libdns_sd.so target=libdns_sd.so.1
170 $(BUILD64)link path=usr/lib/$(ARCH64)/libjdns_sd.so target=libjdns_sd.so.1
171 link path=usr/lib/$(ARCH64)/libdns_sd.so target=libdns_sd.so.1
172 link path=usr/lib/$(ARCH64)/libjdns_sd.so target=libjdns_sd.so.1
173 link path=usr/lib/libdns_sd.so target=libdns_sd.so.1
174 link path=usr/lib/libjdns_sd.so target=libjdns_sd.so.1
175 link path=usr/share/man/man3/dns_sd/DNSServiceAddRecord.3dns_sd \
176 target=DNSServiceCreateConnection.3dns_sd
177 link path=usr/share/man/man3/dns_sd/DNSServiceRegisterRecord.3dns_sd \
178 target=DNSServiceCreateConnection.3dns_sd
179 link path=usr/share/man/man3/dns_sd/DNSServiceRemoveRecord.3dns_sd \
180 target=DNSServiceCreateConnection.3dns_sd
181 link path=usr/share/man/man3/dns_sd/DNSServiceUpdateRecord.3dns_sd \
182 target=DNSServiceCreateConnection.3dns_sd
183 link path=usr/share/man/man3/dns_sd/TXTRecordContainsKey.3dns_sd \
184 target=TXTRRecordCreate.3dns_sd
185 link path=usr/share/man/man3/dns_sd/TXTRecordDeallocate.3dns_sd \
186 target=TXTRRecordCreate.3dns_sd

```

```

187 link path=usr/share/man/man3/dns_sd/TXTRecordGetCount.3dns_sd \
188 target=TXTRRecordCreate.3dns_sd
189 link path=usr/share/man/man3/dns_sd/TXTRecordGetItemAtIndex.3dns_sd \
190 target=TXTRRecordCreate.3dns_sd
191 link path=usr/share/man/man3/dns_sd/TXTRecordGetLength.3dns_sd \
192 target=TXTRRecordCreate.3dns_sd
193 link path=usr/share/man/man3/dns_sd/TXTRecordGetValuePtr.3dns_sd \
194 target=TXTRRecordCreate.3dns_sd
195 link path=usr/share/man/man3/dns_sd/TXTRecordRemoveValue.3dns_sd \
196 target=TXTRRecordCreate.3dns_sd
197 link path=usr/share/man/man3/dns_sd/TXTRecordSetValue.3dns_sd \
198 target=TXTRRecordCreate.3dns_sd

```

new/usr/src/pkg/manifests/service-network-load-balancer-ilb.mf

1

```
*****
2550 Fri Apr 11 13:24:11 2014
new/usr/src/pkg/manifests/service-network-load-balancer-ilb.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/service/network/load-balancer/ilb@$(PKGVERS)
29 set name=pkg.description \
30 value="Integrated IP layer 3/4 load balancer for Solaris"
31 set name=pkg.summary value="Integrated IP layer 3/4 load balancer for Solaris"
32 set name=info.classification \
33 value="org.opensolaris.category.2008:System/Administration and Configuration"
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/svc
37 dir path=lib/svc/manifest group=sys
38 dir path=lib/svc/manifest/network group=sys
39 dir path=lib/svc/manifest/network/loadbalancer group=sys
40 dir path=usr group=sys
41 dir path=usr/include
42 dir path=usr/lib
43 $(BUILD64)dir path=usr/lib/$(ARCH64)
44 dir path=usr/lib/inet
45 dir path=usr/lib/inet/ilb
46 dir path=usr/sbin
47 file path=lib/svc/manifest/network/loadbalancer/ilbd.xml group=sys mode=0444
48 file path=usr/include/libilb.h
49 $(BUILD64)file path=usr/lib/$(ARCH64)/libilb.so.1
50 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lib.ln
51 file path=usr/lib/$(ARCH64)/libilb.so.1
52 file path=usr/lib/$(ARCH64)/llib-lib.ln
53 file path=usr/lib/inet/ilb/ilb_probe mode=0555
54 file path=usr/lib/inet/ilbd mode=0555
55 file path=usr/lib/libilb.so.1
56 file path=usr/lib/llib-lib
57 file path=usr/lib/llib-lib.ln
58 file path=usr/sbin/ilbadm mode=0555
59 legacy pkg=SUNwilb \
60 desc="Integrated IP layer 3/4 load balancer for Solaris (usr)" \
```

new/usr/src/pkg/manifests/service-network-load-balancer-ilb.mf

2

```
59 name="Integrated IP layer 3/4 load balancer for Solaris (usr)"
60 legacy pkg=SUNwilb \
61 desc="Integrated IP layer 3/4 load balancer for Solaris(root)" \
62 name="Integrated IP layer 3/4 load balancer for Solaris(root)"
63 license cr_Sun license=cr_Sun
64 license lic_CDDL license=lic_CDDL
65 $(BUILD64)link path=usr/lib/$(ARCH64)/libilb.so target=./libilb.so.1
66 link path=usr/lib/$(ARCH64)/libilb.so target=./libilb.so.1
67 link path=usr/lib/libilb.so target=./libilb.so.1
```

new/usr/src/pkg/manifests/service-network-slp.mf

1

```
*****
4159 Fri Apr 11 13:24:11 2014
new/usr/src/pkg/manifests/service-network-slp.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/service/network/slp@$(PKGVERS)
29 set name=pkg.description \
30 value="Usr filesystem portion of the Service Location Protocol (SLP) framewo
31 set name=pkg.summary value=SLP
32 set name=info.classification \
33 value=org.opensolaris.category.2008:System/Services
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/inet group=sys
37 dir path=etc/init.d group=sys
38 dir path=lib
39 dir path=lib/svc
40 dir path=lib/svc/manifest group=sys
41 dir path=lib/svc/manifest/network group=sys
42 dir path=lib/svc/method
43 dir path=usr group=sys
44 dir path=usr/include
45 dir path=usr/lib
46 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
47 dir path=usr/lib/inet
48 dir path=usr/share
49 dir path=usr/share/lib
50 dir path=usr/share/lib/slp
51 dir path=usr/share/man
52 dir path=usr/share/man/man1m
53 dir path=usr/share/man/man3lib
54 dir path=usr/share/man/man3slp
55 dir path=usr/share/man/man4
56 dir path=usr/share/man/man7p
57 file path=etc/inet/slp.conf.example group=sys
58 file path=etc/init.d/slpd group=sys mode=0744
59 file path=lib/svc/manifest/network/slp.xml group=sys mode=0444
60 file path=lib/svc/method/slp mode=0555
```

new/usr/src/pkg/manifests/service-network-slp.mf

2

```
61 file path=usr/include/slp.h
62 $(BUILD64)file path=usr/lib/$(ARCH64)/libslp.so.1
63 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lslp.ln
40 file path=usr/lib/$(ARCH64)/libslp.so.1
41 file path=usr/lib/$(ARCH64)/llib-lslp.ln
64 file path=usr/lib/inet/slpd mode=0555
65 file path=usr/lib/libslp.so.1
66 file path=usr/lib/llib-lslp
67 file path=usr/lib/llib-lslp.ln
68 file path=usr/share/lib/slp/slp.jar group=sys
69 file path=usr/share/lib/slp/slpd.jar group=sys mode=0600
70 file path=usr/share/man/man1m/slpd.lm
71 file path=usr/share/man/man3lib/libslp.3lib
72 file path=usr/share/man/man3slp/SLPClose.3slp
73 file path=usr/share/man/man3slp/SLPDelAttrs.3slp
74 file path=usr/share/man/man3slp/SLPDereg.3slp
75 file path=usr/share/man/man3slp/SLPEscape.3slp
76 file path=usr/share/man/man3slp/SLPFindAttrs.3slp
77 file path=usr/share/man/man3slp/SLPFindScopes.3slp
78 file path=usr/share/man/man3slp/SLPFindSrvTypes.3slp
79 file path=usr/share/man/man3slp/SLPFindSrvs.3slp
80 file path=usr/share/man/man3slp/SLPFree.3slp
81 file path=usr/share/man/man3slp/SLPGetProperty.3slp
82 file path=usr/share/man/man3slp/SLPGetRefreshInterval.3slp
83 file path=usr/share/man/man3slp/SLPOpen.3slp
84 file path=usr/share/man/man3slp/SLPParseSrvURL.3slp
85 file path=usr/share/man/man3slp/SLPReg.3slp
86 file path=usr/share/man/man3slp/SLPSetProperty.3slp
87 file path=usr/share/man/man3slp/SLPUnescape.3slp
88 file path=usr/share/man/man3slp/slp_api.3slp
89 file path=usr/share/man/man3slp/slp_sterrorr.3slp
90 file path=usr/share/man/man4/slp.conf.4
91 file path=usr/share/man/man4/slpd.reg.4
92 file path=usr/share/man/man7p/slp.7p
93 legacy pkg=SUNWslpr \
94 desc="Root filesystem portion of the Service Location Protocol (SLP) framewo
95 name="SLP, (Root)"
96 legacy pkg=SUNWslpu \
97 desc="Usr filesystem portion of the Service Location Protocol (SLP) framewor
98 name="SLP, (Usr)"
99 license cr_Sun license=cr_Sun
100 license lic_CDDL license=lic_CDDL
101 $(BUILD64)link path=usr/lib/$(ARCH64)/libslp.so target=libslp.so.1
79 link path=usr/lib/$(ARCH64)/libslp.so target=libslp.so.1
102 link path=usr/lib/libslp.so target=libslp.so.1
```

new/usr/src/pkg/manifests/service-picl.mf

1

```
*****
43160 Fri Apr 11 13:24:11 2014
new/usr/src/pkg/manifests/service-picl.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/picl@$(PKGVERS)
30 set name=pkg.description \
31     value="PICL Daemon, Libraries, prtpicl client and plug-in modules"
32 set name=pkg.summary value="PICL Libraries, and Plugin Modules"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=lib variant.opensolaris.zone=global
36 dir path=lib/svc variant.opensolaris.zone=global
37 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
38 dir path=usr group=sys
39 dir path=usr/lib
40 $(BUILD64)dir path=usr/lib/$(ARCH64)
41 dir path=usr/lib/picl group=sys
42 dir path=usr/lib/picl/plugins group=sys
43 dir path=usr/lib/sysevent
44 dir path=usr/lib/sysevent/modules
45 $(sparc_ONLY)dir path=usr/platform group=sys
46 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
47 $(sparc_ONLY)dir path=usr/platform/SUNW,A70/lib
48 $(sparc_ONLY)dir path=usr/platform/SUNW,A70/lib/picl group=sys
49 $(sparc_ONLY)dir path=usr/platform/SUNW,A70/lib/picl/plugins group=sys
50 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
51 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/lib
52 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/lib/picl group=sys
53 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins \
54     group=sys
55 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
56 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/lib
57 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/lib/picl group=sys
58 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/lib/picl/plugins \
59     group=sys
60 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
```

new/usr/src/pkg/manifests/service-picl.mf

2

```
61 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12/lib
62 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12/lib/picl group=sys
63 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12/lib/picl/plugins group=sys
64 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
65 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4/lib
66 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4/lib/picl group=sys
67 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4/lib/picl/plugins group=sys
68 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel group=sys
69 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel/lib
70 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel/lib/picl group=sys
71 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel/lib/picl/plugins \
72     group=sys
73 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
74 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100/lib
75 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100/lib/picl group=sys
76 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins \
77     group=sys
78 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
79 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000/lib
80 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000/lib/picl group=sys
81 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000/lib/picl/plugins \
82     group=sys
83 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
84 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500/lib
85 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500/lib/picl group=sys
86 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500/lib/picl/plugins \
87     group=sys
88 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
89 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500/lib
90 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500/lib/picl group=sys
91 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500/lib/picl/plugins \
92     group=sys
93 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
94 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R/lib
95 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R/lib/picl group=sys
96 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins \
97     group=sys
98 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
99 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R/lib
100 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R/lib/picl group=sys
101 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins \
102     group=sys
103 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
104 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880/lib
105 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880/lib/picl group=sys
106 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins \
107     group=sys
108 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
109 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215/lib
110 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215/lib/picl group=sys
111 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins \
112     group=sys
113 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
114 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240/lib
115 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240/lib/picl group=sys
116 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins \
117     group=sys
118 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
119 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250/lib
120 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250/lib/picl group=sys
121 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins \
122     group=sys
123 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
124 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440/lib
125 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440/lib/picl group=sys
126 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins \
```

```

127     group=sys
128 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445/lib
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445/lib/picl group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins \
132     group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490/lib
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490/lib/picl group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins \
137     group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890/lib
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890/lib/picl group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins \
142     group=sys
143 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
144 $(sparc_ONLY)dir path=usr/platform/sun4u/lib
145 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/picl group=sys
146 $(sparc_ONLY)dir path=usr/platform/sun4u/lib/picl/plugins group=sys
147 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
148 $(sparc_ONLY)dir path=usr/platform/sun4v/lib
149 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/picl group=sys
150 $(sparc_ONLY)dir path=usr/platform/sun4v/lib/picl/plugins group=sys
151 dir path=usr/sbin
152 $(sparc_ONLY)dir path=usr/share/man
153 dir path=usr/share/man/man1m
154 dir path=usr/share/man/man3lib
155 dir path=usr/share/man/man3picl
156 dir path=usr/share/man/man3picltree
157 file path=lib/svc/manifest/system/picl.xml group=sys mode=0444 \
158     variant.opensolaris.zone=global
159 $(BUILDD64)file path=usr/lib/$(ARCH64)/libpicl.so.1
160 $(BUILDD64)file path=usr/lib/$(ARCH64)/llib-picl.ln
161 file path=usr/lib/$(ARCH64)/libpicl.so.1
162 file path=usr/lib/$(ARCH64)/llib-picl.ln
163 file path=usr/lib/libpicl.so.1
164 file path=usr/lib/llib-picl
165 file path=usr/lib/llib-picl.ln
166 file path=usr/lib/llib-picld_pluginutil
167 file path=usr/lib/llib-picld_pluginutil.ln
168 file path=usr/lib/llib-picltree
169 file path=usr/lib/llib-picltree.ln
170 file path=usr/lib/picl/picld mode=0555
171 file path=usr/lib/picl/plugins/libpicldevtree.so.1 group=sys
172 file path=usr/lib/picl/plugins/libpiclevent.so.1 group=sys
173 file path=usr/lib/picl/plugins/libpiclfrutree.so.1 group=sys
174 file path=usr/lib/picl/plugins/libpiclmemcfg.so.1 group=sys
175 file path=usr/lib/sysevent/modules/picl_slm.so
176 $(sparc_ONLY)file path=usr/platform/SUNW,A70/lib/picl/plugins/envmodel.conf \
177     group=sys
178 $(sparc_ONLY)file path=usr/platform/SUNW,A70/lib/picl/plugins/libpiclenvd.so.1 \
179     group=sys
180 $(sparc_ONLY)file path=usr/platform/SUNW,A70/lib/picl/plugins/piclfrutree.conf \
181     group=sys
182 $(sparc_ONLY)file path=usr/platform/SUNW,Netra-CP2300/lib/libctsmc.so.1 \
183     group=sys
184 $(sparc_ONLY)file path=usr/platform/SUNW,Netra-CP2300/lib/libprtdiag_psr.so.1
185 $(sparc_ONLY)file \
186     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/SUNW,Netra-CP2300.RTM.c
187     group=sys
188 $(sparc_ONLY)file \
189     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/SUNW,Netra-CP2300.conf
190     group=sys

```

```

191 $(sparc_ONLY)file \
192     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/envmond.conf \
193     group=sys
194 $(sparc_ONLY)file \
195     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclenvmond.so.1 \
196     group=sys
197 $(sparc_ONLY)file \
198     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclfrutree.so.1 \
199     group=sys
200 $(sparc_ONLY)file \
201     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclwd.so.1 \
202     group=sys
203 $(sparc_ONLY)file \
204     path=usr/platform/SUNW,Netra-CP3010/lib/picl/plugins/piclfrutree.conf \
205     group=sys
206 $(sparc_ONLY)file path=usr/platform/SUNW,Netra-T12/lib/libprtdiag_psr.so.1
207 $(sparc_ONLY)file \
208     path=usr/platform/SUNW,Netra-T12/lib/picl/plugins/libpiclfrutree.so.1 \
209     group=sys
210 $(sparc_ONLY)file \
211     path=usr/platform/SUNW,Netra-T4/lib/picl/plugins/fcal_leds.conf group=sys
212 $(sparc_ONLY)file \
213     path=usr/platform/SUNW,Netra-T4/lib/picl/plugins/libfcal_leds.so.1 \
214     group=sys
215 $(sparc_ONLY)file \
216     path=usr/platform/SUNW,Netra-T4/lib/picl/plugins/picldevtree.conf \
217     group=sys
218 $(sparc_ONLY)file \
219     path=usr/platform/SUNW,Netra-T4/lib/picl/plugins/piclfrutree.conf \
220     group=sys
221 $(sparc_ONLY)file \
222     path=usr/platform/SUNW,Serverbladel/lib/picl/plugins/libpicllom.so.1 \
223     group=sys
224 $(sparc_ONLY)file \
225     path=usr/platform/SUNW,Serverbladel/lib/picl/plugins/picldevtree.conf \
226     group=sys
227 $(sparc_ONLY)file \
228     path=usr/platform/SUNW,Serverbladel/lib/picl/plugins/piclfrutree.conf \
229     group=sys
230 $(sparc_ONLY)file \
231     path=usr/platform/SUNW,Serverbladel/lib/picl/plugins/picllom.conf \
232     group=sys
233 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
234 $(sparc_ONLY)file \
235     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/envmodel.conf \
236     group=sys
237 $(sparc_ONLY)file \
238     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/libpiclenvd.so.1 \
239     group=sys
240 $(sparc_ONLY)file \
241     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/libpiclmemcfg.so.1 \
242     group=sys
243 $(sparc_ONLY)file \
244     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/piclfrutree.conf \
245     group=sys
246 $(sparc_ONLY)file \
247     path=usr/platform/SUNW,Sun-Blade-1000/lib/picl/plugins/envmodel.conf \
248     group=sys
249 $(sparc_ONLY)file \
250     path=usr/platform/SUNW,Sun-Blade-1000/lib/picl/plugins/libpiclenvd.so.1 \
251     group=sys
252 $(sparc_ONLY)file \
253     path=usr/platform/SUNW,Sun-Blade-1000/lib/picl/plugins/piclfrutree.conf \
254     group=sys
255 $(sparc_ONLY)file \
256     path=usr/platform/SUNW,Sun-Blade-1500/lib/picl/plugins/envmodel.conf \

```

```

257     group=sys
258 $(sparc_ONLY)file \
259     path=usr/platform/SUNW,Sun-Blade-1500/lib/picl/plugins/libpiclenvd.so.1 \
260     group=sys
261 $(sparc_ONLY)file \
262     path=usr/platform/SUNW,Sun-Blade-1500/lib/picl/plugins/piclfrutree.conf \
263     group=sys
264 $(sparc_ONLY)file \
265     path=usr/platform/SUNW,Sun-Blade-2500/lib/picl/plugins/envmodel.conf \
266     group=sys
267 $(sparc_ONLY)file \
268     path=usr/platform/SUNW,Sun-Blade-2500/lib/picl/plugins/libpiclenvd.so.1 \
269     group=sys
270 $(sparc_ONLY)file \
271     path=usr/platform/SUNW,Sun-Blade-2500/lib/picl/plugins/piclfrutree.conf \
272     group=sys
273 $(sparc_ONLY)file \
274     path=usr/platform/SUNW,Sun-Fire-280R/lib/libpsvcpolicy_psr.so.1 group=sys
275 $(sparc_ONLY)file \
276     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpiclfrutree.so.1 \
277     group=sys
278 $(sparc_ONLY)file \
279     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin.so.1 \
280     group=sys
281 $(sparc_ONLY)file \
282     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin_psr.so.1
283     group=sys
284 $(sparc_ONLY)file \
285     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/picldevtree.conf \
286     group=sys mode=0444
287 $(sparc_ONLY)file \
288     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/piclfrutree.conf \
289     group=sys
290 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-280R/lib/platsvcd.conf \
291     group=sys mode=0444
292 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-280R/lib/psvcobj.conf \
293     group=sys mode=0444
294 $(sparc_ONLY)file \
295     path=usr/platform/SUNW,Sun-Fire-480R/lib/libpsvcpolicy_psr.so.1 group=sys
296 $(sparc_ONLY)file \
297     path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpiclfrutree.so.1 \
298     group=sys
299 $(sparc_ONLY)file \
300     path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin_psr.so.1
301     group=sys
302 $(sparc_ONLY)file \
303     path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/picldevtree.conf \
304     group=sys mode=0444
305 $(sparc_ONLY)file \
306     path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/piclfrutree.conf \
307     group=sys
308 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-480R/lib/platsvcd.conf \
309     group=sys mode=0444
310 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-480R/lib/psvcobj.conf \
311     group=sys mode=0444
312 $(sparc_ONLY)file \
313     path=usr/platform/SUNW,Sun-Fire-880/lib/libpsvcpolicy_psr.so.1 group=sys
314 $(sparc_ONLY)file \
315     path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpiclfrutree.so.1 \
316     group=sys
317 $(sparc_ONLY)file \
318     path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin_psr.so.1
319     group=sys
320 $(sparc_ONLY)file \
321     path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/picldevtree.conf \
322     group=sys mode=0444

```

```

323 $(sparc_ONLY)file \
324     path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/piclfrutree.conf \
325     group=sys
326 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-880/lib/platsvcd.conf \
327     group=sys mode=0444
328 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-880/lib/psvcobj.conf \
329     group=sys mode=0444
330 $(sparc_ONLY)file \
331     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT0.conf \
332     group=sys
333 $(sparc_ONLY)file \
334     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT1.conf \
335     group=sys
336 $(sparc_ONLY)file \
337     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT2.conf \
338     group=sys
339 $(sparc_ONLY)file \
340     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT3.conf \
341     group=sys
342 $(sparc_ONLY)file \
343     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT4.conf \
344     group=sys
345 $(sparc_ONLY)file \
346     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT5.conf \
347     group=sys
348 $(sparc_ONLY)file \
349     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_FT6.conf \
350     group=sys
351 $(sparc_ONLY)file \
352     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_HDD0.conf \
353     group=sys
354 $(sparc_ONLY)file \
355     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_HDD1.conf \
356     group=sys
357 $(sparc_ONLY)file \
358     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_HDD2.conf \
359     group=sys
360 $(sparc_ONLY)file \
361     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_HDD3.conf \
362     group=sys
363 $(sparc_ONLY)file \
364     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_PS0.conf \
365     group=sys
366 $(sparc_ONLY)file \
367     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_PS1.conf \
368     group=sys
369 $(sparc_ONLY)file \
370     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_SC.conf \
371     group=sys
372 $(sparc_ONLY)file \
373     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_usb-a-1.conf \
374     group=sys
375 $(sparc_ONLY)file \
376     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_usb-a-2.conf \
377     group=sys
378 $(sparc_ONLY)file \
379     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_usb-a-3.conf \
380     group=sys
381 $(sparc_ONLY)file \
382     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/fru_usb-a-4.conf \
383     group=sys
384 $(sparc_ONLY)file \
385     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/picl_asr.conf \
386     group=sys
387 $(sparc_ONLY)file \
388     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/picldevtree.conf \

```

```

389     group=sys
390 $(sparc_ONLY)file \
391     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/piclenvmon.conf \
392     group=sys
393 $(sparc_ONLY)file \
394     path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/piclfrutree.conf \
395     group=sys
396 $(sparc_ONLY)file \
397     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_HDD0.conf \
398     group=sys
399 $(sparc_ONLY)file \
400     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_HDD1.conf \
401     group=sys
402 $(sparc_ONLY)file \
403     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_HDD2.conf \
404     group=sys
405 $(sparc_ONLY)file \
406     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_HDD3.conf \
407     group=sys
408 $(sparc_ONLY)file \
409     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_PS0.conf \
410     group=sys
411 $(sparc_ONLY)file \
412     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_PS1.conf \
413     group=sys
414 $(sparc_ONLY)file \
415     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_SC.conf \
416     group=sys
417 $(sparc_ONLY)file \
418     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_usb-a-1.conf \
419     group=sys
420 $(sparc_ONLY)file \
421     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/fru_usb-a-2.conf \
422     group=sys
423 $(sparc_ONLY)file \
424     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/libpiclfrudr.so.1 \
425     group=sys
426 $(sparc_ONLY)file \
427     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/picl_asr.conf \
428     group=sys
429 $(sparc_ONLY)file \
430     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/picldevtree.conf \
431     group=sys
432 $(sparc_ONLY)file \
433     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/piclenvmon.conf \
434     group=sys
435 $(sparc_ONLY)file \
436     path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/piclfrutree.conf \
437     group=sys
438 $(sparc_ONLY)file \
439     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD0.conf \
440     group=sys
441 $(sparc_ONLY)file \
442     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD1.conf \
443     group=sys
444 $(sparc_ONLY)file \
445     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD2.conf \
446     group=sys
447 $(sparc_ONLY)file \
448     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD3.conf \
449     group=sys
450 $(sparc_ONLY)file \
451     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD4.conf \
452     group=sys
453 $(sparc_ONLY)file \
454     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD5.conf \

```

```

455     group=sys
456 $(sparc_ONLY)file \
457     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD6.conf \
458     group=sys
459 $(sparc_ONLY)file \
460     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_HDD7.conf \
461     group=sys
462 $(sparc_ONLY)file \
463     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_PS0.conf \
464     group=sys
465 $(sparc_ONLY)file \
466     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_PS1.conf \
467     group=sys
468 $(sparc_ONLY)file \
469     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_SC.conf \
470     group=sys
471 $(sparc_ONLY)file \
472     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_usb-a-1.conf \
473     group=sys
474 $(sparc_ONLY)file \
475     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_usb-a-2.conf \
476     group=sys
477 $(sparc_ONLY)file \
478     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_usb-b-1.conf \
479     group=sys
480 $(sparc_ONLY)file \
481     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/fru_usb-b-2.conf \
482     group=sys
483 $(sparc_ONLY)file \
484     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/picl_asr.conf \
485     group=sys
486 $(sparc_ONLY)file \
487     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/picldevtree.conf \
488     group=sys
489 $(sparc_ONLY)file \
490     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/piclenvmon.conf \
491     group=sys
492 $(sparc_ONLY)file \
493     path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/piclfrutree.conf \
494     group=sys
495 $(sparc_ONLY)file \
496     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_FT0.conf \
497     group=sys
498 $(sparc_ONLY)file \
499     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_FT1.conf \
500     group=sys
501 $(sparc_ONLY)file \
502     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_FT2.conf \
503     group=sys
504 $(sparc_ONLY)file \
505     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_FT3.conf \
506     group=sys
507 $(sparc_ONLY)file \
508     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_HDD0.conf \
509     group=sys
510 $(sparc_ONLY)file \
511     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_HDD1.conf \
512     group=sys
513 $(sparc_ONLY)file \
514     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_HDD2.conf \
515     group=sys
516 $(sparc_ONLY)file \
517     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_HDD3.conf \
518     group=sys
519 $(sparc_ONLY)file \
520     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PS0.conf \

```



```

521     group=sys
522 $(sparc_ONLY)file \
523     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PS1.conf \
524     group=sys
525 $(sparc_ONLY)file \
526     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PSU0.conf \
527     group=sys
528 $(sparc_ONLY)file \
529     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PSU1.conf \
530     group=sys
531 $(sparc_ONLY)file \
532     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PSU2.conf \
533     group=sys
534 $(sparc_ONLY)file \
535     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_PSU3.conf \
536     group=sys
537 $(sparc_ONLY)file \
538     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/fru_SC.conf \
539     group=sys
540 $(sparc_ONLY)file \
541     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/picldevtree.conf \
542     group=sys
543 $(sparc_ONLY)file \
544     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/piclenvmon.conf \
545     group=sys
546 $(sparc_ONLY)file \
547     path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/piclfrutree.conf \
548     group=sys
549 $(sparc_ONLY)file \
550     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT0.conf \
551     group=sys
552 $(sparc_ONLY)file \
553     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT1.conf \
554     group=sys
555 $(sparc_ONLY)file \
556     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT2.conf \
557     group=sys
558 $(sparc_ONLY)file \
559     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT3.conf \
560     group=sys
561 $(sparc_ONLY)file \
562     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT4.conf \
563     group=sys
564 $(sparc_ONLY)file \
565     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_FT5.conf \
566     group=sys
567 $(sparc_ONLY)file \
568     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD0.conf \
569     group=sys
570 $(sparc_ONLY)file \
571     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD1.conf \
572     group=sys
573 $(sparc_ONLY)file \
574     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD2.conf \
575     group=sys
576 $(sparc_ONLY)file \
577     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD3.conf \
578     group=sys
579 $(sparc_ONLY)file \
580     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD4.conf \
581     group=sys
582 $(sparc_ONLY)file \
583     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD5.conf \
584     group=sys
585 $(sparc_ONLY)file \
586     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD6.conf \

```

```

587     group=sys
588 $(sparc_ONLY)file \
589     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_HDD7.conf \
590     group=sys
591 $(sparc_ONLY)file \
592     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_PS0.conf \
593     group=sys
594 $(sparc_ONLY)file \
595     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_PS1.conf \
596     group=sys
597 $(sparc_ONLY)file \
598     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_PS2.conf \
599     group=sys
600 $(sparc_ONLY)file \
601     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_PS3.conf \
602     group=sys
603 $(sparc_ONLY)file \
604     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_SC.conf \
605     group=sys
606 $(sparc_ONLY)file \
607     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_usb-a-1.conf \
608     group=sys
609 $(sparc_ONLY)file \
610     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_usb-a-2.conf \
611     group=sys
612 $(sparc_ONLY)file \
613     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_usb-a-3.conf \
614     group=sys
615 $(sparc_ONLY)file \
616     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/fru_usb-a-4.conf \
617     group=sys
618 $(sparc_ONLY)file \
619     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/picl_asr.conf \
620     group=sys
621 $(sparc_ONLY)file \
622     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/picldevtree.conf \
623     group=sys
624 $(sparc_ONLY)file \
625     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/piclenvmon.conf \
626     group=sys
627 $(sparc_ONLY)file \
628     path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/piclfrutree.conf \
629     group=sys
630 $(sparc_ONLY)file \
631     path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/picldevtree.conf \
632     group=sys mode=0444
633 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-V490/lib/platsvcd.conf \
634     group=sys mode=0444
635 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-V490/lib/psvcobj.conf \
636     group=sys mode=0444
637 $(sparc_ONLY)file \
638     path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/picldevtree.conf \
639     group=sys mode=0444
640 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-V890/lib/platsvcd.conf \
641     group=sys mode=0444
642 $(sparc_ONLY)file path=usr/platform/SUNW,Sun-Fire-V890/lib/psvcobj.conf \
643     group=sys mode=0444
644 $(sparc_ONLY)file path=usr/platform/sun4u/lib/libpsvcobj.so.1 group=sys
645 $(sparc_ONLY)file path=usr/platform/sun4u/lib/libpsvcpolicy.so.1 group=sys
646 $(sparc_ONLY)file path=usr/platform/sun4u/lib/picl/plugins/libpiclenvmon.so.1 \
647     group=sys
648 $(sparc_ONLY)file path=usr/platform/sun4v/lib/libpiclsnmp.so.1 group=sys
649 $(sparc_ONLY)file path=usr/platform/sun4v/lib/picl/plugins/libmdescplugin.so.1 \
650     group=sys
651 $(sparc_ONLY)file path=usr/platform/sun4v/lib/picl/plugins/libpiclsbl.so.1 \
652     group=sys

```

```

653 $(sparc_ONLY)file path=usr/platform/sun4v/lib/picl/plugins/libpriplugin.so.1 \
654     group=sys
655 $(sparc_ONLY)file path=usr/platform/sun4v/lib/picl/plugins/libsnmpplugin.so.1 \
656     group=sys
657 file path=usr/sbin/prtpicl mode=0755
658 file path=usr/share/man/man1m/picld.lm
659 file path=usr/share/man/man1m/prtpicl.lm
660 file path=usr/share/man/man3lib/libpicl.3lib
661 file path=usr/share/man/man3lib/libpicltree.3lib
662 file path=usr/share/man/man3picl/libpicl.3picl
663 file path=usr/share/man/man3picl/picl_find_node.3picl
664 file path=usr/share/man/man3picl/picl_get_first_prop.3picl
665 file path=usr/share/man/man3picl/picl_get_frutree_parent.3picl
666 file path=usr/share/man/man3picl/picl_get_next_by_row.3picl
667 file path=usr/share/man/man3picl/picl_get_node_by_path.3picl
668 file path=usr/share/man/man3picl/picl_get_prop_by_name.3picl
669 file path=usr/share/man/man3picl/picl_get_propinfo.3picl
670 file path=usr/share/man/man3picl/picl_get_propinfo_by_name.3picl
671 file path=usr/share/man/man3picl/picl_get_propval.3picl
672 file path=usr/share/man/man3picl/picl_get_root.3picl
673 file path=usr/share/man/man3picl/picl_initialize.3picl
674 file path=usr/share/man/man3picl/picl_set_propval.3picl
675 file path=usr/share/man/man3picl/picl_shutdown.3picl
676 file path=usr/share/man/man3picl/picl_strerror.3picl
677 file path=usr/share/man/man3picl/picl_wait.3picl
678 file path=usr/share/man/man3picl/picl_walk_tree_by_class.3picl
679 file path=usr/share/man/man3picltree/libpicltree.3picltree
680 file path=usr/share/man/man3picltree/picld_log.3picltree
681 file path=usr/share/man/man3picltree/picld_plugin_register.3picltree
682 file path=usr/share/man/man3picltree/ptree_add_node.3picltree
683 file path=usr/share/man/man3picltree/ptree_add_prop.3picltree
684 file path=usr/share/man/man3picltree/ptree_create_and_add_node.3picltree
685 file path=usr/share/man/man3picltree/ptree_create_and_add_prop.3picltree
686 file path=usr/share/man/man3picltree/ptree_create_node.3picltree
687 file path=usr/share/man/man3picltree/ptree_create_prop.3picltree
688 file path=usr/share/man/man3picltree/ptree_create_table.3picltree
689 file path=usr/share/man/man3picltree/ptree_find_node.3picltree
690 file path=usr/share/man/man3picltree/ptree_get_first_prop.3picltree
691 file path=usr/share/man/man3picltree/ptree_get_frutree_parent.3picltree
692 file path=usr/share/man/man3picltree/ptree_get_next_by_row.3picltree
693 file path=usr/share/man/man3picltree/ptree_get_node_by_path.3picltree
694 file path=usr/share/man/man3picltree/ptree_get_prop_by_name.3picltree
695 file path=usr/share/man/man3picltree/ptree_get_propinfo.3picltree
696 file path=usr/share/man/man3picltree/ptree_get_propinfo_by_name.3picltree
697 file path=usr/share/man/man3picltree/ptree_get_propval.3picltree
698 file path=usr/share/man/man3picltree/ptree_get_root.3picltree
699 file path=usr/share/man/man3picltree/ptree_init_propinfo.3picltree
700 file path=usr/share/man/man3picltree/ptree_post_event.3picltree
701 file path=usr/share/man/man3picltree/ptree_register_handler.3picltree
702 file path=usr/share/man/man3picltree/ptree_unregister_handler.3picltree
703 file path=usr/share/man/man3picltree/ptree_update_propval.3picltree
704 file path=usr/share/man/man3picltree/ptree_walk_tree_by_class.3picltree
705 legacy pkg=SUNWpiclr desc="PICL Framework init scripts" \
706     name="PICL Framework (Root)"
707 legacy pkg=SUNWpiclu \
708     desc="PICL Daemon, Libraries, prtpicl client and plug-in modules" \
709     name="PICL Libraries, and Plugin Modules (Usr)"
710 license cr_Sun license=cr_Sun
711 license lic_CDDL license=lic_CDDL
712 $(BUILDP64)link path=usr/lib/$(ARCH64)/libpicl.so target=./libpicl.so.1
697 link path=usr/lib/$(ARCH64)/libpicl.so target=./libpicl.so.1
713 link path=usr/lib/libpicl.so target=./libpicl.so.1
714 link path=usr/lib/libpicld_pluginutil.so target=./libpicld_pluginutil.so.1
715 link path=usr/lib/libpicltree.so target=./libpicltree.so.1
716 link path=usr/lib/picl/plugins/libpicldevtree.so target=./libpicldevtree.so.1
717 link path=usr/lib/picl/plugins/libpiclevent.so target=./libpiclevent.so.1

```

```

718 link path=usr/lib/picl/plugins/libpiclfrutree.so target=./libpiclfrutree.so.1
719 link path=usr/lib/picl/plugins/libpiclmemcfg.so target=./libpiclmemcfg.so.1
720 $(sparc_ONLY)link path=usr/platform/SUNW,A70/lib/libprtdiag_psr.so.1 \
721     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
722 $(sparc_ONLY)link path=usr/platform/SUNW,A70/lib/picl/plugins/libpiclenvd.so \
723     target=./libpiclenvd.so.1
724 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-CP2300/lib/libctsmc.so \
725     target=libctsmc.so.1
726 $(sparc_ONLY)link \
727     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclenvmond.so \
728     target=libpiclenvmond.so.1
729 $(sparc_ONLY)link \
730     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclfrutree.so \
731     target=libpiclfrutree.so.1
732 $(sparc_ONLY)link \
733     path=usr/platform/SUNW,Netra-CP2300/lib/picl/plugins/libpiclwd.so \
734     target=libpiclwd.so.1
735 $(sparc_ONLY)link \
736     path=usr/platform/SUNW,Netra-T12/lib/picl/plugins/libpiclfrutree.so \
737     target=libpiclfrutree.so.1
738 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/lib/libprtdiag_psr.so.1 \
739     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
740 $(sparc_ONLY)link \
741     path=usr/platform/SUNW,Netra-T4/lib/picl/plugins/libfcal_leds.so \
742     target=libfcal_leds.so.1
743 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblade1/lib/libprtdiag_psr.so.1 \
744     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
745 $(sparc_ONLY)link \
746     path=usr/platform/SUNW,Serverblade1/lib/picl/plugins/libpicllom.so \
747     target=libpicllom.so.1
748 $(sparc_ONLY)link \
749     path=usr/platform/SUNW,Serverblade1/lib/picl/plugins/libpiclmemcfg.so \
750     target=../SUNW,Sun-Blade-100/lib/picl/plugins/libpiclmemcfg.so.1
751 $(sparc_ONLY)link \
752     path=usr/platform/SUNW,Serverblade1/lib/picl/plugins/libpiclmemcfg.so.1 \
753     target=../SUNW,Sun-Blade-100/lib/picl/plugins/libpiclmemcfg.so.1
754 $(sparc_ONLY)link \
755     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/libpiclenvd.so \
756     target=./libpiclenvd.so.1
757 $(sparc_ONLY)link \
758     path=usr/platform/SUNW,Sun-Blade-100/lib/picl/plugins/libpiclmemcfg.so \
759     target=./libpiclmemcfg.so.1
760 $(sparc_ONLY)link \
761     path=usr/platform/SUNW,Sun-Blade-1000/lib/libprtdiag_psr.so.1 \
762     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
763 $(sparc_ONLY)link \
764     path=usr/platform/SUNW,Sun-Blade-1000/lib/picl/plugins/libpiclenvd.so \
765     target=./libpiclenvd.so.1
766 $(sparc_ONLY)link \
767     path=usr/platform/SUNW,Sun-Blade-1500/lib/libprtdiag_psr.so.1 \
768     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
769 $(sparc_ONLY)link \
770     path=usr/platform/SUNW,Sun-Blade-1500/lib/picl/plugins/libpiclenvd.so \
771     target=./libpiclenvd.so.1
772 $(sparc_ONLY)link \
773     path=usr/platform/SUNW,Sun-Blade-2500/lib/libprtdiag_psr.so.1 \
774     target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
775 $(sparc_ONLY)link \
776     path=usr/platform/SUNW,Sun-Blade-2500/lib/picl/plugins/libpiclenvd.so \
777     target=./libpiclenvd.so.1
778 $(sparc_ONLY)link \
779     path=usr/platform/SUNW,Sun-Fire-280R/lib/libsvcpolicy_psr.so \
780     target=./libsvcpolicy_psr.so.1
781 $(sparc_ONLY)link \
782     path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpiclfrutree.so \
783     target=./libpiclfrutree.so.1

```

```

784 $(sparc_ONLY)link \
785   path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin.so \
786   target=../libpsvcplugin.so.1
787 $(sparc_ONLY)link \
788   path=usr/platform/SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin_psr.so \
789   target=../libpsvcplugin_psr.so.1
790 $(sparc_ONLY)link \
791   path=usr/platform/SUNW,Sun-Fire-480R/lib/libpsvcpolicy_psr.so \
792   target=../libpsvcpolicy_psr.so.1
793 $(sparc_ONLY)link \
794   path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpiclfrutree.so \
795   target=../libpiclfrutree.so.1
796 $(sparc_ONLY)link \
797   path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin.so \
798   target=../libpsvcplugin.so.1
799 $(sparc_ONLY)link \
800   path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin_psr.so \
801   target=../libpsvcplugin_psr.so.1
802 $(sparc_ONLY)link \
803   path=usr/platform/SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin_psr.so \
804   target=../libpsvcplugin_psr.so.1
805 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/lib/libpsvcpolicy_psr.so \
806   target=../libpsvcpolicy_psr.so.1
807 $(sparc_ONLY)link \
808   path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpiclfrutree.so \
809   target=../libpiclfrutree.so.1
810 $(sparc_ONLY)link \
811   path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin.so \
812   target=../libpsvcplugin.so.1
813 $(sparc_ONLY)link \
814   path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin.so.1 \
815   target=../libpsvcplugin.so.1
816 $(sparc_ONLY)link \
817   path=usr/platform/SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin_psr.so \
818   target=../libpsvcplugin_psr.so.1
819 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/lib/libprtdiag_psr.so.1 \
820   target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
821 $(sparc_ONLY)link \
822   path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/libpiclfrudr.so \
823   target=../libpiclfrudr.so.1
824 $(sparc_ONLY)link \
825   path=usr/platform/SUNW,Sun-Fire-V215/lib/picl/plugins/libpiclfrudr.so.1 \
826   target=../libpiclfrudr.so.1
827 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/lib/libprtdiag_psr.so.1 \
828   target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
829 $(sparc_ONLY)link \
830   path=usr/platform/SUNW,Sun-Fire-V240/lib/picl/plugins/libpiclfrudr.so \
831   target=libpiclfrudr.so.1
832 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/lib/libprtdiag_psr.so.1 \
833   target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
834 $(sparc_ONLY)link \
835   path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/libpiclfrudr.so \
836   target=../libpiclfrudr.so.1
837 $(sparc_ONLY)link \
838   path=usr/platform/SUNW,Sun-Fire-V250/lib/picl/plugins/libpiclfrudr.so.1 \
839   target=../libpiclfrudr.so.1
840 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/lib/libprtdiag_psr.so.1 \
841   target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1
842 $(sparc_ONLY)link \
843   path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/libpiclfrudr.so \
844   target=../libpiclfrudr.so.1
845 $(sparc_ONLY)link \
846   path=usr/platform/SUNW,Sun-Fire-V440/lib/picl/plugins/libpiclfrudr.so.1 \
847   target=../libpiclfrudr.so.1
848 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/lib/libprtdiag_psr.so.1 \
849   target=../SUNW,Sun-Blade-100/lib/libprtdiag_psr.so.1

```

```

850 $(sparc_ONLY)link \
851   path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/libpiclfrudr.so \
852   target=../libpiclfrudr.so.1
853 $(sparc_ONLY)link \
854   path=usr/platform/SUNW,Sun-Fire-V445/lib/picl/plugins/libpiclfrudr.so.1 \
855   target=../libpiclfrudr.so.1
856 $(sparc_ONLY)link \
857   path=usr/platform/SUNW,Sun-Fire-V490/lib/libpsvcpolicy_psr.so \
858   target=../SUNW,Sun-Fire-480R/lib/libpsvcpolicy_psr.so.1
859 $(sparc_ONLY)link \
860   path=usr/platform/SUNW,Sun-Fire-V490/lib/libpsvcpolicy_psr.so.1 \
861   target=../SUNW,Sun-Fire-480R/lib/libpsvcpolicy_psr.so.1
862 $(sparc_ONLY)link \
863   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpiclfrutree.so \
864   target=../libpiclfrutree.so.1
865 $(sparc_ONLY)link \
866   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpiclfrutree.so.1 \
867   target=../libpiclfrutree.so.1
868 $(sparc_ONLY)link \
869   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpsvcplugin.so \
870   target=../SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin.so.1
871 $(sparc_ONLY)link \
872   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpsvcplugin.so.1 \
873   target=../libpsvcplugin.so.1
874 $(sparc_ONLY)link \
875   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpsvcplugin_psr.so \
876   target=../SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin_psr.so.1
877 $(sparc_ONLY)link \
878   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/libpsvcplugin_psr.so.1 \
879   target=../SUNW,Sun-Fire-480R/lib/picl/plugins/libpsvcplugin_psr.so.1
880 $(sparc_ONLY)link \
881   path=usr/platform/SUNW,Sun-Fire-V490/lib/picl/plugins/piclfrutree.conf \
882   target=../SUNW,Sun-Fire-480R/lib/picl/plugins/piclfrutree.conf
883 $(sparc_ONLY)link \
884   path=usr/platform/SUNW,Sun-Fire-V890/lib/libpsvcpolicy_psr.so \
885   target=../SUNW,Sun-Fire-880/lib/libpsvcpolicy_psr.so
886 $(sparc_ONLY)link \
887   path=usr/platform/SUNW,Sun-Fire-V890/lib/libpsvcpolicy_psr.so.1 \
888   target=../SUNW,Sun-Fire-880/lib/libpsvcpolicy_psr.so.1
889 $(sparc_ONLY)link \
890   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpiclfrutree.so \
891   target=../libpiclfrutree.so.1
892 $(sparc_ONLY)link \
893   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpiclfrutree.so.1 \
894   target=../libpiclfrutree.so.1
895 $(sparc_ONLY)link \
896   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpsvcplugin.so \
897   target=../SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin.so.1
898 $(sparc_ONLY)link \
899   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpsvcplugin.so.1 \
900   target=../SUNW,Sun-Fire-280R/lib/picl/plugins/libpsvcplugin.so.1
901 $(sparc_ONLY)link \
902   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpsvcplugin_psr.so \
903   target=../SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin_psr.so.1
904 $(sparc_ONLY)link \
905   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/libpsvcplugin_psr.so.1 \
906   target=../SUNW,Sun-Fire-880/lib/picl/plugins/libpsvcplugin_psr.so.1
907 $(sparc_ONLY)link \
908   path=usr/platform/SUNW,Sun-Fire-V890/lib/picl/plugins/piclfrutree.conf \
909   target=../SUNW,Sun-Fire-880/lib/picl/plugins/piclfrutree.conf
910 $(sparc_ONLY)link path=usr/platform/sun4u/lib/libpsvcobj.so \
911   target=libpsvcobj.so.1
912 $(sparc_ONLY)link path=usr/platform/sun4u/lib/libpsvcpolicy.so \
913   target=libpsvcpolicy.so.1
914 $(sparc_ONLY)link path=usr/platform/sun4u/lib/picl/plugins/libpiclenvmon.so \
915   target=libpiclenvmon.so.1

```

```
916 $(sparc_ONLY)link path=usr/platform/sun4v/lib/libpiclsnmp.so \  
917     target=libpiclsnmp.so.1  
918 $(sparc_ONLY)link path=usr/platform/sun4v/lib/picl/plugins/libmdescplugin.so \  
919     target=libmdescplugin.so.1  
920 $(sparc_ONLY)link path=usr/platform/sun4v/lib/picl/plugins/libpiclsbl.so \  
921     target=libpiclsbl.so.1  
922 $(sparc_ONLY)link path=usr/platform/sun4v/lib/picl/plugins/libpriplugin.so \  
923     target=libpriplugin.so.1  
924 $(sparc_ONLY)link path=usr/platform/sun4v/lib/picl/plugins/libsnmpplugin.so \  
925     target=libsnmpplugin.so.1  
926 link path=usr/share/man/man3picl/picl_get_next_by_col.3picl \  
927     target=picl_get_next_by_row.3picl \  
928 link path=usr/share/man/man3picl/picl_get_next_prop.3picl \  
929     target=picl_get_first_prop.3picl \  
930 link path=usr/share/man/man3picl/picl_get_propval_by_name.3picl \  
931     target=picl_get_propval.3picl \  
932 link path=usr/share/man/man3picl/picl_set_propval_by_name.3picl \  
933     target=picl_set_propval.3picl \  
934 link path=usr/share/man/man3picltree/ptree_add_row_to_table.3picltree \  
935     target=ptree_create_table.3picltree \  
936 link path=usr/share/man/man3picltree/ptree_delete_node.3picltree \  
937     target=ptree_add_node.3picltree \  
938 link path=usr/share/man/man3picltree/ptree_delete_prop.3picltree \  
939     target=ptree_add_prop.3picltree \  
940 link path=usr/share/man/man3picltree/ptree_destroy_node.3picltree \  
941     target=ptree_create_node.3picltree \  
942 link path=usr/share/man/man3picltree/ptree_destroy_prop.3picltree \  
943     target=ptree_create_prop.3picltree \  
944 link path=usr/share/man/man3picltree/ptree_get_next_by_col.3picltree \  
945     target=ptree_get_next_by_row.3picltree \  
946 link path=usr/share/man/man3picltree/ptree_get_next_prop.3picltree \  
947     target=ptree_get_first_prop.3picltree \  
948 link path=usr/share/man/man3picltree/ptree_get_propval_by_name.3picltree \  
949     target=ptree_get_propval.3picltree \  
950 link path=usr/share/man/man3picltree/ptree_update_propval_by_name.3picltree \  
951     target=ptree_update_propval.3picltree
```

new/usr/src/pkg/manifests/service-resource-cap.mf

1

```
*****
2265 Fri Apr 11 13:24:11 2014
new/usr/src/pkg/manifests/service-resource-cap.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/service/resource-cap@$(PKGVERS)
29 set name=pkg.description value="Solaris Resource Capping Daemon"
30 set name=pkg.summary value="Solaris Resource Capping Daemon"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=lib
34 dir path=lib/svc
35 dir path=lib/svc/manifest group=sys
36 dir path=lib/svc/manifest/system group=sys
37 dir path=usr group=sys
38 dir path=usr/bin
39 dir path=usr/lib
40 dir path=usr/lib/rcap
41 dir path=usr/lib/rcap/$(ARCH32)
42 $(BUILD64)dir path=usr/lib/rcap/$(ARCH64)
24 dir path=usr/lib/rcap/$(ARCH64)
43 dir path=usr/sbin
44 dir path=usr/share/man/man1
45 dir path=usr/share/man/man1m
46 file path=lib/svc/manifest/system/rcap.xml group=sys mode=0444
47 file path=usr/bin/rcapstat mode=0555
48 file path=usr/lib/rcap/$(ARCH32)/rcapd mode=0555
49 $(BUILD64)file path=usr/lib/rcap/$(ARCH64)/rcapd mode=0555
31 file path=usr/lib/rcap/$(ARCH64)/rcapd mode=0555
50 file path=usr/sbin/rcapadm mode=0555
51 file path=usr/share/man/man1/rcapstat.1
52 file path=usr/share/man/man1m/rcapadm.lm
53 file path=usr/share/man/man1m/rcapd.lm
54 hardlink path=usr/lib/rcap/rcapd target=../isaexec
55 legacy pkg=SUNWrcapr desc="Solaris Resource Capping Daemon (Root)" \
56 name="Solaris Resource Capping Daemon (Root)"
57 legacy pkg=SUNWrcapu desc="Solaris Resource Capping Daemon (Usr)" \
58 name="Solaris Resource Capping Daemon (Usr)"
59 license cr_Sun license=cr_Sun
```

new/usr/src/pkg/manifests/service-resource-cap.mf

2

```
60 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/service-resource-pools.mf

1

```
*****
9962 Fri Apr 11 13:24:11 2014
new/usr/src/pkg/manifests/service-resource-pools.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/resource-pools@$(PKGVERS)
30 set name=pkg.description value="core software for resource pools"
31 set name=pkg.summary value="Resource Pools"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=lib variant.opensolaris.zone=global
35 dir path=lib/svc variant.opensolaris.zone=global
36 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
37 dir path=lib/svc/manifest/system group=sys variant.opensolaris.zone=global
38 dir path=lib/svc/method variant.opensolaris.zone=global
39 dir path=usr group=sys
40 dir path=usr/bin
41 dir path=usr/include
42 dir path=usr/kernel group=sys
43 dir path=usr/kernel/drv group=sys
44 dir path=usr/kernel/drv/$(ARCH64) group=sys
45 dir path=usr/lib
46 $(BUILD64)dir path=usr/lib/$(ARCH64)
47 dir path=usr/lib/rcm
48 dir path=usr/lib/rcm/modules
49 dir path=usr/sbin
50 dir path=usr/share
51 dir path=usr/share/lib
52 dir path=usr/share/lib/xml group=sys
53 dir path=usr/share/lib/xml/dtd group=sys
54 dir path=usr/share/man
55 dir path=usr/share/man/man1m
56 dir path=usr/share/man/man3lib
57 dir path=usr/share/man/man3pool
58 dir path=var group=sys variant.opensolaris.zone=global
59 dir path=var/adm/pool group=sys variant.opensolaris.zone=global
60 dir path=var/log/pool group=sys variant.opensolaris.zone=global
```

new/usr/src/pkg/manifests/service-resource-pools.mf

2

```
61 driver name=pool perms="pool 0666 root sys" perms="poolctl 0666 root sys"
62 file path=lib/svc/manifest/system/poold.xml group=sys mode=0444 \
63   variant.opensolaris.zone=global
64 file path=lib/svc/manifest/system/pools.xml group=sys mode=0444 \
65   variant.opensolaris.zone=global
66 file path=lib/svc/method/svc-poold mode=0555 variant.opensolaris.zone=global
67 file path=lib/svc/method/svc-pools mode=0555 variant.opensolaris.zone=global
68 file path=usr/bin/poolstat mode=0555
69 file path=usr/include/pool.h
70 file path=usr/kernel/drv/$(ARCH64)/pool group=sys
71 $(i386_ONLY)file path=usr/kernel/drv/pool group=sys
72 file path=usr/kernel/drv/pool.conf group=sys
73 $(BUILD64)file path=usr/lib/$(ARCH64)/libpool.so.1
74 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lpool.ln
52 file path=usr/lib/$(ARCH64)/libpool.so.1
53 file path=usr/lib/$(ARCH64)/llib-lpool.ln
75 file path=usr/lib/libpool.so.1
76 file path=usr/lib/llib-lpool
77 file path=usr/lib/llib-lpool.ln
78 file path=usr/lib/rcm/modules/SUNW_pool_rcm.so mode=0555
79 file path=usr/sbin/pooladm mode=0555
80 file path=usr/sbin/poolbind mode=0555
81 file path=usr/sbin/poolcfg mode=0555
82 file path=usr/share/lib/xml/dtd/rm_pool.dtd.1
83 file path=usr/share/man/man1m/pooladm.lm
84 file path=usr/share/man/man1m/poolbind.lm
85 file path=usr/share/man/man1m/poolcfg.lm
86 file path=usr/share/man/man1m/poolstat.lm
87 file path=usr/share/man/man3lib/libpool.3lib
88 file path=usr/share/man/man3pool/pool_associate.3pool
89 file path=usr/share/man/man3pool/pool_component_info.3pool
90 file path=usr/share/man/man3pool/pool_component_to_elem.3pool
91 file path=usr/share/man/man3pool/pool_conf_alloc.3pool
92 file path=usr/share/man/man3pool/pool_dynamic_location.3pool
93 file path=usr/share/man/man3pool/pool_error.3pool
94 file path=usr/share/man/man3pool/pool_get_binding.3pool
95 file path=usr/share/man/man3pool/pool_get_pool.3pool
96 file path=usr/share/man/man3pool/pool_get_property.3pool
97 file path=usr/share/man/man3pool/pool_resource_create.3pool
98 file path=usr/share/man/man3pool/pool_value_alloc.3pool
99 file path=usr/share/man/man3pool/pool_walk_components.3pool
100 legacy pkg=SUNWpool desc="core software for resource pools" \
101   name="Resource Pools"
102 legacy pkg=SUNWpoolr desc="core software for resource pools (Root)" \
103   name="Resource Pools (Root)"
104 license cr_Sun license=cr_Sun
105 license lic_CDDL license=lic_CDDL
106 $(BUILD64)link path=usr/lib/$(ARCH64)/libpool.so target=libpool.so.1
85 link path=usr/lib/$(ARCH64)/libpool.so target=libpool.so.1
107 link path=usr/lib/libpool.so target=./libpool.so.1
108 link path=usr/share/man/man3pool/pool_conf_close.3pool \
109   target=pool_conf_alloc.3pool
110 link path=usr/share/man/man3pool/pool_conf_commit.3pool \
111   target=pool_conf_alloc.3pool
112 link path=usr/share/man/man3pool/pool_conf_export.3pool \
113   target=pool_conf_alloc.3pool
114 link path=usr/share/man/man3pool/pool_conf_free.3pool \
115   target=pool_conf_alloc.3pool
116 link path=usr/share/man/man3pool/pool_conf_info.3pool \
117   target=pool_conf_alloc.3pool
118 link path=usr/share/man/man3pool/pool_conf_location.3pool \
119   target=pool_conf_alloc.3pool
120 link path=usr/share/man/man3pool/pool_conf_open.3pool \
121   target=pool_conf_alloc.3pool
122 link path=usr/share/man/man3pool/pool_conf_remove.3pool \
123   target=pool_conf_alloc.3pool
```

```

124 link path=usr/share/man/man3pool/pool_conf_rollback.3pool \
125     target=pool_conf_alloc.3pool
126 link path=usr/share/man/man3pool/pool_conf_status.3pool \
127     target=pool_conf_alloc.3pool
128 link path=usr/share/man/man3pool/pool_conf_to_elem.3pool \
129     target=pool_component_to_elem.3pool
130 link path=usr/share/man/man3pool/pool_conf_update.3pool \
131     target=pool_conf_alloc.3pool
132 link path=usr/share/man/man3pool/pool_conf_validate.3pool \
133     target=pool_conf_alloc.3pool
134 link path=usr/share/man/man3pool/pool_create.3pool target=pool_associate.3pool
135 link path=usr/share/man/man3pool/pool_destroy.3pool \
136     target=pool_associate.3pool
137 link path=usr/share/man/man3pool/pool_dissociate.3pool \
138     target=pool_associate.3pool
139 link path=usr/share/man/man3pool/pool_get_owning_resource.3pool \
140     target=pool_component_info.3pool
141 link path=usr/share/man/man3pool/pool_get_resource.3pool \
142     target=pool_get_pool.3pool
143 link path=usr/share/man/man3pool/pool_get_resource_binding.3pool \
144     target=pool_get_binding.3pool
145 link path=usr/share/man/man3pool/pool_get_status.3pool \
146     target=pool_dynamic_location.3pool
147 link path=usr/share/man/man3pool/pool_info.3pool target=pool_associate.3pool
148 link path=usr/share/man/man3pool/pool_put_property.3pool \
149     target=pool_get_property.3pool
150 link path=usr/share/man/man3pool/pool_query_components.3pool \
151     target=pool_get_pool.3pool
152 link path=usr/share/man/man3pool/pool_query_pool_resources.3pool \
153     target=pool_associate.3pool
154 link path=usr/share/man/man3pool/pool_query_pools.3pool \
155     target=pool_get_pool.3pool
156 link path=usr/share/man/man3pool/pool_query_resource_components.3pool \
157     target=pool_resource_create.3pool
158 link path=usr/share/man/man3pool/pool_query_resources.3pool \
159     target=pool_get_pool.3pool
160 link path=usr/share/man/man3pool/pool_resource_destroy.3pool \
161     target=pool_resource_create.3pool
162 link path=usr/share/man/man3pool/pool_resource_info.3pool \
163     target=pool_resource_create.3pool
164 link path=usr/share/man/man3pool/pool_resource_to_elem.3pool \
165     target=pool_component_to_elem.3pool
166 link path=usr/share/man/man3pool/pool_resource_transfer.3pool \
167     target=pool_resource_create.3pool
168 link path=usr/share/man/man3pool/pool_resource_type_list.3pool \
169     target=pool_dynamic_location.3pool
170 link path=usr/share/man/man3pool/pool_resource_xtransfer.3pool \
171     target=pool_resource_create.3pool
172 link path=usr/share/man/man3pool/pool_rm_property.3pool \
173     target=pool_get_property.3pool
174 link path=usr/share/man/man3pool/pool_set_binding.3pool \
175     target=pool_get_binding.3pool
176 link path=usr/share/man/man3pool/pool_set_status.3pool \
177     target=pool_dynamic_location.3pool
178 link path=usr/share/man/man3pool/pool_static_location.3pool \
179     target=pool_dynamic_location.3pool
180 link path=usr/share/man/man3pool/pool_strerror.3pool target=pool_error.3pool
181 link path=usr/share/man/man3pool/pool_to_elem.3pool \
182     target=pool_component_to_elem.3pool
183 link path=usr/share/man/man3pool/pool_value_free.3pool \
184     target=pool_value_alloc.3pool
185 link path=usr/share/man/man3pool/pool_value_get_bool.3pool \
186     target=pool_value_alloc.3pool
187 link path=usr/share/man/man3pool/pool_value_get_double.3pool \
188     target=pool_value_alloc.3pool
189 link path=usr/share/man/man3pool/pool_value_get_int64.3pool \

```

```

190     target=pool_value_alloc.3pool
191 link path=usr/share/man/man3pool/pool_value_get_name.3pool \
192     target=pool_value_alloc.3pool
193 link path=usr/share/man/man3pool/pool_value_get_string.3pool \
194     target=pool_value_alloc.3pool
195 link path=usr/share/man/man3pool/pool_value_get_type.3pool \
196     target=pool_value_alloc.3pool
197 link path=usr/share/man/man3pool/pool_value_get_uint64.3pool \
198     target=pool_value_alloc.3pool
199 link path=usr/share/man/man3pool/pool_value_set_bool.3pool \
200     target=pool_value_alloc.3pool
201 link path=usr/share/man/man3pool/pool_value_set_double.3pool \
202     target=pool_value_alloc.3pool
203 link path=usr/share/man/man3pool/pool_value_set_int64.3pool \
204     target=pool_value_alloc.3pool
205 link path=usr/share/man/man3pool/pool_value_set_name.3pool \
206     target=pool_value_alloc.3pool
207 link path=usr/share/man/man3pool/pool_value_set_string.3pool \
208     target=pool_value_alloc.3pool
209 link path=usr/share/man/man3pool/pool_value_set_uint64.3pool \
210     target=pool_value_alloc.3pool
211 link path=usr/share/man/man3pool/pool_version.3pool \
212     target=pool_dynamic_location.3pool
213 link path=usr/share/man/man3pool/pool_walk_pools.3pool \
214     target=pool_walk_components.3pool
215 link path=usr/share/man/man3pool/pool_walk_properties.3pool \
216     target=pool_get_property.3pool
217 link path=usr/share/man/man3pool/pool_walk_resources.3pool \
218     target=pool_walk_components.3pool

```

new/usr/src/pkg/manifests/service-security-kerberos-5.mf

1

```
*****
5075 Fri Apr 11 13:24:12 2014
new/usr/src/pkg/manifests/service-security-kerberos-5.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/service/security/kerberos-5@$(PKGVERS)
29 set name=pkg.description value="Kerberos version 5 support"
30 set name=pkg.summary value="Kerberos version 5 support"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Security
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys
35 dir path=etc/krb5 group=sys
36 dir path=lib
37 dir path=lib/svc
38 dir path=lib/svc/manifest group=sys
39 dir path=lib/svc/manifest/network group=sys
40 dir path=lib/svc/manifest/network/security group=sys
41 dir path=usr group=sys
42 dir path=usr/bin
43 dir path=usr/lib
44 $(BUILD64)dir path=usr/lib/$(ARCH64)
45 $(BUILD64)dir path=usr/lib/$(ARCH64)/gss
24 dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)/gss
46 dir path=usr/lib/gss
47 dir path=usr/lib/krb5
48 $(BUILD64)dir path=usr/lib/krb5/$(ARCH64)
28 dir path=usr/lib/krb5/$(ARCH64)
49 dir path=usr/lib/krb5/plugins
50 dir path=usr/lib/krb5/plugins/preauth
51 dir path=usr/lib/security
52 $(BUILD64)dir path=usr/lib/security/$(ARCH64)
32 dir path=usr/lib/security/$(ARCH64)
53 dir path=usr/share/man
54 dir path=usr/share/man/man1
55 dir path=usr/share/man/man1m
56 dir path=usr/share/man/man3lib
57 dir path=usr/share/man/man5
```

new/usr/src/pkg/manifests/service-security-kerberos-5.mf

2

```
58 dir path=var group=sys
59 dir path=var/krb5 group=sys
60 dir path=var/krb5/rcache group=sys mode=1777
61 dir path=var/krb5/rcache/root group=sys mode=0700
62 file path=etc/krb5/krb5.conf group=sys \
63     original_name=SUNWkrb:etc/krb5/krb5.conf preserve=true
64 file path=etc/krb5/warn.conf group=sys \
65     original_name=SUNWkrb:etc/krb5/warn.conf preserve=true
66 file path=lib/svc/manifest/network/security/kadmin.xml group=sys mode=0444
67 file path=lib/svc/manifest/network/security/krb5kdc.xml group=sys mode=0444
68 file path=lib/svc/manifest/network/security/ktkt_warn.xml group=sys mode=0444
69 file path=usr/bin/kdestroy mode=0555
70 file path=usr/bin/kinit mode=0555
71 file path=usr/bin/klist mode=0555
72 file path=usr/bin/kpasswd mode=0555
73 file path=usr/bin/krb5-config mode=0555
74 file path=usr/bin/ktutil mode=0555
75 $(BUILD64)file path=usr/lib/$(ARCH64)/gss/mech_krb5.so.1
76 $(BUILD64)file path=usr/lib/$(ARCH64)/libkrb5.so.1
55 file path=usr/lib/$(ARCH64)/gss/mech_krb5.so.1
56 file path=usr/lib/$(ARCH64)/libkrb5.so.1
77 file path=usr/lib/gss/mech_krb5.so.1
78 $(BUILD64)file path=usr/lib/krb5/$(ARCH64)/libkadm5clnt.so.1
58 file path=usr/lib/krb5/$(ARCH64)/libkadm5clnt.so.1
79 file path=usr/lib/krb5/ktkt_warnd mode=0555
80 file path=usr/lib/krb5/libkadm5clnt.so.1
81 file path=usr/lib/krb5/libss.so.1
82 file path=usr/lib/krb5/plugins/preauth/pkinit.so.1
83 file path=usr/lib/libkrb5.so.1
84 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_krb5.so.1
85 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_krb5_migrate.so.1
64 file path=usr/lib/security/$(ARCH64)/pam_krb5.so.1
65 file path=usr/lib/security/$(ARCH64)/pam_krb5_migrate.so.1
86 file path=usr/lib/security/pam_krb5.so.1
87 file path=usr/lib/security/pam_krb5_migrate.so.1
88 file path=usr/share/man/man1/kdestroy.1
89 file path=usr/share/man/man1/kinit.1
90 file path=usr/share/man/man1/klist.1
91 file path=usr/share/man/man1/kpasswd.1
92 file path=usr/share/man/man1/krb5-config.1
93 file path=usr/share/man/man1/ktutil.1
94 file path=usr/share/man/man1m/ktkt_warnd.1m
95 file path=usr/share/man/man3lib/libkrb5.3lib
96 file path=usr/share/man/man5/pam_krb5.5
97 file path=usr/share/man/man5/pam_krb5_migrate.5
98 legacy pkg=SUNWkrbr desc="Kerberos version 5 support (Root)" \
99     name="Kerberos version 5 support (Root)"
100 legacy pkg=SUNWkrbu desc="Kerberos version 5 support (Usr)" \
101     name="Kerberos version 5 support (Usr)"
102 license cr_Sun license=cr_Sun
103 license lic_CDDL license=lic_CDDL
104 license usr/src/lib/gss_mechs/mech_krb5/THIRDPARTYLICENSE \
105     license=usr/src/lib/gss_mechs/mech_krb5/THIRDPARTYLICENSE
106 $(BUILD64)link path=usr/lib/$(ARCH64)/gss/mech_krb5.so target=./mech_krb5.so.1
107 $(BUILD64)link path=usr/lib/$(ARCH64)/libkrb5.so target=./libkrb5.so.1
86 link path=usr/lib/$(ARCH64)/gss/mech_krb5.so target=./mech_krb5.so.1
87 link path=usr/lib/$(ARCH64)/libkrb5.so target=./libkrb5.so.1
108 link path=usr/lib/gss/mech_krb5.so target=./mech_krb5.so.1
109 $(BUILD64)link path=usr/lib/krb5/$(ARCH64)/libkadm5clnt.so \
110     target=./libkadm5clnt.so.1
89 link path=usr/lib/krb5/$(ARCH64)/libkadm5clnt.so target=./libkadm5clnt.so.1
111 link path=usr/lib/krb5/libkadm5clnt.so target=./libkadm5clnt.so.1
112 link path=usr/lib/krb5/libss.so target=libss.so.1
113 link path=usr/lib/krb5/plugins/preauth/pkinit.so target=pkinit.so.1
114 link path=usr/lib/libkrb5.so target=./libkrb5.so.1
115 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_krb5.so \
```



```
116     target=./pam_krb5.so.1
117 $(BUILD64)link path=usr/lib/security/${ARCH64}/pam_krb5_migrate.so \
  94 link path=usr/lib/security/${ARCH64}/pam_krb5.so target=./pam_krb5.so.1
  95 link path=usr/lib/security/${ARCH64}/pam_krb5_migrate.so \
118     target=./pam_krb5_migrate.so.1
119 link path=usr/lib/security/pam_krb5.so target=./pam_krb5.so.1
120 link path=usr/lib/security/pam_krb5_migrate.so target=./pam_krb5_migrate.so.1
121 depend fmri=service/security/gss type=require
```

```

*****
6144 Fri Apr 11 13:24:12 2014
new/usr/src/pkg/manifests/service-storage-avs-cache-management.mf
1681 support for BUILDD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/service/storage/avs/cache-management@$(PKGVERS)
35 set name=pkg.description \
36     value="Storage Cache Management of read-only bitmap volumes"
37 set name=pkg.summary \
38     value="Sun StorageTek Availability Suite Cache Management"
39 set name=info.classification \
40     value="org.opensolaris.category.2008:System/Enterprise Management"
41 set name=variant.arch value=$(ARCH)
42 dir path=etc group=sys
43 dir path=etc/init.d group=sys
44 dir path=kernel group=sys
45 dir path=kernel/kmdb group=sys
46 dir path=kernel/kmdb/$(ARCH64) group=sys
47 dir path=lib
48 dir path=lib/svc
49 dir path=lib/svc/manifest group=sys
50 dir path=lib/svc/manifest/system group=sys
51 dir path=lib/svc/method
52 dir path=usr group=sys
53 dir path=usr/bin
54 dir path=usr/cluster group=sys
55 dir path=usr/cluster/lib
56 dir path=usr/cluster/lib/start
57 dir path=usr/cluster/lib/stop
58 dir path=usr/cluster/sbin group=other
59 dir path=usr/kernel group=sys
60 dir path=usr/kernel/drv group=sys
61 dir path=usr/kernel/drv/$(ARCH64) group=sys

```

```

62 dir path=usr/kernel/misc group=sys
63 dir path=usr/kernel/misc/$(ARCH64) group=sys
64 dir path=usr/lib
65 dir path=usr/lib/mdb group=sys
66 dir path=usr/lib/mdb/kvm group=sys
67 $(BUILDD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
24 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
68 dir path=usr/sbin
69 dir path=usr/share/man
70 dir path=usr/share/man/man1m
71 dir path=usr/share/man/man4
72 driver name=ncall devlink=type=ddi_pseudo;name=ncall\t\D \
73     perms="* 0666 root sys" privs=sys_config privs=sys_devices
74 driver name=nsctl devlink=type=ddi_pseudo;name=nsctl\t\D \
75     perms="* 0666 root sys" privs=sys_config privs=sys_devices
76 driver name=nskern devlink=type=ddi_pseudo;name=nskern\t\D \
77     perms="* 0666 root sys" privs=sys_config privs=sys_devices
78 driver name=sdbc devlink=type=ddi_pseudo;name=sdbc\t\D perms="* 0666 root sys" \
79     privs=sys_config privs=sys_devices
80 file path=etc/dscfg_format group=sys mode=0744
81 file path=etc/init.d/scm mode=0744
82 file path=kernel/kmdb/$(ARCH64)/nsctl group=sys mode=0555
83 file path=kernel/kmdb/$(ARCH64)/sdbc group=sys mode=0555
84 $(i386_ONLY)file path=kernel/kmdb/nsctl group=sys mode=0555
85 $(i386_ONLY)file path=kernel/kmdb/sdbc group=sys mode=0555
86 file path=lib/svc/manifest/system/nws_scm.xml group=sys mode=0444
87 file path=usr/bin/dsbitmap mode=0555
88 file path=usr/bin/dscfg mode=0555
89 file path=usr/bin/dscfg_reconfigure.cluster mode=0555
90 file path=usr/bin/dscfgadm mode=0555
91 file path=usr/bin/dscfglockd mode=0555
92 file path=usr/bin/dsstat mode=0555
93 file path=usr/bin/ncalladm mode=0555
94 file path=usr/bin/nscadm mode=0555
95 file path=usr/bin/nskernd mode=0555
96 file path=usr/bin/scmadm mode=0555
97 file path=usr/kernel/drv/$(ARCH64)/ncall group=sys
98 file path=usr/kernel/drv/$(ARCH64)/nsctl group=sys
99 file path=usr/kernel/drv/$(ARCH64)/nskern group=sys
100 file path=usr/kernel/drv/$(ARCH64)/sdbc group=sys
101 $(i386_ONLY)file path=usr/kernel/drv/ncall group=sys
102 file path=usr/kernel/drv/ncall.conf group=sys
103 $(i386_ONLY)file path=usr/kernel/drv/nsctl group=sys
104 file path=usr/kernel/drv/nsctl.conf group=sys
105 $(i386_ONLY)file path=usr/kernel/drv/nskern group=sys
106 file path=usr/kernel/drv/nskern.conf group=sys
107 $(i386_ONLY)file path=usr/kernel/drv/sdbc group=sys
108 file path=usr/kernel/drv/sdbc.conf group=sys
109 file path=usr/kernel/misc/$(ARCH64)/spuni group=sys mode=0755
110 $(i386_ONLY)file path=usr/kernel/misc/spuni group=sys mode=0755
111 file path=usr/lib/libdscfg.so.1
112 file path=usr/lib/libnsctl.so.1
113 file path=usr/lib/libunistat.so.1
114 $(BUILDD64)file path=usr/lib/mdb/kvm/$(ARCH64)/nsctl.so group=sys mode=0555
115 $(BUILDD64)file path=usr/lib/mdb/kvm/$(ARCH64)/sdbc.so group=sys mode=0555
71 file path=usr/lib/mdb/kvm/$(ARCH64)/nsctl.so group=sys mode=0555
72 file path=usr/lib/mdb/kvm/$(ARCH64)/sdbc.so group=sys mode=0555
116 $(i386_ONLY)file path=usr/lib/mdb/kvm/nsctl.so group=sys mode=0555
117 $(i386_ONLY)file path=usr/lib/mdb/kvm/sdbc.so group=sys mode=0555
118 file path=usr/share/man/man1m/dsbitmap.1m
119 file path=usr/share/man/man1m/dscfg.1m
120 file path=usr/share/man/man1m/dscfgadm.1m
121 file path=usr/share/man/man1m/dscfglockd.1m
122 file path=usr/share/man/man1m/dsstat.1m
123 file path=usr/share/man/man1m/nscadm.1m
124 file path=usr/share/man/man1m/scmadm.1m

```

```
125 file path=usr/share/man/man4/ds.log.4
126 hardlink path=lib/svc/method/svc-scm target=../../../../etc/init.d/scm
127 hardlink path=usr/cluster/sbin/dscfg_reconfigure \
128     target=../../../../bin/dscfg_reconfigure.cluster
129 hardlink path=usr/lib/dscfglockd target=../bin/dscfglockd
130 hardlink path=usr/lib/ncalladm target=../bin/ncalladm
131 hardlink path=usr/lib/nskernd target=../bin/nskernd
132 hardlink path=usr/sbin/dsbitmap target=../bin/dsbitmap
133 hardlink path=usr/sbin/dscfg target=../bin/dscfg
134 hardlink path=usr/sbin/dscfgadm target=../bin/dscfgadm
135 hardlink path=usr/sbin/dsstat target=../bin/dsstat
136 hardlink path=usr/sbin/nscadm target=../bin/nscadm
137 hardlink path=usr/sbin/scmadm target=../bin/scmadm
138 legacy pkg=SUNWscmr \
139     desc="Storage Cache Management of read-only bitmap volumes" \
140     name="Sun StorageTek Availability Suite Cache Management (root)"
141 legacy pkg=SUNWscmu \
142     desc="Storage Cache Management of read-only bitmap volumes" \
143     name="Sun StorageTek Availability Suite Cache Management (usr)"
144 license cr_Sun license=cr_Sun
145 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/service-storage-fibre-channel-fc-fabric.mf 1

```
*****
2498 Fri Apr 11 13:24:12 2014
new/usr/src/pkg/manifests/service-storage-fibre-channel-fc-fabric.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29     value=pkg:/service/storage/fibre-channel/fc-fabric@$(PKGVERS)
30 set name=pkg.description value="Provides the fp plug-in library of libcfgadm."
31 set name=pkg.summary value="fp cfgadm plug-in library"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:System/Libraries
34 set name=variant.arch value=$(ARCH)
35 dir path=lib variant.opensolaris.zone=global
36 dir path=lib/svc variant.opensolaris.zone=global
37 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
38 dir path=lib/svc/manifest/system group=sys variant.opensolaris.zone=global
39 dir path=lib/svc/manifest/system/device group=sys \
40     variant.opensolaris.zone=global
41 dir path=lib/svc/method variant.opensolaris.zone=global
42 dir path=usr group=sys
43 dir path=usr/lib
44 dir path=usr/lib/cfgadm
45 $(BUILD64)dir path=usr/lib/cfgadm/$(ARCH64)
46 dir path=usr/lib/cfgadm/$(ARCH64)
47 file path=lib/svc/manifest/system/device/devices-fc-fabric.xml group=sys \
48     mode=0444 variant.opensolaris.zone=global
49 file path=lib/svc/method/fc-fabric mode=0555 variant.opensolaris.zone=global
50 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/fp.so.1
51 file path=usr/lib/cfgadm/$(ARCH64)/fp.so.1
52 file path=usr/lib/cfgadm/fp.so.1
53 legacy pkg=SUNWcflpl desc="Provides the fp plug-in library of libcfgadm." \
54     name="fp cfgadm plug-in library"
55 legacy pkg=SUNWcflpr \
56     desc="Provides support for fp plug-in library of libcfgadm." \
57     name="fp cfgadm plug-in library (root)"
58 license cr_Sun license=cr_Sun
59 license lic_CDDL license=lic_CDDL
60 $(BUILD64)link path=usr/lib/cfgadm/$(ARCH64)/fp.so target=fp.so.1
61 link path=usr/lib/cfgadm/$(ARCH64)/fp.so target=fp.so.1
```

new/usr/src/pkg/manifests/service-storage-fibre-channel-fc-fabric.mf 2

```
59 link path=usr/lib/cfgadm/fp.so target=fp.so.1
60 depend fmri=system/storage/luxadm type=require
```

new/usr/src/pkg/manifests/service-storage-ndmp.mf

1

```
*****
3075 Fri Apr 11 13:24:12 2014
new/usr/src/pkg/manifests/service-storage-ndmp.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/service/storage/ndmp@(PKGVERS)
35 set name=pkg.description \
36     value="Network Data Management Protocol Service (user components)"
37 set name=pkg.summary value="Network Data Management Protocol Service (User)"
38 set name=info.classification \
39     value=org.opensolaris.category.2008:System/Services
40 set name=variant.arch value=$(ARCH)
41 dir path=lib
42 dir path=lib/svc
43 dir path=lib/svc/manifest group=sys
44 dir path=lib/svc/manifest/system group=sys
45 dir path=lib/svc/method
46 dir path=usr group=sys
47 dir path=usr/include
48 dir path=usr/lib
49 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
50 dir path=usr/lib/ndmp
51 dir path=usr/sbin
52 dir path=usr/share/man
53 dir path=usr/share/man/man1m
54 dir path=usr/share/man/man4
55 file path=lib/svc/manifest/system/ndmp.xml group=sys mode=0444
56 file path=lib/svc/method/svc-ndmp mode=0555
57 file path=usr/include/libndmp.h
58 $(BUILD64)file path=usr/lib/$(ARCH64)/libndmp.so.1
59 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ndmp.ln
33 file path=usr/lib/$(ARCH64)/libndmp.so.1
```

new/usr/src/pkg/manifests/service-storage-ndmp.mf

2

```
34 file path=usr/lib/$(ARCH64)/llib-ndmp.ln
60 file path=usr/lib/libndmp.so.1
61 file path=usr/lib/llib-ndmp
62 file path=usr/lib/llib-ndmp.ln
63 file path=usr/lib/ndmp/ndmpd mode=0555
64 file path=usr/sbin/ndmpadm mode=0555
65 file path=usr/sbin/ndmpstat mode=0555
66 file path=usr/share/man/man1m/ndmpadm.1m
67 file path=usr/share/man/man1m/ndmpd.1m
68 file path=usr/share/man/man1m/ndmpstat.1m
69 file path=usr/share/man/man4/ndmp.4
70 legacy pkg=SUNWndmpr \
71     desc="Network Data Management Protocol Service (root components)" \
72     name="Network Data Management Protocol Service (Root)"
73 legacy pkg=SUNWndmpu \
74     desc="Network Data Management Protocol Service (user components)" \
75     name="Network Data Management Protocol Service (User)"
76 license cr_Sun license=cr_Sun
77 license lic_OSBL license=lic_OSBL
78 license lic_OSBL_preamble license=lic_OSBL_preamble
79 license usr/src/cmd/ndmpd/LICENSE license=usr/src/cmd/ndmpd/LICENSE
80 $(BUILD64)link path=usr/lib/$(ARCH64)/libndmp.so target=libndmp.so.1
55 link path=usr/lib/$(ARCH64)/libndmp.so target=libndmp.so.1
81 link path=usr/lib/libndmp.so target=libndmp.so.1
```

new/usr/src/pkg/manifests/service-storage-removable-media.mf

1

```
*****
2768 Fri Apr 11 13:24:12 2014
new/usr/src/pkg/manifests/service-storage-removable-media.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/service/storage/removable-media@$(PKGVERS)
30 set name=pkg.description value="Storage media management library"
31 set name=pkg.summary value="Storage media management library"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:System/Libraries
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/svc
37 dir path=lib/svc/manifest group=sys
38 dir path=lib/svc/manifest/network group=sys
39 dir path=lib/svc/manifest/network/rpc group=sys
40 dir path=usr group=sys
41 dir path=usr/lib
42 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
43 dir path=usr/lib/smedia
44 $(BUILD64)dir path=usr/lib/smedia/$(ARCH64)
27 dir path=usr/lib/smedia/$(ARCH64)
45 dir path=usr/share/man/man1m
46 file path=lib/svc/manifest/network/rpc/smsserver.xml group=sys mode=0444
47 $(BUILD64)file path=usr/lib/$(ARCH64)/libsmedia.so.1
48 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsmedia.ln
30 file path=usr/lib/$(ARCH64)/libsmedia.so.1
31 file path=usr/lib/$(ARCH64)/llib-lsmedia.ln
49 file path=usr/lib/libsmedia.so.1
50 file path=usr/lib/llib-lsmedia
51 file path=usr/lib/llib-lsmedia.ln
52 $(BUILD64)file path=usr/lib/smedia/$(ARCH64)/sm_blkdev.so.1 mode=0555
53 $(BUILD64)file path=usr/lib/smedia/$(ARCH64)/sm_fd.so.1 mode=0555
54 $(BUILD64)file path=usr/lib/smedia/$(ARCH64)/sm_scsi.so.1 mode=0555
35 file path=usr/lib/smedia/$(ARCH64)/sm_blkdev.so.1 mode=0555
36 file path=usr/lib/smedia/$(ARCH64)/sm_fd.so.1 mode=0555
37 file path=usr/lib/smedia/$(ARCH64)/sm_scsi.so.1 mode=0555
```

new/usr/src/pkg/manifests/service-storage-removable-media.mf

2

```
55 file path=usr/lib/smedia/rpc.smsserverd mode=0555
56 file path=usr/lib/smedia/sm_blkdev.so.1 mode=0555
57 file path=usr/lib/smedia/sm_fd.so.1 mode=0555
58 file path=usr/lib/smedia/sm_scsi.so.1 mode=0555
59 file path=usr/share/man/man1m/rpc.smsserverd.lm
60 legacy pkg=SUNWsmedia desc="Storage media management library" \
61     name="Storage media management library"
62 legacy pkg=SUNWsmediar desc="Storage media management library (Root)" \
63     name="Storage media management library (Root)"
64 license cr_Sun license=cr_Sun
65 license lic_CDDL license=lic_CDDL
66 $(BUILD64)link path=usr/lib/$(ARCH64)/libsmedia.so target=./libsmedia.so.1
49 link path=usr/lib/$(ARCH64)/libsmedia.so target=./libsmedia.so.1
67 link path=usr/lib/libsmedia.so target=./libsmedia.so.1
```

new/usr/src/pkg/manifests/storage-avs-point-in-time-copy.mf

1

```
*****
4167 Fri Apr 11 13:24:13 2014
new/usr/src/pkg/manifests/storage-avs-point-in-time-copy.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/storage/avs/point-in-time-copy@(PKGVERS)
35 set name=pkg.description value="Point-In-Time Copy and snapshot facility"
36 set name=pkg.summary \
37     value="Sun StorageTek Availability Suite Point-In-Time Copy"
38 set name=info.classification \
39     value="org.opensolaris.category.2008:System/Enterprise Management"
40 set name=variant.arch value=$(ARCH)
41 dir path=etc group=sys
42 dir path=etc/init.d group=sys
43 dir path=kernel group=sys
44 dir path=kernel/kmdb group=sys
45 dir path=kernel/kmdb/$(ARCH64) group=sys
46 dir path=lib
47 dir path=lib/svc
48 dir path=lib/svc/manifest group=sys
49 dir path=lib/svc/manifest/system group=sys
50 dir path=lib/svc/method
51 dir path=usr group=sys
52 dir path=usr/bin
53 dir path=usr/cluster group=sys
54 dir path=usr/cluster/lib
55 dir path=usr/cluster/lib/dscfg
56 dir path=usr/cluster/lib/dscfg/start
57 dir path=usr/cluster/lib/dscfg/stop
58 dir path=usr/cluster/sbin group=other
59 dir path=usr/kernel group=sys
60 dir path=usr/kernel/drv group=sys
61 dir path=usr/kernel/drv/$(ARCH64) group=sys
```

new/usr/src/pkg/manifests/storage-avs-point-in-time-copy.mf

2

```
62 dir path=usr/lib
63 dir path=usr/lib/kmdb group=sys
64 dir path=usr/lib/kmdb/kvm group=sys
65 $(BUILD64)dir path=usr/lib/kmdb/kvm/$(ARCH64) group=sys
24 dir path=usr/lib/kmdb/kvm/$(ARCH64) group=sys
66 dir path=usr/sbin
67 dir path=usr/share/man
68 dir path=usr/share/man/man1m
69 dir path=usr/share/man/man7d
70 driver name=ii devlink=type=ddi_pseudo;name=ii\t\D perms="* 0666 root sys" \
71     privs=sys_config privs=sys_devices
72 file path=etc/init.d/ii mode=0744
73 file path=etc/init.d/ii.cluster mode=0744
74 file path=kernel/kmdb/$(ARCH64)/ii group=sys mode=0555
75 $(i386_ONLY)file path=kernel/kmdb/ii group=sys mode=0555
76 file path=lib/svc/manifest/system/nws_ii.xml group=sys mode=0444
77 file path=usr/bin/iiadm mode=0555
78 file path=usr/bin/iiboot mode=0555
79 file path=usr/bin/iicpbmp mode=0555
80 file path=usr/bin/iicpsd mode=0555
81 file path=usr/cluster/sbin/ii mode=0744
82 file path=usr/kernel/drv/$(ARCH64)/ii group=sys
83 $(i386_ONLY)file path=usr/kernel/drv/ii group=sys
84 file path=usr/kernel/drv/ii.conf group=sys \
85     original_name=SUNWii:usr/kernel/drv/ii.conf preserve=true
86 $(BUILD64)file path=usr/lib/kmdb/kvm/$(ARCH64)/ii.so group=sys mode=0555
45 file path=usr/lib/kmdb/kvm/$(ARCH64)/ii.so group=sys mode=0555
87 $(i386_ONLY)file path=usr/lib/kmdb/kvm/ii.so group=sys mode=0555
88 file path=usr/share/man/man1m/iiadm.1m
89 file path=usr/share/man/man1m/iicpbmp.1m
90 file path=usr/share/man/man1m/iicpsd.1m
91 file path=usr/share/man/man7d/ii.7d
92 hardlink path=lib/svc/method/svc-ii target=../../../../etc/init.d/ii
93 legacy pkg=SUNWiiir desc="Point-In-Time Copy and snapshot facility" \
94     name="Sun StorageTek Availability Suite Point-In-Time Copy (root)"
95 legacy pkg=SUNWiiiu desc="Point-In-Time Copy and snapshot facility" \
96     name="Sun StorageTek Availability Suite Point-In-Time Copy (usr)"
97 license cr_Sun license=cr_Sun
98 license lic_CDDL license=lic_CDDL
99 link path=usr/cluster/lib/dscfg/start/05ii target=../../../../sbin/ii
100 link path=usr/cluster/lib/dscfg/stop/20ii target=../../../../sbin/ii
101 link path=usr/sbin/iiadm target=../bin/iiadm
102 link path=usr/sbin/iiboot target=../bin/iiboot
103 link path=usr/sbin/iicpbmp target=../bin/iicpbmp
104 link path=usr/sbin/iicpsd target=../bin/iicpsd
```

new/usr/src/pkg/manifests/storage-avs-remote-mirror.mf

1

```
*****
5146 Fri Apr 11 13:24:13 2014
new/usr/src/pkg/manifests/storage-avs-remote-mirror.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/storage/avs/remote-mirror@$(PKGVERS)
35 set name=pkg.description \
36     value="Remote Mirror copy software provides replication across IP networks"
37 set name=pkg.summary value="Sun StorageTek Availability Suite Remote Mirror"
38 set name=info.classification \
39     value=org.opensolaris.category.2008:System/Hardware
40 set name=variant.arch value=$(ARCH)
41 dir path=etc group=sys
42 dir path=etc/init.d group=sys
43 dir path=kernel group=sys
44 dir path=kernel/kmdb group=sys
45 dir path=kernel/kmdb/$(ARCH64) group=sys
46 dir path=lib
47 dir path=lib/svc
48 dir path=lib/svc/manifest group=sys
49 dir path=lib/svc/manifest/system group=sys
50 dir path=lib/svc/method
51 dir path=usr group=sys
52 dir path=usr/bin
53 dir path=usr/cluster group=sys
54 dir path=usr/cluster/lib
55 dir path=usr/cluster/lib/dscfg
56 dir path=usr/cluster/lib/dscfg/start
57 dir path=usr/cluster/lib/dscfg/stop
58 dir path=usr/cluster/sbin group=other
59 dir path=usr/kernel group=sys
60 dir path=usr/kernel/drv group=sys
61 dir path=usr/kernel/drv/$(ARCH64) group=sys
```

new/usr/src/pkg/manifests/storage-avs-remote-mirror.mf

2

```
62 dir path=usr/kernel/misc group=sys
63 dir path=usr/kernel/misc/$(ARCH64) group=sys
64 dir path=usr/lib
65 dir path=usr/lib/mdb group=sys
66 dir path=usr/lib/mdb/kvm group=sys
67 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
24 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
68 dir path=usr/sbin
69 dir path=usr/share/man
70 dir path=usr/share/man/man1m
71 dir path=usr/share/man/man4
72 driver name=rdc devlink-type=ddi_pseudo;name=rdc\t\D perms="* 0666 root sys" \
73     privs=sys_config privs=sys_devices
74 file path=etc/init.d/rdc mode=0744
75 file path=etc/init.d/rdc.cluster mode=0744
76 file path=etc/init.d/rdcfinish mode=0744
77 file path=kernel/kmdb/$(ARCH64)/rdc group=sys mode=0555
78 $(i386_ONLY)file path=kernel/kmdb/rdc group=sys mode=0555
79 file path=lib/svc/manifest/system/nws_rdc.xml group=sys mode=0444
80 file path=lib/svc/manifest/system/nws_rdcsyncd.xml group=sys mode=0444
81 file path=usr/bin/sndradm mode=0555
82 file path=usr/bin/sndrboot mode=0555
83 file path=usr/bin/sndrd mode=0555
84 file path=usr/bin/sndrsyncd mode=0555
85 file path=usr/cluster/sbin/rdc mode=0744
86 file path=usr/kernel/drv/$(ARCH64)/rdc group=sys
87 file path=usr/kernel/drv/$(ARCH64)/rdcsrv group=sys
88 file path=usr/kernel/drv/$(ARCH64)/rdcstub group=sys
89 $(i386_ONLY)file path=usr/kernel/drv/rdc group=sys
90 file path=usr/kernel/drv/rdc.conf group=sys \
91     original_name=SUNWrdc:usr/kernel/drv/rdc.conf preserve=true
92 $(i386_ONLY)file path=usr/kernel/drv/rdcsrv group=sys
93 $(i386_ONLY)file path=usr/kernel/drv/rdcstub group=sys
94 file path=usr/lib/librdc.so.1
95 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/rdc.so group=sys mode=0555
52 file path=usr/lib/mdb/kvm/$(ARCH64)/rdc.so group=sys mode=0555
96 $(i386_ONLY)file path=usr/lib/mdb/kvm/rdc.so group=sys mode=0555
97 file path=usr/share/man/man1m/sndradm.lm
98 file path=usr/share/man/man1m/sndrd.lm
99 file path=usr/share/man/man1m/sndrsyncd.lm
100 file path=usr/share/man/man4/rdc.cf.4
101 file path=usr/share/man/man4/sndr.4
102 hardlink path=lib/svc/method/svc-rdc target=../../etc/init.d/rdc
103 hardlink path=lib/svc/method/svc-rdcsyncd target=../../etc/init.d/rdcfinish
104 hardlink path=usr/kernel/misc/$(ARCH64)/rdcsrv \
105     target=../../drv/$(ARCH64)/rdcsrv
106 hardlink path=usr/kernel/misc/$(ARCH64)/rdcstub \
107     target=../../drv/$(ARCH64)/rdcstub
108 $(i386_ONLY)hardlink path=usr/kernel/misc/rdcsrv target=../drv/rdcsrv
109 $(i386_ONLY)hardlink path=usr/kernel/misc/rdcstub target=../drv/rdcstub
110 hardlink path=usr/lib/sndrd target=../bin/sndrd
111 hardlink path=usr/lib/sndrsyncd target=../bin/sndrsyncd
112 hardlink path=usr/sbin/sndradm target=../bin/sndradm
113 hardlink path=usr/sbin/sndrboot target=../bin/sndrboot
114 legacy pkg=SUNWrdcr \
115     desc="Remote Mirror copy software provides replication across IP networks" \
116     name="Sun StorageTek Availability Suite Remote Mirror (root)"
117 legacy pkg=SUNWrdcu \
118     desc="Remote Mirror copy software provides replication across IP networks" \
119     name="Sun StorageTek Availability Suite Remote Mirror (usr)"
120 license cr_Sun license=cr_Sun
121 license lic_CDDL license=lic_CDDL
122 link path=usr/cluster/lib/dscfg/start/10rdc target=../../sbin/rdc
123 link path=usr/cluster/lib/dscfg/stop/15rdc target=../../sbin/rdc
```


new/usr/src/pkg/manifests/storage-library-network-array.mf

1

```
*****
2087 Fri Apr 11 13:24:13 2014
new/usr/src/pkg/manifests/storage-library-network-array.mf
1681 support for BUILD64=# no longer works
*****
```

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/storage/library/network-array@$(PKGVERS)
35 set name=pkg.description value="Sun Enterprise Network Array libraries"
36 set name=pkg.summary value="Sun Enterprise Network Array libraries"
37 set name=info.classification \
38     value="org.opensolaris.category.2008:System/Enterprise Management"
39 set name=variant.arch value=sparc
40 dir path=lib
41 $(BUILD64)dir path=lib/$(ARCH64)
42 $(BUILD64)file path=lib/$(ARCH64)/liba5k.so.2
43 $(BUILD64)file path=lib/$(ARCH64)/libg_fc.so.2
44 dir path=lib/$(ARCH64)
45 file path=lib/$(ARCH64)/liba5k.so.2
46 file path=lib/$(ARCH64)/libg_fc.so.2
47 file path=lib/liba5k.so.2
48 file path=lib/libg_fc.so.2
49 legacy pkg=SUNwluxopr desc="Sun Enterprise Network Array libraries" \
50     name="Sun Enterprise Network Array libraries"
51 license cr_Sun license=cr_Sun
52 license lic_CDDL license=lic_CDDL
53 $(BUILD64)link path=lib/$(ARCH64)/liba5k.so target=liba5k.so.2
54 $(BUILD64)link path=lib/$(ARCH64)/libg_fc.so target=libg_fc.so.2
55 link path=lib/$(ARCH64)/liba5k.so target=liba5k.so.2
56 link path=lib/$(ARCH64)/libg_fc.so target=libg_fc.so.2
57 link path=lib/liba5k.so target=liba5k.so.2
58 link path=lib/libg_fc.so target=libg_fc.so.2
```

new/usr/src/pkg/manifests/storage-stmf.mf

1

```
*****
8024 Fri Apr 11 13:24:13 2014
new/usr/src/pkg/manifests/storage-stmf.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/storage/stmf@$(PKGVERS)
30 set name=pkg.description \
31     value="Sun Common Multiprotocol SCSI Target device drivers"
32 set name=pkg.summary value="Sun Common Multiprotocol SCSI Target"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System:Hardware
35 set name=variant.arch value=$(ARCH)
36 dir path=kernel group=sys
37 dir path=kernel/drv group=sys
38 dir path=kernel/drv/$(ARCH64) group=sys
39 dir path=kernel/kmdb group=sys
40 dir path=kernel/kmdb/$(ARCH64) group=sys
41 dir path=lib variant.opensolaris.zone=global
42 dir path=lib/svc variant.opensolaris.zone=global
43 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
44 dir path=lib/svc/manifest/system group=sys variant.opensolaris.zone=global
45 dir path=lib/svc/method variant.opensolaris.zone=global
46 dir path=usr group=sys
47 dir path=usr/demo
48 dir path=usr/demo/comstar
49 dir path=usr/demo/comstar/bin
50 dir path=usr/include
51 dir path=usr/include/sys
52 dir path=usr/lib
53 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
54 dir path=usr/lib/kvm group=sys
55 dir path=usr/lib/kvm/kvm group=sys
56 $(BUILD64)dir path=usr/lib/kvm/$(ARCH64) group=sys
28 dir path=usr/lib/kvm/$(ARCH64) group=sys
57 dir path=usr/sbin
58 dir path=usr/share/man
59 dir path=usr/share/man/man1m
```

new/usr/src/pkg/manifests/storage-stmf.mf

2

```
60 dir path=usr/share/man/man3lib
61 dir path=usr/share/man/man3stmf
62 driver name=fct perms="* 0666 root sys"
63 driver name=pppt perms="* 0666 root sys"
64 driver name=qlt perms="* 0666 root sys"
65 driver name=stmf perms="* 0666 root sys"
66 driver name=stmf_sbd perms="* 0666 root sys"
67 file path=kernel/drv/$(ARCH64)/fct group=sys
68 file path=kernel/drv/$(ARCH64)/pppt group=sys
69 file path=kernel/drv/$(ARCH64)/qlt group=sys
70 file path=kernel/drv/$(ARCH64)/stmf group=sys
71 file path=kernel/drv/$(ARCH64)/stmf_sbd group=sys
72 $(i386_ONLY)file path=kernel/drv/fct group=sys
73 file path=kernel/drv/fct.conf group=sys
74 $(i386_ONLY)file path=kernel/drv/pppt group=sys
75 file path=kernel/drv/pppt.conf group=sys
76 $(i386_ONLY)file path=kernel/drv/qlt group=sys
77 file path=kernel/drv/qlt.conf group=sys
78 $(i386_ONLY)file path=kernel/drv/stmf group=sys
79 file path=kernel/drv/stmf.conf group=sys
80 $(i386_ONLY)file path=kernel/drv/stmf_sbd group=sys
81 file path=kernel/drv/stmf_sbd.conf group=sys
82 file path=kernel/kmdb/$(ARCH64)/stmf group=sys mode=0555
83 file path=kernel/kmdb/$(ARCH64)/stmf_sbd group=sys mode=0555
84 $(i386_ONLY)file path=kernel/kmdb/stmf group=sys mode=0555
85 $(i386_ONLY)file path=kernel/kmdb/stmf_sbd group=sys mode=0555
86 file path=lib/svc/manifest/system/stmf.xml group=sys mode=0444 \
87     variant.opensolaris.zone=global
88 file path=lib/svc/method/svc-stmf mode=0555 variant.opensolaris.zone=global
89 file path=usr/demo/comstar/bin/aluaadm mode=0555
90 file path=usr/demo/comstar/bin/svc-stmfproxy mode=0555
91 file path=usr/demo/comstar/stmfproxy.xml mode=0444
92 file path=usr/include/libstmf.h
93 file path=usr/include/libstmfproxy.h
94 file path=usr/include/sys/fct.h
95 file path=usr/include/sys/fct_defines.h
96 file path=usr/include/sys/fctio.h
97 file path=usr/include/sys/lpif.h
98 file path=usr/include/sys/portif.h
99 file path=usr/include/sys/stmf.h
100 file path=usr/include/sys/stmf_defines.h
101 file path=usr/include/sys/stmf_ioctl.h
102 $(BUILD64)file path=usr/lib/$(ARCH64)/libstmf.so.1
103 $(BUILD64)file path=usr/lib/$(ARCH64)/libstmfproxy.so.1
104 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lstmf.ln
74 file path=usr/lib/$(ARCH64)/libstmf.so.1
75 file path=usr/lib/$(ARCH64)/libstmfproxy.so.1
76 file path=usr/lib/$(ARCH64)/llib-lstmf.ln
105 file path=usr/lib/libstmf.so.1
106 file path=usr/lib/libstmfproxy.so.1
107 file path=usr/lib/llib-lstmf
108 file path=usr/lib/llib-lstmf.ln
109 $(BUILD64)file path=usr/lib/kvm/$(ARCH64)/stmf.so group=sys mode=0555
110 $(BUILD64)file path=usr/lib/kvm/$(ARCH64)/stmf_sbd.so group=sys mode=0555
81 file path=usr/lib/kvm/$(ARCH64)/stmf.so group=sys mode=0555
82 file path=usr/lib/kvm/$(ARCH64)/stmf_sbd.so group=sys mode=0555
111 $(i386_ONLY)file path=usr/lib/kvm/stmf.so group=sys mode=0555
112 $(i386_ONLY)file path=usr/lib/kvm/stmf_sbd.so group=sys mode=0555
113 file path=usr/sbin/sbdadm mode=0555
114 file path=usr/sbin/stmfadm mode=0555
115 file path=usr/share/man/man1m/sbdadm.lm
116 file path=usr/share/man/man1m/stmfadm.lm
117 file path=usr/share/man/man3lib/libstmf.3lib
118 file path=usr/share/man/man3stmf/stmfAddToHostGroup.3stmf
119 file path=usr/share/man/man3stmf/stmfAddToTargetGroup.3stmf
120 file path=usr/share/man/man3stmf/stmfAddViewEntry.3stmf
```

```
121 file path=usr/share/man/man3stmf/stmfClearProviderData.3stmf
122 file path=usr/share/man/man3stmf/stmfCreateHostGroup.3stmf
123 file path=usr/share/man/man3stmf/stmfCreateLu.3stmf
124 file path=usr/share/man/man3stmf/stmfCreateLuResource.3stmf
125 file path=usr/share/man/man3stmf/stmfCreateTargetGroup.3stmf
126 file path=usr/share/man/man3stmf/stmfDeleteHostGroup.3stmf
127 file path=usr/share/man/man3stmf/stmfDeleteLu.3stmf
128 file path=usr/share/man/man3stmf/stmfDeleteTargetGroup.3stmf
129 file path=usr/share/man/man3stmf/stmfDevidFromIscsiName.3stmf
130 file path=usr/share/man/man3stmf/stmfDevidFromWwn.3stmf
131 file path=usr/share/man/man3stmf/stmfFreeLuResource.3stmf
132 file path=usr/share/man/man3stmf/stmfFreeMemory.3stmf
133 file path=usr/share/man/man3stmf/stmfGetHostGroupList.3stmf
134 file path=usr/share/man/man3stmf/stmfGetHostGroupMembers.3stmf
135 file path=usr/share/man/man3stmf/stmfGetLogicalUnitList.3stmf
136 file path=usr/share/man/man3stmf/stmfGetLogicalUnitProperties.3stmf
137 file path=usr/share/man/man3stmf/stmfGetLuResource.3stmf
138 file path=usr/share/man/man3stmf/stmfGetPersistMethod.3stmf
139 file path=usr/share/man/man3stmf/stmfGetProviderData.3stmf
140 file path=usr/share/man/man3stmf/stmfGetProviderDataProt.3stmf
141 file path=usr/share/man/man3stmf/stmfGetState.3stmf
142 file path=usr/share/man/man3stmf/stmfGetTargetGroupList.3stmf
143 file path=usr/share/man/man3stmf/stmfGetTargetGroupMembers.3stmf
144 file path=usr/share/man/man3stmf/stmfGetTargetList.3stmf
145 file path=usr/share/man/man3stmf/stmfGetTargetProperties.3stmf
146 file path=usr/share/man/man3stmf/stmfGetViewEntryList.3stmf
147 file path=usr/share/man/man3stmf/stmfModifyLu.3stmf
148 file path=usr/share/man/man3stmf/stmfOfflineLogicalUnit.3stmf
149 file path=usr/share/man/man3stmf/stmfOfflineTarget.3stmf
150 file path=usr/share/man/man3stmf/stmfOnlineLogicalUnit.3stmf
151 file path=usr/share/man/man3stmf/stmfOnlineTarget.3stmf
152 file path=usr/share/man/man3stmf/stmfRemoveFromHostGroup.3stmf
153 file path=usr/share/man/man3stmf/stmfRemoveFromTargetGroup.3stmf
154 file path=usr/share/man/man3stmf/stmfRemoveViewEntry.3stmf
155 file path=usr/share/man/man3stmf/stmfSetLuProp.3stmf
156 file path=usr/share/man/man3stmf/stmfSetPersistMethod.3stmf
157 file path=usr/share/man/man3stmf/stmfSetProviderData.3stmf
158 file path=usr/share/man/man3stmf/stmfSetProviderDataProt.3stmf
159 legacy pkg=SUNWstmf desc="Sun Common Multiprotocol SCSI Target device drivers" \
160     name="Sun Common Multiprotocol SCSI Target"
161 legacy pkg=SUNWstmfu \
162     desc="Sun Common Multiprotocol SCSI Target Libraries and Tools" \
163     name="Sun Common Multiprotocol SCSI Target Libraries and Tools"
164 license cr_Sun license=cr_Sun
165 license lic_CDDL license=lic_CDDL
166 $(BUILD64)link path=usr/lib/$(ARCH64)/libstmf.so target=libstmf.so.1
167 $(BUILD64)link path=usr/lib/$(ARCH64)/libstmfproxy.so target=libstmfproxy.so.1
168 link path=usr/lib/$(ARCH64)/libstmf.so target=libstmf.so.1
169 link path=usr/lib/$(ARCH64)/libstmfproxy.so target=libstmfproxy.so.1
170 link path=usr/share/man/man3stmf/stmfGetLuProp.3stmf \
171     target=stmfSetLuProp.3stmf
172 link path=usr/share/man/man3stmf/stmfModifyLuByFname.3stmf \
173     target=stmfModifyLu.3stmf
```

new/usr/src/pkg/manifests/system-boot-wanboot-internal.mf

1

```
*****
2325 Fri Apr 11 13:24:13 2014
new/usr/src/pkg/manifests/system-boot-wanboot-internal.mf
1681 support for BUILD64=# no longer works
*****
```

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/boot/wanboot/internal@$(PKGVERS)
30 set name=pkg.description value="Solaris WAN boot internal"
31 set name=pkg.summary value="WAN boot internal"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/lib
37 file path=usr/include/boot_http.h
38 file path=usr/include/bootinfo.h
39 file path=usr/include/bootlog.h
40 file path=usr/include/netboot_paths.h
41 file path=usr/include/pl2access.h
42 file path=usr/include/pl2aux.h
43 file path=usr/include/pl2err.h
44 file path=usr/include/parseURL.h
45 file path=usr/include/wanboot_conf.h
46 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lwanboot.ln
47 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lwanbootutil.ln
25 file path=usr/lib/$(ARCH64)/llib-lwanboot.ln
26 file path=usr/lib/$(ARCH64)/llib-lwanbootutil.ln
48 file path=usr/lib/llib-lwanboot
49 file path=usr/lib/llib-lwanboot.ln
50 file path=usr/lib/llib-lwanbootutil
51 file path=usr/lib/llib-lwanbootutil.ln
52 legacy pkg=SUNWwbint desc="Solaris WAN boot internal" name="WAN boot internal"
53 license cr_Sun license=cr_Sun
54 license lic_CDDL license=lic_CDDL
55 $(BUILD64)link path=usr/lib/$(ARCH64)/libwanboot.so target=./libwanboot.so.1
56 $(BUILD64)link path=usr/lib/$(ARCH64)/libwanbootutil.so \
57     target=./libwanbootutil.so.1
34 link path=usr/lib/$(ARCH64)/libwanboot.so target=./libwanboot.so.1
35 link path=usr/lib/$(ARCH64)/libwanbootutil.so target=./libwanbootutil.so.1
```

new/usr/src/pkg/manifests/system-boot-wanboot-internal.mf

2

```
58 link path=usr/lib/libwanboot.so target=./libwanboot.so.1
59 link path=usr/lib/libwanbootutil.so target=./libwanbootutil.so.1
```

new/usr/src/pkg/manifests/system-boot-wanboot.mf

1

```
*****
2627 Fri Apr 11 13:24:14 2014
new/usr/src/pkg/manifests/system-boot-wanboot.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/boot/wanboot@$(PKGVERS)
30 set name=pkg.description value="Solaris WAN boot support"
31 set name=pkg.summary value="WAN boot support"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 dir path=usr/lib/abi
37 dir path=usr/lib/inet
38 dir path=usr/lib/inet/wanboot
39 dir path=usr/sbin
40 dir path=usr/share/man/man1m
41 $(BUILD64)file path=usr/lib/$(ARCH64)/libwanboot.so.1
42 $(BUILD64)file path=usr/lib/$(ARCH64)/libwanbootutil.so.1
43 file path=usr/lib/$(ARCH64)/libwanboot.so.1
44 file path=usr/lib/$(ARCH64)/libwanbootutil.so.1
45 file path=usr/lib/inet/wanboot/bootlog-cgi mode=0555
46 file path=usr/lib/inet/wanboot/encr mode=0555
47 file path=usr/lib/inet/wanboot/hmac mode=0555
48 file path=usr/lib/inet/wanboot/ickey mode=0555
49 file path=usr/lib/inet/wanboot/keygen mode=0555
50 file path=usr/lib/inet/wanboot/keygmt mode=0555
51 file path=usr/lib/inet/wanboot/netbootinfo mode=0555
52 file path=usr/lib/inet/wanboot/pl2split mode=0555
53 file path=usr/lib/inet/wanboot/wanboot-cgi mode=0555
54 file path=usr/lib/libwanboot.so.1
55 file path=usr/lib/libwanbootutil.so.1
56 file path=usr/sbin/bootconfchk mode=0555
57 file path=usr/sbin/wanbootutil mode=0555
58 file path=usr/share/man/man1m/bootconfchk.1m
59 file path=usr/share/man/man1m/ickey.1m
60 file path=usr/share/man/man1m/wanboot_keygen.1m
61 file path=usr/share/man/man1m/wanboot_keygmt.1m
```

new/usr/src/pkg/manifests/system-boot-wanboot.mf

2

```
60 file path=usr/share/man/man1m/wanboot_pl2split.1m
61 file path=usr/share/man/man1m/wanbootutil.1m
62 legacy pkg=SUNWwbsup desc="Solaris WAN boot support" name="WAN boot support"
63 license cr_Sun license=cr_Sun
64 license lic_CDDL license=lic_CDDL
65 license usr/src/common/openssl/LICENSE license=usr/src/common/openssl/LICENSE
```

new/usr/src/pkg/manifests/system-dtrace-tests.mf

1

```
*****
123906 Fri Apr 11 13:24:14 2014
new/usr/src/pkg/manifests/system-dtrace-tests.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012, 2014 by Delphix. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/dtrace/tests@$(PKGVERS)
30 set name=pkg.description value="DTrace Test Suite Internal Distribution"
31 set name=pkg.summary value="DTrace Test Suite"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=opt/SUNWdtrt group=sys
36 dir path=opt/SUNWdtrt/bin
37 dir path=opt/SUNWdtrt/bin/$(ARCH32)
38 $(BUILD64)dir path=opt/SUNWdtrt/bin/$(ARCH64)
25 dir path=opt/SUNWdtrt/bin/$(ARCH64)
39 dir path=opt/SUNWdtrt/lib
40 dir path=opt/SUNWdtrt/lib/java
41 dir path=opt/SUNWdtrt/tst
42 dir path=opt/SUNWdtrt/tst/$(ARCH)
43 dir path=opt/SUNWdtrt/tst/$(ARCH)/arrays
44 $(i386_ONLY)dir path=opt/SUNWdtrt/tst/$(ARCH)/funcs
45 dir path=opt/SUNWdtrt/tst/$(ARCH)/pid
46 $(sparc_ONLY)dir path=opt/SUNWdtrt/tst/$(ARCH)/usdt
47 dir path=opt/SUNWdtrt/tst/$(ARCH)/ustack
48 dir path=opt/SUNWdtrt/tst/common
49 dir path=opt/SUNWdtrt/tst/common/aggs
50 dir path=opt/SUNWdtrt/tst/common/arithmetic
51 dir path=opt/SUNWdtrt/tst/common/arrays
52 dir path=opt/SUNWdtrt/tst/common/assocs
53 dir path=opt/SUNWdtrt/tst/common/begin
54 dir path=opt/SUNWdtrt/tst/common/bitfields
55 dir path=opt/SUNWdtrt/tst/common/buffering
56 dir path=opt/SUNWdtrt/tst/common/builtinvar
57 dir path=opt/SUNWdtrt/tst/common/cg
58 dir path=opt/SUNWdtrt/tst/common/clauses
59 dir path=opt/SUNWdtrt/tst/common/cpc
60 dir path=opt/SUNWdtrt/tst/common/decls
```

new/usr/src/pkg/manifests/system-dtrace-tests.mf

2

```
61 dir path=opt/SUNWdtrt/tst/common/drops
62 dir path=opt/SUNWdtrt/tst/common/dtraceUtil
63 dir path=opt/SUNWdtrt/tst/common/end
64 dir path=opt/SUNWdtrt/tst/common/enum
65 dir path=opt/SUNWdtrt/tst/common/env
66 dir path=opt/SUNWdtrt/tst/common/error
67 dir path=opt/SUNWdtrt/tst/common/exit
68 dir path=opt/SUNWdtrt/tst/common/fbtprovider
69 dir path=opt/SUNWdtrt/tst/common/funcs
70 dir path=opt/SUNWdtrt/tst/common/grammar
71 dir path=opt/SUNWdtrt/tst/common/include
72 dir path=opt/SUNWdtrt/tst/common/inline
73 dir path=opt/SUNWdtrt/tst/common/io
74 dir path=opt/SUNWdtrt/tst/common/ip
75 dir path=opt/SUNWdtrt/tst/common/java_api
76 dir path=opt/SUNWdtrt/tst/common/json
77 dir path=opt/SUNWdtrt/tst/common/lexer
78 dir path=opt/SUNWdtrt/tst/common/llquantize
79 dir path=opt/SUNWdtrt/tst/common/mdb
80 dir path=opt/SUNWdtrt/tst/common/mib
81 dir path=opt/SUNWdtrt/tst/common/misc
82 dir path=opt/SUNWdtrt/tst/common/multiaggs
83 dir path=opt/SUNWdtrt/tst/common/nfs
84 dir path=opt/SUNWdtrt/tst/common/offsetof
85 dir path=opt/SUNWdtrt/tst/common/operators
86 dir path=opt/SUNWdtrt/tst/common/pid
87 dir path=opt/SUNWdtrt/tst/common/plockstat
88 dir path=opt/SUNWdtrt/tst/common/pointers
89 dir path=opt/SUNWdtrt/tst/common/pragma
90 dir path=opt/SUNWdtrt/tst/common/predicates
91 dir path=opt/SUNWdtrt/tst/common/preprocessor
92 dir path=opt/SUNWdtrt/tst/common/print
93 dir path=opt/SUNWdtrt/tst/common/printa
94 dir path=opt/SUNWdtrt/tst/common/printf
95 dir path=opt/SUNWdtrt/tst/common/privs
96 dir path=opt/SUNWdtrt/tst/common/probes
97 dir path=opt/SUNWdtrt/tst/common/proc
98 dir path=opt/SUNWdtrt/tst/common/profile-n
99 dir path=opt/SUNWdtrt/tst/common/providers
100 dir path=opt/SUNWdtrt/tst/common/raise
101 dir path=opt/SUNWdtrt/tst/common/rates
102 dir path=opt/SUNWdtrt/tst/common/safety
103 dir path=opt/SUNWdtrt/tst/common/scalars
104 dir path=opt/SUNWdtrt/tst/common/sched
105 dir path=opt/SUNWdtrt/tst/common/scripting
106 dir path=opt/SUNWdtrt/tst/common/sdt
107 dir path=opt/SUNWdtrt/tst/common/sizeof
108 dir path=opt/SUNWdtrt/tst/common/speculation
109 dir path=opt/SUNWdtrt/tst/common/stability
110 dir path=opt/SUNWdtrt/tst/common/stack
111 dir path=opt/SUNWdtrt/tst/common/stackdepth
112 dir path=opt/SUNWdtrt/tst/common/stop
113 dir path=opt/SUNWdtrt/tst/common/strlen
114 dir path=opt/SUNWdtrt/tst/common/strtoll
115 dir path=opt/SUNWdtrt/tst/common/struct
116 dir path=opt/SUNWdtrt/tst/common/syscall
117 dir path=opt/SUNWdtrt/tst/common/sysevent
118 dir path=opt/SUNWdtrt/tst/common/tick-n
119 dir path=opt/SUNWdtrt/tst/common/trace
120 dir path=opt/SUNWdtrt/tst/common/tracemem
121 dir path=opt/SUNWdtrt/tst/common/translators
122 dir path=opt/SUNWdtrt/tst/common/typedef
123 dir path=opt/SUNWdtrt/tst/common/types
124 dir path=opt/SUNWdtrt/tst/common/uctf
125 dir path=opt/SUNWdtrt/tst/common/union
126 dir path=opt/SUNWdtrt/tst/common/usdt
```

```

127 dir path=opt/SUNWdtrt/tst/common/ustack
128 dir path=opt/SUNWdtrt/tst/common/vars
129 dir path=opt/SUNWdtrt/tst/common/version
130 $(i386_ONLY)dir path=opt/SUNWdtrt/tst/i86xpv
131 $(i386_ONLY)dir path=opt/SUNWdtrt/tst/i86xpv/xdt
132 file path=opt/SUNWdtrt/README mode=0444
133 file path=opt/SUNWdtrt/bin/$(ARCH32)/chkargs mode=0555
134 $(BUILDK64)file path=opt/SUNWdtrt/bin/$(ARCH64)/chkargs mode=0555
121 file path=opt/SUNWdtrt/bin/$(ARCH64)/chkargs mode=0555
135 file path=opt/SUNWdtrt/bin/baddof mode=0555
136 file path=opt/SUNWdtrt/bin/badioctl mode=0555
137 file path=opt/SUNWdtrt/bin/chkargs mode=0555
138 file path=opt/SUNWdtrt/bin/dstyle mode=0555
139 file path=opt/SUNWdtrt/bin/dtest mode=0555
140 file path=opt/SUNWdtrt/bin/dtfailures mode=0555
141 file path=opt/SUNWdtrt/bin/exception.lst mode=0444
142 file path=opt/SUNWdtrt/bin/jdtrace mode=0555
143 file path=opt/SUNWdtrt/lib/java/jdtrace.jar
144 file path=opt/SUNWdtrt/tst/$(ARCH)/arrays/tst.uregsarray.d mode=0444
145 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/funcs/tst.badcopyin.d mode=0444
146 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/funcs/tst.badcopyinstr.d \
147 mode=0444
148 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/funcs/tst.badcopyout.d \
149 mode=0444
150 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/funcs/tst.badcopyoutstr.d \
151 mode=0444
152 $(sparc_ONLY)file \
153 path=opt/SUNWdtrt/tst/$(ARCH)/pid/err.D_PROC_ALIGN.misaligned.d mode=0444
154 $(sparc_ONLY)file \
155 path=opt/SUNWdtrt/tst/$(ARCH)/pid/err.D_PROC_ALIGN.misaligned.exe \
156 mode=0555
157 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.badinstr.d mode=0444
158 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.badinstr.exe mode=0555
159 $(sparc_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.br.d mode=0444
160 $(sparc_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.br.d.out mode=0444
161 $(sparc_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.br.exe mode=0555
162 file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.branch.d mode=0444
163 file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.branch.exe mode=0555
164 file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.embedded.d mode=0444
165 file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.embedded.exe mode=0555
166 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.ret.d mode=0444
167 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.ret.exe mode=0555
168 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.retlist.exe mode=0555
169 $(i386_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/pid/tst.retlist.ksh mode=0444
170 $(sparc_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/usdt/tst.tailcall.ksh \
171 mode=0444
172 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.annotated.d mode=0444
173 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.annotated.d.out mode=0444
174 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.annotated.exe mode=0555
175 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.circstack.d mode=0444
176 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.circstack.exe mode=0555
177 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.helper.d mode=0444
178 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.helper.d.out mode=0444
179 file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.helper.exe mode=0555
180 $(sparc_ONLY)file path=opt/SUNWdtrt/tst/$(ARCH)/ustack/tst.trapstat.ksh \
181 mode=0444
182 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_FUNC.bad.d mode=0444
183 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_MDIM.bad.d mode=0444
184 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_NULL.bad.d mode=0444
185 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_REDEF.redef.d mode=0444
186 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.avgttoofew.d mode=0444
187 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.maxnoarg.d mode=0444
188 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.minttoofew.d mode=0444
189 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.quantizetoofew.d \
190 mode=0444
191 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.stddvetoofew.d \

```

```

192 mode=0444
193 file path=opt/SUNWdtrt/tst/common/aggs/err.D_AGG_SCALAR.sumtoofew.d mode=0444
194 file path=opt/SUNWdtrt/tst/common/aggs/err.D_CLEAR_AGGARG.bad.d mode=0444
195 file path=opt/SUNWdtrt/tst/common/aggs/err.D_CLEAR_PROTO.bad.d mode=0444
196 file path=opt/SUNWdtrt/tst/common/aggs/err.D_FUNC_IDENT.bad.d mode=0444
197 file path=opt/SUNWdtrt/tst/common/aggs/err.D_FUNC_UNDEF.badaggfunc.d mode=0444
198 file path=opt/SUNWdtrt/tst/common/aggs/err.D_IDENT_UNDEF.badexpr.d mode=0444
199 file path=opt/SUNWdtrt/tst/common/aggs/err.D_IDENT_UNDEF.badkey3.d mode=0444
200 file path=opt/SUNWdtrt/tst/common/aggs/err.D_IDENT_UNDEF.noeffect.d mode=0444
201 file path=opt/SUNWdtrt/tst/common/aggs/err.D_KEY_TYPE.badkey1.d mode=0444
202 file path=opt/SUNWdtrt/tst/common/aggs/err.D_KEY_TYPE.badkey2.d mode=0444
203 file path=opt/SUNWdtrt/tst/common/aggs/err.D_KEY_TYPE.badkey4.d mode=0444
204 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_BASETYPE.lqbad1.d \
205 mode=0444
206 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_BASETYPE.lqshort.d \
207 mode=0444
208 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_BASEVAL.bad.d mode=0444
209 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_LIMTYPE.lqbad1.d mode=0444
210 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_LIMVAL.bad.d mode=0444
211 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MATCHBASE.d mode=0444
212 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MATCHBASE.order.d \
213 mode=0444
214 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MATCHLIM.d mode=0444
215 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MATCHLIM.order.d mode=0444
216 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MATCHSTEP.d mode=0444
217 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_MISMATCH.lqbadarg.d \
218 mode=0444
219 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_STEPLARGE.lqtoofew.d \
220 mode=0444
221 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_STEPSMALL.bad.d mode=0444
222 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_STEPTYPE.lqbadinc.d \
223 mode=0444
224 file path=opt/SUNWdtrt/tst/common/aggs/err.D_LQUANT_STEPVAL.bad.d mode=0444
225 file path=opt/SUNWdtrt/tst/common/aggs/err.D_NORMALIZE_AGGARG.bad.d mode=0444
226 file path=opt/SUNWdtrt/tst/common/aggs/err.D_NORMALIZE_PROTO.bad.d mode=0444
227 file path=opt/SUNWdtrt/tst/common/aggs/err.D_NORMALIZE_SCALAR.bad.d mode=0444
228 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_ARG.lquantizetoofew.d \
229 mode=0444
230 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.avgnoarg.d mode=0444
231 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.avgtoomany.d mode=0444
232 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.counttoomany.d \
233 mode=0444
234 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.lquantizenoarg.d \
235 mode=0444
236 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.lquantizetoomany.d \
237 mode=0444
238 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.maxnoarg.d mode=0444
239 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.maxtoomany.d mode=0444
240 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.minnoarg.d mode=0444
241 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.mintoomany.d mode=0444
242 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.quantizenoarg.d \
243 mode=0444
244 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.quantizetoomany.d \
245 mode=0444
246 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.stddvnoarg.d mode=0444
247 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.stddvtoomany.d \
248 mode=0444
249 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.sumnoarg.d mode=0444
250 file path=opt/SUNWdtrt/tst/common/aggs/err.D_PROTO_LEN.sumtoomany.d mode=0444
251 file path=opt/SUNWdtrt/tst/common/aggs/err.D_TRUNC_AGGARG.bad.d mode=0444
252 file path=opt/SUNWdtrt/tst/common/aggs/err.D_TRUNC_PROTO.badmany.d mode=0444
253 file path=opt/SUNWdtrt/tst/common/aggs/err.D_TRUNC_PROTO.badnone.d mode=0444
254 file path=opt/SUNWdtrt/tst/common/aggs/err.D_TRUNC_SCALAR.bad.d mode=0444
255 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggencoding.d mode=0444
256 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggencoding.d.out mode=0444
257 file path=opt/SUNWdtrt/tst/common/aggs/tst.agghist.d mode=0444

```

```

258 file path=opt/SUNWdtrt/tst/common/aggs/tst.agghist.d.out mode=0444
259 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpck.d mode=0444
260 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpck.d.out mode=0444
261 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpckbanner.ksh mode=0444
262 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpckbanner.ksh.out mode=0444
263 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpckzoom.d mode=0444
264 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggpckzoom.d.out mode=0444
265 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggzoom.d mode=0444
266 file path=opt/SUNWdtrt/tst/common/aggs/tst.aggzoom.d.out mode=0444
267 file path=opt/SUNWdtrt/tst/common/aggs/tst.allquant.d mode=0444
268 file path=opt/SUNWdtrt/tst/common/aggs/tst.allquant.d.out mode=0444
269 file path=opt/SUNWdtrt/tst/common/aggs/tst.avg.d mode=0444
270 file path=opt/SUNWdtrt/tst/common/aggs/tst.avg.d.out mode=0444
271 file path=opt/SUNWdtrt/tst/common/aggs/tst.avg_neg.d mode=0444
272 file path=opt/SUNWdtrt/tst/common/aggs/tst.avg_neg.d.out mode=0444
273 file path=opt/SUNWdtrt/tst/common/aggs/tst.clear.d mode=0444
274 file path=opt/SUNWdtrt/tst/common/aggs/tst.clear.d.out mode=0444
275 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearavg.d mode=0444
276 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearavg.d.out mode=0444
277 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearavg2.d mode=0444
278 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearavg2.d.out mode=0444
279 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearnormalize.d mode=0444
280 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearnormalize.d.out mode=0444
281 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearquantize.d mode=0444
282 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearquantize.d.out mode=0444
283 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearnormalize.d mode=0444
284 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearnormalize.d.out mode=0444
285 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearstdev.d mode=0444
286 file path=opt/SUNWdtrt/tst/common/aggs/tst.clearstdev.d.out mode=0444
287 file path=opt/SUNWdtrt/tst/common/aggs/tst.count.d mode=0444
288 file path=opt/SUNWdtrt/tst/common/aggs/tst.count.d.out mode=0444
289 file path=opt/SUNWdtrt/tst/common/aggs/tst.count2.d mode=0444
290 file path=opt/SUNWdtrt/tst/common/aggs/tst.count2.d.out mode=0444
291 file path=opt/SUNWdtrt/tst/common/aggs/tst.count3.d mode=0444
292 file path=opt/SUNWdtrt/tst/common/aggs/tst.denormalize.d mode=0444
293 file path=opt/SUNWdtrt/tst/common/aggs/tst.denormalize.d.out mode=0444
294 file path=opt/SUNWdtrt/tst/common/aggs/tst.denormalizeonly.d mode=0444
295 file path=opt/SUNWdtrt/tst/common/aggs/tst.denormalizeonly.d.out mode=0444
296 file path=opt/SUNWdtrt/tst/common/aggs/tst.fmtnormalize.d mode=0444
297 file path=opt/SUNWdtrt/tst/common/aggs/tst.fmtnormalize.d.out mode=0444
298 file path=opt/SUNWdtrt/tst/common/aggs/tst.forms.d mode=0444
299 file path=opt/SUNWdtrt/tst/common/aggs/tst.forms.d.out mode=0444
300 file path=opt/SUNWdtrt/tst/common/aggs/tst.goodkey.d mode=0444
301 file path=opt/SUNWdtrt/tst/common/aggs/tst.keysort.d mode=0444
302 file path=opt/SUNWdtrt/tst/common/aggs/tst.keysort.d.out mode=0444
303 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantize.d mode=0444
304 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantize.d.out mode=0444
305 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantnormal.d mode=0444
306 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantnormal.d.out mode=0444
307 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquanrange.d mode=0444
308 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquanrange.d.out mode=0444
309 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantround.d mode=0444
310 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantround.d.out mode=0444
311 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantzero.d mode=0444
312 file path=opt/SUNWdtrt/tst/common/aggs/tst.lquantzero.d.out mode=0444
313 file path=opt/SUNWdtrt/tst/common/aggs/tst.max.d mode=0444
314 file path=opt/SUNWdtrt/tst/common/aggs/tst.max.d.out mode=0444
315 file path=opt/SUNWdtrt/tst/common/aggs/tst.max_neg.d mode=0444
316 file path=opt/SUNWdtrt/tst/common/aggs/tst.max_neg.d.out mode=0444
317 file path=opt/SUNWdtrt/tst/common/aggs/tst.min.d mode=0444
318 file path=opt/SUNWdtrt/tst/common/aggs/tst.min.d.out mode=0444
319 file path=opt/SUNWdtrt/tst/common/aggs/tst.min_neg.d mode=0444
320 file path=opt/SUNWdtrt/tst/common/aggs/tst.min_neg.d.out mode=0444
321 file path=opt/SUNWdtrt/tst/common/aggs/tst.multiaggs1.d mode=0444
322 file path=opt/SUNWdtrt/tst/common/aggs/tst.multiaggs2.d mode=0444
323 file path=opt/SUNWdtrt/tst/common/aggs/tst.multiaggs2.d.out mode=0444

```

```

324 file path=opt/SUNWdtrt/tst/common/aggs/tst.multiaggs3.d mode=0444
325 file path=opt/SUNWdtrt/tst/common/aggs/tst.multiaggs3.d.out mode=0444
326 file path=opt/SUNWdtrt/tst/common/aggs/tst.multinormalize.d mode=0444
327 file path=opt/SUNWdtrt/tst/common/aggs/tst.multinormalize.d.out mode=0444
328 file path=opt/SUNWdtrt/tst/common/aggs/tst.neglquant.d mode=0444
329 file path=opt/SUNWdtrt/tst/common/aggs/tst.neglquant.d.out mode=0444
330 file path=opt/SUNWdtrt/tst/common/aggs/tst.negorder.d mode=0444
331 file path=opt/SUNWdtrt/tst/common/aggs/tst.negorder.d.out mode=0444
332 file path=opt/SUNWdtrt/tst/common/aggs/tst.negquant.d mode=0444
333 file path=opt/SUNWdtrt/tst/common/aggs/tst.negquant.d.out mode=0444
334 file path=opt/SUNWdtrt/tst/common/aggs/tst.negtrunc.d mode=0444
335 file path=opt/SUNWdtrt/tst/common/aggs/tst.negtrunc.d.out mode=0444
336 file path=opt/SUNWdtrt/tst/common/aggs/tst.negtruncquant.d mode=0444
337 file path=opt/SUNWdtrt/tst/common/aggs/tst.negtruncquant.d.out mode=0444
338 file path=opt/SUNWdtrt/tst/common/aggs/tst.normalize.d mode=0444
339 file path=opt/SUNWdtrt/tst/common/aggs/tst.normalize.d.out mode=0444
340 file path=opt/SUNWdtrt/tst/common/aggs/tst.order.d mode=0444
341 file path=opt/SUNWdtrt/tst/common/aggs/tst.order.d.out mode=0444
342 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantize.d mode=0444
343 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantize.d.out mode=0444
344 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantmany.d mode=0444
345 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantmany.d.out mode=0444
346 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantround.d mode=0444
347 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantround.d.out mode=0444
348 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantzero.d mode=0444
349 file path=opt/SUNWdtrt/tst/common/aggs/tst.quantzero.d.out mode=0444
350 file path=opt/SUNWdtrt/tst/common/aggs/tst.signature.d mode=0444
351 file path=opt/SUNWdtrt/tst/common/aggs/tst.signedkeys.d mode=0444
352 file path=opt/SUNWdtrt/tst/common/aggs/tst.signedkeys.d.out mode=0444
353 file path=opt/SUNWdtrt/tst/common/aggs/tst.signedkeyspos.d mode=0444
354 file path=opt/SUNWdtrt/tst/common/aggs/tst.signedkeyspos.d.out mode=0444
355 file path=opt/SUNWdtrt/tst/common/aggs/tst.sizedkeys.d mode=0444
356 file path=opt/SUNWdtrt/tst/common/aggs/tst.sizedkeys.d.out mode=0444
357 file path=opt/SUNWdtrt/tst/common/aggs/tst.stddev.d mode=0444
358 file path=opt/SUNWdtrt/tst/common/aggs/tst.stddev.d.out mode=0444
359 file path=opt/SUNWdtrt/tst/common/aggs/tst.subr.d mode=0444
360 file path=opt/SUNWdtrt/tst/common/aggs/tst.sum.d mode=0444
361 file path=opt/SUNWdtrt/tst/common/aggs/tst.sum.d.out mode=0444
362 file path=opt/SUNWdtrt/tst/common/aggs/tst.trunc.d mode=0444
363 file path=opt/SUNWdtrt/tst/common/aggs/tst.trunc.d.out mode=0444
364 file path=opt/SUNWdtrt/tst/common/aggs/tst.trunc0.d mode=0444
365 file path=opt/SUNWdtrt/tst/common/aggs/tst.trunc0.d.out mode=0444
366 file path=opt/SUNWdtrt/tst/common/aggs/tst.truncquant.d mode=0444
367 file path=opt/SUNWdtrt/tst/common/aggs/tst.truncquant.d.out mode=0444
368 file path=opt/SUNWdtrt/tst/common/aggs/tst.valsortkeypos.d mode=0444
369 file path=opt/SUNWdtrt/tst/common/aggs/tst.valsortkeypos.d.out mode=0444
370 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_DIV_ZERO.divby0.d mode=0444
371 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_DIV_ZERO.divby0_1.d \
372 mode=0444
373 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_DIV_ZERO.divby0_2.d \
374 mode=0444
375 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_DIV_ZERO.modby0.d mode=0444
376 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_SYNTAX.admin.d mode=0444
377 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_SYNTAX.divmin.d mode=0444
378 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_SYNTAX.muladd.d mode=0444
379 file path=opt/SUNWdtrt/tst/common/arithmetic/err.D_SYNTAX.muldiv.d mode=0444
380 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.basics.d mode=0444
381 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.basics.d.out mode=0444
382 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.compcast.d mode=0444
383 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.compcast.d.out mode=0444
384 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.comp narrow assign.d mode=0444
385 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.comp narrow assign.d.out \
386 mode=0444
387 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.execcast.d mode=0444
388 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.execcast.d.out mode=0444
389 file path=opt/SUNWdtrt/tst/common/arithmetic/tst.nonarrow.ksh mode=0444

```



```

390 file path=opt/SUNWdtrt/tst/common/arrays/err.D_ARR_BADREF.bad.d mode=0444
391 file path=opt/SUNWdtrt/tst/common/arrays/err.D_DECL_ARRBIG.toobig.d mode=0444
392 file path=opt/SUNWdtrt/tst/common/arrays/err.D_DECL_ARRNULL.bad.d mode=0444
393 file path=opt/SUNWdtrt/tst/common/arrays/err.D_DECL_ARRSUB.bad.d mode=0444
394 file path=opt/SUNWdtrt/tst/common/arrays/err.D_DECL_PROTO_TYPE.badtuple.d \
395 mode=0444
396 file path=opt/SUNWdtrt/tst/common/arrays/err.D_IDENT_UNDEF.badureg.d mode=0444
397 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic1.d mode=0444
398 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic2.d mode=0444
399 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic3.d mode=0444
400 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic4.d mode=0444
401 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic5.d mode=0444
402 file path=opt/SUNWdtrt/tst/common/arrays/tst.basic6.d mode=0444
403 file path=opt/SUNWdtrt/tst/common/arrays/tst.uregsarray.d mode=0444
404 file path=opt/SUNWdtrt/tst/common/assocs/err.D_OP_INCOMPAT.dupgtype.d \
405 mode=0444
406 file path=opt/SUNWdtrt/tst/common/assocs/err.D_OP_INCOMPAT.dupptype.d \
407 mode=0444
408 file path=opt/SUNWdtrt/tst/common/assocs/err.D_OP_INCOMPAT.this.d mode=0444
409 file path=opt/SUNWdtrt/tst/common/assocs/err.D_PROTO_ARG.badsig.d mode=0444
410 file path=opt/SUNWdtrt/tst/common/assocs/err.D_PROTO_LEN.toofew.d mode=0444
411 file path=opt/SUNWdtrt/tst/common/assocs/err.D_PROTO_LEN.toomany.d mode=0444
412 file path=opt/SUNWdtrt/tst/common/assocs/err.D_SYNTAX.errassign.d mode=0444
413 file path=opt/SUNWdtrt/tst/common/assocs/err.D_TUPFLOW.d mode=0444
414 file path=opt/SUNWdtrt/tst/common/assocs/tst.cpyarray.d mode=0444
415 file path=opt/SUNWdtrt/tst/common/assocs/tst.diffprofile.d mode=0444
416 file path=opt/SUNWdtrt/tst/common/assocs/tst.initialize.d mode=0444
417 file path=opt/SUNWdtrt/tst/common/assocs/tst.invalidref.d mode=0444
418 file path=opt/SUNWdtrt/tst/common/assocs/tst.misc.d mode=0444
419 file path=opt/SUNWdtrt/tst/common/assocs/tst.orthogonality.d mode=0444
420 file path=opt/SUNWdtrt/tst/common/assocs/tst.this.d mode=0444
421 file path=opt/SUNWdtrt/tst/common/assocs/tst.valassign.d mode=0444
422 file path=opt/SUNWdtrt/tst/common/begin/err.D_PDESC_ZERO.begin.d mode=0444
423 file path=opt/SUNWdtrt/tst/common/begin/err.D_PDESC_ZERO.tick.d mode=0444
424 file path=opt/SUNWdtrt/tst/common/begin/tst.begin.d mode=0444
425 file path=opt/SUNWdtrt/tst/common/begin/tst.begin.d.out mode=0444
426 file path=opt/SUNWdtrt/tst/common/begin/tst.multibegin.d mode=0444
427 file path=opt/SUNWdtrt/tst/common/begin/tst.multibegin.d.out mode=0444
428 file \
429 path=opt/SUNWdtrt/tst/common/bitfields/err.D_ADDR_OF_BITFIELD.BitfieldAddress
430 mode=0444
431 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_DECL_BFCONST.NegBitField.d \
432 mode=0444
433 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_DECL_BFCONST.ZeroBitField.d \
434 mode=0444
435 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_DECL_BFSIZE.ExceedBaseType.d \
436 mode=0444
437 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_DECL_BFSIZE.GreaterThan64.d \
438 mode=0444
439 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_DECL_BFTYPE.badtype.d \
440 mode=0444
441 file path=opt/SUNWdtrt/tst/common/bitfields/err.D_OFFSET_OF_BITFIELD.d \
442 mode=0444
443 file \
444 path=opt/SUNWdtrt/tst/common/bitfields/err.D_SIZEOF_BITFIELD.SizeofBitfield.
445 mode=0444
446 file path=opt/SUNWdtrt/tst/common/bitfields/tst.BitFieldPromotion.d mode=0444
447 file path=opt/SUNWdtrt/tst/common/bitfields/tst.SizeofBitField.d mode=0444
448 file path=opt/SUNWdtrt/tst/common/buffering/err.end.d mode=0444
449 file path=opt/SUNWdtrt/tst/common/buffering/err.resize1.d mode=0444
450 file path=opt/SUNWdtrt/tst/common/buffering/err.resize2.d mode=0444
451 file path=opt/SUNWdtrt/tst/common/buffering/err.resize3.d mode=0444
452 file path=opt/SUNWdtrt/tst/common/buffering/err.zerobuf.d mode=0444
453 file path=opt/SUNWdtrt/tst/common/buffering/tst.aligning.d mode=0444
454 file path=opt/SUNWdtrt/tst/common/buffering/tst.cputime.ksh mode=0444
455 file path=opt/SUNWdtrt/tst/common/buffering/tst.dynvarsize.d mode=0444

```

```

456 file path=opt/SUNWdtrt/tst/common/buffering/tst.fill1.d mode=0444
457 file path=opt/SUNWdtrt/tst/common/buffering/tst.fill1.d.out mode=0444
458 file path=opt/SUNWdtrt/tst/common/buffering/tst.resize1.d mode=0444
459 file path=opt/SUNWdtrt/tst/common/buffering/tst.resize2.d mode=0444
460 file path=opt/SUNWdtrt/tst/common/buffering/tst.resize3.d mode=0444
461 file path=opt/SUNWdtrt/tst/common/buffering/tst.ring1.d mode=0444
462 file path=opt/SUNWdtrt/tst/common/buffering/tst.ring2.d mode=0444
463 file path=opt/SUNWdtrt/tst/common/buffering/tst.ring2.d.out mode=0444
464 file path=opt/SUNWdtrt/tst/common/buffering/tst.ring3.d mode=0444
465 file path=opt/SUNWdtrt/tst/common/buffering/tst.ring3.d.out mode=0444
466 file path=opt/SUNWdtrt/tst/common/buffering/tst.smallring.d mode=0444
467 file path=opt/SUNWdtrt/tst/common/buffering/tst.switch1.d mode=0444
468 file path=opt/SUNWdtrt/tst/common/buffering/tst.switch1.d.out mode=0444
469 file path=opt/SUNWdtrt/tst/common/builtinvar/err.D_XLATE_NOCONV.cpusage.d \
470 mode=0444
471 file path=opt/SUNWdtrt/tst/common/builtinvar/err.D_XLATE_NOCONV.nice.d \
472 mode=0444
473 file path=opt/SUNWdtrt/tst/common/builtinvar/err.D_XLATE_NOCONV.priority.d \
474 mode=0444
475 file path=opt/SUNWdtrt/tst/common/builtinvar/err.D_XLATE_NOCONV.prsize.d \
476 mode=0444
477 file path=opt/SUNWdtrt/tst/common/builtinvar/err.D_XLATE_NOCONV.rssize.d \
478 mode=0444
479 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.arg0.d mode=0444
480 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.arg0clause.d mode=0444
481 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.arg1.d mode=0444
482 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.arg1to8.d mode=0444
483 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.arg1to8clause.d mode=0444
484 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.caller.d mode=0444
485 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.caller1.d mode=0444
486 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.epid.d mode=0444
487 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.epid1.d mode=0444
488 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.errno.d mode=0444
489 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.errno1.d mode=0444
490 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.execname.d mode=0444
491 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.priority.d mode=0444
492 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.id.d mode=0444
493 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.id1.d mode=0444
494 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.ipl.d mode=0444
495 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.ipl1.d mode=0444
496 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.lwpsinfo.d mode=0444
497 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.lwpsinfo1.d mode=0444
498 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.pid.d mode=0444
499 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.pid1.d mode=0444
500 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.psinfol.d mode=0444
501 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.psinfol1.d mode=0444
502 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.tid.d mode=0444
503 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.tidl.d mode=0444
504 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.timestamp.d mode=0444
505 file path=opt/SUNWdtrt/tst/common/builtinvar/tst.vtimestamp.d mode=0444
506 file path=opt/SUNWdtrt/tst/common/cg/err.D_NOREG.noreg.d mode=0444
507 file path=opt/SUNWdtrt/tst/common/cg/err.baddif.d mode=0444
508 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.aggfun.d mode=0444
509 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.aggtup.d mode=0444
510 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.arrtup.d mode=0444
511 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.body.d mode=0444
512 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.both.d mode=0444
513 file path=opt/SUNWdtrt/tst/common/clauses/err.D_IDENT_UNDEF.pred.d mode=0444
514 file path=opt/SUNWdtrt/tst/common/clauses/tst.nopred.d mode=0444
515 file path=opt/SUNWdtrt/tst/common/clauses/tst.pred.d mode=0444
516 file path=opt/SUNWdtrt/tst/common/clauses/tst.predfirst.d mode=0444
517 file path=opt/SUNWdtrt/tst/common/clauses/tst.predlast.d mode=0444
518 file path=opt/SUNWdtrt/tst/common/cpc/err.D_PDESC_ZERO.lowfrequency.d \
519 mode=0444
520 file path=opt/SUNWdtrt/tst/common/cpc/err.D_PDESC_ZERO.malformedoverflow.d \
521 mode=0444

```

```

522 file path=opt/SUNWdtrt/tst/common/cpc/err.D_PDESC_ZERO.nonexistentevent.d \
523     mode=0444
524 file path=opt/SUNWdtrt/tst/common/cpc/err.cpcvscpustatpart1.ksh mode=0444
525 file path=opt/SUNWdtrt/tst/common/cpc/err.cpcvscpustatpart2.ksh mode=0444
526 file path=opt/SUNWdtrt/tst/common/cpc/err.cputrackfailtostart.ksh mode=0444
527 file path=opt/SUNWdtrt/tst/common/cpc/err.cputrackterminates.ksh mode=0444
528 file path=opt/SUNWdtrt/tst/common/cpc/err.toomanyenablings.d mode=0444
529 file path=opt/SUNWdtrt/tst/common/cpc/tst.allcpus.ksh mode=0444
530 file path=opt/SUNWdtrt/tst/common/cpc/tst.genericevent.d mode=0444
531 file path=opt/SUNWdtrt/tst/common/cpc/tst.platformevent.ksh mode=0444
532 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_LOCLASSC.NonLocalAssoc.d \
533     mode=0444
534 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_LONGINT.LongStruct.d \
535     mode=0444
536 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_PARMCLASS.BadStorageClass.d \
537     mode=0444
538 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_PROTO_NAME.VoidName.d \
539     mode=0444
540 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_PROTO_TYPE.Dyn.d mode=0444
541 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_PROTO_VARARGS.VarLenArgs.d \
542     mode=0444
543 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_PROTO_VOID.NonSoleVoid.d \
544     mode=0444
545 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_SIGNINT.UnsignedStruct.d \
546     mode=0444
547 file path=opt/SUNWdtrt/tst/common/decls/err.D_DECL_VOIDATTR.ShortVoidDecl.d \
548     mode=0444
549 file path=opt/SUNWdtrt/tst/common/decls/tst.arrays.d mode=0444
550 file path=opt/SUNWdtrt/tst/common/decls/tst.basics.d mode=0444
551 file path=opt/SUNWdtrt/tst/common/decls/tst.funcs.d mode=0444
552 file path=opt/SUNWdtrt/tst/common/decls/tst.pointers.d mode=0444
553 file path=opt/SUNWdtrt/tst/common/decls/tst.varargsfuncs.d mode=0444
554 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_AGGREGATION.d mode=0444
555 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_DBLError.d mode=0444
556 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_DYNAMIC.d mode=0444
557 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_PRINCIPAL.d mode=0444
558 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_PRINCIPAL.end.d \
559     mode=0444
560 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_SPEC.d mode=0444
561 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_SPECUNAVAIL.d mode=0444
562 file path=opt/SUNWdtrt/tst/common/drops/drp.DTRACEDROP_STKSTROVERFLOW.d \
563     mode=0444
564 file \
565     path=opt/SUNWdtrt/tst/common/dtraceUtil/err.D_PDESC_ZERO.InvalidDescription1
566     mode=0444
567 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.AddSearchPath.d.ksh mode=0444
568 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.BufsizeGiga.d.ksh mode=0444
569 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.BufsizeKilo.d.ksh mode=0444
570 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.BufsizeMega.d.ksh mode=0444
571 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.BufsizeTera.d.ksh mode=0444
572 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DataModel32.d.ksh mode=0444
573 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DataModel64.d.ksh mode=0444
574 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DefineNameWithCPP.d.ksh \
575     mode=0444
576 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DefineNameWithCPP.d.ksh.out \
577     mode=0444
578 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithFunction.d.ksh \
579     mode=0444
580 file \
581     path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithFunction.d.ksh.out \
582     mode=0444
583 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithID.d.ksh \
584     mode=0444
585 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithID.d.ksh.out \
586     mode=0444
587 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithModule.d.ksh \

```

```

588     mode=0444
589 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithModule.d.ksh.out \
590     mode=0444
591 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithName.d.ksh \
592     mode=0444
593 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithName.d.ksh.out \
594     mode=0444
595 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithProvider.d.ksh \
596     mode=0444
597 file \
598     path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithProvider.d.ksh.out \
599     mode=0444
600 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.DestructWithoutW.d.ksh \
601     mode=0444
602 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ELFGenerationOut.d.ksh \
603     mode=0444
604 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ELFGenerationWithO.d.ksh \
605     mode=0444
606 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ExitStatus1.d.ksh mode=0444
607 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ExitStatus2.d.ksh mode=0444
608 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ExtraneousProbeIds.d.ksh \
609     mode=0444
610 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidFuncName1.d.ksh \
611     mode=0444
612 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidFuncName2.d.ksh \
613     mode=0444
614 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidId1.d.ksh mode=0444
615 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidId2.d.ksh mode=0444
616 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidId3.d.ksh mode=0444
617 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidModule1.d.ksh \
618     mode=0444
619 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidModule2.d.ksh \
620     mode=0444
621 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidModule3.d.ksh \
622     mode=0444
623 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidModule4.d.ksh \
624     mode=0444
625 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidProbeIdentifier.d.ksh \
626     mode=0444
627 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidProvider1.d.ksh \
628     mode=0444
629 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidProvider2.d.ksh \
630     mode=0444
631 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidProvider3.d.ksh \
632     mode=0444
633 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidProvider4.d.ksh \
634     mode=0444
635 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc1.d.ksh \
636     mode=0444
637 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc2.d.ksh \
638     mode=0444
639 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc3.d.ksh \
640     mode=0444
641 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc4.d.ksh \
642     mode=0444
643 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc5.d.ksh \
644     mode=0444
645 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc6.d.ksh \
646     mode=0444
647 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc7.d.ksh \
648     mode=0444
649 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc8.d.ksh \
650     mode=0444
651 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceFunc9.d.ksh \
652     mode=0444
653 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID1.d.ksh \

```

```

654 mode=0444
655 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID2.d.ksh \
656 mode=0444
657 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID3.d.ksh \
658 mode=0444
659 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID4.d.ksh \
660 mode=0444
661 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID5.d.ksh \
662 mode=0444
663 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID6.d.ksh \
664 mode=0444
665 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceID7.d.ksh \
666 mode=0444
667 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule1.d.ksh \
668 mode=0444
669 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule2.d.ksh \
670 mode=0444
671 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule3.d.ksh \
672 mode=0444
673 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule4.d.ksh \
674 mode=0444
675 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule5.d.ksh \
676 mode=0444
677 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule6.d.ksh \
678 mode=0444
679 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule7.d.ksh \
680 mode=0444
681 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceModule8.d.ksh \
682 mode=0444
683 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName1.d.ksh \
684 mode=0444
685 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName2.d.ksh \
686 mode=0444
687 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName3.d.ksh \
688 mode=0444
689 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName4.d.ksh \
690 mode=0444
691 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName5.d.ksh \
692 mode=0444
693 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName6.d.ksh \
694 mode=0444
695 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName7.d.ksh \
696 mode=0444
697 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName8.d.ksh \
698 mode=0444
699 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceName9.d.ksh \
700 mode=0444
701 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceProvider1.d.ksh \
702 mode=0444
703 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceProvider2.d.ksh \
704 mode=0444
705 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceProvider3.d.ksh \
706 mode=0444
707 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceProvider4.d.ksh \
708 mode=0444
709 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.InvalidTraceProvider5.d.ksh \
710 mode=0444
711 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.MultipleInvalidProbeId.d.ksh \
712 mode=0444
713 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.PreprocessorStatement.d.ksh \
714 mode=0444
715 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.QuietMode.d.ksh mode=0444
716 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.QuietMode.d.ksh.out mode=0444
717 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.TestCompile.d.ksh mode=0444
718 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.TestCompile.d.ksh.out \
719 mode=0444

```

```

720 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.UndefineNameWithCPP.d.ksh \
721 mode=0444
722 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroFunctionProbes.d.ksh \
723 mode=0444
724 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroFunctionProbes.d.ksh.out \
725 mode=0444
726 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroModuleProbes.d.ksh \
727 mode=0444
728 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroModuleProbes.d.ksh.out \
729 mode=0444
730 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroNameProbes.d.ksh \
731 mode=0444
732 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroNameProbes.d.ksh.out \
733 mode=0444
734 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroProbeIdentifier.d.ksh \
735 mode=0444
736 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroProbesWithoutZ.d.ksh \
737 mode=0444
738 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroProviderProbes.d.ksh \
739 mode=0444
740 file path=opt/SUNWdtrt/tst/common/dtraceUtil/tst.ZeroProviderProbes.d.ksh.out \
741 mode=0444
742 file path=opt/SUNWdtrt/tst/common/end/err.D_IDENT_UNDEF.timespent.d mode=0444
743 file path=opt/SUNWdtrt/tst/common/end/tst.end.d mode=0444
744 file path=opt/SUNWdtrt/tst/common/end/tst.endwithoutbegin.d mode=0444
745 file path=opt/SUNWdtrt/tst/common/end/tst.multibeginend.d mode=0444
746 file path=opt/SUNWdtrt/tst/common/end/tst.multiend.d mode=0444
747 file path=opt/SUNWdtrt/tst/common/enum/err.D_DECL_IDRED.EnumSameName.d \
748 mode=0444
749 file path=opt/SUNWdtrt/tst/common/enum/err.D_UNKNOWN.RepeatIdentifiers.d \
750 mode=0444
751 file path=opt/SUNWdtrt/tst/common/enum/tst.EnumEquality.d mode=0444
752 file path=opt/SUNWdtrt/tst/common/enum/tst.EnumSameValue.d mode=0444
753 file path=opt/SUNWdtrt/tst/common/enum/tst.EnumValAssign.d mode=0444
754 file path=opt/SUNWdtrt/tst/common/env/err.D_PRAGMA_OPTSET.setfromscript.d \
755 mode=0444
756 file path=opt/SUNWdtrt/tst/common/env/err.D_PRAGMA_OPTSET.unsetfromscript.d \
757 mode=0444
758 file path=opt/SUNWdtrt/tst/common/env/tst.ld_nolazyload.ksh mode=0444
759 file path=opt/SUNWdtrt/tst/common/env/tst.ld_nolazyload.ksh.out mode=0444
760 file path=opt/SUNWdtrt/tst/common/env/tst.setenv1.ksh mode=0444
761 file path=opt/SUNWdtrt/tst/common/env/tst.setenv1.ksh.out mode=0444
762 file path=opt/SUNWdtrt/tst/common/env/tst.setenv2.ksh mode=0444
763 file path=opt/SUNWdtrt/tst/common/env/tst.setenv2.ksh.out mode=0444
764 file path=opt/SUNWdtrt/tst/common/env/tst.unsetenv1.ksh mode=0444
765 file path=opt/SUNWdtrt/tst/common/env/tst.unsetenv1.ksh.out mode=0444
766 file path=opt/SUNWdtrt/tst/common/env/tst.unsetenv2.ksh mode=0444
767 file path=opt/SUNWdtrt/tst/common/env/tst.unsetenv2.ksh.out mode=0444
768 file path=opt/SUNWdtrt/tst/common/error/tst.DTRACEFLT_BADADDR.d mode=0444
769 file path=opt/SUNWdtrt/tst/common/error/tst.DTRACEFLT_DIVZERO.d mode=0444
770 file path=opt/SUNWdtrt/tst/common/error/tst.DTRACEFLT_UNKNOWN.d mode=0444
771 file path=opt/SUNWdtrt/tst/common/error/tst.error.d mode=0444
772 file path=opt/SUNWdtrt/tst/common/error/tst.errorend.d mode=0444
773 file path=opt/SUNWdtrt/tst/common/exit/err.D_PROTO_LEN.noarg.d mode=0444
774 file path=opt/SUNWdtrt/tst/common/exit/err.exitarg1.d mode=0444
775 file path=opt/SUNWdtrt/tst/common/exit/tst.basic1.d mode=0444
776 file path=opt/SUNWdtrt/tst/common/fbtprovider/err.D_PDESC_ZERO.notreturn.d \
777 mode=0444
778 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.basic.d mode=0444
779 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.functionentry.d mode=0444
780 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.functionreturnvalue.d \
781 mode=0444
782 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.ioctlargs.d mode=0444
783 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.offset.d mode=0444
784 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.offsetzero.d mode=0444
785 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.return.d mode=0444

```

```

786 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.return0.d mode=0444
787 file path=opt/SUNWdtrt/tst/common/fbtprovider/tst.tailcall.d mode=0444
788 file path=opt/SUNWdtrt/tst/common/funcs/err.D_FUNC_UNDEF.progenyofbad1.d \
789 mode=0444
790 file path=opt/SUNWdtrt/tst/common/funcs/err.D_OP_VFPTR.badop.d mode=0444
791 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.chillbadarg.d \
792 mode=0444
793 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.copyoutbadarg.d \
794 mode=0444
795 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.mobadarg.d mode=0444
796 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.raisebadarg.d \
797 mode=0444
798 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.tolower.d mode=0444
799 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_ARG.toupper.d mode=0444
800 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.allocaanoarg.d \
801 mode=0444
802 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.badbreakpoint.d \
803 mode=0444
804 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.chilltoofew.d \
805 mode=0444
806 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.chilltoomany.d \
807 mode=0444
808 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.copyoutstrbadarg.d \
809 mode=0444
810 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.copyoutstrtoofew.d \
811 mode=0444
812 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.copyouttoofew.d \
813 mode=0444
814 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.copyouttoomany.d \
815 mode=0444
816 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.motoofew.d mode=0444
817 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.motoomany.d mode=0444
818 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.mtabadarg.d mode=0444
819 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.mtatoofew.d mode=0444
820 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.mtatoomany.d mode=0444
821 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.panicbadarg.d \
822 mode=0444
823 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.progenyofbad2.d \
824 mode=0444
825 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.stopbadarg.d mode=0444
826 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.tolower.d mode=0444
827 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.tolowertoomany.d \
828 mode=0444
829 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.toupper.d mode=0444
830 file path=opt/SUNWdtrt/tst/common/funcs/err.D_PROTO_LEN.touppertoomany.d \
831 mode=0444
832 file path=opt/SUNWdtrt/tst/common/funcs/err.D_STRINGOF_TYPE.badstringof.d \
833 mode=0444
834 file path=opt/SUNWdtrt/tst/common/funcs/err.D_VAR_UNDEF.badvar.d mode=0444
835 file path=opt/SUNWdtrt/tst/common/funcs/err.badalloca.d mode=0444
836 file path=opt/SUNWdtrt/tst/common/funcs/err.badalloca2.d mode=0444
837 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy.d mode=0444
838 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy1.d mode=0444
839 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy2.d mode=0444
840 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy3.d mode=0444
841 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy4.d mode=0444
842 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy5.d mode=0444
843 file path=opt/SUNWdtrt/tst/common/funcs/err.badbcopy6.d mode=0444
844 file path=opt/SUNWdtrt/tst/common/funcs/err.badchill.d mode=0444
845 file path=opt/SUNWdtrt/tst/common/funcs/err.chillbadarg.ksh mode=0444
846 file path=opt/SUNWdtrt/tst/common/funcs/err.copyout.d mode=0444
847 file path=opt/SUNWdtrt/tst/common/funcs/err.copyoutbadaddr.ksh mode=0444
848 file path=opt/SUNWdtrt/tst/common/funcs/err.copyoutstrbadaddr.ksh mode=0444
849 file path=opt/SUNWdtrt/tst/common/funcs/err.inet_ntoa6badaddr.d mode=0444
850 file path=opt/SUNWdtrt/tst/common/funcs/err.inet_ntoabadaddr.d mode=0444
851 file path=opt/SUNWdtrt/tst/common/funcs/err.inet_ntopbadaddr.d mode=0444

```

```

852 file path=opt/SUNWdtrt/tst/common/funcs/err.inet_ntopbadarg.d mode=0444
853 file path=opt/SUNWdtrt/tst/common/funcs/tst.badfreopen.ksh mode=0444
854 file path=opt/SUNWdtrt/tst/common/funcs/tst.basename.d mode=0444
855 file path=opt/SUNWdtrt/tst/common/funcs/tst.basename.d.out mode=0444
856 file path=opt/SUNWdtrt/tst/common/funcs/tst.bcopy.d mode=0444
857 file path=opt/SUNWdtrt/tst/common/funcs/tst.chill.ksh mode=0444
858 file path=opt/SUNWdtrt/tst/common/funcs/tst.cleanpath.d mode=0444
859 file path=opt/SUNWdtrt/tst/common/funcs/tst.cleanpath.d.out mode=0444
860 file path=opt/SUNWdtrt/tst/common/funcs/tst.copyin.d mode=0444
861 file path=opt/SUNWdtrt/tst/common/funcs/tst.copyinto.d mode=0444
862 file path=opt/SUNWdtrt/tst/common/funcs/tst.ddi_pathname.d mode=0444
863 file path=opt/SUNWdtrt/tst/common/funcs/tst.default.d mode=0444
864 file path=opt/SUNWdtrt/tst/common/funcs/tst.freopen.ksh mode=0444
865 file path=opt/SUNWdtrt/tst/common/funcs/tst.freopen.ksh mode=0444
866 file path=opt/SUNWdtrt/tst/common/funcs/tst.ftruncate.ksh.out mode=0444
867 file path=opt/SUNWdtrt/tst/common/funcs/tst.hton.d mode=0444
868 file path=opt/SUNWdtrt/tst/common/funcs/tst.index.d mode=0444
869 file path=opt/SUNWdtrt/tst/common/funcs/tst.index.d.out mode=0444
870 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntoa.d mode=0444
871 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntoa.d.out mode=0444
872 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntoa6.d mode=0444
873 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntoa6.d.out mode=0444
874 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntop.d mode=0444
875 file path=opt/SUNWdtrt/tst/common/funcs/tst.inet_ntop.d.out mode=0444
876 file path=opt/SUNWdtrt/tst/common/funcs/tst.lltostr.d mode=0444
877 file path=opt/SUNWdtrt/tst/common/funcs/tst.lltostr.d.out mode=0444
878 file path=opt/SUNWdtrt/tst/common/funcs/tst.lltostrbase.d mode=0444
879 file path=opt/SUNWdtrt/tst/common/funcs/tst.lltostrbase.d.out mode=0444
880 file path=opt/SUNWdtrt/tst/common/funcs/tst.mutex_owned.d mode=0444
881 file path=opt/SUNWdtrt/tst/common/funcs/tst.mutex_owner.d mode=0444
882 file path=opt/SUNWdtrt/tst/common/funcs/tst.mutex_type_adaptive.d mode=0444
883 file path=opt/SUNWdtrt/tst/common/funcs/tst.progenyof.d mode=0444
884 file path=opt/SUNWdtrt/tst/common/funcs/tst.rand.d mode=0444
885 file path=opt/SUNWdtrt/tst/common/funcs/tst.strchr.d mode=0444
886 file path=opt/SUNWdtrt/tst/common/funcs/tst.strchr.d.out mode=0444
887 file path=opt/SUNWdtrt/tst/common/funcs/tst.strjoin.d mode=0444
888 file path=opt/SUNWdtrt/tst/common/funcs/tst.strjoin.d.out mode=0444
889 file path=opt/SUNWdtrt/tst/common/funcs/tst.strstr.d mode=0444
890 file path=opt/SUNWdtrt/tst/common/funcs/tst.strstr.d.out mode=0444
891 file path=opt/SUNWdtrt/tst/common/funcs/tst.strtok.d mode=0444
892 file path=opt/SUNWdtrt/tst/common/funcs/tst.strtok.d.out mode=0444
893 file path=opt/SUNWdtrt/tst/common/funcs/tst.strtok_null.d mode=0444
894 file path=opt/SUNWdtrt/tst/common/funcs/tst.substr.d mode=0444
895 file path=opt/SUNWdtrt/tst/common/funcs/tst.substr.d.out mode=0444
896 file path=opt/SUNWdtrt/tst/common/funcs/tst.substrminate.d mode=0444
897 file path=opt/SUNWdtrt/tst/common/funcs/tst.substrminate.d.out mode=0444
898 file path=opt/SUNWdtrt/tst/common/funcs/tst.system.d mode=0444
899 file path=opt/SUNWdtrt/tst/common/funcs/tst.system.d.out mode=0444
900 file path=opt/SUNWdtrt/tst/common/funcs/tst.tolower.d mode=0444
901 file path=opt/SUNWdtrt/tst/common/funcs/tst.toupper.d mode=0444
902 file path=opt/SUNWdtrt/tst/common/grammar/err.D_ADDR_OF_LVAL.d mode=0444
903 file path=opt/SUNWdtrt/tst/common/grammar/err.D_EMPTY.empty.d mode=0444
904 file path=opt/SUNWdtrt/tst/common/grammar/tst.clauses.d mode=0444
905 file path=opt/SUNWdtrt/tst/common/grammar/tst.stmts.d mode=0444
906 file path=opt/SUNWdtrt/tst/common/include/tst.includefirst.ksh mode=0444
907 file path=opt/SUNWdtrt/tst/common/inline/err.D_DECL_IDRED.redef1.d mode=0444
908 file path=opt/SUNWdtrt/tst/common/inline/err.D_DECL_IDRED.redef2.d mode=0444
909 file path=opt/SUNWdtrt/tst/common/inline/err.D_IDENT_UNDEF.recur.d mode=0444
910 file path=opt/SUNWdtrt/tst/common/inline/err.D_OP_INCOMPAT.baddef1.d mode=0444
911 file path=opt/SUNWdtrt/tst/common/inline/err.D_OP_INCOMPAT.baddef2.d mode=0444
912 file path=opt/SUNWdtrt/tst/common/inline/err.D_OP_INCOMPAT.badxlate.d \
913 mode=0444
914 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineDataAssign.d mode=0444
915 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineExpression.d mode=0444
916 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineKinds.d mode=0444
917 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineKinds.d.out mode=0444

```

```

918 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineTypedef.d mode=0444
919 file path=opt/SUNWdtrt/tst/common/inline/tst.InlineWritableAssign.d mode=0444
920 file path=opt/SUNWdtrt/tst/common/io/tst.fds.d mode=0444
921 file path=opt/SUNWdtrt/tst/common/io/tst.fds.d.out mode=0444
922 file path=opt/SUNWdtrt/tst/common/io/tst.fds.exe mode=0555
923 file path=opt/SUNWdtrt/tst/common/ip/get.ipv4remote.pl mode=0555
924 file path=opt/SUNWdtrt/tst/common/ip/get.ipv6remote.pl mode=0555
925 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localicmp.ksh mode=0444
926 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localicmp.ksh.out mode=0444
927 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localtcp.ksh mode=0444
928 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localtcp.ksh.out mode=0444
929 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localudp.ksh mode=0444
930 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4localudp.ksh.out mode=0444
931 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remoteicmp.ksh mode=0444
932 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remoteicmp.ksh.out mode=0444
933 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remotetcp.ksh mode=0444
934 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remotetcp.ksh.out mode=0444
935 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remoteudp.ksh mode=0444
936 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv4remoteudp.ksh.out mode=0444
937 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv6localicmp.ksh mode=0444
938 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv6localicmp.ksh.out mode=0444
939 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv6remoteicmp.ksh mode=0444
940 file path=opt/SUNWdtrt/tst/common/ip/tst.ipv6remoteicmp.ksh.out mode=0444
941 file path=opt/SUNWdtrt/tst/common/ip/tst.localcpstate.ksh mode=0444
942 file path=opt/SUNWdtrt/tst/common/ip/tst.localtcpstate.ksh.out mode=0444
943 file path=opt/SUNWdtrt/tst/common/ip/tst.remotetcpstate.ksh mode=0444
944 file path=opt/SUNWdtrt/tst/common/ip/tst.remotetcpstate.ksh.out mode=0444
945 file path=opt/SUNWdtrt/tst/common/java_api/tst.jar
946 file path=opt/SUNWdtrt/tst/common/java_api/tst.Abort.ksh mode=0444
947 file path=opt/SUNWdtrt/tst/common/java_api/tst.Abort.ksh.out mode=0444
948 file path=opt/SUNWdtrt/tst/common/java_api/tst.Bean.ksh mode=0444
949 file path=opt/SUNWdtrt/tst/common/java_api/tst.Bean.ksh.out mode=0444
950 file path=opt/SUNWdtrt/tst/common/java_api/tst.Close.ksh mode=0444
951 file path=opt/SUNWdtrt/tst/common/java_api/tst.Close.ksh.out mode=0444
952 file path=opt/SUNWdtrt/tst/common/java_api/tst.Drop.ksh mode=0444
953 file path=opt/SUNWdtrt/tst/common/java_api/tst.Drop.ksh.out mode=0444
954 file path=opt/SUNWdtrt/tst/common/java_api/tst.Enable.ksh mode=0444
955 file path=opt/SUNWdtrt/tst/common/java_api/tst.Enable.ksh.out mode=0444
956 file path=opt/SUNWdtrt/tst/common/java_api/tst.FunctionLookup.exe mode=0555
957 file path=opt/SUNWdtrt/tst/common/java_api/tst.FunctionLookup.ksh mode=0444
958 file path=opt/SUNWdtrt/tst/common/java_api/tst.FunctionLookup.ksh.out \
959 mode=0444
960 file path=opt/SUNWdtrt/tst/common/java_api/tst.GetAggregate.ksh mode=0444
961 file path=opt/SUNWdtrt/tst/common/java_api/tst.MaxConsumers.ksh mode=0444
962 file path=opt/SUNWdtrt/tst/common/java_api/tst.MaxConsumers.ksh.out mode=0444
963 file path=opt/SUNWdtrt/tst/common/java_api/tst.MultiAggPrinta.ksh mode=0444
964 file path=opt/SUNWdtrt/tst/common/java_api/tst.MultiAggPrinta.ksh.out \
965 mode=0444
966 file path=opt/SUNWdtrt/tst/common/java_api/tst.ProbeData.exe mode=0555
967 file path=opt/SUNWdtrt/tst/common/java_api/tst.ProbeData.ksh mode=0444
968 file path=opt/SUNWdtrt/tst/common/java_api/tst.ProbeData.ksh.out mode=0444
969 file path=opt/SUNWdtrt/tst/common/java_api/tst.ProbeDescription.ksh mode=0444
970 file path=opt/SUNWdtrt/tst/common/java_api/tst.ProbeDescription.ksh.out \
971 mode=0444
972 file path=opt/SUNWdtrt/tst/common/java_api/tst.StateMachine.ksh mode=0444
973 file path=opt/SUNWdtrt/tst/common/java_api/tst.StateMachine.ksh.out mode=0444
974 file path=opt/SUNWdtrt/tst/common/java_api/tst.StopLock.ksh mode=0444
975 file path=opt/SUNWdtrt/tst/common/java_api/tst.StopLock.ksh.out mode=0444
976 file path=opt/SUNWdtrt/tst/common/java_api/tst.printa.d mode=0444
977 file path=opt/SUNWdtrt/tst/common/java_api/tst.printa.d.out mode=0444
978 file path=opt/SUNWdtrt/tst/common/json/tst.general.d mode=0444
979 file path=opt/SUNWdtrt/tst/common/json/tst.general.d.out mode=0444
980 file path=opt/SUNWdtrt/tst/common/json/tst.strsize.d mode=0444
981 file path=opt/SUNWdtrt/tst/common/json/tst.strsize.d.out mode=0444
982 file path=opt/SUNWdtrt/tst/common/json/tst.usdt.d mode=0444
983 file path=opt/SUNWdtrt/tst/common/json/tst.usdt.d.out mode=0444

```

```

984 file path=opt/SUNWdtrt/tst/common/json/tst.usdt.exe mode=0555
985 file path=opt/SUNWdtrt/tst/common/lexer/err.D_CHR_NL.char.d mode=0444
986 file path=opt/SUNWdtrt/tst/common/lexer/err.D_CHR_NULL.char.d mode=0444
987 file path=opt/SUNWdtrt/tst/common/lexer/err.D_INT_DIGIT.InvalidDigit.d \
988 mode=0444
989 file path=opt/SUNWdtrt/tst/common/lexer/err.D_INT_OFLOW.BigInt.d mode=0444
990 file path=opt/SUNWdtrt/tst/common/lexer/err.D_STR_NL.string.d mode=0444
991 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.brace1.d mode=0444
992 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.brace2.d mode=0444
993 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.brack1.d mode=0444
994 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.brack2.d mode=0444
995 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.brack3.d mode=0444
996 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.paren1.d mode=0444
997 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.paren2.d mode=0444
998 file path=opt/SUNWdtrt/tst/common/lexer/err.D_SYNTAX.paren3.d mode=0444
999 file path=opt/SUNWdtrt/tst/common/lexer/tst.D_MACRO_OFLOW.ParIntOvflow.d.ksh \
1000 mode=0444
1001 file \
1002 path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR EVEN.nodivide.d
1003 mode=0444
1004 file \
1005 path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR EVEN.notfactor.d
1006 mode=0444
1007 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR MATCH.d \
1008 mode=0444
1009 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR NSTEPS.d \
1010 mode=0444
1011 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR SMALL.d \
1012 mode=0444
1013 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR TYPE.d \
1014 mode=0444
1015 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_FACTOR VAL.d \
1016 mode=0444
1017 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_HIGH MATCH.d \
1018 mode=0444
1019 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_HIGHTYPE.d \
1020 mode=0444
1021 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_HIGH VAL.d mode=0444
1022 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_LOW MATCH.d \
1023 mode=0444
1024 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_LOWTYPE.d mode=0444
1025 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_LOW VAL.d mode=0444
1026 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_MAGRANGE.d \
1027 mode=0444
1028 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_MAGTOOBIG.d \
1029 mode=0444
1030 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_NSTEP MATCH.d \
1031 mode=0444
1032 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_NSTEP TYPE.d \
1033 mode=0444
1034 file path=opt/SUNWdtrt/tst/common/llquantize/err.D_LLQUANT_NSTEP VAL.d \
1035 mode=0444
1036 file path=opt/SUNWdtrt/tst/common/llquantize/tst.bases.d mode=0444
1037 file path=opt/SUNWdtrt/tst/common/llquantize/tst.bases.d.out mode=0444
1038 file path=opt/SUNWdtrt/tst/common/llquantize/tst.basic.d mode=0444
1039 file path=opt/SUNWdtrt/tst/common/llquantize/tst.basic.d.out mode=0444
1040 file path=opt/SUNWdtrt/tst/common/llquantize/tst.negorder.d mode=0444
1041 file path=opt/SUNWdtrt/tst/common/llquantize/tst.negorder.d.out mode=0444
1042 file path=opt/SUNWdtrt/tst/common/llquantize/tst.negvalue.d mode=0444
1043 file path=opt/SUNWdtrt/tst/common/llquantize/tst.negvalue.d.out mode=0444
1044 file path=opt/SUNWdtrt/tst/common/llquantize/tst.normal.d mode=0444
1045 file path=opt/SUNWdtrt/tst/common/llquantize/tst.normal.d.out mode=0444
1046 file path=opt/SUNWdtrt/tst/common/llquantize/tst.range.d mode=0444
1047 file path=opt/SUNWdtrt/tst/common/llquantize/tst.range.d.out mode=0444
1048 file path=opt/SUNWdtrt/tst/common/llquantize/tst.steps.d mode=0444
1049 file path=opt/SUNWdtrt/tst/common/llquantize/tst.steps.d.out mode=0444

```

```

1050 file path=opt/SUNWdtrt/tst/common/llquantize/tst.trunc.d mode=0444
1051 file path=opt/SUNWdtrt/tst/common/llquantize/tst.trunc.d.out mode=0444
1052 file path=opt/SUNWdtrt/tst/common/mbd/tst.dtracedcmd.ksh mode=0444
1053 file path=opt/SUNWdtrt/tst/common/mib/tst.icmp.ksh mode=0444
1054 file path=opt/SUNWdtrt/tst/common/mib/tst.tcp.ksh mode=0444
1055 file path=opt/SUNWdtrt/tst/common/mib/tst.udp.ksh mode=0444
1056 file path=opt/SUNWdtrt/tst/common/misc/err.D_PRAGMA_OPTSET.d mode=0444
1057 file path=opt/SUNWdtrt/tst/common/misc/tst.badopt.d mode=0444
1058 file path=opt/SUNWdtrt/tst/common/misc/tst.boolopt.d mode=0444
1059 file path=opt/SUNWdtrt/tst/common/misc/tst.boolopt.d.out mode=0444
1060 file path=opt/SUNWdtrt/tst/common/misc/tst.dofmax.ksh mode=0444
1061 file path=opt/SUNWdtrt/tst/common/misc/tst.dynopt.d mode=0444
1062 file path=opt/SUNWdtrt/tst/common/misc/tst.dynopt.d.out mode=0444
1063 file path=opt/SUNWdtrt/tst/common/misc/tst.enablerace.ksh mode=0444
1064 file path=opt/SUNWdtrt/tst/common/misc/tst.haslam.d mode=0444
1065 file path=opt/SUNWdtrt/tst/common/misc/tst.include.ksh mode=0444
1066 file path=opt/SUNWdtrt/tst/common/misc/tst.macroglob.ksh mode=0444
1067 file path=opt/SUNWdtrt/tst/common/misc/tst.macroglob.ksh.out mode=0444
1068 file path=opt/SUNWdtrt/tst/common/misc/tst.roch.d mode=0444
1069 file path=opt/SUNWdtrt/tst/common/misc/tst.schrock.ksh mode=0444
1070 file path=opt/SUNWdtrt/tst/common/multiaggs/err.D_PRINTA_AGGKEY.d mode=0444
1071 file path=opt/SUNWdtrt/tst/common/multiaggs/err.D_PRINTA_AGGPROTO.d mode=0444
1072 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.many.d mode=0444
1073 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.many.d.out mode=0444
1074 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.same.d mode=0444
1075 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.same.d.out mode=0444
1076 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.sort.d mode=0444
1077 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.sort.d.out mode=0444
1078 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.sortpos.d mode=0444
1079 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.sortpos.d.out mode=0444
1080 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.tuplecompat.d mode=0444
1081 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.tuplecompat.d.out mode=0444
1082 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero.d mode=0444
1083 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero.d.out mode=0444
1084 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero2.d mode=0444
1085 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero2.d.out mode=0444
1086 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero3.d mode=0444
1087 file path=opt/SUNWdtrt/tst/common/multiaggs/tst.zero3.d.out mode=0444
1088 file path=opt/SUNWdtrt/tst/common/nfs/tst.call.d mode=0444
1089 file path=opt/SUNWdtrt/tst/common/nfs/tst.call.exe mode=0555
1090 file path=opt/SUNWdtrt/tst/common/nfs/tst.call3.d mode=0444
1091 file path=opt/SUNWdtrt/tst/common/nfs/tst.call3.exe mode=0555
1092 file path=opt/SUNWdtrt/tst/common/offsetof/err.D_OFFSETOF_BITFIELD.bitfield.d \
1093 mode=0444
1094 file path=opt/SUNWdtrt/tst/common/offsetof/err.D_OFFSETOF_TYPE.badtype.d \
1095 mode=0444
1096 file path=opt/SUNWdtrt/tst/common/offsetof/err.D_OFFSETOF_TYPE.notsou.d \
1097 mode=0444
1098 file path=opt/SUNWdtrt/tst/common/offsetof/err.D_UNKNOWN.OffsetofNULL.d \
1099 mode=0444
1100 file path=opt/SUNWdtrt/tst/common/offsetof/err.D_UNKNOWN.badmemb.d mode=0444
1101 file path=opt/SUNWdtrt/tst/common/offsetof/tst.OffsetofAlias.d mode=0444
1102 file path=opt/SUNWdtrt/tst/common/offsetof/tst.OffsetofArith.d mode=0444
1103 file path=opt/SUNWdtrt/tst/common/offsetof/tst.OffsetofUnion.d mode=0444
1104 file path=opt/SUNWdtrt/tst/common/offsetof/tst.struct.d mode=0444
1105 file path=opt/SUNWdtrt/tst/common/offsetof/tst.struct.d.out mode=0444
1106 file path=opt/SUNWdtrt/tst/common/offsetof/tst.union.d mode=0444
1107 file path=opt/SUNWdtrt/tst/common/offsetof/tst.union.d.out mode=0444
1108 file path=opt/SUNWdtrt/tst/common/operators/tst.ternary.d mode=0444
1109 file path=opt/SUNWdtrt/tst/common/operators/tst.ternary.d.out mode=0444
1110 file path=opt/SUNWdtrt/tst/common/pid/err.D_PDESC_ZERO.badlib.d mode=0444
1111 file path=opt/SUNWdtrt/tst/common/pid/err.D_PDESC_ZERO.badlib.exe mode=0555
1112 file path=opt/SUNWdtrt/tst/common/pid/err.D_PDESC_ZERO.badprocl.d mode=0444
1113 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_BADPID.badprocl.d mode=0444
1114 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_CREATEFAIL.many.d mode=0444
1115 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_CREATEFAIL.many.exe mode=0555

```

```

1116 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_FUNC.badfunc.d mode=0444
1117 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_FUNC.badfunc.exe mode=0555
1118 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_LIB.libdash.d mode=0444
1119 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_LIB.libdash.exe mode=0555
1120 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.alldash.d mode=0444
1121 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.alldash.exe mode=0555
1122 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.badname.d mode=0444
1123 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.badname.exe mode=0555
1124 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.globdash.d mode=0444
1125 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_NAME.globdash.exe mode=0555
1126 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_OFF.toobig.d mode=0444
1127 file path=opt/SUNWdtrt/tst/common/pid/err.D_PROC_OFF.toobig.exe mode=0555
1128 file path=opt/SUNWdtrt/tst/common/pid/tst.addprobes.ksh mode=0444
1129 file path=opt/SUNWdtrt/tst/common/pid/tst.args1.d mode=0444
1130 file path=opt/SUNWdtrt/tst/common/pid/tst.args1.exe mode=0555
1131 file path=opt/SUNWdtrt/tst/common/pid/tst.coverage.d mode=0444
1132 file path=opt/SUNWdtrt/tst/common/pid/tst.coverage.exe mode=0555
1133 file path=opt/SUNWdtrt/tst/common/pid/tst.emptystack.d mode=0444
1134 file path=opt/SUNWdtrt/tst/common/pid/tst.emptystack.d.out mode=0444
1135 file path=opt/SUNWdtrt/tst/common/pid/tst.emptystack.exe mode=0555
1136 file path=opt/SUNWdtrt/tst/common/pid/tst.float.d mode=0444
1137 file path=opt/SUNWdtrt/tst/common/pid/tst.float.exe mode=0555
1138 file path=opt/SUNWdtrt/tst/common/pid/tst.fork.d mode=0444
1139 file path=opt/SUNWdtrt/tst/common/pid/tst.fork.exe mode=0555
1140 file path=opt/SUNWdtrt/tst/common/pid/tst.gcc.d mode=0444
1141 file path=opt/SUNWdtrt/tst/common/pid/tst.gcc.exe mode=0555
1142 file path=opt/SUNWdtrt/tst/common/pid/tst.killonerror.ksh mode=0444
1143 file path=opt/SUNWdtrt/tst/common/pid/tst.main.ksh mode=0444
1144 file path=opt/SUNWdtrt/tst/common/pid/tst.manypids.ksh mode=0444
1145 file path=opt/SUNWdtrt/tst/common/pid/tst.newprobes.ksh mode=0444
1146 file path=opt/SUNWdtrt/tst/common/pid/tst.newprobes.ksh.out mode=0444
1147 file path=opt/SUNWdtrt/tst/common/pid/tst.probemod.ksh mode=0444
1148 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex1.ksh mode=0444
1149 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex2.ksh mode=0444
1150 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex2.ksh.out mode=0444
1151 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex3.ksh mode=0444
1152 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex3.ksh.out mode=0444
1153 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex4.ksh mode=0444
1154 file path=opt/SUNWdtrt/tst/common/pid/tst.provregex4.ksh.out mode=0444
1155 file path=opt/SUNWdtrt/tst/common/pid/tst.ret1.exe mode=0444
1156 file path=opt/SUNWdtrt/tst/common/pid/tst.ret1.exe mode=0555
1157 file path=opt/SUNWdtrt/tst/common/pid/tst.ret2.d mode=0444
1158 file path=opt/SUNWdtrt/tst/common/pid/tst.ret2.exe mode=0555
1159 file path=opt/SUNWdtrt/tst/common/pid/tst.utf8probefunc.ksh mode=0444
1160 file path=opt/SUNWdtrt/tst/common/pid/tst.utf8probefunc.ksh.out mode=0444
1161 file path=opt/SUNWdtrt/tst/common/pid/tst.utf8probemod.ksh mode=0444
1162 file path=opt/SUNWdtrt/tst/common/pid/tst.utf8probemod.ksh.out mode=0444
1163 file path=opt/SUNWdtrt/tst/common/pid/tst.vfork.d mode=0444
1164 file path=opt/SUNWdtrt/tst/common/pid/tst.vfork.exe mode=0555
1165 file path=opt/SUNWdtrt/tst/common/pid/tst.weak1.d mode=0444
1166 file path=opt/SUNWdtrt/tst/common/pid/tst.weak1.exe mode=0555
1167 file path=opt/SUNWdtrt/tst/common/pid/tst.weak2.d mode=0444
1168 file path=opt/SUNWdtrt/tst/common/pid/tst.weak2.exe mode=0555
1169 file path=opt/SUNWdtrt/tst/common/plockstat/tst.available.d mode=0444
1170 file path=opt/SUNWdtrt/tst/common/plockstat/tst.available.exe mode=0555
1171 file path=opt/SUNWdtrt/tst/common/plockstat/tst.libmap.d mode=0444
1172 file path=opt/SUNWdtrt/tst/common/plockstat/tst.libmap.exe mode=0555
1173 file path=opt/SUNWdtrt/tst/common/pointers/err.BadAlign.d mode=0444
1174 file path=opt/SUNWdtrt/tst/common/pointers/err.D_ADDROF_VAR.ArrayVar.d \
1175 mode=0444
1176 file path=opt/SUNWdtrt/tst/common/pointers/err.D_ADDROF_VAR.DynamicVar.d \
1177 mode=0444
1178 file path=opt/SUNWdtrt/tst/common/pointers/err.D_ADDROF_VAR.agg.d mode=0444
1179 file path=opt/SUNWdtrt/tst/common/pointers/err.D_DEREF_NONPTR.noptr.d \
1180 mode=0444
1181 file path=opt/SUNWdtrt/tst/common/pointers/err.D_DEREF_VOID.VoidPointerDeref.d \

```

```

1182 mode=0444
1183 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_ARRFUN.ArrayAssignment.d \
1184 mode=0444
1185 file \
1186 path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_INCOMPAT.VoidPointerArith.d \
1187 mode=0444
1188 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_LVAL.AddressChange.d \
1189 mode=0444
1190 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_PTR.NonPointerAccess.d \
1191 mode=0444
1192 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_PTR.badpointer.d mode=0444
1193 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_SOU.BadPointerAccess.d \
1194 mode=0444
1195 file path=opt/SUNWdtrt/tst/common/pointers/err.D_OP_SOU.badpointer.d mode=0444
1196 file path=opt/SUNWdtrt/tst/common/pointers/err.InvalidAddress1.d mode=0444
1197 file path=opt/SUNWdtrt/tst/common/pointers/err.InvalidAddress2.d mode=0444
1198 file path=opt/SUNWdtrt/tst/common/pointers/err.InvalidAddress3.d mode=0444
1199 file path=opt/SUNWdtrt/tst/common/pointers/err.InvalidAddress4.d mode=0444
1200 file path=opt/SUNWdtrt/tst/common/pointers/err.InvalidAddress5.d mode=0444
1201 file path=opt/SUNWdtrt/tst/common/pointers/tst.ArrayPointer1.d mode=0444
1202 file path=opt/SUNWdtrt/tst/common/pointers/tst.ArrayPointer2.d mode=0444
1203 file path=opt/SUNWdtrt/tst/common/pointers/tst.ArrayPointer3.d mode=0444
1204 file path=opt/SUNWdtrt/tst/common/pointers/tst.GlobalVar.d mode=0444
1205 file path=opt/SUNWdtrt/tst/common/pointers/tst.IntegerArithmetic1.d mode=0444
1206 file path=opt/SUNWdtrt/tst/common/pointers/tst.PointerArithmetic1.d mode=0444
1207 file path=opt/SUNWdtrt/tst/common/pointers/tst.PointerArithmetic2.d mode=0444
1208 file path=opt/SUNWdtrt/tst/common/pointers/tst.PointerArithmetic3.d mode=0444
1209 file path=opt/SUNWdtrt/tst/common/pointers/tst.PointerAssignment.d mode=0444
1210 file path=opt/SUNWdtrt/tst/common/pointers/tst.ValidPointer1.d mode=0444
1211 file path=opt/SUNWdtrt/tst/common/pointers/tst.ValidPointer2.d mode=0444
1212 file path=opt/SUNWdtrt/tst/common/pointers/tst.VoidCast.d mode=0444
1213 file path=opt/SUNWdtrt/tst/common/pointers/tst.assigncast1.d mode=0444
1214 file path=opt/SUNWdtrt/tst/common/pointers/tst.assigncast2.d mode=0444
1215 file path=opt/SUNWdtrt/tst/common/pointers/tst.basic1.d mode=0444
1216 file path=opt/SUNWdtrt/tst/common/pointers/tst.basic2.d mode=0444
1217 file path=opt/SUNWdtrt/tst/common/pragma/err.D_PRAGERR.d mode=0444
1218 file path=opt/SUNWdtrt/tst/common/pragma/err.D_PRAGMA_DEPEND.main.d mode=0444
1219 file path=opt/SUNWdtrt/tst/common/pragma/err.D_PRAGMA_INVALID.d mode=0444
1220 file path=opt/SUNWdtrt/tst/common/pragma/err.D_PRAGMA_MALFORM.d mode=0444
1221 file path=opt/SUNWdtrt/tst/common/pragma/err.D_PRAGMA_UNUSED.UnusedPragma.d \
1222 mode=0444
1223 file path=opt/SUNWdtrt/tst/common/pragma/err.circlibdep.ksh mode=0444
1224 file path=opt/SUNWdtrt/tst/common/pragma/err.invalidlibdep.ksh mode=0444
1225 file path=opt/SUNWdtrt/tst/common/pragma/tst.libchain.ksh mode=0444
1226 file path=opt/SUNWdtrt/tst/common/pragma/tst.libdep.ksh mode=0444
1227 file path=opt/SUNWdtrt/tst/common/pragma/tst.libdepfullyconnected.ksh \
1228 mode=0444
1229 file path=opt/SUNWdtrt/tst/common/pragma/tst.libdepsemdir.ksh mode=0444
1230 file path=opt/SUNWdtrt/tst/common/pragma/tst.temporal.ksh mode=0444
1231 file path=opt/SUNWdtrt/tst/common/pragma/tst.temporal2.ksh mode=0444
1232 file path=opt/SUNWdtrt/tst/common/pragma/tst.temporal3.d mode=0444
1233 file path=opt/SUNWdtrt/tst/common/predicates/err.D_PRED_SCALAR.NonScalarPred.d \
1234 mode=0444
1235 file path=opt/SUNWdtrt/tst/common/predicates/err.D_SYNTAX.invalid.d mode=0444
1236 file path=opt/SUNWdtrt/tst/common/predicates/err.D_SYNTAX.operr.d mode=0444
1237 file path=opt/SUNWdtrt/tst/common/predicates/tst.argsnotcached.d mode=0444
1238 file path=opt/SUNWdtrt/tst/common/predicates/tst.basics.d mode=0444
1239 file path=opt/SUNWdtrt/tst/common/predicates/tst.basics.d.out mode=0444
1240 file path=opt/SUNWdtrt/tst/common/predicates/tst.complex.d mode=0444
1241 file path=opt/SUNWdtrt/tst/common/predicates/tst.complex.d.out mode=0444
1242 file path=opt/SUNWdtrt/tst/common/preprocessor/err.D_IDENT_UNDEF.afterprobe.d \
1243 mode=0444
1244 file path=opt/SUNWdtrt/tst/common/preprocessor/err.D_PRAGCTL_INVALID.tabdefine.d \
1245 mode=0444
1246 file path=opt/SUNWdtrt/tst/common/preprocessor/err.D_SYNTAX.withoutpound.d \
1247 mode=0444

```

```

1248 file path=opt/SUNWdtrt/tst/common/preprocessor/err.defincomp.d mode=0444
1249 file path=opt/SUNWdtrt/tst/common/preprocessor/err.ifdefelsenotendif.d \
1250 mode=0444
1251 file path=opt/SUNWdtrt/tst/common/preprocessor/err.ifdefincomp.d mode=0444
1252 file path=opt/SUNWdtrt/tst/common/preprocessor/err.ifdefnotendif.d mode=0444
1253 file path=opt/SUNWdtrt/tst/common/preprocessor/err.incompelse.d mode=0444
1254 file path=opt/SUNWdtrt/tst/common/preprocessor/err.mulelse.d mode=0444
1255 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifdef.d mode=0444
1256 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifdef.d.out mode=0444
1257 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifndef.d mode=0444
1258 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifndef.d.out mode=0444
1259 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifnotdef.d mode=0444
1260 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.ifnotdef.d.out mode=0444
1261 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicaland.d mode=0444
1262 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicaland.d.out mode=0444
1263 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicalandor.d mode=0444
1264 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicalandor.d.out \
1265 mode=0444
1266 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicalor.d mode=0444
1267 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.logicalor.d.out mode=0444
1268 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.muland.d mode=0444
1269 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.muland.d.out mode=0444
1270 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.mulor.d mode=0444
1271 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.mulor.d.out mode=0444
1272 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.precondi.d mode=0444
1273 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.precondi.d.out mode=0444
1274 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.precondid.d.out mode=0444
1275 mode=0444
1276 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexp.d mode=0444
1277 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexp.d.out mode=0444
1278 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpelse.d mode=0444
1279 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpelse.d.out mode=0444
1280 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpif.d mode=0444
1281 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpif.d.out mode=0444
1282 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpifelse.d mode=0444
1283 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.preexpifelse.d.out \
1284 mode=0444
1285 file path=opt/SUNWdtrt/tst/common/preprocessor/tst.withinprobe.d mode=0444
1286 file path=opt/SUNWdtrt/tst/common/print/err.D_PRINT_AGG.bad.d mode=0444
1287 file path=opt/SUNWdtrt/tst/common/print/err.D_PRINT_VOID.bad.d mode=0444
1288 file path=opt/SUNWdtrt/tst/common/print/err.D_PROTO_LEN.bad.d mode=0444
1289 file path=opt/SUNWdtrt/tst/common/print/tst.array.d mode=0444
1290 file path=opt/SUNWdtrt/tst/common/print/tst.array.d.out mode=0444
1291 file path=opt/SUNWdtrt/tst/common/print/tst.bitfield.d mode=0444
1292 file path=opt/SUNWdtrt/tst/common/print/tst.bitfield.d.out mode=0444
1293 file path=opt/SUNWdtrt/tst/common/print/tst.dyn.d mode=0444
1294 file path=opt/SUNWdtrt/tst/common/print/tst.enum.d mode=0444
1295 file path=opt/SUNWdtrt/tst/common/print/tst.enum.d.out mode=0444
1296 file path=opt/SUNWdtrt/tst/common/print/tst.primitive.d mode=0444
1297 file path=opt/SUNWdtrt/tst/common/print/tst.primitive.d.out mode=0444
1298 file path=opt/SUNWdtrt/tst/common/print/tst.struct.d mode=0444
1299 file path=opt/SUNWdtrt/tst/common/print/tst.struct.d.out mode=0444
1300 file path=opt/SUNWdtrt/tst/common/print/tst.xlate.d mode=0444
1301 file path=opt/SUNWdtrt/tst/common/print/tst.xlate.d.out mode=0444
1302 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTA_AGGARG.badagg.d \
1303 mode=0444
1304 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTA_AGGARG.badfmt.d \
1305 mode=0444
1306 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTA_AGGARG.badval.d \
1307 mode=0444
1308 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTA_PROTO.bad.d mode=0444
1309 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTF_ARG_TYPE.jstack.d \
1310 mode=0444
1311 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTF_ARG_TYPE.stack.d \
1312 mode=0444
1313 file path=opt/SUNWdtrt/tst/common/printa/err.D_PRINTF_ARG_TYPE.ustack.d \

```

```

1314 mode=0444
1315 file path=opt/SUNWdtrt/tst/common/printa/tst.basics.d mode=0444
1316 file path=opt/SUNWdtrt/tst/common/printa/tst.basics.d.out mode=0444
1317 file path=opt/SUNWdtrt/tst/common/printa/tst.def.d mode=0444
1318 file path=opt/SUNWdtrt/tst/common/printa/tst.def.d.out mode=0444
1319 file path=opt/SUNWdtrt/tst/common/printa/tst.dynwidth.d mode=0444
1320 file path=opt/SUNWdtrt/tst/common/printa/tst.dynwidth.d.out mode=0444
1321 file path=opt/SUNWdtrt/tst/common/printa/tst.fmt.d mode=0444
1322 file path=opt/SUNWdtrt/tst/common/printa/tst.fmt.d.out mode=0444
1323 file path=opt/SUNWdtrt/tst/common/printa/tst.largeusersym.ksh mode=0444
1324 file path=opt/SUNWdtrt/tst/common/printa/tst.many.d mode=0444
1325 file path=opt/SUNWdtrt/tst/common/printa/tst.manyval.d mode=0444
1326 file path=opt/SUNWdtrt/tst/common/printa/tst.manyval.d.out mode=0444
1327 file path=opt/SUNWdtrt/tst/common/printa/tst.stack.d mode=0444
1328 file path=opt/SUNWdtrt/tst/common/printa/tst.tuple.d mode=0444
1329 file path=opt/SUNWdtrt/tst/common/printa/tst.tuple.d.out mode=0444
1330 file path=opt/SUNWdtrt/tst/common/printa/tst.walltimestamp.ksh mode=0444
1331 file path=opt/SUNWdtrt/tst/common/printa/tst.walltimestamp.ksh.out mode=0444
1332 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_CONV.aggfmt.d \
1333 mode=0444
1334 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_EXTRA.toomany.d \
1335 mode=0444
1336 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_EXTRA.widths.d \
1337 mode=0444
1338 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_FMT.badfmt.d \
1339 mode=0444
1340 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_PROTO.novalue.d \
1341 mode=0444
1342 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_TYPE.aggarg.d \
1343 mode=0444
1344 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_ARG_TYPE.recursive.d \
1345 mode=0444
1346 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_DYN_PROTO.noprec.d \
1347 mode=0444
1348 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_DYN_PROTO.nowidth.d \
1349 mode=0444
1350 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_DYN_TYPE.badprec.d \
1351 mode=0444
1352 file path=opt/SUNWdtrt/tst/common/printf/err.D_PRINTF_DYN_TYPE.badwidth.d \
1353 mode=0444
1354 file path=opt/SUNWdtrt/tst/common/printf/err.D_PROTO_LEN.toofew.d mode=0444
1355 file path=opt/SUNWdtrt/tst/common/printf/err.D_SYNTAX.badconv1.d mode=0444
1356 file path=opt/SUNWdtrt/tst/common/printf/err.D_SYNTAX.badconv2.d mode=0444
1357 file path=opt/SUNWdtrt/tst/common/printf/err.D_SYNTAX.badconv3.d mode=0444
1358 file path=opt/SUNWdtrt/tst/common/printf/tst.basics.d mode=0444
1359 file path=opt/SUNWdtrt/tst/common/printf/tst.basics.d.out mode=0444
1360 file path=opt/SUNWdtrt/tst/common/printf/tst.flags.d mode=0444
1361 file path=opt/SUNWdtrt/tst/common/printf/tst.flags.d.out mode=0444
1362 file path=opt/SUNWdtrt/tst/common/printf/tst.hello.d mode=0444
1363 file path=opt/SUNWdtrt/tst/common/printf/tst.hello.d.out mode=0444
1364 file path=opt/SUNWdtrt/tst/common/printf/tst.ints.d mode=0444
1365 file path=opt/SUNWdtrt/tst/common/printf/tst.ints.d.out mode=0444
1366 file path=opt/SUNWdtrt/tst/common/printf/tst.precs.d mode=0444
1367 file path=opt/SUNWdtrt/tst/common/printf/tst.precs.d.out mode=0444
1368 file path=opt/SUNWdtrt/tst/common/printf/tst.print-f.d mode=0444
1369 file path=opt/SUNWdtrt/tst/common/printf/tst.print-f.d.out mode=0444
1370 file path=opt/SUNWdtrt/tst/common/printf/tst.printT.ksh mode=0444
1371 file path=opt/SUNWdtrt/tst/common/printf/tst.printT.ksh.out mode=0444
1372 file path=opt/SUNWdtrt/tst/common/printf/tst.printY.ksh mode=0444
1373 file path=opt/SUNWdtrt/tst/common/printf/tst.printY.ksh.out mode=0444
1374 file path=opt/SUNWdtrt/tst/common/printf/tst.printcont.d mode=0444
1375 file path=opt/SUNWdtrt/tst/common/printf/tst.printcont.d.out mode=0444
1376 file path=opt/SUNWdtrt/tst/common/printf/tst.printeE.d mode=0444
1377 file path=opt/SUNWdtrt/tst/common/printf/tst.printeE.d.out mode=0444
1378 file path=opt/SUNWdtrt/tst/common/printf/tst.printgG.d mode=0444
1379 file path=opt/SUNWdtrt/tst/common/printf/tst.printgG.d.out mode=0444

```

```

1380 file path=opt/SUNWdtrt/tst/common/printf/tst.rawfmt.d mode=0444
1381 file path=opt/SUNWdtrt/tst/common/printf/tst.rawfmt.d.out mode=0444
1382 file path=opt/SUNWdtrt/tst/common/printf/tst.signs.d mode=0444
1383 file path=opt/SUNWdtrt/tst/common/printf/tst.signs.d.out mode=0444
1384 file path=opt/SUNWdtrt/tst/common/printf/tst.str.d mode=0444
1385 file path=opt/SUNWdtrt/tst/common/printf/tst.str.d.out mode=0444
1386 file path=opt/SUNWdtrt/tst/common/printf/tst.sym.d mode=0444
1387 file path=opt/SUNWdtrt/tst/common/printf/tst.sym.d.out mode=0444
1388 file path=opt/SUNWdtrt/tst/common/printf/tst.uints.d mode=0444
1389 file path=opt/SUNWdtrt/tst/common/printf/tst.uints.d.out mode=0444
1390 file path=opt/SUNWdtrt/tst/common/printf/tst.widths.d mode=0444
1391 file path=opt/SUNWdtrt/tst/common/printf/tst.widths.d.out mode=0444
1392 file path=opt/SUNWdtrt/tst/common/printf/tst.widthsl.d mode=0444
1393 file path=opt/SUNWdtrt/tst/common/printf/tst.wp.d mode=0444
1394 file path=opt/SUNWdtrt/tst/common/printf/tst.wp.d.out mode=0444
1395 file path=opt/SUNWdtrt/tst/common/privs/tst.fds.ksh mode=0444
1396 file path=opt/SUNWdtrt/tst/common/privs/tst.func_access.ksh mode=0444
1397 file path=opt/SUNWdtrt/tst/common/privs/tst.getf.ksh mode=0444
1398 file path=opt/SUNWdtrt/tst/common/privs/tst.noprivdrop.ksh mode=0444
1399 file path=opt/SUNWdtrt/tst/common/privs/tst.noprivrestrict.ksh mode=0444
1400 file path=opt/SUNWdtrt/tst/common/privs/tst.op_access.ksh mode=0444
1401 file path=opt/SUNWdtrt/tst/common/privs/tst.procpri.v.ksh mode=0444
1402 file path=opt/SUNWdtrt/tst/common/privs/tst.providers.ksh mode=0444
1403 file path=opt/SUNWdtrt/tst/common/privs/tst.tick.ksh mode=0444
1404 file path=opt/SUNWdtrt/tst/common/privs/tst.unpriv_funcs.ksh mode=0444
1405 file path=opt/SUNWdtrt/tst/common/probes/err.D_PDESC_ZERO.probegtn.d mode=0444
1406 file path=opt/SUNWdtrt/tst/common/probes/err.D_PDESC_ZERO.probestar.d \
1407 mode=0444
1408 file path=opt/SUNWdtrt/tst/common/probes/err.D_PDESC_ZERO.tickstar.d mode=0444
1409 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.assign.d mode=0444
1410 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.declare.d mode=0444
1411 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.declarein.d mode=0444
1412 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.lbraces.d mode=0444
1413 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.probespec.d mode=0444
1414 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.rbraces.d mode=0444
1415 file path=opt/SUNWdtrt/tst/common/probes/err.D_SYNTAX.rdec.d mode=0444
1416 file path=opt/SUNWdtrt/tst/common/probes/tst.basic1.d mode=0444
1417 file path=opt/SUNWdtrt/tst/common/probes/tst.check.d mode=0444
1418 file path=opt/SUNWdtrt/tst/common/probes/tst.declare.d mode=0444
1419 file path=opt/SUNWdtrt/tst/common/probes/tst.declareafter.d mode=0444
1420 file path=opt/SUNWdtrt/tst/common/probes/tst.emptyprobe.d mode=0444
1421 file path=opt/SUNWdtrt/tst/common/probes/tst.pragma.d mode=0444
1422 file path=opt/SUNWdtrt/tst/common/probes/tst.pragmaaftertab.d mode=0444
1423 file path=opt/SUNWdtrt/tst/common/probes/tst.pragmainside.d mode=0444
1424 file path=opt/SUNWdtrt/tst/common/probes/tst.pragmaoutside.d mode=0444
1425 file path=opt/SUNWdtrt/tst/common/probes/tst.probestar.d mode=0444
1426 file path=opt/SUNWdtrt/tst/common/proc/tst.create.ksh mode=0444
1427 file path=opt/SUNWdtrt/tst/common/proc/tst.discard.ksh mode=0444
1428 file path=opt/SUNWdtrt/tst/common/proc/tst.exec.ksh mode=0444
1429 file path=opt/SUNWdtrt/tst/common/proc/tst.execfail.ENOENT.ksh mode=0444
1430 file path=opt/SUNWdtrt/tst/common/proc/tst.execfail.ksh mode=0444
1431 file path=opt/SUNWdtrt/tst/common/proc/tst.exitcore.ksh mode=0444
1432 file path=opt/SUNWdtrt/tst/common/proc/tst.exitexit.ksh mode=0444
1433 file path=opt/SUNWdtrt/tst/common/proc/tst.exitkilled.ksh mode=0444
1434 file path=opt/SUNWdtrt/tst/common/proc/tst.signal.ksh mode=0444
1435 file path=opt/SUNWdtrt/tst/common/proc/tst.sigwait.d mode=0444
1436 file path=opt/SUNWdtrt/tst/common/proc/tst.sigwait.exe mode=0555
1437 file path=opt/SUNWdtrt/tst/common/proc/tst.startexit.ksh mode=0444
1438 file path=opt/SUNWdtrt/tst/common/profile-n/err.D_PDESC_ZERO.profile.d \
1439 mode=0444
1440 file path=opt/SUNWdtrt/tst/common/profile-n/err.D_PDESC_ZEROonens.d mode=0444
1441 file path=opt/SUNWdtrt/tst/common/profile-n/err.D_PDESC_ZEROonensec.d \
1442 mode=0444
1443 file path=opt/SUNWdtrt/tst/common/profile-n/err.D_PDESC_ZEROonensec.d mode=0444
1444 file path=opt/SUNWdtrt/tst/common/profile-n/err.D_PDESC_ZEROoneusec.d \
1445 mode=0444

```



```

1446 file path=opt/SUNWdtrt/tst/common/profile-n/tst.argtest.d mode=0444
1447 file path=opt/SUNWdtrt/tst/common/profile-n/tst.argtest.d.out mode=0444
1448 file path=opt/SUNWdtrt/tst/common/profile-n/tst.basic.d mode=0444
1449 file path=opt/SUNWdtrt/tst/common/profile-n/tst.basic.d.out mode=0444
1450 file path=opt/SUNWdtrt/tst/common/profile-n/tst.func.ksh mode=0444
1451 file path=opt/SUNWdtrt/tst/common/profile-n/tst.mod.ksh mode=0444
1452 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilehz.d mode=0444
1453 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilehz.d.out mode=0444
1454 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d mode=0444
1455 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d.out mode=0444
1456 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d mode=0444
1457 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d.out mode=0444
1458 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilenz.d mode=0444
1459 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilenz.d.out mode=0444
1460 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d mode=0444
1461 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d.out mode=0444
1462 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilensec.d mode=0444
1463 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilensec.d.out mode=0444
1464 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d mode=0444
1465 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d.out mode=0444
1466 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d mode=0444
1467 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d.out mode=0444
1468 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d mode=0444
1469 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profiles.d.out mode=0444
1470 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d mode=0444
1471 file path=opt/SUNWdtrt/tst/common/profile-n/tst.profilessec.d.out mode=0444
1472 file path=opt/SUNWdtrt/tst/common/profile-n/tst.sym.ksh mode=0444
1473 file path=opt/SUNWdtrt/tst/common/profile-n/tst.ufunc.ksh mode=0444
1474 file path=opt/SUNWdtrt/tst/common/profile-n/tst.ufuncsort.exe mode=0555
1475 file path=opt/SUNWdtrt/tst/common/profile-n/tst.ufuncsort.ksh mode=0444
1476 file path=opt/SUNWdtrt/tst/common/profile-n/tst.ufuncsort.ksh.out mode=0444
1477 file path=opt/SUNWdtrt/tst/common/profile-n/tst.umod.ksh mode=0444
1478 file path=opt/SUNWdtrt/tst/common/profile-n/tst.ufunc.ksh mode=0444
1479 file path=opt/SUNWdtrt/tst/common/providers/err.D_PDESC_INVALID.wrongdec4.d \
1480 mode=0444
1481 file path=opt/SUNWdtrt/tst/common/providers/err.D_PDESC_ZERO.nonprofile.d \
1482 mode=0444
1483 file path=opt/SUNWdtrt/tst/common/providers/err.D_PDESC_ZERO.wrongdecl.d \
1484 mode=0444
1485 file path=opt/SUNWdtrt/tst/common/providers/err.D_PDESC_ZERO.wrongdec2.d \
1486 mode=0444
1487 file path=opt/SUNWdtrt/tst/common/providers/err.D_PDESC_ZERO.wrongdec3.d \
1488 mode=0444
1489 file path=opt/SUNWdtrt/tst/common/providers/tst.basics.d mode=0444
1490 file path=opt/SUNWdtrt/tst/common/providers/tst.basics.d.out mode=0444
1491 file path=opt/SUNWdtrt/tst/common/providers/tst.beginexit.d mode=0444
1492 file path=opt/SUNWdtrt/tst/common/providers/tst.beginprof.d mode=0444
1493 file path=opt/SUNWdtrt/tst/common/providers/tst.beginprof.d.out mode=0444
1494 file path=opt/SUNWdtrt/tst/common/providers/tst.probattrs.d mode=0444
1495 file path=opt/SUNWdtrt/tst/common/providers/tst.probattrs.d.out mode=0444
1496 file path=opt/SUNWdtrt/tst/common/providers/tst.probefunc.d mode=0444
1497 file path=opt/SUNWdtrt/tst/common/providers/tst.probefunc.d.out mode=0444
1498 file path=opt/SUNWdtrt/tst/common/providers/tst.probemod.d mode=0444
1499 file path=opt/SUNWdtrt/tst/common/providers/tst.probemod.d.out mode=0444
1500 file path=opt/SUNWdtrt/tst/common/providers/tst.probename.d mode=0444
1501 file path=opt/SUNWdtrt/tst/common/providers/tst.probename.d.out mode=0444
1502 file path=opt/SUNWdtrt/tst/common/providers/tst.probpov.d mode=0444
1503 file path=opt/SUNWdtrt/tst/common/providers/tst.probpov.d.out mode=0444
1504 file path=opt/SUNWdtrt/tst/common/providers/tst.profend.d mode=0444
1505 file path=opt/SUNWdtrt/tst/common/providers/tst.profend.d.out mode=0444
1506 file path=opt/SUNWdtrt/tst/common/providers/tst.profixit.d mode=0444
1507 file path=opt/SUNWdtrt/tst/common/providers/tst.profixit.d.out mode=0444
1508 file path=opt/SUNWdtrt/tst/common/providers/tst.trace.d mode=0444
1509 file path=opt/SUNWdtrt/tst/common/providers/tst.trace.d.out mode=0444
1510 file path=opt/SUNWdtrt/tst/common/providers/tst.twoprof.d mode=0444
1511 file path=opt/SUNWdtrt/tst/common/providers/tst.twoprof.d.out mode=0444

```

```

1512 file path=opt/SUNWdtrt/tst/common/raise/tst.raise1.d mode=0444
1513 file path=opt/SUNWdtrt/tst/common/raise/tst.raise1.exe mode=0555
1514 file path=opt/SUNWdtrt/tst/common/raise/tst.raise2.d mode=0444
1515 file path=opt/SUNWdtrt/tst/common/raise/tst.raise2.exe mode=0555
1516 file path=opt/SUNWdtrt/tst/common/raise/tst.raise3.d mode=0444
1517 file path=opt/SUNWdtrt/tst/common/raise/tst.raise3.exe mode=0555
1518 file path=opt/SUNWdtrt/tst/common/rates/tst.aggrate.d mode=0444
1519 file path=opt/SUNWdtrt/tst/common/rates/tst.aggrate.d.out mode=0444
1520 file path=opt/SUNWdtrt/tst/common/rates/tst.statusrate.d mode=0444
1521 file path=opt/SUNWdtrt/tst/common/rates/tst.switchrate.d mode=0444
1522 file path=opt/SUNWdtrt/tst/common/rates/tst.switchrate.d.out mode=0444
1523 file path=opt/SUNWdtrt/tst/common/safety/tst.basename.d mode=0444
1524 file path=opt/SUNWdtrt/tst/common/safety/tst.caller.d mode=0444
1525 file path=opt/SUNWdtrt/tst/common/safety/tst.cleanpath.d mode=0444
1526 file path=opt/SUNWdtrt/tst/common/safety/tst.copypin.d mode=0444
1527 file path=opt/SUNWdtrt/tst/common/safety/tst.copypin2.d mode=0444
1528 file path=opt/SUNWdtrt/tst/common/safety/tst.ddi_pathname.d mode=0444
1529 file path=opt/SUNWdtrt/tst/common/safety/tst.dirname.d mode=0444
1530 file path=opt/SUNWdtrt/tst/common/safety/tst.errno.d mode=0444
1531 file path=opt/SUNWdtrt/tst/common/safety/tst.execname.d mode=0444
1532 file path=opt/SUNWdtrt/tst/common/safety/tst.gid.d mode=0444
1533 file path=opt/SUNWdtrt/tst/common/safety/tst.hton.d mode=0444
1534 file path=opt/SUNWdtrt/tst/common/safety/tst.index.d mode=0444
1535 file path=opt/SUNWdtrt/tst/common/safety/tst.msgdsiz.d mode=0444
1536 file path=opt/SUNWdtrt/tst/common/safety/tst.msgsiz.d mode=0444
1537 file path=opt/SUNWdtrt/tst/common/safety/tst.null.d mode=0444
1538 file path=opt/SUNWdtrt/tst/common/safety/tst.pid.d mode=0444
1539 file path=opt/SUNWdtrt/tst/common/safety/tst.ppid.d mode=0444
1540 file path=opt/SUNWdtrt/tst/common/safety/tst.progenyof.d mode=0444
1541 file path=opt/SUNWdtrt/tst/common/safety/tst.random.d mode=0444
1542 file path=opt/SUNWdtrt/tst/common/safety/tst.rw.d mode=0444
1543 file path=opt/SUNWdtrt/tst/common/safety/tst.shortstr.d mode=0444
1544 file path=opt/SUNWdtrt/tst/common/safety/tst.stack.d mode=0444
1545 file path=opt/SUNWdtrt/tst/common/safety/tst.stackdepth.d mode=0444
1546 file path=opt/SUNWdtrt/tst/common/safety/tst.stddev.d mode=0444
1547 file path=opt/SUNWdtrt/tst/common/safety/tst.strchr.d mode=0444
1548 file path=opt/SUNWdtrt/tst/common/safety/tst.strjoin.d mode=0444
1549 file path=opt/SUNWdtrt/tst/common/safety/tst.strstr.d mode=0444
1550 file path=opt/SUNWdtrt/tst/common/safety/tst.strtok.d mode=0444
1551 file path=opt/SUNWdtrt/tst/common/safety/tst.substr.d mode=0444
1552 file path=opt/SUNWdtrt/tst/common/safety/tst.ucaller.d mode=0444
1553 file path=opt/SUNWdtrt/tst/common/safety/tst.uid.d mode=0444
1554 file path=opt/SUNWdtrt/tst/common/safety/tst.unalign.d mode=0444
1555 file path=opt/SUNWdtrt/tst/common/safety/tst.uregs.d mode=0444
1556 file path=opt/SUNWdtrt/tst/common/safety/tst.ustack.d mode=0444
1557 file path=opt/SUNWdtrt/tst/common/safety/tst.ustackdepth.d mode=0444
1558 file path=opt/SUNWdtrt/tst/common/safety/tst.vahole.d mode=0444
1559 file path=opt/SUNWdtrt/tst/common/safety/tst.violentdeath.ksh mode=0444
1560 file path=opt/SUNWdtrt/tst/common/safety/tst.zonename.d mode=0444
1561 file path=opt/SUNWdtrt/tst/common/scalars/err.D_ARR_LOCAL.thisarray.d \
1562 mode=0444
1563 file path=opt/SUNWdtrt/tst/common/scalars/err.D_DECL_CLASS.selfthis.d \
1564 mode=0444
1565 file path=opt/SUNWdtrt/tst/common/scalars/err.D_DECL_CLASS.thisself.d \
1566 mode=0444
1567 file path=opt/SUNWdtrt/tst/common/scalars/err.D_DECL_IDRED.errval.d mode=0444
1568 file path=opt/SUNWdtrt/tst/common/scalars/err.D_OP_INCOMPAT.dec.err.d \
1569 mode=0444
1570 file path=opt/SUNWdtrt/tst/common/scalars/err.D_OP_INCOMPAT.dupgtype.d \
1571 mode=0444
1572 file path=opt/SUNWdtrt/tst/common/scalars/err.D_OP_INCOMPAT.dupltype.d \
1573 mode=0444
1574 file path=opt/SUNWdtrt/tst/common/scalars/err.D_OP_INCOMPAT.dupdtype.d \
1575 mode=0444
1576 file path=opt/SUNWdtrt/tst/common/scalars/err.D_SYNTAX.declare.d mode=0444
1577 file path=opt/SUNWdtrt/tst/common/scalars/tst.basicvar.d mode=0444

```

```
1578 file path=opt/SUNWdtrt/tst/common/scalars/tst.basicvar.d.out mode=0444
1579 file path=opt/SUNWdtrt/tst/common/scalars/tst.localvar.d mode=0444
1580 file path=opt/SUNWdtrt/tst/common/scalars/tst.misc.d mode=0444
1581 file path=opt/SUNWdtrt/tst/common/scalars/tst.self.d mode=0444
1582 file path=opt/SUNWdtrt/tst/common/scalars/tst.selfarray.d mode=0444
1583 file path=opt/SUNWdtrt/tst/common/scalars/tst.selfarray2.d mode=0444
1584 file path=opt/SUNWdtrt/tst/common/scalars/tst.selfthis.d mode=0444
1585 file path=opt/SUNWdtrt/tst/common/scalars/tst.this.d mode=0444
1586 file path=opt/SUNWdtrt/tst/common/scalars/tst.thisself.d mode=0444
1587 file path=opt/SUNWdtrt/tst/common/sched/tst.enqueue.d mode=0444
1588 file path=opt/SUNWdtrt/tst/common/sched/tst.oncpu.d mode=0444
1589 file path=opt/SUNWdtrt/tst/common/sched/tst.stackdepth.d mode=0444
1590 file path=opt/SUNWdtrt/tst/common/scripting/err.D_MACRO_UNDEF.invalidargs.d \
1591 mode=0444
1592 file path=opt/SUNWdtrt/tst/common/scripting/err.D_OP_LVAL.rdonly.d mode=0444
1593 file path=opt/SUNWdtrt/tst/common/scripting/err.D_OP_WRITE.usepidmacro.d \
1594 mode=0444
1595 file path=opt/SUNWdtrt/tst/common/scripting/err.D_SYNTAX.concat.d mode=0444
1596 file path=opt/SUNWdtrt/tst/common/scripting/err.D_SYNTAX.desc.d mode=0444
1597 file path=opt/SUNWdtrt/tst/common/scripting/err.D_SYNTAX.inval.d mode=0444
1598 file path=opt/SUNWdtrt/tst/common/scripting/err.D_SYNTAX.pid.d mode=0444
1599 file path=opt/SUNWdtrt/tst/common/scripting/tst.D_MACRO_UNUSED.overflow.ksh \
1600 mode=0444
1601 file path=opt/SUNWdtrt/tst/common/scripting/tst.arg0.d mode=0444
1602 file path=opt/SUNWdtrt/tst/common/scripting/tst.arguments.ksh mode=0444
1603 file path=opt/SUNWdtrt/tst/common/scripting/tst.assign.d mode=0444
1604 file path=opt/SUNWdtrt/tst/common/scripting/tst.basic.d mode=0444
1605 file path=opt/SUNWdtrt/tst/common/scripting/tst.egid.d mode=0444
1606 file path=opt/SUNWdtrt/tst/common/scripting/tst.egid.ksh mode=0444
1607 file path=opt/SUNWdtrt/tst/common/scripting/tst.euid.d mode=0444
1608 file path=opt/SUNWdtrt/tst/common/scripting/tst.euid.ksh mode=0444
1609 file path=opt/SUNWdtrt/tst/common/scripting/tst.gid.d mode=0444
1610 file path=opt/SUNWdtrt/tst/common/scripting/tst.gid.ksh mode=0444
1611 file path=opt/SUNWdtrt/tst/common/scripting/tst.pgid.d mode=0444
1612 file path=opt/SUNWdtrt/tst/common/scripting/tst.pid.d mode=0444
1613 file path=opt/SUNWdtrt/tst/common/scripting/tst.ppid.d mode=0444
1614 file path=opt/SUNWdtrt/tst/common/scripting/tst.ppid.ksh mode=0444
1615 file path=opt/SUNWdtrt/tst/common/scripting/tst.projid.d mode=0444
1616 file path=opt/SUNWdtrt/tst/common/scripting/tst.projid.ksh mode=0444
1617 file path=opt/SUNWdtrt/tst/common/scripting/tst.quite.d mode=0444
1618 file path=opt/SUNWdtrt/tst/common/scripting/tst.sid.d mode=0444
1619 file path=opt/SUNWdtrt/tst/common/scripting/tst.sid.ksh mode=0444
1620 file path=opt/SUNWdtrt/tst/common/scripting/tst.stringmacro.ksh mode=0444
1621 file path=opt/SUNWdtrt/tst/common/scripting/tst.taskid.d mode=0444
1622 file path=opt/SUNWdtrt/tst/common/scripting/tst.taskid.ksh mode=0444
1623 file path=opt/SUNWdtrt/tst/common/scripting/tst.trace.d mode=0444
1624 file path=opt/SUNWdtrt/tst/common/scripting/tst.uid.d mode=0444
1625 file path=opt/SUNWdtrt/tst/common/scripting/tst.uid.ksh mode=0444
1626 file path=opt/SUNWdtrt/tst/common/sdt/tst.sdtargs.d mode=0444
1627 file path=opt/SUNWdtrt/tst/common/sdt/tst.sdtargs.exe mode=0555
1628 file path=opt/SUNWdtrt/tst/common/sizeof/err.D_IDENT_BADREF.SizeofAssoc.d \
1629 mode=0444
1630 file path=opt/SUNWdtrt/tst/common/sizeof/err.D_IDENT_UNDEF.UnknownSymbol.d \
1631 mode=0444
1632 file path=opt/SUNWdtrt/tst/common/sizeof/err.D_SIZEOF_TYPE.badstruct.d \
1633 mode=0444
1634 file path=opt/SUNWdtrt/tst/common/sizeof/err.D_SIZEOF_TYPE.d mode=0444
1635 file path=opt/SUNWdtrt/tst/common/sizeof/err.D_SYNTAX.SizeofBadType.d \
1636 mode=0444
1637 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofArray.d mode=0444
1638 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofDataTypes.d mode=0444
1639 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofExpression.d mode=0444
1640 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofNULL.d mode=0444
1641 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofStrConst.d mode=0444
1642 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofStrConst.d.out mode=0444
1643 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofString1.d mode=0444
```

```
1644 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofString1.d.out mode=0444
1645 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofString2.d mode=0444
1646 file path=opt/SUNWdtrt/tst/common/sizeof/tst.SizeofString2.d.out mode=0444
1647 file path=opt/SUNWdtrt/tst/common/speculation/err.BufSizeVariations1.d \
1648 mode=0444
1649 file path=opt/SUNWdtrt/tst/common/speculation/err.BufSizeVariations2.d \
1650 mode=0444
1651 file \
1652 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithBreakPo
1653 mode=0444
1654 file \
1655 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithChill.d
1656 mode=0444
1657 file \
1658 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithCopyOut
1659 mode=0444
1660 file \
1661 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithCopyOut
1662 mode=0444
1663 file \
1664 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithPanic.d
1665 mode=0444
1666 file \
1667 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithRaise.d
1668 mode=0444
1669 file \
1670 path=opt/SUNWdtrt/tst/common/speculation/err.D_ACT_SPEC.SpeculateWithStop.d
1671 mode=0444
1672 file path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_COMM.AggAftCommit.d \
1673 mode=0444
1674 file \
1675 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithAvg.d \
1676 mode=0444
1677 file \
1678 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithCount.d
1679 mode=0444
1680 file \
1681 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithLquant.
1682 mode=0444
1683 file \
1684 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithMax.d \
1685 mode=0444
1686 file \
1687 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithMin.d \
1688 mode=0444
1689 file \
1690 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithQuant.d
1691 mode=0444
1692 file \
1693 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithStddev.
1694 mode=0444
1695 file \
1696 path=opt/SUNWdtrt/tst/common/speculation/err.D_AGG_SPEC.SpeculateWithSum.d \
1697 mode=0444
1698 file \
1699 path=opt/SUNWdtrt/tst/common/speculation/err.D_COMM_COMM.CommitAftCommit.d \
1700 mode=0444
1701 file path=opt/SUNWdtrt/tst/common/speculation/err.D_COMM_COMM.DisjointCommit.d \
1702 mode=0444
1703 file \
1704 path=opt/SUNWdtrt/tst/common/speculation/err.D_COMM_DREC.CommitAftDataRec.d
1705 mode=0444
1706 file \
1707 path=opt/SUNWdtrt/tst/common/speculation/err.D_DREC_COMM.DataRecAftCommit.d
1708 mode=0444
1709 file \
```

```
1710 path=opt/SUNWdtrt/tst/common/speculation/err.D_DREC_COMM.ExitAfterCommit.d \
1711 mode=0444
1712 file path=opt/SUNWdtrt/tst/common/speculation/err.D_EXIT_SPEC.ExitAftSpec.d \
1713 mode=0444
1714 file path=opt/SUNWdtrt/tst/common/speculation/err.D_PRAGMA_MALFORM.NspecExpr.d \
1715 mode=0444
1716 file \
1717 path=opt/SUNWdtrt/tst/common/speculation/err.D_PRAGMA_OPTSET.HugeNspecValue.
1718 mode=0444
1719 file \
1720 path=opt/SUNWdtrt/tst/common/speculation/err.D_PRAGMA_OPTSET.InvalidSpecSize
1721 mode=0444
1722 file \
1723 path=opt/SUNWdtrt/tst/common/speculation/err.D_PRAGMA_OPTSET.NegSpecSize.d \
1724 mode=0444
1725 file path=opt/SUNWdtrt/tst/common/speculation/err.D_PROTO_LEN.SpecNoId.d \
1726 mode=0444
1727 file path=opt/SUNWdtrt/tst/common/speculation/err.D_SPEC_COMM.SpecAftCommit.d \
1728 mode=0444
1729 file path=opt/SUNWdtrt/tst/common/speculation/err.D_SPEC_DREC.SpecAftDataRec.d \
1730 mode=0444
1731 file path=opt/SUNWdtrt/tst/common/speculation/err.D_SPEC_SPEC.SpecAftSpec.d \
1732 mode=0444
1733 file path=opt/SUNWdtrt/tst/common/speculation/err.NegativeBufSize.d mode=0444
1734 file path=opt/SUNWdtrt/tst/common/speculation/err.NegativeNspec.d mode=0444
1735 file path=opt/SUNWdtrt/tst/common/speculation/err.NegativeSpecSize.d mode=0444
1736 file path=opt/SUNWdtrt/tst/common/speculation/err.SpecSizeVariations1.d \
1737 mode=0444
1738 file path=opt/SUNWdtrt/tst/common/speculation/err.SpecSizeVariations2.d \
1739 mode=0444
1740 file path=opt/SUNWdtrt/tst/common/speculation/tst.CommitAfterDiscard.d \
1741 mode=0444
1742 file path=opt/SUNWdtrt/tst/common/speculation/tst.CommitWithZero.d mode=0444
1743 file path=opt/SUNWdtrt/tst/common/speculation/tst.DataRecAftDiscard.d \
1744 mode=0444
1745 file path=opt/SUNWdtrt/tst/common/speculation/tst.DiscardAftCommit.d mode=0444
1746 file path=opt/SUNWdtrt/tst/common/speculation/tst.DiscardAftDataRec.d \
1747 mode=0444
1748 file path=opt/SUNWdtrt/tst/common/speculation/tst.DiscardAftDiscard.d \
1749 mode=0444
1750 file path=opt/SUNWdtrt/tst/common/speculation/tst.DiscardWithZero.d mode=0444
1751 file path=opt/SUNWdtrt/tst/common/speculation/tst.ExitAftDiscard.d mode=0444
1752 file path=opt/SUNWdtrt/tst/common/speculation/tst.NoSpecBuffer.d mode=0444
1753 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpecSizeVariations1.d \
1754 mode=0444
1755 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpecSizeVariations2.d \
1756 mode=0444
1757 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpecSizeVariations3.d \
1758 mode=0444
1759 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpeculateWithRandom.d \
1760 mode=0444
1761 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpeculationCommit.d \
1762 mode=0444
1763 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpeculationDiscard.d \
1764 mode=0444
1765 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpeculationID.d mode=0444
1766 file path=opt/SUNWdtrt/tst/common/speculation/tst.SpeculationWithZero.d \
1767 mode=0444
1768 file path=opt/SUNWdtrt/tst/common/speculation/tst.TwoSpecBuffers.d mode=0444
1769 file path=opt/SUNWdtrt/tst/common/speculation/tst.negcommit.d mode=0444
1770 file path=opt/SUNWdtrt/tst/common/speculation/tst.negspec.d mode=0444
1771 file path=opt/SUNWdtrt/tst/common/speculation/tst.zerosize.d mode=0444
1772 file path=opt/SUNWdtrt/tst/common/stability/err.D_ATTR_MIN.MinAttributes.d \
1773 mode=0444
1774 file path=opt/SUNWdtrt/tst/common/stack/err.D_STACK_PROTO.bad.d mode=0444
1775 file path=opt/SUNWdtrt/tst/common/stack/err.D_STACK_SIZE.d mode=0444
```

```
1776 file path=opt/SUNWdtrt/tst/common/stack/err.D_USTACK_FRAMES.bad.d mode=0444
1777 file path=opt/SUNWdtrt/tst/common/stack/err.D_USTACK_PROTO.bad.d mode=0444
1778 file path=opt/SUNWdtrt/tst/common/stack/err.D_USTACK_STRSIZE.bad.d mode=0444
1779 file path=opt/SUNWdtrt/tst/common/stack/tst.default.d mode=0444
1780 file path=opt/SUNWdtrt/tst/common/stackdepth/tst.default.d mode=0444
1781 file path=opt/SUNWdtrt/tst/common/stop/tst.stop1.d mode=0444
1782 file path=opt/SUNWdtrt/tst/common/stop/tst.stop1.exe mode=0555
1783 file path=opt/SUNWdtrt/tst/common/stop/tst.stop2.d mode=0444
1784 file path=opt/SUNWdtrt/tst/common/stop/tst.stop2.exe mode=0555
1785 file path=opt/SUNWdtrt/tst/common/strlen/tst.strlen1.d mode=0444
1786 file path=opt/SUNWdtrt/tst/common/strtol/err.BaseTooLarge.d mode=0444
1787 file path=opt/SUNWdtrt/tst/common/strtol/err.BaseTooSmall.d mode=0444
1788 file path=opt/SUNWdtrt/tst/common/strtol/tst.strtol1.d mode=0444
1789 file path=opt/SUNWdtrt/tst/common/strtol/tst.strtol1.d.out mode=0444
1790 file path=opt/SUNWdtrt/tst/common/struct/err.D_ADDR_OF_VAR.StructPointer.d \
1791 mode=0444
1792 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_COMBO.StructWithoutColon.d \
1793 mode=0444
1794 file \
1795 path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_COMBO.StructWithoutColon1.d \
1796 mode=0444
1797 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_INCOMPLETE.circular.d \
1798 mode=0444
1799 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_INCOMPLETE.order.d \
1800 mode=0444
1801 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_INCOMPLETE.order2.d \
1802 mode=0444
1803 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_INCOMPLETE.recursive.d \
1804 mode=0444
1805 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_INCOMPLETE.simple.d \
1806 mode=0444
1807 file path=opt/SUNWdtrt/tst/common/struct/err.D_DECL_VOIDOBJ.baddec.d mode=0444
1808 file path=opt/SUNWdtrt/tst/common/struct/err.D_PROTO_ARG.DupStructAssoc.d \
1809 mode=0444
1810 file path=opt/SUNWdtrt/tst/common/struct/tst.StructAssoc.d mode=0444
1811 file path=opt/SUNWdtrt/tst/common/struct/tst.StructDataTypes.d mode=0444
1812 file path=opt/SUNWdtrt/tst/common/struct/tst.StructInside.d mode=0444
1813 file path=opt/SUNWdtrt/tst/common/struct/tst.clauselocal.d mode=0444
1814 file path=opt/SUNWdtrt/tst/common/struct/tst.clauselocal.d.out mode=0444
1815 file path=opt/SUNWdtrt/tst/common/syscall/tst.args.d mode=0444
1816 file path=opt/SUNWdtrt/tst/common/syscall/tst.args.exe mode=0555
1817 file path=opt/SUNWdtrt/tst/common/syscall/tst.openret.ksh mode=0444
1818 file path=opt/SUNWdtrt/tst/common/sysevent/tst.post.d mode=0444
1819 file path=opt/SUNWdtrt/tst/common/sysevent/tst.post.exe mode=0555
1820 file path=opt/SUNWdtrt/tst/common/sysevent/tst.post_chan.d mode=0444
1821 file path=opt/SUNWdtrt/tst/common/sysevent/tst.post_chan.exe mode=0555
1822 file path=opt/SUNWdtrt/tst/common/tick-n/err.D_PDESC_ZERO.tick.d mode=0444
1823 file path=opt/SUNWdtrt/tst/common/tick-n/err.D_PDESC_ZEROonens.d mode=0444
1824 file path=opt/SUNWdtrt/tst/common/tick-n/err.D_PDESC_ZEROonens.d mode=0444
1825 file path=opt/SUNWdtrt/tst/common/tick-n/err.D_PDESC_ZEROoneus.d mode=0444
1826 file path=opt/SUNWdtrt/tst/common/tick-n/err.D_PDESC_ZEROoneusc.d mode=0444
1827 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickarg0.d mode=0444
1828 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickms.d mode=0444
1829 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickms.d.out mode=0444
1830 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickmsec.d mode=0444
1831 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickmsec.d.out mode=0444
1832 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickns.d mode=0444
1833 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickns.d.out mode=0444
1834 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticknsec.d mode=0444
1835 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticknsec.d.out mode=0444
1836 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticks.d mode=0444
1837 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticks.d.out mode=0444
1838 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticksec.d mode=0444
1839 file path=opt/SUNWdtrt/tst/common/tick-n/tst.ticksec.d.out mode=0444
1840 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickus.d mode=0444
1841 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickus.d.out mode=0444
```

```

1842 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickusec.d mode=0444
1843 file path=opt/SUNWdtrt/tst/common/tick-n/tst.tickusec.d.out mode=0444
1844 file path=opt/SUNWdtrt/tst/common/trace/err.D_PROTO_LEN.bad.d mode=0444
1845 file path=opt/SUNWdtrt/tst/common/trace/err.D_TRACE_AGG.bad.d mode=0444
1846 file path=opt/SUNWdtrt/tst/common/trace/err.D_TRACE_VOID.bad.d mode=0444
1847 file path=opt/SUNWdtrt/tst/common/trace/tst.dyn.d mode=0444
1848 file path=opt/SUNWdtrt/tst/common/trace/tst.dyn.d mode=0444
1849 file path=opt/SUNWdtrt/tst/common/trace/tst.qstring.d mode=0444
1850 file path=opt/SUNWdtrt/tst/common/trace/tst.qstring.d.out mode=0444
1851 file path=opt/SUNWdtrt/tst/common/trace/tst.string.d mode=0444
1852 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_PROTO_ARG.badsize.d mode=0444
1853 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_PROTO_LEN.toofew.d mode=0444
1854 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_TRACEMEM_ADDR.badaddr.d \
1855 mode=0444
1856 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_TRACEMEM_ARGS.d mode=0444
1857 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_TRACEMEM_DYN_SIZE.d mode=0444
1858 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_TRACEMEM_SIZE.negsize.d \
1859 mode=0444
1860 file path=opt/SUNWdtrt/tst/common/tracemem/err.D_TRACEMEM_SIZE.zerosize.d \
1861 mode=0444
1862 file path=opt/SUNWdtrt/tst/common/tracemem/tst.dynsize.d mode=0444
1863 file path=opt/SUNWdtrt/tst/common/tracemem/tst.dynsize.d.out mode=0444
1864 file path=opt/SUNWdtrt/tst/common/tracemem/tst.rootvp.d mode=0444
1865 file path=opt/SUNWdtrt/tst/common/tracemem/tst.smallsize.d mode=0444
1866 file path=opt/SUNWdtrt/tst/common/tracemem/tst.smallsize.d.out mode=0444
1867 file \
1868 path=opt/SUNWdtrt/tst/common/translators/err.D_DECL_TYPERED.BadTransDecl.d \
1869 mode=0444
1870 file \
1871 path=opt/SUNWdtrt/tst/common/translators/err.D_OP_INCOMPLETE.NonExistentInpu
1872 mode=0444
1873 file path=opt/SUNWdtrt/tst/common/translators/err.D_SYNTAX.BadTransDecl1.d \
1874 mode=0444
1875 file path=opt/SUNWdtrt/tst/common/translators/err.D_SYNTAX.BadTransDecl3.d \
1876 mode=0444
1877 file path=opt/SUNWdtrt/tst/common/translators/err.D_SYNTAX.BadTransDecl4.d \
1878 mode=0444
1879 file \
1880 path=opt/SUNWdtrt/tst/common/translators/err.D_TYPE_MEMBER.NonExistentInput2
1881 mode=0444
1882 file \
1883 path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_INCOMPAT.BadInputType1.
1884 mode=0444
1885 file \
1886 path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_MEMB.NonExistentOutput2
1887 mode=0444
1888 file path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_NONE.BadTransDecl6.d \
1889 mode=0444
1890 file \
1891 path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_REDECL.RepeatTransDecl.
1892 mode=0444
1893 file path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_SOU.BadTransDecl8.d \
1894 mode=0444
1895 file path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_SOU.BadTransInt.d \
1896 mode=0444
1897 file \
1898 path=opt/SUNWdtrt/tst/common/translators/err.D_XLATE_SOU.NonExistentOutput1.
1899 mode=0444
1900 file path=opt/SUNWdtrt/tst/common/translators/tst.EmptyTransDecl.d \
1901 mode=0444
1902 file path=opt/SUNWdtrt/tst/common/translators/tst.EmptyTransDecl.d mode=0444
1903 file path=opt/SUNWdtrt/tst/common/translators/tst.ForwardTag.d mode=0444
1904 file path=opt/SUNWdtrt/tst/common/translators/tst.InputAliasTrans.d mode=0444
1905 file path=opt/SUNWdtrt/tst/common/translators/tst.InputIntTrans.d mode=0444
1906 file path=opt/SUNWdtrt/tst/common/translators/tst.OutputAliasTrans.d mode=0444
1907 file path=opt/SUNWdtrt/tst/common/translators/tst.PartialDereferencing.d \

```

```

1908 mode=0444
1909 file path=opt/SUNWdtrt/tst/common/translators/tst.PartialOutputTransDefn.d \
1910 mode=0444
1911 file path=opt/SUNWdtrt/tst/common/translators/tst.ProcModelTrans.d mode=0444
1912 file path=opt/SUNWdtrt/tst/common/translators/tst.RepeatDeclaration.d \
1913 mode=0444
1914 file path=opt/SUNWdtrt/tst/common/translators/tst.SimultaneousTranslators.d \
1915 mode=0444
1916 file path=opt/SUNWdtrt/tst/common/translators/tst.StructureAssignment.d \
1917 mode=0444
1918 file path=opt/SUNWdtrt/tst/common/translators/tst.TestTransStability1.ksh \
1919 mode=0444
1920 file path=opt/SUNWdtrt/tst/common/translators/tst.TestTransStability1.ksh.out \
1921 mode=0444
1922 file path=opt/SUNWdtrt/tst/common/translators/tst.TestTransStability2.ksh \
1923 mode=0444
1924 file path=opt/SUNWdtrt/tst/common/translators/tst.TestTransStability2.ksh.out \
1925 mode=0444
1926 file path=opt/SUNWdtrt/tst/common/translators/tst.TransNonPointer.d mode=0444
1927 file path=opt/SUNWdtrt/tst/common/translators/tst.TransOutputPointer.d \
1928 mode=0444
1929 file path=opt/SUNWdtrt/tst/common/translators/tst.TransPointer.d mode=0444
1930 file path=opt/SUNWdtrt/tst/common/translators/tst.TranslateSelf.d mode=0444
1931 file path=opt/SUNWdtrt/tst/common/translators/tst.UnionInputTrans.d mode=0444
1932 file path=opt/SUNWdtrt/tst/common/translators/tst.UnionOutputTrans.d mode=0444
1933 file path=opt/SUNWdtrt/tst/common/typedef/err.D_DECL_IDRED.DupTypeDef.d \
1934 mode=0444
1935 file path=opt/SUNWdtrt/tst/common/typedef/err.D_SYNTAX.BadExistingTypeDef.d \
1936 mode=0444
1937 file path=opt/SUNWdtrt/tst/common/typedef/err.D_SYNTAX.TypeDefInClause.d \
1938 mode=0444
1939 file path=opt/SUNWdtrt/tst/common/typedef/tst.ChainTypeDef.d mode=0444
1940 file path=opt/SUNWdtrt/tst/common/typedef/tst.TypedefDataAssign.d mode=0444
1941 file path=opt/SUNWdtrt/tst/common/types/err.D_CAST_INVALID.badcast.d mode=0444
1942 file path=opt/SUNWdtrt/tst/common/types/err.D_CG_DYN.ResultDynType.d mode=0444
1943 file path=opt/SUNWdtrt/tst/common/types/err.D_CHR_OFLOW.charconst.d mode=0444
1944 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_BADCLASS.bad.d mode=0444
1945 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_CHARATTR.badtype3.d \
1946 mode=0444
1947 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.badtype4.d mode=0444
1948 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.badtype5.d mode=0444
1949 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.rptdattrl1.d mode=0444
1950 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.rptdattrl2.d mode=0444
1951 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.rptdattrl3.d mode=0444
1952 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.rptdattrl4.d mode=0444
1953 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_COMBO.rptdattrl5.d mode=0444
1954 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_ENCONST.badeval.d mode=0444
1955 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_ENOFLOW.enoflow.d mode=0444
1956 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_ENOFLOW.enuflow.d mode=0444
1957 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_SCOPE.scopeop.d mode=0444
1958 file path=opt/SUNWdtrt/tst/common/types/err.D_DECL_USELESS.baddec.d mode=0444
1959 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_ACT.badcond.d mode=0444
1960 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_ARITH.badoperand.d mode=0444
1961 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_INCOMPAT.badassign.d \
1962 mode=0444
1963 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_INT.badbitop.d mode=0444
1964 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_INT.badshift.d mode=0444
1965 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_SCALAR.badcond.d mode=0444
1966 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_SCALAR.badincop.d mode=0444
1967 file path=opt/SUNWdtrt/tst/common/types/err.D_OP_SCALAR.badlogop.d mode=0444
1968 file path=opt/SUNWdtrt/tst/common/types/err.D_PROTO_LEN.badcond1.d mode=0444
1969 file path=opt/SUNWdtrt/tst/common/types/err.D_SYNTAX.badenum.d mode=0444
1970 file path=opt/SUNWdtrt/tst/common/types/err.D_SYNTAX.badid.d mode=0444
1971 file path=opt/SUNWdtrt/tst/common/types/err.D_SYNTAX.badstruct.d mode=0444
1972 file path=opt/SUNWdtrt/tst/common/types/err.D_UNKNOWN.badtype1.d mode=0444
1973 file path=opt/SUNWdtrt/tst/common/types/err.D_UNKNOWN.badtype2.d mode=0444

```

```

1974 file path=opt/SUNWdtrt/tst/common/types/err.D_UNKNOWN.dupenum.d mode=0444
1975 file path=opt/SUNWdtrt/tst/common/types/err.D_UNKNOWN.dupstruct.d mode=0444
1976 file path=opt/SUNWdtrt/tst/common/types/err.D_XLATE_REDECL.ResultDynType.d \
1977 mode=0444
1978 file path=opt/SUNWdtrt/tst/common/types/err.EDT_NOTYPE.cmbdatt1.d mode=0444
1979 file path=opt/SUNWdtrt/tst/common/types/err.EDT_NOTYPE.cmbdatt2.d mode=0444
1980 file path=opt/SUNWdtrt/tst/common/types/tst.assignops.d mode=0444
1981 file path=opt/SUNWdtrt/tst/common/types/tst.badshiftops.d mode=0444
1982 file path=opt/SUNWdtrt/tst/common/types/tst.basics.d mode=0444
1983 file path=opt/SUNWdtrt/tst/common/types/tst.basics.d.out mode=0444
1984 file path=opt/SUNWdtrt/tst/common/types/tst.bitops.d mode=0444
1985 file path=opt/SUNWdtrt/tst/common/types/tst.charconstants.d mode=0444
1986 file path=opt/SUNWdtrt/tst/common/types/tst.complex.d mode=0444
1987 file path=opt/SUNWdtrt/tst/common/types/tst.condexpr.d mode=0444
1988 file path=opt/SUNWdtrt/tst/common/types/tst.const.d mode=0444
1989 file path=opt/SUNWdtrt/tst/common/types/tst.constants.d mode=0444
1990 file path=opt/SUNWdtrt/tst/common/types/tst.conv.d mode=0444
1991 file path=opt/SUNWdtrt/tst/common/types/tst.enum.d mode=0444
1992 file path=opt/SUNWdtrt/tst/common/types/tst.intincop.d mode=0444
1993 file path=opt/SUNWdtrt/tst/common/types/tst.intops.d mode=0444
1994 file path=opt/SUNWdtrt/tst/common/types/tst.inttypes.d mode=0444
1995 file path=opt/SUNWdtrt/tst/common/types/tst.pt rincop.d mode=0444
1996 file path=opt/SUNWdtrt/tst/common/types/tst.ptrops.d mode=0444
1997 file path=opt/SUNWdtrt/tst/common/types/tst.relenum.d mode=0444
1998 file path=opt/SUNWdtrt/tst/common/types/tst.relstring.d mode=0444
1999 file path=opt/SUNWdtrt/tst/common/types/tst.shiftops.d mode=0444
2000 file path=opt/SUNWdtrt/tst/common/types/tst.stringconstants.d mode=0444
2001 file path=opt/SUNWdtrt/tst/common/types/tst.struct.d mode=0444
2002 file path=opt/SUNWdtrt/tst/common/types/tst.typedef.d mode=0444
2003 file path=opt/SUNWdtrt/tst/common/types/tst.unaryop.d mode=0444
2004 file path=opt/SUNWdtrt/tst/common/uctf/err.invalidpid.d mode=0444
2005 file path=opt/SUNWdtrt/tst/common/uctf/err.invalidpid2.d mode=0444
2006 file path=opt/SUNWdtrt/tst/common/uctf/err.invalidpid3.d mode=0444
2007 file path=opt/SUNWdtrt/tst/common/uctf/err.invalidtype.ksh mode=0444
2008 file path=opt/SUNWdtrt/tst/common/uctf/err.invalidtype2.ksh mode=0444
2009 file path=opt/SUNWdtrt/tst/common/uctf/err.user64mode.ksh mode=0444
2010 file path=opt/SUNWdtrt/tst/common/uctf/tst.aouttype.exe mode=0555
2011 file path=opt/SUNWdtrt/tst/common/uctf/tst.aouttype.ksh mode=0444
2012 file path=opt/SUNWdtrt/tst/common/uctf/tst.chasestrings.exe mode=0555
2013 file path=opt/SUNWdtrt/tst/common/uctf/tst.chasestrings.ksh mode=0444
2014 file path=opt/SUNWdtrt/tst/common/uctf/tst.chasestrings.ksh.out mode=0444
2015 file path=opt/SUNWdtrt/tst/common/uctf/tst.libtype.exe mode=0555
2016 file path=opt/SUNWdtrt/tst/common/uctf/tst.libtype.ksh mode=0444
2017 file path=opt/SUNWdtrt/tst/common/uctf/tst.linkmap.ksh mode=0444
2018 file path=opt/SUNWdtrt/tst/common/uctf/tst.pidprint.ksh mode=0444
2019 file path=opt/SUNWdtrt/tst/common/uctf/tst.pidprintarg.ksh mode=0444
2020 file path=opt/SUNWdtrt/tst/common/uctf/tst.printtype.exe mode=0555
2021 file path=opt/SUNWdtrt/tst/common/uctf/tst.printtype.ksh mode=0444
2022 file path=opt/SUNWdtrt/tst/common/uctf/tst.printtype.ksh.out mode=0444
2023 file path=opt/SUNWdtrt/tst/common/uctf/tst.printtypetarg.ksh mode=0444
2024 file path=opt/SUNWdtrt/tst/common/uctf/tst.userlandkey.ksh mode=0444
2025 file path=opt/SUNWdtrt/tst/common/uctf/tst.userlandkey.ksh.out mode=0444
2026 file path=opt/SUNWdtrt/tst/common/uctf/tst.userstrings.ksh mode=0444
2027 file path=opt/SUNWdtrt/tst/common/uctf/tst.userstrings.ksh.out mode=0444
2028 file path=opt/SUNWdtrt/tst/common/union/err.D_ADDR_OF_VAR.UnionPointer.d \
2029 mode=0444
2030 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_COMBO.UnionWithoutColon.d \
2031 mode=0444
2032 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_COMBO.UnionWithoutColon1.d \
2033 mode=0444
2034 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_INCOMPLETE.circular.d \
2035 mode=0444
2036 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_INCOMPLETE.order.d \
2037 mode=0444
2038 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_INCOMPLETE.recursive.d \
2039 mode=0444

```

```

2040 file path=opt/SUNWdtrt/tst/common/union/err.D_DECL_INCOMPLETE.simple.d \
2041 mode=0444
2042 file path=opt/SUNWdtrt/tst/common/union/err.D_PROTO_ARG.DupUnionAssoc.d \
2043 mode=0444
2044 file path=opt/SUNWdtrt/tst/common/union/tst.UnionAssoc.d mode=0444
2045 file path=opt/SUNWdtrt/tst/common/union/tst.UnionDataTypes.d mode=0444
2046 file path=opt/SUNWdtrt/tst/common/union/tst.UnionInside.d mode=0444
2047 file path=opt/SUNWdtrt/tst/common/usdt/tst.andpid.ksh mode=0444
2048 file path=opt/SUNWdtrt/tst/common/usdt/tst.argmap.d mode=0444
2049 file path=opt/SUNWdtrt/tst/common/usdt/tst.argmap.exe mode=0555
2050 file path=opt/SUNWdtrt/tst/common/usdt/tst.args.d mode=0444
2051 file path=opt/SUNWdtrt/tst/common/usdt/tst.args.exe mode=0555
2052 file path=opt/SUNWdtrt/tst/common/usdt/tst.badguess.ksh mode=0444
2053 file path=opt/SUNWdtrt/tst/common/usdt/tst.corruptenv.ksh mode=0444
2054 file path=opt/SUNWdtrt/tst/common/usdt/tst.dlclose1.ksh mode=0444
2055 file path=opt/SUNWdtrt/tst/common/usdt/tst.dlclose1.ksh.out mode=0444
2056 file path=opt/SUNWdtrt/tst/common/usdt/tst.dlclose2.ksh mode=0444
2057 file path=opt/SUNWdtrt/tst/common/usdt/tst.dlclose2.ksh.out mode=0444
2058 file path=opt/SUNWdtrt/tst/common/usdt/tst.dlclose3.ksh mode=0444
2059 file path=opt/SUNWdtrt/tst/common/usdt/tst.eliminate.ksh mode=0444
2060 file path=opt/SUNWdtrt/tst/common/usdt/tst.enabled.ksh mode=0444
2061 file path=opt/SUNWdtrt/tst/common/usdt/tst.enabled.ksh.out mode=0444
2062 file path=opt/SUNWdtrt/tst/common/usdt/tst.enabled2.ksh mode=0444
2063 file path=opt/SUNWdtrt/tst/common/usdt/tst.enabled2.ksh.out mode=0444
2064 file path=opt/SUNWdtrt/tst/common/usdt/tst.entryreturn.ksh mode=0444
2065 file path=opt/SUNWdtrt/tst/common/usdt/tst.entryreturn.ksh.out mode=0444
2066 file path=opt/SUNWdtrt/tst/common/usdt/tst.fork.ksh mode=0444
2067 file path=opt/SUNWdtrt/tst/common/usdt/tst.fork.ksh.out mode=0444
2068 file path=opt/SUNWdtrt/tst/common/usdt/tst.forker.exe mode=0555
2069 file path=opt/SUNWdtrt/tst/common/usdt/tst.forker.ksh mode=0444
2070 file path=opt/SUNWdtrt/tst/common/usdt/tst.guess32.ksh mode=0444
2071 file path=opt/SUNWdtrt/tst/common/usdt/tst.guess64.ksh mode=0444
2072 file path=opt/SUNWdtrt/tst/common/usdt/tst.header.ksh mode=0444
2073 file path=opt/SUNWdtrt/tst/common/usdt/tst.include.ksh mode=0444
2074 file path=opt/SUNWdtrt/tst/common/usdt/tst.lazyprobe.exe mode=0555
2075 file path=opt/SUNWdtrt/tst/common/usdt/tst.lazyprobel.ksh mode=0444
2076 file path=opt/SUNWdtrt/tst/common/usdt/tst.lazyprobe2.ksh mode=0444
2077 file path=opt/SUNWdtrt/tst/common/usdt/tst.linkpriv.ksh mode=0444
2078 file path=opt/SUNWdtrt/tst/common/usdt/tst.linkunpriv.ksh mode=0444
2079 file path=opt/SUNWdtrt/tst/common/usdt/tst.multiple.ksh mode=0444
2080 file path=opt/SUNWdtrt/tst/common/usdt/tst.multiple.ksh.out mode=0444
2081 file path=opt/SUNWdtrt/tst/common/usdt/tst.multiprov.ksh mode=0444
2082 file path=opt/SUNWdtrt/tst/common/usdt/tst.multiprov.ksh.out mode=0444
2083 file path=opt/SUNWdtrt/tst/common/usdt/tst.nodtrace.ksh mode=0444
2084 file path=opt/SUNWdtrt/tst/common/usdt/tst.noprobes.ksh mode=0444
2085 file path=opt/SUNWdtrt/tst/common/usdt/tst.noreap.ksh mode=0444
2086 file path=opt/SUNWdtrt/tst/common/usdt/tst.noreapring.ksh mode=0444
2087 file path=opt/SUNWdtrt/tst/common/usdt/tst.onlyenabled.ksh mode=0444
2088 file path=opt/SUNWdtrt/tst/common/usdt/tst.reap.ksh mode=0444
2089 file path=opt/SUNWdtrt/tst/common/usdt/tst.reveal.ksh mode=0444
2090 file path=opt/SUNWdtrt/tst/common/usdt/tst.static.ksh mode=0444
2091 file path=opt/SUNWdtrt/tst/common/usdt/tst.static.ksh.out mode=0444
2092 file path=opt/SUNWdtrt/tst/common/usdt/tst.static2.ksh mode=0444
2093 file path=opt/SUNWdtrt/tst/common/usdt/tst.static2.ksh.out mode=0444
2094 file path=opt/SUNWdtrt/tst/common/usdt/tst.user.ksh mode=0444
2095 file path=opt/SUNWdtrt/tst/common/usdt/tst.user.ksh.out mode=0444
2096 file path=opt/SUNWdtrt/tst/common/ustack/tst.bigstack.d mode=0444
2097 file path=opt/SUNWdtrt/tst/common/ustack/tst.bigstack.exe mode=0555
2098 file path=opt/SUNWdtrt/tst/common/ustack/tst.depth.ksh mode=0444
2099 file path=opt/SUNWdtrt/tst/common/ustack/tst.spin.exe mode=0555
2100 file path=opt/SUNWdtrt/tst/common/ustack/tst.spin.ksh mode=0444
2101 file path=opt/SUNWdtrt/tst/common/vars/tst.gid.d mode=0444
2102 file path=opt/SUNWdtrt/tst/common/vars/tst.nullassign.d mode=0444
2103 file path=opt/SUNWdtrt/tst/common/vars/tst.ppid.d mode=0444
2104 file path=opt/SUNWdtrt/tst/common/vars/tst.ucaller.ksh mode=0444
2105 file path=opt/SUNWdtrt/tst/common/vars/tst.ucaller.ksh.out mode=0444

```

```
2106 file path=opt/SUNWdtrt/tst/common/vars/tst.uid.d mode=0444
2107 file path=opt/SUNWdtrt/tst/common/vars/tst.walltimestamp.d mode=0444
2108 file path=opt/SUNWdtrt/tst/common/version/tst.1.0.d mode=0444
2109 $(i386_ONLY)file path=opt/SUNWdtrt/tst/i86xpv/xdt/tst.basic.ksh mode=0444
2110 $(i386_ONLY)file path=opt/SUNWdtrt/tst/i86xpv/xdt/tst.hvmenable.ksh mode=0444
2111 $(i386_ONLY)file path=opt/SUNWdtrt/tst/i86xpv/xdt/tst.memenable.ksh mode=0444
2112 $(i386_ONLY)file path=opt/SUNWdtrt/tst/i86xpv/xdt/tst.schedargs.ksh mode=0444
2113 $(i386_ONLY)file path=opt/SUNWdtrt/tst/i86xpv/xdt/tst.schedenable.ksh \
2114     mode=0444
2115 legacy pkg=SUNWdtrt category=internal \
2116     desc="DTrace Test Suite Internal Distribution" \
2117     hotline="Contact the DTrace discussion forum" name="DTrace Test Suite"
2118 license cr_Sun license=cr_Sun
2119 license lic_CDDL license=lic_CDDL
2120 depend fmri=runtime/java type=require
2121 depend fmri=runtime/java/runtime64 type=require
```

```

*****
5140 Fri Apr 11 13:24:14 2014
new/usr/src/pkg/manifests/system-embedded-fcode-interpreter.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/embedded-fcode-interpreter@$(PKGVERS)
35 set name=pkg.description value="Embedded FCode Interpreter Drivers"
36 set name=pkg.summary value="Embedded FCode Interpreter Drivers"
37 set name=info.classification \
38     value="org.opensolaris.category.2008:System/Administration and Configuration"
39 set name=variant.arch value=sparc
40 dir path=etc group=sys
41 dir path=etc/flash group=sys
42 dir path=etc/flash/postdeployment group=sys
43 dir path=kernel group=sys
44 dir path=kernel/drv group=sys
45 dir path=kernel/drv/$(ARCH64) group=sys
46 dir path=kernel/misc group=sys
47 dir path=kernel/misc/$(ARCH64) group=sys
48 dir path=lib
49 dir path=lib/svc
50 dir path=lib/svc/manifest group=sys
51 dir path=lib/svc/manifest/platform group=sys
52 dir path=lib/svc/manifest/platform/sun4u group=sys
53 dir path=lib/svc/manifest/platform/sun4v group=sys
54 dir path=platform group=sys
55 dir path=platform/sun4u group=sys
56 dir path=platform/sun4u/kernel group=sys
57 dir path=platform/sun4u/kernel/misc group=sys
58 dir path=platform/sun4u/kernel/misc/$(ARCH64) group=sys
59 dir path=usr group=sys
60 dir path=usr/lib
61 dir path=usr/lib/efcode

```

```

62 $(BUILD64)dir path=usr/lib/efcode/$(ARCH64)
24 dir path=usr/lib/efcode/$(ARCH64)
63 dir path=usr/share/man/man1m
64 driver name=fcode
65 file path=etc/flash/postdeployment/efcode.cleanup group=sys mode=0744
66 file path=kernel/drv/$(ARCH64)/fcode group=sys
67 file path=kernel/drv/fcode.conf group=sys
68 file path=kernel/misc/$(ARCH64)/fcode group=sys mode=0755
69 file path=kernel/misc/$(ARCH64)/fcpci group=sys mode=0755
70 file path=kernel/misc/$(ARCH64)/pcicfg group=sys mode=0755
71 file path=lib/svc/manifest/platform/sun4u/efdaemon.xml group=sys mode=0444
72 file path=lib/svc/manifest/platform/sun4v/efdaemon.xml group=sys mode=0444
73 file path=platform/sun4u/kernel/misc/$(ARCH64)/gptwo_cpu group=sys mode=0755
74 file path=platform/sun4u/kernel/misc/$(ARCH64)/gptwoocfg group=sys mode=0755
75 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/efdaemon mode=0555
76 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/fcdriver.so
77 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/fcode.so
78 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/fcpackage.so
79 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/fcthread.so
80 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/interpreter mode=0555
81 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/lfc_gptwo.so
82 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/lfc_jupiter.so
83 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/lfc_upa.so
84 $(BUILD64)file path=usr/lib/efcode/$(ARCH64)/lfc_upa_pci.so
37 file path=usr/lib/efcode/$(ARCH64)/efdaemon mode=0555
38 file path=usr/lib/efcode/$(ARCH64)/fcdriver.so
39 file path=usr/lib/efcode/$(ARCH64)/fcode.so
40 file path=usr/lib/efcode/$(ARCH64)/fcpackage.so
41 file path=usr/lib/efcode/$(ARCH64)/fcthread.so
42 file path=usr/lib/efcode/$(ARCH64)/interpreter mode=0555
43 file path=usr/lib/efcode/$(ARCH64)/lfc_gptwo.so
44 file path=usr/lib/efcode/$(ARCH64)/lfc_jupiter.so
45 file path=usr/lib/efcode/$(ARCH64)/lfc_upa.so
46 file path=usr/lib/efcode/$(ARCH64)/lfc_upa_pci.so
85 file path=usr/lib/efcode/efcode.sh mode=0555
86 file path=usr/share/man/man1m/efdaemon.lm
87 legacy pkg=SUNWefc.u arch=$(ARCH).sun4u \
88     desc="Embedded FCode Interpreter Drivers" \
89     name="Embedded FCode Interpreter Drivers"
90 legacy pkg=SUNWefck desc="Embedded FCode Interpreter" \
91     name="Embedded FCode Interpreter Drivers"
92 legacy pkg=SUNWefcl desc="Embedded FCode Libraries" \
93     name="Embedded FCode Libraries"
94 legacy pkg=SUNWefcr desc="Embedded FCode Interpreter" \
95     name="Embedded FCode Interpreter (Root)"
96 legacy pkg=SUNWefcu desc="Embedded FCode Interpreter" \
97     name="Embedded FCode Interpreter"
98 license cr_Sun license=cr_Sun
99 license lic_CDDL license=lic_CDDL
100 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_gptwo_gptwo.so \
101     target=lfc_gptwo.so
102 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_gptwo_pci.so \
103     target=lfc_upa_pci.so
104 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_jupiter_jupiter.so \
62 link path=usr/lib/efcode/$(ARCH64)/lfc_gptwo_gptwo.so target=lfc_gptwo.so
63 link path=usr/lib/efcode/$(ARCH64)/lfc_gptwo_pci.so target=lfc_upa_pci.so
64 link path=usr/lib/efcode/$(ARCH64)/lfc_jupiter_jupiter.so \
105     target=lfc_jupiter.so
106 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_jupiter_pciex.so \
107     target=lfc_upa_pci.so
108 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_pci_pci.so \
109     target=lfc_upa_pci.so
110 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_pci_pciex.so \
111     target=lfc_upa_pci.so
112 $(BUILD64)link path=usr/lib/efcode/$(ARCH64)/lfc_pciex_pci.so \
113     target=lfc_upa_pci.so

```

```
114 $(BUILD64)link path=usr/lib/efcode/${ARCH64}/lfc_pciex_pciex.so \  
115     target=lfc_upa_pci.so  
116 $(BUILD64)link path=usr/lib/efcode/${ARCH64}/lfc_sun4v.so target=lfc_upa.so  
117 $(BUILD64)link path=usr/lib/efcode/${ARCH64}/lfc_sun4v_pciex.so \  
118     target=lfc_upa_pci.so  
66 link path=usr/lib/efcode/${ARCH64}/lfc_jupiter_pciex.so target=lfc_upa_pci.so  
67 link path=usr/lib/efcode/${ARCH64}/lfc_pci_pci.so target=lfc_upa_pci.so  
68 link path=usr/lib/efcode/${ARCH64}/lfc_pci_pciex.so target=lfc_upa_pci.so  
69 link path=usr/lib/efcode/${ARCH64}/lfc_pciex_pci.so target=lfc_upa_pci.so  
70 link path=usr/lib/efcode/${ARCH64}/lfc_pciex_pciex.so target=lfc_upa_pci.so  
71 link path=usr/lib/efcode/${ARCH64}/lfc_sun4v.so target=lfc_upa.so  
72 link path=usr/lib/efcode/${ARCH64}/lfc_sun4v_pciex.so target=lfc_upa_pci.so
```


new/usr/src/pkg/manifests/system-extended-system-utilities.mf

1

```
*****
12249 Fri Apr 11 13:24:14 2014
new/usr/src/pkg/manifests/system-extended-system-utilities.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/extended-system-utilities@$(PKGVERS)
30 set name=pkg.description \
31   value="additional UNIX system utilities, including awk, bc, cal, compress, d
32 set name=pkg.summary value="Extended System Utilities"
33 set name=info.classification value=org.opensolaris.category.2008:System/Core
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/bin
37 $(i386_ONLY)dir path=usr/bin/$(ARCH32)
38 $(BUILD64)dir path=usr/bin/$(ARCH64)
25 dir path=usr/bin/$(ARCH64)
39 dir path=usr/lib
40 $(BUILD64)dir path=usr/lib/$(ARCH64)
27 dir path=usr/lib/$(ARCH64)
41 dir path=usr/lib/adb group=sys
42 $(BUILD64)dir path=usr/lib/adb/$(ARCH64) group=sys
29 dir path=usr/lib/adb/$(ARCH64) group=sys
43 dir path=usr/lib/fs group=sys
44 dir path=usr/lib/fs/pcfs group=sys
45 dir path=usr/lib/spell
46 dir path=usr/proc
47 dir path=usr/proc/bin
48 dir path=usr/sbin
49 $(BUILD64)dir path=usr/sbin/$(ARCH64)
36 dir path=usr/sbin/$(ARCH64)
50 dir path=usr/share
51 dir path=usr/share/lib
52 dir path=usr/share/lib/dict
53 dir path=usr/share/man/man1
54 dir path=usr/share/man/man1m
55 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pargs mode=0555
56 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pcred mode=0555
57 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pfiles mode=0555
```

new/usr/src/pkg/manifests/system-extended-system-utilities.mf

2

```
58 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pflags mode=0555
59 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pldd mode=0555
60 $(i386_ONLY)file path=usr/bin/$(ARCH32)/plgrp mode=0555
61 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pmdadvise mode=0555
62 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pmap mode=0555
63 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ppgsz mode=0555
64 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ppriv mode=0555
65 $(i386_ONLY)file path=usr/bin/$(ARCH32)/preap mode=0555
66 $(i386_ONLY)file path=usr/bin/$(ARCH32)/prun mode=0555
67 $(i386_ONLY)file path=usr/bin/$(ARCH32)/psig mode=0555
68 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pstack mode=0555
69 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pstop mode=0555
70 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ptime mode=0555
71 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ptree mode=0555
72 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pwait mode=0555
73 $(i386_ONLY)file path=usr/bin/$(ARCH32)/pwdx mode=0555
74 $(i386_ONLY)file path=usr/bin/$(ARCH32)/sort mode=0555
75 $(BUILD64)file path=usr/bin/$(ARCH64)/pargs mode=0555
76 $(BUILD64)file path=usr/bin/$(ARCH64)/pcred mode=0555
77 $(BUILD64)file path=usr/bin/$(ARCH64)/pfiles mode=0555
78 $(BUILD64)file path=usr/bin/$(ARCH64)/pflags mode=0555
79 $(BUILD64)file path=usr/bin/$(ARCH64)/pldd mode=0555
80 $(BUILD64)file path=usr/bin/$(ARCH64)/plgrp mode=0555
81 $(BUILD64)file path=usr/bin/$(ARCH64)/pmdadvise mode=0555
82 $(BUILD64)file path=usr/bin/$(ARCH64)/pmap mode=0555
83 $(BUILD64)file path=usr/bin/$(ARCH64)/ppgsz mode=0555
84 $(BUILD64)file path=usr/bin/$(ARCH64)/ppriv mode=0555
85 $(BUILD64)file path=usr/bin/$(ARCH64)/preap mode=0555
86 $(BUILD64)file path=usr/bin/$(ARCH64)/prun mode=0555
87 $(BUILD64)file path=usr/bin/$(ARCH64)/psig mode=0555
88 $(BUILD64)file path=usr/bin/$(ARCH64)/pstack mode=0555
89 $(BUILD64)file path=usr/bin/$(ARCH64)/pstop mode=0555
90 $(BUILD64)file path=usr/bin/$(ARCH64)/ptime mode=0555
91 $(BUILD64)file path=usr/bin/$(ARCH64)/ptree mode=0555
92 $(BUILD64)file path=usr/bin/$(ARCH64)/pwait mode=0555
93 $(BUILD64)file path=usr/bin/$(ARCH64)/pwdx mode=0555
94 $(BUILD64)file path=usr/bin/$(ARCH64)/sort mode=0555
62 file path=usr/bin/$(ARCH64)/pargs mode=0555
63 file path=usr/bin/$(ARCH64)/pcred mode=0555
64 file path=usr/bin/$(ARCH64)/pfiles mode=0555
65 file path=usr/bin/$(ARCH64)/pflags mode=0555
66 file path=usr/bin/$(ARCH64)/pldd mode=0555
67 file path=usr/bin/$(ARCH64)/plgrp mode=0555
68 file path=usr/bin/$(ARCH64)/pmdadvise mode=0555
69 file path=usr/bin/$(ARCH64)/pmap mode=0555
70 file path=usr/bin/$(ARCH64)/ppgsz mode=0555
71 file path=usr/bin/$(ARCH64)/ppriv mode=0555
72 file path=usr/bin/$(ARCH64)/preap mode=0555
73 file path=usr/bin/$(ARCH64)/prun mode=0555
74 file path=usr/bin/$(ARCH64)/psig mode=0555
75 file path=usr/bin/$(ARCH64)/pstack mode=0555
76 file path=usr/bin/$(ARCH64)/pstop mode=0555
77 file path=usr/bin/$(ARCH64)/ptime mode=0555
78 file path=usr/bin/$(ARCH64)/ptree mode=0555
79 file path=usr/bin/$(ARCH64)/pwait mode=0555
80 file path=usr/bin/$(ARCH64)/pwdx mode=0555
81 file path=usr/bin/$(ARCH64)/sort mode=0555
95 file path=usr/bin/asa mode=0555
96 file path=usr/bin/awk mode=0555
97 file path=usr/bin/banner mode=0555
98 file path=usr/bin/batch mode=0555
99 file path=usr/bin/bc mode=0555
100 file path=usr/bin/bdiff mode=0755
101 file path=usr/bin/bfs mode=0555
102 file path=usr/bin/cal mode=0555
103 file path=usr/bin/calendar mode=0555
```

```

104 file path=usr/bin/col mode=0555
105 file path=usr/bin/compress mode=0555
106 file path=usr/bin/csplits mode=0555
107 file path=usr/bin/dc mode=0555
108 file path=usr/bin/diff mode=0555
109 file path=usr/bin/diff3 mode=0555
110 file path=usr/bin/dircmp mode=0555
111 file path=usr/bin/dos2unix mode=0555
112 file path=usr/bin/expand mode=0555
113 file path=usr/bin/factor mode=0555
114 file path=usr/bin/kstat mode=0555
115 file path=usr/bin/last mode=0555
116 file path=usr/bin/lastcomm mode=0555
117 file path=usr/bin/lgrpinf mode=0555
118 file path=usr/bin/look mode=0755
119 file path=usr/bin/mkfifo mode=0555
120 file path=usr/bin/nawk mode=0555
121 file path=usr/bin/newform mode=0555
122 file path=usr/bin/news mode=0555
123 file path=usr/bin/nl mode=0555
124 file path=usr/bin/pack mode=0555
125 file path=usr/bin/pginfo mode=0555
126 file path=usr/bin/pgstat mode=0555
127 file path=usr/bin/sdiff mode=0555
128 file path=usr/bin/spell mode=0555
129 file path=usr/bin/split mode=0555
130 file path=usr/bin/tcopy mode=0555
131 file path=usr/bin/unexpand mode=0555
132 file path=usr/bin/units mode=0555
133 file path=usr/bin/unix2dos mode=0555
134 file path=usr/bin/unpack mode=0555
135 file path=usr/bin/uudecode group=uucp mode=0555
136 file path=usr/bin/uencode group=uucp mode=0555
137 file path=usr/bin/yes mode=0555
138 $(BUILDP4)file path=usr/lib/$(ARCH64)/madv.so.1
139 $(BUILDP4)file path=usr/lib/$(ARCH64)/mpss.so.1
140 $(BUILDP4)file path=usr/lib/adb/$(ARCH64)/adbsub.o group=sys
125 file path=usr/lib/$(ARCH64)/madv.so.1
126 file path=usr/lib/$(ARCH64)/mpss.so.1
127 file path=usr/lib/adb/$(ARCH64)/adbsub.o group=sys
141 file path=usr/lib/adb/adbgen group=sys mode=0755
142 file path=usr/lib/adb/adbgen1 group=sys mode=0755
143 file path=usr/lib/adb/adbgen3 group=sys mode=0755
144 file path=usr/lib/adb/adbgen4 group=sys mode=0755
145 file path=usr/lib/adb/adbsub.o group=sys
146 file path=usr/lib/diff3prog mode=0555
147 file path=usr/lib/fs/pcfs/fsck mode=0555
148 file path=usr/lib/fs/pcfs/fstyp.so.1 mode=0555
149 file path=usr/lib/fs/pcfs/mkfs mode=0555
150 file path=usr/lib/fs/pcfs/mount mode=0555
151 file path=usr/lib/madv.so.1
152 file path=usr/lib/mpss.so.1
153 file path=usr/lib/spell/compress mode=0555
154 file path=usr/lib/spell/hashcheck mode=0555
155 file path=usr/lib/spell/hashmake mode=0555
156 file path=usr/lib/spell/hlsta
157 file path=usr/lib/spell/hlstb
158 file path=usr/lib/spell/hstop
159 file path=usr/lib/spell/spellin mode=0555
160 file path=usr/lib/spell/spellprog mode=0555
161 file path=usr/sbin/dmsg mode=0555
162 file path=usr/sbin/projadd group=sys mode=0555
163 file path=usr/sbin/projdel group=sys mode=0555
164 file path=usr/sbin/projmod group=sys mode=0555
165 file path=usr/share/lib/dict/words
166 file path=usr/share/man/man1/asa.1

```

```

167 file path=usr/share/man/man1/awk.1
168 file path=usr/share/man/man1/banner.1
169 file path=usr/share/man/man1/bc.1
170 file path=usr/share/man/man1/bdiff.1
171 file path=usr/share/man/man1/bfs.1
172 file path=usr/share/man/man1/cal.1
173 file path=usr/share/man/man1/calendar.1
174 file path=usr/share/man/man1/col.1
175 file path=usr/share/man/man1/compress.1
176 file path=usr/share/man/man1/csplits.1
177 file path=usr/share/man/man1/dc.1
178 file path=usr/share/man/man1/diff.1
179 file path=usr/share/man/man1/diff3.1
180 file path=usr/share/man/man1/dircmp.1
181 file path=usr/share/man/man1/dos2unix.1
182 file path=usr/share/man/man1/expand.1
183 file path=usr/share/man/man1/factor.1
184 file path=usr/share/man/man1/last.1
185 file path=usr/share/man/man1/lastcomm.1
186 file path=usr/share/man/man1/lgrpinf.1
187 file path=usr/share/man/man1/look.1
188 file path=usr/share/man/man1/madv.so.1.1
189 file path=usr/share/man/man1/mpss.so.1.1
190 file path=usr/share/man/man1/nawk.1
191 file path=usr/share/man/man1/newform.1
192 file path=usr/share/man/man1/news.1
193 file path=usr/share/man/man1/nl.1
194 file path=usr/share/man/man1/pack.1
195 file path=usr/share/man/man1/pargs.1
196 file path=usr/share/man/man1/plgrp.1
197 file path=usr/share/man/man1/pmadvis.1
198 file path=usr/share/man/man1/pmap.1
199 file path=usr/share/man/man1/ppgsz.1
200 file path=usr/share/man/man1/ppriv.1
201 file path=usr/share/man/man1/preap.1
202 file path=usr/share/man/man1/ptree.1
203 file path=usr/share/man/man1/sdiff.1
204 file path=usr/share/man/man1/sort.1
205 file path=usr/share/man/man1/spell.1
206 file path=usr/share/man/man1/split.1
207 file path=usr/share/man/man1/tcopy.1
208 file path=usr/share/man/man1/units.1
209 file path=usr/share/man/man1/unix2dos.1
210 file path=usr/share/man/man1/yes.1
211 file path=usr/share/man/man1m/adbgen.lm
212 file path=usr/share/man/man1m/dmsg.lm
213 file path=usr/share/man/man1m/fsck_pcfs.lm
214 file path=usr/share/man/man1m/kstat.1m
215 file path=usr/share/man/man1m/mkfifo.lm
216 file path=usr/share/man/man1m/mkfs_pcfs.lm
217 file path=usr/share/man/man1m/mount_pcfs.lm
218 file path=usr/share/man/man1m/projadd.lm
219 file path=usr/share/man/man1m/projdel.lm
220 file path=usr/share/man/man1m/projmod.lm
221 hardlink path=usr/bin/oawk target=../usr/bin/awk
222 hardlink path=usr/bin/pargs target=../usr/lib/isaexec
223 hardlink path=usr/bin/pcred target=../usr/lib/isaexec
224 hardlink path=usr/bin/pfiles target=../usr/lib/isaexec
225 hardlink path=usr/bin/pflags target=../usr/lib/isaexec
226 hardlink path=usr/bin/pldd target=../usr/lib/isaexec
227 hardlink path=usr/bin/plgrp target=../usr/lib/isaexec
228 hardlink path=usr/bin/pmadvis target=../usr/lib/isaexec
229 hardlink path=usr/bin/pmap target=../usr/lib/isaexec
230 hardlink path=usr/bin/ppgsz target=../usr/lib/isaexec
231 hardlink path=usr/bin/ppriv target=../usr/lib/isaexec
232 hardlink path=usr/bin/preap target=../usr/lib/isaexec

```

```
233 hardlink path=usr/bin/prun target=../../usr/lib/isaexec
234 hardlink path=usr/bin/psig target=../../usr/lib/isaexec
235 hardlink path=usr/bin/pstack target=../../usr/lib/isaexec
236 hardlink path=usr/bin/pstop target=../../usr/lib/isaexec
237 hardlink path=usr/bin/ptime target=../../usr/lib/isaexec
238 hardlink path=usr/bin/ptree target=../../usr/lib/isaexec
239 hardlink path=usr/bin/pwait target=../../usr/lib/isaexec
240 hardlink path=usr/bin/pwdx target=../../usr/lib/isaexec
241 hardlink path=usr/bin/sort target=../../usr/lib/isaexec
242 hardlink path=usr/bin/uncompress target=../../usr/bin/compress
243 hardlink path=usr/bin/zcat target=../../usr/bin/compress
244 hardlink path=usr/lib/fs/pofs/fstyp target=../../sbin/fstyp
245 legacy pkg=SUNWesu \
246   desc="additional UNIX system utilities, including awk, bc, cal, compress, di
247   name="Extended System Utilities"
248 license cr_Sun license=cr_Sun
249 license lic_CDDL license=lic_CDDL
250 license usr/src/cmd/compress/THIRDPARTYLICENSE \
251   license=usr/src/cmd/compress/THIRDPARTYLICENSE
252 license usr/src/cmd/lastcomm/THIRDPARTYLICENSE \
253   license=usr/src/cmd/lastcomm/THIRDPARTYLICENSE
254 license usr/src/cmd/look/THIRDPARTYLICENSE \
255   license=usr/src/cmd/look/THIRDPARTYLICENSE
256 license usr/src/cmd/units/THIRDPARTYLICENSE \
257   license=usr/src/cmd/units/THIRDPARTYLICENSE
258 link path=usr/bin/dmesg target=../sbin/dmesg
259 link path=usr/bin/picat target=../unpack
260 link path=usr/bin/strace target=../sbin/strace
261 link path=usr/dict target=../share/lib/dict
262 link path=usr/proc/bin/pcred target=../../bin/pcred
263 link path=usr/proc/bin/pfiles target=../../bin/pfiles
264 link path=usr/proc/bin/pflags target=../../bin/pflags
265 link path=usr/proc/bin/pldd target=../../bin/pldd
266 link path=usr/proc/bin/pmap target=../../bin/pmap
267 link path=usr/proc/bin/prun target=../../bin/prun
268 link path=usr/proc/bin/psig target=../../bin/psig
269 link path=usr/proc/bin/pstack target=../../bin/pstack
270 link path=usr/proc/bin/pstop target=../../bin/pstop
271 link path=usr/proc/bin/ptime target=../../bin/ptime
272 link path=usr/proc/bin/ptree target=../../bin/ptree
273 link path=usr/proc/bin/pwait target=../../bin/pwait
274 link path=usr/proc/bin/pwdx target=../../bin/pwdx
275 link path=usr/share/man/man1/hashcheck.1 target=spell.1
276 link path=usr/share/man/man1/hashmake.1 target=spell.1
277 link path=usr/share/man/man1/picat.1 target=pac.1
278 link path=usr/share/man/man1/spellin.1 target=spell.1
279 link path=usr/share/man/man1/uncompress.1 target=compress.1
280 link path=usr/share/man/man1/unexpand.1 target=expand.1
281 link path=usr/share/man/man1/unpack.1 target=pac.1
282 link path=usr/share/man/man1/zcat.1 target=compress.1
283 depend fmri=runtime/perl-510 type=require
```

new/usr/src/pkg/manifests/system-file-system-autofs.mf

1

```
*****
3049 Fri Apr 11 13:24:15 2014
new/usr/src/pkg/manifests/system-file-system-autofs.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/file-system/autofs@$(PKGVERS)
29 set name=pkg.description \
30 value="utilities and a daemon (automountd) for the AutoFS filesystem"
31 set name=pkg.summary value=AutoFS
32 set name=info.classification \
33 value="org.opensolaris.category.2008:System/File System"
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/default group=sys
37 dir path=lib
38 dir path=lib/svc
39 dir path=lib/svc/manifest group=sys
40 dir path=lib/svc/manifest/system group=sys
41 dir path=lib/svc/manifest/system/filesystem group=sys
42 dir path=lib/svc/method
43 dir path=usr group=sys
44 dir path=usr/lib
45 dir path=usr/lib/autofs group=sys
46 dir path=usr/lib/fs group=sys
47 dir path=usr/lib/fs/autofs group=sys
48 $(BUILD64)dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
24 dir path=usr/lib/fs/autofs/$(ARCH64) group=sys
49 dir path=usr/sbin
50 dir path=usr/share/man
51 dir path=usr/share/man/man1m
52 dir path=usr/share/man/man4
53 file path=etc/auto_home original_name=SUNWatfs:etc/auto_home preserve=true
54 file path=etc/auto_master original_name=SUNWatfs:etc/auto_master preserve=true
55 file path=etc/default/autofs group=sys \
56 original_name=SUNWatfs:etc/default/autofs preserve=renameold
57 file path=lib/svc/manifest/system/filesystem/autofs.xml group=sys mode=0444
58 file path=lib/svc/method/svc-autofs mode=0555
59 file path=usr/lib/autofs/automountd mode=0555
60 $(BUILD64)file path=usr/lib/fs/autofs/$(ARCH64)/libshare_autofs.so.1
```

new/usr/src/pkg/manifests/system-file-system-autofs.mf

2

```
36 file path=usr/lib/fs/autofs/$(ARCH64)/libshare_autofs.so.1
61 file path=usr/lib/fs/autofs/automount mode=0555
62 file path=usr/lib/fs/autofs/dfshares mode=0555
63 file path=usr/lib/fs/autofs/libshare_autofs.so.1
64 file path=usr/lib/fs/autofs/mount mode=0555
65 file path=usr/lib/fs/autofs/share mode=0555
66 file path=usr/lib/fs/autofs/unshare mode=0555
67 file path=usr/share/man/man1m/automount.lm
68 file path=usr/share/man/man1m/automountd.lm
69 file path=usr/share/man/man4/autofs.4
70 legacy pkg=SUNWatfsr \
71 desc="configuration and start-up files for the AutoFS filesystem" \
72 name="AutoFS, (Root)"
73 legacy pkg=SUNWatfsu \
74 desc="utilities and a daemon (automountd) for the AutoFS filesystem" \
75 name="AutoFS, (Usr)"
76 license cr_Sun license=cr_Sun
77 license lic_CDDL license=lic_CDDL
78 link path=usr/sbin/automount target=../lib/fs/autofs/automount
```

new/usr/src/pkg/manifests/system-file-system-smb.mf

1

```
*****
5471 Fri Apr 11 13:24:15 2014
new/usr/src/pkg/manifests/system-file-system-smb.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/file-system/smb@$(PKGVERS)
30 set name=pkg.description value="SMB/CIFS File System client support"
31 set name=pkg.summary value="SMB/CIFS File System client support"
32 set name=info.classification \
33   value="org.opensolaris.category.2008:System/File System"
34 set name=variant.arch value=$(ARCH)
35 dir path=lib
36 dir path=lib/svc
37 dir path=lib/svc/manifest group=sys
38 dir path=lib/svc/manifest/network group=sys
39 dir path=lib/svc/manifest/network/smb group=sys
40 dir path=lib/svc/method
41 dir path=usr group=sys
42 dir path=usr/bin
43 dir path=usr/kernel group=sys
44 dir path=usr/kernel/drv group=sys
45 dir path=usr/kernel/drv/$(ARCH64) group=sys
46 dir path=usr/kernel/fs group=sys
47 dir path=usr/kernel/fs/$(ARCH64) group=sys
48 dir path=usr/kernel/kmdb group=sys
49 dir path=usr/kernel/kmdb/$(ARCH64) group=sys
50 dir path=usr/lib
51 $(BUILD64)dir path=usr/lib/$(ARCH64)
52 dir path=usr/lib/$(ARCH64)
53 dir path=usr/lib/fs group=sys
54 $(BUILD64)dir path=usr/lib/fs/smbfs/$(ARCH64) group=sys
55 dir path=usr/lib/fs/smbfs/$(ARCH64) group=sys
56 dir path=usr/lib/mdb group=sys
57 dir path=usr/lib/mdb/kvm group=sys
58 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
59 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
60 dir path=usr/lib/security
```

new/usr/src/pkg/manifests/system-file-system-smb.mf

2

```
59 $(BUILD64)dir path=usr/lib/security/$(ARCH64)
33 dir path=usr/lib/security/$(ARCH64)
60 dir path=usr/lib/smbfs
61 dir path=usr/share/man
62 dir path=usr/share/man/man1
63 dir path=usr/share/man/man1m
64 dir path=usr/share/man/man4
65 dir path=usr/share/man/man5
66 dir path=usr/share/man/man7fs
67 driver name=nsmb perms="* 0666 root sys"
68 file path=lib/svc/manifest/network/smb/client.xml group=sys mode=0444
69 file path=lib/svc/method/smb-client mode=0555
70 file path=usr/bin/smbutil mode=0555
71 file path=usr/kernel/drv/$(ARCH64)/nsmb group=sys
72 $(i386_ONLY)file path=usr/kernel/drv/nsmb group=sys
73 file path=usr/kernel/drv/nsmb.conf group=sys
74 file path=usr/kernel/fs/$(ARCH64)/smbfs group=sys mode=0755
75 $(i386_ONLY)file path=usr/kernel/fs/smbfs group=sys mode=0755
76 file path=usr/kernel/kmdb/$(ARCH64)/nsmb group=sys mode=0555
77 file path=usr/kernel/kmdb/$(ARCH64)/smbfs group=sys mode=0555
78 $(i386_ONLY)file path=usr/kernel/kmdb/nsmb group=sys mode=0555
79 $(i386_ONLY)file path=usr/kernel/kmdb/smbfs group=sys mode=0555
80 $(BUILD64)file path=usr/lib/$(ARCH64)/libsmbfs.so.1
81 $(BUILD64)file path=usr/lib/fs/smbfs/$(ARCH64)/libshare_smbfs.so.1
54 file path=usr/lib/$(ARCH64)/libsmbfs.so.1
55 file path=usr/lib/fs/smbfs/$(ARCH64)/libshare_smbfs.so.1
82 file path=usr/lib/fs/smbfs/dfshares mode=0555
83 file path=usr/lib/fs/smbfs/libshare_smbfs.so.1
84 file path=usr/lib/fs/smbfs/mount mode=4555
85 file path=usr/lib/fs/smbfs/share mode=0555
86 file path=usr/lib/fs/smbfs/umount mode=4555
87 file path=usr/lib/fs/smbfs/unshare mode=0555
88 file path=usr/lib/libsmbfs.so.1
89 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/nsmb.so mode=0555
90 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/smbfs.so mode=0555
63 file path=usr/lib/mdb/kvm/$(ARCH64)/nsmb.so mode=0555
64 file path=usr/lib/mdb/kvm/$(ARCH64)/smbfs.so mode=0555
91 $(i386_ONLY)file path=usr/lib/mdb/kvm/nsmb.so mode=0555
92 $(i386_ONLY)file path=usr/lib/mdb/kvm/smbfs.so mode=0555
93 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_smbfs_login.so.1
67 file path=usr/lib/security/$(ARCH64)/pam_smbfs_login.so.1
94 file path=usr/lib/security/pam_smbfs_login.so.1
95 file path=usr/lib/smbfs/smbiod mode=0555
96 file path=usr/lib/smbfs/smbiod-svc mode=0555
97 file path=usr/share/man/man1/smbutil.1
98 file path=usr/share/man/man1m/mount_smbfs.1m
99 file path=usr/share/man/man1m/smbiod.1m
100 file path=usr/share/man/man4/nsmbrc.4
101 file path=usr/share/man/man5/pam_smbfs_login.5
102 file path=usr/share/man/man7fs/smbfs.7fs
103 legacy pkg=SUNWsmbskr desc="SMB/CIFS File System client support (Kernel)" \
104   name="SMB/CIFS File System client support (Kernel)"
105 legacy pkg=SUNWsmbsfr desc="SMB/CIFS File System client support (Root)" \
106   name="SMB/CIFS File System client support (Root)"
107 legacy pkg=SUNWsmbsfsu desc="SMB/CIFS File System client support (Usr)" \
108   name="SMB/CIFS File System client support (Usr)"
109 license cr_Sun license=cr_Sun
110 license lic_CDDL license=lic_CDDL
111 license usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.apple \
112   license=usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.apple
113 license usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.boris_popov \
114   license=usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.boris_popov
115 license usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.bsd4 \
116   license=usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.bsd4
117 license usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.microsoft \
118   license=usr/src/lib/libsmbfs/smb/THIRDPARTYLICENSE.microsoft
```

new/usr/src/pkg/manifests/system-file-system-smb.mf

3

```
119 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_smbfs_login.so \  
93 link path=usr/lib/security/$(ARCH64)/pam_smbfs_login.so \  
120     target=pam_smbfs_login.so.1  
121 link path=usr/lib/security/pam_smbfs_login.so target=pam_smbfs_login.so.1  
122 link path=usr/share/man/man1m/umount_smbfs.1m target=mount_smbfs.1m  
123 # libsmbfs uses iconv_open() which requires this at run-time.  
124 depend fmri=system/library/iconv/utf-8 type=require
```

new/usr/src/pkg/manifests/system-file-system-zfs-tests.mf

1

```
*****
2907 Fri Apr 11 13:24:15 2014
new/usr/src/pkg/manifests/system-file-system-zfs-tests.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/file-system/zfs/tests@$(PKGVERS)
30 set name=pkg.description value="ZFS test commands"
31 set name=pkg.summary value="ZFS unbundled utilities"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=kernel group=sys
36 dir path=kernel/drv group=sys
37 dir path=kernel/drv/$(ARCH64) group=sys
38 dir path=usr group=sys
39 dir path=usr/bin
40 $(i386_ONLY)dir path=usr/bin/$(ARCH32)
41 $(BUILD64)dir path=usr/bin/$(ARCH64)
25 dir path=usr/bin/$(ARCH64)
42 dir path=usr/include
43 dir path=usr/include/sys
44 dir path=usr/include/sys/fs
45 dir path=usr/lib
46 dir path=usr/lib/devfsadm group=sys
47 dir path=usr/lib/devfsadm/linkmod group=sys
48 dir path=usr/sbin
49 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
50 $(BUILD64)dir path=usr/sbin/$(ARCH64)
34 dir path=usr/sbin/$(ARCH64)
51 driver name=zut perms="* 0666 root sys"
52 file path=kernel/drv/$(ARCH64)/zut group=sys
53 $(i386_ONLY)file path=kernel/drv/zut group=sys
54 file path=kernel/drv/zut.conf group=sys
55 $(i386_ONLY)file path=usr/bin/$(ARCH32)/zlook mode=0555
56 $(i386_ONLY)file path=usr/bin/$(ARCH32)/ztest mode=0555
57 $(BUILD64)file path=usr/bin/$(ARCH64)/zlook mode=0555
58 $(BUILD64)file path=usr/bin/$(ARCH64)/ztest mode=0555
41 file path=usr/bin/$(ARCH64)/zlook mode=0555
```

new/usr/src/pkg/manifests/system-file-system-zfs-tests.mf

2

```
42 file path=usr/bin/$(ARCH64)/ztest mode=0555
59 file path=usr/include/sys/fs/zut.h
60 file path=usr/lib/devfsadm/linkmod/SUNW_zut_link.so group=sys
61 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/zhack mode=0555
62 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/zinject mode=0555
63 $(BUILD64)file path=usr/sbin/$(ARCH64)/zhack mode=0555
64 $(BUILD64)file path=usr/sbin/$(ARCH64)/zinject mode=0555
47 file path=usr/sbin/$(ARCH64)/zhack mode=0555
48 file path=usr/sbin/$(ARCH64)/zinject mode=0555
65 hardlink path=usr/bin/zlook target=../../usr/lib/isaexec
66 hardlink path=usr/bin/ztest target=../../usr/lib/isaexec
67 hardlink path=usr/sbin/zhack target=../../usr/lib/isaexec
68 hardlink path=usr/sbin/zinject target=../../usr/lib/isaexec
69 legacy pkg=SUNWonzfs desc="ZFS test commands" name="ZFS unbundled utilities"
70 legacy pkg=SUNWonzfsr desc="ZFS test driver" name="ZFS unbundled driver"
71 license cr_Sun license=cr_Sun
72 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-file-system-zfs.mf

1

```
*****
8555 Fri Apr 11 13:24:15 2014
new/usr/src/pkg/manifests/system-file-system-zfs.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2013 by Saso Kiselkov. All rights reserved.
26 # Copyright 2014 Andrew Stormont.
27 #endif /* ! codereview */
28 #
29 #
30 set name=pkg.fmri value=pkg:/system/file-system/zfs@$(PKGVERS)
31 set name=pkg.description value="ZFS libraries and commands"
32 set name=pkg.summary value=ZFS
33 set name=info.classification \
34     value="org.opensolaris.category.2008:System/File System"
35 #
36 #
37 # Skip manifest generation until build 134 can be required on the
38 # build systems, due to a Python flavor identification bug in pkgdepend.
39 #
40 set name=org.opensolaris.nodepend value=true
41 set name=variant.arch value=$(ARCH)
42 dir path=etc group=sys
43 dir path=etc/fs group=sys
44 dir path=etc/fs/zfs group=sys
45 dir path=etc/sysevent group=sys
46 dir path=etc/sysevent/config group=sys
47 dir path=etc/zfs group=sys
48 dir path=kernel group=sys
49 dir path=kernel/drv group=sys
50 dir path=kernel/drv/$(ARCH64) group=sys
51 dir path=kernel/fs group=sys
52 dir path=kernel/fs/$(ARCH64) group=sys
53 dir path=kernel/kmdb group=sys
54 dir path=kernel/kmdb/$(ARCH64) group=sys
55 dir path=lib
56 $(BUILD64)dir path=lib/$(ARCH64)
26 dir path=lib/$(ARCH64)
57 dir path=sbin group=sys
58 dir path=usr group=sys
59 dir path=usr/lib
60 $(BUILD64)dir path=usr/lib/$(ARCH64)
```

new/usr/src/pkg/manifests/system-file-system-zfs.mf

2

```
30 dir path=usr/lib/$(ARCH64)
61 dir path=usr/lib/devfsadm group=sys
62 dir path=usr/lib/devfsadm/linkmod group=sys
63 dir path=usr/lib/fs group=sys
64 dir path=usr/lib/fs/zfs group=sys
65 dir path=usr/lib/mdb group=sys
66 dir path=usr/lib/mdb/kvm group=sys
67 $(BUILD64)dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
37 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
68 dir path=usr/lib/mdb/proc group=sys
69 $(sparc_BUILD64)dir path=usr/lib/mdb/proc/$(ARCH64) group=sys
70 $(i386_BUILD64)dir path=usr/lib/mdb/proc/$(ARCH64)
39 $(sparc_ONLY)dir path=usr/lib/mdb/proc/$(ARCH64) group=sys
40 $(i386_ONLY)dir path=usr/lib/mdb/proc/$(ARCH64)
71 dir path=usr/lib/python2.6
72 dir path=usr/lib/python2.6/vendor-packages
73 dir path=usr/lib/python2.6/vendor-packages/zfs
74 dir path=usr/lib/sysevent
75 dir path=usr/lib/sysevent/modules
76 dir path=usr/lib/zfs
77 dir path=usr/sbin
78 $(i386_ONLY)dir path=usr/sbin/$(ARCH32)
79 $(BUILD64)dir path=usr/sbin/$(ARCH64)
49 dir path=usr/sbin/$(ARCH64)
80 dir path=usr/share/man/man1m
81 driver name=zfs perms="* 0600 root sys" perms="zfs 0666 root sys"
82 file \
83     path=etc/sysevent/config/SUNW,EC_zfs,ESC_ZFS_bootfs_vdev_attach,sysevent.con
84     group=sys
85 file path=kernel/drv/$(ARCH64)/zfs group=sys
86 $(i386_ONLY)file path=kernel/drv/zfs group=sys
87 file path=kernel/drv/zfs.conf group=sys
88 file path=kernel/kmdb/$(ARCH64)/zfs group=sys mode=0555
89 $(i386_ONLY)file path=kernel/kmdb/zfs group=sys mode=0555
90 $(BUILD64)file path=lib/$(ARCH64)/libzfs.so.1
91 $(BUILD64)file path=lib/$(ARCH64)/libzfs_core.so.1
92 $(BUILD64)file path=lib/$(ARCH64)/llib-lzfs.ln
93 $(BUILD64)file path=lib/$(ARCH64)/llib-lzfs_core.ln
60 file path=lib/$(ARCH64)/libzfs.so.1
61 file path=lib/$(ARCH64)/libzfs_core.so.1
62 file path=lib/$(ARCH64)/llib-lzfs.ln
63 file path=lib/$(ARCH64)/llib-lzfs_core.ln
94 file path=lib/libzfs.so.1
95 file path=lib/libzfs_core.so.1
96 file path=lib/llib-lzfs
97 file path=lib/llib-lzfs.ln
98 file path=lib/llib-lzfs_core
99 file path=lib/llib-lzfs_core.ln
100 file path=sbin/zfs mode=0555
101 file path=sbin/zpool mode=0555
102 $(BUILD64)file path=usr/lib/$(ARCH64)/libzfs_jni.so.1
103 $(BUILD64)file path=usr/lib/$(ARCH64)/libzpool.so.1
72 file path=usr/lib/$(ARCH64)/libzfs_jni.so.1
73 file path=usr/lib/$(ARCH64)/libzpool.so.1
104 file path=usr/lib/devfsadm/linkmod/SUNW_zfs_link.so group=sys
105 file path=usr/lib/fs/zfs/bootinstall mode=0555
106 file path=usr/lib/fs/zfs/fstyp.so.1 mode=0555
107 file path=usr/lib/libzfs_jni.so.1
108 $(i386_ONLY)file path=usr/lib/libzpool.so.1
109 $(BUILD64)file path=usr/lib/mdb/kvm/$(ARCH64)/zfs.so group=sys mode=0555
79 file path=usr/lib/mdb/kvm/$(ARCH64)/zfs.so group=sys mode=0555
110 $(i386_ONLY)file path=usr/lib/mdb/kvm/zfs.so group=sys mode=0555
111 $(BUILD64)file path=usr/lib/mdb/proc/$(ARCH64)/libzpool.so group=sys mode=0555
81 file path=usr/lib/mdb/proc/$(ARCH64)/libzpool.so group=sys mode=0555
112 file path=usr/lib/mdb/proc/libzpool.so group=sys mode=0555
113 file path=usr/lib/python2.6/vendor-packages/zfs/__init__.py
```



```

114 file path=usr/lib/python2.6/vendor-packages/zfs/__init__.pyc
115 file path=usr/lib/python2.6/vendor-packages/zfs/allow.py
116 file path=usr/lib/python2.6/vendor-packages/zfs/allow.pyc
117 file path=usr/lib/python2.6/vendor-packages/zfs/dataset.py
118 file path=usr/lib/python2.6/vendor-packages/zfs/dataset.pyc
119 file path=usr/lib/python2.6/vendor-packages/zfs/groupspace.py
120 file path=usr/lib/python2.6/vendor-packages/zfs/groupspace.pyc
121 file path=usr/lib/python2.6/vendor-packages/zfs/holds.py
122 file path=usr/lib/python2.6/vendor-packages/zfs/holds.pyc
123 file path=usr/lib/python2.6/vendor-packages/zfs/ioctl.so
124 file path=usr/lib/python2.6/vendor-packages/zfs/table.py
125 file path=usr/lib/python2.6/vendor-packages/zfs/table.pyc
126 file path=usr/lib/python2.6/vendor-packages/zfs/unallow.py
127 file path=usr/lib/python2.6/vendor-packages/zfs/unallow.pyc
128 file path=usr/lib/python2.6/vendor-packages/zfs/userspace.py
129 file path=usr/lib/python2.6/vendor-packages/zfs/userspace.pyc
130 file path=usr/lib/python2.6/vendor-packages/zfs/util.py
131 file path=usr/lib/python2.6/vendor-packages/zfs/util.pyc
132 file path=usr/lib/sysevent/modules/zfs_mod.so group=sys
133 file path=usr/lib/zfs/availdevs mode=0555
134 file path=usr/lib/zfs/pyzfs.py mode=0555
135 file path=usr/lib/zfs/pyzfs.pyc mode=0555
136 $(i386_ONLY)file path=usr/sbin/$(ARCH32)/zdb mode=0555
137 $(BUILD64)file path=usr/sbin/$(ARCH64)/zdb mode=0555
107 file path=usr/sbin/$(ARCH64)/zdb mode=0555
138 file path=usr/sbin/zstreamdump mode=0555
139 file path=usr/share/man/man1m/zdb.lm
140 file path=usr/share/man/man1m/zfs.lm
141 file path=usr/share/man/man1m/zpool.lm
142 file path=usr/share/man/man1m/zstreamdump.lm
143 file path=usr/share/man/man5/zpool-features.5
144 hardlink path=kernel/fs/$(ARCH64)/zfs target=../../kernel/drv/$(ARCH64)/zfs
145 $(i386_ONLY)hardlink path=kernel/fs/zfs target=../../kernel/drv/zfs
146 hardlink path=usr/lib/fs/zfs/fstyp target=../../sbin/fstyp
147 hardlink path=usr/sbin/zdb target=../../usr/lib/isaexec
148 legacy pkg=SUNWzfskr desc="ZFS kernel root components" \
149   name="ZFS Kernel (Root)"
150 legacy pkg=SUNWzfsr desc="ZFS root components" name="ZFS (Root)"
151 legacy pkg=SUNWzfsu desc="ZFS libraries and commands" name="ZFS (Usr)"
152 license cr_Sun license=cr_Sun
153 license lic CDDL license=lic CDDL
154 license usr/src/uts/common/fs/zfs/THIRDPARTYLICENSE.lz4 \
155   license=usr/src/uts/common/fs/zfs/THIRDPARTYLICENSE.lz4
156 link path=etc/fs/zfs/mount target=../../sbin/zfs
157 link path=etc/fs/zfs/umount target=../../sbin/zfs
158 $(BUILD64)link path=lib/$(ARCH64)/libzfs.so target=libzfs.so.1
159 $(BUILD64)link path=lib/$(ARCH64)/libzfs_core.so target=libzfs_core.so.1
128 link path=lib/$(ARCH64)/libzfs.so target=libzfs.so.1
129 link path=lib/$(ARCH64)/libzfs_core.so target=libzfs_core.so.1
160 link path=lib/libzfs.so target=libzfs.so.1
161 link path=lib/libzfs_core.so target=libzfs_core.so.1
162 $(BUILD64)link path=usr/lib/$(ARCH64)/libzfs.so \
132 link path=usr/lib/$(ARCH64)/libzfs.so \
163   target=../../lib/$(ARCH64)/libzfs.so.1
164 $(BUILD64)link path=usr/lib/$(ARCH64)/libzfs.so.1 \
134 link path=usr/lib/$(ARCH64)/libzfs.so.1 \
165   target=../../lib/$(ARCH64)/libzfs.so.1
166 $(BUILD64)link path=usr/lib/$(ARCH64)/libzfs_core.so \
136 link path=usr/lib/$(ARCH64)/libzfs_core.so \
167   target=../../lib/$(ARCH64)/libzfs_core.so.1
168 $(BUILD64)link path=usr/lib/$(ARCH64)/libzfs_core.so.1 \
138 link path=usr/lib/$(ARCH64)/libzfs_core.so.1 \
169   target=../../lib/$(ARCH64)/libzfs_core.so.1
170 $(BUILD64)link path=usr/lib/$(ARCH64)/libzfs_jni.so target=libzfs_jni.so.1
171 $(BUILD64)link path=usr/lib/$(ARCH64)/libzpool.so target=libzpool.so.1
172 $(BUILD64)link path=usr/lib/$(ARCH64)/llib-lzfs.ln \

```

```

140 link path=usr/lib/$(ARCH64)/libzfs_jni.so target=libzfs_jni.so.1
141 link path=usr/lib/$(ARCH64)/libzpool.so target=libzpool.so.1
142 link path=usr/lib/$(ARCH64)/llib-lzfs.ln \
173   target=../../lib/$(ARCH64)/llib-lzfs.ln
174 $(BUILD64)link path=usr/lib/$(ARCH64)/llib-lzfs_core.ln \
144 link path=usr/lib/$(ARCH64)/llib-lzfs_core.ln \
175   target=../../lib/$(ARCH64)/llib-lzfs_core.ln
176 link path=usr/lib/fs/zfs/mount target=../../sbin/zfs
177 link path=usr/lib/fs/zfs/umount target=../../sbin/zfs
178 link path=usr/lib/libzfs.so target=../../lib/libzfs.so.1
179 link path=usr/lib/libzfs.so.1 target=../../lib/libzfs.so.1
180 link path=usr/lib/libzfs_core.so target=../../lib/libzfs_core.so.1
181 link path=usr/lib/libzfs_core.so.1 target=../../lib/libzfs_core.so.1
182 link path=usr/lib/libzfs_jni.so target=libzfs_jni.so.1
183 $(i386_ONLY)link path=usr/lib/libzpool.so target=libzpool.so.1
184 link path=usr/lib/llib-lzfs target=../../lib/llib-lzfs
185 link path=usr/lib/llib-lzfs.ln target=../../lib/llib-lzfs.ln
186 link path=usr/lib/llib-lzfs_core target=../../lib/llib-lzfs_core
187 link path=usr/lib/llib-lzfs_core.ln target=../../lib/llib-lzfs_core.ln
188 link path=usr/sbin/zfs target=../../sbin/zfs
189 link path=usr/sbin/zpool target=../../sbin/zpool
190 depend fmri=runtime/python-26 type=require

```

new/usr/src/pkg/manifests/system-fru-id.mf

1

```
*****
3113 Fri Apr 11 13:24:15 2014
new/usr/src/pkg/manifests/system-fru-id.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/fru-id@$(PKGVERS)
29 set name=pkg.description value="FRU ID prtfru command and libfru library"
30 set name=pkg.summary value="FRU ID Utility and Library"
31 set name=info.classification \
32     value="org.opensolaris.category.2008:System/Administration and Configuration"
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 $(BUILD64)dir path=usr/lib/$(ARCH64)
37 $(sparc_ONLY)dir path=usr/sbin
38 dir path=usr/share/man/man1m
39 $(BUILD64)file path=usr/lib/$(ARCH64)/libfru.so.1
40 $(sparc_BUILD64)file path=usr/lib/$(ARCH64)/libfrupicl.so.1
41 $(BUILD64)file path=usr/lib/$(ARCH64)/libfruraw.so.1
42 $(BUILD64)file path=usr/lib/$(ARCH64)/libfrureg.so.1
43 $(BUILD64)file path=usr/lib/$(ARCH64)/libfruutils.so.1
44 $(BUILD64)file path=usr/lib/$(ARCH64)/libnvfru.so.1
45 file path=usr/lib/$(ARCH64)/libfru.so.1
46 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/libfrupicl.so.1
47 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/libfrupicl.so.1
48 file path=usr/lib/$(ARCH64)/libfruraw.so.1
49 file path=usr/lib/$(ARCH64)/libfrureg.so.1
50 file path=usr/lib/$(ARCH64)/libfruutils.so.1
51 file path=usr/lib/$(ARCH64)/libnvfru.so.1
52 $(sparc_ONLY)file path=usr/sbin/prtfru mode=0755
53 file path=usr/share/man/man1m/prtfru.lm
54 legacy pkg=SUNWfruid desc="FRU ID prtfru command and libfru library" \
```

new/usr/src/pkg/manifests/system-fru-id.mf

2

```
55     name="FRU ID Utility and Library (Usr)"
56 license cr_Sun license=cr_Sun
57 license lic_CDDL license=lic_CDDL
58 $(BUILD64)link path=usr/lib/$(ARCH64)/libfru.so target=./libfru.so.1
59 $(sparc_BUILD64)link path=usr/lib/$(ARCH64)/libfrupicl.so \
46 link path=usr/lib/$(ARCH64)/libfru.so target=./libfru.so.1
47 $(sparc_ONLY)link path=usr/lib/$(ARCH64)/libfrupicl.so \
60     target=./libfrupicl.so.1
61 $(BUILD64)link path=usr/lib/$(ARCH64)/libfruraw.so target=./libfruraw.so.1
62 $(BUILD64)link path=usr/lib/$(ARCH64)/libfrureg.so target=./libfrureg.so.1
63 $(BUILD64)link path=usr/lib/$(ARCH64)/libfruutils.so target=./libfruutils.so.1
64 $(BUILD64)link path=usr/lib/$(ARCH64)/libnvfru.so target=./libnvfru.so.1
49 link path=usr/lib/$(ARCH64)/libfruraw.so target=./libfruraw.so.1
50 link path=usr/lib/$(ARCH64)/libfrureg.so target=./libfrureg.so.1
51 link path=usr/lib/$(ARCH64)/libfruutils.so target=./libfruutils.so.1
52 link path=usr/lib/$(ARCH64)/libnvfru.so target=./libnvfru.so.1
65 link path=usr/lib/libfru.so target=./libfru.so.1
66 $(sparc_ONLY)link path=usr/lib/libfrupicl.so target=./libfrupicl.so.1
67 $(sparc_ONLY)link path=usr/lib/libfrupicl.so target=./libfrupicl.so.1
68 link path=usr/lib/libfruraw.so target=./libfruraw.so.1
69 link path=usr/lib/libfrureg.so target=./libfrureg.so.1
70 link path=usr/lib/libfruutils.so target=./libfruutils.so.1
71 link path=usr/lib/libnvfru.so target=./libnvfru.so.1
```

new/usr/src/pkg/manifests/system-header-header-agp.mf

1

1901 Fri Apr 11 13:24:16 2014

new/usr/src/pkg/manifests/system-header-header-agp.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/header/header-agp@$(PKGVERS)
29 set name=pkg.description value="AGP GART Header Files for x86 Workstations"
30 set name=pkg.summary value="AGP GART Driver Header Files"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:Development/System
33 set name=variant.arch value=i386
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/include/sys
37 dir path=usr/include/sys/agp
38 $(BUILD64)file path=usr/include/sys/agp/agp$(ARCH64)gart_io.h
39 file path=usr/include/sys/agp/agp$(ARCH64)gart_io.h
40 file path=usr/include/sys/agp/agpdefs.h
41 file path=usr/include/sys/agp/agpgart_impl.h
42 file path=usr/include/sys/agp/agpmaster_io.h
43 file path=usr/include/sys/agp/agptarget_io.h
44 legacy pkg=SUNWagph desc="AGP GART Header Files for x86 Workstations" \
45     name="AGP GART Driver Header Files"
46 license cr_Sun license=cr_Sun
47 license lic_CDDL license=lic_CDDL
48 license usr/src/uts/common/sys/THIRDPARTYLICENSE.agpgart \
49     license=usr/src/uts/common/sys/THIRDPARTYLICENSE.agpgart
```

new/usr/src/pkg/manifests/system-header.mf

1

```
*****
90037 Fri Apr 11 13:24:16 2014
new/usr/src/pkg/manifests/system-header.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
26 # Copyright 2013 Garrett D'Amore <garrett@damore.org>
27 # Copyright 2014 Andrew Stormont.
28 #endif /* ! codereview */
29 #
30 #
31 set name=pkg.fmri value=pkg:/system/header@$(PKGVERS)
32 set name=pkg.description \
33   value="SunOS C/C++ header files for general development of software"
34 set name=pkg.summary value="SunOS Header Files"
35 set name=info.classification value=org.opensolaris.category.2008:System/Core
36 set name=variant.arch value=$(ARCH)
37 dir path=usr group=sys
38 dir path=usr/include
39 $(i386_BUILD64)dir path=usr/include/$(ARCH64)
40 $(i386_BUILD64)dir path=usr/include/$(ARCH64)/sys
41 $(i386_ONLY)dir path=usr/include/$(ARCH64)
42 $(i386_ONLY)dir path=usr/include/$(ARCH64)/sys
41 dir path=usr/include/arpa
42 dir path=usr/include/asm
43 dir path=usr/include/ast
44 dir path=usr/include/bsm
45 dir path=usr/include/dat
46 dir path=usr/include/des
47 dir path=usr/include/gssapi
48 dir path=usr/include/hal
49 $(i386_ONLY)dir path=usr/include/ia32
50 $(i386_ONLY)dir path=usr/include/ia32/sys
51 dir path=usr/include/inet
52 dir path=usr/include/inet/kssl
53 dir path=usr/include/ipp
54 dir path=usr/include/ipp/ippgc
55 dir path=usr/include/iso
56 dir path=usr/include/kerberosv5
57 dir path=usr/include/libpolkit
58 dir path=usr/include/net
59 dir path=usr/include/netinet
```

new/usr/src/pkg/manifests/system-header.mf

2

```
60 dir path=usr/include/nfs
61 dir path=usr/include/protocols
62 dir path=usr/include/rpc
63 dir path=usr/include/rpcsvc
64 dir path=usr/include/sasl
65 dir path=usr/include/scsi
66 dir path=usr/include/scsi/plugins
67 dir path=usr/include/scsi/plugins/ses
68 dir path=usr/include/scsi/plugins/ses/framework
69 dir path=usr/include/scsi/plugins/ses/vendor
70 dir path=usr/include/scsi/plugins/smp
71 dir path=usr/include/scsi/plugins/smp/engine
72 dir path=usr/include/scsi/plugins/smp/framework
73 dir path=usr/include/security
74 dir path=usr/include/sharefs
75 dir path=usr/include/sys
76 dir path=usr/include/sys/av
77 dir path=usr/include/sys/contract
78 dir path=usr/include/sys/crypto
79 dir path=usr/include/sys/dktp
80 dir path=usr/include/sys/fc4
81 dir path=usr/include/sys/fm
82 dir path=usr/include/sys/fm/cpu
83 dir path=usr/include/sys/fm/fs
84 dir path=usr/include/sys/fm/io
85 $(sparc_ONLY)dir path=usr/include/sys/fpu
86 dir path=usr/include/sys/fs
87 dir path=usr/include/sys/hotplug
88 dir path=usr/include/sys/hotplug/pci
89 dir path=usr/include/sys/ib
90 dir path=usr/include/sys/ib/adapters
91 dir path=usr/include/sys/ib/adapters/hermon
92 dir path=usr/include/sys/ib/adapters/tavor
93 dir path=usr/include/sys/ib/clients
94 dir path=usr/include/sys/ib/clients/ibd
95 dir path=usr/include/sys/ib/clients/of
96 dir path=usr/include/sys/ib/clients/of/rdma
97 dir path=usr/include/sys/ib/clients/of/sol_ofs
98 dir path=usr/include/sys/ib/clients/of/sol_ucma
99 dir path=usr/include/sys/ib/clients/of/sol_umad
100 dir path=usr/include/sys/ib/clients/of/sol_uverbs
101 dir path=usr/include/sys/ib/ibnex
102 dir path=usr/include/sys/ib/ibt1
103 dir path=usr/include/sys/ib/ibt1/impl
104 dir path=usr/include/sys/ib/mgt
105 dir path=usr/include/sys/ib/mgt/ibmf
106 dir path=usr/include/sys/iso
107 dir path=usr/include/sys/lvm
108 dir path=usr/include/sys/proc
109 dir path=usr/include/sys/rsm
110 $(i386_ONLY)dir path=usr/include/sys/sata group=sys
111 dir path=usr/include/sys/scsi
112 dir path=usr/include/sys/scsi/adapters
113 dir path=usr/include/sys/scsi/conf
114 dir path=usr/include/sys/scsi/generic
115 dir path=usr/include/sys/scsi/impl
116 dir path=usr/include/sys/scsi/targets
117 dir path=usr/include/sys/sysevent
118 dir path=usr/include/sys/tsol
119 dir path=usr/include/tsol
120 dir path=usr/include/uuid
121 $(sparc_ONLY)dir path=usr/include/v7
122 $(sparc_ONLY)dir path=usr/include/v7/sys
123 $(sparc_ONLY)dir path=usr/include/v9
124 $(sparc_ONLY)dir path=usr/include/v9/sys
125 dir path=usr/include/vm
```

```

126 dir path=usr/platform group=sys
127 $(sparc_ONLY)dir path=usr/platform/SUNW,A70 group=sys
128 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300 group=sys
129 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP2300/include
130 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010 group=sys
131 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-CP3010/include
132 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T12 group=sys
133 $(sparc_ONLY)dir path=usr/platform/SUNW,Netra-T4 group=sys
134 $(sparc_ONLY)dir path=usr/platform/SUNW,SPARC-Enterprise group=sys
135 $(sparc_ONLY)dir path=usr/platform/SUNW,Serverbladel1 group=sys
136 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-100 group=sys
137 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1000 group=sys
138 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-1500 group=sys
139 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Blade-2500 group=sys
140 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire group=sys
141 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-15000 group=sys
142 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-280R group=sys
143 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-480R group=sys
144 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-880 group=sys
145 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V215 group=sys
146 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V240 group=sys
147 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V250 group=sys
148 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V440 group=sys
149 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V445 group=sys
150 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V490 group=sys
151 $(sparc_ONLY)dir path=usr/platform/SUNW,Sun-Fire-V890 group=sys
152 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-2 group=sys
153 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-250 group=sys
154 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-4 group=sys
155 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise group=sys
156 $(sparc_ONLY)dir path=usr/platform/SUNW,Ultra-Enterprise-10000 group=sys
157 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40 group=sys
158 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60 group=sys
159 $(sparc_ONLY)dir path=usr/platform/SUNW,UltraSPARC-IIi-Netract group=sys
160 $(i386_ONLY)dir path=usr/platform/i86pc group=sys
161 $(i386_ONLY)dir path=usr/platform/i86pc/include
162 $(i386_ONLY)dir path=usr/platform/i86pc/include/sys
163 $(i386_ONLY)dir path=usr/platform/i86pc/include/vm
164 $(i386_ONLY)dir path=usr/platform/i86xpv group=sys
165 $(i386_ONLY)dir path=usr/platform/i86xpv/include
166 $(i386_ONLY)dir path=usr/platform/i86xpv/include/sys
167 $(i386_ONLY)dir path=usr/platform/i86xpv/include/vm
168 $(sparc_ONLY)dir path=usr/platform/sun4u group=sys
169 $(sparc_ONLY)dir path=usr/platform/sun4u/include
170 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys
171 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c
172 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/clients
173 $(sparc_ONLY)dir path=usr/platform/sun4u/include/sys/i2c/misc
174 $(sparc_ONLY)dir path=usr/platform/sun4u/include/vm
175 $(sparc_ONLY)dir path=usr/platform/sun4v group=sys
176 $(sparc_ONLY)dir path=usr/platform/sun4v/include
177 $(sparc_ONLY)dir path=usr/platform/sun4v/include/sys
178 $(sparc_ONLY)dir path=usr/platform/sun4v/include/vm
179 dir path=usr/share
180 dir path=usr/share/man
181 dir path=usr/share/man/man3head
182 dir path=usr/share/man/man4
183 dir path=usr/share/man/man5
184 dir path=usr/share/man/man7i
185 dir path=usr/share/src group=sys
186 dir path=usr/share/src/uts
187 $(i386_ONLY)dir path=usr/share/src/uts/i86pc
188 $(i386_ONLY)dir path=usr/share/src/uts/i86xpv
189 $(sparc_ONLY)dir path=usr/share/src/uts/sun4u
190 $(sparc_ONLY)dir path=usr/share/src/uts/sun4v
191 dir path=usr/xpg4

```

```

192 dir path=usr/xpg4/include
193 $(i386_BUILDD64)file path=usr/include/$(ARCH64)/sys/kdi_regs.h
194 $(i386_BUILDD64)file path=usr/include/$(ARCH64)/sys/privmregs.h
195 $(i386_BUILDD64)file path=usr/include/$(ARCH64)/sys/privregs.h
181 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/kdi_regs.h
182 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privmregs.h
183 $(i386_ONLY)file path=usr/include/$(ARCH64)/sys/privregs.h
196 file path=usr/include/aio.h
197 file path=usr/include/alloca.h
198 file path=usr/include/apprtrace.h
199 file path=usr/include/apprtrace_impl.h
200 file path=usr/include/ar.h
201 file path=usr/include/archives.h
202 file path=usr/include/arpa/ftp.h
203 file path=usr/include/arpa/inet.h
204 file path=usr/include/arpa/nameser.h
205 file path=usr/include/arpa/nameser_compat.h
206 file path=usr/include/arpa/telnet.h
207 file path=usr/include/arpa/tftp.h
208 $(i386_ONLY)file path=usr/include/asm/atomic.h
209 $(i386_ONLY)file path=usr/include/asm/bitmap.h
210 $(i386_ONLY)file path=usr/include/asm/byteorder.h
211 $(i386_ONLY)file path=usr/include/asm/clock.h
212 $(i386_ONLY)file path=usr/include/asm/cpu.h
213 $(i386_ONLY)file path=usr/include/asm/cpufreq.h
214 $(sparc_ONLY)file path=usr/include/asm/flush.h
215 $(i386_ONLY)file path=usr/include/asm/htable.h
216 $(i386_ONLY)file path=usr/include/asm/mmu.h
217 file path=usr/include/asm/sunddi.h
218 file path=usr/include/asm/thread.h
219 file path=usr/include/assert.h
220 file path=usr/include/ast/align.h
221 file path=usr/include/ast/ast.h
222 file path=usr/include/ast/ast_botch.h
223 file path=usr/include/ast/ast_ccode.h
224 file path=usr/include/ast/ast_common.h
225 file path=usr/include/ast/ast_dir.h
226 file path=usr/include/ast/ast_dirent.h
227 file path=usr/include/ast/ast_fcntl.h
228 file path=usr/include/ast/ast_float.h
229 file path=usr/include/ast/ast_fs.h
230 file path=usr/include/ast/ast_getopt.h
231 file path=usr/include/ast/ast_iconv.h
232 file path=usr/include/ast/ast_lib.h
233 file path=usr/include/ast/ast_limits.h
234 file path=usr/include/ast/ast_map.h
235 file path=usr/include/ast/ast_mmap.h
236 file path=usr/include/ast/ast_mode.h
237 file path=usr/include/ast/ast_namval.h
238 file path=usr/include/ast/ast_ndbm.h
239 file path=usr/include/ast/ast_nl_types.h
240 file path=usr/include/ast/ast_param.h
241 file path=usr/include/ast/ast_standards.h
242 file path=usr/include/ast/ast_std.h
243 file path=usr/include/ast/ast_stdio.h
244 file path=usr/include/ast/ast_sys.h
245 file path=usr/include/ast/ast_time.h
246 file path=usr/include/ast/ast_tty.h
247 file path=usr/include/ast/ast_version.h
248 file path=usr/include/ast/ast_vfork.h
249 file path=usr/include/ast/ast_wait.h
250 file path=usr/include/ast/ast_wchar.h
251 file path=usr/include/ast/ast_windows.h
252 file path=usr/include/ast/bytesex.h
253 file path=usr/include/ast/ccode.h
254 file path=usr/include/ast/cdt.h

```

255 file path=usr/include/ast/cmd.h
256 file path=usr/include/ast/cmdext.h
257 file path=usr/include/ast/debug.h
258 file path=usr/include/ast/dirent.h
259 file path=usr/include/ast/dlldefs.h
260 file path=usr/include/ast/dt.h
261 file path=usr/include/ast/ndian.h
262 file path=usr/include/ast/error.h
263 file path=usr/include/ast/find.h
264 file path=usr/include/ast/fnmatch.h
265 file path=usr/include/ast/fnv.h
266 file path=usr/include/ast/fs3d.h
267 file path=usr/include/ast/fts.h
268 file path=usr/include/ast/ftw.h
269 file path=usr/include/ast/ftwalk.h
270 file path=usr/include/ast/getopt.h
271 file path=usr/include/ast/glob.h
272 file path=usr/include/ast/hash.h
273 file path=usr/include/ast/hashkey.h
274 file path=usr/include/ast/hashpart.h
275 file path=usr/include/ast/history.h
276 file path=usr/include/ast/iconv.h
277 file path=usr/include/ast/ip6.h
278 file path=usr/include/ast/lc.h
279 file path=usr/include/ast/ls.h
280 file path=usr/include/ast/magic.h
281 file path=usr/include/ast/magicid.h
282 file path=usr/include/ast/mc.h
283 file path=usr/include/ast/mime.h
284 file path=usr/include/ast/mnt.h
285 file path=usr/include/ast/modecanon.h
286 file path=usr/include/ast/modex.h
287 file path=usr/include/ast/namval.h
288 file path=usr/include/ast/nl_types.h
289 file path=usr/include/ast/nval.h
290 file path=usr/include/ast/option.h
291 file path=usr/include/ast/preroot.h
292 file path=usr/include/ast/proc.h
293 file path=usr/include/ast/prototyped.h
294 file path=usr/include/ast/re_comp.h
295 file path=usr/include/ast/recfmt.h
296 file path=usr/include/ast/regex.h
297 file path=usr/include/ast/regexp.h
298 file path=usr/include/ast/sfdisc.h
299 file path=usr/include/ast/sfio.h
300 file path=usr/include/ast/sfio_s.h
301 file path=usr/include/ast/sfio_t.h
302 file path=usr/include/ast/shcmd.h
303 file path=usr/include/ast/shell.h
304 file path=usr/include/ast/sig.h
305 file path=usr/include/ast/stack.h
306 file path=usr/include/ast/stak.h
307 file path=usr/include/ast/stdio.h
308 file path=usr/include/ast/stk.h
309 file path=usr/include/ast/sum.h
310 file path=usr/include/ast/swap.h
311 file path=usr/include/ast/tar.h
312 file path=usr/include/ast/times.h
313 file path=usr/include/ast/tm.h
314 file path=usr/include/ast/tmx.h
315 file path=usr/include/ast/tok.h
316 file path=usr/include/ast/tv.h
317 file path=usr/include/ast/usage.h
318 file path=usr/include/ast/vdb.h
319 file path=usr/include/ast/vecargs.h
320 file path=usr/include/ast/vmalloc.h

321 file path=usr/include/ast/wait.h
322 file path=usr/include/ast/wchar.h
323 file path=usr/include/ast/wordexp.h
324 file path=usr/include/atomic.h
325 file path=usr/include/attr.h
326 file path=usr/include/auth_attr.h
327 file path=usr/include/bsm/adt.h
328 file path=usr/include/bsm/adt_event.h
329 file path=usr/include/bsm/audit.h
330 file path=usr/include/bsm/audit_kernel.h
331 file path=usr/include/bsm/audit_kevents.h
332 file path=usr/include/bsm/audit_record.h
333 file path=usr/include/bsm/audit_uevents.h
334 file path=usr/include/bsm/devices.h
335 file path=usr/include/bsm/libbsm.h
336 file path=usr/include/config_admin.h
337 file path=usr/include/cpio.h
338 file path=usr/include/crypt.h
339 file path=usr/include/cryptoutil.h
340 file path=usr/include/ctype.h
341 file path=usr/include/curses.h
342 file path=usr/include/dat/dat.h
343 file path=usr/include/dat/dat_error.h
344 file path=usr/include/dat/dat_platform_specific.h
345 file path=usr/include/dat/dat_redirection.h
346 file path=usr/include/dat/dat_registry.h
347 file path=usr/include/dat/dat_vendor_specific.h
348 file path=usr/include/dat/udat.h
349 file path=usr/include/dat/udat_config.h
350 file path=usr/include/dat/udat_redirection.h
351 file path=usr/include/dat/udat_vendor_specific.h
352 file path=usr/include/default.h
353 file path=usr/include/des/des.h
354 file path=usr/include/des/desdata.h
355 file path=usr/include/des/softdes.h
356 file path=usr/include/device_info.h
357 file path=usr/include/devic.h
358 file path=usr/include/devmgmt.h
359 file path=usr/include/devpoll.h
360 file path=usr/include/dial.h
361 file path=usr/include/dirent.h
362 file path=usr/include/dlfcn.h
363 file path=usr/include/door.h
364 file path=usr/include/elf.h
365 file path=usr/include/err.h
366 file path=usr/include/errno.h
367 file path=usr/include/eti.h
368 file path=usr/include/euc.h
369 file path=usr/include/exacct.h
370 file path=usr/include/exacct_impl.h
371 file path=usr/include/exec_attr.h
372 file path=usr/include/execinfo.h
373 file path=usr/include/fatal.h
374 file path=usr/include/fcntl.h
375 file path=usr/include/float.h
376 file path=usr/include/fmtmsg.h
377 file path=usr/include/fnmatch.h
378 file path=usr/include/form.h
379 file path=usr/include/ftw.h
380 file path=usr/include/gelf.h
381 file path=usr/include/getopt.h
382 file path=usr/include/getwidth.h
383 file path=usr/include/glob.h
384 file path=usr/include/grp.h
385 file path=usr/include/gssapi/gssapi.h
386 file path=usr/include/gssapi/gssapi_ext.h

```

387 file path=usr/include/hal/libhal-storage.h
388 file path=usr/include/hal/libhal.h
389 $(i386_ONLY)file path=usr/include/ia32/sys/asm_linkage.h
390 $(i386_ONLY)file path=usr/include/ia32/sys/kdi_regs.h
391 $(i386_ONLY)file path=usr/include/ia32/sys/machtypes.h
392 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
393 $(i386_ONLY)file path=usr/include/ia32/sys/privregs.h
394 $(i386_ONLY)file path=usr/include/ia32/sys/psw.h
395 $(i386_ONLY)file path=usr/include/ia32/sys/pte.h
396 $(i386_ONLY)file path=usr/include/ia32/sys/reg.h
397 $(i386_ONLY)file path=usr/include/ia32/sys/stack.h
398 $(i386_ONLY)file path=usr/include/ia32/sys/trap.h
399 $(i386_ONLY)file path=usr/include/ia32/sys/traptrace.h
400 file path=usr/include/iconv.h
401 file path=usr/include/idmap.h
402 file path=usr/include/ieeefp.h
403 file path=usr/include/ifaddrs.h
404 file path=usr/include/inet/arp.h
405 file path=usr/include/inet/common.h
406 file path=usr/include/inet/ip.h
407 file path=usr/include/inet/ip6.h
408 file path=usr/include/inet/ip6_asp.h
409 file path=usr/include/inet/ip_arp.h
410 file path=usr/include/inet/ip_ftable.h
411 file path=usr/include/inet/ip_if.h
412 file path=usr/include/inet/ip_ire.h
413 file path=usr/include/inet/ip_multi.h
414 file path=usr/include/inet/ip_netinfo.h
415 file path=usr/include/inet/ip_rts.h
416 file path=usr/include/inet/ip_stack.h
417 file path=usr/include/inet/ipclassifier.h
418 file path=usr/include/inet/ipdrop.h
419 file path=usr/include/inet/ipnet.h
420 file path=usr/include/inet/ipp_common.h
421 file path=usr/include/inet/kssl/ksslapi.h
422 file path=usr/include/inet/led.h
423 file path=usr/include/inet/mi.h
424 file path=usr/include/inet/mib2.h
425 file path=usr/include/inet/nd.h
426 file path=usr/include/inet/optcom.h
427 file path=usr/include/inet/sctp_itf.h
428 file path=usr/include/inet/snmpcom.h
429 file path=usr/include/inet/tcp.h
430 file path=usr/include/inet/tcp_sack.h
431 file path=usr/include/inet/tcp_stack.h
432 file path=usr/include/inet/tcp_stats.h
433 file path=usr/include/inet/tunables.h
434 file path=usr/include/inet/wifi_ioctl.h
435 file path=usr/include/inttypes.h
436 file path=usr/include/ipmp.h
437 file path=usr/include/ipmp_admin.h
438 file path=usr/include/ipmp_mpathd.h
439 file path=usr/include/ipmp_query.h
440 file path=usr/include/ipp/ipgpc/ipgpc.h
441 file path=usr/include/ipp/ipp.h
442 file path=usr/include/ipp/ipp_config.h
443 file path=usr/include/ipp/ipp_impl.h
444 file path=usr/include/ipp/ippctl.h
445 file path=usr/include/iso/ctype_c99.h
446 file path=usr/include/iso/ctype_iso.h
447 file path=usr/include/iso/limits_iso.h
448 file path=usr/include/iso/locale_iso.h
449 file path=usr/include/iso/setjmp_iso.h
450 file path=usr/include/iso/signal_iso.h
451 file path=usr/include/iso/stdarg_c99.h
452 file path=usr/include/iso/stdarg_iso.h

```

```

453 file path=usr/include/iso/stddef_iso.h
454 file path=usr/include/iso/stdio_c99.h
455 file path=usr/include/iso/stdio_iso.h
456 file path=usr/include/iso/stdlib_c99.h
457 file path=usr/include/iso/stdlib_iso.h
458 file path=usr/include/iso/string_iso.h
459 file path=usr/include/iso/time_iso.h
460 file path=usr/include/iso/wchar_c99.h
461 file path=usr/include/iso/wchar_iso.h
462 file path=usr/include/iso/wctype_c99.h
463 file path=usr/include/iso/wctype_iso.h
464 file path=usr/include/iso646.h
465 file path=usr/include/kerberosv5/com_err.h
466 file path=usr/include/kerberosv5/krb5.h
467 file path=usr/include/kerberosv5/mit-sipb-copyright.h
468 file path=usr/include/kerberosv5/mit_copyright.h
469 file path=usr/include/klpd.h
470 file path=usr/include/kmfapi.h
471 file path=usr/include/kmftypes.h
472 file path=usr/include/kstat.h
473 file path=usr/include/kvm.h
474 file path=usr/include/langinfo.h
475 file path=usr/include/lastlog.h
476 file path=usr/include/lber.h
477 file path=usr/include/ldap.h
478 file path=usr/include/libcontract.h
479 file path=usr/include/libctf.h
480 file path=usr/include/libdevice.h
481 file path=usr/include/libdevinfo.h
482 file path=usr/include/libdladm.h
483 file path=usr/include/libdlbridge.h
484 file path=usr/include/libdlib.h
485 file path=usr/include/libdllink.h
486 file path=usr/include/libdipi.h
487 file path=usr/include/libdlvlan.h
488 file path=usr/include/libelf.h
489 $(i386_ONLY)file path=usr/include/libfdisk.h
490 file path=usr/include/libfstyp.h
491 file path=usr/include/libfstyp_module.h
492 file path=usr/include/libgen.h
493 file path=usr/include/libgrubmgmt.h
494 file path=usr/include/libintl.h
495 file path=usr/include/libipmi.h
496 file path=usr/include/libipp.h
497 file path=usr/include/libnvpair.h
498 file path=usr/include/libnwam.h
499 file path=usr/include/libpolkit/libpolkit.h
500 file path=usr/include/librcm.h
501 file path=usr/include/libscf.h
502 file path=usr/include/libscf_priv.h
503 file path=usr/include/libshare.h
504 file path=usr/include/libsvm.h
505 file path=usr/include/libsysevent.h
506 file path=usr/include/libsysevent_impl.h
507 file path=usr/include/libtsnet.h
508 $(sparc_ONLY)file path=usr/include/libv12n.h
509 file path=usr/include/libw.h
510 file path=usr/include/libzfs.h
511 file path=usr/include/libzfs_core.h
512 file path=usr/include/libzoneinfo.h
513 file path=usr/include/limits.h
514 file path=usr/include/linenum.h
515 file path=usr/include/link.h
516 file path=usr/include/listen.h
517 file path=usr/include/locale.h
518 file path=usr/include/macros.h

```

519 file path=usr/include/maillock.h
520 file path=usr/include/malloc.h
521 file path=usr/include/md4.h
522 file path=usr/include/md5.h
523 file path=usr/include/mdiox.h
524 file path=usr/include/mdmn_changelog.h
525 file path=usr/include/memory.h
526 file path=usr/include/menu.h
527 file path=usr/include/meta.h
528 file path=usr/include/meta_basic.h
529 file path=usr/include/meta_runtime.h
530 file path=usr/include/metacl.h
531 file path=usr/include/metad.h
532 file path=usr/include/metadyn.h
533 file path=usr/include/metamed.h
534 file path=usr/include/metamhd.h
535 file path=usr/include/mhdx.h
536 file path=usr/include/mon.h
537 file path=usr/include/monetary.h
538 file path=usr/include/mp.h
539 file path=usr/include/mqueue.h
540 file path=usr/include/mtmalloc.h
541 file path=usr/include/nan.h
542 file path=usr/include/ndbm.h
543 file path=usr/include/ndpd.h
544 file path=usr/include/net/af.h
545 file path=usr/include/net/bridge.h
546 file path=usr/include/net/if.h
547 file path=usr/include/net/if_arp.h
548 file path=usr/include/net/if_dl.h
549 file path=usr/include/net/if_types.h
550 file path=usr/include/net/pfkeyv2.h
551 file path=usr/include/net/pfpolicy.h
552 file path=usr/include/net/ppp-comp.h
553 file path=usr/include/net/ppp-defs.h
554 file path=usr/include/net/pppio.h
555 file path=usr/include/net/radix.h
556 file path=usr/include/net/route.h
557 file path=usr/include/net/trill.h
558 file path=usr/include/net/vjcompress.h
559 file path=usr/include/netconfig.h
560 file path=usr/include/netdb.h
561 file path=usr/include/netdir.h
562 file path=usr/include/netinet/arp.h
563 file path=usr/include/netinet/dhcp.h
564 file path=usr/include/netinet/dhcp6.h
565 file path=usr/include/netinet/icmp6.h
566 file path=usr/include/netinet/icmp_var.h
567 file path=usr/include/netinet/if_ether.h
568 file path=usr/include/netinet/igmp.h
569 file path=usr/include/netinet/igmp_var.h
570 file path=usr/include/netinet/in.h
571 file path=usr/include/netinet/in_pcb.h
572 file path=usr/include/netinet/in_system.h
573 file path=usr/include/netinet/in_var.h
574 file path=usr/include/netinet/ip.h
575 file path=usr/include/netinet/ip6.h
576 file path=usr/include/netinet/ip_icmp.h
577 file path=usr/include/netinet/ip_mroute.h
578 file path=usr/include/netinet/ip_var.h
579 file path=usr/include/netinet/pim.h
580 file path=usr/include/netinet/sctp.h
581 file path=usr/include/netinet/tcp.h
582 file path=usr/include/netinet/tcp_debug.h
583 file path=usr/include/netinet/tcp_fsm.h
584 file path=usr/include/netinet/tcp_seq.h

585 file path=usr/include/netinet/tcp_timer.h
586 file path=usr/include/netinet/tcp_var.h
587 file path=usr/include/netinet/tcpip.h
588 file path=usr/include/netinet/udp.h
589 file path=usr/include/netinet/udp_var.h
590 file path=usr/include/netinet/vrrp.h
591 file path=usr/include/nfs/auth.h
592 file path=usr/include/nfs/export.h
593 file path=usr/include/nfs/lm.h
594 file path=usr/include/nfs/mapiid.h
595 file path=usr/include/nfs/mount.h
596 file path=usr/include/nfs/nfs.h
597 file path=usr/include/nfs/nfs4.h
598 file path=usr/include/nfs/nfs4_attr.h
599 file path=usr/include/nfs/nfs4_clnt.h
600 file path=usr/include/nfs/nfs4_db_impl.h
601 file path=usr/include/nfs/nfs4_idmap_impl.h
602 file path=usr/include/nfs/nfs4_kprot.h
603 file path=usr/include/nfs/nfs_acl.h
604 file path=usr/include/nfs/nfs_clnt.h
605 file path=usr/include/nfs/nfs_cmd.h
606 file path=usr/include/nfs/nfs_log.h
607 file path=usr/include/nfs/nfs_sec.h
608 file path=usr/include/nfs/nfsid_map.h
609 file path=usr/include/nfs/nfssys.h
610 file path=usr/include/nfs/rnode.h
611 file path=usr/include/nfs/rnode4.h
612 file path=usr/include/nl_types.h
613 file path=usr/include/nlist.h
614 file path=usr/include/note.h
615 file path=usr/include/nss_common.h
616 file path=usr/include/nss_dbdefs.h
617 file path=usr/include/nss_netdir.h
618 file path=usr/include/nsswitch.h
619 file path=usr/include/panel.h
620 file path=usr/include/paths.h
621 file path=usr/include/pcsample.h
622 file path=usr/include/pfmt.h
623 file path=usr/include/pkgdev.h
624 file path=usr/include/pkginfo.h
625 file path=usr/include/pkglocs.h
626 file path=usr/include/pkgstrct.h
627 file path=usr/include/pkgtrans.h
628 file path=usr/include/poll.h
629 file path=usr/include/port.h
630 file path=usr/include/priv.h
631 file path=usr/include/proc_service.h
632 file path=usr/include/procfs.h
633 file path=usr/include/prof.h
634 file path=usr/include/prof_attr.h
635 file path=usr/include/project.h
636 file path=usr/include/protocols/dumprestore.h
637 file path=usr/include/protocols/routed.h
638 file path=usr/include/protocols/rwhod.h
639 file path=usr/include/protocols/timed.h
640 file path=usr/include/pthread.h
641 file path=usr/include/pw.h
642 file path=usr/include/pwd.h
643 file path=usr/include/rcm_module.h
644 file path=usr/include/rctl.h
645 file path=usr/include/re_comp.h
646 file path=usr/include/regex.h
647 file path=usr/include/regexp.h
648 file path=usr/include/regexpr.h
649 file path=usr/include/resolv.h
650 file path=usr/include/rje.h


```

651 file path=usr/include/rp_plugin.h
652 file path=usr/include/rpc/auth.h
653 file path=usr/include/rpc/auth_des.h
654 file path=usr/include/rpc/auth_sys.h
655 file path=usr/include/rpc/auth_unix.h
656 file path=usr/include/rpc/bootparam.h
657 file path=usr/include/rpc/clnt.h
658 file path=usr/include/rpc/clnt_soc.h
659 file path=usr/include/rpc/clnt_stat.h
660 file path=usr/include/rpc/des_crypt.h
661 $(sparc_ONLY)file path=usr/include/rpc/ib.h
662 file path=usr/include/rpc/key_prot.h
663 file path=usr/include/rpc/nettype.h
664 file path=usr/include/rpc/pmap_clnt.h
665 file path=usr/include/rpc/pmap_prot.h
666 file path=usr/include/rpc/pmap_prot.x
667 file path=usr/include/rpc/pmap_rmt.h
668 file path=usr/include/rpc/raw.h
669 file path=usr/include/rpc/rpc.h
670 file path=usr/include/rpc/rpc_com.h
671 file path=usr/include/rpc/rpc_msg.h
672 file path=usr/include/rpc/rpc_rdma.h
673 file path=usr/include/rpc/rpc_sztypes.h
674 file path=usr/include/rpc/rpcb_clnt.h
675 file path=usr/include/rpc/rpcb_prot.h
676 file path=usr/include/rpc/rpcb_prot.x
677 file path=usr/include/rpc/rpcent.h
678 file path=usr/include/rpc/rpcsec_gss.h
679 file path=usr/include/rpc/rpcsys.h
680 file path=usr/include/rpc/svc.h
681 file path=usr/include/rpc/svc_auth.h
682 file path=usr/include/rpc/svc_mt.h
683 file path=usr/include/rpc/svc_soc.h
684 file path=usr/include/rpc/types.h
685 file path=usr/include/rpc/xdr.h
686 file path=usr/include/rpcsvc/autofs_prot.h
687 file path=usr/include/rpcsvc/autofs_prot.x
688 file path=usr/include/rpcsvc/bootparam.h
689 file path=usr/include/rpcsvc/bootparam_prot.h
690 file path=usr/include/rpcsvc/bootparam_prot.x
691 file path=usr/include/rpcsvc/dbm.h
692 file path=usr/include/rpcsvc/key_prot.x
693 file path=usr/include/rpcsvc/mount.h
694 file path=usr/include/rpcsvc/mount.x
695 file path=usr/include/rpcsvc/nfs4_prot.h
696 file path=usr/include/rpcsvc/nfs4_prot.x
697 file path=usr/include/rpcsvc/nfs_acl.h
698 file path=usr/include/rpcsvc/nfs_acl.x
699 file path=usr/include/rpcsvc/nfs_prot.h
700 file path=usr/include/rpcsvc/nfs_prot.x
701 file path=usr/include/rpcsvc/nis.h
702 file path=usr/include/rpcsvc/nis.x
703 file path=usr/include/rpcsvc/nis_db.h
704 file path=usr/include/rpcsvc/nis_object.x
705 file path=usr/include/rpcsvc/nislib.h
706 file path=usr/include/rpcsvc/nlm_prot.h
707 file path=usr/include/rpcsvc/nlm_prot.x
708 file path=usr/include/rpcsvc/nsm_addr.h
709 file path=usr/include/rpcsvc/nsm_addr.x
710 file path=usr/include/rpcsvc/rex.h
711 file path=usr/include/rpcsvc/rex.x
712 file path=usr/include/rpcsvc/rpc_sztypes.h
713 file path=usr/include/rpcsvc/rpc_sztypes.x
714 file path=usr/include/rpcsvc/rquota.h
715 file path=usr/include/rpcsvc/rquota.x
716 file path=usr/include/rpcsvc/rstat.h

```

```

717 file path=usr/include/rpcsvc/rstat.x
718 file path=usr/include/rpcsvc/rusers.h
719 file path=usr/include/rpcsvc/rusers.x
720 file path=usr/include/rpcsvc/rwall.h
721 file path=usr/include/rpcsvc/rwall.x
722 file path=usr/include/rpcsvc/sm_inter.h
723 file path=usr/include/rpcsvc/sm_inter.x
724 file path=usr/include/rpcsvc/spray.h
725 file path=usr/include/rpcsvc/spray.x
726 file path=usr/include/rpcsvc/ufs_prot.h
727 file path=usr/include/rpcsvc/ufs_prot.x
728 file path=usr/include/rpcsvc/yp.x
729 file path=usr/include/rpcsvc/yp_prot.h
730 file path=usr/include/rpcsvc/ypclnt.h
731 file path=usr/include/rpcsvc/yppasswd.h
732 file path=usr/include/rpcsvc/ypupd.h
733 file path=usr/include/rsmapi.h
734 file path=usr/include/rtld_db.h
735 file path=usr/include/sac.h
736 file path=usr/include/sasl/prop.h
737 file path=usr/include/sasl/sasl.h
738 file path=usr/include/sasl/saslplug.h
739 file path=usr/include/sasl/saslutil.h
740 file path=usr/include/sched.h
741 file path=usr/include/schedctl.h
742 file path=usr/include/scsi/libscsi.h
743 file path=usr/include/scsi/libses.h
744 file path=usr/include/scsi/libses_plugin.h
745 file path=usr/include/scsi/libsmpt.h
746 file path=usr/include/scsi/libsmpt_plugin.h
747 file path=usr/include/scsi/plugins/ses/framework/libses.h
748 file path=usr/include/scsi/plugins/ses/framework/ses2.h
749 file path=usr/include/scsi/plugins/ses/framework/ses2_impl.h
750 file path=usr/include/scsi/plugins/ses/vendor/sun.h
751 file path=usr/include/sdp.h
752 file path=usr/include/search.h
753 file path=usr/include/secdb.h
754 file path=usr/include/security/auditd.h
755 file path=usr/include/security/cryptoki.h
756 file path=usr/include/security/pam_appl.h
757 file path=usr/include/security/pam_modules.h
758 file path=usr/include/security/pkcs11.h
759 file path=usr/include/security/pkcs11f.h
760 file path=usr/include/security/pkcs11t.h
761 file path=usr/include/semaphore.h
762 file path=usr/include/setjmp.h
763 file path=usr/include/sgtty.h
764 file path=usr/include/shal.h
765 file path=usr/include/sha2.h
766 file path=usr/include/shadow.h
767 file path=usr/include/sharefs/share.h
768 file path=usr/include/sharefs/sharefs.h
769 file path=usr/include/sharefs/sharet.h
770 file path=usr/include/signinfo.h
771 file path=usr/include/signal.h
772 file path=usr/include/sip.h
773 file path=usr/include/smbios.h
774 file path=usr/include/spawn.h
775 $(i386_ONLY)file path=usr/include/stack_unwind.h
776 file path=usr/include/stdarg.h
777 file path=usr/include/stdbool.h
778 file path=usr/include/stddef.h
779 file path=usr/include/stdint.h
780 file path=usr/include/stdio.h
781 file path=usr/include/stdio_ext.h
782 file path=usr/include/stdio_impl.h

```

```

783 file path=usr/include/stdio_tag.h
784 file path=usr/include/stdlib.h
785 file path=usr/include/storclass.h
786 file path=usr/include/string.h
787 file path=usr/include/strings.h
788 file path=usr/include/stropts.h
789 file path=usr/include/syms.h
790 file path=usr/include/synch.h
791 file path=usr/include/sys/acct.h
792 file path=usr/include/sys/acctctl.h
793 file path=usr/include/sys/acl.h
794 file path=usr/include/sys/acl_impl.h
795 file path=usr/include/sys/acpi_drv.h
796 file path=usr/include/sys/aio.h
797 file path=usr/include/sys/aio_impl.h
798 file path=usr/include/sys/aio_req.h
799 file path=usr/include/sys/aioCb.h
800 file path=usr/include/sys/archsystem.h
801 file path=usr/include/sys/ascii.h
802 file path=usr/include/sys/asm_linkage.h
803 file path=usr/include/sys/asynch.h
804 file path=usr/include/sys/atomic.h
805 file path=usr/include/sys/attr.h
806 file path=usr/include/sys/autoconf.h
807 file path=usr/include/sys/auxv.h
808 file path=usr/include/sys/auxv_386.h
809 file path=usr/include/sys/auxv_SPARC.h
810 file path=usr/include/sys/av/ie61883.h
811 file path=usr/include/sys/avintr.h
812 file path=usr/include/sys/avl.h
813 file path=usr/include/sys/avl_impl.h
814 file path=usr/include/sys/bitmap.h
815 file path=usr/include/sys/bitset.h
816 file path=usr/include/sys/bl.h
817 file path=usr/include/sys/blkdev.h
818 file path=usr/include/sys/bofi.h
819 file path=usr/include/sys/bofi_impl.h
820 file path=usr/include/sys/bootconf.h
821 file path=usr/include/sys/bootregs.h
822 file path=usr/include/sys/bootstat.h
823 file path=usr/include/sys/bootsvcs.h
824 file path=usr/include/sys/bpp_io.h
825 file path=usr/include/sys/brand.h
826 file path=usr/include/sys/buf.h
827 file path=usr/include/sys/bufmod.h
828 file path=usr/include/sys/bustypes.h
829 file path=usr/include/sys/byteorder.h
830 file path=usr/include/sys/callb.h
831 file path=usr/include/sys/callo.h
832 file path=usr/include/sys/cap_util.h
833 file path=usr/include/sys/ccompile.h
834 file path=usr/include/sys/cdio.h
835 file path=usr/include/sys/cis.h
836 file path=usr/include/sys/cis_handlers.h
837 file path=usr/include/sys/cis_protos.h
838 file path=usr/include/sys/cladm.h
839 file path=usr/include/sys/class.h
840 file path=usr/include/sys/clconf.h
841 file path=usr/include/sys/cmlb.h
842 file path=usr/include/sys/cmn_err.h
843 file path=usr/include/sys/cmprgs.h
844 file path=usr/include/sys/compress.h
845 file path=usr/include/sys/condvar.h
846 file path=usr/include/sys/condvar_impl.h
847 file path=usr/include/sys/conf.h
848 file path=usr/include/sys/consdev.h

```

```

849 file path=usr/include/sys/console.h
850 file path=usr/include/sys/consplat.h
851 file path=usr/include/sys/contract.h
852 file path=usr/include/sys/contract/device.h
853 file path=usr/include/sys/contract/device_impl.h
854 file path=usr/include/sys/contract/process.h
855 file path=usr/include/sys/contract/process_impl.h
856 file path=usr/include/sys/contract_impl.h
857 file path=usr/include/sys/controlregs.h
858 file path=usr/include/sys/copyops.h
859 file path=usr/include/sys/core.h
860 file path=usr/include/sys/corectl.h
861 file path=usr/include/sys/cpc_impl.h
862 file path=usr/include/sys/cpc_pcbe.h
863 file path=usr/include/sys/cpr.h
864 file path=usr/include/sys/cpu.h
865 file path=usr/include/sys/cpucaps.h
866 file path=usr/include/sys/cpucaps_impl.h
867 file path=usr/include/sys/cpupart.h
868 file path=usr/include/sys/cpuvar.h
869 file path=usr/include/sys/crc32.h
870 file path=usr/include/sys/cred.h
871 file path=usr/include/sys/cred_impl.h
872 file path=usr/include/sys/crtctl.h
873 file path=usr/include/sys/crypto/api.h
874 file path=usr/include/sys/crypto/common.h
875 file path=usr/include/sys/crypto/ioctl.h
876 file path=usr/include/sys/crypto/ioctladmin.h
877 file path=usr/include/sys/crypto/spi.h
878 file path=usr/include/sys/cs.h
879 file path=usr/include/sys/cs_priv.h
880 file path=usr/include/sys/cs_strings.h
881 file path=usr/include/sys/cs_stubs.h
882 file path=usr/include/sys/cs_types.h
883 file path=usr/include/sys/csioctl.h
884 file path=usr/include/sys/ctf.h
885 file path=usr/include/sys/ctf_api.h
886 file path=usr/include/sys/ctfs.h
887 file path=usr/include/sys/ctfs_impl.h
888 file path=usr/include/sys/ctype.h
889 file path=usr/include/sys/cyclic.h
890 file path=usr/include/sys/cyclic_impl.h
891 file path=usr/include/sys/dacf.h
892 file path=usr/include/sys/dacf_impl.h
893 file path=usr/include/sys/damap.h
894 file path=usr/include/sys/damap_impl.h
895 file path=usr/include/sys/dc_ki.h
896 file path=usr/include/sys/ddi.h
897 file path=usr/include/sys/ddi_hp.h
898 file path=usr/include/sys/ddi_hp_impl.h
899 file path=usr/include/sys/ddi_impldefs.h
900 file path=usr/include/sys/ddi_implfuncs.h
901 file path=usr/include/sys/ddi_intr.h
902 file path=usr/include/sys/ddi_intr_impl.h
903 file path=usr/include/sys/ddi_isa.h
904 file path=usr/include/sys/ddi_obsolete.h
905 file path=usr/include/sys/ddi_periodic.h
906 file path=usr/include/sys/ddidevmap.h
907 file path=usr/include/sys/ddidmareq.h
908 file path=usr/include/sys/ddifm.h
909 file path=usr/include/sys/ddifm_impl.h
910 file path=usr/include/sys/ddimapreq.h
911 file path=usr/include/sys/ddipropdefs.h
912 file path=usr/include/sys/dditypes.h
913 file path=usr/include/sys/debug.h
914 file path=usr/include/sys/debugreg.h

```

915 file path=usr/include/sys/des.h
 916 file path=usr/include/sys/devcache.h
 917 file path=usr/include/sys/devcache_impl.h
 918 file path=usr/include/sys/devctl.h
 919 file path=usr/include/sys/devfm.h
 920 file path=usr/include/sys/devid_cache.h
 921 file path=usr/include/sys/devinfo_impl.h
 922 file path=usr/include/sys/devops.h
 923 file path=usr/include/sys/devpolicy.h
 924 file path=usr/include/sys/devpoll.h
 925 file path=usr/include/sys/dirent.h
 926 file path=usr/include/sys/disp.h
 927 file path=usr/include/sys/dkbad.h
 928 file path=usr/include/sys/dkio.h
 929 file path=usr/include/sys/dklabel.h
 930 \$(sparc_ONLY)file path=usr/include/sys/dkmpio.h
 931 \$(i386_ONLY)file path=usr/include/sys/dktp/altctr.h
 932 \$(i386_ONLY)file path=usr/include/sys/dktp/cmpkt.h
 933 file path=usr/include/sys/dktp/dadkio.h
 934 file path=usr/include/sys/dktp/fdisk.h
 935 file path=usr/include/sys/dl.h
 936 file path=usr/include/sys/dld.h
 937 file path=usr/include/sys/dlpi.h
 938 file path=usr/include/sys/dls_mgmt.h
 939 \$(i386_ONLY)file path=usr/include/sys/dma_engine.h
 940 file path=usr/include/sys/dma_i8237A.h
 941 file path=usr/include/sys/dnlc.h
 942 file path=usr/include/sys/door.h
 943 file path=usr/include/sys/door_data.h
 944 file path=usr/include/sys/door_impl.h
 945 file path=usr/include/sys/dumphdr.h
 946 file path=usr/include/sys/ecppio.h
 947 file path=usr/include/sys/ecppreg.h
 948 file path=usr/include/sys/ecppsys.h
 949 file path=usr/include/sys/ecppvar.h
 950 file path=usr/include/sys/efi_partition.h
 951 file path=usr/include/sys/elf.h
 952 file path=usr/include/sys/elf_386.h
 953 file path=usr/include/sys/elf_SPARC.h
 954 file path=usr/include/sys/elf_amd64.h
 955 file path=usr/include/sys/elf_notes.h
 956 file path=usr/include/sys/elftypes.h
 957 file path=usr/include/sys/epm.h
 958 file path=usr/include/sys/errno.h
 959 file path=usr/include/sys/errorq.h
 960 file path=usr/include/sys/errorq_impl.h
 961 file path=usr/include/sys/esunddi.h
 962 file path=usr/include/sys/ethernet.h
 963 file path=usr/include/sys/euc.h
 964 file path=usr/include/sys/eucioctl.h
 965 file path=usr/include/sys/exacct.h
 966 file path=usr/include/sys/exacct_catalog.h
 967 file path=usr/include/sys/exacct_impl.h
 968 file path=usr/include/sys/exec.h
 969 file path=usr/include/sys/exechedr.h
 970 file path=usr/include/sys/fault.h
 971 file path=usr/include/sys/fbio.h
 972 file path=usr/include/sys/fbuf.h
 973 file path=usr/include/sys/fc4/fc.h
 974 file path=usr/include/sys/fc4/fc_transport.h
 975 file path=usr/include/sys/fc4/fcal.h
 976 file path=usr/include/sys/fc4/fcal_linkapp.h
 977 file path=usr/include/sys/fc4/fcal_transport.h
 978 file path=usr/include/sys/fc4/fcio.h
 979 file path=usr/include/sys/fc4/fcp.h
 980 file path=usr/include/sys/fc4/linkapp.h

981 file path=usr/include/sys/fcntl.h
 982 file path=usr/include/sys/fdbuffer.h
 983 file path=usr/include/sys/fdio.h
 984 \$(sparc_ONLY)file path=usr/include/sys/fdreg.h
 985 \$(sparc_ONLY)file path=usr/include/sys/fdvar.h
 986 file path=usr/include/sys/feature_tests.h
 987 file path=usr/include/sys/fem.h
 988 file path=usr/include/sys/file.h
 989 file path=usr/include/sys/filio.h
 990 file path=usr/include/sys/flock.h
 991 file path=usr/include/sys/flock_impl.h
 992 \$(sparc_ONLY)file path=usr/include/sys/fm/cpu/SPARC64-VI.h
 993 \$(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-II.h
 994 \$(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-III.h
 995 \$(sparc_ONLY)file path=usr/include/sys/fm/cpu/UltraSPARC-T1.h
 996 file path=usr/include/sys/fm/fs/zfs.h
 997 file path=usr/include/sys/fm/io/ddi.h
 998 file path=usr/include/sys/fm/io/disk.h
 999 file path=usr/include/sys/fm/io/opl_mc_fm.h
 1000 file path=usr/include/sys/fm/io/pci.h
 1001 file path=usr/include/sys/fm/io/scsi.h
 1002 file path=usr/include/sys/fm/io/sun4upci.h
 1003 file path=usr/include/sys/fm/protocol.h
 1004 file path=usr/include/sys/fm/util.h
 1005 file path=usr/include/sys/fork.h
 1006 \$(i386_ONLY)file path=usr/include/sys/fp.h
 1007 \$(sparc_ONLY)file path=usr/include/sys/fpu/fpu_simulator.h
 1008 \$(sparc_ONLY)file path=usr/include/sys/fpu/fpusystem.h
 1009 \$(sparc_ONLY)file path=usr/include/sys/fpu/globals.h
 1010 \$(sparc_ONLY)file path=usr/include/sys/fpu/ieee.h
 1011 file path=usr/include/sys/frame.h
 1012 file path=usr/include/sys/fs/autofs.h
 1013 file path=usr/include/sys/fs/cachefs_dir.h
 1014 file path=usr/include/sys/fs/cachefs_dlog.h
 1015 file path=usr/include/sys/fs/cachefs_filegrp.h
 1016 file path=usr/include/sys/fs/cachefs_fs.h
 1017 file path=usr/include/sys/fs/cachefs_fscache.h
 1018 file path=usr/include/sys/fs/cachefs_ioctl.h
 1019 file path=usr/include/sys/fs/cachefs_log.h
 1020 file path=usr/include/sys/fs/decomp.h
 1021 file path=usr/include/sys/fs/dv_node.h
 1022 file path=usr/include/sys/fs/fifonode.h
 1023 file path=usr/include/sys/fs/hsfs_isospec.h
 1024 file path=usr/include/sys/fs/hsfs_node.h
 1025 file path=usr/include/sys/fs/hsfs_rrip.h
 1026 file path=usr/include/sys/fs/hsfs_spec.h
 1027 file path=usr/include/sys/fs/hsfs_susp.h
 1028 file path=usr/include/sys/fs/lofs_info.h
 1029 file path=usr/include/sys/fs/lofs_node.h
 1030 file path=usr/include/sys/fs/mntdata.h
 1031 file path=usr/include/sys/fs/namenode.h
 1032 file path=usr/include/sys/fs/pc_dir.h
 1033 file path=usr/include/sys/fs/pc_fs.h
 1034 file path=usr/include/sys/fs/pc_label.h
 1035 file path=usr/include/sys/fs/pc_node.h
 1036 file path=usr/include/sys/fs/pxfs_ki.h
 1037 file path=usr/include/sys/fs/sdev_impl.h
 1038 file path=usr/include/sys/fs/snode.h
 1039 file path=usr/include/sys/fs/swapnode.h
 1040 file path=usr/include/sys/fs/tmp.h
 1041 file path=usr/include/sys/fs/tmpnode.h
 1042 file path=usr/include/sys/fs/udf_inode.h
 1043 file path=usr/include/sys/fs/udf_volume.h
 1044 file path=usr/include/sys/fs/ufs_acl.h
 1045 file path=usr/include/sys/fs/ufs_bio.h
 1046 file path=usr/include/sys/fs/ufs_filio.h

```

1047 file path=usr/include/sys/fs/ufs_fs.h
1048 file path=usr/include/sys/fs/ufs_fsdir.h
1049 file path=usr/include/sys/fs/ufs_inode.h
1050 file path=usr/include/sys/fs/ufs_lockfs.h
1051 file path=usr/include/sys/fs/ufs_log.h
1052 file path=usr/include/sys/fs/ufs_mount.h
1053 file path=usr/include/sys/fs/ufs_panic.h
1054 file path=usr/include/sys/fs/ufs_prot.h
1055 file path=usr/include/sys/fs/ufs_quota.h
1056 file path=usr/include/sys/fs/ufs_snap.h
1057 file path=usr/include/sys/fs/ufs_trans.h
1058 file path=usr/include/sys/fs/zfs.h
1059 file path=usr/include/sys/fs_reparse.h
1060 file path=usr/include/sys/fs_subr.h
1061 file path=usr/include/sys/fsid.h
1062 $(sparc_ONLY)file path=usr/include/sys/fsr.h
1063 file path=usr/include/sys/fss.h
1064 file path=usr/include/sys/fssnap.h
1065 file path=usr/include/sys/fssnap_if.h
1066 file path=usr/include/sys/fsspriocntl.h
1067 file path=usr/include/sys/fstyp.h
1068 file path=usr/include/sys/fttrace.h
1069 file path=usr/include/sys/fx.h
1070 file path=usr/include/sys/fxpriocntl.h
1071 file path=usr/include/sys/gfs.h
1072 file path=usr/include/sys/gld.h
1073 file path=usr/include/sys/gldpriv.h
1074 file path=usr/include/sys/group.h
1075 file path=usr/include/sys/hdio.h
1076 file path=usr/include/sys/hook.h
1077 file path=usr/include/sys/hook_event.h
1078 file path=usr/include/sys/hook_impl.h
1079 file path=usr/include/sys/hotplug/hpcsvc.h
1080 file path=usr/include/sys/hotplug/hpctrl.h
1081 file path=usr/include/sys/hotplug/pci/pcicfg.h
1082 file path=usr/include/sys/hotplug/pci/pcihp.h
1083 file path=usr/include/sys/hwconf.h
1084 $(i386_ONLY)file path=usr/include/sys/hypervisor.h
1085 $(i386_ONLY)file path=usr/include/sys/i8272A.h
1086 file path=usr/include/sys/ia.h
1087 file path=usr/include/sys/iapriocntl.h
1088 file path=usr/include/sys/ib/adapters/hermon/hermon_ioctl.h
1089 file path=usr/include/sys/ib/adapters/mlnx_umap.h
1090 file path=usr/include/sys/ib/adapters/tavor/tavor_ioctl.h
1091 file path=usr/include/sys/ib/clients/ibd/ibd.h
1092 file path=usr/include/sys/ib/clients/of/ofa_solaris.h
1093 file path=usr/include/sys/ib/clients/of/ofed_kernel.h
1094 file path=usr/include/sys/ib/clients/of/rdma/ib_addr.h
1095 file path=usr/include/sys/ib/clients/of/rdma/ib_user_mad.h
1096 file path=usr/include/sys/ib/clients/of/rdma/ib_user_sa.h
1097 file path=usr/include/sys/ib/clients/of/rdma/ib_user_verbs.h
1098 file path=usr/include/sys/ib/clients/of/rdma/ib_verbs.h
1099 file path=usr/include/sys/ib/clients/of/rdma/rdma_cm.h
1100 file path=usr/include/sys/ib/clients/of/rdma/rdma_user_cm.h
1101 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_cma.h
1102 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ib_cma.h
1103 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_kverb_impl.h
1104 file path=usr/include/sys/ib/clients/of/sol_ofs/sol_ofs_common.h
1105 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_rdma_user_cm.h
1106 file path=usr/include/sys/ib/clients/of/sol_ucma/sol_ucma.h
1107 file path=usr/include/sys/ib/clients/of/sol_umad/sol_umad.h
1108 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs.h
1109 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs2ucma.h
1110 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_comp.h
1111 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_event.h
1112 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_hca.h

```

```

1113 file path=usr/include/sys/ib/clients/of/sol_uverbs/sol_uverbs_qp.h
1114 file path=usr/include/sys/ib/ib_pkt_hdrs.h
1115 file path=usr/include/sys/ib/ib_types.h
1116 file path=usr/include/sys/ib/ibnex/ibnex_devctl.h
1117 file path=usr/include/sys/ib/ibtl/ibci.h
1118 file path=usr/include/sys/ib/ibtl/ibti.h
1119 file path=usr/include/sys/ib/ibtl/ibti_cm.h
1120 file path=usr/include/sys/ib/ibtl/ibti_common.h
1121 file path=usr/include/sys/ib/ibtl/ibtl_ci_types.h
1122 file path=usr/include/sys/ib/ibtl/ibtl_status.h
1123 file path=usr/include/sys/ib/ibtl/ibtl_types.h
1124 file path=usr/include/sys/ib/ibtl/ibvti.h
1125 file path=usr/include/sys/ib/ibtl/impl/ibtl_util.h
1126 file path=usr/include/sys/ib/mgt/ib_dm_attr.h
1127 file path=usr/include/sys/ib/mgt/ib_mad.h
1128 file path=usr/include/sys/ib/mgt/ibmf/ibmf.h
1129 file path=usr/include/sys/ib/mgt/ibmf/ibmf_msg.h
1130 file path=usr/include/sys/ib/mgt/ibmf/ibmf_saa.h
1131 file path=usr/include/sys/ib/mgt/ibmf/ibmf_utils.h
1132 file path=usr/include/sys/ib/mgt/sa_recs.h
1133 file path=usr/include/sys/ib/mgt/sm_attr.h
1134 file path=usr/include/sys/ibpart.h
1135 file path=usr/include/sys/id32.h
1136 file path=usr/include/sys/id_space.h
1137 file path=usr/include/sys/idmap.h
1138 file path=usr/include/sys/inline.h
1139 file path=usr/include/sys/instance.h
1140 file path=usr/include/sys/int_const.h
1141 file path=usr/include/sys/int_fmtio.h
1142 file path=usr/include/sys/int_limits.h
1143 file path=usr/include/sys/int_types.h
1144 file path=usr/include/sys/inttypes.h
1145 file path=usr/include/sys/ioccom.h
1146 file path=usr/include/sys/ioctl.h
1147 $(i386_ONLY)file path=usr/include/sys/iommuib.h
1148 file path=usr/include/sys/ipc.h
1149 file path=usr/include/sys/ipc_impl.h
1150 file path=usr/include/sys/ipc_rctl.h
1151 file path=usr/include/sys/isa_defs.h
1152 file path=usr/include/sys/iso/signal_iso.h
1153 file path=usr/include/sys/jioctl.h
1154 file path=usr/include/sys/kbd.h
1155 file path=usr/include/sys/kbdreg.h
1156 file path=usr/include/sys/kbio.h
1157 file path=usr/include/sys/kcpc.h
1158 file path=usr/include/sys/kd.h
1159 file path=usr/include/sys/kdi.h
1160 file path=usr/include/sys/kdi_impl.h
1161 file path=usr/include/sys/kdi_machimpl.h
1162 $(i386_ONLY)file path=usr/include/sys/kdi_regs.h
1163 file path=usr/include/sys/kiconv.h
1164 file path=usr/include/sys/kidmap.h
1165 file path=usr/include/sys/klpd.h
1166 file path=usr/include/sys/klwp.h
1167 file path=usr/include/sys/kmem.h
1168 file path=usr/include/sys/kmem_impl.h
1169 file path=usr/include/sys/kobj.h
1170 file path=usr/include/sys/kobj_impl.h
1171 file path=usr/include/sys/ksocket.h
1172 file path=usr/include/sys/kstat.h
1173 file path=usr/include/sys/kstr.h
1174 file path=usr/include/sys/ksyms.h
1175 file path=usr/include/sys/ksynch.h
1176 file path=usr/include/sys/lc_core.h
1177 file path=usr/include/sys/ldterm.h
1178 file path=usr/include/sys/lgrp.h

```

1179 file path=usr/include/sys/lgrp_user.h
 1180 file path=usr/include/sys/link.h
 1181 file path=usr/include/sys/list.h
 1182 file path=usr/include/sys/list_impl.h
 1183 file path=usr/include/sys/llcl.h
 1184 file path=usr/include/sys/loadavg.h
 1185 file path=usr/include/sys/localedef.h
 1186 file path=usr/include/sys/lock.h
 1187 file path=usr/include/sys/lockfs.h
 1188 file path=usr/include/sys/lofi.h
 1189 file path=usr/include/sys/log.h
 1190 file path=usr/include/sys/logindmux.h
 1191 file path=usr/include/sys/lvm/md_basic.h
 1192 file path=usr/include/sys/lvm/md_convert.h
 1193 file path=usr/include/sys/lvm/md_crc.h
 1194 file path=usr/include/sys/lvm/md_hotspares.h
 1195 file path=usr/include/sys/lvm/md_mddb.h
 1196 file path=usr/include/sys/lvm/md_mdiox.h
 1197 file path=usr/include/sys/lvm/md_mhdx.h
 1198 file path=usr/include/sys/lvm/md_mirror.h
 1199 file path=usr/include/sys/lvm/md_mirror_shared.h
 1200 file path=usr/include/sys/lvm/md_names.h
 1201 file path=usr/include/sys/lvm/md_notify.h
 1202 file path=usr/include/sys/lvm/md_raid.h
 1203 file path=usr/include/sys/lvm/md_rename.h
 1204 file path=usr/include/sys/lvm/md_sp.h
 1205 file path=usr/include/sys/lvm/md_stripe.h
 1206 file path=usr/include/sys/lvm/md_trans.h
 1207 file path=usr/include/sys/lvm/mdio.h
 1208 file path=usr/include/sys/lvm/mdmed.h
 1209 file path=usr/include/sys/lvm/mdmn_commd.h
 1210 file path=usr/include/sys/lvm/mdvar.h
 1211 file path=usr/include/sys/lwp.h
 1212 file path=usr/include/sys/lwp_timer_impl.h
 1213 file path=usr/include/sys/lwp_upimutex_impl.h
 1214 file path=usr/include/sys/mac.h
 1215 file path=usr/include/sys/mac_ether.h
 1216 file path=usr/include/sys/mac_flow.h
 1217 file path=usr/include/sys/mac_provider.h
 1218 file path=usr/include/sys/machelf.h
 1219 file path=usr/include/sys/machlock.h
 1220 file path=usr/include/sys/machsig.h
 1221 file path=usr/include/sys/machtypes.h
 1222 file path=usr/include/sys/map.h
 1223 \$(i386_ONLY)file path=usr/include/sys/mc.h
 1224 \$(i386_ONLY)file path=usr/include/sys/mc_amd.h
 1225 \$(i386_ONLY)file path=usr/include/sys/mc_intel.h
 1226 \$(i386_ONLY)file path=usr/include/sys/mca_amd.h
 1227 \$(i386_ONLY)file path=usr/include/sys/mca_x86.h
 1228 file path=usr/include/sys/md4.h
 1229 file path=usr/include/sys/md5.h
 1230 file path=usr/include/sys/md5_consts.h
 1231 file path=usr/include/sys/mdi_impldefs.h
 1232 file path=usr/include/sys/mem.h
 1233 file path=usr/include/sys/mem_config.h
 1234 file path=usr/include/sys/memlist.h
 1235 file path=usr/include/sys/mhd.h
 1236 file path=usr/include/sys/mii.h
 1237 file path=usr/include/sys/miiregs.h
 1238 file path=usr/include/sys/mkdev.h
 1239 file path=usr/include/sys/mman.h
 1240 file path=usr/include/sys/mmabobj.h
 1241 file path=usr/include/sys/mntent.h
 1242 file path=usr/include/sys/mntio.h
 1243 file path=usr/include/sys/mnttab.h
 1244 file path=usr/include/sys/modctl.h

1245 file path=usr/include/sys/mode.h
 1246 file path=usr/include/sys/model.h
 1247 file path=usr/include/sys/modhash.h
 1248 file path=usr/include/sys/modhash_impl.h
 1249 file path=usr/include/sys/mount.h
 1250 file path=usr/include/sys/mouse.h
 1251 file path=usr/include/sys/msacct.h
 1252 file path=usr/include/sys/msg.h
 1253 file path=usr/include/sys/msg_impl.h
 1254 file path=usr/include/sys/msio.h
 1255 file path=usr/include/sys/msreg.h
 1256 file path=usr/include/sys/mtio.h
 1257 file path=usr/include/sys/multidata.h
 1258 file path=usr/include/sys/mutex.h
 1259 \$(i386_ONLY)file path=usr/include/sys/mutex_impl.h
 1260 file path=usr/include/sys/nbmlck.h
 1261 file path=usr/include/sys/ndi_impldefs.h
 1262 file path=usr/include/sys/ndifm.h
 1263 file path=usr/include/sys/netconfig.h
 1264 file path=usr/include/sys/neti.h
 1265 file path=usr/include/sys/netstack.h
 1266 file path=usr/include/sys/nexusdefs.h
 1267 file path=usr/include/sys/note.h
 1268 file path=usr/include/sys/nvpair.h
 1269 file path=usr/include/sys/nvpair_impl.h
 1270 file path=usr/include/sys/objfs.h
 1271 file path=usr/include/sys/objfs_impl.h
 1272 file path=usr/include/sys/obpdefs.h
 1273 file path=usr/include/sys/old_procfs.h
 1274 file path=usr/include/sys/open.h
 1275 file path=usr/include/sys/openpromio.h
 1276 file path=usr/include/sys/panic.h
 1277 file path=usr/include/sys/param.h
 1278 file path=usr/include/sys/pathconf.h
 1279 file path=usr/include/sys/pathname.h
 1280 file path=usr/include/sys/pattr.h
 1281 file path=usr/include/sys/pbio.h
 1282 file path=usr/include/sys/pcb.h
 1283 file path=usr/include/sys/pccard.h
 1284 file path=usr/include/sys/pci.h
 1285 \$(i386_ONLY)file path=usr/include/sys/pcic_reg.h
 1286 \$(i386_ONLY)file path=usr/include/sys/pcic_var.h
 1287 file path=usr/include/sys/pcie.h
 1288 file path=usr/include/sys/pcmcia.h
 1289 file path=usr/include/sys/pctypes.h
 1290 file path=usr/include/sys/pfmod.h
 1291 file path=usr/include/sys/pg.h
 1292 file path=usr/include/sys/pghw.h
 1293 file path=usr/include/sys/phymem.h
 1294 \$(i386_ONLY)file path=usr/include/sys/pic.h
 1295 \$(i386_ONLY)file path=usr/include/sys/pit.h
 1296 file path=usr/include/sys/pkg_hash.h
 1297 file path=usr/include/sys/pm.h
 1298 \$(i386_ONLY)file path=usr/include/sys/pmem.h
 1299 file path=usr/include/sys/policy.h
 1300 file path=usr/include/sys/poll.h
 1301 file path=usr/include/sys/poll_impl.h
 1302 file path=usr/include/sys/pool.h
 1303 file path=usr/include/sys/pool_impl.h
 1304 file path=usr/include/sys/pool_pset.h
 1305 file path=usr/include/sys/port.h
 1306 file path=usr/include/sys/port_impl.h
 1307 file path=usr/include/sys/port_kernel.h
 1308 file path=usr/include/sys/ppmio.h
 1309 file path=usr/include/sys/priocntl.h
 1310 file path=usr/include/sys/priv.h

1311 file path=usr/include/sys/priv_const.h
 1312 file path=usr/include/sys/priv_impl.h
 1313 file path=usr/include/sys/priv_names.h
 1314 \$(i386_ONLY)file path=usr/include/sys/privregs.h
 1315 \$(i386_ONLY)file path=usr/include/sys/privregs.h
 1316 file path=usr/include/sys/prnio.h
 1317 file path=usr/include/sys/proc.h
 1318 file path=usr/include/sys/proc/prdata.h
 1319 file path=usr/include/sys/processor.h
 1320 file path=usr/include/sys/procfs.h
 1321 file path=usr/include/sys/procfs_isa.h
 1322 file path=usr/include/sys/procset.h
 1323 file path=usr/include/sys/project.h
 1324 \$(i386_ONLY)file path=usr/include/sys/prom_emul.h
 1325 \$(i386_ONLY)file path=usr/include/sys/prom_isa.h
 1326 \$(i386_ONLY)file path=usr/include/sys/prom_plat.h
 1327 file path=usr/include/sys/promif.h
 1328 file path=usr/include/sys/promimpl.h
 1329 file path=usr/include/sys/protosw.h
 1330 file path=usr/include/sys/prsystem.h
 1331 file path=usr/include/sys/pset.h
 1332 file path=usr/include/sys/psw.h
 1333 \$(i386_ONLY)file path=usr/include/sys/pte.h
 1334 file path=usr/include/sys/ptem.h
 1335 file path=usr/include/sys/ptms.h
 1336 file path=usr/include/sys/ptyvar.h
 1337 file path=usr/include/sys/queue.h
 1338 file path=usr/include/sys/raidiocntl.h
 1339 file path=usr/include/sys/ramdisk.h
 1340 file path=usr/include/sys/random.h
 1341 file path=usr/include/sys/rctl.h
 1342 file path=usr/include/sys/rctl_impl.h
 1343 file path=usr/include/sys/rds.h
 1344 file path=usr/include/sys/reboot.h
 1345 file path=usr/include/sys/refstr.h
 1346 file path=usr/include/sys/refstr_impl.h
 1347 file path=usr/include/sys/reg.h
 1348 file path=usr/include/sys/regset.h
 1349 file path=usr/include/sys/resource.h
 1350 file path=usr/include/sys/rliocntl.h
 1351 file path=usr/include/sys/rsm/rsm.h
 1352 file path=usr/include/sys/rsm/rsm_common.h
 1353 file path=usr/include/sys/rsm/rsmapi_common.h
 1354 file path=usr/include/sys/rsm/rsmka_path_int.h
 1355 file path=usr/include/sys/rsm/rsmmdi.h
 1356 file path=usr/include/sys/rsm/rsmmpi.h
 1357 file path=usr/include/sys/rsm/rsmmpi_driver.h
 1358 file path=usr/include/sys/rt.h
 1359 \$(i386_ONLY)file path=usr/include/sys/rtc.h
 1360 file path=usr/include/sys/rtpriocntl.h
 1361 file path=usr/include/sys/rwlock.h
 1362 file path=usr/include/sys/rwlock_impl.h
 1363 file path=usr/include/sys/rwstlock.h
 1364 file path=usr/include/sys/sad.h
 1365 \$(i386_ONLY)file path=usr/include/sys/sata/sata_defs.h
 1366 \$(i386_ONLY)file path=usr/include/sys/sata/sata_hba.h
 1367 file path=usr/include/sys/schedctl.h
 1368 \$(sparc_ONLY)file path=usr/include/sys/scsi/adapters/ifpio.h
 1369 file path=usr/include/sys/scsi/adapters/scsi_vhci.h
 1370 \$(sparc_ONLY)file path=usr/include/sys/scsi/adapters/sfvar.h
 1371 file path=usr/include/sys/scsi/conf/autoconf.h
 1372 file path=usr/include/sys/scsi/conf/device.h
 1373 file path=usr/include/sys/scsi/generic/commands.h
 1374 file path=usr/include/sys/scsi/generic/dad_mode.h
 1375 file path=usr/include/sys/scsi/generic/inquiry.h
 1376 file path=usr/include/sys/scsi/generic/message.h

1377 file path=usr/include/sys/scsi/generic/mode.h
 1378 file path=usr/include/sys/scsi/generic/persist.h
 1379 file path=usr/include/sys/scsi/generic/sense.h
 1380 file path=usr/include/sys/scsi/generic/sff_frames.h
 1381 file path=usr/include/sys/scsi/generic/smp_frames.h
 1382 file path=usr/include/sys/scsi/generic/status.h
 1383 file path=usr/include/sys/scsi/impl/commands.h
 1384 file path=usr/include/sys/scsi/impl/inquiry.h
 1385 file path=usr/include/sys/scsi/impl/mode.h
 1386 file path=usr/include/sys/scsi/impl/scsi_reset_notify.h
 1387 file path=usr/include/sys/scsi/impl/scsi_sas.h
 1388 file path=usr/include/sys/scsi/impl/sense.h
 1389 file path=usr/include/sys/scsi/impl/services.h
 1390 file path=usr/include/sys/scsi/impl/smp_transport.h
 1391 file path=usr/include/sys/scsi/impl/spc3_types.h
 1392 file path=usr/include/sys/scsi/impl/status.h
 1393 file path=usr/include/sys/scsi/impl/transport.h
 1394 file path=usr/include/sys/scsi/impl/types.h
 1395 file path=usr/include/sys/scsi/impl/uscsi.h
 1396 file path=usr/include/sys/scsi/impl/usmp.h
 1397 file path=usr/include/sys/scsi/scsi.h
 1398 file path=usr/include/sys/scsi/scsi_address.h
 1399 file path=usr/include/sys/scsi/scsi_ctl.h
 1400 file path=usr/include/sys/scsi/scsi_fm.h
 1401 file path=usr/include/sys/scsi/scsi_params.h
 1402 file path=usr/include/sys/scsi/scsi_pkt.h
 1403 file path=usr/include/sys/scsi/scsi_resource.h
 1404 file path=usr/include/sys/scsi/scsi_types.h
 1405 file path=usr/include/sys/scsi/scsi_watch.h
 1406 file path=usr/include/sys/scsi/targets/ssdef.h
 1407 file path=usr/include/sys/scsi/targets/ses.h
 1408 file path=usr/include/sys/scsi/targets/sesio.h
 1409 file path=usr/include/sys/scsi/targets/sgendef.h
 1410 file path=usr/include/sys/scsi/targets/smp.h
 1411 \$(sparc_ONLY)file path=usr/include/sys/scsi/targets/ssdef.h
 1412 file path=usr/include/sys/scsi/targets/stdef.h
 1413 \$(i386_ONLY)file path=usr/include/sys/segment.h
 1414 \$(i386_ONLY)file path=usr/include/sys/segments.h
 1415 file path=usr/include/sys/select.h
 1416 file path=usr/include/sys/sem.h
 1417 file path=usr/include/sys/sem_impl.h
 1418 file path=usr/include/sys/semaphore.h
 1419 file path=usr/include/sys/semaphore.h
 1420 file path=usr/include/sys/sendfile.h
 1421 \$(sparc_ONLY)file path=usr/include/sys/ser_async.h
 1422 file path=usr/include/sys/ser_sync.h
 1423 \$(sparc_ONLY)file path=usr/include/sys/ser_zscc.h
 1424 file path=usr/include/sys/serializer.h
 1425 file path=usr/include/sys/session.h
 1426 file path=usr/include/sys/shal.h
 1427 file path=usr/include/sys/sha2.h
 1428 file path=usr/include/sys/share.h
 1429 file path=usr/include/sys/shm.h
 1430 file path=usr/include/sys/shm_impl.h
 1431 file path=usr/include/sys/sid.h
 1432 file path=usr/include/sys/siginfo.h
 1433 file path=usr/include/sys/signal.h
 1434 file path=usr/include/sys/sleepq.h
 1435 file path=usr/include/sys/smbios.h
 1436 file path=usr/include/sys/smbios_impl.h
 1437 file path=usr/include/sys/smedia.h
 1438 file path=usr/include/sys/sobject.h
 1439 \$(sparc_ONLY)file path=usr/include/sys/social_cq_defs.h
 1440 \$(sparc_ONLY)file path=usr/include/sys/socialio.h
 1441 \$(sparc_ONLY)file path=usr/include/sys/socialmap.h
 1442 \$(sparc_ONLY)file path=usr/include/sys/socialreg.h

```

1443 $(sparc_ONLY)file path=usr/include/sys/socalvar.h
1444 file path=usr/include/sys/socket.h
1445 file path=usr/include/sys/socket_impl.h
1446 file path=usr/include/sys/socket_proto.h
1447 file path=usr/include/sys/socketvar.h
1448 file path=usr/include/sys/sockio.h
1449 file path=usr/include/sys/spl.h
1450 file path=usr/include/sys/queue.h
1451 file path=usr/include/sys/queue_impl.h
1452 file path=usr/include/sys/sservice.h
1453 file path=usr/include/sys/stack.h
1454 file path=usr/include/sys/stat.h
1455 file path=usr/include/sys/stat_impl.h
1456 file path=usr/include/sys/statfs.h
1457 file path=usr/include/sys/statvfs.h
1458 file path=usr/include/sys/stdbool.h
1459 file path=usr/include/sys/stdint.h
1460 file path=usr/include/sys/stermio.h
1461 file path=usr/include/sys/stream.h
1462 file path=usr/include/sys/strft.h
1463 file path=usr/include/sys/strlog.h
1464 file path=usr/include/sys/strmdep.h
1465 file path=usr/include/sys/stropts.h
1466 file path=usr/include/sys/strredir.h
1467 file path=usr/include/sys/strstat.h
1468 file path=usr/include/sys/strsubr.h
1469 file path=usr/include/sys/strsun.h
1470 file path=usr/include/sys/strtty.h
1471 file path=usr/include/sys/sunddi.h
1472 file path=usr/include/sys/sunldi.h
1473 file path=usr/include/sys/sunldi_impl.h
1474 file path=usr/include/sys/sunmdi.h
1475 file path=usr/include/sys/sunndi.h
1476 file path=usr/include/sys/sunpm.h
1477 file path=usr/include/sys/suntpi.h
1478 file path=usr/include/sys/suntty.h
1479 file path=usr/include/sys/swap.h
1480 file path=usr/include/sys/synch.h
1481 file path=usr/include/sys/syscall.h
1482 file path=usr/include/sys/sysconf.h
1483 file path=usr/include/sys/sysconfig.h
1484 file path=usr/include/sys/sysconfig_impl.h
1485 file path=usr/include/sys/sysdc.h
1486 file path=usr/include/sys/sysdc_impl.h
1487 file path=usr/include/sys/sysevent.h
1488 file path=usr/include/sys/sysevent/ap_driver.h
1489 file path=usr/include/sys/sysevent/dev.h
1490 file path=usr/include/sys/sysevent/domain.h
1491 file path=usr/include/sys/sysevent/dr.h
1492 file path=usr/include/sys/sysevent/env.h
1493 file path=usr/include/sys/sysevent/eventdefs.h
1494 file path=usr/include/sys/sysevent/imp.h
1495 file path=usr/include/sys/sysevent/pwrctl.h
1496 file path=usr/include/sys/sysevent/svm.h
1497 file path=usr/include/sys/sysevent/vrrp.h
1498 file path=usr/include/sys/sysevent_impl.h
1499 $(i386_ONLY)file path=usr/include/sys/sysi86.h
1500 file path=usr/include/sys/sysinfo.h
1501 file path=usr/include/sys/syslog.h
1502 file path=usr/include/sys/sysmacros.h
1503 file path=usr/include/sys/systeminfo.h
1504 file path=usr/include/sys/system.h
1505 file path=usr/include/sys/t_kuser.h
1506 file path=usr/include/sys/t_lock.h
1507 file path=usr/include/sys/task.h
1508 file path=usr/include/sys/taskq.h

```

```

1509 file path=usr/include/sys/taskq_impl.h
1510 file path=usr/include/sys/teliocctl.h
1511 file path=usr/include/sys/termio.h
1512 file path=usr/include/sys/termios.h
1513 file path=usr/include/sys/termiox.h
1514 file path=usr/include/sys/thread.h
1515 file path=usr/include/sys/ticlts.h
1516 file path=usr/include/sys/ticots.h
1517 file path=usr/include/sys/ticotsord.h
1518 file path=usr/include/sys/tihdr.h
1519 file path=usr/include/sys/time.h
1520 file path=usr/include/sys/time_impl.h
1521 file path=usr/include/sys/time_std_impl.h
1522 file path=usr/include/sys/timeb.h
1523 file path=usr/include/sys/timer.h
1524 file path=usr/include/sys/times.h
1525 file path=usr/include/sys/timex.h
1526 file path=usr/include/sys/timod.h
1527 file path=usr/include/sys/tirdwr.h
1528 file path=usr/include/sys/tiuser.h
1529 file path=usr/include/sys/tl.h
1530 file path=usr/include/sys/tnf.h
1531 file path=usr/include/sys/tnf_com.h
1532 file path=usr/include/sys/tnf_probe.h
1533 file path=usr/include/sys/tnf_writer.h
1534 file path=usr/include/sys/todio.h
1535 file path=usr/include/sys/tpiccommon.h
1536 file path=usr/include/sys/trap.h
1537 $(i386_ONLY)file path=usr/include/sys/traptrace.h
1538 file path=usr/include/sys/ts.h
1539 file path=usr/include/sys/tsol/label.h
1540 file path=usr/include/sys/tsol/label_macro.h
1541 file path=usr/include/sys/tsol/priv.h
1542 file path=usr/include/sys/tsol/tndb.h
1543 file path=usr/include/sys/tsol/tsyscall.h
1544 file path=usr/include/sys/tsprioctl.h
1545 $(i386_ONLY)file path=usr/include/sys/tss.h
1546 file path=usr/include/sys/ttcompat.h
1547 file path=usr/include/sys/ttold.h
1548 file path=usr/include/sys/tty.h
1549 file path=usr/include/sys/ttychars.h
1550 file path=usr/include/sys/ttydev.h
1551 $(sparc_ONLY)file path=usr/include/sys/ttymux.h
1552 $(sparc_ONLY)file path=usr/include/sys/ttymuxuser.h
1553 file path=usr/include/sys/tuneable.h
1554 file path=usr/include/sys/turnstile.h
1555 file path=usr/include/sys/types.h
1556 file path=usr/include/sys/types32.h
1557 file path=usr/include/sys/tzfile.h
1558 file path=usr/include/sys/u8_textprep.h
1559 file path=usr/include/sys/uadmin.h
1560 $(i386_ONLY)file path=usr/include/sys/ucode.h
1561 file path=usr/include/sys/ucontext.h
1562 file path=usr/include/sys/uiio.h
1563 file path=usr/include/sys/ulimit.h
1564 file path=usr/include/sys/un.h
1565 file path=usr/include/sys/unistd.h
1566 file path=usr/include/sys/user.h
1567 file path=usr/include/sys/ustat.h
1568 file path=usr/include/sys/utime.h
1569 file path=usr/include/sys/utrap.h
1570 file path=usr/include/sys/utsname.h
1571 file path=usr/include/sys/utssys.h
1572 file path=usr/include/sys/uuid.h
1573 file path=usr/include/sys/va_impl.h
1574 file path=usr/include/sys/va_list.h

```

```

1575 file path=usr/include/sys/var.h
1576 file path=usr/include/sys/varargs.h
1577 file path=usr/include/sys/vfs.h
1578 file path=usr/include/sys/vfs_opreg.h
1579 file path=usr/include/sys/vfstab.h
1580 file path=usr/include/sys/videodev2.h
1581 file path=usr/include/sys/visual_io.h
1582 file path=usr/include/sys/vm.h
1583 file path=usr/include/sys/vm_usage.h
1584 file path=usr/include/sys/vmem.h
1585 file path=usr/include/sys/vmem_impl.h
1586 file path=usr/include/sys/vmem_impl_user.h
1587 file path=usr/include/sys/vmparam.h
1588 file path=usr/include/sys/vmsystem.h
1589 file path=usr/include/sys/vnode.h
1590 file path=usr/include/sys/vt.h
1591 file path=usr/include/sys/vtdaemon.h
1592 file path=usr/include/sys/vtoc.h
1593 file path=usr/include/sys/vtrace.h
1594 file path=usr/include/sys/vuid_event.h
1595 file path=usr/include/sys/vuid_queue.h
1596 file path=usr/include/sys/vuid_state.h
1597 file path=usr/include/sys/vuid_store.h
1598 file path=usr/include/sys/vuid_wheel.h
1599 file path=usr/include/sys/wait.h
1600 file path=usr/include/sys/waitq.h
1601 file path=usr/include/sys/watchpoint.h
1602 $(i386_ONLY)file path=usr/include/sys/x86_archext.h
1603 $(i386_ONLY)file path=usr/include/sys/xen_errno.h
1604 file path=usr/include/sys/xti_inet.h
1605 file path=usr/include/sys/xti_osi.h
1606 file path=usr/include/sys/xti_xtiopt.h
1607 file path=usr/include/sys/zcons.h
1608 file path=usr/include/sys/zmod.h
1609 file path=usr/include/sys/zone.h
1610 $(sparc_ONLY)file path=usr/include/sys/zsdev.h
1611 file path=usr/include/syssexits.h
1612 file path=usr/include/syslog.h
1613 file path=usr/include/tar.h
1614 file path=usr/include/tcpd.h
1615 file path=usr/include/term.h
1616 file path=usr/include/termcap.h
1617 file path=usr/include/termio.h
1618 file path=usr/include/termios.h
1619 file path=usr/include/thread.h
1620 file path=usr/include/thread_db.h
1621 file path=usr/include/time.h
1622 file path=usr/include/tiuser.h
1623 file path=usr/include/tsol/label.h
1624 file path=usr/include/tzfile.h
1625 file path=usr/include/ucontext.h
1626 file path=usr/include/ucred.h
1627 file path=usr/include/uid_stp.h
1628 file path=usr/include/ulimit.h
1629 file path=usr/include/umem.h
1630 file path=usr/include/umem_impl.h
1631 file path=usr/include/unctrl.h
1632 file path=usr/include/unistd.h
1633 file path=usr/include/user_attr.h
1634 file path=usr/include/userdefs.h
1635 file path=usr/include/ustat.h
1636 file path=usr/include/utility.h
1637 file path=usr/include/utime.h
1638 file path=usr/include/utmp.h
1639 file path=usr/include/utmpx.h
1640 file path=usr/include/uuid/uuid.h

```

```

1641 $(sparc_ONLY)file path=usr/include/v7/sys/machpcb.h
1642 $(sparc_ONLY)file path=usr/include/v7/sys/machtrap.h
1643 $(sparc_ONLY)file path=usr/include/v7/sys/mutex_impl.h
1644 $(sparc_ONLY)file path=usr/include/v7/sys/privregs.h
1645 $(sparc_ONLY)file path=usr/include/v7/sys/prom_isa.h
1646 $(sparc_ONLY)file path=usr/include/v7/sys/psr.h
1647 $(sparc_ONLY)file path=usr/include/v7/sys/traptrace.h
1648 $(sparc_ONLY)file path=usr/include/v9/sys/asi.h
1649 $(sparc_ONLY)file path=usr/include/v9/sys/machpcb.h
1650 $(sparc_ONLY)file path=usr/include/v9/sys/machtrap.h
1651 $(sparc_ONLY)file path=usr/include/v9/sys/membar.h
1652 $(sparc_ONLY)file path=usr/include/v9/sys/mutex_impl.h
1653 $(sparc_ONLY)file path=usr/include/v9/sys/privregs.h
1654 $(sparc_ONLY)file path=usr/include/v9/sys/prom_isa.h
1655 $(sparc_ONLY)file path=usr/include/v9/sys/psr_compat.h
1656 $(sparc_ONLY)file path=usr/include/v9/sys/vis_simulator.h
1657 file path=usr/include/valtools.h
1658 file path=usr/include/values.h
1659 file path=usr/include/varargs.h
1660 file path=usr/include/vm/anon.h
1661 file path=usr/include/vm/as.h
1662 file path=usr/include/vm/faultcode.h
1663 file path=usr/include/vm/hat.h
1664 file path=usr/include/vm/kpm.h
1665 file path=usr/include/vm/page.h
1666 file path=usr/include/vm/pvn.h
1667 file path=usr/include/vm/rm.h
1668 file path=usr/include/vm/seg.h
1669 file path=usr/include/vm/seg_dev.h
1670 file path=usr/include/vm/seg_enum.h
1671 file path=usr/include/vm/seg_kmem.h
1672 file path=usr/include/vm/seg_kp.h
1673 file path=usr/include/vm/seg_kpm.h
1674 file path=usr/include/vm/seg_map.h
1675 file path=usr/include/vm/seg_spt.h
1676 file path=usr/include/vm/seg_vn.h
1677 file path=usr/include/vm/vpage.h
1678 file path=usr/include/vm/vpm.h
1679 file path=usr/include/volmgt.h
1680 file path=usr/include/wait.h
1681 file path=usr/include/wchar.h
1682 file path=usr/include/wchar_impl.h
1683 file path=usr/include/wctype.h
1684 file path=usr/include/widec.h
1685 file path=usr/include/wordexp.h
1686 file path=usr/include/xti.h
1687 file path=usr/include/xti_inet.h
1688 file path=usr/include/zone.h
1689 file path=usr/include/zonestat.h
1690 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/acpidev.h
1691 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/amd_iommu.h
1692 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/asm_misc.h
1693 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/clock.h
1694 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/cram.h
1695 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/ddi_subdefs.h
1696 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/debug_info.h
1697 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/fastboot.h
1698 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/mach_mmu.h
1699 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machclock.h
1700 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machcpuvar.h
1701 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machparam.h
1702 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machprivregs.h
1703 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machsystem.h
1704 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/machthread.h
1705 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/memnode.h
1706 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/pc_mmu.h

```



```

1707 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm.h
1708 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_defs.h
1709 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_modctl.h
1710 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/psm_types.h
1711 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/rm_platter.h
1712 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/sbd_ioctl.h
1713 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/smp_impldefs.h
1714 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/vm_machparam.h
1715 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_call.h
1716 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xc_levels.h
1717 $(i386_ONLY)file path=usr/platform/i86pc/include/sys/xsvc.h
1718 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_i86.h
1719 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hat_pte.h
1720 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/hment.h
1721 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/htable.h
1722 $(i386_ONLY)file path=usr/platform/i86pc/include/vm/kboot_mmu.h
1723 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/balloon.h
1724 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/machprivregs.h
1725 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xen_mmu.h
1726 $(i386_ONLY)file path=usr/platform/i86xpv/include/sys/xpv_impl.h
1727 $(i386_ONLY)file path=usr/platform/i86xpv/include/vm/seg_mf.h
1728 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ac.h
1729 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/asynch.h
1730 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cheetahregs.h
1731 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cherrystone.h
1732 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/clock.h
1733 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cmp.h
1734 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpc_ultra.h
1735 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpr_impl.h
1736 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_impl.h
1737 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cpu_sgnblk_defs.h
1738 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/cvc.h
1739 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/daktari.h
1740 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ddi_subrdefs.h
1741 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/dvma.h
1742 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ecc_kstat.h
1743 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/eeeprom.h
1744 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl.h
1745 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_gen.h
1746 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue250.h
1747 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/envctrl_ue450.h
1748 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/environ.h
1749 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/errclassify.h
1750 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/fhc.h
1751 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/gpio_87317.h
1752 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/hpc3130_events.h
1753 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/hpc3130.h
1754 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/i2c_client.h
1755 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/lm75.h
1756 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/max1617.h
1757 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/pcf8591.h
1758 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/clients/ssc050.h
1759 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/i2c/misc/i2c_svc.h
1760 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/idprom.h
1761 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intr.h
1762 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/intreg.h
1763 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iocache.h
1764 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/iommu.h
1765 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/ivintr.h
1766 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/lom_io.h
1767 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machasi.h
1768 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machclock.h
1769 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machcpuvar.h
1770 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machparam.h
1771 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machsystem.h
1772 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/machthread.h

```

```

1773 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mem_cache.h
1774 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memlist_plat.h
1775 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/memnode.h
1776 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/mmu.h
1777 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/nexusdebug.h
1778 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_hwdesc.h
1779 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/opl_module.h
1780 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_debug.h
1781 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/prom_plat.h
1782 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/pte.h
1783 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sbd_ioctl.h
1784 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scb.h
1785 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/scsb_led.h
1786 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/simmstat.h
1787 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/splitregs.h
1788 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sram.h
1789 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/starfire.h
1790 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sun4asi.h
1791 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/systctrl.h
1792 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysioerr.h
1793 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/sysiosbus.h
1794 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/tod.h
1795 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/todmostek.h
1796 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/trapstat.h
1797 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/traptrace.h
1798 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vis.h
1799 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/vm_machparam.h
1800 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_call.h
1801 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/xc_impl.h
1802 $(sparc_ONLY)file path=usr/platform/sun4u/include/sys/zsmach.h
1803 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/hat_sfmmu.h
1804 $(sparc_ONLY)file path=usr/platform/sun4u/include/vm/mach_sfmmu.h
1805 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/clock.h
1806 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cmp.h
1807 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpc_ultra.h
1808 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/cpu_sgnblk_defs.h
1809 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ddi_subrdefs.h
1810 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_pri.h
1811 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ds_smp.h
1812 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/dvma.h
1813 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/eeeprom.h
1814 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/fcode.h
1815 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hsv.h
1816 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/hypervisor_api.h
1817 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/idprom.h
1818 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intr.h
1819 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/intreg.h
1820 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/ivintr.h
1821 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machasi.h
1822 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machclock.h
1823 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machcpuvar.h
1824 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machintreg.h
1825 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machparam.h
1826 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machsystem.h
1827 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/machthread.h
1828 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memlist_plat.h
1829 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/memnode.h
1830 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/mmu.h
1831 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/nexusdebug.h
1832 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagaraasi.h
1833 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niagararegs.h
1834 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/niawdt.h
1835 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pri.h
1836 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_debug.h
1837 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/prom_plat.h
1838 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/pte.h

```

```

1839 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/qcn.h
1840 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/scb.h
1841 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/soft_state.h
1842 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/sun4asi.h
1843 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/tod.h
1844 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/trapstat.h
1845 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/traptrace.h
1846 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vis.h
1847 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/vm_machparam.h
1848 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/x_call.h
1849 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/xc_impl.h
1850 $(sparc_ONLY)file path=usr/platform/sun4v/include/sys/zsmach.h
1851 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/hat_sfmmu.h
1852 $(sparc_ONLY)file path=usr/platform/sun4v/include/vm/mach_sfmmu.h
1853 file path=usr/share/man/man3head/acct.h.3head
1854 file path=usr/share/man/man3head/aio.h.3head
1855 file path=usr/share/man/man3head/ar.h.3head
1856 file path=usr/share/man/man3head/archives.h.3head
1857 file path=usr/share/man/man3head/assert.h.3head
1858 file path=usr/share/man/man3head/complex.h.3head
1859 file path=usr/share/man/man3head/cpio.h.3head
1860 file path=usr/share/man/man3head/dirent.h.3head
1861 file path=usr/share/man/man3head/errno.h.3head
1862 file path=usr/share/man/man3head/fcntl.h.3head
1863 file path=usr/share/man/man3head/fenv.h.3head
1864 file path=usr/share/man/man3head/float.h.3head
1865 file path=usr/share/man/man3head/floatingpoint.h.3head
1866 file path=usr/share/man/man3head/fmtmsg.h.3head
1867 file path=usr/share/man/man3head/fnmatch.h.3head
1868 file path=usr/share/man/man3head/ftw.h.3head
1869 file path=usr/share/man/man3head/glob.h.3head
1870 file path=usr/share/man/man3head/grp.h.3head
1871 file path=usr/share/man/man3head/iconv.h.3head
1872 file path=usr/share/man/man3head/if.h.3head
1873 file path=usr/share/man/man3head/in.h.3head
1874 file path=usr/share/man/man3head/inet.h.3head
1875 file path=usr/share/man/man3head/inttypes.h.3head
1876 file path=usr/share/man/man3head/ipc.h.3head
1877 file path=usr/share/man/man3head/iso646.h.3head
1878 file path=usr/share/man/man3head/langinfo.h.3head
1879 file path=usr/share/man/man3head/libgen.h.3head
1880 file path=usr/share/man/man3head/libintl.h.3head
1881 file path=usr/share/man/man3head/limits.h.3head
1882 file path=usr/share/man/man3head/locale.h.3head
1883 file path=usr/share/man/man3head/math.h.3head
1884 file path=usr/share/man/man3head/mman.h.3head
1885 file path=usr/share/man/man3head/monetary.h.3head
1886 file path=usr/share/man/man3head/mqueue.h.3head
1887 file path=usr/share/man/man3head/msg.h.3head
1888 file path=usr/share/man/man3head/ndbm.h.3head
1889 file path=usr/share/man/man3head/netdb.h.3head
1890 file path=usr/share/man/man3head/nl_types.h.3head
1891 file path=usr/share/man/man3head/poll.h.3head
1892 file path=usr/share/man/man3head/pthread.h.3head
1893 file path=usr/share/man/man3head/pwd.h.3head
1894 file path=usr/share/man/man3head/regex.h.3head
1895 file path=usr/share/man/man3head/resource.h.3head
1896 file path=usr/share/man/man3head/sched.h.3head
1897 file path=usr/share/man/man3head/search.h.3head
1898 file path=usr/share/man/man3head/select.h.3head
1899 file path=usr/share/man/man3head/sem.h.3head
1900 file path=usr/share/man/man3head/semaphore.h.3head
1901 file path=usr/share/man/man3head/setjmp.h.3head
1902 file path=usr/share/man/man3head/shm.h.3head
1903 file path=usr/share/man/man3head/signinfo.h.3head
1904 file path=usr/share/man/man3head/signal.h.3head

```

```

1905 file path=usr/share/man/man3head/socket.h.3head
1906 file path=usr/share/man/man3head/spawn.h.3head
1907 file path=usr/share/man/man3head/stat.h.3head
1908 file path=usr/share/man/man3head/statvfs.h.3head
1909 file path=usr/share/man/man3head/stdbool.h.3head
1910 file path=usr/share/man/man3head/stddef.h.3head
1911 file path=usr/share/man/man3head/stdint.h.3head
1912 file path=usr/share/man/man3head/stdio.h.3head
1913 file path=usr/share/man/man3head/stdlib.h.3head
1914 file path=usr/share/man/man3head/string.h.3head
1915 file path=usr/share/man/man3head/strings.h.3head
1916 file path=usr/share/man/man3head/stropts.h.3head
1917 file path=usr/share/man/man3head/syslog.h.3head
1918 file path=usr/share/man/man3head/tar.h.3head
1919 file path=usr/share/man/man3head/tcp.h.3head
1920 file path=usr/share/man/man3head/termios.h.3head
1921 file path=usr/share/man/man3head/tgmach.h.3head
1922 file path=usr/share/man/man3head/time.h.3head
1923 file path=usr/share/man/man3head/timeb.h.3head
1924 file path=usr/share/man/man3head/times.h.3head
1925 file path=usr/share/man/man3head/types.h.3head
1926 file path=usr/share/man/man3head/types32.h.3head
1927 file path=usr/share/man/man3head/ucontext.h.3head
1928 file path=usr/share/man/man3head/uio.h.3head
1929 file path=usr/share/man/man3head/ulimit.h.3head
1930 file path=usr/share/man/man3head/un.h.3head
1931 file path=usr/share/man/man3head/unistd.h.3head
1932 file path=usr/share/man/man3head/utime.h.3head
1933 file path=usr/share/man/man3head/utmpx.h.3head
1934 file path=usr/share/man/man3head/utsname.h.3head
1935 file path=usr/share/man/man3head/values.h.3head
1936 file path=usr/share/man/man3head/wait.h.3head
1937 file path=usr/share/man/man3head/wchar.h.3head
1938 file path=usr/share/man/man3head/wctype.h.3head
1939 file path=usr/share/man/man3head/wordep.h.3head
1940 file path=usr/share/man/man4/note.4
1941 file path=usr/share/man/man5/prof.5
1942 file path=usr/share/man/man7i/cdio.7i
1943 file path=usr/share/man/man7i/dkio.7i
1944 file path=usr/share/man/man7i/fbio.7i
1945 file path=usr/share/man/man7i/fdio.7i
1946 file path=usr/share/man/man7i/hdio.7i
1947 file path=usr/share/man/man7i/ieec61883.7i
1948 file path=usr/share/man/man7i/mhd.7i
1949 file path=usr/share/man/man7i/mtio.7i
1950 file path=usr/share/man/man7i/prnio.7i
1951 file path=usr/share/man/man7i/quotactl.7i
1952 file path=usr/share/man/man7i/sesio.7i
1953 file path=usr/share/man/man7i/sockio.7i
1954 file path=usr/share/man/man7i/streamio.7i
1955 file path=usr/share/man/man7i/termio.7i
1956 file path=usr/share/man/man7i/termiox.7i
1957 file path=usr/share/man/man7i/uscsi.7i
1958 file path=usr/share/man/man7i/visual_io.7i
1959 file path=usr/share/man/man7i/vt.7i
1960 file path=usr/xpg4/include/curses.h
1961 file path=usr/xpg4/include/term.h
1962 file path=usr/xpg4/include/unctrl.h
1963 legacy pkg=SUNWhea \
1964 desc="SunOS C/C++ header files for general development of software" \
1965 name="SunOS Header Files"
1966 license cr_Sun license=cr_Sun
1967 license lic_CDDL license=lic_CDDL
1968 license license_in_headers license=license_in_headers
1969 license usr/src/lib/pkcs11/include/THIRDPARTYLICENSE \
1970 license=usr/src/lib/pkcs11/include/THIRDPARTYLICENSE

```

```

1971 link path=usr/include/iso/assert_iso.h target=./assert.h
1972 link path=usr/include/iso/errno_iso.h target=./errno.h
1973 link path=usr/include/iso/float_iso.h target=./float.h
1974 link path=usr/include/iso/iso646_iso.h target=./iso646.h
1975 $(sparc_ONLY)link path=usr/platform/SUNW,A70/include target=./sun4u/include
1976 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T12/include \
1977     target=./sun4u/include
1978 $(sparc_ONLY)link path=usr/platform/SUNW,Netra-T4/include \
1979     target=./sun4u/include
1980 $(sparc_ONLY)link path=usr/platform/SUNW,SPARC-Enterprise/include \
1981     target=./sun4u/include
1982 $(sparc_ONLY)link path=usr/platform/SUNW,Serverblad1/include \
1983     target=./sun4u/include
1984 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-100/include \
1985     target=./sun4u/include
1986 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1000/include \
1987     target=./sun4u/include
1988 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-1500/include \
1989     target=./sun4u/include
1990 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Blade-2500/include \
1991     target=./sun4u/include
1992 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-15000/include \
1993     target=./sun4u/include
1994 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-280R/include \
1995     target=./sun4u/include
1996 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-480R/include \
1997     target=./sun4u/include
1998 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-880/include \
1999     target=./sun4u/include
2000 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V215/include \
2001     target=./sun4u/include
2002 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V240/include \
2003     target=./sun4u/include
2004 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V250/include \
2005     target=./sun4u/include
2006 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V440/include \
2007     target=./sun4u/include
2008 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V445/include \
2009     target=./sun4u/include
2010 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V490/include \
2011     target=./sun4u/include
2012 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire-V890/include \
2013     target=./sun4u/include
2014 $(sparc_ONLY)link path=usr/platform/SUNW,Sun-Fire/include \
2015     target=./sun4u/include
2016 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-2/include \
2017     target=./sun4u/include
2018 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-250/include \
2019     target=./sun4u/include
2020 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-4/include \
2021     target=./sun4u/include
2022 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise-10000/include \
2023     target=./sun4u/include
2024 $(sparc_ONLY)link path=usr/platform/SUNW,Ultra-Enterprise/include \
2025     target=./sun4u/include
2026 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-40/include \
2027     target=./sun4u/include
2028 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIe-NetraCT-60/include \
2029     target=./sun4u/include
2030 $(sparc_ONLY)link path=usr/platform/SUNW,UltraSPARC-IIi-Netract/include \
2031     target=./sun4u/include
2032 link path=usr/share/man/man3head/acct.3head target=acct.h.3head
2033 link path=usr/share/man/man3head/aio.3head target=aio.h.3head
2034 link path=usr/share/man/man3head/ar.3head target=ar.h.3head
2035 link path=usr/share/man/man3head/archives.3head target=archives.h.3head
2036 link path=usr/share/man/man3head/assert.3head target=assert.h.3head

```

```

2037 link path=usr/share/man/man3head/complex.3head target=complex.h.3head
2038 link path=usr/share/man/man3head/cpio.3head target=cpio.h.3head
2039 link path=usr/share/man/man3head/dirent.3head target=dirent.h.3head
2040 link path=usr/share/man/man3head/errno.3head target=errno.h.3head
2041 link path=usr/share/man/man3head/fcntl.3head target=fcntl.h.3head
2042 link path=usr/share/man/man3head/fenv.3head target=fenv.h.3head
2043 link path=usr/share/man/man3head/float.3head target=float.h.3head
2044 link path=usr/share/man/man3head/floatngpoint.3head \
2045     target=floatngpoint.h.3head
2046 link path=usr/share/man/man3head/fmtmsg.3head target=fmtmsg.h.3head
2047 link path=usr/share/man/man3head/fnmatch.3head target=fnmatch.h.3head
2048 link path=usr/share/man/man3head/ftw.3head target=ftw.h.3head
2049 link path=usr/share/man/man3head/glob.3head target=glob.h.3head
2050 link path=usr/share/man/man3head/grp.3head target=grp.h.3head
2051 link path=usr/share/man/man3head/iconv.3head target=iconv.h.3head
2052 link path=usr/share/man/man3head/if.3head target=if.h.3head
2053 link path=usr/share/man/man3head/in.3head target=in.h.3head
2054 link path=usr/share/man/man3head/inet.3head target=inet.h.3head
2055 link path=usr/share/man/man3head/inttypes.3head target=inttypes.h.3head
2056 link path=usr/share/man/man3head/ipc.3head target=ipc.h.3head
2057 link path=usr/share/man/man3head/iso646.3head target=iso646.h.3head
2058 link path=usr/share/man/man3head/langinfo.3head target=langinfo.h.3head
2059 link path=usr/share/man/man3head/libgen.3head target=libgen.h.3head
2060 link path=usr/share/man/man3head/libintl.3head target=libintl.h.3head
2061 link path=usr/share/man/man3head/limits.3head target=limits.h.3head
2062 link path=usr/share/man/man3head/locale.3head target=locale.h.3head
2063 link path=usr/share/man/man3head/math.3head target=math.h.3head
2064 link path=usr/share/man/man3head/mman.3head target=mman.h.3head
2065 link path=usr/share/man/man3head/monetary.3head target=monetary.h.3head
2066 link path=usr/share/man/man3head/mqueue.3head target=mqueue.h.3head
2067 link path=usr/share/man/man3head/msg.3head target=msg.h.3head
2068 link path=usr/share/man/man3head/ndbm.3head target=ndbm.h.3head
2069 link path=usr/share/man/man3head/netdb.3head target=netdb.h.3head
2070 link path=usr/share/man/man3head/nl_types.3head target=nl_types.h.3head
2071 link path=usr/share/man/man3head/poll.3head target=poll.h.3head
2072 link path=usr/share/man/man3head/pthread.3head target=pthread.h.3head
2073 link path=usr/share/man/man3head/pwd.3head target=pwd.h.3head
2074 link path=usr/share/man/man3head/regex.3head target=regex.h.3head
2075 link path=usr/share/man/man3head/resource.3head target=resource.h.3head
2076 link path=usr/share/man/man3head/sched.3head target=sched.h.3head
2077 link path=usr/share/man/man3head/search.3head target=search.h.3head
2078 link path=usr/share/man/man3head/select.3head target=select.h.3head
2079 link path=usr/share/man/man3head/sem.3head target=sem.h.3head
2080 link path=usr/share/man/man3head/semaphore.3head target=semaphore.h.3head
2081 link path=usr/share/man/man3head/setjmp.3head target=setjmp.h.3head
2082 link path=usr/share/man/man3head/shm.3head target=shm.h.3head
2083 link path=usr/share/man/man3head/signinfo.3head target=signinfo.h.3head
2084 link path=usr/share/man/man3head/signal.3head target=signal.h.3head
2085 link path=usr/share/man/man3head/socket.3head target=socket.h.3head
2086 link path=usr/share/man/man3head/spawn.3head target=spawn.h.3head
2087 link path=usr/share/man/man3head/stat.3head target=stat.h.3head
2088 link path=usr/share/man/man3head/statvfs.3head target=statvfs.h.3head
2089 link path=usr/share/man/man3head/stdbool.3head target=stdbool.h.3head
2090 link path=usr/share/man/man3head/stddef.3head target=stddef.h.3head
2091 link path=usr/share/man/man3head/stdint.3head target=stdint.h.3head
2092 link path=usr/share/man/man3head/stdio.3head target=stdio.h.3head
2093 link path=usr/share/man/man3head/stdlib.3head target=stdlib.h.3head
2094 link path=usr/share/man/man3head/string.3head target=string.h.3head
2095 link path=usr/share/man/man3head/strings.3head target=strings.h.3head
2096 link path=usr/share/man/man3head/stropts.3head target=stropts.h.3head
2097 link path=usr/share/man/man3head/syslog.3head target=syslog.h.3head
2098 link path=usr/share/man/man3head/tar.3head target=tar.h.3head
2099 link path=usr/share/man/man3head/tcp.3head target=tcph.h.3head
2100 link path=usr/share/man/man3head/termios.3head target=termios.h.3head
2101 link path=usr/share/man/man3head/tgmth.3head target=tgmth.h.3head
2102 link path=usr/share/man/man3head/time.3head target=time.h.3head

```

```
2103 link path=usr/share/man/man3head/timeb.3head target=timeb.h.3head
2104 link path=usr/share/man/man3head/times.3head target=times.h.3head
2105 link path=usr/share/man/man3head/types.3head target=types.h.3head
2106 link path=usr/share/man/man3head/types32.3head target=types32.h.3head
2107 link path=usr/share/man/man3head/ucontext.3head target=ucontext.h.3head
2108 link path=usr/share/man/man3head/uio.3head target=uio.h.3head
2109 link path=usr/share/man/man3head/ulimit.3head target=ulimit.h.3head
2110 link path=usr/share/man/man3head/un.3head target=un.h.3head
2111 link path=usr/share/man/man3head/unistd.3head target=unistd.h.3head
2112 link path=usr/share/man/man3head/utime.3head target=utime.h.3head
2113 link path=usr/share/man/man3head/utmpx.3head target=utmpx.h.3head
2114 link path=usr/share/man/man3head/utsname.3head target=utsname.h.3head
2115 link path=usr/share/man/man3head/values.3head target=values.h.3head
2116 link path=usr/share/man/man3head/wait.3head target=wait.h.3head
2117 link path=usr/share/man/man3head/wchar.3head target=wchar.h.3head
2118 link path=usr/share/man/man3head/wctype.3head target=wctype.h.3head
2119 link path=usr/share/man/man3head/wordexp.3head target=wordexp.h.3head
2120 $(i386_ONLY)link path=usr/share/src/uts/i86pc/sys \
2121     target=../../../../platform/i86pc/include/sys
2122 $(i386_ONLY)link path=usr/share/src/uts/i86pc/vm \
2123     target=../../../../platform/i86pc/include/vm
2124 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/sys \
2125     target=../../../../platform/i86xpv/include/sys
2126 $(i386_ONLY)link path=usr/share/src/uts/i86xpv/vm \
2127     target=../../../../platform/i86xpv/include/vm
2128 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/sys \
2129     target=../../../../platform/sun4u/include/sys
2130 $(sparc_ONLY)link path=usr/share/src/uts/sun4u/vm \
2131     target=../../../../platform/sun4u/include/vm
2132 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/sys \
2133     target=../../../../platform/sun4v/include/sys
2134 $(sparc_ONLY)link path=usr/share/src/uts/sun4v/vm \
2135     target=../../../../platform/sun4v/include/vm
```

new/usr/src/pkg/manifests/system-ldoms.mf

1

```
*****
5227 Fri Apr 11 13:24:16 2014
new/usr/src/pkg/manifests/system-ldoms.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/ldoms@$(PKGVERS)
35 set name=pkg.description value="Solaris Logical Domains Configuration Files"
36 set name=pkg.summary value="Solaris Logical Domains"
37 set name=info.classification \
38     value="org.opensolaris.category.2008:System/Administration and Configuration"
39 set name=variant.arch value=sparc
40 dir path=lib
41 dir path=lib/svc
42 dir path=lib/svc/manifest group=sys
43 dir path=lib/svc/manifest/platform group=sys
44 dir path=lib/svc/manifest/platform/sun4v group=sys
45 dir path=lib/svc/method
46 dir path=platform group=sys
47 dir path=platform/sun4v group=sys
48 dir path=platform/sun4v/kernel group=sys
49 dir path=platform/sun4v/kernel/drv group=sys
50 dir path=platform/sun4v/kernel/drv/$(ARCH64) group=sys
51 dir path=platform/sun4v/kernel/misc group=sys
52 dir path=platform/sun4v/kernel/misc/$(ARCH64) group=sys
53 dir path=usr group=sys
54 dir path=usr/lib
55 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
56 dir path=usr/lib/ldoms
57 dir path=usr/lib/rcm
58 dir path=usr/lib/rcm/scripts
59 dir path=usr/share/man/man1m
60 driver name=cnex alias=SUNW,sun4v-channel-devices
```

new/usr/src/pkg/manifests/system-ldoms.mf

2

```
61 driver name=drctl
62 driver name=ds_pri
63 driver name=ds_snmp
64 driver name=vcc alias=SUNW,sun4v-console-concentrator
65 driver name=vdc alias=SUNW,sun4v-disk
66 driver name=vds alias=SUNW,sun4v-disk-server
67 driver name=vldc alias=SUNW,sun4v-channel
68 driver name=vlds alias=SUNW,sun4v-domain-service
69 driver name=vnet alias=SUNW,sun4v-network clone_perms="vnet 0666 root sys" \
70     perms="* 0666 root sys"
71 driver name=vsw alias=SUNW,sun4v-network-switch \
72     clone_perms="vsw 0666 root sys" perms="* 0666 root sys"
73 file path=lib/svc/manifest/platform/sun4v/drd.xml group=sys mode=0444
74 file path=lib/svc/manifest/platform/sun4v/ldoms-agents.xml group=sys mode=0444
75 file path=lib/svc/manifest/platform/sun4v/vntsd.xml group=sys mode=0444
76 file path=lib/svc/method/ldoms-agents mode=0555
77 file path=lib/svc/method/svc-drd mode=0555
78 file path=lib/svc/method/svc-vntsd mode=0555
79 file path=platform/sun4v/kernel/drv/$(ARCH64)/cnex group=sys
80 file path=platform/sun4v/kernel/drv/$(ARCH64)/drctl group=sys
81 file path=platform/sun4v/kernel/drv/$(ARCH64)/ds_pri group=sys
82 file path=platform/sun4v/kernel/drv/$(ARCH64)/ds_snmp group=sys
83 file path=platform/sun4v/kernel/drv/$(ARCH64)/vcc group=sys
84 file path=platform/sun4v/kernel/drv/$(ARCH64)/vdc group=sys
85 file path=platform/sun4v/kernel/drv/$(ARCH64)/vds group=sys
86 file path=platform/sun4v/kernel/drv/$(ARCH64)/vldc group=sys
87 file path=platform/sun4v/kernel/drv/$(ARCH64)/vlds group=sys
88 file path=platform/sun4v/kernel/drv/$(ARCH64)/vnet group=sys
89 file path=platform/sun4v/kernel/drv/$(ARCH64)/vsw group=sys
90 file path=platform/sun4v/kernel/drv/drctl.conf group=sys
91 file path=platform/sun4v/kernel/drv/ds_pri.conf group=sys
92 file path=platform/sun4v/kernel/drv/ds_snmp.conf group=sys
93 file path=platform/sun4v/kernel/misc/$(ARCH64)/dr_cpu group=sys mode=0755
94 file path=platform/sun4v/kernel/misc/$(ARCH64)/dr_io group=sys mode=0755
95 file path=platform/sun4v/kernel/misc/$(ARCH64)/dr_mem group=sys mode=0755
96 file path=platform/sun4v/kernel/misc/$(ARCH64)/ds group=sys mode=0755
97 file path=platform/sun4v/kernel/misc/$(ARCH64)/fault_iso group=sys mode=0755
98 file path=platform/sun4v/kernel/misc/$(ARCH64)/ldc group=sys mode=0755
99 file path=platform/sun4v/kernel/misc/$(ARCH64)/platsvc group=sys mode=0755
100 $(BUILD64)file path=usr/lib/$(ARCH64)/libds.so.1
101 $(BUILD64)file path=usr/lib/$(ARCH64)/libpri.so.1
69 file path=usr/lib/$(ARCH64)/libds.so.1
70 file path=usr/lib/$(ARCH64)/libpri.so.1
102 file path=usr/lib/ldoms/drd mode=0555
103 file path=usr/lib/ldoms/ldmad mode=0555
104 file path=usr/lib/ldoms/vntsd mode=0555
105 file path=usr/lib/libds.so.1
106 file path=usr/lib/libpri.so.1
107 file path=usr/lib/rcm/scripts/SUNW,vdevices.pl mode=0555
108 file path=usr/share/man/man1m/drd.1m
109 file path=usr/share/man/man1m/ldmad.1m
110 file path=usr/share/man/man1m/vntsd.1m
111 legacy pkg=SUNWldomr.v arch=$(ARCH).sun4v \
112     desc="Solaris Logical Domains Configuration Files" \
113     name="Solaris Logical Domains (Root)"
114 legacy pkg=SUNWldomu.v arch=$(ARCH).sun4v \
115     desc="Solaris Logical Domains Configuration and Administration" \
116     name="Solaris Logical Domains (Ushr)"
117 license cr_Sun license=cr_Sun
118 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-library-install-libinstzones.mf

1

1766 Fri Apr 11 13:24:16 2014

new/usr/src/pkg/manifests/system-library-install-libinstzones.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/library/install/libinstzones@$(PKGVERS)
30 set name=pkg.description value="Solaris Install internal files"
31 set name=pkg.summary value="Solaris Install Internal Files"
32 set name=info.classification \
33     value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/include
37 dir path=usr/lib
38 $(BUILD64)dir path=usr/lib/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
39 file path=usr/include/instzones_api.h
40 legacy pkg=SUNWinstallint desc="Solaris Install internal files" \
41     name="Solaris Install Internal Files"
42 license cr_Sun license=cr_Sun
43 license lic_CDDL license=lic_CDDL
44 $(BUILD64)link path=usr/lib/$(ARCH64)/libinstzones.so \
45     target=./libinstzones.so.1
31 link path=usr/lib/$(ARCH64)/libinstzones.so target=./libinstzones.so.1
46 link path=usr/lib/libinstzones.so target=./libinstzones.so.1
```

new/usr/src/pkg/manifests/system-library-libdiskmgmt.mf

1

1836 Fri Apr 11 13:24:16 2014

new/usr/src/pkg/manifests/system-library-libdiskmgmt.mf
1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/libdiskmgmt@$(PKGVERS)
29 set name=pkg.description value="Software libraries for storage management"
30 set name=pkg.summary value="Storage Management APIs"
31 set name=info.classification \
32     value="org.opensolaris.category.2008:System/Enterprise Management"
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 $(BUILD64)dir path=usr/lib/$(ARCH64)
37 $(BUILD64)file path=usr/lib/$(ARCH64)/libdiskmgmt.so.1
38 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ldiskmgmt.ln
39 dir path=usr/lib/$(ARCH64)
40 file path=usr/lib/$(ARCH64)/libdiskmgmt.so.1
41 file path=usr/lib/$(ARCH64)/llib-ldiskmgmt.ln
42 legacy pkg=SUNWsmapi desc="Software libraries for storage management" \
43     name="Storage Management APIs"
44 license cr_Sun license=cr_Sun
45 license lic_CDDL license=lic_CDDL
46 $(BUILD64)link path=usr/lib/$(ARCH64)/libdiskmgmt.so target=./libdiskmgmt.so.1
47 link path=usr/lib/$(ARCH64)/libdiskmgmt.so target=./libdiskmgmt.so.1
48 link path=usr/lib/libdiskmgmt.so target=./libdiskmgmt.so.1
```

new/usr/src/pkg/manifests/system-library-libfcoe.mf

1

2186 Fri Apr 11 13:24:17 2014

new/usr/src/pkg/manifests/system-library-libfcoe.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/libfcoe@${PKGVERS}
29 set name=pkg.description \
30 value="Sun FCoE (Fibre Channel over Ethernet) Port Management Library"
31 set name=pkg.summary value="Sun FCoE Port Management Library"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Drivers/Storage
34 set name=variant.arch value=${ARCH}
35 dir path=usr group=sys
36 dir path=usr/include
37 dir path=usr/lib
38 ${BUILD64}dir path=usr/lib/${ARCH64}
39 dir path=usr/share/man/man3fcoe
40 dir path=usr/share/man/man3lib
41 file path=usr/include/libfcoe.h
42 ${BUILD64}file path=usr/lib/${ARCH64}/libfcoe.so.1
43 ${BUILD64}file path=usr/lib/${ARCH64}/llib-lfcoe.ln
44 file path=usr/lib/${ARCH64}/libfcoe.so.1
45 file path=usr/lib/llib-lfcoe.ln
46 file path=usr/lib/llib-lfcoe.ln
47 file path=usr/share/man/man3fcoe/FCOE_CreatePort.3fcoe
48 file path=usr/share/man/man3fcoe/FCOE_DeletePort.3fcoe
49 file path=usr/share/man/man3fcoe/FCOE_GetPortList.3fcoe
50 file path=usr/share/man/man3lib/libfcoe.3lib
51 legacy pkg=SUNwfcoue \
52 desc="Sun FCoE (Fibre Channel over Ethernet) Port Management Library" \
53 name="Sun FCoE Port Management Library"
54 license cr_Sun license=cr_Sun
55 license lic_CDDL license=lic_CDDL
56 ${BUILD64}link path=usr/lib/${ARCH64}/libfcoe.so target=libfcoe.so.1
42 link path=usr/lib/${ARCH64}/libfcoe.so target=libfcoe.so.1
57 link path=usr/lib/libfcoe.so target=libfcoe.so.1
```


new/usr/src/pkg/manifests/system-library-security-gss-diffie-hellman.mf 1

```
*****
2256 Fri Apr 11 13:24:17 2014
new/usr/src/pkg/manifests/system-library-security-gss-diffie-hellman.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29     value=pkg:/system/library/security/gss/diffie-hellman@(PKGVERS)
30 set name=pkg.description \
31     value="GSS-API mechanism libraries for NIS+ extended Diffie-Hellman"
32 set name=pkg.summary value="GSS Diffie-Hellman"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System/Security
35 set name=variant.arch value=$(ARCH)
36 dir path=usr group=sys
37 dir path=usr/lib
38 $(BUILD64)dir path=usr/lib/$(ARCH64)
39 $(BUILD64)dir path=usr/lib/$(ARCH64)/gss
40 dir path=usr/lib/$(ARCH64)/gss
41 $(BUILD64)file path=usr/lib/$(ARCH64)/gss/dh1024-0.so.1
42 $(BUILD64)file path=usr/lib/$(ARCH64)/gss/dh640-0.so.1
43 $(BUILD64)file path=usr/lib/$(ARCH64)/gss/mech_dh.so.1
44 file path=usr/lib/$(ARCH64)/gss/dh1024-0.so.1
45 file path=usr/lib/$(ARCH64)/gss/dh640-0.so.1
46 file path=usr/lib/$(ARCH64)/gss/mech_dh.so.1
47 legacy pkg=SUNWgssdh \
48     desc="GSS-API mechanism libraries for NIS+ extended Diffie-Hellman" \
49     name="GSS Diffie-Hellman"
50 license cr_Sun license=cr_Sun
51 license lic_CDDL license=lic_CDDL
52 $(BUILD64)link path=usr/lib/$(ARCH64)/gss/dh1024-0.so target=dh1024-0.so.1
53 $(BUILD64)link path=usr/lib/$(ARCH64)/gss/dh640-0.so target=dh640-0.so.1
54 $(BUILD64)link path=usr/lib/$(ARCH64)/gss/mech_dh.so target=mech_dh.so.1
55 link path=usr/lib/$(ARCH64)/gss/dh1024-0.so target=dh1024-0.so.1
56 link path=usr/lib/$(ARCH64)/gss/dh640-0.so target=dh640-0.so.1
```

new/usr/src/pkg/manifests/system-library-security-gss-diffie-hellman.mf 2

```
40 link path=usr/lib/$(ARCH64)/gss/mech_dh.so target=mech_dh.so.1
55 link path=usr/lib/gss/dh1024-0.so target=dh1024-0.so.1
56 link path=usr/lib/gss/dh640-0.so target=dh640-0.so.1
57 link path=usr/lib/gss/mech_dh.so target=mech_dh.so.1
```

new/usr/src/pkg/manifests/system-library-security-gss-spnego.mf

1

1709 Fri Apr 11 13:24:17 2014

new/usr/src/pkg/manifests/system-library-security-gss-spnego.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/security/gss/spnego@$(PKGVERS)
29 set name=pkg.description value="SPNEGO GSS-API Mechanism"
30 set name=pkg.summary value="SPNEGO GSS-API Mechanism"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Security
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 $(BUILD64)dir path=usr/lib/$(ARCH64)
37 $(BUILD64)dir path=usr/lib/$(ARCH64)/gss
38 dir path=usr/lib/$(ARCH64)
39 dir path=usr/lib/$(ARCH64)/gss
40 dir path=usr/share/man
41 dir path=usr/share/man/man5
42 $(BUILD64)file path=usr/lib/$(ARCH64)/gss/mech_spnego.so.1
43 file path=usr/lib/$(ARCH64)/gss/mech_spnego.so.1
44 file path=usr/lib/gss/mech_spnego.so.1
45 file path=usr/share/man/man5/mech_spnego.5
46 legacy pkg=SUNWspnego desc="SPNEGO GSS-API Mechanism" \
47     name="SPNEGO GSS-API Mechanism"
48 license cr_Sun license=cr_Sun
49 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-library-security-gss.mf

1

```
*****
4781 Fri Apr 11 13:24:17 2014
new/usr/src/pkg/manifests/system-library-security-gss.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/security/gss@$(PKGVERS)
29 set name=pkg.description \
30 value="Generic Security Service Application Program Interface, Version 2 - u
31 set name=pkg.summary value="GSSAPI V2"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:System/Security
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/lib
37 $(BUILD64)dir path=usr/lib/$(ARCH64)
38 $(BUILD64)dir path=usr/lib/$(ARCH64)/gss
39 dir path=usr/lib/$(ARCH64)
40 dir path=usr/lib/gss
41 $(BUILD64)dir path=usr/lib/sasl/$(ARCH64)
42 dir path=usr/sbin
43 dir path=usr/share/man/man1m
44 dir path=usr/share/man/man3gss
45 dir path=usr/share/man/man3lib
46 $(BUILD64)file path=usr/lib/$(ARCH64)/libgss.so.1
47 file path=usr/lib/$(ARCH64)/libgss.so.1
48 file path=usr/lib/gss/gsscred_clean group=sys mode=0744
49 file path=usr/lib/gss/gssd mode=0555
50 $(BUILD64)file path=usr/lib/sasl/$(ARCH64)/gssapi.so.1
51 file path=usr/lib/sasl/$(ARCH64)/gssapi.so.1
52 file path=usr/sbin/gsscred group=sys mode=0555
53 file path=usr/share/man/man1m/gsscred.lm
54 file path=usr/share/man/man1m/gssd.lm
55 file path=usr/share/man/man3gss/gss_accept_sec_context.3gss
56 file path=usr/share/man/man3gss/gss_acquire_cred.3gss
```

new/usr/src/pkg/manifests/system-library-security-gss.mf

2

```
57 file path=usr/share/man/man3gss/gss_add_cred.3gss
58 file path=usr/share/man/man3gss/gss_add_oid_set_member.3gss
59 file path=usr/share/man/man3gss/gss_canonicalize_name.3gss
60 file path=usr/share/man/man3gss/gss_compare_name.3gss
61 file path=usr/share/man/man3gss/gss_context_time.3gss
62 file path=usr/share/man/man3gss/gss_create_empty_oid_set.3gss
63 file path=usr/share/man/man3gss/gss_delete_sec_context.3gss
64 file path=usr/share/man/man3gss/gss_display_name.3gss
65 file path=usr/share/man/man3gss/gss_display_status.3gss
66 file path=usr/share/man/man3gss/gss_duplicate_name.3gss
67 file path=usr/share/man/man3gss/gss_export_name.3gss
68 file path=usr/share/man/man3gss/gss_export_sec_context.3gss
69 file path=usr/share/man/man3gss/gss_get_mic.3gss
70 file path=usr/share/man/man3gss/gss_import_name.3gss
71 file path=usr/share/man/man3gss/gss_import_sec_context.3gss
72 file path=usr/share/man/man3gss/gss_indicate_mechs.3gss
73 file path=usr/share/man/man3gss/gss_init_sec_context.3gss
74 file path=usr/share/man/man3gss/gss_inquire_context.3gss
75 file path=usr/share/man/man3gss/gss_inquire_cred.3gss
76 file path=usr/share/man/man3gss/gss_inquire_cred_by_mech.3gss
77 file path=usr/share/man/man3gss/gss_inquire_mechs_for_name.3gss
78 file path=usr/share/man/man3gss/gss_inquire_names_for_mech.3gss
79 file path=usr/share/man/man3gss/gss_oid_to_str.3gss
80 file path=usr/share/man/man3gss/gss_process_context_token.3gss
81 file path=usr/share/man/man3gss/gss_release_buffer.3gss
82 file path=usr/share/man/man3gss/gss_release_cred.3gss
83 file path=usr/share/man/man3gss/gss_release_name.3gss
84 file path=usr/share/man/man3gss/gss_release_oid.3gss
85 file path=usr/share/man/man3gss/gss_release_oid_set.3gss
86 file path=usr/share/man/man3gss/gss_store_cred.3gss
87 file path=usr/share/man/man3gss/gss_str_to_oid.3gss
88 file path=usr/share/man/man3gss/gss_test_oid_set_member.3gss
89 file path=usr/share/man/man3gss/gss_unwrap.3gss
90 file path=usr/share/man/man3gss/gss_verify_mic.3gss
91 file path=usr/share/man/man3gss/gss_wrap.3gss
92 file path=usr/share/man/man3gss/gss_wrap_size_limit.3gss
93 file path=usr/share/man/man3lib/libgss.3lib
94 legacy pkg=SUNWgss \
95 desc="Generic Security Service Application Program Interface, Version 2 - us
96 name="GSSAPI V2"
97 license cr_Sun license=cr_Sun
98 license lic_CDDL license=lic_CDDL
99 license usr/src/lib/libgss/THIRDPARTYLICENSE \
100 license=usr/src/lib/libgss/THIRDPARTYLICENSE
101 license usr/src/lib/sasl_plugins/gssapi/THIRDPARTYLICENSE \
102 license=usr/src/lib/sasl_plugins/gssapi/THIRDPARTYLICENSE
103 license usr/src/uts/common/gssapi/mechs/krb5/THIRDPARTYLICENSE \
104 license=usr/src/uts/common/gssapi/mechs/krb5/THIRDPARTYLICENSE
105 $(BUILD64)link path=usr/lib/$(ARCH64)/libgss.so target=libgss.so.1
106 link path=usr/lib/$(ARCH64)/libgss.so target=libgss.so.1
```

new/usr/src/pkg/manifests/system-library-security-libsasl.mf

1

```
*****
11158 Fri Apr 11 13:24:17 2014
new/usr/src/pkg/manifests/system-library-security-libsasl.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/library/security/libsasl@$(PKGVERS)
30 set name=pkg.description \
31   value="Simple Authentication and Security Layer (SASL) v2 shared library and
32 set name=pkg.summary \
33   value="Simple Authentication and Security Layer (SASL) v2 shared library and
34 set name=info.classification \
35   value=org.opensolaris.category.2008:System/Libraries
36 set name=variant.arch value=$(ARCH)
37 dir path=usr group=sys
38 dir path=usr/lib
39 $(BUILD64)dir path=usr/lib/sasl/$(ARCH64)
25 dir path=usr/lib/$(ARCH64)
40 dir path=usr/lib/sasl
41 $(BUILD64)dir path=usr/lib/sasl/$(ARCH64)
27 dir path=usr/lib/sasl/$(ARCH64)
42 dir path=usr/share/man
43 dir path=usr/share/man/man3lib
44 dir path=usr/share/man/man3proc
45 dir path=usr/share/man/man3project
46 dir path=usr/share/man/man3resolv
47 dir path=usr/share/man/man3rpc
48 dir path=usr/share/man/man3sasl
49 dir path=usr/share/man/man4
50 $(BUILD64)file path=usr/lib/$(ARCH64)/libsasl.so.1
36 file path=usr/lib/$(ARCH64)/libsasl.so.1
51 file path=usr/lib/libsasl.so.1
52 $(BUILD64)file path=usr/lib/sasl/$(ARCH64)/crammd5.so.1
53 $(BUILD64)file path=usr/lib/sasl/$(ARCH64)/digestmd5.so.1
54 $(BUILD64)file path=usr/lib/sasl/$(ARCH64)/login.so.1
55 $(BUILD64)file path=usr/lib/sasl/$(ARCH64)/plain.so.1
38 file path=usr/lib/sasl/$(ARCH64)/crammd5.so.1
39 file path=usr/lib/sasl/$(ARCH64)/digestmd5.so.1
40 file path=usr/lib/sasl/$(ARCH64)/login.so.1
```

new/usr/src/pkg/manifests/system-library-security-libsasl.mf

2

```
41 file path=usr/lib/sasl/$(ARCH64)/plain.so.1
56 file path=usr/lib/sasl/crammd5.so.1
57 file path=usr/lib/sasl/digestmd5.so.1
58 file path=usr/lib/sasl/login.so.1
59 file path=usr/lib/sasl/plain.so.1
60 file path=usr/share/man/man3lib/libsasl.3lib
61 file path=usr/share/man/man3proc/proc_service.3proc
62 file path=usr/share/man/man3proc/ps_lgetregs.3proc
63 file path=usr/share/man/man3proc/ps_pglobal_lookup.3proc
64 file path=usr/share/man/man3proc/ps_pread.3proc
65 file path=usr/share/man/man3proc/ps_pstop.3proc
66 file path=usr/share/man/man3project/getproject.3project
67 file path=usr/share/man/man3project/project_walk.3project
68 file path=usr/share/man/man3project/setproject.3project
69 file path=usr/share/man/man3resolv/resolver.3resolv
70 file path=usr/share/man/man3rpc/rstat.3rpc
71 file path=usr/share/man/man3rpc/rusers.3rpc
72 file path=usr/share/man/man3rpc/rwall.3rpc
73 file path=usr/share/man/man3sasl/sasl_authorize_t.3sasl
74 file path=usr/share/man/man3sasl/sasl_auxprop.3sasl
75 file path=usr/share/man/man3sasl/sasl_auxprop_add_plugin.3sasl
76 file path=usr/share/man/man3sasl/sasl_auxprop_getctx.3sasl
77 file path=usr/share/man/man3sasl/sasl_auxprop_request.3sasl
78 file path=usr/share/man/man3sasl/sasl_canon_user_t.3sasl
79 file path=usr/share/man/man3sasl/sasl_canonuser_add_plugin.3sasl
80 file path=usr/share/man/man3sasl/sasl_chalprompt_t.3sasl
81 file path=usr/share/man/man3sasl/sasl_checkpop.3sasl
82 file path=usr/share/man/man3sasl/sasl_checkpass.3sasl
83 file path=usr/share/man/man3sasl/sasl_client_add_plugin.3sasl
84 file path=usr/share/man/man3sasl/sasl_client_init.3sasl
85 file path=usr/share/man/man3sasl/sasl_client_new.3sasl
86 file path=usr/share/man/man3sasl/sasl_client_plug_init_t.3sasl
87 file path=usr/share/man/man3sasl/sasl_client_start.3sasl
88 file path=usr/share/man/man3sasl/sasl_client_step.3sasl
89 file path=usr/share/man/man3sasl/sasl_decode.3sasl
90 file path=usr/share/man/man3sasl/sasl_decode64.3sasl
91 file path=usr/share/man/man3sasl/sasl_dispose.3sasl
92 file path=usr/share/man/man3sasl/sasl_done.3sasl
93 file path=usr/share/man/man3sasl/sasl_encode.3sasl
94 file path=usr/share/man/man3sasl/sasl_encode64.3sasl
95 file path=usr/share/man/man3sasl/sasl_erasebuffer.3sasl
96 file path=usr/share/man/man3sasl/sasl_errdetail.3sasl
97 file path=usr/share/man/man3sasl/sasl_errors.3sasl
98 file path=usr/share/man/man3sasl/sasl_errstring.3sasl
99 file path=usr/share/man/man3sasl/sasl_getcallback_t.3sasl
100 file path=usr/share/man/man3sasl/sasl_getopt_t.3sasl
101 file path=usr/share/man/man3sasl/sasl_getpath_t.3sasl
102 file path=usr/share/man/man3sasl/sasl_getprop.3sasl
103 file path=usr/share/man/man3sasl/sasl_getrealm_t.3sasl
104 file path=usr/share/man/man3sasl/sasl_getsecret_t.3sasl
105 file path=usr/share/man/man3sasl/sasl_getsimple_t.3sasl
106 file path=usr/share/man/man3sasl/sasl_global_listmech.3sasl
107 file path=usr/share/man/man3sasl/sasl_idle.3sasl
108 file path=usr/share/man/man3sasl/sasl_listmech.3sasl
109 file path=usr/share/man/man3sasl/sasl_log_t.3sasl
110 file path=usr/share/man/man3sasl/sasl_server_add_plugin.3sasl
111 file path=usr/share/man/man3sasl/sasl_server_init.3sasl
112 file path=usr/share/man/man3sasl/sasl_server_new.3sasl
113 file path=usr/share/man/man3sasl/sasl_server_plug_init_t.3sasl
114 file path=usr/share/man/man3sasl/sasl_server_start.3sasl
115 file path=usr/share/man/man3sasl/sasl_server_step.3sasl
116 file path=usr/share/man/man3sasl/sasl_server_userdb_checkpass_t.3sasl
117 file path=usr/share/man/man3sasl/sasl_server_userdb_setpass_t.3sasl
118 file path=usr/share/man/man3sasl/sasl_set_alloc.3sasl
119 file path=usr/share/man/man3sasl/sasl_set_mutex.3sasl
120 file path=usr/share/man/man3sasl/sasl_seterror.3sasl
```

```

121 file path=usr/share/man/man3sasl/sasl_setpass.3sasl
122 file path=usr/share/man/man3sasl/sasl_setprop.3sasl
123 file path=usr/share/man/man3sasl/sasl_utf8verify.3sasl
124 file path=usr/share/man/man3sasl/sasl_verifyfile.t.3sasl
125 file path=usr/share/man/man3sasl/sasl_version.3sasl
126 file path=usr/share/man/man4/sasl_appname.conf.4
127 legacy pkg=SUNWlibsasl \
128     desc="Simple Authentication and Security Layer (SASL) v2 shared library and
129     name="Simple Authentication and Security Layer (SASL) v2 shared library and
130 license cr_Sun license=cr_Sun
131 license usr/src/lib/libsasl/THIRDPARTYLICENSE \
132     license=usr/src/lib/libsasl/THIRDPARTYLICENSE
133 $(BUILD64)link path=usr/lib/$(ARCH64)/libsasl.so target=libsasl.so.1
134 link path=usr/lib/$(ARCH64)/libsasl.so target=libsasl.so.1
135 link path=usr/share/man/man3proc/ps_kill.3proc target=ps_pstop.3proc
136 link path=usr/share/man/man3proc/ps_lcontinue.3proc target=ps_pstop.3proc
137 link path=usr/share/man/man3proc/ps_lgetfpregs.3proc target=ps_lgetregs.3proc
138 link path=usr/share/man/man3proc/ps_lgetxregs.3proc target=ps_lgetregs.3proc
139 link path=usr/share/man/man3proc/ps_lgetxregsize.3proc \
140     target=ps_lgetregs.3proc
141 link path=usr/share/man/man3proc/ps_lrolltoaddr.3proc target=ps_pstop.3proc
142 link path=usr/share/man/man3proc/ps_lsetfpregs.3proc target=ps_lgetregs.3proc
143 link path=usr/share/man/man3proc/ps_lsetregs.3proc target=ps_lgetregs.3proc
144 link path=usr/share/man/man3proc/ps_lsetxregs.3proc target=ps_lgetregs.3proc
145 link path=usr/share/man/man3proc/ps_lstop.3proc target=ps_pstop.3proc
146 link path=usr/share/man/man3proc/ps_pcontinue.3proc target=ps_pstop.3proc
147 link path=usr/share/man/man3proc/ps_pdread.3proc target=ps_pread.3proc
148 link path=usr/share/man/man3proc/ps_pdwite.3proc target=ps_pread.3proc
149 link path=usr/share/man/man3proc/ps_pglobal_sym.3proc \
150     target=ps_pglobal_lookup.3proc
151 link path=usr/share/man/man3proc/ps_ptread.3proc target=ps_pread.3proc
152 link path=usr/share/man/man3proc/ps_ptwrite.3proc target=ps_pread.3proc
153 link path=usr/share/man/man3proc/ps_pwrite.3proc target=ps_pread.3proc
154 link path=usr/share/man/man3project/endprojent.3project \
155     target=getprojent.3project
156 link path=usr/share/man/man3project/fgetprojent.3project \
157     target=getprojent.3project
158 link path=usr/share/man/man3project/getdefaultproj.3project \
159     target=getprojent.3project
160 link path=usr/share/man/man3project/getprojbyid.3project \
161     target=getprojent.3project
162 link path=usr/share/man/man3project/getprojbyname.3project \
163     target=getprojent.3project
164 link path=usr/share/man/man3project/getprojidbyname.3project \
165     target=getprojent.3project
166 link path=usr/share/man/man3project/inproj.3project target=getprojent.3project
167 link path=usr/share/man/man3project/setprojent.3project \
168     target=getprojent.3project
169 link path=usr/share/man/man3resolver/dn_comp.3resolver target=resolver.3resolver
170 link path=usr/share/man/man3resolver/dn_expand.3resolver target=resolver.3resolver
171 link path=usr/share/man/man3resolver/fp_resstat.3resolver target=resolver.3resolver
172 link path=usr/share/man/man3resolver/herror.3resolver target=resolver.3resolver
173 link path=usr/share/man/man3resolver/hsterror.3resolver target=resolver.3resolver
174 link path=usr/share/man/man3resolver/res_getservers.3resolver \
175     target=resolver.3resolver
176 link path=usr/share/man/man3resolver/res_hostalias.3resolver \
177     target=resolver.3resolver
178 link path=usr/share/man/man3resolver/res_init.3resolver target=resolver.3resolver
179 link path=usr/share/man/man3resolver/res_mkquery.3resolver target=resolver.3resolver
180 link path=usr/share/man/man3resolver/res_nclose.3resolver target=resolver.3resolver
181 link path=usr/share/man/man3resolver/res_ndestroy.3resolver \
182     target=resolver.3resolver
183 link path=usr/share/man/man3resolver/res_ninit.3resolver target=resolver.3resolver
184 link path=usr/share/man/man3resolver/res_nmquery.3resolver \
185     target=resolver.3resolver

```

```

186 link path=usr/share/man/man3resolver/res_nquery.3resolver target=resolver.3resolver
187 link path=usr/share/man/man3resolver/res_nquerydomain.3resolver \
188     target=resolver.3resolver
189 link path=usr/share/man/man3resolver/res_nsearch.3resolver target=resolver.3resolver
190 link path=usr/share/man/man3resolver/res_nsend.3resolver target=resolver.3resolver
191 link path=usr/share/man/man3resolver/res_nsendsigned.3resolver \
192     target=resolver.3resolver
193 link path=usr/share/man/man3resolver/res_query.3resolver target=resolver.3resolver
194 link path=usr/share/man/man3resolver/res_search.3resolver target=resolver.3resolver
195 link path=usr/share/man/man3resolver/res_send.3resolver target=resolver.3resolver
196 link path=usr/share/man/man3resolver/res_setservers.3resolver \
197     target=resolver.3resolver
198 link path=usr/share/man/man3rpc/havedisk.3rpc target=rstat.3rpc
199 link path=usr/share/man/man3rpc/rusers.3rpc target=rusers.3rpc
200 link path=usr/share/man/man3sasl/prop_clear.3sasl target=sasl_auxprop.3sasl
201 link path=usr/share/man/man3sasl/prop_dispose.3sasl target=sasl_auxprop.3sasl
202 link path=usr/share/man/man3sasl/prop_dup.3sasl target=sasl_auxprop.3sasl
203 link path=usr/share/man/man3sasl/prop_erase.3sasl target=sasl_auxprop.3sasl
204 link path=usr/share/man/man3sasl/prop_format.3sasl target=sasl_auxprop.3sasl
205 link path=usr/share/man/man3sasl/prop_get.3sasl target=sasl_auxprop.3sasl
206 link path=usr/share/man/man3sasl/prop_getnames.3sasl target=sasl_auxprop.3sasl
207 link path=usr/share/man/man3sasl/prop_new.3sasl target=sasl_auxprop.3sasl
208 link path=usr/share/man/man3sasl/prop_request.3sasl target=sasl_auxprop.3sasl
209 link path=usr/share/man/man3sasl/prop_set.3sasl target=sasl_auxprop.3sasl
210 link path=usr/share/man/man3sasl/prop_setvals.3sasl target=sasl_auxprop.3sasl
211 link path=usr/share/man/man3sasl/sasl_encodev.3sasl target=sasl_encode.3sasl

```

new/usr/src/pkg/manifests/system-library-security-rpcsec.mf

1

1613 Fri Apr 11 13:24:18 2014

new/usr/src/pkg/manifests/system-library-security-rpcsec.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/security/rpcsec@$(PKGVERS)
29 set name=pkg.description value="GSS-API services for ONC RPC"
30 set name=pkg.summary value=RPCSEC_GSS
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Libraries
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 $(BUILD64)dir path=usr/lib/$(ARCH64)
37 $(BUILD64)file path=usr/lib/$(ARCH64)/rpcsec.so.1
24 dir path=usr/lib/$(ARCH64)
25 file path=usr/lib/$(ARCH64)/rpcsec.so.1
38 file path=usr/lib/rpcsec.so.1
39 legacy pkg=SUNWrsrg desc="GSS-API services for ONC RPC" name=RPCSEC_GSS
40 license cr_Sun license=cr_Sun
41 license lic_CDDL license=lic_CDDL
42 $(BUILD64)link path=usr/lib/$(ARCH64)/rpcsec.so target=rpcsec.so.1
30 link path=usr/lib/$(ARCH64)/rpcsec.so target=rpcsec.so.1
43 link path=usr/lib/rpcsec.so target=rpcsec.so.1
```

new/usr/src/pkg/manifests/system-library-storage-fibre-channel-hbaapi.mf 1

```
*****
2393 Fri Apr 11 13:24:18 2014
new/usr/src/pkg/manifests/system-library-storage-fibre-channel-hbaapi.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29 value=pkg:/system/library/storage/fibre-channel/hbaapi@$(PKGVERS)
30 set name=pkg.description \
31 value="Common Fibre Channel HBA API Library based on the T11 FC-MI specifica
32 set name=pkg.summary value="Common Fibre Channel HBA API Library"
33 set name=info.classification \
34 value=org.opensolaris.category.2008:System/Libraries
35 set name=variant.arch value=$(ARCH)
36 dir path=etc group=sys
37 dir path=usr group=sys
38 dir path=usr/include
39 dir path=usr/lib
40 $(BUILD64)dir path=usr/lib/$(ARCH64)
41 dir path=usr/share/man
42 dir path=usr/share/man/man4
43 file path=etc/hba.conf original_name=SUNWcfcl:etc/hba.conf preserve=true
44 file path=usr/include/hbaapi.h
45 $(BUILD64)file path=usr/lib/$(ARCH64)/libHBAAPI.so.1
46 file path=usr/lib/libHBAAPI.so.1
47 file path=usr/share/man/man4/hba.conf.4
48 legacy pkg=SUNWcfcl \
49 desc="Common Fibre Channel HBA API Library based on the T11 FC-MI specificat
50 name="Common Fibre Channel HBA API Library (Usr)"
51 legacy pkg=SUNWcfclr \
52 desc="Common Fibre Channel HBA API Library based on the T11 FC-MI specificat
53 name="Common Fibre Channel HBA API Library (Root)"
54 license cr_Sun license=cr_Sun
55 license lic_CDDL license=lic_CDDL
56 license usr/src/lib/hbaapi/THIRDPARTYLICENSE \
57 license=usr/src/lib/hbaapi/THIRDPARTYLICENSE
58 $(BUILD64)link path=usr/lib/$(ARCH64)/libHBAAPI.so target=libHBAAPI.so.1
42 link path=usr/lib/$(ARCH64)/libHBAAPI.so target=libHBAAPI.so.1
```

new/usr/src/pkg/manifests/system-library-storage-fibre-channel-hbaapi.mf 2

```
59 link path=usr/lib/libHBAAPI.so target=libHBAAPI.so.1
60 depend fmri=system/library/storage/fibre-channel/libsun_fc type=require
```

new/usr/src/pkg/manifests/system-library-storage-fibre-channel-libsun_fc.mf 1

```
*****
1951 Fri Apr 11 13:24:18 2014
new/usr/src/pkg/manifests/system-library-storage-fibre-channel-libsun_fc.mf
1681 support for BUILDD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri \
29     value=pkg:/system/library/storage/fibre-channel/libsun_fc@$(PKGVERS)
30 set name=pkg.description \
31     value="SNIA HBA library for Sun Fibre Channel adapters"
32 set name=pkg.summary value="Sun Fibre Channel Host Bus Adapter Library"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System/Libraries
35 set name=variant.arch value=$(ARCH)
36 dir path=etc group=sys
37 dir path=usr group=sys
38 dir path=usr/lib
39 $(BUILDD64)dir path=usr/lib/$(ARCH64)
40 $(BUILDD64)file path=usr/lib/$(ARCH64)/libsun_fc.so.1
24 dir path=usr/lib/$(ARCH64)
25 file path=usr/lib/$(ARCH64)/libsun_fc.so.1
41 file path=usr/lib/libsun_fc.so.1
42 legacy pkg=SUNWfchba desc="SNIA HBA library for Sun Fibre Channel adapters" \
43     name="Sun Fibre Channel Host Bus Adapter Library"
44 legacy pkg=SUNWfchbar \
45     desc="T11 FC-HBA library for Sun Fibre Channel adapters (root)" \
46     name="Sun Fibre Channel Host Bus Adapter Library (root)"
47 license cr_Sun license=cr_Sun
48 license lic_CDDL license=lic_CDDL
49 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsun_fc.so target=libsun_fc.so.1
34 link path=usr/lib/$(ARCH64)/libsun_fc.so target=libsun_fc.so.1
50 link path=usr/lib/libsun_fc.so target=libsun_fc.so.1
```


new/usr/src/pkg/manifests/system-library-storage-ima-header-ima.mf

1

2210 Fri Apr 11 13:24:18 2014

new/usr/src/pkg/manifests/system-library-storage-ima-header-ima.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/storage/ima/header-ima@$(PKGVERS)
29 set name=pkg.description \
30 value="SNIA iSCSI Managment API common library for iSCSI adapters"
31 set name=pkg.summary value="Solaris IMA Common Library"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:System/Libraries
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=usr group=sys
37 dir path=usr/include
38 dir path=usr/lib
39 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
40 file path=etc/ima.conf original_name=SUNWimac:etc/ima.conf preserve=true
41 file path=usr/include/ima.h
42 file path=usr/include/libsun_ima.h
43 $(BUILD64)file path=usr/lib/$(ARCH64)/libima.so.1
28 file path=usr/lib/$(ARCH64)/libima.so.1
44 file path=usr/lib/libima.so.1
45 legacy pkg=SUNWimac \
46 desc="SNIA iSCSI Managment API common library for iSCSI adapters" \
47 name="Solaris IMA Common Library"
48 legacy pkg=SUNWimacr \
49 desc="SNIA iSCSI Managment API common library for iSCSI adapters (Root)" \
50 name="Solaris IMA Common Library (Root)"
51 license cr_Sun license=cr_Sun
52 license lic_CDDL license=lic_CDDL
53 license usr/src/lib/libima/THIRDPARTYLICENSE \
54 license=usr/src/lib/libima/THIRDPARTYLICENSE
55 $(BUILD64)link path=usr/lib/$(ARCH64)/libima.so target=libima.so.1
40 link path=usr/lib/$(ARCH64)/libima.so target=libima.so.1
56 link path=usr/lib/libima.so target=libima.so.1
57 depend fmri=system/library/storage/ima type=require
```

new/usr/src/pkg/manifests/system-library-storage-ima.mf

1

```
*****
2298 Fri Apr 11 13:24:18 2014
new/usr/src/pkg/manifests/system-library-storage-ima.mf
1681 support for BUILD64=# no longer works
*****
```

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/storage/ima@$(PKGVERS)
29 set name=pkg.description \
30 value="SNIA iSCSI Management API plugin library for iSCSI adapters"
31 set name=pkg.summary value="Solaris IMA Software Initiator Plugin"
32 set name=info.classification \
33 value="org.opensolaris.category.2008:Applications/Plug-ins and Run-times"
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=usr group=sys
37 dir path=usr/lib
38 $(BUILD64)dir path=usr/lib/$(ARCH64)
39 $(BUILD64)file path=usr/lib/$(ARCH64)/libsun_ima.so.1
40 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lima.ln
41 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lsun_ima.ln
42 dir path=usr/lib/$(ARCH64)
43 file path=usr/lib/$(ARCH64)/libsun_ima.so.1
44 file path=usr/lib/$(ARCH64)/llib-lima.ln
45 file path=usr/lib/$(ARCH64)/llib-lsun_ima.ln
46 file path=usr/lib/$(ARCH64)/llib-lsun_ima.ln
47 legacy pkg=SUNwima \
48 desc="SNIA iSCSI Managment API plugin library for iSCSI adapters" \
49 name="Solaris IMA Software Initiator Plugin"
50 legacy pkg=SUNwimar \
51 desc="SNIA iSCSI Managment API plugin library for iSCSI adapters (Root)" \
52 name="Solaris IMA Software Initiator Plugin (Root)"
53 license cr_Sun license=cr_Sun
54 license lic_CDDL license=lic_CDDL
55 license usr/src/lib/libima/THIRDPARTYLICENSE \
56 license=usr/src/lib/libima/THIRDPARTYLICENSE
57 $(BUILD64)link path=usr/lib/$(ARCH64)/libsun_ima.so target=libsun_ima.so.1
```

new/usr/src/pkg/manifests/system-library-storage-ima.mf

2

```
43 link path=usr/lib/$(ARCH64)/libsun_ima.so target=libsun_ima.so.1
58 link path=usr/lib/$(ARCH64)/llib-lima.ln target=llib-lima.ln
```

new/usr/src/pkg/manifests/system-library-storage-libmpapi.mf

1

```
*****
6016 Fri Apr 11 13:24:19 2014
new/usr/src/pkg/manifests/system-library-storage-libmpapi.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/library/storage/libmpapi@$(PKGVERS)
30 set name=pkg.description \
31     value="Common Library based on SNIA MP API specification"
32 set name=pkg.summary value="SNIA Multipath Management API Common Library"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System/Libraries
35 set name=variant.arch value=$(ARCH)
36 dir path=etc group=sys variant.opensolaris.zone=global
37 dir path=lib variant.opensolaris.zone=global
38 $(BUILD64)dir path=lib/$(ARCH64) variant.opensolaris.zone=global
25 dir path=lib/$(ARCH64) variant.opensolaris.zone=global
39 dir path=usr group=sys
40 dir path=usr/include
41 dir path=usr/share/man
42 dir path=usr/share/man/man3lib
43 dir path=usr/share/man/man3mpapi
44 dir path=usr/share/man/man4
45 file path=etc/mpapi.conf original_name=SUNWmpapi:etc/mpapi.conf preserve=true
46 $(BUILD64)file path=lib/$(ARCH64)/libMPAPI.so.1 \
47     variant.opensolaris.zone=global
48 $(BUILD64)file path=lib/$(ARCH64)/llib-LMPAPI.ln \
49     variant.opensolaris.zone=global
33 file path=lib/$(ARCH64)/libMPAPI.so.1 variant.opensolaris.zone=global
34 file path=lib/$(ARCH64)/llib-LMPAPI.ln variant.opensolaris.zone=global
50 file path=lib/libMPAPI.so.1 variant.opensolaris.zone=global
51 file path=lib/llib-LMPAPI variant.opensolaris.zone=global
52 file path=lib/llib-LMPAPI.ln variant.opensolaris.zone=global
53 file path=usr/include/mpapi-sun.h
54 file path=usr/include/mpapi.h
55 file path=usr/share/man/man3lib/libMPAPI.3lib
56 file path=usr/share/man/man3mpapi/MP_AssignLogicalUnitToTPG.3mpapi
57 file path=usr/share/man/man3mpapi/MP_CancelOverridePath.3mpapi
58 file path=usr/share/man/man3mpapi/MP_CompareOIDs.3mpapi
```

new/usr/src/pkg/manifests/system-library-storage-libmpapi.mf

2

```
59 file path=usr/share/man/man3mpapi/MP_DeregisterForObjectPropertyChanges.3mpapi
60 file \
61     path=usr/share/man/man3mpapi/MP_DeregisterForObjectVisibilityChanges.3mpapi
62 file path=usr/share/man/man3mpapi/MP_DeregisterPlugin.3mpapi
63 file path=usr/share/man/man3mpapi/MP_DisableAutoFallback.3mpapi
64 file path=usr/share/man/man3mpapi/MP_DisableAutoProbing.3mpapi
65 file path=usr/share/man/man3mpapi/MP_DisablePath.3mpapi
66 file path=usr/share/man/man3mpapi/MP_EnableAutoFallback.3mpapi
67 file path=usr/share/man/man3mpapi/MP_EnableAutoProbing.3mpapi
68 file path=usr/share/man/man3mpapi/MP_EnablePath.3mpapi
69 file path=usr/share/man/man3mpapi/MP_FreeOidList.3mpapi
70 file path=usr/share/man/man3mpapi/MP_GetAssociatedPathOidList.3mpapi
71 file path=usr/share/man/man3mpapi/MP_GetAssociatedPluginOid.3mpapi
72 file path=usr/share/man/man3mpapi/MP_GetAssociatedTPGOidList.3mpapi
73 file path=usr/share/man/man3mpapi/MP_GetDeviceProductOidList.3mpapi
74 file path=usr/share/man/man3mpapi/MP_GetDeviceProductProperties.3mpapi
75 file path=usr/share/man/man3mpapi/MP_GetInitiatorPortOidList.3mpapi
76 file path=usr/share/man/man3mpapi/MP_GetInitiatorPortProperties.3mpapi
77 file path=usr/share/man/man3mpapi/MP_GetLibraryProperties.3mpapi
78 file path=usr/share/man/man3mpapi/MP_GetMPLLogicalUnitProperties.3mpapi
79 file path=usr/share/man/man3mpapi/MP_GetMPLuOidListFromTPG.3mpapi
80 file path=usr/share/man/man3mpapi/MP_GetMultipathLus.3mpapi
81 file path=usr/share/man/man3mpapi/MP_GetObjectType.3mpapi
82 file path=usr/share/man/man3mpapi/MP_GetPathLogicalUnitProperties.3mpapi
83 file path=usr/share/man/man3mpapi/MP_GetPluginOidList.3mpapi
84 file path=usr/share/man/man3mpapi/MP_GetPluginProperties.3mpapi
85 file path=usr/share/man/man3mpapi/MP_GetProprietaryLoadBalanceOidList.3mpapi
86 file \
87     path=usr/share/man/man3mpapi/MP_GetProprietaryLoadBalanceProperties.3mpapi
88 file path=usr/share/man/man3mpapi/MP_GetTargetPortGroupProperties.3mpapi
89 file path=usr/share/man/man3mpapi/MP_GetTargetPortOidList.3mpapi
90 file path=usr/share/man/man3mpapi/MP_GetTargetPortProperties.3mpapi
91 file path=usr/share/man/man3mpapi/MP_RegisterForObjectPropertyChanges.3mpapi
92 file path=usr/share/man/man3mpapi/MP_RegisterForObjectVisibilityChanges.3mpapi
93 file path=usr/share/man/man3mpapi/MP_RegisterPlugin.3mpapi
94 file path=usr/share/man/man3mpapi/MP_SetFallbackPollingRate.3mpapi
95 file path=usr/share/man/man3mpapi/MP_SetLogicalUnitLoadBalanceType.3mpapi
96 file path=usr/share/man/man3mpapi/MP_SetOverridePath.3mpapi
97 file path=usr/share/man/man3mpapi/MP_SetPathWeight.3mpapi
98 file path=usr/share/man/man3mpapi/MP_SetPluginLoadBalanceType.3mpapi
99 file path=usr/share/man/man3mpapi/MP_SetProbingPollingRate.3mpapi
100 file path=usr/share/man/man3mpapi/MP_SetProprietaryProperties.3mpapi
101 file path=usr/share/man/man3mpapi/MP_SetTPGAccess.3mpapi
102 file path=usr/share/man/man3mpapi/Sun_MP_SendScsiCmd.3mpapi
103 file path=usr/share/man/man4/mpapi.conf.4
104 legacy pkg=SUNWmpapi desc="Common Library based on SNIA MP API specification" \
105     name="SNIA Multipath Management API Common Library"
106 legacy pkg=SUNWmpapir \
107     desc="Common Library based on SNIA MP API specification (Root)" \
108     name="SNIA Multipath Management API Common Library (Root)"
109 license cr_Sun license=cr_Sun
110 license lic_CDDL license=lic_CDDL
111 license usr/src/lib/mpapi/libmpapi/THIRDPARTYLICENSE \
112     license=usr/src/lib/mpapi/libmpapi/THIRDPARTYLICENSE
113 $(BUILD64)link path=lib/$(ARCH64)/libMPAPI.so target=libMPAPI.so.1 \
98 link path=lib/$(ARCH64)/libMPAPI.so target=libMPAPI.so.1 \
114     variant.opensolaris.zone=global
115 link path=lib/libMPAPI.so target=libMPAPI.so.1 variant.opensolaris.zone=global
116 link path=usr/share/man/man3lib/libmpapi.3lib target=libMPAPI.3lib
117 depend fmri=system/library/storage/libmpapi.so type=require
```

new/usr/src/pkg/manifests/system-library-storage-libmpscsi_vhci.mf

1

2032 Fri Apr 11 13:24:19 2014

new/usr/src/pkg/manifests/system-library-storage-libmpscsi_vhci.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/library/storage/libmpscsi_vhci@$(PKGVERS)
35 set name=pkg.description \
36     value="SNIA MP API plugin library for the scsi_vhci driver"
37 set name=pkg.summary value="Sun MP API library for the scsi_vhci driver"
38 set name=info.classification \
39     value=org.opensolaris.category.2008:System/Hardware
40 set name=variant.arch value=$(ARCH)
41 dir path=etc group=sys
42 dir path=lib
43 $(BUILD64)dir path=lib/$(ARCH64)
44 $(BUILD64)file path=lib/$(ARCH64)/libmpscsi_vhci.so.1
45 file path=lib/$(ARCH64)/libmpscsi_vhci.so.1
46 legacy pkg=SUNWmpsvplr \
47     desc="SNIA MP API plugin library for the scsi_vhci driver (Root)" \
48     name="Sun MP API library for the scsi_vhci driver (Root)"
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
51 $(BUILD64)link path=lib/$(ARCH64)/libmpscsi_vhci.so target=libmpscsi_vhci.so.1
52 link path=lib/$(ARCH64)/libmpscsi_vhci.so target=libmpscsi_vhci.so.1
53 link path=lib/libmpscsi_vhci.so target=libmpscsi_vhci.so.1
```

new/usr/src/pkg/manifests/system-library-storage-scsi-plugins.mf

1

```
*****
2662 Fri Apr 11 13:24:19 2014
new/usr/src/pkg/manifests/system-library-storage-scsi-plugins.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/library/storage/scsi-plugins@$(PKGVERS)
29 set name=pkg.description value="Vendor specific SCSI and SES plugins"
30 set name=pkg.summary value="SCSI/SES plugins"
31 set name=info.classification \
32     value="org.opensolaris.category.2008:Applications/Plug-ins and Run-times"
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/lib
36 dir path=usr/lib/scsi
37 dir path=usr/lib/scsi/plugins
38 dir path=usr/lib/scsi/plugins/ses
39 dir path=usr/lib/scsi/plugins/ses/vendor
40 $(BUILD64)dir path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)
41 $(BUILD64)file \
42     path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/LSILOGIC-SASX28-A.0.so
43 $(BUILD64)file \
44     path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4400.so
45 $(BUILD64)file \
46     path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4500.so
47 $(BUILD64)file path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN.so
24 dir path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)
25 file path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/LSILOGIC-SASX28-A.0.so
26 file path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4400.so
27 file path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4500.so
28 file path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN.so
48 file path=usr/lib/scsi/plugins/ses/vendor/LSILOGIC-SASX28-A.0.so
49 file path=usr/lib/scsi/plugins/ses/vendor/SUN-Storage-J4400.so
50 file path=usr/lib/scsi/plugins/ses/vendor/SUN-Storage-J4500.so
51 file path=usr/lib/scsi/plugins/ses/vendor/SUN.so
52 legacy pkg=SUNWscsip desc="Vendor specific SCSI and SES plugins" \
53     name="SCSI/SES plugins"
54 license cr_Sun license=cr_Sun
55 license lic_CDDL license=lic_CDDL
56 $(BUILD64)link \
```

new/usr/src/pkg/manifests/system-library-storage-scsi-plugins.mf

2

```
57     path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/LSILOGIC-SASX28-A.1.so \
37 link path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/LSILOGIC-SASX28-A.1.so \
58     target=LSILOGIC-SASX28-A.0.so
59 $(BUILD64)link \
60     path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4200.so \
39 link path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)/SUN-Storage-J4200.so \
61     target=SUN-Storage-J4400.so
62 link path=usr/lib/scsi/plugins/ses/vendor/LSILOGIC-SASX28-A.1.so \
63     target=LSILOGIC-SASX28-A.0.so
64 link path=usr/lib/scsi/plugins/ses/vendor/SUN-Storage-J4200.so \
65     target=SUN-Storage-J4400.so
```

```

*****
64987 Fri Apr 11 13:24:19 2014
new/usr/src/pkg/manifests/system-library.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
25 # Copyright 2012 OmniTI Computer Consulting, Inc. All rights reserved.
26 # Copyright (c) 2013 Gary Mills
27 # Copyright 2014 Andrew Stormont.
28 #endif /* ! codereview */
29 #
30 #
31 <include system-library.man3.inc>
32 <include system-library.man3bsm.inc>
33 <include system-library.man3c.inc>
34 <include system-library.man3c_db.inc>
35 <include system-library.man3cfgadm.inc>
36 <include system-library.man3commputil.inc>
37 <include system-library.man3contract.inc>
38 <include system-library.man3curses.inc>
39 <include system-library.man3devid.inc>
40 <include system-library.man3devinfo.inc>
41 <include system-library.man3dlpi.inc>
42 <include system-library.man3elf.inc>
43 <include system-library.man3exacct.inc>
44 <include system-library.man3ext.inc>
45 <include system-library.man3fstyp.inc>
46 <include system-library.man3gen.inc>
47 <include system-library.man3kstat.inc>
48 <include system-library.man3kvm.inc>
49 <include system-library.man3ldap.inc>
50 <include system-library.man3lgrp.inc>
51 <include system-library.man3lib.inc>
52 <include system-library.man3mail.inc>
53 <include system-library.man3malloc.inc>
54 <include system-library.man3mp.inc>
55 <include system-library.man3nsi.inc>
56 <include system-library.man3nvpair.inc>
57 <include system-library.man3pam.inc>
58 <include system-library.man3scf.inc>
59 <include system-library.man3sec.inc>
60 <include system-library.man3secdb.inc>
61 <include system-library.man3sip.inc>

```

```

62 <include system-library.man3socket.inc>
63 <include system-library.man3tsol.inc>
64 <include system-library.man3uuid.inc>
65 <include system-library.man3volmgt.inc>
66 <include system-library.man3xcurses.inc>
67 <include system-library.man3xnet.inc>
68 <include system-library.man4.inc>
69 <include system-library.man5.inc>
70 <include system-library.man7p.inc>
71 set name=pkg.fmri value=pkg:/system/library@$(PKGVERS)
72 set name=pkg.description \
73     value="core shared libraries for a specific instruction-set architecture"
74 set name=pkg.summary value="Core Solaris, (Shared Libs)"
75 set name=info.classification value=org.opensolaris.category.2008:System/Core
76 set name=variant.arch value=$(ARCH)
77 $(i386_ONLY)dir path=etc group=sys
78 $(i386_ONLY)dir path=etc/flash group=sys
79 $(i386_ONLY)dir path=etc/flash/postcreation group=sys mode=0700
80 $(i386_ONLY)dir path=etc/flash/precreation group=sys mode=0700
81 $(i386_ONLY)dir path=etc/flash/preexit group=sys mode=0700
82 dir path=lib
83 $(BUILD64)dir path=lib/$(ARCH64)
27 dir path=lib/$(ARCH64)
84 dir path=lib/crypto
85 $(BUILD64)dir path=lib/crypto/$(ARCH64)
29 dir path=lib/crypto/$(ARCH64)
86 dir path=lib/mpxio
87 dir path=lib/secure
88 $(BUILD64)dir path=lib/secure/$(ARCH64)
32 dir path=lib/secure/$(ARCH64)
89 dir path=usr group=sys
90 dir path=usr/bin
91 dir path=usr/ccs
92 dir path=usr/ccs/lib
93 $(BUILD64)dir path=usr/ccs/lib/$(ARCH64)
37 dir path=usr/ccs/lib/$(ARCH64)
94 dir path=usr/lib
95 $(BUILD64)dir path=usr/lib/$(ARCH64)
39 dir path=usr/lib/$(ARCH64)
96 dir path=usr/lib/cfgadm
97 $(BUILD64)dir path=usr/lib/cfgadm/$(ARCH64)
98 $(BUILD64)dir path=usr/lib/iconv/$(ARCH64)
41 dir path=usr/lib/cfgadm/$(ARCH64)
42 dir path=usr/lib/iconv/$(ARCH64)
99 $(i386_ONLY)dir path=usr/lib/libc
100 dir path=usr/lib/lwp
101 $(BUILD64)dir path=usr/lib/lwp/$(ARCH64)
45 dir path=usr/lib/lwp/$(ARCH64)
102 dir path=usr/lib/python2.6
103 dir path=usr/lib/python2.6/vendor-packages
104 dir path=usr/lib/python2.6/vendor-packages/solaris
105 dir path=usr/lib/raidcfg
106 $(BUILD64)dir path=usr/lib/raidcfg/$(ARCH64)
50 dir path=usr/lib/raidcfg/$(ARCH64)
107 dir path=usr/lib/scsi
108 $(BUILD64)dir path=usr/lib/scsi/$(ARCH64)
52 dir path=usr/lib/scsi/$(ARCH64)
109 dir path=usr/lib/scsi/plugins
110 dir path=usr/lib/scsi/plugins/scsi
111 dir path=usr/lib/scsi/plugins/scsi/engines
112 $(BUILD64)dir path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)
56 dir path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)
113 dir path=usr/lib/scsi/plugins/ses
114 dir path=usr/lib/scsi/plugins/ses/framework
115 $(BUILD64)dir path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)
59 dir path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)

```

```

116 dir path=usr/lib/scsi/plugins/ses/vendor
117 $(sparc_BUILD64)dir path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)
61 $(sparc_ONLY)dir path=usr/lib/scsi/plugins/ses/vendor/$(ARCH64)
118 dir path=usr/lib/scsi/plugins/smp
119 dir path=usr/lib/scsi/plugins/smp/engine
120 $(BUILD64)dir path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)
64 dir path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)
121 dir path=usr/lib/scsi/plugins/smp/framework
122 $(BUILD64)dir path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)
66 dir path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)
123 dir path=usr/lib/security
124 $(BUILD64)dir path=usr/lib/security/$(ARCH64)
68 dir path=usr/lib/security/$(ARCH64)
125 dir path=usr/share/man
126 dir path=usr/share/man/man3
127 dir path=usr/share/man/man3bsm
128 dir path=usr/share/man/man3c
129 dir path=usr/share/man/man3c_db
130 dir path=usr/share/man/man3cfgadm
131 dir path=usr/share/man/man3computil
132 dir path=usr/share/man/man3contract
133 dir path=usr/share/man/man3courses
134 dir path=usr/share/man/man3devid
135 dir path=usr/share/man/man3devinfo
136 dir path=usr/share/man/man3dlpi
137 dir path=usr/share/man/man3elf
138 dir path=usr/share/man/man3exacct
139 dir path=usr/share/man/man3ext
140 dir path=usr/share/man/man3fstyp
141 dir path=usr/share/man/man3gen
142 dir path=usr/share/man/man3kstat
143 dir path=usr/share/man/man3kvm
144 dir path=usr/share/man/man3ldap
145 dir path=usr/share/man/man3lgrp
146 dir path=usr/share/man/man3lib
147 dir path=usr/share/man/man3mail
148 dir path=usr/share/man/man3malloc
149 dir path=usr/share/man/man3mp
150 dir path=usr/share/man/man3nsl
151 dir path=usr/share/man/man3nvpair
152 dir path=usr/share/man/man3pam
153 dir path=usr/share/man/man3pool
154 dir path=usr/share/man/man3scf
155 dir path=usr/share/man/man3sec
156 dir path=usr/share/man/man3secdb
157 dir path=usr/share/man/man3sip
158 dir path=usr/share/man/man3socket
159 dir path=usr/share/man/man3tsol
160 dir path=usr/share/man/man3uuid
161 dir path=usr/share/man/man3volmgt
162 dir path=usr/share/man/man3xcurses
163 dir path=usr/share/man/man3xnet
164 dir path=usr/share/man/man5
165 dir path=usr/share/man/man7p
166 dir path=usr/xpg4
167 dir path=usr/xpg4/lib
168 $(BUILD64)dir path=usr/xpg4/lib/$(ARCH64)
112 dir path=usr/xpg4/lib/$(ARCH64)
169 $(i386_ONLY)file path=etc/flash/precreation/caplib group=sys mode=0500
170 $(BUILD64)file path=lib/$(ARCH64)/c_synonyms.so.1
171 $(BUILD64)file path=lib/$(ARCH64)/ld.so.1
172 $(BUILD64)file path=lib/$(ARCH64)/libadm.so.1
173 $(BUILD64)file path=lib/$(ARCH64)/libaio.so.1
174 $(BUILD64)file path=lib/$(ARCH64)/libavl.so.1
175 $(BUILD64)file path=lib/$(ARCH64)/libbsm.so.1
176 $(BUILD64)file path=lib/$(ARCH64)/libc.so.1

```

```

177 $(BUILD64)file path=lib/$(ARCH64)/libc_db.so.1
178 $(BUILD64)file path=lib/$(ARCH64)/libcmdutils.so.1
179 $(BUILD64)file path=lib/$(ARCH64)/libcontract.so.1
180 $(BUILD64)file path=lib/$(ARCH64)/libcryptoutil.so.1
181 $(BUILD64)file path=lib/$(ARCH64)/libctf.so.1
182 $(BUILD64)file path=lib/$(ARCH64)/libcurses.so.1
183 $(BUILD64)file path=lib/$(ARCH64)/libdevice.so.1
184 $(BUILD64)file path=lib/$(ARCH64)/libdevinfo.so.1
185 $(BUILD64)file path=lib/$(ARCH64)/libdevinfo.so.1
186 $(BUILD64)file path=lib/$(ARCH64)/libdhcputil.so.1
187 $(BUILD64)file path=lib/$(ARCH64)/libdl.so.1
188 $(BUILD64)file path=lib/$(ARCH64)/libdladm.so.1
189 $(BUILD64)file path=lib/$(ARCH64)/libdlpi.so.1
190 $(BUILD64)file path=lib/$(ARCH64)/libdoor.so.1
191 $(BUILD64)file path=lib/$(ARCH64)/libefi.so.1
192 $(BUILD64)file path=lib/$(ARCH64)/libelf.so.1
193 $(i386_BUILD64)file path=lib/$(ARCH64)/libfdisk.so.1
194 $(BUILD64)file path=lib/$(ARCH64)/libgen.so.1
195 $(BUILD64)file path=lib/$(ARCH64)/libinetutil.so.1
196 $(BUILD64)file path=lib/$(ARCH64)/libintl.so.1
197 $(BUILD64)file path=lib/$(ARCH64)/libkmf.so.1
198 $(BUILD64)file path=lib/$(ARCH64)/libkmfberder.so.1
199 $(BUILD64)file path=lib/$(ARCH64)/libkstat.so.1
200 $(BUILD64)file path=lib/$(ARCH64)/libld.so.4
201 $(BUILD64)file path=lib/$(ARCH64)/liblddbg.so.4
202 $(BUILD64)file path=lib/$(ARCH64)/libmd.so.1
203 $(BUILD64)file path=lib/$(ARCH64)/libmd5.so.1
204 $(BUILD64)file path=lib/$(ARCH64)/libmp.so.2
205 $(BUILD64)file path=lib/$(ARCH64)/libnsl.so.1
206 $(BUILD64)file path=lib/$(ARCH64)/libnvpair.so.1
207 $(BUILD64)file path=lib/$(ARCH64)/libpam.so.1
208 $(BUILD64)file path=lib/$(ARCH64)/libproc.so.1
209 $(BUILD64)file path=lib/$(ARCH64)/libpthread.so.1
210 $(BUILD64)file path=lib/$(ARCH64)/librcm.so.1
211 $(BUILD64)file path=lib/$(ARCH64)/libresolv.so.2
212 $(BUILD64)file path=lib/$(ARCH64)/librestart.so.1
213 $(BUILD64)file path=lib/$(ARCH64)/librpcsvc.so.1
214 $(BUILD64)file path=lib/$(ARCH64)/librt.so.1
215 $(BUILD64)file path=lib/$(ARCH64)/librtld.so.1
216 $(BUILD64)file path=lib/$(ARCH64)/librtld_db.so.1
217 $(BUILD64)file path=lib/$(ARCH64)/libscf.so.1
218 $(BUILD64)file path=lib/$(ARCH64)/libsec.so.1
219 $(BUILD64)file path=lib/$(ARCH64)/libsecdb.so.1
220 $(BUILD64)file path=lib/$(ARCH64)/libsendfile.so.1
221 $(BUILD64)file path=lib/$(ARCH64)/libsocket.so.1
222 $(BUILD64)file path=lib/$(ARCH64)/libsysevent.so.1
223 $(BUILD64)file path=lib/$(ARCH64)/libtermcap.so.1
224 $(BUILD64)file path=lib/$(ARCH64)/libthread.so.1
225 $(BUILD64)file path=lib/$(ARCH64)/libtsnet.so.1
226 $(BUILD64)file path=lib/$(ARCH64)/libtsol.so.1
227 $(BUILD64)file path=lib/$(ARCH64)/libumem.so.1
228 $(BUILD64)file path=lib/$(ARCH64)/libuuid.so.1
229 $(BUILD64)file path=lib/$(ARCH64)/libutil.so.1
230 $(BUILD64)file path=lib/$(ARCH64)/libw.so.1
231 $(BUILD64)file path=lib/$(ARCH64)/libxnet.so.1
232 $(BUILD64)file path=lib/$(ARCH64)/nss_compat.so.1
233 $(BUILD64)file path=lib/$(ARCH64)/nss_dns.so.1
234 $(BUILD64)file path=lib/$(ARCH64)/nss_files.so.1
235 $(BUILD64)file path=lib/$(ARCH64)/nss_nis.so.1
236 $(BUILD64)file path=lib/$(ARCH64)/nss_user.so.1
114 file path=lib/$(ARCH64)/c_synonyms.so.1
115 file path=lib/$(ARCH64)/ld.so.1
116 file path=lib/$(ARCH64)/libadm.so.1
117 file path=lib/$(ARCH64)/libaio.so.1
118 file path=lib/$(ARCH64)/libavl.so.1
119 file path=lib/$(ARCH64)/libbsm.so.1

```

```

120 file path=lib/$(ARCH64)/libc.so.1
121 file path=lib/$(ARCH64)/libc_db.so.1
122 file path=lib/$(ARCH64)/libcmdutils.so.1
123 file path=lib/$(ARCH64)/libcontract.so.1
124 file path=lib/$(ARCH64)/libcryptoutil.so.1
125 file path=lib/$(ARCH64)/libctf.so.1
126 file path=lib/$(ARCH64)/libcurses.so.1
127 file path=lib/$(ARCH64)/libdevice.so.1
128 file path=lib/$(ARCH64)/libdevvid.so.1
129 file path=lib/$(ARCH64)/libdevinfo.so.1
130 file path=lib/$(ARCH64)/libdhcputil.so.1
131 file path=lib/$(ARCH64)/libdl.so.1
132 file path=lib/$(ARCH64)/libdladm.so.1
133 file path=lib/$(ARCH64)/libdlpi.so.1
134 file path=lib/$(ARCH64)/libdoor.so.1
135 file path=lib/$(ARCH64)/libefi.so.1
136 file path=lib/$(ARCH64)/libelf.so.1
137 $(i386_ONLY)file path=lib/$(ARCH64)/libfdisk.so.1
138 file path=lib/$(ARCH64)/libgen.so.1
139 file path=lib/$(ARCH64)/libinetutil.so.1
140 file path=lib/$(ARCH64)/libintl.so.1
141 file path=lib/$(ARCH64)/libkmf.so.1
142 file path=lib/$(ARCH64)/libkmfberder.so.1
143 file path=lib/$(ARCH64)/libkstat.so.1
144 file path=lib/$(ARCH64)/libld.so.4
145 file path=lib/$(ARCH64)/liblddbg.so.4
146 file path=lib/$(ARCH64)/libmd.so.1
147 file path=lib/$(ARCH64)/libmd5.so.1
148 file path=lib/$(ARCH64)/libmp.so.2
149 file path=lib/$(ARCH64)/libnsl.so.1
150 file path=lib/$(ARCH64)/libnvpair.so.1
151 file path=lib/$(ARCH64)/libpam.so.1
152 file path=lib/$(ARCH64)/libproc.so.1
153 file path=lib/$(ARCH64)/libpthread.so.1
154 file path=lib/$(ARCH64)/librcm.so.1
155 file path=lib/$(ARCH64)/libresolv.so.2
156 file path=lib/$(ARCH64)/librestart.so.1
157 file path=lib/$(ARCH64)/librpcsvc.so.1
158 file path=lib/$(ARCH64)/librt.so.1
159 file path=lib/$(ARCH64)/librtld.so.1
160 file path=lib/$(ARCH64)/librtld_db.so.1
161 file path=lib/$(ARCH64)/libscf.so.1
162 file path=lib/$(ARCH64)/libsec.so.1
163 file path=lib/$(ARCH64)/libsecdb.so.1
164 file path=lib/$(ARCH64)/libsendfile.so.1
165 file path=lib/$(ARCH64)/libsocket.so.1
166 file path=lib/$(ARCH64)/libsysevent.so.1
167 file path=lib/$(ARCH64)/libtermcap.so.1
168 file path=lib/$(ARCH64)/libthread.so.1
169 file path=lib/$(ARCH64)/libtsnet.so.1
170 file path=lib/$(ARCH64)/libtsol.so.2
171 file path=lib/$(ARCH64)/libumem.so.1
172 file path=lib/$(ARCH64)/libuuid.so.1
173 file path=lib/$(ARCH64)/libutil.so.1
174 file path=lib/$(ARCH64)/libw.so.1
175 file path=lib/$(ARCH64)/libxnet.so.1
176 file path=lib/$(ARCH64)/nss_compat.so.1
177 file path=lib/$(ARCH64)/nss_dns.so.1
178 file path=lib/$(ARCH64)/nss_files.so.1
179 file path=lib/$(ARCH64)/nss_nis.so.1
180 file path=lib/$(ARCH64)/nss_user.so.1
237 file path=lib/c_synonyms.so.1
238 $(BUILD64)file path=lib/crypto/$(ARCH64)/kmf_mapper_cn.so.1
239 $(BUILD64)file path=lib/crypto/$(ARCH64)/kmf_nss.so.1
240 $(BUILD64)file path=lib/crypto/$(ARCH64)/kmf_openssl.so.1
241 $(BUILD64)file path=lib/crypto/$(ARCH64)/kmf_pkcs11.so.1

```

```

182 file path=lib/crypto/$(ARCH64)/kmf_mapper_cn.so.1
183 file path=lib/crypto/$(ARCH64)/kmf_nss.so.1
184 file path=lib/crypto/$(ARCH64)/kmf_openssl.so.1
185 file path=lib/crypto/$(ARCH64)/kmf_pkcs11.so.1
242 file path=lib/crypto/kmf_mapper_cn.so.1
243 file path=lib/crypto/kmf_nss.so.1
244 file path=lib/crypto/kmf_openssl.so.1
245 file path=lib/crypto/kmf_pkcs11.so.1
246 file path=lib/ld.so.1
247 file path=lib/libadm.so.1
248 file path=lib/libaio.so.1
249 file path=lib/libavl.so.1
250 file path=lib/libbsm.so.1
251 file path=lib/libc.so.1 reboot-needed=true
252 file path=lib/libc_db.so.1
253 file path=lib/libcmdutils.so.1
254 file path=lib/libcontract.so.1
255 file path=lib/libcryptoutil.so.1
256 file path=lib/libctf.so.1
257 file path=lib/libcurses.so.1
258 file path=lib/libdevice.so.1
259 file path=lib/libdevvid.so.1
260 file path=lib/libdevinfo.so.1
261 file path=lib/libdhcpageant.so.1
262 file path=lib/libdhcputil.so.1
263 file path=lib/libdl.so.1
264 file path=lib/libdladm.so.1
265 file path=lib/libdlpi.so.1
266 file path=lib/libdoor.so.1
267 file path=lib/libefi.so.1
268 file path=lib/libelf.so.1
269 file path=lib/libelfsign.so.1
270 $(i386_ONLY)file path=lib/libfdisk.so.1
271 file path=lib/libgen.so.1
272 file path=lib/libinetutil.so.1
273 file path=lib/libintl.so.1
274 file path=lib/libipadm.so.1
275 file path=lib/libipmp.so.1
276 file path=lib/libkcfp.so.1
277 file path=lib/libkmf.so.1
278 file path=lib/libkmfberder.so.1
279 file path=lib/libkstat.so.1
280 file path=lib/libld.so.4
281 file path=lib/liblddbg.so.4
282 file path=lib/libmd.so.1
283 file path=lib/libmd5.so.1
284 file path=lib/libmp.so.1
285 file path=lib/libmp.so.2
286 file path=lib/libnsl.so.1
287 file path=lib/libnvpair.so.1
288 file path=lib/libnwm.so.1
289 file path=lib/libpam.so.1
290 file path=lib/libproc.so.1
291 file path=lib/libpthread.so.1
292 file path=lib/librcm.so.1
293 file path=lib/libresolv.so.1
294 file path=lib/libresolv.so.2
295 file path=lib/librestart.so.1
296 file path=lib/librpcsvc.so.1
297 file path=lib/librt.so.1
298 file path=lib/librtld.so.1
299 file path=lib/librtld_db.so.1
300 file path=lib/libscf.so.1
301 file path=lib/libsec.so.1
302 file path=lib/libsecdb.so.1
303 file path=lib/libsendfile.so.1

```



```

304 file path=lib/libsocket.so.1
305 file path=lib/libsysevent.so.1
306 file path=lib/libtermcap.so.1
307 file path=lib/libthread.so.1
308 file path=lib/libtsnet.so.1
309 file path=lib/libtsol.so.2
310 file path=lib/libumem.so.1
311 file path=lib/libuuid.so.1
312 file path=lib/libuutil.so.1
313 file path=lib/libw.so.1
314 file path=lib/libxnet.so.1
315 file path=lib/mpxio/stmsboot_util mode=0555
316 file path=lib/nss_compat.so.1
317 file path=lib/nss_dns.so.1
318 file path=lib/nss_files.so.1
319 file path=lib/nss_nis.so.1
320 file path=lib/nss_user.so.1
321 $(BUILD64)file path=usr/lib/$(ARCH64)/0@0.so.1
322 $(BUILD64)file path=usr/lib/$(ARCH64)/getloginx.so.1
323 $(BUILD64)file path=usr/lib/$(ARCH64)/libadutils.so.1
324 $(BUILD64)file path=usr/lib/$(ARCH64)/libast.so.1
325 $(BUILD64)file path=usr/lib/$(ARCH64)/libbsdmalloc.so.1
326 $(BUILD64)file path=usr/lib/$(ARCH64)/libcfgadm.so.1
327 $(BUILD64)file path=usr/lib/$(ARCH64)/libcmd.so.1
328 $(BUILD64)file path=usr/lib/$(ARCH64)/libcommutil.so.1
329 $(BUILD64)file path=usr/lib/$(ARCH64)/libcrle.so.1
330 $(BUILD64)file path=usr/lib/$(ARCH64)/libcrypt.so.1
331 $(BUILD64)file path=usr/lib/$(ARCH64)/libdisasm.so.1
332 $(BUILD64)file path=usr/lib/$(ARCH64)/libdll.so.1
333 $(BUILD64)file path=usr/lib/$(ARCH64)/libexacct.so.1
334 $(BUILD64)file path=usr/lib/$(ARCH64)/libform.so.1
335 $(BUILD64)file path=usr/lib/$(ARCH64)/libfstyp.so.1
336 $(BUILD64)file path=usr/lib/$(ARCH64)/libhotplug.so.1
337 $(BUILD64)file path=usr/lib/$(ARCH64)/libidmap.so.1
338 $(BUILD64)file path=usr/lib/$(ARCH64)/libike.so.1
339 $(BUILD64)file path=usr/lib/$(ARCH64)/libipmi.so.1
340 $(BUILD64)file path=usr/lib/$(ARCH64)/libipp.so.1
341 $(BUILD64)file path=usr/lib/$(ARCH64)/libipsecutil.so.1
342 $(BUILD64)file path=usr/lib/$(ARCH64)/libkvm.so.1
343 $(BUILD64)file path=usr/lib/$(ARCH64)/libl.so.1
344 $(BUILD64)file path=usr/lib/$(ARCH64)/libldap.so.5
345 $(BUILD64)file path=usr/lib/$(ARCH64)/liblgrp.so.1
346 $(BUILD64)file path=usr/lib/$(ARCH64)/liblm.so.1
347 $(BUILD64)file path=usr/lib/$(ARCH64)/libmail.so.1
348 $(BUILD64)file path=usr/lib/$(ARCH64)/libmalloc.so.1
349 $(BUILD64)file path=usr/lib/$(ARCH64)/libmapmalloc.so.1
350 $(BUILD64)file path=usr/lib/$(ARCH64)/libmenu.so.1
351 $(BUILD64)file path=usr/lib/$(ARCH64)/libmtmalloc.so.1
352 $(BUILD64)file path=usr/lib/$(ARCH64)/libnls.so.1
353 $(BUILD64)file path=usr/lib/$(ARCH64)/libpanel.so.1
354 $(BUILD64)file path=usr/lib/$(ARCH64)/libpcidb.so.1
355 $(BUILD64)file path=usr/lib/$(ARCH64)/libpkcs11.so.1
356 $(BUILD64)file path=usr/lib/$(ARCH64)/libproject.so.1
357 $(BUILD64)file path=usr/lib/$(ARCH64)/libraidcfg.so.1
358 $(BUILD64)file path=usr/lib/$(ARCH64)/libreparse.so.1
359 $(i386_BUILD64)file path=usr/lib/$(ARCH64)/libsaveargs.so.1
360 $(BUILD64)file path=usr/lib/$(ARCH64)/libsched.so.1
361 $(BUILD64)file path=usr/lib/$(ARCH64)/libsctp.so.1
362 $(BUILD64)file path=usr/lib/$(ARCH64)/libshell.so.1
363 $(BUILD64)file path=usr/lib/$(ARCH64)/libsip.so.1
364 $(BUILD64)file path=usr/lib/$(ARCH64)/libslldap.so.1
365 $(BUILD64)file path=usr/lib/$(ARCH64)/libsmbios.so.1
366 $(BUILD64)file path=usr/lib/$(ARCH64)/libsoftcrypto.so.1
367 $(BUILD64)file path=usr/lib/$(ARCH64)/libsum.so.1
368 $(sparc_BUILD64)file path=usr/lib/$(ARCH64)/libv12n.so.1
369 $(BUILD64)file path=usr/lib/$(ARCH64)/libvolmgt.so.1

```

```

370 $(BUILD64)file path=usr/lib/$(ARCH64)/libwrap.so.1.0
371 $(BUILD64)file path=usr/lib/$(ARCH64)/liby.so.1
372 $(BUILD64)file path=usr/lib/$(ARCH64)/libzoneinfo.so.1
373 $(BUILD64)file path=usr/lib/$(ARCH64)/nss_ad.so.1
374 $(BUILD64)file path=usr/lib/$(ARCH64)/nss_ldap.so.1
375 $(BUILD64)file path=usr/lib/$(ARCH64)/passwdutil.so.1
376 $(BUILD64)file path=usr/lib/$(ARCH64)/straddr.so.2
377 $(BUILD64)file path=usr/lib/$(ARCH64)/watchmalloc.so.1
265 file path=usr/lib/$(ARCH64)/0@0.so.1
266 file path=usr/lib/$(ARCH64)/getloginx.so.1
267 file path=usr/lib/$(ARCH64)/libadutils.so.1
268 file path=usr/lib/$(ARCH64)/libast.so.1
269 file path=usr/lib/$(ARCH64)/libbsdmalloc.so.1
270 file path=usr/lib/$(ARCH64)/libcfgadm.so.1
271 file path=usr/lib/$(ARCH64)/libcmd.so.1
272 file path=usr/lib/$(ARCH64)/libcommutil.so.1
273 file path=usr/lib/$(ARCH64)/libcrle.so.1
274 file path=usr/lib/$(ARCH64)/libcrypt.so.1
275 file path=usr/lib/$(ARCH64)/libdisasm.so.1
276 file path=usr/lib/$(ARCH64)/libdll.so.1
277 file path=usr/lib/$(ARCH64)/libexacct.so.1
278 file path=usr/lib/$(ARCH64)/libform.so.1
279 file path=usr/lib/$(ARCH64)/libfstyp.so.1
280 file path=usr/lib/$(ARCH64)/libhotplug.so.1
281 file path=usr/lib/$(ARCH64)/libidmap.so.1
282 file path=usr/lib/$(ARCH64)/libike.so.1
283 file path=usr/lib/$(ARCH64)/libipmi.so.1
284 file path=usr/lib/$(ARCH64)/libipp.so.1
285 file path=usr/lib/$(ARCH64)/libipsecutil.so.1
286 file path=usr/lib/$(ARCH64)/libkvm.so.1
287 file path=usr/lib/$(ARCH64)/libl.so.1
288 file path=usr/lib/$(ARCH64)/libldap.so.5
289 file path=usr/lib/$(ARCH64)/liblgrp.so.1
290 file path=usr/lib/$(ARCH64)/liblm.so.1
291 file path=usr/lib/$(ARCH64)/libmail.so.1
292 file path=usr/lib/$(ARCH64)/libmalloc.so.1
293 file path=usr/lib/$(ARCH64)/libmapmalloc.so.1
294 file path=usr/lib/$(ARCH64)/libmenu.so.1
295 file path=usr/lib/$(ARCH64)/libmtmalloc.so.1
296 file path=usr/lib/$(ARCH64)/libnls.so.1
297 file path=usr/lib/$(ARCH64)/libpanel.so.1
298 file path=usr/lib/$(ARCH64)/libpcidb.so.1
299 file path=usr/lib/$(ARCH64)/libpkcs11.so.1
300 file path=usr/lib/$(ARCH64)/libproject.so.1
301 file path=usr/lib/$(ARCH64)/libraidcfg.so.1
302 file path=usr/lib/$(ARCH64)/libreparse.so.1
303 $(i386_ONLY)file path=usr/lib/$(ARCH64)/libsaveargs.so.1
304 file path=usr/lib/$(ARCH64)/libsched.so.1
305 file path=usr/lib/$(ARCH64)/libsctp.so.1
306 file path=usr/lib/$(ARCH64)/libshell.so.1
307 file path=usr/lib/$(ARCH64)/libsip.so.1
308 file path=usr/lib/$(ARCH64)/libslldap.so.1
309 file path=usr/lib/$(ARCH64)/libsmbios.so.1
310 file path=usr/lib/$(ARCH64)/libsoftcrypto.so.1
311 file path=usr/lib/$(ARCH64)/libsum.so.1
312 $(sparc_ONLY)file path=usr/lib/$(ARCH64)/libv12n.so.1
313 file path=usr/lib/$(ARCH64)/libvolmgt.so.1
314 file path=usr/lib/$(ARCH64)/libwrap.so.1.0
315 file path=usr/lib/$(ARCH64)/liby.so.1
316 file path=usr/lib/$(ARCH64)/libzoneinfo.so.1
317 file path=usr/lib/$(ARCH64)/nss_ad.so.1
318 file path=usr/lib/$(ARCH64)/nss_ldap.so.1
319 file path=usr/lib/$(ARCH64)/passwdutil.so.1
320 file path=usr/lib/$(ARCH64)/straddr.so.2
321 file path=usr/lib/$(ARCH64)/watchmalloc.so.1
322 file path=usr/lib/0@0.so.1

```

```

379 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/ib.so.1
380 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/pci.so.1
381 $(i386_BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/sata.so.1
382 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/scsi.so.1
383 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/shp.so.1
384 $(BUILD64)file path=usr/lib/cfgadm/$(ARCH64)/usb.so.1
323 file path=usr/lib/cfgadm/$(ARCH64)/ib.so.1
324 file path=usr/lib/cfgadm/$(ARCH64)/pci.so.1
325 $(i386_ONLY)file path=usr/lib/cfgadm/$(ARCH64)/sata.so.1
326 file path=usr/lib/cfgadm/$(ARCH64)/scsi.so.1
327 file path=usr/lib/cfgadm/$(ARCH64)/shp.so.1
328 file path=usr/lib/cfgadm/$(ARCH64)/usb.so.1
385 file path=usr/lib/cfgadm/ib.so.1
386 file path=usr/lib/cfgadm/pci.so.1
387 $(i386_ONLY)file path=usr/lib/cfgadm/sata.so.1
388 file path=usr/lib/cfgadm/scsi.so.1
389 file path=usr/lib/cfgadm/shp.so.1
390 file path=usr/lib/cfgadm/usb.so.1
391 file path=usr/lib/extendedFILE.so.1
392 file path=usr/lib/getloginx.so.1
393 file path=usr/lib/lib.b mode=0444
394 file path=usr/lib/libadutils.so.1
395 file path=usr/lib/libast.so.1
396 file path=usr/lib/libbsdmalloc.so.1
397 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi.so.1 reboot-needed=true
398 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi2.so.1 reboot-needed=true
399 $(i386_ONLY)file path=usr/lib/libc/libc_hwcapi3.so.1 reboot-needed=true
400 file path=usr/lib/libcfgadm.so.1
401 file path=usr/lib/libcmd.so.1
402 file path=usr/lib/libcommputil.so.1
403 file path=usr/lib/libcrle.so.1
404 file path=usr/lib/libcrypt.so.1
405 file path=usr/lib/libdisasm.so.1
406 file path=usr/lib/libdll.so.1
407 file path=usr/lib/libexacct.so.1
408 file path=usr/lib/libform.so.1
409 file path=usr/lib/libfstyp.so.1
410 file path=usr/lib/libhotplug.so.1
411 file path=usr/lib/libidmap.so.1
412 file path=usr/lib/libbike.so.1
413 file path=usr/lib/libinetsvc.so.1
414 file path=usr/lib/libipmi.so.1
415 file path=usr/lib/libipp.so.1
416 file path=usr/lib/libipsecutil.so.1
417 file path=usr/lib/libkvm.so.1
418 file path=usr/lib/libl.so.1
419 file path=usr/lib/libldap.so.5
420 file path=usr/lib/liblgrp.so.1
421 file path=usr/lib/liblm.so.1
422 file path=usr/lib/libmail.so.1
423 file path=usr/lib/libmalloc.so.1
424 file path=usr/lib/libmapmalloc.so.1
425 file path=usr/lib/libmenu.so.1
426 file path=usr/lib/libmtmalloc.so.1
427 file path=usr/lib/libnls.so.1
428 file path=usr/lib/libpanel.so.1
429 file path=usr/lib/libpcidb.so.1
430 file path=usr/lib/libpkcs11.so.1
431 file path=usr/lib/libproject.so.1
432 file path=usr/lib/libraidcfg.so.1
433 file path=usr/lib/librepase.so.1
434 file path=usr/lib/libsched.so.1
435 file path=usr/lib/libsectp.so.1
436 file path=usr/lib/libshell.so.1
437 file path=usr/lib/libsip.so.1
438 file path=usr/lib/libslldap.so.1

```

```

439 file path=usr/lib/libsbios.so.1
440 file path=usr/lib/libsoftcrypto.so.1
441 file path=usr/lib/libsum.so.1
442 file path=usr/lib/libsys.so.1
443 $(sparc_ONLY)file path=usr/lib/libv12n.so.1
444 file path=usr/lib/libvolmgt.so.1
445 file path=usr/lib/libwrap.so.1.0
446 file path=usr/lib/liby.so.1
447 file path=usr/lib/libzoneinfo.so.1
448 file path=usr/lib/nss_ad.so.1
449 file path=usr/lib/nss_ldap.so.1
450 file path=usr/lib/passwdutil.so.1
451 file path=usr/lib/python2.6/vendor-packages/solaris/__init__.py
452 file path=usr/lib/python2.6/vendor-packages/solaris/__init__.pyc
453 file path=usr/lib/python2.6/vendor-packages/solaris/misc.so
454 $(BUILD64)file path=usr/lib/raidcfg/$(ARCH64)/mpt.so.1
398 file path=usr/lib/raidcfg/$(ARCH64)/mpt.so.1
455 file path=usr/lib/raidcfg/mpt.so.1
456 $(BUILD64)file path=usr/lib/scsi/$(ARCH64)/libscsi.so.1
457 $(BUILD64)file path=usr/lib/scsi/$(ARCH64)/libses.so.1
458 $(BUILD64)file path=usr/lib/scsi/$(ARCH64)/libsmp.so.1
400 file path=usr/lib/scsi/$(ARCH64)/libscsi.so.1
401 file path=usr/lib/scsi/$(ARCH64)/libses.so.1
402 file path=usr/lib/scsi/$(ARCH64)/libsmp.so.1
459 file path=usr/lib/scsi/libscsi.so.1
460 file path=usr/lib/scsi/libses.so.1
461 file path=usr/lib/scsi/libsmp.so.1
462 $(BUILD64)file path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)/uscsi.so
406 file path=usr/lib/scsi/plugins/scsi/engines/$(ARCH64)/uscsi.so
463 file path=usr/lib/scsi/plugins/scsi/engines/uscsi.so
464 $(BUILD64)file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/libses.so
465 $(BUILD64)file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/ses2.so
408 file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/libses.so
409 file path=usr/lib/scsi/plugins/ses/framework/$(ARCH64)/ses2.so
466 file path=usr/lib/scsi/plugins/ses/framework/libses.so
467 file path=usr/lib/scsi/plugins/ses/framework/ses2.so
468 $(BUILD64)file path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)/usmp.so
412 file path=usr/lib/scsi/plugins/smp/engine/$(ARCH64)/usmp.so
469 file path=usr/lib/scsi/plugins/smp/engine/usmp.so
470 $(BUILD64)file path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)/sas2.so
414 file path=usr/lib/scsi/plugins/smp/framework/$(ARCH64)/sas2.so
471 file path=usr/lib/scsi/plugins/smp/framework/sas2.so
472 $(BUILD64)file path=usr/lib/security/$(ARCH64)/crypt_bsdmbf.so.1
473 $(BUILD64)file path=usr/lib/security/$(ARCH64)/crypt_bsdmd5.so.1
474 $(BUILD64)file path=usr/lib/security/$(ARCH64)/crypt_sha256.so.1
475 $(BUILD64)file path=usr/lib/security/$(ARCH64)/crypt_sha512.so.1
476 $(BUILD64)file path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so.1
477 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_allow.so.1
478 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_authok_check.so.1
479 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_authok_get.so.1
480 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_authok_store.so.1
481 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_deny.so.1
482 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_dhkeys.so.1
483 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_dial_auth.so.1
484 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_ldap.so.1
485 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_list.so.1
486 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so.1
487 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so.1
488 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_roles.so.1
489 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_sample.so.1
490 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_tsol_account.so.1
491 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_unix_account.so.1
492 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_unix_auth.so.1
493 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_unix_cred.so.1
494 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pam_unix_session.so.1
495 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pkcs11_kernel.so.1

```

```

496 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pkcs11_softtoken.so.1
497 $(BUILD64)file path=usr/lib/security/$(ARCH64)/pkcs11_tpm.so.1
416 file path=usr/lib/security/$(ARCH64)/crypt_bsdbf.so.1
417 file path=usr/lib/security/$(ARCH64)/crypt_bsdmd5.so.1
418 file path=usr/lib/security/$(ARCH64)/crypt_sha256.so.1
419 file path=usr/lib/security/$(ARCH64)/crypt_sha512.so.1
420 file path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so.1
421 file path=usr/lib/security/$(ARCH64)/pam_allow.so.1
422 file path=usr/lib/security/$(ARCH64)/pam_authtok_check.so.1
423 file path=usr/lib/security/$(ARCH64)/pam_authtok_get.so.1
424 file path=usr/lib/security/$(ARCH64)/pam_authtok_store.so.1
425 file path=usr/lib/security/$(ARCH64)/pam_deny.so.1
426 file path=usr/lib/security/$(ARCH64)/pam_dhkeys.so.1
427 file path=usr/lib/security/$(ARCH64)/pam_dial_auth.so.1
428 file path=usr/lib/security/$(ARCH64)/pam_ldap.so.1
429 file path=usr/lib/security/$(ARCH64)/pam_list.so.1
430 file path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so.1
431 file path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so.1
432 file path=usr/lib/security/$(ARCH64)/pam_roles.so.1
433 file path=usr/lib/security/$(ARCH64)/pam_sample.so.1
434 file path=usr/lib/security/$(ARCH64)/pam_tsol_account.so.1
435 file path=usr/lib/security/$(ARCH64)/pam_unix_account.so.1
436 file path=usr/lib/security/$(ARCH64)/pam_unix_auth.so.1
437 file path=usr/lib/security/$(ARCH64)/pam_unix_cred.so.1
438 file path=usr/lib/security/$(ARCH64)/pam_unix_session.so.1
439 file path=usr/lib/security/$(ARCH64)/pkcs11_kernel.so.1
440 file path=usr/lib/security/$(ARCH64)/pkcs11_softtoken.so.1
441 file path=usr/lib/security/$(ARCH64)/pkcs11_tpm.so.1
498 file path=usr/lib/security/audit_binfile.so.1
499 file path=usr/lib/security/audit_remote.so.1
500 file path=usr/lib/security/audit_syslog.so.1
501 file path=usr/lib/security/crypt_bsdbf.so.1
502 file path=usr/lib/security/crypt_bsdmd5.so.1
503 file path=usr/lib/security/crypt_sha256.so.1
504 file path=usr/lib/security/crypt_sha512.so.1
505 file path=usr/lib/security/crypt_sunmd5.so.1
506 file path=usr/lib/security/pam_allow.so.1
507 file path=usr/lib/security/pam_authtok_check.so.1
508 file path=usr/lib/security/pam_authtok_get.so.1
509 file path=usr/lib/security/pam_authtok_store.so.1
510 file path=usr/lib/security/pam_deny.so.1
511 file path=usr/lib/security/pam_dhkeys.so.1
512 file path=usr/lib/security/pam_dial_auth.so.1
513 file path=usr/lib/security/pam_ldap.so.1
514 file path=usr/lib/security/pam_list.so.1
515 file path=usr/lib/security/pam_passwd_auth.so.1
516 file path=usr/lib/security/pam_rhosts_auth.so.1
517 file path=usr/lib/security/pam_roles.so.1
518 file path=usr/lib/security/pam_sample.so.1
519 file path=usr/lib/security/pam_tsol_account.so.1
520 file path=usr/lib/security/pam_unix_account.so.1
521 file path=usr/lib/security/pam_unix_auth.so.1
522 file path=usr/lib/security/pam_unix_cred.so.1
523 file path=usr/lib/security/pam_unix_session.so.1
524 file path=usr/lib/security/pkcs11_kernel.so.1
525 file path=usr/lib/security/pkcs11_softtoken.so.1
526 file path=usr/lib/security/pkcs11_tpm.so.1
527 file path=usr/lib/straddr.so.2
528 file path=usr/lib/watchmalloc.so.1
529 # XXX: Obsoleted by open i18n?
530 $(BUILD64)file path=usr/xpg4/lib/$(ARCH64)/libcurses.so.1
531 $(BUILD64)file path=usr/xpg4/lib/$(ARCH64)/libcurses.so.2
474 file path=usr/xpg4/lib/$(ARCH64)/libcurses.so.1
475 file path=usr/xpg4/lib/$(ARCH64)/libcurses.so.2
532 file path=usr/xpg4/lib/libcurses.so.1
533 file path=usr/xpg4/lib/libcurses.so.2

```

```

534 legacy pkg=SUNWcsl \
535 desc="core shared libraries for a specific instruction-set architecture" \
536 name="Core Solaris, (Shared Libs)"
537 legacy pkg=SUNWcslr \
538 desc="core software for a specific instruction-set architecture" \
539 name="Core Solaris Libraries (Root)"
540 license cr_Sun license=cr_Sun
541 license lic_CDDL license=lic_CDDL
542 license lic_OSBL license=lic_OSBL
543 license lic_OSBL_preamble license=lic_OSBL_preamble
544 # libwrap is part of tcp wrappers along with tcpd
545 license usr/src/cmd/tcpd/THIRDPARTYLICENSE \
546 license=usr/src/cmd/tcpd/THIRDPARTYLICENSE
547 license usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams \
548 license=usr/src/common/crypto/THIRDPARTYLICENSE.cryptogams
549 license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman \
550 license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.gladman
551 license usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl \
552 license=usr/src/common/crypto/aes/amd64/THIRDPARTYLICENSE.openssl
553 license usr/src/common/crypto/ecc/THIRDPARTYLICENSE \
554 license=usr/src/common/crypto/ecc/THIRDPARTYLICENSE
555 license usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE \
556 license=usr/src/common/crypto/md5/amd64/THIRDPARTYLICENSE
557 license usr/src/common/mpi/THIRDPARTYLICENSE \
558 license=usr/src/common/mpi/THIRDPARTYLICENSE
559 license usr/src/lib/libast/THIRDPARTYLICENSE \
560 license=usr/src/lib/libast/THIRDPARTYLICENSE
561 license usr/src/lib/libbsdmalloc/THIRDPARTYLICENSE \
562 license=usr/src/lib/libbsdmalloc/THIRDPARTYLICENSE
563 license usr/src/lib/libc/THIRDPARTYLICENSE \
564 license=usr/src/lib/libc/THIRDPARTYLICENSE
565 license usr/src/lib/libcmd/THIRDPARTYLICENSE \
566 license=usr/src/lib/libcmd/THIRDPARTYLICENSE
567 license usr/src/lib/libdll/THIRDPARTYLICENSE \
568 license=usr/src/lib/libdll/THIRDPARTYLICENSE
569 license usr/src/lib/libinetutil/common/THIRDPARTYLICENSE \
570 license=usr/src/lib/libinetutil/common/THIRDPARTYLICENSE
571 license usr/src/lib/libkmf/THIRDPARTYLICENSE \
572 license=usr/src/lib/libkmf/THIRDPARTYLICENSE
573 license usr/src/lib/libldap5/THIRDPARTYLICENSE \
574 license=usr/src/lib/libldap5/THIRDPARTYLICENSE
575 license usr/src/lib/libmp/common/THIRDPARTYLICENSE \
576 license=usr/src/lib/libmp/common/THIRDPARTYLICENSE
577 license usr/src/lib/libresolv/THIRDPARTYLICENSE \
578 license=usr/src/lib/libresolv/THIRDPARTYLICENSE
579 license usr/src/lib/libresolv2/THIRDPARTYLICENSE \
580 license=usr/src/lib/libresolv2/THIRDPARTYLICENSE
581 license usr/src/lib/libshell/THIRDPARTYLICENSE \
582 license=usr/src/lib/libshell/THIRDPARTYLICENSE
583 license usr/src/lib/libsum/THIRDPARTYLICENSE \
584 license=usr/src/lib/libsum/THIRDPARTYLICENSE
585 license usr/src/lib/pam_modules/authok_check/THIRDPARTYLICENSE \
586 license=usr/src/lib/pam_modules/authok_check/THIRDPARTYLICENSE
587 license usr/src/lib/passwdutil/THIRDPARTYLICENSE \
588 license=usr/src/lib/passwdutil/THIRDPARTYLICENSE
589 license usr/src/lib/pkcs11/pkcs11_tpm/THIRDPARTYLICENSE \
590 license=usr/src/lib/pkcs11/pkcs11_tpm/THIRDPARTYLICENSE
591 license usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode \
592 license=usr/src/uts/common/sys/THIRDPARTYLICENSE.unicode
593 $(BUILD64)link path=lib/$(ARCH64)/libadm.so target=libadm.so.1
594 $(BUILD64)link path=lib/$(ARCH64)/libaio.so target=libaio.so.1
595 $(BUILD64)link path=lib/$(ARCH64)/libbsm.so target=libbsm.so.1
596 $(BUILD64)link path=lib/$(ARCH64)/libc.so reboot-needed=true target=libc.so.1
597 $(BUILD64)link path=lib/$(ARCH64)/lib_db.so target=lib_db.so.1
598 $(BUILD64)link path=lib/$(ARCH64)/libcontract.so target=libcontract.so.1
599 $(BUILD64)link path=lib/$(ARCH64)/libcryptutil.so target=libcryptutil.so.1

```

```

600 $(BUILD64)link path=lib/$(ARCH64)/libctf.so target=libctf.so.1
601 $(BUILD64)link path=lib/$(ARCH64)/libcurses.so target=libcurses.so.1
602 $(BUILD64)link path=lib/$(ARCH64)/libdevice.so target=libdevice.so.1
603 $(BUILD64)link path=lib/$(ARCH64)/libdevvid.so target=libdevvid.so.1
604 $(BUILD64)link path=lib/$(ARCH64)/libdevinfo.so target=libdevinfo.so.1
605 $(BUILD64)link path=lib/$(ARCH64)/libdl.so target=libdl.so.1
606 $(BUILD64)link path=lib/$(ARCH64)/libldadm.so target=libldadm.so.1
607 $(BUILD64)link path=lib/$(ARCH64)/libdlpi.so target=libdlpi.so.1
608 $(BUILD64)link path=lib/$(ARCH64)/libdoor.so target=libdoor.so.1
609 $(BUILD64)link path=lib/$(ARCH64)/libefi.so target=libefi.so.1
610 $(BUILD64)link path=lib/$(ARCH64)/libelf.so target=libelf.so.1
611 $(i386_BUILD64)link path=lib/$(ARCH64)/libfdisk.so target=libfdisk.so.1
612 $(BUILD64)link path=lib/$(ARCH64)/libgen.so target=libgen.so.1
613 $(BUILD64)link path=lib/$(ARCH64)/libintl.so target=libintl.so.1
614 $(BUILD64)link path=lib/$(ARCH64)/libkmf.so target=libkmf.so.1
615 $(BUILD64)link path=lib/$(ARCH64)/libkmfberder.so target=libkmfberder.so.1
616 $(BUILD64)link path=lib/$(ARCH64)/libkstat.so target=libkstat.so.1
617 $(BUILD64)link path=lib/$(ARCH64)/libmd.so target=libmd.so.1
618 $(BUILD64)link path=lib/$(ARCH64)/libmd5.so target=libmd5.so.1
619 $(BUILD64)link path=lib/$(ARCH64)/libmp.so target=libmp.so.2
620 $(BUILD64)link path=lib/$(ARCH64)/libnsl.so target=libnsl.so.1
621 $(BUILD64)link path=lib/$(ARCH64)/libnvpair.so target=libnvpair.so.1
622 $(BUILD64)link path=lib/$(ARCH64)/libpam.so target=libpam.so.1
623 $(BUILD64)link path=lib/$(ARCH64)/libposix4.so target=libposix4.so.1
624 $(BUILD64)link path=lib/$(ARCH64)/libposix4.so.1 target=librt.so.1
625 $(BUILD64)link path=lib/$(ARCH64)/libproc.so target=libproc.so.1
626 $(BUILD64)link path=lib/$(ARCH64)/libpthread.so target=libpthread.so.1
627 $(BUILD64)link path=lib/$(ARCH64)/librcm.so target=librcm.so.1
628 $(BUILD64)link path=lib/$(ARCH64)/libresolv.so target=libresolv.so.2
629 $(BUILD64)link path=lib/$(ARCH64)/librestart.so target=librestart.so.1
630 $(BUILD64)link path=lib/$(ARCH64)/librpcsvc.so target=librpcsvc.so.1
631 $(BUILD64)link path=lib/$(ARCH64)/librt.so target=librt.so.1
632 $(BUILD64)link path=lib/$(ARCH64)/librtld_db.so target=librtld_db.so.1
633 $(BUILD64)link path=lib/$(ARCH64)/libscf.so target=libscf.so.1
634 $(BUILD64)link path=lib/$(ARCH64)/libsec.so target=libsec.so.1
635 $(BUILD64)link path=lib/$(ARCH64)/libsecdb.so target=libsecdb.so.1
636 $(BUILD64)link path=lib/$(ARCH64)/libsendfile.so target=libsendfile.so.1
637 $(BUILD64)link path=lib/$(ARCH64)/libsocket.so target=libsocket.so.1
638 $(BUILD64)link path=lib/$(ARCH64)/libsysevent.so target=libsysevent.so.1
639 $(BUILD64)link path=lib/$(ARCH64)/libtermcap.so target=libtermcap.so.1
640 $(BUILD64)link path=lib/$(ARCH64)/libtermmlib.so target=libtermmlib.so.1
641 $(BUILD64)link path=lib/$(ARCH64)/libtermmlib.so.1 target=libcurses.so.1
642 $(BUILD64)link path=lib/$(ARCH64)/libthread.so target=libthread.so.1
643 $(BUILD64)link path=lib/$(ARCH64)/libthread_db.so target=libc_db.so.1
644 $(BUILD64)link path=lib/$(ARCH64)/libthread_db.so.1 target=libc_db.so.1
645 $(BUILD64)link path=lib/$(ARCH64)/libtsnet.so target=libtsnet.so.1
646 $(BUILD64)link path=lib/$(ARCH64)/libtsol.so target=libtsol.so.2
647 $(BUILD64)link path=lib/$(ARCH64)/libumem.so target=libumem.so.1
648 $(BUILD64)link path=lib/$(ARCH64)/libuuid.so target=libuuid.so.1
649 $(BUILD64)link path=lib/$(ARCH64)/libuutil.so target=libuutil.so.1
650 $(BUILD64)link path=lib/$(ARCH64)/libw.so target=libw.so.1
651 $(BUILD64)link path=lib/$(ARCH64)/libxnet.so target=libxnet.so.1
537 link path=lib/$(ARCH64)/libadm.so target=libadm.so.1
538 link path=lib/$(ARCH64)/libaio.so target=libaio.so.1
539 link path=lib/$(ARCH64)/libbssm.so target=libbssm.so.1
540 link path=lib/$(ARCH64)/libc.so reboot-needed=true target=libc.so.1
541 link path=lib/$(ARCH64)/libc_db.so target=libc_db.so.1
542 link path=lib/$(ARCH64)/libcontract.so target=libcontract.so.1
543 link path=lib/$(ARCH64)/libcryptoutil.so target=libcryptoutil.so.1
544 link path=lib/$(ARCH64)/libctf.so target=libctf.so.1
545 link path=lib/$(ARCH64)/libcurses.so target=libcurses.so.1
546 link path=lib/$(ARCH64)/libdevice.so target=libdevice.so.1
547 link path=lib/$(ARCH64)/libdevvid.so target=libdevvid.so.1
548 link path=lib/$(ARCH64)/libdevinfo.so target=libdevinfo.so.1
549 link path=lib/$(ARCH64)/libdl.so target=libdl.so.1
550 link path=lib/$(ARCH64)/libldadm.so target=libldadm.so.1

```

```

551 link path=lib/$(ARCH64)/libdlpi.so target=libdlpi.so.1
552 link path=lib/$(ARCH64)/libdoor.so target=libdoor.so.1
553 link path=lib/$(ARCH64)/libefi.so target=libefi.so.1
554 link path=lib/$(ARCH64)/libelf.so target=libelf.so.1
555 $(i386_ONLY)link path=lib/$(ARCH64)/libfdisk.so target=libfdisk.so.1
556 link path=lib/$(ARCH64)/libgen.so target=libgen.so.1
557 link path=lib/$(ARCH64)/libintl.so target=libintl.so.1
558 link path=lib/$(ARCH64)/libkmf.so target=libkmf.so.1
559 link path=lib/$(ARCH64)/libkmfberder.so target=libkmfberder.so.1
560 link path=lib/$(ARCH64)/libkstat.so target=libkstat.so.1
561 link path=lib/$(ARCH64)/libmd.so target=libmd.so.1
562 link path=lib/$(ARCH64)/libmd5.so target=libmd5.so.1
563 link path=lib/$(ARCH64)/libmp.so target=libmp.so.2
564 link path=lib/$(ARCH64)/libnsl.so target=libnsl.so.1
565 link path=lib/$(ARCH64)/libnvpair.so target=libnvpair.so.1
566 link path=lib/$(ARCH64)/libpam.so target=libpam.so.1
567 link path=lib/$(ARCH64)/libposix4.so target=libposix4.so.1
568 link path=lib/$(ARCH64)/libposix4.so.1 target=librt.so.1
569 link path=lib/$(ARCH64)/libproc.so target=libproc.so.1
570 link path=lib/$(ARCH64)/libpthread.so target=libpthread.so.1
571 link path=lib/$(ARCH64)/librcm.so target=librcm.so.1
572 link path=lib/$(ARCH64)/libresolv.so target=libresolv.so.2
573 link path=lib/$(ARCH64)/librestart.so target=librestart.so.1
574 link path=lib/$(ARCH64)/librpcsvc.so target=librpcsvc.so.1
575 link path=lib/$(ARCH64)/librt.so target=librt.so.1
576 link path=lib/$(ARCH64)/librtld_db.so target=librtld_db.so.1
577 link path=lib/$(ARCH64)/libscf.so target=libscf.so.1
578 link path=lib/$(ARCH64)/libsec.so target=libsec.so.1
579 link path=lib/$(ARCH64)/libsecdb.so target=libsecdb.so.1
580 link path=lib/$(ARCH64)/libsendfile.so target=libsendfile.so.1
581 link path=lib/$(ARCH64)/libsocket.so target=libsocket.so.1
582 link path=lib/$(ARCH64)/libsysevent.so target=libsysevent.so.1
583 link path=lib/$(ARCH64)/libtermcap.so target=libtermcap.so.1
584 link path=lib/$(ARCH64)/libtermmlib.so target=libtermmlib.so.1
585 link path=lib/$(ARCH64)/libtermmlib.so.1 target=libcurses.so.1
586 link path=lib/$(ARCH64)/libthread.so target=libthread.so.1
587 link path=lib/$(ARCH64)/libthread_db.so target=libc_db.so.1
588 link path=lib/$(ARCH64)/libthread_db.so.1 target=libc_db.so.1
589 link path=lib/$(ARCH64)/libtsnet.so target=libtsnet.so.1
590 link path=lib/$(ARCH64)/libtsol.so target=libtsol.so.2
591 link path=lib/$(ARCH64)/libumem.so target=libumem.so.1
592 link path=lib/$(ARCH64)/libuuid.so target=libuuid.so.1
593 link path=lib/$(ARCH64)/libuutil.so target=libuutil.so.1
594 link path=lib/$(ARCH64)/libw.so target=libw.so.1
595 link path=lib/$(ARCH64)/libxnet.so target=libxnet.so.1
652 link path=lib/32 target=.
653 $(BUILD64)link path=lib/64 target=$(ARCH64)
597 link path=lib/64 target=$(ARCH64)
654 link path=lib/crypto/32 target=.
655 $(BUILD64)link path=lib/crypto/64 target=$(ARCH64)
599 link path=lib/crypto/64 target=$(ARCH64)
656 link path=lib/libadm.so target=libadm.so.1
657 link path=lib/libaio.so target=libaio.so.1
658 link path=lib/libbssm.so target=libbssm.so.1
659 link path=lib/libc.so target=libc.so.1
660 link path=lib/libc_db.so target=libc_db.so.1
661 link path=lib/libcontract.so target=libcontract.so.1
662 link path=lib/libcryptoutil.so target=libcryptoutil.so.1
663 link path=lib/libctf.so target=libctf.so.1
664 link path=lib/libcurses.so target=libcurses.so.1
665 link path=lib/libdevice.so target=libdevice.so.1
666 link path=lib/libdevvid.so target=libdevvid.so.1
667 link path=lib/libdevinfo.so target=libdevinfo.so.1
668 link path=lib/libdl.so target=libdl.so.1
669 link path=lib/libldadm.so target=libldadm.so.1
670 link path=lib/libdlpi.so target=libdlpi.so.1

```

```

671 link path=lib/libdoor.so target=libdoor.so.1
672 link path=lib/libefi.so target=libefi.so.1
673 link path=lib/libelf.so target=libelf.so.1
674 link path=lib/libelfsign.so target=libelfsign.so.1
675 $(i386_ONLY)link path=lib/libfdisk.so target=libfdisk.so.1
676 link path=lib/libgen.so target=libgen.so.1
677 link path=lib/libintl.so target=libintl.so.1
678 link path=lib/libipmp.so target=libipmp.so.1
679 link path=lib/libkfmf.so target=libkfmf.so.1
680 link path=lib/libkfmfborder.so target=libkfmfborder.so.1
681 link path=lib/libkstat.so target=libkstat.so.1
682 link path=lib/libmd.so target=libmd.so.1
683 link path=lib/libmd5.so target=libmd5.so.1
684 link path=lib/libmp.so target=libmp.so.2
685 link path=lib/libnsl.so target=libnsl.so.1
686 link path=lib/libnvpair.so target=libnvpair.so.1
687 link path=lib/libnwam.so target=libnwam.so.1
688 link path=lib/libpam.so target=libpam.so.1
689 link path=lib/libposix4.so target=libposix4.so.1
690 link path=lib/libposix4.so.1 target=librt.so.1
691 link path=lib/libproc.so target=libproc.so.1
692 link path=lib/libpthread.so target=libpthread.so.1
693 link path=lib/librcm.so target=librcm.so.1
694 link path=lib/libresolv.so target=libresolv.so.2
695 link path=lib/librpcsvc.so target=librpcsvc.so.1
696 link path=lib/librt.so target=librt.so.1
697 link path=lib/librtld_db.so target=librtld_db.so.1
698 link path=lib/libscf.so target=libscf.so.1
699 link path=lib/libsec.so target=libsec.so.1
700 link path=lib/libsecdb.so target=libsecdb.so.1
701 link path=lib/libsendfile.so target=libsendfile.so.1
702 link path=lib/libsocket.so target=libsocket.so.1
703 link path=lib/libsysevent.so target=libsysevent.so.1
704 link path=lib/libtermcap.so target=libtermcap.so.1
705 link path=lib/libtermmlib.so target=libtermmlib.so.1
706 link path=lib/libtermmlib.so.1 target=libcurses.so.1
707 link path=lib/libthread.so target=libthread.so.1
708 link path=lib/libthread_db.so target=libc_db.so.1
709 link path=lib/libthread_db.so.1 target=libc_db.so.1
710 link path=lib/libtsol.so target=libtsol.so.2
711 link path=lib/libumem.so target=libumem.so.1
712 link path=lib/libuuid.so target=libuuid.so.1
713 link path=lib/libw.so target=libw.so.1
714 link path=lib/libxnet.so target=libxnet.so.1
715 link path=lib/secure/32 target=
716 $(BUILD64)link path=lib/secure/64 target=$(ARCH64)
717 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libcurses.so \
660 link path=lib/secure/64 target=$(ARCH64)
661 link path=usr/ccs/lib/$(ARCH64)/libcurses.so \
718 target=../../../../lib/$(ARCH64)/libcurses.so.1
719 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libform.so \
663 link path=usr/ccs/lib/$(ARCH64)/libform.so \
720 target=../../../../lib/$(ARCH64)/libform.so.1
721 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libgen.so \
665 link path=usr/ccs/lib/$(ARCH64)/libgen.so \
722 target=../../../../lib/$(ARCH64)/libgen.so.1
723 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libl.so \
667 link path=usr/ccs/lib/$(ARCH64)/libl.so \
724 target=../../../../lib/$(ARCH64)/libl.so.1
725 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libmalloc.so \
669 link path=usr/ccs/lib/$(ARCH64)/libmalloc.so \
726 target=../../../../lib/$(ARCH64)/libmalloc.so.1
727 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libmenu.so \
671 link path=usr/ccs/lib/$(ARCH64)/libmenu.so \
728 target=../../../../lib/$(ARCH64)/libmenu.so.1
729 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libpanel.so \

```

```

673 link path=usr/ccs/lib/$(ARCH64)/libpanel.so \
730 target=../../../../lib/$(ARCH64)/libpanel.so.1
731 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libtermcap.so \
675 link path=usr/ccs/lib/$(ARCH64)/libtermcap.so \
732 target=../../../../lib/$(ARCH64)/libtermcap.so.1
733 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/libtermmlib.so \
677 link path=usr/ccs/lib/$(ARCH64)/libtermmlib.so \
734 target=../../../../lib/$(ARCH64)/libcurses.so.1
735 $(BUILD64)link path=usr/ccs/lib/$(ARCH64)/liby.so \
679 link path=usr/ccs/lib/$(ARCH64)/liby.so \
736 target=../../../../lib/$(ARCH64)/liby.so.1
737 link path=usr/ccs/lib/libcurses.so target=../../../../lib/libcurses.so.1
738 link path=usr/ccs/lib/libform.so target=../../../../lib/libform.so.1
739 link path=usr/ccs/lib/libgen.so target=../../../../lib/libgen.so.1
740 link path=usr/ccs/lib/libl.so target=../../../../lib/libl.so.1
741 link path=usr/ccs/lib/libmalloc.so target=../../../../lib/libmalloc.so.1
742 link path=usr/ccs/lib/libmenu.so target=../../../../lib/libmenu.so.1
743 link path=usr/ccs/lib/libpanel.so target=../../../../lib/libpanel.so.1
744 link path=usr/ccs/lib/libtermcap.so target=../../../../lib/libtermcap.so.1
745 link path=usr/ccs/lib/libtermmlib.so target=../../../../lib/libcurses.so.1
746 link path=usr/ccs/lib/liby.so target=../../../../lib/liby.so.1
747 $(BUILD64)link path=usr/lib/$(ARCH64)/libadm.so \
691 link path=usr/lib/$(ARCH64)/libadm.so \
748 target=../../../../lib/$(ARCH64)/libadm.so.1
749 $(BUILD64)link path=usr/lib/$(ARCH64)/libadm.so.1 \
693 link path=usr/lib/$(ARCH64)/libadm.so.1 \
750 target=../../../../lib/$(ARCH64)/libadm.so.1
751 $(BUILD64)link path=usr/lib/$(ARCH64)/libadutils.so target=libadutils.so.1
752 $(BUILD64)link path=usr/lib/$(ARCH64)/libaio.so \
695 link path=usr/lib/$(ARCH64)/libadutils.so target=libadutils.so.1
696 link path=usr/lib/$(ARCH64)/libaio.so \
753 target=../../../../lib/$(ARCH64)/libaio.so.1
754 $(BUILD64)link path=usr/lib/$(ARCH64)/libaio.so.1 \
698 link path=usr/lib/$(ARCH64)/libaio.so.1 \
755 target=../../../../lib/$(ARCH64)/libaio.so.1
756 $(BUILD64)link path=usr/lib/$(ARCH64)/libavl.so.1 \
700 link path=usr/lib/$(ARCH64)/libavl.so.1 \
757 target=../../../../lib/$(ARCH64)/libavl.so.1
758 $(BUILD64)link path=usr/lib/$(ARCH64)/libbsdmalloc.so target=libbsdmalloc.so.1
759 $(BUILD64)link path=usr/lib/$(ARCH64)/libbsm.so \
702 link path=usr/lib/$(ARCH64)/libbsdmalloc.so target=libbsdmalloc.so.1
703 link path=usr/lib/$(ARCH64)/libbsm.so \
760 target=../../../../lib/$(ARCH64)/libbsm.so.1
761 $(BUILD64)link path=usr/lib/$(ARCH64)/libbsm.so.1 \
705 link path=usr/lib/$(ARCH64)/libbsm.so.1 \
762 target=../../../../lib/$(ARCH64)/libbsm.so.1
763 $(BUILD64)link path=usr/lib/$(ARCH64)/libc.so \
764 target=../../../../lib/$(ARCH64)/libc.so.1
765 $(BUILD64)link path=usr/lib/$(ARCH64)/libc.so.1 \
766 target=../../../../lib/$(ARCH64)/libc.so.1
767 $(BUILD64)link path=usr/lib/$(ARCH64)/libc_db.so \
707 link path=usr/lib/$(ARCH64)/libc.so target=../../../../lib/$(ARCH64)/libc.so.1
708 link path=usr/lib/$(ARCH64)/libc.so.1 target=../../../../lib/$(ARCH64)/libc.so.1
709 link path=usr/lib/$(ARCH64)/libc_db.so \
768 target=../../../../lib/$(ARCH64)/libc_db.so.1
769 $(BUILD64)link path=usr/lib/$(ARCH64)/libc_db.so.1 \
711 link path=usr/lib/$(ARCH64)/libc_db.so.1 \
770 target=../../../../lib/$(ARCH64)/libc_db.so.1
771 $(BUILD64)link path=usr/lib/$(ARCH64)/libcfgadm.so target=libcfgadm.so.1
772 $(BUILD64)link path=usr/lib/$(ARCH64)/libcmd.so target=libcmd.so.1
773 $(BUILD64)link path=usr/lib/$(ARCH64)/libcmdutils.so.1 \
713 link path=usr/lib/$(ARCH64)/libcfgadm.so target=libcfgadm.so.1
714 link path=usr/lib/$(ARCH64)/libcmd.so target=libcmd.so.1
715 link path=usr/lib/$(ARCH64)/libcmdutils.so.1 \
774 target=../../../../lib/$(ARCH64)/libcmdutils.so.1
775 $(BUILD64)link path=usr/lib/$(ARCH64)/libcommutil.so target=libcommutil.so.1

```



```

858 $(BUILD64)link path=usr/lib/$(ARCH64)/liblgrp.so target=liblgrp.so.1
859 $(BUILD64)link path=usr/lib/$(ARCH64)/liblm.so target=liblm.so.1
860 $(BUILD64)link path=usr/lib/$(ARCH64)/libmail.so target=libmail.so.1
861 $(BUILD64)link path=usr/lib/$(ARCH64)/libmalloc.so target=libmalloc.so.1
862 $(BUILD64)link path=usr/lib/$(ARCH64)/libmapmalloc.so target=libmapmalloc.so.1
863 $(BUILD64)link path=usr/lib/$(ARCH64)/libmd.so \
864     target=../../lib/$(ARCH64)/libmd.so.1
865 $(BUILD64)link path=usr/lib/$(ARCH64)/libmd.so.1 \
866     target=../../lib/$(ARCH64)/libmd.so.1
799 link path=usr/lib/$(ARCH64)/liblgrp.so target=liblgrp.so.1
800 link path=usr/lib/$(ARCH64)/liblm.so target=liblm.so.1
801 link path=usr/lib/$(ARCH64)/libmail.so target=libmail.so.1
802 link path=usr/lib/$(ARCH64)/libmalloc.so target=libmalloc.so.1
803 link path=usr/lib/$(ARCH64)/libmapmalloc.so target=libmapmalloc.so.1
804 link path=usr/lib/$(ARCH64)/libmd.so target=../../lib/$(ARCH64)/libmd.so.1
805 link path=usr/lib/$(ARCH64)/libmd.so.1 \
806     target=../../lib/$(ARCH64)/libmd.so.1
867 $(BUILD64)link path=usr/lib/$(ARCH64)/libmd5.so \
807 link path=usr/lib/$(ARCH64)/libmd5.so \
808     target=../../lib/$(ARCH64)/libmd5.so.1
869 $(BUILD64)link path=usr/lib/$(ARCH64)/libmd5.so.1 \
809 link path=usr/lib/$(ARCH64)/libmd5.so.1 \
810     target=../../lib/$(ARCH64)/libmd5.so.1
871 $(BUILD64)link path=usr/lib/$(ARCH64)/libmenu.so target=libmenu.so.1
872 $(BUILD64)link path=usr/lib/$(ARCH64)/libmp.so \
811 link path=usr/lib/$(ARCH64)/libmenu.so target=libmenu.so.1
812 link path=usr/lib/$(ARCH64)/libmp.so target=../../lib/$(ARCH64)/libmp.so.2
813 link path=usr/lib/$(ARCH64)/libmp.so.2 \
814     target=../../lib/$(ARCH64)/libmp.so.2
874 $(BUILD64)link path=usr/lib/$(ARCH64)/libmp.so.2 \
875     target=../../lib/$(ARCH64)/libmp.so.2
876 $(BUILD64)link path=usr/lib/$(ARCH64)/libmtmalloc.so target=libmtmalloc.so.1
877 $(BUILD64)link path=usr/lib/$(ARCH64)/libnls.so target=libnls.so.1
878 $(BUILD64)link path=usr/lib/$(ARCH64)/libnsl.so \
815 link path=usr/lib/$(ARCH64)/libmtmalloc.so target=libmtmalloc.so.1
816 link path=usr/lib/$(ARCH64)/libnls.so target=libnls.so.1
817 link path=usr/lib/$(ARCH64)/libnsl.so \
818     target=../../lib/$(ARCH64)/libnsl.so.1
880 $(BUILD64)link path=usr/lib/$(ARCH64)/libnsl.so.1 \
819 link path=usr/lib/$(ARCH64)/libnsl.so.1 \
820     target=../../lib/$(ARCH64)/libnsl.so.1
882 $(BUILD64)link path=usr/lib/$(ARCH64)/libnvpair.so \
821 link path=usr/lib/$(ARCH64)/libnvpair.so \
822     target=../../lib/$(ARCH64)/libnvpair.so.1
884 $(BUILD64)link path=usr/lib/$(ARCH64)/libnvpair.so.1 \
823 link path=usr/lib/$(ARCH64)/libnvpair.so.1 \
824     target=../../lib/$(ARCH64)/libnvpair.so.1
886 $(BUILD64)link path=usr/lib/$(ARCH64)/libpam.so \
825 link path=usr/lib/$(ARCH64)/libpam.so \
826     target=../../lib/$(ARCH64)/libpam.so.1
888 $(BUILD64)link path=usr/lib/$(ARCH64)/libpam.so.1 \
827 link path=usr/lib/$(ARCH64)/libpam.so.1 \
828     target=../../lib/$(ARCH64)/libpam.so.1
890 $(BUILD64)link path=usr/lib/$(ARCH64)/libpanel.so target=libpanel.so.1
891 $(BUILD64)link path=usr/lib/$(ARCH64)/libpkcs11.so target=libpkcs11.so.1
892 $(BUILD64)link path=usr/lib/$(ARCH64)/libposix4.so \
829 link path=usr/lib/$(ARCH64)/libpanel.so target=libpanel.so.1
830 link path=usr/lib/$(ARCH64)/libpkcs11.so target=libpkcs11.so.1
831 link path=usr/lib/$(ARCH64)/libposix4.so \
832     target=../../lib/$(ARCH64)/librt.so.1
894 $(BUILD64)link path=usr/lib/$(ARCH64)/libposix4.so.1 \
833 link path=usr/lib/$(ARCH64)/libposix4.so.1 \
834     target=../../lib/$(ARCH64)/librt.so.1
896 $(BUILD64)link path=usr/lib/$(ARCH64)/libproc.so \
835 link path=usr/lib/$(ARCH64)/libproc.so \
836     target=../../lib/$(ARCH64)/libproc.so.1
898 $(BUILD64)link path=usr/lib/$(ARCH64)/libproc.so.1 \

```

```

837 link path=usr/lib/$(ARCH64)/libproc.so.1 \
838     target=../../lib/$(ARCH64)/libproc.so.1
900 $(BUILD64)link path=usr/lib/$(ARCH64)/libproject.so target=libproject.so.1
901 $(BUILD64)link path=usr/lib/$(ARCH64)/libpthread.so \
839 link path=usr/lib/$(ARCH64)/libproject.so target=libproject.so.1
840 link path=usr/lib/$(ARCH64)/libpthread.so \
902     target=../../lib/$(ARCH64)/libpthread.so.1
903 $(BUILD64)link path=usr/lib/$(ARCH64)/libpthread.so.1 \
842 link path=usr/lib/$(ARCH64)/libpthread.so.1 \
904     target=../../lib/$(ARCH64)/libpthread.so.1
905 $(BUILD64)link path=usr/lib/$(ARCH64)/librcm.so \
844 link path=usr/lib/$(ARCH64)/librcm.so \
906     target=../../lib/$(ARCH64)/librcm.so.1
907 $(BUILD64)link path=usr/lib/$(ARCH64)/librcm.so.1 \
846 link path=usr/lib/$(ARCH64)/librcm.so.1 \
908     target=../../lib/$(ARCH64)/librcm.so.1
909 $(BUILD64)link path=usr/lib/$(ARCH64)/librepase.so target=librepase.so.1
910 $(BUILD64)link path=usr/lib/$(ARCH64)/libresolv.so \
848 link path=usr/lib/$(ARCH64)/librepase.so target=librepase.so.1
849 link path=usr/lib/$(ARCH64)/libresolv.so \
911     target=../../lib/$(ARCH64)/libresolv.so.2
912 $(BUILD64)link path=usr/lib/$(ARCH64)/libresolv.so.2 \
851 link path=usr/lib/$(ARCH64)/libresolv.so.2 \
913     target=../../lib/$(ARCH64)/libresolv.so.2
914 $(i386_BUILD64)link path=usr/lib/$(ARCH64)/librestart.so \
853 $(i386_ONLY)link path=usr/lib/$(ARCH64)/librestart.so \
915     target=../../lib/$(ARCH64)/librestart.so.1
916 $(BUILD64)link path=usr/lib/$(ARCH64)/librestart.so.1 \
855 link path=usr/lib/$(ARCH64)/librestart.so.1 \
917     target=../../lib/$(ARCH64)/librestart.so.1
918 $(BUILD64)link path=usr/lib/$(ARCH64)/librpcsvc.so \
857 link path=usr/lib/$(ARCH64)/librpcsvc.so \
919     target=../../lib/$(ARCH64)/librpcsvc.so.1
920 $(BUILD64)link path=usr/lib/$(ARCH64)/librpcsvc.so.1 \
859 link path=usr/lib/$(ARCH64)/librpcsvc.so.1 \
921     target=../../lib/$(ARCH64)/librpcsvc.so.1
922 $(BUILD64)link path=usr/lib/$(ARCH64)/librt.so \
923     target=../../lib/$(ARCH64)/librt.so.1
924 $(BUILD64)link path=usr/lib/$(ARCH64)/librt.so.1 \
861 link path=usr/lib/$(ARCH64)/librt.so target=../../lib/$(ARCH64)/librt.so.1
862 link path=usr/lib/$(ARCH64)/librt.so.1 \
925     target=../../lib/$(ARCH64)/librt.so.1
926 $(BUILD64)link path=usr/lib/$(ARCH64)/librtld.so.1 \
864 link path=usr/lib/$(ARCH64)/librtld.so.1 \
927     target=../../lib/$(ARCH64)/librtld.so.1
928 $(BUILD64)link path=usr/lib/$(ARCH64)/librtld_db.so \
866 link path=usr/lib/$(ARCH64)/librtld_db.so \
929     target=../../lib/$(ARCH64)/librtld_db.so.1
930 $(BUILD64)link path=usr/lib/$(ARCH64)/librtld_db.so.1 \
868 link path=usr/lib/$(ARCH64)/librtld_db.so.1 \
931     target=../../lib/$(ARCH64)/librtld_db.so.1
932 $(BUILD64)link path=usr/lib/$(ARCH64)/libscf.so \
870 link path=usr/lib/$(ARCH64)/libscf.so \
933     target=../../lib/$(ARCH64)/libscf.so.1
934 $(BUILD64)link path=usr/lib/$(ARCH64)/libscf.so.1 \
872 link path=usr/lib/$(ARCH64)/libscf.so.1 \
935     target=../../lib/$(ARCH64)/libscf.so.1
936 $(BUILD64)link path=usr/lib/$(ARCH64)/libsched.so target=libsched.so.1
937 $(BUILD64)link path=usr/lib/$(ARCH64)/libsctp.so target=libsctp.so.1
938 $(BUILD64)link path=usr/lib/$(ARCH64)/libsec.so \
874 link path=usr/lib/$(ARCH64)/libsched.so target=libsched.so.1
875 link path=usr/lib/$(ARCH64)/libsctp.so target=libsctp.so.1
876 link path=usr/lib/$(ARCH64)/libsec.so \
939     target=../../lib/$(ARCH64)/libsec.so.1
940 $(BUILD64)link path=usr/lib/$(ARCH64)/libsec.so.1 \
878 link path=usr/lib/$(ARCH64)/libsec.so.1 \

```

```

941 target=../../../../lib/$(ARCH64)/libsec.so.1
942 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsecdb.so \
880 link path=usr/lib/$(ARCH64)/libsecdb.so \
943 target=../../../../lib/$(ARCH64)/libsecdb.so.1
944 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsecdb.so.1 \
882 link path=usr/lib/$(ARCH64)/libsecdb.so.1 \
945 target=../../../../lib/$(ARCH64)/libsecdb.so.1
946 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsndfile.so \
884 link path=usr/lib/$(ARCH64)/libsndfile.so \
947 target=../../../../lib/$(ARCH64)/libsndfile.so.1
948 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsndfile.so.1 \
886 link path=usr/lib/$(ARCH64)/libsndfile.so.1 \
949 target=../../../../lib/$(ARCH64)/libsndfile.so.1
950 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsip.so target=./libsip.so.1
951 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsldap.so target=libsldap.so.1
952 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsmbios.so target=libsmbios.so.1
953 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsocket.so \
888 link path=usr/lib/$(ARCH64)/libsip.so target=./libsip.so.1
889 link path=usr/lib/$(ARCH64)/libsldap.so target=libsldap.so.1
890 link path=usr/lib/$(ARCH64)/libsmbios.so target=libsmbios.so.1
891 link path=usr/lib/$(ARCH64)/libsocket.so \
954 target=../../../../lib/$(ARCH64)/libsocket.so.1
955 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsocket.so.1 \
893 link path=usr/lib/$(ARCH64)/libsocket.so.1 \
956 target=../../../../lib/$(ARCH64)/libsocket.so.1
957 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsoftcrypto.so \
958 target=./libsoftcrypto.so.1
959 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsysevent.so \
895 link path=usr/lib/$(ARCH64)/libsoftcrypto.so target=./libsoftcrypto.so.1
896 link path=usr/lib/$(ARCH64)/libsysevent.so \
960 target=../../../../lib/$(ARCH64)/libsysevent.so.1
961 $(BUILDD64)link path=usr/lib/$(ARCH64)/libsysevent.so.1 \
898 link path=usr/lib/$(ARCH64)/libsysevent.so.1 \
962 target=../../../../lib/$(ARCH64)/libsysevent.so.1
963 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtermcap.so \
900 link path=usr/lib/$(ARCH64)/libtermcap.so \
964 target=../../../../lib/$(ARCH64)/libtermcap.so.1
965 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtermcap.so.1 \
902 link path=usr/lib/$(ARCH64)/libtermcap.so.1 \
966 target=../../../../lib/$(ARCH64)/libtermcap.so.1
967 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtermmlib.so \
904 link path=usr/lib/$(ARCH64)/libtermmlib.so \
968 target=../../../../lib/$(ARCH64)/libcurses.so.1
969 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtermmlib.so.1 \
906 link path=usr/lib/$(ARCH64)/libtermmlib.so.1 \
970 target=../../../../lib/$(ARCH64)/libcurses.so.1
971 $(BUILDD64)link path=usr/lib/$(ARCH64)/libthread.so \
908 link path=usr/lib/$(ARCH64)/libthread.so \
972 target=../../../../lib/$(ARCH64)/libthread.so.1
973 $(BUILDD64)link path=usr/lib/$(ARCH64)/libthread.so.1 \
910 link path=usr/lib/$(ARCH64)/libthread.so.1 \
974 target=../../../../lib/$(ARCH64)/libthread.so.1
975 $(BUILDD64)link path=usr/lib/$(ARCH64)/libthread_db.so \
912 link path=usr/lib/$(ARCH64)/libthread_db.so \
976 target=../../../../lib/$(ARCH64)/libc_db.so.1
977 $(BUILDD64)link path=usr/lib/$(ARCH64)/libthread_db.so.1 \
914 link path=usr/lib/$(ARCH64)/libthread_db.so.1 \
978 target=../../../../lib/$(ARCH64)/libc_db.so.1
979 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtsnet.so \
916 link path=usr/lib/$(ARCH64)/libtsnet.so \
980 target=../../../../lib/$(ARCH64)/libtsnet.so.1
981 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtsnet.so.1 \
918 link path=usr/lib/$(ARCH64)/libtsnet.so.1 \
982 target=../../../../lib/$(ARCH64)/libtsnet.so.1
983 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtsol.so \
920 link path=usr/lib/$(ARCH64)/libtsol.so \

```

```

984 target=../../../../lib/$(ARCH64)/libtsol.so.2
985 $(BUILDD64)link path=usr/lib/$(ARCH64)/libtsol.so.2 \
922 link path=usr/lib/$(ARCH64)/libtsol.so.2 \
986 target=../../../../lib/$(ARCH64)/libtsol.so.2
987 $(BUILDD64)link path=usr/lib/$(ARCH64)/libumem.so \
924 link path=usr/lib/$(ARCH64)/libumem.so \
988 target=../../../../lib/$(ARCH64)/libumem.so.1
989 $(BUILDD64)link path=usr/lib/$(ARCH64)/libumem.so.1 \
926 link path=usr/lib/$(ARCH64)/libumem.so.1 \
990 target=../../../../lib/$(ARCH64)/libumem.so.1
991 $(BUILDD64)link path=usr/lib/$(ARCH64)/libuuid.so \
928 link path=usr/lib/$(ARCH64)/libuuid.so \
992 target=../../../../lib/$(ARCH64)/libuuid.so.1
993 $(BUILDD64)link path=usr/lib/$(ARCH64)/libuuid.so.1 \
930 link path=usr/lib/$(ARCH64)/libuuid.so.1 \
994 target=../../../../lib/$(ARCH64)/libuuid.so.1
995 $(i386_BUILDD64)link path=usr/lib/$(ARCH64)/libuutil.so \
932 $(i386_ONLY)link path=usr/lib/$(ARCH64)/libuutil.so \
996 target=../../../../lib/$(ARCH64)/libuutil.so.1
997 $(BUILDD64)link path=usr/lib/$(ARCH64)/libuutil.so.1 \
934 link path=usr/lib/$(ARCH64)/libuutil.so.1 \
998 target=../../../../lib/$(ARCH64)/libuutil.so.1
999 $(sparc_BUILDD64)link path=usr/lib/$(ARCH64)/libv12n.so target=./libv12n.so.1
1000 $(BUILDD64)link path=usr/lib/$(ARCH64)/libvolmgt.so target=libvolmgt.so.1
1001 $(BUILDD64)link path=usr/lib/$(ARCH64)/libw.so \
1002 target=../../../../lib/$(ARCH64)/libw.so.1
1003 $(BUILDD64)link path=usr/lib/$(ARCH64)/libw.so.1 \
1004 target=../../../../lib/$(ARCH64)/libw.so.1
1005 $(BUILDD64)link path=usr/lib/$(ARCH64)/libwrap.so target=libwrap.so.1.0
1006 $(BUILDD64)link path=usr/lib/$(ARCH64)/libwrap.so.1 target=libwrap.so.1.0
1007 $(BUILDD64)link path=usr/lib/$(ARCH64)/libxnet.so \
936 $(sparc_ONLY)link path=usr/lib/$(ARCH64)/libv12n.so target=./libv12n.so.1
937 link path=usr/lib/$(ARCH64)/libvolmgt.so target=libvolmgt.so.1
938 link path=usr/lib/$(ARCH64)/libw.so target=../../../../lib/$(ARCH64)/libw.so.1
939 link path=usr/lib/$(ARCH64)/libw.so.1 target=../../../../lib/$(ARCH64)/libw.so.1
940 link path=usr/lib/$(ARCH64)/libwrap.so target=libwrap.so.1.0
941 link path=usr/lib/$(ARCH64)/libwrap.so.1 target=libwrap.so.1.0
942 link path=usr/lib/$(ARCH64)/libxnet.so \
1008 target=../../../../lib/$(ARCH64)/libxnet.so.1
1009 $(BUILDD64)link path=usr/lib/$(ARCH64)/libxnet.so.1 \
944 link path=usr/lib/$(ARCH64)/libxnet.so.1 \
1010 target=../../../../lib/$(ARCH64)/libxnet.so.1
1011 $(BUILDD64)link path=usr/lib/$(ARCH64)/liby.so target=liby.so.1
1012 $(BUILDD64)link path=usr/lib/$(ARCH64)/libzoneinfo.so target=./libzoneinfo.so.1
1013 $(BUILDD64)link path=usr/lib/$(ARCH64)/nss_compat.so.1 \
946 link path=usr/lib/$(ARCH64)/liby.so target=liby.so.1
947 link path=usr/lib/$(ARCH64)/libzoneinfo.so target=./libzoneinfo.so.1
948 link path=usr/lib/$(ARCH64)/nss_compat.so.1 \
1014 target=../../../../lib/$(ARCH64)/nss_compat.so.1
1015 $(BUILDD64)link path=usr/lib/$(ARCH64)/nss_dns.so.1 \
950 link path=usr/lib/$(ARCH64)/nss_dns.so.1 \
1016 target=../../../../lib/$(ARCH64)/nss_dns.so.1
1017 $(BUILDD64)link path=usr/lib/$(ARCH64)/nss_files.so.1 \
952 link path=usr/lib/$(ARCH64)/nss_files.so.1 \
1018 target=../../../../lib/$(ARCH64)/nss_files.so.1
1019 $(BUILDD64)link path=usr/lib/$(ARCH64)/nss_nis.so.1 \
954 link path=usr/lib/$(ARCH64)/nss_nis.so.1 \
1020 target=../../../../lib/$(ARCH64)/nss_nis.so.1
1021 $(BUILDD64)link path=usr/lib/$(ARCH64)/nss_user.so.1 \
956 link path=usr/lib/$(ARCH64)/nss_user.so.1 \
1022 target=../../../../lib/$(ARCH64)/nss_user.so.1
1023 $(BUILDD64)link path=usr/lib/$(ARCH64)/straddr.so target=straddr.so.2
958 link path=usr/lib/$(ARCH64)/straddr.so target=straddr.so.2
1024 link path=usr/lib/32 target=
1025 $(BUILDD64)link path=usr/lib/64 target=$(ARCH64)
1026 $(BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/ib.so target=./ib.so.1

```



```

1027 $(BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/pci.so target=./pci.so.1
1028 $(i386_BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/sata.so target=./sata.so.1
1029 $(BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/scsi.so target=./scsi.so.1
1030 $(BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/shp.so target=./shp.so.1
1031 $(BUILDD64)link path=usr/lib/cfgadm/$(ARCH64)/usb.so target=./usb.so.1
960 link path=usr/lib/64 target=$(ARCH64)
961 link path=usr/lib/cfgadm/$(ARCH64)/ib.so target=./ib.so.1
962 link path=usr/lib/cfgadm/$(ARCH64)/pci.so target=./pci.so.1
963 $(i386_ONLY)link path=usr/lib/cfgadm/$(ARCH64)/sata.so target=./sata.so.1
964 link path=usr/lib/cfgadm/$(ARCH64)/scsi.so target=./scsi.so.1
965 link path=usr/lib/cfgadm/$(ARCH64)/shp.so target=./shp.so.1
966 link path=usr/lib/cfgadm/$(ARCH64)/usb.so target=./usb.so.1
1032 link path=usr/lib/cfgadm/ib.so target=./ib.so.1
1033 link path=usr/lib/cfgadm/pci.so target=./pci.so.1
1034 $(i386_ONLY)link path=usr/lib/cfgadm/sata.so target=./sata.so.1
1035 link path=usr/lib/cfgadm/scsi.so target=./scsi.so.1
1036 link path=usr/lib/cfgadm/shp.so target=./shp.so.1
1037 link path=usr/lib/cfgadm/usb.so target=./usb.so.1
1038 link path=usr/lib/libadm.so target=./lib/libadm.so.1
1039 link path=usr/lib/libadm.so.1 target=./lib/libadm.so.1
1040 link path=usr/lib/libadutils.so target=./libadutils.so.1
1041 link path=usr/lib/libaio.so target=./lib/libaio.so.1
1042 link path=usr/lib/libaio.so.1 target=./lib/libaio.so.1
1043 link path=usr/lib/libavl.so.1 target=./lib/libavl.so.1
1044 link path=usr/lib/libbsdmalloc.so target=./libbsdmalloc.so.1
1045 link path=usr/lib/libbsm.so target=./lib/libbsm.so.1
1046 link path=usr/lib/libbsm.so.1 target=./lib/libbsm.so.1
1047 link path=usr/lib/libbc.so target=./lib/libbc.so.1
1048 link path=usr/lib/libbc.so.1 target=./lib/libbc.so.1
1049 link path=usr/lib/libbc_db.so target=./lib/libbc_db.so.1
1050 link path=usr/lib/libbc_db.so.1 target=./lib/libbc_db.so.1
1051 link path=usr/lib/libbcfgadm.so target=./libbcfgadm.so.1
1052 link path=usr/lib/libbcm.d.so target=libbcm.d.so.1
1053 link path=usr/lib/libbcm.dutils.so.1 target=./lib/libbcm.dutils.so.1
1054 link path=usr/lib/libbcm.dutils.so target=./libbcm.dutils.so.1
1055 link path=usr/lib/libbcontract.so target=./lib/libbcontract.so.1
1056 link path=usr/lib/libbcontract.so.1 target=./lib/libbcontract.so.1
1057 link path=usr/lib/libcrypt.so target=./libcrypt.so.1
1058 link path=usr/lib/libcrypt_d.so target=./libcrypt.so
1059 link path=usr/lib/libcrypt_d.so.1 target=./libcrypt.so.1
1060 link path=usr/lib/libcrypt_i.so target=./libcrypt.so
1061 link path=usr/lib/libcrypt_i.so.1 target=./libcrypt.so.1
1062 link path=usr/lib/libctf.so target=./lib/libctf.so.1
1063 link path=usr/lib/libctf.so.1 target=./lib/libctf.so.1
1064 link path=usr/lib/libcurses.so target=./lib/libcurses.so.1
1065 link path=usr/lib/libcurses.so.1 target=./lib/libcurses.so.1
1066 link path=usr/lib/libdevice.so target=./lib/libdevice.so.1
1067 link path=usr/lib/libdevice.so.1 target=./lib/libdevice.so.1
1068 link path=usr/lib/libdevvid.so target=./lib/libdevvid.so.1
1069 link path=usr/lib/libdevvid.so.1 target=./lib/libdevvid.so.1
1070 link path=usr/lib/libdevinfo.so target=./lib/libdevinfo.so.1
1071 link path=usr/lib/libdevinfo.so.1 target=./lib/libdevinfo.so.1
1072 link path=usr/lib/libdhcpgent.so.1 target=./lib/libdhcpgent.so.1
1073 link path=usr/lib/libdhcputil.so.1 target=./lib/libdhcputil.so.1
1074 link path=usr/lib/libdisasm.so target=./libdisasm.so.1
1075 link path=usr/lib/libdl.so target=./lib/libdl.so.1
1076 link path=usr/lib/libdl.so.1 target=./lib/libdl.so.1
1077 link path=usr/lib/libdlpi.so target=./lib/libdlpi.so.1
1078 link path=usr/lib/libdlpi.so.1 target=./lib/libdlpi.so.1
1079 link path=usr/lib/libdoor.so target=./lib/libdoor.so.1
1080 link path=usr/lib/libdoor.so.1 target=./lib/libdoor.so.1
1081 link path=usr/lib/libefi.so target=./lib/libefi.so.1
1082 link path=usr/lib/libefi.so.1 target=./lib/libefi.so.1
1083 link path=usr/lib/libelf.so target=./lib/libelf.so.1
1084 link path=usr/lib/libelf.so.1 target=./lib/libelf.so.1
1085 link path=usr/lib/libexacct.so target=./libexacct.so.1

```

```

1086 $(i386_ONLY)link path=usr/lib/libfdisk.so target=./lib/libfdisk.so.1
1087 $(i386_ONLY)link path=usr/lib/libfdisk.so.1 target=./lib/libfdisk.so.1
1088 link path=usr/lib/libform.so target=./libform.so.1
1089 link path=usr/lib/libfstyp.so target=./libfstyp.so.1
1090 link path=usr/lib/libgen.so target=./lib/libgen.so.1
1091 link path=usr/lib/libgen.so.1 target=./lib/libgen.so.1
1092 link path=usr/lib/libhotplug.so target=./libhotplug.so.1
1093 link path=usr/lib/libidmap.so target=./libidmap.so.1
1094 link path=usr/lib/libinetutil.so.1 target=./lib/libinetutil.so.1
1095 link path=usr/lib/libintl.so target=./lib/libintl.so.1
1096 link path=usr/lib/libintl.so.1 target=./lib/libintl.so.1
1097 link path=usr/lib/libipmi.so target=./libipmi.so.1
1098 link path=usr/lib/libipp.so target=./libipp.so.1
1099 link path=usr/lib/libkstat.so target=./lib/libkstat.so.1
1100 link path=usr/lib/libkstat.so.1 target=./lib/libkstat.so.1
1101 link path=usr/lib/libkvm.so target=./libkvm.so.1
1102 link path=usr/lib/libl.so target=./libl.so.1
1103 link path=usr/lib/libldap.so target=libldap.so.5
1104 link path=usr/lib/liblddbg.so.4 target=./lib/liblddbg.so.4
1105 link path=usr/lib/liblgrp.so target=./liblgrp.so.1
1106 link path=usr/lib/liblm.so target=./liblm.so.1
1107 link path=usr/lib/libmail.so target=./libmail.so.1
1108 link path=usr/lib/libmalloc.so target=./libmalloc.so.1
1109 link path=usr/lib/libmapmalloc.so target=./libmapmalloc.so.1
1110 link path=usr/lib/libmd.so target=./lib/libmd.so.1
1111 link path=usr/lib/libmd.so.1 target=./lib/libmd.so.1
1112 link path=usr/lib/libmd5.so target=./lib/libmd5.so.1
1113 link path=usr/lib/libmd5.so.1 target=./lib/libmd5.so.1
1114 link path=usr/lib/libmenu.so target=./libmenu.so.1
1115 link path=usr/lib/libmp.so target=./lib/libmp.so.2
1116 link path=usr/lib/libmp.so.1 target=./lib/libmp.so.1
1117 link path=usr/lib/libmp.so.2 target=./lib/libmp.so.2
1118 link path=usr/lib/libmtmalloc.so target=./libmtmalloc.so.1
1119 link path=usr/lib/libnls.so target=./libnls.so.1
1120 link path=usr/lib/libnls.so target=./lib/libnls.so.1
1121 link path=usr/lib/libnsl.so.1 target=./lib/libnsl.so.1
1122 link path=usr/lib/libnvpair.so target=./lib/libnvpair.so.1
1123 link path=usr/lib/libnvpair.so.1 target=./lib/libnvpair.so.1
1124 link path=usr/lib/libpam.so target=./lib/libpam.so.1
1125 link path=usr/lib/libpam.so.1 target=./lib/libpam.so.1
1126 link path=usr/lib/libpanel.so target=./libpanel.so.1
1127 link path=usr/lib/libpkcs11.so target=./libpkcs11.so.1
1128 link path=usr/lib/libposix4.so target=./lib/librt.so.1
1129 link path=usr/lib/libposix4.so.1 target=./lib/librt.so.1
1130 link path=usr/lib/libproc.so target=./lib/libproc.so.1
1131 link path=usr/lib/libproc.so.1 target=./lib/libproc.so.1
1132 link path=usr/lib/libproject.so target=./libproject.so.1
1133 link path=usr/lib/libpthread.so target=./lib/libpthread.so.1
1134 link path=usr/lib/libpthread.so.1 target=./lib/libpthread.so.1
1135 link path=usr/lib/librcm.so target=./lib/librcm.so.1
1136 link path=usr/lib/librcm.so.1 target=./lib/librcm.so.1
1137 link path=usr/lib/libreparse.so target=./libreparse.so.1
1138 link path=usr/lib/libresolv.so target=./lib/libresolv.so.2
1139 link path=usr/lib/libresolv.so.1 target=./lib/libresolv.so.1
1140 link path=usr/lib/libresolv.so.2 target=./lib/libresolv.so.2
1141 link path=usr/lib/librestart.so.1 target=./lib/librestart.so.1
1142 link path=usr/lib/librpcsvc.so target=./lib/librpcsvc.so.1
1143 link path=usr/lib/librpcsvc.so.1 target=./lib/librpcsvc.so.1
1144 link path=usr/lib/librt.so target=./lib/librt.so.1
1145 link path=usr/lib/librt.so.1 target=./lib/librt.so.1
1146 link path=usr/lib/librtld.so.1 target=./lib/librtld.so.1
1147 link path=usr/lib/librtld_db.so target=./lib/librtld_db.so.1
1148 link path=usr/lib/librtld_db.so.1 target=./lib/librtld_db.so.1
1149 link path=usr/lib/libscf.so target=./lib/libscf.so.1
1150 link path=usr/lib/libscf.so.1 target=./lib/libscf.so.1
1151 link path=usr/lib/libsched.so target=./lib/libsched.so.1

```

```

1152 link path=usr/lib/libsectp.so target=../libsectp.so.1
1153 link path=usr/lib/libsec.so target=../lib/libsec.so.1
1154 link path=usr/lib/libsec.so.1 target=../lib/libsec.so.1
1155 link path=usr/lib/libsecdb.so target=../lib/libsecdb.so.1
1156 link path=usr/lib/libsecdb.so.1 target=../lib/libsecdb.so.1
1157 link path=usr/lib/libsendfile.so target=../lib/libsendfile.so.1
1158 link path=usr/lib/libsendfile.so.1 target=../lib/libsendfile.so.1
1159 link path=usr/lib/libsip.so target=../lib/libsip.so.1
1160 link path=usr/lib/libldap.so target=libldap.so.1
1161 link path=usr/lib/libmbios.so target=libmbios.so.1
1162 link path=usr/lib/libsocket.so target=../lib/libsocket.so.1
1163 link path=usr/lib/libsocket.so.1 target=../lib/libsocket.so.1
1164 link path=usr/lib/libsoftcrypto.so target=../lib/libsoftcrypto.so.1
1165 link path=usr/lib/libsys.so target=../lib/libsys.so.1
1166 link path=usr/lib/libsyssevent.so target=../lib/libsyssevent.so.1
1167 link path=usr/lib/libsyssevent.so.1 target=../lib/libsyssevent.so.1
1168 link path=usr/lib/libtermcap.so target=../lib/libtermcap.so.1
1169 link path=usr/lib/libtermcap.so.1 target=../lib/libtermcap.so.1
1170 link path=usr/lib/libtermmlib.so target=../lib/libtermmlib.so.1
1171 link path=usr/lib/libtermmlib.so.1 target=../lib/libtermmlib.so.1
1172 link path=usr/lib/libthread.so target=../lib/libthread.so.1
1173 link path=usr/lib/libthread.so.1 target=../lib/libthread.so.1
1174 link path=usr/lib/libthread_db.so target=../lib/libthread_db.so.1
1175 link path=usr/lib/libthread_db.so.1 target=../lib/libthread_db.so.1
1176 link path=usr/lib/libtsnet.so target=../lib/libtsnet.so.1
1177 link path=usr/lib/libtsnet.so.1 target=../lib/libtsnet.so.1
1178 link path=usr/lib/libtsol.so target=../lib/libtsol.so.2
1179 link path=usr/lib/libtsol.so.2 target=../lib/libtsol.so.2
1180 link path=usr/lib/libumem.so target=../lib/libumem.so.1
1181 link path=usr/lib/libumem.so.1 target=../lib/libumem.so.1
1182 link path=usr/lib/libuuid.so target=../lib/libuuid.so.1
1183 link path=usr/lib/libuuid.so.1 target=../lib/libuuid.so.1
1184 link path=usr/lib/libutil.so.1 target=../lib/libutil.so.1
1185 $(sparc_ONLY)link path=usr/lib/libv12n.so target=../lib/libv12n.so.1
1186 link path=usr/lib/libvolmgt.so target=../lib/libvolmgt.so.1
1187 link path=usr/lib/libw.so target=../lib/libw.so.1
1188 link path=usr/lib/libw.so.1 target=../lib/libw.so.1
1189 link path=usr/lib/libwrap.so target=libwrap.so.1.0
1190 link path=usr/lib/libwrap.so.1 target=libwrap.so.1.0
1191 link path=usr/lib/libxnet.so target=../lib/libxnet.so.1
1192 link path=usr/lib/libxnet.so.1 target=../lib/libxnet.so.1
1193 link path=usr/lib/liby.so target=../lib/liby.so.1
1194 link path=usr/lib/libzoneinfo.so target=../lib/libzoneinfo.so.1
1195 $(BUILD64)link path=usr/lib/lwp/$(ARCH64)/libthread.so.1 \
1196     target=../$(ARCH64)/libthread.so.1
1197 $(BUILD64)link path=usr/lib/lwp/$(ARCH64)/libthread_db.so.1 \
1198     target=../$(ARCH64)/libthread_db.so.1
1199 link path=usr/lib/lwp/32 target=
1200 $(BUILD64)link path=usr/lib/lwp/64 target=$(ARCH64)
1201 link path=usr/lib/lwp/64 target=$(ARCH64)
1202 link path=usr/lib/lwp/libthread.so.1 target=../libthread.so.1
1203 link path=usr/lib/lwp/libthread_db.so.1 target=../libthread_db.so.1
1204 link path=usr/lib/nss_compat.so.1 target=../lib/nss_compat.so.1
1205 link path=usr/lib/nss_dns.so.1 target=../lib/nss_dns.so.1
1206 link path=usr/lib/nss_files.so.1 target=../lib/nss_files.so.1
1207 link path=usr/lib/nss_nis.so.1 target=../lib/nss_nis.so.1
1208 link path=usr/lib/nss_user.so.1 target=../lib/nss_user.so.1
1209 $(BUILD64)link path=usr/lib/scsi/$(ARCH64)/libscsi.so target=../libscsi.so.1
1210 $(BUILD64)link path=usr/lib/scsi/$(ARCH64)/libsmp.so target=../libsmp.so.1
1211 link path=usr/lib/scsi/$(ARCH64)/libsmp.so target=../libsmp.so.1
1212 link path=usr/lib/scsi/$(ARCH64)/libsmp.so target=../libsmp.so.1
1211 link path=usr/lib/scsi/libscsi.so target=../libscsi.so.1

```

```

1212 link path=usr/lib/scsi/libses.so target=../libses.so.1
1213 link path=usr/lib/scsi/libsmpt.so target=../libsmpt.so.1
1214 $(BUILD64)link path=usr/lib/security/$(ARCH64)/crypt_bsdbsf.so \
1215     target=../crypt_bsdbsf.so.1
1216 $(BUILD64)link path=usr/lib/security/$(ARCH64)/crypt_bsdmd5.so \
1217     target=../crypt_bsdmd5.so.1
1218 link path=usr/lib/security/$(ARCH64)/crypt_bsdbsf.so target=../crypt_bsdbsf.so.1
1219 link path=usr/lib/security/$(ARCH64)/crypt_bsdmd5.so \
1220     target=../crypt_bsdmd5.so.1
1221 link path=usr/lib/security/$(ARCH64)/crypt_sha256.so \
1222     target=../crypt_sha256.so.1
1223 $(BUILD64)link path=usr/lib/security/$(ARCH64)/crypt_sha512.so \
1224     target=../crypt_sha512.so.1
1225 link path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so \
1226     target=../crypt_sunmd5.so.1
1227 link path=usr/lib/security/$(ARCH64)/crypt_sunmd5.so \
1228     target=../crypt_sunmd5.so.1
1229 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_allow.so \
1230     target=../pam_allow.so.1
1231 link path=usr/lib/security/$(ARCH64)/pam_authok_check.so \
1232     target=../pam_authok_check.so.1
1233 link path=usr/lib/security/$(ARCH64)/pam_authok_get.so \
1234     target=../pam_authok_get.so.1
1235 link path=usr/lib/security/$(ARCH64)/pam_authok_store.so \
1236     target=../pam_authok_store.so.1
1237 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_deny.so \
1238     target=../pam_deny.so.1
1239 link path=usr/lib/security/$(ARCH64)/pam_dhkeys.so \
1240     target=../pam_dhkeys.so.1
1241 link path=usr/lib/security/$(ARCH64)/pam_dial_auth.so \
1242     target=../pam_dial_auth.so.1
1243 link path=usr/lib/security/$(ARCH64)/pam_dhkeys.so target=../pam_dhkeys.so.1
1244 link path=usr/lib/security/$(ARCH64)/pam_dial_auth.so \
1245     target=../pam_dial_auth.so.1
1246 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_ldap.so \
1247     target=../pam_ldap.so.1
1248 link path=usr/lib/security/$(ARCH64)/pam_list.so \
1249     target=../pam_list.so.1
1250 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so \
1251     target=../pam_passwd_auth.so.1
1252 link path=usr/lib/security/$(ARCH64)/pam_ldap.so target=../pam_ldap.so.1
1253 link path=usr/lib/security/$(ARCH64)/pam_list.so target=../pam_list.so.1
1254 link path=usr/lib/security/$(ARCH64)/pam_passwd_auth.so \
1255     target=../pam_passwd_auth.so.1
1256 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so \
1257     target=../pam_rhosts_auth.so.1
1258 link path=usr/lib/security/$(ARCH64)/pam_rhosts_auth.so \
1259     target=../pam_rhosts_auth.so.1
1260 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_roles.so \
1261     target=../pam_roles.so.1
1262 link path=usr/lib/security/$(ARCH64)/pam_sample.so \
1263     target=../pam_sample.so.1
1264 link path=usr/lib/security/$(ARCH64)/pam_tsol_account.so \
1265     target=../pam_tsol_account.so.1
1266 link path=usr/lib/security/$(ARCH64)/pam_unix_account.so \
1267     target=../pam_unix_account.so.1
1268 link path=usr/lib/security/$(ARCH64)/pam_unix_auth.so \
1269     target=../pam_unix_auth.so.1
1270 $(BUILD64)link path=usr/lib/security/$(ARCH64)/pam_unix_cred.so \
1271     target=../pam_unix_cred.so.1

```

```

1183 link path=usr/lib/security/${ARCH64}/pam_unix_cred.so \
1257 target=./pam_unix_cred.so.1
1258 $(BUILD64)link path=usr/lib/security/${ARCH64}/pam_unix_session.so \
1185 link path=usr/lib/security/${ARCH64}/pam_unix_session.so \
1259 target=./pam_unix_session.so.1
1260 $(BUILD64)link path=usr/lib/security/${ARCH64}/pkcs11_kernel.so \
1187 link path=usr/lib/security/${ARCH64}/pkcs11_kernel.so \
1261 target=./pkcs11_kernel.so.1
1262 $(BUILD64)link path=usr/lib/security/${ARCH64}/pkcs11_softtoken.so \
1189 link path=usr/lib/security/${ARCH64}/pkcs11_softtoken.so \
1263 target=./pkcs11_softtoken.so.1
1264 $(BUILD64)link path=usr/lib/security/${ARCH64}/pkcs11_tpm.so \
1265 target=./pkcs11_tpm.so.1
1266 $(BUILD64)link path=usr/lib/security/64 target=${ARCH64}
1191 link path=usr/lib/security/${ARCH64}/pkcs11_tpm.so target=./pkcs11_tpm.so.1
1192 link path=usr/lib/security/64 target=${ARCH64}
1267 link path=usr/lib/security/audit_binfile.so target=./audit_binfile.so.1
1268 link path=usr/lib/security/audit_remote.so target=./audit_remote.so.1
1269 link path=usr/lib/security/audit_syslog.so target=./audit_syslog.so.1
1270 link path=usr/lib/security/crypt_bsdbf.so target=./crypt_bsdbf.so.1
1271 link path=usr/lib/security/crypt_bsdmd5.so target=./crypt_bsdmd5.so.1
1272 link path=usr/lib/security/crypt_sha256.so target=./crypt_sha256.so.1
1273 link path=usr/lib/security/crypt_sha512.so target=./crypt_sha512.so.1
1274 link path=usr/lib/security/crypt_sunmd5.so target=./crypt_sunmd5.so.1
1275 link path=usr/lib/security/pam_allow.so target=./pam_allow.so.1
1276 link path=usr/lib/security/pam_authtok_check.so \
1277 target=./pam_authtok_check.so.1
1278 link path=usr/lib/security/pam_authtok_get.so target=./pam_authtok_get.so.1
1279 link path=usr/lib/security/pam_authtok_store.so \
1280 target=./pam_authtok_store.so.1
1281 link path=usr/lib/security/pam_deny.so target=./pam_deny.so.1
1282 link path=usr/lib/security/pam_dhkeys.so target=./pam_dhkeys.so.1
1283 link path=usr/lib/security/pam_dial_auth.so target=./pam_dial_auth.so.1
1284 link path=usr/lib/security/pam_ldap.so target=./pam_ldap.so.1
1285 link path=usr/lib/security/pam_list.so target=./pam_list.so.1
1286 link path=usr/lib/security/pam_passwd_auth.so target=./pam_passwd_auth.so.1
1287 link path=usr/lib/security/pam_rhosts_auth.so target=./pam_rhosts_auth.so.1
1288 link path=usr/lib/security/pam_roles.so target=./pam_roles.so.1
1289 link path=usr/lib/security/pam_sample.so target=./pam_sample.so.1
1290 link path=usr/lib/security/pam_tsol_account.so target=./pam_tsol_account.so.1
1291 link path=usr/lib/security/pam_unix_account.so target=./pam_unix_account.so.1
1292 link path=usr/lib/security/pam_unix_auth.so target=./pam_unix_auth.so.1
1293 link path=usr/lib/security/pam_unix_cred.so target=./pam_unix_cred.so.1
1294 link path=usr/lib/security/pam_unix_session.so target=./pam_unix_session.so.1
1295 link path=usr/lib/security/pkcs11_kernel.so target=./pkcs11_kernel.so.1
1296 link path=usr/lib/security/pkcs11_softtoken.so target=./pkcs11_softtoken.so.1
1297 link path=usr/lib/security/pkcs11_tpm.so target=./pkcs11_tpm.so.1
1298 link path=usr/lib/straddr.so target=./straddr.so.2
1299 $(BUILD64)link path=usr/xpg4/lib/${ARCH64}/libcurses.so target=libcurses.so.2
1300 $(BUILD64)link path=usr/xpg4/lib/64 target=${ARCH64}
1225 link path=usr/xpg4/lib/${ARCH64}/libcurses.so target=libcurses.so.2
1226 link path=usr/xpg4/lib/64 target=${ARCH64}
1301 link path=usr/xpg4/lib/libcurses.so target=./libcurses.so.2
1302 #
1303 # libses.so needs to dlopen(3C) plugins from usr/lib/scsi/plugins/ses/vendor/,
1304 # a dependency which cannot be automatically derived
1305 #
1306 depend fmri=system/library/storage/scsi-plugins type=require

```

new/usr/src/pkg/manifests/system-network-console.mf

1

```
*****
3602 Fri Apr 11 13:24:19 2014
new/usr/src/pkg/manifests/system-network-console.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/network-console@$(PKGVERS)
35 set name=pkg.description value="Network Console"
36 set name=pkg.summary value="Network Console"
37 set name=info.classification value=org.opensolaris.category.2008:System/Core
38 set name=variant.arch value=sparc
39 dir path=lib
40 dir path=lib/svc
41 dir path=lib/svc/manifest group=sys
42 dir path=lib/svc/manifest/system group=sys
43 dir path=lib/svc/method
44 dir path=platform group=sys
45 dir path=platform/SUNW,Sun-Fire-15000 group=sys
46 dir path=platform/SUNW,Sun-Fire-15000/kernel group=sys
47 dir path=platform/SUNW,Sun-Fire-15000/kernel/drv group=sys
48 dir path=platform/SUNW,Sun-Fire-15000/kernel/drv/$(ARCH64) group=sys
49 dir path=platform/SUNW,Sun-Fire-15000/lib
50 dir path=platform/SUNW,Ultra-Enterprise-10000 group=sys
51 dir path=platform/SUNW,Ultra-Enterprise-10000/kernel group=sys
52 dir path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv group=sys
53 dir path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv/$(ARCH64) group=sys
54 dir path=platform/SUNW,Ultra-Enterprise-10000/lib
55 dir path=usr/share/man
56 dir path=usr/share/man/man1m
57 dir path=usr/share/man/man7d
58 driver name=cvc perms="* 0600 root sys"
59 driver name=cvcredir perms="* 0600 root sys"
60 file path=lib/svc/manifest/system/cvc.xml group=sys mode=0444
61 file path=lib/svc/method/svc-cvcd mode=0555
```

new/usr/src/pkg/manifests/system-network-console.mf

2

```
62 file path=platform/SUNW,Sun-Fire-15000/kernel/drv/$(ARCH64)/cvc group=sys
63 file path=platform/SUNW,Sun-Fire-15000/kernel/drv/$(ARCH64)/cvcredir group=sys
64 file path=platform/SUNW,Sun-Fire-15000/kernel/drv/cvc.conf group=sys
65 file path=platform/SUNW,Sun-Fire-15000/kernel/drv/cvcredir.conf group=sys
66 file path=platform/SUNW,Sun-Fire-15000/lib/cvcd group=sys mode=0755
67 file path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv/$(ARCH64)/cvc \
68   group=sys
69 file path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv/$(ARCH64)/cvcredir \
70   group=sys
71 file path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv/cvc.conf group=sys
72 file path=platform/SUNW,Ultra-Enterprise-10000/kernel/drv/cvcredir.conf \
73   group=sys
74 file path=platform/SUNW,Ultra-Enterprise-10000/lib/cvcd group=sys mode=0700
75 file path=usr/share/man/man1m/cvcd.1m
76 file path=usr/share/man/man7d/cvc.7d
77 file path=usr/share/man/man7d/cvcredir.7d
78 legacy pkg=SUNWcvc.u arch=$(ARCH).sun4u desc="Network Console" \
79   name="Network Console"
80 legacy pkg=SUNWcvcr.u arch=$(ARCH).sun4u desc="Network Console daemon" \
81   name="Network Console daemon"
82 license cr_Sun license=cr_Sun
83 license lic_CDDL license=lic_CDDL
```

```

*****
4615 Fri Apr 11 13:24:20 2014
new/usr/src/pkg/manifests/system-network-http-cache-accelerator.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 #
30 # The default for payload-bearing actions in this package is to appear in the
31 # global zone only. See the include file for greater detail, as well as
32 # information about overriding the defaults.
33 #
34 <include global_zone_only_component>
35 set name=pkg.fmri value=pkg:/system/network/http-cache-accelerator@$(PKGVERS)
36 set name=pkg.description \
37     value="components to enable the network cache and accelerator"
38 set name=pkg.summary value="Solaris Network Cache and Accelerator"
39 set name=info.classification value=org.opensolaris.category.2008:System/Core
40 set name=variant.arch value=$(ARCH)
41 dir path=etc group=sys
42 dir path=etc/init.d group=sys
43 dir path=etc/nca group=sys
44 dir path=etc/rc0.d group=sys
45 dir path=etc/rc1.d group=sys
46 dir path=etc/rc2.d group=sys
47 dir path=etc/rcS.d group=sys
48 dir path=etc/sock2path.d group=sys
49 dir path=kernel group=sys
50 dir path=kernel/drv group=sys
51 dir path=kernel/drv/$(ARCH64) group=sys
52 dir path=kernel/strmod group=sys
53 dir path=kernel/strmod/$(ARCH64) group=sys
54 dir path=usr group=sys
55 dir path=usr/bin
56 dir path=usr/lib
57 $(BUILD64)dir path=usr/lib/$(ARCH64)
58 dir path=usr/lib/inet
59 dir path=usr/share/man
60 dir path=usr/share/man/man1

```

```

61 dir path=usr/share/man/man1m
62 dir path=usr/share/man/man4
63 driver name=nca
64 file path=etc/init.d/ncakmod group=sys mode=0744 \
65     original_name=SUNWnca:etc/init.d/ncakmod preserve=true
66 file path=etc/init.d/ncalogd group=sys mode=0744 \
67     original_name=SUNWnca:etc/init.d/ncalogd preserve=true
68 file path=etc/nca/nca.if group=sys original_name=SUNWnca:etc/nca/nca.if \
69     preserve=true
70 file path=etc/nca/ncakmod.conf group=sys \
71     original_name=SUNWnca:etc/nca/ncakmod.conf preserve=true
72 file path=etc/nca/ncalogd.conf group=sys \
73     original_name=SUNWnca:etc/nca/ncalogd.conf preserve=true
74 file path=etc/nca/ncaport.conf group=sys \
75     original_name=SUNWnca:etc/nca/ncaport.conf preserve=true
76 file path=etc/sock2path.d/system%2Fnetwork%2Fhttp%2Fcache%2Faccelerator \
77     group=sys
78 file path=kernel/drv/$(ARCH64)/nca group=sys
79 $(i386_ONLY)file path=kernel/drv/nca group=sys
80 file path=kernel/drv/nca.conf group=sys
81 file path=usr/bin/ncab2clf mode=0555
82 $(BUILD64)file path=usr/lib/$(ARCH64)/ncad_addr.so.1
83 file path=usr/lib/$(ARCH64)/ncad_addr.so.1
84 file path=usr/lib/inet/ncaconfd mode=0555
85 file path=usr/lib/ncad_addr.so.1
86 file path=usr/share/man/man1/ncab2clf.1
87 file path=usr/share/man/man1/ncakmod.1
88 file path=usr/share/man/man1m/ncaconfd.1m
89 file path=usr/share/man/man4/nca.if.4
90 file path=usr/share/man/man4/ncad_addr.4
91 file path=usr/share/man/man4/ncakmod.conf.4
92 file path=usr/share/man/man4/ncalogd.conf.4
93 file path=usr/share/man/man4/ncaport.conf.4
94 hardlink path=etc/rc0.d/K34ncalogd target=../etc/init.d/ncalogd
95 hardlink path=etc/rc1.d/K34ncalogd target=../etc/init.d/ncalogd
96 hardlink path=etc/rc2.d/S42ncakmod target=../etc/init.d/ncakmod
97 hardlink path=etc/rc2.d/S94ncalogd target=../etc/init.d/ncalogd
98 hardlink path=etc/rcS.d/K34ncalogd target=../etc/init.d/ncalogd
99 hardlink path=kernel/strmod/$(ARCH64)/nca \
100     target=../kernel/drv/$(ARCH64)/nca
101 $(i386_ONLY)hardlink path=kernel/strmod/nca target=../kernel/drv/nca
102 legacy pkg=SUNWncar \
103     desc="core components to enable the network cache and accelerator" \
104     name="Solaris Network Cache and Accelerator (Root)"
105 legacy pkg=SUNWncau \
106     desc="components to enable the network cache and accelerator" \
107     name="Solaris Network Cache and Accelerator (User)"
108 license cr_Sun license=cr_Sun
109 license lic_CDDL license=lic_CDDL
110 $(BUILD64)link path=usr/lib/$(ARCH64)/ncad_addr.so target=./ncad_addr.so.1
111 link path=usr/lib/$(ARCH64)/ncad_addr.so target=./ncad_addr.so.1
112 link path=usr/lib/ncad_addr.so target=./ncad_addr.so.1
113 link path=usr/share/man/man1/snca.1 target=nca.1

```

```

*****
4384 Fri Apr 11 13:24:20 2014
new/usr/src/pkg/manifests/system-network-ppp.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/network/ppp@$(PKGVERS)
29 set name=pkg.description \
30 value="Device drivers implementing point-to-point protocol (PPP)"
31 set name=pkg.summary value="Solaris PPP Device Drivers"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Drivers/Networking
34 set name=variant.arch value=$(ARCH)
35 dir path=etc group=sys
36 dir path=etc/init.d group=sys
37 dir path=etc/ppp group=sys
38 dir path=etc/ppp/peers group=sys
39 dir path=etc/ppp/plugins group=sys
40 dir path=etc/rc0.d group=sys
41 dir path=etc/rc1.d group=sys
42 dir path=etc/rc2.d group=sys
43 dir path=etc/rcS.d group=sys
44 dir path=usr group=sys
45 dir path=usr/bin
46 dir path=usr/kernel group=sys
47 dir path=usr/kernel/drv group=sys
48 dir path=usr/kernel/drv/$(ARCH64) group=sys
49 dir path=usr/kernel/strmod group=sys
50 dir path=usr/kernel/strmod/$(ARCH64) group=sys
51 dir path=usr/sbin
52 dir path=usr/share/man
53 dir path=usr/share/man/man1m
54 dir path=usr/share/man/man7m
55 driver name=sppptun
56 driver name=sppstun
57 file path=etc/init.d/pppd group=sys mode=0744 \
58 original_name=SUNWpppd:etc/init.d/pppd preserve=true
59 file path=etc/ppp/chap-secrets group=sys mode=0600 \
60 original_name=SUNWpppd:etc/ppp/chap-secrets preserve=true
61 file path=etc/ppp/myisp-chat.tmpl group=sys

```

```

62 file path=etc/ppp/options.tmpl group=sys
63 file path=etc/ppp/options.ttya.tmpl group=sys
64 file path=etc/ppp/pap-secrets group=sys mode=0600 \
65 original_name=SUNWpppd:etc/ppp/pap-secrets preserve=true
66 file path=etc/ppp/peers/myisp.tmpl group=sys
67 file path=usr/bin/chat mode=0555
68 file path=usr/bin/pppd mode=4555
69 file path=usr/bin/pppstats mode=0555
70 file path=usr/kernel/drv/$(ARCH64)/sppp group=sys
71 file path=usr/kernel/drv/$(ARCH64)/sppptun group=sys
72 $(i386_ONLY)file path=usr/kernel/drv/sppp group=sys
73 file path=usr/kernel/drv/sppp.conf group=sys
74 $(i386_ONLY)file path=usr/kernel/drv/sppptun group=sys
75 file path=usr/kernel/drv/sppptun.conf group=sys
76 file path=usr/kernel/strmod/$(ARCH64)/spppasyn group=sys mode=0755
77 file path=usr/kernel/strmod/$(ARCH64)/spppcomp group=sys mode=0755
78 $(i386_ONLY)file path=usr/kernel/strmod/spppasyn group=sys mode=0755
79 $(i386_ONLY)file path=usr/kernel/strmod/spppcomp group=sys mode=0755
80 file path=usr/sbin/asppp2pppd mode=0550
81 file path=usr/share/man/man1m/chat.1m
82 file path=usr/share/man/man1m/pppd.1m
83 file path=usr/share/man/man1m/pppstats.1m
84 file path=usr/share/man/man7m/sppptun.7m
85 hardlink path=etc/rc0.d/K50pppd target=../etc/init.d/pppd
86 hardlink path=etc/rc1.d/K50pppd target=../etc/init.d/pppd
87 hardlink path=etc/rc2.d/S47pppd target=../etc/init.d/pppd
88 hardlink path=etc/rcS.d/K50pppd target=../etc/init.d/pppd
89 hardlink path=usr/kernel/strmod/$(ARCH64)/sppptun \
90 target=../drv/$(ARCH64)/sppptun
91 $(i386_ONLY)hardlink path=usr/kernel/strmod/sppptun target=../drv/sppptun
92 legacy pkg=SUNWpppd \
93 desc="Device drivers implementing point-to-point protocol (PPP)" \
94 name="Solaris PPP Device Drivers"
95 legacy pkg=SUNWpppdr \
96 desc="Configuration files for Solaris Point-to-Point Protocol (PPP)" \
97 name="Solaris PPP configuration files"
98 legacy pkg=SUNWpppdu \
99 desc="Daemon and utilities for Point-to-Point Protocol (PPP)" \
100 name="Solaris PPP daemon and utilities"
101 license cr_Sun license=cr_Sun
102 license lic_CDDL license=lic_CDDL
103 license usr/src/cmd/cmd-inet/usr/bin/pppd/THIRDPARTYLICENSE \
104 license=usr/src/cmd/cmd-inet/usr/bin/pppd/THIRDPARTYLICENSE
105 license usr/src/uts/common/io/ppp/THIRDPARTYLICENSE \
106 license=usr/src/uts/common/io/ppp/THIRDPARTYLICENSE

```

new/usr/src/pkg/manifests/system-network-routing-vrrp.mf

1

2115 Fri Apr 11 13:24:20 2014

new/usr/src/pkg/manifests/system-network-routing-vrrp.mf
1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/network/routing/vrrp@$(PKGVERS)
29 set name=pkg.description value="Solaris VRRP protocol service"
30 set name=pkg.summary value="Solaris VRRP protocol"
31 set name=info.classification \
32     value="org.opensolaris.category.2008:System/Administration and Configuration"
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys
35 dir path=etc/inet group=sys
36 dir path=lib
37 dir path=lib/svc
38 dir path=lib/svc/manifest group=sys
39 dir path=lib/svc/manifest/network group=sys
40 dir path=lib/svc/method
41 dir path=usr group=sys
42 dir path=usr/lib
43 $(BUILD64)dir path=usr/lib/$(ARCH64)
44 dir path=usr/lib/$(ARCH64)
44 dir path=usr/lib/inet
45 dir path=usr/sbin
46 file path=etc/inet/vrrp.conf group=sys
47 file path=lib/svc/manifest/network/vrrp.xml group=sys mode=0444
48 file path=lib/svc/method/svc-vrrp mode=0555
49 $(BUILD64)file path=usr/lib/$(ARCH64)/libvrrpadm.so.1
50 file path=usr/lib/$(ARCH64)/libvrrpadm.so.1
50 file path=usr/lib/inet/vrrpd mode=0555
51 file path=usr/lib/libvrrpadm.so.1
52 file path=usr/sbin/vrrpadm mode=0555
53 legacy pkg=SUNWvrrpr desc="Solaris VRRP Administration" \
54     name="Solaris VRRP protocol (Root)"
55 legacy pkg=SUNWvrrpu desc="Solaris VRRP Administration" \
56     name="Solaris VRRP protocol (Usr)"
57 license cr_Sun license=cr_Sun
58 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-network-udapl-udapl-tavor.mf

1

```
*****
2669 Fri Apr 11 13:24:20 2014
new/usr/src/pkg/manifests/system-network-udapl-udapl-tavor.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/network/udapl/udapl-tavor@$(PKGVERS)
35 set name=pkg.description value="Sun uDAPL provider for Tavor"
36 set name=pkg.summary value="Sun uDAPL for Tavor (User)"
37 set name=info.classification \
38     value=org.opensolaris.category.2008:System/Hardware
39 set name=variant.arch value=$(ARCH)
40 dir path=etc group=sys
41 dir path=etc/init.d group=sys
42 dir path=etc/rc2.d group=sys
43 dir path=kernel group=sys
44 dir path=kernel/drv group=sys
45 dir path=kernel/drv/$(ARCH64) group=sys
46 dir path=usr group=sys
47 dir path=usr/lib
48 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
49 dir path=usr/share
50 dir path=usr/share/dat group=sys
51 driver name=daplt perms="* 0644 root sys"
52 file path=etc/init.d/dodatadm.udaplt group=sys mode=0744 \
53     original_name=SUNWudaplt:etc/init.d/dodatadm.udaplt preserve=true
54 file path=kernel/drv/$(ARCH64)/daplt group=sys
55 $(i386_ONLY)file path=kernel/drv/daplt group=sys
56 file path=kernel/drv/daplt.conf group=sys
57 $(BUILD64)file path=usr/lib/$(ARCH64)/udapl_tavor.so.1
33 file path=usr/lib/$(ARCH64)/udapl_tavor.so.1
58 file path=usr/lib/udapl_tavor.so.1
59 file path=usr/share/dat/SUNWudaplt.conf group=sys mode=0644
```

new/usr/src/pkg/manifests/system-network-udapl-udapl-tavor.mf

2

```
60 hardlink path=etc/rc2.d/S81dodatadm.udaplt \
61     target=../../etc/init.d/dodatadm.udaplt
62 legacy pkg=SUNWudapltr \
63     desc="Sun uDAPL provider for Tavor driver and registration script" \
64     name="Sun uDAPL for Tavor (Root)"
65 legacy pkg=SUNWudapltu desc="Sun uDAPL provider for Tavor" \
66     name="Sun uDAPL for Tavor (User)"
67 license cr_Sun license=cr_Sun
68 license lic_OSBL license=lic_OSBL
69 license lic_OSBL_preamble license=lic_OSBL_preamble
```


new/usr/src/pkg/manifests/system-network-udapl.mf

1

```
*****
6551 Fri Apr 11 13:24:20 2014
new/usr/src/pkg/manifests/system-network-udapl.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 #
29 # The default for payload-bearing actions in this package is to appear in the
30 # global zone only. See the include file for greater detail, as well as
31 # information about overriding the defaults.
32 #
33 <include global_zone_only_component>
34 set name=pkg.fmri value=pkg:/system/network/udapl@$(PKGVERS)
35 set name=pkg.description value="Sun DAT registry library and datadm"
36 set name=pkg.summary value="Sun User Direct Access Programming Library (User)"
37 set name=info.classification \
38     value=org.opensolaris.category.2008:System/Libraries
39 set name=variant.arch value=$(ARCH)
40 dir path=etc group=sys
41 dir path=etc/dat group=sys
42 dir path=usr group=sys
43 dir path=usr/lib
44 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
45 dir path=usr/sbin
46 dir path=usr/share/man
47 dir path=usr/share/man/man1m
48 dir path=usr/share/man/man3dat
49 dir path=usr/share/man/man3lib
50 dir path=usr/share/man/man4
51 file path=etc/dat/dat.conf group=sys original_name=SUNWudapl:etc/dat/dat.conf \
52     preserve=true
53 $(BUILD64)file path=usr/lib/$(ARCH64)/libdat.so.1
54 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-ldat.ln
33 file path=usr/lib/$(ARCH64)/libdat.so.1
34 file path=usr/lib/$(ARCH64)/llib-ldat.ln
55 file path=usr/lib/libdat.so.1
56 file path=usr/lib/llib-ldat
57 file path=usr/lib/llib-ldat.ln
58 file path=usr/sbin/datadm mode=0555
```

new/usr/src/pkg/manifests/system-network-udapl.mf

2

```
59 file path=usr/share/man/man1m/datadm.lm
60 file path=usr/share/man/man3dat/dat_cno_create.3dat
61 file path=usr/share/man/man3dat/dat_cno_free.3dat
62 file path=usr/share/man/man3dat/dat_cno_modify_agent.3dat
63 file path=usr/share/man/man3dat/dat_cno_query.3dat
64 file path=usr/share/man/man3dat/dat_cno_wait.3dat
65 file path=usr/share/man/man3dat/dat_cr_accept.3dat
66 file path=usr/share/man/man3dat/dat_cr_handoff.3dat
67 file path=usr/share/man/man3dat/dat_cr_query.3dat
68 file path=usr/share/man/man3dat/dat_cr_reject.3dat
69 file path=usr/share/man/man3dat/dat_ep_connect.3dat
70 file path=usr/share/man/man3dat/dat_ep_create.3dat
71 file path=usr/share/man/man3dat/dat_ep_create_with_srq.3dat
72 file path=usr/share/man/man3dat/dat_ep_disconnect.3dat
73 file path=usr/share/man/man3dat/dat_ep_dup_connect.3dat
74 file path=usr/share/man/man3dat/dat_ep_free.3dat
75 file path=usr/share/man/man3dat/dat_ep_get_status.3dat
76 file path=usr/share/man/man3dat/dat_ep_modify.3dat
77 file path=usr/share/man/man3dat/dat_ep_post_rdma_read.3dat
78 file path=usr/share/man/man3dat/dat_ep_post_rdma_write.3dat
79 file path=usr/share/man/man3dat/dat_ep_post_recv.3dat
80 file path=usr/share/man/man3dat/dat_ep_post_send.3dat
81 file path=usr/share/man/man3dat/dat_ep_query.3dat
82 file path=usr/share/man/man3dat/dat_ep_recv_query.3dat
83 file path=usr/share/man/man3dat/dat_ep_reset.3dat
84 file path=usr/share/man/man3dat/dat_ep_set_watermark.3dat
85 file path=usr/share/man/man3dat/dat_evd_clear_unwaitable.3dat
86 file path=usr/share/man/man3dat/dat_evd_dequeue.3dat
87 file path=usr/share/man/man3dat/dat_evd_disable.3dat
88 file path=usr/share/man/man3dat/dat_evd_enable.3dat
89 file path=usr/share/man/man3dat/dat_evd_free.3dat
90 file path=usr/share/man/man3dat/dat_evd_modify_cno.3dat
91 file path=usr/share/man/man3dat/dat_evd_post_se.3dat
92 file path=usr/share/man/man3dat/dat_evd_query.3dat
93 file path=usr/share/man/man3dat/dat_evd_resize.3dat
94 file path=usr/share/man/man3dat/dat_evd_set_unwaitable.3dat
95 file path=usr/share/man/man3dat/dat_evd_wait.3dat
96 file path=usr/share/man/man3dat/dat_get_consumer_context.3dat
97 file path=usr/share/man/man3dat/dat_get_handle_type.3dat
98 file path=usr/share/man/man3dat/dat_ia_close.3dat
99 file path=usr/share/man/man3dat/dat_ia_open.3dat
100 file path=usr/share/man/man3dat/dat_ia_query.3dat
101 file path=usr/share/man/man3dat/dat_lmr_create.3dat
102 file path=usr/share/man/man3dat/dat_lmr_free.3dat
103 file path=usr/share/man/man3dat/dat_lmr_query.3dat
104 file path=usr/share/man/man3dat/dat_lmr_sync_rdma_read.3dat
105 file path=usr/share/man/man3dat/dat_lmr_sync_rdma_write.3dat
106 file path=usr/share/man/man3dat/dat_provider_fini.3dat
107 file path=usr/share/man/man3dat/dat_provider_init.3dat
108 file path=usr/share/man/man3dat/dat_psp_create.3dat
109 file path=usr/share/man/man3dat/dat_psp_create_any.3dat
110 file path=usr/share/man/man3dat/dat_psp_free.3dat
111 file path=usr/share/man/man3dat/dat_psp_query.3dat
112 file path=usr/share/man/man3dat/dat_pz_create.3dat
113 file path=usr/share/man/man3dat/dat_pz_free.3dat
114 file path=usr/share/man/man3dat/dat_pz_query.3dat
115 file path=usr/share/man/man3dat/dat_registry_add_provider.3dat
116 file path=usr/share/man/man3dat/dat_registry_list_providers.3dat
117 file path=usr/share/man/man3dat/dat_registry_remove_provider.3dat
118 file path=usr/share/man/man3dat/dat_rmr_bind.3dat
119 file path=usr/share/man/man3dat/dat_rmr_create.3dat
120 file path=usr/share/man/man3dat/dat_rmr_free.3dat
121 file path=usr/share/man/man3dat/dat_rmr_query.3dat
122 file path=usr/share/man/man3dat/dat_rsp_create.3dat
123 file path=usr/share/man/man3dat/dat_rsp_free.3dat
124 file path=usr/share/man/man3dat/dat_rsp_query.3dat
```

```
125 file path=usr/share/man/man3dat/dat_set_consumer_context.3dat
126 file path=usr/share/man/man3dat/dat_srq_create.3dat
127 file path=usr/share/man/man3dat/dat_srq_free.3dat
128 file path=usr/share/man/man3dat/dat_srq_post_rcv.3dat
129 file path=usr/share/man/man3dat/dat_srq_query.3dat
130 file path=usr/share/man/man3dat/dat_srq_resize.3dat
131 file path=usr/share/man/man3dat/dat_srq_set_lw.3dat
132 file path=usr/share/man/man3dat/dat_sterror.3dat
133 file path=usr/share/man/man3lib/libdat.3lib
134 file path=usr/share/man/man4/dat.conf.4
135 legacy pkg=SUNWudapl desc="DAT static registry file" \
136     name="Sun User Direct Access Programming Library (Root)"
137 legacy pkg=SUNWudaplu desc="Sun DAT registry library and datadm" \
138     name="Sun User Direct Access Programming Library (User)"
139 license cr_Sun license=cr_Sun
140 license lic_CDDL license=lic_CDDL
141 $(BUILD64)link path=usr/lib/$(ARCH64)/libdat.so target=libdat.so.1
142 link path=usr/lib/$(ARCH64)/libdat.so target=libdat.so.1
```

new/usr/src/pkg/manifests/system-remote-shared-memory.mf

1

```
*****
5828 Fri Apr 11 13:24:21 2014
new/usr/src/pkg/manifests/system-remote-shared-memory.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/system/remote-shared-memory@$(PKGVERS)
30 set name=pkg.description value="Remote Shared Memory API Library, Driver"
31 set name=pkg.summary value="Remote Shared Memory"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/kernel group=sys
36 dir path=usr/kernel/drv group=sys
37 dir path=usr/kernel/drv/$(ARCH64) group=sys
38 dir path=usr/lib
39 $(BUILD64)dir path=usr/lib/$(ARCH64)
40 dir path=usr/share/man
41 dir path=usr/share/man/man3lib
42 dir path=usr/share/man/man3rsm
43 driver name=rsm perms="* 0666 root sys"
44 file path=usr/kernel/drv/$(ARCH64)/rsm group=sys
45 $(i386_ONLY)file path=usr/kernel/drv/rsm group=sys
46 file path=usr/kernel/drv/rsm.conf group=sys
47 $(BUILD64)file path=usr/lib/$(ARCH64)/librsm.so.2
48 file path=usr/lib/$(ARCH64)/librsm.so.2
49 file path=usr/share/man/man3lib/librsm.3lib
50 file path=usr/share/man/man3rsm/rsm_create_localmemory_handle.3rsm
51 file path=usr/share/man/man3rsm/rsm_get_controller.3rsm
52 file path=usr/share/man/man3rsm/rsm_get_interconnect_topology.3rsm
53 file path=usr/share/man/man3rsm/rsm_get_segmentid_range.3rsm
54 file path=usr/share/man/man3rsm/rsm_intr_signal_post.3rsm
55 file path=usr/share/man/man3rsm/rsm_intr_signal_wait_pollfd.3rsm
56 file path=usr/share/man/man3rsm/rsm_memseg_export_create.3rsm
57 file path=usr/share/man/man3rsm/rsm_memseg_export_publish.3rsm
58 file path=usr/share/man/man3rsm/rsm_memseg_get_pollfd.3rsm
59 file path=usr/share/man/man3rsm/rsm_memseg_import_connect.3rsm
```

new/usr/src/pkg/manifests/system-remote-shared-memory.mf

2

```
60 file path=usr/share/man/man3rsm/rsm_memseg_import_get.3rsm
61 file path=usr/share/man/man3rsm/rsm_memseg_import_init_barrier.3rsm
62 file path=usr/share/man/man3rsm/rsm_memseg_import_map.3rsm
63 file path=usr/share/man/man3rsm/rsm_memseg_import_open_barrier.3rsm
64 file path=usr/share/man/man3rsm/rsm_memseg_import_put.3rsm
65 file path=usr/share/man/man3rsm/rsm_memseg_import_putv.3rsm
66 file path=usr/share/man/man3rsm/rsm_memseg_import_set_mode.3rsm
67 legacy pkg=SUNWwrm desc="Remote Shared Memory API Library, Driver" \
68     name="Remote Shared Memory"
69 license cr_Sun license=cr_Sun
70 license lic_CDDL license=lic_CDDL
71 $(BUILD64)link path=usr/lib/$(ARCH64)/librsm.so target=librsm.so.2
72 link path=usr/lib/$(ARCH64)/librsm.so target=librsm.so.2
73 link path=usr/share/man/man3rsm/rsm_free_interconnect_topology.3rsm \
74     target=rsm_get_interconnect_topology.3rsm
75 link path=usr/share/man/man3rsm/rsm_free_localmemory_handle.3rsm \
76     target=rsm_create_localmemory_handle.3rsm
77 link path=usr/share/man/man3rsm/rsm_get_controller_attr.3rsm \
78     target=rsm_get_controller.3rsm
79 link path=usr/share/man/man3rsm/rsm_intr_signal_wait.3rsm \
80     target=rsm_intr_signal_post.3rsm
81 link path=usr/share/man/man3rsm/rsm_memseg_export_destroy.3rsm \
82     target=rsm_memseg_export_create.3rsm
83 link path=usr/share/man/man3rsm/rsm_memseg_export_rebind.3rsm \
84     target=rsm_memseg_export_create.3rsm
85 link path=usr/share/man/man3rsm/rsm_memseg_export_republish.3rsm \
86     target=rsm_memseg_export_publish.3rsm
87 link path=usr/share/man/man3rsm/rsm_memseg_export_unpublish.3rsm \
88     target=rsm_memseg_export_publish.3rsm
89 link path=usr/share/man/man3rsm/rsm_memseg_import_close_barrier.3rsm \
90     target=rsm_memseg_import_open_barrier.3rsm
91 link path=usr/share/man/man3rsm/rsm_memseg_import_destroy_barrier.3rsm \
92     target=rsm_memseg_import_init_barrier.3rsm
93 link path=usr/share/man/man3rsm/rsm_memseg_import_disconnect.3rsm \
94     target=rsm_memseg_import_connect.3rsm
95 link path=usr/share/man/man3rsm/rsm_memseg_import_get16.3rsm \
96     target=rsm_memseg_import_get.3rsm
97 link path=usr/share/man/man3rsm/rsm_memseg_import_get32.3rsm \
98     target=rsm_memseg_import_get.3rsm
99 link path=usr/share/man/man3rsm/rsm_memseg_import_get64.3rsm \
100     target=rsm_memseg_import_get.3rsm
101 link path=usr/share/man/man3rsm/rsm_memseg_import_get8.3rsm \
102     target=rsm_memseg_import_get.3rsm
103 link path=usr/share/man/man3rsm/rsm_memseg_import_get_mode.3rsm \
104     target=rsm_memseg_import_set_mode.3rsm
105 link path=usr/share/man/man3rsm/rsm_memseg_import_getv.3rsm \
106     target=rsm_memseg_import_putv.3rsm
107 link path=usr/share/man/man3rsm/rsm_memseg_import_order_barrier.3rsm \
108     target=rsm_memseg_import_open_barrier.3rsm
109 link path=usr/share/man/man3rsm/rsm_memseg_import_put16.3rsm \
110     target=rsm_memseg_import_put.3rsm
111 link path=usr/share/man/man3rsm/rsm_memseg_import_put32.3rsm \
112     target=rsm_memseg_import_put.3rsm
113 link path=usr/share/man/man3rsm/rsm_memseg_import_put64.3rsm \
114     target=rsm_memseg_import_put.3rsm
115 link path=usr/share/man/man3rsm/rsm_memseg_import_put8.3rsm \
116     target=rsm_memseg_import_put.3rsm
117 link path=usr/share/man/man3rsm/rsm_memseg_import_unmap.3rsm \
118     target=rsm_memseg_import_map.3rsm
119 link path=usr/share/man/man3rsm/rsm_memseg_release_pollfd.3rsm \
120     target=rsm_memseg_get_pollfd.3rsm
121 link path=usr/share/man/man3rsm/rsm_release_controller.3rsm \
122     target=rsm_get_controller.3rsm
```

new/usr/src/pkg/manifests/system-scheduler-fss.mf

1

1892 Fri Apr 11 13:24:21 2014

new/usr/src/pkg/manifests/system-scheduler-fss.mf

1681 support for BUILD64=# no longer works

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/scheduler/fss@$(PKGVERS)
29 set name=pkg.description value="core software for the fair share scheduler"
30 set name=pkg.summary value="Fair Share Scheduler"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/kernel group=sys
35 dir path=usr/kernel/sched group=sys
36 dir path=usr/kernel/sched/$(ARCH64) group=sys
37 dir path=usr/lib
38 dir path=usr/lib/class
39 dir path=usr/lib/class/FSS
40 dir path=usr/share/man
41 dir path=usr/share/man/man7
42 file path=usr/kernel/sched/$(ARCH64)/FSS group=sys mode=0755
43 $(i386_ONLY)file path=usr/kernel/sched/FSS group=sys mode=0755
44 file path=usr/lib/class/FSS/FSSdispadm mode=0555
45 file path=usr/lib/class/FSS/FSSprioctl mode=0555
46 file path=usr/share/man/man7/FSS.7
47 legacy pkg=SUNWfss desc="core software for the fair share scheduler" \
48     name="Fair Share Scheduler"
49 license cr_Sun license=cr_Sun
50 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/system-storage-sasinfo.mf

1

```
*****
6378 Fri Apr 11 13:24:21 2014
new/usr/src/pkg/manifests/system-storage-sasinfo.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 #
30 # The default for payload-bearing actions in this package is to appear in the
31 # global zone only. See the include file for greater detail, as well as
32 # information about overriding the defaults.
33 #
34 <include global_zone_only_component>
35 set name=pkg.fmri value=pkg:/system/storage/sasinfo@$(PKGVERS)
36 set name=pkg.description \
37 value="T11 Storage Management HBA API Libraries and CLI"
38 set name=pkg.summary value="SM-HBA Libraries and CLI"
39 set name=info.classification \
40 value=org.opensolaris.category.2008:System/Libraries
41 set name=variant.arch value=$(ARCH)
42 dir path=etc group=sys
43 dir path=usr group=sys
44 dir path=usr/include
45 dir path=usr/lib
46 $(BUILD64)dir path=usr/lib/$(ARCH64)
47 dir path=usr/sbin
48 dir path=usr/share/man
49 dir path=usr/share/man/man1m
50 dir path=usr/share/man/man3lib
51 dir path=usr/share/man/man4
52 file path=etc/smhba.conf group=sys original_name=SUNWsmhba:etc/smhba.conf \
53 preserve=true
54 file path=usr/include/smhbaapi.h
55 $(BUILD64)file path=usr/lib/$(ARCH64)/libSMHBAAPI.so.1
56 $(BUILD64)file path=usr/lib/$(ARCH64)/libsun_sas.so.1
57 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-LSMHBAAPI.ln
34 file path=usr/lib/$(ARCH64)/libSMHBAAPI.so.1
35 file path=usr/lib/$(ARCH64)/libsun_sas.so.1
36 file path=usr/lib/$(ARCH64)/llib-LSMHBAAPI.ln
```

new/usr/src/pkg/manifests/system-storage-sasinfo.mf

2

```
58 file path=usr/lib/libSMHBAAPI.so.1
59 file path=usr/lib/libsun_sas.so.1
60 file path=usr/lib/llib-LSMHBAAPI
61 file path=usr/lib/llib-LSMHBAAPI.ln
62 file path=usr/sbin/sasinfo mode=0555
63 file path=usr/share/man/man1m/sasinfo.lm
64 file path=usr/share/man/man3lib/libSMHBAAPI.3lib
65 file path=usr/share/man/man4/smhba.conf.4
66 legacy pkg=SUNWsmhba desc="T11 Storage Management HBA API Libraries and CLI" \
67 name="SM-HBA Libraries and CLI"
68 legacy pkg=SUNWsmhbar \
69 desc="T11 Storage Management HBA API Libraries and CLI (root)" \
70 name="SM-HBA Libraries and CLI (root)"
71 license cr_Sun license=cr_Sun
72 license lic_CDDL license=lic_CDDL
73 license usr/src/lib/smhba/THIRDPARTYLICENSE \
74 license=usr/src/lib/smhba/THIRDPARTYLICENSE
75 $(BUILD64)link path=usr/lib/$(ARCH64)/libSMHBAAPI.so target=libSMHBAAPI.so.1
76 $(BUILD64)link path=usr/lib/$(ARCH64)/libsun_sas.so target=libsun_sas.so.1
54 link path=usr/lib/$(ARCH64)/libSMHBAAPI.so target=libSMHBAAPI.so.1
55 link path=usr/lib/$(ARCH64)/libsun_sas.so target=libsun_sas.so.1
77 link path=usr/lib/libSMHBAAPI.so target=libSMHBAAPI.so.1
78 link path=usr/lib/libsun_sas.so target=libsun_sas.so.1
79 link path=usr/share/man/man3lib/SMHBA_GetAdapterAttributes.3lib \
80 target=libSMHBAAPI.3lib
81 link path=usr/share/man/man3lib/SMHBA_GetAdapterPortAttributes.3lib \
82 target=libSMHBAAPI.3lib
83 link path=usr/share/man/man3lib/SMHBA_GetBindingCapability.3lib \
84 target=libSMHBAAPI.3lib
85 link path=usr/share/man/man3lib/SMHBA_GetBindingSupport.3lib \
86 target=libSMHBAAPI.3lib
87 link path=usr/share/man/man3lib/SMHBA_GetDiscoveredPortAttributes.3lib \
88 target=libSMHBAAPI.3lib
89 link path=usr/share/man/man3lib/SMHBA_GetFCPhyAttributes.3lib \
90 target=libSMHBAAPI.3lib
91 link path=usr/share/man/man3lib/SMHBA_GetLUNStatistics.3lib \
92 target=libSMHBAAPI.3lib
93 link path=usr/share/man/man3lib/SMHBA_GetNumberOfPorts.3lib \
94 target=libSMHBAAPI.3lib
95 link path=usr/share/man/man3lib/SMHBA_GetPersistentBinding.3lib \
96 target=libSMHBAAPI.3lib
97 link path=usr/share/man/man3lib/SMHBA_GetPhyStatistics.3lib \
98 target=libSMHBAAPI.3lib
99 link path=usr/share/man/man3lib/SMHBA_GetPortAttributesByWWN.3lib \
100 target=libSMHBAAPI.3lib
101 link path=usr/share/man/man3lib/SMHBA_GetPortType.3lib target=libSMHBAAPI.3lib
102 link path=usr/share/man/man3lib/SMHBA_GetProtocolStatistics.3lib \
103 target=libSMHBAAPI.3lib
104 link path=usr/share/man/man3lib/SMHBA_GetSASPhyAttributes.3lib \
105 target=libSMHBAAPI.3lib
106 link path=usr/share/man/man3lib/SMHBA_GetTargetMapping.3lib \
107 target=libSMHBAAPI.3lib
108 link path=usr/share/man/man3lib/SMHBA_GetVendorLibraryAttributes.3lib \
109 target=libSMHBAAPI.3lib
110 link path=usr/share/man/man3lib/SMHBA_GetVersion.3lib target=libSMHBAAPI.3lib
111 link path=usr/share/man/man3lib/SMHBA_GetWrapperLibraryAttributes.3lib \
112 target=libSMHBAAPI.3lib
113 link path=usr/share/man/man3lib/SMHBA_RegisterForAdapterAddEvents.3lib \
114 target=libSMHBAAPI.3lib
115 link path=usr/share/man/man3lib/SMHBA_RegisterForAdapterEvents.3lib \
116 target=libSMHBAAPI.3lib
117 link path=usr/share/man/man3lib/SMHBA_RegisterForAdapterPhyStatEvents.3lib \
118 target=libSMHBAAPI.3lib
119 link path=usr/share/man/man3lib/SMHBA_RegisterForAdapterPortEvents.3lib \
120 target=libSMHBAAPI.3lib
121 link path=usr/share/man/man3lib/SMHBA_RegisterForAdapterPortStatEvents.3lib \
```

```
122     target=libSMHBAAPI.3lib
123 link path=usr/share/man/man3lib/SMHBA_RegisterForTargetEvents.3lib \
124     target=libSMHBAAPI.3lib
125 link path=usr/share/man/man3lib/SMHBA_RegisterLibrary.3lib \
126     target=libSMHBAAPI.3lib
127 link path=usr/share/man/man3lib/SMHBA_RemoveAllPersistentBindings.3lib \
128     target=libSMHBAAPI.3lib
129 link path=usr/share/man/man3lib/SMHBA_RemovePersistentBinding.3lib \
130     target=libSMHBAAPI.3lib
131 link path=usr/share/man/man3lib/SMHBA_ScsiInquiry.3lib target=libSMHBAAPI.3lib
132 link path=usr/share/man/man3lib/SMHBA_ScsiReadCapacity.3lib \
133     target=libSMHBAAPI.3lib
134 link path=usr/share/man/man3lib/SMHBA_ScsiReportLuns.3lib \
135     target=libSMHBAAPI.3lib
136 link path=usr/share/man/man3lib/SMHBA_SendECHO.3lib target=libSMHBAAPI.3lib
137 link path=usr/share/man/man3lib/SMHBA_SendSMPPassThru.3lib \
138     target=libSMHBAAPI.3lib
139 link path=usr/share/man/man3lib/SMHBA_SendTEST.3lib target=libSMHBAAPI.3lib
140 link path=usr/share/man/man3lib/SMHBA_SetBindingSupport.3lib \
141     target=libSMHBAAPI.3lib
142 link path=usr/share/man/man3lib/SMHBA_SetPersistentBinding.3lib \
143     target=libSMHBAAPI.3lib
144 link path=usr/share/man/man3lib/libsmhbaapi.3lib target=libSMHBAAPI.3lib
```

new/usr/src/pkg/manifests/system-tnf.mf

1

```
*****
3100 Fri Apr 11 13:24:21 2014
new/usr/src/pkg/manifests/system-tnf.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/tnf@$(PKGVERS)
29 set name=pkg.description \
30 value="utilities needed to enable probe points, in the kernel and in applica
31 set name=pkg.summary value="TNF Core Components"
32 set name=info.classification \
33 value=org.opensolaris.category.2008:Development/System
34 set name=variant.arch value=$(ARCH)
35 dir path=usr group=sys
36 dir path=usr/bin
37 dir path=usr/bin/$(ARCH32)
38 $(BUILD64)dir path=usr/bin/$(ARCH64)
39 dir path=usr/include
40 dir path=usr/include/tnf
41 dir path=usr/kernel group=sys
42 dir path=usr/kernel/drv group=sys
43 dir path=usr/kernel/drv/$(ARCH64) group=sys
44 dir path=usr/lib
45 $(BUILD64)dir path=usr/lib/$(ARCH64)
46 dir path=usr/lib/$(ARCH64)
47 dir path=usr/share/man/man1
48 dir path=usr/share/man/man3lib
49 driver name=tnf perms="tnfctl 0600 root sys" perms="tnfmap 0600 root sys"
50 file path=usr/bin/$(ARCH32)/prex mode=0555
51 $(i386_ONLY)file path=usr/bin/$(ARCH32)/tnfextract mode=0555
52 $(BUILD64)file path=usr/bin/$(ARCH64)/prex mode=0555
53 $(BUILD64)file path=usr/bin/$(ARCH64)/tnfextract mode=0555
54 file path=usr/bin/$(ARCH64)/prex mode=0555
55 file path=usr/bin/$(ARCH64)/tnfextract mode=0555
56 file path=usr/include/tnf/tnfctl.h
57 file path=usr/kernel/drv/$(ARCH64)/tnf group=sys
58 $(i386_ONLY)file path=usr/kernel/drv/tnf group=sys
59 file path=usr/kernel/drv/tnf.conf group=sys
60 $(BUILD64)file path=usr/lib/$(ARCH64)/libtnfctl.so.1
```

new/usr/src/pkg/manifests/system-tnf.mf

2

```
58 $(BUILD64)file path=usr/lib/$(ARCH64)/libtnfprobe.so.1
59 file path=usr/lib/$(ARCH64)/libtnfctl.so.1
60 file path=usr/lib/$(ARCH64)/libtnfprobe.so.1
61 file path=usr/lib/libtnfctl.so.1
62 file path=usr/lib/libtnfprobe.so.1
63 file path=usr/share/man/man1/prex.1
64 file path=usr/share/man/man1/tnfextract.1
65 file path=usr/share/man/man3lib/libtnfctl.3lib
66 hardlink path=usr/bin/prex target=../lib/isaexec
67 hardlink path=usr/bin/tnfextract target=../lib/isaexec
68 legacy pkg=SUNWtnfc \
69 desc="utilities needed to enable probe points, in the kernel and in applicat
70 name="TNF Core Components"
71 license cr_Sun license=cr_Sun
72 license lic_CDDL license=lic_CDDL
73 $(BUILD64)link path=usr/lib/$(ARCH64)/libtnfctl.so target=libtnfctl.so.1
74 $(BUILD64)link path=usr/lib/$(ARCH64)/libtnfprobe.so target=libtnfprobe.so.1
75 link path=usr/lib/$(ARCH64)/libtnfctl.so target=libtnfctl.so.1
76 link path=usr/lib/$(ARCH64)/libtnfprobe.so target=libtnfprobe.so.1
77 link path=usr/lib/libtnfctl.so target=../libtnfctl.so.1
78 link path=usr/lib/libtnfprobe.so target=../libtnfprobe.so.1
```

new/usr/src/pkg/manifests/system-zones-brand-s10.mf

1

```
*****
4873 Fri Apr 11 13:24:21 2014
new/usr/src/pkg/manifests/system-zones-brand-s10.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/zones/brand/s10@$(PKGVERS)
29 set name=pkg.description value="Support for the 'Solaris10' Brand"
30 set name=pkg.summary value="Solaris 10 Containers: solaris10 brand support"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Virtualization
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys
35 dir path=etc/brand group=sys
36 dir path=etc/brand/solaris10 group=sys
37 dir path=etc/zones group=sys
38 $(sparc_ONLY)dir path=platform group=sys
39 $(sparc_ONLY)dir path=platform/sun4u group=sys
40 $(sparc_ONLY)dir path=platform/sun4u/kernel group=sys
41 $(sparc_ONLY)dir path=platform/sun4u/kernel/brand group=sys
42 $(sparc_ONLY)dir path=platform/sun4u/kernel/brand/$(ARCH64) group=sys
43 $(sparc_ONLY)dir path=platform/sun4v group=sys
44 $(sparc_ONLY)dir path=platform/sun4v/kernel group=sys
45 $(sparc_ONLY)dir path=platform/sun4v/kernel/brand group=sys
46 $(sparc_ONLY)dir path=platform/sun4v/kernel/brand/$(ARCH64) group=sys
47 dir path=usr group=sys
48 $(i386_ONLY)dir path=usr/kernel group=sys
49 $(i386_ONLY)dir path=usr/kernel/brand group=sys
50 $(i386_ONLY)dir path=usr/kernel/brand/$(ARCH64) group=sys
51 dir path=usr/lib
52 $(BUILD64)dir path=usr/lib/$(ARCH64)
53 dir path=usr/lib/brand
54 dir path=usr/lib/brand/solaris10 group=sys
55 $(BUILD64)dir path=usr/lib/brand/solaris10/$(ARCH64)
56 dir path=usr/lib/brand/solaris10/$(ARCH64)
57 file path=etc/brand/solaris10/pkgrm.conf group=sys \
58     original_name=SUNWws10brand:etc/brand/solaris10/pkgrm.conf preserve=true
59 file path=etc/brand/solaris10/smf_disable.conf group=sys \
60     original_name=SUNWws10brand:etc/brand/solaris10/smf_disable.conf \
```

new/usr/src/pkg/manifests/system-zones-brand-s10.mf

2

```
60     preserve=true
61 file path=etc/zones/SUNWwsolaris10.xml mode=0444
62 $(sparc_ONLY)file path=platform/sun4u/kernel/brand/$(ARCH64)/s10_brand \
63     group=sys mode=0755
64 $(sparc_ONLY)file path=platform/sun4v/kernel/brand/$(ARCH64)/s10_brand \
65     group=sys mode=0755
66 $(i386_ONLY)file path=usr/kernel/brand/$(ARCH64)/s10_brand group=sys mode=0755
67 $(i386_ONLY)file path=usr/kernel/brand/s10_brand group=sys mode=0755
68 $(BUILD64)file path=usr/lib/$(ARCH64)/s10_brand.so.1
69 $(BUILD64)file path=usr/lib/$(ARCH64)/s10_npreload.so.1
70 $(BUILD64)file \
71     path=usr/lib/brand/solaris10/$(ARCH64)/solaris10_librtld_db.so.1
72 file path=usr/lib/brand/solaris10/$(ARCH64)/s10_npreload.so.1
73 file path=usr/lib/brand/solaris10/attach mode=0755
74 file path=usr/lib/brand/solaris10/clone mode=0755
75 file path=usr/lib/brand/solaris10/common.ksh mode=0444
76 file path=usr/lib/brand/solaris10/config.xml mode=0444
77 file path=usr/lib/brand/solaris10/detach mode=0755
78 file path=usr/lib/brand/solaris10/image_install mode=0755
79 file path=usr/lib/brand/solaris10/p2v mode=0755
80 file path=usr/lib/brand/solaris10/pkgrm.lst mode=0444
81 file path=usr/lib/brand/solaris10/postattach mode=0755
82 file path=usr/lib/brand/solaris10/poststate mode=0755
83 file path=usr/lib/brand/solaris10/prestate mode=0755
84 file path=usr/lib/brand/solaris10/preuninstall mode=0755
85 file path=usr/lib/brand/solaris10/s10_boot mode=0755
86 file path=usr/lib/brand/solaris10/s10_isaexec_wrapper mode=0755
87 file path=usr/lib/brand/solaris10/s10_native mode=0755
88 file path=usr/lib/brand/solaris10/s10_net_physical mode=0755
89 file path=usr/lib/brand/solaris10/s10_python_wrapper mode=0755
90 file path=usr/lib/brand/solaris10/s10_replacefile mode=0755
91 file path=usr/lib/brand/solaris10/s10_support mode=0755
92 file path=usr/lib/brand/solaris10/smf_disable.lst mode=0444
93 file path=usr/lib/brand/solaris10/solaris10_librtld_db.so.1
94 file path=usr/lib/brand/solaris10/uninstall mode=0755
95 file path=usr/lib/brand/solaris10/version mode=0444
96 file path=usr/lib/s10_brand.so.1
97 file path=usr/lib/s10_npreload.so.1
98 legacy pkg=SUNWws10brand desc="Support for the 'Solaris10' Brand" \
99     name="Solaris 10 Containers: solaris10 brand support (Root)"
100 legacy pkg=SUNWws10brand desc="Support for the 'solaris10' Brand" \
101     name="Solaris 10 Containers: solaris10 brand support (Usr)"
102 license cr_Sun license=cr_Sun
103 license lic_CDDL license=lic_CDDL
104 $(BUILD64)link path=usr/lib/brand/solaris10/64 target=$(ARCH64)
105 link path=usr/lib/brand/solaris10/64 target=$(ARCH64)
```


new/usr/src/pkg/manifests/system-zones-brand-snl.mf

1

```
*****
3193 Fri Apr 11 13:24:22 2014
new/usr/src/pkg/manifests/system-zones-brand-snl.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/zones/brand/snl@$(PKGVERS)
29 set name=pkg.description value="Support for the Fake Solaris N-1 Brand"
30 set name=pkg.summary value="Fake Solaris N-1 Brand"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:System/Virtualization
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys
35 dir path=etc/zones group=sys
36 $(sparc_ONLY)dir path=platform group=sys
37 $(sparc_ONLY)dir path=platform/sun4u group=sys
38 $(sparc_ONLY)dir path=platform/sun4u/kernel group=sys
39 $(sparc_ONLY)dir path=platform/sun4u/kernel/brand group=sys
40 $(sparc_ONLY)dir path=platform/sun4u/kernel/brand/$(ARCH64) group=sys
41 $(sparc_ONLY)dir path=platform/sun4v group=sys
42 $(sparc_ONLY)dir path=platform/sun4v/kernel group=sys
43 $(sparc_ONLY)dir path=platform/sun4v/kernel/brand group=sys
44 $(sparc_ONLY)dir path=platform/sun4v/kernel/brand/$(ARCH64) group=sys
45 dir path=usr group=sys
46 $(i386_ONLY)dir path=usr/kernel group=sys
47 $(i386_ONLY)dir path=usr/kernel/brand group=sys
48 $(i386_ONLY)dir path=usr/kernel/brand/$(ARCH64) group=sys
49 dir path=usr/lib
50 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
51 dir path=usr/lib/brand
52 dir path=usr/lib/brand/snl group=sys
53 $(BUILD64)dir path=usr/lib/brand/snl/$(ARCH64)
27 dir path=usr/lib/brand/snl/$(ARCH64)
54 file path=etc/zones/SUNWsnl.xml mode=0444
55 $(sparc_ONLY)file path=platform/sun4u/kernel/brand/$(ARCH64)/snl_brand \
56     group=sys mode=0755
57 $(sparc_ONLY)file path=platform/sun4v/kernel/brand/$(ARCH64)/snl_brand \
58     group=sys mode=0755
59 $(i386_ONLY)file path=usr/kernel/brand/$(ARCH64)/snl_brand group=sys mode=0755
```

new/usr/src/pkg/manifests/system-zones-brand-snl.mf

2

```
60 $(i386_ONLY)file path=usr/kernel/brand/snl_brand group=sys mode=0755
61 $(BUILD64)file path=usr/lib/$(ARCH64)/snl_brand.so.1
62 $(BUILD64)file path=usr/lib/brand/snl/$(ARCH64)/snl_librtld_db.so.1
35 file path=usr/lib/$(ARCH64)/snl_brand.so.1
36 file path=usr/lib/brand/snl/$(ARCH64)/snl_librtld_db.so.1
63 file path=usr/lib/brand/snl/config.xml mode=0444
64 file path=usr/lib/brand/snl/platform.xml mode=0444
65 file path=usr/lib/brand/snl/snl_boot mode=0755
66 file path=usr/lib/brand/snl/snl_librtld_db.so.1
67 file path=usr/lib/snl_brand.so.1
68 legacy pkg=SUNWsnlrint desc="Support for the Fake Solaris N-1 Brand" \
69     name="Fake Solaris N-1 Brand (Root)"
70 legacy pkg=SUNWsnluint desc="Support for the Fake Solaris N-1 Brand" \
71     name="Fake Solaris N-1 Brand (Usr)"
72 license cr_Sun license=cr_Sun
73 license lic_CDDL license=lic_CDDL
74 $(BUILD64)link path=usr/lib/brand/snl/64 target=$(ARCH64)
48 link path=usr/lib/brand/snl/64 target=$(ARCH64)
```

new/usr/src/pkg/manifests/system-zones-internal.mf

1

```
*****
2412 Fri Apr 11 13:24:22 2014
new/usr/src/pkg/manifests/system-zones-internal.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/zones/internal@$(PKGVERS)
29 set name=pkg.description value="Solaris Zones internal files"
30 set name=pkg.summary value="Solaris Zones Internal Files"
31 set name=info.classification \
32     value=org.opensolaris.category.2008:Development/System
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/lib
37 $(BUILD64)dir path=usr/lib/$(ARCH64)
38 dir path=usr/lib/$(ARCH64)
39 file path=usr/include/libbrand.h
40 file path=usr/include/libuutil.h
41 file path=usr/include/libzonecfg.h
42 file path=usr/include/zonestat_impl.h
43 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lbrand.ln
44 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lzonecfg.ln
45 $(BUILD64)file path=usr/lib/$(ARCH64)/llib-lzonestat.ln
29 file path=usr/lib/$(ARCH64)/llib-lbrand.ln
30 file path=usr/lib/$(ARCH64)/llib-lzonecfg.ln
31 file path=usr/lib/$(ARCH64)/llib-lzonestat.ln
46 file path=usr/lib/llib-lbrand
47 file path=usr/lib/llib-lbrand.ln
48 file path=usr/lib/llib-lzonecfg
49 file path=usr/lib/llib-lzonecfg.ln
50 file path=usr/lib/llib-lzonestat
51 file path=usr/lib/llib-lzonestat.ln
52 legacy pkg=SUNWzoneint desc="Solaris Zones internal files" \
53     name="Solaris Zones Internal Files" version=11.11.REV=2009.10.13
54 license cr_Sun license=cr_Sun
55 license lic_CDDL license=lic_CDDL
56 $(BUILD64)link path=usr/lib/$(ARCH64)/libbrand.so target=./libbrand.so.1
57 $(BUILD64)link path=usr/lib/$(ARCH64)/libzonecfg.so target=./libzonecfg.so.1
58 $(BUILD64)link path=usr/lib/$(ARCH64)/libzonestat.so target=./libzonestat.so.1
```

new/usr/src/pkg/manifests/system-zones-internal.mf

2

```
42 link path=usr/lib/$(ARCH64)/libbrand.so target=./libbrand.so.1
43 link path=usr/lib/$(ARCH64)/libzonecfg.so target=./libzonecfg.so.1
44 link path=usr/lib/$(ARCH64)/libzonestat.so target=./libzonestat.so.1
58 link path=usr/lib/libbrand.so target=./libbrand.so.1
59 link path=usr/lib/libzonecfg.so target=./libzonecfg.so.1
60 link path=usr/lib/libzonestat.so target=./libzonestat.so.1
```

new/usr/src/pkg/manifests/system-zones.mf

1

```
*****
4796 Fri Apr 11 13:24:22 2014
new/usr/src/pkg/manifests/system-zones.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2014 Andrew Stormont.
25 #endif /* ! codereview */
26 #
27 #
28 set name=pkg.fmri value=pkg:/system/zones@$(PKGVERS)
29 set name=pkg.description \
30 value="Solaris Zones Configuration and Administration"
31 set name=pkg.summary value="Solaris Zones"
32 set name=info.classification value=org.opensolaris.category.2008:System/Core
33 set name=variant.arch value=$(ARCH)
34 dir path=etc group=sys variant.opensolaris.zone=global
35 dir path=etc/brand group=sys variant.opensolaris.zone=global
36 dir path=etc/zones group=sys variant.opensolaris.zone=global
37 dir path=lib variant.opensolaris.zone=global
38 dir path=lib/svc variant.opensolaris.zone=global
39 dir path=lib/svc/manifest group=sys variant.opensolaris.zone=global
40 dir path=lib/svc/manifest/system group=sys variant.opensolaris.zone=global
41 dir path=lib/svc/method variant.opensolaris.zone=global
42 dir path=usr group=sys
43 dir path=usr/bin
44 dir path=usr/kernel group=sys
45 dir path=usr/kernel/drv group=sys
46 dir path=usr/kernel/drv/$(ARCH64) group=sys
47 dir path=usr/lib
48 $(BUILD64)dir path=usr/lib/$(ARCH64)
24 dir path=usr/lib/$(ARCH64)
49 dir path=usr/lib/brand
50 dir path=usr/lib/brand/ipkg group=bin
51 dir path=usr/lib/brand/shared group=sys
52 dir path=usr/lib/zones
53 dir path=usr/sbin
54 dir path=usr/share
55 dir path=usr/share/lib
56 dir path=usr/share/lib/xml group=sys
57 dir path=usr/share/lib/xml/dtd group=sys
58 dir path=usr/share/man
59 dir path=usr/share/man/man1
60 dir path=usr/share/man/man1m
```

new/usr/src/pkg/manifests/system-zones.mf

2

```
61 dir path=usr/share/man/man5
62 dir path=usr/share/man/man7d
63 driver name=zcons
64 file path=etc/zones/SUNWblank.xml mode=0444 variant.opensolaris.zone=global
65 file path=etc/zones/SUNWdefault.xml mode=0444 variant.opensolaris.zone=global
66 file path=etc/zones/index group=sys original_name=SUNWzone:etc/zones/index \
67 preserve=true variant.opensolaris.zone=global
68 file path=lib/svc/manifest/system/resource-mgmt.xml group=sys mode=0444 \
69 variant.opensolaris.zone=global
70 file path=lib/svc/manifest/system/zones.xml group=sys mode=0444 \
71 variant.opensolaris.zone=global
72 file path=lib/svc/manifest/system/zonestat.xml group=sys mode=0444 \
73 variant.opensolaris.zone=global
74 file path=lib/svc/method/svc-resource-mgmt mode=0555 \
75 variant.opensolaris.zone=global
76 file path=lib/svc/method/svc-zones mode=0555 variant.opensolaris.zone=global
77 file path=lib/svc/method/svc-zonestat mode=0555 \
78 variant.opensolaris.zone=global
79 file path=usr/bin/zonestat mode=0555
80 file path=usr/kernel/drv/$(ARCH64)/zcons group=sys
81 $(i386_ONLY)file path=usr/kernel/drv/zcons group=sys
82 $(BUILD64)file path=usr/lib/$(ARCH64)/libbrand.so.1
83 $(BUILD64)file path=usr/lib/$(ARCH64)/libzonecfg.so.1
84 $(BUILD64)file path=usr/lib/$(ARCH64)/libzonestat.so.1
58 file path=usr/lib/$(ARCH64)/libbrand.so.1
59 file path=usr/lib/$(ARCH64)/libzonecfg.so.1
60 file path=usr/lib/$(ARCH64)/libzonestat.so.1
85 file path=usr/lib/brand/ipkg/config.xml mode=0444
86 file path=usr/lib/brand/ipkg/platform.xml mode=0444
87 file path=usr/lib/brand/shared/common.ksh mode=0444
88 file path=usr/lib/brand/shared/query mode=0755
89 file path=usr/lib/brand/shared/uninstall.ksh mode=0444
90 file path=usr/lib/libbrand.so.1
91 file path=usr/lib/libzonecfg.so.1
92 file path=usr/lib/libzonestat.so.1
93 file path=usr/lib/zones/zoneadm mode=0555
94 file path=usr/lib/zones/zonestatd mode=0555 variant.opensolaris.zone=global
95 file path=usr/sbin/zlogin mode=0555
96 file path=usr/sbin/zoneadm mode=0555
97 file path=usr/sbin/zonecfg mode=0555
98 file path=usr/share/lib/xml/dtd/brand.dtd.1 mode=0644
99 file path=usr/share/lib/xml/dtd/zone_platform.dtd.1 mode=0644
100 file path=usr/share/lib/xml/dtd/zonecfg.dtd.1
101 file path=usr/share/man/man1/zlogin.1
102 file path=usr/share/man/man1m/zoneadm.1m
103 file path=usr/share/man/man1m/zoneadm.1m
104 file path=usr/share/man/man1m/zonecfg.1m
105 file path=usr/share/man/man5/brands.5
106 file path=usr/share/man/man5/zones.5
107 file path=usr/share/man/man7d/zcons.7d
108 legacy pkg=SUNWzoner desc="Solaris Zones Configuration Files" \
109 name="Solaris Zones (Root)"
110 legacy pkg=SUNWzoneu desc="Solaris Zones Configuration and Administration" \
111 name="Solaris Zones (Usr)"
112 license cr_Sun license=cr_Sun
113 license lic_CDDL license=lic_CDDL
114 link path=usr/bin/zone name target=../sbin/zone name
```

new/usr/src/pkg/manifests/text-locale.mf

1

```
*****
3211 Fri Apr 11 13:24:22 2014
new/usr/src/pkg/manifests/text-locale.mf
1681 support for BUILD64=# no longer works
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2010 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Andrew Stormont.
26 #endif /* ! codereview */
27 #
28 #
29 set name=pkg.fmri value=pkg:/text/locale@$(PKGVERS)
30 set name=pkg.description \
31     value="localization utilities and C locale (POSIX default) definitions"
32 set name=pkg.summary value="System Localization"
33 set name=info.classification \
34     value=org.opensolaris.category.2008:System/Localizations
35 set name=variant.arch value=$(ARCH)
36 dir path=usr group=sys
37 dir path=usr/bin
38 dir path=usr/lib
39 dir path=usr/lib/iconv
40 $(BUILD64)dir path=usr/lib/iconv/$(ARCH64)
25 dir path=usr/lib/iconv/$(ARCH64)
41 dir path=usr/lib/iconv/geniconvtbl
42 dir path=usr/lib/iconv/geniconvtbl/binarytables
43 dir path=usr/lib/iconv/geniconvtbl/srcs
44 dir path=usr/share/man/man1
45 file path=usr/bin/gencat mode=0555
46 file path=usr/bin/genmsg mode=0555
47 file path=usr/bin/gettxt mode=0555
48 file path=usr/bin/locale mode=0555
49 file path=usr/bin/localedef mode=0555
50 file path=usr/bin/mkmsgs group=root mode=0555
51 file path=usr/bin/msgfmt mode=0555
52 file path=usr/bin/srchtxt mode=0555
53 file path=usr/bin/xgettext mode=0555
54 file path=usr/lib/gmsgfmt mode=0555
55 $(BUILD64)file path=usr/lib/iconv/$(ARCH64)/geniconvtbl.so mode=0555
40 file path=usr/lib/iconv/$(ARCH64)/geniconvtbl.so mode=0555
56 file path=usr/lib/iconv/geniconvtbl.so mode=0555
57 file path=usr/lib/iconv/geniconvtbl/binarytables/ISO646%ISO8859-1.bt mode=0444
58 file path=usr/lib/iconv/geniconvtbl/binarytables/ISO8859-1%ISO646.bt mode=0444
59 file path=usr/lib/iconv/geniconvtbl/srcs/ISO-2022-JP_to_eucJP.src mode=0444
```

new/usr/src/pkg/manifests/text-locale.mf

2

```
60 file path=usr/lib/iconv/geniconvtbl/srcs/ISO646_to_ISO8859-1.src mode=0444
61 file path=usr/lib/iconv/geniconvtbl/srcs/ISO8859-1_to_ISO646.src mode=0444
62 file path=usr/lib/iconv/geniconvtbl/srcs/ISO8859-1_to_UTF-8.src mode=0444
63 file path=usr/lib/iconv/geniconvtbl/srcs/UTF-8_to_ISO8859-1.src mode=0444
64 file path=usr/lib/iconv/geniconvtbl/srcs/eucJP_to_ISO-2022-JP.src mode=0444
65 file path=usr/share/man/man1/gencat.1
66 file path=usr/share/man/man1/genmsg.1
67 file path=usr/share/man/man1/gettxt.1
68 file path=usr/share/man/man1/locale.1
69 file path=usr/share/man/man1/mkmsgs.1
70 file path=usr/share/man/man1/msgfmt.1
71 file path=usr/share/man/man1/print.1
72 file path=usr/share/man/man1/srchtxt.1
73 file path=usr/share/man/man1/xgettext.1
74 legacy pkg=SUNWloc \
75     desc="localization utilities and C locale (POSIX default) definitions" \
76     name="System Localization"
77 license cr_Sun license=cr_Sun
78 license lic_CDDL license=lic_CDDL
```