

```

*****
19834 Thu Jul 17 16:13:36 2014
new/usr/src/cmd/Makefile
4989 removal of ntfsplogs and parted
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
23 # Copyright 2010 Nexenta Systems, Inc. All rights reserved.
24 # Copyright (c) 2012 Joyent, Inc. All rights reserved.
25 # Copyright (c) 2012 by Delphix. All rights reserved.
26 # Copyright (c) 2013 DEY Storage Systems, Inc. All rights reserved.

28 include ../Makefile.master

30 #
31 # Note that the commands 'agents', 'lp', 'perl', and 'man' are first in
32 # the list, violating alphabetical order. This is because they are very
33 # long-running and should be given the most wall-clock time for a
34 # parallel build.
35 #
36 # Commands in the FIRST_SUBDIRS list are built before starting the build
37 # of other commands. Currently this includes only 'isaexec' and
38 # 'platexec'. This is necessary because $(ROOT)/usr/lib/isaexec or
39 # $(ROOT)/usr/lib/platexec must exist when some other commands are built
40 # because their 'make install' creates a hard link to one of them.
41 #
42 # Commands are listed one per line so that TeamWare can auto-merge most
43 # changes.
44 #

46 FIRST_SUBDIRS=      \
47     isaexec          \
48     platexec

50 COMMON_SUBDIRS=     \
51     allocate         \
52     availdevs        \
53     lp               \
54     perl             \
55     man              \
56     Adm              \
57     abi              \
58     adbgen           \
59     acct             \
60     acctadm          \
61     arch

```

```

62     asa              \
63     ast              \
64     audio            \
65     auths            \
66     autopush         \
67     avs              \
68     awk              \
69     awk_xpg4         \
70     backup           \
71     banner           \
72     bart             \
73     basename         \
74     bc               \
75     bdiff            \
76     beadm            \
77     bfs              \
78     bnu              \
79     boot             \
80     busstat          \
81     cal              \
82     calendar         \
83     captinfo         \
84     cat              \
85     cdrw             \
86     cfgadm           \
87     checkeq          \
88     checknr          \
89     chgrp            \
90     chmod            \
91     chown            \
92     chroot           \
93     clear            \
94     clinfo           \
95     cmd-crypto       \
96     cmd-inet         \
97     col              \
98     compress         \
99     consadm          \
100    coreadm          \
101    cpio              \
102    cpc               \
103    cron              \
104    crypt             \
105    csh               \
106    csplit            \
107    ctrun             \
108    ctstat            \
109    ctwatch           \
110    datadm            \
111    date              \
112    dc                \
113    dd                \
114    deroff            \
115    devfsadm          \
116    syseventd         \
117    devctl            \
118    devinfo           \
119    devmgmt           \
120    devprop           \
121    dfs.cmds          \
122    diff              \
123    diff3             \
124    diffmk            \
125    dircmp            \
126    dirname           \
127    dis

```

new/usr/src/cmd/Makefile

```

128      diskmgtd      \
129      dispadmin     \
130      dladm          \
131      dlstat         \
132      dmesg          \
133      dodatadm       \
134      dtrace         \
135      du             \
136      dumpadm        \
137      dumpcs         \
138      echo           \
139      ed             \
140      eeprom         \
141      egrep          \
142      eject          \
143      emul64ioctl    \
144      enhance        \
145      env            \
146      eqn            \
147      expand          \
148      expr           \
149      exstr          \
150      factor         \
151      false          \
152      fcinfo         \
153      fcoesvc        \
154      fdetach        \
155      fdformat       \
156      fdisk          \
157      filesync       \
158      fgrep          \
159      file           \
160      find           \
161      flowadm        \
162      flowstat       \
163      fm             \
164      fmt            \
165      fmthard        \
166      fmtmsg         \
167      fold           \
168      format         \
169      fs.d           \
170      fstyp          \
171      fuser          \
172      fwflash        \
173      gcore          \
174      gencat         \
175      geniconvtbl    \
176      genmsg         \
177      getconf        \
178      getdevpolicy   \
179      getent         \
180      getfac1        \
181      getmajor       \
182      getopt         \
183      gettext        \
184      gettxt         \
185      grep           \
186      grep_xpg4      \
187      groups         \
188      grpck          \
189      gss            \
190      hal            \
191      halt           \
192      head           \
193      hostid         \

```

3

new/usr/src/cmd/Makefile

```

194      hostname       \
195      hotplug         \
196      hotplugd       \
197      hwdata          \
198      ibd_upgrade     \
199      id              \
200      idmap           \
201      infocmp         \
202      init            \
203      initpkg         \
204      install.d       \
205      intrd           \
206      intrstat        \
207      ipcrm           \
208      ipcs            \
209      ipdadm          \
210      ipf             \
211      isainfo         \
212      isalist         \
213      itutools        \
214      iscsiadm        \
215      iscsid          \
216      iscsitsvc       \
217      isns            \
218      itadm           \
219      java            \
220      kbd             \
221      keyserve        \
222      killall         \
223      krb5            \
224      ksh             \
225      kvmstat         \
226      last            \
227      lastcomm        \
228      latencytop      \
229      ldap            \
230      ldapcachemgr    \
231      lgrpinfo        \
232      line            \
233      link            \
234      dlmgmt         \
235      listen          \
236      loadkeys        \
237      locale          \
238      localedef       \
239      lockstat        \
240      locator         \
241      lofiadm         \
242      logadm          \
243      logger          \
244      login           \
245      logins          \
246      look            \
247      ls              \
248      luxadm          \
249      lvm             \
250      mach            \
251      machid          \
252      mail            \
253      mailx           \
254      makekey         \
255      mdb             \
256      msg             \
257      mkdir           \
258      mkfifo          \
259      mkfile          \

```

4

new/usr/src/cmd/Makefile

```
260      mkmsgs      \
261      mknod       \
262      mkpwdict    \
263      mktemp      \
264      modload     \
265      more        \
266      mpathadm    \
267      msgfmt      \
268      msgid       \
269      mt          \
270      mv          \
271      mvdir       \
272      ndmpadm     \
273      ndmpd       \
274      ndmpstat    \
275      netadm      \
276      netfiles    \
277      newform     \
278      newgrp      \
279      news        \
280      newtask     \
281      nice        \
282      nl          \
283      nlsadmin    \
284      nohup       \
285      nsadmin     \
286      nscd        \
287      oamuser     \
288      oawk        \
289      od          \
290      pack        \
291      pagesize    \
292      passmgmt    \
293      passwd      \
294      pathchk     \
295      pbind       \
296      pcidr       \
297      pcitool     \
298      pfexec      \
299      pfexecd     \
300      pginfo      \
301      pgstat      \
302      pgrep       \
303      picl        \
304      plimit      \
305      policykit   \
306      pools       \
307      power       \
308      powertop    \
309      ppgsz       \
310      pg          \
311      plockstat   \
312      pr          \
313      prctl       \
314      print       \
315      printf      \
316      priocntl    \
317      profiles    \
318      projadd     \
319      projects    \
320      prstat      \
321      prtconf     \
322      prtdiag     \
323      prtvtoc     \
324      ps          \
325      psradm      \
```

5

new/usr/src/cmd/Makefile

```
326      psrinfo    \
327      psrset      \
328      ptools      \
329      pwck        \
330      pwconv      \
331      pwd         \
332      pyzfs       \
333      raidctl     \
334      ramdiskadm  \
335      rcap        \
336      rcm_daemon  \
337      rctladm     \
338      refer       \
339      regcmp      \
340      renice      \
341      rexd        \
342      rm          \
343      rmdir       \
344      rmformat    \
345      rmmount     \
346      rmt         \
347      rmvolmgr    \
348      roles       \
349      rpcbind     \
350      rpcgen      \
351      rpcinfo     \
352      rpcsvc      \
353      runat       \
354      sa          \
355      saf         \
356      sasinfo     \
357      savecore    \
358      sbdadm      \
359      script      \
360      scsi        \
361      sdiff       \
362      sdparm      \
363      sed         \
364      sendmail    \
365      setfacl     \
366      setmnt      \
367      setpggrp    \
368      setuname    \
369      sgs         \
370      sh          \
371      shcomp      \
372      smbios      \
373      smbshr      \
374      smserverd   \
375      soelim      \
376      sort        \
377      spell       \
378      split       \
379      sqlite      \
380      srchtxt     \
381      srptadm     \
382      srptsvc     \
383      ssh         \
384      stat        \
385      stmfadm     \
386      stmfproxy   \
387      stmfsvc     \
388      stmsboot    \
389      streams     \
390      strings     \
391      su          \
```

6

new/usr/src/cmd/Makefile

```

392      sulogin      \
393      sunpc        \
394      svc          \
395      svr4pkg      \
396      swap         \
397      sync         \
398      sysdef       \
399      syseventadm  \
400      syslogd      \
401      tabs         \
402      tail         \
403      tar          \
404      tbl          \
405      tcopy        \
406      tcpd         \
407      terminfo     \
408      th_tools     \
409      tic          \
410      time         \
411      tip          \
412      tnf          \
413      touch        \
414      tput         \
415      tr           \
416      trapstat     \
417      troff        \
418      true         \
419      truss        \
420      tsol         \
421      tty          \
422      ttymon       \
423      tzreload     \
424      uadmin       \
425      ul           \
426      uname        \
427      units        \
428      unlink       \
429      unpack       \
430      userattr     \
431      users        \
432      utmp_update  \
433      utmpd        \
434      valtools     \
435      vgrind       \
436      vi           \
437      volcheck     \
438      volrmount    \
439      vrrpadm      \
440      vscan        \
441      vt           \
442      w            \
443      wall         \
444      which        \
445      who          \
446      whodo        \
447      wracct       \
448      write        \
449      wusbadm      \
450      xargs        \
451      xstr         \
452      yes          \
453      ypcmd        \
454      yppasswd     \
455      zdb          \
456      zdump        \
457      zfs          \

```

7

new/usr/src/cmd/Makefile

```

458      zhack       \
459      zic          \
460      zinject      \
461      zlogin       \
462      zoneadm      \
463      zoneadmd     \
464      zonecfg      \
465      zonename     \
466      zpool        \
467      zlook        \
468      zonestat     \
469      zstreamdump  \
470      ztest        \
472      i386_SUBDIRS= \
473      acpihp       \
474      addbadsec    \
475      biosdev      \
476      diskscan     \
477      lms          \
478      ntfsprogs    \
479      parted       \
478      rtc         \
479      ucodeadm     \
480      xvm          \
482      sparc_SUBDIRS= \
483      cvcd         \
484      dcs          \
485      device_remap \
486      drd          \
487      fruadm       \
488      ldmad        \
489      oplhpd       \
490      prtdscp      \
491      prtfru       \
492      scadm        \
493      sckmd        \
494      sf880drd     \
495      virtinfo     \
496      vntsd        \
498      #
499      # Commands that are messaged. Note that 'lp' and 'man' come first
500      # (see previous comment about 'lp' and 'man').
501      #
502      MSGSUBDIRS=   \
503      lp            \
504      man           \
505      abi           \
506      acctadm       \
507      allocate      \
508      asa           \
509      audio         \
510      audit         \
511      auditconfig   \
512      auditd        \
513      auditrecord   \
514      auditset      \
515      auths         \
516      autopush      \
517      avs           \
518      awk           \
519      awk_xpg4      \
520      backup        \
521      banner        \

```

8

new/usr/src/cmd/Makefile

```

522      bart      \
523      basename  \
524      beadm     \
525      bnu       \
526      busstat   \
527      cal       \
528      cat       \
529      cdrw      \
530      cfgadm     \
531      checkeq    \
532      checknr    \
533      chgrp     \
534      chmod     \
535      chown     \
536      cmd-crypto \
537      cmd-inet   \
538      col       \
539      compress   \
540      consadm    \
541      coreadm    \
542      cpio       \
543      cpc        \
544      cron       \
545      csh        \
546      csplit     \
547      ctrun      \
548      ctstat     \
549      ctwatch    \
550      datadm     \
551      date       \
552      dc         \
553      dcs        \
554      dd         \
555      derooff    \
556      devfsadm   \
557      dfs.cmds   \
558      diff       \
559      diffmk     \
560      dladm      \
561      dlstat     \
562      du         \
563      dumpcs     \
564      ed         \
565      eject      \
566      env        \
567      eqn        \
568      expand     \
569      expr       \
570      fcinfo     \
571      fgrep      \
572      file       \
573      filesync   \
574      find       \
575      flowadm    \
576      flowstat   \
577      fm         \
578      fold       \
579      fs.d       \
580      fwflash    \
581      geniconvtbl \
582      genmsg     \
583      getconf    \
584      getent     \
585      gettext    \
586      gettxt     \
587      grep       \

```

9

new/usr/src/cmd/Makefile

```

588      grep_xpg4 \
589      grpck      \
590      gss        \
591      halt       \
592      head       \
593      hostname   \
594      hotplug    \
595      id         \
596      idmap      \
597      isaexec    \
598      iscsiadm   \
599      iscsid     \
600      isns       \
601      itadm      \
602      kbd        \
603      krb5       \
604      ksh        \
605      last       \
606      ldap       \
607      ldapcachemgr \
608      lgrpinfo   \
609      locale     \
610      lofiadm    \
611      logadm     \
612      logger     \
613      logins     \
614      ls         \
615      luxadm     \
616      lvm        \
617      mailx      \
618      mesg       \
619      mkdir      \
620      mkpwdict   \
621      mktemp     \
622      more       \
623      mpathadm   \
624      msgfmt     \
625      mv         \
626      ndmpadm    \
627      ndmpstat   \
628      newgrp     \
629      newtask    \
630      nice       \
631      nohup      \
632      oawk       \
633      pack       \
634      passwd     \
635      passmgmt   \
636      pathchk    \
637      pfexec     \
638      pg         \
639      pgrep      \
640      picl       \
641      pools      \
642      power      \
643      pr         \
644      praudit    \
645      print      \
646      profiles   \
647      projadd    \
648      projects   \
649      prstat     \
650      prtdiag    \
651      ps         \
652      psrinfo    \
653      ptools     \

```

10

new/usr/src/cmd/Makefile

```

654      pwconv      \
655      pwd         \
656      pyzfs      \
657      raidctl    \
658      ramdiskadm \
659      rcap       \
660      rcm_daemon \
661      refer      \
662      regcmp     \
663      renice     \
664      roles      \
665      rm         \
666      rmdir      \
667      rmformat   \
668      rmmount    \
669      rmvolmgr   \
670      sasinfo    \
671      sbdadm     \
672      scadm      \
673      script     \
674      scsi       \
675      sdiff      \
676      sdpadm     \
677      sgs        \
678      sh         \
679      shcomp     \
680      smbssrv    \
681      sort       \
682      split      \
683      srptadm    \
684      ssh        \
685      stat       \
686      stmfsadm   \
687      stmsboot   \
688      strings    \
689      su         \
690      svc        \
691      svr4pkg    \
692      swap       \
693      syseventadm \
694      syseventd  \
695      tabs       \
696      tar        \
697      tbl        \
698      time       \
699      tnfs       \
700      touch      \
701      tput       \
702      troff      \
703      tsol       \
704      tty        \
705      ttymon     \
706      tzreload   \
707      ul         \
708      uname      \
709      units      \
710      unlink     \
711      unpack     \
712      userattr   \
713      valtools   \
714      vgrind     \
715      vi         \
716      volcheck   \
717      volrmount  \
718      vrrpadm    \
719      vscan      \

```

11

new/usr/src/cmd/Makefile

```

720      w          \
721      who        \
722      whodo      \
723      wracct     \
724      write      \
725      wusbadm    \
726      xargs      \
727      yppasswd   \
728      zdump      \
729      zfs        \
730      zic        \
731      zlogin     \
732      zoneadm    \
733      zoneadmd   \
734      zonecfg    \
735      zonename   \
736      zpool      \
737      zonestat   \
739      sparc_MSGSUBDIRS= \
740      fruadm      \
741      prtscp      \
742      prtfru      \
743      virtinfo    \
744      vntsd       \
746      i386_MSGSUBDIRS= \
747      ucodeadm    \
749      #
750      # commands that use dcgettext for localized time, LC_TIME
751      #
752      DCSUBDIRS= \
753      cal         \
754      cfgadm      \
755      diff        \
756      ls         \
757      pr          \
758      ps         \
759      tar         \
760      w          \
761      who        \
762      whodo      \
763      write       \
765      #
766      # commands that belong only to audit.
767      #
768      AUDITSUBDIRS= \
769      amt         \
770      audit       \
771      audit_warn  \
772      auditconfig \
773      auditd      \
774      auditrecord \
775      auditreduce \
776      auditset    \
777      auditstat   \
778      praudit     \
780      #
781      # commands not owned by the systems group
782      #
783      BWOSDIRS=

```

12

new/usr/src/cmd/Makefile

13

```
786 all :=          TARGET = all
787 install :=       TARGET = install
788 clean :=         TARGET = clean
789 clobber :=       TARGET = clobber
790 lint :=          TARGET = lint
791 _msg :=          TARGET = _msg
792 _dc :=           TARGET = _dc

794 .KEEP_STATE:

796 SUBDIRS = $(COMMON_SUBDIRS) $($(_MACH)_SUBDIRS)

798 .PARALLEL:      $(BWOSDIRS) $(SUBDIRS) $(MSGSUBDIRS) $(AUDITSUBDIRS)

800 all install clean clobber lint: $(FIRST_SUBDIRS) .WAIT $(SUBDIRS) \
801     $(AUDITSUBDIRS)

803 #
804 # Manifests cannot be checked in parallel, because we are using
805 # the global repository that is in $(SRC)/cmd/svc/seed/global.db.
806 # For this reason, to avoid .PARALLEL and .NO_PARALLEL conflicts,
807 # we spawn off a sub-make to perform the non-parallel 'make check'
808 #
809 check:
810     $(MAKE) -f Makefile.check check

812 #
813 # The .WAIT directive works around an apparent bug in parallel make.
814 # Evidently make was getting the target _msg vs. _dc confused under
815 # some level of parallelization, causing some of the _dc objects
816 # not to be built.
817 #
818 _msg: $(MSGSUBDIRS) $($(_MACH)_MSGSUBDIRS) .WAIT _dc

820 _dc: $(DCSUBDIRS)

822 #
823 # Dependencies
824 #
825 fs.d: fstyp
826 ksh:    shcomp isaexec
827 mdb:    terminfo
828 print:  lp

830 $(FIRST_SUBDIRS) $(BWOSDIRS) $(SUBDIRS) $(AUDITSUBDIRS): FRC
831     @if [ -f $@/Makefile ]; then \
832         cd $@; pwd; $(MAKE) $(TARGET); \
833     else \
834         true; \
835     fi

837 FRC:
```

new/usr/src/lib/Makefile

1

```
*****
13415 Thu Jul 17 16:13:39 2014
new/usr/src/lib/Makefile
4989 removal of ntfsplogs and parted
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 # Copyright 2011 Nexenta Systems, Inc. All rights reserved.
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright (c) 2012 by Delphix. All rights reserved.
25 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
26 # Copyright (c) 2013 Gary Mills

28 include ../Makefile.master

30 # Note that libcurls installs commands along with its library.
31 # This is a minor bug which probably should be fixed.
32 # Note also that a few extra libraries are kept in cmd source.
33 #
34 # Certain libraries are linked with, hence depend on, other libraries.
35 #
36 # Although we have historically used .WAIT to express dependencies, it
37 # reduces the amount of parallelism and thus lengthens the time it
38 # takes to build the libraries. Thus, we now require that any new
39 # libraries explicitly call out their dependencies. Eventually, all
40 # the library dependencies will be called out explicitly. See
41 # "Library interdependencies" near the end of this file.
42 #
43 # Aside from explicit dependencies (and legacy .WAITs), all libraries
44 # are built in parallel.
45 #
46 .PARALLEL:

48 SUBDIRS= \
49     common .WAIT \
50     ../cmd/sgs/libconv \
51     ../cmd/sgs/libdl .WAIT

53 SUBDIRS += \
54     libc .WAIT \
55     ../cmd/sgs/libelf .WAIT \
56     c_synonyms \
57     libmd \
58     libmd5 \
59     librsn \
60     libmp .WAIT \
61     libnsl \
```

new/usr/src/lib/Makefile

2

```
62 libsecdb .WAIT \
63 librpcsvc \
64 libsocket .WAIT \
65 libscpt \
66 libsip \
67 libcommputil \
68 libresolv \
69 libresolv2 .WAIT \
70 libw .WAIT \
71 libintl .WAIT \
72 ../cmd/sgs/librtld_db \
73 libaio \
74 libast \
75 libdll \
76 libcmd \
77 libshell \
78 libsum \
79 librt \
80 libadm \
81 libctf \
82 libdtrace \
83 libdtrace_jni \
84 libcurls \
85 libtermcap \
86 libgen \
87 libgss \
88 libpam \
89 libuuid \
90 libthread \
91 libpthread .WAIT \
92 libslp \
93 libbsdmalloc \
94 libdoor \
95 libdevinfo \
96 libldadm \
97 libdlpi \
98 libeti \
99 libcrypt \
100 libdns_sd \
101 libefi \
102 libfstyp \
103 libwanboot \
104 libwanbootutil \
105 libcryptoutil \
106 libinetutil \
107 libipadm \
108 libipd \
109 libipmp \
110 libiscsit \
111 libkmf \
112 libkstat \
113 libkvm \
114 liblm \
115 libmalloc \
116 libmapmalloc \
117 libmtmalloc \
118 libnls \
119 libnwam \
120 libsbios \
121 libtecla \
122 libumem \
123 libnvpair .WAIT \
124 libexacct \
125 libsas1 \
126 libldap5 \
127 libslldap .WAIT \
```

new/usr/src/lib/Makefile

```

128 libbsm \
129 libsys \
130 libsysevent \
131 libnisdb \
132 libpool \
133 libpp \
134 libproc \
135 libproject \
136 libsendfile \
137 nametoaddr \
138 ncad_addr \
139 hbaapi \
140 smhba \
141 sun_fc \
142 sun_sas \
143 gss_mechs/mech_krb5 .WAIT \
144 libkrb5 .WAIT \
145 krb5 .WAIT \
146 libmbfs \
147 libfcoe \
148 libsrpt \
149 libstmf \
150 libstmfproxy \
151 libnsctl \
152 libunistat \
153 libdscfg \
154 librdc \
155 libinstzones \
156 libpkg \
157 libpcidb \
159 SUBDIRS += \
160 passwdutil \
161 pam_modules \
162 crypt_modules \
163 libadt_jni \
164 abi \
165 auditd_plugins \
166 libvolmgt \
167 libdevice \
168 libdevide \
169 libdhcpsvc \
170 libc_db \
171 libndmp \
172 libsec \
173 libtnfprobe \
174 libtnf \
175 libtnfctl \
176 libdhcpageant \
177 libdhcpcdu \
178 libdhcputil \
179 libxnet \
180 libipsecutil \
181 nsswitch \
182 print \
183 libuutil \
184 libscf \
185 libinetsvc \
186 librestart \
187 libshed \
188 libelfsign \
189 pkcs11 .WAIT \
190 libpctx .WAIT \
191 libpcp \
192 getloginx \
193 watchmalloc \

```

3

new/usr/src/lib/Makefile

```

194 extendedFILE \
195 madv \
196 mpss \
197 libdisasm \
198 libwrap \
199 libxcurses \
200 libxcurses2 \
201 libbrand .WAIT \
202 libzonecfg \
203 libzoneinfo \
204 libzonestat \
205 libtsnet \
206 libtsol \
207 gss_mechs/mech_spnego \
208 gss_mechs/mech_dummy \
209 gss_mechs/mech_dh \
210 rpcsec_gss \
211 libraidcfg .WAIT \
212 librcm .WAIT \
213 libcfadm .WAIT \
214 libpicl .WAIT \
215 libpicltree .WAIT \
216 raidcfg_plugins \
217 cfgadm_plugins \
218 libmail \
219 lvm \
220 libsmmedia \
221 libipp \
222 libdiskmgt \
223 liblgrp \
224 libfsmgt \
225 fm \
226 libavl \
227 libcmdutils \
228 libcontract \
229 ../cmd/sendmail/libmilter \
230 sasl_plugins \
231 udapl \
232 libzpool \
233 libzfs_core \
234 libzfs \
235 libbe \
236 pylibbe \
237 libzfs_jni \
238 pyzfs \
239 pysolaris \
240 libmapid \
241 brand \
242 policykit \
243 hal \
244 libshare \
245 libsqlite \
246 libidmap \
247 libadutils \
248 libipmi \
249 libexacct/demo \
250 libvrrpadm \
251 libvscan \
252 libgrubmgt \
253 smbsrv \
254 libilb \
255 scsi \
256 libima \
257 libsun_ima \
258 mpapi \
259 librstp \

```

4

new/usr/src/lib/Makefile

5

```

260     libreparse      \
261     libhotplug      \
262     libfruutils     .WAIT  \
263     libfru          \
264     $$$(MACH)_SUBDIRS)

266 i386_SUBDIRS=      \
267     libntfs         \
268     libparted       \
267     libfdisk        \
268     libsaveargs

270 sparc_SUBDIRS= .WAIT \
271     efcode          \
272     libds           \
273     libdscp         \
274     libprtdiag      .WAIT  \
275     libprtdiag_psr  \
276     libpri          \
277     librsc          \
278     storage         \
279     libpcp          \
280     libtsalarm      \
281     libv12n

283 FM_sparc_DEPLIBS= libpri

285 fm:      \
286     libexacct \
287     libipmi   \
288     libzfs    \
289     scsi      \
290     $(FM_$(MACH)_DEPLIBS)

292 #
293 # Create a special version of $(SUBDIRS) with no .WAIT's, for use with the
294 # clean and clobber targets (for more information, see those targets, below).
295 #
296 NOWAIT_SUBDIRS= $(SUBDIRS:.WAIT=)

298 DCSUBDIRS =      \
299     lvm

301 MSGSUBDIRS=      \
302     abi           \
303     auditd_plugins \
304     brand         \
305     cfgadm_plugins \
306     gss_mechs/mech_dh \
307     gss_mechs/mech_krb5 \
308     krb5          \
309     libast        \
310     libbsm       \
311     libbc         \
312     libcfgadm    \
313     libcmd       \
314     libcontract  \
315     libcurses    \
316     libdhcpcsvc  \
317     libdhcputil  \
318     libipsecutil \
319     libdiskmgt   \
320     libdladm     \
321     libdll       \
322     libgrubmgmt  \
323     libgss       \

```

new/usr/src/lib/Makefile

6

```

324     libidmap      \
325     libipmp       \
326     libilb        \
327     libinetutil   \
328     libinstzones  \
329     libipadm      \
330     libnsd        \
331     libnwam       \
332     libpam        \
333     libpicl       \
334     libpool       \
335     libpkg        \
336     libpp         \
337     libscf        \
338     libsas1       \
339     libldap5      \
340     libsecdb      \
341     libshare      \
342     libshell      \
343     libslldap     \
344     libslp        \
345     libsmbf       \
346     libsmmedia    \
347     libsum        \
348     libtsol       \
349     libuutil      \
350     libvrrpadm    \
351     libvscan      \
352     libwanboot    \
353     libwanbootutil \
354     libzfs        \
355     libzonecfg    \
356     lvm           \
357     madv          \
358     mpss          \
359     pam_modules   \
360     pyzfs         \
361     pysolaris     \
362     rpcsec_gss    \
363     libreparse    \
364     MSGSUBDIRS += \
365     $$$(MACH)_MSGSUBDIRS)

367 sparc_MSGSUBDIRS=      \
368     libprtdiag         \
369     libprtdiag_psr

371 i386_MSGSUBDIRS= libfdisk

373 HDRSUBDIRS=      \
374     auditd_plugins \
375     libast         \
376     libbrand       \
377     libbsm         \
378     libbc          \
379     libcmd         \
380     libcmdutils    \
381     libcommputil   \
382     libcontract    \
383     libcpc         \
384     libctf         \
385     libcurses      \
386     libtermcap     \
387     libcryptoutil  \
388     libdevice      \
389     libdevid       \

```

new/usr/src/lib/Makefile

```

390 libdevinfo \
391 libdiskmgt \
392 libdladm \
393 libdll \
394 libdlpi \
395 libdhcagent \
396 libdhcpsvc \
397 libdhcputil \
398 libdisasm \
399 libdns_sd \
400 libdscfg \
401 libdtrace \
402 libdtrace_jni \
403 libelfsign \
404 libeti \
405 libfru \
406 libfstyp \
407 libgen \
408 libipadm \
409 libipd \
410 libipsecutil \
411 libinetsvc \
412 libinetutil \
413 libinstzones \
414 libipmi \
415 libipmp \
416 libipp \
417 libiscsit \
418 libkstat \
419 libkvm \
420 libmail \
421 libmd \
422 libmtmalloc \
423 libndmp \
424 libnvpair \
425 libnsctl \
426 libnsl \
427 libnwam \
428 libpam \
429 libpcidb \
430 libpctx \
431 libpicl \
432 libpicltree \
433 libpool \
434 libpp \
435 libproc \
436 libraidcfg \
437 librcm \
438 librdc \
439 libscf \
440 libsip \
441 libsmbios \
442 librestart \
443 librpcsvc \
444 librsn \
445 librstp \
446 libsas1 \
447 libsec \
448 libshell \
449 libslp \
450 libsmmedia \
451 libsocket \
452 libsqlite \
453 libfcoe \
454 libsrpt \
455 libstmf \

```

7

new/usr/src/lib/Makefile

```

456 libstmfproxy \
457 libsum \
458 libsysevent \
459 libtecla \
460 libtnf \
461 libtnfctl \
462 libtnfprobe \
463 libtsnet \
464 libtsol \
465 libvrrpadm \
466 libvolmgt \
467 libumem \
468 libunistat \
469 libuutil \
470 libwanboot \
471 libwanbootutil \
472 libwrap \
473 libxcurses2 \
474 libzfs \
475 libzfs_core \
476 libzfs_jni \
477 libzoneinfo \
478 libzonestat \
479 hal \
480 policykit \
481 lvm \
482 pkcs11 \
483 passwdutil \
484 ../cmd/sendmail/libmilter \
485 fm \
486 udapl \
487 libmapid \
488 libkrb5 \
489 libsmbfs \
490 libshare \
491 libidmap \
492 libvscan \
493 libgrubmgmt \
494 smbssrv \
495 libilb \
496 scsi \
497 hbaapi \
498 smhba \
499 libima \
500 libsun_ima \
501 mpapi \
502 librepase \
503 ${$(MACH)_HDRSUBDIRS}

505 i386_HDRSUBDIRS= \
508 libparted \
506 libfdisk \
507 libsaveargs

509 sparc_HDRSUBDIRS= \
510 libds \
511 libdscp \
512 libpri \
513 libv12n \
514 storage

516 all := TARGET= all
517 check := TARGET= check
518 clean := TARGET= clean
519 clobber := TARGET= clobber
520 install := TARGET= install

```

8

```

521 install_h := TARGET= install_h
522 lint := TARGET= lint
523 _dc := TARGET= _dc
524 _msg := TARGET= _msg

526 .KEEP_STATE:

528 #
529 # For the all and install targets, we clearly must respect library
530 # dependencies so that the libraries link correctly. However, for
531 # the remaining targets (check, clean, clobber, install_h, lint, _dc
532 # and _msg), libraries do not have any dependencies on one another
533 # and thus respecting dependencies just slows down the build.
534 # As such, for these rules, we use pattern replacement to explicitly
535 # avoid triggering the dependency information. Note that for clean,
536 # clobber and lint, we must use $(NOWAIT_SUBDIRS) rather than
537 # $(SUBDIRS), to prevent '.WAIT' from expanding to '.WAIT-noddepend'.
538 #

540 all: $(SUBDIRS)

542 install: $(SUBDIRS) .WAIT install_extra

544 # extra libraries kept in other source areas
545 install_extra:
546     @cd ../cmd/sgs; pwd; $(MAKE) install_lib
547     @pwd

549 clean clobber lint: $(NOWAIT_SUBDIRS:%=-nodepend)

551 install_h check: $(HDRSUBDIRS:%=-nodepend)

553 _msg: $(MSGSUBDIRS:%=-nodepend) .WAIT _dc

555 _dc: $(DCSUBDIRS:%=-nodepend)

557 #
558 # Library interdependencies are called out explicitly here
559 #
560 auditd_plugins: libbsm libnsl libsecdb
561 gss_mechs/mech_krb5: libgss libnsl libsocket libresolv pkcs11
562 libadt_jni: libbsm
563 libast: libsocket
564 libadutils: libldap5 libresolv libsocket libnsl
565 nsswitch: libadutils libidmap
566 libbe: libzfs
567 libbsm: libtsol
568 libcmd: libsum libast libsocket libnsl
569 libcmdutils: libavl
570 libcontract: libnvpair
571 libdevinfo: libdevinfo
572 libdevinfo: libnvpair libsec
573 libdhcpcagent: libsocket libdhcputil libuuid libdplpi libcontract
574 libdhcpsvc: libinetutil
575 libdhcputil: libnsl libgen libinetutil libdplpi
576 libdladm: libdevinfo libinetutil libsocket libscf librcm libnvpair \
577     libexacct libnsl libkstat libcurses
578 libdll: libast
579 libdplpi: libinetutil libdladm
580 libds: libsysevent
581 libdscfg: libnsctl libunistat libsocket libnsl
582 libdtrace: libproc libgen libctf
583 libdtrace_jni: libuutil libdtrace
584 libefi: libuuid
585 libfstyp: libnvpair
586 libelfsign: libcryptoutil libkmf

```

```

587 libidmap: libadutils libldap5 libavl libsladm libuutil
588 libipadm: libnsl libinetutil libsocket libdplpi libnvpair libdhcpcagent \
589     libdladm libsecdb
590 libiscsit: libc libnvpair libstmf libuuid libnsl
591 libkmf: libcryptoutil pkcs11
592 libnsl: libmd5
593 libmapid: libresolv
594 librdc: libsocket libnsl libnsctl libunistat libdscfg
595 libuuid: libdplpi
596 libinetutil: libsocket
597 libipsecutil: libtecla libsocket
598 libinstzones: libzonecfg libcontract
599 libpkg: libwanboot libscf libadm
600 libnwam: libscf
601 libsecdb: libnsl
602 libsas: libgss libsocket pkcs11 libmd
603 sasl_plugins: pkcs11 libgss libsocket libsas
604 libscf: libsocket
605 libshell: libast libcmd libdll libsocket libsecdb
606 libsip: libmd5
607 libsmbs: libcmdutils libsocket libnsl libkrb5
608 libsocket: libnsl
609 libstmfproxy: libstmf libsocket libnsl libpthread
610 libsum: libast
611 libsysevent: libsecdb
612 libldap5: libsas libsocket libnsl libmd
613 libsladm: libldap5 libtsol libnsl libc libscf libresolv
614 libnvpair: libnvpair libexacct
615 libpp: libast
616 libzonecfg: libc libsocket libnsl libuuid libnvpair libsysevent libsec \
617     libbrand libpool libscf
618 libproc: ../cmd/sgs/librtld_db ../cmd/sgs/libelf libctf libsavargs
619 libproject: libpool libproc libsecdb
620 libtermcap: libcurses
621 libtsnet: libnsl libtsol libsecdb
622 libwrap: libnsl libsocket
623 libwanboot: libnvpair libresolv libnsl libsocket libdevinfo libinetutil \
624     libdhcputil
625 libwanbootutil: libnsl
626 pam_modules: libproject passwdutil smbsrv
627 libscf: libuutil libmd libgen libsmbios libnsl
628 libnetsvc: libscf
629 librestart: libuutil libscf
630 libsavargs: libdisasm
631 ../cmd/sgs/libdl: ../cmd/sgs/libconv
632 ../cmd/sgs/libelf: ../cmd/sgs/libconv
633 pkcs11: libcryptoutil
634 print: libldap5
635 udapl/udapl_tavor: udapl/libdat
636 libzfs: libdevinfo libgen libnvpair libuutil \
637     libadm libavl libefi libdladm libmd libzfs_core
638 libzfs_core: libnvpair
639 libzfs_jni: libdiskmgt libnvpair libzfs
640 libzpool: libavl libumem libnvpair libcmdutils
641 libsec: libavl libidmap
642 brand: libc libsocket
643 libshare: libscf libzfs libuuid libfsmgt libsecdb libumem libsmbs
644 libexacct/demo: libexacct libproject libsocket libnsl
645 libtsalarm: libpcp
646 smbsrv: libsocket libnsl libmd libxnet libpthread librt \
647     libshare libidmap pkcs11 libsqlite libcryptoutil \
648     librepase libcmdutils
649 libv12n: libds libuuid
650 libvrrpadm: libsocket libdladm libscf
651 libvscan: libscf
652 libfru: libfruutils

```

```
653 scsi:          libnvpair libfru
654 mpapi:          libpthread libdevinfo libsysevent libnvpair
655 sun_fc:          libdevinfo libsysevent libnvpair
656 libsun_ima:      libdevinfo libsysevent libnsl
657 sun_sas:          libdevinfo libsysevent libnvpair libkstat libdevid
658 libgrubmgmt:      libdevinfo libzfs libfstyp
659 pylibbe:          libbe libzfs
660 pyzfs:           libnvpair libzfs
661 pysolaris:        libsec libidmap
662 libreparse:        libnvpair
663 libhotplug:        libnvpair
664 cfgadm_plugins:    libhotplug
665 libilb:            libsocket
666 $(INTEL_BUILD)libdiskmgmt:libfdisk

668 #
669 # The reason this rule checks for the existence of the
670 # Makefile is that some of the directories do not exist
671 # in certain situations (e.g., exportable source builds,
672 # OpenSolaris).
673 #
674 $(SUBDIRS): FRC
675     @if [ -f $@/Makefile ]; then \
676         cd $@; pwd; $(MAKE) $(TARGET); \
677     else \
678         true; \
679     fi

681 $(SUBDIRS:%=%-nodepend):
682     @if [ -f $(@:%-nodepend=)/Makefile ]; then \
683         cd $(@:%-nodepend=); pwd; $(MAKE) $(TARGET); \
684     else \
685         true; \
686     fi

688 FRC:
```

new/usr/src/man/man1m/Makefile

1

14732 Thu Jul 17 16:13:53 2014

new/usr/src/man/man1m/Makefile

4989 removal of ntfsplogs and parted

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012, Joyent, Inc. All rights reserved.
15 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
16 #
```

```
18 include      $(SRC)//Makefile.master
```

```
20 MANSECT=     1m
```

```
22 _MANFILES=   6to4relay.1m  \
23               Intro.1m      \
24               Uutry.1m       \
25               accept.1m      \
26               acct.1m        \
27               acctadm.1m     \
28               acctcms.1m     \
29               acctcon.1m     \
30               acctmerg.1m    \
31               acctprc.1m     \
32               acctsh.1m      \
33               adbggen.1m     \
34               add_allocatable.1m \
35               add_drv.1m     \
36               addbadsec.1m   \
37               arcstat.1m     \
38               arp.1m         \
39               atohexlabel.1m \
40               audit.1m       \
41               audit_warn.1m  \
42               auditconfig.1m \
43               auditd.1m      \
44               auditrecord.1m \
45               auditreduce.1m \
46               auditstat.1m   \
47               automount.1m   \
48               automountd.1m  \
49               autopush.1m    \
50               bart.1m        \
51               beadm.1m       \
52               boot.1m        \
53               bootadm.1m     \
54               bootconfchk.1m \
55               busstat.1m     \
56               cachebsd.1m    \
57               cachebsdlog.1m \
58               cachebspack.1m \
59               cachebsdstat.1m \
60               cachebsdswsize.1m \
61               captainfo.1m   \
```

new/usr/src/man/man1m/Makefile

2

```
62 catman.1m      \
63 cfgadm.1m      \
64 cfgadm_ac.1m   \
65 cfgadm_cardbus.1m \
66 cfgadm_fp.1m   \
67 cfgadm_ib.1m   \
68 cfgadm_pci.1m  \
69 cfgadm_sata.1m \
70 cfgadm_sbd.1m  \
71 cfgadm_scsi.1m \
72 cfgadm_sdcad.1m \
73 cfgadm_sysctrl.1m \
74 cfgadm_usb.1m  \
75 cfsadmin.1m    \
76 chat.1m        \
77 check-hostname.1m \
78 check-permissions.1m \
79 chroot.1m       \
80 clear_locks.1m  \
81 clinfo.1m       \
82 clri.1m         \
83 consadm.1m      \
84 conv_lp.1m      \
85 conv_lpd.1m     \
86 coreadm.1m     \
87 cpustat.1m      \
88 cron.1m        \
89 cryptoadm.1m   \
90 datadm.1m      \
91 dd.1m          \
92 devattr.1m     \
93 devfree.1m     \
94 devfsadm.1m    \
95 device_remap.1m \
96 devinfo.1m     \
97 devlinks.1m    \
98 devnm.1m       \
99 devprop.1m     \
100 devreserv.1m   \
101 df.1m          \
102 df_ufs.1m      \
103 dfmounts.1m    \
104 dfmounts_nfs.1m \
105 dfshares.1m    \
106 dfshares_nfs.1m \
107 dhcpagent.1m   \
108 dhcpconfig.1m  \
109 dhcpmgr.1m     \
110 dhtadm.1m      \
111 disks.1m       \
112 diskscan.1m    \
113 dispadmin.1m   \
114 dladm.1m       \
115 dlmgmt.1m      \
116 dmesg.1m       \
117 dminfo.1m      \
118 dns-sd.1m      \
119 domainname.1m  \
120 drvconfig.1m   \
121 dsbitmap.1m    \
122 dscfg.1m       \
123 dscfgadm.1m    \
124 dscfglockd.1m  \
125 dsstat.1m      \
126 dsvclockd.1m   \
127 dtrace.1m      \
```

new/usr/src/man/man1m/Makefile

```
128      dumpadm.1m      \
129      editmap.1m      \
130      edquota.1m      \
131      eeprom.1m       \
132      embedded_su.1m  \
133      etrn.1m         \
134      fcinfo.1m       \
135      fdetach.1m      \
136      fdisk.1m        \
137      ff.1m           \
138      ff_ufs.1m       \
139      fiocompress.1m  \
140      flowadm.1m      \
141      fmadm.1m        \
142      fmd.1m          \
143      fmdump.1m       \
144      fmstat.1m       \
145      fmthard.1m      \
146      format.1m       \
147      fruadm.1m       \
148      fsck.1m         \
149      fsck_cacheufs.1m \
150      fsck_pcfs.1m    \
151      fsck_udfs.1m    \
152      fsck_ufs.1m     \
153      fsdb.1m         \
154      fsdb_udfs.1m    \
155      fsdb_ufs.1m     \
156      fsirand.1m      \
157      fssnap.1m       \
158      fssnap_ufs.1m   \
159      fsstat.1m       \
160      fstyp.1m        \
161      ftpaddhost.1m   \
162      ftpconfig.1m    \
163      ftprestart.1m    \
164      ftpshut.1m      \
165      fuser.1m        \
166      fwflash.1m     \
167      fwtmp.1m       \
168      getdev.1m       \
169      getdevpolicy.1m \
170      getdgrp.1m      \
171      getent.1m       \
172      gettable.1m     \
173      getty.1m        \
174      getvol.1m       \
175      groupadd.1m     \
176      groupdel.1m     \
177      groupmod.1m     \
178      growfs.1m       \
179      gsscred.1m      \
180      gssd.1m         \
181      hal-device.1m   \
182      hal-fdi-validate.1m \
183      hal-find.1m     \
184      hal-get-property.1m \
185      hald.1m         \
186      halt.1m        \
187      hextoalabel.1m  \
188      hostconfig.1m   \
189      htable.1m       \
190      ickey.1m        \
191      id.1m           \
192      idmap.1m        \
193      idmapd.1m       \
```

3

new/usr/src/man/man1m/Makefile

```
194      idsconfig.1m   \
195      if_mpadm.1m     \
196      ifconfig.1m     \
197      ifparse.1m      \
198      iadm.1m         \
199      iicpbmp.1m      \
200      iicpshd.1m      \
201      ikeadm.1m       \
202      ikecert.1m      \
203      in.chargend.1m   \
204      in.comsat.1m    \
205      in.daytimed.1m  \
206      in.dhcpd.1m     \
207      in.discardd.1m  \
208      in.echod.1m     \
209      in.fingerd.1m   \
210      in.ftpd.1m      \
211      in.iked.1m      \
212      in.lpd.1m       \
213      in.mpathd.1m    \
214      in.ndpd.1m      \
215      in.rarpd.1m     \
216      in.rdisc.1m     \
217      in.rexecd.1m    \
218      in.ripngd.1m    \
219      in.rlogind.1m   \
220      in.routed.1m    \
221      in.rshd.1m      \
222      in.rwhod.1m     \
223      in.talkd.1m     \
224      in.telnetd.1m   \
225      in.tftpd.1m     \
226      in.timed.1m     \
227      in.uucpd.1m     \
228      inetadm.1m      \
229      inetconv.1m     \
230      inetd.1m        \
231      infocmp.1m      \
232      init.1m         \
233      inityp2l.1m     \
234      install.1m      \
235      installf.1m     \
236      installgrub.1m  \
237      intrd.1m        \
238      intrstat.1m     \
239      iostat.1m       \
240      ipaddrsel.1m    \
241      ipadm.1m        \
242      ipdadm.1m       \
243      ipf.1m          \
244      ipfs.1m         \
245      ipfstat.1m      \
246      ipmon.1m        \
247      ipmpstat.1m     \
248      ipnat.1m        \
249      IPPool.1m       \
250      ipqosconf.1m    \
251      ipsecalgs.1m    \
252      ipsecconf.1m    \
253      ipseckey.1m     \
254      iscsiadm.1m     \
255      isns.1m         \
256      isnsadm.1m      \
257      itadm.1m        \
258      k5srvutil.1m    \
259      kadb.1m         \
```

4

new/usr/src/man/man1m/Makefile

```

260      kadmin.1m      \
261      kadmin.1m      \
262      kclient.1m      \
263      kdb5_ldap_util.1m \
264      kdb5_util.1m    \
265      kdcmgr.1m       \
266      kernel.1m       \
267      keyserve.1m     \
268      killall.1m      \
269      kprop.1m        \
270      kpropd.1m       \
271      kproplog.1m     \
272      krb5kdc.1m      \
273      ksslcfg.1m      \
274      kstat.1m        \
275      ktkk_warnd.1m   \
276      labelit.1m      \
277      labelit_hsfs.1m \
278      labelit_udfs.1m \
279      labelit_ufs.1m  \
280      latencytop.1m   \
281      ldap_cachemgr.1m \
282      ldapaddent.1m   \
283      ldapclient.1m   \
284      link.1m         \
285      listdgrp.1m     \
286      listen.1m       \
287      locator.1m      \
288      lockfs.1m       \
289      lockstat.1m     \
290      lofiadm.1m      \
291      logadm.1m       \
292      logins.1m       \
293      lpadmin.1m      \
294      lpfilter.1m     \
295      lpforms.1m      \
296      lpget.1m        \
297      lpmove.1m       \
298      lpsched.1m      \
299      lpset.1m        \
300      lpshut.1m       \
301      lpssystem.1m    \
302      lpusers.1m      \
303      luxadm.1m       \
304      mail.local.1m   \
305      makedbm.1m      \
306      makemap.1m      \
307      mdmonitord.1m   \
308      medstat.1m      \
309      metaclear.1m    \
310      metadb.1m       \
311      metadevadm.1m   \
312      metahs.1m       \
313      metaimport.1m   \
314      metainit.1m     \
315      metaoffline.1m  \
316      metaparam.1m    \
317      metarecover.1m  \
318      metarename.1m   \
319      metareplace.1m  \
320      metaroot.1m     \
321      metaset.1m      \
322      metassist.1m    \
323      metastat.1m     \
324      metasync.1m     \
325      metattach.1m    \

```

5

new/usr/src/man/man1m/Makefile

```

326      mkdevalloc.1m   \
327      mkdevmaps.1m    \
328      mkfifo.1m       \
329      mkfile.1m       \
330      mkfs.1m         \
331      mkfs_pcfs.1m    \
332      mkfs_udfs.1m    \
333      mkfs_ufs.1m     \
334      mknod.1m        \
335      mkpwdict.1m     \
336      modinfo.1m      \
337      modload.1m      \
338      modunload.1m    \
339      mount.1m        \
340      mount_cachefs.1m \
341      mount_hsfs.1m   \
342      mount_nfs.1m    \
343      mount_pcfs.1m   \
344      mount_smbfs.1m  \
345      mount_tmpfs.1m  \
346      mount_udfs.1m   \
347      mount_ufs.1m    \
348      mountall.1m     \
349      mouted.1m       \
350      mpathadm.1m     \
351      mpstat.1m       \
352      msgid.1m        \
353      mvdirt.1m       \
354      ncaconfd.1m     \
355      ncheck.1m       \
356      ncheck_ufs.1m   \
357      ndd.1m          \
358      ndmpadm.1m      \
359      ndmpd.1m        \
360      ndmpstat.1m     \
361      netstat.1m      \
362      netstrategy.1m  \
363      newaliases.1m   \
364      newfs.1m        \
365      newkey.1m       \
366      nfs4cbd.1m      \
367      nfsd.1m         \
368      nfslogd.1m      \
369      nfsmapid.1m     \
370      nfsstat.1m      \
371      nlsadmin.1m     \
372      nscadm.1m       \
373      nscd.1m         \
374      nwamd.1m        \
375      passmgmt.1m     \
376      pbind.1m        \
377      picld.1m        \
378      ping.1m         \
379      pkgadd.1m       \
380      pkgadm.1m       \
381      pkgask.1m       \
382      pkgchk.1m       \
383      pkgrm.1m        \
384      plockstat.1m    \
385      pmadm.1m        \
386      pmconfig.1m     \
387      pntadm.1m       \
388      polkit-is-privileged.1m \
389      pooladm.1m      \
390      poolbind.1m     \
391      poolcfg.1m      \

```

6

new/usr/src/man/man1m/Makefile

7

```
392      poold.1m      \
393      poolstat.1m   \
394      ports.1m      \
395      powerd.1m     \
396      powertop.1m   \
397      pppmgr.1m     \
398      pppd.1m       \
399      pppdump.1m    \
400      pppoec.1m     \
401      pppoed.1m     \
402      pppstats.1m   \
403      praudit.1m    \
404      print-service.1m \
405      printmgr.1m   \
406      projadd.1m    \
407      projdel.1m    \
408      projmod.1m    \
409      prstat.1m     \
410      prtconf.1m    \
411      prtdiag.1m    \
412      prtfru.1m     \
413      prtpicl.1m    \
414      prtvto.1m     \
415      psradm.1m     \
416      psrinfo.1m    \
417      psrset.1m     \
418      putdev.1m     \
419      putdgrp.1m    \
420      pwck.1m       \
421      pwconv.1m     \
422      quot.1m       \
423      quota.1m      \
424      quotacheck.1m \
425      quotaon.1m    \
426      raidctl.1m    \
427      ramdiskadm.1m \
428      rcapadm.1m    \
429      rcapd.1m      \
430      rctladm.1m    \
431      rdate.1m      \
432      reboot.1m     \
433      rem_drv.1m    \
434      remove_allocatable.1m \
435      removef.1m    \
436      repquota.1m   \
437      rmmount.1m    \
438      rmt.1m        \
439      rmvolmgr.1m   \
440      roleadd.1m    \
441      roledel.1m    \
442      rolemod.1m    \
443      root_archive.1m \
444      route.1m      \
445      routeadm.1m   \
446      rpc.bootparamd.1m \
447      rpc.mdcommd.1m \
448      rpc.metad.1m   \
449      rpc.metamedd.1m \
450      rpc.metamhd.1m \
451      rpc.rexd.1m    \
452      rpc.rstatd.1m  \
453      rpc.rusersd.1m \
454      rpc.rwallld.1m \
455      rpc.smserverd.1m \
456      rpc.sprayd.1m  \
457      rpc.yppasswdd.1m \
```

new/usr/src/man/man1m/Makefile

8

```
458      rpc.yppupdated.1m \
459      rpcbind.1m        \
460      rpcinfo.1m        \
461      rquotad.1m        \
462      rsh.1m            \
463      rtc.1m            \
464      rtquery.1m        \
465      runacct.1m        \
466      rwall.1m          \
467      sac.1m            \
468      sacadm.1m         \
469      saf.1m            \
470      sar.1m            \
471      sasinfo.1m        \
472      savecore.1m       \
473      sbdadm.1m         \
474      scadm.1m          \
475      scmadm.1m         \
476      sdpadm.1m         \
477      sendmail.1m       \
478      setuname.1m       \
479      sftp-server.1m    \
480      share.1m          \
481      share_nfs.1m      \
482      shareall.1m       \
483      sharectl.1m       \
484      sharemgr.1m       \
485      showmount.1m      \
486      shutdown.1m      \
487      slpd.1m           \
488      smbadm.1m         \
489      smbd.1m           \
490      smbiod.1m         \
491      smbios.1m         \
492      smbstat.1m        \
493      smrsh.1m          \
494      smtnrddb.1m       \
495      smtnrhttp.1m      \
496      smtnzonecfg.1m    \
497      sndradm.1m        \
498      sndrd.1m          \
499      sndrsyncd.1m      \
500      snoop.1m          \
501      soconfig.1m       \
502      sppptun.1m        \
503      spray.1m          \
504      ssh-keysign.1m    \
505      sshd.1m           \
506      statd.1m          \
507      stmfadm.1m        \
508      stmsboot.1m       \
509      strace.1m          \
510      strclean.1m       \
511      strerr.1m         \
512      sttydefs.1m       \
513      su.1m             \
514      sulogin.1m        \
515      svadm.1m          \
516      svc.configd.1m    \
517      svc.ipfd.1m       \
518      svc.startd.1m     \
519      svcadm.1m         \
520      svccfg.1m         \
521      swap.1m           \
522      sync.1m           \
523      syncinit.1m       \
```

```

524      syncloop.1m      \
525      syncstat.1m     \
526      sysdef.1m       \
527      syseventadm.1m  \
528      syseventconfd.1m \
529      syseventd.1m    \
530      syslogd.1m      \
531      tapes.1m        \
532      tcpd.1m         \
533      tcpdchk.1m      \
534      tcpdmatch.1m    \
535      th_define.1m     \
536      th_manage.1m    \
537      tic.1m          \
538      tnchkdb.1m      \
539      tnctl.1m        \
540      tnd.1m          \
541      tninfo.1m       \
542      tpmadm.1m       \
543      traceroute.1m   \
544      trapstat.1m     \
545      ttyadm.1m       \
546      ttymon.1m       \
547      tuneefs.1m      \
548      txzonemgr.1m    \
549      tzselect.1m     \
550      uadmin.1m       \
551      ucodeadm.1m     \
552      ufsdump.1m      \
553      ufsrestore.1m   \
554      unshare.1m      \
555      unshare_nfs.1m  \
556      update_drv.1m   \
557      updatehome.1m   \
558      useradd.1m      \
559      userdel.1m      \
560      usermod.1m      \
561      utmpd.1m        \
562      uucheck.1m      \
563      uucico.1m       \
564      uucleanup.1m    \
565      uusched.1m      \
566      uuxqt.1m        \
567      vmstat.1m       \
568      volcopy.1m      \
569      volcopy_ufs.1m  \
570      vscanadm.1m     \
571      vscand.1m       \
572      wall.1m         \
573      wanboot_keygen.1m \
574      wanboot_keymgmt.1m \
575      wanboot_p12split.1m \
576      wanbootutil.1m  \
577      whodo.1m        \
578      wificonfig.1m   \
579      wpad.1m         \
580      wracct.1m       \
581      wusbadm.1m     \
582      ypbind.1m       \
583      ypinit.1m       \
584      ypmake.1m       \
585      ypmap2src.1m    \
586      yppoll.1m       \
587      yppush.1m       \
588      ypserv.1m       \
589      ypset.1m        \

```

```

590      ypstart.1m      \
591      ypxfr.1m        \
592      zdb.1m          \
593      zdump.1m        \
594      zfs.1m          \
595      zic.1m          \
596      zoneadm.1m      \
597      zoneadmd.1m     \
598      zonecfg.1m      \
599      zpool.1m        \
600      zstreamdump.1m  \

602 i386_MANFILES=      \
603      lms.1m          \
602 i386_MANFILES=    lms.1m \
603      parted.1m      \
604      mkntfs.1m      \
605      ntfsclat.1m    \
606      ntfsclone.1m   \
607      ntfscluster.1m \
608      ntfscomp.1m    \
609      ntfsfcp.1m     \
610      ntfsfix.1m     \
611      ntfsinfo.1m    \
612      ntfslabel.1m   \
613      ntfsils.1m     \
614      ntfsprogs.1m   \
615      ntfsresize.1m  \
616      ntfsundelete.1m \

605 sparc_MANFILES=   cvcd.1m \
606      dcs.1m         \
607      drd.1m         \
608      efdaemon.1m    \
609      ldmd.1m        \
610      monitor.1m     \
611      obpsym.1m      \
612      oplhpd.1m      \
613      prtdscp.1m     \
614      sckmd.1m       \
615      sf880drd.1m    \
616      vntsd.1m       \

618 MANLINKS=          \
619      acctcon1.1m    \
619      acctcon2.1m    \
620      acctdisk.1m    \
621      acctdusg.1m    \
622      accton.1m      \
623      acctprc1.1m    \
624      acctprc2.1m    \
625      acctwtmp.1m    \
626      bootparamd.1m  \
627      chargefee.1m   \
628      ckpacct.1m     \
629      closewtmp.1m   \
630      comsat.1m      \
631      dcopy.1m       \
632      devfsadmd.1m   \
633      dodisk.1m      \
634      fcadm.1m       \
635      fingerd.1m     \
636      ftpd.1m        \
637      grpck.1m       \
638      hal-find-by-capability.1m \
639      hal-find-by-property.1m \
640      hal-set-property.1m \

```

new/usr/src/man/man1m/Makefile

```

641      intro.1m          \
642      kadmin.local.1m   \
643      lastlogin.1m      \
644      metadetach.1m     \
645      metaonline.1m     \
646      monacct.1m        \
647      nulladm.1m        \
648      poweroff.1m       \
649      prctmp.1m         \
650      prdaily.1m        \
651      prtacct.1m        \
652      quotaoff.1m       \
653      rarpd.1m          \
654      rdisc.1m          \
655      reject.1m         \
656      restricted_shell.1m \
657      rexd.1m           \
658      rexecd.1m         \
659      rlogind.1m        \
660      routed.1m         \
661      rshd.1m           \
662      rstatd.1m         \
663      rusersd.1m        \
664      rwalld.1m         \
665      rwhod.1m          \
666      sa1.1m            \
667      sa2.1m            \
668      sadc.1m           \
669      shutacct.1m       \
670      sprayd.1m         \
671      startup.1m        \
672      talkd.1m          \
673      telinit.1m        \
674      telnetd.1m        \
675      tftpd.1m          \
676      turnacct.1m       \
677      umount.1m         \
678      umount_smbfs.1m   \
679      umountall.1m      \
680      unlink.1m         \
681      unshareall.1m     \
682      utmp2wtmp.1m      \
683      uucpd.1m          \
684      uutry.1m          \
685      wtmpfix.1m        \
686      yppasswdd.1m      \
687      ypstop.1m         \
688      ypupdated.1m      \
689      ypxfr_1perday.1m   \
690      ypxfr_1perhour.1m \
691      ypxfr_2perday.1m   \
692      ypxfrd.1m         \

694 MANFILES=      $_MANFILES) $($MACH)_MANFILES)

696 intro.1m        := LINKSRC = Intro.1m

698 uutry.1m         := LINKSRC = Uutry.1m

700 reject.1m        := LINKSRC = accept.1m

702 acctdisk.1m      := LINKSRC = acct.1m
703 acctdusg.1m      := LINKSRC = acct.1m
704 accton.1m         := LINKSRC = acct.1m
705 acctwtmp.1m       := LINKSRC = acct.1m
706 closewtmp.1m     := LINKSRC = acct.1m

```

11

new/usr/src/man/man1m/Makefile

```

707 utmp2wtmp.1m     := LINKSRC = acct.1m

709 acctcon1.1m       := LINKSRC = acctcon.1m
710 acctcon2.1m       := LINKSRC = acctcon.1m

712 acctprc1.1m       := LINKSRC = acctprc.1m
713 acctprc2.1m       := LINKSRC = acctprc.1m

715 chargefee.1m     := LINKSRC = acctsh.1m
716 ckpacct.1m        := LINKSRC = acctsh.1m
717 dodisk.1m         := LINKSRC = acctsh.1m
718 lastlogin.1m      := LINKSRC = acctsh.1m
719 monacct.1m        := LINKSRC = acctsh.1m
720 nulladm.1m        := LINKSRC = acctsh.1m
721 prctmp.1m         := LINKSRC = acctsh.1m
722 prdaily.1m        := LINKSRC = acctsh.1m
723 prtacct.1m        := LINKSRC = acctsh.1m
724 shutacct.1m       := LINKSRC = acctsh.1m
725 startup.1m        := LINKSRC = acctsh.1m
726 turnacct.1m       := LINKSRC = acctsh.1m

728 dcopy.1m          := LINKSRC = clri.1m

730 devfsadmd.1m     := LINKSRC = devfsadm.1m

732 fcadm.1m          := LINKSRC = fcinfo.1m

734 wtmpfix.1m        := LINKSRC = fwtmp.1m

736 hal-find-by-capability.1m := LINKSRC = hal-find.1m
737 hal-find-by-property.1m  := LINKSRC = hal-find.1m

739 hal-set-property.1m     := LINKSRC = hal-get-property.1m

741 poweroff.1m             := LINKSRC = halt.1m

743 comsat.1m               := LINKSRC = in.comsat.1m
744 fingerd.1m              := LINKSRC = in.fingerd.1m
745 ftpd.1m                 := LINKSRC = in.ftpd.1m
746 rarpd.1m                := LINKSRC = in.rarpd.1m
747 rdisc.1m                := LINKSRC = in.rdisc.1m
748 rexecd.1m               := LINKSRC = in.rexecd.1m
749 rlogind.1m              := LINKSRC = in.rlogind.1m
750 routed.1m               := LINKSRC = in.routed.1m
751 rshd.1m                 := LINKSRC = in.rshd.1m
752 rwhod.1m                := LINKSRC = in.rwhod.1m
753 talkd.1m                := LINKSRC = in.talkd.1m
754 telnetd.1m              := LINKSRC = in.telnetd.1m
755 tftpd.1m                := LINKSRC = in.tftpd.1m
756 uucpd.1m                := LINKSRC = in.uucpd.1m

758 telinit.1m              := LINKSRC = init.1m

760 kadmin.local.1m         := LINKSRC = kadmin.1m

762 unlink.1m               := LINKSRC = link.1m

764 metaonline.1m          := LINKSRC = metaoffline.1m

766 metadetach.1m          := LINKSRC = metattach.1m

768 umount.1m               := LINKSRC = mount.1m

770 umount_smbfs.1m        := LINKSRC = mount_smbfs.1m

772 umountall.1m           := LINKSRC = mountall.1m

```

12

```
774 grpck.1m           := LINKSRC = pwck.1m
776 quotaoff.1m        := LINKSRC = quotaon.1m
778 bootparamd.1m      := LINKSRC = rpc.bootparamd.1m
779 rexd.1m            := LINKSRC = rpc.rexd.1m
780 rstatd.1m          := LINKSRC = rpc.rstatd.1m
781 rusersd.1m         := LINKSRC = rpc.rusersd.1m
782 rwalld.1m          := LINKSRC = rpc.rwalld.1m
783 sprayd.1m          := LINKSRC = rpc.sprayd.1m
784 yppasswdd.1m        := LINKSRC = rpc.yppasswdd.1m
785 ypubdated.1m        := LINKSRC = rpc.ypubdated.1m

787 restricted_shell.1m := LINKSRC = rsh.1m

789 sa1.1m             := LINKSRC = sar.1m
790 sa2.1m             := LINKSRC = sar.1m
791 sadc.1m            := LINKSRC = sar.1m

793 unshareall.1m      := LINKSRC = shareall.1m

795 ypxfrd.1m          := LINKSRC = ypserv.1m

797 ypstop.1m          := LINKSRC = ypstart.1m

799 ypxfr_1perday.1m    := LINKSRC = ypxfr.1m
800 ypxfr_1perhour.1m   := LINKSRC = ypxfr.1m
801 ypxfr_2perday.1m    := LINKSRC = ypxfr.1m

804 .KEEP_STATE:

806 include             $(SRC)/man/Makefile.man

808 install:             $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/pkg/manifests/SUNWntfsprogs.mf

1

1113 Thu Jul 17 16:13:54 2014
new/usr/src/pkg/manifests/SUNWntfsprogs.mf
4989 removal of ntfsprogs and parted

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Was renamed to system/file-system/ntfsprogs, both now obsolete.
24 #
25 #
26 set name=pkg.fmri value=pkg:/SUNWntfsprogs@2.0.0,5.11-0.133
27 set name=pkg.obsolete value=true
28 set name=org.opensolaris.noincorp value=true
27 set name=pkg.renamed value=true
29 set name=variant.arch value=i386
29 depend fmri=pkg:/system/file-system/ntfsprogs@2.0.0,5.11-0.133 type=require
```

new/usr/src/pkg/manifests/SUNWparted.mf

1

1102 Thu Jul 17 16:13:54 2014

new/usr/src/pkg/manifests/SUNWparted.mf

4989 removal of ntfsprogs and parted

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Was renamed to system/storage/parted, both now obsolete
24 #
25 #
26 set name=pkg.fmri value=pkg:/SUNWparted@1.8.8,5.11-0.133
27 set name=pkg.obsolete value=true
28 set name=org.opensolaris.noincorp value=true
27 set name=pkg.renamed value=true
29 set name=variant.arch value=i386
29 depend fmri=pkg:/system/storage/parted@1.8.8,5.11-0.133 type=require
```

new/usr/src/pkg/manifests/system-file-system-ntfsprogs.mf

1

1096 Thu Jul 17 16:13:55 2014
new/usr/src/pkg/manifests/system-file-system-ntfsprogs.mf
4989 removal of ntfsprogs and parted

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25
26 set name=pkg.fmri \
27     value=pkg:/system/file-system/ntfsprogs@2.0.0,${PKGVERS_BUILTON}-${PKGVERS_B}
28 set name=pkg.obsolete value=true
29 set name=org.opensolaris.noincorp value=true
30 set name=pkg.description \
31     value="ntfsprogs are utilities that provide access to and manipulation of NT
32 set name=pkg.summary value="ntfsprogs - Utilities that provide access to NTFS"
33 set name=info.classification \
34     value="org.opensolaris.category.2008:System/Administration and Configuration
35 set name=variant.arch value=i386
36
37 dir path=usr group=sys
38 dir path=usr/lib
39 dir path=usr/sbin
40 dir path=usr/share/man/man1m
41 file path=usr/lib/libntfs.so.10
42 file path=usr/sbin/mkntfs mode=0555
43 file path=usr/sbin/ntfscat mode=0555
44 file path=usr/sbin/ntfscclone mode=0555
45 file path=usr/sbin/ntfsccluster mode=0555
46 file path=usr/sbin/ntfscmp mode=0555
47 file path=usr/sbin/ntfscp mode=0555
48 file path=usr/sbin/ntfsfix mode=0555
49 file path=usr/sbin/ntfsinfo mode=0555
50 file path=usr/sbin/ntfslabel mode=0555
51 file path=usr/sbin/ntfsls mode=0555
52 file path=usr/sbin/ntfsresize mode=0555
53 file path=usr/sbin/ntfsundelete mode=0555
54 file path=usr/share/man/man1m/mkntfs.1m
55 file path=usr/share/man/man1m/ntfscat.1m
56 file path=usr/share/man/man1m/ntfscclone.1m
57 file path=usr/share/man/man1m/ntfsccluster.1m
58 file path=usr/share/man/man1m/ntfscmp.1m
59 file path=usr/share/man/man1m/ntfscp.1m
60 file path=usr/share/man/man1m/ntfsfix.1m
61 file path=usr/share/man/man1m/ntfsinfo.1m
62 file path=usr/share/man/man1m/ntfslabel.1m
```

new/usr/src/pkg/manifests/system-file-system-ntfsprogs.mf

2

```
60 file path=usr/share/man/man1m/ntfsls.1m
61 file path=usr/share/man/man1m/ntfsprogs.1m
62 file path=usr/share/man/man1m/ntfsresize.1m
63 file path=usr/share/man/man1m/ntfsundelete.1m
64 legacy pkg=SUNWntfsprogs \
65     desc="ntfsprogs are utilities that provide access to and manipulation of NTF
66     name="ntfsprogs - Utilities that provide access to NTFS"
67 license cr_Sun license=cr_Sun
68 license lic_CDDL license=lic_CDDL
69 license usr/src/cmd/ntfsprogs/THIRDPARTYLICENSE \
70     license=usr/src/cmd/ntfsprogs/THIRDPARTYLICENSE
71 license usr/src/lib/libntfs/THIRDPARTYLICENSE \
72     license=usr/src/lib/libntfs/THIRDPARTYLICENSE
73 link path=usr/lib/libntfs.so target=../libntfs.so.10
```

new/usr/src/pkg/manifests/system-storage-parted.mf

1

```
*****
1089 Thu Jul 17 16:13:55 2014
new/usr/src/pkg/manifests/system-storage-parted.mf
4989 removal of ntfsprogs and parted
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 #

26 set name=pkg.fmri \
27   value=pkg:/system/storage/parted@1.8.8,${PKGVERS_BUILTON}-${PKGVERS_BRANCH}
28 set name=pkg.obsolete value=true
29 set name=org.opensolaris.noincorp value=true
28 set name=pkg.description \
29   value="GNU Parted is for the display and manipulation of disk partitions"
30 set name=pkg.summary value="GNU Parted - Partition Editor"
31 set name=info.classification \
32   value="org.opensolaris.category.2008:System/Administration and Configuration"
30 set name=variant.arch value=i386
34 dir path=usr group=sys
35 dir path=usr/include
36 dir path=usr/include/parted
37 dir path=usr/lib
38 dir path=usr/sbin
39 dir path=usr/share/man/man1m
40 file path=usr/include/parted/constraint.h
41 file path=usr/include/parted/crc32.h
42 file path=usr/include/parted/debug.h
43 file path=usr/include/parted/device.h
44 file path=usr/include/parted/disk.h
45 file path=usr/include/parted/ndian.h
46 file path=usr/include/parted/exception.h
47 file path=usr/include/parted/filesys.h
48 file path=usr/include/parted/geom.h
49 file path=usr/include/parted/natmath.h
50 file path=usr/include/parted/parted.h
51 file path=usr/include/parted/solaris.h
52 file path=usr/include/parted/timer.h
53 file path=usr/include/parted/unit.h
54 file path=usr/lib/libparted.so.8
55 file path=usr/sbin/parted mode=0555
56 file path=usr/share/man/man1m/parted.1m
57 legacy pkg=SUNWparted \
58   desc="GNU Parted is for the display and manipulation of disk partitions" \
59   name="GNU Parted - Partition Editor"
```

new/usr/src/pkg/manifests/system-storage-parted.mf

2

```
60 license cr_Sun license=cr_Sun
61 license lic_CDDL license=lic_CDDL
62 license usr/src/cmd/parted/THIRDPARTYLICENSE \
63   license=usr/src/cmd/parted/THIRDPARTYLICENSE
64 license usr/src/lib/libparted/THIRDPARTYLICENSE \
65   license=usr/src/lib/libparted/THIRDPARTYLICENSE
66 link path=usr/lib/libparted.so target=./libparted.so.8
67 depend fmri=system/file-system/ntfsprogs type=require
```