

new/usr/src/cmd/lp/filter/postscript/font/devpost/Makefile

1

2544 Fri Mar 14 23:46:17 2014
 new/usr/src/cmd/lp/filter/postscript/font/devpost/Makefile
 633 case-folding collision in illumos-gate

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License, Version 1.0 only
6 # (the "License"). You may not use this file except in compliance
7 # with the License.
8 #
9 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
10 # or http://www.opensolaris.org/os/licensing.
11 # See the License for the specific language governing permissions
12 # and limitations under the License.
13 #
14 # When distributing Covered Code, include this CDDL HEADER in each
15 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
16 # If applicable, add the following below this CDDL HEADER, with the
17 # fields enclosed by brackets "[]" replaced with your own identifying
18 # information: Portions Copyright [yyyy] [name of copyright owner]
19 #
20 # CDDL HEADER END
21 #
22 #
23 # ident "%Z%M% %I% %E% SMI"
24 #
25 # Copyright (c) 1989 by Sun Microsystems, Inc.
26 # Copyright 2014 Garrett D'Amore
27 #
28 # cmd/lp/filter/postscript/font/devpost/Makefile
29 #
30 include ../../../../Makefile.lp
31
32 FONTFILES = AB AI AR AX BI CB CI CO \
33             CW CX GR HB HI HX JB JI \
34             JR JX KB KI KR KX NB NI \
35             CW CX GR HB HI HX Hb Hi \
36             Hr Hx KB KI KR KX NB NI \
37             NR NX PA PB PI PX S1 VB \
38             VI VR VX ZD ZI B H I \
39             R S
40
41 FONTLNK1 = G HM HK HL
42 FONTLNK2 = GI
43 DESCFILE = DESC
44 TXTS = DESC.big DESC.small S.big S.small LINKFILE
45
46 FONTNAMES = $(FONTFILES:%=%.name)
47 FONTLNK1OUTS = $(FONTLNK1:%=%.out)
48 FONTLNK2OUTS = $(FONTLNK2:%=%.out)
49 FONTOUTS = $(FONTFILES:%=%.out) $(DESCFILE:%=%.out)
50
51 SUBDIRS = charlib fontmaps
52 SUBDIRS = charlib
53
54 NATIVEMAKEDEV = ../native/makedev
55
56 ROOTLIBFONT = $(ROOT)/usr/lib/font
57 ROOTDEVPOST = $(ROOTLIBFONT)/devpost
58
59 ROOTFONTFILES = $(FONTFILES:%=$(ROOTDEVPOST)/%) \
60                 $(ROOTDEVPOST)/$(DESCFILE)
61 ROOTFONTNAMES = $(FONTNAMES:%=$(ROOTDEVPOST)/%)

```

new/usr/src/cmd/lp/filter/postscript/font/devpost/Makefile

2

```

57 ROOTFONTOUTS = $(FONTOUTS:%=$(ROOTDEVPOST)/%) \
58                $(FONTLNK1OUTS:%=$(ROOTDEVPOST)/%) \
59                $(FONTLNK2OUTS:%=$(ROOTDEVPOST)/%)
60
61 FILEMODE = 0444
62
63 .KEEP_STATE:
64
65 all : $(TXTS) $(FONTOUTS) $(FONTNAMES) $(SUBDIRS)
66
67 install: $(TXTS) $(FONTOUTS) $(FONTNAMES) \
68           $(ROOTDEVPOST) $(ROOTFONTFILES) $(ROOTFONTNAMES) \
69           $(ROOTFONTOUTS) $(SUBDIRS)
70
71 $(FONTOUTS) : $$(@:%.out=) $(NATIVEMAKEDEV)
72               @$ (RM) $@; $(NATIVEMAKEDEV) $(@:%.out=)
73
74 $(ROOTDEVPOST) :
75                 $(INS.dir)
76
77 $(NATIVEMAKEDEV) :
78                 @cd ..; $(MAKE) native/makedev
79
80 $(FONTLNK1OUTS) :
81                 H.out
82                 @$ (RM) $@; $(LN) H.out $@
83
84 $(FONTLNK2OUTS) :
85                 HI.out
86                 @$ (RM) $@; $(LN) HI.out $@
87
88 $(ROOTDEVPOST)/% : % $(ROOTDEVPOST)
89 $(ROOTDEVPOST)/% : %
90 $(ROOTDEVPOST)/% : $(INS.file)
91
92 clean strip lint : $(SUBDIRS)
93
94 clobber: $(SUBDIRS)
95           $(RM) $(FONTOUTS) $(FONTLNK1OUTS) $(FONTLNK2OUTS)
96
97 $(SUBDIRS): FRC
98           @cd $@; pwd; $(MAKE) $(TARGET)
99
100 FRC:

```

new/usr/src/cmd/lp/filter/postscript/font/devpost/fontmaps/Makefile

1

1419 Fri Mar 14 23:46:17 2014

new/usr/src/cmd/lp/filter/postscript/font/devpost/fontmaps/Makefile

633 case-folding collision in illumos-gate

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 # Copyright 2014 Garrett D'Amore
24 #
25 # cmd/lp/filter/postscript/font/devpost/fontmaps/Makefile
26 #

28 include                ../../../../../../Makefile.lp

30 FONTMAPS =              post
31 FILES =                 $(FONTMAPS)

33 ROOTFONTMAPS =          $(ROOT)/usr/lib/font/devpost/fontmaps

35 ROOTFILES =             $(FILES:%=$(ROOTFONTMAPS)/%)

37 FILEMODE =              0444

39 .KEEP_STATE:

41 all:                   $(FILES)

43 # because of its name, the file ~= is a special case
44 #
45 install:                all $(ROOTFONTMAPS) $(ROOTFILES)

47 $(ROOTFONTMAPS):
48                         $(INS.dir)

50 $(ROOTFONTMAPS)/% :      %
51                         $(INS.file)

53 clean clobber strip lint :

55 FRC:
```

24 Fri Mar 14 23:46:17 2014
new/usr/src/cmd/lp/filter/postscript/font/devpost/fontmaps/post
633 case-folding collision in illumos-gate

- 1 Hb JB

2 Hi JI

3 Hr JR

4 Hx JX

new/usr/src/pkg/manifests/text-doctools.mf

1

```
*****
17364 Fri Mar 14 23:46:17 2014
new/usr/src/pkg/manifests/text-doctools.mf
633 case-folding collision in illumos-gate
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #

22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #

27 set name=pkg.fmri value=pkg:/text/doctools@$(PKGVERS)
28 set name=pkg.description \
29     value="utilities and fonts for development, display, and production of docum
30 set name=pkg.summary value="Documentation Tools"
31 set name=info.classification \
32     value="org.opensolaris.category.2008:System/Text Tools"
33 set name=variant.arch value=$(ARCH)
34 dir path=usr group=sys
35 dir path=usr/bin
36 dir path=usr/lib
37 dir path=usr/lib/font
38 dir path=usr/lib/font/devpost group=lp
39 dir path=usr/lib/font/devpost/charlib group=lp
40 dir path=usr/lib/font/devpost/fontmaps group=lp
41 dir path=usr/lib/refer
42 dir path=usr/lib/refer/papers
43 dir path=usr/share
44 dir path=usr/share/lib
45 dir path=usr/share/lib/nterm
46 dir path=usr/share/lib/pub
47 dir path=usr/share/lib/tmac
48 dir path=usr/share/man
49 dir path=usr/share/man/man1
50 dir path=usr/share/man/man1m
51 dir path=usr/share/man/man5
52 file path=usr/bin/addbib mode=0555
53 file path=usr/bin/apropos mode=0555
54 file path=usr/bin/checkeq mode=0555
55 file path=usr/bin/checknr mode=0555
56 file path=usr/bin/deroff mode=0555
57 file path=usr/bin/diffmk mode=0555
58 file path=usr/bin/eqn mode=0555
59 file path=usr/bin/indxbib mode=0555
60 file path=usr/bin/lookbib mode=0555
61 file path=usr/bin/neqn mode=0555
```

new/usr/src/pkg/manifests/text-doctools.mf

2

```
62 file path=usr/bin/nroff mode=0555
63 file path=usr/bin/refer mode=0555
64 file path=usr/bin/roffbib mode=0555
65 file path=usr/bin/soelim mode=0555
66 file path=usr/bin/sortbib mode=0555
67 file path=usr/bin/ta mode=0555
68 file path=usr/bin/tbl mode=0555
69 file path=usr/bin/troff mode=0555
70 file path=usr/bin/ul mode=0555
71 file path=usr/bin/vgrind mode=0555
72 file path=usr/lib/font/devpost/AB group=lp mode=0444
73 file path=usr/lib/font/devpost/AB.name group=lp mode=0444
74 file path=usr/lib/font/devpost/AB.out group=lp mode=0444
75 file path=usr/lib/font/devpost/AI group=lp mode=0444
76 file path=usr/lib/font/devpost/AI.name group=lp mode=0444
77 file path=usr/lib/font/devpost/AI.out group=lp mode=0444
78 file path=usr/lib/font/devpost/AR group=lp mode=0444
79 file path=usr/lib/font/devpost/AR.name group=lp mode=0444
80 file path=usr/lib/font/devpost/AR.out group=lp mode=0444
81 file path=usr/lib/font/devpost/AX group=lp mode=0444
82 file path=usr/lib/font/devpost/AX.name group=lp mode=0444
83 file path=usr/lib/font/devpost/AX.out group=lp mode=0444
84 file path=usr/lib/font/devpost/B group=lp mode=0444
85 file path=usr/lib/font/devpost/B.name group=lp mode=0444
86 file path=usr/lib/font/devpost/B.out group=lp mode=0444
87 file path=usr/lib/font/devpost/BI group=lp mode=0444
88 file path=usr/lib/font/devpost/BI.name group=lp mode=0444
89 file path=usr/lib/font/devpost/BI.out group=lp mode=0444
90 file path=usr/lib/font/devpost/CB group=lp mode=0444
91 file path=usr/lib/font/devpost/CB.name group=lp mode=0444
92 file path=usr/lib/font/devpost/CB.out group=lp mode=0444
93 file path=usr/lib/font/devpost/CI group=lp mode=0444
94 file path=usr/lib/font/devpost/CI.name group=lp mode=0444
95 file path=usr/lib/font/devpost/CI.out group=lp mode=0444
96 file path=usr/lib/font/devpost/CO group=lp mode=0444
97 file path=usr/lib/font/devpost/CO.name group=lp mode=0444
98 file path=usr/lib/font/devpost/CO.out group=lp mode=0444
99 file path=usr/lib/font/devpost/CW group=lp mode=0444
100 file path=usr/lib/font/devpost/CW.name group=lp mode=0444
101 file path=usr/lib/font/devpost/CW.out group=lp mode=0444
102 file path=usr/lib/font/devpost/CX group=lp mode=0444
103 file path=usr/lib/font/devpost/CX.name group=lp mode=0444
104 file path=usr/lib/font/devpost/CX.out group=lp mode=0444
105 file path=usr/lib/font/devpost/DESC group=lp mode=0444
106 file path=usr/lib/font/devpost/DESC.out group=lp mode=0444
107 file path=usr/lib/font/devpost/G.out group=lp mode=0444
108 file path=usr/lib/font/devpost/GI.out group=lp mode=0444
109 file path=usr/lib/font/devpost/GR group=lp mode=0444
110 file path=usr/lib/font/devpost/GR.name group=lp mode=0444
111 file path=usr/lib/font/devpost/GR.out group=lp mode=0444
112 file path=usr/lib/font/devpost/H group=lp mode=0444
113 file path=usr/lib/font/devpost/H.name group=lp mode=0444
114 file path=usr/lib/font/devpost/H.out group=lp mode=0444
115 file path=usr/lib/font/devpost/HB group=lp mode=0444
116 file path=usr/lib/font/devpost/HB.name group=lp mode=0444
117 file path=usr/lib/font/devpost/HB.out group=lp mode=0444
118 file path=usr/lib/font/devpost/HI group=lp mode=0444
119 file path=usr/lib/font/devpost/HI.name group=lp mode=0444
120 file path=usr/lib/font/devpost/HI.out group=lp mode=0444
121 file path=usr/lib/font/devpost/HK.out group=lp mode=0444
122 file path=usr/lib/font/devpost/HL.out group=lp mode=0444
123 file path=usr/lib/font/devpost/HM.out group=lp mode=0444
124 file path=usr/lib/font/devpost/HX group=lp mode=0444
125 file path=usr/lib/font/devpost/HX.name group=lp mode=0444
126 file path=usr/lib/font/devpost/HX.out group=lp mode=0444
127 file path=usr/lib/font/devpost/JB group=lp mode=0444
```

```
128 file path=usr/lib/font/devpost/JB.name group=lp mode=0444
129 file path=usr/lib/font/devpost/JB.out group=lp mode=0444
130 file path=usr/lib/font/devpost/JI group=lp mode=0444
131 file path=usr/lib/font/devpost/JI.name group=lp mode=0444
132 file path=usr/lib/font/devpost/JI.out group=lp mode=0444
133 file path=usr/lib/font/devpost/JR group=lp mode=0444
134 file path=usr/lib/font/devpost/JR.name group=lp mode=0444
135 file path=usr/lib/font/devpost/JR.out group=lp mode=0444
136 file path=usr/lib/font/devpost/JX group=lp mode=0444
137 file path=usr/lib/font/devpost/JX.name group=lp mode=0444
138 file path=usr/lib/font/devpost/JX.out group=lp mode=0444
126 file path=usr/lib/font/devpost/Hb group=lp mode=0444
127 file path=usr/lib/font/devpost/Hb.name group=lp mode=0444
128 file path=usr/lib/font/devpost/Hb.out group=lp mode=0444
129 file path=usr/lib/font/devpost/Hi group=lp mode=0444
130 file path=usr/lib/font/devpost/Hi.name group=lp mode=0444
131 file path=usr/lib/font/devpost/Hi.out group=lp mode=0444
132 file path=usr/lib/font/devpost/Hr group=lp mode=0444
133 file path=usr/lib/font/devpost/Hr.name group=lp mode=0444
134 file path=usr/lib/font/devpost/Hr.out group=lp mode=0444
135 file path=usr/lib/font/devpost/Hx group=lp mode=0444
136 file path=usr/lib/font/devpost/Hx.name group=lp mode=0444
137 file path=usr/lib/font/devpost/Hx.out group=lp mode=0444
139 file path=usr/lib/font/devpost/I group=lp mode=0444
140 file path=usr/lib/font/devpost/I.name group=lp mode=0444
141 file path=usr/lib/font/devpost/I.out group=lp mode=0444
142 file path=usr/lib/font/devpost/KB group=lp mode=0444
143 file path=usr/lib/font/devpost/KB.name group=lp mode=0444
144 file path=usr/lib/font/devpost/KB.out group=lp mode=0444
145 file path=usr/lib/font/devpost/KI group=lp mode=0444
146 file path=usr/lib/font/devpost/KI.name group=lp mode=0444
147 file path=usr/lib/font/devpost/KI.out group=lp mode=0444
148 file path=usr/lib/font/devpost/KR group=lp mode=0444
149 file path=usr/lib/font/devpost/KR.name group=lp mode=0444
150 file path=usr/lib/font/devpost/KR.out group=lp mode=0444
151 file path=usr/lib/font/devpost/KX group=lp mode=0444
152 file path=usr/lib/font/devpost/KX.name group=lp mode=0444
153 file path=usr/lib/font/devpost/KX.out group=lp mode=0444
154 file path=usr/lib/font/devpost/NB group=lp mode=0444
155 file path=usr/lib/font/devpost/NB.name group=lp mode=0444
156 file path=usr/lib/font/devpost/NB.out group=lp mode=0444
157 file path=usr/lib/font/devpost/NI group=lp mode=0444
158 file path=usr/lib/font/devpost/NI.name group=lp mode=0444
159 file path=usr/lib/font/devpost/NI.out group=lp mode=0444
160 file path=usr/lib/font/devpost/NR group=lp mode=0444
161 file path=usr/lib/font/devpost/NR.name group=lp mode=0444
162 file path=usr/lib/font/devpost/NR.out group=lp mode=0444
163 file path=usr/lib/font/devpost/NX group=lp mode=0444
164 file path=usr/lib/font/devpost/NX.name group=lp mode=0444
165 file path=usr/lib/font/devpost/NX.out group=lp mode=0444
166 file path=usr/lib/font/devpost/PA group=lp mode=0444
167 file path=usr/lib/font/devpost/PA.name group=lp mode=0444
168 file path=usr/lib/font/devpost/PA.out group=lp mode=0444
169 file path=usr/lib/font/devpost/PB group=lp mode=0444
170 file path=usr/lib/font/devpost/PB.name group=lp mode=0444
171 file path=usr/lib/font/devpost/PB.out group=lp mode=0444
172 file path=usr/lib/font/devpost/PI group=lp mode=0444
173 file path=usr/lib/font/devpost/PI.name group=lp mode=0444
174 file path=usr/lib/font/devpost/PI.out group=lp mode=0444
175 file path=usr/lib/font/devpost/PX group=lp mode=0444
176 file path=usr/lib/font/devpost/PX.name group=lp mode=0444
177 file path=usr/lib/font/devpost/PX.out group=lp mode=0444
178 file path=usr/lib/font/devpost/R group=lp mode=0444
179 file path=usr/lib/font/devpost/R.name group=lp mode=0444
180 file path=usr/lib/font/devpost/R.out group=lp mode=0444
181 file path=usr/lib/font/devpost/S group=lp mode=0444
```

```
182 file path=usr/lib/font/devpost/S.name group=lp mode=0444
183 file path=usr/lib/font/devpost/S.out group=lp mode=0444
184 file path=usr/lib/font/devpost/S1 group=lp mode=0444
185 file path=usr/lib/font/devpost/S1.name group=lp mode=0444
186 file path=usr/lib/font/devpost/S1.out group=lp mode=0444
187 file path=usr/lib/font/devpost/VB group=lp mode=0444
188 file path=usr/lib/font/devpost/VB.name group=lp mode=0444
189 file path=usr/lib/font/devpost/VB.out group=lp mode=0444
190 file path=usr/lib/font/devpost/VI group=lp mode=0444
191 file path=usr/lib/font/devpost/VI.name group=lp mode=0444
192 file path=usr/lib/font/devpost/VI.out group=lp mode=0444
193 file path=usr/lib/font/devpost/VR group=lp mode=0444
194 file path=usr/lib/font/devpost/VR.name group=lp mode=0444
195 file path=usr/lib/font/devpost/VR.out group=lp mode=0444
196 file path=usr/lib/font/devpost/VX group=lp mode=0444
197 file path=usr/lib/font/devpost/VX.name group=lp mode=0444
198 file path=usr/lib/font/devpost/VX.out group=lp mode=0444
199 file path=usr/lib/font/devpost/ZD group=lp mode=0444
200 file path=usr/lib/font/devpost/ZD.name group=lp mode=0444
201 file path=usr/lib/font/devpost/ZD.out group=lp mode=0444
202 file path=usr/lib/font/devpost/ZI group=lp mode=0444
203 file path=usr/lib/font/devpost/ZI.name group=lp mode=0444
204 file path=usr/lib/font/devpost/ZI.out group=lp mode=0444
205 file path=usr/lib/font/devpost/charlib/12 group=lp mode=0444
206 file path=usr/lib/font/devpost/charlib/14 group=lp mode=0444
207 file path=usr/lib/font/devpost/charlib/34 group=lp mode=0444
208 file path=usr/lib/font/devpost/charlib/BACKETS_NOTE group=lp mode=0444
209 file path=usr/lib/font/devpost/charlib/Fi group=lp mode=0444
210 file path=usr/lib/font/devpost/charlib/Fl group=lp mode=0444
211 file path=usr/lib/font/devpost/charlib/L1 group=lp mode=0444
212 file path=usr/lib/font/devpost/charlib/L1.map group=lp mode=0444
213 file path=usr/lib/font/devpost/charlib/LH group=lp mode=0444
214 file path=usr/lib/font/devpost/charlib/LH.map group=lp mode=0444
215 file path=usr/lib/font/devpost/charlib/Lb group=lp mode=0444
216 file path=usr/lib/font/devpost/charlib/Lb.map group=lp mode=0444
217 file path=usr/lib/font/devpost/charlib/OLD_LH group=lp mode=0444
218 file path=usr/lib/font/devpost/charlib/OLD_LH.map group=lp mode=0444
219 file path=usr/lib/font/devpost/charlib/README group=lp mode=0444
220 file path=usr/lib/font/devpost/charlib/S1 group=lp mode=0444
221 file path=usr/lib/font/devpost/charlib/bx group=lp mode=0444
222 file path=usr/lib/font/devpost/charlib/ci group=lp mode=0444
223 file path=usr/lib/font/devpost/charlib/ff group=lp mode=0444
224 file path=usr/lib/font/devpost/charlib/lc group=lp mode=0444
225 file path=usr/lib/font/devpost/charlib/lf group=lp mode=0444
226 file path=usr/lib/font/devpost/charlib/lh group=lp mode=0444
227 file path=usr/lib/font/devpost/charlib/ob group=lp mode=0444
228 file path=usr/lib/font/devpost/charlib/rc group=lp mode=0444
229 file path=usr/lib/font/devpost/charlib/rf group=lp mode=0444
230 file path=usr/lib/font/devpost/charlib/rh group=lp mode=0444
231 file path=usr/lib/font/devpost/charlib/sq group=lp mode=0444
232 file path=usr/lib/font/devpost/charlib/~ group=lp mode=0444
233 file path=usr/lib/font/devpost/fontmaps/post group=lp mode=0444
234 file path=usr/lib/font/makedev group=lp mode=0555
235 file path=usr/lib/getNAME mode=0555
236 file path=usr/lib/makewhatis mode=0555
237 file path=usr/lib/refer/hunt mode=0555
238 file path=usr/lib/refer/inv mode=0555
239 file path=usr/lib/refer/mkey mode=0555
240 file path=usr/lib/refer/papers/Rbstjissue
241 file path=usr/lib/refer/papers/Rv7man
242 file path=usr/lib/refer/papers/runinv mode=0755
243 file path=usr/lib/vfontedpr mode=0555
244 file path=usr/lib/vgrindefs mode=0444
245 file path=usr/share/lib/nterm/tab.2631
246 file path=usr/share/lib/nterm/tab.2631-c
247 file path=usr/share/lib/nterm/tab.2631-e
```

```

248 file path=usr/share/lib/nterm/tab.300
249 file path=usr/share/lib/nterm/tab.300-12
250 file path=usr/share/lib/nterm/tab.300S
251 file path=usr/share/lib/nterm/tab.300S-12
252 file path=usr/share/lib/nterm/tab.37
253 file path=usr/share/lib/nterm/tab.382
254 file path=usr/share/lib/nterm/tab.4000A
255 file path=usr/share/lib/nterm/tab.450
256 file path=usr/share/lib/nterm/tab.450-12
257 file path=usr/share/lib/nterm/tab.832
258 file path=usr/share/lib/nterm/tab.8510
259 file path=usr/share/lib/nterm/tab.x
260 file path=usr/share/lib/nterm/tab.lp
261 file path=usr/share/lib/nterm/tab.tn300
262 file path=usr/share/lib/pub/ascii
263 file path=usr/share/lib/pub/eqnchar
264 file path=usr/share/lib/pub/greek
265 file path=usr/share/lib/pub/iso
266 file path=usr/share/lib/tmac/acm.me
267 file path=usr/share/lib/tmac/an
268 file path=usr/share/lib/tmac/ansun
269 file path=usr/share/lib/tmac/ansun.tbl
270 file path=usr/share/lib/tmac/bib
271 file path=usr/share/lib/tmac/chars.me
272 file path=usr/share/lib/tmac/deltext.me
273 file path=usr/share/lib/tmac/e
274 file path=usr/share/lib/tmac/eqn.me
275 file path=usr/share/lib/tmac/float.me
276 file path=usr/share/lib/tmac/footnote.me
277 file path=usr/share/lib/tmac/index.me
278 file path=usr/share/lib/tmac/local.me
279 file path=usr/share/lib/tmac/m
280 file path=usr/share/lib/tmac/mmn
281 file path=usr/share/lib/tmac/mmt
282 file path=usr/share/lib/tmac/ms.acc
283 file path=usr/share/lib/tmac/ms.cov
284 file path=usr/share/lib/tmac/ms.eqn
285 file path=usr/share/lib/tmac/ms.ref
286 file path=usr/share/lib/tmac/ms.tbl
287 file path=usr/share/lib/tmac/ms.ths
288 file path=usr/share/lib/tmac/ms.toc
289 file path=usr/share/lib/tmac/null.me
290 file path=usr/share/lib/tmac/refer.me
291 file path=usr/share/lib/tmac/s
292 file path=usr/share/lib/tmac/sh.me
293 file path=usr/share/lib/tmac/tbl.me
294 file path=usr/share/lib/tmac/thesis.me
295 file path=usr/share/lib/tmac/tmac.bib
296 file path=usr/share/lib/tmac/tmac.vgrind
297 file path=usr/share/lib/tmac/tz.map
298 file path=usr/share/lib/tmac/v
299 file path=usr/share/lib/tmac/vgrind
300 file path=usr/share/man/man1/addbib.1
301 file path=usr/share/man/man1/apropos.1
302 file path=usr/share/man/man1/checknr.1
303 file path=usr/share/man/man1/deroff.1
304 file path=usr/share/man/man1/diffmk.1
305 file path=usr/share/man/man1/eqn.1
306 file path=usr/share/man/man1/indxbib.1
307 file path=usr/share/man/man1/lookbib.1
308 file path=usr/share/man/man1/man.1
309 file path=usr/share/man/man1/nroff.1
310 file path=usr/share/man/man1/refer.1
311 file path=usr/share/man/man1/roffbib.1
312 file path=usr/share/man/man1/soelim.1
313 file path=usr/share/man/man1/sortbib.1

```

```

314 file path=usr/share/man/man1/tbl.1
315 file path=usr/share/man/man1/troff.1
316 file path=usr/share/man/man1/ul.1
317 file path=usr/share/man/man1/vgrind.1
318 file path=usr/share/man/man1/whatis.1
319 file path=usr/share/man/man1m/catman.1m
320 file path=usr/share/man/man5/eqnchar.5
321 file path=usr/share/man/man5/man.5
322 file path=usr/share/man/man5/mansun.5
323 file path=usr/share/man/man5/me.5
324 file path=usr/share/man/man5/mm.5
325 file path=usr/share/man/man5/ms.5
326 file path=usr/share/man/man5/vgrinddefs.5
327 hardlink path=usr/bin/catman target=../usr/bin/apropos
328 hardlink path=usr/bin/man target=../usr/bin/apropos
329 hardlink path=usr/bin/whatis target=../usr/bin/apropos
330 hardlink path=usr/lib/font/devpost/charlib/= target=./=
331 hardlink path=usr/share/lib/nterm/tab.300s \
332   target=../../../../usr/share/lib/nterm/tab.300S
333 hardlink path=usr/share/lib/nterm/tab.300s-12 \
334   target=../../../../usr/share/lib/nterm/tab.300S-12
335 hardlink path=usr/share/lib/nterm/tab.4000a \
336   target=../../../../usr/share/lib/nterm/tab.4000A
337 legacy pkg=SUNWdoc \
338   desc="utilities and fonts for development, display, and production of docume
339   name="Documentation Tools"
340 license cr_Sun license=cr_Sun
341 license usr/src/cmd/checkeq/THIRDPARTYLICENSE \
342   license=usr/src/cmd/checkeq/THIRDPARTYLICENSE
343 license usr/src/cmd/checknr/THIRDPARTYLICENSE \
344   license=usr/src/cmd/checknr/THIRDPARTYLICENSE
345 license usr/src/cmd/eqn/THIRDPARTYLICENSE \
346   license=usr/src/cmd/eqn/THIRDPARTYLICENSE
347 license usr/src/cmd/man/src/THIRDPARTYLICENSE \
348   license=usr/src/cmd/man/src/THIRDPARTYLICENSE
349 license usr/src/cmd/refer/THIRDPARTYLICENSE \
350   license=usr/src/cmd/refer/THIRDPARTYLICENSE
351 license usr/src/cmd/soelim/THIRDPARTYLICENSE \
352   license=usr/src/cmd/soelim/THIRDPARTYLICENSE
353 license usr/src/cmd/tbl/THIRDPARTYLICENSE \
354   license=usr/src/cmd/tbl/THIRDPARTYLICENSE
355 license usr/src/cmd/ul/THIRDPARTYLICENSE \
356   license=usr/src/cmd/ul/THIRDPARTYLICENSE
357 license usr/src/cmd/vgrind/THIRDPARTYLICENSE \
358   license=usr/src/cmd/vgrind/THIRDPARTYLICENSE
359 link path=usr/lib/tmac target=./share/lib/tmac
360 link path=usr/man target=./share/man
361 link path=usr/share/man/man1/checkeq.1 target=eqn.1
362 link path=usr/share/man/man1/eqn.1 target=eqn.1
363 # lp is used by man -t and -r
364 depend fmri=print/lp/print-client-commands type=require
365 # awk is used by catman (via makewhatis)
366 depend fmri=system/extended-system-utilities type=require
367 # gpics is used as a preprocessor by the apropos command
368 depend fmri=text/groff type=require
369 # less is the default (per user environment) pager
370 depend fmri=text/less type=require

```