

new/usr/src/lib/libc/port/locale/ldpart.c

1

```
*****
3785 Sat Jul 5 18:50:53 2014
new/usr/src/lib/libc/port/locale/ldpart.c
locale stuff should use libc safe lmalloc. Other fixes from tests.
*****
1 /*
2 * Copyright 2013 Garrett D'Amore <garrett@damore.org>
3 * Copyright 2010 Nexenta Systems, Inc. All rights reserved.
4 * Copyright (c) 2000, 2001 Alexey Zelkin <phantom@FreeBSD.org>
5 * All rights reserved.
6 *
7 * Redistribution and use in source and binary forms, with or without
8 * modification, are permitted provided that the following conditions
9 * are met:
10 * 1. Redistributions of source code must retain the above copyright
11 * notice, this list of conditions and the following disclaimer.
12 * 2. Redistributions in binary form must reproduce the above copyright
13 * notice, this list of conditions and the following disclaimer in the
14 * documentation and/or other materials provided with the distribution.
15 *
16 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
17 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
18 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
19 * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
20 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
21 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
22 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
23 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
24 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
25 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
26 * SUCH DAMAGE.
27 */
28
29 #include "lint.h"
30 #include "file64.h"
31 #include <sys/types.h>
32 #include <sys/stat.h>
33 #include <errno.h>
34 #include <fcntl.h>
35 #include <limits.h>
36 #include <stdlib.h>
37 #include <string.h>
38 #include <unistd.h>
39 #include <stdio.h>
40
41 #include "libc.h"
42 #include "ldpart.h"
43 #include "setlocale.h"
44
45 static int split_lines(char *, const char *);
46
47 int
48 __part_load_locale(const char *name,
49     char **__locale_buf, const char *category_filename,
50     int locale_buf_size_max, int locale_buf_size_min,
51     const char **dst_localebuf)
52 {
53     int             saverr, fd, i, num_lines;
54     char            *lbuf, *p;
55     const char      *plim;
56     char            filename[PATH_MAX];
57     struct stat     st;
58     size_t          namesize, bufsize;
59
60     /*
61      * Slurp the locale file into the cache.
62     */
63
64     if ((fd = open(filename, O_RDONLY)) < 0)
65         return (_LDP_ERROR);
66     if (fstat(fd, &st) != 0)
67         goto bad_locale;
68     if (st.st_size <= 0) {
69         errno = EINVAL;
70         goto bad_locale;
71     }
72     bufsize = namesize + st.st_size;
73     if ((lbuf = libc_malloc(bufsize)) == NULL) {
74         if ((lbuf = malloc(bufsize)) == NULL) {
75             errno = ENOMEM;
76             goto bad_locale;
77         }
78     }
79     if ((read(fd, p, (size_t)st.st_size) != st.st_size)
80         goto bad_lbuf;
81     /* Parse the locale file into localebuf.
82      */
83     if (plim[-1] != '\n') {
84         errno = EINVAL;
85         goto bad_lbuf;
86     }
87     num_lines = split_lines(p, plim);
88     if (num_lines >= locale_buf_size_max)
89         num_lines = locale_buf_size_max;
90     else if (num_lines >= locale_buf_size_min)
91         num_lines = locale_buf_size_min;
92     else {
93         errno = EINVAL;
94         goto bad_lbuf;
95     }
96     if (close(fd) != 0)
97         goto bad_lbuf;
98     /* Record the successful parse in the cache.
99      */
100    *locale_buf = lbuf;
101    for (p = *locale_buf, i = 0; i < num_lines; i++)
102        dst_localebuf[i] = (p += strlen(p) + 1);
103    for (i = num_lines; i < locale_buf_size_max; i++)
104        dst_localebuf[i] = NULL;
105
106    return (_LDP_LOADED);
107
108    bad_lbuf:
109    saverr = errno;
110    free(lbuf);
111    errno = saverr;
112
113    bad_locale:
114    saverr = errno;
115    (void) close(fd);
116    errno = saverr;
117
118    return (_LDP_ERROR);
119
120    unchanged_portion_omitted_
121
122
123
124
125
126 }
```

new/usr/src/lib/libc/port/locale/ldpart.c

2

```
62     /*
63      namesize = strlen(name) + 1;
64
65      /* 'PathLocale' must be already set & checked. */
66
67      (void) snprintf(filename, sizeof (filename), "%s/%s/%s/LCL_DATA",
68                      _PathLocale, name, category_filename);
69
70      if ((fd = open(filename, O_RDONLY)) < 0)
71          return (_LDP_ERROR);
72      if (fstat(fd, &st) != 0)
73          goto bad_locale;
74      if (st.st_size <= 0) {
75          errno = EINVAL;
76          goto bad_locale;
77      }
78      bufsize = namesize + st.st_size;
79      if ((lbuf = libc_malloc(bufsize)) == NULL) {
80          if ((lbuf = malloc(bufsize)) == NULL) {
81              errno = ENOMEM;
82              goto bad_locale;
83          }
84          (void) strcpy(lbuf, name);
85          p = lbuf + namesize;
86          plim = p + st.st_size;
87          if (read(fd, p, (size_t)st.st_size) != st.st_size)
88              goto bad_lbuf;
89          /* Parse the locale file into localebuf.
90           */
91          if (plim[-1] != '\n') {
92              errno = EINVAL;
93              goto bad_lbuf;
94          }
95          num_lines = split_lines(p, plim);
96          if (num_lines >= locale_buf_size_max)
97              num_lines = locale_buf_size_max;
98          else if (num_lines >= locale_buf_size_min)
99              num_lines = locale_buf_size_min;
100         else {
101             errno = EINVAL;
102             goto bad_lbuf;
103         }
104         (void) close(fd);
105         /* Record the successful parse in the cache.
106          */
107         *locale_buf = lbuf;
108         for (p = *locale_buf, i = 0; i < num_lines; i++)
109             dst_localebuf[i] = (p += strlen(p) + 1);
110         for (i = num_lines; i < locale_buf_size_max; i++)
111             dst_localebuf[i] = NULL;
112
113         return (_LDP_LOADED);
114
115         bad_lbuf:
116         saverr = errno;
117         free(lbuf);
118         errno = saverr;
119
120         bad_locale:
121         saverr = errno;
122         (void) close(fd);
123         errno = saverr;
124
125         return (_LDP_ERROR);
126 }
```

unchanged\_portion\_omitted\_

```
*****
5228 Sat Jul 5 18:50:53 2014
new/usr/src/lib/libc/port/locale/lmonetary.c
locale stuff should use libc safe lmalloc. Other fixes from tests.
*****
```

1 /\*  
2 \* Copyright 2014 Garrett D'Amore <garrett@damore.org>  
3 \* Copyright 2010 Nexenta Systems, Inc. All rights reserved.  
4 \* Copyright (c) 2000, 2001 Alexey Zelkin <phantom@FreeBSD.org>  
5 \* All rights reserved.  
6 \*  
7 \* Redistribution and use in source and binary forms, with or without  
8 \* modification, are permitted provided that the following conditions  
9 \* are met:  
10 \* 1. Redistributions of source code must retain the above copyright  
11 \* notice, this list of conditions and the following disclaimer.  
12 \* 2. Redistributions in binary form must reproduce the above copyright  
13 \* notice, this list of conditions and the following disclaimer in the  
14 \* documentation and/or other materials provided with the distribution.  
15 \*  
16 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND  
17 \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
18 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
19 \* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
20 \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
21 \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
22 \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
23 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
24 \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
25 \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
26 \* SUCH DAMAGE.  
27 \*/

29 #include "lint.h"  
30 #include <limits.h>  
31 #include <stddef.h>  
32 #include <stdlib.h>  
33 #include <stdio.h>  
34 #include <string.h>  
35 #include <errno.h>  
36 #include "libc.h"  
37 #include "ldpart.h"  
38 #include "lmonetary.h"  
39 #include "localeimpl.h"

41 extern const char \*\_fix\_locale\_grouping\_str(const char \*);

43 #define LCMONETARY\_SIZE\_FULL (sizeof (struct lc\_monetary) / sizeof (char \*))  
44 #define LCMONETARY\_SIZE\_MIN \  
45 (offsetof(struct lc\_monetary, int\_p\_cs\_precedes) / sizeof (char \*))

47 static char empty[] = "";  
48 static char numempty[] = { CHAR\_MAX, '\0' };

50 struct lc\_monetary lc\_monetary\_posix = {  
51 empty, /\* int\_curr\_symbol \*/  
52 empty, /\* currency\_symbol \*/  
53 empty, /\* mon\_decimal\_point \*/  
54 empty, /\* mon\_thousands\_sep \*/  
55 numempty, /\* mon\_grouping \*/  
56 empty, /\* positive\_sign \*/  
57 empty, /\* negative\_sign \*/  
58 numempty, /\* int\_frac\_digits \*/  
59 numempty, /\* frac\_digits \*/  
60 numempty, /\* p\_cs\_precedes \*/  
61 numempty, /\* p\_sep\_by\_space \*/

```
62     numempty,          /* n_cs_precedes */  

63     numempty,          /* n_sep_by_space */  

64     numempty,          /* p_sign_posn */  

65     numempty,          /* n_sign_posn */  

66     numempty,          /* int_p_cs_precedes */  

67     numempty,          /* int_n_cs_precedes */  

68     numempty,          /* int_p_sep_by_space */  

69     numempty,          /* int_n_sep_by_space */  

70     numempty,          /* int_p_sign_posn */  

71     numempty,          /* int_n_sign_posn */  

72     empty,             /* crncystr */  

73 };
```

unchanged portion omitted

```
90 struct locdata *  

91 __lc_monetary_load(const char *name)  

92 {  

93     int ret;  

94     int clen;  

95     struct lc_monetary      *lmon;  

96     struct locdata          *ldata;  

97  

98     if ((ldata = __locdata_alloc(name, sizeof (*lmon))) == NULL) {  

99         return (NULL);  

100    }  

101    lmon = ldata->l_data[0];  

102  

103    ret = __part_load_locale(name, (char **)&ldata->l_data[1],  

104                            "LC_MONETARY", LCMONETARY_SIZE_FULL, LCMONETARY_SIZE_MIN,  

105                            (const char **)lmon);  

106  

107    if (ret != _LDP_LOADED) {  

108        __locdata_free(ldata);  

109        errno = EINVAL;  

110        return (NULL);  

111    }  

112  

113    /* special storage for currency string */  

114    clen = strlen(lmon->currency_symbol) + 2;  

115    ldata->l_data[2] = libc_malloc(clen);  

116    ldata->l_data[2] = malloc(clen);  

117    lmon->crncystr = ldata->l_data[2];  

118    lmon->crncystr[0] = '\0';  

119  

120    lmon->mon_grouping = __fix_locale_grouping_str(lmon->mon_grouping);  

121 #define M_ASSIGN_CHAR(NAME) \  

122     (((char *)lmon->NAME)[0] = cnv(lmon->NAME))  

123     M_ASSIGN_CHAR(int_fra_digits);  

124     M_ASSIGN_CHAR(fra_digits);  

125     M_ASSIGN_CHAR(p_cs_precedes);  

126     M_ASSIGN_CHAR(p_sep_by_space);  

127     M_ASSIGN_CHAR(n_cs_precedes);  

128     M_ASSIGN_CHAR(n_sep_by_space);  

129     M_ASSIGN_CHAR(p_sign_posn);  

130     M_ASSIGN_CHAR(n_sign_posn);  

131  

132     /*  

133      * The six additional C99 international monetary formatting  

134      * parameters default to the national parameters when  

135      * reading FreeBSD LC_MONETARY data files.  

136      */  

137 #define M_ASSIGN_ICHAR(NAME) \  

138     if (lmon->int_##NAME == NULL) \  

139         lmon->int_##NAME = lmon->NAME; \  

140
```

```
140     else                                \
141         M_ASSIGN_CHAR(int_##NAME);  
  
143     M_ASSIGN_ICHAR(p_cs_precedes);  
144     M_ASSIGN_ICHAR(n_cs_precedes);  
145     M_ASSIGN_ICHAR(p_sep_by_space);  
146     M_ASSIGN_ICHAR(n_sep_by_space);  
147     M_ASSIGN_ICHAR(p_sign_posn);  
148     M_ASSIGN_ICHAR(n_sign_posn);  
  
150     /*  
151      * Now calculate the currency string (CRNCYSTR) for nl_langinfo.  
152      * This is a legacy SUSv2 interface.  
153      */  
154     if ((lmon->p_cs_precedes[0] == lmon->n_cs_precedes[0]) &&  
155         (lmon->currency_symbol[0] != '\0')) {  
156         char sign = '\0';  
157         switch (lmon->p_cs_precedes[0]) {  
158             case 0:  
159                 sign = '-';  
160                 break;  
161             case 1:  
162                 sign = '+';  
163                 break;  
164             case CHAR_MAX:  
165                 /*  
166                  * Substitute currency string for radix character.  
167                  * To the best of my knowledge, no locale uses this.  
168                  */  
169                 if (strcmp(lmon->mon_decimal_point,  
170                            lmon->currency_symbol) == 0)  
171                     sign = '.';  
172                 break;  
173             }  
174             (void) sprintf(lmon->crncystr, clen, "%c%s", sign,  
175                           lmon->currency_symbol);  
176         }  
177     }  
178     return (ldata);  
179 }
```

unchanged\_portion\_omitted\_

new/usr/src/lib/libc/port/locale/localeimpl.c

```
*****
13950 Sat Jul  5 18:50:53 2014
new/usr/src/lib/libc/port/locale/localeimpl.c
locale stuff should use libc safe lmalloc. Other fixes from tests.
*****
_____ unchanged_portion_omitted _____
144 /*
145  * Prototypes.
146 */
147 static const char *get_locale_env(int);
148 static struct locdata *locdata_get(int, const const char *);
149 static struct locdata *locdata_get_cache(int, const char *);
150 static locale_t mkloclname(locale_t);

152 /*
153  * Some utility routines.
154 */
156 struct locdata *
157 locdata_alloc(const char *name, size_t memsz)
158 {
159     struct locdata *ldata;
161     if ((ldata = lmalloc(sizeof (*ldata))) == NULL) {
161     if ((ldata = calloc(1, sizeof (*ldata))) == NULL) {
162         return (NULL);
163     }
164     if ((ldata->l_data[0] = libc_malloc(memsz)) == NULL) {
165         lfree(ldata, sizeof (*ldata));
164     if ((ldata->l_data[0] = calloc(1, memsz)) == NULL) {
165         free(ldata);
166         errno = ENOMEM;
167         return (NULL);
168     }
169     (void) strlcpy(ldata->l_lname, name, sizeof (ldata->l_lname));
171     return (ldata);
172 }

174 /*
175  * Normally we never free locale data truly, but if we failed to load it
176  * for some reason, this routine is used to cleanup the partial mess.
177 */
178 void
179 locdata_free(struct locdata *ldata)
180 {
181     for (int i = 0; i < NLOCDATA; i++)
182         libc_free(ldata->l_data[i]);
182     free(ldata->l_data[i]);
183     if (ldata->l_map != NULL && ldata->l_map_len)
184         (void) munmap(ldata->l_map, ldata->l_map_len);
185     lfree(ldata, sizeof (*ldata));
185     free(ldata);
186 }

188 /*
189  * It turns out that for performance reasons we would really like to
190  * cache the most recently referenced locale data to avoid wasteful
191  * loading from files.
192 */
194 static struct locdata *cache_data[LC_ALL];
195 static struct locdata *cat_data[LC_ALL];
196 static mutex_t cache_lock = DEFAULTMUTEX;
```

1

new/usr/src/lib/libc/port/locale/localeimpl.c

```
198 /*
199  * Returns the cached data if the locale name is the same. If not,
200  * returns NULL (cache miss). The locdata is returned with a hold on
201  * it, taken on behalf of the caller. The caller should drop the hold
202  * when it is finished.
203 */
204 static struct locdata *
205 locdata_get_cache(int category, const char *lname)
206 {
207     struct locdata *loc;
209     if (category < 0 || category >= LC_ALL)
210         return (NULL);
212     /* Try cache first. */
213     lmutex_lock(&cache_lock);
214     loc = cache_data[category];
216     if ((loc != NULL) && (strcmp(loc->l_lname, lname) == 0)) {
217         lmutex_unlock(&cache_lock);
218         return (loc);
219     }
221     /*
222      * Failing that try previously loaded locales (linear search) --
223      * this could be optimized to a hash, but its unlikely that a single
224      * application will ever need to work with more than a few locales.
225      */
226     for (loc = cat_data[category]; loc != NULL; loc = loc->l_next) {
227         if (strcmp(locname, loc->l_lname) == 0) {
228             break;
229         }
230     }
232     /*
233      * Finally, if we still don't have one, try loading the locale
234      * data from the actual on-disk data.
235      *
236      * We drop the lock (libc wants to ensure no internal locks
237      * are held when we call other routines required to read from
238      * files, allocate memory, etc.) There is a small race here,
239      * but the consequences of the race are benign -- if multiple
240      * threads hit this at precisely the same point, we could
241      * wind up with duplicates of the locale data in the cache.
242      *
243      * This wastes the memory for an extra copy of the locale
244      * data, but there is no further harm beyond that. Its not
245      * worth the effort to recode this to something "safe"
246      * (which would require rescanning the list, etc.), given
247      * that this race will probably never actually occur.
248      */
249     if (loc == NULL) {
250         lmutex_unlock(&cache_lock);
251         loc = (*loaders[category])(lname);
252         lmutex_lock(&cache_lock);
253         if (loc != NULL)
254             (void) strlcpy(loc->l_lname, lname,
255                           sizeof (loc->l_lname));
255         (void) strlcpy(loc->l_lname, lname, sizeof (loc->l_lname));
256     }
258     /*
259      * Assuming we got one, update the cache, and stick us on the list
260      * of loaded locale data. We insert into the head (more recent
261      * use is likely to win.)
262      */

```

2

```

263     if (loc != NULL) {
264         cache_data[category] = loc;
265         if (!loc->l_cached) {
266             loc->l_cached = 1;
267             if (loc->l_next == NULL) {
268                 loc->l_next = cat_data[category];
269                 cat_data[category] = loc;
270             }
271         }
272         lmutex_unlock(&cache_lock);
273         return (loc);
274     }


---


275     unchanged_portion_omitted
276
277     /*
278      * Public interfaces.
279     */
280
281     locale_t
282     duplocale(locale_t src)
283 {
284     locale_t          loc;
285     int               i;
286
287     loc = lmalloc(sizeof (*loc));
288     loc = calloc(1, sizeof (*loc));
289     if (loc == NULL) {
290         return (NULL);
291     }
292     if (src == NULL) {
293         /* illumos extension: POSIX says LC_GLOBAL_LOCALE here */
294         src = __global_locale;
295     }
296     for (i = 0; i < LC_ALL; i++) {
297         loc->locdata[i] = src->locdata[i];
298         loc->loaded[i] = 0;
299     }
300     loc->collate = loc->locdata[LC_COLLATE]->l_data[0];
301     loc->ctype = loc->locdata[LC_CTYPE]->l_data[0];
302     loc->rune.locale = loc->locdata[LC_CTYPE]->l_data[1];
303     loc->messages = loc->locdata[LC_MESSAGES]->l_data[0];
304     loc->monetary = loc->locdata[LC_MONETARY]->l_data[0];
305     loc->numeric = loc->locdata[LC_NUMERIC]->l_data[0];
306     loc->time = loc->locdata[LC_TIME]->l_data[0];
307     return (loc);
308 }
309
310 void
311 freelocale(locale_t loc)
312 {
313     /*
314      * We take extra care never to free a saved locale created by
315      * setlocale(). This shouldn't be strictly necessary, but a little
316      * extra safety doesn't hurt here.
317     */
318     if ((loc != NULL) && (loc != &posix_locale) && (!loc->on_list))
319         lfree(loc, sizeof (*loc));
320     if ((loc != &posix_locale) && (!loc->on_list))
321         free(loc);
322 }
323
324 locale_t
325 newlocale(int catmask, const char *locname, locale_t base)
326 {
327     locale_t loc;

```

```

418     int i, e;
419
420     if (catmask & ~(LC_ALL_MASK)) {
421         errno = EINVAL;
422         return (NULL);
423     }
424
425     /*
426      * Technically passing LC_GLOBAL_LOCALE here is illegal,
427      * but we allow it.
428     */
429     if (base == NULL || base == __global_locale) {
430         loc = duplocale(__global_locale);
431     } else {
432         loc = duplocale(base);
433         loc = base;
434     }
435     if (loc == NULL) {
436         return (NULL);
437     }
438     for (i = 0; i < LC_ALL; i++) {
439         struct locdata *ldata;
440         loc->loaded[i] = 0;
441         if (((1 << i) & catmask) == 0) {
442             /* Default to base locale if not overriding */
443             continue;
444         }
445         ldata = locdata_get(i, locname);
446         if (ldata == NULL) {
447             e = errno;
448             freelocale(loc);
449             errno = e;
450             return (NULL);
451         }
452         loc->locdata[i] = ldata;
453     }
454     loc->collate = loc->locdata[LC_COLLATE]->l_data[0];
455     loc->ctype = loc->locdata[LC_CTYPE]->l_data[0];
456     loc->rune.locale = loc->locdata[LC_CTYPE]->l_data[1];
457     loc->messages = loc->locdata[LC_MESSAGES]->l_data[0];
458     loc->monetary = loc->locdata[LC_MONETARY]->l_data[0];
459     loc->numeric = loc->locdata[LC_NUMERIC]->l_data[0];
460     loc->time = loc->locdata[LC_TIME]->l_data[0];
461     freelocale(base);
462 }
463
464 }


---


465     unchanged_portion_omitted

```

```
*****
3482 Sat Jul 5 18:50:53 2014
new/usr/src/lib/libc/port/locale/localeimpl.h
locale stuff should use libc safe malloc. Other fixes from tests.
*****
```

```
1 /*
2  * This file and its contents are supplied under the terms of the
3  * Common Development and Distribution License ("CDDL"), version 1.0.
4  * You may only use this file in accordance with the terms of version
5  * 1.0 of the CDDL.
6 *
7  * A full copy of the text of the CDDL should have accompanied this
8  * source. A copy of the CDDL is also available via the Internet at
9  * http://www.illumos.org/license/CDDL.
10 */

12 /*
13  * Copyright 2014 Garrett D'Amore <garrett@damore.org>
14 */

16 /*
17  * This file implements the 2008 newlocale and friends handling. It is
18  * private to libc.
19 */
20 #ifndef _LOCALEIMPL_H_
21 #define _LOCALEIMPL_H_

23 #ifndef _LCONV_C99
24 #define _LCONV_C99      /* so we get all the extensions */
25 #endif

27 #include <sys/types.h>
28 #include <locale.h>
29 #include <xlocale.h>
30 #include "setlocale.h"
31 #include "runetype.h"

33 /* private locale structures */

35 /*
36  * Because some locale data is rather ahem.. large, we would like to keep
37  * reference counts on it. We create an abstract header (locdata) structure
38  * which keeps a point to the opaque per-category data, along with a reference
39  * count to it. To be threadsafe, we will use atomics when holding it or
40  * freeing it. (This only occurs when locale objects are created or destroyed,
41  * so there should be no performance impact on hot code paths. If your code
42  * uses locale_t creation/destruction on a hot code path, its broken. But
43  * even so, the atomic and reference counting will probably *greatly* improve
44  * your life as bootstrapping locale data from files is quite expensive.
45 */

47 #define NLOCDATA        4
48 struct locdata {
49     char          l_lname[ENCODING_LEN+1];      /* locale name */
50     void          *l_data[NLOCDATA];            /* storage area */
51     void          *l_map;                      /* mapped file */
52     size_t        l_map_len;                  /* link cached list */
53     struct locdata *l_next;                  /* nonzero if cached */
54     int           l_cached;                  /* nonzero if cached */
55 };


---

unchanged portion omitted
```

new/usr/src/lib/libc/port/locale/rune.c

```
*****
6853 Sat Jul 5 18:50:53 2014
new/usr/src/lib/libc/port/locale/rune.c
locale stuff should use libc safe lmalloc. Other fixes from tests.
*****
1 /*
2 * Copyright 2014 Garrett D'Amore <garrett@damore.org>
3 * Copyright 2010 Nexenta Systems, Inc. All rights reserved.
4 * Copyright (c) 1993
5 *      The Regents of the University of California. All rights reserved.
6 *
7 * This code is derived from software contributed to Berkeley by
8 * Paul Borman at Krystal Technologies.
9 *
10 * Redistribution and use in source and binary forms, with or without
11 * modification, are permitted provided that the following conditions
12 * are met:
13 * 1. Redistributions of source code must retain the above copyright
14 *    notice, this list of conditions and the following disclaimer.
15 * 2. Redistributions in binary form must reproduce the above copyright
16 *    notice, this list of conditions and the following disclaimer in the
17 *    documentation and/or other materials provided with the distribution.
18 * 4. Neither the name of the University nor the names of its contributors
19 *    may be used to endorse or promote products derived from this software
20 *    without specific prior written permission.
21 *
22 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
23 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
24 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
25 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
26 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
27 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
28 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
29 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
30 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
31 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
32 * SUCH DAMAGE.
33 */
34
35 #include "lint.h"
36 #include "file64.h"
37 #include <errno.h>
38 #include <stdio.h>
39 #include <string.h>
40 #include <stdlib.h>
41 #include <sys/types.h>
42 #include <sys/stat.h>
43 #include <sys/mman.h>
44 #include <fcntl.h>
45 #include <unistd.h>
46
47 #include "libc.h"
48 #include "runetype.h"
49 #include "runefile.h"
50
51 _RuneLocale *
52 Read_RuneMagi(const char *fname)
53 {
54     char *fdata, *data;
55     void *lastp;
56     _FileRuneLocale *frl;
57     _RuneLocale *rl;
58     _FileRuneEntry *frr;
59     _RuneEntry *rr;
60     struct stat sb;
61     int x, saverr;
```

1

new/usr/src/lib/libc/port/locale/rune.c

```
62     void *variable;
63     _FileRuneEntry *runetype_ext_ranges;
64     _FileRuneEntry *maplower_ext_ranges;
65     _FileRuneEntry *mapupper_ext_ranges;
66     int runetype_ext_len = 0;
67     int fd;
68
69     if ((fd = open(fname, O_RDONLY)) < 0) {
70         errno = EINVAL;
71         return (NULL);
72     }
73
74     if (fstat(fd, &sb) < 0) {
75         (void) close(fd);
76         errno = EINVAL;
77         return (NULL);
78     }
79
80     if ((size_t) sb.st_size < sizeof (_FileRuneLocale)) {
81         (void) close(fd);
82         errno = EINVAL;
83         return (NULL);
84     }
85
86     fdata = mmap(NULL, sb.st_size, PROT_READ, MAP_PRIVATE, fd, 0);
87     (void) close(fd);
88     if (fdata == NULL) {
89         errno = EINVAL;
90         return (NULL);
91     }
92
93     frl = (_FileRuneLocale *) (void *) fdata;
94     lastp = fdata + sb.st_size;
95
96     variable = frl + 1;
97
98     if (memcmp(frl->magic, _FILE_RUNE_MAGIC_1, sizeof (frl->magic))) {
99         goto invalid;
100    }
101
102    runetype_ext_ranges = (_FileRuneEntry *) variable;
103    variable = runetype_ext_ranges + frl->runetype_ext_nranges;
104    if (variable > lastp) {
105        goto invalid;
106    }
107
108    maplower_ext_ranges = (_FileRuneEntry *) variable;
109    variable = maplower_ext_ranges + frl->maplower_ext_nranges;
110    if (variable > lastp) {
111        goto invalid;
112    }
113
114    mapupper_ext_ranges = (_FileRuneEntry *) variable;
115    variable = mapupper_ext_ranges + frl->mapupper_ext_nranges;
116    if (variable > lastp) {
117        goto invalid;
118    }
119
120    frr = runetype_ext_ranges;
121    for (x = 0; x < frl->runetype_ext_nranges; ++x) {
122        uint32_t *types;
123
124        if (frr[x].map == 0) {
125            int len = frr[x].max - frr[x].min + 1;
126            types = variable;
```

2

```

128         variable = types + len;
129         runetype_ext_len += len;
130         if (variable > lastp) {
131             goto invalid;
132         }
133     }
134 }
135
136 if ((char *)variable + frl->variable_len > (char *)lastp) {
137     goto invalid;
138 }
139
140 /*
141 * Convert from disk format to host format.
142 */
143 data = libc_malloc(sizeof (_RuneLocale) +
144 data = malloc(sizeof (_RuneLocale) +
145     (frl->runetype_ext_nranges + frl->maplower_ext_nranges +
146     frl->mapupper_ext_nranges) * sizeof (_RuneEntry) +
147     runetype_ext_len * sizeof (*rr->_types) +
148     frl->variable_len);
149 if (data == NULL) {
150     sa verr = errno;
151     (void) munmap(fdata, sb.st_size);
152     errno = sa verr;
153     return (NULL);
154 }
155
156 rl = (_RuneLocale *) (void *) data;
157 rl->_variable = rl + 1;
158
159 (void) memcpy(rl->_magic, _RUNE_MAGIC_1, sizeof (rl->_magic));
160 (void) memcpy(rl->_encoding, frl->encoding, sizeof (rl->_encoding));
161
162 rl->_variable_len = frl->variable_len;
163 rl->_runetype_ext._nranges = frl->runetype_ext_nranges;
164 rl->_maplower_ext._nranges = frl->maplower_ext_nranges;
165 rl->_mapupper_ext._nranges = frl->mapupper_ext_nranges;
166
167 for (x = 0; x < _CACHED_RUNES; ++x) {
168     rl->_runetype[x] = frl->runetype[x];
169     rl->_maplower[x] = frl->maplower[x];
170     rl->_mapupper[x] = frl->mapupper[x];
171 }
172
173 rl->_runetype_ext._ranges = (_RuneEntry *) rl->_variable;
174 rl->_variable = rl->_runetype_ext._ranges +
175     rl->_runetype_ext._nranges;
176
177 rl->_maplower_ext._ranges = (_RuneEntry *) rl->_variable;
178 rl->_variable = rl->_maplower_ext._ranges +
179     rl->_maplower_ext._nranges;
180
181 rl->_mapupper_ext._ranges = (_RuneEntry *) rl->_variable;
182 rl->_variable = rl->_mapupper_ext._ranges +
183     rl->_mapupper_ext._nranges;
184
185 variable = mapupper_ext_ranges + frl->mapupper_ext_nranges;
186 frr = runetype_ext_ranges;
187 rr = rl->_runetype_ext._ranges;
188 for (x = 0; x < rl->_runetype_ext._nranges; ++x) {
189     uint32_t *types;
190
191     rr[x]._min = frr[x].min;
192     rr[x]._max = frr[x].max;
193     rr[x]._map = frr[x].map;

```

```

194         if (rr[x]._map == 0) {
195             int len = rr[x]._max - rr[x]._min + 1;
196             types = variable;
197             variable = types + len;
198             rr[x]._types = rl->_variable;
199             rl->_variable = rr[x]._types + len;
200             while (len-- > 0)
201                 rr[x]._types[len] = types[len];
202         } else
203             rr[x]._types = NULL;
204     }
205
206     frr = maplower_ext_ranges;
207     rr = rl->_maplower_ext._ranges;
208     for (x = 0; x < rl->_maplower_ext._nranges; ++x) {
209         rr[x]._min = frr[x].min;
210         rr[x]._max = frr[x].max;
211         rr[x]._map = frr[x].map;
212     }
213
214     frr = mapupper_ext_ranges;
215     rr = rl->_mapupper_ext._ranges;
216     for (x = 0; x < rl->_mapupper_ext._nranges; ++x) {
217         rr[x]._min = frr[x].min;
218         rr[x]._max = frr[x].max;
219         rr[x]._map = frr[x].map;
220     }
221
222     (void) memcpy(rl->_variable, variable, rl->_variable_len);
223     (void) munmap(fdata, sb.st_size);
224
225     /*
226      * Go out and zero pointers that should be zero.
227      */
228     if (!rl->_variable_len)
229         rl->_variable = NULL;
230
231     if (!rl->_runetype_ext._nranges)
232         rl->_runetype_ext._ranges = NULL;
233
234     if (!rl->_maplower_ext._nranges)
235         rl->_maplower_ext._ranges = NULL;
236
237     if (!rl->_mapupper_ext._nranges)
238         rl->_mapupper_ext._ranges = NULL;
239
240     return (rl);
241
242 invalid:
243     (void) munmap(fdata, sb.st_size);
244     errno = EINVAL;
245     return (NULL);
246 }
```

*unchanged\_portion\_omitted*

new/usr/src/man/man3c/Makefile

```
*****
64@12 Sat Jul  5 18:50:54 2014
new/usr/src/man/man3c/Makefile
Additional man fixes.
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License (" CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2013, OmniTI Computer Consulting, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #

19 include      $(SRC)/Makefile.master

21 MANSECT=    3c

23 MANFILES=   _fbuflen.3c
24           _longjmp.3c
25           _stack_grow.3c
26           a64l.3c
27           abort.3c
28           abs.3c
29           addsev.3c
30           addseverity.3c
31           aio_cancel.3c
32           aio_error.3c
33           aio_fsync.3c
34           aio_read.3c
35           aio_return.3c
36           aio_suspend.3c
37           aio_waitn.3c
38           aio_write.3c
39           aiocancel.3c
40           aioread.3c
41           aiowait.3c
42           assert.3c
43           atexit.3c
44           atomic_add.3c
45           atomic_and.3c
46           atomic_bits.3c
47           atomic_cas.3c
48           atomic_dec.3c
49           atomic_inc.3c
50           atomic_ops.3c
51           atomic_or.3c
52           atomic_swap.3c
53           attropen.3c
54           basename.3c
55           bsd_signal.3c
56           bsearch.3c
57           bstring.3c
58           btowc.3c
59           catgets.3c
60           catopen.3c
61           cfgetispeed.3c
```

1

new/usr/src/man/man3c/Makefile

```
62           cfgetispeed.3c
63           clock.3c
64           clock_nanosleep.3c
65           clock_settime.3c
66           closedir.3c
67           closefrom.3c
68           cond_init.3c
69           confstr.3c
70           crypt.3c
71           crypt_genhash_impl.3c
72           crypt_gensalt.3c
73           crypt_gensalt_impl.3c
74           cset.3c
75           ctermid.3c
76           ctime.3c
77           ctype.3c
78           cuserid.3c
79           daemon.3c
80           decimal_to_floating.3c
81           difftime.3c
82           directio.3c
83           dirfd.3c
84           dirname.3c
85           div.3c
86           dladdr.3c
87           dlclose.3c
88           dldump.3c
89           dlerror.3c
90           dlinfo.3c
91           dlopen.3c
92           dlsym.3c
93           door_bind.3c
94           door_call.3c
95           door_create.3c
96           door_cred.3c
97           door_getparam.3c
98           door_info.3c
99           door_return.3c
100          door_revoke.3c
101          door_server_create.3c
102          door_ucred.3c
103          drand48.3c
104          dup2.3c
105          econvert.3c
106          ecvt.3c
107          enable_extended_FILE_stdio.3c
108          encrypt.3c
109          end.3c
110          err.3c
111          euclen.3c
112          exit.3c
113          fattach.3c
114          fclose.3c
115          fdatasync.3c
116          fdetach.3c
117          fdopen.3c
118          ferror.3c
119          fflush.3c
120          ffs.3c
121          fgetattr.3c
122          fgetc.3c
123          fgetpos.3c
124          fgetwc.3c
125          floating_to_decimal.3c
126          flockfile.3c
127          fmtmsg.3c
```

2

```

128      fnmatch.3c
129      fopen.3c
130      fpgetround.3c
131      fputc.3c
132      fputwc.3c
133      fputws.3c
134      fread.3c
135      freopen.3c
136      fseek.3c
137      fsetpos.3c
138      fsync.3c
139      ftell.3c
140      ftime.3c
141      ftok.3c
142      ftw.3c
143      fwipe.3c
144      fwprintf.3c
145      fwrite.3c
146      fwscanf.3c
147      getcpuid.3c
148      getcwd.3c
149      getdate.3c
150      getdtablesize.3c
151      getenv.3c
152      getexecname.3c
153      getgrnam.3c
154      gethostid.3c
155      gethostname.3c
156      gethrtime.3c
157      getline.3c
158      getloadavg.3c
159      getlogin.3c
160      getmntent.3c
161      getnetgrent.3c
162      getopt.3c
163      getpagesize.3c
164      getpagesizes.3c
165      getpass.3c
166      getpeercred.3c
167      getpriority.3c
168      getpw.3c
169      getpwnam.3c
170      getrusage.3c
171      gets.3c
172      getspnam.3c
173      getsubopt.3c
174      gettext.3c
175      gettimeofday.3c
176      gettxt.3c
177      getusershell.3c
178      getutent.3c
179      getutxent.3c
180      getvfsent.3c
181      getwc.3c
182      getwchar.3c
183      getwd.3c
184      getwidth.3c
185      getws.3c
186      getzoneid.3c
187      glob.3c
188      grantpt.3c
189      hsearch.3c
190      iconv.3c
191      iconv_close.3c
192      iconv_open.3c
193      imaxabs.3c

```

```

194      imaxdiv.3c
195      index.3c
196      initgroups.3c
197      insque.3c
198      is_system_labeled.3c
199      isaeexec.3c
200      isastream.3c
201      isatty.3c
202      isnand.3c
203      iswalpha.3c
204      iswctype.3c
205      killpg.3c
206      lckpwdx.3c
207      lfmt.3c
208      lio_listio.3c
209      localeconv.3c
210      lockf.3c
211      lsearch.3c
212      madvice.3c
213      makecontext.3c
214      makedev.3c
215      malloc.3c
216      mbolen.3c
217      mbrlen.3c
218      mbrtowc.3c
219      mbsinit.3c
220      mbsrtowcs.3c
221      mbtowc.3c
222      membar_ops.3c
223      memory.3c
224      mkfifo.3c
225      mkstemp.3c
226      mkttemp.3c
227      mkttime.3c
228      mlock.3c
229      mlockall.3c
230      monitor.3c
231      mq_close.3c
232      mq_getattr.3c
233      mq_notify.3c
234      mq_open.3c
235      mq_receive.3c
236      mq_send.3c
237      mq_setattr.3c
238      mq_unlink.3c
239      msync.3c
240      mutex_init.3c
241      nanosleep.3c
242      ndbm.3c
243      newlocale.3c
244      nl_langinfo.3c
245      offsetof.3c
246      opendir.3c
247      perror.3c
248      pfmt.3c
249      plock.3c
250      popen.3c
251      port_alert.3c
252      port_associate.3c
253      port_create.3c
254      port_get.3c
255      port_send.3c
256      posix_fadvise.3c
257      posix_fallocate.3c
258      posix_madvise.3c
259      posix_memalign.3c

```

```

260      posix_openpt.3c
261      posix_spawn.3c
262      posix_spawn_file_actions_addclose.3c
263      posix_spawn_file_actions_addclosefrom_np.3c
264      posix_spawn_file_actions_adddup2.3c
265      posix_spawn_file_actions_destroy.3c
266      posix_spawn_pipe_np.3c
267      posix_spawnattr_destroy.3c
268      posix_spawnattr_getflags.3c
269      posix_spawnattr_getpgroup.3c
270      posix_spawnattr_getschedparam.3c
271      posix_spawnattr_getschedpolicy.3c
272      posix_spawnattr_getsigdefault.3c
273      posix_spawnattr_getsigignore_np.3c
274      posix_spawnattr_getsigmask.3c
275      printf.3c
276      priv_addset.3c
277      priv_set.3c
278      priv_str_to_set.3c
279      pset_getloadavg.3c
280      psignal.3c
281      pthread_atfork.3c
282      pthread_attr_getdetachstate.3c
283      pthread_attr_getguardsize.3c
284      pthread_attr_getinheritsched.3c
285      pthread_attr_getschedparam.3c
286      pthread_attr_getschedpolicy.3c
287      pthread_attr_getscope.3c
288      pthread_attr_getstack.3c
289      pthread_attr_getstackaddr.3c
290      pthread_attr_getstacksize.3c
291      pthread_attr_init.3c
292      pthread_barrier_destroy.3c
293      pthread_barrier_wait.3c
294      pthread_barrierattr_destroy.3c
295      pthread_barrierattr_getpshared.3c
296      pthread_cancel.3c
297      pthread_cleanup_pop.3c
298      pthread_cleanup_push.3c
299      pthread_cond_init.3c
300      pthread_cond_signal.3c
301      pthread_cond_wait.3c
302      pthread_condattr_getclock.3c
303      pthread_condattr_getpshared.3c
304      pthread_condattr_init.3c
305      pthread_create.3c
306      pthread_detach.3c
307      pthread_equal.3c
308      pthread_exit.3c
309      pthread_getconcurrency.3c
310      pthread_getschedparam.3c
311      pthread_getspecific.3c
312      pthread_join.3c
313      pthread_key_create.3c
314      pthread_key_delete.3c
315      pthread_kill.3c
316      pthread_mutex_getprioceiling.3c
317      pthread_mutex_init.3c
318      pthread_mutex_lock.3c
319      pthread_mutex_timedlock.3c
320      pthread_mutexattr_getprioceiling.3c
321      pthread_mutexattr_getprotocol.3c
322      pthread_mutexattr_getpshared.3c
323      pthread_mutexattr_gettype.3c
324      pthread_mutexattr_init.3c
325      pthread_once.3c

```

```

326      pthread_rwlock_init.3c
327      pthread_rwlock_rdlock.3c
328      pthread_rwlock_timedrdlock.3c
329      pthread_rwlock_timedwrlock.3c
330      pthread_rwlock_unlock.3c
331      pthread_rwlock_wrlock.3c
332      pthread_rwlockattr_getpshared.3c
333      pthread_rwlockattr_init.3c
334      pthread_self.3c
335      pthread_setcancelstate.3c
336      pthread_setcanceltype.3c
337      pthread_setschedprio.3c
338      pthread_sigmask.3c
339      pthread_spin_destroy.3c
340      pthread_spin_lock.3c
341      pthread_spin_unlock.3c
342      pthread_testcancel.3c
343      ptrace.3c
344      ptsname.3c
345      putenv.3c
346      putpwent.3c
347      puts.3c
348      putsent.3c
349      puts.3c
350      qsort.3c
351      raise.3c
352      rand.3c
353      random.3c
354      rctl_walk.3c
355      rctlblk_set_value.3c
356      re_comp.3c
357      readdir.3c
358      realpath.3c
359      reboot.3c
360      regcmp.3c
361      regcomp.3c
362      remove.3c
363      rewind.3c
364      rewaddir.3c
365      rwlock.3c
366      scandir.3c
367      scanf.3c
368      sched_get_priority_max.3c
369      sched_getparam.3c
370      sched_getscheduler.3c
371      sched_rr_get_interval.3c
372      sched_setparam.3c
373      sched_setscheduler.3c
374      sched_yield.3c
375      schedCtl_init.3c
376      seekdir.3c
377      select.3c
378      sem_close.3c
379      sem_destroy.3c
380      sem_getvalue.3c
381      sem_init.3c
382      sem_open.3c
383      sem_post.3c
384      sem_timedwait.3c
385      sem_unlink.3c
386      sem_wait.3c
387      semaphore.3c
388      setbuf.3c
389      setbuffer.3c
390      setcat.3c
391      setenv.3c

```

```

392      setjmp.3c
393      setkey.3c
394      setlabel.3c
395      setlocale.3c
396      shm_open.3c
397      shm_unlink.3c
398      sigfpe.3c
399      siginterrupt.3c
400      signal.3c
401      sigqueue.3c
402      sigsetops.3c
403      sigstack.3c
404      sigwaitinfo.3c
405      sleep.3c
406      ssignal.3c
407      stack_getbounds.3c
408      stack_inbounds.3c
409      stack_setbounds.3c
410      stackViolation.3c
411      stdio.3c
412      str2sig.3c
413      strcoll.3c
414      strerror.3c
415      strftime.3c
416      strftime.3c
417      string.3c
418      string_to_decimal.3c
419      strptime.3c
420      strsignal.3c
421      strtod.3c
422      strtimax.3c
423      strtol.3c
424      strtoul.3c
425      strtows.3c
426      strxfrm.3c
427      swab.3c
428      sync_instruction_memory.3c
429      sysconf.3c
430      syslog.3c
431      system.3c
432      tcdrain.3c
433      tcflow.3c
434      tcflush.3c
435      tcgetattr.3c
436      tcgetpgrp.3c
437      tcgetsid.3c
438      tcsendbreak.3c
439      tcsetattr.3c
440      tcsetpgrp.3c
441      tell.3c
442      telldir.3c
443      termios.3c
444      thr_create.3c
445      thr_exit.3c
446      thr_getconcurrency.3c
447      thr_getprio.3c
448      thr_join.3c
449      thr_keycreate.3c
450      thr_kill.3c
451      thr_main.3c
452      thr_min_stack.3c
453      thr_self.3c
454      thr_sigsetmask.3c
455      thr_stksegment.3c
456      thr_suspend.3c
457      thr_yield.3c

```

```

458      timer_create.3c
459      timer_delete.3c
460      timer_settime.3c
461      timeradd.3c
462      tmpfile.3c
463      tmpnam.3c
464      toascii.3c
465      tolower.3c
466      toupper.3c
467      towlower.3c
468      towupper.3c
469      truncate.3c
470      tsearch.3c
471      ttyname.3c
472      ttyslot.3c
473      u8_strcmp.3c
474      u8_textprep_str.3c
475      u8_validate.3c
476      ualarm.3c
477      uconv.ul6tou32.3c
478      ucred_get.3c
479      ungetc.3c
480      ungetwc.3c
481      unlockpt.3c
482      unsetenv.3c
483      uselocale.3c
484      usleep.3c
485      vfwprintf.3c
486      vlfmt.3c
487      vpfmt.3c
488      vprintf.3c
489      vsyslog.3c
490      wait.3c
491      wait3.3c
492      waitpid.3c
493      walkcontext.3c
494      wcrtomb.3c
495      wcscoll.3c
496      wcsftime.3c
497      wcsrtombs.3c
498      wcsstr.3c
499      wcstod.3c
500      wcstoiimax.3c
501      wcstol.3c
502      wcstoul.3c
503      wcstring.3c
504      wcswidth.3c
505      wcsxfrm.3c
506      wctob.3c
507      wctomb.3c
508      wctrans.3c
509      wctype.3c
510      wcwidth.3c
511      wmemchr.3c
512      wmemcmp.3c
513      wmemcpy.3c
514      wmemmove.3c
515      wmemset.3c
516      wordexp.3c
517      wsprintf.3c
518      wsscanf.3c
519      wstring.3c
521  MANLINKS=
522      FD_CLR.3c
523      FD_ISSET.3c
524      FD_SET.3c

```

```

524      FD_ZERO.3c
525      __flbf.3c
526      __fpending.3c
527      __fpurge.3c
528      __freadable.3c
529      __freading.3c
530      __fsetlocking.3c
531      __fwritable.3c
532      __fwriting.3c
533      __edata.3c
534      __end.3c
535      __etext.3c
536      __exithandle.3c
537      __flushlbf.3c
538      __setjmp.3c
539      __addrtosymstr.3c
540      __aiowrite.3c
541      __alloca.3c
542      __alphasort.3c
543      __asctime.3c
544      __asctime.3c
545      __asctime_r.3c
546      __asprintf.3c
547      __atof.3c
548      __atoi.3c
549      __atol.3c
550      __atoll.3c
551      __atomic_add_16.3c
552      __atomic_add_16_nv.3c
553      __atomic_add_32.3c
554      __atomic_add_32_nv.3c
555      __atomic_add_64.3c
556      __atomic_add_64_nv.3c
557      __atomic_add_8.3c
558      __atomic_add_8_nv.3c
559      __atomic_add_char.3c
560      __atomic_add_char_nv.3c
561      __atomic_add_int.3c
562      __atomic_add_int_nv.3c
563      __atomic_add_long.3c
564      __atomic_add_long_nv.3c
565      __atomic_add_ptr.3c
566      __atomic_add_ptr_nv.3c
567      __atomic_add_short.3c
568      __atomic_add_short_nv.3c
569      __atomic_and_16.3c
570      __atomic_and_16_nv.3c
571      __atomic_and_32.3c
572      __atomic_and_32_nv.3c
573      __atomic_and_64.3c
574      __atomic_and_64_nv.3c
575      __atomic_and_8.3c
576      __atomic_and_8_nv.3c
577      __atomic_and_uchar.3c
578      __atomic_and_uchar_nv.3c
579      __atomic_and_uint.3c
580      __atomic_and_uint_nv.3c
581      __atomic_and_ulong.3c
582      __atomic_and_ulong_nv.3c
583      __atomic_and_ushort.3c
584      __atomic_and_ushort_nv.3c
585      __atomic_cas_16.3c
586      __atomic_cas_32.3c
587      __atomic_cas_64.3c
588      __atomic_cas_8.3c
589      __atomic_cas_ptr.3c

```

```

590      __atomic_cas_uchar.3c
591      __atomic_cas_uint.3c
592      __atomic_cas_ulong.3c
593      __atomic_cas_ushort.3c
594      __atomic_clear_long_excl.3c
595      __atomic_dec_16.3c
596      __atomic_dec_16_nv.3c
597      __atomic_dec_32.3c
598      __atomic_dec_32_nv.3c
599      __atomic_dec_64.3c
600      __atomic_dec_64_nv.3c
601      __atomic_dec_8.3c
602      __atomic_dec_8_nv.3c
603      __atomic_dec_ptr.3c
604      __atomic_dec_ptr_nv.3c
605      __atomic_dec_uchar.3c
606      __atomic_dec_uchar_nv.3c
607      __atomic_dec_uint.3c
608      __atomic_dec_uint_nv.3c
609      __atomic_dec_ulong.3c
610      __atomic_dec_ulong_nv.3c
611      __atomic_dec_ushort.3c
612      __atomic_dec_ushort_nv.3c
613      __atomic_inc_16.3c
614      __atomic_inc_16_nv.3c
615      __atomic_inc_32.3c
616      __atomic_inc_32_nv.3c
617      __atomic_inc_64.3c
618      __atomic_inc_64_nv.3c
619      __atomic_inc_8.3c
620      __atomic_inc_8_nv.3c
621      __atomic_inc_ptr.3c
622      __atomic_inc_ptr_nv.3c
623      __atomic_inc_uchar.3c
624      __atomic_inc_uchar_nv.3c
625      __atomic_inc_uint.3c
626      __atomic_inc_uint_nv.3c
627      __atomic_inc_ulong.3c
628      __atomic_inc_ulong_nv.3c
629      __atomic_inc_ushort.3c
630      __atomic_inc_ushort_nv.3c
631      __atomic_or_16.3c
632      __atomic_or_16_nv.3c
633      __atomic_or_32.3c
634      __atomic_or_32_nv.3c
635      __atomic_or_64.3c
636      __atomic_or_64_nv.3c
637      __atomic_or_8.3c
638      __atomic_or_8_nv.3c
639      __atomic_or_uchar.3c
640      __atomic_or_uchar_nv.3c
641      __atomic_or_uint.3c
642      __atomic_or_uint_nv.3c
643      __atomic_or_ulong.3c
644      __atomic_or_ulong_nv.3c
645      __atomic_or_ushort.3c
646      __atomic_or_ushort_nv.3c
647      __atomic_set_long_excl.3c
648      __atomic_swap_16.3c
649      __atomic_swap_32.3c
650      __atomic_swap_64.3c
651      __atomic_swap_8.3c
652      __atomic_swap_ptr.3c
653      __atomic_swap_uchar.3c
654      __atomic_swap_uint.3c
655      __atomic_swap_ulong.3c

```

```

656     atomic_swap_ushort.3c
657     backtrace.3c
658     backtrace_symbols.3c
659     backtrace_symbols_fd.3c
660     bcmp.3c
661     bcopy.3c
662     bind_textdomain_codeset.3c
663     bindtextdomain.3c
664     btowc_l.3c
665     bzero.3c
666     calloc.3c
667     catclose.3c
668     cfgetospeed.3c
669     cfsetospeed.3c
670     cftime.3c
671     clearerr.3c
672     clock_getres.3c
673     clock_gettime.3c
674     closelog.3c
675     cond_broadcast.3c
676     cond_destroy.3c
677     cond_reltimedwait.3c
678     cond_signal.3c
679     cond_timedwait.3c
680     cond_wait.3c
681     csetcol.3c
682     csetlen.3c
683     csetno.3c
684     ctermid_r.3c
685     ctime_r.3c
686     dbm_clearerr.3c
687     dbm_close.3c
688     dbm_delete.3c
689     dbm_error.3c
690     dbm_fetch.3c
691     dbm_firstkey.3c
692     dbm_nextkey.3c
693     dbm_open.3c
694     dbm_store.3c
695     dcgettext.3c
696     dcngettext.3c
697     decimal_to_double.3c
698     decimal_to_extended.3c
699     decimal_to_quadruple.3c
700     decimal_to_single.3c
701     dgettext.3c
702     dladdr1.3c
703     dlmopen.3c
704     dngettext.3c
705     door_setparam.3c
706     door_unbind.3c
707     double_to_decimal.3c
708     dup3.3c
709     duplocale.3c
710     edata.3c
711     endgrent.3c
712     endnetgrent.3c
713     endpwent.3c
714     endspent.3c
715     endusershell1.3c
716     endutent.3c
717     endutxent.3c
718     erand48.3c
719     errno.3c
720     errx.3c
721     etext.3c

```

```

722     euccol.3c
723     eucscol.3c
724     extended_to_decimal.3c
725     fconvert.3c
726     fcvt.3c
727     fdopendir.3c
728     fdwalk.3c
729     feof.3c
730     fgetgrent.3c
731     fgetgrent_r.3c
732     fgetpwent.3c
733     fgetpwent_r.3c
734     fgets.3c
735     fgetsspent.3c
736     fgetspent_r.3c
737     fgetwc_l.3c
738     fgetws.3c
739     file_to_decimal.3c
740     fileno.3c
741     finite.3c
742     fpclass.3c
743     fpgetmask.3c
744     fpgetsticky.3c
745     fprintf.3c
746     fpsetmask.3c
747     fpsetround.3c
748     fpsetsticky.3c
749     fputs.3c
750     free.3c
751     freelocale.3c
752     fscanf.3c
753     fseeko.3c
754     fsetattr.3c
755     ftello.3c
756     ftruncate.3c
757     ftrylockfile.3c
758     func_to_decimal.3c
759     funlockfile.3c
760     gconvert.3c
761     gcvt.3c
762     getatrrat.3c
763     getc.3c
764     getc_unlocked.3c
765     getchar.3c
766     getchar_unlocked.3c
767     getdelim.3c
768     getextmntent.3c
769     getgrent.3c
770     getgrent_r.3c
771     getrgid.3c
772     getrgid_r.3c
773     getgrnam_r.3c
774     gethomelgroup.3c
775     gethrvtime.3c
776     getlogin_r.3c
777     getmntany.3c
778     getnetgrent_r.3c
779     getpassphrase.3c
780     getpwent.3c
781     getpwent_r.3c
782     getpwnam_r.3c
783     getpwuid.3c
784     getpwuid_r.3c
785     getspent.3c
786     getspent_r.3c
787     getspnam_r.3c

```

```

788      getutid.3c
789      getutline.3c
790      getutmp.3c
791      getutmpx.3c
792      getutxid.3c
793      getutxline.3c
794      getvfsany.3c
795      getvfsfile.3c
796      getvfsspec.3c
797      getw.3c
798      getwc_l.3c
799      getwchar_1.3c
800      getzoneidbyname.3c
801      getzonenamebyid.3c
802      globfree.3c
803      gmtime.3c
804      gmtime_r.3c
805      gsignal.3c
806      hasmntopt.3c
807      hcreate.3c
808      hdestroy.3c
809      initstate.3c
810      innetgr.3c
811      isalnum.3c
812      isalnum_l.3c
813      isalpha.3c
814      isalpha_l.3c
815      isascii.3c
816      isblank.3c
817      isblank_l.3c
818      iscntrl.3c
819      iscntrl_l.3c
820      isdigit.3c
821      isdigit_l.3c
822      isenglisch.3c
823      isgraph.3c
824      isgraph_l.3c
825      isideogram.3c
826      islower.3c
827      islower_l.3c
828      isnanf.3c
829      isnumber.3c
830      isphonogram.3c
831      isprint.3c
832      isprint_l.3c
833      ispunct.3c
834      ispunct_l.3c
835      isspace.3c
836      isspace_l.3c
837      isspecial.3c
838      isupper.3c
839      isupper_l.3c
840      iswalnum.3c
841      iswalnum_l.3c
842      iswalpha_l.3c
843      iswascii.3c
844      iswblank.3c
845      iswblank_l.3c
846      iswcntrl.3c
847      iswcntrl_l.3c
848      iswctype_l.3c
849      iswdigit.3c
850      iswdigit_l.3c
851      iswgraph.3c
852      iswgraph_l.3c
853      iswideogram.3c

```

```

854      iswideogram_l.3c
855      iswhexnumber.3c
856      iswhexnumber_l.3c
857      iswlower.3c
858      iswlower_l.3c
859      iswnumber.3c
860      iswnumber_l.3c
861      iswphonogram.3c
862      iswphonogram_l.3c
863      iswpprint.3c
864      iswpprint_l.3c
865      iswpunct.3c
866      iswpunct_l.3c
867      iswspace.3c
868      iswspace_l.3c
869      iswspecial.3c
870      iswspecial_l.3c
871      iswupper.3c
872      iswupper_l.3c
873      iswxdigit.3c
874      iswxdigit_l.3c
875      isxdigit.3c
876      isxdigit_l.3c
877      jrand48.3c
878      l64a.3c
879      labs.3c
880      lcong48.3c
881      ldiv.3c
882      lfind.3c
883      llabs.3c
884      lldiv.3c
885      lltostr.3c
886      localtime.3c
887      localtime_r.3c
888      longjmp.3c
889      lrand48.3c
890      major.3c
891      mblen_l.3c
892      mbrlen_l.3c
893      mbrtowc_l.3c
894      mbsinit_l.3c
895      mbsnrtowcs.3c
896      mbsnrtowcs_l.3c
897      mbstowcs_l.3c
898      mbstowcs.3c
899      mbstowcs_l.3c
900      mbtowc_l.3c
901      memalign.3c
902      membr_consumer.3c
903      membr_enter.3c
904      membr_exit.3c
905      membr_producer.3c
906      memccpy.3c
907      memchr.3c
908      memcmp.3c
909      memcpy.3c
910      memmove.3c
911      memset.3c
912      minor.3c
913      mkdtemp.3c
914      mkostemp.3c
915      mkstemp.3c
916      mq_reltimedreceive_np.3c
917      mq_reltimedsend_np.3c
918      mq_timedreceive.3c
919

```

```

920      mq_timedsend.3c
921      mrand48.3c
922      munlock.3c
923      munlockall.3c
924      mutex_consistent.3c
925      mutex_destroy.3c
926      mutex_lock.3c
927      mutex_trylock.3c
928      mutex_unlock.3c
929      nl_langinfo_1.3c
930      nftw.3c
931      ngettext.3c
932      nrand48.3c
933      openlog.3c
934      pclose.3c
935      port_dissociate.3c
936      port_getn.3c
937      port_sendn.3c
938      posix_spawn_file_actions_addopen.3c
939      posix_spawn_file_actions_init.3c
940      posix_spawnattr_init.3c
941      posix_spawnattr_setflags.3c
942      posix_spawnattr_setpgroup.3c
943      posix_spawnattr_setschedparam.3c
944      posix_spawnattr_setschedpolicy.3c
945      posix_spawnattr_setsigdefault.3c
946      posix_spawnattr_setsigignore_np.3c
947      posix_spawnattr_setsigmask.3c
948      posix_spawnp.3c
949      printstack.3c
950      priv_allocset.3c
951      priv_basicset.3c
952      priv_copyset.3c
953      priv_delset.3c
954      priv_emptyset.3c
955      priv_fillset.3c
956      priv_freereset.3c
957      priv_getbyname.3c
958      priv_getbynum.3c
959      priv_getsetbyname.3c
960      priv_getsetbynum.3c
961      priv_gettext.3c
962      priv_ineffect.3c
963      priv_intersect.3c
964      priv_inverse.3c
965      priv_isemptyset.3c
966      priv_isequalset.3c
967      priv_isfullset.3c
968      priv_ismember.3c
969      priv_issubset.3c
970      priv_set_to_str.3c
971      priv_union.3c
972      pselect.3c
973      psiginfo.3c
974      pthread_attr_destroy.3c
975      pthread_attr_setdetachstate.3c
976      pthread_attr_setguardsize.3c
977      pthread_attr_setinheritsched.3c
978      pthread_attr_setschedparam.3c
979      pthread_attr_setschedpolicy.3c
980      pthread_attr_setscope.3c
981      pthread_attr_setstack.3c
982      pthread_attr_setstackaddr.3c
983      pthread_attr_setstacksize.3c
984      pthread_barrier_init.3c
985      pthread_barrierattr_init.3c

```

```

986      pthread_barrierattr_setpshared.3c
987      pthread_cond_broadcast.3c
988      pthread_cond_destroy.3c
989      pthread_cond_reltimedwait_np.3c
990      pthread_cond_timedwait.3c
991      pthread_condattr_destroy.3c
992      pthread_condattr_setclock.3c
993      pthread_condattr_setpshared.3c
994      pthread_key_create_once_np.3c
995      pthread_mutex_destroy.3c
996      pthread_mutex_reltimedlock_np.3c
997      pthread_mutex_setprioceiling.3c
998      pthread_mutex_trylock.3c
999      pthread_mutex_unlock.3c
1000     pthread_mutexattr_destroy.3c
1001     pthread_mutexattr_setprioceiling.3c
1002     pthread_mutexattr_setprotocol.3c
1003     pthread_mutexattr_setpshared.3c
1004     pthread_mutexattr_settype.3c
1005     pthread_rwlock_destroy.3c
1006     pthread_rwlock_reltimedrlock_np.3c
1007     pthread_rwlock_reltimedwrlock_np.3c
1008     pthread_rwlock_tryrdlock.3c
1009     pthread_rwlock_trywrlock.3c
1010     pthread_rwlockattr_destroy.3c
1011     pthread_rwlockattr_setpshared.3c
1012     pthread_setconcurrency.3c
1013     pthread_setschedparam.3c
1014     pthread_setspecific.3c
1015     pthread_spin_init.3c
1016     pthread_spin_trylock.3c
1017     putc.3c
1018     putc_unlocked.3c
1019     putchar.3c
1020     putchar_unlocked.3c
1021     putmntent.3c
1022     pututline.3c
1023     pututxline.3c
1024     putw.3c
1025     putwc.3c
1026     putwchar.3c
1027     qconvert.3c
1028     qfconvert.3c
1029     qgconvert.3c
1030     quadruple_to_decimal.3c
1031     rand_r.3c
1032     rctlblk_get_enforced_value.3c
1033     rctlblk_get_firing_time.3c
1034     rctlblk_get_global_action.3c
1035     rctlblk_get_global_flags.3c
1036     rctlblk_get_local_action.3c
1037     rctlblk_get_local_flags.3c
1038     rctlblk_get_privilege.3c
1039     rctlblk_get_recipient_pid.3c
1040     rctlblk_get_value.3c
1041     rctlblk_set_local_action.3c
1042     rctlblk_set_local_flags.3c
1043     rctlblk_set_privilege.3c
1044     rctlblk_set_recipient_pid.3c
1045     rctlblk_size.3c
1046     re_exec.3c
1047     readdir_r.3c
1048     realloc.3c
1049     regerror.3c
1050     regex.3c
1051     regexec.3c

```

```

1052     regfree.3c
1053     remque.3c
1054     resetmnttab.3c
1055     rindex.3c
1056     rw_rdlock.3c
1057     rw_tryrdlock.3c
1058     rw_trywlock.3c
1059     rw_unlock.3c
1060     rw_wrlock.3c
1061     rwlock_destroy.3c
1062     rwlock_init.3c
1063     sched_get_priority_min.3c
1064     schedctl_exit.3c
1065     schedctl_lookup.3c
1066     schedctl_start.3c
1067     schedctl_stop.3c
1068     seconvert.3c
1069     seed48.3c
1070     sem_reltimedwait_np.3c
1071     sem_trywait.3c
1072     sema_destroy.3c
1073     sema_init.3c
1074     sema_post.3c
1075     sema_trywait.3c
1076     sema_wait.3c
1077     setattrat.3c
1078     setgrent.3c
1079     sethostname.3c
1080     setlinebuf.3c
1081     setlogmask.3c
1082     setnetgrent.3c
1083     setpriority.3c
1084     setpwent.3c
1085     setspent.3c
1086     setstate.3c
1087     settimeofday.3c
1088     setusershell.3c
1089     setutent.3c
1090     setutxent.3c
1091     setvbuf.3c
1092     sfconvert.3c
1093     sgconvert.3c
1094     sig2str.3c
1095     sigaddset.3c
1096     sigdelset.3c
1097     sigemptyset.3c
1098     sigfillset.3c
1099     sighold.3c
1100     sigignore.3c
1101     sigismember.3c
1102     siglongjmp.3c
1103     sigpause.3c
1104     sigrelse.3c
1105     sigset.3c
1106     sigsetjmp.3c
1107     sigtimedwait.3c
1108     single_to_decimal.3c
1109     snprintf.3c
1110     sprintf.3c
1111     srand.3c
1112     srand48.3c
1113     random.3c
1114     sscanf.3c
1115     stderr.3c
1116     stdin.3c
1117     stdout.3c

```

```

1118     strcasecmp.3c
1119     strcasecmp_l.3c
1120     strcat.3c
1121     strchr.3c
1122     strcmp.3c
1123     strcoll_l.3c
1124     strcpy.3c
1125     strcsn.3c
1126     strdup.3c
1127     strerror_r.3c
1128     strftime_l.3c
1129     strlcat.3c
1130     strlcpy.3c
1131     strlen.3c
1132     strncasecmp.3c
1133     strncasecmp_l.3c
1134     strncat.3c
1135     strncmp.3c
1136     strncpy.3c
1137     strnlens.3c
1138     strpbrk.3c
1139     strptime_l.3c
1140     strrchr.3c
1141     strsep.3c
1142     strspn.3c
1143     strstr.3c
1144     strtof.3c
1145     strtok.3c
1146     strtok_r.3c
1147     strtok_s.3c
1148     strtold.3c
1149     strtoll.3c
1150     strtoull.3c
1151     strtoumax.3c
1152     strxfm_l.3c
1153     swapcontext.3c
1154     swprintf.3c
1155     swscanf.3c
1156     tdelete.3c
1157     tempnam.3c
1158     textdomain.3c
1159     tfind.3c
1160     thr_continue.3c
1161     thr_getspecific.3c
1162     thr_keycreate_once.3c
1163     thr_setconcurrency.3c
1164     thr_setprio.3c
1165     thr_setspecific.3c
1166     timer_getoverrun.3c
1167     timer_gettime.3c
1168     timerclear.3c
1169     timercmp.3c
1170     timerisset.3c
1171     timersub.3c
1172     tmpnam_r.3c
1173     tolower_l.3c
1174     toupper_l.3c
1175     towctrans.3c
1176     towctrans_l.3c
1177     towlower_l.3c
1178     towupper_l.3c
1179     ttyname_r.3c
1180     twalk.3c
1181     tzset.3c
1182     uconv_u16tou8.3c
1183     uconv_u32tou16.3c

```



```

1316 atomic_add_char.3c
1317 atomic_add_char_nv.3c
1318 atomic_add_int.3c
1319 atomic_add_int_nv.3c
1320 atomic_add_long.3c
1321 atomic_add_long_nv.3c
1322 atomic_add_ptr.3c
1323 atomic_add_ptr_nv.3c
1324 atomic_add_short.3c
1325 atomic_add_short_nv.3c
1326 atomic_and_16.3c
1327 atomic_and_16_nv.3c
1328 atomic_and_32.3c
1329 atomic_and_32_nv.3c
1330 atomic_and_64.3c
1331 atomic_and_64_nv.3c
1332 atomic_and_8.3c
1333 atomic_and_8_nv.3c
1334 atomic_and_uchar.3c
1335 atomic_and_uchar_nv.3c
1336 atomic_and_uint.3c
1337 atomic_and_uint_nv.3c
1338 atomic_and_ulong.3c
1339 atomic_and_ulong_nv.3c
1340 atomic_and_ushort.3c
1341 atomic_and_ushort_nv.3c

1343 atomic_clear_long_excl.3c
1344 atomic_set_long_excl.3c

1346 atomic_cas_16.3c
1347 atomic_cas_32.3c
1348 atomic_cas_64.3c
1349 atomic_cas_8.3c
1350 atomic_cas_ptr.3c
1351 atomic_cas_uchar.3c
1352 atomic_cas_uint.3c
1353 atomic_cas_ulong.3c
1354 atomic_cas_ushort.3c

1356 atomic_dec_16.3c
1357 atomic_dec_16_nv.3c
1358 atomic_dec_32.3c
1359 atomic_dec_32_nv.3c
1360 atomic_dec_64.3c
1361 atomic_dec_64_nv.3c
1362 atomic_dec_8.3c
1363 atomic_dec_8_nv.3c
1364 atomic_dec_ptr.3c
1365 atomic_dec_ptr_nv.3c
1366 atomic_dec_uchar.3c
1367 atomic_dec_uchar_nv.3c
1368 atomic_dec_uint.3c
1369 atomic_dec_uint_nv.3c
1370 atomic_dec_ulong.3c
1371 atomic_dec_ulong_nv.3c
1372 atomic_dec_ushort.3c
1373 atomic_dec_ushort_nv.3c

1375 atomic_inc_16.3c
1376 atomic_inc_16_nv.3c
1377 atomic_inc_32.3c
1378 atomic_inc_32_nv.3c
1379 atomic_inc_64.3c
1380 atomic_inc_64_nv.3c
1381 atomic_inc_8.3c

```

```

1382 atomic_inc_8_nv.3c
1383 atomic_inc_ptr.3c
1384 atomic_inc_ptr_nv.3c
1385 atomic_inc_uchar.3c
1386 atomic_inc_uchar_nv.3c
1387 atomic_inc_uint.3c
1388 atomic_inc_uint_nv.3c
1389 atomic_inc_ulong.3c
1390 atomic_inc_ulong_nv.3c
1391 atomic_inc_ushort.3c
1392 atomic_inc_ushort_nv.3c

1394 atomic_or_16.3c
1395 atomic_or_16_nv.3c
1396 atomic_or_32.3c
1397 atomic_or_32_nv.3c
1398 atomic_or_64.3c
1399 atomic_or_64_nv.3c
1400 atomic_or_8.3c
1401 atomic_or_8_nv.3c
1402 atomic_or_uchar.3c
1403 atomic_or_uchar_nv.3c
1404 atomic_or_uint.3c
1405 atomic_or_uint_nv.3c
1406 atomic_or_ulong.3c
1407 atomic_or_ulong_nv.3c
1408 atomic_or_ushort.3c
1409 atomic_or_ushort_nv.3c

1411 atomic_swap_16.3c
1412 atomic_swap_32.3c
1413 atomic_swap_64.3c
1414 atomic_swap_8.3c
1415 atomic_swap_ptr.3c
1416 atomic_swap_uchar.3c
1417 atomic_swap_uint.3c
1418 atomic_swap_ulong.3c
1419 atomic_swap_ushort.3c

1421 bcmp.3c
1422 bcopy.3c
1423 bzero.3c

1425 btowc_l.3c
1427 catclose.3c
1429 cfgetospeed.3c
1431 cfsetospeed.3c
1433 clock_getres.3c
1434 clock_gettime.3c
1436 fdwalk.3c
1438 cond_broadcast.3c
1439 cond_destroy.3c
1440 cond_reltimedwait.3c
1441 cond_signal.3c
1442 cond_timedwait.3c
1443 cond_wait.3c
1445 csetcol.3c
1446 csetlen.3c
1447 csetno.3c

1448 LINKSRC = atomic_inc.3c
1449 LINKSRC = atomic_inc.3c
1450 LINKSRC = atomic_inc.3c
1451 LINKSRC = atomic_inc.3c
1452 LINKSRC = atomic_inc.3c
1453 LINKSRC = atomic_inc.3c
1454 LINKSRC = atomic_inc.3c
1455 LINKSRC = atomic_inc.3c
1456 LINKSRC = atomic_inc.3c
1457 LINKSRC = atomic_inc.3c
1458 LINKSRC = atomic_inc.3c
1459 LINKSRC = atomic_inc.3c
1460 LINKSRC = atomic_inc.3c
1461 LINKSRC = atomic_inc.3c
1462 LINKSRC = atomic_inc.3c
1463 LINKSRC = atomic_inc.3c
1464 LINKSRC = atomic_inc.3c
1465 LINKSRC = atomic_inc.3c
1466 LINKSRC = atomic_inc.3c
1467 LINKSRC = atomic_inc.3c
1468 LINKSRC = atomic_inc.3c
1469 LINKSRC = atomic_inc.3c
1470 LINKSRC = atomic_inc.3c
1471 LINKSRC = atomic_inc.3c
1472 LINKSRC = atomic_inc.3c
1473 LINKSRC = atomic_inc.3c
1474 LINKSRC = atomic_inc.3c
1475 LINKSRC = atomic_inc.3c
1476 LINKSRC = atomic_inc.3c
1477 LINKSRC = atomic_inc.3c
1478 LINKSRC = atomic_inc.3c
1479 LINKSRC = atomic_inc.3c
1480 LINKSRC = atomic_inc.3c
1481 LINKSRC = atomic_inc.3c

```

```

1448 wcsetno.3c          := LINKSRC = cset.3c
1450 ctermid_r.3c         := LINKSRC = ctermid.3c
1452 asctime.3c           := LINKSRC = ctime.3c
1453 asctime_r.3c         := LINKSRC = ctime.3c
1454 ctime_r.3c           := LINKSRC = ctime.3c
1455 gmtime.3c            := LINKSRC = ctime.3c
1456 gmtime_r.3c          := LINKSRC = ctime.3c
1457 localtime.3c        := LINKSRC = ctime.3c
1458 localtime_r.3c       := LINKSRC = ctime.3c
1459 tzset.3c             := LINKSRC = ctime.3c

1461 isalnum.3c           := LINKSRC = ctype.3c
1462 isalnum_l.3c          := LINKSRC = ctype.3c
1463 isalpha.3c            := LINKSRC = ctype.3c
1464 isalpha_l.3c          := LINKSRC = ctype.3c
1465 isascii.3c            := LINKSRC = ctype.3c
1466 isblank.3c            := LINKSRC = ctype.3c
1467 isblank_l.3c          := LINKSRC = ctype.3c
1468 iscntrl.3c            := LINKSRC = ctype.3c
1469 iscntrl_l.3c          := LINKSRC = ctype.3c
1470 isdigit.3c             := LINKSRC = ctype.3c
1471 isdigit_l.3c          := LINKSRC = ctype.3c
1472 isgraph.3c             := LINKSRC = ctype.3c
1473 isgraph_l.3c           := LINKSRC = ctype.3c
1474 islower.3c             := LINKSRC = ctype.3c
1475 islower_l.3c           := LINKSRC = ctype.3c
1476 isprint.3c              := LINKSRC = ctype.3c
1477 isprint_l.3c            := LINKSRC = ctype.3c
1478 ispunct.3c              := LINKSRC = ctype.3c
1479 ispunct_l.3c            := LINKSRC = ctype.3c
1480 isspace.3c              := LINKSRC = ctype.3c
1481 isspace_l.3c            := LINKSRC = ctype.3c
1482 isupper.3c              := LINKSRC = ctype.3c
1483 isupper_l.3c            := LINKSRC = ctype.3c
1484 isxdigit.3c             := LINKSRC = ctype.3c
1485 isxdigit_l.3c          := LINKSRC = ctype.3c

1487 decimal_to_double.3c   := LINKSRC = decimal_to_floating.3c
1488 decimal_to_extended.3c := LINKSRC = decimal_to_floating.3c
1489 decimal_to_quadruple.3c := LINKSRC = decimal_to_floating.3c
1490 decimal_to_single.3c   := LINKSRC = decimal_to_floating.3c

1492 ldiv.3c                := LINKSRC = div.3c
1493 lldiv.3c               := LINKSRC = div.3c

1495 dladdr.1.3c            := LINKSRC = dladdr.3c
1497 dlmopen.3c              := LINKSRC = dlopen.3c
1499 door_unbind.3c          := LINKSRC = door_bind.3c
1501 door_setparam.3c        := LINKSRC = door_getparam.3c

1503 erand48.3c              := LINKSRC = drand48.3c
1504 jrand48.3c              := LINKSRC = drand48.3c
1505 lcong48.3c              := LINKSRC = drand48.3c
1506 lrand48.3c              := LINKSRC = drand48.3c
1507 mrand48.3c              := LINKSRC = drand48.3c
1508 nrand48.3c              := LINKSRC = drand48.3c
1509 seed48.3c               := LINKSRC = drand48.3c
1510 srand48.3c              := LINKSRC = drand48.3c

1512 dup3.3c                 := LINKSRC = dup2.3c

```

```

1514 fconvert.3c           := LINKSRC = econvert.3c
1515 gconvert.3c            := LINKSRC = econvert.3c
1516 qeconvert.3c           := LINKSRC = econvert.3c
1517 qfconvert.3c           := LINKSRC = econvert.3c
1518 ggconvert.3c           := LINKSRC = econvert.3c
1519 seconvert.3c           := LINKSRC = econvert.3c
1520 sfconvert.3c           := LINKSRC = econvert.3c
1521 sgconvert.3c           := LINKSRC = econvert.3c

1523 fcvt.3c               := LINKSRC = ecvt.3c
1524 gcvt.3c               := LINKSRC = ecvt.3c

1526 _edata.3c              := LINKSRC = end.3c
1527 _end.3c                := LINKSRC = end.3c
1528 _etext.3c              := LINKSRC = end.3c
1529 edata.3c               := LINKSRC = end.3c
1530 etext.3c               := LINKSRC = end.3c

1532 errx.3c                := LINKSRC = err.3c
1533 verr.3c                := LINKSRC = err.3c
1534 verrx.3c               := LINKSRC = err.3c
1535 vwarn.3c               := LINKSRC = err.3c
1536 vwarnx.3c              := LINKSRC = err.3c
1537 warn.3c                := LINKSRC = err.3c
1538 warnx.3c               := LINKSRC = err.3c

1540 euccol.3c              := LINKSRC = euclen.3c
1541 eucscol.3c             := LINKSRC = euclen.3c

1543 _exithandle.3c          := LINKSRC = exit.3c

1545 clearerr.3c             := LINKSRC = ferror.3c
1546 feof.3c                 := LINKSRC = ferror.3c
1547 fileno.3c               := LINKSRC = ferror.3c

1549 fsetattr.3c              := LINKSRC = fgetattr.3c
1550 getattrat.3c             := LINKSRC = fgetattr.3c
1551 setattrat.3c            := LINKSRC = fgetattr.3c

1553 getc.3c                 := LINKSRC = fgetc.3c
1554 getc_unlocked.3c         := LINKSRC = fgetc.3c
1555 getchar.3c               := LINKSRC = fgetc.3c
1556 getchar_unlocked.3c     := LINKSRC = fgetc.3c
1557 getw.3c                  := LINKSRC = fgetc.3c

1559 fgetwc_l.3c              := LINKSRC = fgetwc.3c

1561 double_to_decimal.3c    := LINKSRC = floating_to_decimal.3c
1562 extended_to_decimal.3c  := LINKSRC = floating_to_decimal.3c
1563 quadruple_to_decimal.3c := LINKSRC = floating_to_decimal.3c
1564 single_to_decimal.3c    := LINKSRC = floating_to_decimal.3c

1566 ftrylockfile.3c          := LINKSRC = flockfile.3c
1567 funlockfile.3c            := LINKSRC = flockfile.3c

1569 fpgetmask.3c              := LINKSRC = fpgetround.3c
1570 fpgetsticky.3c             := LINKSRC = fpgetround.3c
1571 fpsetmask.3c              := LINKSRC = fpgetround.3c
1572 fpsetround.3c             := LINKSRC = fpgetround.3c
1573 fpsetsticky.3c            := LINKSRC = fpgetround.3c

1575 putc.3c                  := LINKSRC = fputc.3c
1576 putc_unlocked.3c          := LINKSRC = fputc.3c
1577 putchar.3c                := LINKSRC = fputc.3c
1578 putchar_unlocked.3c      := LINKSRC = fputc.3c
1579 putw.3c                  := LINKSRC = fputc.3c

```

```

1581 putwc.3c          := LINKSRC = fputwc.3c
1582 putchar.3c         := LINKSRC = fputwc.3c
1584 fseeko.3c          := LINKSRC = fseek.3c
1586 ftello.3c         := LINKSRC = ftell.3c
1588 nftw.3c            := LINKSRC = ftw.3c
1590 swprintf.3c         := LINKSRC = fwprintf.3c
1591 wprintf.3c          := LINKSRC = fwprintf.3c
1593 swscanf.3c          := LINKSRC = fwscanf.3c
1594 vfwscanf.3c         := LINKSRC = fwscanf.3c
1595 vswwscanf.3c        := LINKSRC = fwscanf.3c
1596 vwscanf.3c          := LINKSRC = fwscanf.3c
1597 wsscanf.3c          := LINKSRC = fwscanf.3c
1599 gethomelgroup.3c    := LINKSRC = getcpuid.3c
1601 endgrent.3c         := LINKSRC = getgrnam.3c
1602 fgetgrent.3c         := LINKSRC = getgrnam.3c
1603 fgetgrent_r.3c       := LINKSRC = getgrnam.3c
1604 getgrent.3c          := LINKSRC = getgrnam.3c
1605 getgrent_r.3c         := LINKSRC = getgrnam.3c
1606 getgrgid.3c          := LINKSRC = getgrnam.3c
1607 getgrgid_r.3c        := LINKSRC = getgrnam.3c
1608 getgrnam_r.3c        := LINKSRC = getgrnam.3c
1609 setgrent.3c          := LINKSRC = getgrnam.3c
1611 sethostname.3c       := LINKSRC = gethostname.3c
1613 gethrvtime.3c        := LINKSRC = gethrtime.3c
1615 getdelim.3c          := LINKSRC = getline.3c
1617 getlogin_r.3c        := LINKSRC = getlogin.3c
1619 getextmntent.3c      := LINKSRC = getmntent.3c
1620 getmntany.3c          := LINKSRC = getmntent.3c
1621 hasmntopt.3c         := LINKSRC = getmntent.3c
1622 putmntent.3c          := LINKSRC = getmntent.3c
1623 resetmnttab.3c       := LINKSRC = getmntent.3c
1625 endnetgrent.3c       := LINKSRC = getnetgrent.3c
1626 getnetgrent_r.3c      := LINKSRC = getnetgrent.3c
1627 innetgr.3c            := LINKSRC = getnetgrent.3c
1628 setnetgrent.3c        := LINKSRC = getnetgrent.3c
1630 getpassphrase.3c      := LINKSRC = getpass.3c
1632 setpriority.3c        := LINKSRC = getpriority.3c
1634 endpwent.3c           := LINKSRC = getpwnam.3c
1635 fgetpwent.3c          := LINKSRC = getpwnam.3c
1636 fgetpwent_r.3c         := LINKSRC = getpwnam.3c
1637 getpwent.3c            := LINKSRC = getpwnam.3c
1638 getpwent_r.3c          := LINKSRC = getpwnam.3c
1639 getpwnam_r.3c          := LINKSRC = getpwnam.3c
1640 getpwuid.3c            := LINKSRC = getpwnam.3c
1641 getpwuid_r.3c          := LINKSRC = getpwnam.3c
1642 setpwent.3c            := LINKSRC = getpwnam.3c
1644 fgets.3c              := LINKSRC = gets.3c

```

```

1646 endsspent.3c        := LINKSRC = getspnam.3c
1647 fgetspent.3c          := LINKSRC = getspnam.3c
1648 fgetspent_r.3c         := LINKSRC = getspnam.3c
1649 getspent.3c            := LINKSRC = getspnam.3c
1650 getspent_r.3c          := LINKSRC = getspnam.3c
1651 getspnam_r.3c          := LINKSRC = getspnam.3c
1652 setspent.3c           := LINKSRC = getspnam.3c
1654 bind_textdomain_codeset.3c := LINKSRC = gettext.3c
1655 bindtextdomain.3c       := LINKSRC = gettext.3c
1656 dcgettext.3c            := LINKSRC = gettext.3c
1657 dcngettext.3c          := LINKSRC = gettext.3c
1658 dgettext.3c             := LINKSRC = gettext.3c
1659 dngettext.3c            := LINKSRC = gettext.3c
1660 ngettext.3c             := LINKSRC = gettext.3c
1661 textdomain.3c           := LINKSRC = gettext.3c
1663 settimeofday.3c        := LINKSRC = gettimeofday.3c
1665 endusershell.3c         := LINKSRC = getusershell.3c
1666 setusershell.3c         := LINKSRC = getusershell.3c
1668 endutent.3c             := LINKSRC = getutent.3c
1669 getutid.3c              := LINKSRC = getutent.3c
1670 getutline.3c             := LINKSRC = getutent.3c
1671 pututline.3c             := LINKSRC = getutent.3c
1672 setutent.3c              := LINKSRC = getutent.3c
1673 utmpname.3c             := LINKSRC = getutent.3c
1675 endutxent.3c            := LINKSRC = getutxent.3c
1676 getutmp.3c               := LINKSRC = getutxent.3c
1677 getutmpx.3c              := LINKSRC = getutxent.3c
1678 getutxid.3c              := LINKSRC = getutxent.3c
1679 getutxline.3c             := LINKSRC = getutxent.3c
1680 pututxline.3c            := LINKSRC = getutxent.3c
1681 setutxent.3c              := LINKSRC = getutxent.3c
1682 updwttmp.3c              := LINKSRC = getutxent.3c
1683 updwttmpx.3c             := LINKSRC = getutxent.3c
1684 utmpxname.3c             := LINKSRC = getutxent.3c
1686 getvfsany.3c             := LINKSRC = getvfsent.3c
1687 getvffsfile.3c            := LINKSRC = getvfsent.3c
1688 getvfsspec.3c             := LINKSRC = getvfsent.3c
1690 getwc_l.3c                := LINKSRC = getwc.3c
1692 getwchar_l.3c             := LINKSRC = getwchar.3c
1694 fgetws.3c                 := LINKSRC = getws.3c
1696 getzoneeidbyname.3c       := LINKSRC = getzoneid.3c
1697 getzonenamebyid.3c        := LINKSRC = getzoneid.3c
1699 globfree.3c                := LINKSRC = glob.3c
1701 hcreate.3c                  := LINKSRC = hsearch.3c
1702 hdestroy.3c                 := LINKSRC = hsearch.3c
1704 rindex.3c                   := LINKSRC = index.3c
1706 remque.3c                   := LINKSRC = insque.3c
1708 finite.3c                     := LINKSRC = isnand.3c
1709 fpclass.3c                     := LINKSRC = isnand.3c
1710 isnanf.3c                      := LINKSRC = isnand.3c
1711 unordered.3c                    := LINKSRC = isnand.3c

```

```

1713 isenglish.3c          := LINKSRC = iswalpha.3c
1714 isideogram.3c          := LINKSRC = iswalpha.3c
1715 isnumber.3c            := LINKSRC = iswalpha.3c
1716 isphonogram.3c         := LINKSRC = iswalpha.3c
1717 isspecial.3c           := LINKSRC = iswalpha.3c
1718 iswalnum.3c             := LINKSRC = iswalpha.3c
1719 iswalnum_l.3c           := LINKSRC = iswalpha.3c
1720 iswalpha_l.3c           := LINKSRC = iswalpha.3c
1721 iswascii.3c             := LINKSRC = iswalpha.3c
1722 iswblank.3c              := LINKSRC = iswalpha.3c
1723 iswblank_l.3c             := LINKSRC = iswalpha.3c
1724 iswcntrl.3c              := LINKSRC = iswalpha.3c
1725 iswcntrl_l.3c             := LINKSRC = iswalpha.3c
1726 iswdigit.3c              := LINKSRC = iswalpha.3c
1727 iswdigit_l.3c             := LINKSRC = iswalpha.3c
1728 iswgraph.3c               := LINKSRC = iswalpha.3c
1729 iswgraph_l.3c              := LINKSRC = iswalpha.3c
1730 iswhexnumber.3c            := LINKSRC = iswalpha.3c
1731 iswhexnumber_l.3c          := LINKSRC = iswalpha.3c
1732 iswideogram.3c             := LINKSRC = iswalpha.3c
1733 iswideogram_l.3c            := LINKSRC = iswalpha.3c
1734 iswlower.3c                := LINKSRC = iswalpha.3c
1735 iswlower_l.3c               := LINKSRC = iswalpha.3c
1736 iswnumber.3c                 := LINKSRC = iswalpha.3c
1737 iswnumber_l.3c                := LINKSRC = iswalpha.3c
1738 iswphonogram.3c              := LINKSRC = iswalpha.3c
1739 iswphonogram_l.3c            := LINKSRC = iswalpha.3c
1740 iswprint.3c                  := LINKSRC = iswalpha.3c
1741 iswpunct_l.3c                := LINKSRC = iswalpha.3c
1742 iswpunct.3c                  := LINKSRC = iswalpha.3c
1743 iswspace_l.3c                := LINKSRC = iswalpha.3c
1744 iswspace.3c                  := LINKSRC = iswalpha.3c
1745 iswspace_l.3c                := LINKSRC = iswalpha.3c
1746 iswspecial.3c                := LINKSRC = iswalpha.3c
1747 iswspecial_l.3c               := LINKSRC = iswalpha.3c
1748 iswupper.3c                  := LINKSRC = iswalpha.3c
1749 iswupper_l.3c                := LINKSRC = iswalpha.3c
1750 iswdxdigit.3c                := LINKSRC = iswalpha.3c
1751 iswdxdigit_l.3c               := LINKSRC = iswalpha.3c
1753 iswctype_l.3c                := LINKSRC = iswctype.3c
1755 ulckpwdf.3c                  := LINKSRC = lckpwdf.3c
1757 lfind.3c                      := LINKSRC = lsearch.3c
1759 swapcontext.3c                := LINKSRC = makecontext.3c
1761 major.3c                      := LINKSRC = makedev.3c
1762 minor.3c                      := LINKSRC = makedev.3c
1764 alloca.3c                      := LINKSRC = malloc.3c
1765 calloc.3c                      := LINKSRC = malloc.3c
1766 free.3c                        := LINKSRC = malloc.3c
1767 memalign.3c                     := LINKSRC = malloc.3c
1768 realloc.3c                     := LINKSRC = malloc.3c
1769 valloc.3c                      := LINKSRC = malloc.3c
1771 mbolen_l.3c                     := LINKSRC = mbolen.3c
1773 mbrlen_l.3c                     := LINKSRC = mbrlen.3c
1775 mbrtowc_l.3c                    := LINKSRC = mbrtowc.3c
1777 mbsinit_l.3c                    := LINKSRC = mbsinit.3c

```

```

1779 mbsnrtowcs.3c            := LINKSRC = mbsrtowcs.3c
1780 mbsnrtowcs_l.3c           := LINKSRC = mbsrtowcs.3c
1781 mbsrtowcs_l.3c             := LINKSRC = mbsrtowcs.3c
1782 mbstowcs.3c                := LINKSRC = mbsrtowcs.3c
1783 mbstowcs_l.3c               := LINKSRC = mbsrtowcs.3c
1785 mbtowc_l.3c                  := LINKSRC = mbtowc.3c
1787 membar_consumer.3c          := LINKSRC = membar_ops.3c
1788 membar_enter.3c              := LINKSRC = membar_ops.3c
1789 membar_exit.3c                := LINKSRC = membar_ops.3c
1790 membar_producer.3c            := LINKSRC = membar_ops.3c
1792 memccpy.3c                  := LINKSRC = memory.3c
1793 memchr.3c                   := LINKSRC = memory.3c
1794 memcmp.3c                   := LINKSRC = memory.3c
1795 memcpy.3c                   := LINKSRC = memory.3c
1796 memmove.3c                   := LINKSRC = memory.3c
1797 memset.3c                   := LINKSRC = memory.3c
1799 mkdtemp.3c                  := LINKSRC = mkstemp.3c
1800 mkostemp.3c                  := LINKSRC = mkstemp.3c
1801 mkostemps.3c                 := LINKSRC = mkstemp.3c
1802 mkstemps.3c                  := LINKSRC = mkstemp.3c
1804 munlock.3c                  := LINKSRC = mlock.3c
1806 munlockall.3c                 := LINKSRC = mlockall.3c
1808 mq_reltimedreceive_np.3c      := LINKSRC = mq_receive.3c
1809 mq_timedreceive.3c            := LINKSRC = mq_receive.3c
1811 mq_reltimedsend_np.3c          := LINKSRC = mq_send.3c
1812 mq_timedsend.3c                := LINKSRC = mq_send.3c
1814 mutex_consistent.3c            := LINKSRC = mutex_init.3c
1815 mutex_destroy.3c                := LINKSRC = mutex_init.3c
1816 mutex_lock.3c                  := LINKSRC = mutex_init.3c
1817 mutex_trylock.3c                := LINKSRC = mutex_init.3c
1818 mutex_unlock.3c                := LINKSRC = mutex_init.3c
1820 dbm_clearerr.3c                := LINKSRC = ndbm.3c
1821 dbm_close.3c                  := LINKSRC = ndbm.3c
1822 dbm_delete.3c                  := LINKSRC = ndbm.3c
1823 dbm_error.3c                  := LINKSRC = ndbm.3c
1824 dbm_fetch.3c                  := LINKSRC = ndbm.3c
1825 dbm_firstkey.3c                 := LINKSRC = ndbm.3c
1826 dbm_nextkey.3c                 := LINKSRC = ndbm.3c
1827 dbm_open.3c                   := LINKSRC = ndbm.3c
1828 dbm_store.3c                  := LINKSRC = ndbm.3c
1830 duplocale.3c                  := LINKSRC = newlocale.3c
1831 freelocale.3c                 := LINKSRC = newlocale.3c
1833 nl_langinfo_l.3c                := LINKSRC = nl_langinfo.3c
1835 fdopendir.3c                  := LINKSRC = opendir.3c
1837 errno.3c                      := LINKSRC = perror.3c
1839 pclose.3c                      := LINKSRC = popen.3c
1841 port_dissociate.3c              := LINKSRC = port_associate.3c
1843 port_getn.3c                  := LINKSRC = port_get.3c

```

```

1845 port_sendn.3c          ::= LINKSRC = port_send.3c
1847 posix_spawnnp.3c         ::= LINKSRC = posix_spawn.3c
1849 posix_spawn_file_actions_addopen.3c ::= LINKSRC = posix_spawn_file_actions_ad
1850 posix_spawn_file_actions_init.3c  ::= LINKSRC = posix_spawn_file_actions_de
1852 posix_spawnattr_init.3c       ::= LINKSRC = posix_spawnattr_destroy.3c
1854 posix_spawnattr_setflags.3c    ::= LINKSRC = posix_spawnattr_getflags.3c
1856 posix_spawnattr_setpgroup.3c   ::= LINKSRC = posix_spawnattr_getpgroup.3
1858 posix_spawnattr_setschedparam.3c ::= LINKSRC = posix_spawnattr_getschedpar
1860 posix_spawnattr_setschedpolicy.3c ::= LINKSRC = posix_spawnattr_getschedpol
1862 posix_spawnattr_setsigdefault.3c ::= LINKSRC = posix_spawnattr_getsigdefau
1864 posix_spawnattr_setsigignore_np.3c ::= LINKSRC = posix_spawnattr_getsigignor
1866 posix_spawnattr_setsigmask.3c    ::= LINKSRC = posix_spawnattr_getsigmask.
1868 asprintf.3c               ::= LINKSRC = printf.3c
1869 fprintf.3c                ::= LINKSRC = printf.3c
1870 snprintf.3c               ::= LINKSRC = printf.3c
1871 sprintf.3c                ::= LINKSRC = printf.3c
1873 priv_allocset.3c          ::= LINKSRC = priv_addset.3c
1874 priv_basicset.3c          ::= LINKSRC = priv_addset.3c
1875 priv_copyset.3c           ::= LINKSRC = priv_addset.3c
1876 priv_delset.3c            ::= LINKSRC = priv_addset.3c
1877 priv_emptyset.3c          ::= LINKSRC = priv_addset.3c
1878 priv_fillset.3c           ::= LINKSRC = priv_addset.3c
1879 priv_freeset.3c          ::= LINKSRC = priv_addset.3c
1880 priv_intersect.3c         ::= LINKSRC = priv_addset.3c
1881 priv_inverse.3c           ::= LINKSRC = priv_addset.3c
1882 priv_isemptyset.3c        ::= LINKSRC = priv_addset.3c
1883 priv_isequalset.3c        ::= LINKSRC = priv_addset.3c
1884 priv_isfullset.3c         ::= LINKSRC = priv_addset.3c
1885 priv_ismember.3c          ::= LINKSRC = priv_addset.3c
1886 priv_issubset.3c          ::= LINKSRC = priv_addset.3c
1887 priv_union.3c             ::= LINKSRC = priv_addset.3c
1889 priv_ineffect.3c         ::= LINKSRC = priv_set.3c
1891 priv_getbyname.3c         ::= LINKSRC = priv_str_to_set.3c
1892 priv_getbynum.3c          ::= LINKSRC = priv_str_to_set.3c
1893 priv_getsetbyname.3c       ::= LINKSRC = priv_str_to_set.3c
1894 priv_getsetbynum.3c       ::= LINKSRC = priv_str_to_set.3c
1895 priv_gettext.3c           ::= LINKSRC = priv_str_to_set.3c
1896 priv_set_to_str.3c        ::= LINKSRC = priv_str_to_set.3c
1898 psiginfo.3c              ::= LINKSRC = psignal.3c
1900 pthread_attr_setdetachstate.3c ::= LINKSRC = pthread_attr_getdetachstate
1902 pthread_attr_setguardsize.3c ::= LINKSRC = pthread_attr_getguardsize.3
1904 pthread_attr_setinheritsched.3c ::= LINKSRC = pthread_attr_getinheritsche
1906 pthread_attr_setschedparam.3c ::= LINKSRC = pthread_attr_getschedparam.
1908 pthread_attr_setschedpolicy.3c ::= LINKSRC = pthread_attr_getschedpolicy

```

```

1910 pthread_attr_setscope.3c    ::= LINKSRC = pthread_attr_getscope.3c
1911 pthread_attr_setstack.3c     ::= LINKSRC = pthread_attr_getstack.3c
1913 pthread_attr_setstackaddr.3c ::= LINKSRC = pthread_attr_getstackaddr.3
1915 pthread_attr_setstacksize.3c ::= LINKSRC = pthread_attr_getstacksize.3
1917 pthread_attr_destroy.3c      ::= LINKSRC = pthread_attr_init.3c
1919 pthread_barrier_init.3c      ::= LINKSRC = pthread_barrier_destroy.3c
1921 pthread_barrierattr_init.3c  ::= LINKSRC = pthread_barrierattr_destroy
1923 pthread_barrierattr_setpshared.3c ::= LINKSRC = pthread_barrierattr_getpsha
1925 pthread_cond_destroy.3c      ::= LINKSRC = pthread_cond_init.3c
1927 pthread_cond_broadcast.3c    ::= LINKSRC = pthread_cond_signal.3c
1929 pthread_cond_reltimedwait_np.3c ::= LINKSRC = pthread_cond_wait.3c
1930 pthread_cond_timedwait.3c    ::= LINKSRC = pthread_cond_wait.3c
1932 pthread_condattr_setclock.3c ::= LINKSRC = pthread_condattr_getclock.3
1934 pthread_condattr_setpshared.3c ::= LINKSRC = pthread_condattr_getpshared
1936 pthread_condattr_destroy.3c  ::= LINKSRC = pthread_condattr_init.3c
1938 pthread_setconcurrency.3c   ::= LINKSRC = pthread_getconcurrency.3c
1940 pthread_setschedparam.3c     ::= LINKSRC = pthread_getschedparam.3c
1942 pthread_setspecific.3c      ::= LINKSRC = pthread_getspecific.3c
1944 pthread_key_create_once_np.3c ::= LINKSRC = pthread_key_create.3c
1946 pthread_mutex_setprioceiling.3c ::= LINKSRC = pthread_mutex_getprioceilin
1948 pthread_mutex_destroy.3c      ::= LINKSRC = pthread_mutex_init.3c
1950 pthread_mutex_trylock.3c     ::= LINKSRC = pthread_mutex_lock.3c
1951 pthread_mutex_unlock.3c      ::= LINKSRC = pthread_mutex_lock.3c
1953 pthread_mutex_reltimedlock_np.3c ::= LINKSRC = pthread_mutex_timedlock.3c
1955 pthread_mutexattr_setprioceiling.3c ::= LINKSRC = pthread_mutexattr_getprioce
1957 pthread_mutexattr_setprotocol.3c ::= LINKSRC = pthread_mutexattr_getprotoc
1959 pthread_mutexattr_setpshared.3c ::= LINKSRC = pthread_mutexattr_getpshare
1961 pthread_mutexattr_settype.3c  ::= LINKSRC = pthread_mutexattr_gettime.3
1963 pthread_mutexattr_destroy.3c  ::= LINKSRC = pthread_mutexattr_init.3c
1965 pthread_rwlock_destroy.3c     ::= LINKSRC = pthread_rwlock_init.3c
1967 pthread_rwlock_tryrdlock.3c   ::= LINKSRC = pthread_rwlock_rdlock.3c
1969 pthread_rwlock_reltimedrdlock_np.3c ::= LINKSRC = pthread_rwlock_timedrdlock.
1971 pthread_rwlock_reltimedwrlock_np.3c ::= LINKSRC = pthread_rwlock_timedwrlock.
1973 pthread_rwlock_trywrlock.3c    ::= LINKSRC = pthread_rwlock_wrlock.3c
1975 pthread_rwlockattr_setpshared.3c ::= LINKSRC = pthread_rwlockattr_getpshar

```

```

1977 pthread_rwlockattr_destroy.3c      ::= LINKSRC = pthread_rwlockattr_init.3c
1979 pthread_spin_init.3c               ::= LINKSRC = pthread_spin_destroy.3c
1981 pthread_spin_trylock.3c           ::= LINKSRC = pthread_spin_lock.3c
1983 fputts.3c                         ::= LINKSRC = puts.3c
1985 rand_r.3c                          ::= LINKSRC = rand.3c
1986 srand.3c                           ::= LINKSRC = rand.3c
1988 initstate.3c                      ::= LINKSRC = random.3c
1989 setstate.3c                        ::= LINKSRC = random.3c
1990 srandom.3c                        ::= LINKSRC = random.3c

1992 rctlblk_get_enforced_value.3c     ::= LINKSRC = rctlblk_set_value.3c
1993 rctlblk_get_firing_time.3c        ::= LINKSRC = rctlblk_set_value.3c
1994 rctlblk_get_global_action.3c      ::= LINKSRC = rctlblk_set_value.3c
1995 rctlblk_get_global_flags.3c       ::= LINKSRC = rctlblk_set_value.3c
1996 rctlblk_get_local_action.3c       ::= LINKSRC = rctlblk_set_value.3c
1997 rctlblk_get_local_flags.3c        ::= LINKSRC = rctlblk_set_value.3c
1998 rctlblk_get_privilege.3c          ::= LINKSRC = rctlblk_set_value.3c
1999 rctlblk_get_recipient_pid.3c      ::= LINKSRC = rctlblk_set_value.3c
2000 rctlblk_get_value.3c              ::= LINKSRC = rctlblk_set_value.3c
2001 rctlblk_set_local_action.3c       ::= LINKSRC = rctlblk_set_value.3c
2002 rctlblk_set_local_flags.3c        ::= LINKSRC = rctlblk_set_value.3c
2003 rctlblk_set_privilege.3c          ::= LINKSRC = rctlblk_set_value.3c
2004 rctlblk_set_recipient_pid.3c      ::= LINKSRC = rctlblk_set_value.3c
2005 rctlblk_size.3c                  ::= LINKSRC = rctlblk_set_value.3c

2007 re_exec.3c                         ::= LINKSRC = re_comp.3c
2009 readdir_r.3c                       ::= LINKSRC = readdir.3c
2011 regex.3c                           ::= LINKSRC = regcmp.3c
2013 regerror.3c                        ::= LINKSRC = regcomp.3c
2014 regexec.3c                         ::= LINKSRC = regcomp.3c
2015 regfree.3c                          ::= LINKSRC = regcomp.3c

2017 rw_rdlock.3c                      ::= LINKSRC = rwlock.3c
2018 rw_tryrdlock.3c                    ::= LINKSRC = rwlock.3c
2019 rw_trywrlock.3c                   ::= LINKSRC = rwlock.3c
2020 rw_unlock.3c                       ::= LINKSRC = rwlock.3c
2021 rw_wrlock.3c                       ::= LINKSRC = rwlock.3c
2022 rwlock_destroy.3c                  ::= LINKSRC = rwlock.3c
2023 rwlock_init.3c                     ::= LINKSRC = rwlock.3c

2025 alphasort.3c                      ::= LINKSRC = scandir.3c
2027 fscanf.3c                          ::= LINKSRC = scanf.3c
2028 sscanf.3c                           ::= LINKSRC = scanf.3c
2029 vfscanf.3c                          ::= LINKSRC = scanf.3c
2030 vscanf.3c                           ::= LINKSRC = scanf.3c
2031 vsscanf.3c                          ::= LINKSRC = scanf.3c

2033 sched_get_priority_min.3c          ::= LINKSRC = sched_get_priority_max.3c
2035 schedctl_exit.3c                   ::= LINKSRC = schedctl_init.3c
2036 schedctl_lookup.3c                 ::= LINKSRC = schedctl_init.3c
2037 schedctl_start.3c                  ::= LINKSRC = schedctl_init.3c
2038 schedctl_stop.3c                   ::= LINKSRC = schedctl_init.3c

2040 FD_CLR.3c                          ::= LINKSRC = select.3c
2041 FD_ISSET.3c                        ::= LINKSRC = select.3c

```

```

2042 FD_SET.3c                         ::= LINKSRC = select.3c
2043 FD_ZERO.3c                        ::= LINKSRC = select.3c
2044 pselect.3c                         ::= LINKSRC = select.3c
2046 sem_reltimedwait_np.3c             ::= LINKSRC = sem_timedwait.3c
2048 sem_trywait.3c                    ::= LINKSRC = sem_wait.3c
2050 sema_destroy.3c                   ::= LINKSRC = semaphore.3c
2051 sema_init.3c                      ::= LINKSRC = semaphore.3c
2052 sema_post.3c                     ::= LINKSRC = semaphore.3c
2053 sema_trywait.3c                  ::= LINKSRC = semaphore.3c
2054 sema_wait.3c                     ::= LINKSRC = semaphore.3c
2056 setvbuf.3c                        ::= LINKSRC = setbuf.3c
2058 setlinebuf.3c                     ::= LINKSRC = setbuffer.3c
2060 longjmp.3c                        ::= LINKSRC = setjmp.3c
2061 siglongjmp.3c                    ::= LINKSRC = setjmp.3c
2062 sigsetjmp.3c                     ::= LINKSRC = setjmp.3c
2064 sighold.3c                        ::= LINKSRC = signal.3c
2065 sigignore.3c                      ::= LINKSRC = signal.3c
2066 sigpause.3c                       ::= LINKSRC = signal.3c
2067 sigrelse.3c                       ::= LINKSRC = signal.3c
2068 sigset.3c                          ::= LINKSRC = signal.3c
2070 sigaddset.3c                      ::= LINKSRC = sigsetops.3c
2071 sigdelset.3c                     ::= LINKSRC = sigsetops.3c
2072 sigemptyset.3c                    ::= LINKSRC = sigsetops.3c
2073 sigfillset.3c                     ::= LINKSRC = sigsetops.3c
2074 sigismember.3c                   ::= LINKSRC = sigsetops.3c
2076 sigtimedwait.3c                  ::= LINKSRC = sigwaitinfo.3c
2078 gsignal.3c                        ::= LINKSRC = ssignal.3c
2080 stderr.3c                          ::= LINKSRC = stdio.3c
2081 stdin.3c                           ::= LINKSRC = stdio.3c
2082 stdout.3c                          ::= LINKSRC = stdio.3c
2084 sig2str.3c                        ::= LINKSRC = str2sig.3c
2086 strcoll_1.3c                      ::= LINKSRC = strcoll.3c
2088 strerror_r.3c                     ::= LINKSRC = strerror.3c
2090 strftimeon_1.3c                   ::= LINKSRC = strfmon.3c
2092 asctime.3c                         ::= LINKSRC = strftime.3c
2093 cftime.3c                          ::= LINKSRC = strftime.3c
2094 strftime_1.3c                     ::= LINKSRC = strftime.3c
2096 strcasecmp.3c                     ::= LINKSRC = string.3c
2097 strcasecmp_1.3c                   ::= LINKSRC = string.3c
2098 strcat.3c                          ::= LINKSRC = string.3c
2099 strchr.3c                          ::= LINKSRC = string.3c
2100 strcmp.3c                           ::= LINKSRC = string.3c
2101 strcpy.3c                          ::= LINKSRC = string.3c
2102 strcspn.3c                         ::= LINKSRC = string.3c
2103 strdup.3c                           ::= LINKSRC = string.3c
2104 strlcat.3c                          ::= LINKSRC = string.3c
2105 strlcpy.3c                          ::= LINKSRC = string.3c
2106 strlen.3c                          ::= LINKSRC = string.3c
2107 strncasecmp.3c                   ::= LINKSRC = string.3c

```

```

2108 strncasecmp_1.3c      := LINKSRC = string.3c
2109 strncat.3c             := LINKSRC = string.3c
2110 strncmp.3c              := LINKSRC = string.3c
2111 strncpy.3c              := LINKSRC = string.3c
2112 strnlen.3c              := LINKSRC = string.3c
2113 strpbrk.3c              := LINKSRC = string.3c
2114 strrchr.3c              := LINKSRC = string.3c
2115 strsep.3c               := LINKSRC = string.3c
2116 strspn.3c               := LINKSRC = string.3c
2117 strstr.3c               := LINKSRC = string.3c
2118 strtok.3c               := LINKSRC = string.3c
2119 strtok_r.3c              := LINKSRC = string.3c

2121 file_to_decimal.3c     := LINKSRC = string_to_decimal.3c
2122 func_to_decimal.3c     := LINKSRC = string_to_decimal.3c

2124 strptime_l.3c          := LINKSRC = strptime.3c

2126 atof.3c                := LINKSRC = strtod.3c
2127 strtof.3c               := LINKSRC = strtod.3c
2128 strtold.3c              := LINKSRC = strtod.3c

2130 strtoumax.3c           := LINKSRC = strtoimax.3c

2132 atoi.3c                := LINKSRC = strtol.3c
2133 atol.3c                 := LINKSRC = strtol.3c
2134 atoll.3c                := LINKSRC = strtol.3c
2135 lltostr.3c              := LINKSRC = strtol.3c
2136 strtoll.3c              := LINKSRC = strtol.3c
2137 ulltostr.3c             := LINKSRC = strtol.3c

2139 strtoull.3c             := LINKSRC = strtoul.3c

2141 wstostr.3c             := LINKSRC = strtows.3c

2143 strxfrm_l.3c            := LINKSRC = strxfrm.3c

2145 closelog.3c              := LINKSRC = syslog.3c
2146 openlog.3c               := LINKSRC = syslog.3c
2147 setlogmask.3c             := LINKSRC = syslog.3c

2149 thr_setconcurrency.3c   := LINKSRC = thr_getconcurrency.3c

2151 thr_setprio.3c           := LINKSRC = thr_getprio.3c

2153 thr_getspecific.3c      := LINKSRC = thr_keycreate.3c
2154 thr_keycreate_once.3c    := LINKSRC = thr_keycreate.3c
2155 thr_setspecific.3c       := LINKSRC = thr_keycreate.3c

2157 thr_continue.3c          := LINKSRC = thr_suspend.3c

2159 timer_getoverrun.3c      := LINKSRC = timer_settime.3c
2160 timer_gettime.3c          := LINKSRC = timer_settime.3c

2162 timerclear.3c             := LINKSRC = timeradd.3c
2163 timercmp.3c              := LINKSRC = timeradd.3c
2164 timerisset.3c             := LINKSRC = timeradd.3c
2165 timersub.3c              := LINKSRC = timeradd.3c

2167 tmpnam.3c                := LINKSRC = tmpnam.3c
2168 tmpnam_r.3c               := LINKSRC = tmpnam.3c

2170 tolower_l.3c              := LINKSRC = tolower.3c
2172 toupper_l.3c              := LINKSRC = toupper.3c

```

```

2174 tolower_l.3c             := LINKSRC = tolower.3c
2176 toupper_l.3c              := LINKSRC = toupper.3c
2178 ftruncate.3c              := LINKSRC = truncate.3c
2180 tdelete.3c               := LINKSRC = tsearch.3c
2181 tfind.3c                 := LINKSRC = tsearch.3c
2182 twalk.3c                  := LINKSRC = tsearch.3c
2184 ttyname_r.3c              := LINKSRC = ttyname.3c
2186 uconv_u16tou8.3c          := LINKSRC = uconv_u16tou32.3c
2187 uconv_u32tou16.3c          := LINKSRC = uconv_u16tou32.3c
2188 uconv_u32tou8.3c          := LINKSRC = uconv_u16tou32.3c
2189 uconv_u8tou16.3c          := LINKSRC = uconv_u16tou32.3c
2190 uconv_u8tou32.3c          := LINKSRC = uconv_u16tou32.3c

2192 ucred_free.3c             := LINKSRC = ucred_get.3c
2193 ucred_getegid.3c           := LINKSRC = ucred_get.3c
2194 ucred_geteuid.3c           := LINKSRC = ucred_get.3c
2195 ucred_getgroups.3c          := LINKSRC = ucred_get.3c
2196 ucred_getlabel.3c          := LINKSRC = ucred_get.3c
2197 ucred_getpflags.3c          := LINKSRC = ucred_get.3c
2198 ucred_getpid.3c             := LINKSRC = ucred_get.3c
2199 ucred_getprivset.3c         := LINKSRC = ucred_get.3c
2200 ucred_getprojid.3c         := LINKSRC = ucred_get.3c
2201 ucred_getrgid.3c             := LINKSRC = ucred_get.3c
2202 ucred_getruid.3c             := LINKSRC = ucred_get.3c
2203 ucred_getsgid.3c             := LINKSRC = ucred_get.3c
2204 ucred_getsuid.3c             := LINKSRC = ucred_get.3c
2205 ucred_getzoneid.3c          := LINKSRC = ucred_get.3c
2206 ucred_size.3c              := LINKSRC = ucred_get.3c

2208 vswprintf.3c              := LINKSRC = vfwprintf.3c
2209 vwprintf.3c                := LINKSRC = vfwprintf.3c

2211 vasprintf.3c              := LINKSRC = vprintf.3c
2212 vfprintf.3c                := LINKSRC = vprintf.3c
2213 vsnprintf.3c               := LINKSRC = vprintf.3c
2214 vsprintf.3c                := LINKSRC = vprintf.3c

2216 wait4.3c                  := LINKSRC = wait3.3c
2218 addrtosymstr.3c           := LINKSRC = walkcontext.3c
2219 backtrace.3c                := LINKSRC = walkcontext.3c
2220 backtrace_symbols.3c         := LINKSRC = walkcontext.3c
2221 backtrace_symbols_fd.3c      := LINKSRC = walkcontext.3c
2222 printstack.3c               := LINKSRC = walkcontext.3c

2224 wcrtomb_l.3c               := LINKSRC = wcrtomb.3c
2226 wcscoll_l.3c                := LINKSRC = wcscoll.3c
2227 wscoll.3c                  := LINKSRC = wcscoll.3c

2229 watoi.3c                   := LINKSRC = wcstod.3c
2230 wcstof.3c                   := LINKSRC = wcstod.3c
2231 wcstold.3c                  := LINKSRC = wcstod.3c
2232 wstod.3c                   := LINKSRC = wcstod.3c

2234 wcstoumax.3c               := LINKSRC = wcstoiimax.3c

2236 watoi.3c                   := LINKSRC = wcstol.3c
2237 watol.3c                   := LINKSRC = wcstol.3c
2238 watoll.3c                  := LINKSRC = wcstol.3c
2239 wcstoll.3c                  := LINKSRC = wcstol.3c

```

```
2240 wstol.3c           := LINKSRC = wcstol.3c
2242 wcstoull.3c        := LINKSRC = wcstoul.3c
2244 wcscat.3c          := LINKSRC = wcstring.3c
2245 wcschr.3c          := LINKSRC = wcstring.3c
2246 wcscmp.3c          := LINKSRC = wcstring.3c
2247 wcscopy.3c          := LINKSRC = wcstring.3c
2248 wcscspn.3c          := LINKSRC = wcstring.3c
2249 wcslen.3c          := LINKSRC = wcstring.3c
2250 wcsncat.3c          := LINKSRC = wcstring.3c
2251 wcsncmp.3c          := LINKSRC = wcstring.3c
2252 wcsncpy.3c          := LINKSRC = wcstring.3c
2253 wcspbrk.3c          := LINKSRC = wcstring.3c
2254 wcsrchr.3c          := LINKSRC = wcstring.3c
2255 wcsspn.3c          := LINKSRC = wcstring.3c
2256 wcstok.3c          := LINKSRC = wcstring.3c
2257 wcswcs.3c          := LINKSRC = wcstring.3c
2258 windex.3c          := LINKSRC = wcstring.3c
2259 wrindex.3c          := LINKSRC = wcstring.3c
2260 wscat.3c          := LINKSRC = wcstring.3c
2261 wschr.3c          := LINKSRC = wcstring.3c
2262 wscmp.3c          := LINKSRC = wcstring.3c
2263 wscopy.3c          := LINKSRC = wcstring.3c
2264 wcsppn.3c          := LINKSRC = wcstring.3c
2265 wslen.3c          := LINKSRC = wcstring.3c
2266 wsncat.3c          := LINKSRC = wcstring.3c
2267 wsncmp.3c          := LINKSRC = wcstring.3c
2268 wsncpy.3c          := LINKSRC = wcstring.3c
2269 wspbrk.3c          := LINKSRC = wcstring.3c
2270 wsrchr.3c          := LINKSRC = wcstring.3c
2271 wsspn.3c          := LINKSRC = wcstring.3c
2272 wstok.3c          := LINKSRC = wcstring.3c
2273 wscasecmp.3c        := LINKSRC = wstring.3c
2274 wscol.3c          := LINKSRC = wstring.3c
2275 wsdup.3c          := LINKSRC = wstring.3c
2276 wsncasecmp.3c        := LINKSRC = wstring.3c
2278 wcswidth_1.3c        := LINKSRC = wcswidth.3c
2280 wsxfrm.3c          := LINKSRC = wcsxfrm.3c
2282 wctob_1.3c          := LINKSRC = wctob.3c
2284 wctomb_1.3c        := LINKSRC = wctomb.3c
2286 towctrans.3c         := LINKSRC = wctrans.3c
2287 towctrans_1.3c        := LINKSRC = wctrans.3c
2288 wctrans_1.3c        := LINKSRC = wctrans.3c
2290 wctype_1.3c          := LINKSRC = wctype.3c
2292 wcwidth_1.3c         := LINKSRC = wcwidth.3c
2294 wordfree.3c          := LINKSRC = wordexp.3c
2296 .KEEP_STATE:
2298 include      $(SRC)/man/Makefile.man
2300 install:      $(ROOTMANFILES) $(ROOTMANLINKS)
```

```
*****
3333 Sat Jul  5 18:50:54 2014
new/usr/src/man/man3c/getwchar.3c
Additional man fixes.
*****
1 '\\" te
2 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
3 .\" Copyright (c) 1992, X/Open Company Limited All Rights Reserved Portions C
4 .\" Sun Microsystems, Inc. gratefully acknowledges The Open Group for permission
5 .\" http://www.opengroup.org/bookstore/.
6 .\" The Institute of Electrical and Electronics Engineers and The Open Group, ha
7 .\" This notice shall appear on any product containing this material.
8 .\" The contents of this file are subject to the terms of the Common Development
9 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
10 .\" When distributing Covered Code, include this CDDL HEADER in each file and in
11 .TH GETWCHAR 3C "Jul 24, 2002"
12 .SH NAME
13 getopt \- get wide character from stdin stream
14 .SH SYNOPSIS
15 .LP
16 .nf
17 #include <wchar.h>
18 \fBwint_t\fR \fBgetwchar\fR(void)
19 .fi
20 .LP
21 .nf
22 #include <wchar.h>
23 #include <xlocale.h>
24
25 \fBwint_t\fR \fBgetwchar_l\fR(locale_t loc)
26 .fi
27 .SH DESCRIPTION
28 .sp
29 .LP
30 The \fBgetwchar()\fR function is equivalent to \fBgetwc\fR(\fBstdin\fR).
31 .LP
32 The \fBgetwchar_l()\fR function is equivalent to \fBgetwc\fR(\fBstdin\fR, \fIloc\fR).
33 The \fBgetwchar()\fR function is equivalent to \fBgetwc(stdin)\fR.
34 .SH RETURN VALUES
35 .sp
36 .LP
37 Refer to \fBfgetwc\fR(3C).
38 .SH ERRORS
39 .sp
40 .LP
41 If the \fBwint_t\fR value returned by \fBgetwchar()\fR is stored into a
42 variable of type \fBchar_t\fR and then compared against the \fBwint_t\fR macro
43 \fBEOF\fR, the comparison may never succeed because \fBchar_t\fR is defined
44 as unsigned.
45 .SH ATTRIBUTES
46 .sp
47 See \fBattributes\fR(5) for descriptions of the following attributes:
48 .sp
49 box;
50 c | c
51 l | l .
52 ATTRIBUTE TYPE ATTRIBUTE VALUE
```

```
53 -
54 Interface Stability      See below.
55 Interface Stability      Standard
56 -
57 MT-Level          MT-Safe
58 .TE
59 .LP
60 The \fBgetwchar()\fR function is Standard. The \fBgetwchar_l()\fR function
61 is Uncommitted.
62 .SH SEE ALSO
63 .sp
64 \fBfgetwc\fR(3C), \fBgetwc\fR(3C), \fBattributes\fR(5), \fBstandards\fR(5)
```

```
*****
4702 Sat Jul 5 18:50:54 2014
new/usr/src/man/man3c/mbtowc.3c
fix copyright
*****
1 '\\" te
2 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
3 .\" Copyright (c) 1992, X/Open Company Limited. All Rights Reserved. Portions
4 .\" Sun Microsystems, Inc. gratefully acknowledges The Open Group for permission
5 .\" http://www.opengroup.org/bookstore/.
6 .\" The Institute of Electrical and Electronics Engineers and The Open Group, ha
7 .\" This notice shall appear on any product containing this material.
8 .\" The contents of this file are subject to the terms of the Common Development
9 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE or http:
10 .\" When distributing Covered Code, include this CDDL HEADER in each file and in
11 .TH MBTOWC 3C "Jun 23, 2014"
12 .SH NAME
13 mbtowc, mbtowc_l \- convert a character to a wide-character code
14 .SH SYNOPSIS
15 .LP
16 .nf
17 #include <stdlib.h>

19 \fBint\fR \fBmbtowc\fR(\fBwchar_t *restrict\fR \fIpwc\fR, \fBconst char *restrict
20 .fi
21 .LP
22 .nf
23 #include <stdlib.h>
24 #include <xlocale.h>

26 \fBint\fR \fBmbtowc_l\fR(\fBwchar_t *restrict\fR \fIpwc\fR, \fBconst char *restrict
27 \fBlocale_t\fR \fIloc\fR);
28 .fi
29 .SH DESCRIPTION
30 .LP
31 If \fIs\fR is not a null pointer, \fBmbtowc()\fR determines the number of the
32 bytes that constitute the character pointed to by \fIs\fR. It then determines
33 the wide-character code for the value of type \fBwchar_t\fR that corresponds to
34 that character. (The value of the wide-character code corresponding to the null
35 byte is 0.) If the character is valid and \fIpwc\fR is not a null pointer,
36 \fBmbtowc()\fR stores the wide-character code in the object pointed to by
37 \fIpwc\fR.
38 .LP
39 A call with \fIs\fR as a null pointer causes this function to return \fB0\fR.
40 The behavior of this function is affected by the \fBLC_CTYPE\fR category of the
41 current locale. At most \fIn\fR bytes of the array pointed to by \fIs\fR will
42 be examined.
43 .LP
44 The function \fBmbtowc_l()\fR behaves identically to \fBmbtowc()\fR, except
45 instead of using the current locale, it uses the locale as specified by
46 \fIloc\fR.
47 .SH RETURN VALUES
48 .LP
49 If \fIs\fR is a null pointer, these functions return \fB0\fR. If \fIs\fR is not
50 a null pointer, they return \fB0\fR (if \fIs\fR points to the null
51 byte), the number of bytes that constitute the converted character (if the next
52 \fIn\fR or fewer bytes form a valid character), or \fB(m1\fR and may set
53 \fBerrno\fR to indicate the error (if they do not form a valid character).
54 .LP
55 In no case will the value returned be greater than \fIn\fR or the value of the
56 \fBMB_CUR_MAX\fR macro.
57 .SH ERRORS
58 .LP
59 The \fBmbtowc()\fR and \fBmbtowc_l()\fR functions may fail if:
60 .sp
61 .ne 2
```

```
62 .na
63 \fB\fBEILSEQ\fR\fR
64 .ad
65 .RS 10n
66 Invalid character sequence is detected.
67 .RE
68 .SH ATTRIBUTES
69 .LP
70 See \fBattributes\fR(5) for descriptions of the following attributes:
71 .TS
72 box;
73 c | c
74 l | l .
75 ATTRIBUTE TYPE ATTRIBUTE VALUE
76
77 CSI Enabled
78
79 Interface Stability See below.
80
81 MT-Level MT-Safe
82 .TE

84 .LP
85 The
86 .B mbtowc()
87 function is Standard. The
88 .B mbtowc_l()
89 function is Uncommitted.
90 .SH SEE ALSO
91 .LP
92 \fBmblen\fR(3C), \fBmbstowcs\fR(3C),
93 \fBnewlocale\fR(3C), \fBsetlocale\fR(3C), \fBuseLocale\fR(3C),
94 \fBwcstombs\fR(3C), \fBwctomb\fR(3C), \fBattributes\fR(5), \fBstandards\fR(5)
```

```
*****
4599 Sat Jul 5 18:50:54 2014
new/usr/src/man/man3c/strfmon.3c
Additional man fixes.
*****
1 .\" This file and its contents are supplied under the terms of the
2 .\" Common Development and Distribution License (" CDDL"), version 1.0.
3 .\" You may only use this file in accordance with the terms of version
4 .\" 1.0 of the CDDL.
5 .\" 
6 .\" A full copy of the text of the CDDL should have accompanied this
7 .\" source. A copy of the CDDL is also available via the Internet at
8 .\" http://www.illumos.org/license/CDDL.
10 .\" 
11 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
13 .\" 
14 .TH STRFMON 3C "Jun 23, 2014"
15 .SH NAME
16 strfmon, strfmon_l - convert monetary values to string
17 .SH SYNOPSIS
18 .LP
19 .nf
20 #include <monetary.h>

22 \fBbssize_t\fR \fBstrfmon\fR(\fBchar *restrict\fR \fIis\fR, \fBbssize_t\fR \fImaxsiz
23 \fBconst char *restrict\fR \fIfORMAT\fR, ...);
24 .fi
25 .LP
26 .nf
27 \fBbssize_t\fR \fBstrfmon_l\fR(\fBchar *restrict\fR \fIis\fR, \fBbssize_t\fR \fImaxsiz
27 \fBbssize_t\fR \fBstrfmon\fR(\fBchar *restrict\fR \fIis\fR, \fBbssize_t\fR \fImaxsiz
28 \fBlocale_t\fR \fIloc\fR, \fBconst char *restrict\fR \fIfORMAT\fR, ...);
29 .fi
30 .SH DESCRIPTION
31 These functions are used to format strings containing numeric quantities using
32 rules that are specific to a given locale. For example, in the United States,
33 currencies are formatted using the dollar sign
34 .RB ( $ )
35 and include two decimal digits (cents).
36 .LP
37 Each character from the
38 .I format
39 is copied to the output buffer supplied by
40 .IR s .
41 Furthermore, when a percent
42 .RB ( % )
43 character is encountered, this triggers an expansion, as follows:
44 .LP
45 Immediately following the
46 .B %
47 character there shall be zero or more flags, as indicated below:
48 .TP
49 .BI = f
50 An equals sign followed by a character
51 .I f
52 is the numeric fill
53 character, which must be a single byte. The default fill character is <space>.
54 .TP
55 .B ^
56 The carat suppresses the use of grouping characters, even if the
57 locale indicates their use.
58 .TP
59 .B +
60 The plus sign indicates that positive and negative numbers should use the
```

```
61 locale's positive and negative signs. This may not be used with the open
62 parenthesis. This behavior is default.
63 .TP
64 .B (
65 The open parenthesis indicates that negative numbers should be enclosed
66 within parenthesis, and no special formatting should be applied to positive
67 values. This may not be supplied with the plus sign flag.
68 .TP
69 .B !
70 The exclamation point suppresses the output of any currency symbol.
71 .TP
72 .B -
73 The dash specifies that numeric values should be left-justified
74 within a field width, if a field width is specified.
75 .LP
76 Next there may appear an optional minimum field width, specified as a string of
77 decimal digits, indicating a minimum width in bytes of this fields.
78 .LP
79 Next there may appear a left precision, as
80 .RI # p'
81 indicating the maximum
82 number of digits expected to appear left of the radix character. (If a numeric
83 value does not require this many places, including grouping separators, then
84 the numeric fill character is used to pad the value to this many places.)
85 .LP
86 Next there may appear a right precision, as
87 .RI . p'
88 indicating the minimum
89 number of digits to appear to the right of the radix character. If the
90 value of
91 .I p
92 is zero, then the radix character is also suppressed.
93 .LP
94 Finally there shall appear one of the following conversion specifier
95 characters:
96 .TP
97 .B i
98 The next available argument (assumed to be
99 .BR double )
100 is formatted, using
101 the locale's international currency format. For example, in the United States,
102 the output might look like "USD 1,234.56".
103 .TP
104 .B n
105 The next available argument (assumed to be
106 .BR double )
107 is formatted, using
108 the locale's national currency format. For example, in the United States, the
109 output might look like "$1,234.56".
110 .TP
111 .B %
112 A single percent character is emitted. In this case, the entire specifier
113 shall be
114 .BR %% .
115 .LP
116 Whereas the
117 .B strfmon()
118 function uses the current locale, the
119 .B strfmon_l()
120 function uses the supplied locale
121 .IR loc .
122 .SH RETURN VALUES
123 .LP
124 If the conversion was successfully performed, and the entire result (including
125 the terminating null character) fits in
126 .I maxsize
```

```
127 bytes, then the number of
128 bytes placed in the buffer (excluding the terminating null character) is
129 returned.
130 .LP
131 If the result of expansion exceeds
132 .I maxsize
133 bytes, then the value \(\mil is returned, and
134 .I errno
135 is set to
136 .BR E2BIG .
137 .SH NOTES
138 The result of formatting a value that is not a rational number (e.g. +NaN) is
139 unspecified.
140 .SH ATTRIBUTES
141 .LP
142 See
143 .BR attributes (5)
144 for descriptions of the following attributes:
145 .TS
146 box;
147 c | c
148 l | l .
149 ATTRIBUTE TYPE ATTRIBUTE VALUE
150
151 _CSI Enabled
152 _Interface Stability Standard
153 MT-Level MT-Safe
154 .TE
155
156 .SH SEE ALSO
157 .BR setlocale (3C),
158 .BR uselocale (3C),
159 .BR locale (3HEAD),
160 .BR attributes (5),
161 .BR standards (5)
```

```
*****
33980 Sat Jul 5 18:50:54 2014
new/usr/src/man/man3lib/libc.3lib
Additional man fixes.
*****
1 '\\" te
2 '\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
3 '\" Copyright (c) 2009, Sun Microsystems, Inc. All rights reserved.
4 '\" The contents of this file are subject to the terms of the Common Development
5 '\" See the License for the specific language governing permissions and limitat
6 '\" the fields enclosed by brackets "[]" replaced with your own identifying info
7 '\" Copyright 2011 by Delphix. All rights reserved.
8 .TH LIBC 3LIB "Jul 1, 2014"
7 .TH LIBC 3LIB "Sep 15, 2009"
9 .SH NAME
10 libc \- C library
11 .SH DESCRIPTION
12 .sp
13 .LP
14 Functions in this library provide various facilities defined by System V, ANSI
15 C, POSIX, and so on. See Standards\fR(5). In addition, those facilities
16 previously defined in the internationalization and the wide-character libraries
17 are now defined in this library, as are the facilities previously defined in
18 the multithreading libraries, libthread\fR and libpthread\fR>.
19 .SH INTERFACES
20 .sp
21 .LP
22 The shared object libc.so.1\fR provides the public interfaces defined below.
23 See Intro\fR(3) for additional information on shared object interfaces.
24 .sp
25 .sp
26 .TS
27 l 1
28 l 1 .
29 l 1 .
30 \fB_loc1\fR \fB_errno\fR
31 \fB_builtin_alloca\fR \fB_ctype\fR
32 \fB_fbufsize\fR \fB_fbf\fR
33 \fB_flt_rounds\fR \fB_fpending\fR
34 \fB_fpurge\fR \fB_freadable\fR
35 \fB_freading\fR \fB_fsetlocking\fR
36 \fB_fwritable\fR \fB_fwriting\fR
37 \fB_huge_val\fR \fB_iob\fR
38 \fB_loc1\fR \fB_major\fR
39 \fB_makedev\fR \fB_mb_cur_max_1\fR
40 \fB_minor\fR
38 \fB_makedev\fR \fB_minor\fR
41 \fB_nsw_extended_action\fR \fB_nsw_freeconfig\fR
42 \fB_nsw_getconfig\fR \fB_posix_asctime_r\fR
43 \fB_posix_ctime_r\fR \fB_posix_getrgid_r\fR
44 \fB_posix_getrnam_r\fR \fB_posix_getlogin_r\fR
45 \fB_posix_getpwnam_r\fR \fB_posix_getpwuid_r\fR
46 \fB_posix_sigwaitv\fR \fB_posix_ttyname_r\fR
47 \fB_prioctl\fR \fB_prioctlset\fR
48 \fB_pthread_cleanup_pop\fR \fB_pthread_cleanup_push\fR
49 \fB_sysconf_xpg5\fR \fB_xpg4\fR
50 \fB_xpg4_putmsg\fR \fB_xpg4_putpmsg\fR
51 \fB_Exit\fR \fB_altzone\fR
52 \fB_assert\fR \fB_cleanup\fR
53 \fB_ctype\fR \fB_daylight\fR
54 \fB_environ\fR \fB_exit\fR
55 \fB_exithandle\fR \fB_filbuf\fR
56 \fB_flsbuf\fR \fB_flushlbf\fR
57 \fB_getdate_err\fR \fB_getdate_err_addr\fR
58 \fB_iob\fR \fB_isnan\fR
59 \fB_isnand\fR \fB_lwp_cond_broadcast\fR
```

```
60 \fB_lwp_cond_reltimedwait\fR \fB_lwp_cond_signal\fR
61 \fB_lwp_cond_timedwait\fR \fB_lwp_cond_wait\fR
62 \fB_lwp_continue\fR \fB_lwp_info\fR
63 \fB_lwp_kill\fR \fB_lwp_mutex_lock\fR
64 \fB_lwp_mutex_trylock\fR \fB_lwp_mutex_unlock\fR
65 \fB_lwp_self\fR \fB_lwp_sema_init\fR
66 \fB_lwp_sema_post\fR \fB_lwp_sema_trywait\fR
67 \fB_lwp_sema_wait\fR \fB_lwp_suspend\fR
68 \fB_lwp_suspend2\fR \fB_modf\fR
69 \fB_nextafter\fR \fB_nsc_trydoorcall\fR
70 \fB_nss_XbyY_buf_alloc\fR \fB_nss_XbyY_buf_free\fR
71 \fB_nss_netdb_aliases\fR \fB_numeric\fR
72 \fB_scalb\fR \fB_sibuf\fR
73 \fB_sobuf\fR \fB_stack_grow\fR
74 \fB_sys_buslist\fR \fB_sys_cldlist\fR
75 \fB_sys_fpelist\fR \fB_sys_illlist\fR
76 \fB_sys_segvlist\fR \fB_sys_siginfolistp\fR
77 \fB_sys_siglist\fR \fB_sys_siglistn\fR
78 \fB_sys_siglistp\fR \fB_sys_traplist\fR
79 \fB_timezone\fR \fB_tolower\fR
80 \fB_toupper\fR \fB_tzname\fR
81 \fB_xftw\fR \fB\fR
82 \fBa641\fR \fBAbort\fR
83 \fBabs\fR \fBaccess\fR
84 \fBacct\fR \fBacl\fR
85 \fBaddrtosymstr\fR \fBaddsev\fR
86 \fBaddseverity\fR \fBadjtime\fR
87 \fBaio_cancel\fR \fBaio_error\fR
88 \fBaio_fsync\fR \fBaio_read\fR
89 \fBaio_return\fR \fBaio_suspend\fR
90 \fBaio_waitn\fR \fBaio_write\fR
91 \fBaiocancel\fR \fBaioread\fR
92 \fBaiowait\fR \fBaiowrite\fR
93 \fBalarm\fR \fBalphasort\fR
94 \fBaltzone\fR \fBascftime\fR
95 \fBasctime\fR \fBascftime_r\fR
96 \fBaspaint\fR
97 \fBatexit\fR \fBato\fR
98 \fBatoi\fR \fBatoi\fR
99 \fBatomic\fR \fBatomic_add_16\fR
100 \fBatomic_add_16_nv\fR \fBatomic_add_32\fR
101 \fBatomic_add_32_nv\fR \fBatomic_add_64\fR
102 \fBatomic_add_64_nv\fR \fBatomic_add_8\fR
103 \fBatomic_add_8_nv\fR \fBatomic_add_char\fR
104 \fBatomic_add_char_nv\fR \fBatomic_add_int\fR
105 \fBatomic_add_int_nv\fR \fBatomic_add_long\fR
106 \fBatomic_add_long_nv\fR \fBatomic_add_ptr\fR
107 \fBatomic_add_ptr_nv\fR \fBatomic_add_short\fR
108 \fBatomic_add_short_nv\fR \fBatomic_and_16\fR
109 \fBatomic_and_16_nv\fR \fBatomic_and_32\fR
110 \fBatomic_and_32_nv\fR \fBatomic_and_64\fR
111 \fBatomic_and_64_nv\fR \fBatomic_and_8\fR
112 \fBatomic_and_8_nv\fR \fBatomic_and_uchar\fR
113 \fBatomic_and_uchar_nv\fR \fBatomic_and_uint\fR
114 \fBatomic_and_uint_nv\fR \fBatomic_and_ulong\fR
115 \fBatomic_and_ulong_nv\fR \fBatomic_and_ushort\fR
116 \fBatomic_and_ushort_nv\fR \fBatomic_cas_16\fR
117 \fBatomic_cas_32\fR \fBatomic_cas_64\fR
118 \fBatomic_cas_8\fR \fBatomic_cas_ptr\fR
119 \fBatomic_cas_uchar\fR \fBatomic_cas_uint\fR
120 \fBatomic_cas_ulong\fR \fBatomic_cas_ushort\fR
121 \fBatomic_clear_long_excl\fR \fBatomic_dec_16\fR
122 \fBatomic_dec_16_nv\fR \fBatomic_dec_32\fR
123 \fBatomic_dec_32_nv\fR \fBatomic_dec_64\fR
124 \fBatomic_dec_64_nv\fR \fBatomic_dec_8\fR
125 \fBatomic_dec_8_nv\fR \fBatomic_dec_ptr\fR
```

```

126 \fBatomic_dec_ptr_nv\fR \fBatomic_dec_uchar\fR
127 \fBatomic_dec_uchar_nv\fR \fBatomic_dec_uint\fR
128 \fBatomic_dec_uint_nv\fR \fBatomic_dec_ulong\fR
129 \fBatomic_dec_ulong_nv\fR \fBatomic_dec_ushort\fR
130 \fBatomic_dec_ushort_nv\fR \fBatomic_inc_16\fR
131 \fBatomic_inc_16_nv\fR \fBatomic_inc_32\fR
132 \fBatomic_inc_32_nv\fR \fBatomic_inc_64\fR
133 \fBatomic_inc_64_nv\fR \fBatomic_inc_8\fR
134 \fBatomic_inc_8_nv\fR \fBatomic_inc_ptr\fR
135 \fBatomic_inc_ptr_nv\fR \fBatomic_inc_uchar\fR
136 \fBatomic_inc_uchar_nv\fR \fBatomic_inc_uint\fR
137 \fBatomic_inc_uint_nv\fR \fBatomic_inc_ulong\fR
138 \fBatomic_inc_ulong_nv\fR \fBatomic_inc_ushort\fR
139 \fBatomic_inc_ushort_nv\fR \fBatomic_or_16\fR
140 \fBatomic_or_16_nv\fR \fBatomic_or_32\fR
141 \fBatomic_or_32_nv\fR \fBatomic_or_64\fR
142 \fBatomic_or_64_nv\fR \fBatomic_or_8\fR
143 \fBatomic_or_8_nv\fR \fBatomic_or_uchar\fR
144 \fBatomic_or_uchar_nv\fR \fBatomic_or_uint\fR
145 \fBatomic_or_uint_nv\fR \fBatomic_or_ulong\fR
146 \fBatomic_or_ulong_nv\fR \fBatomic_or_ushort\fR
147 \fBatomic_or_ushort_nv\fR \fBatomic_set_long_excl\fR
148 \fBatomic_swap_16\fR \fBatomic_swap_32\fR
149 \fBatomic_swap_64\fR \fBatomic_swap_8\fR
150 \fBatomic_swap_ptr\fR \fBatomic_swap_uchar\fR
151 \fBatomic_swap_uint\fR \fBatomic_swap_ulong\fR
152 \fBatomic_swap_ushort\fR \fBattropen\fR
153 \fBbacktrace\fR \fBbacktrace_symbols\fR
154 \fBbacktrace_symbols_fd\fR \fBbasename\fR
155 \fBbcmpl\fR \fBbcopy\fR
156 \fBbindtextdomain\fR \fBbind_textdomain_codeset\fR
157 \fBbrk\fR \fBbsd_signal\fR
158 \fBbsearch\fR
159 \fBbtowc\fR \fBbtowc_1\fR
160 \fBbsearch\fR \fBbtowc\fR
161 \fBbzero\fR \fBcalloc\fR
162 \fBcatclose\fR \fBcatgets\fR
163 \fBcatopen\fR \fBcfgetispeed\fR
164 \fBcfgetospeed\fR \fBcfsetispeed\fR
165 \fBchdir\fR \fBchmod\fR
166 \fBchown\fR \fBchroot\fR
167 \fBclearerr\fR \fBclock\fR
168 \fBclock_getres\fR \fBclock_gettime\fR
169 \fBclock_nanosleep\fR \fBclock_settime\fR
170 \fBclose\fR \fBclosedir\fR
171 \fBclosefrom\fR \fBcloselog\fR
172 \fBcond_broadcast\fR \fBcond_destroy\fR
173 \fBcond_init\fR \fBcond_reltimedwait\fR
174 \fBcond_signal\fR \fBcond_timedwait\fR
175 \fBcond_wait\fR \fBconfstr\fR
176 \fBcreat\fR \fBcrypt\fR
177 \fBcrypt_genhash_impl\fR \fBcrypt_gensalt\fR
178 \fBcrypt_gensalt_impl\fR \fBcsetcol\fR
179 \fBcsetlen\fR \fBctermid\fR
180 \fBctermid_r\fR \fBctime\fR
181 \fBctime_r\fR \fBcuserid\fR
182 \fBdaemon\fR
183 \fBdaylight\fR \fBdbm_clearerr\fR
184 \fBdbm_close\fR \fBdbm_delete\fR
185 \fBdbm_error\fR \fBdbm_fetch\fR
186 \fBdbm_firstkey\fR \fBdbm_nextkey\fR
187 \fBdbm_open\fR \fBdbm_store\fR
188 \fBdcgettext\fR \fBdnggettext\fR
189 \fBdecimal_to_double\fR \fBdecimal_to_extended\fR
190 \fBdecimal_to_quadruple\fR \fBdecimal_to_single\fR

```

```

191 \fBdgettext\fR \fBdifftime\fR
192 \fBdirectio\fR \fBdirfd\fR
193 \fBdirname\fR \fBdiv\fR
194 \fBdladdr\fR \fBdladdr1\fR
195 \fBdclose\fR \fBddump\fR
196 \fBdlerror\fR \fBdinfo\fR
197 \fBdlmopen\fR \fBdlopen\fR
198 \fBdsym\fR \fBdnggettext\fR
199 \fBdoor_bind\fR \fBdoor_call\fR
200 \fBdoor_create\fR \fBdoor_cred\fR
201 \fBdoor_getparam\fR \fBdoor_info\fR
202 \fBdoor_return\fR \fBdoor_revoke\fR
203 \fBdoor_server_create\fR \fBdoor_setparam\fR
204 \fBdoor_ucred\fR \fBdoor_unbind\fR
205 \fBdouble_to_decimal\fR \fBdrand48\fR
206 \fBdup\fR \fBdup2\fR
207 \fBduplocale\fR
208 \fBconvert\fR \fBecvt\fR
209 \fBenable_extended_FILE_stdio\fR
210 \fBencrypt\fR \fBendgrant\fR
211 \fBendnetgrant\fR \fBendpwent\fR
212 \fBendspent\fR \fBendusershell\fR
213 \fBendutent\fR \fBendutxent\fR
214 \fBenviron\fR \fBerand48\fR
215 \fBerr\fR \fBerrno\fR
216 \fBerrx\fR \fBeuccol\fR
217 \fBeuclen\fR \fBeucscol\fR
218 \fBexecl\fR \fBexecle\fR
219 \fBexeclp\fR \fBexecv\fR
220 \fBexecve\fR \fBexecvp\fR
221 \fBexit\fR \fBextended_to_decimal\fR
222 \fBfaccessat\fR
223 \fBfacl\fR \fBfattach\fR
224 \fBfchdir\fR \fBfchmod\fR
225 \fBfchown\fR \fBfchownat\fR
226 \fBfchroot\fR \fBfclose\fR
227 \fBfcntl\fR \fBfconvert\fR
228 \fBfcvt\fR \fBfdasync\fR
229 \fBfdetach\fR
230 \fBfdopen\fR \fBfdopendir\fR
231 \fBfdwalk\fR \fBfeof\fR
232 \fBfflush\fR \fBfflush\fR
233 \fBffs\fR \fBfgetattr\fR
234 \fBfgetc\fR
235 \fBfgetrent\fR \fBfgetrent_r\fR
236 \fBfgetpos\fR \fBfgetpwent\fR
237 \fBfgetpwent_r\fR \fBfgets\fR
238 \fBfgetspent\fR \fBfgetspent_r\fR
239 \fBfgetwc\fR \fBfgetwc_1\fR
240 \fBfgetws\fR
241 \fBfgetwc\fR \fBfgetws\fR
242 \fBfile_to_decimal\fR \fBfileno\fR
243 \fBfinite\fR \fBflockfile\fR
244 \fBfmmsg\fR \fBfmmatch\fR
245 \fBfopen\fR \fBfork\fR
246 \fBfork1\fR \fBforkall\fR
247 \fBforkallx\fR \fBforkx\fR
248 \fBfpclass\fR \fBfpclass\fR
249 \fBfpgetmask\fR \fBfpgetround\fR
250 \fBfpsetmask\fR \fBfpsetround\fR
251 \fBfpsetsticky\fR \fBfputc\fR
252 \fBfpsets\fR \fBfputwc\fR
253 \fBfpwts\fR \fBfreadd\fR
254 \fBfree\fR \fBfreocale\fR
255 \fBfreopen\fR

```

```

249 \fBfree\fR      \fBfreopen\fR
256 \fBfrexp\fR     \fBfscanf\fR
257 \fBfseek\fR      \fBfseeko\fR
258 \fBfsetattr\fR   \fBfstat\fR
259 \fBFsetpos\fR    \fBfstats\fR
260 \fBFstatat\fR   \fBFstatfs\fR
261 \fBFstatvfs\fR  \fBfsync\fR
262 \fBFtell\fR      \fBftello\fR
263 \fBFtime\fR      \fBftok\fR
264 \fBFtruncate\fR  \fBFtrylockfile\fR
265 \fBFtw\fR         \fBfunc_to_decimal\fR
266 \fBFunlockfile\fR \fBfutimens\fR
267 \fBFutimesat\fR  \fBfutimesat\fR
268 \fBFwide\fR       \fBfwprintf\fR
269 \fBFwrite\fR      \fBfwscanf\fR
270 \fBgconvert\fR   \fBgctv\fR
271 \fBgetacct\fR   \fBgetatrat\fR
272 \fBgetc\fR        \fBgetchar\fR
273 \fBgetc_unlocked\fR \fBgetchar\fR
274 \fBgetchar_unlocked\fR \fBgetcontext\fR
275 \fBgetcpuid\fR   \fBgetcwd\fR
276 \fBgetdate\fR     \fBgetdate_err\fR
277 \fBgetdents\fR   \fBgetdatatablesize\fR
278 \fBgetegid\fR    \fBgetenv\fR
279 \fBgeteuid\fR    \fBgetexecname\fR
280 \fBgetextmnt\fR  \fBgetgid\fR
281 \fBgetgrent\fR   \fBgetgrent_r\fR
282 \fBgetgrgid\fR  \fBgetgrgid_r\fR
283 \fBgetgrnam\fR   \fBgetgrnam_r\fR
284 \fBgetgroups\fR  \fBgethomelgroup\fR
285 \fBgethostid\fR  \fBgethostname\fR
286 \fBgethrtime\fR  \fBgethrvtime\fR
287 \fBgetisax\fR    \fBgettimer\fR
288 \fBgetloadavg\fR \fBgetlogin\fR
289 \fBgetlogin_r\fR  \fBgetmntany\fR
290 \fBgetmntent\fR  \fBgetmsg\fR
291 \fBgetnetgrant\fR \fBgetnetgrant_r\fR
292 \fB getopt\fR    \fB getopt_clip\fR
293 \fB getopt_long\fR \fB getopt_long_only\fR
294 \fBgetpagesize\fR \fBgetpagesizes\fR
295 \fBgetpass\fR    \fBgetpassphrase\fR
296 \fBgetpeercred\fR \fBgetpflags\fR
297 \fBgetpgid\fR   \fBgetpgrp\fR
298 \fBgetpid\fR    \fBgetpmsg\fR
299 \fBgetppid\fR   \fBgetppriv\fR
300 \fBgetpriority\fR \fBgetprojid\fR
301 \fBgetpw\fR      \fBgetpwent\fR
302 \fBgetpwent_r\fR  \fBgetpwnam\fR
303 \fBgetpwnam_r\fR \fBgetpwuid\fR
304 \fBgetpwuid_r\fR \fBgetrctl\fR
305 \fBgetrlimit\fR  \fBgetusage\fR
306 \fBgets\fR        \fBgetsid\fR
307 \fBgetspent\fR   \fBgetspent_r\fR
308 \fBgetspnam\fR   \fBgetspnam_r\fR
309 \fBgetsubopt\fR  \fBgettaskid\fR
310 \fBgettext\fR    \fBgettimeofday\fR
311 \fBgettxt\fR     \fBgetuid\fR
312 \fBgetusershell\fR \fBgetustack\fR
313 \fBgetutent\fR   \fBgetutid\fR
314 \fBgetutline\fR  \fBgetutmp\fR
315 \fBgetutmpx\fR   \fBgetutxent\fR
316 \fBgetutxid\fR  \fBgetutxline\fR
317 \fBgetvfsany\fR  \fBgetvfssent\fR
318 \fBgetvfsfile\fR \fBgetvfsspec\fR
319 \fBgetw\fR        \fBgetwc_1\fR
320 \fBgetwc\fR      \fBgetwc_1\fR

```

```

321 \fBgetwchar\fR   \fBgetwchar_1\fR
322 \fBgetwd\fR      \fBgetwc\fR
323 \fBgetw\fR        \fBgetwc\fR
324 \fBgetwidth\fR   \fBgetws\fR
325 \fBgetzoneid\fR  \fBgetzoneidbyname\fR
326 \fBgetzonenamebyid\fR \fBglob\fR
327 \fBglobfree\fR   \fBgmtime\fR
328 \fBgmtime_r\fR   \fBgrantpt\fR
329 \fBsignal\fR     \fBasmntop\fR
330 \fBhcreate\fR   \fBhdestroy\fR
331 \fBhsearch\fR   \fBiconv\fR
332 \fBiconv_close\fR \fBiconv_open\fR
333 \fBimaxabs\fR   \fBimaxdiv\fR
334 \fBindex\fR      \fBinitgroups\fR
335 \fBinitstate\fR  \fBinnetgr\fR
336 \fBinsque\fR    \fBiocctl\fR
337 \fBisexec\fR    \fBis_system_labeled\fR
338 \fBisalnum\fR   \fBisalnum_1\fR
339 \fBisalpha\fR    \fBisalpha_1\fR
340 \fBisascii\fR   \fBisastream\fR
341 \fBisatty\fR    \fBisblank_1\fR
342 \fBisblank\fR   \fBisctrl_1\fR
343 \fBiscntrl\fR   \fBisctrl_1\fR
344 \fBisdigit\fR   \fBisdigit_1\fR
345 \fBisenglish\fR \fBisgraph_1\fR
346 \fBisgraph\fR   \fBisgraph_1\fR
347 \fBisideogram\fR \fBisideogram\fR
348 \fBislower\fR   \fBislower_1\fR
349 \fBisman\fR     \fBisupper\fR
350 \fBisalpha\fR   \fBisascii\fR
351 \fBisastream\fR \fBisatty\fR
352 \fBisblank\fR   \fBisctrl\fR
353 \fBisctrl\fR    \fBisctrl_1\fR
354 \fBissetugid\fR \fBisctrl_1\fR
355 \fBisspace\fR   \fBisctrl_1\fR
356 \fBisspecial\fR \fBisctrl_1\fR
357 \fBisupper\fR   \fBisctrl_1\fR
358 \fBisalnum\fR   \fBisctrl_1\fR
359 \fBisalpha\fR   \fBisctrl_1\fR
360 \fBisblank\fR   \fBisctrl_1\fR
361 \fBiscntrl\fR   \fBisctrl_1\fR
362 \fBisctype\fR   \fBisctrl_1\fR
363 \fBiswdigit\fR  \fBisctrl_1\fR
364 \fBiswideogram\fR \fBisctrl_1\fR
365 \fBiswgraph\fR  \fBisctrl_1\fR
366 \fBiswnumber\fR \fBisctrl_1\fR
367 \fBiswlower\fR  \fBisctrl_1\fR
368 \fBiswnumber\fR \fBisctrl_1\fR
369 \fBiswphonogram\fR \fBisctrl_1\fR
370 \fBiswprint\fR  \fBisctrl_1\fR
371 \fBiswpunct\fR  \fBisctrl_1\fR
372 \fBiswspace\fR  \fBisctrl_1\fR
373 \fBiswspecial\fR \fBisctrl_1\fR
374 \fBiswupper\fR  \fBisctrl_1\fR
375 \fBiswdxdigit\fR \fBisctrl_1\fR
376 \fBisxdigit\fR  \fBisctrl_1\fR
377 \fBispunct\fR   \fBisctrl_1\fR

```

```

339 \fBissetuid\fR \fBissspace\fR
340 \fBisspecial\fR \fBisupper\fR
341 \fBiswalnum\fR \fBiswalpha\fR
342 \fBiswblank\fR \fBiswcntrl\fR
343 \fBiswctype\fR \fBiswdigit\fR
344 \fBiswgraph\fR \fBiswlower\fR
345 \fBiswprint\fR \fBiswpunct\fR
346 \fBiswspace\fR \fBiswupper\fR
347 \fBiswxdigit\fR \fBisxdigit\fR
377 \fBjrand48\fR \fBkill\fR
378 \fBkillpg\fR \fB164a\fR
379 \fBlabs\fR \fBladd\fR
380 \fBlchown\fR \fBlckpwd\fR
381 \fBlcong48\fR \fBldexp\fR
382 \fBldivide\fR \fBlexp10\fR
383 \fBlfind\fR \fBlfmt\fR
384 \fBlink\fR \fBlio_listio\fR
385 \fBllabs\fR
386 \fBlldiv\fR \fBilog10\fR
387 \fBlseek\fR \fBlitostr\fR
388 \fBlocaleconv\fR \fBlocaltime\fR
389 \fBlocaltime_r\fR \fBlockf\fR
390 \fBlogb\fR \fBlone\fR
391 \fBlongjmp\fR \fBrand48\fR
392 \fBsearch\fR \fBlseek\fR
393 \fBlshiftl\fR \fBlstat\fR
394 \fBlsub\fR \fBlten\fR
395 \fBlzero\fR \fBmadvise\fR
396 \fBmakecontext\fR \fBmakeutx\fR
397 \fBmalloc\fR
398 \fBmblen\fR \fBmblen_1\fR
399 \fBmrlen\fR \fBmrlen_1\fR
400 \fBmrtowc\fR \fBmrtowc_1\fR
401 \fBmsinit\fR \fBmsinit_1\fR
402 \fBmsnrtowcs\fR \fBmsnrtowcs_1\fR
403 \fBmsrtowcs\fR \fBmsrtowcs_1\fR
404 \fBmstowcs\fR \fBmstowcs_1\fR
405 \fBmtowc\fR \fBmtowc_1\fR
368 \fBmalloc\fR \fBmblen\fR
369 \fBmrlen\fR \fBmrtowc\fR
370 \fBmsinit\fR \fBmsnrtowcs\fR
371 \fBmstowcs\fR \fBmtowc\fR
406 \fBmemalign\fR \fBmembar_consumer\fR
407 \fBmembar_enter\fR \fBmembar_exit\fR
408 \fBmembar_producer\fR \fBmemccpy\fR
409 \fBmemchr\fR \fBmemcmp\fR
410 \fBmemcntl\fR \fBmemcpy\fR
411 \fBmeminfo\fR \fBmemmove\fR
412 \fBmemset\fR \fBmncore\fR
413 \fBmkdir\fR \fBmkfifo\fR
414 \fBmknode\fR \fBmktemp\fR
415 \fBmktemp\fR \fBmktime\fR
416 \fBmlock\fR \fBmlockall\fR
417 \fBmmap\fR \fBmmapobj\fR
418 \fBmodct1\fR
419 \fBmodff\fR \fBmodff\fR
420 \fBmodutx\fR \fBmonitor\fR
421 \fBmount\fR \fBmprotect\fR
422 \fBmq_close\fR \fBmq_getattr\fR
423 \fBmq_notify\fR \fBmq_open\fR
424 \fBmq_receive\fR \fBmq_reltimedreceive_np\fR
425 \fBmq_reltimedsend_np\fR \fBmq_send\fR
426 \fBmq_setattr\fR \fBmq_timedreceive\fR
427 \fBmq_timedsend\fR \fBmq_unlink\fR
428 \fBmrand48\fR \fBmsgctl\fR
429 \fBmsgget\fR \fBmsgids\fR

```

```

430 \fBmsgrcv\fR \fBmsgsnap\fR
431 \fBmsgsnd\fR \fBmsync\fR
432 \fBmunlock\fR \fBmunlockall\fR
433 \fBmunmap\fR \fBmutex_consistent\fR
434 \fBmutex_destroy\fR \fBmutex_init\fR
435 \fBmutex_lock\fR \fBmutex_trylock\fR
436 \fBmutex_unlock\fR \fBnanosleep\fR
437 \fBnextafter\fR \fBnewlocale\fR
403 \fBnextafter\fR
438 \fBnfs_getfh\fR \fBnftw\fR
439 \fBgettext\fR \fBnice\fR
440 \fBnl_langinfo\fR \fBnl_langinfo_1\fR
441 \fBnrand48\fR
406 \fBnl_langinfo\fR \fBnrand48\fR
442 \fBnss_default_finders\fR \fBnss_delete\fR
443 \fBnss_endent\fR \fBnss_gettent\fR
444 \fBnss_search\fR \fBnss_setent\fR
445 \fBntp_adjtime\fR \fBntp_gettime\fR
446 \fBopen\fR \fBopenat\fR
447 \fBopendir\fR \fBopenlog\fR
448 \fBoptarg\fR \fBopterr\fR
449 \fBoptind\fR \fBoptopt\fR
450 \fBp_online\fR \fBpathconf\fR
451 \fBpause\fR \fBpclose\fR
452 \fBpcsample\fR \fBperror\fR
453 \fBpfmt\fR \fBpipe\fR
454 \fBplock\fR \fBpoll\fR
455 \fBpopen\fR \fBport_alert\fR
456 \fBport_associate\fR \fBport_create\fR
457 \fBport_dissociate\fR \fBport_get\fR
458 \fBport_getn\fR \fBport_send\fR
459 \fBport_sendn\fR \fBposix_fadvise\fR
460 \fBposix_fallocate\fR \fBposix_madvise\fR
461 \fBposix_memalign\fR \fBposix_openpt\fR
462 \fBposix_spawn\fR \fBposix_spawn_file_actions_addclose\fR
463 \fBposix_spawn_file_actions_addclosefrom_np\fR \fBposix_spawn_file_actions_addd
464 \fBposix_spawn_file_actions_addopen\fR
465 \fBposix_spawn_file_actions_destroy\fR
466 \fBposix_spawn_file_actions_init\fR
467 \fBposix_spawn_pipe_np\fR
468 \fBposix_spawnattr_destroy\fR
469 \fBposix_spawnattr_getflags\fR \fBposix_spawnattr_getpgroup\fR
470 \fBposix_spawnattr_getschedparam\fR \fBposix_spawnattr_getschedpolicy\fR
471 \fBposix_spawnattr_getsigdefault\fR \fBposix_spawnattr_getsigignore_np\fR
472 \fBposix_spawnattr_getsigmask\fR \fBposix_spawnattr_init\fR
473 \fBposix_spawnattr_setflags\fR \fBposix_spawnattr_setgroup\fR
474 \fBposix_spawnattr_setschedparam\fR \fBposix_spawnattr_setschedpolicy\fR
475 \fBposix_spawnattr_setsigdefault\fR \fBposix_spawnattr_setsigignore_np\fR
476 \fBposix_spawnattr_setsigmask\fR \fBposix_spawnnp\fR
477 \fBpread\fR \fBprintf\fR
478 \fBprintstack\fR \fBpriocntl\fR
479 \fBpriocntlset\fR \fBpriv_addset\fR
480 \fBpriv_allocset\fR \fBpriv_copyset\fR
481 \fBpriv_delset\fR \fBpriv_emptyset\fR
482 \fBpriv_fillset\fR \fBpriv_freeset\fR
483 \fBpriv_getbyname\fR \fBpriv_getbynum\fR
484 \fBpriv_getsetbyname\fR \fBpriv_getsetbynum\fR
485 \fBpriv_gettext\fR \fBpriv_ineffect\fR
486 \fBpriv_intersect\fR \fBpriv_inverse\fR
487 \fBpriv_isemtyset\fR \fBpriv_isequalset\fR
488 \fBpriv_isfullset\fR \fBpriv_ismember\fR
489 \fBpriv_issubset\fR \fBpriv_set\fR
490 \fBpriv_set_to_str\fR \fBpriv_str_to_set\fR
491 \fBpriv_union\fR \fBprocessor_bind\fR
492 \fBprocessor_info\fR \fBprofil\fR
493 \fBpselect\fR \fBpset_assign\fR

```

```

494 \fBpset_bind\fR \fBpset_create\fR
495 \fBpset_destroy\fR \fBpset_getattr\fR
496 \fBpset_getloadavg\fR \fBpset_info\fR
497 \fBpset_list\fR \fBpset_setattr\fR
498 \fBpsiginfo\fR \fBpsignal\fR
499 \fBpthread_atfork\fR \fBpthread_attr_destroy\fR
500 \fBpthread_attr_getdetachstate\fR \fBpthread_attr_getguardsize\fR
501 \fBpthread_attr_getinheritsched\fR \fBpthread_attr_getschedparam\fR
502 \fBpthread_attr_getschedpolicy\fR \fBpthread_attr_getscope\fR
503 \fBpthread_attr_getstack\fR \fBpthread_attr_getstackaddr\fR
504 \fBpthread_attr_getstacksize\fR \fBpthread_attr_init\fR
505 \fBpthread_attr_setdetachstate\fR \fBpthread_attr_setguardsize\fR
506 \fBpthread_attr_setinheritsched\fR \fBpthread_attr_setschedparam\fR
507 \fBpthread_attr_setschedpolicy\fR \fBpthread_attr_setscope\fR
508 \fBpthread_attr_setstack\fR \fBpthread_attr_setstackaddr\fR
509 \fBpthread_attr_setstacksize\fR \fBpthread_barrier_destroy\fR
510 \fBpthread_barrier_init\fR \fBpthread_barrier_wait\fR
511 \fBpthread_barrierattr_destroy\fR \fBpthread_barrierattr_getpshared\fR
512 \fBpthread_barrierattr_init\fR \fBpthread_barrierattr_setpshared\fR
513 \fBpthread_cancel\fR \fBpthread_cond_broadcast\fR
514 \fBpthread_cond_destroy\fR \fBpthread_cond_init\fR
515 \fBpthread_cond_reltimedwait_np\fR \fBpthread_cond_signal\fR
516 \fBpthread_cond_timedwait\fR \fBpthread_cond_wait\fR
517 \fBpthread_condattr_destroy\fR \fBpthread_condattr_getclock\fR
518 \fBpthread_condattr_getpshared\fR \fBpthread_condattr_init\fR
519 \fBpthread_condattr_setclock\fR \fBpthread_condattr_setpshared\fR
520 \fBpthread_create\fR \fBpthread_detach\fR
521 \fBpthread_equal\fR \fBpthread_exit\fR
522 \fBpthread_getconcurrency\fR \fBpthread_getschedparam\fR
523 \fBpthread_getspecific\fR \fBpthread_join\fR
524 \fBpthread_key_create\fR \fBpthread_key_create_once_np\fR
525 \fBpthread_key_delete\fR
526 \fBpthread_kill\fR \fBpthread_mutex_consistent\fR
527 \fBpthread_mutex_destroy\fR \fBpthread_mutex_getprioceiling\fR
528 \fBpthread_mutex_init\fR \fBpthread_mutex_lock\fR
529 \fBpthread_mutex_reltimedlock_np\fR \fBpthread_mutex_setprioceiling\fR
530 \fBpthread_mutex_timedlock\fR \fBpthread_mutex_trylock\fR
531 \fBpthread_mutex_unlock\fR \fBpthread_mutexattr_destroy\fR
532 \fBpthread_mutexattr_getprioceiling\fR \fBpthread_mutexattr_getprotocol\fR
533 \fBpthread_mutexattr_getpshared\fR \fBpthread_mutexattr_getrobust\fR
534 \fBpthread_mutexattr_gettype\fR \fBpthread_mutexattr_init\fR
535 \fBpthread_mutexattr_setprioceiling\fR \fBpthread_mutexattr_setprotocol\fR
536 \fBpthread_mutexattr_setpshared\fR \fBpthread_mutexattr_setrobust\fR
537 \fBpthread_mutexattr_settype\fR \fBpthread_once\fR
538 \fBpthread_rwlock_destroy\fR \fBpthread_rwlock_init\fR
539 \fBpthread_rwlock_rdlock\fR \fBpthread_rwlock_reltimedrdlock_np\fR
540 \fBpthread_rwlock_reltimedwrlock_np\fR \fBpthread_rwlock_timedrdlock\fR
541 \fBpthread_rwlock_timedwrlock\fR \fBpthread_rwlock_tryrdlock\fR
542 \fBpthread_rwlock_trywrlock\fR \fBpthread_rwlock_unlock\fR
543 \fBpthread_rwlock_wrlock\fR \fBpthread_rwlockattr_destroy\fR
544 \fBpthread_rwlockattr_getpshared\fR \fBpthread_rwlockattr_init\fR
545 \fBpthread_rwlockattr_setpshared\fR \fBpthread_self\fR
546 \fBpthread_setcancelstate\fR \fBpthread_setcanceltype\fR
547 \fBpthread_setconcurrency\fR \fBpthread_setspecific\fR
548 \fBpthread_sigmask\fR \fBpthread_setschedparam\fR
549 \fBpthread_setschedpri\fR \fBpthread_spin_destroy\fR
550 \fBpthread_spin_init\fR \fBpthread_spin_lock\fR
551 \fBpthread_spin_trylock\fR \fBpthread_spin_unlock\fR
552 \fBpthread_testcancel\fR \fBpthreadsname\fR
553 \fBputacct\fR \fBputc\fR
554 \fBputc_unlocked\fR \fBputchar\fR
555 \fBputchar_unlocked\fR \fBputenv\fR
556 \fBputmsg\fR \fBputmsg\fR
557 \fBputpwent\fR \fBputps\fR
558 \fBputspent\fR \fBpututline\fR
559 \fBpututxline\fR \fBputw\fR

```

```

560 \fBputwc\fR \fBputwchar\fR
561 \fBputws\fR \fBpwrite\fR
562 \fBqconvert\fR \fBqecvt\fR
563 \fBqfconvert\fR \fBqfcvt\fR
564 \fBqgconvert\fR \fBqgcvt\fR
565 \fBqsort\fR \fBquadtuple_to_decimal\fR
566 \fBraise\fR \fBbrand\fR
567 \fBbrand_r\fR \fBbrandm\fR
568 \fBrctl_walk\fR \fBrctlblk_get_enforced_value\fR
569 \fBrctlblk_get_firing_time\fR \fBrctlblk_get_global_action\fR
570 \fBrctlblk_get_global_flags\fR \fBrctlblk_get_local_action\fR
571 \fBrctlblk_get_local_flags\fR \fBrctlblk_get_privilege\fR
572 \fBrctlblk_get_recipient_pid\fR \fBrctlblk_get_value\fR
573 \fBrctlblk_set_local_action\fR \fBrctlblk_set_local_flags\fR
574 \fBrctlblk_set_privilege\fR \fBrctlblk_set_recipient_pid\fR
575 \fBrctlblk_set_value\fR \fBrctlblk_size\fR
576 \fBrcmp\fR \fBrcexec\fR
577 \fBread\fR \fBreaddir\fR
578 \fBreaddir_r\fR \fBreadlink\fR
579 \fBreadv\fR \fBrealloc\fR
580 \fBrealpath\fR \fB reboot\fR
581 \fBregcmp\fR \fBregcomp\fR
582 \fBregerror\fR \fBregex\fR
583 \fBregexec\fR \fBregfree\fR
584 \fBremove\fR \fBremque\fR
585 \fBrename\fR \fBrenameat\fR
586 \fBresetmtab\fR \fBresolvepath\fR
587 \fBrewind\fR \fBrewinddir\fR
588 \fBindex\fR \fBrdmdir\fR
589 \fBrw_rdlock\fR \fBrw_read_held\fR
590 \fBrw_tryrdlock\fR \fBrw_tryrlock\fR
591 \fBrw_unlock\fR \fBrw_write_held\fR
592 \fBrw_wlock\fR \fBrwlock_destroy\fR
593 \fBrwlock_init\fR \fBsbrk\fR
594 \fBscalb\fR \fBscandir\fR
595 \fBscanc\fR \fBsched_get_priority_max\fR
596 \fBsched_get_priority_min\fR \fBsched_getparam\fR
597 \fBsched_getscheduler\fR \fBsched_rr_get_interval\fR
598 \fBsched_setparam\fR \fBsched_setscheduler\fR
599 \fBsched_yield\fR \fBschedctl_exit\fR
600 \fBschedctl_init\fR \fBschedctl_lookup\fR
601 \fBschedctl_start\fR \fBschedctl_stop\fR
602 \fBseconvert\fR \fBseed48\fR
603 \fBseekdir\fR \fBselect\fR
604 \fBsem_close\fR \fBsem_destroy\fR
605 \fBsem_getvalue\fR \fBsem_init\fR
606 \fBsem_open\fR \fBsem_post\fR
607 \fBsem_reltimedwait_np\fR \fBsem_timedwait\fR
608 \fBsem_trywait\fR \fBsem_unlink\fR
609 \fBsem_wait\fR
610 \fBsema_destroy\fR \fBsema_held\fR
611 \fBsema_init\fR \fBsema_post\fR
612 \fBsema_trywait\fR \fBsema_wait\fR
613 \fBsemctl\fR \fBsemget\fR
614 \fBsemids\fR \fBsemop\fR
615 \fBsemtimedop\fR \fBsetattrat\fR
616 \fBsetbuf\fR
617 \fBsetbuffer\fR \fBsetcat\fR
618 \fBsetcontext\fR \fBsetegid\fR
619 \fBsetenv\fR \fBseteuid\fR
620 \fBsetgid\fR \fBsetrent\fR
621 \fBsetgroups\fR \fBsethostname\fR
622 \fBsettimer\fR \fBsetjmp\fR
623 \fBsetkey\fR \fBsetlabel\fR
624 \fBsetlinebuf\fR \fBsetlocale\fR
625 \fBsetlogmask\fR \fBsetnetrent\fR

```

```

626 \fBsetpflags\fR \fBsetpgid\fR
627 \fBsetpgrp\fR \fBsetppriv\fR
628 \fBsetpriority\fR \fBsetpwent\fR
629 \fBsetrctl\fR \fBsetregid\fR
630 \fBsetreuid\fR \fBsetrlimit\fR
631 \fBsetsid\fR \fBsetspent\fR
632 \fBsetstate\fR \fBsettaskid\fR
633 \fBsettimeofday\fR \fBsetuid\fR
634 \fBsetusershell\fR \fBsetustack\fR
635 \fBsetutent\fR \fBsetutxent\fR
636 \fBsetvbuf\fR \fBsfconvert\fR
637 \fBsgconvert\fR \fBshm_open\fR
638 \fBshm_unlink\fR \fBshmat\fR
639 \fBshmctl\fR \fBshmdt\fR
640 \fBshmget\fR \fBshmidst\fR
641 \fBsig2str\fR \fBsigaction\fR
642 \fBsigaddset\fR \fBsigalstack\fR
643 \fBsigdelset\fR \fBsigemptyset\fR
644 \fBsigfillset\fR \fBsigfpe\fR
645 \fBsighold\fR \fBsigignore\fR
646 \fBsiginterrupt\fR \fBsigismember\fR
647 \fBsiglongjmp\fR \fBsignal\fR
648 \fBsigpause\fR \fBsigpending\fR
649 \fBsigprocmask\fR \fBsigqueue\fR
650 \fBsigrelse\fR
651 \fBsigsend\fR \fBsigsendset\fR
652 \fBsigset\fR \fBsigsetjmp\fR
653 \fBsigstack\fR \fBsigsuspend\fR
654 \fBsigtimedwait\fR \fBsigwait\fR
655 \fBsigwaitinfo\fR \fBsingl_to_decimal\fR
656 \fBsleep\fR \fBsnprintf\fR
657 \fBsprintf\fR \fB srand\fR
658 \fB srand48\fR \fB srand\fR
659 \fBsscanf\fR \fBssignal\fR
660 \fBstack_getbounds\fR \fBstack_inbounds\fR
661 \fBstack_setbounds\fR \fBstackViolation\fR
662 \fBstat\fR \fB statfs\fR
663 \fBstatvfs\fR \fB stime\fR
664 \fBstr2sig\fR
665 \fBstrcasecmp\fR \fBstrcasecmp_1\fR
629 \fBstr2sig\fR \fBstrcasecmp\fR
666 \fBstrcat\fR \fB strchr\fR
667 \fBstrcmp\fR \fB strcoll\fR
668 \fBstrcpy\fR \fB strcspn\fR
669 \fBstrdup\fR \fB strerror\fR
670 \fBstrerror_r\fR
671 \fBstrfmon\fR \fB strfmon_1\fR
672 \fBstrftime\fR \fB strftime_1\fR
673 \fB string_to_decimal\fR
634 \fBstrerror_r\fR \fB strfmon\fR
635 \fBstrftime\fR \fB string_to_decimal\fR
674 \fBstrlcat\fR \fB strlcpy\fR
675 \fBstrlen\fR
676 \fBstrncasecmp\fR \fB strcasecmp_1\fR
637 \fBstrlen\fR \fB strcasecmp\fR
677 \fBstrncat\fR \fB strncmp\fR
678 \fBstrncpy\fR \fB strpbrk\fR
679 \fBstrptime\fR \fB strptime_1\fR
680 \fBstrrchr\fR \fB strsep\fR
640 \fBstrptime\fR \fB strrrchr\fR
641 \fBstrsep\fR
681 \fBstrsignal\fR \fB strspn\fR
682 \fBstrstr\fR \fB strtod\fR
683 \fBstrtof\fR \fB strtoimax\fR
684 \fBstrtok\fR \fB strtok_r\fR
685 \fBstrtol\fR \fB strtold\fR

```

```

686 \fBstrtoll\fR \fB strtoul\fR
687 \fBstrtoull\fR \fB strtoumax\fR
688 \fBstrtows\fR \fB strxfrm\fR
689 \fBswab\fR \fB swapcontext\fR
690 \fBswapctl\fR \fB swprint\fR
691 \fBbswscanf\fR \fB synclink\fR
692 \fBsync\fR \fB sync_instruction_memory\fR
693 \fBsyncconf\fR \fB sysfs\fR
694 \fBsysinfo\fR \fB syslog\fR
695 \fBsystem\fR \fB tcdrain\fR
696 \fBtcfollow\fR \fB tflush\fR
697 \fBtcgetattr\fR \fB tcgetpgrp\fR
698 \fBtcgetsid\fR \fB tcsendbreak\fR
699 \fBtcsetattr\fR \fB tcsetpgrp\fR
700 \fBtdelete\fR \fB tell\fR
701 \fBtelldir\fR \fB tempnam\fR
702 \fBtextdomain\fR \fB ftfind\fR
703 \fBthr_continue\fR \fB thr_create\fR
704 \fBthr_exit\fR \fB thr_getconcurrency\fR
705 \fBthr_getprio\fR \fB thr_getspecific\fR
706 \fBthr_join\fR \fB thr_keycreate\fR
707 \fBthr_keycreate_once\fR
708 \fBthr_kill\fR \fB thr_main\fR
709 \fBthr_min_stack\fR \fB thr_self\fR
710 \fBthr_setconcurrency\fR \fB thr_setprio\fR
711 \fBthr_setspecific\fR \fB thr_sigsetmask\fR
712 \fBthr_stksegment\fR \fB thr_suspend\fR
713 \fBthr_yield\fR \fB time\fR
714 \fBtimer_create\fR \fB timer_delete\fR
715 \fBtimer_getoverrun\fR \fB timer_gettime\fR
716 \fBtimer_settime\fR
717 \fBtimes\fR \fB timezone\fR
718 \fBtmpfile\fR \fB tmpnam\fR
719 \fBtmpnam_r\fR \fB toascii\fR
720 \fBtolower\fR \fB tolower_l\fR
721 \fBtoupper\fR \fB toupper_l\fR
722 \fBtowctrans\fR \fB towctrans_l\fR
723 \fBtowlower\fR \fB towlower_l\fR
724 \fBtowupper\fR \fB towupper_l\fR
725 \fBtruncate\fR
681 \fBtolower\fR \fB toupper\fR
682 \fBtowctrans\fR \fB towlower\fR
683 \fBtoupper\fR \fB truncate\fR
726 \fBtsearch\fR \fB tbyname\fR
727 \fBtbyname_r\fR \fB ttyslot\fR
728 \fBtwalk\fR \fB tzname\fR
729 \fBtzset\fR \fB u8_strcmp\fR
730 \fBu8_textprep_str\fR \fB u8_validate\fR
731 \fBuadmin\fR
732 \fBualarm\fR \fB u16tou32\fR
733 \fBuconv_u16tou8\fR \fB u32tou16\fR
734 \fBuconv_u32tou8\fR \fB u8tou16\fR
735 \fBuconv_u8tou32\fR \fB ucrc_free\fR
736 \fBucrc_get\fR \fB ucrc_getegid\fR
737 \fBucrc_geteuid\fR \fB ucrc_getgroups\fR
738 \fBucrc_getpflags\fR \fB ucrc_getpid\fR
739 \fBucrc_getprivset\fR \fB ucrc_getprojid\fR
740 \fBucrc_getrgid\fR \fB ucrc_getruid\fR
741 \fBucrc_getsgid\fR \fB ucrc_getsuid\fR
742 \fBucrc_getzoneid\fR \fB ucrc_size\fR
743 \fBulckpwd\fR \fB ulimit\fR
744 \fBulitostr\fR \fB umask\fR
745 \fBumount\fR \fB umount2\fR
746 \fBuname\fR \fB ungetc\fR
747 \fBungetwc\fR \fB unlink\fR
748 \fBunlinkat\fR \fB unlockpt\fR

```

```

749 \fBunordered\fR \fBunsetenv\fR
750 \fBupdtmp\fR \fBupdtmpx\fR
751 \buselocale\fR
752 \fBusleep\fR \fBustat\fR
753 \fButime\fR \fButimesat\fR
754 \fButimes\fR \fButmpname\fR
755 \fButpxname\fR \fBuucopy\fR
756 \fBvalloc\fR \fBvasprintf\fR
757 \fB verr\fR \fB verrx\fR
758 \fBvfork\fR \fBvforkx\fR
759 \fBvfprintf\fR \fBvfscanf\fR
760 \fBvfprintf\fR \fBvfscanf\fR
761 \fBvhangup\fR \fBvlfmt\fR
762 \fBvpfmt\fR \fBvprintf\fR
763 \fBvscanf\fR \fBvsprintf\fR
764 \fBvsscanf\fR \fBvsscanf\fR
765 \fBvwprintf\fR \fBvwscanf\fR
766 \fBvsyslog\fR \fBwarn\fR
767 \fBvwarnx\fR \fBwprintf\fR
768 \fBwscanf\fR \fBwait\fR
769 \fBwait3\fR \fBwait4\fR
770 \fBwaitid\fR \fBwaitpid\fR
771 \fBwalkcontext\fR \fBwarn\fR
772 \fBwarnx\fR \fBwatoll\fR
773 \fBwcrtomb\fR \fBwcrtomb_l\fR
774 \fBwcscat\fR
730 \fBwcrtomb\fR \fBwcscat\fR
775 \fBwcschr\fR \fBwcscmp\fR
776 \fBwcscoll\fR \fBwcscoll_l\fR
777 \fBwcscpy\fR
732 \fBwcscoll\fR \fBwcscpy\fR
778 \fBwcscpn\fR \fBwcftime\fR
779 \fBwcslen\fR \fBwcncat\fR
780 \fBwcscncmp\fR \fBwcncpy\fR
781 \fBwcspbrk\fR \fBwcsrcchr\fR
782 \fBwcrtombs\fR \fBwcrtombs_l\fR
783 \fBwcsspn\fR
737 \fBwcrtombs\fR \fBwcsspn\fR
784 \fBwcstr\fR \fBwcstod\fR
785 \fBwcstof\fR \fBwcstoiMAX\fR
786 \fBwcstok\fR \fBwcstol\fR
787 \fBwcstold\fR \fBwcstoll\fR
788 \fBwcstombs\fR \fBwcstombs_l\fR
789 \fBwcstoul\fR
742 \fBwcstombs\fR \fBwcstoul\fR
790 \fBwcstoull\fR \fBwcstoumax\fR
791 \fBwcswcs\fR
792 \fBwcwidth\fR \fBwcwidth_l\fR
793 \fBwcxfm\fR \fBwcxfm_l\fR
794 \fBwc tob\fR \fBwc tob_l\fR
795 \fBwc tomb\fR \fBwc tomb_l\fR
796 \fBwc trans\fR \fBwc trans_l\fR
797 \fBwc type\fR \fBwc type_l\fR
798 \fBwc width\fR \fBwc width_l\fR
744 \fBwcswcs\fR \fBwc width\fR
745 \fBwcxfm\fR \fBwc tob\fR
746 \fBwc tomb\fR \fBwc trans\fR
747 \fBwc type\fR \fBwc width\fR
799 \fBwmemchr\fR \fBwmemcmp\fR
800 \fBwmemcpy\fR \fBwmemmove\fR
801 \fBwmemset\fR \fBwordexp\fR
802 \fBwordfree\fR \fBprintf\fR
803 \fBwracct\fR \fBwrite\fR
804 \fBwritev\fR \fBwscanf\fR
805 \fBwscasecmp\fR \fBwcscat\fR
806 \fBwschr\fR \fBwcscmp\fR

```

```

807 \fBwscol\fR \fBws coll\fR
808 \fBwscpy\fR \fBwscsn\fR
809 \fBwsdup\fR \fBwslen\fR
810 \fBwsncasecmp\fR \fBwsncat\fR
811 \fBwsncmp\fR \fBwsncpy\fR
812 \fBwsprbrk\fR \fBwsprintf\fR
813 \fBwsrchr\fR \fBwsscanf\fR
814 \fBwsspn\fR \fBwstod\fR
815 \fBwstok\fR \fBwstol\fR
816 \fBwstoll\fR \fBwstostr\fR
817 \fBwsxfrm\fR \fByield\fR
818 .TE
820 .sp
821 .LP
822 The following interfaces are unique to the 32-bit version of this library:
823 .sp
825 .sp
826 .TS
827 l l
828 l l .
829 \fB_div64\fR \fB_mul64\fR
830 \fB_posix_readdir_r\fR \fB_rem64\fR
831 \fB_udiv64\fR \fB_urem64\fR
832 \fB_bufendtab\fR \fB_lastbuf\fR
833 \fB_s_fcntl\fR \fB_sys_nsig\fR
834 \fB_xftw64\fR \fBaio_cancel64\fR
835 \fBaio_error64\fR \fBaio_fsync64\fR
836 \fBaio_read64\fR \fBaio_return64\fR
837 \fBaio_suspend64\fR \fBaio_waitn64\fR
838 \fBaio_write64\fR \fBcreat64\fR
839 \fBfgetpos64\fR \fBfopen64\fR
840 \fBfreopen64\fR \fBfseeko64\fR
841 \fBfsetpos64\fR \fBfstat64\fR
842 \fBfstatvfs64\fR \fBftello64\fR
843 \fBftruncate64\fR \fBftw64\fR
844 \fBgetdents64\fR \fBgetrlimit64\fR
845 \fBlseek64\fR \fBlstat64\fR
846 \fBlsseek64\fR \fBmmap64\fR
847 \fBmkstemp64\fR \fBnmap64\fR
848 \fBnftw64\fR \fBopen64\fR
849 \fBpread64\fR \fBptrace\fR
850 \fBpwrite64\fR \fBreaddir64\fR
851 \fBreaddir64_r\fR \fBfcntl\fR
852 \fBs_ioctl\fR \fBselect_large_fdset\fR
853 \fBsetrlimit64\fR \fBstat64\fR
854 \fBstatvfs64\fR \fBsys_errlist\fR
855 \fBsys_nerr\fR \fBtell64\fR
856 \fBtmpfile64\fR \fBtruncate64\fR
857 .TE
859 .sp
860 .LP
861 The following interfaces are unique to the 32-bit SPARC version of this
862 library:
863 .sp
865 .sp
866 .TS
867 l l
868 l l .
869 \fB&.div\fR \fB&.mul\fR
870 \fB&.rem\fR \fB&.stret1\fR
871 \fB&.stret2\fR \fB&.stret4\fR
872 \fB&.stret8\fR \fB&.udiv\fR

```

```

873 \fB\&.umul\fR  \fB\&.urem\fR
874 \fB_Q_add\fR   \fB_Q_cmp\fR
875 \fB_Q_cmpe\fR   \fB_Q_div\fR
876 \fB_Q_dtoq\fR   \fB_Q_feq\fR
877 \fB_Q_fge\fR    \fB_Q_fgt\fR
878 \fB_Q_file\fR   \fB_Q_flt\fR
879 \fB_Q_fne\fR    \fB_Q_itoq\fR
880 \fB_Q_lltoq\fR  \fB_Q_mul\fR
881 \fB_Q_neg\fR    \fB_Q_qtod\fR
882 \fB_Q_qtoi\fR   \fB_Q_qtoll\fR
883 \fB_Q_qtos\fR   \fB_Q_qtou\fR
884 \fB_Q_qtoull\fR \fB_Q_sqrt\fR
885 \fB_Q_stoq\fR   \fB_Q_sub\fR
886 \fB_Q_ulltoq\fR \fB_Q_utoq\fR
887 \fB_dtoll\fR    \fB_dtou\fR
888 \fB_dtoull\fR   \fB_ftoll\fR
889 \fB_ftou\fR     \fB_ftoull\fR
890 \fB_umul64\fR
891 .TE

893 .sp
894 .LP
895 The following interfaces are unique to the 32-bit x86 version of this library:
896 .sp

898 .sp
899 .TS
900 l l
901 l l .
902 \fB_fpstart\fR \fB_fp_hw\fR
903 \fB_fpstart\fR \fB_fxstat\fR
904 \fB_lxstat\fR   \fB_nuname\fR
905 \fB_thr_errno_addr\fR \fB_xmknod\fR
906 \fB_xstat\fR   \fBxuname\fR
907 .TE

909 .sp
910 .LP
911 The following interfaces are unique to the 64-bit SPARC version of this
912 library:
913 .sp

915 .sp
916 .TS
917 l l
918 l l .
919 \fB_Qp_add\fR   \fB_Qp_cmp\fR
920 \fB_Qp_cmpe\fR   \fB_Qp_div\fR
921 \fB_Qp_dtoq\fR   \fB_Qp_feq\fR
922 \fB_Qp_fge\fR    \fB_Qp_fgt\fR
923 \fB_Qp_file\fR   \fB_Qp_flt\fR
924 \fB_Qp_fne\fR    \fB_Qp_itoq\fR
925 \fB_Qp_mul\fR   \fB_Qp_neg\fR
926 \fB_Qp_qtod\fR   \fB_Qp_qtoi\fR
927 \fB_Qp_qtos\fR   \fB_Qp_qtoui\fR
928 \fB_Qp_qtoux\fR  \fB_Qp_qtox\fR
929 \fB_Qp_sqrt\fR   \fB_Qp_stoq\fR
930 \fB_Qp_sub\fR    \fB_Qp_utoq\fR
931 \fB_Qp_uxtoq\fR  \fB_Qp_xtoq\fR
932 \fB_align_cpy_1\fR \fB_align_cpy_16\fR
933 \fB_align_cpy_2\fR \fB_align_cpy_4\fR
934 \fB_align_cpy_8\fR \fB_dtoul\fR
935 \fB_ftoul\fR     \fB_sparc_utrap_install\fR
936 .TE

938 .SH FILES

```

```

939 .sp
940 .ne 2
941 .na
942 \fB\fb/lib/libc.so.1\fR\fR
943 .ad
944 .RS 27n
945 shared object
946 .RE

948 .sp
949 .ne 2
950 .na
951 \fB\fb/lib/64/libc.so.1\fR\fR
952 .ad
953 .RS 27n
954 64-bit shared object
955 .RE

957 .sp
958 .ne 2
959 .na
960 \fB\fb/lib/c_synonyms.so.1\fR\fR
961 .ad
962 .RS 27n
963 A compatibility library to provide access to obsolete \fBlibc\fR synonym
964 symbols
965 .RE

967 .sp
968 .ne 2
969 .na
970 \fB\fb/lib/64/c_synonyms.so.1\fR\fR
971 .ad
972 .RS 27n
973 A 64-bit compatibility library to provide access to obsolete \fBlibc\fR synonym
974 symbols
975 .RE

977 .SH ATTRIBUTES
978 .sp
979 .LP
980 See \fBattributes\fR(5) for descriptions of the following attributes:
981 .sp

983 .sp
984 .TS
985 box;
986 c | c
987 l | l .
988 ATTRIBUTE TYPE ATTRIBUTE VALUE
989 MT-Level Safe
990 .TE

992 .SH SEE ALSO
993 .sp
994 .LP
995 \fBpvs\fR(1), \fBIntro\fR(2), \fBIntro\fR(3), \fBattributes\fR(5),
996 \fBlf64\fR(5), \fBstandards\fR(5)
997 .SH NOTES
998 .sp
999 .LP
1000 The \fBc_synonyms.so.1\fR provides a mechanism
1001 to support old applications and libraries that were mistakenly built using
1002 now-obsolete synonym symbols from \fBlibc\fR.
1003 .sp
1004 .LP

```

1005 Before the advent of direct binding (-B direct) \fBlibc\fR provided many  
1006 functions with two names. For example, \fBgetpwent()\fR and \fB\_getpwent()\fR.  
1007 These two names referred to exactly the same function in \fBlibc\fR. The  
1008 leading-underscore symbol was intended to be used by system libraries in order  
1009 to avoid conflicting with an application that might define its own version of  
1010 \fBgetpwent()\fR with completely different semantics. Standard-conforming  
1011 applications may not define and use function names with leading underscores.

1012 .sp  
1013 .LP

1014 Solaris system libraries are now built with direct binding. This means that a  
1015 system library that calls \fBgetpwent()\fR will bind directly to the instance  
1016 of \fBgetpwent()\fR in \fBlibc\fR, even if the application to which it is  
1017 linked defines a different \fBgetpwent()\fR for its own use. The application  
1018 binds to its instance of \fBgetpwent()\fR and there is no resulting conflict.  
1019 The direct binding mechanism is equally available to libraries not delivered  
1020 with Solaris.

1021 .sp  
1022 .LP

1023 As a result of this evolution, most of the leading-underscore synonym symbols  
1024 have been removed from \fBlibc\fR. This means that applications that call  
1025 these now-obsolete function names will cease to work. They will typically draw  
1026 the error:

1027 .sp  
1028 .in +2  
1029 .nf  
1030 \$ ./application  
1031 ld.so.1: fatal: relocation error: symbol \_getpwent:  
1032 referenced symbol not found  
1033 Killed  
1034 .fi  
1035 .in -2  
1036 .sp

1038 .sp  
1039 .LP  
1040 All of the old leading-underscore symbols have been copied to the synonyms  
1041 compatibility library. This library simply redirects the calls to the  
1042 non-underscore instances of the corresponding functions in \fBlibc\fR. Use it  
1043 as a pre-loaded object:

1044 .sp  
1045 .in +2  
1046 .nf  
1047 \$ LD\_PRELOAD=c\_synonyms.so.1 ./application  
1048 .fi  
1049 .in -2  
1050 .sp

1052 .sp  
1053 .LP  
1054 The synonyms compatibility library is intended neither to enable the generation  
1055 of applications that call the obsolete leading-underscore synonym functions,  
1056 nor to endorse this particular programming practice.

new/usr/src/pkg/manifests/system-library.man3c.inc

```
*****
73499 Sat Jul  5 18:50:54 2014
new/usr/src/pkg/manifests/system-library.man3c.inc
Additional man fixes.
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License (" CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #

12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2013 OmniTI Computer Consulting, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 #

19 file path=usr/share/man/man3c/_fbufsize.3c
20 file path=usr/share/man/man3c/_longjmp.3c
21 file path=usr/share/man/man3c/_stack_grow.3c
22 file path=usr/share/man/man3c/a64l.3c
23 file path=usr/share/man/man3c/abort.3c
24 file path=usr/share/man/man3c/abs.3c
25 file path=usr/share/man/man3c/addsev.3c
26 file path=usr/share/man/man3c/addseverity.3c
27 file path=usr/share/man/man3c/aio_cancel.3c
28 file path=usr/share/man/man3c/aio_error.3c
29 file path=usr/share/man/man3c/aio_fsync.3c
30 file path=usr/share/man/man3c/aio_read.3c
31 file path=usr/share/man/man3c/aio_return.3c
32 file path=usr/share/man/man3c/aio_suspend.3c
33 file path=usr/share/man/man3c/aio_waitn.3c
34 file path=usr/share/man/man3c/aio_write.3c
35 file path=usr/share/man/man3c/aiocancel.3c
36 file path=usr/share/man/man3c/aioread.3c
37 file path=usr/share/man/man3c/aiowait.3c
38 file path=usr/share/man/man3c/assert.3c
39 file path=usr/share/man/man3c/atexit.3c
40 file path=usr/share/man/man3c/atomic_add.3c
41 file path=usr/share/man/man3c/atomic_and.3c
42 file path=usr/share/man/man3c/atomic_bits.3c
43 file path=usr/share/man/man3c/atomic_cas.3c
44 file path=usr/share/man/man3c/atomic_dec.3c
45 file path=usr/share/man/man3c/atomic_inc.3c
46 file path=usr/share/man/man3c/atomic_ops.3c
47 file path=usr/share/man/man3c/atomic_or.3c
48 file path=usr/share/man/man3c/atomic_swap.3c
49 file path=usr/share/man/man3c/attropen.3c
50 file path=usr/share/man/man3c/basename.3c
51 file path=usr/share/man/man3c/bsd_signal.3c
52 file path=usr/share/man/man3c/bsearch.3c
53 file path=usr/share/man/man3c/bstring.3c
54 file path=usr/share/man/man3c/btowc.3c
55 file path=usr/share/man/man3c/catgets.3c
56 file path=usr/share/man/man3c/catopen.3c
57 file path=usr/share/man/man3c/cfgetispeed.3c
58 file path=usr/share/man/man3c/cfsetispeed.3c
59 file path=usr/share/man/man3c/clock.3c
60 file path=usr/share/man/man3c/clock_nanosleep.3c
61 file path=usr/share/man/man3c/clock_settime.3c
```

1

new/usr/src/pkg/manifests/system-library.man3c.inc

```
62 file path=usr/share/man/man3c/closedir.3c
63 file path=usr/share/man/man3c/closefrom.3c
64 file path=usr/share/man/man3c/cond_init.3c
65 file path=usr/share/man/man3c/confstr.3c
66 file path=usr/share/man/man3c/crypt.3c
67 file path=usr/share/man/man3c/crypt_genhash_impl.3c
68 file path=usr/share/man/man3c/crypt_gensalt.3c
69 file path=usr/share/man/man3c/crypt_gensalt_impl.3c
70 file path=usr/share/man/man3c/cset.3c
71 file path=usr/share/man/man3c/ctermid.3c
72 file path=usr/share/man/man3c/ctime.3c
73 file path=usr/share/man/man3c/ctype.3c
74 file path=usr/share/man/man3c/cuserid.3c
75 file path=usr/share/man/man3c/daemon.3c
76 file path=usr/share/man/man3c/decimal_to_floating.3c
77 file path=usr/share/man/man3c/difftime.3c
78 file path=usr/share/man/man3c/directio.3c
79 file path=usr/share/man/man3c/dirfd.3c
80 file path=usr/share/man/man3c dirname.3c
81 file path=usr/share/man/man3c/div.3c
82 file path=usr/share/man/man3c/dladdr.3c
83 file path=usr/share/man/man3c/dlclose.3c
84 file path=usr/share/man/man3c/dldump.3c
85 file path=usr/share/man/man3c/dlerror.3c
86 file path=usr/share/man/man3c/dlinfo.3c
87 file path=usr/share/man/man3c/dlopen.3c
88 file path=usr/share/man/man3c/dlsym.3c
89 file path=usr/share/man/man3c/door_bind.3c
90 file path=usr/share/man/man3c/door_call.3c
91 file path=usr/share/man/man3c/door_create.3c
92 file path=usr/share/man/man3c/door_cred.3c
93 file path=usr/share/man/man3c/door_getparam.3c
94 file path=usr/share/man/man3c/door_info.3c
95 file path=usr/share/man/man3c/door_return.3c
96 file path=usr/share/man/man3c/door_revoke.3c
97 file path=usr/share/man/man3c/door_server_create.3c
98 file path=usr/share/man/man3c/door_ucred.3c
99 file path=usr/share/man/man3c/drand48.3c
100 file path=usr/share/man/man3c/dup2.3c
101 file path=usr/share/man/man3c/econvert.3c
102 file path=usr/share/man/man3c/ecvt.3c
103 file path=usr/share/man/man3c/enable_extended_FILE_stdio.3c
104 file path=usr/share/man/man3c/encrypt.3c
105 file path=usr/share/man/man3c/end.3c
106 file path=usr/share/man/man3c/err.3c
107 file path=usr/share/man/man3c/euclen.3c
108 file path=usr/share/man/man3c/exit.3c
109 file path=usr/share/man/man3c/fattach.3c
110 file path=usr/share/man/man3c/fclose.3c
111 file path=usr/share/man/man3c/fdasync.3c
112 file path=usr/share/man/man3c/fdetach.3c
113 file path=usr/share/man/man3c/fdopen.3c
114 file path=usr/share/man/man3c/ferror.3c
115 file path=usr/share/man/man3c/fflush.3c
116 file path=usr/share/man/man3c/ffs.3c
117 file path=usr/share/man/man3c/fgetattr.3c
118 file path=usr/share/man/man3c/fgetc.3c
119 file path=usr/share/man/man3c/fgetpos.3c
120 file path=usr/share/man/man3c/fgetwc.3c
121 file path=usr/share/man/man3c/floating_to_decimal.3c
122 file path=usr/share/man/man3c/flockfile.3c
123 file path=usr/share/man/man3c/fmtmsg.3c
124 file path=usr/share/man/man3c/fnmatch.3c
125 file path=usr/share/man/man3c/fopen.3c
126 file path=usr/share/man/man3c/fpgetround.3c
127 file path=usr/share/man/man3c/fputc.3c
```

2

```

128 file path=usr/share/man/man3c/fputwc.3c
129 file path=usr/share/man/man3c/fputws.3c
130 file path=usr/share/man/man3c/fread.3c
131 file path=usr/share/man/man3c/freopen.3c
132 file path=usr/share/man/man3c/fseek.3c
133 file path=usr/share/man/man3c/fsetpos.3c
134 file path=usr/share/man/man3c/fsync.3c
135 file path=usr/share/man/man3c/ftell.3c
136 file path=usr/share/man/man3c/ftime.3c
137 file path=usr/share/man/man3c/ftok.3c
138 file path=usr/share/man/man3c/ftw.3c
139 file path=usr/share/man/man3c/fwipe.3c
140 file path=usr/share/man/man3c/fwprintf.3c
141 file path=usr/share/man/man3c/fwrite.3c
142 file path=usr/share/man/man3c/fwscanf.3c
143 file path=usr/share/man/man3c/getcpuid.3c
144 file path=usr/share/man/man3c/getcwd.3c
145 file path=usr/share/man/man3c/getdate.3c
146 file path=usr/share/man/man3c/getdtablesize.3c
147 file path=usr/share/man/man3c/getenv.3c
148 file path=usr/share/man/man3c/getexecname.3c
149 file path=usr/share/man/man3c/getgrnam.3c
150 file path=usr/share/man/man3c/gethostid.3c
151 file path=usr/share/man/man3c/gethostname.3c
152 file path=usr/share/man/man3c/getrtime.3c
153 file path=usr/share/man/man3c/getline.3c
154 file path=usr/share/man/man3c/getloadavg.3c
155 file path=usr/share/man/man3c/getlogin.3c
156 file path=usr/share/man/man3c/getmntent.3c
157 file path=usr/share/man/man3c/getnetgrent.3c
158 file path=usr/share/man/man3c/getopt.3c
159 file path=usr/share/man/man3c/getpagesize.3c
160 file path=usr/share/man/man3c/getpagesizes.3c
161 file path=usr/share/man/man3c/getpass.3c
162 file path=usr/share/man/man3c/getpeercred.3c
163 file path=usr/share/man/man3c/getpriority.3c
164 file path=usr/share/man/man3c/getpw.3c
165 file path=usr/share/man/man3c/getpwnam.3c
166 file path=usr/share/man/man3c/getrusage.3c
167 file path=usr/share/man/man3c/gets.3c
168 file path=usr/share/man/man3c/getspnam.3c
169 file path=usr/share/man/man3c/getsubopt.3c
170 file path=usr/share/man/man3c/gettext.3c
171 file path=usr/share/man/man3c/gettimeofday.3c
172 file path=usr/share/man/man3c/gettxt.3c
173 file path=usr/share/man/man3c/getusershell.3c
174 file path=usr/share/man/man3c/getutent.3c
175 file path=usr/share/man/man3c/getutxent.3c
176 file path=usr/share/man/man3c/getvfsent.3c
177 file path=usr/share/man/man3c/getwc.3c
178 file path=usr/share/man/man3c/getwchar.3c
179 file path=usr/share/man/man3c/getwd.3c
180 file path=usr/share/man/man3c/getwidth.3c
181 file path=usr/share/man/man3c/getws.3c
182 file path=usr/share/man/man3c/getzoneid.3c
183 file path=usr/share/man/man3c/glob.3c
184 file path=usr/share/man/man3c/grantpt.3c
185 file path=usr/share/man/man3c/hsearch.3c
186 file path=usr/share/man/man3c/iconv.3c
187 file path=usr/share/man/man3c/iconv_close.3c
188 file path=usr/share/man/man3c/iconv_open.3c
189 file path=usr/share/man/man3c/imaxabs.3c
190 file path=usr/share/man/man3c/imaxdiv.3c
191 file path=usr/share/man/man3c/index.3c
192 file path=usr/share/man/man3c/initgroups.3c
193 file path=usr/share/man/man3c/insque.3c

```

```

194 file path=usr/share/man/man3c/is_system_labeled.3c
195 file path=usr/share/man/man3c/isaexec.3c
196 file path=usr/share/man/man3c/isastream.3c
197 file path=usr/share/man/man3c/isatty.3c
198 file path=usr/share/man/man3c/isnand.3c
199 file path=usr/share/man/man3c/iswalpha.3c
200 file path=usr/share/man/man3c/iswctype.3c
201 file path=usr/share/man/man3c/killpg.3c
202 file path=usr/share/man/man3c/lckpwdx.3c
203 file path=usr/share/man/man3c/lfmt.3c
204 file path=usr/share/man/man3c/lio_listio.3c
205 file path=usr/share/man/man3c/localeconv.3c
206 file path=usr/share/man/man3c/lockf.3c
207 file path=usr/share/man/man3c/lsearch.3c
208 file path=usr/share/man/man3c/madvise.3c
209 file path=usr/share/man/man3c/makecontext.3c
210 file path=usr/share/man/man3c/makedev.3c
211 file path=usr/share/man/man3c/malloc.3c
212 file path=usr/share/man/man3c/mbrlen.3c
213 file path=usr/share/man/man3c/mbrlen.3c
214 file path=usr/share/man/man3c/mbrtowc.3c
215 file path=usr/share/man/man3c/mbsinit.3c
216 file path=usr/share/man/man3c/mbsrtowcs.3c
217 file path=usr/share/man/man3c/mbtowc.3c
218 file path=usr/share/man/man3c/membar_ops.3c
219 file path=usr/share/man/man3c/memory.3c
220 file path=usr/share/man/man3c/mkfifo.3c
221 file path=usr/share/man/man3c/mkstemp.3c
222 file path=usr/share/man/man3c/mktemp.3c
223 file path=usr/share/man/man3c/mktime.3c
224 file path=usr/share/man/man3c/mlock.3c
225 file path=usr/share/man/man3c/mlockall.3c
226 file path=usr/share/man/man3c/monitor.3c
227 file path=usr/share/man/man3c/mq_close.3c
228 file path=usr/share/man/man3c/mq_getattr.3c
229 file path=usr/share/man/man3c/mq_notify.3c
230 file path=usr/share/man/man3c/mq_open.3c
231 file path=usr/share/man/man3c/mq_receive.3c
232 file path=usr/share/man/man3c/mq_send.3c
233 file path=usr/share/man/man3c/mq_setattr.3c
234 file path=usr/share/man/man3c/mq_unlink.3c
235 file path=usr/share/man/man3c/msync.3c
236 file path=usr/share/man/man3c/mutex_init.3c
237 file path=usr/share/man/man3c/nanosleep.3c
238 file path=usr/share/man/man3c/ndbm.3c
239 file path=usr/share/man/man3c/newlocale.3c
240 file path=usr/share/man/man3c/nl_langinfo.3c
241 file path=usr/share/man/man3c/offsetof.3c
242 file path=usr/share/man/man3c/opendir.3c
243 file path=usr/share/man/man3c/perror.3c
244 file path=usr/share/man/man3c/pfmt.3c
245 file path=usr/share/man/man3c/plock.3c
246 file path=usr/share/man/man3c/popen.3c
247 file path=usr/share/man/man3c/port_alert.3c
248 file path=usr/share/man/man3c/port_associate.3c
249 file path=usr/share/man/man3c/port_create.3c
250 file path=usr/share/man/man3c/port_get.3c
251 file path=usr/share/man/man3c/port_send.3c
252 file path=usr/share/man/man3c/posix_fadvise.3c
253 file path=usr/share/man/man3c/posix_fallocate.3c
254 file path=usr/share/man/man3c/posix_madvise.3c
255 file path=usr/share/man/man3c/posix_memalign.3c
256 file path=usr/share/man/man3c/posix_openpt.3c
257 file path=usr/share/man/man3c/posix_spawn.3c
258 file path=usr/share/man/man3c/posix_spawn_file_actions_addclose.3c
259 file path=usr/share/man/man3c/posix_spawn_file_actions_addclosefrom_np.3c

```

```

260 file path=usr/share/man/man3c posix_spawn_file_actions_addfdup2.3c
261 file path=usr/share/man/man3c posix_spawn_file_actions_destroy.3c
262 file path=usr/share/man/man3c posix_spawn_pipe_np.3c
263 file path=usr/share/man/man3c posix_spawnattr_destroy.3c
264 file path=usr/share/man/man3c posix_spawnattr_getflags.3c
265 file path=usr/share/man/man3c posix_spawnattr_getgroup.3c
266 file path=usr/share/man/man3c posix_spawnattr_getschedparam.3c
267 file path=usr/share/man/man3c posix_spawnattr_getschedpolicy.3c
268 file path=usr/share/man/man3c posix_spawnattr_getsigdefault.3c
269 file path=usr/share/man/man3c posix_spawnattr_getsigignore_np.3c
270 file path=usr/share/man/man3c posix_spawnattr_getsigmask.3c
271 file path=usr/share/man/man3c printf.3c
272 file path=usr/share/man/man3c priv_addset.3c
273 file path=usr/share/man/man3c priv_set.3c
274 file path=usr/share/man/man3c priv_str_to_set.3c
275 file path=usr/share/man/man3c pset_getloadavg.3c
276 file path=usr/share/man/man3c psignal.3c
277 file path=usr/share/man/man3c pthread_atfork.3c
278 file path=usr/share/man/man3c pthread_attr_getdetachstate.3c
279 file path=usr/share/man/man3c pthread_attr_getguardsize.3c
280 file path=usr/share/man/man3c pthread_attr_getinheritsched.3c
281 file path=usr/share/man/man3c pthread_attr_getschedparam.3c
282 file path=usr/share/man/man3c pthread_attr_getschedpolicy.3c
283 file path=usr/share/man/man3c pthread_attr_getscope.3c
284 file path=usr/share/man/man3c pthread_attr_getstack.3c
285 file path=usr/share/man/man3c pthread_attr_getstackaddr.3c
286 file path=usr/share/man/man3c pthread_attr_getstacksize.3c
287 file path=usr/share/man/man3c pthread_attr_init.3c
288 file path=usr/share/man/man3c pthread_barrier_destroy.3c
289 file path=usr/share/man/man3c pthread_barrier_wait.3c
290 file path=usr/share/man/man3c pthread_barrierattr_destroy.3c
291 file path=usr/share/man/man3c pthread_barrierattr_getpshared.3c
292 file path=usr/share/man/man3c pthread_cancel.3c
293 file path=usr/share/man/man3c pthread_cleanup_pop.3c
294 file path=usr/share/man/man3c pthread_cleanup_push.3c
295 file path=usr/share/man/man3c pthread_cond_init.3c
296 file path=usr/share/man/man3c pthread_cond_signal.3c
297 file path=usr/share/man/man3c pthread_cond_wait.3c
298 file path=usr/share/man/man3c pthread_condattr_getclock.3c
299 file path=usr/share/man/man3c pthread_condattr_getpshared.3c
300 file path=usr/share/man/man3c pthread_condattr_init.3c
301 file path=usr/share/man/man3c pthread_create.3c
302 file path=usr/share/man/man3c pthread_detach.3c
303 file path=usr/share/man/man3c pthread_equal.3c
304 file path=usr/share/man/man3c pthread_exit.3c
305 file path=usr/share/man/man3c pthread_getconcurrency.3c
306 file path=usr/share/man/man3c pthread_getschedparam.3c
307 file path=usr/share/man/man3c pthread_getspecific.3c
308 file path=usr/share/man/man3c pthread_join.3c
309 file path=usr/share/man/man3c pthread_key_create.3c
310 file path=usr/share/man/man3c pthread_key_delete.3c
311 file path=usr/share/man/man3c pthread_kill.3c
312 file path=usr/share/man/man3c pthread_mutex_getprioceiling.3c
313 file path=usr/share/man/man3c pthread_mutex_init.3c
314 file path=usr/share/man/man3c pthread_mutex_lock.3c
315 file path=usr/share/man/man3c pthread_mutex_timedlock.3c
316 file path=usr/share/man/man3c pthread_mutexattr_getprioceiling.3c
317 file path=usr/share/man/man3c pthread_mutexattr_getprotocol.3c
318 file path=usr/share/man/man3c pthread_mutexattr_getpshared.3c
319 file path=usr/share/man/man3c pthread_mutexattr_gettype.3c
320 file path=usr/share/man/man3c pthread_mutexattr_init.3c
321 file path=usr/share/man/man3c pthread_once.3c
322 file path=usr/share/man/man3c pthread_rwlock_init.3c
323 file path=usr/share/man/man3c pthread_rwlock_rdlock.3c
324 file path=usr/share/man/man3c pthread_rwlock_timedrdlock.3c
325 file path=usr/share/man/man3c pthread_rwlock_timedwrlock.3c

```

```

326 file path=usr/share/man/man3c pthread_rwlock_unlock.3c
327 file path=usr/share/man/man3c pthread_rwlock_wrlock.3c
328 file path=usr/share/man/man3c pthread_rwlockattr_getpshared.3c
329 file path=usr/share/man/man3c pthread_rwlockattr_init.3c
330 file path=usr/share/man/man3c pthread_self.3c
331 file path=usr/share/man/man3c pthread_setcancelstate.3c
332 file path=usr/share/man/man3c pthread_setcanceltype.3c
333 file path=usr/share/man/man3c pthread_setschedprio.3c
334 file path=usr/share/man/man3c pthread_sigmask.3c
335 file path=usr/share/man/man3c pthread_spin_destroy.3c
336 file path=usr/share/man/man3c pthread_spin_lock.3c
337 file path=usr/share/man/man3c pthread_spin_unlock.3c
338 file path=usr/share/man/man3c pthread_testcancel.3c
339 file path=usr/share/man/man3c ptrace.3c
340 file path=usr/share/man/man3c ptsname.3c
341 file path=usr/share/man/man3c putenv.3c
342 file path=usr/share/man/man3c putpwent.3c
343 file path=usr/share/man/man3c puts.3c
344 file path=usr/share/man/man3c putspent.3c
345 file path=usr/share/man/man3c putsv.3c
346 file path=usr/share/man/man3c qsort.3c
347 file path=usr/share/man/man3c raise.3c
348 file path=usr/share/man/man3c rand.3c
349 file path=usr/share/man/man3c random.3c
350 file path=usr/share/man/man3c rctl_walk.3c
351 file path=usr/share/man/man3c rctlblk_set_value.3c
352 file path=usr/share/man/man3c re_comp.3c
353 file path=usr/share/man/man3c readdir.3c
354 file path=usr/share/man/man3c realpath.3c
355 file path=usr/share/man/man3c reboot.3c
356 file path=usr/share/man/man3c regcmp.3c
357 file path=usr/share/man/man3c regcomp.3c
358 file path=usr/share/man/man3c remove.3c
359 file path=usr/share/man/man3c rewind.3c
360 file path=usr/share/man/man3c rewinddir.3c
361 file path=usr/share/man/man3c rwlock.3c
362 file path=usr/share/man/man3c scandir.3c
363 file path=usr/share/man/man3c scanf.3c
364 file path=usr/share/man/man3c sched_get_priority_max.3c
365 file path=usr/share/man/man3c sched_getparam.3c
366 file path=usr/share/man/man3c sched_getscheduler.3c
367 file path=usr/share/man/man3c sched_rr_get_interval.3c
368 file path=usr/share/man/man3c sched_setparam.3c
369 file path=usr/share/man/man3c sched_setscheduler.3c
370 file path=usr/share/man/man3c sched_yield.3c
371 file path=usr/share/man/man3c schedctl_init.3c
372 file path=usr/share/man/man3c seekdir.3c
373 file path=usr/share/man/man3c select.3c
374 file path=usr/share/man/man3c sem_close.3c
375 file path=usr/share/man/man3c sem_destroy.3c
376 file path=usr/share/man/man3c sem_getvalue.3c
377 file path=usr/share/man/man3c sem_init.3c
378 file path=usr/share/man/man3c sem_open.3c
379 file path=usr/share/man/man3c sem_post.3c
380 file path=usr/share/man/man3c sem_timedwait.3c
381 file path=usr/share/man/man3c sem_unlink.3c
382 file path=usr/share/man/man3c sem_wait.3c
383 file path=usr/share/man/man3c semaphore.3c
384 file path=usr/share/man/man3c setbuf.3c
385 file path=usr/share/man/man3c setbuffer.3c
386 file path=usr/share/man/man3c setcat.3c
387 file path=usr/share/man/man3c setenv.3c
388 file path=usr/share/man/man3c setjmp.3c
389 file path=usr/share/man/man3c setkey.3c
390 file path=usr/share/man/man3c setlabel.3c
391 file path=usr/share/man/man3c setlocale.3c

```

```

392 file path=usr/share/man/man3c/shm_open.3c
393 file path=usr/share/man/man3c/shm_unlink.3c
394 file path=usr/share/man/man3c/sigfpe.3c
395 file path=usr/share/man/man3c/siginterrupt.3c
396 file path=usr/share/man/man3c/signal.3c
397 file path=usr/share/man/man3c/sigqueue.3c
398 file path=usr/share/man/man3c/sigsetops.3c
399 file path=usr/share/man/man3c/sigstack.3c
400 file path=usr/share/man/man3c/sigwaitinfo.3c
401 file path=usr/share/man/man3c/sleep.3c
402 file path=usr/share/man/man3c/ssignal.3c
403 file path=usr/share/man/man3c/stack_getbounds.3c
404 file path=usr/share/man/man3c/stack_inbounds.3c
405 file path=usr/share/man/man3c/stack_setbounds.3c
406 file path=usr/share/man/man3c/stackViolation.3c
407 file path=usr/share/man/man3c/stdio.3c
408 file path=usr/share/man/man3c/str2sig.3c
409 file path=usr/share/man/man3c/strcoll.3c
410 file path=usr/share/man/man3c/strerror.3c
411 file path=usr/share/man/man3c/strfmon.3c
412 file path=usr/share/man/man3c/strftime.3c
413 file path=usr/share/man/man3c/string.3c
414 file path=usr/share/man/man3c/string_to_decimal.3c
415 file path=usr/share/man/man3c/strptime.3c
416 file path=usr/share/man/man3c/strsignal.3c
417 file path=usr/share/man/man3c/strtod.3c
418 file path=usr/share/man/man3c/strtoimax.3c
419 file path=usr/share/man/man3c/strtol.3c
420 file path=usr/share/man/man3c/strtoul.3c
421 file path=usr/share/man/man3c/strtows.3c
422 file path=usr/share/man/man3c/strxfrm.3c
423 file path=usr/share/man/man3c/swab.3c
424 file path=usr/share/man/man3c/sync_instruction_memory.3c
425 file path=usr/share/man/man3c/sysconf.3c
426 file path=usr/share/man/man3c/syslog.3c
427 file path=usr/share/man/man3c/system.3c
428 file path=usr/share/man/man3c/tcdrain.3c
429 file path=usr/share/man/man3c/tcfflow.3c
430 file path=usr/share/man/man3c/tcflush.3c
431 file path=usr/share/man/man3c/tcgetattr.3c
432 file path=usr/share/man/man3c/tcgetpgrp.3c
433 file path=usr/share/man/man3c/tcgetsid.3c
434 file path=usr/share/man/man3c/tcsendbreak.3c
435 file path=usr/share/man/man3c/tcsetattr.3c
436 file path=usr/share/man/man3c/tcsetpgrp.3c
437 file path=usr/share/man/man3c/tell.3c
438 file path=usr/share/man/man3c/telldir.3c
439 file path=usr/share/man/man3c/termios.3c
440 file path=usr/share/man/man3c/thr_create.3c
441 file path=usr/share/man/man3c/thr_exit.3c
442 file path=usr/share/man/man3c/thr_getconcurrency.3c
443 file path=usr/share/man/man3c/thr_getprio.3c
444 file path=usr/share/man/man3c/thr_join.3c
445 file path=usr/share/man/man3c/thr_keycreate.3c
446 file path=usr/share/man/man3c/thr_kill.3c
447 file path=usr/share/man/man3c/thr_main.3c
448 file path=usr/share/man/man3c/thr_min_stack.3c
449 file path=usr/share/man/man3c/thr_self.3c
450 file path=usr/share/man/man3c/thr_sigsetmask.3c
451 file path=usr/share/man/man3c/thr_stksegment.3c
452 file path=usr/share/man/man3c/thr_suspend.3c
453 file path=usr/share/man/man3c/thr_yield.3c
454 file path=usr/share/man/man3c/timer_create.3c
455 file path=usr/share/man/man3c/timer_delete.3c
456 file path=usr/share/man/man3c/timer_settime.3c
457 file path=usr/share/man/man3c/timeradd.3c

```

```

458 file path=usr/share/man/man3c/tmpfile.3c
459 file path=usr/share/man/man3c/tmpnam.3c
460 file path=usr/share/man/man3c/toascii.3c
461 file path=usr/share/man/man3c/tolower.3c
462 file path=usr/share/man/man3c/toupper.3c
463 file path=usr/share/man/man3c/towlower.3c
464 file path=usr/share/man/man3c/towupper.3c
465 file path=usr/share/man/man3c/truncate.3c
466 file path=usr/share/man/man3c/tsearch.3c
467 file path=usr/share/man/man3c/ttynname.3c
468 file path=usr/share/man/man3c/ttyslot.3c
469 file path=usr/share/man/man3c/u8_strcmp.3c
470 file path=usr/share/man/man3c/u8_textprep_str.3c
471 file path=usr/share/man/man3c/u8_validate.3c
472 file path=usr/share/man/man3c/ualarm.3c
473 file path=usr/share/man/man3c/uconv_u16tou32.3c
474 file path=usr/share/man/man3c/ucred_get.3c
475 file path=usr/share/man/man3c/ungetc.3c
476 file path=usr/share/man/man3c/ungetwc.3c
477 file path=usr/share/man/man3c/unlockpt.3c
478 file path=usr/share/man/man3c/unsetenv.3c
479 file path=usr/share/man/man3c/useLocale.3c
480 file path=usr/share/man/man3c/usleep.3c
481 file path=usr/share/man/man3c/vfwprintf.3c
482 file path=usr/share/man/man3c/vlfmt.3c
483 file path=usr/share/man/man3c/vpfmt.3c
484 file path=usr/share/man/man3c/vprintf.3c
485 file path=usr/share/man/man3c/vsyslog.3c
486 file path=usr/share/man/man3c/wait.3c
487 file path=usr/share/man/man3c/wait3.3c
488 file path=usr/share/man/man3c/waitpid.3c
489 file path=usr/share/man/man3c/walkcontext.3c
490 file path=usr/share/man/man3c/wcrtomb.3c
491 file path=usr/share/man/man3c/wcscoll.3c
492 file path=usr/share/man/man3c/wcsftime.3c
493 file path=usr/share/man/man3c/wcsstombs.3c
494 file path=usr/share/man/man3c/wcsstr.3c
495 file path=usr/share/man/man3c/wcstod.3c
496 file path=usr/share/man/man3c/wcstoiMAX.3c
497 file path=usr/share/man/man3c/wcstol.3c
498 file path=usr/share/man/man3c/wcstoul.3c
499 file path=usr/share/man/man3c/wcstring.3c
500 file path=usr/share/man/man3c/wcswidth.3c
501 file path=usr/share/man/man3c/wcsxfrm.3c
502 file path=usr/share/man/man3c/wctob.3c
503 file path=usr/share/man/man3c/wctomb.3c
504 file path=usr/share/man/man3c/wctrans.3c
505 file path=usr/share/man/man3c/wctype.3c
506 file path=usr/share/man/man3c/wcwidth.3c
507 file path=usr/share/man/man3c/wmemchr.3c
508 file path=usr/share/man/man3c/wmemcmp.3c
509 file path=usr/share/man/man3c/wmemcpy.3c
510 file path=usr/share/man/man3c/wmemmove.3c
511 file path=usr/share/man/man3c/wmemset.3c
512 file path=usr/share/man/man3c/wordexp.3c
513 file path=usr/share/man/man3c/wsprintf.3c
514 file path=usr/share/man/man3c/wsscanf.3c
515 file path=usr/share/man/man3c/wstring.3c
516 link path=usr/share/man/man3c/_FD_CLR.3c target=select.3c
517 link path=usr/share/man/man3c/_FD_ISSET.3c target=select.3c
518 link path=usr/share/man/man3c/_FD_SET.3c target=select.3c
519 link path=usr/share/man/man3c/_FD_ZERO.3c target=select.3c
520 link path=usr/share/man/man3c/_fbuffsize.3c target=_fbuffsize.3c
521 link path=usr/share/man/man3c/_fpending.3c target=_fbuffsize.3c
522 link path=usr/share/man/man3c/_fpurge.3c target=_fbuffsize.3c
523 link path=usr/share/man/man3c/_freadable.3c target=_fbuffsize.3c

```

```

524 link path=usr/share/man/man3c/_freading.3c target=_fbuflen.3c
525 link path=usr/share/man/man3c/_fsetlocking.3c target=_fbuflen.3c
526 link path=usr/share/man/man3c/_fwriteable.3c target=_fbuflen.3c
527 link path=usr/share/man/man3c/_fwriteing.3c target=_fbuflen.3c
528 link path=usr/share/man/man3c/_edata.3c target=end.3c
529 link path=usr/share/man/man3c/_end.3c target=end.3c
530 link path=usr/share/man/man3c/_exit.3c target=end.3c
531 link path=usr/share/man/man3c/_exithandle.3c target=exit.3c
532 link path=usr/share/man/man3c/_flushlbf.3c target=_fbuflen.3c
533 link path=usr/share/man/man3c/_setjmp.3c target=_longjmp.3c
534 link path=usr/share/man/man3c/_addrtosymstr.3c target=walkcontext.3c
535 link path=usr/share/man/man3c/_aiowrite.3c target=aioread.3c
536 link path=usr/share/man/man3c/_alloca.3c target=malloc.3c
537 link path=usr/share/man/man3c/_alphasort.3c target=scandir.3c
538 link path=usr/share/man/man3c/_asctime.3c target=strftime.3c
539 link path=usr/share/man/man3c/_asctime.3c target=ctime.3c
540 link path=usr/share/man/man3c/_asctime_r.3c target=ctime.3c
541 link path=usr/share/man/man3c/_asprintf.3c target=printf.3c
542 link path=usr/share/man/man3c/_atof.3c target=strtod.3c
543 link path=usr/share/man/man3c/_atoi.3c target=strtol.3c
544 link path=usr/share/man/man3c/_atol.3c target=strtol.3c
545 link path=usr/share/man/man3c/_atoll.3c target=strtol.3c
546 link path=usr/share/man/man3c/_atomic_add_16.3c target=atomic_add.3c
547 link path=usr/share/man/man3c/_atomic_add_16_nv.3c target=atomic_add.3c
548 link path=usr/share/man/man3c/_atomic_add_32.3c target=atomic_add.3c
549 link path=usr/share/man/man3c/_atomic_add_32_nv.3c target=atomic_add.3c
550 link path=usr/share/man/man3c/_atomic_add_64.3c target=atomic_add.3c
551 link path=usr/share/man/man3c/_atomic_add_64_nv.3c target=atomic_add.3c
552 link path=usr/share/man/man3c/_atomic_and_8.3c target=atomic_add.3c
553 link path=usr/share/man/man3c/_atomic_and_8_nv.3c target=atomic_add.3c
554 link path=usr/share/man/man3c/_atomic_and_char.3c target=atomic_add.3c
555 link path=usr/share/man/man3c/_atomic_and_char_nv.3c target=atomic_add.3c
556 link path=usr/share/man/man3c/_atomic_and_int.3c target=atomic_add.3c
557 link path=usr/share/man/man3c/_atomic_and_int_nv.3c target=atomic_add.3c
558 link path=usr/share/man/man3c/_atomic_and_long.3c target=atomic_add.3c
559 link path=usr/share/man/man3c/_atomic_and_long_nv.3c target=atomic_add.3c
560 link path=usr/share/man/man3c/_atomic_and_ptr.3c target=atomic_add.3c
561 link path=usr/share/man/man3c/_atomic_and_ptr_nv.3c target=atomic_add.3c
562 link path=usr/share/man/man3c/_atomic_and_short.3c target=atomic_add.3c
563 link path=usr/share/man/man3c/_atomic_and_short_nv.3c target=atomic_add.3c
564 link path=usr/share/man/man3c/_atomic_and_16.3c target=atomic_and.3c
565 link path=usr/share/man/man3c/_atomic_and_16_nv.3c target=atomic_and.3c
566 link path=usr/share/man/man3c/_atomic_and_32.3c target=atomic_and.3c
567 link path=usr/share/man/man3c/_atomic_and_32_nv.3c target=atomic_and.3c
568 link path=usr/share/man/man3c/_atomic_and_64.3c target=atomic_and.3c
569 link path=usr/share/man/man3c/_atomic_and_64_nv.3c target=atomic_and.3c
570 link path=usr/share/man/man3c/_atomic_and_8.3c target=atomic_and.3c
571 link path=usr/share/man/man3c/_atomic_and_8_nv.3c target=atomic_and.3c
572 link path=usr/share/man/man3c/_atomic_and_uchar.3c target=atomic_and.3c
573 link path=usr/share/man/man3c/_atomic_and_uchar_nv.3c target=atomic_and.3c
574 link path=usr/share/man/man3c/_atomic_and_uint.3c target=atomic_and.3c
575 link path=usr/share/man/man3c/_atomic_and_uint_nv.3c target=atomic_and.3c
576 link path=usr/share/man/man3c/_atomic_and_ulong.3c target=atomic_and.3c
577 link path=usr/share/man/man3c/_atomic_and_ulong_nv.3c target=atomic_and.3c
578 link path=usr/share/man/man3c/_atomic_and_ushort.3c target=atomic_and.3c
579 link path=usr/share/man/man3c/_atomic_and_ushort_nv.3c target=atomic_and.3c
580 link path=usr/share/man/man3c/_atomic_cas_16.3c target=atomic_cas.3c
581 link path=usr/share/man/man3c/_atomic_cas_32.3c target=atomic_cas.3c
582 link path=usr/share/man/man3c/_atomic_cas_64.3c target=atomic_cas.3c
583 link path=usr/share/man/man3c/_atomic_cas_8.3c target=atomic_cas.3c
584 link path=usr/share/man/man3c/_atomic_cas_ptr.3c target=atomic_cas.3c
585 link path=usr/share/man/man3c/_atomic_cas_uchar.3c target=atomic_cas.3c
586 link path=usr/share/man/man3c/_atomic_cas_uint.3c target=atomic_cas.3c
587 link path=usr/share/man/man3c/_atomic_cas_ulong.3c target=atomic_cas.3c
588 link path=usr/share/man/man3c/_atomic_cas_ushort.3c target=atomic_cas.3c
589 link path=usr/share/man/man3c/_atomic_clear_long_excl.3c target=atomic_bits.3c

```

```

590 link path=usr/share/man/man3c/_atomic_dec_16.3c target=atomic_dec.3c
591 link path=usr/share/man/man3c/_atomic_dec_16_nv.3c target=atomic_dec.3c
592 link path=usr/share/man/man3c/_atomic_dec_32.3c target=atomic_dec.3c
593 link path=usr/share/man/man3c/_atomic_dec_32_nv.3c target=atomic_dec.3c
594 link path=usr/share/man/man3c/_atomic_dec_64.3c target=atomic_dec.3c
595 link path=usr/share/man/man3c/_atomic_dec_64_nv.3c target=atomic_dec.3c
596 link path=usr/share/man/man3c/_atomic_dec_8.3c target=atomic_dec.3c
597 link path=usr/share/man/man3c/_atomic_dec_8_nv.3c target=atomic_dec.3c
598 link path=usr/share/man/man3c/_atomic_ptr.3c target=atomic_dec.3c
599 link path=usr/share/man/man3c/_atomic_ptr_nv.3c target=atomic_dec.3c
600 link path=usr/share/man/man3c/_atomic_dec_uchar.3c target=atomic_dec.3c
601 link path=usr/share/man/man3c/_atomic_dec_uchar_nv.3c target=atomic_dec.3c
602 link path=usr/share/man/man3c/_atomic_dec_uint.3c target=atomic_dec.3c
603 link path=usr/share/man/man3c/_atomic_dec_uint_nv.3c target=atomic_dec.3c
604 link path=usr/share/man/man3c/_atomic_dec_ulong.3c target=atomic_dec.3c
605 link path=usr/share/man/man3c/_atomic_dec_ulong_nv.3c target=atomic_dec.3c
606 link path=usr/share/man/man3c/_atomic_dec_ushort.3c target=atomic_dec.3c
607 link path=usr/share/man/man3c/_atomic_dec_ushort_nv.3c target=atomic_dec.3c
608 link path=usr/share/man/man3c/_atomic_inc_16.3c target=atomic_inc.3c
609 link path=usr/share/man/man3c/_atomic_inc_16_nv.3c target=atomic_inc.3c
610 link path=usr/share/man/man3c/_atomic_inc_32.3c target=atomic_inc.3c
611 link path=usr/share/man/man3c/_atomic_inc_32_nv.3c target=atomic_inc.3c
612 link path=usr/share/man/man3c/_atomic_inc_64.3c target=atomic_inc.3c
613 link path=usr/share/man/man3c/_atomic_inc_64_nv.3c target=atomic_inc.3c
614 link path=usr/share/man/man3c/_atomic_inc_8.3c target=atomic_inc.3c
615 link path=usr/share/man/man3c/_atomic_inc_8_nv.3c target=atomic_inc.3c
616 link path=usr/share/man/man3c/_atomic_ptr.3c target=atomic_inc.3c
617 link path=usr/share/man/man3c/_atomic_ptr_nv.3c target=atomic_inc.3c
618 link path=usr/share/man/man3c/_atomic_uchar.3c target=atomic_inc.3c
619 link path=usr/share/man/man3c/_atomic_uchar_nv.3c target=atomic_inc.3c
620 link path=usr/share/man/man3c/_atomic_inc_uint.3c target=atomic_inc.3c
621 link path=usr/share/man/man3c/_atomic_inc_uint_nv.3c target=atomic_inc.3c
622 link path=usr/share/man/man3c/_atomic_inc_ulong.3c target=atomic_inc.3c
623 link path=usr/share/man/man3c/_atomic_inc_ulong_nv.3c target=atomic_inc.3c
624 link path=usr/share/man/man3c/_atomic_inc_ushort.3c target=atomic_inc.3c
625 link path=usr/share/man/man3c/_atomic_inc_ushort_nv.3c target=atomic_inc.3c
626 link path=usr/share/man/man3c/_atomic_or_16.3c target=atomic_or.3c
627 link path=usr/share/man/man3c/_atomic_or_16_nv.3c target=atomic_or.3c
628 link path=usr/share/man/man3c/_atomic_or_32.3c target=atomic_or.3c
629 link path=usr/share/man/man3c/_atomic_or_32_nv.3c target=atomic_or.3c
630 link path=usr/share/man/man3c/_atomic_or_64.3c target=atomic_or.3c
631 link path=usr/share/man/man3c/_atomic_or_64_nv.3c target=atomic_or.3c
632 link path=usr/share/man/man3c/_atomic_or_8.3c target=atomic_or.3c
633 link path=usr/share/man/man3c/_atomic_or_8_nv.3c target=atomic_or.3c
634 link path=usr/share/man/man3c/_atomic_uchar.3c target=atomic_or.3c
635 link path=usr/share/man/man3c/_atomic_uchar_nv.3c target=atomic_or.3c
636 link path=usr/share/man/man3c/_atomic_uint.3c target=atomic_or.3c
637 link path=usr/share/man/man3c/_atomic_uint_nv.3c target=atomic_or.3c
638 link path=usr/share/man/man3c/_atomic_ulong.3c target=atomic_or.3c
639 link path=usr/share/man/man3c/_atomic_ulong_nv.3c target=atomic_or.3c
640 link path=usr/share/man/man3c/_atomic_ushort.3c target=atomic_or.3c
641 link path=usr/share/man/man3c/_atomic_ushort_nv.3c target=atomic_or.3c
642 link path=usr/share/man/man3c/_atomic_set_long_excl.3c target=atomic_bits.3c
643 link path=usr/share/man/man3c/_atomic_swap_16.3c target=atomic_swap.3c
644 link path=usr/share/man/man3c/_atomic_swap_32.3c target=atomic_swap.3c
645 link path=usr/share/man/man3c/_atomic_swap_64.3c target=atomic_swap.3c
646 link path=usr/share/man/man3c/_atomic_swap_8.3c target=atomic_swap.3c
647 link path=usr/share/man/man3c/_atomic_swap_ptr.3c target=atomic_swap.3c
648 link path=usr/share/man/man3c/_atomic_swap_uchar.3c target=atomic_swap.3c
649 link path=usr/share/man/man3c/_atomic_swap_uint.3c target=atomic_swap.3c
650 link path=usr/share/man/man3c/_atomic_swap_ulong.3c target=atomic_swap.3c
651 link path=usr/share/man/man3c/_atomic_swap_ushort.3c target=atomic_swap.3c
652 link path=usr/share/man/man3c/_backtrace.3c target=walkcontext.3c
653 link path=usr/share/man/man3c/_backtrace_symbols.3c target=walkcontext.3c
654 link path=usr/share/man/man3c/_backtrace_symbols_fd.3c target=walkcontext.3c
655 link path=usr/share/man/man3c/_bcmpl.3c target=bstring.3c

```

```

656 link path=usr/share/man/man3c/bcopy.3c target=bstring.3c
657 link path=usr/share/man/man3c/bind_textdomain_codeset.3c target=gettext.3c
658 link path=usr/share/man/man3c/bindtextdomain.3c target=gettext.3c
659 link path=usr/share/man/man3c/btowc_l.3c target=btowc.3c
660 link path=usr/share/man/man3c/bzero.3c target=bstring.3c
661 link path=usr/share/man/man3c/calloc.3c target=malloc.3c
662 link path=usr/share/man/man3c/catclose.3c target=catopen.3c
663 link path=usr/share/man/man3c/cfgetspeed.3c target=cfgetispeed.3c
664 link path=usr/share/man/man3c/cfsetspeed.3c target=cfsetispeed.3c
665 link path=usr/share/man/man3c/cftime.3c target=strftime.3c
666 link path=usr/share/man/man3c/clearerr.3c target=ferror.3c
667 link path=usr/share/man/man3c/clock_getres.3c target=clock_settime.3c
668 link path=usr/share/man/man3c/clock_gettime.3c target=clock_settime.3c
669 link path=usr/share/man/man3c/closelog.3c target=syslog.3c
670 link path=usr/share/man/man3c/cond_broadcast.3c target=cond_init.3c
671 link path=usr/share/man/man3c/cond_destroy.3c target=cond_init.3c
672 link path=usr/share/man/man3c/cond_reltimedwait.3c target=cond_init.3c
673 link path=usr/share/man/man3c/cond_signal.3c target=cond_init.3c
674 link path=usr/share/man/man3c/cond_timedwait.3c target=cond_init.3c
675 link path=usr/share/man/man3c/cond_wait.3c target=cond_init.3c
676 link path=usr/share/man/man3c/csetcol.3c target=cset.3c
677 link path=usr/share/man/man3c/csetlen.3c target=cset.3c
678 link path=usr/share/man/man3c/csetno.3c target=cset.3c
679 link path=usr/share/man/man3c/ctermid_r.3c target=ctermid.3c
680 link path=usr/share/man/man3c/ctime_r.3c target=ctime.3c
681 link path=usr/share/man/man3c/dbm_clearerr.3c target=ndbm.3c
682 link path=usr/share/man/man3c/dbm_close.3c target=ndbm.3c
683 link path=usr/share/man/man3c/dbm_delete.3c target=ndbm.3c
684 link path=usr/share/man/man3c/dbm_error.3c target=ndbm.3c
685 link path=usr/share/man/man3c/dbm_fetch.3c target=ndbm.3c
686 link path=usr/share/man/man3c/dbm_firstkey.3c target=ndbm.3c
687 link path=usr/share/man/man3c/dbm_nextkey.3c target=ndbm.3c
688 link path=usr/share/man/man3c/dbm_open.3c target=ndbm.3c
689 link path=usr/share/man/man3c/dbm_store.3c target=ndbm.3c
690 link path=usr/share/man/man3c/dcgettext.3c target=gettext.3c
691 link path=usr/share/man/man3c/dcngettext.3c target=gettext.3c
692 link path=usr/share/man/man3c/decimal_to_double.3c \
693     target=decimal_to_floating.3c
694 link path=usr/share/man/man3c/decimal_to_extended.3c \
695     target=decimal_to_floating.3c
696 link path=usr/share/man/man3c/decimal_to_quadruple.3c \
697     target=decimal_to_floating.3c
698 link path=usr/share/man/man3c/decimal_to_single.3c \
699     target=decimal_to_floating.3c
700 link path=usr/share/man/man3c/dcgettext.3c target=gettext.3c
701 link path=usr/share/man/man3c/dladdr.1.3c target=dladdr.3c
702 link path=usr/share/man/man3c/dllopen.3c target=dlopen.3c
703 link path=usr/share/man/man3c/dingettext.3c target=gettext.3c
704 link path=usr/share/man/man3c/door_setparam.3c target=door_getparam.3c
705 link path=usr/share/man/man3c/door_unbind.3c target=door_bind.3c
706 link path=usr/share/man/man3c/double_to_decimal.3c \
707     target=floating_to_decimal.3c
708 link path=usr/share/man/man3c/dup3.3c target=dup2.3c
709 link path=usr/share/man/man3c/duplocale.3c target=newlocale.3c
710 link path=usr/share/man/man3c/edata.3c target=end.3c
711 link path=usr/share/man/man3c/endrent.3c target=getgrnam.3c
712 link path=usr/share/man/man3c/endnetrent.3c target=getnetrent.3c
713 link path=usr/share/man/man3c/endpwent.3c target=getpwnam.3c
714 link path=usr/share/man/man3c/endspent.3c target=getsppnam.3c
715 link path=usr/share/man/man3c/endusershell.3c target=getusershell.3c
716 link path=usr/share/man/man3c/endutent.3c target=getutent.3c
717 link path=usr/share/man/man3c/endutxent.3c target=getutxent.3c
718 link path=usr/share/man/man3c/erand48.3c target=drand48.3c
719 link path=usr/share/man/man3c/errno.3c target=ferror.3c
720 link path=usr/share/man/man3c/errx.3c target=err.3c
721 link path=usr/share/man/man3c/etext.3c target=end.3c

```

```

722 link path=usr/share/man/man3c/euccol.3c target=euclen.3c
723 link path=usr/share/man/man3c/eucscol.3c target=euclen.3c
724 link path=usr/share/man/man3c/extended_to_decimal.3c \
725     target=floating_to_decimal.3c
726 link path=usr/share/man/man3c/fconvert.3c target=econvert.3c
727 link path=usr/share/man/man3c/fcvt.3c target=ecvt.3c
728 link path=usr/share/man/man3c/fdopendir.3c target=openadir.3c
729 link path=usr/share/man/man3c/fdwalk.3c target=closefrom.3c
730 link path=usr/share/man/man3c/feof.3c target=ferror.3c
731 link path=usr/share/man/man3c/fgetgrent.3c target=getgrnam.3c
732 link path=usr/share/man/man3c/fgetgrent_r.3c target=getgrnam.3c
733 link path=usr/share/man/man3c/fgetpwent.3c target=getpwnam.3c
734 link path=usr/share/man/man3c/fgetpwent_r.3c target=getpwnam.3c
735 link path=usr/share/man/man3c/fgets.3c target=gets.3c
736 link path=usr/share/man/man3c/fgetspent.3c target=getsppnam.3c
737 link path=usr/share/man/man3c/fgetspent_r.3c target=getsppnam.3c
738 link path=usr/share/man/man3c/fgetwc_l.3c target=fgetwc.3c
739 link path=usr/share/man/man3c/fgetws.3c target=getws.3c
740 link path=usr/share/man/man3c/file_to_decimal.3c target=string_to_decimal.3c
741 link path=usr/share/man/man3c/fileno.3c target=ferror.3c
742 link path=usr/share/man/man3c/finite.3c target=isnand.3c
743 link path=usr/share/man/man3c/fpclass.3c target=isnand.3c
744 link path=usr/share/man/man3c/fpgetmask.3c target=fpgetround.3c
745 link path=usr/share/man/man3c/fpgetsticky.3c target=fpgetround.3c
746 link path=usr/share/man/man3c/fprintf.3c target=printf.3c
747 link path=usr/share/man/man3c/fpsetmask.3c target=fpgetround.3c
748 link path=usr/share/man/man3c/fpsetround.3c target=fpgetround.3c
749 link path=usr/share/man/man3c/fpsetsticky.3c target=fpgetround.3c
750 link path=usr/share/man/man3c/fputs.3c target=puts.3c
751 link path=usr/share/man/man3c/free.3c target=malloc.3c
752 link path=usr/share/man/man3c/freelocale.3c target=newlocale.3c
753 link path=usr/share/man/man3c/fscanf.3c target=scanf.3c
754 link path=usr/share/man/man3c/fseeko.3c target=fseek.3c
755 link path=usr/share/man/man3c/fsetattr.3c target=fgetattr.3c
756 link path=usr/share/man/man3c/ftello.3c target=ftell.3c
757 link path=usr/share/man/man3c/ftruncate.3c target=truncate.3c
758 link path=usr/share/man/man3c/ftrylockfile.3c target=flockfile.3c
759 link path=usr/share/man/man3c/func_to_decimal.3c target=string_to_decimal.3c
760 link path=usr/share/man/man3c/funlockfile.3c target=flockfile.3c
761 link path=usr/share/man/man3c/gconvert.3c target=econvert.3c
762 link path=usr/share/man/man3c/gcvt.3c target=ecvt.3c
763 link path=usr/share/man/man3c/getattr.3c target=fgetattr.3c
764 link path=usr/share/man/man3c/getc.3c target=fgetc.3c
765 link path=usr/share/man/man3c/getc_unlocked.3c target=fgetc.3c
766 link path=usr/share/man/man3c/getchar.3c target=fgetc.3c
767 link path=usr/share/man/man3c/getchar_unlocked.3c target=fgetc.3c
768 link path=usr/share/man/man3c/getdelim.3c target=getline.3c
769 link path=usr/share/man/man3c/getextmntent.3c target=getmntent.3c
770 link path=usr/share/man/man3c/getgrent.3c target=getgrnam.3c
771 link path=usr/share/man/man3c/getgrent_r.3c target=getgrnam.3c
772 link path=usr/share/man/man3c/getgrgid.3c target=getgrnam.3c
773 link path=usr/share/man/man3c/getgrgid_r.3c target=getgrnam.3c
774 link path=usr/share/man/man3c/getgrnam_r.3c target=getgrnam.3c
775 link path=usr/share/man/man3c/gethomelgroup.3c target=getcpuid.3c
776 link path=usr/share/man/man3c/gethrvtime.3c target=gethrtime.3c
777 link path=usr/share/man/man3c/getlogin_r.3c target=login.3c
778 link path=usr/share/man/man3c/getmntany.3c target=getmntent.3c
779 link path=usr/share/man/man3c/getnetrent_r.3c target=getnetrent.3c
780 link path=usr/share/man/man3c/getpassphrase.3c target=getpass.3c
781 link path=usr/share/man/man3c/getpwent.3c target=getpwnam.3c
782 link path=usr/share/man/man3c/getpwent_r.3c target=getpwnam.3c
783 link path=usr/share/man/man3c/getpwnam_r.3c target=getpwnam.3c
784 link path=usr/share/man/man3c/getpwuid.3c target=getpwnam.3c
785 link path=usr/share/man/man3c/getpwuid_r.3c target=getpwnam.3c
786 link path=usr/share/man/man3c/getspent.3c target=getsppnam.3c
787 link path=usr/share/man/man3c/getspent_r.3c target=getsppnam.3c

```

```

788 link path=usr/share/man/man3c/getspnam_r.3c target=getspnam.3c
789 link path=usr/share/man/man3c/getutid.3c target=getutent.3c
790 link path=usr/share/man/man3c/getutline.3c target=getutent.3c
791 link path=usr/share/man/man3c/getutmp.3c target=getutxent.3c
792 link path=usr/share/man/man3c/getutmpx.3c target=getutxent.3c
793 link path=usr/share/man/man3c/getutxid.3c target=getutxent.3c
794 link path=usr/share/man/man3c/getutxline.3c target=getutxent.3c
795 link path=usr/share/man/man3c/getvfsany.3c target=getvfsent.3c
796 link path=usr/share/man/man3c/getvfsfile.3c target=getvfsent.3c
797 link path=usr/share/man/man3c/getvfsspec.3c target=getvfsent.3c
798 link path=usr/share/man/man3c/getw.3c target=fgetc.3c
799 link path=usr/share/man/man3c/getwc_l.3c target=getwc.3c
800 link path=usr/share/man/man3c/getwchar_1.3c target=getchar.3c
801 link path=usr/share/man/man3c/getzoneidbyname.3c target=getzoneid.3c
802 link path=usr/share/man/man3c/getzonenamebyid.3c target=getzoneid.3c
803 link path=usr/share/man/man3c/globfree.3c target=glob.3c
804 link path=usr/share/man/man3c/gmtime.3c target=ctime.3c
805 link path=usr/share/man/man3c/gmtime_r.3c target=time.3c
806 link path=usr/share/man/man3c/gsignal.3c target=ssignal.3c
807 link path=usr/share/man/man3c/hasmnpt.3c target=getmntent.3c
808 link path=usr/share/man/man3c/hcreate.3c target=hsearch.3c
809 link path=usr/share/man/man3c/hdestroy.3c target=hsearch.3c
810 link path=usr/share/man/man3c/initstate.3c target=random.3c
811 link path=usr/share/man/man3c/innetgr.3c target=getnetgrent.3c
812 link path=usr/share/man/man3c/isalnum.3c target=ctype.3c
813 link path=usr/share/man/man3c/isalnum_l.3c target=ctype.3c
814 link path=usr/share/man/man3c/isalpha.3c target=ctype.3c
815 link path=usr/share/man/man3c/isalpha_1.3c target=ctype.3c
816 link path=usr/share/man/man3c/isascii.3c target=ctype.3c
817 link path=usr/share/man/man3c/isblank.3c target=ctype.3c
818 link path=usr/share/man/man3c/isblank_l.3c target=ctype.3c
819 link path=usr/share/man/man3c/iscntrl.3c target=ctype.3c
820 link path=usr/share/man/man3c/iscntrl_l.3c target=ctype.3c
821 link path=usr/share/man/man3c/isdigit.3c target=ctype.3c
822 link path=usr/share/man/man3c/isdigit_l.3c target=ctype.3c
823 link path=usr/share/man/man3c/isenglish.3c target=iswalpha.3c
824 link path=usr/share/man/man3c/isgraph.3c target=ctype.3c
825 link path=usr/share/man/man3c/isgraph_l.3c target=ctype.3c
826 link path=usr/share/man/man3c/isideogram.3c target=iswalpha.3c
827 link path=usr/share/man/man3c/islower.3c target=ctype.3c
828 link path=usr/share/man/man3c/islower_l.3c target=ctype.3c
829 link path=usr/share/man/man3c/isnanf.3c target=isnand.3c
830 link path=usr/share/man/man3c/isnumber.3c target=iswalpha.3c
831 link path=usr/share/man/man3c/isphonogram.3c target=iswalpha.3c
832 link path=usr/share/man/man3c/isprint.3c target=ctype.3c
833 link path=usr/share/man/man3c/isprint_l.3c target=ctype.3c
834 link path=usr/share/man/man3c/ispunct.3c target=ctype.3c
835 link path=usr/share/man/man3c/ispunct_l.3c target=ctype.3c
836 link path=usr/share/man/man3c/isspace.3c target=ctype.3c
837 link path=usr/share/man/man3c/isspace_l.3c target=ctype.3c
838 link path=usr/share/man/man3c/issspecial.3c target=iswalpha.3c
839 link path=usr/share/man/man3c/isupper.3c target=ctype.3c
840 link path=usr/share/man/man3c/isupper_l.3c target=ctype.3c
841 link path=usr/share/man/man3c/iswalnum.3c target=iswalpha.3c
842 link path=usr/share/man/man3c/iswalnum_l.3c target=iswalpha.3c
843 link path=usr/share/man/man3c/iswalpha_l.3c target=iswalpha.3c
844 link path=usr/share/man/man3c/iswascii.3c target=iswalpha.3c
845 link path=usr/share/man/man3c/iswblank.3c target=iswalpha.3c
846 link path=usr/share/man/man3c/iswblank_l.3c target=iswalpha.3c
847 link path=usr/share/man/man3c/iswcntrl.3c target=iswalpha.3c
848 link path=usr/share/man/man3c/iswcntrl_l.3c target=iswalpha.3c
849 link path=usr/share/man/man3c/iswctype_l.3c target=iswctype.3c
850 link path=usr/share/man/man3c/iswdigit.3c target=iswalpha.3c
851 link path=usr/share/man/man3c/iswdigit_l.3c target=iswalpha.3c
852 link path=usr/share/man/man3c/iswgraph.3c target=iswalpha.3c
853 link path=usr/share/man/man3c/iswgraph_l.3c target=iswalpha.3c

```

```

854 link path=usr/share/man/man3c/iswhexnumber.3c target=iswalpha.3c
855 link path=usr/share/man/man3c/iswhexnumber_l.3c target=iswalpha.3c
856 link path=usr/share/man/man3c/iswideogram.3c target=iswalpha.3c
857 link path=usr/share/man/man3c/iswideogram_l.3c target=iswalpha.3c
858 link path=usr/share/man/man3c/iswlower.3c target=iswalpha.3c
859 link path=usr/share/man/man3c/iswlower_l.3c target=iswalpha.3c
860 link path=usr/share/man/man3c/iswnumber.3c target=iswalpha.3c
861 link path=usr/share/man/man3c/iswnumber_l.3c target=iswalpha.3c
862 link path=usr/share/man/man3c/iswphonogram.3c target=iswalpha.3c
863 link path=usr/share/man/man3c/iswphonogram_l.3c target=iswalpha.3c
864 link path=usr/share/man/man3c/iswprint.3c target=iswalpha.3c
865 link path=usr/share/man/man3c/iswprint_l.3c target=iswalpha.3c
866 link path=usr/share/man/man3c/iswpunct.3c target=iswalpha.3c
867 link path=usr/share/man/man3c/iswpunct_l.3c target=iswalpha.3c
868 link path=usr/share/man/man3c/iswspace.3c target=iswalpha.3c
869 link path=usr/share/man/man3c/iswspace_l.3c target=iswalpha.3c
870 link path=usr/share/man/man3c/iswspecial.3c target=iswalpha.3c
871 link path=usr/share/man/man3c/iswspecial_l.3c target=iswalpha.3c
872 link path=usr/share/man/man3c/iswupper.3c target=iswalpha.3c
873 link path=usr/share/man/man3c/iswupper_l.3c target=iswalpha.3c
874 link path=usr/share/man/man3c/iswdxidigit.3c target=iswalpha.3c
875 link path=usr/share/man/man3c/iswdxidigit_l.3c target=iswalpha.3c
876 link path=usr/share/man/man3c/isxdigit.3c target=ctype.3c
877 link path=usr/share/man/man3c/isxdigit_l.3c target=ctype.3c
878 link path=usr/share/man/man3c/jrand48.3c target=drand48.3c
879 link path=usr/share/man/man3c/l64a.3c target=a641.3c
880 link path=usr/share/man/man3c/labs.3c target=abs.3c
881 link path=usr/share/man/man3c/lcong48.3c target=drand48.3c
882 link path=usr/share/man/man3c/ldiv.3c target=div.3c
883 link path=usr/share/man/man3c/lfind.3c target=lsearch.3c
884 link path=usr/share/man/man3c/labs.3c target=abs.3c
885 link path=usr/share/man/man3c/lldiv.3c target=div.3c
886 link path=usr/share/man/man3c/lloastr.3c target=strtol.3c
887 link path=usr/share/man/man3c/localtime.3c target=ctime.3c
888 link path=usr/share/man/man3c/localtime_r.3c target=ctime.3c
889 link path=usr/share/man/man3c/longjmp.3c target=setjmp.3c
890 link path=usr/share/man/man3c/lrand48.3c target=drand48.3c
891 link path=usr/share/man/man3c/major.3c target=makedev.3c
892 link path=usr/share/man/man3c/mblen.3c target=mblen.3c
893 link path=usr/share/man/man3c/mbrlen_l.3c target=mbrlen.3c
894 link path=usr/share/man/man3c/mbrtowc_l.3c target=mbrtowc.3c
895 link path=usr/share/man/man3c/mbsinit_l.3c target=mbsinit.3c
896 link path=usr/share/man/man3c/mbsrtowcs.3c target=mbsrtowcs.3c
897 link path=usr/share/man/man3c/mbsrtowcs_l.3c target=mbsrtowcs.3c
898 link path=usr/share/man/man3c/mbsrtowcs_l.3c target=mbsrtowcs.3c
899 link path=usr/share/man/man3c/mbstowcs.3c target=mbsrtowcs.3c
900 link path=usr/share/man/man3c/mbstowcs_l.3c target=mbsrtowcs.3c
901 link path=usr/share/man/man3c/mbtowc_l.3c target=mbtowc.3c
902 link path=usr/share/man/man3c/memalign.3c target=malloc.3c
903 link path=usr/share/man/man3c/membar_consumer.3c target=membar_ops.3c
904 link path=usr/share/man/man3c/membar_enter.3c target=membar_ops.3c
905 link path=usr/share/man/man3c/membar_exit.3c target=membar_ops.3c
906 link path=usr/share/man/man3c/membar_producer.3c target=membar_ops.3c
907 link path=usr/share/man/man3c/memccpy.3c target=memory.3c
908 link path=usr/share/man/man3c/memchr.3c target=memory.3c
909 link path=usr/share/man/man3c/memcmp.3c target=memory.3c
910 link path=usr/share/man/man3c/memcpy.3c target=memory.3c
911 link path=usr/share/man/man3c/memmove.3c target=memory.3c
912 link path=usr/share/man/man3c/memset.3c target=memory.3c
913 link path=usr/share/man/man3c/minor.3c target=makedev.3c
914 link path=usr/share/man/man3c/mkdttemp.3c target=mkstemp.3c
915 link path=usr/share/man/man3c/mkostemp.3c target=mkstemp.3c
916 link path=usr/share/man/man3c/mkostemps.3c target=mkstemp.3c
917 link path=usr/share/man/man3c/mkstemp.3c target=mkstemp.3c
918 link path=usr/share/man/man3c/mq_reltimedreceive_np.3c target=mq_receive.3c
919 link path=usr/share/man/man3c/mq_reltimedsend_np.3c target=mq_send.3c

```

```

920 link path=usr/share/man/man3c/mq_timedreceive.3c target=mq_receive.3c
921 link path=usr/share/man/man3c/mq_timedsend.3c target=mq_send.3c
922 link path=usr/share/man/man3c/mrand48.3c target=drand48.3c
923 link path=usr/share/man/man3c/munlock.3c target=mlock.3c
924 link path=usr/share/man/man3c/munlockall.3c target=mlockall.3c
925 link path=usr/share/man/man3c/mutex_consistent.3c target=mutex_init.3c
926 link path=usr/share/man/man3c/mutex_destroy.3c target=mutex_init.3c
927 link path=usr/share/man/man3c/mutex_lock.3c target=mutex_init.3c
928 link path=usr/share/man/man3c/mutex_trylock.3c target=mutex_init.3c
929 link path=usr/share/man/man3c/mutex_unlock.3c target=mutex_init.3c
930 link path=usr/share/man/man3c/nftw.3c target=fwt.3c
931 link path=usr/share/man/man3c/nggettext.3c target=gettext.3c
932 link path=usr/share/man/man3c/nl_langinfo.1.3c target=nl_langinfo.3c
933 link path=usr/share/man/man3c/nrand48.3c target=drand48.3c
934 link path=usr/share/man/man3c/openlog.3c target=syslog.3c
935 link path=usr/share/man/man3c/pclose.3c target=popen.3c
936 link path=usr/share/man/man3c/port_dissociate.3c target=port_associate.3c
937 link path=usr/share/man/man3c/port_getn.3c target=port_get.3c
938 link path=usr/share/man/man3c/port_sendn.3c target=port_send.3c
939 link path=usr/share/man/man3c posix_spawn_file_actions_addopen.3c \
940     target=posix_spawn_file_actions_addclose.3c
941 link path=usr/share/man/man3c posix_spawn_file_actions_init.3c \
942     target=posix_spawn_file_actions_destroy.3c
943 link path=usr/share/man/man3c posix_spawnattr_init.3c \
944     target=posix_spawnattr_destroy.3c
945 link path=usr/share/man/man3c posix_spawnattr_setflags.3c \
946     target=posix_spawnattr_getflags.3c
947 link path=usr/share/man/man3c posix_spawnattr_setpgroup.3c \
948     target=posix_spawnattr_getpgroup.3c
949 link path=usr/share/man/man3c posix_spawnattr_setschedparam.3c \
950     target=posix_spawnattr_getschedparam.3c
951 link path=usr/share/man/man3c posix_spawnattr_setschedpolicy.3c \
952     target=posix_spawnattr_getschedpolicy.3c
953 link path=usr/share/man/man3c posix_spawnattr_setsigdefault.3c \
954     target=posix_spawnattr_getsigdefault.3c
955 link path=usr/share/man/man3c posix_spawnattr_setsigignore_np.3c \
956     target=posix_spawnattr_getsigignore_np.3c
957 link path=usr/share/man/man3c posix_spawnattr_setsigmask.3c \
958     target=posix_spawnattr_getsigmask.3c
959 link path=usr/share/man/man3c posix_spawnp.3c target=posix_spawn.3c
960 link path=usr/share/man/man3c/printstack.3c target=walkcontext.3c
961 link path=usr/share/man/man3c/priv_allocset.3c target=priv_addset.3c
962 link path=usr/share/man/man3c/priv_basicset.3c target=priv_addset.3c
963 link path=usr/share/man/man3c/priv_copyset.3c target=priv_addset.3c
964 link path=usr/share/man/man3c/priv_delset.3c target=priv_addset.3c
965 link path=usr/share/man/man3c/priv_emptyset.3c target=priv_addset.3c
966 link path=usr/share/man/man3c/priv_fillset.3c target=priv_addset.3c
967 link path=usr/share/man/man3c/priv_freeset.3c target=priv_addset.3c
968 link path=usr/share/man/man3c/priv_getbyname.3c target=priv_str_to_set.3c
969 link path=usr/share/man/man3c/priv_getbynum.3c target=priv_str_to_set.3c
970 link path=usr/share/man/man3c/priv_getsetbyname.3c target=priv_str_to_set.3c
971 link path=usr/share/man/man3c/priv_getsetbynum.3c target=priv_str_to_set.3c
972 link path=usr/share/man/man3c/priv_gettext.3c target=priv_str_to_set.3c
973 link path=usr/share/man/man3c/priv_ineffect.3c target=priv_set.3c
974 link path=usr/share/man/man3c/priv_intersect.3c target=priv_addset.3c
975 link path=usr/share/man/man3c/priv_inverse.3c target=priv_addset.3c
976 link path=usr/share/man/man3c/priv_isemptyset.3c target=priv_addset.3c
977 link path=usr/share/man/man3c/priv_isequalset.3c target=priv_addset.3c
978 link path=usr/share/man/man3c/priv_isfullset.3c target=priv_addset.3c
979 link path=usr/share/man/man3c/priv_ismember.3c target=priv_addset.3c
980 link path=usr/share/man/man3c/priv_issubset.3c target=priv_addset.3c
981 link path=usr/share/man/man3c/priv_set_to_str.3c target=priv_str_to_set.3c
982 link path=usr/share/man/man3c/priv_union.3c target=priv_addset.3c
983 link path=usr/share/man/man3c/pselect.3c target=select.3c
984 link path=usr/share/man/man3c/psiginfo.3c target=psignal.3c
985 link path=usr/share/man/man3c/pthread_attr_destroy.3c \

```

```

986     target=pthread_attr_init.3c
987 link path=usr/share/man/man3c/pthread_attr_setdetachstate.3c \
988     target=pthread_attr_getdetachstate.3c
989 link path=usr/share/man/man3c/pthread_attr_setguardsize.3c \
990     target=pthread_attr_getguardsize.3c
991 link path=usr/share/man/man3c/pthread_attr_setinheritsched.3c \
992     target=pthread_attr_getinheritsched.3c
993 link path=usr/share/man/man3c/pthread_attr_setschedparam.3c \
994     target=pthread_attr_getschedparam.3c
995 link path=usr/share/man/man3c/pthread_attr_setschedpolicy.3c \
996     target=pthread_attr_getschedpolicy.3c
997 link path=usr/share/man/man3c/pthread_attr_setscope.3c \
998     target=pthread_attr_getscope.3c
999 link path=usr/share/man/man3c/pthread_attr_setstack.3c \
1000    target=pthread_attr_getstack.3c
1001 link path=usr/share/man/man3c/pthread_attr_setstackaddr.3c \
1002    target=pthread_attr_getstackaddr.3c
1003 link path=usr/share/man/man3c/pthread_attr_setstacksize.3c \
1004    target=pthread_attr_getstacksize.3c
1005 link path=usr/share/man/man3c/pthread_barrier_init.3c \
1006    target=pthread_barrier_destroy.3c
1007 link path=usr/share/man/man3c/pthread_barrierattr_init.3c \
1008    target=pthread_barrierattr_destroy.3c
1009 link path=usr/share/man/man3c/pthread_barrierattr_setpshared.3c \
1010    target=pthread_barrierattr_getpshared.3c
1011 link path=usr/share/man/man3c/pthread_cond_broadcast.3c \
1012    target=pthread_cond_signal.3c
1013 link path=usr/share/man/man3c/pthread_cond_destroy.3c \
1014    target=pthread_cond_init.3c
1015 link path=usr/share/man/man3c/pthread_cond_reltimedwait_np.3c \
1016    target=pthread_cond_wait.3c
1017 link path=usr/share/man/man3c/pthread_cond_timedwait.3c \
1018    target=pthread_cond_wait.3c
1019 link path=usr/share/man/man3c/pthread_condattr_destroy.3c \
1020    target=pthread_condattr_init.3c
1021 link path=usr/share/man/man3c/pthread_condattr_setclock.3c \
1022    target=pthread_condattr_getclock.3c
1023 link path=usr/share/man/man3c/pthread_condattr_setpshared.3c \
1024    target=pthread_condattr_getpshared.3c
1025 link path=usr/share/man/man3c/pthread_key_create_once_np.3c \
1026    target=pthread_key_create.3c
1027 link path=usr/share/man/man3c/pthread_mutex_destroy.3c \
1028    target=pthread_mutex_init.3c
1029 link path=usr/share/man/man3c/pthread_mutex_reltimedlock_np.3c \
1030    target=pthread_mutex_timedlock.3c
1031 link path=usr/share/man/man3c/pthread_mutex_setprioceiling.3c \
1032    target=pthread_mutex_getprioceiling.3c
1033 link path=usr/share/man/man3c/pthread_mutex_trylock.3c \
1034    target=pthread_mutex_lock.3c
1035 link path=usr/share/man/man3c/pthread_mutex_unlock.3c \
1036    target=pthread_mutex_lock.3c
1037 link path=usr/share/man/man3c/pthread_mutexattr_destroy.3c \
1038    target=pthread_mutexattr_init.3c
1039 link path=usr/share/man/man3c/pthread_mutexattr_setprioceiling.3c \
1040    target=pthread_mutexattr_getprioceiling.3c
1041 link path=usr/share/man/man3c/pthread_mutexattr_setprotocol.3c \
1042    target=pthread_mutexattr_getprotocol.3c
1043 link path=usr/share/man/man3c/pthread_mutexattr_setpshared.3c \
1044    target=pthread_mutexattr_getpshared.3c
1045 link path=usr/share/man/man3c/pthread_mutexattr_settype.3c \
1046    target=pthread_mutexattr_gettype.3c
1047 link path=usr/share/man/man3c/pthread_rwlock_destroy.3c \
1048    target=pthread_rwlock_init.3c
1049 link path=usr/share/man/man3c/pthread_rwlock_reltimedrdlock_np.3c \
1050    target=pthread_rwlock_timedrdlock.3c
1051 link path=usr/share/man/man3c/pthread_rwlock_reltimedwrlock_np.3c \

```

```

1052     target=pthread_rwlock_timedwrlock.3c
1053 link path=usr/share/man/man3c/pthread_rwlock_tryrdlock.3c \
1054     target=pthread_rwlock_rdlock.3c
1055 link path=usr/share/man/man3c/pthread_rwlock_trywrlock.3c \
1056     target=pthread_rwlock_wrlock.3c
1057 link path=usr/share/man/man3c/pthread_rwlockattr_destroy.3c \
1058     target=pthread_rwlockattr_init.3c
1059 link path=usr/share/man/man3c/pthread_rwlockattr_setpshared.3c \
1060     target=pthread_rwlockattr_getpshared.3c
1061 link path=usr/share/man/man3c/pthread_setconcurrency.3c \
1062     target=pthread_getconcurrency.3c
1063 link path=usr/share/man/man3c/pthread_setschedparam.3c \
1064     target=pthread_getschedparam.3c
1065 link path=usr/share/man/man3c/pthread_setspecific.3c \
1066     target=pthread_getspecific.3c
1067 link path=usr/share/man/man3c/pthread_spin_init.3c \
1068     target=pthread_spin_destroy.3c
1069 link path=usr/share/man/man3c/pthread_spin_trylock.3c \
1070     target=pthread_spin_lock.3c
1071 link path=usr/share/man/man3c/putc.3c target=fputc.3c
1072 link path=usr/share/man/man3c/putc_unlocked.3c target=fputc.3c
1073 link path=usr/share/man/man3c/putchar.3c target=fputc.3c
1074 link path=usr/share/man/man3c/putchar_unlocked.3c target=fputc.3c
1075 link path=usr/share/man/man3c/putmntent.3c target=getmntent.3c
1076 link path=usr/share/man/man3c/pututline.3c target=getutent.3c
1077 link path=usr/share/man/man3c/pututxline.3c target=getutxent.3c
1078 link path=usr/share/man/man3c/putw.3c target=fputc.3c
1079 link path=usr/share/man/man3c/putwc.3c target=fputwc.3c
1080 link path=usr/share/man/man3c/putwchar.3c target=fputwc.3c
1081 link path=usr/share/man/man3c/qconvert.3c target=econvert.3c
1082 link path=usr/share/man/man3c/qfconvert.3c target=econvert.3c
1083 link path=usr/share/man/man3c/ggconvert.3c target=econvert.3c
1084 link path=usr/share/man/man3c/quadruple_to_decimal.3c \
1085     target=floating_to_decimal.3c
1086 link path=usr/share/man/man3c/rand_r.3c target=rand.3c
1087 link path=usr/share/man/man3c/rctlblk_get_enforced_value.3c \
1088     target=rctlblk_set_value.3c
1089 link path=usr/share/man/man3c/rctlblk_get_firing_time.3c \
1090     target=rctlblk_set_value.3c
1091 link path=usr/share/man/man3c/rctlblk_get_global_action.3c \
1092     target=rctlblk_set_value.3c
1093 link path=usr/share/man/man3c/rctlblk_get_global_flags.3c \
1094     target=rctlblk_set_value.3c
1095 link path=usr/share/man/man3c/rctlblk_get_local_action.3c \
1096     target=rctlblk_set_value.3c
1097 link path=usr/share/man/man3c/rctlblk_get_local_flags.3c \
1098     target=rctlblk_set_value.3c
1099 link path=usr/share/man/man3c/rctlblk_get_privilege.3c \
1100     target=rctlblk_set_value.3c
1101 link path=usr/share/man/man3c/rctlblk_get_recipient_pid.3c \
1102     target=rctlblk_set_value.3c
1103 link path=usr/share/man/man3c/rctlblk_get_value.3c target=rctlblk_set_value.3c
1104 link path=usr/share/man/man3c/rctlblk_set_local_action.3c \
1105     target=rctlblk_set_value.3c
1106 link path=usr/share/man/man3c/rctlblk_set_local_flags.3c \
1107     target=rctlblk_set_value.3c
1108 link path=usr/share/man/man3c/rctlblk_set_privilege.3c \
1109     target=rctlblk_set_value.3c
1110 link path=usr/share/man/man3c/rctlblk_set_recipient_pid.3c \
1111     target=rctlblk_set_value.3c
1112 link path=usr/share/man/man3c/rctlblk_size.3c target=rctlblk_set_value.3c
1113 link path=usr/share/man/man3c/re_exec.3c target=re_comp.3c
1114 link path=usr/share/man/man3c/readdir_r.3c target=readdir.3c
1115 link path=usr/share/man/man3c/realloc.3c target=malloc.3c
1116 link path=usr/share/man/man3c/rerror.3c target=regcomp.3c
1117 link path=usr/share/man/man3c/regex.3c target=regcmp.3c

```

```

1118 link path=usr/share/man/man3c/regexec.3c target=regcomp.3c
1119 link path=usr/share/man/man3c/regfree.3c target=regcomp.3c
1120 link path=usr/share/man/man3c/remque.3c target=insque.3c
1121 link path=usr/share/man/man3c/resetmnttab.3c target=getmntent.3c
1122 link path=usr/share/man/man3c/rindex.3c target=index.3c
1123 link path=usr/share/man/man3c/rw_rdlock.3c target=rwlock.3c
1124 link path=usr/share/man/man3c/rw_tryrdlock.3c target=rwlock.3c
1125 link path=usr/share/man/man3c/rw_trywrlock.3c target=rwlock.3c
1126 link path=usr/share/man/man3c/rw_unlock.3c target=rwlock.3c
1127 link path=usr/share/man/man3c/rw_rlock.3c target=rwlock.3c
1128 link path=usr/share/man/man3c/rwlock_destroy.3c target=rwlock.3c
1129 link path=usr/share/man/man3c/rwlock_init.3c target=rwlock.3c
1130 link path=usr/share/man/man3c/sched_get_priority_min.3c \
1131     target=sched_get_priority_max.3c
1132 link path=usr/share/man/man3c/schedctl_exit.3c target=schedctl_init.3c
1133 link path=usr/share/man/man3c/schedctl_lookup.3c target=schedctl_init.3c
1134 link path=usr/share/man/man3c/schedctl_start.3c target=schedctl_init.3c
1135 link path=usr/share/man/man3c/schedctl_stop.3c target=schedctl_init.3c
1136 link path=usr/share/man/man3c/seconvert.3c target=econvert.3c
1137 link path=usr/share/man/man3c/seed48.3c target=drand48.3c
1138 link path=usr/share/man/man3c/sem_reltimedwait_np.3c target=sem_timedwait.3c
1139 link path=usr/share/man/man3c/sem_trywait.3c target=sem_wait.3c
1140 link path=usr/share/man/man3c/sema_destroy.3c target=semaphore.3c
1141 link path=usr/share/man/man3c/sema_init.3c target=semaphore.3c
1142 link path=usr/share/man/man3c/sema_post.3c target=semaphore.3c
1143 link path=usr/share/man/man3c/sema_trywait.3c target=semaphore.3c
1144 link path=usr/share/man/man3c/sema_wait.3c target=semaphore.3c
1145 link path=usr/share/man/man3c/setattr.3c target=fgetattir.3c
1146 link path=usr/share/man/man3c/setgrnt.3c target=getgrnam.3c
1147 link path=usr/share/man/man3c/sethostname.3c target=gethostname.3c
1148 link path=usr/share/man/man3c/setlinebuf.3c target=setbuf.3c
1149 link path=usr/share/man/man3c/setlogmask.3c target=syslog.3c
1150 link path=usr/share/man/man3c/setnetgrent.3c target=getnetgrent.3c
1151 link path=usr/share/man/man3c/setpriority.3c target=getpriority.3c
1152 link path=usr/share/man/man3c/setpwent.3c target=getpwnam.3c
1153 link path=usr/share/man/man3c/setspent.3c target=getsppnam.3c
1154 link path=usr/share/man/man3c/setstate.3c target=random.3c
1155 link path=usr/share/man/man3c/settimeofday.3c target=gettimeofday.3c
1156 link path=usr/share/man/man3c/setusershell.3c target=getusershell.3c
1157 link path=usr/share/man/man3c/setutent.3c target=getutent.3c
1158 link path=usr/share/man/man3c/setutxent.3c target=getutxent.3c
1159 link path=usr/share/man/man3c/setvbuf.3c target=setbuf.3c
1160 link path=usr/share/man/man3c/sfconvert.3c target=econvert.3c
1161 link path=usr/share/man/man3c/sgconvert.3c target=econvert.3c
1162 link path=usr/share/man/man3c/sig2str.3c target=str2sig.3c
1163 link path=usr/share/man/man3c/sigaddset.3c target=sigsetops.3c
1164 link path=usr/share/man/man3c/sigdelset.3c target=sigsetops.3c
1165 link path=usr/share/man/man3c/sigemptyset.3c target=sigsetops.3c
1166 link path=usr/share/man/man3c/sigfillset.3c target=sigsetops.3c
1167 link path=usr/share/man/man3c/sighold.3c target=signal.3c
1168 link path=usr/share/man/man3c/sigignore.3c target=signal.3c
1169 link path=usr/share/man/man3c/sigismember.3c target=sigsetops.3c
1170 link path=usr/share/man/man3c/siglongjmp.3c target=setjmp.3c
1171 link path=usr/share/man/man3c/sigpause.3c target=signal.3c
1172 link path=usr/share/man/man3c/sigrelse.3c target=signal.3c
1173 link path=usr/share/man/man3c/sigset.3c target=signal.3c
1174 link path=usr/share/man/man3c/sigsetjmp.3c target=setjmp.3c
1175 link path=usr/share/man/man3c/sigtimedwait.3c target=sigwaitinfo.3c
1176 link path=usr/share/man/man3c/single_to_decimal.3c \
1177     target=floating_to_decimal.3c
1178 link path=usr/share/man/man3c/snprintf.3c target=printf.3c
1179 link path=usr/share/man/man3c/sprintf.3c target=printf.3c
1180 link path=usr/share/man/man3c/srand.3c target=drand48.3c
1181 link path=usr/share/man/man3c/srand48.3c target=drand48.3c
1182 link path=usr/share/man/man3c/srandom.3c target=random.3c
1183 link path=usr/share/man/man3c/sscanf.3c target=scanf.3c

```

```

1184 link path=usr/share/man/man3c/stderr.3c target=stdio.3c
1185 link path=usr/share/man/man3c/stdin.3c target=stdio.3c
1186 link path=usr/share/man/man3c/stdout.3c target=stdio.3c
1187 link path=usr/share/man/man3c/strcasecmp.3c target=string.3c
1188 link path=usr/share/man/man3c/strcasecmp_l.3c target=string.3c
1189 link path=usr/share/man/man3c/strcat.3c target=string.3c
1190 link path=usr/share/man/man3c/strchr.3c target=string.3c
1191 link path=usr/share/man/man3c/strcmp.3c target=string.3c
1192 link path=usr/share/man/man3c/strcoll_l.3c target=strcmp.3c
1193 link path=usr/share/man/man3c/strcpy.3c target=string.3c
1194 link path=usr/share/man/man3c/strcspn.3c target=string.3c
1195 link path=usr/share/man/man3c/strupr.3c target=string.3c
1196 link path=usr/share/man/man3c/strfmon_l.3c target=strftime.3c
1197 link path=usr/share/man/man3c/strftime_l.3c target=strftime.3c
1198 link path=usr/share/man/man3c/strerror_r.3c target=string.3c
1199 link path=usr/share/man/man3c/strlcat.3c target=string.3c
1200 link path=usr/share/man/man3c/strlcpy.3c target=string.3c
1201 link path=usr/share/man/man3c/strlen.3c target=string.3c
1202 link path=usr/share/man/man3c/strncasecmp.3c target=string.3c
1203 link path=usr/share/man/man3c/strncat.3c target=string.3c
1204 link path=usr/share/man/man3c/strncmp.3c target=string.3c
1205 link path=usr/share/man/man3c/strncpy.3c target=string.3c
1206 link path=usr/share/man/man3c/strsep.3c target=string.3c
1207 link path=usr/share/man/man3c/strlenc.3c target=string.3c
1208 link path=usr/share/man/man3c/strpbrk.3c target=string.3c
1209 link path=usr/share/man/man3c/strptime_l.3c target=strptime.3c
1210 link path=usr/share/man/man3c/strrchr.3c target=string.3c
1211 link path=usr/share/man/man3c/strsep.3c target=string.3c
1212 link path=usr/share/man/man3c/strspn.3c target=string.3c
1213 link path=usr/share/man/man3c/strstr.3c target=string.3c
1214 link path=usr/share/man/man3c/strtod.3c target=string.3c
1215 link path=usr/share/man/man3c/strtok.3c target=string.3c
1216 link path=usr/share/man/man3c/strtok_r.3c target=string.3c
1217 link path=usr/share/man/man3c/strtold.3c target=string.3c
1218 link path=usr/share/man/man3c/strtoll.3c target=string.3c
1219 link path=usr/share/man/man3c/strtoul.3c target=string.3c
1220 link path=usr/share/man/man3c/strtoumax.3c target=string.3c
1221 link path=usr/share/man/man3c/strxfrm_l.3c target=string.3c
1222 link path=usr/share/man/man3c/swapcontext.3c target=makecontext.3c
1223 link path=usr/share/man/man3c/swprintf.3c target=string.3c
1224 link path=usr/share/man/man3c/swscanf.3c target=string.3c
1225 link path=usr/share/man/man3c/tdelete.3c target=tsearch.3c
1226 link path=usr/share/man/man3c/tmpnam.3c target=string.3c
1227 link path=usr/share/man/man3c/textdomain.3c target=string.3c
1228 link path=usr/share/man/man3c/ftfind.3c target=tsearch.3c
1229 link path=usr/share/man/man3c/thr_continue.3c target=thr_suspend.3c
1230 link path=usr/share/man/man3c/thr_getspecific.3c target=thr_keycreate.3c
1231 link path=usr/share/man/man3c/thr_keycreate_once.3c target=thr_keycreate.3c
1232 link path=usr/share/man/man3c/thr_setconcurrency.3c \
1233     target=thr_getconcurrency.3c
1234 link path=usr/share/man/man3c/thr_setprio.3c target=thr_getprio.3c
1235 link path=usr/share/man/man3c/thr_setspecific.3c target=thr_keycreate.3c
1236 link path=usr/share/man/man3c/timer_getoverrun.3c target=timer_settime.3c
1237 link path=usr/share/man/man3c/timer_gettime.3c target=timer_settime.3c
1238 link path=usr/share/man/man3c/timerclear.3c target=timeradd.3c
1239 link path=usr/share/man/man3c/timercmp.3c target=timeradd.3c
1240 link path=usr/share/man/man3c/timerset.3c target=timeradd.3c
1241 link path=usr/share/man/man3c/timersub.3c target=timeradd.3c
1242 link path=usr/share/man/man3c/tmpnam_r.3c target=string.3c
1243 link path=usr/share/man/man3c/tolower_l.3c target=tolower.3c
1244 link path=usr/share/man/man3c/toupper_l.3c target=toupper.3c
1245 link path=usr/share/man/man3c/towctrans.3c target=wctrans.3c
1246 link path=usr/share/man/man3c/towctrans_l.3c target=wctrans.3c
1247 link path=usr/share/man/man3c/towlower_l.3c target=towlower.3c
1248 link path=usr/share/man/man3c/towupper_l.3c target=toupper.3c
1249 link path=usr/share/man/man3c/ttynname_r.3c target=ttynname.3c

```

```

1250 link path=usr/share/man/man3c/twalk.3c target=tsearch.3c
1251 link path=usr/share/man/man3c/tzset.3c target=ctime.3c
1252 link path=usr/share/man/man3c/uconv_u16tou8.3c target=uconv_u16tou32.3c
1253 link path=usr/share/man/man3c/uconv_u32tou16.3c target=uconv_u16tou32.3c
1254 link path=usr/share/man/man3c/uconv_u32tou8.3c target=uconv_u16tou32.3c
1255 link path=usr/share/man/man3c/uconv_u8tou16.3c target=uconv_u16tou32.3c
1256 link path=usr/share/man/man3c/uconv_u8tou32.3c target=uconv_u16tou32.3c
1257 link path=usr/share/man/man3c/ucred_free.3c target=ucred_get.3c
1258 link path=usr/share/man/man3c/ucred_getegid.3c target=ucred_get.3c
1259 link path=usr/share/man/man3c/ucred_geteuid.3c target=ucred_get.3c
1260 link path=usr/share/man/man3c/ucred_getgroups.3c target=ucred_get.3c
1261 link path=usr/share/man/man3c/ucred_getlabel.3c target=ucred_get.3c
1262 link path=usr/share/man/man3c/ucred_getpflags.3c target=ucred_get.3c
1263 link path=usr/share/man/man3c/ucred_getpid.3c target=ucred_get.3c
1264 link path=usr/share/man/man3c/ucred_getprivset.3c target=ucred_get.3c
1265 link path=usr/share/man/man3c/ucred_getprojid.3c target=ucred_get.3c
1266 link path=usr/share/man/man3c/ucred_getrgid.3c target=ucred_get.3c
1267 link path=usr/share/man/man3c/ucred_getruid.3c target=ucred_get.3c
1268 link path=usr/share/man/man3c/ucred_getsgid.3c target=ucred_get.3c
1269 link path=usr/share/man/man3c/ucred_getsuid.3c target=ucred_get.3c
1270 link path=usr/share/man/man3c/ucred_getzoneid.3c target=ucred_get.3c
1271 link path=usr/share/man/man3c/ucred_size.3c target=ucred_get.3c
1272 link path=usr/share/man/man3c/ulckpwdf.3c target=ulckpwdf.3c
1273 link path=usr/share/man/man3c/ulltostr.3c target=ultrt01.3c
1274 link path=usr/share/man/man3c/unordered.3c target=isnhand.3c
1275 link path=usr/share/man/man3c/updwtmp.3c target=getutxent.3c
1276 link path=usr/share/man/man3c/updwtmpx.3c target=getutxent.3c
1277 link path=usr/share/man/man3c/utmpname.3c target=getutent.3c
1278 link path=usr/share/man/man3c/utmpxname.3c target=getutxent.3c
1279 link path=usr/share/man/man3c/valloc.3c target=malloc.3c
1280 link path=usr/share/man/man3c/vasprintf.3c target=vprintf.3c
1281 link path=usr/share/man/man3c/verr.3c target=err.3c
1282 link path=usr/share/man/man3c/verrr.3c target=err.3c
1283 link path=usr/share/man/man3c/vfprintf.3c target=vprintf.3c
1284 link path=usr/share/man/man3c/vfscanf.3c target=scanf.3c
1285 link path=usr/share/man/man3c/vfwscanf.3c target=fwscanf.3c
1286 link path=usr/share/man/man3c/vscanf.3c target=scanf.3c
1287 link path=usr/share/man/man3c/vsnprintf.3c target=vprintf.3c
1288 link path=usr/share/man/man3c/vsprintf.3c target=vprintf.3c
1289 link path=usr/share/man/man3c/vsscanf.3c target=scanf.3c
1290 link path=usr/share/man/man3c/vswprintf.3c target=vfwprintf.3c
1291 link path=usr/share/man/man3c/vswscanf.3c target=fwscanf.3c
1292 link path=usr/share/man/man3c/vwarn.3c target=err.3c
1293 link path=usr/share/man/man3c/vwarnx.3c target=err.3c
1294 link path=usr/share/man/man3c/vwprintf.3c target=vfwprintf.3c
1295 link path=usr/share/man/man3c/vwscanf.3c target=fwscanf.3c
1296 link path=usr/share/man/man3c/wait4.3c target=wait3.3c
1297 link path=usr/share/man/man3c/warn.3c target=err.3c
1298 link path=usr/share/man/man3c/warnx.3c target=err.3c
1299 link path=usr/share/man/man3c/watof.3c target=wcstod.3c
1300 link path=usr/share/man/man3c/watoi.3c target=wcstol.3c
1301 link path=usr/share/man/man3c/watol.3c target=wcstol.3c
1302 link path=usr/share/man/man3c/watoll.3c target=wcstol.3c
1303 link path=usr/share/man/man3c/wcrtomb_l.3c target=wcrtomb.3c
1304 link path=usr/share/man/man3c/wcscat.3c target=wcstring.3c
1305 link path=usr/share/man/man3c/wcscrchr.3c target=wcstring.3c
1306 link path=usr/share/man/man3c/wcscmp.3c target=wcstring.3c
1307 link path=usr/share/man/man3c/wcscoll_l.3c target=wcscoll.3c
1308 link path=usr/share/man/man3c/wcscpy.3c target=wcstring.3c
1309 link path=usr/share/man/man3c/wcscspn.3c target=wcstring.3c
1310 link path=usr/share/man/man3c/wcsetno.3c target=cset.3c
1311 link path=usr/share/man/man3c/wcslen.3c target=wcstring.3c
1312 link path=usr/share/man/man3c/wcsncat.3c target=wcstring.3c
1313 link path=usr/share/man/man3c/wcsncmp.3c target=wcstring.3c
1314 link path=usr/share/man/man3c/wcsncpy.3c target=wcstring.3c
1315 link path=usr/share/man/man3c/wcspbrk.3c target=wcstring.3c

```

```
1316 link path=usr/share/man/man3c/wcsrchr.3c target=wcstring.3c
1317 link path=usr/share/man/man3c/wcsspn.3c target=wcstring.3c
1318 link path=usr/share/man/man3c/wcstof.3c target=wcstoi.3c
1319 link path=usr/share/man/man3c/wcstok.3c target=wcstring.3c
1320 link path=usr/share/man/man3c/wcstold.3c target=wcstoi.3c
1321 link path=usr/share/man/man3c/wcstoll.3c target=wcstoi.3c
1322 link path=usr/share/man/man3c/wcstoull.3c target=wcstoul.3c
1323 link path=usr/share/man/man3c/wcstoumax.3c target=wcstoiemax.3c
1324 link path=usr/share/man/man3c/wcswcs.3c target=wcstring.3c
1325 link path=usr/share/man/man3c/wcswidth_1.3c target=wcwidth.3c
1326 link path=usr/share/man/man3c/wctob_1.3c target=wctomb.3c
1327 link path=usr/share/man/man3c/wctomb_1.3c target=wctomb.3c
1328 link path=usr/share/man/man3c/wctrans_1.3c target=wctrans.3c
1329 link path=usr/share/man/man3c/wctype_1.3c target=wcctype.3c
1330 link path=usr/share/man/man3c/wcwidth_1.3c target=wcwidth.3c
1331 link path=usr/share/man/man3c/windex.3c target=wcstring.3c
1332 link path=usr/share/man/man3c/wordfree.3c target=wordexp.3c
1333 link path=usr/share/man/man3c/wprintf.3c target=fprintf.3c
1334 link path=usr/share/man/man3c/wrindex.3c target=wcstring.3c
1335 link path=usr/share/man/man3c/wscanf.3c target=fscanf.3c
1336 link path=usr/share/man/man3c/wscasecmp.3c target=wstring.3c
1337 link path=usr/share/man/man3c/wscat.3c target=wcstring.3c
1338 link path=usr/share/man/man3c/wschr.3c target=wcstring.3c
1339 link path=usr/share/man/man3c/wscmp.3c target=wcstring.3c
1340 link path=usr/share/man/man3c/wscol.3c target=wstring.3c
1341 link path=usr/share/man/man3c/wscol1.3c target=wcscoll.3c
1342 link path=usr/share/man/man3c/wscopy.3c target=wcstring.3c
1343 link path=usr/share/man/man3c/wscspn.3c target=wcstring.3c
1344 link path=usr/share/man/man3c/wsdup.3c target=wstring.3c
1345 link path=usr/share/man/man3c/wslen.3c target=wcstring.3c
1346 link path=usr/share/man/man3c/wsncasecmp.3c target=wstring.3c
1347 link path=usr/share/man/man3c/wsncat.3c target=wcstring.3c
1348 link path=usr/share/man/man3c/wsncmp.3c target=wcstring.3c
1349 link path=usr/share/man/man3c/wsncpy.3c target=wcstring.3c
1350 link path=usr/share/man/man3c/wspbrk.3c target=wcstring.3c
1351 link path=usr/share/man/man3c/wsrchr.3c target=wcstring.3c
1352 link path=usr/share/man/man3c/wsspn.3c target=wcstring.3c
1353 link path=usr/share/man/man3c/wstod.3c target=wcstoi.3c
1354 link path=usr/share/man/man3c/wstok.3c target=wcstring.3c
1355 link path=usr/share/man/man3c/wstol.3c target=wcstoi.3c
1356 link path=usr/share/man/man3c/wstosetr.3c target=strtows.3c
1357 link path=usr/share/man/man3c/wsxffrm.3c target=wcsxfrm.3c
```