

new/usr/src/lib/libidmap/Makefile.com

1

```
*****
1911 Wed Jul 1 08:32:18 2015
new/usr/src/lib/libidmap/Makefile.com
687 rpcgen should not generate absolute #includes
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2015 Gary Mills
23 # Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.
24 #
25 #

27 LIBRARY =      libidmap.a
28 VERS =        .1
29 LINT_OBJECTS = \
30     directory_client.o      \
31     directory_error.o       \
32     directory_helper.o      \
33     directory_rpc_clnt.o    \
34     sidutil.o               \
35     sized_array.o           \
36     idmap_api.o             \
37     idmap_cache.o          \
38     utils.o

40 OBJECTS = $(LINT_OBJECTS) \
41     idmap_xdr.o

43 include .././Makefile.lib
44 C99MODE = $(C99_ENABLE)

46 LIBS =        $(DYNLIB) $(LINTLIB)
47 LDLIBS +=     -lc -lavl -lnsl -lnvpair -luutil

49 SRCDIR =      ../common
50 $(LINTLIB) := SRCS = $(SRCDIR)/$(LINTSRC)

52 # Relative path to ensure path to idmap_prot.h is also relative
53 IDMAP_PROT_X = .././././uts/common/rpcsvc/idmap_prot.x
54 IDMAP_PROT_X = $(SRC)/uts/common/rpcsvc/idmap_prot.x

55 CFLAGS +=     $(CCVERBOSE)
56 CPPFLAGS +=   -D_REENTRANT -I$(SRCDIR)

58 CERRWARN +=   -_gcc=-Wno-unused-variable
59 CERRWARN +=   -_gcc=-Wno-switch
```

new/usr/src/lib/libidmap/Makefile.com

2

```
61 CLOBBERFILES += idmap_xdr.c
63 lint := OBJECTS = $(LINT_OBJECTS)

65 .KEEP_STATE:

67 all: $(LIBS)

69 idmap_xdr.c:    $(IDMAP_PROT_X)
70                $(RM) $@; $(RPCGEN) -CMnc -o $@ $(IDMAP_PROT_X)

72 lint: lintcheck

74 LINTFLAGS +=   -erroff=E_CONSTANT_CONDITION
75 LINTFLAGS64 += -erroff=E_CONSTANT_CONDITION

77 include .././Makefile.targ
```

new/usr/src/lib/librpcsvc/Makefile

1

```
*****
2964 Wed Jul 1 08:32:18 2015
new/usr/src/lib/librpcsvc/Makefile
687 rpcgen should not generate absolute #includes
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2015 Gary Mills
23 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
25 # ident "%Z%M% %I% %E% SMI"
26 #

27 include ../../Makefile.master

29 # Relative path to ensure path to header file is also relative
30 HEAD_DIR= ../../head/rpcsvc
31 UTS_DIR= ../../uts/common/rpcsvc
32 RPC_DIR= ../../uts/common/rpc
33 PROTOCOL_DIR= $(ROOT)/usr/include/rpcsvc

34 SUBDIRS= $(MACH)
35 $(BUILD64)SUBDIRS += $(MACH64)

37 DERIVED_FILES= \
38     common/bootparam_prot_xdr.c \
39     common/rstat_xdr.c \
40     common/rusers_xdr.c \
41     common/spray_xdr.c \
42     common/nlm_prot.c \
43     common/sm_inter_xdr.c \
44     common/mount_xdr.c \
45     common/nsm_addr_xdr.c \
46     common/rpc_sztypes.c

48 CLEANFILES += $(DERIVED_FILES)

50 # include library definitions
51 include ../Makefile.lib

53 # definitions for install_h target
54 HDRS= $(TXTS)
55 ROOTHDRDIR= $(ROOT)/usr/include/rpcsvc
56 ROOTHDRS= $(HDRS:%=$(ROOTHDRDIR)/%)
57 CHECKHDRS= $(HDRS:%.h=%.check)
```

new/usr/src/lib/librpcsvc/Makefile

2

```
59 # install rule for install_h target
60 $(ROOTHDRDIR)/%: %
61     $(INS.file)

63 all := TARGET= all
64 clean := TARGET= clean
65 clobber := TARGET= clobber
66 install := TARGET= install
67 lint := TARGET= lint

69 .KEEP_STATE:

71 all: $(DERIVED_FILES) $(TXTS) .WAIT $(SUBDIRS)

73 install: all .WAIT $(SUBDIRS)

75 install_h: $(DERIVED_FILES) $(ROOTHDRS)

77 check: $(CHECKHDRS)

79 clean clobber lint: $(SUBDIRS)

81 #
82 # Rules for building the derived files
83 #
84 # Derived files
85 #
86 common/bootparam_prot_xdr.c: $(HEAD_DIR)/bootparam_prot.x
87     $(RPCGEN) -c $(HEAD_DIR)/bootparam_prot.x > $@
84 common/bootparam_prot_xdr.c: $(PROTOCOL_DIR)/bootparam_prot.x
85     $(RPCGEN) -c $(PROTOCOL_DIR)/bootparam_prot.x > $@

89 common/rstat_xdr.c: $(HEAD_DIR)/rstat.x
90     $(RPCGEN) -c $(HEAD_DIR)/rstat.x > $@
87 common/rstat_xdr.c: $(PROTOCOL_DIR)/rstat.x
88     $(RPCGEN) -c $(PROTOCOL_DIR)/rstat.x > $@

92 common/rusers_xdr.c: $(HEAD_DIR)/rusers.x
93     $(RPCGEN) -c $(HEAD_DIR)/rusers.x > $@
90 common/rusers_xdr.c: $(PROTOCOL_DIR)/rusers.x
91     $(RPCGEN) -c $(PROTOCOL_DIR)/rusers.x > $@

95 common/sm_inter_xdr.c: $(UTS_DIR)/sm_inter.x
96     $(RPCGEN) -c $(UTS_DIR)/sm_inter.x > $@
93 common/sm_inter_xdr.c: $(PROTOCOL_DIR)/sm_inter.x
94     $(RPCGEN) -c $(PROTOCOL_DIR)/sm_inter.x > $@

98 common/spray_xdr.c: $(HEAD_DIR)/spray.x
99     $(RPCGEN) -c $(HEAD_DIR)/spray.x > $@
96 common/spray_xdr.c: $(PROTOCOL_DIR)/spray.x
97     $(RPCGEN) -c $(PROTOCOL_DIR)/spray.x > $@

101 common/nlm_prot.c: $(UTS_DIR)/nlm_prot.x
102     $(RPCGEN) -c $(UTS_DIR)/nlm_prot.x > $@
99 common/nlm_prot.c: $(PROTOCOL_DIR)/nlm_prot.x
100     $(RPCGEN) -c $(PROTOCOL_DIR)/nlm_prot.x > $@

104 common/mount_xdr.c: $(HEAD_DIR)/mount.x
105     $(RPCGEN) -c $(HEAD_DIR)/mount.x > $@
102 common/mount_xdr.c: $(PROTOCOL_DIR)/mount.x
103     $(RPCGEN) -c $(PROTOCOL_DIR)/mount.x > $@

107 common/nsm_addr_xdr.c: $(UTS_DIR)/nsm_addr.x
108     $(RPCGEN) -c $(UTS_DIR)/nsm_addr.x > $@
105 common/nsm_addr_xdr.c: $(PROTOCOL_DIR)/nsm_addr.x
106     $(RPCGEN) -c $(PROTOCOL_DIR)/nsm_addr.x > $@
```

```
110 common/rpc_sztypes.c: $(RPC_DIR)/rpc_sztypes.x
111     $(RPCGEN) -c $(RPC_DIR)/rpc_sztypes.x > $@
108 common/rpc_sztypes.c: $(PROTOCOL_DIR)/rpc_sztypes.x
109     $(RPCGEN) -c $(PROTOCOL_DIR)/rpc_sztypes.x > $@

113 # include library targets
114 include ../Makefile.targ

116 $(SUBDIRS): FRC
117     @cd $@; pwd; $(MAKE) $(TARGET)

119 FRC:
```

```

*****
1826 Wed Jul 1 08:32:18 2015
new/usr/src/lib/librpsvc/Makefile.com
687 rpcgen should not generate absolute #includes
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2015 Gary Mills
24 # Copyright 2007 Sun Microsystems, Inc. All rights reserved.
25 # Use is subject to license terms.
26 #
27 #
28 LIBRARY= librpsvc.a
29 VERS = .1
30 #
31 OBJECTS= rstat_simple.o rstat_xdr.o rusers_simple.o rusersxdr.o rusers_xdr.o \
32          rwallxdr.o spray_xdr.o nlm_prot.o sm_inter_xdr.o nsm_addr_xdr.o \
33          bootparam_prot_xdr.o mount_xdr.o mountlist_xdr.o rpc_sotypes.o \
34          bindresvport.o
35 #
36 # include library definitions
37 include ../../Makefile.lib
38 #
39 # install this library in the root filesystem
40 include ../../Makefile.rootfs
41 #
42 SRCDIR =      ../common
43 #
44 pics/%.o: ../common/%.c
45     $(COMPILE.c) -o $@ $<
46     $(POST_PROCESS_O)
47 #
48 LIBS = $(DYNLIB) $(LINTLIB)
49 #
50 CPPFLAGS += -DYP
51 #
52 CERRWARN +=      -_gcc=-Wno-unused-variable
53 CERRWARN +=      -_gcc=-Wno-switch
54 CERRWARN +=      -_gcc=-Wno-uninitialized
55 CERRWARN +=      -_gcc=-Wno-parentheses
56 #
57 $(LINTLIB):= SRCS = $(SRCDIR)/$(LINTSRC)
58 #
59 LDLIBS += -lnsl -lc
60 #
61 # Needed so header files with relative paths will work

```

```

62 CPPFLAGS += -I..
63 #
64 .KEEP_STATE:
65 #
66 lint: lintcheck
67 #
68 # include library targets
69 include ../../Makefile.targ

```