

```

*****
5570 Thu May 10 08:57:45 2018
new/usr/src/man/man4/Makefile
9528 Loader man pages should only be installed for x86
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015, Joyent, Inc.
15 # Copyright 2016 Nexenta Systems, Inc.
16 # Copyright 2018 Gary Mills
17 #
18 #
19 include      $(SRC)/Makefile.master
20 #
21 MANSECT=     4
22 #
23 _MANFILES=   Intro.4           \|
24              NISLDAPmapping.4 \|
25              a.out.4           \|
26              admin.4           \|
27              alias.4           \|
28              aliases.4        \|
29              au.4              \|
30              audit.log.4       \|
31              audit_class.4     \|
32              audit_event.4     \|
33              auth_attr.4       \|
34              autofs.4          \|
35              bart_manifest.4   \|
36              bart_rules.4      \|
37              bootparams.4      \|
38              cardbus.4         \|
39              compver.4         \|
40              contents.4        \|
41              contract.4       \|
42              copyright.4       \|
43              core.4            \|
44              crypt.conf.4      \|
45              crypto_certs.4   \|
46              ctf.4             \|
47              d_passwd.4        \|
48              dacf.conf.4       \|
49              dat.conf.4        \|
50              default_fs.4      \|
51              defaultdomain.4   \|
52              defaultrouter.4   \|
53              depend.4         \|
54              device_allocate.4 \|
55              device_contract.4 \|
56              device_maps.4     \|
57              devices.4         \|
58              dfstab.4          \|
59              dhcp_inittab.4    \|
60              dialups.4         \|
61              dir_ufs.4         \|

```

```

62              driver.conf.4    \|
63              ds.log.4          \|
64              ethers.4          \|
65              exec_attr.4       \|
66              fdi.4             \|
67              format.dat.4      \|
68              fspec.4           \|
69              fstypes.4         \|
70              ftp.4             \|
71              ftpusers.4        \|
72              fx_dptbl.4        \|
73              gateways.4       \|
74              group.4           \|
75              gsscred.conf.4    \|
76              hba.conf.4       \|
77              holidays.4       \|
78              hosts.4           \|
79              hosts.equiv.4     \|
80              hosts_access.4    \|
81              hosts_options.4  \|
82              ib.4              \|
83              ike.config.4      \|
84              ike.preshared.4   \|
85              ipf.4             \|
86              ipmon.4           \|
87              ipnat.4           \|
88              ippool.4          \|
89              inet_type.4       \|
90              inetd.conf.4      \|
91              init.4            \|
92              init.d.4          \|
93              inittab.4         \|
94              ipaddrsel.conf.4  \|
95              ipnodes.4        \|
96              issue.4           \|
97              kadm5.acl.4       \|
98              kdc.conf.4        \|
99              keytables.4       \|
100             krb5.conf.4       \|
101             ldapfilter.conf.4 \|
102             ldapsearchprefs.conf.4 \|
103             ldaptemplates.conf.4 \|
104             loader.conf.4      \|
105             logadm.conf.4      \|
106             logindevperm.4     \|
107             loginlog.4         \|
108             magic.4            \|
109             mailer.conf.4       \|
110             mech.4             \|
111             mnttab.4           \|
112             mpapi.conf.4       \|
113             nca.if.4           \|
114             ncad_addr.4        \|
115             ncakmod.conf.4     \|
116             ncalogd.conf.4     \|
117             ncaport.conf.4     \|
118             ndmp.4             \|
119             ndpd.conf.4        \|
120             netconfig.4        \|
121             netgroup.4         \|
122             netid.4            \|
123             netmasks.4        \|
124             netrc.4            \|
125             networks.4        \|
126             nfs.4              \|
127             nfslog.conf.4      \|

```

```

127         nfssec.conf.4          \/
128         nodename.4             \/
129         nologin.4              \/
130         note.4                 \/
131         notrouter.4            \/
132         nscd.conf.4            \/
133         nsmbrc.4               \/
134         nss.4                  \/
135         nsswitch.conf.4        \/
136         packingrules.4        \/
137         pam.conf.4             \/
138         passwd.4               \/
139         path_to_inst.4         \/
140         pci.4                  \/
141         phones.4               \/
142         pkginfo.4              \/
143         pkgmap.4               \/
144         policy.conf.4          \/
145         power.conf.4           \/
146         printers.4            \/
147         printers.conf.4       \/
148         priv_names.4          \/
149         proc.4                 \/
150         process.4              \/
151         prof_attr.4            \/
152         profile.4              \/
153         project.4              \/
154         protocols.4           \/
155         prototype.4           \/
156         pseudo.4              \/
157         publickey.4           \/
158         queuedefs.4           \/
159         rcmscript.4           \/
160         rdc.cf.4               \/
161         remote.4               \/
162         resolv.conf.4         \/
163         rmtab.4                \/
164         rpc.4                  \/
165         rt_dptbl.4            \/
166         sasl_appname.conf.4    \/
167         scsi.4                 \/
168         securenets.4         \/
169         sendmail.4            \/
170         service_bundle.4       \/
171         service_provider.conf.4 \/
172         services.4            \/
173         shadow.4               \/
174         sharetab.4            \/
175         shells.4               \/
176         slp.conf.4             \/
177         slpd.reg.4             \/
178         smb.4                  \/
179         smbautohome.4         \/
180         smhba.conf.4          \/
181         sndr.4                 \/
182         sock2path.d.4         \/
183         space.4                \/
184         sulog.4                \/
185         syslog.conf.4         \/
186         system.4               \/
187         term.4                 \/
188         terminfo.4            \/
189         timezone.4            \/
190         tnfn_kernel_probes.4   \/
191         ts_dptbl.4            \/
192         ttydefs.4             \/

```

```

193         ttysrch.4             \/
194         ufsdump.4             \/
195         updaters.4           \/
196         user_attr.4          \/
197         utmp.4                \/
198         utmpx.4               \/
199         vfstab.4              \/
200         warn.conf.4          \/
201         ypfiles.4             \/
202         yppasswdd.4          \/
203         ypserv.4             \/
204         zoneinfo.4           \/

206 sparc_MANFILES= sbus.4

208 i386_MANFILES= loader.conf.4  \/
209 sysbus.4
208 i386_MANFILES= sysbus.4

211 _MANLINKS= addresses.4        \/
212         devid_cache.4         \/
213         devname_cache.4      \/
214         dir.4                 \/
215         dumpdates.4          \/
216         fbtabs.4             \/
217         forward.4            \/
218         fs.4                  \/
219         hosts.allow.4        \/
220         hosts.deny.4         \/
221         intro.4              \/
222         ipf.conf.4           \/
223         ipf6.conf.4          \/
224         ipmon.conf.4         \/
225         ipnat.conf.4         \/
226         ippool.conf.4        \/
227         mdi_ib_cache.4       \/
228         mdi_scsi_vhci_cache.4 \/
229         pci_unitaddr_persistent.4 \/
230         pcie.4                \/
231         qop.4                 \/
232         rhosts.4              \/
233         sendmail.cf.4         \/
234         snapshot_cache.4     \/
235         submit.cf.4          \/
236         wtmp.4                \/
237         wtmpx.4              \/

239 i386_MANLINKS= isa.4

241 MANFILES=      ${_MANFILES} ${$(MACH)_MANFILES}
242 MANLINKS=      ${_MANLINKS} ${$(MACH)_MANLINKS}

244 intro.4                := LINKSRC = Intro.4

246 addresses.4            := LINKSRC = aliases.4
247 forward.4              := LINKSRC = aliases.4

249 fs.4                   := LINKSRC = default_fs.4

251 devid_cache.4          := LINKSRC = devices.4
252 devname_cache.4        := LINKSRC = devices.4
253 mdi_ib_cache.4         := LINKSRC = devices.4
254 mdi_scsi_vhci_cache.4  := LINKSRC = devices.4
255 pci_unitaddr_persistent.4 := LINKSRC = devices.4
256 snapshot_cache.4       := LINKSRC = devices.4

```

```
258 dir.4 := LINKSRC = dir_ufs.4
260 rhosts.4 := LINKSRC = hosts.equiv.4
262 hosts.allow.4 := LINKSRC = hosts_access.4
263 hosts.deny.4 := LINKSRC = hosts_access.4
265 ipf.conf.4 := LINKSRC = ipf.4
266 ipf6.conf.4 := LINKSRC = ipf.4
268 ipmon.conf.4 := LINKSRC = ipmon.4
270 ipnat.conf.4 := LINKSRC = ipnat.4
272 ippool.conf.4 := LINKSRC = ippool.4
274 fbtab.4 := LINKSRC = logindevperm.4
276 qop.4 := LINKSRC = mech.4
278 pcie.4 := LINKSRC = pci.4
280 sendmail.cf.4 := LINKSRC = sendmail.4
281 submit.cf.4 := LINKSRC = sendmail.4
283 isa.4 := LINKSRC = sysbus.4
285 dumpdates.4 := LINKSRC = ufsdump.4
287 wtmp.4 := LINKSRC = utmp.4
289 wtmpx.4 := LINKSRC = utmpx.4
291 .KEEP_STATE:
293 include $(SRC)/man/Makefile.man
295 install: $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
4541 Thu May 10 08:57:45 2018
new/usr/src/man/man5/Makefile
9528 Loader man pages should only be installed for x86
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright (c) 2012 by Delphix. All rights reserved.
15 # Copyright 2014 Nexenta Systems, Inc.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 # Copyright (c) 2015, Joyent, Inc. All rights reserved.
18 # Copyright 2018 Gary Mills
19 #
20 #
21 include      $(SRC)/Makefile.master
22 #
23 MANSECT=     5
24 #
25 _MANFILES=   Intro.5
24 MANFILES=   Intro.5
26 acl.5
27 ad.5
28 ascii.5
29 attributes.5
30 audit_binfile.5
31 audit_remote.5
32 audit_syslog.5
32 brand.4th.5
33 brands.5
34 byteorder.5
35 cancellation.5
36 charmap.5
37 check-password.4th.5
37 condition.5
39 color.4th.5
38 crypt_bsdbf.5
39 crypt_bsdmd5.5
40 crypt_sha256.5
41 crypt_sha512.5
42 crypt_sunmd5.5
43 crypt_unix.5
46 delay.4th.5
44 device_clean.5
45 dhcp.5
46 environ.5
47 epoll.5
48 eqn.5
49 eqnchar.5
50 eventfd.5
51 extendedFILE.5
52 filesystem.5
53 fnmatch.5
54 formats.5
55 fsattr.5
59 gptzfsboot.5

```

```

56 grub.5
57 gss_auth_rules.5
58 hal.5
59 iconv.5
60 iconv_unicode.5
61 ieee802.3.5
62 ieee802.11.5
63 ipfilter.5
64 isalist.5
65 kerberos.5
66 krb5_auth_rules.5
67 krb5envvar.5
68 largefile.5
69 lf64.5
70 lfcompile.5
71 lfcompile64.5
76 loader.5
77 loader.4th.5
72 locale.5
73 man.5
74 mandoc_char.5
75 mandoc_roff.5
76 mansun.5
77 mdoc.5
78 me.5
79 mech_spnego.5
86 menu.4th.5
87 menusets.4th.5
80 mm.5
81 ms.5
82 mutex.5
83 nfssec.5
84 pam_allow.5
85 pam_authok_check.5
86 pam_authok_get.5
87 pam_authok_store.5
88 pam_deny.5
89 pam_dhkeys.5
90 pam_dial_auth.5
91 pam_krb5.5
92 pam_krb5_migrate.5
93 pam_ldap.5
94 pam_list.5
95 pam_passwd_auth.5
96 pam_rhosts_auth.5
97 pam_roles.5
98 pam_sample.5
99 pam_smb_passwd.5
100 pam_smbfs_login.5
101 pam_timestamp.5
102 pam_tsol_account.5
103 pam_unix_account.5
104 pam_unix_auth.5
105 pam_unix_cred.5
106 pam_unix_session.5
107 pkcs11_kernel.5
108 pkcs11_softtoken.5
109 pkcs11_tpm.5
110 privileges.5
111 prof.5
120 pxeboot.5
112 rbac.5
113 regex.5
114 regexp.5
115 resource_controls.5
116 security-flags.5

```

```

117         smf.5                \|
118         smf_bootstrap.5       \|
119         smf_method.5          \|
120         smf_restarter.5       \|
121         smf_security.5        \|
122         smf_template.5        \|
123         standards.5           \|
124         sticky.5              \|
125         tbl.5                  \|
126         tecla.5                \|
127         term.5                 \|
128         threads.5             \|
129         timerfd.5              \|
130         trusted_extensions.5   \|
131         version.4th.5         \|
132         vgrindefs.5           \|
133         zfsloader.5           \|
134         zones.5                \|
135         zpool-features.5      \|

```

```

135 sparc_MANFILES=

```

```

137 i386_MANFILES= brand.4th.5 \|
138                check-password.4th.5 \|
139                color.4th.5 \|
140                delay.4th.5 \|
141                gptzfsboot.5 \|
142                loader.5 \|
143                loader.4th.5 \|
144                menu.4th.5 \|
145                menusets.4th.5 \|
146                pxeboot.5 \|
147                version.4th.5 \|
148                zfsloader.5 \|

```

```

150 MANLINKS= ANSI.5 \|
151            C++.5 \|
152            C.5 \|
153            CSI.5 \|
154            ISO.5 \|
155            MT-Level.5 \|
156            POSIX.1.5 \|
157            POSIX.2.5 \|
158            POSIX.5 \|
159            RBAC.5 \|
160            SUS.5 \|
161            SUSv2.5 \|
162            SUSv3.5 \|
163            SVID.5 \|
164            SVID3.5 \|
165            XNS.5 \|
166            XNS4.5 \|
167            XNS5.5 \|
168            XPG.5 \|
169            XPG3.5 \|
170            XPG4.5 \|
171            XPG4v2.5 \|
172            advance.5 \|
173            architecture.5 \|
174            availability.5 \|
175            compile.5 \|
176            endian.5 \|
177            intro.5 \|
178            pthreads.5 \|
179            stability.5 \|
180            standard.5 \|

```

```

181         step.5                \|
182         teclarc.5             \|
183
184 MANFILES=    $(_MANFILES) $(($(MACH)_MANFILES))
185
186 intro.5      := LINKSRC = Intro.5
187
188 CSI.5        := LINKSRC = attributes.5
189 MT-Level.5   := LINKSRC = attributes.5
190 architecture.5 := LINKSRC = attributes.5
191 availability.5 := LINKSRC = attributes.5
192 stability.5  := LINKSRC = attributes.5
193 standard.5   := LINKSRC = attributes.5
194
195 endian.5     := LINKSRC = byteorder.5
196
197 RBAC.5       := LINKSRC = rbac.5
198
199 advance.5    := LINKSRC = regexp.5
200 compile.5    := LINKSRC = regexp.5
201 step.5       := LINKSRC = regexp.5
202
203 ANSI.5       := LINKSRC = standards.5
204 C++.5        := LINKSRC = standards.5
205 C.5          := LINKSRC = standards.5
206 ISO.5        := LINKSRC = standards.5
207 POSIX.1.5    := LINKSRC = standards.5
208 POSIX.2.5    := LINKSRC = standards.5
209 POSIX.5      := LINKSRC = standards.5
210 SUS.5        := LINKSRC = standards.5
211 SUSv2.5      := LINKSRC = standards.5
212 SUSv3.5      := LINKSRC = standards.5
213 SVID.5       := LINKSRC = standards.5
214 SVID3.5      := LINKSRC = standards.5
215 XNS.5        := LINKSRC = standards.5
216 XNS4.5       := LINKSRC = standards.5
217 XNS5.5       := LINKSRC = standards.5
218 XPG.5        := LINKSRC = standards.5
219 XPG3.5       := LINKSRC = standards.5
220 XPG4.5       := LINKSRC = standards.5
221 XPG4v2.5    := LINKSRC = standards.5
222
223 teclarc.5    := LINKSRC = tecla.5
224
225 pthreads.5   := LINKSRC = threads.5
226
227 .KEEP_STATE:
228
229 include      $(SRC)/man/Makefile.man
230
231 install:     $(ROOTMANFILES) $(ROOTMANLINKS)

```