

```

*****
4546 Tue Aug 20 06:34:38 2019
new/usr/src/man/man1m/mailwrapper.1m
11586 NAME field in man pages should match what's installed
*****
1 .\"      $OpenBSD: mailwrapper.8,v 1.10 2009/02/07 16:58:23 martynas Exp $
2 .\"      $NetBSD: mailwrapper.8,v 1.11 2002/02/08 01:38:50 ross Exp $
3 .\"      $FreeBSD: releng/9.1/usr.sbin/mailwrapper/mailwrapper.8 205938 2010-03-30 21
4 .\"
5 .\"      Copyright (c) 1998
6 .\"      Perry E. Metzger.  All rights reserved.
7 .\"
8 .\"      Redistribution and use in source and binary forms, with or without
9 .\"      modification, are permitted provided that the following conditions
10 .\"      are met:
11 .\"      1. Redistributions of source code must retain the above copyright
12 .\"      notice, this list of conditions and the following disclaimer.
13 .\"      2. Redistributions in binary form must reproduce the above copyright
14 .\"      notice, this list of conditions and the following disclaimer in the
15 .\"      documentation and/or other materials provided with the distribution.
16 .\"      3. All advertising materials mentioning features or use of this software
17 .\"      must display the following acknowledgment:
18 .\"      This product includes software developed for the NetBSD Project
19 .\"      by Perry E. Metzger.
20 .\"      4. The name of the author may not be used to endorse or promote products
21 .\"      derived from this software without specific prior written permission.
22 .\"
23 .\"      THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
24 .\"      IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
25 .\"      OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
26 .\"      IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
27 .\"      INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
28 .\"      NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
29 .\"      DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
30 .\"      THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
31 .\"      (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
32 .\"      THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
33 .\"
34 .Dd August 20, 2019
34 .Dd August 7, 2006
35 .Dt MAILWRAPPER 1M
36 .Os
37 .Sh NAME
38 .Nm mailwrapper
38 .Nm \fB/usr/lib/mailwrapper\fR
39 .Nd invoke appropriate MTA software based on configuration file
40 .Sh SYNOPSIS
41 Special.
42 See below.
43 .Sh DESCRIPTION
44 At one time, the only Mail Transfer Agent (MTA) software easily available
45 was
46 .Xr sendmail 1M .
47 As a result of this, most Mail User Agents (MUAs) such as
48 .Xr mail 1
49 had the path and calling conventions expected by
50 .Xr sendmail 1M
51 compiled in.
52 .Pp
53 Times have changed, however.
54 On a modern
55 .Ux
56 system, the administrator may wish to use one of several
57 available MTAs.
58 .Pp
59 It would be difficult to modify all MUA software typically available

```

```

60 on a system, so most of the authors of alternative MTAs have written
61 their front end message submission programs so that they use the same
62 calling conventions as
63 .Xr sendmail 1M
64 and may be put into place instead of
65 .Xr sendmail 1M
66 in
67 .Pa /usr/lib/sendmail .
68 .Pp
69 .Xr sendmail 1M
70 also typically has aliases named
71 .Xr mailq 1
72 and
73 .Xr newaliases 1M
74 linked to it.
75 The program knows to behave differently when its
76 .Va argv[0]
77 is
78 .Dq mailq
79 or
80 .Dq newaliases
81 and behaves appropriately.
82 Typically, replacement MTAs provide similar
83 functionality, either through a program that also switches behavior
84 based on calling name, or through a set of programs that provide
85 similar functionality.
86 .Pp
87 Although having drop-in replacements for
88 .Xr sendmail 1M
89 helps in installing alternative MTAs, it essentially makes the
90 configuration of the system depend on hand installing new programs in
91 .Pa /usr .
92 This leads to configuration problems for many administrators, since
93 they may wish to install a new MTA without altering the system
94 provided
95 .Pa /usr .
96 (This may be, for example, to avoid having upgrade problems when a new
97 version of the system is installed over the old.)
98 They may also have a shared
99 .Pa /usr
100 among several
101 machines, and may wish to avoid placing implicit configuration
102 information in a read-only
103 .Pa /usr .
104 .Pp
105 The
106 .Nm
107 utility is designed to replace
108 .Pa /usr/lib/sendmail
109 and to invoke an appropriate MTA instead of
110 .Xr sendmail 1M
111 based on configuration information placed in
112 .Pa /etc/mailler.conf .
113 This permits the administrator to configure which MTA is to be invoked on
114 the system at run time.
115 .Pp
116 Other configuration files may need to be altered when replacing
117 .Xr sendmail 1M .
118 .Sh EXIT STATUS
119 .Ex -std
120 .Sh DIAGNOSTICS
121 The
122 .Nm
123 will print a diagnostic if its configuration file is missing or malformed,
124 or does not contain a mapping for the name under which it was invoked.
125 .Sh SEE ALSO

```

**new/usr/src/man/man1m/mailwrapper.1m**

**3**

126 .Xr mail 1 ,  
127 .Xr mailq 1 ,  
128 .Xr newaliases 1M ,  
129 .Xr sendmail 1M ,  
130 .Xr mailer.conf 4

```

*****
70218 Tue Aug 20 06:34:38 2019
new/usr/src/man/man3c/Makefile
11586 NAME field in man pages should match what's installed
*****

```

```

1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2018 Nexenta Systems, Inc.
15 # Copyright 2013, OmniTI Computer Consulting, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 # Copyright 2018 Joyent, Inc.
18 # Copyright 2018 Jason King
19 #
20 #
21 include      $(SRC)/Makefile.master
22
23 MANSECT=     3c
24
25 MANFILES=   __fbufsize.3c
26             _longjmp.3c
27             _stack_grow.3c
28             a64l.3c
29             abort.3c
30             abs.3c
31             addsev.3c
32             addseverity.3c
33             aio_cancel.3c
34             aio_error.3c
35             aio_fsync.3c
36             aio_read.3c
37             aio_return.3c
38             aio_suspend.3c
39             aio_waitn.3c
40             aio_write.3c
41             aiocancel.3c
42             aioread.3c
43             aiowait.3c
44             aligned_alloc.3c
45             arc4random.3c
46             assert.3c
47             atexit.3c
48             atomic_add.3c
49             atomic_and.3c
50             atomic_bits.3c
51             atomic_cas.3c
52             atomic_dec.3c
53             atomic_inc.3c
54             atomic_ops.3c
55             atomic_or.3c
56             atomic_swap.3c
57             attropen.3c
58             basename.3c
59             bsd_signal.3c
60             bsearch.3c
61             bstring.3c

```

```

62             btowc.3c
63             byteorder.3c
64             call_once.3c
65             catgets.3c
66             catopen.3c
67             cfgetispeed.3c
68             cfsetispeed.3c
69             clearenv.3c
70             clock.3c
71             clock_nanosleep.3c
72             clock_settime.3c
73             closedir.3c
74             closefrom.3c
75             cnd.3c
76             cond_init.3c
77             confstr.3c
78             crypt.3c
79             crypt_genhash_impl.3c
80             crypt_gensalt.3c
81             crypt_gensalt_impl.3c
82             cset.3c
83             ctermid.3c
84             ctime.3c
85             ctype.3c
86             cuserid.3c
87             daemon.3c
88             decimal_to_floating.3c
89             difftime.3c
90             directio.3c
91             dirfd.3c
92             dirname.3c
93             div.3c
94             dladdr.3c
95             dlclose.3c
96             dldump.3c
97             dlerror.3c
98             dlinfo.3c
99             dlopen.3c
100            dlsym.3c
101            door_bind.3c
102            door_call.3c
103            door_create.3c
104            door_cred.3c
105            door_getparam.3c
106            door_info.3c
107            door_return.3c
108            door_revoke.3c
109            door_server_create.3c
110            door_ucred.3c
111            drand48.3c
112            dup2.3c
113            econvert.3c
114            ecvt.3c
115            enable_extended_FILE_stdio.3c
116            encrypt.3c
117            end.3c
118            endian.3c
119            epoll_create.3c
120            epoll_ctl.3c
121            epoll_wait.3c
122            err.3c
123            euclen.3c
124            eventfd.3c
125            exit.3c
126            fattach.3c
127            fclose.3c

```

```

128         fcloseall.3c
129         fdatasync.3c
130         fdetach.3c
131         fdopen.3c
132         ferrror.3c
133         fflush.3c
134         ffs.3c
135         fgetattr.3c
136         fgetc.3c
137         fgetpos.3c
138         fgetwc.3c
139         floating_to_decimal.3c
140         flock.3c
141         flockfile.3c
142         fmtmsg.3c
143         fnmatch.3c
144         fopen.3c
145         fpgetround.3c
146         fputc.3c
147         fputwc.3c
148         fputws.3c
149         fread.3c
150         freopen.3c
151         fseek.3c
152         fsetpos.3c
153         fsync.3c
154         ftell.3c
155         ftime.3c
156         ftok.3c
157         fts.3c
158         ftw.3c
159         fwide.3c
160         fwprintf.3c
161         fwrite.3c
162         fwscanf.3c
163         get_nprocs.3c
164         getpuid.3c
165         getcwd.3c
166         getdate.3c
167         getdtablesize.3c
168         getentropy.3c
169         getenv.3c
170         getexecname.3c
171         getgrnam.3c
172         gethostid.3c
173         gethostname.3c
174         gethrtime.3c
175         getline.3c
176         getloadavg.3c
177         getlogin.3c
178         getmntent.3c
179         getnetgrent.3c
180         getopt.3c
181         getopt_long.3c
182         getpagesize.3c
183         getpagesizes.3c
184         getpass.3c
185         getpeercred.3c
186         getpriority.3c
187         getprogname.3c
188         getpw.3c
189         getpwnam.3c
190         getrusage.3c
191         gets.3c
192         getspnam.3c
193         getsubopt.3c

```

```

194         gettext.3c
195         gettimeofday.3c
196         gettxt.3c
197         getusershell.3c
198         getutent.3c
199         getutxent.3c
200         getvfsent.3c
201         getwc.3c
202         getwchar.3c
203         getwd.3c
204         getwidth.3c
205         getws.3c
206         getzoneid.3c
207         glob.3c
208         grantpt.3c
209         hsearch.3c
210         iconv.3c
211         iconv_close.3c
212         iconv_open.3c
213         imaxabs.3c
214         imaxdiv.3c
215         index.3c
216         inet.3c
217         initgroups.3c
218         insque.3c
219         is_system_labeled.3c
220         isaexec.3c
221         isastream.3c
222         isatty.3c
223         isnand.3c
224         iswalph.3c
225         iswctype.3c
226         killpg.3c
227         lckpddf.3c
228         lfmt.3c
229         lio_listio.3c
230         localeconv.3c
231         lockf.3c
232         lsearch.3c
233         madvise.3c
234         makecontext.3c
235         madev.3c
236         malloc.3c
237         mblen.3c
238         mbrlen.3c
239         mbrtowc.3c
240         mbsinit.3c
241         mbsrtowcs.3c
242         mbstowcs.3c
243         mbtowc.3c
244         membar_ops.3c
245         memory.3c
246         memset_s.3c
247         mkfifo.3c
248         mkstemp.3c
249         mktemp.3c
250         mkttime.3c
251         mlock.3c
252         mlockall.3c
253         monitor.3c
254         mq_close.3c
255         mq_getattr.3c
256         mq_notify.3c
257         mq_open.3c
258         mq_receive.3c
259         mq_send.3c

```

```

260      mq_setattr.3c
261      mq_unlink.3c
262      msync.3c
263      mtx.3c
264      mutex_init.3c
265      nanosleep.3c
266      ndbm.3c
267      newlocale.3c
268      nl_langinfo.3c
269      offsetof.3c
270      opendir.3c
271      perror.3c
272      pfmt.3c
273      plock.3c
274      popen.3c
275      port_alert.3c
276      port_associate.3c
277      port_create.3c
278      port_get.3c
279      port_send.3c
280      posix_fadvise.3c
281      posix_fallocate.3c
282      posix_madvise.3c
283      posix_memalign.3c
284      posix_openpt.3c
285      posix_spawn.3c
286      posix_spawn_file_actions_addclose.3c
287      posix_spawn_file_actions_addclosefrom_np.3c
288      posix_spawn_file_actions_adddup2.3c
289      posix_spawn_file_actions_destroy.3c
290      posix_spawn_pipe_np.3c
291      posix_spawnattr_destroy.3c
292      posix_spawnattr_getflags.3c
293      posix_spawnattr_getpgroup.3c
294      posix_spawnattr_getschedparam.3c
295      posix_spawnattr_getschedpolicy.3c
296      posix_spawnattr_getsigdefault.3c
297      posix_spawnattr_getsigignore_np.3c
298      posix_spawnattr_getsigmask.3c
299      printf.3c
300      priv_addset.3c
301      priv_set.3c
302      priv_str_to_set.3c
303      pset_getloadavg.3c
304      psignal.3c
305      pthread_atfork.3c
306      pthread_attr_get_np.3c
307      pthread_attr_getdetachstate.3c
308      pthread_attr_getguardsize.3c
309      pthread_attr_getinheritsched.3c
310      pthread_attr_getname_np.3c
311      pthread_attr_getschedparam.3c
312      pthread_attr_getschedpolicy.3c
313      pthread_attr_getscope.3c
314      pthread_attr_getstack.3c
315      pthread_attr_getstackaddr.3c
316      pthread_attr_getstacksize.3c
317      pthread_attr_init.3c
318      pthread_barrier_destroy.3c
319      pthread_barrier_wait.3c
320      pthread_barrierattr_destroy.3c
321      pthread_barrierattr_getpshared.3c
322      pthread_cancel.3c
323      pthread_cleanup_pop.3c
324      pthread_cleanup_push.3c
325      pthread_cond_init.3c

```

```

326      pthread_cond_signal.3c
327      pthread_cond_wait.3c
328      pthread_condattr_getclock.3c
329      pthread_condattr_getpshared.3c
330      pthread_condattr_init.3c
331      pthread_create.3c
332      pthread_detach.3c
333      pthread_equal.3c
334      pthread_exit.3c
335      pthread_getconcurrency.3c
336      pthread_getname_np.3c
337      pthread_getschedparam.3c
338      pthread_getspecific.3c
339      pthread_join.3c
340      pthread_key_create.3c
341      pthread_key_delete.3c
342      pthread_kill.3c
343      pthread_mutex_consistent.3c
344      pthread_mutex_getprioceiling.3c
345      pthread_mutex_init.3c
346      pthread_mutex_lock.3c
347      pthread_mutex_timedlock.3c
348      pthread_mutexattr_getprioceiling.3c
349      pthread_mutexattr_getprotocol.3c
350      pthread_mutexattr_getpshared.3c
351      pthread_mutexattr_getrobust.3c
352      pthread_mutexattr_gettype.3c
353      pthread_mutexattr_init.3c
354      pthread_once.3c
355      pthread_rwlock_init.3c
356      pthread_rwlock_rdlock.3c
357      pthread_rwlock_timedrdlock.3c
358      pthread_rwlock_timedwrlock.3c
359      pthread_rwlock_unlock.3c
360      pthread_rwlock_wrlock.3c
361      pthread_rwlockattr_getpshared.3c
362      pthread_rwlockattr_init.3c
363      pthread_self.3c
364      pthread_setcancelstate.3c
365      pthread_setcanceltype.3c
366      pthread_setschedprio.3c
367      pthread_sigmask.3c
368      pthread_spin_destroy.3c
369      pthread_spin_lock.3c
370      pthread_spin_unlock.3c
371      pthread_testcancel.3c
372      ptrace.3c
373      ptsname.3c
374      putenv.3c
375      putpwent.3c
376      puts.3c
377      putspent.3c
378      putws.3c
379      qsort.3c
380      quick_exit.3c
381      raise.3c
382      rand.3c
383      random.3c
384      rctl_walk.3c
385      rctlblk_set_value.3c
386      re_comp.3c
387      readdir.3c
388      realpath.3c
389      reboot.3c
390      regcmp.3c
391      regcomp.3c

```

```

392         remove.3c
393         rewind.3c
394         rewinddir.3c
395         rlock.3c
396         scandir.3c
397         scanf.3c
398         sched_get_priority_max.3c
399         sched_getparam.3c
400         sched_getscheduler.3c
401         sched_rr_get_interval.3c
402         sched_setparam.3c
403         sched_setscheduler.3c
404         sched_yield.3c
405         schedctl_init.3c
406         seekdir.3c
407         select.3c
408         sem_close.3c
409         sem_destroy.3c
410         sem_getvalue.3c
411         sem_init.3c
412         sem_open.3c
413         sem_post.3c
414         sem_timedwait.3c
415         sem_unlink.3c
416         sem_wait.3c
417         semaphore.3c
418         set_constraint_handler_s.3c
419         setbuf.3c
420         setbuffer.3c
421         setcat.3c
422         setenv.3c
423         setjmp.3c
424         setkey.3c
425         setlabel.3c
426         setlocale.3c
427         shm_open.3c
428         shm_unlink.3c
429         sigfpe.3c
430         siginterrupt.3c
431         signal.3c
432         signalfd.3c
433         sigqueue.3c
434         sigsetops.3c
435         sigstack.3c
436         sigwaitinfo.3c
437         sleep.3c
438         smt_pause.3c
439         ssignal.3c
440         stack_getbounds.3c
441         stack_inbounds.3c
442         stack_setbounds.3c
443         stack_violation.3c
444         stdio.3c
445         str2sig.3c
446         strcoll.3c
447         strerror.3c
448         strfmon.3c
449         strftime.3c
450         string.3c
451         string_to_decimal.3c
452         strptime.3c
453         strsignal.3c
454         strtod.3c
455         strtointmax.3c
456         strtol.3c
457         strtonum.3c

```

```

458         strtoul.3c
459         strtows.3c
460         strxfrm.3c
461         swab.3c
462         sync_instruction_memory.3c
463         sysconf.3c
464         syslog.3c
465         system.3c
466         tdrain.3c
467         tcflow.3c
468         tcflush.3c
469         tcgetattr.3c
470         togetpgrp.3c
471         tcgetsid.3c
472         tcseendbreak.3c
473         tcsetattr.3c
474         tcsetpgrp.3c
475         tell.3c
476         telldir.3c
477         termios.3c
478         thr_create.3c
479         thr_exit.3c
480         thr_getname.3c
481         thr_getconcurrency.3c
482         thr_getprio.3c
483         thr_join.3c
484         thr_keycreate.3c
485         thr_kill.3c
486         thr_main.3c
487         thr_min_stack.3c
488         thr_self.3c
489         thr_sigsetmask.3c
490         thr_stksegment.3c
491         thr_suspend.3c
492         thr_yield.3c
493         thrd_create.3c
494         thrd_current.3c
495         thrd_detach.3c
496         thrd_equal.3c
497         thrd_exit.3c
498         thrd_join.3c
499         thrd_yield.3c
500         timer_create.3c
501         timer_delete.3c
502         timer_settime.3c
503         timeradd.3c
504         timerfd_create.3c
505         timespec_get.3c
506         tmpfile.3c
507         tmpnam.3c
508         toascii.3c
509         tolower.3c
510         toupper.3c
511         towlower.3c
512         towupper.3c
513         truncate.3c
514         tsearch.3c
515         tss.3c
516         ttyname.3c
517         ttyslot.3c
518         u8_strcmp.3c
519         u8_textprep_str.3c
520         u8_validate.3c
521         ualarm.3c
522         uconv_ul6tou32.3c
523         ucred.3c

```

```

524         ungetc.3c
525         ungetwc.3c
526         unlockpt.3c
527         unsetenv.3c
528         uselocale.3c
529         usleep.3c
530         vfwprintf.3c
531         vlfmt.3c
532         vpfmt.3c
533         vprintf.3c
534         vsyslog.3c
535         wait.3c
536         wait3.3c
537         waitpid.3c
538         walkcontext.3c
539         wcpncpy.3c
540         wcrtoomb.3c
541         wscasecmp.3c
542         wscoll.3c
543         wscdup.3c
544         wcsftime.3c
545         wcslen.3c
546         wcsrtombs.3c
547         wcsstr.3c
548         wcstod.3c
549         wcstoimax.3c
550         wcstol.3c
551         wcstombs.3c
552         wcstoul.3c
553         wcstring.3c
554         wcswidth.3c
555         wcsxfrm.3c
556         wctob.3c
557         wctomb.3c
558         wctrans.3c
559         wctype.3c
560         wcwidth.3c
561         wmemchr.3c
562         wmemcmp.3c
563         wmemcpy.3c
564         wmemmove.3c
565         wmemset.3c
566         wordexp.3c
567         wsprintf.3c
568         wsscanf.3c
569         wstring.3c

571 MANLINKS= FD_CLR.3c
572             FD_ISSET.3c
573             FD_SET.3c
574             FD_ZERO.3c
575             __flbf.3c
576             __fpending.3c
577             __fpurge.3c
578             __freadable.3c
579             __freanding.3c
580             __fsetlocking.3c
581             __fwritable.3c
582             __fwriting.3c
583             _edata.3c
584             _end.3c
585             _etext.3c
586             _exithandle.3c
587             _flushlbf.3c
588             _setjmp.3c
589             abort_handler_s.3c

```

```

590         addrtoymstr.3c
591         aiowrite.3c
592         alloca.3c
593         alphasort.3c
594         arc4random_buf.3c
595         arc4random_uniform.3c
596         ascftime.3c
597         asctime.3c
598         asctime_r.3c
599         asprintf.3c
600         at_quick_exit.3c
601         atof.3c
602         atoi.3c
603         atol.3c
604         atoll.3c
605         atomic_add_16.3c
606         atomic_add_16_nv.3c
607         atomic_add_32.3c
608         atomic_add_32_nv.3c
609         atomic_add_64.3c
610         atomic_add_64_nv.3c
611         atomic_add_8.3c
612         atomic_add_8_nv.3c
613         atomic_add_char.3c
614         atomic_add_char_nv.3c
615         atomic_add_int.3c
616         atomic_add_int_nv.3c
617         atomic_add_long.3c
618         atomic_add_long_nv.3c
619         atomic_add_ptr.3c
620         atomic_add_ptr_nv.3c
621         atomic_add_short.3c
622         atomic_add_short_nv.3c
623         atomic_and_16.3c
624         atomic_and_16_nv.3c
625         atomic_and_32.3c
626         atomic_and_32_nv.3c
627         atomic_and_64.3c
628         atomic_and_64_nv.3c
629         atomic_and_8.3c
630         atomic_and_8_nv.3c
631         atomic_and_uchar.3c
632         atomic_and_uchar_nv.3c
633         atomic_and_uint.3c
634         atomic_and_uint_nv.3c
635         atomic_and_ulong.3c
636         atomic_and_ulong_nv.3c
637         atomic_and_ushort.3c
638         atomic_and_ushort_nv.3c
639         atomic_cas_16.3c
640         atomic_cas_32.3c
641         atomic_cas_64.3c
642         atomic_cas_8.3c
643         atomic_cas_ptr.3c
644         atomic_cas_uchar.3c
645         atomic_cas_uint.3c
646         atomic_cas_ulong.3c
647         atomic_cas_ushort.3c
648         atomic_clear_long_excl.3c
649         atomic_dec_16.3c
650         atomic_dec_16_nv.3c
651         atomic_dec_32.3c
652         atomic_dec_32_nv.3c
653         atomic_dec_64.3c
654         atomic_dec_64_nv.3c
655         atomic_dec_8.3c

```

```

656 atomic_dec_8_nv.3c //
657 atomic_dec_ptr.3c //
658 atomic_dec_ptr_nv.3c //
659 atomic_dec_uchar.3c //
660 atomic_dec_uchar_nv.3c //
661 atomic_dec_uint.3c //
662 atomic_dec_uint_nv.3c //
663 atomic_dec_ulong.3c //
664 atomic_dec_ulong_nv.3c //
665 atomic_dec_ushort.3c //
666 atomic_dec_ushort_nv.3c //
667 atomic_inc_16.3c //
668 atomic_inc_16_nv.3c //
669 atomic_inc_32.3c //
670 atomic_inc_32_nv.3c //
671 atomic_inc_64.3c //
672 atomic_inc_64_nv.3c //
673 atomic_inc_8.3c //
674 atomic_inc_8_nv.3c //
675 atomic_inc_ptr.3c //
676 atomic_inc_ptr_nv.3c //
677 atomic_inc_uchar.3c //
678 atomic_inc_uchar_nv.3c //
679 atomic_inc_uint.3c //
680 atomic_inc_uint_nv.3c //
681 atomic_inc_ulong.3c //
682 atomic_inc_ulong_nv.3c //
683 atomic_inc_ushort.3c //
684 atomic_inc_ushort_nv.3c //
685 atomic_or_16.3c //
686 atomic_or_16_nv.3c //
687 atomic_or_32.3c //
688 atomic_or_32_nv.3c //
689 atomic_or_64.3c //
690 atomic_or_64_nv.3c //
691 atomic_or_8.3c //
692 atomic_or_8_nv.3c //
693 atomic_or_uchar.3c //
694 atomic_or_uchar_nv.3c //
695 atomic_or_uint.3c //
696 atomic_or_uint_nv.3c //
697 atomic_or_ulong.3c //
698 atomic_or_ulong_nv.3c //
699 atomic_or_ushort.3c //
700 atomic_or_ushort_nv.3c //
701 atomic_set_long_excl.3c //
702 atomic_swap_16.3c //
703 atomic_swap_32.3c //
704 atomic_swap_64.3c //
705 atomic_swap_8.3c //
706 atomic_swap_ptr.3c //
707 atomic_swap_uchar.3c //
708 atomic_swap_uint.3c //
709 atomic_swap_ulong.3c //
710 atomic_swap_ushort.3c //
711 backtrace.3c //
712 backtrace_symbols.3c //
713 backtrace_symbols_fd.3c //
714 bcmp.3c //
715 bcopy.3c //
716 be16toh.3c //
717 be32toh.3c //
718 be64toh.3c //
719 betoh16.3c //
720 betoh32.3c //
721 betoh64.3c //

```

```

722 bind_textdomain_codeset.3c //
723 bindtextdomain.3c //
724 btowc_l.3c //
725 bzero.3c //
726 calloc.3c //
727 canonicalize_file_name.3c //
728 catclose.3c //
729 cfgetospeed.3c //
730 cfsetospeed.3c //
731 cftime.3c //
732 clearerr.3c //
733 clock_getres.3c //
734 clock_gettime.3c //
735 closelog.3c //
736 cnd_broadcast.3c //
737 cnd_destroy.3c //
738 cnd_init.3c //
739 cnd_signal.3c //
740 cnd_timedwait.3c //
741 cnd_wait.3c //
742 cond_broadcast.3c //
743 cond_destroy.3c //
744 cond_reltimedwait.3c //
745 cond_signal.3c //
746 cond_timedwait.3c //
747 cond_wait.3c //
748 csetcol.3c //
749 csetlen.3c //
750 csetno.3c //
751 ctermid_r.3c //
752 ctime_r.3c //
753 dbm_clearerr.3c //
754 dbm_close.3c //
755 dbm_delete.3c //
756 dbm_error.3c //
757 dbm_fetch.3c //
758 dbm_firstkey.3c //
759 dbm_nextkey.3c //
760 dbm_open.3c //
761 dbm_store.3c //
762 dcgettext.3c //
763 dcngettext.3c //
764 decimal_to_double.3c //
765 decimal_to_extended.3c //
766 decimal_to_quadruple.3c //
767 decimal_to_single.3c //
768 dgettext.3c //
769 dladdr1.3c //
770 dlmopen.3c //
771 dngettext.3c //
772 door_setparam.3c //
773 door_unbind.3c //
774 double_to_decimal.3c //
775 dup3.3c //
776 duplocale.3c //
777 edata.3c //
778 endgrent.3c //
779 endnetgrent.3c //
780 endpwent.3c //
781 endspent.3c //
782 endusershell.3c //
783 endutent.3c //
784 endutxent.3c //
785 epoll_create1.3c //
786 epoll_pwait.3c //
787 erand48.3c //

```



```

788         errno.3c
789         errx.3c
790         etext.3c
791         euccol.3c
792         eucscoll.3c
793         explicit_bzero.3c
794         extended_to_decimal.3c
795         fconvert.3c
796         fcvt.3c
797         fdopendir.3c
798         fdwalk.3c
799         feof.3c
800         ffsl.3c
801         ffsll.3c
802         fgetgrent.3c
803         fgetgrent_r.3c
804         fgetpwent.3c
805         fgetpwent_r.3c
806         fgets.3c
807         fgetspent.3c
808         fgetspent_r.3c
809         fgetwc_l.3c
810         fgetws.3c
811         file_to_decimal.3c
812         fileno.3c
813         finite.3c
814         fls.3c
815         flsl.3c
816         flsll.3c
817         fpclass.3c
818         fpgetmask.3c
819         fpgetsticky.3c
820         fprintf.3c
821         fpsetmask.3c
822         fpsetround.3c
823         fpsetsticky.3c
824         fputs.3c
825         free.3c
826         freelocale.3c
827         freezero.3c
828         fscanf.3c
829         fseeko.3c
830         fsetattr.3c
831         ftello.3c
832         ftruncate.3c
833         ftrylockfile.3c
834         fts_children.3c
835         fts_close.3c
836         fts_open.3c
837         fts_read.3c
838         fts_set.3c
839         func_to_decimal.3c
840         funlockfile.3c
841         gconvert.3c
842         gcvt.3c
843         get_nprocs_conf.3c
844         getatrat.3c
845         getc.3c
846         getc_unlocked.3c
847         getchar.3c
848         getchar_unlocked.3c
849         getdelim.3c
850         getextmntent.3c
851         getgrent.3c
852         getgrent_r.3c
853         getgrgid.3c

```

```

854         getgrgid_r.3c
855         getgrnam_r.3c
856         gethomedir.3c
857         gethrtime.3c
858         getlogin_r.3c
859         getmntany.3c
860         getnetgrent_r.3c
861         getopt_long_only.3c
862         getopt_long_clip.3c
863         getpassphrase.3c
864         getpwent.3c
865         getpwent_r.3c
866         getpwnam_r.3c
867         getpwuid.3c
868         getpwuid_r.3c
869         getspent.3c
870         getspent_r.3c
871         getspnam_r.3c
872         getutid.3c
873         getutline.3c
874         getutmp.3c
875         getutmpx.3c
876         getutxid.3c
877         getutxline.3c
878         getvfsany.3c
879         getvfile.3c
880         getvfsspec.3c
881         getw.3c
882         getwc_l.3c
883         getwchar_l.3c
884         getzoneidbyname.3c
885         getzonenamebyid.3c
886         globfree.3c
887         gmtime.3c
888         gmtime_r.3c
889         gsignal.3c
890         hasmntopt.3c
891         hcreate.3c
892         hdestroy.3c
893         htobe16.3c
894         htobe32.3c
895         htobe64.3c
896         htole16.3c
897         htobe32.3c
898         htobe64.3c
899         htonl.3c
900         htonll.3c
901         htons.3c
902         ignore_handler_s.3c
903         inet6.3c
904         inet_addr.3c
905         inet_aton.3c
906         inet_lnaof.3c
907         inet_makeaddr.3c
908         inet_netof.3c
909         inet_network.3c
910         inet_ntoa.3c
911         inet_ntop.3c
912         inet_pton.3c
913         initstate.3c
914         inneter.3c
915         isalnum.3c
916         isalnum_l.3c
917         isalpha.3c
918         isalpha_l.3c
919         isascii.3c

```

```

920      isblank.3c
921      isblank_l.3c
922      iscntrl.3c
923      iscntrl_l.3c
924      isdigit.3c
925      isdigit_l.3c
926      isenglish.3c
927      isgraph.3c
928      isgraph_l.3c
929      isideogram.3c
930      islower.3c
931      islower_l.3c
932      isnanf.3c
933      isnumber.3c
934      isphonogram.3c
935      isprint.3c
936      isprint_l.3c
937      ispunct.3c
938      ispunct_l.3c
939      isspace.3c
940      isspace_l.3c
941      isspecial.3c
942      isupper.3c
943      isupper_l.3c
944      iswalnum.3c
945      iswalnum_l.3c
946      iswalpha_l.3c
947      iswascii.3c
948      iswascii_l.3c
949      iswblank.3c
950      iswblank_l.3c
951      iswcntrl.3c
952      iswcntrl_l.3c
953      iswctype_l.3c
954      iswdigit.3c
955      iswdigit_l.3c
956      iswgraph.3c
957      iswgraph_l.3c
958      iswhexnumber.3c
959      iswhexnumber_l.3c
960      iswideogram.3c
961      iswideogram_l.3c
962      iswlower.3c
963      iswlower_l.3c
964      iswnumber.3c
965      iswnumber_l.3c
966      iswphonogram.3c
967      iswphonogram_l.3c
968      iswprint.3c
969      iswprint_l.3c
970      iswpunct.3c
971      iswpunct_l.3c
972      iswspace.3c
973      iswspace_l.3c
974      iswspecial.3c
975      iswspecial_l.3c
976      iswupper.3c
977      iswupper_l.3c
978      iswxdigit.3c
979      iswxdigit_l.3c
980      isxdigit.3c
981      isxdigit_l.3c
982      jrand48.3c
983      l64a.3c
984      labs.3c
985      lcong48.3c

```

```

986      ldiv.3c
987      le16toh.3c
988      le32toh.3c
989      le64toh.3c
990      letoh16.3c
991      letoh32.3c
992      letoh64.3c
993      lfind.3c
994      llabs.3c
995      lldiv.3c
996      lltostr.3c
997      localtime.3c
998      localtime_r.3c
999      longjmp.3c
1000     lrand48.3c
1001     major.3c
1002     mblen_l.3c
1003     mbrlen_l.3c
1004     mbrtowc_l.3c
1005     mbsinit_l.3c
1006     mbsnrtowcs.3c
1007     mbsnrtowcs_l.3c
1008     mbsrtowcs_l.3c
1009     mbstowcs_l.3c
1010     mbtowc_l.3c
1011     memalign.3c
1012     membar_consumer.3c
1013     membar_enter.3c
1014     membar_exit.3c
1015     membar_producer.3c
1016     memccpy.3c
1017     memchr.3c
1018     memcmp.3c
1019     memcpy.3c
1020     memmem.3c
1021     memmove.3c
1022     memset.3c
1023     minor.3c
1024     mkdtemp.3c
1025     mkfifoat.3c
1026     mkostemp.3c
1027     mkostemps.3c
1028     mkstemp.3c
1029     mq_reltimedreceive_np.3c
1030     mq_reltimedsend_np.3c
1031     mq_timedreceive.3c
1032     mq_timedsend.3c
1033     mrand48.3c
1034     mtx_destroy.3c
1035     mtx_init.3c
1036     mtx_lock.3c
1037     mtx_timedlock.3c
1038     mtx_trylock.3c
1039     mtx_unlock.3c
1040     munlock.3c
1041     munlockall.3c
1042     mutex_consistent.3c
1043     mutex_destroy.3c
1044     mutex_lock.3c
1045     mutex_trylock.3c
1046     mutex_unlock.3c
1047     nftw.3c
1048     ngettext.3c
1049     nl_langinfo_l.3c
1050     nrand48.3c
1051     ntohl.3c

```

```

1052      ntohll.3c      //
1053      ntohs.3c      //
1054      openlog.3c    //
1055      pclose.3c     //
1056      port_dissociate.3c //
1057      port_getn.3c  //
1058      port_sendn.3c //
1059      posix_spawn_file_actions_addopen.3c //
1060      posix_spawn_file_actions_init.3c //
1061      posix_spawnattr_init.3c //
1062      posix_spawnattr_setflags.3c //
1063      posix_spawnattr_setpgroup.3c //
1064      posix_spawnattr_setschedparam.3c //
1065      posix_spawnattr_setschedpolicy.3c //
1066      posix_spawnattr_setsigdefault.3c //
1067      posix_spawnattr_setsigignore_np.3c //
1068      posix_spawnattr_setsigmask.3c //
1069      posix_spawnnp.3c //
1070      printstack.3c //
1071      priv_allocset.3c //
1072      priv_basicset.3c //
1073      priv_copysset.3c //
1074      priv_delset.3c //
1075      priv_emptyset.3c //
1076      priv_fillset.3c //
1077      priv_freeset.3c //
1078      priv_getbyname.3c //
1079      priv_getbynum.3c //
1080      priv_getsetbyname.3c //
1081      priv_getsetbynum.3c //
1082      priv_gettext.3c //
1083      priv_ineffect.3c //
1084      priv_intersect.3c //
1085      priv_inverse.3c //
1086      priv_isemptyset.3c //
1087      priv_isequalset.3c //
1088      priv_isfullset.3c //
1089      priv_ismember.3c //
1090      priv_issubset.3c //
1091      priv_set_to_str.3c //
1092      priv_union.3c //
1093      pselect.3c //
1094      psiginfo.3c //
1095      pthread_attr_destroy.3c //
1096      pthread_attr_setdetachstate.3c //
1097      pthread_attr_setguardsize.3c //
1098      pthread_attr_setinheritsched.3c //
1099      pthread_attr_setname_np.3c //
1100      pthread_attr_setschedparam.3c //
1101      pthread_attr_setschedpolicy.3c //
1102      pthread_attr_setscope.3c //
1103      pthread_attr_setstack.3c //
1104      pthread_attr_setstackaddr.3c //
1105      pthread_attr_setstacksize.3c //
1106      pthread_barrier_init.3c //
1107      pthread_barrierattr_init.3c //
1108      pthread_barrierattr_setpshared.3c //
1109      pthread_cond_broadcast.3c //
1110      pthread_cond_destroy.3c //
1111      pthread_cond_reltimedwait_np.3c //
1112      pthread_cond_timedwait.3c //
1113      pthread_condattr_destroy.3c //
1114      pthread_condattr_setclock.3c //
1115      pthread_condattr_setpshared.3c //
1116      pthread_key_create_once_np.3c //
1117      pthread_mutex_destroy.3c //

```

```

1118      pthread_mutex_reltimedlock_np.3c //
1119      pthread_mutex_setprioceiling.3c //
1120      pthread_mutex_trylock.3c //
1121      pthread_mutex_unlock.3c //
1122      pthread_mutexattr_destroy.3c //
1123      pthread_mutexattr_setprioceiling.3c //
1124      pthread_mutexattr_setprotocol.3c //
1125      pthread_mutexattr_setpshared.3c //
1126      pthread_mutexattr_setrobust.3c //
1127      pthread_mutexattr_settype.3c //
1128      pthread_rwlock_destroy.3c //
1129      pthread_rwlock_reltimedrdlock_np.3c //
1130      pthread_rwlock_reltimedwlock_np.3c //
1131      pthread_rwlock_tryrdlock.3c //
1132      pthread_rwlock_trywrlock.3c //
1133      pthread_rwlockattr_destroy.3c //
1134      pthread_rwlockattr_setpshared.3c //
1135      pthread_setconcurrency.3c //
1136      pthread_setname_np.3c //
1137      pthread_setschedparam.3c //
1138      pthread_setspecific.3c //
1139      pthread_spin_init.3c //
1140      pthread_spin_trylock.3c //
1141      putc.3c //
1142      putc_unlocked.3c //
1143      putchar.3c //
1144      putchar_unlocked.3c //
1145      putmntent.3c //
1146      pututline.3c //
1147      pututxline.3c //
1148      putw.3c //
1149      putwc.3c //
1150      putwchar.3c //
1151      qeconvert.3c //
1152      qfconvert.3c //
1153      qgconvert.3c //
1154      quadruple_to_decimal.3c //
1155      rand_r.3c //
1156      rctlblk_get_enforced_value.3c //
1157      rctlblk_get_firing_time.3c //
1158      rctlblk_get_global_action.3c //
1159      rctlblk_get_global_flags.3c //
1160      rctlblk_get_local_action.3c //
1161      rctlblk_get_local_flags.3c //
1162      rctlblk_get_privilege.3c //
1163      rctlblk_get_recipient_pid.3c //
1164      rctlblk_get_value.3c //
1165      rctlblk_set_local_action.3c //
1166      rctlblk_set_local_flags.3c //
1167      rctlblk_set_privilege.3c //
1168      rctlblk_set_recipient_pid.3c //
1169      rctlblk_size.3c //
1170      re_exec.3c //
1171      readdir_r.3c //
1172      realloc.3c //
1173      reallocarray.3c //
1174      recallocarray.3c //
1175      regerror.3c //
1176      regex.3c //
1177      regexec.3c //
1178      regfree.3c //
1179      remque.3c //
1180      resetmnttab.3c //
1181      rindex.3c //
1182      rw_rdlock.3c //
1183      rw_tryrdlock.3c //

```

```

1184         rw_trywrlck.3c
1185         rw_unlock.3c
1186         rw_wrlck.3c
1187         rwlock_destroy.3c
1188         rwlock_init.3c
1189         sched_get_priority_min.3c
1190         schedctl_exit.3c
1191         schedctl_lookup.3c
1192         schedctl_start.3c
1193         schedctl_stop.3c
1194         seconvert.3c
1195         seed48.3c
1196         sem_reltimedwait_np.3c
1197         sem_trywait.3c
1198         sema_destroy.3c
1199         sema_init.3c
1200         sema_post.3c
1201         sema_trywait.3c
1202         sema_wait.3c
1203         setattrat.3c
1204         setgrent.3c
1205         sethostname.3c
1206         setlinebuf.3c
1207         setlogmask.3c
1208         setnetgrent.3c
1209         setpriority.3c
1210         setprogname.3c
1211         setpwent.3c
1212         setspent.3c
1213         setstate.3c
1214         settimeofday.3c
1215         setusershell.3c
1216         setutent.3c
1217         setutxent.3c
1218         setvbuf.3c
1219         sfconvert.3c
1220         sgconvert.3c
1221         sig2str.3c
1222         sigaddset.3c
1223         sigdelset.3c
1224         sigemptyset.3c
1225         sigfillset.3c
1226         sighold.3c
1227         sigignore.3c
1228         sigismember.3c
1229         siglongjmp.3c
1230         sigpause.3c
1231         sigrelse.3c
1232         sigset.3c
1233         sigsetjmp.3c
1234         sigtimedwait.3c
1235         single_to_decimal.3c
1236         snprintf.3c
1237         sprintf.3c
1238         srand.3c
1239         srand48.3c
1240         srandom.3c
1241         sscanf.3c
1242         stderr.3c
1243         stdin.3c
1244         stdout.3c
1245         stpcpy.3c
1246         stpncpy.3c
1247         strcasecmp.3c
1248         strcasecmp_l.3c
1249         strcasestr.3c

```

```

1250         strcasestr_l.3c
1251         strcat.3c
1252         strchr.3c
1253         strchrnul.3c
1254         strcmp.3c
1255         strcoll_l.3c
1256         strcpy.3c
1257         strcspn.3c
1258         strdup.3c
1259         strdupa.3c
1260         strerror_l.3c
1261         strerror_r.3c
1262         strfmon_l.3c
1263         strftime_l.3c
1264         strlcat.3c
1265         strlcpy.3c
1266         strlen.3c
1267         strncasemp.3c
1268         strncasemp_l.3c
1269         strncat.3c
1270         strncmp.3c
1271         strncpy.3c
1272         strndup.3c
1273         strndupa.3c
1274         strnlen.3c
1275         strnstr.3c
1276         strpbrk.3c
1277         strptime_l.3c
1278         strrchr.3c
1279         strsep.3c
1280         strspn.3c
1281         strstr.3c
1282         strtok.3c
1283         strtok_r.3c
1284         strtold.3c
1285         strtoll.3c
1286         strtoull.3c
1287         strtoumax.3c
1288         strxfrm_l.3c
1289         swapcontext.3c
1290         swprintf.3c
1291         swscanf.3c
1292         tdelete.3c
1293         tempnam.3c
1294         textdomain.3c
1295         tfind.3c
1296         thr_continue.3c
1297         thr_getspecific.3c
1298         thr_keycreate_once.3c
1299         thr_setname.3c
1300         thr_setconcurrency.3c
1301         thr_setprio.3c
1302         thr_setspecific.3c
1303         thr_sleep.3c
1304         timegm.3c
1305         timer_getoverrun.3c
1306         timer_gettime.3c
1307         timerclear.3c
1308         timercmp.3c
1309         timerfd_gettime.3c
1310         timerfd_settime.3c
1311         timerisset.3c
1312         timersub.3c
1313         tmpnam_r.3c
1314         tolower_l.3c
1315

```

```

1316 toupper_1.3c //
1317 towctrans.3c //
1318 towctrans_1.3c //
1319 tolower_1.3c //
1320 towupper_1.3c //
1321 tss_create.3c //
1322 tss_delete.3c //
1323 tss_get.3c //
1324 tss_set.3c //
1325 ttyname_r.3c //
1326 twalk.3c //
1327 tzset.3c //
1328 uconv_u16tou8.3c //
1329 uconv_u32tou16.3c //
1330 uconv_u32tou8.3c //
1331 uconv_u8tou16.3c //
1332 uconv_u8tou32.3c //
1333 ucred_free.3c //
1334 ucred_get.3c //
1335 ucred_getegid.3c //
1336 ucred_geteuid.3c //
1337 ucred_getgroups.3c //
1338 ucred_getlabel.3c //
1339 ucred_getpflags.3c //
1340 ucred_getpid.3c //
1341 ucred_getprivset.3c //
1342 ucred_getprojid.3c //
1343 ucred_getrgid.3c //
1344 ucred_getruid.3c //
1345 ucred_getsgid.3c //
1346 ucred_getsuid.3c //
1347 ucred_getzoneid.3c //
1348 ucred_size.3c //
1349 ulckpwwdf.3c //
1350 ulltostr.3c //
1351 unordered.3c //
1352 updwtmp.3c //
1353 updwtmpx.3c //
1354 utmpname.3c //
1355 utmpxname.3c //
1356 valloc.3c //
1357 vasprintf.3c //
1358 verr.3c //
1359 verrx.3c //
1360 vfprintf.3c //
1361 vfscanf.3c //
1362 vfwscanf.3c //
1363 vscanf.3c //
1364 vsnprintf.3c //
1365 vsprintf.3c //
1366 vsscanf.3c //
1367 vswprintf.3c //
1368 vswscanf.3c //
1369 vwarn.3c //
1370 vwarnx.3c //
1371 vwprintf.3c //
1372 vwscanf.3c //
1373 wait4.3c //
1374 warn.3c //
1375 warnx.3c //
1376 watof.3c //
1377 watoi.3c //
1378 watol.3c //
1379 watoll.3c //
1380 wcpncpy.3c //
1381 wortomb_1.3c //

```

```

1382 wscasecmp_1.3c //
1383 wscat.3c //
1384 wchr.3c //
1385 wscmp.3c //
1386 wscoll_1.3c //
1387 wscpy.3c //
1388 wscspn.3c //
1389 wcsetno.3c //
1390 wscnasecmp.3c //
1391 wscnasecmp_1.3c //
1392 wscncat.3c //
1393 wscncmp.3c //
1394 wscncpy.3c //
1395 wscnlen.3c //
1396 wcnrtombs.3c //
1397 wcnrtombs_1.3c //
1398 wcpbrk.3c //
1399 wscrchr.3c //
1400 wcnrtombs_1.3c //
1401 wcsspn.3c //
1402 wctof.3c //
1403 wctok.3c //
1404 wctold.3c //
1405 wctoll.3c //
1406 wctombs_1.3c //
1407 wctoull.3c //
1408 wctoumax.3c //
1409 wswcs.3c //
1410 wswidth_1.3c //
1411 wctob_1.3c //
1412 wctomb_1.3c //
1413 wctrans_1.3c //
1414 wctype_1.3c //
1415 wcwidth_1.3c //
1416 windex.3c //
1417 wordfree.3c //
1418 wprintf.3c //
1419 wrindex.3c //
1420 wscanf.3c //
1421 wscasecmp.3c //
1422 wscat.3c //
1423 wchr.3c //
1424 wscmp.3c //
1425 wscol.3c //
1426 wscoll.3c //
1427 wscpy.3c //
1428 wscspn.3c //
1429 wsdup.3c //
1430 wslen.3c //
1431 wscnasecmp.3c //
1432 wscncat.3c //
1433 wscncmp.3c //
1434 wscncpy.3c //
1435 wcpbrk.3c //
1436 wscrchr.3c //
1437 wcsspn.3c //
1438 wctod.3c //
1439 wctok.3c //
1440 wctol.3c //
1441 wctostr.3c //
1442 wsxfrm.3c //

1444 __flbf.3c := LINKSRC = __fbufsize.3c
1445 __fpending.3c := LINKSRC = __fbufsize.3c
1446 __fpurge.3c := LINKSRC = __fbufsize.3c
1447 __freadable.3c := LINKSRC = __fbufsize.3c

```

```

1448 __freading.3c      := LINKSRC = __fbufsize.3c
1449 __fsetlocking.3c  := LINKSRC = __fbufsize.3c
1450 __fwritable.3c     := LINKSRC = __fbufsize.3c
1451 __fwriting.3c     := LINKSRC = __fbufsize.3c
1452 __flushlbf.3c     := LINKSRC = __fbufsize.3c

1454 _setjmp.3c        := LINKSRC = _longjmp.3c

1456 l64a.3c          := LINKSRC = a64l.3c

1458 labs.3c          := LINKSRC = abs.3c
1459 llabs.3c          := LINKSRC = abs.3c

1461 aiowrite.3c      := LINKSRC = aioread.3c

1463 arc4random_buf.3c := LINKSRC = arc4random.3c
1464 arc4random_uniform.3c := LINKSRC = arc4random.3c

1466 at_quick_exit.3c := LINKSRC = quick_exit.3c

1468 atomic_add_16.3c  := LINKSRC = atomic_add.3c
1469 atomic_add_16_nv.3c := LINKSRC = atomic_add.3c
1470 atomic_add_32.3c  := LINKSRC = atomic_add.3c
1471 atomic_add_32_nv.3c := LINKSRC = atomic_add.3c
1472 atomic_add_64.3c  := LINKSRC = atomic_add.3c
1473 atomic_add_64_nv.3c := LINKSRC = atomic_add.3c
1474 atomic_add_8.3c   := LINKSRC = atomic_add.3c
1475 atomic_add_8_nv.3c := LINKSRC = atomic_add.3c
1476 atomic_add_char.3c := LINKSRC = atomic_add.3c
1477 atomic_add_char_nv.3c := LINKSRC = atomic_add.3c
1478 atomic_add_int.3c  := LINKSRC = atomic_add.3c
1479 atomic_add_int_nv.3c := LINKSRC = atomic_add.3c
1480 atomic_add_long.3c := LINKSRC = atomic_add.3c
1481 atomic_add_long_nv.3c := LINKSRC = atomic_add.3c
1482 atomic_add_ptr.3c := LINKSRC = atomic_add.3c
1483 atomic_add_ptr_nv.3c := LINKSRC = atomic_add.3c
1484 atomic_add_short.3c := LINKSRC = atomic_add.3c
1485 atomic_add_short_nv.3c := LINKSRC = atomic_add.3c
1486 atomic_and_16.3c  := LINKSRC = atomic_and.3c
1487 atomic_and_16_nv.3c := LINKSRC = atomic_and.3c
1488 atomic_and_32.3c  := LINKSRC = atomic_and.3c
1489 atomic_and_32_nv.3c := LINKSRC = atomic_and.3c
1490 atomic_and_64.3c  := LINKSRC = atomic_and.3c
1491 atomic_and_64_nv.3c := LINKSRC = atomic_and.3c
1492 atomic_and_8.3c   := LINKSRC = atomic_and.3c
1493 atomic_and_8_nv.3c := LINKSRC = atomic_and.3c
1494 atomic_and_uchar.3c := LINKSRC = atomic_and.3c
1495 atomic_and_uchar_nv.3c := LINKSRC = atomic_and.3c
1496 atomic_and_uint.3c := LINKSRC = atomic_and.3c
1497 atomic_and_uint_nv.3c := LINKSRC = atomic_and.3c
1498 atomic_and_ulong.3c := LINKSRC = atomic_and.3c
1499 atomic_and_ulong_nv.3c := LINKSRC = atomic_and.3c
1500 atomic_and_ushort.3c := LINKSRC = atomic_and.3c
1501 atomic_and_ushort_nv.3c := LINKSRC = atomic_and.3c

1503 atomic_clear_long_excl.3c := LINKSRC = atomic_bits.3c
1504 atomic_set_long_excl.3c := LINKSRC = atomic_bits.3c

1506 atomic_cas_16.3c  := LINKSRC = atomic_cas.3c
1507 atomic_cas_32.3c  := LINKSRC = atomic_cas.3c
1508 atomic_cas_64.3c  := LINKSRC = atomic_cas.3c
1509 atomic_cas_8.3c   := LINKSRC = atomic_cas.3c
1510 atomic_cas_ptr.3c  := LINKSRC = atomic_cas.3c
1511 atomic_cas_uchar.3c := LINKSRC = atomic_cas.3c
1512 atomic_cas_uint.3c := LINKSRC = atomic_cas.3c
1513 atomic_cas_ulong.3c := LINKSRC = atomic_cas.3c

```

```

1514 atomic_cas_ushort.3c := LINKSRC = atomic_cas.3c

1516 atomic_dec_16.3c    := LINKSRC = atomic_dec.3c
1517 atomic_dec_16_nv.3c := LINKSRC = atomic_dec.3c
1518 atomic_dec_32.3c    := LINKSRC = atomic_dec.3c
1519 atomic_dec_32_nv.3c := LINKSRC = atomic_dec.3c
1520 atomic_dec_64.3c    := LINKSRC = atomic_dec.3c
1521 atomic_dec_64_nv.3c := LINKSRC = atomic_dec.3c
1522 atomic_dec_8.3c    := LINKSRC = atomic_dec.3c
1523 atomic_dec_8_nv.3c  := LINKSRC = atomic_dec.3c
1524 atomic_dec_ptr.3c  := LINKSRC = atomic_dec.3c
1525 atomic_dec_ptr_nv.3c := LINKSRC = atomic_dec.3c
1526 atomic_dec_uchar.3c := LINKSRC = atomic_dec.3c
1527 atomic_dec_uchar_nv.3c := LINKSRC = atomic_dec.3c
1528 atomic_dec_uint.3c  := LINKSRC = atomic_dec.3c
1529 atomic_dec_uint_nv.3c := LINKSRC = atomic_dec.3c
1530 atomic_dec_ulong.3c := LINKSRC = atomic_dec.3c
1531 atomic_dec_ulong_nv.3c := LINKSRC = atomic_dec.3c
1532 atomic_dec_ushort.3c := LINKSRC = atomic_dec.3c
1533 atomic_dec_ushort_nv.3c := LINKSRC = atomic_dec.3c

1535 atomic_inc_16.3c    := LINKSRC = atomic_inc.3c
1536 atomic_inc_16_nv.3c := LINKSRC = atomic_inc.3c
1537 atomic_inc_32.3c    := LINKSRC = atomic_inc.3c
1538 atomic_inc_32_nv.3c := LINKSRC = atomic_inc.3c
1539 atomic_inc_64.3c    := LINKSRC = atomic_inc.3c
1540 atomic_inc_64_nv.3c := LINKSRC = atomic_inc.3c
1541 atomic_inc_8.3c     := LINKSRC = atomic_inc.3c
1542 atomic_inc_8_nv.3c  := LINKSRC = atomic_inc.3c
1543 atomic_inc_ptr.3c   := LINKSRC = atomic_inc.3c
1544 atomic_inc_ptr_nv.3c := LINKSRC = atomic_inc.3c
1545 atomic_inc_uchar.3c := LINKSRC = atomic_inc.3c
1546 atomic_inc_uchar_nv.3c := LINKSRC = atomic_inc.3c
1547 atomic_inc_uint.3c  := LINKSRC = atomic_inc.3c
1548 atomic_inc_uint_nv.3c := LINKSRC = atomic_inc.3c
1549 atomic_inc_ulong.3c := LINKSRC = atomic_inc.3c
1550 atomic_inc_ulong_nv.3c := LINKSRC = atomic_inc.3c
1551 atomic_inc_ushort.3c := LINKSRC = atomic_inc.3c
1552 atomic_inc_ushort_nv.3c := LINKSRC = atomic_inc.3c

1554 atomic_or_16.3c    := LINKSRC = atomic_or.3c
1555 atomic_or_16_nv.3c := LINKSRC = atomic_or.3c
1556 atomic_or_32.3c    := LINKSRC = atomic_or.3c
1557 atomic_or_32_nv.3c := LINKSRC = atomic_or.3c
1558 atomic_or_64.3c    := LINKSRC = atomic_or.3c
1559 atomic_or_64_nv.3c := LINKSRC = atomic_or.3c
1560 atomic_or_8.3c     := LINKSRC = atomic_or.3c
1561 atomic_or_8_nv.3c  := LINKSRC = atomic_or.3c
1562 atomic_or_uchar.3c := LINKSRC = atomic_or.3c
1563 atomic_or_uchar_nv.3c := LINKSRC = atomic_or.3c
1564 atomic_or_uint.3c  := LINKSRC = atomic_or.3c
1565 atomic_or_uint_nv.3c := LINKSRC = atomic_or.3c
1566 atomic_or_ulong.3c := LINKSRC = atomic_or.3c
1567 atomic_or_ulong_nv.3c := LINKSRC = atomic_or.3c
1568 atomic_or_ushort.3c := LINKSRC = atomic_or.3c
1569 atomic_or_ushort_nv.3c := LINKSRC = atomic_or.3c

1571 atomic_swap_16.3c  := LINKSRC = atomic_swap.3c
1572 atomic_swap_32.3c := LINKSRC = atomic_swap.3c
1573 atomic_swap_64.3c := LINKSRC = atomic_swap.3c
1574 atomic_swap_8.3c  := LINKSRC = atomic_swap.3c
1575 atomic_swap_ptr.3c := LINKSRC = atomic_swap.3c
1576 atomic_swap_uchar.3c := LINKSRC = atomic_swap.3c
1577 atomic_swap_uint.3c := LINKSRC = atomic_swap.3c
1578 atomic_swap_ulong.3c := LINKSRC = atomic_swap.3c
1579 atomic_swap_ushort.3c := LINKSRC = atomic_swap.3c

```

```

1581 bcmp.3c          := LINKSRC = bstring.3c
1582 bcopy.3c        := LINKSRC = bstring.3c
1583 bzero.3c        := LINKSRC = bstring.3c
1584 explicit_bzero.3c := LINKSRC = bstring.3c

1586 btowc_l.3c      := LINKSRC = btowc.3c

1588 htonl.3c        := LINKSRC = byteorder.3c
1589 htonll.3c       := LINKSRC = byteorder.3c
1590 htobs.3c        := LINKSRC = byteorder.3c
1591 ntohl.3c        := LINKSRC = byteorder.3c
1592 ntohll.3c       := LINKSRC = byteorder.3c
1593 ntohs.3c        := LINKSRC = byteorder.3c

1595 canonicalize_file_name.3c := LINKSRC = realpath.3c

1597 catclose.3c     := LINKSRC = catopen.3c

1599 cfgetospeed.3c  := LINKSRC = cfgetispeed.3c

1601 cfsetospeed.3c  := LINKSRC = cfsetispeed.3c

1603 clock_getres.3c := LINKSRC = clock_settime.3c
1604 clock_gettime.3c := LINKSRC = clock_settime.3c

1606 fdwalk.3c       := LINKSRC = closefrom.3c

1608 cnd_broadcast.3c := LINKSRC = cnd.3c
1609 cnd_destroy.3c   := LINKSRC = cnd.3c
1610 cnd_init.3c      := LINKSRC = cnd.3c
1611 cnd_signal.3c    := LINKSRC = cnd.3c
1612 cnd_timedwait.3c := LINKSRC = cnd.3c
1613 cnd_wait.3c      := LINKSRC = cnd.3c

1615 cond_broadcast.3c := LINKSRC = cond_init.3c
1616 cond_destroy.3c   := LINKSRC = cond_init.3c
1617 cond_reltimedwait.3c := LINKSRC = cond_init.3c
1618 cond_signal.3c    := LINKSRC = cond_init.3c
1619 cond_timedwait.3c := LINKSRC = cond_init.3c
1620 cond_wait.3c      := LINKSRC = cond_init.3c

1622 csetcol.3c       := LINKSRC = cset.3c
1623 csetlen.3c       := LINKSRC = cset.3c
1624 csetno.3c        := LINKSRC = cset.3c
1625 wcsetno.3c       := LINKSRC = cset.3c

1627 ctermid_r.3c    := LINKSRC = ctermid.3c

1629 asctime.3c       := LINKSRC = ctime.3c
1630 asctime_r.3c     := LINKSRC = ctime.3c
1631 ctime_r.3c       := LINKSRC = ctime.3c
1632 gmtime.3c       := LINKSRC = ctime.3c
1633 gmtime_r.3c     := LINKSRC = ctime.3c
1634 localtime.3c     := LINKSRC = ctime.3c
1635 localtime_r.3c  := LINKSRC = ctime.3c
1636 tzset.3c        := LINKSRC = ctime.3c

1638 isalnum.3c       := LINKSRC = ctype.3c
1639 isalnum_l.3c     := LINKSRC = ctype.3c
1640 isalpha.3c       := LINKSRC = ctype.3c
1641 isalpha_l.3c     := LINKSRC = ctype.3c
1642 isascii.3c       := LINKSRC = ctype.3c
1643 isblank.3c       := LINKSRC = ctype.3c
1644 isblank_l.3c     := LINKSRC = ctype.3c
1645 iscntrl.3c       := LINKSRC = ctype.3c

```

```

1646 iscntrl_l.3c    := LINKSRC = ctype.3c
1647 isdigit.3c      := LINKSRC = ctype.3c
1648 isdigit_l.3c    := LINKSRC = ctype.3c
1649 isgraph.3c      := LINKSRC = ctype.3c
1650 isgraph_l.3c    := LINKSRC = ctype.3c
1651 islower.3c      := LINKSRC = ctype.3c
1652 islower_l.3c   := LINKSRC = ctype.3c
1653 isprint.3c      := LINKSRC = ctype.3c
1654 isprint_l.3c   := LINKSRC = ctype.3c
1655 ispunct.3c     := LINKSRC = ctype.3c
1656 ispunct_l.3c   := LINKSRC = ctype.3c
1657 isspace.3c     := LINKSRC = ctype.3c
1658 isspace_l.3c   := LINKSRC = ctype.3c
1659 isupper.3c     := LINKSRC = ctype.3c
1660 isupper_l.3c   := LINKSRC = ctype.3c
1661 isxdigit.3c    := LINKSRC = ctype.3c
1662 isxdigit_l.3c  := LINKSRC = ctype.3c

1664 decimal_to_double.3c := LINKSRC = decimal_to_floating.3c
1665 decimal_to_extended.3c := LINKSRC = decimal_to_floating.3c
1666 decimal_to_quadruple.3c := LINKSRC = decimal_to_floating.3c
1667 decimal_to_single.3c := LINKSRC = decimal_to_floating.3c

1669 ldiv.3c         := LINKSRC = div.3c
1670 lldiv.3c       := LINKSRC = div.3c

1672 dladdr1.3c     := LINKSRC = dladdr.3c

1674 dlopen.3c      := LINKSRC = dlopen.3c

1676 door_unbind.3c := LINKSRC = door_bind.3c

1678 door_setparam.3c := LINKSRC = door_getparam.3c

1680 erand48.3c     := LINKSRC = drand48.3c
1681 jrand48.3c     := LINKSRC = drand48.3c
1682 lcong48.3c    := LINKSRC = drand48.3c
1683 lrand48.3c    := LINKSRC = drand48.3c
1684 mrand48.3c    := LINKSRC = drand48.3c
1685 nrand48.3c    := LINKSRC = drand48.3c
1686 seed48.3c     := LINKSRC = drand48.3c
1687 srand48.3c    := LINKSRC = drand48.3c

1689 dup3.3c        := LINKSRC = dup2.3c

1691 fconvert.3c     := LINKSRC = econvert.3c
1692 gconvert.3c     := LINKSRC = econvert.3c
1693 qeconvert.3c    := LINKSRC = econvert.3c
1694 qfconvert.3c    := LINKSRC = econvert.3c
1695 qgconvert.3c    := LINKSRC = econvert.3c
1696 seconvert.3c    := LINKSRC = econvert.3c
1697 sfconvert.3c    := LINKSRC = econvert.3c
1698 sgconvert.3c    := LINKSRC = econvert.3c

1700 fcvt.3c         := LINKSRC = ecvt.3c
1701 gcvt.3c         := LINKSRC = ecvt.3c

1703 _edata.3c       := LINKSRC = end.3c
1704 _end.3c         := LINKSRC = end.3c
1705 _etext.3c       := LINKSRC = end.3c
1706 edata.3c        := LINKSRC = end.3c
1707 etext.3c        := LINKSRC = end.3c

1709 be16toh.3c      := LINKSRC = endian.3c
1710 be32toh.3c      := LINKSRC = endian.3c
1711 be64toh.3c      := LINKSRC = endian.3c

```

```

1712 betoh16.3c      := LINKSRC = endian.3c
1713 betoh32.3c     := LINKSRC = endian.3c
1714 betoh64.3c     := LINKSRC = endian.3c
1715 htobe16.3c     := LINKSRC = endian.3c
1716 htobe32.3c     := LINKSRC = endian.3c
1717 htobe64.3c     := LINKSRC = endian.3c
1718 htole16.3c     := LINKSRC = endian.3c
1719 htole32.3c     := LINKSRC = endian.3c
1720 htole64.3c     := LINKSRC = endian.3c
1721 le16toh.3c     := LINKSRC = endian.3c
1722 le32toh.3c     := LINKSRC = endian.3c
1723 le64toh.3c     := LINKSRC = endian.3c
1724 letoh16.3c     := LINKSRC = endian.3c
1725 letoh32.3c     := LINKSRC = endian.3c
1726 letoh64.3c     := LINKSRC = endian.3c

1728 epoll_createl.3c := LINKSRC = epoll_create.3c
1729 epoll_pwait.3c   := LINKSRC = epoll_wait.3c

1731 errx.3c          := LINKSRC = err.3c
1732 verr.3c         := LINKSRC = err.3c
1733 verrx.3c        := LINKSRC = err.3c
1734 vwarn.3c        := LINKSRC = err.3c
1735 vwarnx.3c       := LINKSRC = err.3c
1736 warn.3c         := LINKSRC = err.3c
1737 warnx.3c        := LINKSRC = err.3c

1739 euccol.3c        := LINKSRC = euclen.3c
1740 eucscol.3c      := LINKSRC = euclen.3c

1742 _exithandle.3c := LINKSRC = exit.3c

1744 clearerr.3c     := LINKSRC = ferror.3c
1745 feof.3c        := LINKSRC = ferror.3c
1746 fileno.3c      := LINKSRC = ferror.3c

1748 ffs1.3c         := LINKSRC = ffs.3c
1749 ffs11.3c        := LINKSRC = ffs.3c
1750 fls.3c         := LINKSRC = ffs.3c
1751 flsl.3c        := LINKSRC = ffs.3c
1752 flsll.3c       := LINKSRC = ffs.3c

1754 fsetattr.3c    := LINKSRC = fgetattr.3c
1755 getattrat.3c  := LINKSRC = fgetattr.3c
1756 setattrat.3c := LINKSRC = fgetattr.3c

1758 getc.3c        := LINKSRC = fgetc.3c
1759 getc_unlocked.3c := LINKSRC = fgetc.3c
1760 getchar.3c     := LINKSRC = fgetc.3c
1761 getchar_unlocked.3c := LINKSRC = fgetc.3c
1762 getw.3c       := LINKSRC = fgetc.3c

1764 fgetwc_l.3c   := LINKSRC = fgetwc.3c

1766 double_to_decimal.3c := LINKSRC = floating_to_decimal.3c
1767 extended_to_decimal.3c := LINKSRC = floating_to_decimal.3c
1768 quadruple_to_decimal.3c := LINKSRC = floating_to_decimal.3c
1769 single_to_decimal.3c := LINKSRC = floating_to_decimal.3c

1771 ftrylockfile.3c := LINKSRC = flockfile.3c
1772 funlockfile.3c := LINKSRC = flockfile.3c

1774 fpgetmask.3c   := LINKSRC = fpgetround.3c
1775 fpgetsticky.3c := LINKSRC = fpgetround.3c
1776 fpsetmask.3c  := LINKSRC = fpgetround.3c
1777 fpsetround.3c := LINKSRC = fpgetround.3c

```

```

1778 fpsetsticky.3c := LINKSRC = fpgetround.3c

1780 putc.3c         := LINKSRC = fputc.3c
1781 putc_unlocked.3c := LINKSRC = fputc.3c
1782 putchar.3c     := LINKSRC = fputc.3c
1783 putchar_unlocked.3c := LINKSRC = fputc.3c
1784 putw.3c        := LINKSRC = fputc.3c

1786 putwc.3c       := LINKSRC = fputwc.3c
1787 putwchar.3c   := LINKSRC = fputwc.3c

1789 fseeko.3c     := LINKSRC = fseek.3c

1791 ftello.3c     := LINKSRC = ftell.3c

1793 fts_children.3c := LINKSRC = fts.3c
1794 fts_close.3c   := LINKSRC = fts.3c
1795 fts_open.3c   := LINKSRC = fts.3c
1796 fts_read.3c   := LINKSRC = fts.3c
1797 fts_set.3c    := LINKSRC = fts.3c

1799 nftw.3c       := LINKSRC = ftw.3c

1801 swprintf.3c   := LINKSRC = fwprintf.3c
1802 wprintf.3c  := LINKSRC = fwprintf.3c

1804 swscanf.3c   := LINKSRC = fwscanf.3c
1805 vfwscanf.3c := LINKSRC = fwscanf.3c
1806 vswscanf.3c := LINKSRC = fwscanf.3c
1807 vwscanf.3c  := LINKSRC = fwscanf.3c
1808 wscanf.3c   := LINKSRC = fwscanf.3c

1810 gethome1group.3c := LINKSRC = getcpuid.3c

1812 endgrent.3c    := LINKSRC = getgrnam.3c
1813 fgetgrent.3c  := LINKSRC = getgrnam.3c
1814 fgetgrent_r.3c := LINKSRC = getgrnam.3c
1815 getgrent.3c  := LINKSRC = getgrnam.3c
1816 getgrent_r.3c := LINKSRC = getgrnam.3c
1817 getgrgid.3c  := LINKSRC = getgrnam.3c
1818 getgrgid_r.3c := LINKSRC = getgrnam.3c
1819 getgrnam_r.3c := LINKSRC = getgrnam.3c
1820 setgrent.3c   := LINKSRC = getgrnam.3c

1822 sethostname.3c := LINKSRC = gethostname.3c

1824 gethrvtime.3c := LINKSRC = gethrtime.3c

1826 getdelim.3c   := LINKSRC = getline.3c

1828 getlogin_r.3c := LINKSRC = getlogin.3c

1830 getextmntent.3c := LINKSRC = getmntent.3c
1831 getmntany.3c   := LINKSRC = getmntent.3c
1832 hasmntopt.3c  := LINKSRC = getmntent.3c
1833 putmntent.3c  := LINKSRC = getmntent.3c
1834 resetmnttab.3c := LINKSRC = getmntent.3c

1836 endnetgrent.3c := LINKSRC = getnetgrent.3c
1837 getnetgrent_r.3c := LINKSRC = getnetgrent.3c
1838 innetgr.3c     := LINKSRC = getnetgrent.3c
1839 setnetgrent.3c := LINKSRC = getnetgrent.3c

1841 get_nprocs_conf.3c := LINKSRC = get_nprocs.3c

1843 getopt_long_clip.3c := LINKSRC = getopt_long.3c

```



```

1844 getopt_long_only.3c      := LINKSRC = getopt_long.3c
1846 getpassphrase.3c        := LINKSRC = getpass.3c
1848 setpriority.3c           := LINKSRC = setpriority.3c
1850 setprogname.3c           := LINKSRC = setprogname.3c
1852 endpwent.3c              := LINKSRC = getpwnam.3c
1853 fgetpwent.3c             := LINKSRC = getpwnam.3c
1854 fgetpwent_r.3c           := LINKSRC = getpwnam.3c
1855 getpwent.3c              := LINKSRC = getpwnam.3c
1856 getpwent_r.3c            := LINKSRC = getpwnam.3c
1857 getpwnam_r.3c            := LINKSRC = getpwnam.3c
1858 getpwuid.3c              := LINKSRC = getpwnam.3c
1859 getpwuid_r.3c            := LINKSRC = getpwnam.3c
1860 setpwent.3c              := LINKSRC = getpwnam.3c
1862 fgets.3c                 := LINKSRC = gets.3c
1864 endspent.3c              := LINKSRC = getspnam.3c
1865 fgetsent.3c              := LINKSRC = getspnam.3c
1866 fgetsent_r.3c            := LINKSRC = getspnam.3c
1867 getspent.3c              := LINKSRC = getspnam.3c
1868 getspent_r.3c            := LINKSRC = getspnam.3c
1869 getspnam_r.3c            := LINKSRC = getspnam.3c
1870 setspent.3c              := LINKSRC = getspnam.3c
1872 bind_textdomain_codeset.3c := LINKSRC = gettext.3c
1873 bindtextdomain.3c        := LINKSRC = gettext.3c
1874 dcgettext.3c             := LINKSRC = gettext.3c
1875 dcngettext.3c            := LINKSRC = gettext.3c
1876 dgettext.3c              := LINKSRC = gettext.3c
1877 dngettext.3c             := LINKSRC = gettext.3c
1878 ngettext.3c              := LINKSRC = gettext.3c
1879 textdomain.3c            := LINKSRC = gettext.3c
1881 settimeofday.3c          := LINKSRC = gettimeofday.3c
1883 endusershell.3c          := LINKSRC = getusershell.3c
1884 setusershell.3c          := LINKSRC = getusershell.3c
1886 endutent.3c              := LINKSRC = getutent.3c
1887 getutid.3c                := LINKSRC = getutent.3c
1888 getutline.3c             := LINKSRC = getutent.3c
1889 pututline.3c             := LINKSRC = getutent.3c
1890 setutent.3c              := LINKSRC = getutent.3c
1891 utmpname.3c               := LINKSRC = getutent.3c
1893 endutxent.3c             := LINKSRC = getutxent.3c
1894 getutmp.3c                := LINKSRC = getutxent.3c
1895 getutmpx.3c              := LINKSRC = getutxent.3c
1896 getutxid.3c              := LINKSRC = getutxent.3c
1897 getutxline.3c            := LINKSRC = getutxent.3c
1898 pututxline.3c            := LINKSRC = getutxent.3c
1899 setutxent.3c             := LINKSRC = getutxent.3c
1900 updwtmp.3c               := LINKSRC = getutxent.3c
1901 updwtmpx.3c              := LINKSRC = getutxent.3c
1902 utmpxname.3c             := LINKSRC = getutxent.3c
1904 getvfsany.3c              := LINKSRC = getvfsent.3c
1905 getvfsfile.3c            := LINKSRC = getvfsent.3c
1906 getvfsspec.3c            := LINKSRC = getvfsent.3c
1908 getwc_1.3c               := LINKSRC = getwc.3c

```

```

1910 getwchar_1.3c            := LINKSRC = getwchar.3c
1912 fgetws.3c                := LINKSRC = getws.3c
1914 getzoneidbyname.3c       := LINKSRC = getzoneid.3c
1915 getzonenamebyid.3c      := LINKSRC = getzoneid.3c
1917 globfree.3c              := LINKSRC = glob.3c
1919 hcreate.3c                := LINKSRC = hsearch.3c
1920 hdestroy.3c              := LINKSRC = hsearch.3c
1922 rindex.3c                := LINKSRC = index.3c
1924 inet6.3c                  := LINKSRC = inet.3c
1925 inet_addr.3c             := LINKSRC = inet.3c
1926 inet_aton.3c             := LINKSRC = inet.3c
1927 inet_lnaof.3c            := LINKSRC = inet.3c
1928 inet_makeaddr.3c         := LINKSRC = inet.3c
1929 inet_netof.3c            := LINKSRC = inet.3c
1930 inet_network.3c          := LINKSRC = inet.3c
1931 inet_ntoa.3c             := LINKSRC = inet.3c
1932 inet_ntop.3c             := LINKSRC = inet.3c
1933 inet_pton.3c             := LINKSRC = inet.3c
1935 remque.3c                := LINKSRC = insque.3c
1937 finite.3c                := LINKSRC = isnand.3c
1938 fpclass.3c               := LINKSRC = isnand.3c
1939 isnanf.3c                := LINKSRC = isnand.3c
1940 unordered.3c             := LINKSRC = isnand.3c
1942 isenglish.3c             := LINKSRC = iswalph.3c
1943 isideogram.3c            := LINKSRC = iswalph.3c
1944 isnumber.3c              := LINKSRC = iswalph.3c
1945 isphonogram.3c          := LINKSRC = iswalph.3c
1946 isspecial.3c            := LINKSRC = iswalph.3c
1947 iswalnum.3c              := LINKSRC = iswalph.3c
1948 iswalnum_1.3c           := LINKSRC = iswalph.3c
1949 iswalph_1.3c            := LINKSRC = iswalph.3c
1950 iswascii.3c             := LINKSRC = iswalph.3c
1951 iswascii_1.3c           := LINKSRC = iswalph.3c
1952 iswblank.3c              := LINKSRC = iswalph.3c
1953 iswblank_1.3c           := LINKSRC = iswalph.3c
1954 iswcntrl.3c             := LINKSRC = iswalph.3c
1955 iswcntrl_1.3c          := LINKSRC = iswalph.3c
1956 iswdigit.3c             := LINKSRC = iswalph.3c
1957 iswdigit_1.3c          := LINKSRC = iswalph.3c
1958 iswgraph.3c             := LINKSRC = iswalph.3c
1959 iswgraph_1.3c          := LINKSRC = iswalph.3c
1960 iswhexnumber.3c         := LINKSRC = iswalph.3c
1961 iswhexnumber_1.3c      := LINKSRC = iswalph.3c
1962 iswideogram.3c         := LINKSRC = iswalph.3c
1963 iswideogram_1.3c       := LINKSRC = iswalph.3c
1964 iswlower.3c             := LINKSRC = iswalph.3c
1965 iswlower_1.3c          := LINKSRC = iswalph.3c
1966 iswnumber.3c           := LINKSRC = iswalph.3c
1967 iswnumber_1.3c         := LINKSRC = iswalph.3c
1968 iswphonogram.3c        := LINKSRC = iswalph.3c
1969 iswphonogram_1.3c      := LINKSRC = iswalph.3c
1970 iswprint.3c             := LINKSRC = iswalph.3c
1971 iswprint_1.3c          := LINKSRC = iswalph.3c
1972 iswpunct.3c            := LINKSRC = iswalph.3c
1973 iswpunct_1.3c         := LINKSRC = iswalph.3c
1974 iswspace.3c            := LINKSRC = iswalph.3c
1975 iswspace_1.3c         := LINKSRC = iswalph.3c

```

```

1976 iswspecial.3c      := LINKSRC = iswalpha.3c
1977 iswspecial_l.3c   := LINKSRC = iswalpha.3c
1978 iswupper.3c       := LINKSRC = iswalpha.3c
1979 iswupper_l.3c    := LINKSRC = iswalpha.3c
1980 iswxdigit.3c     := LINKSRC = iswalpha.3c
1981 iswxdigit_l.3c   := LINKSRC = iswalpha.3c

1983 iswctype_l.3c    := LINKSRC = iswctype.3c

1985 ulckpwdf.3c      := LINKSRC = lckpwdf.3c

1987 lfind.3c         := LINKSRC = lsearch.3c

1989 swapcontext.3c   := LINKSRC = makecontext.3c

1991 major.3c         := LINKSRC = makedev.3c
1992 minor.3c         := LINKSRC = makedev.3c

1994 alloca.3c        := LINKSRC = malloc.3c
1995 calloc.3c        := LINKSRC = malloc.3c
1996 free.3c          := LINKSRC = malloc.3c
1997 freezero.3c      := LINKSRC = malloc.3c
1998 memalign.3c     := LINKSRC = malloc.3c
1999 realloc.3c       := LINKSRC = malloc.3c
2000 reallocarray.3c := LINKSRC = malloc.3c
2001 reallocarray.3c := LINKSRC = malloc.3c
2002 valloc.3c        := LINKSRC = malloc.3c

2004 mblen_l.3c       := LINKSRC = mblen.3c

2006 mbrlen_l.3c      := LINKSRC = mbrlen.3c

2008 mbrtowc_l.3c     := LINKSRC = mbrtowc.3c

2010 mbsinit_l.3c     := LINKSRC = mbsinit.3c

2012 mbsrtowcs.3c     := LINKSRC = mbsrtowcs.3c
2013 mbsrtowcs_l.3c  := LINKSRC = mbsrtowcs.3c
2014 mbsrtowcs_l.3c  := LINKSRC = mbsrtowcs.3c

2016 mbstowcs_l.3c   := LINKSRC = mbstowcs.3c

2018 mbtowc_l.3c     := LINKSRC = mbtowc.3c

2020 membar_consumer.3c := LINKSRC = membar_ops.3c
2021 membar_enter.3c  := LINKSRC = membar_ops.3c
2022 membar_exit.3c   := LINKSRC = membar_ops.3c
2023 membar_producer.3c := LINKSRC = membar_ops.3c

2025 memccpy.3c       := LINKSRC = memory.3c
2026 memchr.3c        := LINKSRC = memory.3c
2027 memcmp.3c        := LINKSRC = memory.3c
2028 memcpy.3c         := LINKSRC = memory.3c
2029 memmem.3c         := LINKSRC = memory.3c
2030 memmove.3c        := LINKSRC = memory.3c
2031 memset.3c         := LINKSRC = memory.3c

2033 mkfifoat.3c     := LINKSRC = mkfifo.3c

2035 mkdtemp.3c       := LINKSRC = mkstemp.3c
2036 mkostemp.3c      := LINKSRC = mkstemp.3c
2037 mkostemps.3c     := LINKSRC = mkstemp.3c
2038 mkstemp.3c       := LINKSRC = mkstemp.3c

2040 munlock.3c       := LINKSRC = mlock.3c

```

```

2042 munlockall.3c    := LINKSRC = mlockall.3c

2044 mq_reltimedreceive_np.3c := LINKSRC = mq_receive.3c
2045 mq_timedreceive.3c     := LINKSRC = mq_receive.3c

2047 mq_reltimedsend_np.3c  := LINKSRC = mq_send.3c
2048 mq_timedsend.3c       := LINKSRC = mq_send.3c

2050 mtx_destroy.3c        := LINKSRC = mtx.3c
2051 mtx_init.3c          := LINKSRC = mtx.3c
2052 mtx_lock.3c          := LINKSRC = mtx.3c
2053 mtx_timedlock.3c     := LINKSRC = mtx.3c
2054 mtx_trylock.3c       := LINKSRC = mtx.3c
2055 mtx_unlock.3c        := LINKSRC = mtx.3c

2057 mutex_consistent.3c  := LINKSRC = mutex_init.3c
2058 mutex_destroy.3c     := LINKSRC = mutex_init.3c
2059 mutex_lock.3c        := LINKSRC = mutex_init.3c
2060 mutex_trylock.3c     := LINKSRC = mutex_init.3c
2061 mutex_unlock.3c     := LINKSRC = mutex_init.3c

2063 thrd_sleep.3c       := LINKSRC = nanosleep.3c

2065 dbm_clearerr.3c     := LINKSRC = ndbm.3c
2066 dbm_close.3c       := LINKSRC = ndbm.3c
2067 dbm_delete.3c      := LINKSRC = ndbm.3c
2068 dbm_error.3c        := LINKSRC = ndbm.3c
2069 dbm_fetch.3c        := LINKSRC = ndbm.3c
2070 dbm_firstkey.3c     := LINKSRC = ndbm.3c
2071 dbm_nextkey.3c     := LINKSRC = ndbm.3c
2072 dbm_open.3c         := LINKSRC = ndbm.3c
2073 dbm_store.3c        := LINKSRC = ndbm.3c

2075 duplocale.3c       := LINKSRC = newlocale.3c
2076 freelocale.3c     := LINKSRC = newlocale.3c

2078 nl_langinfo_l.3c   := LINKSRC = nl_langinfo.3c

2080 fdopendir.3c       := LINKSRC = opendir.3c

2082 errno.3c           := LINKSRC = perror.3c

2084 pclose.3c          := LINKSRC = popen.3c

2086 port_dissociate.3c := LINKSRC = port_associate.3c

2088 port_getn.3c       := LINKSRC = port_get.3c

2090 port_sendn.3c      := LINKSRC = port_send.3c

2092 posix_spawnnp.3c   := LINKSRC = posix_spawn.3c

2094 posix_spawn_file_actions_addopen.3c := LINKSRC = posix_spawn_file_actions_ad
2095 posix_spawn_file_actions_init.3c   := LINKSRC = posix_spawn_file_actions_de

2097 posix_spawnattr_init.3c := LINKSRC = posix_spawnattr_destroy.3c

2099 posix_spawnattr_setflags.3c := LINKSRC = posix_spawnattr_getflags.3c

2101 posix_spawnattr_setpgroup.3c := LINKSRC = posix_spawnattr_getpgroup.3

2103 posix_spawnattr_setschedparam.3c := LINKSRC = posix_spawnattr_getschedpar

2105 posix_spawnattr_setschedpolicy.3c := LINKSRC = posix_spawnattr_getschedpol

2107 posix_spawnattr_setsigdefault.3c := LINKSRC = posix_spawnattr_getsigdefau

```

```

2109 posix_spawnattr_setsigignore_np.3c := LINKSRC = posix_spawnattr_getsigignor
2111 posix_spawnattr_setsigmask.3c := LINKSRC = posix_spawnattr_getsigmask.
2113 asprintf.3c := LINKSRC = printf.3c
2114 fprintf.3c := LINKSRC = printf.3c
2115 snprintf.3c := LINKSRC = printf.3c
2116 sprintf.3c := LINKSRC = printf.3c
2118 priv_allocset.3c := LINKSRC = priv_addset.3c
2119 priv_basicset.3c := LINKSRC = priv_addset.3c
2120 priv_copyset.3c := LINKSRC = priv_addset.3c
2121 priv_delset.3c := LINKSRC = priv_addset.3c
2122 priv_emptyset.3c := LINKSRC = priv_addset.3c
2123 priv_fillset.3c := LINKSRC = priv_addset.3c
2124 priv_freerset.3c := LINKSRC = priv_addset.3c
2125 priv_intersect.3c := LINKSRC = priv_addset.3c
2126 priv_inverse.3c := LINKSRC = priv_addset.3c
2127 priv_isemptyset.3c := LINKSRC = priv_addset.3c
2128 priv_isequalset.3c := LINKSRC = priv_addset.3c
2129 priv_isfullset.3c := LINKSRC = priv_addset.3c
2130 priv_ismember.3c := LINKSRC = priv_addset.3c
2131 priv_issubset.3c := LINKSRC = priv_addset.3c
2132 priv_union.3c := LINKSRC = priv_addset.3c
2134 priv_ineffect.3c := LINKSRC = priv_set.3c
2136 priv_getbyname.3c := LINKSRC = priv_str_to_set.3c
2137 priv_getbynum.3c := LINKSRC = priv_str_to_set.3c
2138 priv_getsetbyname.3c := LINKSRC = priv_str_to_set.3c
2139 priv_getsetbynum.3c := LINKSRC = priv_str_to_set.3c
2140 priv_gettext.3c := LINKSRC = priv_str_to_set.3c
2141 priv_set_to_str.3c := LINKSRC = priv_str_to_set.3c
2143 psiginfo.3c := LINKSRC = psignal.3c
2145 pthread_attr_setdetachstate.3c := LINKSRC = pthread_attr_getdetachstate
2147 pthread_attr_setguardsize.3c := LINKSRC = pthread_attr_getguardsize.3
2149 pthread_attr_setinheritsched.3c := LINKSRC = pthread_attr_getinheritsche
2151 pthread_attr_setname_np.3c := LINKSRC = pthread_attr_getname_np.3c
2153 pthread_attr_setschedparam.3c := LINKSRC = pthread_attr_getschedparam.
2155 pthread_attr_setschedpolicy.3c := LINKSRC = pthread_attr_getschedpolicy
2157 pthread_attr_setscope.3c := LINKSRC = pthread_attr_getscope.3c
2158 pthread_attr_setstack.3c := LINKSRC = pthread_attr_getstack.3c
2160 pthread_attr_setstackaddr.3c := LINKSRC = pthread_attr_getstackaddr.3
2162 pthread_attr_setstacksize.3c := LINKSRC = pthread_attr_getstacksize.3
2164 pthread_attr_destroy.3c := LINKSRC = pthread_attr_init.3c
2166 pthread_barrier_init.3c := LINKSRC = pthread_barrier_destroy.3c
2168 pthread_barrierattr_init.3c := LINKSRC = pthread_barrierattr_destroy
2170 pthread_barrierattr_setpshared.3c := LINKSRC = pthread_barrierattr_getpsha
2172 pthread_cond_destroy.3c := LINKSRC = pthread_cond_init.3c

```

```

2174 pthread_cond_broadcast.3c := LINKSRC = pthread_cond_signal.3c
2176 pthread_cond_reltimedwait_np.3c := LINKSRC = pthread_cond_wait.3c
2177 pthread_cond_timedwait.3c := LINKSRC = pthread_cond_wait.3c
2179 pthread_condattr_setclock.3c := LINKSRC = pthread_condattr_getclock.3
2181 pthread_condattr_setpshared.3c := LINKSRC = pthread_condattr_getpshared
2183 pthread_condattr_destroy.3c := LINKSRC = pthread_condattr_init.3c
2185 pthread_setconcurrency.3c := LINKSRC = pthread_getconcurrency.3c
2187 pthread_setname_np.3c := LINKSRC = pthread_getname_np.3c
2189 pthread_setschedparam.3c := LINKSRC = pthread_getschedparam.3c
2191 pthread_setspecific.3c := LINKSRC = pthread_getspecific.3c
2193 pthread_key_create_once_np.3c := LINKSRC = pthread_key_create.3c
2195 pthread_mutex_setprioceiling.3c := LINKSRC = pthread_mutex_getprioceilin
2197 pthread_mutex_destroy.3c := LINKSRC = pthread_mutex_init.3c
2199 pthread_mutex_trylock.3c := LINKSRC = pthread_mutex_lock.3c
2200 pthread_mutex_unlock.3c := LINKSRC = pthread_mutex_lock.3c
2202 pthread_mutex_reltimedlock_np.3c := LINKSRC = pthread_mutex_timedlock.3c
2204 pthread_mutexattr_setprioceiling.3c := LINKSRC = pthread_mutexattr_getprioce
2206 pthread_mutexattr_setprotocol.3c := LINKSRC = pthread_mutexattr_getprotoc
2208 pthread_mutexattr_setpshared.3c := LINKSRC = pthread_mutexattr_getpshare
2210 pthread_mutexattr_setrobust.3c := LINKSRC = pthread_mutexattr_getrobust
2212 pthread_mutexattr_settype.3c := LINKSRC = pthread_mutexattr_gettype.3
2214 pthread_mutexattr_destroy.3c := LINKSRC = pthread_mutexattr_init.3c
2216 pthread_rwlock_destroy.3c := LINKSRC = pthread_rwlock_init.3c
2218 pthread_rwlock_tryrdlock.3c := LINKSRC = pthread_rwlock_rdlock.3c
2220 pthread_rwlock_reltimedrdlock_np.3c := LINKSRC = pthread_rwlock_timedrdlock.
2222 pthread_rwlock_reltimedwrlock_np.3c := LINKSRC = pthread_rwlock_timedwrlock.
2224 pthread_rwlock_trywrlock.3c := LINKSRC = pthread_rwlock_wrlock.3c
2226 pthread_rwlockattr_setpshared.3c := LINKSRC = pthread_rwlockattr_getpshar
2228 pthread_rwlockattr_destroy.3c := LINKSRC = pthread_rwlockattr_init.3c
2230 pthread_spin_init.3c := LINKSRC = pthread_spin_destroy.3c
2232 pthread_spin_trylock.3c := LINKSRC = pthread_spin_lock.3c
2234 fputs.3c := LINKSRC = puts.3c
2236 rand_r.3c := LINKSRC = rand.3c
2237 srand.3c := LINKSRC = rand.3c
2239 initstate.3c := LINKSRC = random.3c

```

```

2240 setstate.3c      := LINKSRC = random.3c
2241 srandom.3c       := LINKSRC = random.3c

2243 rctlblk_get_enforced_value.3c := LINKSRC = rctlblk_set_value.3c
2244 rctlblk_get_firing_time.3c    := LINKSRC = rctlblk_set_value.3c
2245 rctlblk_get_global_action.3c  := LINKSRC = rctlblk_set_value.3c
2246 rctlblk_get_global_flags.3c  := LINKSRC = rctlblk_set_value.3c
2247 rctlblk_get_local_action.3c  := LINKSRC = rctlblk_set_value.3c
2248 rctlblk_get_local_flags.3c   := LINKSRC = rctlblk_set_value.3c
2249 rctlblk_get_privilege.3c     := LINKSRC = rctlblk_set_value.3c
2250 rctlblk_get_recipient_pid.3c  := LINKSRC = rctlblk_set_value.3c
2251 rctlblk_get_value.3c         := LINKSRC = rctlblk_set_value.3c
2252 rctlblk_set_local_action.3c   := LINKSRC = rctlblk_set_value.3c
2253 rctlblk_set_local_flags.3c   := LINKSRC = rctlblk_set_value.3c
2254 rctlblk_set_privilege.3c     := LINKSRC = rctlblk_set_value.3c
2255 rctlblk_set_recipient_pid.3c := LINKSRC = rctlblk_set_value.3c
2256 rctlblk_size.3c            := LINKSRC = rctlblk_set_value.3c

2258 re_exec.3c       := LINKSRC = re_comp.3c

2260 readdir_r.3c     := LINKSRC = readdir.3c

2262 regex.3c        := LINKSRC = regcmp.3c

2264 regerror.3c     := LINKSRC = regcomp.3c
2265 regexec.3c     := LINKSRC = regcomp.3c
2266 regfree.3c     := LINKSRC = regcomp.3c

2268 rw_rdlock.3c    := LINKSRC = rwlock.3c
2269 rw_tryrdlock.3c := LINKSRC = rwlock.3c
2270 rw_trywrlock.3c := LINKSRC = rwlock.3c
2271 rw_unlock.3c    := LINKSRC = rwlock.3c
2272 rw_wrlock.3c   := LINKSRC = rwlock.3c
2273 rwlock_destroy.3c := LINKSRC = rwlock.3c
2274 rwlock_init.3c  := LINKSRC = rwlock.3c

2276 alphasort.3c   := LINKSRC = scandir.3c

2278 fscanf.3c      := LINKSRC = scanf.3c
2279 sscanf.3c      := LINKSRC = scanf.3c
2280 vfscanf.3c     := LINKSRC = scanf.3c
2281 vscanf.3c     := LINKSRC = scanf.3c
2282 vsscanf.3c    := LINKSRC = scanf.3c

2284 sched_get_priority_min.3c := LINKSRC = sched_get_priority_max.3c

2286 schedctl_exit.3c := LINKSRC = schedctl_init.3c
2287 schedctl_lookup.3c := LINKSRC = schedctl_init.3c
2288 schedctl_start.3c := LINKSRC = schedctl_init.3c
2289 schedctl_stop.3c := LINKSRC = schedctl_init.3c

2291 FD_CLR.3c       := LINKSRC = select.3c
2292 FD_ISSET.3c     := LINKSRC = select.3c
2293 FD_SET.3c       := LINKSRC = select.3c
2294 FD_ZERO.3c     := LINKSRC = select.3c
2295 pselect.3c     := LINKSRC = select.3c

2297 sem_reltimedwait_np.3c := LINKSRC = sem_timedwait.3c

2299 sem_trywait.3c := LINKSRC = sem_wait.3c

2301 sema_destroy.3c := LINKSRC = semaphore.3c
2302 sema_init.3c   := LINKSRC = semaphore.3c
2303 sema_post.3c   := LINKSRC = semaphore.3c
2304 sema_trywait.3c := LINKSRC = semaphore.3c
2305 sema_wait.3c   := LINKSRC = semaphore.3c

```

```

2307 abort_handler_s.3c := LINKSRC = set_constraint_handler_s.3c
2308 ignore_handler_s.3c := LINKSRC = set_constraint_handler_s.3c

2310 setvbuf.3c := LINKSRC = setbuf.3c

2312 setlinebuf.3c := LINKSRC = setbuffer.3c

2314 longjmp.3c := LINKSRC = setjmp.3c
2315 siglongjmp.3c := LINKSRC = setjmp.3c
2316 sigsetjmp.3c := LINKSRC = setjmp.3c

2318 sighold.3c := LINKSRC = signal.3c
2319 sigignore.3c := LINKSRC = signal.3c
2320 sigpause.3c := LINKSRC = signal.3c
2321 sigrelse.3c := LINKSRC = signal.3c
2322 sigset.3c := LINKSRC = signal.3c

2324 sigaddset.3c := LINKSRC = sigsetops.3c
2325 sigdelset.3c := LINKSRC = sigsetops.3c
2326 sigemptyset.3c := LINKSRC = sigsetops.3c
2327 sigfillset.3c := LINKSRC = sigsetops.3c
2328 sigismember.3c := LINKSRC = sigsetops.3c

2330 sigtimedwait.3c := LINKSRC = sigwaitinfo.3c

2332 gsignal.3c := LINKSRC = ssignal.3c

2334 stderr.3c := LINKSRC = stdio.3c
2335 stdin.3c := LINKSRC = stdio.3c
2336 stdout.3c := LINKSRC = stdio.3c

2338 sig2str.3c := LINKSRC = str2sig.3c

2340 strcoll_l.3c := LINKSRC = strcoll.3c

2342 strerror_l.3c := LINKSRC = strerror.3c
2343 strerror_r.3c := LINKSRC = strerror.3c

2345 strfmon_l.3c := LINKSRC = strfmon.3c

2347 ascftime.3c := LINKSRC = strftime.3c
2348 cftime.3c := LINKSRC = strftime.3c
2349 strftime_l.3c := LINKSRC = strftime.3c

2351 stpcpy.3c := LINKSRC = string.3c
2352 stpncpy.3c := LINKSRC = string.3c
2353 strcasecmp.3c := LINKSRC = string.3c
2354 strcasecmp_l.3c := LINKSRC = string.3c
2355 strcasestr.3c := LINKSRC = string.3c
2356 strcasestr_l.3c := LINKSRC = string.3c
2357 strcat.3c := LINKSRC = string.3c
2358 strchr.3c := LINKSRC = string.3c
2359 strchrnul.3c := LINKSRC = string.3c
2360 strcmp.3c := LINKSRC = string.3c
2361 strcmp.3c := LINKSRC = string.3c
2362 strcspn.3c := LINKSRC = string.3c
2363 strdup.3c := LINKSRC = string.3c
2364 strdupa.3c := LINKSRC = string.3c
2365 strlcat.3c := LINKSRC = string.3c
2366 strlcpy.3c := LINKSRC = string.3c
2367 strlen.3c := LINKSRC = string.3c
2368 strncasecmp.3c := LINKSRC = string.3c
2369 strncasecmp_l.3c := LINKSRC = string.3c
2370 strncat.3c := LINKSRC = string.3c
2371 strncmp.3c := LINKSRC = string.3c

```

```

2372 strncpy.3c      := LINKSRC = string.3c
2373 strndup.3c      := LINKSRC = string.3c
2374 strndupa.3c     := LINKSRC = string.3c
2375 strnlen.3c      := LINKSRC = string.3c
2376 strnstr.3c      := LINKSRC = string.3c
2377 strpbrk.3c      := LINKSRC = string.3c
2378 strrchr.3c      := LINKSRC = string.3c
2379 strsep.3c        := LINKSRC = string.3c
2380 strspn.3c        := LINKSRC = string.3c
2381 strstr.3c        := LINKSRC = string.3c
2382 strtok.3c        := LINKSRC = string.3c
2383 strtok_r.3c      := LINKSRC = string.3c

2385 file_to_decimal.3c := LINKSRC = string_to_decimal.3c
2386 func_to_decimal.3c := LINKSRC = string_to_decimal.3c

2388 strptime_l.3c    := LINKSRC = strptime.3c

2390 atof.3c          := LINKSRC = strtod.3c
2391 strtof.3c         := LINKSRC = strtod.3c
2392 strtold.3c        := LINKSRC = strtod.3c

2394 strtoumax.3c    := LINKSRC = strtoumax.3c

2396 atoi.3c          := LINKSRC = strtol.3c
2397 atol.3c          := LINKSRC = strtol.3c
2398 atoll.3c         := LINKSRC = strtol.3c
2399 lltostr.3c       := LINKSRC = strtol.3c
2400 strtoll.3c       := LINKSRC = strtol.3c
2401 ulltostr.3c      := LINKSRC = strtol.3c

2403 strtoull.3c     := LINKSRC = strtoul.3c

2405 wstostr.3c       := LINKSRC = strtows.3c

2407 strxfrm_l.3c     := LINKSRC = strxfrm.3c

2409 closelog.3c      := LINKSRC = syslog.3c
2410 openlog.3c       := LINKSRC = syslog.3c
2411 setlogmask.3c    := LINKSRC = syslog.3c

2413 thr_setconcurrency.3c := LINKSRC = thr_getconcurrency.3c

2415 thr_setprio.3c   := LINKSRC = thr_getprio.3c

2417 thr_getspecific.3c := LINKSRC = thr_keycreate.3c
2418 thr_keycreate_once.3c := LINKSRC = thr_keycreate.3c
2419 thr_setspecific.3c := LINKSRC = thr_keycreate.3c

2421 thr_continue.3c  := LINKSRC = thr_suspend.3c

2423 thr_setname.3c   := LINKSRC = thr_getname.3c

2425 timegm.3c        := LINKSRC = mktime.3c

2427 timer_getoverrun.3c := LINKSRC = timer_settime.3c
2428 timer_gettime.3c   := LINKSRC = timer_settime.3c

2430 timerclear.3c     := LINKSRC = timeradd.3c
2431 timercmp.3c       := LINKSRC = timeradd.3c
2432 timerisset.3c    := LINKSRC = timeradd.3c
2433 timersub.3c       := LINKSRC = timeradd.3c

2435 timerfd_gettime.3c := LINKSRC = timerfd_create.3c
2436 timerfd_settime.3c := LINKSRC = timerfd_create.3c

```

```

2438 tmpnam.3c        := LINKSRC = tmpnam.3c
2439 tmpnam_r.3c      := LINKSRC = tmpnam.3c

2441 tolower_l.3c    := LINKSRC = tolower.3c

2443 toupper_l.3c    := LINKSRC = toupper.3c

2445 tolower_l.3c    := LINKSRC = tolower.3c

2447 toupper_l.3c   := LINKSRC = toupper.3c

2449 ftruncate.3c    := LINKSRC = truncate.3c

2451 tdelete.3c       := LINKSRC = tsearch.3c
2452 tfind.3c         := LINKSRC = tsearch.3c
2453 twalk.3c         := LINKSRC = tsearch.3c

2455 tss_create.3c   := LINKSRC = tss.3c
2456 tss_delete.3c   := LINKSRC = tss.3c
2457 tss_get.3c      := LINKSRC = tss.3c
2458 tss_set.3c       := LINKSRC = tss.3c

2460 ttyname_r.3c     := LINKSRC = ttyname.3c

2462 uconv_ul6tou8.3c := LINKSRC = uconv_ul6tou32.3c
2463 uconv_u32tou16.3c := LINKSRC = uconv_ul6tou32.3c
2464 uconv_u32tou8.3c := LINKSRC = uconv_ul6tou32.3c
2465 uconv_u8tou16.3c := LINKSRC = uconv_ul6tou32.3c
2466 uconv_u8tou32.3c := LINKSRC = uconv_ul6tou32.3c

2468 ucred_free.3c    := LINKSRC = ucred.3c
2469 ucred_get.3c     := LINKSRC = ucred.3c
2470 ucred_getegid.3c := LINKSRC = ucred.3c
2471 ucred_geteuid.3c := LINKSRC = ucred.3c
2472 ucred_getgroups.3c := LINKSRC = ucred.3c
2473 ucred_getlabel.3c := LINKSRC = ucred.3c
2474 ucred_getpflags.3c := LINKSRC = ucred.3c
2475 ucred_getpid.3c := LINKSRC = ucred.3c
2476 ucred_getprivset.3c := LINKSRC = ucred.3c
2477 ucred_getprojid.3c := LINKSRC = ucred.3c
2478 ucred_getruid.3c := LINKSRC = ucred.3c
2479 ucred_gettruid.3c := LINKSRC = ucred.3c
2480 ucred_getsgid.3c := LINKSRC = ucred.3c
2481 ucred_getsuid.3c := LINKSRC = ucred.3c
2482 ucred_getzoneid.3c := LINKSRC = ucred.3c
2483 ucred_size.3c    := LINKSRC = ucred.3c

2485 vswprintf.3c     := LINKSRC = vfwprintf.3c
2486 vwprintf.3c     := LINKSRC = vfwprintf.3c

2488 vasprintf.3c     := LINKSRC = vprintf.3c
2489 vfprintf.3c      := LINKSRC = vprintf.3c
2490 vsnprintf.3c     := LINKSRC = vprintf.3c
2491 vsprintf.3c      := LINKSRC = vprintf.3c

2493 wait4.3c         := LINKSRC = wait3.3c

2495 addrtostr.3c     := LINKSRC = walkcontext.3c
2496 backtrace.3c     := LINKSRC = walkcontext.3c
2497 backtrace_symbols.3c := LINKSRC = walkcontext.3c
2498 backtrace_symbols_fd.3c := LINKSRC = walkcontext.3c
2499 printstack.3c    := LINKSRC = walkcontext.3c

2501 wcpncpy.3c        := LINKSRC = wcpncpy.3c

2503 wcrtoomb_l.3c    := LINKSRC = wcrtoomb.3c

```

```

2505 wscasecmp_1.3c      := LINKSRC = wscasecmp.3c
2506 wscncasecmp.3c     := LINKSRC = wscasecmp.3c
2507 wscncasecmp_1.3c   := LINKSRC = wscasecmp.3c

2509 wscoll_1.3c        := LINKSRC = wscoll.3c
2510 wscoll.3c          := LINKSRC = wscoll.3c

2512 wcsnlen.3c         := LINKSRC = wcslen.3c

2514 wcsnrtoombs.3c     := LINKSRC = wcsrtoombs.3c
2515 wcsnrtoombs_1.3c  := LINKSRC = wcsrtoombs.3c
2516 wcsrtoombs_1.3c   := LINKSRC = wcsrtoombs.3c

2518 watof.3c           := LINKSRC = wctod.3c
2519 wcstof.3c          := LINKSRC = wctod.3c
2520 wcstold.3c         := LINKSRC = wctod.3c
2521 wctod.3c           := LINKSRC = wctod.3c

2523 wcstoumax.3c      := LINKSRC = wcstoimax.3c

2525 watoi.3c           := LINKSRC = wcstol.3c
2526 watol.3c          := LINKSRC = wcstol.3c
2527 watoll.3c         := LINKSRC = wcstol.3c
2528 wcstoll.3c        := LINKSRC = wcstol.3c
2529 wctol.3c          := LINKSRC = wcstol.3c

2531 wcstombs_1.3c     := LINKSRC = wcstombs.3c

2533 wcstoull.3c       := LINKSRC = wcstoul.3c

2535 wcscat.3c          := LINKSRC = wcstring.3c
2536 wcschr.3c         := LINKSRC = wcstring.3c
2537 wscmp.3c          := LINKSRC = wcstring.3c
2538 wcsncpy.3c        := LINKSRC = wcstring.3c
2539 wcsncpy.3c        := LINKSRC = wcstring.3c
2540 wscncat.3c        := LINKSRC = wcstring.3c
2541 wscncmp.3c        := LINKSRC = wcstring.3c
2542 wscncpy.3c        := LINKSRC = wcstring.3c
2543 wcsrchr.3c        := LINKSRC = wcstring.3c
2544 wcsrchr.3c        := LINKSRC = wcstring.3c
2545 wcsspn.3c         := LINKSRC = wcstring.3c
2546 wcstok.3c        := LINKSRC = wcstring.3c
2547 wscwcs.3c        := LINKSRC = wcstring.3c
2548 windex.3c        := LINKSRC = wcstring.3c
2549 wrindex.3c       := LINKSRC = wcstring.3c
2550 wscat.3c          := LINKSRC = wcstring.3c
2551 wschr.3c         := LINKSRC = wcstring.3c
2552 wscmp.3c         := LINKSRC = wcstring.3c
2553 wcsncpy.3c       := LINKSRC = wcstring.3c
2554 wscspn.3c        := LINKSRC = wcstring.3c
2555 wslen.3c         := LINKSRC = wcstring.3c
2556 wscat.3c         := LINKSRC = wcstring.3c
2557 wscmp.3c         := LINKSRC = wcstring.3c
2558 wscncpy.3c       := LINKSRC = wcstring.3c
2559 wsrchr.3c        := LINKSRC = wcstring.3c
2560 wsrchr.3c        := LINKSRC = wcstring.3c
2561 wssp.3c          := LINKSRC = wcstring.3c
2562 wstok.3c         := LINKSRC = wcstring.3c
2563 wscasecmp.3c     := LINKSRC = wstring.3c
2564 wscol.3c         := LINKSRC = wstring.3c
2565 wsdup.3c         := LINKSRC = wstring.3c
2566 wscasecmp.3c     := LINKSRC = wstring.3c

2568 wscwidth_1.3c     := LINKSRC = wscwidth.3c

```

```

2570 wsxfrm.3c          := LINKSRC = wsxfrm.3c

2572 wctob_1.3c        := LINKSRC = wctob.3c

2574 wctomb_1.3c      := LINKSRC = wctomb.3c

2576 towctrans.3c     := LINKSRC = wctrans.3c
2577 towctrans_1.3c   := LINKSRC = wctrans.3c
2578 wctrans_1.3c     := LINKSRC = wctrans.3c

2580 wctype_1.3c       := LINKSRC = wctype.3c

2582 wcwidth_1.3c     := LINKSRC = wcwidth.3c

2584 wordfree.3c       := LINKSRC = wordexp.3c

2586 .KEEP_STATE:

2588 include            $(SRC)/man/Makefile.man

2590 install:           $(ROOTMANFILES) $(ROOTMANLINKS)

```

```

*****
9727 Tue Aug 20 06:34:38 2019
new/usr/src/man/man3c/ctype.3c
11586 NAME field in man pages should match what's installed
*****
1  .\"
2  .\" Sun Microsystems, Inc. gratefully acknowledges The Open Group for
3  .\" permission to reproduce portions of its copyrighted documentation.
4  .\" Original documentation from The Open Group can be obtained online at
5  .\" http://www.opengroup.org/bookstore/.
6  .\"
7  .\" The Institute of Electrical and Electronics Engineers and The Open
8  .\" Group, have given us permission to reprint portions of their
9  .\" documentation.
10 .\"
11 .\" In the following statement, the phrase ``this text'' refers to portions
12 .\" of the system documentation.
13 .\"
14 .\" Portions of this text are reprinted and reproduced in electronic form
15 .\" in the SunOS Reference Manual, from IEEE Std 1003.1, 2004 Edition,
16 .\" Standard for Information Technology -- Portable Operating System
17 .\" Interface (POSIX), The Open Group Base Specifications Issue 6,
18 .\" Copyright (C) 2001-2004 by the Institute of Electrical and Electronics
19 .\" Engineers, Inc and The Open Group. In the event of any discrepancy
20 .\" between these versions and the original IEEE and The Open Group
21 .\" Standard, the original IEEE and The Open Group Standard is the referee
22 .\" document. The original Standard can be obtained online at
23 .\" http://www.opengroup.org/unix/online.html.
24 .\"
25 .\" This notice shall appear on any product containing this material.
26 .\"
27 .\" The contents of this file are subject to the terms of the
28 .\" Common Development and Distribution License (the "License").
29 .\" You may not use this file except in compliance with the License.
30 .\"
31 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
32 .\" or http://www.opensolaris.org/os/licensing.
33 .\" See the License for the specific language governing permissions
34 .\" and limitations under the License.
35 .\"
36 .\" When distributing Covered Code, include this CDDL HEADER in each
37 .\" file and include the License file at usr/src/OPENSOLARIS.LICENSE.
38 .\" If applicable, add the following below this CDDL HEADER, with the
39 .\" fields enclosed by brackets "[]" replaced with your own identifying
40 .\" information: Portions Copyright [yyyy] [name of copyright owner]
41 .\"
42 .\"
43 .\" Copyright 1989 AT&T.
44 .\" Copyright (c) 1992, X/Open Company Limited. All Rights Reserved.
45 .\" Portions Copyright (c) 2005, Sun Microsystems, Inc. All Rights Reserved.
46 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
47 .\" Copyright 2016 Joyent, Inc.
48 .\"
49 .TH CTYPE 3C "Aug 20, 2019"
49 .TH CTYPE 3C "Mar 14, 2016"
50 .SH NAME
51 ctype, isalpha, isalnum, isascii, isblank, iscntrl, isdigit, islower,
52 isprint, isspace, isupper, ispunct, isgraph, isxdigit, isalpha_l,
53 isalnum_l, isblank_l, iscntrl_l, isdigit_l, islower_l, isprint_l,
54 isspace_l, isupper_l, ispunct_l, isgraph_l, isxdigit_l \- character handling
55 .SH SYNOPSIS
56 .LP
57 #include <ctype.h>

```

```

59 \fBint\fr \fBisalpha\fr(\fBint\fr \fIc\fr);
60 .fi
61 .LP
62 .nf
63 \fBint\fr \fBisalnum\fr(\fBint\fr \fIc\fr);
64 .fi
65 .LP
66 .nf
67 \fBint\fr \fBisascii\fr(\fBint\fr \fIc\fr);
68 .fi
69 .LP
70 .nf
71 \fBint\fr \fBisblank\fr(\fBint\fr \fIc\fr);
72 .fi
73 .LP
74 .nf
75 \fBint\fr \fBiscntrl\fr(\fBint\fr \fIc\fr);
76 .fi
77 .LP
78 .nf
79 \fBint\fr \fBisdigit\fr(\fBint\fr \fIc\fr);
80 .fi
81 .LP
82 .nf
83 \fBint\fr \fBisgraph\fr(\fBint\fr \fIc\fr);
84 .fi
85 .LP
86 .nf
87 \fBint\fr \fBislower\fr(\fBint\fr \fIc\fr);
88 .fi
89 .LP
90 .nf
91 \fBint\fr \fBisprint\fr(\fBint\fr \fIc\fr);
92 .fi
93 .LP
94 .nf
95 \fBint\fr \fBispunct\fr(\fBint\fr \fIc\fr);
96 .fi
97 .LP
98 .nf
99 \fBint\fr \fBisspace\fr(\fBint\fr \fIc\fr);
100 .fi
101 .LP
102 .nf
103 \fBint\fr \fBisupper\fr(\fBint\fr \fIc\fr);
104 .fi
105 .LP
106 .nf
107 \fBint\fr \fBisxdigit\fr(\fBint\fr \fIc\fr);
108 .fi
109 .LP
110 .nf
111 \fBint\fr \fBisalpha_l\fr(\fBint\fr \fIc\fr, \fBlocale_t\fr \fIloc\fr);
112 .fi
113 .LP
114 .nf
115 \fBint\fr \fBisalnum_l\fr(\fBint\fr \fIc\fr, \fBlocale_t\fr \fIloc\fr);
116 .fi
117 .LP
118 .nf
119 \fBint\fr \fBisblank_l\fr(\fBint\fr \fIc\fr, \fBlocale_t\fr \fIloc\fr);
120 .fi
121 .LP
122 .nf
123 \fBint\fr \fBiscntrl_l\fr(\fBint\fr \fIc\fr, \fBlocale_t\fr \fIloc\fr);
124 .fi

```

```

125 .LP
126 .nf
127 \fBint\fR \fBisdigit_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
128 .fi
129 .LP
130 .nf
131 \fBint\fR \fBisgraph_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
132 .fi
133 .LP
134 .nf
135 \fBint\fR \fBislower_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
136 .fi
137 .LP
138 .nf
139 \fBint\fR \fBisprint_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
140 .fi
141 .LP
142 .nf
143 \fBint\fR \fBispunct_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
144 .fi
145 .LP
146 .nf
147 \fBint\fR \fBissspace_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
148 .fi
149 .LP
150 .nf
151 \fBint\fR \fBisupper_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
152 .fi
153 .LP
154 .nf
155 \fBint\fR \fBisxdigit_l\fR(\fBint\fR \fIc\fR, \fBlocale_t\fR \fIloc\fR);
156 .fi
157 .SH DESCRIPTION
158 .LP
159 These functions classify character-coded integer values. Each is a
160 predicate returning non-zero for true, \fB0\fR for false. The behavior
161 of these macros, except \fBisascii()\fR, is affected by the current
162 locale (see \fBsetlocale\fR(3C) and \fBuselocale\fR(3C)). To modify
163 the behavior, change the \fBLC_TYPE\fR category in \fBsetlocale()\fR, that is,
164 \fBsetlocale(\fR\fBLC_TYPE\fR, \fInewlocale\fR). In the "C" locale,
165 or in a locale where character type information is not defined,
166 characters are classified according to the rules of the \fBUS-ASCII\fR
167 7-bit coded character set.
168 .LP
169 The functions \fBisalnum_l()\fR, \fBisalpha_l()\fR, \fBisblank_l()\fR,
170 \fBisctrl_l()\fR, \fBisdigit_l()\fR, \fBisgraph_l()\fR,
171 \fBislower_l()\fR, \fBisprint_l()\fR, \fBispunct_l()\fR,
172 \fBissspace_l()\fR, \fBisupper_l()\fR, and \fBisxdigit_l()\fR all behave
173 identically to their counterparts without the '\fB_l\fR' prefix, except
174 that instead of acting on the current locale, they perform the test on
175 the locale specified in the argument \fIloc\fR.
176 .LP
177 The \fBisascii()\fR macro is defined on all integer values. The rest are
178 defined only where the argument is an \fBint\fR, the value of which is
179 representable as an \fBunsigned char\fR, or \fBEOF\fR, which is defined by the
180 <\fBstdio.h\fR> header and represents end-of-file.
181 .sp
182 .ne 2
183 .na
184 \fBisalpha()\fR
185 \fBisalpha()\fR
186 .ad
187 .RS 13n
188 Tests for any character for which \fBisupper()\fR or \fBislower()\fR is true,
189 or any character that is one of the current locale-defined set of characters
190 for which none of \fBisctrl()\fR, \fBisdigit()\fR, \fBispunct()\fR, or

```

```

189 \fBissspace()\fR is true. In "C" locale, \fBisalpha()\fR returns true only for
190 the characters for which \fBisupper()\fR or \fBislower()\fR is true.
191 .RE
192 .sp
193 .ne 2
194 .na
195 \fBisalnum()\fR
196 \fBisalnum()\fR
197 .ad
198 .RS 13n
199 Tests for any character for which \fBisalpha()\fR or \fBisdigit()\fR is true
200 (letter or digit).
201 .RE
202 .sp
203 .ne 2
204 .na
205 \fBisascii()\fR
206 \fBisascii()\fR
207 .ad
208 .RS 13n
209 Tests for any ASCII character, code between \fB0\fR and \fB0177\fR inclusive.
210 .RE
211 .sp
212 .ne 2
213 .na
214 \fBisblank()\fR
215 \fBisblank()\fR
216 .ad
217 .RS 13n
218 Tests whether \fIc\fR is a character of class blank in the current locale. This
219 macro/function is not available to applications conforming to standards prior
220 to SUSv3. See \fBstandards\fR(5)
221 .RE
222 .sp
223 .ne 2
224 .na
225 \fBisctrl()\fR
226 \fBisctrl()\fR
227 .ad
228 .RS 13n
229 Tests for any ``control character'' as defined by the character set.
230 .RE
231 .sp
232 .ne 2
233 .na
234 \fBisdigit()\fR
235 \fBisdigit()\fR
236 .ad
237 .RS 13n
238 Tests for any decimal-digit character.
239 .RE
240 .sp
241 .ne 2
242 .na
243 \fBisgraph()\fR
244 \fBisgraph()\fR
245 .ad
246 .RS 13n
247 Tests for any character for which \fBisalnum()\fR and \fBispunct()\fR are true,
248 or any character in the current locale-defined "graph" class which is neither a

```



```

249 space ("\\") nor a character for which \fBisctrl()\fR is true.
250 .RE

252 .sp
253 .ne 2
254 .na
255 \fBislower()\fR
256 \fB\fBislower()\fR
257 .ad
258 .RS 13n
259 Tests for any character that is a lower-case letter or is one of the current
260 locale-defined set of characters for which none of \fBisctrl()\fR,
261 \fBisdigit()\fR, \fBispunct()\fR, \fBispace()\fR, or \fBisupper()\fR is true.
262 In the "C" locale, \fBislower()\fR returns true only for the characters defined
263 as lower-case \fBASCII\fR characters.
264 .RE

265 .sp
266 .ne 2
267 .na
268 \fBisprint()\fR
269 \fB\fBisprint()\fR
270 .ad
271 .RS 13n
272 Tests for any character for which \fBisctrl()\fR is false, and
273 \fBisalnum()\fR, \fBisgraph()\fR, \fBispunct()\fR, the space character ("\\"),
274 and the characters in the current locale-defined "print" class are true.
275 .RE

276 .sp
277 .ne 2
278 .na
279 \fBispunct()\fR
280 \fB\fBispunct()\fR
281 .ad
282 .RS 13n
283 Tests for any printing character which is neither a space ("\\") nor a
284 character for which \fBisalnum()\fR or \fBisctrl()\fR is true.
285 .RE

286 .sp
287 .ne 2
288 .na
289 \fBispace()\fR
290 \fB\fBispace()\fR
291 .ad
292 .RS 13n
293 Tests for any space, tab, carriage-return, newline, vertical-tab or form-feed
294 (standard white-space characters) or for one of the current locale-defined set
295 of characters for which \fBisalnum()\fR is false. In the "C" locale,
296 \fBispace()\fR returns true only for the standard white-space characters.
297 .RE

298 .sp
299 .ne 2
300 .na
301 \fBisupper()\fR
302 \fB\fBisupper()\fR
303 .ad
304 .RS 13n
305 Tests for any character that is an upper-case letter or is one of the current
306 locale-defined set of characters for which none of \fBisctrl()\fR,
307 \fBisdigit()\fR, \fBispunct()\fR, \fBispace()\fR, or \fBislower()\fR is true.
308 In the "C" locale, \fBisupper()\fR returns true only for the characters defined
309 as upper-case \fBASCII\fR characters.
310 .RE

```

```

311 .sp
312 .ne 2
313 .na
314 \fBisxdigit()\fR
315 \fB\fBisxdigit()\fR
316 .ad
317 .RS 14n
318 Tests for any hexadecimal-digit character (\fB0\(\mi9)\fR, \fB[A\(\miF)]\fR, or
319 \fB[a\(\mif)]\fR or the current locale-defined sets of characters representing
320 the hexadecimal digits \fB10\fR to \fB15\fR inclusive). In the "C" locale, only
321 .sp
322 .in +2
323 .nf
324 0 1 2 3 4 5 6 7 8 9 A B C D E F a b c d e f
325 .fi
326 .in -2

327 are included.
328 .RE

329 .SH RETURN VALUES
330 .LP
331 If the argument to any of the character handling macros is not in the domain of
332 the function, the result is undefined. Otherwise, the macro or function returns
333 non-zero if the classification is \fBTRUE\fR and \fB0\fR if the classification
334 is \fBFALSE\fR.
335 .SH ATTRIBUTES
336 .LP
337 See \fBattributes\fR(5) for descriptions of the following attributes:
338 .TS
339 box;
340 l | c
341 ATTRIBUTE TYPE ATTRIBUTE VALUE
342 _
343 CSI Enabled
344 _
345 Interface Stability Standard
346 _
347 MT-Level MT-Safe
348 .TE

349 .SH SEE ALSO
350 .LP
351 \fBnewlocale\fR(3C), \fBsetlocale\fR(3C), \fBuselocale\fR(3C),
352 \fBstdio\fR(3C), \fBascii\fR(5), \fBenviron\fR(5),
353 \fBstandards\fR(5)

```

```
*****
5364 Tue Aug 20 06:34:38 2019
new/usr/src/man/man3c/pthread_attr_get_np.3c
11586 NAME field in man pages should match what's installed
*****
```

```
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2016 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd Feb 07, 2015
15 .Dt PTHREAD_ATTR_GET_NP 3C
16 .Os
17 .Sh NAME
18 .Nm pthread_attr_get_np
19 .Nd get pthread attributes of a running thread
20 .Sh SYNOPSIS
21 .In pthread.h
22 .Ft int
23 .Fo pthread_attr_get_np
24 .Fa "pthread_t thread"
25 .Fa "pthread_attr_t *attr"
26 .Fc
27 .Sh DESCRIPTION
28 The
29 .Fn pthread_attr_get_np
30 function provides a way to get the attributes of the thread
31 .Fa thread
32 after it has been created.
33 This function is most commonly used to obtain the actual location and size of a
34 thread's stack.
35 .Pp
36 The attributes pointer,
37 .Fa attr ,
38 will be filled in with the current attributes for the thread.
39 The attributes should be allocated by a call to
40 .Xr pthread_attr_init 3C
41 prior to calling the
42 .Fn pthread_attr_get_np
42 .Fn pthread_attr_get_np
43 function.
44 When
45 .Fa attr
46 is done being used, it should be destroyed through a call to
47 .Xr pthread_attr_destroy 3C .
48 .Pp
49 The attributes of the thread
50 .Fa thread
51 will be the same as those passed in at the time
52 .Xr pthread_create 3C
53 was called (or the default set if none were specified), except that the
54 following values will be updated:
55 .Bl -tag -width Sy
56 .It Sy Thread Stack Size
57 If no explicit stack size was specified, then
58 .Fa attr
59 will contain the actual size of the stack.
```

```
60 .Pp
61 If the size of the stack was specified, then it may have been changed to
62 ensure that the required alignment of the platform is satisfied.
63 .It Sy The Stack Address
64 If no stack address was specified, then
65 .Fa attr
66 will contain the actual address of the stack that the system allocated
67 for the thread.
68 .It Sy Thread Detach State
69 The detach state, whether or not the thread may be joined by a call to
70 .Xr pthread_join 3C ,
71 may have changed since the process was created due to a call to
72 .Xr pthread_detach 3C .
73 .Fa attr
74 will reflect the current setting of
75 .Fa thread .
76 .It Sy Thread Scheduling Parameter
77 The scheduling parameter attribute will be updated with the current
78 scheduling parameter of
79 .Fa thread .
80 This is the same information as available through
81 .Xr pthread_getschedparam 3C
82 and it is the preferred interface for obtaining that information.
83 .It Sy Thread Scheduling Policy
84 The scheduling policy attribute of
85 .Fa attr
86 will be updated with the current scheduling policy being applied to the
87 thread.
88 This may have changed, for example, due to a call to
89 .Xr pthread_setschedparam 3C .
90 As with the thread's scheduling parameter, the preferred interface for
91 obtaining this information is by using
92 .Xr pthread_getschedparam 3C .
93 .It Sy Thread Guard Size
94 The value of the guard size attribute for the thread will be updated to
95 reflect the actual size of the guard installed for
96 .Fa thread .
97 For more information on the guard size of a thread and its purpose, see
98 .Xr pthread_attr_getguardsize 3C .
99 .El
100 .Sh RETURN VALUES
101 Upon successful completion, the
102 .Fn pthread_attr_get_np
103 and
104 .Fn pthread_getattr_np
105 functions return
106 .Sy 0 .
107 Otherwise, an error number is returned to indicate the error.
108 .Sh EXAMPLES
109 The following program demonstrates how to use these functions to get
110 the location and stack size of a newly created thread.
111 .Bd -literal
112 #include <assert.h>
113 #include <errno.h>
114 #include <pthread.h>
115 #include <stdio.h>
116 #include <stdlib.h>
117 #include <string.h>
118
119 static pthread_t g_thr;
120
121 void *
122 print_stackinfo(void *arg)
123 {
124     int ret;
125     pthread_attr_t attr;
```

```
126     pthread_t *thrp = arg;
127     void *stk;
128     size_t stksize;

130     if (pthread_attr_init(&attr) != 0) {
131         fprintf(stderr, "failed to init attr: %s\\n",
132             strerror(errno));
133         exit(1);
134     }

136     if (pthread_attr_get_np(*thrp, &attr) != 0) {
137         fprintf(stderr, "failed to get thread attributes: %s\\n",
138             strerror(errno));
139         exit(1);
140     }

142     ret = pthread_attr_getstackaddr(&attr, &stk);
143     assert(ret == 0);
144     ret = pthread_attr_getstacksize(&attr, &stksize);
145     assert(ret == 0);
146     (void) printf("stack base is at %p, it is %d bytes large\\n",
147         stk, stksize);
148     return (NULL);
149 }
unchanged_portion_omitted
```

```

*****
3003 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3c/pthread_mutexattr_getrobust.3c
11586 NAME field in man pages should match what's installed
*****
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright (c) 2014, Joyent, Inc.
13 .\"
14 .Dd "Aug 20, 2019"
14 .Dd "Dec 22, 2014"
15 .Dt PTHREAD_MUTEXATTR_GETROBUST 3C
16 .Os
17 .Sh NAME
18 .Nm pthread_mutexattr_getrobust ,
19 .Nm pthread_mutexattr_setrobust
19 .Nm pthread_mutexattr_setrobust
20 .Nd get and set the mutex robust attribute
21 .Sh SYNOPSIS
22 .In pthread.h
23 .Ft int
24 .Fo pthread_mutexattr_getrobust
25 .Fa "const pthread_mutexattr_t *attr"
26 .Fa "int *robust"
27 .Fc
28 .Ft int
29 .Fo pthread_mutexattr_setrobust
30 .Fa "pthread_mutexattr_t *attr"
31 .Fa "int robust"
32 .Fc
33 .Sh DESCRIPTION
34 The
35 .Fn pthread_mutexattr_getrobust
36 and
37 .Fn pthread_mutexattr_setrobust
38 functions obtain and set a mutex's
39 .Em robust
40 attribute, putting it in, or obtaining it from
41 .Va robust .
42 The valid values for
43 .Va robust
44 include:
45 .Bl -tag -width Dv
46 .It Sy PTHREAD_MUTEX_STALLED
47 The mutex referred to by
48 .Va attr
49 is a traditional mutex.
50 When a thread holding an intra-process lock or a process holding an
51 inter-process lock crashes or terminates without unlocking the mutex, then the
52 lock will be
53 .Sy stalled .
54 For another thread or process to obtain the lock, something else must
55 unlock it.
56 .It Sy PTHREAD_MUTEX_ROBUST
57 The mutex referred to by
58 .Va attr
59 is considered a robust mutex.

```

```

60 When a process holding an inter-process lock crashes or terminates without
61 unlocking the mutex, the attempt to lock it will return
62 .Er EOWNERDEAD .
63 This allows the new owner the chance to fix the internal state and call
64 .Xr pthread_mutex_consistent 3C
65 prior to unlocking the lock, allowing normal operation to proceed.
66 Any crashes while in this state cause the next owner to obtain
67 .Er EOWNERDEAD .
68 .El
69 .Sh RETURN VALUES
70 Upon successful completion, the
71 .Fn pthread_mutexattr_getrobust
72 function will return
73 .Sy 0
74 and update
75 .Fa robust
76 with the current value of the robust attribute.
77 Upon successful completion, the
78 .Fn pthread_mutexattr_setrobust
79 function will return
80 .Sy 0
81 and update the robust property of the attributes pointed to by
82 .Va attr
83 to
84 .Va robust .
85 If either function fails, an error code will be returned to indicate the
86 error.
87 Valid errors are defined below.
88 .Sh ERRORS
89 The
90 .Fn pthread_mutexattr_getrobust
91 function will fail if:
92 .Bl -tag -width Er
93 .It Er EINVAL
94 .Va attr
95 is invalid or a null pointer,
96 .Va robust
97 is a null pointer.
98 .El
99 .Lp
100 The
101 .Fn pthread_mutexattr_setrobust
102 function will fail if:
103 .Bl -tag -width Er
104 .It Er EINVAL
105 .Va attr
106 is invalid or a null pointer,
107 .Va robust
108 is not one of
109 .Sy PTHREAD_MUTEX_STALLED
110 or
111 .Sy PTHREAD_MUTEX_ROBUST .
112 .El
113 .Sh INTERFACE STABILITY
114 .Sy Committed
115 .Sh MT-LEVEL
116 .Sy MT-Safe
117 .Sh SEE ALSO
118 .Xr pthread_mutex_consistent 3C ,
119 .Xr pthread_3HEAD ,
120 .Xr libpthread 3LIB ,
121 .Xr attributes 5 ,
122 .Xr mutex 5

```

```

*****
15914 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3c/strftime.3c
11586 NAME field in man pages should match what's installed
*****
1  .\"
2  .\" Sun Microsystems, Inc. gratefully acknowledges The Open Group for
3  .\" permission to reproduce portions of its copyrighted documentation.
4  .\" Original documentation from The Open Group can be obtained online at
5  .\" http://www.opengroup.org/bookstore/.
6  .\"
7  .\" The Institute of Electrical and Electronics Engineers and The Open
8  .\" Group, have given us permission to reprint portions of their
9  .\" documentation.
10 .\"
11 .\" In the following statement, the phrase ``this text'' refers to portions
12 .\" of the system documentation.
13 .\"
14 .\" Portions of this text are reprinted and reproduced in electronic form
15 .\" in the SunOS Reference Manual, from IEEE Std 1003.1, 2004 Edition,
16 .\" Standard for Information Technology -- Portable Operating System
17 .\" Interface (POSIX), The Open Group Base Specifications Issue 6,
18 .\" Copyright (C) 2001-2004 by the Institute of Electrical and Electronics
19 .\" Engineers, Inc and The Open Group. In the event of any discrepancy
20 .\" between these versions and the original IEEE and The Open Group
21 .\" Standard, the original IEEE and The Open Group Standard is the referee
22 .\" document. The original Standard can be obtained online at
23 .\" http://www.opengroup.org/unix/online.html.
24 .\"
25 .\" This notice shall appear on any product containing this material.
26 .\"
27 .\" The contents of this file are subject to the terms of the
28 .\" Common Development and Distribution License (the "License").
29 .\" You may not use this file except in compliance with the License.
30 .\"
31 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
32 .\" or http://www.opensolaris.org/os/licensing.
33 .\" See the License for the specific language governing permissions
34 .\" and limitations under the License.
35 .\"
36 .\" When distributing Covered Code, include this CDDL HEADER in each
37 .\" file and include the License file at usr/src/OPENSOLARIS.LICENSE.
38 .\" If applicable, add the following below this CDDL HEADER, with the
39 .\" fields enclosed by brackets "[]" replaced with your own identifying
40 .\" information: Portions Copyright [yyyy] [name of copyright owner]
41 .\"
42 .\"
43 .\" Copyright 1989 AT&T
44 .\" Portions Copyright (c) 1992, X/Open Company Limited. All Rights Reserved.
45 .\" Copyright (c) 2008, Sun Microsystems, Inc. All Rights Reserved.
46 .\" Copyright (c) 2014 Gary Mills
47 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
48 .\"
49 .TH STRFTIME 3C "Aug 20, 2019"
49 .TH STRFTIME 3C "Mar 30, 2019"
50 .SH NAME
51 strftime, strftime_l, cftime, ascftime - convert date and time to string
51 strftime, strftime_l cftime, ascftime - convert date and time to string
52 .SH SYNOPSIS
53 .LP
53 .nf
54 #include <time.h>

56 \fBsize_t\fR \fBstrftime\fR(\fBchar *restrict\fR \fR \fIs\fR, \fBsize_t\fR \fR \fImaxsiz
57 \fBconst char *restrict\fR \fR \fIformat\fR,
58 \fBconst struct tm *restrict\fR \fR \fItimeptr\fR);

```

```

59 .fi
60 .LP
61 .nf
62 \fBsize_t\fR \fBstrftime_l\fR(\fBchar *restrict\fR \fR \fIs\fR, \fBsize_t\fR \fR \fImaxs
63 \fBconst char *restrict\fR \fR \fIformat\fR,
64 \fBconst struct tm *restrict\fR \fR \fItimeptr\fR, \fBlocale_t\fR \fR \fIloc\fR);
65 .fi
66 .LP
67 .nf
68 \fBint\fR \fBcftime\fR(\fBchar *fR \fIs\fR, \fBchar *fR \fIformat\fR, \fBconst t
69 .fi
70 .LP
71 .nf
72 \fBint\fR \fBascftime\fR(\fBchar *fR \fIs\fR, \fBconst char *fR \fIformat\fR,
73 \fBconst struct tm *fR \fItimeptr\fR);
74 .fi

76 .SH DESCRIPTION
78 .LP
77 The \fBstrftime()\fR, \fBstrftime_l()\fR, \fBascftime()\fR, and \fBcftime()\fR
78 functions place
79 bytes into the array pointed to by \fIs\fR as controlled by the string pointed
80 to by \fIformat\fR. The \fIformat\fR string consists of zero or more conversion
81 specifications and ordinary characters. A conversion specification consists of
82 a '\fB%\fR' (percent) character and one or two terminating conversion
83 characters that determine the conversion specification's behavior. All
84 ordinary characters (including the terminating null byte) are copied unchanged
85 into the array pointed to by \fIs\fR. If copying takes place between objects
86 that overlap, the behavior is undefined. For \fBstrftime()\fR, no more than
87 \fBImaxsize\fR bytes are placed into the array. The \fBstrftime_l()\fR function
88 behaves identically to \fBstrftime()\fR function, but instead of operating in
89 the current locale, it operates in the locale specified by \fIloc\fR.
90 .LP
91 If \fIformat\fR is \fBNULL\fR, then the locale's default format is used.
92 For \fBstrftime()\fR the default format is the same as \fB%c\fR; for
93 \fBcftime()\fR and \fBascftime()\fR the default format is the same as \fB%*\fR.
94 \fBcftime()\fR and \fBascftime()\fR first try to use the value of the
95 environment variable \fBCFTIME\fR, and if that is undefined or empty, the
96 default format is used.
97 .LP
98 Each conversion specification is replaced by appropriate characters as
99 described in the following list. The appropriate characters are determined by
100 the \fBLC_TIME\fR category of the program's locale and by the values contained
101 in the structure pointed to by \fItimeptr\fR for \fBstrftime()\fR and
102 \fBascftime()\fR, and by the time represented by \fIclock\fR for
103 \fBcftime()\fR.
104 .sp
105 .ne 2
106 .na
107 \fB%\fR
109 \fB%\fR
108 .ad
109 .RS 6n
110 Same as \fB%\fR.
111 .RE

113 .sp
114 .ne 2
115 .na
116 \fB%a\fR
118 \fB%\fR
117 .ad
118 .RS 6n
119 Locale's abbreviated weekday name.
120 .RE

```

```

122 .sp
123 .ne 2
124 .na
125 \FB%A\FR
127 \FB\FB%A\FR\FR
126 .ad
127 .RS 6n
128 Locale's full weekday name.
129 .RE

131 .sp
132 .ne 2
133 .na
134 \FB%b\FR
136 \FB\FB%b\FR\FR
135 .ad
136 .RS 6n
137 Locale's abbreviated month name.
138 .RE

140 .sp
141 .ne 2
142 .na
143 \FB%B\FR
145 \FB\FB%B\FR\FR
144 .ad
145 .RS 6n
146 Locale's full month name.
147 .RE

149 .sp
150 .ne 2
151 .na
152 \FB%c\FR
154 \FB\FB%c\FR\FR
153 .ad
154 .RS 6n
155 Locale's appropriate date and time representation.
156 In the C locale, this format is:
157 .sp
158 .in +2
159 .nf
160 %a %b %e %H:%M:%S %Y
161 .fi
162 .in -2
163 .sp
164 Other locales may have different locale-specific formats.
165 .RE

167 .sp
168 .ne 2
169 .na
170 \FB%C\FR
172 \FB\FB%C\FR\FR
171 .ad
172 .RS 6n
173 Century number (the year divided by 100 and truncated to an integer as a
174 decimal number [01,99]).
175 .RE

177 .sp
178 .ne 2
179 .na
180 \FB%d\FR
182 \FB\FB%d\FR\FR
181 .ad

```

```

182 .RS 6n
183 Day of month [01,31].
184 .RE

186 .sp
187 .ne 2
188 .na
189 \FB%D\FR
191 \FB\FB%D\FR\FR
190 .ad
191 .RS 6n
192 Date as \FB%m\FR/\FB%d\FR/\FB%y\FR.
193 .RE

195 .sp
196 .ne 2
197 .na
198 \FB%e\FR
200 \FB\FB%e\FR\FR
199 .ad
200 .RS 6n
201 Day of month [1,31]; single digits are preceded by a space.
202 .RE

204 .sp
205 .ne 2
206 .na
207 \FB%F\FR
209 \FB\FB%F\FR\FR
208 .ad
209 .RS 6n
210 Equivalent to \FB%Y\FR-\FB%m\FR-\FB%d\FR (the ISO 8601:2000 standard date
211 format).
212 .RE

214 .sp
215 .ne 2
216 .na
217 \FB%g\FR
219 \FB\FB%g\FR\FR
218 .ad
219 .RS 6n
220 Week-based year within century [00,99].
221 .RE

223 .sp
224 .ne 2
225 .na
226 \FB%G\FR
228 \FB\FB%G\FR\FR
227 .ad
228 .RS 6n
229 Week-based year, including the century [0000,9999].
230 .RE

232 .sp
233 .ne 2
234 .na
235 \FB%h\FR
237 \FB\FB%h\FR\FR
236 .ad
237 .RS 6n
238 Locale's abbreviated month name.
239 .RE

241 .sp

```

```

242 .ne 2
243 .na
244 \fB%H\fR
246 \fB\fb%H\fR\fR
245 .ad
246 .RS 6n
247 Hour (24-hour clock) [00,23].
248 .RE

250 .sp
251 .ne 2
252 .na
253 \fB%I\fR
255 \fB\fb%I\fR\fR
254 .ad
255 .RS 6n
256 Hour (12-hour clock) [01,12].
257 .RE

259 .sp
260 .ne 2
261 .na
262 \fB%j\fR
264 \fB\fb%j\fR\fR
263 .ad
264 .RS 6n
265 Day number of year [001,366].
266 .RE

268 .sp
269 .ne 2
270 .na
271 \fB%k\fR
273 \fB\fb%k\fR\fR
272 .ad
273 .RS 6n
274 Hour (24-hour clock) [0,23]; single digits are preceded by a space.
275 .RE

277 .sp
278 .ne 2
279 .na
280 \fB%l\fR
282 \fB\fb%l\fR\fR
281 .ad
282 .RS 6n
283 Hour (12-hour clock) [1,12]; single digits are preceded by a space.
284 .RE

286 .sp
287 .ne 2
288 .na
289 \fB%m\fR
291 \fB\fb%m\fR\fR
290 .ad
291 .RS 6n
292 Month number [01,12].
293 .RE

295 .sp
296 .ne 2
297 .na
298 \fB%M\fR
300 \fB\fb%M\fR\fR
299 .ad
300 .RS 6n

```

```

301 Minute [00,59].
302 .RE

304 .sp
305 .ne 2
306 .na
307 \fB%n\fR
309 \fB\fb%n\fR\fR
308 .ad
309 .RS 6n
310 Insert a NEWLINE.
311 .RE

313 .sp
314 .ne 2
315 .na
316 \fB%p\fR
318 \fB\fb%p\fR\fR
317 .ad
318 .RS 6n
319 Locale's equivalent of either a.m. or p.m.
320 .RE

322 .sp
323 .ne 2
324 .na
325 \fB%r\fR
327 \fB\fb%r\fR\fR
326 .ad
327 .RS 6n
328 Appropriate time representation in 12-hour clock format with \fb%p\fR.
329 .RE

331 .sp
332 .ne 2
333 .na
334 \fB%R\fR
336 \fB\fb%R\fR\fR
335 .ad
336 .RS 6n
337 Time as \fb%H\fR:\fb%M\fR.
338 .RE

340 .sp
341 .ne 2
342 .na
343 \fB%s\fR
345 \fB\fb%s\fR\fR
344 .ad
345 .RS 6n
346 Seconds since 00:00:00 UTC, January 1, 1970.
347 .RE

349 .sp
350 .ne 2
351 .na
352 \fB%S\fR
354 \fB\fb%S\fR\fR
353 .ad
354 .RS 6n
355 Seconds [00,60]; the range of values is [00,60] rather than [00,59] to allow
356 for the occasional leap second.
357 .RE

359 .sp
360 .ne 2

```

```

361 .na
362 \fb%t\fr
364 \fb\fb%t\fr\fr
363 .ad
364 .RS 6n
365 Insert a TAB.
366 .RE

368 .sp
369 .ne 2
370 .na
371 \fb%T\fr
373 \fb\fb%T\fr\fr
372 .ad
373 .RS 6n
374 Time as \fb%H\fr:\fb%M\fr:\fb%S\fr.
375 .RE

377 .sp
378 .ne 2
379 .na
380 \fb%u\fr
382 \fb\fb%u\fr\fr
381 .ad
382 .RS 6n
383 Weekday as a decimal number [1,7], with 1 representing Monday. See \fbNOTES\fr
384 below.
385 .RE

387 .sp
388 .ne 2
389 .na
390 \fb%U\fr
392 \fb\fb%U\fr\fr
391 .ad
392 .RS 6n
393 Week number of year as a decimal number [00,53], with Sunday as the first day
394 of week 1.
395 .RE

397 .sp
398 .ne 2
399 .na
400 \fb%v\fr
402 \fb\fb%v\fr\fr
401 .ad
402 .RS 6n
403 Date as \fb%e\fr-\fb%b\fr-\fb%Y\fr.
404 .RE

406 .sp
407 .ne 2
408 .na
409 \fb%V\fr
411 \fb\fb%V\fr\fr
410 .ad
411 .RS 6n
412 The ISO 8601 week number as a decimal number [01,53]. In the ISO 8601
413 week-based system, weeks begin on a Monday and week 1 of the year is the week
414 that includes both January 4th and the first Thursday of the year. If the
415 first Monday of January is the 2nd, 3rd, or 4th, the preceding days are part of
416 the last week of the preceding year. See \fbNOTES\fr below.
417 .RE

419 .sp
420 .ne 2

```

```

421 .na
422 \fb%w\fr
424 \fb\fb%w\fr\fr
423 .ad
424 .RS 6n
425 Weekday as a decimal number [0,6], with 0 representing Sunday.
426 .RE

428 .sp
429 .ne 2
430 .na
431 \fb%W\fr
433 \fb\fb%W\fr\fr
432 .ad
433 .RS 6n
434 Week number of year as a decimal number [00,53], with Monday as the first day
435 of week 1.
436 .RE

438 .sp
439 .ne 2
440 .na
441 \fb%x\fr
443 \fb\fb%x\fr\fr
442 .ad
443 .RS 6n
444 Locale's appropriate date representation.
445 .RE

447 .sp
448 .ne 2
449 .na
450 \fb%X\fr
452 \fb\fb%X\fr\fr
451 .ad
452 .RS 6n
453 Locale's appropriate time representation.
454 .RE

456 .sp
457 .ne 2
458 .na
459 \fb%y\fr
461 \fb\fb%y\fr\fr
460 .ad
461 .RS 6n
462 Year within century [00,99].
463 .RE

465 .sp
466 .ne 2
467 .na
468 \fb%Y\fr
470 \fb\fb%Y\fr\fr
469 .ad
470 .RS 6n
471 Year, including the century (for example 1993).
472 .RE

474 .sp
475 .ne 2
476 .na
477 \fb%z\fr
479 \fb\fb%z\fr\fr
478 .ad
479 .RS 6n

```



480 Replaced by offset from UTC in ISO 8601:2000 standard format (\fB+h:mm\fr or  
 481 \fB-h:mm\fr), or by no characters if no time zone is determinable. For example,  
 482 "-0430" means 4 hours 30 minutes behind UTC (west of Greenwich). If  
 483 \fBtm\_isdst\fr is zero, the standard time offset is used. If \fBtm\_isdst\fr is  
 484 greater than zero, the daylight savings time offset is used. If \fBtm\_isdst\fr  
 485 is negative, no characters are returned.  
 486 .RE

488 .sp  
 489 .ne 2  
 490 .na

491 **\fB%Z\fr**  
 493 \fB\fB%Z\fr\fr

492 .ad  
 493 .RS 6n  
 494 Time zone name or abbreviation, or no bytes if no time zone information exists.  
 495 .RE

497 .sp  
 498 .ne 2  
 499 .na

500 **\fB%+\fr**  
 502 \fB\fB%+\fr\fr

501 .ad  
 502 .RS 6n  
 503 Locale's date and time representation as produced by \fBdate\fr(1).  
 504 .RE

506 .LP  
 507 If a conversion specification does not correspond to any of the above or to any  
 508 of the modified conversion specifications listed below, the behavior is  
 509 undefined and \fB0\fr is returned.

510 .LP  
 511 The difference between \fB%U\fr and \fB%W\fr (and also between modified  
 512 conversion specifications \fB%OU\fr and \fB%OW\fr) lies in which day is counted  
 513 as the first of the week. Week number 1 is the first week in January starting  
 514 with a Sunday for \fB%U\fr or a Monday for \fB%W\fr. Week number 0 contains  
 515 those days before the first Sunday or Monday in January for \fB%U\fr and  
 516 \fB%W\fr, respectively.  
 517 .SS "Modified Conversion Specifications"

520 .LP  
 521 Some conversion specifications can be modified by the \fB%E\fr and \fB%O\fr  
 522 modifiers to indicate that an alternate format or specification should be used  
 523 rather than the one normally used by the unmodified conversion specification.  
 524 If the alternate format or specification does not exist in the current locale,  
 525 the behavior will be as if the unmodified specification were used.

523 .sp  
 524 .ne 2  
 525 .na

526 **\fB%Ec\fr**  
 529 \fB\fB%Ec\fr\fr

527 .ad  
 528 .RS 7n  
 529 Locale's alternate appropriate date and time representation.  
 530 .RE

532 .sp  
 533 .ne 2  
 534 .na

535 **\fB%EC\fr**  
 538 \fB\fB%EC\fr\fr

536 .ad  
 537 .RS 7n  
 538 Name of the base year (period) in the locale's alternate representation.  
 539 .RE

541 .sp  
 542 .ne 2  
 543 .na

544 **\fB%g\fr**  
 547 \fB\fB%g\fr\fr

545 .ad  
 546 .RS 7n  
 547 Offset from \fB%EC\fr of the week-based year in the locale's alternative  
 548 representation.  
 549 .RE

551 .sp  
 552 .ne 2  
 553 .na

554 **\fB%EG\fr**  
 557 \fB\fB%EG\fr\fr

555 .ad  
 556 .RS 7n  
 557 Full alternative representation of the week-based year.  
 558 .RE

560 .sp  
 561 .ne 2  
 562 .na

563 **\fB%Ex\fr**  
 566 \fB\fB%Ex\fr\fr

564 .ad  
 565 .RS 7n  
 566 Locale's alternate date representation.  
 567 .RE

569 .sp  
 570 .ne 2  
 571 .na

572 **\fB%EX\fr**  
 575 \fB\fB%EX\fr\fr

573 .ad  
 574 .RS 7n  
 575 Locale's alternate time representation.  
 576 .RE

578 .sp  
 579 .ne 2  
 580 .na

581 **\fB%Ey\fr**  
 584 \fB\fB%Ey\fr\fr

582 .ad  
 583 .RS 7n  
 584 Offset from \fB%EC\fr (year only) in the locale's alternate representation.  
 585 .RE

587 .sp  
 588 .ne 2  
 589 .na

590 **\fB%EY\fr**  
 593 \fB\fB%EY\fr\fr

591 .ad  
 592 .RS 7n  
 593 Full alternate year representation.  
 594 .RE

596 .sp  
 597 .ne 2  
 598 .na

599 **\fB%Od\fr**  
 602 \fB\fB%Od\fr\fr

```

600 .ad
601 .RS 7n
602 Day of the month using the locale's alternate numeric symbols.
603 .RE

605 .sp
606 .ne 2
607 .na
608 \fB%Oe\fR
611 \fB\fb%Oe\fr\fr
609 .ad
610 .RS 7n
611 Same as \fb%Od\fr.
612 .RE

614 .sp
615 .ne 2
616 .na
617 \fB%Og\fR
620 \fB\fb%Og\fr\fr
618 .ad
619 .RS 7n
620 Week-based year (offset from \fb%C\fr) in the locale's alternate representation
621 and using the locale's alternate numeric symbols.
622 .RE

624 .sp
625 .ne 2
626 .na
627 \fB%OH\fR
630 \fB\fb%OH\fr\fr
628 .ad
629 .RS 7n
630 Hour (24-hour clock) using the locale's alternate numeric symbols.
631 .RE

633 .sp
634 .ne 2
635 .na
636 \fB%OI\fR
639 \fB\fb%OI\fr\fr
637 .ad
638 .RS 7n
639 Hour (12-hour clock) using the locale's alternate numeric symbols.
640 .RE

642 .sp
643 .ne 2
644 .na
645 \fB%Om\fR
648 \fB\fb%Om\fr\fr
646 .ad
647 .RS 7n
648 Month using the locale's alternate numeric symbols.
649 .RE

651 .sp
652 .ne 2
653 .na
654 \fB%OM\fR
657 \fB\fb%OM\fr\fr
655 .ad
656 .RS 7n
657 Minutes using the locale's alternate numeric symbols.
658 .RE

```

```

660 .sp
661 .ne 2
662 .na
663 \fB%OS\fR
666 \fB\fb%OS\fr\fr
664 .ad
665 .RS 7n
666 Seconds using the locale's alternate numeric symbols.
667 .RE

669 .sp
670 .ne 2
671 .na
672 \fB%Ou\fR
675 \fB\fb%Ou\fr\fr
673 .ad
674 .RS 7n
675 Weekday as a number in the locale's alternate numeric symbols.
676 .RE

678 .sp
679 .ne 2
680 .na
681 \fB%OU\fR
684 \fB\fb%OU\fr\fr
682 .ad
683 .RS 7n
684 Week number of the year (Sunday as the first day of the week) using the
685 locale's alternate numeric symbols.
686 .RE

688 .sp
689 .ne 2
690 .na
691 \fB%Ow\fR
694 \fB\fb%Ow\fr\fr
692 .ad
693 .RS 7n
694 Number of the weekday (Sunday=0) using the locale's alternate numeric symbols.
695 .RE

697 .sp
698 .ne 2
699 .na
700 \fB%OW\fR
703 \fB\fb%OW\fr\fr
701 .ad
702 .RS 7n
703 Week number of the year (Monday as the first day of the week) using the
704 locale's alternate numeric symbols.
705 .RE

707 .sp
708 .ne 2
709 .na
710 \fB%Oy\fR
713 \fB\fb%Oy\fr\fr
711 .ad
712 .RS 7n
713 Year (offset from \fb%C\fr) in the locale's alternate representation and using
714 the locale's alternate numeric symbols.
715 .RE

717 .SS "Selecting the Output Language"
721 .LP
718 These routines produce output that is formatted according to the \fbLC_TIME\fr

```

719 locale category. They use either the current locale, or in the case of  
 720 `\fBstrptime_l()\fR`, the locale supplied by `\fIloc\fR`.  
 721 .SS "Time Zone"  
 722 .LP  
 723 Local time zone information is used as though `\fBtzset\fR(3C)` were called.  
 724 .SH RETURN VALUES  
 725 .LP  
 726 These functions return the  
 727 number of characters placed into the array pointed to by `\fIis\fR`, not including  
 728 the terminating null character. If the total number of resulting characters  
 729 including the terminating null character is more than `\fImaxsize\fR`,  
 730 `\fBstrptime()\fR` returns `\fB0\fR` and the contents of the array are  
 731 indeterminate.  
 732 .SH EXAMPLES  
 733 .LP  
 734 `\fBExample 1 \fR`An example of the `\fBstrptime()\fR` function.  
 735 .LP  
 736 The following example illustrates the use of `\fBstrptime()\fR` for the  
 737 `\fBPOSIX\fR` locale. It shows what the string in `\fIistr\fR` would look like if  
 738 the structure pointed to by `\fItmptr\fR` contains the values corresponding to  
 739 Thursday, August 28, 1986 at 12:44:36.  
 740 .nf  
 741 .IP  
 742 `\fBstrptime\fR(\fIistr\fR, \fIistrsize\fR, "%A %b %d %j", \fItmptr\fR);`  
 743 .fi  
 744 .LP  
 745 This results in `\fIistr\fR` containing "Thursday Aug 28 240".  
 746 .SH ATTRIBUTES  
 747 .LP  
 748 See `\fBattributes\fR(5)` for descriptions of the following attributes:  
 749 .TS  
 750 box;  
 751 c | c  
 752 l | l .  
 753 ATTRIBUTE TYPE ATTRIBUTE VALUE  
 754 \_  
 755 CSI Enabled  
 756 \_  
 757 Interface Stability See below.  
 758 \_  
 759 MT-Level MT-Safe  
 760 \_  
 761 Standard See below.  
 762 .TE  
 763 .LP  
 764 The `\fBstrptime()\fR` and `\fBstrptime_l()\fR` functions are Standard.  
 765 `\fBcftime()\fR` and `\fBascftime()\fR` functions are Committed.  
 766 .LP  
 767 For `\fBstrptime()\fR` and `\fBstrptime_l()\fR`, see `\fBstandards\fR(5)`.  
 768 .SH SEE ALSO  
 769 .LP  
 770 `\fBdate\fR(1)`, `\fBctime\fR(3C)`, `\fBmktime\fR(3C)`,  
 771 `\fBnewlocale\fR(3C)`, `\fBsetlocale\fR(3C)`, `\fBstrptime\fR(3C)`, `\fBtzset\fR(3C)`,  
 772 `\fBuselocale\fR(3C)`, `\fBTIMEZONE\fR(4)`, `\fBzoneinfo\fR(4)`,  
 773 `\fBattributes\fR(5)`, `\fBenviron\fR(5)`, `\fBstandards\fR(5)`  
 774 .SH NOTES  
 775 .LP  
 776 The conversion specification for `\fB%V\fR` was changed in the Solaris 7 release.  
 777 This change was based on the public review draft of the ISO C9x standard at  
 778 that time. Previously, the specification stated that if the week containing 1  
 779 January had fewer than four days in the new year, it became week 53 of the  
 780 previous year. The ISO C9x standard committee subsequently recognized that that  
 781 specification had been incorrect.  
 782 .LP  
 783 The conversion specifications for `\fB%g\fR`, `\fB%G\fR`, `\fB%g\fR`, `\fB%G\fR`, and

779 `\fB%Og\fR` were added in the Solaris 7 release. This change was based on the  
 780 public review draft of the ISO C9x standard at that time. The `\fB%g\fR` and  
 781 `\fB%G\fR` specifications were adopted in the formal standard. The other two  
 782 were not, and should not be used in portable applications.  
 783 .LP  
 784 The conversion specification for `\fB%u\fR` was changed in the Solaris 8 release.  
 785 This change was based on the XPG4 specification.  
 786 .LP  
 787 If using the `\fB%Z\fR` specifier and `\fBzoneinfo\fR` timezones and if the input  
 788 date is outside the range 20:45:52 UTC, December 13, 1901 to 03:14:07 UTC,  
 789 January 19, 2038, the timezone name may not be correct.  
 790 .LP  
 791 The conversion specification for `\fB%+\fR` was added in illumos.  
 792 It is not part of any standard, although it is available on a number  
 793 of other platforms.  
 794 Its use is discouraged for conforming applications.

\*\*\*\*\*

3718 Tue Aug 20 06:34:39 2019

new/usr/src/man/man3c/tss.3c

11586 NAME field in man pages should match what's installed

\*\*\*\*\*

```

1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2016 Joyent, Inc.
13 .\"
14 .Dd "Aug 20, 2019"
14 .Dd "Jan 11, 2015"
15 .Dt TSS 3C
16 .Os
17 .Sh NAME
18 .Nm tss ,
19 .Nm tss_create ,
20 .Nm tss_delete ,
20 .Nm tss_destroy ,
21 .Nm tss_get ,
22 .Nm tss_set
23 .Nd thread-specific storage
24 .Sh SYNOPSIS
25 .In threads.h
26 .Vt "typedef void (*tss_dtor_t)(void *);"
27 .Ft int
28 .Fo tss_create
29 .Fa "tss_t *key"
30 .Fa "tss_dtor_t dtor"
31 .Fc
32 .Ft void
33 .Fo tss_delete
34 .Fa "tss_t key"
35 .Fc
36 .Ft void *
37 .Fo tss_get
38 .Fa "tss_t key"
39 .Fc
40 .Ft int
41 .Fo tss_set
42 .Fa "tss_t key"
43 .Fa "void *val"
44 .Fc
45 .Sh DESCRIPTION
46 The
47 .Sy tss
48 family of functions create, get, set, and destroy thread-specific
49 storage.
50 .Ss Creating and Destroying Thread-Specific Storage
50 .Ss Creating and Destroying Thread-Specific Storage
51 The
52 .Fn tss_create
53 function creates a new thread-specific data key.
54 The key space is opaque and global to all threads in the process.
55 Each thread has its own value-space which can be manipulated with the
56 .Fn tss_get
57 and
58 .Fn tss_set

```

```

59 functions.
60 A given key persists until
61 .Fn tss_delete
61 .Fn tss_destroy
62 is called.
63 .Pp
64 When a key is created, the value
65 .Dv NULL
66 is associated with all current threads.
67 When a thread is created, the value
68 .Dv NULL
69 is assigned as the value for the entire key-space.
70 .Pp
71 A key may optionally be created with a destructor function
72 .Fa dtor .
73 The function
74 .Fa dtor
75 will run when the thread exits (see
76 .Xr thrd_exit 3C )
77 if the value for the key is not
78 .Dv NULL .
79 The key space's destructors may be run in any order.
80 When the destructor is run due to a thread exiting, all signals will be blocked.
81 .Pp
82 The
83 .Fn tss_delete
84 function deletes the key identify by
85 .Fa key
86 from the global name-space.
87 When a key is deleted, no registered destructor is called, it is up to the
88 calling program to free any storage that was associated with
89 .Fa key
90 across all threads.
91 Because of this property, it is legal to call
91 Because of this property, it is legal to call
92 .Fn tss_delete
93 from inside a destructor.
94 Any destructors that had been associated with
94 Any destructors that had been associated with
95 .Fa key
96 will no longer be called when a thread terminates.
97 .Ss Obtaining Values
98 The
99 .Fn tss_get
100 function may be used to obtain the value associated with
101 .Fa key
102 for the calling thread.
103 Note that if the calling thread has never set a value, then it will receive the
104 default value,
105 .Dv NULL .
106 .Fn tss_get
107 may be called from a tss destructor.
108 .Ss Setting Values
109 The
110 .Fn tss_set
111 function sets the value of the key
112 .Fa key
113 for the calling thread to
113 for the calling thread to
114 .Fa value ,
115 which may be obtained by subsequent calls to
116 .Fa tss_get .
117 To remove a value for a specific thread, one may pass
118 .Dv NULL
119 in as
120 .Fa value .

```

121 Changing the value of a key with  
122 .Fn tss\_set  
123 does not cause any destructors to be invoked.  
124 This means that  
125 .Fn tss\_set  
126 may be used in the context of a destructor, but special care must be  
127 taken to avoid leaking storage or causing an infinite loop.  
128 .Sh RETURN VALUES  
129 Upon successful completion, the  
130 .Fn tss\_create  
131 and  
132 .Fn tss\_set  
133 functions return  
134 .Sy thrd\_success .  
135 Otherwise, they return  
136 .Sy thrd\_error  
137 to indicate that an error occurred.  
138 .Pp  
139 Upon successful completion, the  
140 .Fn tss\_get  
141 function returns the thread-specific value associated with the given  
142 .Fa key .  
143 If no thread-specific value is associated with the key or an invalid key  
144 was passed in, then  
145 .Dv NULL  
146 is returned.  
147 .Sh INTERFACE STABILITY  
148 .Sy Standard  
149 .Sh MT-LEVEL  
150 .Sy MT-Safe  
151 .Sh SEE ALSO  
152 .Xr pthread\_getspecific 3C ,  
153 .Xr pthread\_key\_create 3C ,  
154 .Xr pthread\_key\_delete 3C ,  
155 .Xr pthread\_setspecific 3C ,  
156 .Xr attributes 5

```

*****
4833 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3c/wcscoll.3c
11586 NAME field in man pages should match what's installed
*****
1 .\"
2 .\" Sun Microsystems, Inc. gratefully acknowledges The Open Group for
3 .\" permission to reproduce portions of its copyrighted documentation.
4 .\" Original documentation from The Open Group can be obtained online at
5 .\" http://www.opengroup.org/bookstore/.
6 .\"
7 .\" The Institute of Electrical and Electronics Engineers and The Open
8 .\" Group, have given us permission to reprint portions of their
9 .\" documentation.
10 .\"
11 .\" In the following statement, the phrase ``this text'' refers to portions
12 .\" of the system documentation.
13 .\"
14 .\" Portions of this text are reprinted and reproduced in electronic form
15 .\" in the SunOS Reference Manual, from IEEE Std 1003.1, 2004 Edition,
16 .\" Standard for Information Technology -- Portable Operating System
17 .\" Interface (POSIX), The Open Group Base Specifications Issue 6,
18 .\" Copyright (C) 2001-2004 by the Institute of Electrical and Electronics
19 .\" Engineers, Inc and The Open Group. In the event of any discrepancy
20 .\" between these versions and the original IEEE and The Open Group
21 .\" Standard, the original IEEE and The Open Group Standard is the referee
22 .\" document. The original Standard can be obtained online at
23 .\" http://www.opengroup.org/unix/online.html.
24 .\"
25 .\" This notice shall appear on any product containing this material.
26 .\"
27 .\" The contents of this file are subject to the terms of the
28 .\" Common Development and Distribution License (the "License").
29 .\" You may not use this file except in compliance with the License.
30 .\"
31 .\" You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
32 .\" or http://www.opensolaris.org/os/licensing.
33 .\" See the License for the specific language governing permissions
34 .\" and limitations under the License.
35 .\"
36 .\" When distributing Covered Code, include this CDDL HEADER in each
37 .\" file and include the License file at usr/src/OPENSOLARIS.LICENSE.
38 .\" If applicable, add the following below this CDDL HEADER, with the
39 .\" fields enclosed by brackets "[]" replaced with your own identifying
40 .\" information: Portions Copyright [yyyy] [name of copyright owner]
41 .\"
42 .\"
43 .\" Copyright (c) 1992, X/Open Company Limited. All Rights Reserved.
44 .\" Portions Copyright (c) 2002, Sun Microsystems, Inc. All Rights Reserved
45 .\" Copyright 2014 Garrett D'Amore <garrett@damore.org>
46 .\"
47 .TH WCSCOLL 3C "Aug 20, 2019"
48 .TH WCSCOLL 3C "April 9, 2016"
49 .SH NAME
49 wcscoll, wcscoll_l, wscoll \- wide character string comparison using collating i
49 wcscoll, wcscoll_l wscoll \- wide character string comparison using collating in
50 .SH SYNOPSIS
51 .LP
51 .nf
52 #include <wchar.h>

54 \fBint\fR \fBwcscoll\fR(\fBconst wchar_t *\fR\fIwsl\fR, \fBconst wchar_t *\fR\fI
55 .fi
56 .LP
57 .nf
58 \fBint\fR \fBwcscoll_l\fR(\fBconst wchar_t *\fR\fIwsl\fR, \fBconst wchar_t *\fR\

```

```

59 .fi
60 .LP
61 .nf
62 \fBint\fR \fBwcscoll\fR(\fBconst wchar_t *\fR\fIwsl\fR, \fBconst wchar_t *\fR\fIW
63 .fi
64 .SH DESCRIPTION
65 .LP
65 The \fBwcscoll()\fR, \fBwcscoll_l()\fR, and \fBwcscoll()\fR functions compare
66 the wide character
67 string pointed to by \fIwsl\fR to the wide character string pointed to by
68 \fIwsl2\fR, both interpreted as appropriate to the \fBLC_COLLATE\fR locale
69 category.
70 .LP
71 These functions do not change the setting of \fBerrno\fR if successful.
72 .LP
73 An application wanting to check for error situations should set \fBerrno\fR to
74 0 before calling these functions. If \fBerrno\fR is non-zero
75 on return, an error has occurred.
76 .LP
77 The function \fBwcscoll_l()\fR behaves identically to \fBwcscoll()\fR, except
78 instead of operating in the current locale, it operates in the locale
79 specified by \fIloc\fR.
80 .SH RETURN VALUES
81 .LP
81 Upon successful completion, these functions return an
82 integer greater than, equal to, or less than 0, depending upon whether the wide
83 character string pointed to by \fIwsl\fR is greater than, equal to, or less
84 than the wide character string pointed to by \fIwsl2\fR, when both are
85 interpreted as appropriate to the current locale, or the locale
86 specified by \fIloc\fR. On error,
87 they set \fBerrno\fR, but no return value is reserved to indicate an error.
88 .SH ERRORS
89 .LP
89 The \fBwcscoll()\fR, \fBwcscoll_l()\fR and \fBwcscoll()\fR functions may fail if:
90 .sp
91 .ne 2
92 .na
93 \fBEBINVAL\fR
97 \fBEBINVAL\fR
94 .ad
95 .RS 10n
96 The \fIwsl\fR or \fIwsl2\fR arguments contain wide character codes outside the
97 domain of the collating sequence.
98 .RE
99 .SH USAGE
104 .LP
100 The \fBwcsxfrm\fR(3C) and \fBwcscmp\fR(3C) functions should be used for sorting
101 large lists, or when performing many comparisons on the same strings.
102 .SH ATTRIBUTES
108 .LP
103 See \fBattributes\fR(5) for descriptions of the following attributes:
104 .TS
105 box;
106 c | c
107 l | l .
108 ATTRIBUTE TYPE ATTRIBUTE VALUE
109 -
110 CSI Enabled
111 -
112 Interface Stability See below.
113 -
114 MT-Level MT-Safe
115 .TE

117 .LP
118 The \fBwcscoll()\fR and \fBwcscoll_l()\fR functions are Standard.

```

119 The `\fBwscoll()` function is Committed.

120 .SH SEE ALSO

127 .LP

121 `\fBnewlocale`(3C), `\fBsetlocale`(3C), `\fBuselocale`(3C),

122 `\fBwcscmp`(3C), `\fBwcsxfrm`(3C), `\fBattributes`(5),

123 `\fBstandards`(5)

new/usr/src/man/man3devid/Makefile

1

\*\*\*\*\*

1582 Tue Aug 20 06:34:39 2019

new/usr/src/man/man3devid/Makefile

11586 NAME field in man pages should match what's installed

\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 #
```

```
17 include      $(SRC)/Makefile.master
```

```
19 MANSECT=     3devid
```

```
21 MANFILES=    devid_get.3devid
```

```
23 MANLINKS=    devid_compare.3devid      \
24              devid_deviceid_to_nmlist.3devid \
25              devid_free.3devid         \
26              devid_free_nmlist.3devid   \
27              devid_get_minor_name.3devid \
28              devid_sizeof.3devid       \
29              devid_str_decode.3devid    \
30              devid_str_encode.3devid    \
31              devid_str_free.3devid      \
32              devid_str_from_path.3devid  \
33              devid_valid.3devid
```

```
35 devid_compare.3devid      := LINKSRC = devid_get.3devid
36 devid_deviceid_to_nmlist.3devid := LINKSRC = devid_get.3devid
37 devid_free.3devid         := LINKSRC = devid_get.3devid
38 devid_free_nmlist.3devid   := LINKSRC = devid_get.3devid
39 devid_get_minor_name.3devid := LINKSRC = devid_get.3devid
40 devid_sizeof.3devid       := LINKSRC = devid_get.3devid
41 devid_str_decode.3devid    := LINKSRC = devid_get.3devid
42 devid_str_encode.3devid    := LINKSRC = devid_get.3devid
43 devid_str_free.3devid      := LINKSRC = devid_get.3devid
44 devid_str_from_path.3devid := LINKSRC = devid_get.3devid
45 devid_valid.3devid        := LINKSRC = devid_get.3devid
```

```
47 .KEEP_STATE:
```

```
49 include      $(SRC)/man/Makefile.man
```

```
51 install:    $(ROOTMANFILES) $(ROOTMANLINKS)
```



new/usr/src/man/man3ofmt/Makefile

1

\*\*\*\*\*

1094 Tue Aug 20 06:34:39 2019

new/usr/src/man/man3ofmt/Makefile

11586 NAME field in man pages should match what's installed

\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2017 Nexenta Systems, Inc.
14 #
```

```
16 include      $(SRC)/Makefile.master
```

```
18 MANSECT=     3ofmt
```

```
20 MANFILES=   ofmt.3ofmt
```

```
22 MANLINKS=   ofmt_close.3ofmt \
23             ofmt_open.3ofmt \
24             ofmt_print.3ofmt \
25             ofmt_print_header.3ofmt \
26             ofmt_set_fs.3ofmt \
27             ofmt_strerror.3ofmt \
28             ofmt_update_winsize.3ofmt
```

```
30 ofmt_close.3ofmt      := LINKSRC = ofmt.3ofmt
31 ofmt_open.3ofmt      := LINKSRC = ofmt.3ofmt
32 ofmt_print.3ofmt     := LINKSRC = ofmt.3ofmt
33 ofmt_print_header.3ofmt := LINKSRC = ofmt.3ofmt
34 ofmt_set_fs.3ofmt    := LINKSRC = ofmt.3ofmt
35 ofmt_strerror.3ofmt  := LINKSRC = ofmt.3ofmt
36 ofmt_update_winsize.3ofmt := LINKSRC = ofmt.3ofmt
```

```
38 .KEEP_STATE:
```

```
40 include      $(SRC)/man/Makefile.man
```

```
42 install:    $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
11721 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3proc/Makefile
11586 NAME field in man pages should match what's installed
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2018 Joyent, Inc.
16 # Copyright 2019, Carlos Neira <cneirabustos@gmail.com>
17 # Copyright 2019 OmniOS Community Edition (OmniOSce) Association.
18 #
19 include      $(SRC)/Makefile.master
20 #
21 MANSECT=     3proc
22 #
23 MANFILES=
24 Lctlfd.3proc  \
25 Lfree.3proc  \
26 Lgrab_error.3proc \
27 Lgrab.3proc  \
28 Lprochandle.3proc \
29 Lpsinfo.3proc \
30 Lstate.3proc \
31 Lstatus.3proc \
32 Paddr_to_ctf.3proc \
33 Paddr_to_loadobj.3proc \
34 Paddr_to_map.3proc \
35 Pasfd.3proc  \
36 Pclearfault.3proc \
37 Pclearsig.3proc \
38 Pcontent.3proc \
39 Pcreate_agent.3proc \
40 Pcreate_error.3proc \
41 Pcreate.3proc \
42 Pcred.3proc  \
43 Pctlfd.3proc \
44 Pdelbkpt.3proc \
45 Pdelwapt.3proc \
46 Pdestroy_agent.3proc \
47 Penv_iter.3proc \
48 Perror_printf.3proc \
49 Pexecname.3proc \
50 Pfault.3proc \
51 Pfdinfo_iter.3proc \
52 Pgcore.3proc \
53 Pgetareg.3proc \
54 Pgetauxval.3proc \
55 Pgetauxvec.3proc \
56 Pgetenv.3proc \
57 Pgrab_core.3proc \
58 Pgrab_error.3proc \
59 Pgrab_file.3proc \
60 Pgrab.3proc  \
61 Pisprocdir.3proc \

```

```

62 Pissyscall.3proc \
63 Pldt.3proc       \
64 Plmid.3proc      \
65 Plookup_by_addr.3proc \
66 Plwp_getasxs.3proc \
67 Plwp_getgwindows.3proc \
68 Plwp_getname.3proc \
69 Plwp_getpsinfo.3proc \
70 Plwp_getregs.3proc \
71 Plwp_getspymaster.3proc \
72 Plwp_getxregs.3proc \
73 Plwp_iter.3proc  \
74 Plwp_stack.3proc \
75 Pmapping_iter.3proc \
76 Pobjname.3proc  \
77 Pplatform.3proc \
78 Ppltdest.3proc  \
79 Ppriv.3proc     \
80 Ppsinfo.3proc   \
81 pr_access.3proc \
82 pr_close.3proc  \
83 pr_creat.3proc  \
84 pr_door_info.3proc \
85 pr_exit.3proc   \
86 pr_fcntl.3proc  \
87 pr_fstatvfs.3proc \
88 pr_getitimer.3proc \
89 pr_getpeername.3proc \
90 pr_getpeerucred.3proc \
91 pr_getprojid.3proc \
92 pr_getrctl.3proc \
93 pr_getrlimit.3proc \
94 pr_getsockname.3proc \
95 pr_getsockopt.3proc \
96 pr_gettaskid.3proc \
97 pr_getzoneid.3proc \
98 pr_ioctl.3proc  \
99 pr_link.3proc   \
100 pr_llseek.3proc \
101 pr_lseek.3proc  \
102 pr_memcntl.3proc \
103 pr_meminfo.3proc \
104 pr_mmap.3proc   \
105 pr_munmap.3proc \
106 pr_open.3proc   \
107 pr_processor_bind.3proc \
108 pr_rename.3proc \
109 pr_setitimer.3proc \
110 pr_setrctl.3proc \
111 pr_setrlimit.3proc \
112 pr_settaskid.3proc \
113 pr_sigaction.3proc \
114 pr_stat.3proc   \
115 pr_statvfs.3proc \
116 pr_unlink.3proc \
117 pr_waitid.3proc \
118 Prd_agent.3proc \
119 Pread.3proc     \
120 Prelease.3proc  \
121 Preopen.3proc   \
122 Preset_maps.3proc \
123 proc_arg_grab.3proc \
124 proc_arg_psinfo.3proc \
125 proc_content2str.3proc \
126 proc_fltname.3proc \
127 proc_fltset2str.3proc \

```

```

128 proc_get_auxv.3proc //
129 proc_get_cred.3proc //
130 proc_get_priv.3proc //
131 proc_get_psinfo.3proc //
132 proc_get_status.3proc //
133 proc_initstdio.3proc //
134 proc_lwp_in_set.3proc //
135 proc_service.3proc //
136 proc_str2flt.3proc //
137 proc_str2fltset.3proc //
138 proc_unctrl_psinfo.3proc //
139 proc_walk.3proc //
140 Psecflags.3proc //
141 Psetbkpt.3proc //
142 Psetcred.3proc //
143 Psetfault.3proc //
144 Psetflags.3proc //
145 Psetpriv.3proc //
146 Psetrun.3proc //
147 Psetsignal.3proc //
148 Psetsysentry.3proc //
149 Psetwapt.3proc //
150 Psetzoneid.3proc //
151 Psignal.3proc //
152 Pstack_iter.3proc //
153 Pstate.3proc //
154 Pstatus.3proc //
155 Pstopstatus.3proc //
156 Psymbol_iter.3proc //
157 Psync.3proc //
158 Psysentry.3proc //
159 Puname.3proc //
160 Pupdate_maps.3proc //
161 Pupdate_syms.3proc //
162 Pwrite.3proc //
163 Pxecbkpt.3proc //
164 Pzonenumber.3proc //
165 ps_lgetregs.3proc //
166 ps_pglobal_lookup.3proc //
167 ps_pread.3proc //
168 ps_pstop.3proc //

171 MANLINKS= //
172 Lalt_stack.3proc //
173 Lclearfault.3proc //
174 Lclearsig.3proc //
175 Ldstop.3proc //
176 Lgetareg.3proc //
177 Lmain_stack.3proc //
178 Lputareg.3proc //
179 Lsetrun.3proc //
180 Lstack.3proc //
181 Lstop.3proc //
182 Lsync.3proc //
183 Lwait.3proc //
184 Lxecbkpt.3proc //
185 Lxecwapt.3proc //
186 Paddr_to_text_map.3proc //
187 Pcreate_callback.3proc //
188 Pdstop.3proc //
189 Pfgcore.3proc //
190 Pfggrab_core.3proc //
191 Pfree.3proc //
192 Pissyscall_prev.3proc //
193 Plmid_to_ctf.3proc //

```

```

194 Plmid_to_loadobj.3proc //
195 Plmid_to_map.3proc //
196 Plookup_by_name.3proc //
197 Plwp_alt_stack.3proc //
198 Plwp_getfpregs.3proc //
199 Plwp_iter_all.3proc //
200 Plwp_main_stack.3proc //
201 Plwp_setasrs.3proc //
202 Plwp_setfpregs.3proc //
203 Plwp_setregs.3proc //
204 Plwp_setxregs.3proc //
205 Pmapping_iter_resolved.3proc //
206 Pname_to_ctf.3proc //
207 Pname_to_loadobj.3proc //
208 Pname_to_map.3proc //
209 Pobject_iter_resolved.3proc //
210 Pobject_iter.3proc //
211 Pobjname_resolved.3proc //
212 Ppriv_free.3proc //
213 Pputareg.3proc //
214 pr_fstat.3proc //
215 pr_fstat64.3proc //
216 pr_getrlimit64.3proc //
217 pr_lstat.3proc //
218 pr_lstat64.3proc //
219 pr_setrlimit64.3proc //
220 pr_stat64.3proc //
221 Pread_string.3proc //
222 proc_arg_xgrab.3proc //
223 proc_arg_xpsinfo.3proc //
224 proc_dmodelname.3proc //
225 proc_finistdio.3proc //
226 proc_flushstdio.3proc //
227 proc_free_priv.3proc //
228 proc_get_ldt.3proc //
229 proc_lwp_range_valid.3proc //
230 proc_signame.3proc //
231 proc_sigset2str.3proc //
232 proc_str2content.3proc //
233 proc_str2sig.3proc //
234 proc_str2sigset.3proc //
235 proc_str2sys.3proc //
236 proc_str2sysset.3proc //
237 proc_sysname.3proc //
238 proc_sysset2str.3proc //
239 ps_kill.3proc //
240 ps_lcontinue.3proc //
241 ps_lgetfpregs.3proc //
242 ps_lgetxregs.3proc //
243 ps_lgetxregsize.3proc //
244 ps_rolloaddr.3proc //
245 ps_lsetfpregs.3proc //
246 ps_lsetregs.3proc //
247 ps_lsetxregs.3proc //
248 ps_lstop.3proc //
249 ps_pcontinue.3proc //
250 ps_pread.3proc //
251 ps_pwrite.3proc //
252 ps_pglobal_sym.3proc //
253 ps_ptread.3proc //
254 ps_ptwrite.3proc //
255 ps_pwrite.3proc //
256 Psecflags_free.3proc //
257 Psetysexit.3proc //
258 Pstop.3proc //
259 Psymbol_iter_by_addr.3proc //

```

```

260         Psymbol_iter_by_lmid.3proc      \|
261         Psymbol_iter_by_name.3proc      \|
262         Psysexit.3proc                  \|
263         Punsetflags.3proc               \|
264         Pwait.3proc                     \|
265         Pxcreate.3proc                   \|
266         Pxecwapt.3proc                   \|
267         Pxlookup_by_addr_resolved.3proc \|
268         Pxlookup_by_addr.3proc          \|
269         Pxlookup_by_name.3proc          \|
270         Pxsymbol_iter.3proc             \|
271         Pzonepath.3proc                 \|
272         Pzoneroot.3proc                 \|

275 ps_lgetfpregs.3proc      := LINKSRC = ps_lgetregs.3proc
276 ps_lgetxregs.3proc       := LINKSRC = ps_lgetregs.3proc
277 ps_lgetxregsize.3proc    := LINKSRC = ps_lgetregs.3proc
278 ps_lsetfpregs.3proc      := LINKSRC = ps_lgetregs.3proc
279 ps_lsetregs.3proc        := LINKSRC = ps_lgetregs.3proc
280 ps_lsetxregs.3proc       := LINKSRC = ps_lgetregs.3proc

282 ps_pglobal_sym.3proc     := LINKSRC = ps_pglobal_lookup.3proc

284 ps_pread.3proc           := LINKSRC = ps_pread.3proc
285 ps_pwrite.3proc          := LINKSRC = ps_pread.3proc
286 ps_ptread.3proc          := LINKSRC = ps_pread.3proc
287 ps_ptwrite.3proc         := LINKSRC = ps_pread.3proc
288 ps_pwrite.3proc          := LINKSRC = ps_pread.3proc

290 ps_kill.3proc            := LINKSRC = ps_pstop.3proc
291 ps_lcontinue.3proc       := LINKSRC = ps_pstop.3proc
292 ps_lrolltoaddr.3proc    := LINKSRC = ps_pstop.3proc
293 ps_lstop.3proc           := LINKSRC = ps_pstop.3proc
294 ps_pcontinue.3proc       := LINKSRC = ps_pstop.3proc

297 Pxcreate.3proc           := LINKSRC = Pcreate.3proc
298 Pcreate_callback.3proc   := LINKSRC = Pcreate.3proc

300 Pfgrab_core.3proc        := LINKSRC = Pgrab_core.3proc

302 Pfree.3proc              := LINKSRC = Prelease.3proc

304 Psecflags_free.3proc    := LINKSRC = Psecflags.3proc

306 Plwp_iter_all.3proc      := LINKSRC = Plwp_iter.3proc

308 Pmapping_iter_resolved.3proc := LINKSRC = Pmapping_iter.3proc
309 Pobject_iter.3proc       := LINKSRC = Pmapping_iter.3proc
310 Pobject_iter_resolved.3proc := LINKSRC = Pmapping_iter.3proc

312 Psymbol_iter_by_addr.3proc := LINKSRC = Psymbol_iter.3proc
313 Psymbol_iter_by_lmid.3proc := LINKSRC = Psymbol_iter.3proc
314 Psymbol_iter_by_name.3proc := LINKSRC = Psymbol_iter.3proc
315 Pxsymbol_iter.3proc       := LINKSRC = Psymbol_iter.3proc

317 Plmid_to_ctf.3proc       := LINKSRC = Paddr_to_ctf.3proc
318 Pname_to_ctf.3proc       := LINKSRC = Paddr_to_ctf.3proc

320 Plmid_to_loadobj.3proc   := LINKSRC = Paddr_to_loadobj.3proc
321 Pname_to_loadobj.3proc   := LINKSRC = Paddr_to_loadobj.3proc

323 Paddr_to_text_map.3proc  := LINKSRC = Paddr_to_map.3proc
324 Plmid_to_map.3proc       := LINKSRC = Paddr_to_map.3proc
325 Pname_to_map.3proc       := LINKSRC = Paddr_to_map.3proc

```

```

327 Pdstop.3proc             := LINKSRC = Pstopstatus.3proc
328 Pstop.3proc              := LINKSRC = Pstopstatus.3proc
329 Pwait.3proc              := LINKSRC = Pstopstatus.3proc
330 Ldstop.3proc             := LINKSRC = Pstopstatus.3proc
331 Lstop.3proc              := LINKSRC = Pstopstatus.3proc
332 Lwait.3proc              := LINKSRC = Pstopstatus.3proc

334 Lsync.3proc              := LINKSRC = Psync.3proc

336 Pfgcore.3proc            := LINKSRC = Pgc core.3proc

338 Pputareg.3proc           := LINKSRC = Pgetareg.3proc
339 Lgetareg.3proc          := LINKSRC = Pgetareg.3proc
340 Lputareg.3proc           := LINKSRC = Pgetareg.3proc

342 Pissyscall_prev.3proc    := LINKSRC = Pissyscall.3proc

344 Pxlookup_by_addr.3proc   := LINKSRC = Plookup_by_addr.3proc
345 Pxlookup_by_addr_resolved.3proc := LINKSRC = Plookup_by_addr.3proc
346 Plookup_by_name.3proc    := LINKSRC = Plookup_by_addr.3proc
347 Pxlookup_by_name.3proc   := LINKSRC = Plookup_by_addr.3proc

349 Plwp_setregs.3proc       := LINKSRC = Plwp_getregs.3proc
350 Plwp_getfpregs.3proc     := LINKSRC = Plwp_getregs.3proc
351 Plwp_setfpregs.3proc     := LINKSRC = Plwp_getregs.3proc

353 Plwp_alt_stack.3proc     := LINKSRC = Plwp_stack.3proc
354 Plwp_main_stack.3proc    := LINKSRC = Plwp_stack.3proc
355 Lalt_stack.3proc         := LINKSRC = Plwp_stack.3proc
356 Lmain_stack.3proc        := LINKSRC = Plwp_stack.3proc
357 Lstack.3proc             := LINKSRC = Plwp_stack.3proc

359 Pobjname_resolved.3proc  := LINKSRC = Pobjname.3proc

361 Ppriv_free.3proc         := LINKSRC = Ppriv.3proc

363 Pread_string.3proc       := LINKSRC = Pread.3proc

365 Punsetflags.3proc        := LINKSRC = Psetflags.3proc

367 Psetsysexit.3proc        := LINKSRC = Psetsysentry.3proc

369 Psysexit.3proc           := LINKSRC = Psysentry.3proc

371 Pxecwapt.3proc           := LINKSRC = Pxecbkpt.3proc
372 Lxecbkpt.3proc          := LINKSRC = Pxecbkpt.3proc
373 Lxecwapt.3proc           := LINKSRC = Pxecbkpt.3proc

375 Lclearfault.3proc        := LINKSRC = Pclearfault.3proc

377 Lclearsig.3proc          := LINKSRC = Pclearsig.3proc

379 Lsetrun.3proc            := LINKSRC = Psetrun.3proc

381 Pzonepath.3proc          := LINKSRC = Pzonename.3proc
382 Pzoneroot.3proc          := LINKSRC = Pzonename.3proc

384 pr_fstat.3proc           := LINKSRC = pr_stat.3proc
385 pr_fstat64.3proc         := LINKSRC = pr_stat.3proc
386 pr_lstat.3proc           := LINKSRC = pr_stat.3proc
387 pr_lstat64.3proc         := LINKSRC = pr_stat.3proc
388 pr_stat64.3proc          := LINKSRC = pr_stat.3proc

390 pr_getrlimit64.3proc     := LINKSRC = pr_getrlimit.3proc

```

**new/usr/src/man/man3proc/Makefile**

7

```
392 pr_setrlimit64.3proc      := LINKSRC = pr_setrlimit.3proc
394 proc_arg_xgrab.3proc      := LINKSRC = proc_arg_grab.3proc
396 proc_arg_xpsinfo.3proc    := LINKSRC = proc_arg_psinfo.3proc
398 proc_str2content.3proc    := LINKSRC = proc_content2str.3proc
400 proc_flushstdio.3proc     := LINKSRC = proc_initstdio.3proc
401 proc_finistdio.3proc      := LINKSRC = proc_initstdio.3proc
403 proc_dmodelname.3proc     := LINKSRC = proc_fltname.3proc
404 proc_signame.3proc        := LINKSRC = proc_fltname.3proc
405 proc_sysname.3proc        := LINKSRC = proc_fltname.3proc
407 proc_sigset2str.3proc     := LINKSRC = procfltset2str.3proc
408 proc_sysset2str.3proc     := LINKSRC = procfltset2str.3proc
410 proc_free_priv.3proc     := LINKSRC = proc_get_priv.3proc
412 proc_lwp_range_valid.3proc := LINKSRC = proc_lwp_in_set.3proc
414 proc_str2sig.3proc        := LINKSRC = proc_str2flt.3proc
415 proc_str2sys.3proc        := LINKSRC = proc_str2flt.3proc
417 proc_str2sigset.3proc     := LINKSRC = proc_str2fltset.3proc
418 proc_str2sysset.3proc     := LINKSRC = proc_str2fltset.3proc
420 proc_get_ldt.3proc        := LINKSRC = Pldt.3proc
422 Plwp_setxregs.3proc       := LINKSRC = Plwp_getxregs.3proc
424 Plwp_setasrs.3proc       := LINKSRC = Plwp_getasrs.3proc
426 .KEEP_STATE:
428 include      $(SRC)/man/Makefile.man
430 install:     $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
1801 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3proc/Pcontent.3proc
11586 NAME field in man pages should match what's installed
*****
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2015 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd May 11, 2016
15 .Dt PCONTENT 3PROC
16 .Os
17 .Sh NAME
18 .Nm Pcontent
18 .Nm Pcontent
19 .Nd obtain process content types available
20 .Sh LIBRARY
21 .Lb libproc
22 .Sh SYNOPSIS
23 .In libproc.h
24 .Ft "core_content_t"
25 .Fo Pcontent
26 .Fa "struct ps_prochandle *P"
27 .Fc
28 .Sh DESCRIPTION
29 The
30 .Fn Pcontent
31 function describes information available from the process handle
32 .Fa P .
33 .Pp
34 Different types of process handles have different kinds of content
35 available to them.
36 For example, handles to active and running processes have more information
37 available than various core files, as the core file retains a subset of
38 information available in the running process.
39 Handles that refer to ELF objects, obtained through
40 .Xr Pgrab_file 3PROC ,
41 will not have information such as a stack available.
42 The content of core files is controlled by
43 .Xr coreadm 1M .
44 .Pp
45 The symbols that may be returned are listed in the
46 .Sy core_content_t
47 heading in the
48 .Sy TYPES
49 section in
50 .Xr libproc 3LIB .
51 .Sh RETURN VALUES
52 Upon successful completion, the
53 .Fn Pcontent
54 function returns the bitwise-inclusive-OR of content types.
55 Otherwise,
56 .Dv CC_CONTENT_INVALID
57 is returned to indicate an error.
58 .Sh INTERFACE STABILITY
59 .Sy Uncommitted

```

```

60 .Sh MT-LEVEL
61 See
62 .Sy LOCKING
63 in
64 .Xr libproc 3LIB .
65 .Sh SEE ALSO
66 .Xr libproc 3LIB ,
67 .Xr Pcreate 3PROC ,
68 .Xr Pgrab 3PROC ,
69 .Xr Pgrab_core 3PROC ,
70 .Xr Pgrab_file 3PROC ,
71 .Xr proc 4

```

```

*****
3599 Tue Aug 20 06:34:39 2019
new/usr/src/man/man3proc/proc_arg_grab.3proc
11586 NAME field in man pages should match what's installed
*****
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2015 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd May 11, 2016
15 .Dt PROC_ARG_GRAB 3PROC
16 .Os
17 .Sh NAME
18 .Nm proc_arg_grab ,
19 .Nm proc_arg_xgrab
19 .Nm proc_arg_xgrab
20 .Nd process grabbing utility function
21 .Sh SYNOPSIS
22 .Lb libproc
23 .In libproc.h
24 .Ft "struct ps_prochandle"
25 .Fo proc_arg_grab
26 .Fa "const char *arg"
27 .Fa "int oflag"
28 .Fa "int gflag"
29 .Fa "int *perr"
30 .Fc
31 .Ft "struct ps_prochandle"
32 .Fo proc_arg_xgrab
33 .Fa "const char *arg"
34 .Fa "const char *path"
35 .Fa "int oflag"
36 .Fa "int gflag"
37 .Fa "int *perr"
38 .Fa "const char **lwps"
39 .Fc
40 .Sh DESCRIPTION
41 The
42 .Fn proc_arg_grab
43 and
44 .Fn proc_arg_xgrab
45 functions are utility functions which process arguments pointing to a
46 currently active process or a core file and returns a process handle to
47 it.
48 .Pp
49 The string
50 .Fa arg
51 contains the name of something to try and open.
52 How it is interpreted depends on the value of
53 .Fa oflag .
54 The following values may be passed in as a bitwise-exclusive-OR for
55 .Fa oflag :
56 .Bl -tag -width Dv -offset indent
57 .It Dv PR_ARG_PIDS
58 Allows
59 .Fa arg

```

```

60 to specify process IDs and /proc arguments.
61 .It Dv PR_ARG_CORES
62 Allows
63 .Fa arg
64 to specify core files.
65 .It PR_ARG_ANY
66 Encompasses all of the previous opens.
67 .El
68 .Pp
69 The argument
70 .Fa gflag
71 controls the behavior when the corresponding process grabbing function
72 is called by the underlying system.
73 For a list of flags that may be passed in here, see
74 .Xr Pgrab 3PROC
75 and
76 .Xr Pgrab_core 3PROC .
77 .Pp
78 The argument
79 .Fa perr
80 must be a
81 .Pf non- Dv NULL
82 pointer and in the event that the
83 .Fn proc_arg_grab
84 or
85 .Fn proc_arg_xgrab
86 functions fail, then
87 .Fa perr
88 will be updated with a more detailed error number.
89 .Pp
90 The
91 .Fa path
92 argument allows a search path for its binaries to be specified in case a
93 core file is found and opened.
94 .Pp
95 If the
96 .Fa lwps
97 argument is
98 .Pf non- Dv NULL ,
99 then if there is a thread specification present in
100 .Fa arg ,
101 it will be validated to see if it is a valid range and then a pointer to
102 the start of the thread specification will be stored in
103 .Fa lwps .
104 For more information on determining process range validity, see
105 .Xr proc_lwp_range_valid 3PROC
106 for more information on valid and invalid tread specifications.
107 .Sh RETURN VALUES
108 Upon successful completion, the
109 .Fn proc_arg_grab
110 and
111 .Fn proc_arg_xgrab
112 functions return a pointer to the process handle is returned.
113 Otherwise,
114 .Dv NULL
115 is returned and
116 .Fa perr
117 is set to include a more specific error.
118 .Sh ERRORS
119 For a full list of additional errors, see the
120 .Sy ERRORS
121 section in
122 .Xr Pgrab 3PROC
123 and
124 .Xr Pgrab_core 3PROC .
125 .Pp

```

```
126 The
127 .Fn proc_arg_grab
128 and
129 .Fn proc_arg_xgrab
130 function will fail if:
131 .Bl -tag -width Er
132 .It Er G_BADLWPS
133 .Fa arg
134 contains an invalid thread specification.
135 .It Er G_NOCORE
136 .Dv PR_ARG_CORES
137 was set and no core file could be found corresponding to
138 .Fa arg .
139 .It Er G_NOPROC
140 .Dv PR_ARG_PIDS
141 was set and no process could be found corresponding to
142 .Fa arg .
143 .It Er G_NOPROCCORCORE
144 Both
145 .Dv PR_ARG_CORES
146 and
147 .Dv PR_ARG_NOPROC
148 were set and no process or core file could be found corresponding to
149 .Fa arg .
150 .El
151 .Sh INTERFACE STABILITY
152 .Sy Uncommitted
153 .Sh MT-LEVEL
154 .Sy MT-Safe
155 .Sh SEE ALSO
156 .Xr libproc 3LIB ,
157 .Xr Pgrab 3PROC ,
158 .Xr Pgrab_core 3PROC ,
159 .Xr Prelease 3PROC ,
160 .Xr proc_lwp_range_valid 3PROC ,
161 .Xr proc 4
```



```
*****
1213 Tue Aug 20 06:34:40 2019
new/usr/src/man/man3proc/proc_get_status.3proc
11586 NAME field in man pages should match what's installed
*****
```

```
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2015 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd May 11, 2016
15 .Dt PROC_GET_STATUS 3PROC
16 .Os
17 .Sh NAME
18 .Nm proc_get_status
18 .Nm proc_get_pstatus
19 .Nd get process status information
20 .Sh SYNOPSIS
21 .Lb libproc
22 .In libproc.h
23 .Ft int
24 .Fo proc_get_status
24 .Fo proc_get_pstatus
25 .Fa "pid_t pid"
26 .Fa "pstatus_t *psp"
27 .Fc
28 .Sh DESCRIPTION
29 The
30 .Fn proc_get_status
30 .Fn proc_get_pstatus
31 function is a convenient way to read the /proc status file for the
32 process
33 .Fa pid .
34 The status information of the process will be filled into
35 .Fa psp .
36 The definition of the
37 .Sy pstatus_t
38 structure may be found in
39 .Xr proc 4 .
40 .Sh RETURN VALUES
41 Upon successful completion, the
42 .Fn proc_get_status
42 .Fn proc_get_pstatus
43 function returns
44 .Sy 0 .
45 Otherwise,
46 .Sy -1
47 is returned to indicate an error occurred.
48 .Sh INTERFACE STABILITY
49 .Sy Uncommitted
50 .Sh MT-LEVEL
51 .Sy MT-Safe
52 .Sh SEE ALSO
53 .Xr libproc 3LIB ,
54 .Xr proc 4
```

```

*****
2822 Tue Aug 20 06:34:40 2019
new/usr/src/man/man9e/usba_hcdi_pipe_reset.9e
11586 NAME field in man pages should match what's installed
*****
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2016 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd Dec 22, 2016
15 .Dt USBA_HCDI_PIPE_RESET 9E
16 .Os
17 .Sh NAME
18 .Nm usba_hcdi_pipe_reset
18 .Nm usba_hcdi_pipe_reset
19 .Nd reset an open USB pipe
20 .Sh SYNOPSIS
21 .In sys/usb/usba/hcdi.h
22 .Ft int
23 .Fo prefix_hcdi_pipe_reset
24 .Fa "usba_pipe_handle_data_t *ph"
25 .Fa "usb_flags_t usb_flags"
26 .Fc
27 .Sh INTERFACE LEVEL
28 .Sy Volatile -
29 illumos USB HCD private function
30 .Pp
31 This is a private function that is not part of the stable DDI.
32 It may be removed or changed at any time.
33 .Sh PARAMETERS
34 .Bl -tag -width Fa
35 .It Fa ph
36 A pointer to a USB pipe handle as defined in
37 .Xr usba_pipe_handle_data 9S .
38 .It Fa usb_flags
39 Flags which describe how allocations should be performed.
40 Valid flags are:
41 .Bl -tag -width Sy
42 .It Sy USB_FLAGS_NOSLEEP
43 Do not block waiting for memory.
44 If memory is not available the allocation will fail.
45 .It Sy USB_FLAGS_SLEEP
46 Perform a blocking allocation.
47 If memory is not available, the function will wait until memory is made
48 available.
49 .Pp
50 Note, the request may still fail even if
51 .Sy USB_FLAGS_SLEEP
52 is specified.
53 .El
54 .El
55 .Sh DESCRIPTION
56 The
57 .Fn usba_hcdi_pipe_reset
58 entry point is designed to take a pipe in an arbitrary state and return
59 it to the same state it was in after a call to

```

```

60 .Xr usba_hcdi_pipe_open 9E .
61 While this entry point does some similar things to the
62 .Xr usba_hcdi_pipe_stop_intr_polling 9E
63 and
64 .Xr usba_hcdi_pipe_stop_isoc_polling 9E
65 entry points, there are some notable differences.
66 .Pp
67 This entry point is synchronous.
68 The host controller driver should take the following steps on the pipe before
69 returning:
70 .Bl -enum
71 .It
72 Quiesce and stop the endpoint.
73 .It
74 If the endpoint has any errors they should be cleared at this time.
75 .It
76 Remove any remaining, scheduled or queued transfers.
77 For each one call
78 .Xr usba_hcdi_cb 9F
79 with the code
80 .Sy USB_CR_PIPE_RESET .
81 .It
82 Perform any other necessary steps on the controller to have the endpoint
83 be ready to perform I/O.
84 .El
85 .Pp
86 This entry point is called by the broader USBA framework as part of
87 closing a pipe or in response to a device stall.
88 .Sh RETURN VALUES
89 Upon successful completion, the
90 .Fn usba_hcdi_pipe_reset
91 function should return
92 .Sy USB_SUCCESS .
93 Otherwise, it should return the appropriate USB error.
94 If uncertain, use
95 .Sy USB_FAILURE .
96 .Sh SEE ALSO
97 .Xr usba_hcdi_pipe_open 9E ,
98 .Xr usba_hcdi_pipe_stop_intr_polling 9E ,
99 .Xr usba_hcdi_pipe_stop_isoc_polling 9E ,
100 .Xr usba_hcdi_cb 9F ,
101 .Xr usba_pipe_handle_data 9S

```

new/usr/src/man/man9f/usba\_hubdi\_dev\_ops.9f

1

\*\*\*\*\*

1706 Tue Aug 20 06:34:40 2019

new/usr/src/man/man9f/usba\_hubdi\_dev\_ops.9f

11586 NAME field in man pages should match what's installed

\*\*\*\*\*

```
1 .\"
2 .\" This file and its contents are supplied under the terms of the
3 .\" Common Development and Distribution License ("CDDL"), version 1.0.
4 .\" You may only use this file in accordance with the terms of version
5 .\" 1.0 of the CDDL.
6 .\"
7 .\" A full copy of the text of the CDDL should have accompanied this
8 .\" source. A copy of the CDDL is also available via the Internet at
9 .\" http://www.illumos.org/license/CDDL.
10 .\"
11 .\"
12 .\" Copyright 2016 Joyent, Inc.
13 .\"
14 .Dd Aug 20, 2019
14 .Dd Sep 16, 2016
15 .Dt USBA_HCDI_DEV_OPS 9F
16 .Os
17 .Sh NAME
18 .Nm usba_hubdi_dev_ops ,
18 .Nm usba_hubdi_bus_ops ,
19 .Nm usba_hubdi_root_hub_power
20 .Nd device operations utility functions for HCD drivers
21 .Sh SYNOPSIS
22 .Ft int
23 .Fo usba_hubdi_root_hub_power
24 .Fa "dev_info_t *dip"
25 .Fa "int component"
26 .Fa "int level"
27 .Fc
28 .Sh INTERFACE LEVEL
29 .Sy Volatile -
30 illumos USB HCD private function
31 .Pp
32 This is a private function that is not part of the stable DDI.
33 It may be removed or changed at any time.
34 .Sh PARAMETERS
35 For the parameters of the
36 .Fn usba_hubdi_root_hub_power
37 function, see
38 .Xr power 9E .
39 .Sh DESCRIPTION
40 The
41 .Fn usba_hubdi_root_hub_power
42 function is a utility function for the implementation of USB HCD
43 drivers.
44 USB HCD drivers that support power management, should use set the
45 .Sy devo_power
46 member of their
47 .Xr dev_ops 9S
48 structure to the
49 .Fn usba_hubdi_root_hub_power
50 function.
51 They should not implement their own
52 .Xr power 9E
53 function.
54 .Pp
55 In addition, drivers should pass the symbol
56 .Sy usba_hubdi_busops
57 as the
58 .Sy devo_bus_ops
59 member.
```

new/usr/src/man/man9f/usba\_hubdi\_dev\_ops.9f

2

```
60 It contains a properly formatted bus operations structure.
61 .Sh CONTEXT
62 This function should not be called directly, it should only be used as a
63 member of a device's
64 .Xr dev_ops 9S
65 structure.
66 .Sh SEE ALSO
67 .Xr power 9E ,
68 .Xr dev_ops 9S
```

```
*****
4006 Tue Aug 20 06:34:40 2019
new/usr/src/man/man9s/Makefile
11586 NAME field in man pages should match what's installed
*****
```

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
```

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2013 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 # Copyright (c) 2017, Joyent, Inc.
17 #
```

```
19 include $(SRC)/Makefile.master
```

```
21 MANSECT= 9s
```

```
23 MANFILES= Intro.9s //
24 aio_req.9s //
25 buf.9s //
26 cb_ops.9s //
27 copyreq.9s //
28 copyresp.9s //
29 datab.9s //
30 ddi_device_acc_attr.9s //
31 ddi_dma_attr.9s //
32 ddi_dma_cookie.9s //
33 ddi_dmae_req.9s //
34 ddi_fm_error.9s //
35 ddi_idevice_cookie.9s //
36 dev_ops.9s //
37 devmap_callback_ctl.9s //
38 fmodsw.9s //
39 free_rtn.9s //
40 gld_mac_info.9s //
41 gld_stats.9s //
42 hook_nic_event.9s //
43 hook_pkt_event.9s //
44 hook_t.9s //
45 iocblk.9s //
46 iovec.9s //
47 kstat.9s //
48 kstat_intr.9s //
49 kstat_io.9s //
50 kstat_named.9s //
51 linkblk.9s //
52 mac_callbacks.9s //
53 mac_register.9s //
54 modldrv.9s //
55 modlinkage.9s //
56 modlmisc.9s //
57 modlstrmod.9s //
58 module_info.9s //
59 msgb.9s //
60 net_inject_t.9s //
61 net_instance_t.9s //
```

```
62 qband.9s //
63 qinit.9s //
64 queclass.9s //
65 queue.9s //
66 scsi_address.9s //
67 scsi_arq_status.9s //
68 scsi_asc_key_strings.9s //
69 scsi_device.9s //
70 scsi_extended_sense.9s //
71 scsi_hba_tran.9s //
72 scsi_inquiry.9s //
73 scsi_pkt.9s //
74 scsi_status.9s //
75 streamtab.9s //
76 stroptions.9s //
77 tuple.9s //
78 uio.9s //
79 usb_bulk_req.9s //
80 usb_callback_flags.9s //
81 usb_cfg_descr.9s //
82 usb_client_dev_data.9s //
83 usb_completion_reason.9s //
84 usb_ctrl_req.9s //
85 usb_dev_descr.9s //
86 usb_dev_qlf_descr.9s //
87 usb_ep_descr.9s //
88 usb_ep_ss_comp_descr.9s //
89 usb_ep_xdescr.9s //
90 usb_if_descr.9s //
91 usb_intr_req.9s //
92 usb_isoc_req.9s //
93 usb_other_speed_cfg_descr.9s //
94 usb_request_attributes.9s //
95 usb_string_descr.9s //
96 usba_device.9s //
97 usba_hcdi_ops.9s //
98 usba_hcdi_register_args.9s //
99 usba_pipe_handle_data.9s //
```

```
102 MANLINKS= dblk.9s //
103 intro.9s //
104 mac_callbacks_t.9s //
105 mac_register_t.9s //
106 mblk.9s //
107 usb_ep_ss_comp_descr_t.9s //
108 usb_ep_xdescr_t.9s //
109 usb_bulk_req_t.9s //
110 usb_bulk_request.9s //
111 usb_ctrl_req_t.9s //
112 usb_ctrl_request.9s //
113 usb_intr_req_t.9s //
114 usb_intr_request.9s //
115 usb_isoc_req_t.9s //
116 usb_isoc_request.9s //
117 usba_device_t.9s //
118 usba_hcdi_ops_t.9s //
119 usba_hcdi_register_args_t.9s //
120 usba_pipe_handle_data_t.9s //
```

```
123 intro.9s := LINKSRC = Intro.9s
```

```
125 dblk.9s := LINKSRC = datab.9s
```

```
127 mac_callbacks_t.9s := LINKSRC = mac_callbacks.9s
```

**new/usr/src/man/man9s/Makefile**

3

```
128 mac_register_t.9s      := LINKSRC = mac_register.9s
130 mblk.9s                := LINKSRC = msgb.9s

132 #
133 # The usb_*_req(9S) pages used to be called usb_*_request(9S). We've
134 # kept the old name around as a link to help folks out, but changed the
135 # name so that they actually matched the structures.
136 #
137 usb_bulk_req_t.9s       := LINKSRC = usb_bulk_req.9s
138 usb_bulk_request.9s    := LINKSRC = usb_bulk_req.9s
139 usb_ctrl_req_t.9s      := LINKSRC = usb_ctrl_req.9s
140 usb_ctrl_request.9s    := LINKSRC = usb_ctrl_req.9s
141 usb_intr_req_t.9s      := LINKSRC = usb_intr_req.9s
142 usb_intr_request.9s    := LINKSRC = usb_intr_req.9s
143 usb_isoc_req_t.9s      := LINKSRC = usb_isoc_req.9s
144 usb_isoc_request.9s    := LINKSRC = usb_isoc_req.9s

146 usb_ep_ss_comp_descr_t.9s := LINKSRC = usb_ep_ss_comp_descr.9s
147 usb_ep_xdescr_t.9s       := LINKSRC = usb_ep_xdescr.9s
148 usba_hcdi_register_args_t.9s := LINKSRC = usba_hcdi_register_args.9s

150 usba_device_t.9s        := LINKSRC = usba_device.9s
151 usba_hcdi_ops_t.9s      := LINKSRC = usba_hcdi_ops.9s
152 usba_hcdi_register_args_t.9s := LINKSRC = usba_hcdi_register_args.9s
153 usba_pipe_handle_data_t.9s := LINKSRC = usba_pipe_handle_data.9s

155 .KEEP_STATE:

157 include      $(SRC)/man/Makefile.man

159 install:     $(ROOTMANFILES) $(ROOTMANLINKS)
```

new/usr/src/pkg/manifests/driver-usb.mf

1

```
*****
13677 Tue Aug 20 06:34:40 2019
new/usr/src/pkg/manifests/driver-usb.mf
11586 NAME field in man pages should match what's installed
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
26 # Copyright 2017, Joyent, Inc.
27 #
28 #
29 #
30 # The default for payload-bearing actions in this package is to appear in the
31 # global zone only. See the include file for greater detail, as well as
32 # information about overriding the defaults.
33 #
34 <include global_zone_only_component>
35 set name=pkg.fmri value=pkg:/driver/usb@$(PKGVERS)
36 set name=pkg.description value="USBA (USB framework) and USB Device Drivers"
37 set name=pkg.summary value="USB Device Drivers"
38 set name=info.classification value=org.opensolaris.category.2008:Drivers/Ports
39 set name=variant.arch value=$(ARCH)
40 dir path=etc group=sys
41 dir path=etc/usb group=sys
42 dir path=kernel group=sys
43 dir path=kernel/dacf group=sys
44 dir path=kernel/dacf/$(ARCH64) group=sys
45 dir path=kernel/drv group=sys
46 dir path=kernel/drv/$(ARCH64) group=sys
47 dir path=kernel/kmdb group=sys
48 dir path=kernel/kmdb/$(ARCH64) group=sys
49 dir path=kernel/misc group=sys
50 dir path=kernel/misc/$(ARCH64) group=sys
51 dir path=kernel/strmod group=sys
52 dir path=kernel/strmod/$(ARCH64) group=sys
53 dir path=lib
54 dir path=lib/svc
55 dir path=lib/svc/manifest group=sys
56 dir path=lib/svc/manifest/system group=sys
57 dir path=lib/svc/method
58 dir path=sbin group=sys
59 dir path=usr group=sys
60 dir path=usr/lib
61 dir path=usr/lib/mdb group=sys
```

new/usr/src/pkg/manifests/driver-usb.mf

2

```
62 dir path=usr/lib/mdb/kvm group=sys
63 dir path=usr/lib/mdb/kvm/$(ARCH64) group=sys
64 $(i386_ONLY)dir path=usr/lib/xhci group=sys
65 dir path=usr/share
66 dir path=usr/share/man
67 dir path=usr/share/man/man7m
68 dir path=usr/share/man/man9e
69 dir path=usr/share/man/man9f
70 dir path=usr/share/man/man9s
71 driver name=ehci alias=pciclass,0c0320 perms="* 0644 root sys"
72 driver name=hid alias=usbif,class3 perms="* 0600 root sys"
73 driver name=hubd alias=usbif,class9 perms="* 0644 root sys"
74 driver name=ohci alias=pciclass,0c0310 perms="* 0644 root sys"
75 driver name=scsa2usb \
76   alias=usb584,222 \
77   alias=usbif,class8
78 driver name=uhci alias=pciclass,0c0300 perms="* 0644 root sys"
79 driver name=usb_ac alias=usbif,class1.1 perms="* 0600 root sys"
80 driver name=usb_as alias=usbif,class1.2 perms="* 0600 root sys"
81 driver name=usb_ia alias=usb,ia
82 driver name=usb_mid alias=usb,device
83 driver name=usbprn alias=usbif,class7.1 perms="* 0666 root sys"
84 $(i386_ONLY)driver name=xhci alias=pciclass,0c0330 perms="* 0644 root sys"
85 file path=etc/usb/config_map.conf group=sys \
86   original_name=SUNWusb:etc/usb/config_map.conf preserve=true
87 file path=kernel/drv/$(ARCH64)/ehci group=sys
88 file path=kernel/drv/$(ARCH64)/hid group=sys
89 file path=kernel/drv/$(ARCH64)/hubd group=sys
90 file path=kernel/drv/$(ARCH64)/ohci group=sys
91 file path=kernel/drv/$(ARCH64)/scsa2usb group=sys
92 file path=kernel/drv/$(ARCH64)/uhci group=sys
93 file path=kernel/drv/$(ARCH64)/usb_ac group=sys
94 file path=kernel/drv/$(ARCH64)/usb_as group=sys
95 file path=kernel/drv/$(ARCH64)/usb_ia group=sys
96 file path=kernel/drv/$(ARCH64)/usb_mid group=sys
97 file path=kernel/drv/$(ARCH64)/usbprn group=sys
98 $(i386_ONLY)file path=kernel/drv/$(ARCH64)/xhci group=sys
99 file path=kernel/drv/ehci.conf group=sys
100 file path=kernel/drv/ohci.conf group=sys
101 file path=kernel/drv/scsa2usb.conf group=sys \
102   original_name=SUNWusb:kernel/drv/scsa2usb.conf preserve=true
103 file path=kernel/drv/uhci.conf group=sys
104 file path=kernel/drv/usb_ac.conf group=sys
105 $(i386_ONLY)file path=kernel/drv/xhci.conf group=sys
106 $(i386_ONLY)file path=kernel/kmdb/$(ARCH64)/xhci group=sys mode=0555
107 file path=kernel/misc/$(ARCH64)/hidparser group=sys mode=0755
108 file path=kernel/misc/$(ARCH64)/usba group=sys mode=0755
109 file path=kernel/misc/$(ARCH64)/usba10 group=sys mode=0755
110 file path=kernel/strmod/$(ARCH64)/usb_ah group=sys mode=0755
111 file path=kernel/strmod/$(ARCH64)/usbkbm group=sys mode=0755
112 file path=kernel/strmod/$(ARCH64)/usbms group=sys mode=0755
113 file path=kernel/strmod/$(ARCH64)/usbwcm group=sys mode=0755
114 $(i386_ONLY)file path=usr/lib/mdb/kvm/$(ARCH64)/xhci.so group=sys mode=0555
115 $(i386_ONLY)file path=usr/lib/xhci/xhci_portsc group=sys mode=0555
116 file path=usr/share/man/man7d/ehci.7d
117 file path=usr/share/man/man7d/hid.7d
118 file path=usr/share/man/man7d/hubd.7d
119 file path=usr/share/man/man7d/ohci.7d
120 file path=usr/share/man/man7d/scsa2usb.7d
121 file path=usr/share/man/man7d/uhci.7d
122 file path=usr/share/man/man7d/usb_ac.7d
123 file path=usr/share/man/man7d/usb_as.7d
124 file path=usr/share/man/man7d/usb_ia.7d
125 file path=usr/share/man/man7d/usb_mid.7d
126 file path=usr/share/man/man7d/usba.7d
127 file path=usr/share/man/man7d/usbprn.7d
```

```

128 $(i386_ONLY)file path=usr/share/man/man7d/xhci.7d
129 file path=usr/share/man/man7m/usb_ah.7m
130 file path=usr/share/man/man7m/usbkbm.7m
131 file path=usr/share/man/man7m/usbsms.7m
132 file path=usr/share/man/man9e/usba_hcdi.9e
133 file path=usr/share/man/man9e/usba_hcdi_cb_ops.9e
134 file path=usr/share/man/man9e/usba_hcdi_device_address.9e
135 file path=usr/share/man/man9e/usba_hcdi_device_init.9e
136 file path=usr/share/man/man9e/usba_hcdi_hub_update.9e
137 file path=usr/share/man/man9e/usba_hcdi_pipe_bulk_xfer.9e
138 file path=usr/share/man/man9e/usba_hcdi_pipe_ctrl_xfer.9e
139 file path=usr/share/man/man9e/usba_hcdi_pipe_intr_xfer.9e
140 file path=usr/share/man/man9e/usba_hcdi_pipe_isoc_xfer.9e
141 file path=usr/share/man/man9e/usba_hcdi_pipe_open.9e
142 file path=usr/share/man/man9e/usba_hcdi_pipe_reset.9e
143 file path=usr/share/man/man9e/usba_hcdi_pipe_stop_intr_polling.9e
144 file path=usr/share/man/man9f/usb_alloc_request.9f
145 file path=usr/share/man/man9f/usb_client_attach.9f
146 file path=usr/share/man/man9f/usb_clr_feature.9f
147 file path=usr/share/man/man9f/usb_create_pm_components.9f
148 file path=usr/share/man/man9f/usb_ep_xdescr_fill.9f
149 file path=usr/share/man/man9f/usb_get_addr.9f
150 file path=usr/share/man/man9f/usb_get_alt_if.9f
151 file path=usr/share/man/man9f/usb_get_cfg.9f
152 file path=usr/share/man/man9f/usb_get_current_frame_number.9f
153 file path=usr/share/man/man9f/usb_get_dev_data.9f
154 file path=usr/share/man/man9f/usb_get_max_pkts_per_isoc_request.9f
155 file path=usr/share/man/man9f/usb_get_status.9f
156 file path=usr/share/man/man9f/usb_get_string_descr.9f
157 file path=usr/share/man/man9f/usb_handle_remote_wakeup.9f
158 file path=usr/share/man/man9f/usb_lookup_ep_data.9f
159 file path=usr/share/man/man9f/usb_parse_data.9f
160 file path=usr/share/man/man9f/usb_pipe_bulk_xfer.9f
161 file path=usr/share/man/man9f/usb_pipe_close.9f
162 file path=usr/share/man/man9f/usb_pipe_ctrl_xfer.9f
163 file path=usr/share/man/man9f/usb_pipe_drain_reqs.9f
164 file path=usr/share/man/man9f/usb_pipe_get_max_bulk_transfer_size.9f
165 file path=usr/share/man/man9f/usb_pipe_get_state.9f
166 file path=usr/share/man/man9f/usb_pipe_intr_xfer.9f
167 file path=usr/share/man/man9f/usb_pipe_isoc_xfer.9f
168 file path=usr/share/man/man9f/usb_pipe_reset.9f
169 file path=usr/share/man/man9f/usb_pipe_set_private.9f
170 file path=usr/share/man/man9f/usb_pipe_xopen.9f
171 file path=usr/share/man/man9f/usb_register_hotplug_cbs.9f
172 file path=usr/share/man/man9f/usb_reset_device.9f
173 file path=usr/share/man/man9f/usba_alloc_hcdi_ops.9f
174 file path=usr/share/man/man9f/usba_hcdi_cb.9f
175 file path=usr/share/man/man9f/usba_hcdi_dup_intr_req.9f
176 file path=usr/share/man/man9f/usba_hcdi_dup_isoc_req.9f
177 file path=usr/share/man/man9f/usba_hcdi_get_device_private.9f
178 file path=usr/share/man/man9f/usba_hcdi_register.9f
179 file path=usr/share/man/man9f/usba_hubdi_bind_root_hub.9f
180 file path=usr/share/man/man9f/usba_hubdi_cb_ops.9f
181 file path=usr/share/man/man9f/usba_hubdi_dev_ops.9f
182 file path=usr/share/man/man9s/usb_bulk_req.9s
183 file path=usr/share/man/man9s/usb_callback_flags.9s
184 file path=usr/share/man/man9s/usb_cfg_descr.9s
185 file path=usr/share/man/man9s/usb_client_dev_data.9s
186 file path=usr/share/man/man9s/usb_completion_reason.9s
187 file path=usr/share/man/man9s/usb_ctrl_req.9s
188 file path=usr/share/man/man9s/usb_dev_descr.9s
189 file path=usr/share/man/man9s/usb_dev_qlf_descr.9s
190 file path=usr/share/man/man9s/usb_ep_descr.9s
191 file path=usr/share/man/man9s/usb_ep_ss_comp_descr.9s
192 file path=usr/share/man/man9s/usb_ep_xdescr.9s
193 file path=usr/share/man/man9s/usb_if_descr.9s

```

```

194 file path=usr/share/man/man9s/usb_intr_req.9s
195 file path=usr/share/man/man9s/usb_isoc_req.9s
196 file path=usr/share/man/man9s/usb_other_speed_cfg_descr.9s
197 file path=usr/share/man/man9s/usb_request_attributes.9s
198 file path=usr/share/man/man9s/usb_string_descr.9s
199 file path=usr/share/man/man9s/usba_device.9s
200 file path=usr/share/man/man9s/usba_hcdi_ops.9s
201 file path=usr/share/man/man9s/usba_hcdi_register_args.9s
202 file path=usr/share/man/man9s/usba_pipe_handle_data.9s
203 legacy pkg=SUNWusb desc="USBA (USB framework) and USB Device Drivers" \
204   name="USB Device Drivers"
205 license cr_Sun license=cr_Sun
206 license lic_CDDL license=lic_CDDL
207 license license_in_headers license=license_in_headers
208 license usr/src/uts/common/sys/usb/hcd/xhci/THIRDPARTYLICENSE \
209   license=usr/src/uts/common/sys/usb/hcd/xhci/THIRDPARTYLICENSE
210 link path=usr/share/man/man7d/usb.7d target=usba.7d
211 link path=usr/share/man/man9e/usba_hcdi_cb_close.9e target=usba_hcdi_cb_ops.9e
212 link path=usr/share/man/man9e/usba_hcdi_cb_ioctl.9e target=usba_hcdi_cb_ops.9e
213 link path=usr/share/man/man9e/usba_hcdi_cb_open.9e target=usba_hcdi_cb_ops.9e
214 link path=usr/share/man/man9e/usba_hcdi_device_fini.9e \
215   target=usba_hcdi_device_init.9e
216 link path=usr/share/man/man9e/usba_hcdi_pipe_close.9e \
217   target=usba_hcdi_pipe_open.9e
218 link path=usr/share/man/man9e/usba_hcdi_pipe_stop_isoc_polling.9e \
219   target=usba_hcdi_pipe_stop_intr_polling.9e
220 link path=usr/share/man/man9f/usb_alloc_bulk_req.9f \
221   target=usb_alloc_request.9f
222 link path=usr/share/man/man9f/usb_alloc_ctrl_req.9f \
223   target=usb_alloc_request.9f
224 link path=usr/share/man/man9f/usb_alloc_intr_req.9f \
225   target=usb_alloc_request.9f
226 link path=usr/share/man/man9f/usb_alloc_isoc_req.9f \
227   target=usb_alloc_request.9f
228 link path=usr/share/man/man9f/usb_client_detach.9f target=usb_client_attach.9f
229 link path=usr/share/man/man9f/usb_free_bulk_req.9f target=usb_alloc_request.9f
230 link path=usr/share/man/man9f/usb_free_ctrl_req.9f target=usb_alloc_request.9f
231 link path=usr/share/man/man9f/usb_free_descr_tree.9f \
232   target=usb_get_dev_data.9f
233 link path=usr/share/man/man9f/usb_free_dev_data.9f target=usb_get_dev_data.9f
234 link path=usr/share/man/man9f/usb_free_intr_req.9f target=usb_alloc_request.9f
235 link path=usr/share/man/man9f/usb_free_isoc_req.9f target=usb_alloc_request.9f
236 link path=usr/share/man/man9f/usb_get_if_number.9f target=usb_get_alt_if.9f
237 link path=usr/share/man/man9f/usb_owns_device.9f target=usb_get_alt_if.9f
238 link path=usr/share/man/man9f/usb_pipe_ctrl_xfer_wait.9f \
239   target=usb_pipe_ctrl_xfer.9f
240 link path=usr/share/man/man9f/usb_pipe_get_private.9f \
241   target=usb_pipe_set_private.9f
242 link path=usr/share/man/man9f/usb_pipe_open.9f target=usb_pipe_xopen.9f
243 link path=usr/share/man/man9f/usb_pipe_stop_intr_polling.9f \
244   target=usb_pipe_intr_xfer.9f
245 link path=usr/share/man/man9f/usb_pipe_stop_isoc_polling.9f \
246   target=usb_pipe_isoc_xfer.9f
247 link path=usr/share/man/man9f/usb_print_descr_tree.9f \
248   target=usb_get_dev_data.9f
249 link path=usr/share/man/man9f/usb_set_alt_if.9f target=usb_get_alt_if.9f
250 link path=usr/share/man/man9f/usb_set_cfg.9f target=usb_get_cfg.9f
251 link path=usr/share/man/man9f/usb_unregister_hotplug_cbs.9f \
252   target=usb_register_hotplug_cbs.9f
253 link path=usr/share/man/man9f/usba_free_hcdi_ops.9f \
254   target=usba_alloc_hcdi_ops.9f
255 link path=usr/share/man/man9f/usba_hcdi_unregister.9f \
256   target=usba_hcdi_register.9f
257 link path=usr/share/man/man9f/usba_hubdi_close.9f target=usba_hubdi_cb_ops.9f
258 link path=usr/share/man/man9f/usba_hubdi_ioctl.9f target=usba_hubdi_cb_ops.9f
259 link path=usr/share/man/man9f/usba_hubdi_open.9f target=usba_hubdi_cb_ops.9f

```

```
260 link path=usr/share/man/man9f/usba_hubdi_root_hub_power.9f \  
261     target=usba_hubdi_dev_ops.9f  
262 link path=usr/share/man/man9f/usba_hubdi_unbind_root_hub.9f \  
263     target=usba_hubdi_bind_root_hub.9f  
264 link path=usr/share/man/man9s/usb_bulk_req_t.9s target=usb_bulk_req.9s  
265 link path=usr/share/man/man9s/usb_bulk_request.9s target=usb_bulk_req.9s  
266 link path=usr/share/man/man9s/usb_ctrl_req_t.9s target=usb_ctrl_req.9s  
267 link path=usr/share/man/man9s/usb_ctrl_request.9s target=usb_ctrl_req.9s  
268 link path=usr/share/man/man9s/usb_ep_ss_comp_descr_t.9s \  
269     target=usb_ep_ss_comp_descr.9s  
270 link path=usr/share/man/man9s/usb_ep_xdescr_t.9s target=usb_ep_xdescr.9s  
271 link path=usr/share/man/man9s/usb_intr_req_t.9s target=usb_intr_req.9s  
272 link path=usr/share/man/man9s/usb_intr_request.9s target=usb_intr_req.9s  
273 link path=usr/share/man/man9s/usb_isoc_req_t.9s target=usb_isoc_req.9s  
274 link path=usr/share/man/man9s/usb_isoc_request.9s target=usb_isoc_req.9s  
275 link path=usr/share/man/man9s/usba_device_t.9s target=usba_device.9s  
276 link path=usr/share/man/man9s/usba_hcdi_ops_t.9s target=usba_hcdi_ops.9s  
277 link path=usr/share/man/man9s/usba_hcdi_register_args_t.9s \  
278     target=usba_hcdi_register_args.9s  
279 link path=usr/share/man/man9s/usba_pipe_handle_data_t.9s \  
280     target=usba_pipe_handle_data.9s
```



new/usr/src/pkg/manifests/system-library.man3c.inc

1

\*\*\*\*\*  
82108 Tue Aug 20 06:34:40 2019  
new/usr/src/pkg/manifests/system-library.man3c.inc  
11586 NAME field in man pages should match what's installed  
\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2018 Nexenta Systems, Inc.
15 # Copyright 2013 OmniTI Computer Consulting, Inc. All rights reserved.
16 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
17 # Copyright 2018 Jason King
18 # Copyright 2018, Joyent, Inc.
19 #
20 #
21 file path=usr/share/man/man3c/_fbufsize.3c
22 file path=usr/share/man/man3c/_longjmp.3c
23 file path=usr/share/man/man3c/_stack_grow.3c
24 file path=usr/share/man/man3c/a64l.3c
25 file path=usr/share/man/man3c/abort.3c
26 file path=usr/share/man/man3c/abs.3c
27 file path=usr/share/man/man3c/addsev.3c
28 file path=usr/share/man/man3c/addseverity.3c
29 file path=usr/share/man/man3c/aio_cancel.3c
30 file path=usr/share/man/man3c/aio_error.3c
31 file path=usr/share/man/man3c/aio_fsync.3c
32 file path=usr/share/man/man3c/aio_read.3c
33 file path=usr/share/man/man3c/aio_return.3c
34 file path=usr/share/man/man3c/aio_suspend.3c
35 file path=usr/share/man/man3c/aio_waitn.3c
36 file path=usr/share/man/man3c/aio_write.3c
37 file path=usr/share/man/man3c/aiocancel.3c
38 file path=usr/share/man/man3c/aioread.3c
39 file path=usr/share/man/man3c/aiowait.3c
40 file path=usr/share/man/man3c/aligned_alloc.3c
41 file path=usr/share/man/man3c/arc4random.3c
42 file path=usr/share/man/man3c/assert.3c
43 file path=usr/share/man/man3c/atexit.3c
44 file path=usr/share/man/man3c/atomic_add.3c
45 file path=usr/share/man/man3c/atomic_and.3c
46 file path=usr/share/man/man3c/atomic_bits.3c
47 file path=usr/share/man/man3c/atomic_cas.3c
48 file path=usr/share/man/man3c/atomic_dec.3c
49 file path=usr/share/man/man3c/atomic_inc.3c
50 file path=usr/share/man/man3c/atomic_ops.3c
51 file path=usr/share/man/man3c/atomic_or.3c
52 file path=usr/share/man/man3c/atomic_swap.3c
53 file path=usr/share/man/man3c/attropen.3c
54 file path=usr/share/man/man3c/basename.3c
55 file path=usr/share/man/man3c/bsd_signal.3c
56 file path=usr/share/man/man3c/bsearch.3c
57 file path=usr/share/man/man3c/bstring.3c
58 file path=usr/share/man/man3c/btowlc.3c
59 file path=usr/share/man/man3c/byteorder.3c
60 file path=usr/share/man/man3c/call_once.3c
61 file path=usr/share/man/man3c/catgets.3c
```

new/usr/src/pkg/manifests/system-library.man3c.inc

2

```
62 file path=usr/share/man/man3c/catopen.3c
63 file path=usr/share/man/man3c/cfgetispeed.3c
64 file path=usr/share/man/man3c/cfsetispeed.3c
65 file path=usr/share/man/man3c/clearenv.3c
66 file path=usr/share/man/man3c/clock.3c
67 file path=usr/share/man/man3c/clock_nanosleep.3c
68 file path=usr/share/man/man3c/clock_settime.3c
69 file path=usr/share/man/man3c/closedir.3c
70 file path=usr/share/man/man3c/closefrom.3c
71 file path=usr/share/man/man3c/cnd.3c
72 file path=usr/share/man/man3c/cond_init.3c
73 file path=usr/share/man/man3c/confstr.3c
74 file path=usr/share/man/man3c/crypt.3c
75 file path=usr/share/man/man3c/crypt_genhash_impl.3c
76 file path=usr/share/man/man3c/crypt_gensalt.3c
77 file path=usr/share/man/man3c/crypt_gensalt_impl.3c
78 file path=usr/share/man/man3c/cset.3c
79 file path=usr/share/man/man3c/ctermid.3c
80 file path=usr/share/man/man3c/ctime.3c
81 file path=usr/share/man/man3c/ctype.3c
82 file path=usr/share/man/man3c/cuserid.3c
83 file path=usr/share/man/man3c/daemon.3c
84 file path=usr/share/man/man3c/decimal_to_floating.3c
85 file path=usr/share/man/man3c/difftime.3c
86 file path=usr/share/man/man3c/directio.3c
87 file path=usr/share/man/man3c/dirfd.3c
88 file path=usr/share/man/man3c/dirname.3c
89 file path=usr/share/man/man3c/div.3c
90 file path=usr/share/man/man3c/dladdr.3c
91 file path=usr/share/man/man3c/dlclose.3c
92 file path=usr/share/man/man3c/dldump.3c
93 file path=usr/share/man/man3c/dlerror.3c
94 file path=usr/share/man/man3c/dlinfo.3c
95 file path=usr/share/man/man3c/dlopen.3c
96 file path=usr/share/man/man3c/dlsym.3c
97 file path=usr/share/man/man3c/door_bind.3c
98 file path=usr/share/man/man3c/door_call.3c
99 file path=usr/share/man/man3c/door_create.3c
100 file path=usr/share/man/man3c/door_cred.3c
101 file path=usr/share/man/man3c/door_getparam.3c
102 file path=usr/share/man/man3c/door_info.3c
103 file path=usr/share/man/man3c/door_return.3c
104 file path=usr/share/man/man3c/door_revoke.3c
105 file path=usr/share/man/man3c/door_server_create.3c
106 file path=usr/share/man/man3c/door_ucred.3c
107 file path=usr/share/man/man3c/drand48.3c
108 file path=usr/share/man/man3c/dup2.3c
109 file path=usr/share/man/man3c/econvert.3c
110 file path=usr/share/man/man3c/ecvt.3c
111 file path=usr/share/man/man3c/enable_extended_FILE_stdio.3c
112 file path=usr/share/man/man3c/encrypt.3c
113 file path=usr/share/man/man3c/end.3c
114 file path=usr/share/man/man3c/ endian.3c
115 file path=usr/share/man/man3c/epoll_create.3c
116 file path=usr/share/man/man3c/epoll_ctl.3c
117 file path=usr/share/man/man3c/epoll_wait.3c
118 file path=usr/share/man/man3c/err.3c
119 file path=usr/share/man/man3c/ euclen.3c
120 file path=usr/share/man/man3c/eventfd.3c
121 file path=usr/share/man/man3c/exit.3c
122 file path=usr/share/man/man3c/fattach.3c
123 file path=usr/share/man/man3c/fclose.3c
124 file path=usr/share/man/man3c/fcloseall.3c
125 file path=usr/share/man/man3c/fdatasync.3c
126 file path=usr/share/man/man3c/fdetach.3c
127 file path=usr/share/man/man3c/fdopen.3c
```

```

128 file path=usr/share/man/man3c/error.3c
129 file path=usr/share/man/man3c/fflush.3c
130 file path=usr/share/man/man3c/ffs.3c
131 file path=usr/share/man/man3c/fgetattr.3c
132 file path=usr/share/man/man3c/fgetc.3c
133 file path=usr/share/man/man3c/fgetpos.3c
134 file path=usr/share/man/man3c/fgetwc.3c
135 file path=usr/share/man/man3c/floating_to_decimal.3c
136 file path=usr/share/man/man3c/flock.3c
137 file path=usr/share/man/man3c/flockfile.3c
138 file path=usr/share/man/man3c/fmtmsg.3c
139 file path=usr/share/man/man3c/fnmatch.3c
140 file path=usr/share/man/man3c/fopen.3c
141 file path=usr/share/man/man3c/fpgetround.3c
142 file path=usr/share/man/man3c/fputc.3c
143 file path=usr/share/man/man3c/fputwc.3c
144 file path=usr/share/man/man3c/fputws.3c
145 file path=usr/share/man/man3c/fread.3c
146 file path=usr/share/man/man3c/freopen.3c
147 file path=usr/share/man/man3c/fseek.3c
148 file path=usr/share/man/man3c/fsetpos.3c
149 file path=usr/share/man/man3c/fsync.3c
150 file path=usr/share/man/man3c/ftell.3c
151 file path=usr/share/man/man3c/ftime.3c
152 file path=usr/share/man/man3c/ftok.3c
153 file path=usr/share/man/man3c/fts.3c
154 file path=usr/share/man/man3c/ftw.3c
155 file path=usr/share/man/man3c/fwide.3c
156 file path=usr/share/man/man3c/fwprintf.3c
157 file path=usr/share/man/man3c/fwrite.3c
158 file path=usr/share/man/man3c/fwscanf.3c
159 file path=usr/share/man/man3c/get_nprocs.3c
160 file path=usr/share/man/man3c/getcpuid.3c
161 file path=usr/share/man/man3c/getcwd.3c
162 file path=usr/share/man/man3c/getdate.3c
163 file path=usr/share/man/man3c/getdtablesize.3c
164 file path=usr/share/man/man3c/getentropy.3c
165 file path=usr/share/man/man3c/getenv.3c
166 file path=usr/share/man/man3c/getexecname.3c
167 file path=usr/share/man/man3c/getgrnam.3c
168 file path=usr/share/man/man3c/gethostid.3c
169 file path=usr/share/man/man3c/gethostname.3c
170 file path=usr/share/man/man3c/gethrtime.3c
171 file path=usr/share/man/man3c/getline.3c
172 file path=usr/share/man/man3c/getloadavg.3c
173 file path=usr/share/man/man3c/getlogin.3c
174 file path=usr/share/man/man3c/getmntent.3c
175 file path=usr/share/man/man3c/getnetgrent.3c
176 file path=usr/share/man/man3c/getopt.3c
177 file path=usr/share/man/man3c/getopt_long.3c
178 file path=usr/share/man/man3c/getpagesize.3c
179 file path=usr/share/man/man3c/getpagesizes.3c
180 file path=usr/share/man/man3c/getpass.3c
181 file path=usr/share/man/man3c/getpeerucred.3c
182 file path=usr/share/man/man3c/getpriority.3c
183 file path=usr/share/man/man3c/getprogname.3c
184 file path=usr/share/man/man3c/getpw.3c
185 file path=usr/share/man/man3c/getpwnam.3c
186 file path=usr/share/man/man3c/getrusage.3c
187 file path=usr/share/man/man3c/gets.3c
188 file path=usr/share/man/man3c/getspnam.3c
189 file path=usr/share/man/man3c/getsubopt.3c
190 file path=usr/share/man/man3c/gettext.3c
191 file path=usr/share/man/man3c/gettimeofday.3c
192 file path=usr/share/man/man3c/gettxt.3c
193 file path=usr/share/man/man3c/getusershell.3c

```

```

194 file path=usr/share/man/man3c/getutent.3c
195 file path=usr/share/man/man3c/getutxent.3c
196 file path=usr/share/man/man3c/getvfsent.3c
197 file path=usr/share/man/man3c/getwc.3c
198 file path=usr/share/man/man3c/getwchar.3c
199 file path=usr/share/man/man3c/getwd.3c
200 file path=usr/share/man/man3c/getwidth.3c
201 file path=usr/share/man/man3c/getws.3c
202 file path=usr/share/man/man3c/getzoneid.3c
203 file path=usr/share/man/man3c/glob.3c
204 file path=usr/share/man/man3c/grantpt.3c
205 file path=usr/share/man/man3c/hsearch.3c
206 file path=usr/share/man/man3c/iconv.3c
207 file path=usr/share/man/man3c/iconv_close.3c
208 file path=usr/share/man/man3c/iconv_open.3c
209 file path=usr/share/man/man3c/imaxabs.3c
210 file path=usr/share/man/man3c/imaxdiv.3c
211 file path=usr/share/man/man3c/index.3c
212 file path=usr/share/man/man3c/inet.3c
213 file path=usr/share/man/man3c/initgroups.3c
214 file path=usr/share/man/man3c/insque.3c
215 file path=usr/share/man/man3c/is_system_labeled.3c
216 file path=usr/share/man/man3c/isaexec.3c
217 file path=usr/share/man/man3c/isastream.3c
218 file path=usr/share/man/man3c/isatty.3c
219 file path=usr/share/man/man3c/isnand.3c
220 file path=usr/share/man/man3c/iswalph.3c
221 file path=usr/share/man/man3c/iswctype.3c
222 file path=usr/share/man/man3c/killpg.3c
223 file path=usr/share/man/man3c/lckpwwf.3c
224 file path=usr/share/man/man3c/lfmt.3c
225 file path=usr/share/man/man3c/lio_listio.3c
226 file path=usr/share/man/man3c/localeconv.3c
227 file path=usr/share/man/man3c/lockf.3c
228 file path=usr/share/man/man3c/lsearch.3c
229 file path=usr/share/man/man3c/madvise.3c
230 file path=usr/share/man/man3c/makecontext.3c
231 file path=usr/share/man/man3c/makedev.3c
232 file path=usr/share/man/man3c/malloc.3c
233 file path=usr/share/man/man3c/mblen.3c
234 file path=usr/share/man/man3c/mbrlen.3c
235 file path=usr/share/man/man3c/mbrtowc.3c
236 file path=usr/share/man/man3c/mbsinit.3c
237 file path=usr/share/man/man3c/mbsrtowcs.3c
238 file path=usr/share/man/man3c/mbstowcs.3c
239 file path=usr/share/man/man3c/mbtowc.3c
240 file path=usr/share/man/man3c/membar_ops.3c
241 file path=usr/share/man/man3c/memory.3c
242 file path=usr/share/man/man3c/memset_s.3c
243 file path=usr/share/man/man3c/mkfifo.3c
244 file path=usr/share/man/man3c/mkstemp.3c
245 file path=usr/share/man/man3c/mktemp.3c
246 file path=usr/share/man/man3c/mktime.3c
247 file path=usr/share/man/man3c/mlock.3c
248 file path=usr/share/man/man3c/mlockall.3c
249 file path=usr/share/man/man3c/monitor.3c
250 file path=usr/share/man/man3c/mq_close.3c
251 file path=usr/share/man/man3c/mq_getattr.3c
252 file path=usr/share/man/man3c/mq_notify.3c
253 file path=usr/share/man/man3c/mq_open.3c
254 file path=usr/share/man/man3c/mq_receive.3c
255 file path=usr/share/man/man3c/mq_send.3c
256 file path=usr/share/man/man3c/mq_setattr.3c
257 file path=usr/share/man/man3c/mq_unlink.3c
258 file path=usr/share/man/man3c/msync.3c
259 file path=usr/share/man/man3c/mtx.3c

```

```

260 file path=usr/share/man/man3c/mutex_init.3c
261 file path=usr/share/man/man3c/nanosleep.3c
262 file path=usr/share/man/man3c/ndbm.3c
263 file path=usr/share/man/man3c/newlocale.3c
264 file path=usr/share/man/man3c/nl_langinfo.3c
265 file path=usr/share/man/man3c/offsetof.3c
266 file path=usr/share/man/man3c/opendir.3c
267 file path=usr/share/man/man3c/perror.3c
268 file path=usr/share/man/man3c/pfmt.3c
269 file path=usr/share/man/man3c/plock.3c
270 file path=usr/share/man/man3c/popen.3c
271 file path=usr/share/man/man3c/port_alert.3c
272 file path=usr/share/man/man3c/port_associate.3c
273 file path=usr/share/man/man3c/port_create.3c
274 file path=usr/share/man/man3c/port_get.3c
275 file path=usr/share/man/man3c/port_send.3c
276 file path=usr/share/man/man3c/posix_fadvise.3c
277 file path=usr/share/man/man3c/posix_fallocate.3c
278 file path=usr/share/man/man3c/posix_madvise.3c
279 file path=usr/share/man/man3c/posix_memalign.3c
280 file path=usr/share/man/man3c/posix_openpt.3c
281 file path=usr/share/man/man3c/posix_spawn.3c
282 file path=usr/share/man/man3c/posix_spawn_file_actions_addclose.3c
283 file path=usr/share/man/man3c/posix_spawn_file_actions_addclosefrom_np.3c
284 file path=usr/share/man/man3c/posix_spawn_file_actions_adddup2.3c
285 file path=usr/share/man/man3c/posix_spawn_file_actions_destroy.3c
286 file path=usr/share/man/man3c/posix_spawn_pipe_np.3c
287 file path=usr/share/man/man3c/posix_spawnattr_destroy.3c
288 file path=usr/share/man/man3c/posix_spawnattr_getflags.3c
289 file path=usr/share/man/man3c/posix_spawnattr_getpgroup.3c
290 file path=usr/share/man/man3c/posix_spawnattr_getschedparam.3c
291 file path=usr/share/man/man3c/posix_spawnattr_getschedpolicy.3c
292 file path=usr/share/man/man3c/posix_spawnattr_getsigdefault.3c
293 file path=usr/share/man/man3c/posix_spawnattr_getsigignore_np.3c
294 file path=usr/share/man/man3c/posix_spawnattr_getsigmask.3c
295 file path=usr/share/man/man3c/printf.3c
296 file path=usr/share/man/man3c/priv_addset.3c
297 file path=usr/share/man/man3c/priv_set.3c
298 file path=usr/share/man/man3c/priv_str_to_set.3c
299 file path=usr/share/man/man3c/pset_getloadavg.3c
300 file path=usr/share/man/man3c/psignal.3c
301 file path=usr/share/man/man3c/pthread_atfork.3c
302 file path=usr/share/man/man3c/pthread_attr_get_np.3c
303 file path=usr/share/man/man3c/pthread_attr_getdetachstate.3c
304 file path=usr/share/man/man3c/pthread_attr_getguardsize.3c
305 file path=usr/share/man/man3c/pthread_attr_getinheritsched.3c
306 file path=usr/share/man/man3c/pthread_attr_getname_np.3c
307 file path=usr/share/man/man3c/pthread_attr_getschedparam.3c
308 file path=usr/share/man/man3c/pthread_attr_getschedpolicy.3c
309 file path=usr/share/man/man3c/pthread_attr_getscope.3c
310 file path=usr/share/man/man3c/pthread_attr_getstack.3c
311 file path=usr/share/man/man3c/pthread_attr_getstackaddr.3c
312 file path=usr/share/man/man3c/pthread_attr_getstacksize.3c
313 file path=usr/share/man/man3c/pthread_attr_init.3c
314 file path=usr/share/man/man3c/pthread_barrier_destroy.3c
315 file path=usr/share/man/man3c/pthread_barrier_wait.3c
316 file path=usr/share/man/man3c/pthread_barrierattr_destroy.3c
317 file path=usr/share/man/man3c/pthread_barrierattr_getpshared.3c
318 file path=usr/share/man/man3c/pthread_cancel.3c
319 file path=usr/share/man/man3c/pthread_cleanup_pop.3c
320 file path=usr/share/man/man3c/pthread_cleanup_push.3c
321 file path=usr/share/man/man3c/pthread_cond_init.3c
322 file path=usr/share/man/man3c/pthread_cond_signal.3c
323 file path=usr/share/man/man3c/pthread_cond_wait.3c
324 file path=usr/share/man/man3c/pthread_condattr_getclock.3c
325 file path=usr/share/man/man3c/pthread_condattr_getpshared.3c

```

```

326 file path=usr/share/man/man3c/pthread_condattr_init.3c
327 file path=usr/share/man/man3c/pthread_create.3c
328 file path=usr/share/man/man3c/pthread_detach.3c
329 file path=usr/share/man/man3c/pthread_equal.3c
330 file path=usr/share/man/man3c/pthread_exit.3c
331 file path=usr/share/man/man3c/pthread_getconcurrency.3c
332 file path=usr/share/man/man3c/pthread_getname_np.3c
333 file path=usr/share/man/man3c/pthread_getschedparam.3c
334 file path=usr/share/man/man3c/pthread_getspecific.3c
335 file path=usr/share/man/man3c/pthread_join.3c
336 file path=usr/share/man/man3c/pthread_key_create.3c
337 file path=usr/share/man/man3c/pthread_key_delete.3c
338 file path=usr/share/man/man3c/pthread_kill.3c
339 file path=usr/share/man/man3c/pthread_mutex_consistent.3c
340 file path=usr/share/man/man3c/pthread_mutex_getprioceiling.3c
341 file path=usr/share/man/man3c/pthread_mutex_init.3c
342 file path=usr/share/man/man3c/pthread_mutex_lock.3c
343 file path=usr/share/man/man3c/pthread_mutex_timedlock.3c
344 file path=usr/share/man/man3c/pthread_mutexattr_getprioceiling.3c
345 file path=usr/share/man/man3c/pthread_mutexattr_getprotocol.3c
346 file path=usr/share/man/man3c/pthread_mutexattr_getpshared.3c
347 file path=usr/share/man/man3c/pthread_mutexattr_getrobust.3c
348 file path=usr/share/man/man3c/pthread_mutexattr_gettype.3c
349 file path=usr/share/man/man3c/pthread_mutexattr_init.3c
350 file path=usr/share/man/man3c/pthread_once.3c
351 file path=usr/share/man/man3c/pthread_rwlock_init.3c
352 file path=usr/share/man/man3c/pthread_rwlock_rdlock.3c
353 file path=usr/share/man/man3c/pthread_rwlock_timedrdlock.3c
354 file path=usr/share/man/man3c/pthread_rwlock_timedwrlock.3c
355 file path=usr/share/man/man3c/pthread_rwlock_unlock.3c
356 file path=usr/share/man/man3c/pthread_rwlock_wrlock.3c
357 file path=usr/share/man/man3c/pthread_rwlockattr_getpshared.3c
358 file path=usr/share/man/man3c/pthread_rwlockattr_init.3c
359 file path=usr/share/man/man3c/pthread_self.3c
360 file path=usr/share/man/man3c/pthread_setcancelstate.3c
361 file path=usr/share/man/man3c/pthread_setcanceltype.3c
362 file path=usr/share/man/man3c/pthread_setschedprio.3c
363 file path=usr/share/man/man3c/pthread_sigmask.3c
364 file path=usr/share/man/man3c/pthread_spin_destroy.3c
365 file path=usr/share/man/man3c/pthread_spin_lock.3c
366 file path=usr/share/man/man3c/pthread_spin_unlock.3c
367 file path=usr/share/man/man3c/pthread_testcancel.3c
368 file path=usr/share/man/man3c/ptrace.3c
369 file path=usr/share/man/man3c/ptsname.3c
370 file path=usr/share/man/man3c/putenv.3c
371 file path=usr/share/man/man3c/putpwent.3c
372 file path=usr/share/man/man3c/puts.3c
373 file path=usr/share/man/man3c/putspent.3c
374 file path=usr/share/man/man3c/putws.3c
375 file path=usr/share/man/man3c/qsrt.3c
376 file path=usr/share/man/man3c/quick_exit.3c
377 file path=usr/share/man/man3c/raise.3c
378 file path=usr/share/man/man3c/rand.3c
379 file path=usr/share/man/man3c/random.3c
380 file path=usr/share/man/man3c/rctl_walk.3c
381 file path=usr/share/man/man3c/rctlblk_set_value.3c
382 file path=usr/share/man/man3c/re_comp.3c
383 file path=usr/share/man/man3c/readdir.3c
384 file path=usr/share/man/man3c/realpath.3c
385 file path=usr/share/man/man3c/reboot.3c
386 file path=usr/share/man/man3c/regcmp.3c
387 file path=usr/share/man/man3c/regcomp.3c
388 file path=usr/share/man/man3c/remove.3c
389 file path=usr/share/man/man3c/rewind.3c
390 file path=usr/share/man/man3c/rewinddir.3c
391 file path=usr/share/man/man3c/rwlock.3c

```

```

392 file path=usr/share/man/man3c/scandir.3c
393 file path=usr/share/man/man3c/scanf.3c
394 file path=usr/share/man/man3c/sched_get_priority_max.3c
395 file path=usr/share/man/man3c/sched_getparam.3c
396 file path=usr/share/man/man3c/sched_getscheduler.3c
397 file path=usr/share/man/man3c/sched_rr_get_interval.3c
398 file path=usr/share/man/man3c/sched_setparam.3c
399 file path=usr/share/man/man3c/sched_setscheduler.3c
400 file path=usr/share/man/man3c/sched_yield.3c
401 file path=usr/share/man/man3c/schedctl_init.3c
402 file path=usr/share/man/man3c/seekdir.3c
403 file path=usr/share/man/man3c/select.3c
404 file path=usr/share/man/man3c/sem_close.3c
405 file path=usr/share/man/man3c/sem_destroy.3c
406 file path=usr/share/man/man3c/sem_getvalue.3c
407 file path=usr/share/man/man3c/sem_init.3c
408 file path=usr/share/man/man3c/sem_open.3c
409 file path=usr/share/man/man3c/sem_post.3c
410 file path=usr/share/man/man3c/sem_timedwait.3c
411 file path=usr/share/man/man3c/sem_unlink.3c
412 file path=usr/share/man/man3c/sem_wait.3c
413 file path=usr/share/man/man3c/semaphore.3c
414 file path=usr/share/man/man3c/set_constraint_handler_s.3c
415 file path=usr/share/man/man3c/setbuf.3c
416 file path=usr/share/man/man3c/setbuffer.3c
417 file path=usr/share/man/man3c/setcat.3c
418 file path=usr/share/man/man3c/setenv.3c
419 file path=usr/share/man/man3c/setjmp.3c
420 file path=usr/share/man/man3c/setkey.3c
421 file path=usr/share/man/man3c/setlabel.3c
422 file path=usr/share/man/man3c/setlocale.3c
423 file path=usr/share/man/man3c/shm_open.3c
424 file path=usr/share/man/man3c/shm_unlink.3c
425 file path=usr/share/man/man3c/sigfpe.3c
426 file path=usr/share/man/man3c/siginterrupt.3c
427 file path=usr/share/man/man3c/signal.3c
428 file path=usr/share/man/man3c/signalfd.3c
429 file path=usr/share/man/man3c/sigqueue.3c
430 file path=usr/share/man/man3c/sigsetops.3c
431 file path=usr/share/man/man3c/sigstack.3c
432 file path=usr/share/man/man3c/sigwaitinfo.3c
433 file path=usr/share/man/man3c/sleep.3c
434 file path=usr/share/man/man3c/smt_pause.3c
435 file path=usr/share/man/man3c/ssignal.3c
436 file path=usr/share/man/man3c/stack_getbounds.3c
437 file path=usr/share/man/man3c/stack_inbounds.3c
438 file path=usr/share/man/man3c/stack_setbounds.3c
439 file path=usr/share/man/man3c/stack_violation.3c
440 file path=usr/share/man/man3c/stdio.3c
441 file path=usr/share/man/man3c/str2sig.3c
442 file path=usr/share/man/man3c/strcoll.3c
443 file path=usr/share/man/man3c/strerror.3c
444 file path=usr/share/man/man3c/strfmon.3c
445 file path=usr/share/man/man3c/strftime.3c
446 file path=usr/share/man/man3c/string.3c
447 file path=usr/share/man/man3c/string_to_decimal.3c
448 file path=usr/share/man/man3c/strptime.3c
449 file path=usr/share/man/man3c/strsignal.3c
450 file path=usr/share/man/man3c/strtod.3c
451 file path=usr/share/man/man3c/strtoimax.3c
452 file path=usr/share/man/man3c/strtoul.3c
453 file path=usr/share/man/man3c/strtonum.3c
454 file path=usr/share/man/man3c/strtol.3c
455 file path=usr/share/man/man3c/strtowl.3c
456 file path=usr/share/man/man3c/strxfrm.3c
457 file path=usr/share/man/man3c/swab.3c

```

```

458 file path=usr/share/man/man3c/sync_instruction_memory.3c
459 file path=usr/share/man/man3c/sysconf.3c
460 file path=usr/share/man/man3c/syslog.3c
461 file path=usr/share/man/man3c/system.3c
462 file path=usr/share/man/man3c/tcdrain.3c
463 file path=usr/share/man/man3c/tcflow.3c
464 file path=usr/share/man/man3c/tcflush.3c
465 file path=usr/share/man/man3c/tcgetattr.3c
466 file path=usr/share/man/man3c/tcgetpgrp.3c
467 file path=usr/share/man/man3c/tcgetsid.3c
468 file path=usr/share/man/man3c/tcsendbreak.3c
469 file path=usr/share/man/man3c/tcsetattr.3c
470 file path=usr/share/man/man3c/tcsetpgrp.3c
471 file path=usr/share/man/man3c/tell.3c
472 file path=usr/share/man/man3c/telldir.3c
473 file path=usr/share/man/man3c/termios.3c
474 file path=usr/share/man/man3c/thr_create.3c
475 file path=usr/share/man/man3c/thr_exit.3c
476 file path=usr/share/man/man3c/thr_getconcurrency.3c
477 file path=usr/share/man/man3c/thr_getname.3c
478 file path=usr/share/man/man3c/thr_getprio.3c
479 file path=usr/share/man/man3c/thr_join.3c
480 file path=usr/share/man/man3c/thr_keycreate.3c
481 file path=usr/share/man/man3c/thr_kill.3c
482 file path=usr/share/man/man3c/thr_main.3c
483 file path=usr/share/man/man3c/thr_min_stack.3c
484 file path=usr/share/man/man3c/thr_self.3c
485 file path=usr/share/man/man3c/thr_sigsetmask.3c
486 file path=usr/share/man/man3c/thr_stksegment.3c
487 file path=usr/share/man/man3c/thr_suspend.3c
488 file path=usr/share/man/man3c/thr_yield.3c
489 file path=usr/share/man/man3c/thrd_create.3c
490 file path=usr/share/man/man3c/thrd_current.3c
491 file path=usr/share/man/man3c/thrd_detach.3c
492 file path=usr/share/man/man3c/thrd_equal.3c
493 file path=usr/share/man/man3c/thrd_exit.3c
494 file path=usr/share/man/man3c/thrd_join.3c
495 file path=usr/share/man/man3c/thrd_yield.3c
496 file path=usr/share/man/man3c/timer_create.3c
497 file path=usr/share/man/man3c/timer_delete.3c
498 file path=usr/share/man/man3c/timer_settime.3c
499 file path=usr/share/man/man3c/timeradd.3c
500 file path=usr/share/man/man3c/timerfd_create.3c
501 file path=usr/share/man/man3c/timespec_get.3c
502 file path=usr/share/man/man3c/tmpfile.3c
503 file path=usr/share/man/man3c/tmpnam.3c
504 file path=usr/share/man/man3c/toascii.3c
505 file path=usr/share/man/man3c/tolower.3c
506 file path=usr/share/man/man3c/toupper.3c
507 file path=usr/share/man/man3c/towlower.3c
508 file path=usr/share/man/man3c/towupper.3c
509 file path=usr/share/man/man3c/truncate.3c
510 file path=usr/share/man/man3c/tsearch.3c
511 file path=usr/share/man/man3c/tss.3c
512 file path=usr/share/man/man3c/ttyname.3c
513 file path=usr/share/man/man3c/ttyslot.3c
514 file path=usr/share/man/man3c/u8_strcmp.3c
515 file path=usr/share/man/man3c/u8_textprep_str.3c
516 file path=usr/share/man/man3c/u8_validate.3c
517 file path=usr/share/man/man3c/ualarm.3c
518 file path=usr/share/man/man3c/uconv_ul6tou32.3c
519 file path=usr/share/man/man3c/ucred.3c
520 file path=usr/share/man/man3c/ungetc.3c
521 file path=usr/share/man/man3c/ungetwc.3c
522 file path=usr/share/man/man3c/unlockpt.3c
523 file path=usr/share/man/man3c/unsetenv.3c

```

```

524 file path=usr/share/man/man3c/uselocale.3c
525 file path=usr/share/man/man3c/usleep.3c
526 file path=usr/share/man/man3c/vfwprintf.3c
527 file path=usr/share/man/man3c/vlfmt.3c
528 file path=usr/share/man/man3c/vpfmt.3c
529 file path=usr/share/man/man3c/vprintf.3c
530 file path=usr/share/man/man3c/vsyslog.3c
531 file path=usr/share/man/man3c/wait.3c
532 file path=usr/share/man/man3c/wait3.3c
533 file path=usr/share/man/man3c/waitpid.3c
534 file path=usr/share/man/man3c/walkcontext.3c
535 file path=usr/share/man/man3c/wcpcpy.3c
536 file path=usr/share/man/man3c/wcrtomb.3c
537 file path=usr/share/man/man3c/wcscasecmp.3c
538 file path=usr/share/man/man3c/wcscoll.3c
539 file path=usr/share/man/man3c/wcsdup.3c
540 file path=usr/share/man/man3c/wcsftime.3c
541 file path=usr/share/man/man3c/wcslen.3c
542 file path=usr/share/man/man3c/wcsrtombs.3c
543 file path=usr/share/man/man3c/wcsstr.3c
544 file path=usr/share/man/man3c/wcstod.3c
545 file path=usr/share/man/man3c/wcstoimax.3c
546 file path=usr/share/man/man3c/wcstol.3c
547 file path=usr/share/man/man3c/wcstombs.3c
548 file path=usr/share/man/man3c/wcstoul.3c
549 file path=usr/share/man/man3c/wcstring.3c
550 file path=usr/share/man/man3c/wcswidth.3c
551 file path=usr/share/man/man3c/wcsxfrm.3c
552 file path=usr/share/man/man3c/wctob.3c
553 file path=usr/share/man/man3c/wctomb.3c
554 file path=usr/share/man/man3c/wctrans.3c
555 file path=usr/share/man/man3c/wctype.3c
556 file path=usr/share/man/man3c/wcwidth.3c
557 file path=usr/share/man/man3c/wmemchr.3c
558 file path=usr/share/man/man3c/wmemcmp.3c
559 file path=usr/share/man/man3c/wmemcpy.3c
560 file path=usr/share/man/man3c/wmemmove.3c
561 file path=usr/share/man/man3c/wmemset.3c
562 file path=usr/share/man/man3c/wordexp.3c
563 file path=usr/share/man/man3c/wsprintf.3c
564 file path=usr/share/man/man3c/wsscanf.3c
565 file path=usr/share/man/man3c/wstring.3c
566 link path=usr/share/man/man3c/FD_CLR.3c target=select.3c
567 link path=usr/share/man/man3c/FD_ISSET.3c target=select.3c
568 link path=usr/share/man/man3c/FD_SET.3c target=select.3c
569 link path=usr/share/man/man3c/FD_ZERO.3c target=select.3c
570 link path=usr/share/man/man3c/__flbf.3c target=__fbufsize.3c
571 link path=usr/share/man/man3c/__fpending.3c target=__fbufsize.3c
572 link path=usr/share/man/man3c/__fpurge.3c target=__fbufsize.3c
573 link path=usr/share/man/man3c/__freadable.3c target=__fbufsize.3c
574 link path=usr/share/man/man3c/__freading.3c target=__fbufsize.3c
575 link path=usr/share/man/man3c/__fsetlocking.3c target=__fbufsize.3c
576 link path=usr/share/man/man3c/__fwritable.3c target=__fbufsize.3c
577 link path=usr/share/man/man3c/__fwriting.3c target=__fbufsize.3c
578 link path=usr/share/man/man3c/_edata.3c target=end.3c
579 link path=usr/share/man/man3c/_end.3c target=end.3c
580 link path=usr/share/man/man3c/_etext.3c target=end.3c
581 link path=usr/share/man/man3c/_exithandle.3c target=exit.3c
582 link path=usr/share/man/man3c/_flushlbf.3c target=__fbufsize.3c
583 link path=usr/share/man/man3c/_setjmp.3c target=_longjmp.3c
584 link path=usr/share/man/man3c/abort_handler_s.3c \
585     target=set_constraint_handler_s.3c
586 link path=usr/share/man/man3c/addrtosymstr.3c target=walkcontext.3c
587 link path=usr/share/man/man3c/aiowrite.3c target=aioread.3c
588 link path=usr/share/man/man3c/alloca.3c target=malloc.3c
589 link path=usr/share/man/man3c/alphasort.3c target=scandir.3c

```

```

590 link path=usr/share/man/man3c/arc4random_buf.3c target=arc4random.3c
591 link path=usr/share/man/man3c/arc4random_uniform.3c target=arc4random.3c
592 link path=usr/share/man/man3c/asctime.3c target=strftime.3c
593 link path=usr/share/man/man3c/asctime.3c target=ctime.3c
594 link path=usr/share/man/man3c/asctime_r.3c target=ctime.3c
595 link path=usr/share/man/man3c/asprintf.3c target=printf.3c
596 link path=usr/share/man/man3c/at_quick_exit.3c target=quick_exit.3c
597 link path=usr/share/man/man3c/atof.3c target=strtod.3c
598 link path=usr/share/man/man3c/atoi.3c target=strtoul.3c
599 link path=usr/share/man/man3c/atol.3c target=strtoul.3c
600 link path=usr/share/man/man3c/atoll.3c target=strtoul.3c
601 link path=usr/share/man/man3c/atomic_add_16.3c target=atomic_add.3c
602 link path=usr/share/man/man3c/atomic_add_16_nv.3c target=atomic_add.3c
603 link path=usr/share/man/man3c/atomic_add_32.3c target=atomic_add.3c
604 link path=usr/share/man/man3c/atomic_add_32_nv.3c target=atomic_add.3c
605 link path=usr/share/man/man3c/atomic_add_64.3c target=atomic_add.3c
606 link path=usr/share/man/man3c/atomic_add_64_nv.3c target=atomic_add.3c
607 link path=usr/share/man/man3c/atomic_add_8.3c target=atomic_add.3c
608 link path=usr/share/man/man3c/atomic_add_8_nv.3c target=atomic_add.3c
609 link path=usr/share/man/man3c/atomic_add_char.3c target=atomic_add.3c
610 link path=usr/share/man/man3c/atomic_add_char_nv.3c target=atomic_add.3c
611 link path=usr/share/man/man3c/atomic_add_int.3c target=atomic_add.3c
612 link path=usr/share/man/man3c/atomic_add_int_nv.3c target=atomic_add.3c
613 link path=usr/share/man/man3c/atomic_add_long.3c target=atomic_add.3c
614 link path=usr/share/man/man3c/atomic_add_long_nv.3c target=atomic_add.3c
615 link path=usr/share/man/man3c/atomic_add_ptr.3c target=atomic_add.3c
616 link path=usr/share/man/man3c/atomic_add_ptr_nv.3c target=atomic_add.3c
617 link path=usr/share/man/man3c/atomic_add_short.3c target=atomic_add.3c
618 link path=usr/share/man/man3c/atomic_add_short_nv.3c target=atomic_add.3c
619 link path=usr/share/man/man3c/atomic_and_16.3c target=atomic_and.3c
620 link path=usr/share/man/man3c/atomic_and_16_nv.3c target=atomic_and.3c
621 link path=usr/share/man/man3c/atomic_and_32.3c target=atomic_and.3c
622 link path=usr/share/man/man3c/atomic_and_32_nv.3c target=atomic_and.3c
623 link path=usr/share/man/man3c/atomic_and_64.3c target=atomic_and.3c
624 link path=usr/share/man/man3c/atomic_and_64_nv.3c target=atomic_and.3c
625 link path=usr/share/man/man3c/atomic_and_8.3c target=atomic_and.3c
626 link path=usr/share/man/man3c/atomic_and_8_nv.3c target=atomic_and.3c
627 link path=usr/share/man/man3c/atomic_and_uchar.3c target=atomic_and.3c
628 link path=usr/share/man/man3c/atomic_and_uchar_nv.3c target=atomic_and.3c
629 link path=usr/share/man/man3c/atomic_and_uint.3c target=atomic_and.3c
630 link path=usr/share/man/man3c/atomic_and_uint_nv.3c target=atomic_and.3c
631 link path=usr/share/man/man3c/atomic_and_ulong.3c target=atomic_and.3c
632 link path=usr/share/man/man3c/atomic_and_ulong_nv.3c target=atomic_and.3c
633 link path=usr/share/man/man3c/atomic_and_ushort.3c target=atomic_and.3c
634 link path=usr/share/man/man3c/atomic_and_ushort_nv.3c target=atomic_and.3c
635 link path=usr/share/man/man3c/atomic_cas_16.3c target=atomic_cas.3c
636 link path=usr/share/man/man3c/atomic_cas_32.3c target=atomic_cas.3c
637 link path=usr/share/man/man3c/atomic_cas_64.3c target=atomic_cas.3c
638 link path=usr/share/man/man3c/atomic_cas_8.3c target=atomic_cas.3c
639 link path=usr/share/man/man3c/atomic_cas_ptr.3c target=atomic_cas.3c
640 link path=usr/share/man/man3c/atomic_cas_uchar.3c target=atomic_cas.3c
641 link path=usr/share/man/man3c/atomic_cas_uint.3c target=atomic_cas.3c
642 link path=usr/share/man/man3c/atomic_cas_ulong.3c target=atomic_cas.3c
643 link path=usr/share/man/man3c/atomic_cas_ushort.3c target=atomic_cas.3c
644 link path=usr/share/man/man3c/atomic_clear_long_excl.3c target=atomic_bits.3c
645 link path=usr/share/man/man3c/atomic_dec_16.3c target=atomic_dec.3c
646 link path=usr/share/man/man3c/atomic_dec_16_nv.3c target=atomic_dec.3c
647 link path=usr/share/man/man3c/atomic_dec_32.3c target=atomic_dec.3c
648 link path=usr/share/man/man3c/atomic_dec_32_nv.3c target=atomic_dec.3c
649 link path=usr/share/man/man3c/atomic_dec_64.3c target=atomic_dec.3c
650 link path=usr/share/man/man3c/atomic_dec_64_nv.3c target=atomic_dec.3c
651 link path=usr/share/man/man3c/atomic_dec_8.3c target=atomic_dec.3c
652 link path=usr/share/man/man3c/atomic_dec_8_nv.3c target=atomic_dec.3c
653 link path=usr/share/man/man3c/atomic_dec_ptr.3c target=atomic_dec.3c
654 link path=usr/share/man/man3c/atomic_dec_ptr_nv.3c target=atomic_dec.3c
655 link path=usr/share/man/man3c/atomic_dec_uchar.3c target=atomic_dec.3c

```

```

656 link path=usr/share/man/man3c/atomic_dec_uchar_nv.3c target=atomic_dec.3c
657 link path=usr/share/man/man3c/atomic_dec_uint.3c target=atomic_dec.3c
658 link path=usr/share/man/man3c/atomic_dec_uint_nv.3c target=atomic_dec.3c
659 link path=usr/share/man/man3c/atomic_dec_ulong.3c target=atomic_dec.3c
660 link path=usr/share/man/man3c/atomic_dec_ulong_nv.3c target=atomic_dec.3c
661 link path=usr/share/man/man3c/atomic_dec_ushort.3c target=atomic_dec.3c
662 link path=usr/share/man/man3c/atomic_dec_ushort_nv.3c target=atomic_dec.3c
663 link path=usr/share/man/man3c/atomic_inc_16.3c target=atomic_inc.3c
664 link path=usr/share/man/man3c/atomic_inc_16_nv.3c target=atomic_inc.3c
665 link path=usr/share/man/man3c/atomic_inc_32.3c target=atomic_inc.3c
666 link path=usr/share/man/man3c/atomic_inc_32_nv.3c target=atomic_inc.3c
667 link path=usr/share/man/man3c/atomic_inc_64.3c target=atomic_inc.3c
668 link path=usr/share/man/man3c/atomic_inc_64_nv.3c target=atomic_inc.3c
669 link path=usr/share/man/man3c/atomic_inc_8.3c target=atomic_inc.3c
670 link path=usr/share/man/man3c/atomic_inc_8_nv.3c target=atomic_inc.3c
671 link path=usr/share/man/man3c/atomic_inc_ptr.3c target=atomic_inc.3c
672 link path=usr/share/man/man3c/atomic_inc_ptr_nv.3c target=atomic_inc.3c
673 link path=usr/share/man/man3c/atomic_inc_uchar.3c target=atomic_inc.3c
674 link path=usr/share/man/man3c/atomic_inc_uchar_nv.3c target=atomic_inc.3c
675 link path=usr/share/man/man3c/atomic_inc_uint.3c target=atomic_inc.3c
676 link path=usr/share/man/man3c/atomic_inc_uint_nv.3c target=atomic_inc.3c
677 link path=usr/share/man/man3c/atomic_inc_ulong.3c target=atomic_inc.3c
678 link path=usr/share/man/man3c/atomic_inc_ulong_nv.3c target=atomic_inc.3c
679 link path=usr/share/man/man3c/atomic_inc_ushort.3c target=atomic_inc.3c
680 link path=usr/share/man/man3c/atomic_inc_ushort_nv.3c target=atomic_inc.3c
681 link path=usr/share/man/man3c/atomic_or_16.3c target=atomic_or.3c
682 link path=usr/share/man/man3c/atomic_or_16_nv.3c target=atomic_or.3c
683 link path=usr/share/man/man3c/atomic_or_32.3c target=atomic_or.3c
684 link path=usr/share/man/man3c/atomic_or_32_nv.3c target=atomic_or.3c
685 link path=usr/share/man/man3c/atomic_or_64.3c target=atomic_or.3c
686 link path=usr/share/man/man3c/atomic_or_64_nv.3c target=atomic_or.3c
687 link path=usr/share/man/man3c/atomic_or_8.3c target=atomic_or.3c
688 link path=usr/share/man/man3c/atomic_or_8_nv.3c target=atomic_or.3c
689 link path=usr/share/man/man3c/atomic_or_uchar.3c target=atomic_or.3c
690 link path=usr/share/man/man3c/atomic_or_uchar_nv.3c target=atomic_or.3c
691 link path=usr/share/man/man3c/atomic_or_uint.3c target=atomic_or.3c
692 link path=usr/share/man/man3c/atomic_or_uint_nv.3c target=atomic_or.3c
693 link path=usr/share/man/man3c/atomic_or_ulong.3c target=atomic_or.3c
694 link path=usr/share/man/man3c/atomic_or_ulong_nv.3c target=atomic_or.3c
695 link path=usr/share/man/man3c/atomic_or_ushort.3c target=atomic_or.3c
696 link path=usr/share/man/man3c/atomic_or_ushort_nv.3c target=atomic_or.3c
697 link path=usr/share/man/man3c/atomic_set_long_excl.3c target=atomic_bits.3c
698 link path=usr/share/man/man3c/atomic_swap_16.3c target=atomic_swap.3c
699 link path=usr/share/man/man3c/atomic_swap_32.3c target=atomic_swap.3c
700 link path=usr/share/man/man3c/atomic_swap_64.3c target=atomic_swap.3c
701 link path=usr/share/man/man3c/atomic_swap_8.3c target=atomic_swap.3c
702 link path=usr/share/man/man3c/atomic_swap_ptr.3c target=atomic_swap.3c
703 link path=usr/share/man/man3c/atomic_swap_uchar.3c target=atomic_swap.3c
704 link path=usr/share/man/man3c/atomic_swap_uint.3c target=atomic_swap.3c
705 link path=usr/share/man/man3c/atomic_swap_ulong.3c target=atomic_swap.3c
706 link path=usr/share/man/man3c/atomic_swap_ushort.3c target=atomic_swap.3c
707 link path=usr/share/man/man3c/backtrace.3c target=walkcontext.3c
708 link path=usr/share/man/man3c/backtrace_symbols.3c target=walkcontext.3c
709 link path=usr/share/man/man3c/backtrace_symbols_fd.3c target=walkcontext.3c
710 link path=usr/share/man/man3c/bcmp.3c target=bstring.3c
711 link path=usr/share/man/man3c/bcopy.3c target=bstring.3c
712 link path=usr/share/man/man3c/be16toh.3c target=endian.3c
713 link path=usr/share/man/man3c/be32toh.3c target=endian.3c
714 link path=usr/share/man/man3c/be64toh.3c target=endian.3c
715 link path=usr/share/man/man3c/betoh16.3c target=endian.3c
716 link path=usr/share/man/man3c/betoh32.3c target=endian.3c
717 link path=usr/share/man/man3c/betoh64.3c target=endian.3c
718 link path=usr/share/man/man3c/bind_textdomain_codeset.3c target=gettext.3c
719 link path=usr/share/man/man3c/bind_textdomain.3c target=gettext.3c
720 link path=usr/share/man/man3c/btowc_1.3c target=btowc.3c
721 link path=usr/share/man/man3c/bzero.3c target=bstring.3c

```

```

722 link path=usr/share/man/man3c/calloc.3c target=malloc.3c
723 link path=usr/share/man/man3c/canonicalize_file_name.3c target=realpath.3c
724 link path=usr/share/man/man3c/catclose.3c target=catopen.3c
725 link path=usr/share/man/man3c/cfgetospeed.3c target=cfgetispeed.3c
726 link path=usr/share/man/man3c/cfsetospeed.3c target=cfsetispeed.3c
727 link path=usr/share/man/man3c/cftime.3c target=strftime.3c
728 link path=usr/share/man/man3c/clearerr.3c target=error.3c
729 link path=usr/share/man/man3c/clock_getres.3c target=clock_settime.3c
730 link path=usr/share/man/man3c/clock_gettime.3c target=clock_settime.3c
731 link path=usr/share/man/man3c/closelog.3c target=syslog.3c
732 link path=usr/share/man/man3c/cnd_broadcast.3c target=cnd.3c
733 link path=usr/share/man/man3c/cnd_destroy.3c target=cnd.3c
734 link path=usr/share/man/man3c/cnd_init.3c target=cnd.3c
735 link path=usr/share/man/man3c/cnd_signal.3c target=cnd.3c
736 link path=usr/share/man/man3c/cnd_timedwait.3c target=cnd.3c
737 link path=usr/share/man/man3c/cnd_wait.3c target=cnd.3c
738 link path=usr/share/man/man3c/cond_broadcast.3c target=cond_init.3c
739 link path=usr/share/man/man3c/cond_destroy.3c target=cond_init.3c
740 link path=usr/share/man/man3c/cond_reltimedwait.3c target=cond_init.3c
741 link path=usr/share/man/man3c/cond_signal.3c target=cond_init.3c
742 link path=usr/share/man/man3c/cond_timedwait.3c target=cond_init.3c
743 link path=usr/share/man/man3c/cond_wait.3c target=cond_init.3c
744 link path=usr/share/man/man3c/csetcol.3c target=cset.3c
745 link path=usr/share/man/man3c/csetlen.3c target=cset.3c
746 link path=usr/share/man/man3c/csetno.3c target=cset.3c
747 link path=usr/share/man/man3c/ctermid_r.3c target=ctermid.3c
748 link path=usr/share/man/man3c/ctime_r.3c target=ctime.3c
749 link path=usr/share/man/man3c/dbm_clearerr.3c target=ndbm.3c
750 link path=usr/share/man/man3c/dbm_close.3c target=ndbm.3c
751 link path=usr/share/man/man3c/dbm_delete.3c target=ndbm.3c
752 link path=usr/share/man/man3c/dbm_error.3c target=ndbm.3c
753 link path=usr/share/man/man3c/dbm_fetch.3c target=ndbm.3c
754 link path=usr/share/man/man3c/dbm_firstkey.3c target=ndbm.3c
755 link path=usr/share/man/man3c/dbm_nextkey.3c target=ndbm.3c
756 link path=usr/share/man/man3c/dbm_open.3c target=ndbm.3c
757 link path=usr/share/man/man3c/dbm_store.3c target=ndbm.3c
758 link path=usr/share/man/man3c/dcgettext.3c target=gettext.3c
759 link path=usr/share/man/man3c/dcngettext.3c target=gettext.3c
760 link path=usr/share/man/man3c/decimal_to_double.3c \
761 target=decimal_to_floating.3c
762 link path=usr/share/man/man3c/decimal_to_extended.3c \
763 target=decimal_to_floating.3c
764 link path=usr/share/man/man3c/decimal_to_quadruple.3c \
765 target=decimal_to_floating.3c
766 link path=usr/share/man/man3c/decimal_to_single.3c \
767 target=decimal_to_floating.3c
768 link path=usr/share/man/man3c/dgettext.3c target=gettext.3c
769 link path=usr/share/man/man3c/dladdr1.3c target=dladdr.3c
770 link path=usr/share/man/man3c/dlmalloc.3c target=dlopen.3c
771 link path=usr/share/man/man3c/dngettext.3c target=gettext.3c
772 link path=usr/share/man/man3c/door_setparam.3c target=door_getparam.3c
773 link path=usr/share/man/man3c/door_unbind.3c target=door_bind.3c
774 link path=usr/share/man/man3c/double_to_decimal.3c \
775 target=floating_to_decimal.3c
776 link path=usr/share/man/man3c/dup3.3c target=dup2.3c
777 link path=usr/share/man/man3c/duplocale.3c target=newlocale.3c
778 link path=usr/share/man/man3c/edata.3c target=end.3c
779 link path=usr/share/man/man3c/endlrent.3c target=getgrnam.3c
780 link path=usr/share/man/man3c/endlngrent.3c target=getnetgrent.3c
781 link path=usr/share/man/man3c/endlwrent.3c target=getpwent.3c
782 link path=usr/share/man/man3c/endspent.3c target=getspnam.3c
783 link path=usr/share/man/man3c/endusershell.3c target=getusershell.3c
784 link path=usr/share/man/man3c/endutent.3c target=getutent.3c
785 link path=usr/share/man/man3c/endutxent.3c target=getutxent.3c
786 link path=usr/share/man/man3c/epoll_create1.3c target=epoll_create.3c
787 link path=usr/share/man/man3c/epoll_pwait.3c target=epoll_wait.3c

```

```

788 link path=usr/share/man/man3c/erand48.3c target=drand48.3c
789 link path=usr/share/man/man3c/errno.3c target=error.3c
790 link path=usr/share/man/man3c/errx.3c target=err.3c
791 link path=usr/share/man/man3c/etext.3c target=end.3c
792 link path=usr/share/man/man3c/euclid.3c target=euclid.3c
793 link path=usr/share/man/man3c/eucsc.3c target=eucsc.3c
794 link path=usr/share/man/man3c/explicit_bzero.3c target=bstring.3c
795 link path=usr/share/man/man3c/extended_to_decimal.3c \
796     target=float_to_decimal.3c
797 link path=usr/share/man/man3c/fconvert.3c target=econvert.3c
798 link path=usr/share/man/man3c/fcvt.3c target=ecvt.3c
799 link path=usr/share/man/man3c/fdopendir.3c target=opendir.3c
800 link path=usr/share/man/man3c/fdwalk.3c target=closedir.3c
801 link path=usr/share/man/man3c/feof.3c target=ferror.3c
802 link path=usr/share/man/man3c/ffsl.3c target=ffs.3c
803 link path=usr/share/man/man3c/ffsll.3c target=ffs.3c
804 link path=usr/share/man/man3c/fgetgrent.3c target=getgrnam.3c
805 link path=usr/share/man/man3c/fgetgrent_r.3c target=getgrnam.3c
806 link path=usr/share/man/man3c/fgetpwent.3c target=getpwnam.3c
807 link path=usr/share/man/man3c/fgetpwent_r.3c target=getpwnam.3c
808 link path=usr/share/man/man3c/fgets.3c target=gets.3c
809 link path=usr/share/man/man3c/fgetspent.3c target=getspnam.3c
810 link path=usr/share/man/man3c/fgetspent_r.3c target=getspnam.3c
811 link path=usr/share/man/man3c/fgetwc.1.3c target=fgetwc.3c
812 link path=usr/share/man/man3c/fgetws.3c target=getws.3c
813 link path=usr/share/man/man3c/file_to_decimal.3c target=string_to_decimal.3c
814 link path=usr/share/man/man3c/fileno.3c target=ferror.3c
815 link path=usr/share/man/man3c/finite.3c target=isnan.3c
816 link path=usr/share/man/man3c/fls.3c target=ffs.3c
817 link path=usr/share/man/man3c/flsl.3c target=ffs.3c
818 link path=usr/share/man/man3c/flsll.3c target=ffs.3c
819 link path=usr/share/man/man3c/fpclass.3c target=isnan.3c
820 link path=usr/share/man/man3c/fpgetmask.3c target=fpgetround.3c
821 link path=usr/share/man/man3c/fpgetsticky.3c target=fpgetround.3c
822 link path=usr/share/man/man3c/fprintf.3c target=printf.3c
823 link path=usr/share/man/man3c/fpsetmask.3c target=fpgetround.3c
824 link path=usr/share/man/man3c/fpsetround.3c target=fpgetround.3c
825 link path=usr/share/man/man3c/fpsetsticky.3c target=fpgetround.3c
826 link path=usr/share/man/man3c/fputs.3c target=puts.3c
827 link path=usr/share/man/man3c/free.3c target=malloc.3c
828 link path=usr/share/man/man3c/freelocale.3c target=newlocale.3c
829 link path=usr/share/man/man3c/freezero.3c target=malloc.3c
830 link path=usr/share/man/man3c/fsconf.3c target=scanf.3c
831 link path=usr/share/man/man3c/fseeko.3c target=fseek.3c
832 link path=usr/share/man/man3c/fsetattr.3c target=fsetattr.3c
833 link path=usr/share/man/man3c/ftello.3c target=ftell.3c
834 link path=usr/share/man/man3c/ftruncate.3c target=truncate.3c
835 link path=usr/share/man/man3c/ftrylockfile.3c target=flockfile.3c
836 link path=usr/share/man/man3c/fts_children.3c target=fts.3c
837 link path=usr/share/man/man3c/fts_close.3c target=fts.3c
838 link path=usr/share/man/man3c/fts_open.3c target=fts.3c
839 link path=usr/share/man/man3c/fts_read.3c target=fts.3c
840 link path=usr/share/man/man3c/fts_set.3c target=fts.3c
841 link path=usr/share/man/man3c/func_to_decimal.3c target=string_to_decimal.3c
842 link path=usr/share/man/man3c/funlockfile.3c target=flockfile.3c
843 link path=usr/share/man/man3c/gconvert.3c target=econvert.3c
844 link path=usr/share/man/man3c/gcvt.3c target=ecvt.3c
845 link path=usr/share/man/man3c/get_nprocs_conf.3c target=get_nprocs.3c
846 link path=usr/share/man/man3c/getattr.3c target=fgetattr.3c
847 link path=usr/share/man/man3c/getc.3c target=fgetc.3c
848 link path=usr/share/man/man3c/getc_unlocked.3c target=fgetc.3c
849 link path=usr/share/man/man3c/getchar.3c target=fgetc.3c
850 link path=usr/share/man/man3c/getchar_unlocked.3c target=fgetc.3c
851 link path=usr/share/man/man3c/getdelim.3c target=getline.3c
852 link path=usr/share/man/man3c/gettext.3c target=gettext.3c
853 link path=usr/share/man/man3c/getgrent.3c target=getgrnam.3c

```

```

854 link path=usr/share/man/man3c/getgrent_r.3c target=getgrnam.3c
855 link path=usr/share/man/man3c/getgrgid.3c target=getgrnam.3c
856 link path=usr/share/man/man3c/getgrgid_r.3c target=getgrnam.3c
857 link path=usr/share/man/man3c/getgrnam_r.3c target=getgrnam.3c
858 link path=usr/share/man/man3c/gethomegroup.3c target=getcpuid.3c
859 link path=usr/share/man/man3c/gethrvtime.3c target=gethrtime.3c
860 link path=usr/share/man/man3c/getlogin_r.3c target=getlogin.3c
861 link path=usr/share/man/man3c/getmntany.3c target=getmntent.3c
862 link path=usr/share/man/man3c/getnetgrent_r.3c target=getnetgrent.3c
863 link path=usr/share/man/man3c/getopt_long_clip.3c target=getopt_long.3c
864 link path=usr/share/man/man3c/getopt_long_only.3c target=getopt_long.3c
865 link path=usr/share/man/man3c/getpassphrase.3c target=getpass.3c
866 link path=usr/share/man/man3c/getpwent.3c target=getpwnam.3c
867 link path=usr/share/man/man3c/getpwent_r.3c target=getpwnam.3c
868 link path=usr/share/man/man3c/getpwnam_r.3c target=getpwnam.3c
869 link path=usr/share/man/man3c/getpwuid.3c target=getpwnam.3c
870 link path=usr/share/man/man3c/getpwuid_r.3c target=getpwnam.3c
871 link path=usr/share/man/man3c/getspent.3c target=getspnam.3c
872 link path=usr/share/man/man3c/getspent_r.3c target=getspnam.3c
873 link path=usr/share/man/man3c/getspnam_r.3c target=getspnam.3c
874 link path=usr/share/man/man3c/getutid.3c target=getutent.3c
875 link path=usr/share/man/man3c/getutline.3c target=getutent.3c
876 link path=usr/share/man/man3c/getutmp.3c target=getutxent.3c
877 link path=usr/share/man/man3c/getutmpx.3c target=getutxent.3c
878 link path=usr/share/man/man3c/getutxid.3c target=getutxent.3c
879 link path=usr/share/man/man3c/getutxline.3c target=getutxent.3c
880 link path=usr/share/man/man3c/getvfsany.3c target=getvfsent.3c
881 link path=usr/share/man/man3c/getvfsfile.3c target=getvfsent.3c
882 link path=usr/share/man/man3c/getvfsspec.3c target=getvfssent.3c
883 link path=usr/share/man/man3c/getw.3c target=fgetc.3c
884 link path=usr/share/man/man3c/getwc.1.3c target=getwc.3c
885 link path=usr/share/man/man3c/getwchar.1.3c target=getwchar.3c
886 link path=usr/share/man/man3c/getzoneidbyname.3c target=getzoneid.3c
887 link path=usr/share/man/man3c/getzonenamebyid.3c target=getzoneid.3c
888 link path=usr/share/man/man3c/globfree.3c target=glob.3c
889 link path=usr/share/man/man3c/gmtime.3c target=ctime.3c
890 link path=usr/share/man/man3c/gmtime_r.3c target=ctime.3c
891 link path=usr/share/man/man3c/gsignal.3c target=signal.3c
892 link path=usr/share/man/man3c/hasmntopt.3c target=getmntent.3c
893 link path=usr/share/man/man3c/hcreate.3c target=hsearch.3c
894 link path=usr/share/man/man3c/hdestroy.3c target=hsearch.3c
895 link path=usr/share/man/man3c/htobe16.3c target=endian.3c
896 link path=usr/share/man/man3c/htobe32.3c target=endian.3c
897 link path=usr/share/man/man3c/htobe64.3c target=endian.3c
898 link path=usr/share/man/man3c/htole16.3c target=endian.3c
899 link path=usr/share/man/man3c/htole32.3c target=endian.3c
900 link path=usr/share/man/man3c/htole64.3c target=endian.3c
901 link path=usr/share/man/man3c/htonl.3c target=byteorder.3c
902 link path=usr/share/man/man3c/htonll.3c target=byteorder.3c
903 link path=usr/share/man/man3c/htons.3c target=byteorder.3c
904 link path=usr/share/man/man3c/ignore_handler_s.3c \
905     target=set_constraint_handler_s.3c
906 link path=usr/share/man/man3c/inet6.3c target=inet.3c
907 link path=usr/share/man/man3c/inet_addr.3c target=inet.3c
908 link path=usr/share/man/man3c/inet_aton.3c target=inet.3c
909 link path=usr/share/man/man3c/inet_lnaof.3c target=inet.3c
910 link path=usr/share/man/man3c/inet_makeaddr.3c target=inet.3c
911 link path=usr/share/man/man3c/inet_netof.3c target=inet.3c
912 link path=usr/share/man/man3c/inet_network.3c target=inet.3c
913 link path=usr/share/man/man3c/inet_ntoa.3c target=inet.3c
914 link path=usr/share/man/man3c/inet_ntop.3c target=inet.3c
915 link path=usr/share/man/man3c/inet_pton.3c target=inet.3c
916 link path=usr/share/man/man3c/initstate.3c target=random.3c
917 link path=usr/share/man/man3c/innetgr.3c target=getnetgrent.3c
918 link path=usr/share/man/man3c/isalnum.3c target=ctype.3c
919 link path=usr/share/man/man3c/isalnum_l.3c target=ctype.3c

```

```

920 link path=usr/share/man/man3c/isalpha.3c target=ctype.3c
921 link path=usr/share/man/man3c/isalpha_1.3c target=ctype.3c
922 link path=usr/share/man/man3c/isascii.3c target=ctype.3c
923 link path=usr/share/man/man3c/isblank.3c target=ctype.3c
924 link path=usr/share/man/man3c/isblank_1.3c target=ctype.3c
925 link path=usr/share/man/man3c/iscntrl.3c target=ctype.3c
926 link path=usr/share/man/man3c/iscntrl_1.3c target=ctype.3c
927 link path=usr/share/man/man3c/isdigit.3c target=ctype.3c
928 link path=usr/share/man/man3c/isdigit_1.3c target=ctype.3c
929 link path=usr/share/man/man3c/isenglish.3c target=iswalpha.3c
930 link path=usr/share/man/man3c/isgraph.3c target=ctype.3c
931 link path=usr/share/man/man3c/isgraph_1.3c target=ctype.3c
932 link path=usr/share/man/man3c/isideogram.3c target=iswalpha.3c
933 link path=usr/share/man/man3c/islower.3c target=ctype.3c
934 link path=usr/share/man/man3c/islower_1.3c target=ctype.3c
935 link path=usr/share/man/man3c/isnanf.3c target=isnan.3c
936 link path=usr/share/man/man3c/isnumber.3c target=iswalpha.3c
937 link path=usr/share/man/man3c/isphonogram.3c target=iswalpha.3c
938 link path=usr/share/man/man3c/isprint.3c target=ctype.3c
939 link path=usr/share/man/man3c/isprint_1.3c target=ctype.3c
940 link path=usr/share/man/man3c/ispunct.3c target=ctype.3c
941 link path=usr/share/man/man3c/ispunct_1.3c target=ctype.3c
942 link path=usr/share/man/man3c/isspace.3c target=ctype.3c
943 link path=usr/share/man/man3c/isspace_1.3c target=ctype.3c
944 link path=usr/share/man/man3c/isspecial.3c target=iswalpha.3c
945 link path=usr/share/man/man3c/isupper.3c target=ctype.3c
946 link path=usr/share/man/man3c/isupper_1.3c target=ctype.3c
947 link path=usr/share/man/man3c/iswalnum.3c target=iswalpha.3c
948 link path=usr/share/man/man3c/iswalnum_1.3c target=iswalpha.3c
949 link path=usr/share/man/man3c/iswalpha_1.3c target=iswalpha.3c
950 link path=usr/share/man/man3c/iswascii.3c target=iswalpha.3c
951 link path=usr/share/man/man3c/iswascii_1.3c target=iswalpha.3c
952 link path=usr/share/man/man3c/iswblank.3c target=iswalpha.3c
953 link path=usr/share/man/man3c/iswblank_1.3c target=iswalpha.3c
954 link path=usr/share/man/man3c/iswcntrl.3c target=iswalpha.3c
955 link path=usr/share/man/man3c/iswcntrl_1.3c target=iswalpha.3c
956 link path=usr/share/man/man3c/iswctype_1.3c target=iswctype.3c
957 link path=usr/share/man/man3c/iswdigit.3c target=iswalpha.3c
958 link path=usr/share/man/man3c/iswdigit_1.3c target=iswalpha.3c
959 link path=usr/share/man/man3c/iswgraph.3c target=iswalpha.3c
960 link path=usr/share/man/man3c/iswgraph_1.3c target=iswalpha.3c
961 link path=usr/share/man/man3c/iswhexnumber.3c target=iswalpha.3c
962 link path=usr/share/man/man3c/iswhexnumber_1.3c target=iswalpha.3c
963 link path=usr/share/man/man3c/iswideogram.3c target=iswalpha.3c
964 link path=usr/share/man/man3c/iswideogram_1.3c target=iswalpha.3c
965 link path=usr/share/man/man3c/iswlower.3c target=iswalpha.3c
966 link path=usr/share/man/man3c/iswlower_1.3c target=iswalpha.3c
967 link path=usr/share/man/man3c/iswnumber.3c target=iswalpha.3c
968 link path=usr/share/man/man3c/iswnumber_1.3c target=iswalpha.3c
969 link path=usr/share/man/man3c/iswphonogram.3c target=iswalpha.3c
970 link path=usr/share/man/man3c/iswphonogram_1.3c target=iswalpha.3c
971 link path=usr/share/man/man3c/iswprint.3c target=iswalpha.3c
972 link path=usr/share/man/man3c/iswprint_1.3c target=iswalpha.3c
973 link path=usr/share/man/man3c/iswpunct.3c target=iswalpha.3c
974 link path=usr/share/man/man3c/iswpunct_1.3c target=iswalpha.3c
975 link path=usr/share/man/man3c/iswspace.3c target=iswalpha.3c
976 link path=usr/share/man/man3c/iswspace_1.3c target=iswalpha.3c
977 link path=usr/share/man/man3c/iswspecial.3c target=iswalpha.3c
978 link path=usr/share/man/man3c/iswspecial_1.3c target=iswalpha.3c
979 link path=usr/share/man/man3c/iswupper.3c target=iswalpha.3c
980 link path=usr/share/man/man3c/iswupper_1.3c target=iswalpha.3c
981 link path=usr/share/man/man3c/iswxdigit.3c target=iswalpha.3c
982 link path=usr/share/man/man3c/iswxdigit_1.3c target=iswalpha.3c
983 link path=usr/share/man/man3c/isxdigit.3c target=ctype.3c
984 link path=usr/share/man/man3c/isxdigit_1.3c target=ctype.3c
985 link path=usr/share/man/man3c/jrand48.3c target=drand48.3c

```

```

986 link path=usr/share/man/man3c/l64a.3c target=a64l.3c
987 link path=usr/share/man/man3c/labs.3c target=abs.3c
988 link path=usr/share/man/man3c/lcong48.3c target=drand48.3c
989 link path=usr/share/man/man3c/ldiv.3c target=div.3c
990 link path=usr/share/man/man3c/le16toh.3c target=endian.3c
991 link path=usr/share/man/man3c/le32toh.3c target=endian.3c
992 link path=usr/share/man/man3c/le64toh.3c target=endian.3c
993 link path=usr/share/man/man3c/letoh16.3c target=endian.3c
994 link path=usr/share/man/man3c/letoh32.3c target=endian.3c
995 link path=usr/share/man/man3c/letoh64.3c target=endian.3c
996 link path=usr/share/man/man3c/lfind.3c target=lsearch.3c
997 link path=usr/share/man/man3c/llabs.3c target=abs.3c
998 link path=usr/share/man/man3c/lldiv.3c target=div.3c
999 link path=usr/share/man/man3c/lldiv_r.3c target=lldiv_r.3c
1000 link path=usr/share/man/man3c/localtime.3c target=ctime.3c
1001 link path=usr/share/man/man3c/localtime_r.3c target=ctime.3c
1002 link path=usr/share/man/man3c/longjmp.3c target=setjmp.3c
1003 link path=usr/share/man/man3c/lrand48.3c target=drand48.3c
1004 link path=usr/share/man/man3c/lrand48_r.3c target=lrand48_r.3c
1005 link path=usr/share/man/man3c/mblen.3c target=mblen.3c
1006 link path=usr/share/man/man3c/mbrlen.3c target=mbrlen.3c
1007 link path=usr/share/man/man3c/mbrtowc.3c target=mbrtowc.3c
1008 link path=usr/share/man/man3c/mbsinit.3c target=mbsinit.3c
1009 link path=usr/share/man/man3c/mbsrtowcs.3c target=mbsrtowcs.3c
1010 link path=usr/share/man/man3c/mbsrtowcs_l.3c target=mbsrtowcs.3c
1011 link path=usr/share/man/man3c/mbsrtowcs_r.3c target=mbsrtowcs.3c
1012 link path=usr/share/man/man3c/mbstowcs.3c target=mbstowcs.3c
1013 link path=usr/share/man/man3c/mbtowc.3c target=mbtowc.3c
1014 link path=usr/share/man/man3c/memalign.3c target=malloc.3c
1015 link path=usr/share/man/man3c/membar_consumer.3c target=membar_ops.3c
1016 link path=usr/share/man/man3c/membar_enter.3c target=membar_ops.3c
1017 link path=usr/share/man/man3c/membar_exit.3c target=membar_ops.3c
1018 link path=usr/share/man/man3c/membar_producer.3c target=membar_ops.3c
1019 link path=usr/share/man/man3c/memccpy.3c target=memory.3c
1020 link path=usr/share/man/man3c/memchr.3c target=memory.3c
1021 link path=usr/share/man/man3c/memcmp.3c target=memory.3c
1022 link path=usr/share/man/man3c/memcpy.3c target=memory.3c
1023 link path=usr/share/man/man3c/memmem.3c target=memory.3c
1024 link path=usr/share/man/man3c/memmove.3c target=memory.3c
1025 link path=usr/share/man/man3c/memset.3c target=memory.3c
1026 link path=usr/share/man/man3c/minor.3c target=makedev.3c
1027 link path=usr/share/man/man3c/mktemp.3c target=mkstemp.3c
1028 link path=usr/share/man/man3c/mkfifoat.3c target=mkfifo.3c
1029 link path=usr/share/man/man3c/mkostemp.3c target=mkstemp.3c
1030 link path=usr/share/man/man3c/mkostemps.3c target=mkstemp.3c
1031 link path=usr/share/man/man3c/mkstemp.3c target=mkstemp.3c
1032 link path=usr/share/man/man3c/mq_relimedreceive_np.3c target=mq_receive.3c
1033 link path=usr/share/man/man3c/mq_relimedsend_np.3c target=mq_send.3c
1034 link path=usr/share/man/man3c/mq_timedreceive.3c target=mq_receive.3c
1035 link path=usr/share/man/man3c/mq_timedsend.3c target=mq_send.3c
1036 link path=usr/share/man/man3c/mrand48.3c target=drand48.3c
1037 link path=usr/share/man/man3c/mtx_destroy.3c target=mtx.3c
1038 link path=usr/share/man/man3c/mtx_init.3c target=mtx.3c
1039 link path=usr/share/man/man3c/mtx_lock.3c target=mtx.3c
1040 link path=usr/share/man/man3c/mtx_timedlock.3c target=mtx.3c
1041 link path=usr/share/man/man3c/mtx_trylock.3c target=mtx.3c
1042 link path=usr/share/man/man3c/mtx_unlock.3c target=mtx.3c
1043 link path=usr/share/man/man3c/munlock.3c target=mlock.3c
1044 link path=usr/share/man/man3c/munlockall.3c target=mlockall.3c
1045 link path=usr/share/man/man3c/mutex_consistent.3c target=mutex_init.3c
1046 link path=usr/share/man/man3c/mutex_destroy.3c target=mutex_init.3c
1047 link path=usr/share/man/man3c/mutex_lock.3c target=mutex_init.3c
1048 link path=usr/share/man/man3c/mutex_trylock.3c target=mutex_init.3c
1049 link path=usr/share/man/man3c/mutex_unlock.3c target=mutex_init.3c
1050 link path=usr/share/man/man3c/nftw.3c target=ftw.3c
1051 link path=usr/share/man/man3c/ngettext.3c target=gettext.3c

```



```

1052 link path=usr/share/man/man3c/nl_langinfo.1.3c target=nl_langinfo.3c
1053 link path=usr/share/man/man3c/nrand48.3c target=drand48.3c
1054 link path=usr/share/man/man3c/ntohl.3c target=byteorder.3c
1055 link path=usr/share/man/man3c/ntohll.3c target=byteorder.3c
1056 link path=usr/share/man/man3c/ntohs.3c target=byteorder.3c
1057 link path=usr/share/man/man3c/openlog.3c target=syslog.3c
1058 link path=usr/share/man/man3c/pclose.3c target=popen.3c
1059 link path=usr/share/man/man3c/port_dissociate.3c target=port_associate.3c
1060 link path=usr/share/man/man3c/port_getn.3c target=port_get.3c
1061 link path=usr/share/man/man3c/port_sendn.3c target=port_send.3c
1062 link path=usr/share/man/man3c/posix_spawn_file_actions_addopen.3c \
1063   target=posix_spawn_file_actions_addclose.3c
1064 link path=usr/share/man/man3c/posix_spawn_file_actions_init.3c \
1065   target=posix_spawn_file_actions_destroy.3c
1066 link path=usr/share/man/man3c/posix_spawnattr_init.3c \
1067   target=posix_spawnattr_destroy.3c
1068 link path=usr/share/man/man3c/posix_spawnattr_setflags.3c \
1069   target=posix_spawnattr_getflags.3c
1070 link path=usr/share/man/man3c/posix_spawnattr_setpgroup.3c \
1071   target=posix_spawnattr_getpgroup.3c
1072 link path=usr/share/man/man3c/posix_spawnattr_setschedparam.3c \
1073   target=posix_spawnattr_getschedparam.3c
1074 link path=usr/share/man/man3c/posix_spawnattr_setschedpolicy.3c \
1075   target=posix_spawnattr_getschedpolicy.3c
1076 link path=usr/share/man/man3c/posix_spawnattr_setsigdefault.3c \
1077   target=posix_spawnattr_getsigdefault.3c
1078 link path=usr/share/man/man3c/posix_spawnattr_setsigignore_np.3c \
1079   target=posix_spawnattr_getsigignore_np.3c
1080 link path=usr/share/man/man3c/posix_spawnattr_setsigmask.3c \
1081   target=posix_spawnattr_getsigmask.3c
1082 link path=usr/share/man/man3c/posix_spawnnp.3c target=posix_spawn.3c
1083 link path=usr/share/man/man3c/printstack.3c target=walkcontext.3c
1084 link path=usr/share/man/man3c/priv_allocset.3c target=priv_addset.3c
1085 link path=usr/share/man/man3c/priv_basicset.3c target=priv_addset.3c
1086 link path=usr/share/man/man3c/priv_copyset.3c target=priv_addset.3c
1087 link path=usr/share/man/man3c/priv_delset.3c target=priv_addset.3c
1088 link path=usr/share/man/man3c/priv_emptyset.3c target=priv_addset.3c
1089 link path=usr/share/man/man3c/priv_fillset.3c target=priv_addset.3c
1090 link path=usr/share/man/man3c/priv_freerset.3c target=priv_addset.3c
1091 link path=usr/share/man/man3c/priv_getbyname.3c target=priv_str_to_set.3c
1092 link path=usr/share/man/man3c/priv_getbynum.3c target=priv_str_to_set.3c
1093 link path=usr/share/man/man3c/priv_getsetbyname.3c target=priv_str_to_set.3c
1094 link path=usr/share/man/man3c/priv_getsetbynum.3c target=priv_str_to_set.3c
1095 link path=usr/share/man/man3c/priv_gettext.3c target=priv_str_to_set.3c
1096 link path=usr/share/man/man3c/priv_ineffect.3c target=priv_set.3c
1097 link path=usr/share/man/man3c/priv_intersect.3c target=priv_addset.3c
1098 link path=usr/share/man/man3c/priv_inverse.3c target=priv_addset.3c
1099 link path=usr/share/man/man3c/priv_iseptyset.3c target=priv_addset.3c
1100 link path=usr/share/man/man3c/priv_isequalset.3c target=priv_addset.3c
1101 link path=usr/share/man/man3c/priv_isfullset.3c target=priv_addset.3c
1102 link path=usr/share/man/man3c/priv_ismember.3c target=priv_addset.3c
1103 link path=usr/share/man/man3c/priv_issubset.3c target=priv_addset.3c
1104 link path=usr/share/man/man3c/priv_set_to_str.3c target=priv_str_to_set.3c
1105 link path=usr/share/man/man3c/priv_union.3c target=priv_addset.3c
1106 link path=usr/share/man/man3c/pselect.3c target=select.3c
1107 link path=usr/share/man/man3c/psiginfo.3c target=psignal.3c
1108 link path=usr/share/man/man3c/pthread_attr_destroy.3c \
1109   target=pthread_attr_init.3c
1110 link path=usr/share/man/man3c/pthread_attr_setdetachstate.3c \
1111   target=pthread_attr_getdetachstate.3c
1112 link path=usr/share/man/man3c/pthread_attr_setguardsize.3c \
1113   target=pthread_attr_getguardsize.3c
1114 link path=usr/share/man/man3c/pthread_attr_setinheritsched.3c \
1115   target=pthread_attr_getinheritsched.3c
1116 link path=usr/share/man/man3c/pthread_attr_setname_np.3c \
1117   target=pthread_attr_getname_np.3c

```

```

1118 link path=usr/share/man/man3c/pthread_attr_setschedparam.3c \
1119   target=pthread_attr_getschedparam.3c
1120 link path=usr/share/man/man3c/pthread_attr_setschedpolicy.3c \
1121   target=pthread_attr_getschedpolicy.3c
1122 link path=usr/share/man/man3c/pthread_attr_setscope.3c \
1123   target=pthread_attr_getscope.3c
1124 link path=usr/share/man/man3c/pthread_attr_setstack.3c \
1125   target=pthread_attr_getstack.3c
1126 link path=usr/share/man/man3c/pthread_attr_setstackaddr.3c \
1127   target=pthread_attr_getstackaddr.3c
1128 link path=usr/share/man/man3c/pthread_attr_setstacksize.3c \
1129   target=pthread_attr_getstacksize.3c
1130 link path=usr/share/man/man3c/pthread_barrier_init.3c \
1131   target=pthread_barrier_destroy.3c
1132 link path=usr/share/man/man3c/pthread_barrierattr_init.3c \
1133   target=pthread_barrierattr_destroy.3c
1134 link path=usr/share/man/man3c/pthread_barrierattr_setpshared.3c \
1135   target=pthread_barrierattr_getpshared.3c
1136 link path=usr/share/man/man3c/pthread_cond_broadcast.3c \
1137   target=pthread_cond_signal.3c
1138 link path=usr/share/man/man3c/pthread_cond_destroy.3c \
1139   target=pthread_cond_init.3c
1140 link path=usr/share/man/man3c/pthread_cond_reltimedwait_np.3c \
1141   target=pthread_cond_wait.3c
1142 link path=usr/share/man/man3c/pthread_cond_timedwait.3c \
1143   target=pthread_cond_wait.3c
1144 link path=usr/share/man/man3c/pthread_condattr_destroy.3c \
1145   target=pthread_condattr_init.3c
1146 link path=usr/share/man/man3c/pthread_condattr_setclock.3c \
1147   target=pthread_condattr_getclock.3c
1148 link path=usr/share/man/man3c/pthread_condattr_setpshared.3c \
1149   target=pthread_condattr_getpshared.3c
1150 link path=usr/share/man/man3c/pthread_key_create_once_np.3c \
1151   target=pthread_key_create.3c
1152 link path=usr/share/man/man3c/pthread_mutex_destroy.3c \
1153   target=pthread_mutex_init.3c
1154 link path=usr/share/man/man3c/pthread_mutex_reltimedlock_np.3c \
1155   target=pthread_mutex_timedlock.3c
1156 link path=usr/share/man/man3c/pthread_mutex_setprioceiling.3c \
1157   target=pthread_mutex_getprioceiling.3c
1158 link path=usr/share/man/man3c/pthread_mutex_trylock.3c \
1159   target=pthread_mutex_lock.3c
1160 link path=usr/share/man/man3c/pthread_mutex_unlock.3c \
1161   target=pthread_mutex_lock.3c
1162 link path=usr/share/man/man3c/pthread_mutexattr_destroy.3c \
1163   target=pthread_mutexattr_init.3c
1164 link path=usr/share/man/man3c/pthread_mutexattr_setprioceiling.3c \
1165   target=pthread_mutexattr_getprioceiling.3c
1166 link path=usr/share/man/man3c/pthread_mutexattr_setprotocol.3c \
1167   target=pthread_mutexattr_getprotocol.3c
1168 link path=usr/share/man/man3c/pthread_mutexattr_setpshared.3c \
1169   target=pthread_mutexattr_getpshared.3c
1170 link path=usr/share/man/man3c/pthread_mutexattr_setrobust.3c \
1171   target=pthread_mutexattr_getrobust.3c
1172 link path=usr/share/man/man3c/pthread_mutexattr_settype.3c \
1173   target=pthread_mutexattr_gettype.3c
1174 link path=usr/share/man/man3c/pthread_rwlock_destroy.3c \
1175   target=pthread_rwlock_init.3c
1176 link path=usr/share/man/man3c/pthread_rwlock_reltimedrdlock_np.3c \
1177   target=pthread_rwlock_timedrdlock.3c
1178 link path=usr/share/man/man3c/pthread_rwlock_reltimedwrlock_np.3c \
1179   target=pthread_rwlock_timedwrlock.3c
1180 link path=usr/share/man/man3c/pthread_rwlock_tryrdlock.3c \
1181   target=pthread_rwlock_rdlock.3c
1182 link path=usr/share/man/man3c/pthread_rwlock_trywrlock.3c \
1183   target=pthread_rwlock_wrlock.3c

```

```

1184 link path=usr/share/man/man3c/pthread_rwlockattr_destroy.3c \
1185     target=pthread_rwlockattr_init.3c
1186 link path=usr/share/man/man3c/pthread_rwlockattr_setpshared.3c \
1187     target=pthread_rwlockattr_getpshared.3c
1188 link path=usr/share/man/man3c/pthread_setconcurrency.3c \
1189     target=pthread_getconcurrency.3c
1190 link path=usr/share/man/man3c/pthread_setname_np.3c \
1191     target=pthread_getname_np.3c
1192 link path=usr/share/man/man3c/pthread_setschedparam.3c \
1193     target=pthread_getschedparam.3c
1194 link path=usr/share/man/man3c/pthread_setspecific.3c \
1195     target=pthread_getspecific.3c
1196 link path=usr/share/man/man3c/pthread_spin_init.3c \
1197     target=pthread_spin_destroy.3c
1198 link path=usr/share/man/man3c/pthread_spin_trylock.3c \
1199     target=pthread_spin_lock.3c
1200 link path=usr/share/man/man3c/putc.3c target=fputc.3c
1201 link path=usr/share/man/man3c/putc_unlocked.3c target=fputc.3c
1202 link path=usr/share/man/man3c/putchar.3c target=fputc.3c
1203 link path=usr/share/man/man3c/putchar_unlocked.3c target=fputc.3c
1204 link path=usr/share/man/man3c/putmntent.3c target=getmntent.3c
1205 link path=usr/share/man/man3c/pututline.3c target=getutent.3c
1206 link path=usr/share/man/man3c/pututxline.3c target=getutxent.3c
1207 link path=usr/share/man/man3c/putw.3c target=fputc.3c
1208 link path=usr/share/man/man3c/putwc.3c target=fputwc.3c
1209 link path=usr/share/man/man3c/putwchar.3c target=fputwc.3c
1210 link path=usr/share/man/man3c/qeconvert.3c target=econvert.3c
1211 link path=usr/share/man/man3c/qfconvert.3c target=econvert.3c
1212 link path=usr/share/man/man3c/qgconvert.3c target=econvert.3c
1213 link path=usr/share/man/man3c/quadruple_to_decimal.3c \
1214     target=floating_to_decimal.3c
1215 link path=usr/share/man/man3c/rand_r.3c target=rand.3c
1216 link path=usr/share/man/man3c/rctlblk_get_enforced_value.3c \
1217     target=rctlblk_set_value.3c
1218 link path=usr/share/man/man3c/rctlblk_get_firing_time.3c \
1219     target=rctlblk_set_value.3c
1220 link path=usr/share/man/man3c/rctlblk_get_global_action.3c \
1221     target=rctlblk_set_value.3c
1222 link path=usr/share/man/man3c/rctlblk_get_global_flags.3c \
1223     target=rctlblk_set_value.3c
1224 link path=usr/share/man/man3c/rctlblk_get_local_action.3c \
1225     target=rctlblk_set_value.3c
1226 link path=usr/share/man/man3c/rctlblk_get_local_flags.3c \
1227     target=rctlblk_set_value.3c
1228 link path=usr/share/man/man3c/rctlblk_get_privilege.3c \
1229     target=rctlblk_set_value.3c
1230 link path=usr/share/man/man3c/rctlblk_get_recipient_pid.3c \
1231     target=rctlblk_set_value.3c
1232 link path=usr/share/man/man3c/rctlblk_get_value.3c target=rctlblk_set_value.3c
1233 link path=usr/share/man/man3c/rctlblk_set_local_action.3c \
1234     target=rctlblk_set_value.3c
1235 link path=usr/share/man/man3c/rctlblk_set_local_flags.3c \
1236     target=rctlblk_set_value.3c
1237 link path=usr/share/man/man3c/rctlblk_set_privilege.3c \
1238     target=rctlblk_set_value.3c
1239 link path=usr/share/man/man3c/rctlblk_set_recipient_pid.3c \
1240     target=rctlblk_set_value.3c
1241 link path=usr/share/man/man3c/rctlblk_size.3c target=rctlblk_set_value.3c
1242 link path=usr/share/man/man3c/re_exec.3c target=re_comp.3c
1243 link path=usr/share/man/man3c/readdir_r.3c target=readdir.3c
1244 link path=usr/share/man/man3c/realloc.3c target=malloc.3c
1245 link path=usr/share/man/man3c/reallocarray.3c target=malloc.3c
1246 link path=usr/share/man/man3c/reallocarray.3c target=malloc.3c
1247 link path=usr/share/man/man3c/regerror.3c target=regcomp.3c
1248 link path=usr/share/man/man3c/regex.3c target=regcomp.3c
1249 link path=usr/share/man/man3c/regexec.3c target=regcomp.3c

```

```

1250 link path=usr/share/man/man3c/regfree.3c target=regcomp.3c
1251 link path=usr/share/man/man3c/remque.3c target=insque.3c
1252 link path=usr/share/man/man3c/resetmnttab.3c target=getmntent.3c
1253 link path=usr/share/man/man3c/rindex.3c target=index.3c
1254 link path=usr/share/man/man3c/rw_rdlock.3c target=rwlock.3c
1255 link path=usr/share/man/man3c/rw_tryrdlock.3c target=rwlock.3c
1256 link path=usr/share/man/man3c/rw_trywrlock.3c target=rwlock.3c
1257 link path=usr/share/man/man3c/rw_unlock.3c target=rwlock.3c
1258 link path=usr/share/man/man3c/rw_wrlock.3c target=rwlock.3c
1259 link path=usr/share/man/man3c/rwlock_destroy.3c target=rwlock.3c
1260 link path=usr/share/man/man3c/rwlock_init.3c target=rwlock.3c
1261 link path=usr/share/man/man3c/sched_get_priority_min.3c \
1262     target=sched_get_priority_max.3c
1263 link path=usr/share/man/man3c/schedctl_exit.3c target=schedctl_init.3c
1264 link path=usr/share/man/man3c/schedctl_lookup.3c target=schedctl_init.3c
1265 link path=usr/share/man/man3c/schedctl_start.3c target=schedctl_init.3c
1266 link path=usr/share/man/man3c/schedctl_stop.3c target=schedctl_init.3c
1267 link path=usr/share/man/man3c/seconvert.3c target=econvert.3c
1268 link path=usr/share/man/man3c/seed48.3c target=drand48.3c
1269 link path=usr/share/man/man3c/sem_reltimedwait_np.3c target=sem_timedwait.3c
1270 link path=usr/share/man/man3c/sem_trywait.3c target=sem_wait.3c
1271 link path=usr/share/man/man3c/sema_destroy.3c target=semaphore.3c
1272 link path=usr/share/man/man3c/sema_init.3c target=semaphore.3c
1273 link path=usr/share/man/man3c/sema_post.3c target=semaphore.3c
1274 link path=usr/share/man/man3c/sema_trywait.3c target=semaphore.3c
1275 link path=usr/share/man/man3c/sema_wait.3c target=semaphore.3c
1276 link path=usr/share/man/man3c/setattrat.3c target=fgetat.3c
1277 link path=usr/share/man/man3c/setgrent.3c target=getgnum.3c
1278 link path=usr/share/man/man3c/sethostname.3c target=gethostname.3c
1279 link path=usr/share/man/man3c/setlinebuf.3c target=setbuffer.3c
1280 link path=usr/share/man/man3c/setlogmask.3c target=syslog.3c
1281 link path=usr/share/man/man3c/setnetgrent.3c target=getnetgrent.3c
1282 link path=usr/share/man/man3c/setpriority.3c target=getpriority.3c
1283 link path=usr/share/man/man3c/setprogname.3c target=getprogname.3c
1284 link path=usr/share/man/man3c/setpwent.3c target=getpwnam.3c
1285 link path=usr/share/man/man3c/setsptent.3c target=getspnam.3c
1286 link path=usr/share/man/man3c/setstate.3c target=random.3c
1287 link path=usr/share/man/man3c/settimeofday.3c target=gettimeofday.3c
1288 link path=usr/share/man/man3c/setusershell.3c target=getusershell.3c
1289 link path=usr/share/man/man3c/setutent.3c target=getutent.3c
1290 link path=usr/share/man/man3c/setutxent.3c target=getutxent.3c
1291 link path=usr/share/man/man3c/setvbuf.3c target=setbuf.3c
1292 link path=usr/share/man/man3c/sfconvert.3c target=econvert.3c
1293 link path=usr/share/man/man3c/sgconvert.3c target=econvert.3c
1294 link path=usr/share/man/man3c/sig2str.3c target=str2sig.3c
1295 link path=usr/share/man/man3c/sigaddset.3c target=sigsetops.3c
1296 link path=usr/share/man/man3c/sigdelset.3c target=sigsetops.3c
1297 link path=usr/share/man/man3c/sigemptyset.3c target=sigsetops.3c
1298 link path=usr/share/man/man3c/sigfillset.3c target=sigsetops.3c
1299 link path=usr/share/man/man3c/sighold.3c target=sigal.3c
1300 link path=usr/share/man/man3c/sigignore.3c target=sigal.3c
1301 link path=usr/share/man/man3c/sigismember.3c target=sigsetops.3c
1302 link path=usr/share/man/man3c/siglongjmp.3c target=setjmp.3c
1303 link path=usr/share/man/man3c/sigpause.3c target=sigal.3c
1304 link path=usr/share/man/man3c/sigrelse.3c target=sigal.3c
1305 link path=usr/share/man/man3c/sigset.3c target=sigal.3c
1306 link path=usr/share/man/man3c/sigsetjmp.3c target=setjmp.3c
1307 link path=usr/share/man/man3c/sigtimedwait.3c target=sigwaitinfo.3c
1308 link path=usr/share/man/man3c/single_to_decimal.3c \
1309     target=floating_to_decimal.3c
1310 link path=usr/share/man/man3c/snprintf.3c target=printf.3c
1311 link path=usr/share/man/man3c/sprintf.3c target=printf.3c
1312 link path=usr/share/man/man3c/srand.3c target=rand.3c
1313 link path=usr/share/man/man3c/srand48.3c target=drand48.3c
1314 link path=usr/share/man/man3c/srandom.3c target=random.3c
1315 link path=usr/share/man/man3c/sscanf.3c target=scanf.3c

```

```

1316 link path=usr/share/man/man3c/stderr.3c target=stdio.3c
1317 link path=usr/share/man/man3c/stdin.3c target=stdio.3c
1318 link path=usr/share/man/man3c/stdout.3c target=stdio.3c
1319 link path=usr/share/man/man3c/stpcpy.3c target=string.3c
1320 link path=usr/share/man/man3c/stpncpy.3c target=string.3c
1321 link path=usr/share/man/man3c/strcasecmp.3c target=string.3c
1322 link path=usr/share/man/man3c/strcasecmp_l.3c target=string.3c
1323 link path=usr/share/man/man3c/strcasestr.3c target=string.3c
1324 link path=usr/share/man/man3c/strcasestr_l.3c target=string.3c
1325 link path=usr/share/man/man3c/strcat.3c target=string.3c
1326 link path=usr/share/man/man3c/strchr.3c target=string.3c
1327 link path=usr/share/man/man3c/strchrnul.3c target=string.3c
1328 link path=usr/share/man/man3c/strcmp.3c target=string.3c
1329 link path=usr/share/man/man3c/strcoll_l.3c target=string.3c
1330 link path=usr/share/man/man3c/strcpy.3c target=string.3c
1331 link path=usr/share/man/man3c/strncpy.3c target=string.3c
1332 link path=usr/share/man/man3c/strdup.3c target=string.3c
1333 link path=usr/share/man/man3c/strdupa.3c target=string.3c
1334 link path=usr/share/man/man3c/strerror_l.3c target=string.3c
1335 link path=usr/share/man/man3c/strerror_r.3c target=string.3c
1336 link path=usr/share/man/man3c/strfmon_l.3c target=string.3c
1337 link path=usr/share/man/man3c/strftime_l.3c target=string.3c
1338 link path=usr/share/man/man3c/strlcat.3c target=string.3c
1339 link path=usr/share/man/man3c/strncpy.3c target=string.3c
1340 link path=usr/share/man/man3c/strlen.3c target=string.3c
1341 link path=usr/share/man/man3c/strncasecmp.3c target=string.3c
1342 link path=usr/share/man/man3c/strncasecmp_l.3c target=string.3c
1343 link path=usr/share/man/man3c/strncat.3c target=string.3c
1344 link path=usr/share/man/man3c/strncmp.3c target=string.3c
1345 link path=usr/share/man/man3c/strncpy.3c target=string.3c
1346 link path=usr/share/man/man3c/strndup.3c target=string.3c
1347 link path=usr/share/man/man3c/strndupa.3c target=string.3c
1348 link path=usr/share/man/man3c/strnlen.3c target=string.3c
1349 link path=usr/share/man/man3c/strnstr.3c target=string.3c
1350 link path=usr/share/man/man3c/strpbrk.3c target=string.3c
1351 link path=usr/share/man/man3c/strptime_l.3c target=string.3c
1352 link path=usr/share/man/man3c/strrchr.3c target=string.3c
1353 link path=usr/share/man/man3c/strsep.3c target=string.3c
1354 link path=usr/share/man/man3c/strspn.3c target=string.3c
1355 link path=usr/share/man/man3c/strstr.3c target=string.3c
1356 link path=usr/share/man/man3c/strtof.3c target=string.3c
1357 link path=usr/share/man/man3c/strtok.3c target=string.3c
1358 link path=usr/share/man/man3c/strtok_r.3c target=string.3c
1359 link path=usr/share/man/man3c/strtol.3c target=string.3c
1360 link path=usr/share/man/man3c/strtoll.3c target=string.3c
1361 link path=usr/share/man/man3c/strtoull.3c target=string.3c
1362 link path=usr/share/man/man3c/strtoumax.3c target=string.3c
1363 link path=usr/share/man/man3c/strxfrm_l.3c target=string.3c
1364 link path=usr/share/man/man3c/swapcontext.3c target=string.3c
1365 link path=usr/share/man/man3c/swprintf.3c target=string.3c
1366 link path=usr/share/man/man3c/swscanf.3c target=string.3c
1367 link path=usr/share/man/man3c/tdelete.3c target=string.3c
1368 link path=usr/share/man/man3c/tempnam.3c target=string.3c
1369 link path=usr/share/man/man3c/textdomain.3c target=string.3c
1370 link path=usr/share/man/man3c/tfind.3c target=string.3c
1371 link path=usr/share/man/man3c/thr_continue.3c target=string.3c
1372 link path=usr/share/man/man3c/thr_getspecific.3c target=string.3c
1373 link path=usr/share/man/man3c/thr_keycreate_once.3c target=string.3c
1374 link path=usr/share/man/man3c/thr_setconcurrency.3c \
1375 target=string.3c
1376 link path=usr/share/man/man3c/thr_setname.3c \
1377 target=string.3c
1378 link path=usr/share/man/man3c/thr_setprio.3c target=string.3c
1379 link path=usr/share/man/man3c/thr_setspecific.3c target=string.3c
1380 link path=usr/share/man/man3c/thrd_sleep.3c target=string.3c
1381 link path=usr/share/man/man3c/timegm.3c target=string.3c

```

```

1382 link path=usr/share/man/man3c/timer_getoverrun.3c target=string.3c
1383 link path=usr/share/man/man3c/timer_gettime.3c target=string.3c
1384 link path=usr/share/man/man3c/timerclear.3c target=string.3c
1385 link path=usr/share/man/man3c/timercmp.3c target=string.3c
1386 link path=usr/share/man/man3c/timerfd_gettime.3c target=string.3c
1387 link path=usr/share/man/man3c/timerfd_settime.3c target=string.3c
1388 link path=usr/share/man/man3c/timerisset.3c target=string.3c
1389 link path=usr/share/man/man3c/timersub.3c target=string.3c
1390 link path=usr/share/man/man3c/tmpnam_r.3c target=string.3c
1391 link path=usr/share/man/man3c/tolower_l.3c target=string.3c
1392 link path=usr/share/man/man3c/toupper_l.3c target=string.3c
1393 link path=usr/share/man/man3c/towctrans.3c target=string.3c
1394 link path=usr/share/man/man3c/towctrans_l.3c target=string.3c
1395 link path=usr/share/man/man3c/towlower_l.3c target=string.3c
1396 link path=usr/share/man/man3c/toupper_l.3c target=string.3c
1397 link path=usr/share/man/man3c/tss_create.3c target=string.3c
1398 link path=usr/share/man/man3c/tss_delete.3c target=string.3c
1399 link path=usr/share/man/man3c/tss_get.3c target=string.3c
1400 link path=usr/share/man/man3c/tss_set.3c target=string.3c
1401 link path=usr/share/man/man3c/ttyname_r.3c target=string.3c
1402 link path=usr/share/man/man3c/twalk.3c target=string.3c
1403 link path=usr/share/man/man3c/tzset.3c target=string.3c
1404 link path=usr/share/man/man3c/uconv_ul6tou8.3c target=string.3c
1405 link path=usr/share/man/man3c/uconv_u32tou16.3c target=string.3c
1406 link path=usr/share/man/man3c/uconv_u32tou8.3c target=string.3c
1407 link path=usr/share/man/man3c/uconv_u8tou16.3c target=string.3c
1408 link path=usr/share/man/man3c/uconv_u8tou32.3c target=string.3c
1409 link path=usr/share/man/man3c/ucred_free.3c target=string.3c
1410 link path=usr/share/man/man3c/ucred_get.3c target=string.3c
1411 link path=usr/share/man/man3c/ucred_geteuid.3c target=string.3c
1412 link path=usr/share/man/man3c/ucred_geteuclid.3c target=string.3c
1413 link path=usr/share/man/man3c/ucred_getgroups.3c target=string.3c
1414 link path=usr/share/man/man3c/ucred_getlabel.3c target=string.3c
1415 link path=usr/share/man/man3c/ucred_getpflags.3c target=string.3c
1416 link path=usr/share/man/man3c/ucred_getpid.3c target=string.3c
1417 link path=usr/share/man/man3c/ucred_getprivset.3c target=string.3c
1418 link path=usr/share/man/man3c/ucred_getprojid.3c target=string.3c
1419 link path=usr/share/man/man3c/ucred_getruid.3c target=string.3c
1420 link path=usr/share/man/man3c/ucred_getruuid.3c target=string.3c
1421 link path=usr/share/man/man3c/ucred_getsgid.3c target=string.3c
1422 link path=usr/share/man/man3c/ucred_getsuid.3c target=string.3c
1423 link path=usr/share/man/man3c/ucred_getzoneid.3c target=string.3c
1424 link path=usr/share/man/man3c/ucred_size.3c target=string.3c
1425 link path=usr/share/man/man3c/ulckpddf.3c target=string.3c
1426 link path=usr/share/man/man3c/ulltostr.3c target=string.3c
1427 link path=usr/share/man/man3c/unordered.3c target=string.3c
1428 link path=usr/share/man/man3c/updwtmp.3c target=string.3c
1429 link path=usr/share/man/man3c/updwtmpx.3c target=string.3c
1430 link path=usr/share/man/man3c/utmpname.3c target=string.3c
1431 link path=usr/share/man/man3c/utmpxname.3c target=string.3c
1432 link path=usr/share/man/man3c/valloc.3c target=string.3c
1433 link path=usr/share/man/man3c/vasprintf.3c target=string.3c
1434 link path=usr/share/man/man3c/verr.3c target=string.3c
1435 link path=usr/share/man/man3c/verrx.3c target=string.3c
1436 link path=usr/share/man/man3c/vfprintf.3c target=string.3c
1437 link path=usr/share/man/man3c/vfscanf.3c target=string.3c
1438 link path=usr/share/man/man3c/vfwscanf.3c target=string.3c
1439 link path=usr/share/man/man3c/vscanf.3c target=string.3c
1440 link path=usr/share/man/man3c/vsnprintf.3c target=string.3c
1441 link path=usr/share/man/man3c/vsprintf.3c target=string.3c
1442 link path=usr/share/man/man3c/vsscanf.3c target=string.3c
1443 link path=usr/share/man/man3c/vswprintf.3c target=string.3c
1444 link path=usr/share/man/man3c/vswscanf.3c target=string.3c
1445 link path=usr/share/man/man3c/vwarn.3c target=string.3c
1446 link path=usr/share/man/man3c/vwarnx.3c target=string.3c
1447 link path=usr/share/man/man3c/vwprintf.3c target=string.3c

```

```

1448 link path=usr/share/man/man3c/vwscanf.3c target=fwscanf.3c
1449 link path=usr/share/man/man3c/wait4.3c target=wait3.3c
1450 link path=usr/share/man/man3c/warn.3c target=err.3c
1451 link path=usr/share/man/man3c/warnx.3c target=err.3c
1452 link path=usr/share/man/man3c/watof.3c target=wcstod.3c
1453 link path=usr/share/man/man3c/watoi.3c target=wcstol.3c
1454 link path=usr/share/man/man3c/watol.3c target=wcstol.3c
1455 link path=usr/share/man/man3c/watoll.3c target=wcstol.3c
1456 link path=usr/share/man/man3c/wcpncpy.3c target=wcpncpy.3c
1457 link path=usr/share/man/man3c/wcrtomb.1.3c target=wcrtomb.3c
1458 link path=usr/share/man/man3c/wcscasecmp.1.3c target=wcscasecmp.3c
1459 link path=usr/share/man/man3c/wcscat.3c target=wcstring.3c
1460 link path=usr/share/man/man3c/wcschr.3c target=wcstring.3c
1461 link path=usr/share/man/man3c/wcscmp.3c target=wcstring.3c
1462 link path=usr/share/man/man3c/wcscoll.1.3c target=wcscoll.3c
1463 link path=usr/share/man/man3c/wcscopy.3c target=wcstring.3c
1464 link path=usr/share/man/man3c/wcscspn.3c target=wcstring.3c
1465 link path=usr/share/man/man3c/wcsetno.3c target=cset.3c
1466 link path=usr/share/man/man3c/wcsncasecmp.3c target=wcscasecmp.3c
1467 link path=usr/share/man/man3c/wcsncasecmp.1.3c target=wcscasecmp.3c
1468 link path=usr/share/man/man3c/wcsncat.3c target=wcstring.3c
1469 link path=usr/share/man/man3c/wcsncmp.3c target=wcstring.3c
1470 link path=usr/share/man/man3c/wcsncpy.3c target=wcstring.3c
1471 link path=usr/share/man/man3c/wcsnlen.3c target=wcslen.3c
1472 link path=usr/share/man/man3c/wcsrtombs.3c target=wcsrtombs.3c
1473 link path=usr/share/man/man3c/wcsrtombs.1.3c target=wcsrtombs.3c
1474 link path=usr/share/man/man3c/wcspbrk.3c target=wcstring.3c
1475 link path=usr/share/man/man3c/wcsrchr.3c target=wcstring.3c
1476 link path=usr/share/man/man3c/wcsrtombs.1.3c target=wcsrtombs.3c
1477 link path=usr/share/man/man3c/wcsspn.3c target=wcstring.3c
1478 link path=usr/share/man/man3c/wcstof.3c target=wcstod.3c
1479 link path=usr/share/man/man3c/wcstok.3c target=wcstring.3c
1480 link path=usr/share/man/man3c/wcstold.3c target=wcstod.3c
1481 link path=usr/share/man/man3c/wcstoll.3c target=wcstol.3c
1482 link path=usr/share/man/man3c/wcstombs.1.3c target=wcstombs.3c
1483 link path=usr/share/man/man3c/wcstoull.3c target=wcstoul.3c
1484 link path=usr/share/man/man3c/wcstoumax.3c target=wcstouimax.3c
1485 link path=usr/share/man/man3c/wcswcs.3c target=wcstring.3c
1486 link path=usr/share/man/man3c/wcswidth.1.3c target=wcswidth.3c
1487 link path=usr/share/man/man3c/wctob.1.3c target=wctob.3c
1488 link path=usr/share/man/man3c/wctomb.1.3c target=wctomb.3c
1489 link path=usr/share/man/man3c/wctrans.1.3c target=wctrans.3c
1490 link path=usr/share/man/man3c/wctype.1.3c target=wctype.3c
1491 link path=usr/share/man/man3c/wcwidth.1.3c target=wcwidth.3c
1492 link path=usr/share/man/man3c/windex.3c target=wcstring.3c
1493 link path=usr/share/man/man3c/wordfree.3c target=wordexp.3c
1494 link path=usr/share/man/man3c/wprintf.3c target=fwprintf.3c
1495 link path=usr/share/man/man3c/wrindex.3c target=wcstring.3c
1496 link path=usr/share/man/man3c/wscanf.3c target=fwscanf.3c
1497 link path=usr/share/man/man3c/wscasecmp.3c target=wstring.3c
1498 link path=usr/share/man/man3c/wscat.3c target=wcstring.3c
1499 link path=usr/share/man/man3c/wchr.3c target=wcstring.3c
1500 link path=usr/share/man/man3c/wscmp.3c target=wcstring.3c
1501 link path=usr/share/man/man3c/wscoll.3c target=wstring.3c
1502 link path=usr/share/man/man3c/wscoll.1.3c target=wcscoll.3c
1503 link path=usr/share/man/man3c/wscopy.3c target=wcstring.3c
1504 link path=usr/share/man/man3c/wcspn.3c target=wcstring.3c
1505 link path=usr/share/man/man3c/wsdup.3c target=wstring.3c
1506 link path=usr/share/man/man3c/wslen.3c target=wcstring.3c
1507 link path=usr/share/man/man3c/wsncasecmp.3c target=wstring.3c
1508 link path=usr/share/man/man3c/wsnat.3c target=wcstring.3c
1509 link path=usr/share/man/man3c/wsnamp.3c target=wcstring.3c
1510 link path=usr/share/man/man3c/wsnamp.1.3c target=wcstring.3c
1511 link path=usr/share/man/man3c/wspbrk.3c target=wcstring.3c
1512 link path=usr/share/man/man3c/wsrchr.3c target=wcstring.3c
1513 link path=usr/share/man/man3c/wssp.3c target=wcstring.3c

```

```

1514 link path=usr/share/man/man3c/wstod.3c target=wcstod.3c
1515 link path=usr/share/man/man3c/wstok.3c target=wcstring.3c
1516 link path=usr/share/man/man3c/wstol.3c target=wcstol.3c
1517 link path=usr/share/man/man3c/wstokr.3c target=strows.3c
1518 link path=usr/share/man/man3c/wxfrm.3c target=wxfrm.3c

```

new/usr/src/pkg/manifests/system-library.man3devid.inc

1

\*\*\*\*\*  
1490 Tue Aug 20 06:34:40 2019

new/usr/src/pkg/manifests/system-library.man3devid.inc  
11586 NAME field in man pages should match what's installed  
\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 #
16 #
17 file path=usr/share/man/man3devid/devid_get.3devid
18 link path=usr/share/man/man3devid/devid_compare.3devid target=devid_get.3devid
19 link path=usr/share/man/man3devid/devid_deviceid_to_nmlist.3devid \
20   target=devid_get.3devid
21 link path=usr/share/man/man3devid/devid_free.3devid target=devid_get.3devid
22 link path=usr/share/man/man3devid/devid_free_nmlist.3devid \
23   target=devid_get.3devid
24 link path=usr/share/man/man3devid/devid_get_minor_name.3devid \
25   target=devid_get.3devid
26 link path=usr/share/man/man3devid/devid_sizeof.3devid target=devid_get.3devid
27 link path=usr/share/man/man3devid/devid_str_decode.3devid \
28   target=devid_get.3devid
29 link path=usr/share/man/man3devid/devid_str_encode.3devid \
30   target=devid_get.3devid
31 link path=usr/share/man/man3devid/devid_str_free.3devid \
32   target=devid_get.3devid
33 link path=usr/share/man/man3devid/devid_str_from_path.3devid \
34   target=devid_get.3devid
35 link path=usr/share/man/man3devid/devid_valid.3devid target=devid_get.3devid
```

new/usr/src/pkg/manifests/system-library.man3ofmt.inc

1

\*\*\*\*\*

986 Tue Aug 20 06:34:40 2019

new/usr/src/pkg/manifests/system-library.man3ofmt.inc

11586 NAME field in man pages should match what's installed

\*\*\*\*\*

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2017 Nexenta Systems, Inc.
14 #
15 #
16 file path=usr/share/man/man3ofmt/ofmt.3ofmt
17 link path=usr/share/man/man3ofmt/ofmt_close.3ofmt target=ofmt.3ofmt
18 link path=usr/share/man/man3ofmt/ofmt_open.3ofmt target=ofmt.3ofmt
19 link path=usr/share/man/man3ofmt/ofmt_print.3ofmt target=ofmt.3ofmt
20 link path=usr/share/man/man3ofmt/ofmt_print_header.3ofmt target=ofmt.3ofmt
21 link path=usr/share/man/man3ofmt/ofmt_set_fs.3ofmt target=ofmt.3ofmt
22 link path=usr/share/man/man3ofmt/ofmt_strerror.3ofmt target=ofmt.3ofmt
23 link path=usr/share/man/man3ofmt/ofmt_update_winsize.3ofmt target=ofmt.3ofmt
```

new/usr/src/pkg/manifests/system-library.man3proc.inc

1

```
*****
15577 Tue Aug 20 06:34:40 2019
new/usr/src/pkg/manifests/system-library.man3proc.inc
11586 NAME field in man pages should match what's installed
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2018 Joyent, Inc.
14 # Copyright (c) 2019 Carlos Neira <cneirabustos@gmail.com>
15 # Copyright 2019 OmniOS Community Edition (OmniOSce) Association.
16 #
17 #
18 file path=usr/share/man/man3proc/proc_service.3proc
19 file path=usr/share/man/man3proc/ps_lgetregs.3proc
20 file path=usr/share/man/man3proc/ps_pglobal_lookup.3proc
21 file path=usr/share/man/man3proc/ps_pread.3proc
22 file path=usr/share/man/man3proc/ps_pstop.3proc
23 link path=usr/share/man/man3proc/ps_kill.3proc target=ps_pstop.3proc
24 link path=usr/share/man/man3proc/ps_lcontinue.3proc target=ps_pstop.3proc
25 link path=usr/share/man/man3proc/ps_lgetfpregs.3proc target=ps_lgetregs.3proc
26 link path=usr/share/man/man3proc/ps_lgetxregs.3proc target=ps_lgetregs.3proc
27 link path=usr/share/man/man3proc/ps_lgetxregsize.3proc \
28     target=ps_lgetregs.3proc
29 link path=usr/share/man/man3proc/ps_lrolltoaddr.3proc target=ps_pstop.3proc
30 link path=usr/share/man/man3proc/ps_lsetfpregs.3proc target=ps_lgetregs.3proc
31 link path=usr/share/man/man3proc/ps_lsetregs.3proc target=ps_lgetregs.3proc
32 link path=usr/share/man/man3proc/ps_lsetxregs.3proc target=ps_lgetregs.3proc
33 link path=usr/share/man/man3proc/ps_lstop.3proc target=ps_pstop.3proc
34 link path=usr/share/man/man3proc/ps_pcontinue.3proc target=ps_pstop.3proc
35 link path=usr/share/man/man3proc/ps_pread.3proc target=ps_pread.3proc
36 link path=usr/share/man/man3proc/ps_pwrite.3proc target=ps_pread.3proc
37 link path=usr/share/man/man3proc/ps_pglobal_sym.3proc \
38     target=ps_pglobal_lookup.3proc
39 link path=usr/share/man/man3proc/ps_ptread.3proc target=ps_pread.3proc
40 link path=usr/share/man/man3proc/ps_ptwrite.3proc target=ps_pread.3proc
41 link path=usr/share/man/man3proc/ps_pwrite.3proc target=ps_pread.3proc
42 file path=usr/share/man/man3proc/Lctlfd.3proc
43 file path=usr/share/man/man3proc/Lfree.3proc
44 file path=usr/share/man/man3proc/Lgrab_error.3proc
45 file path=usr/share/man/man3proc/Lgrab.3proc
46 file path=usr/share/man/man3proc/Lprochandle.3proc
47 file path=usr/share/man/man3proc/Lpsinfo.3proc
48 file path=usr/share/man/man3proc/Lstate.3proc
49 file path=usr/share/man/man3proc/Lstatus.3proc
50 file path=usr/share/man/man3proc/Paddr_to_ctf.3proc
51 file path=usr/share/man/man3proc/Paddr_to_loadobj.3proc
52 file path=usr/share/man/man3proc/Paddr_to_map.3proc
53 file path=usr/share/man/man3proc/Pasfd.3proc
54 file path=usr/share/man/man3proc/Pclearfault.3proc
55 file path=usr/share/man/man3proc/Pclearsig.3proc
56 file path=usr/share/man/man3proc/Pcontent.3proc
57 file path=usr/share/man/man3proc/Pcreate_agent.3proc
58 file path=usr/share/man/man3proc/Pcreate_error.3proc
59 file path=usr/share/man/man3proc/Pcreate.3proc
60 file path=usr/share/man/man3proc/Pcred.3proc
61 file path=usr/share/man/man3proc/Pctlfd.3proc
```

new/usr/src/pkg/manifests/system-library.man3proc.inc

2

```
62 file path=usr/share/man/man3proc/Pdelbkpt.3proc
63 file path=usr/share/man/man3proc/Pdelwapt.3proc
64 file path=usr/share/man/man3proc/Pdestroy_agent.3proc
65 file path=usr/share/man/man3proc/Penv_iter.3proc
66 file path=usr/share/man/man3proc/Perror_printf.3proc
67 file path=usr/share/man/man3proc/Pexecname.3proc
68 file path=usr/share/man/man3proc/Pfault.3proc
69 file path=usr/share/man/man3proc/Pfdinfo_iter.3proc
70 file path=usr/share/man/man3proc/Pgcore.3proc
71 file path=usr/share/man/man3proc/Pgetareg.3proc
72 file path=usr/share/man/man3proc/Pgetauxval.3proc
73 file path=usr/share/man/man3proc/Pgetauxvec.3proc
74 file path=usr/share/man/man3proc/Pgetenv.3proc
75 file path=usr/share/man/man3proc/Pgrab_core.3proc
76 file path=usr/share/man/man3proc/Pgrab_error.3proc
77 file path=usr/share/man/man3proc/Pgrab_file.3proc
78 file path=usr/share/man/man3proc/Pgrab.3proc
79 file path=usr/share/man/man3proc/Pisprocdir.3proc
80 file path=usr/share/man/man3proc/Pissyscall.3proc
81 file path=usr/share/man/man3proc/Pldt.3proc
82 file path=usr/share/man/man3proc/Plmid.3proc
83 file path=usr/share/man/man3proc/Plookup_by_addr.3proc
84 file path=usr/share/man/man3proc/Plwp_getasrs.3proc
85 file path=usr/share/man/man3proc/Plwp_getgwindows.3proc
86 file path=usr/share/man/man3proc/Plwp_getname.3proc
87 file path=usr/share/man/man3proc/Plwp_getpsinfo.3proc
88 file path=usr/share/man/man3proc/Plwp_getregs.3proc
89 file path=usr/share/man/man3proc/Plwp_getspymaster.3proc
90 file path=usr/share/man/man3proc/Plwp_getxregs.3proc
91 file path=usr/share/man/man3proc/Plwp_iter.3proc
92 file path=usr/share/man/man3proc/Plwp_stack.3proc
93 file path=usr/share/man/man3proc/Pmapping_iter.3proc
94 file path=usr/share/man/man3proc/Pobjname.3proc
95 file path=usr/share/man/man3proc/Pplatform.3proc
96 file path=usr/share/man/man3proc/Ppltdest.3proc
97 file path=usr/share/man/man3proc/Ppriv.3proc
98 file path=usr/share/man/man3proc/Ppsinfo.3proc
99 file path=usr/share/man/man3proc/pr_access.3proc
100 file path=usr/share/man/man3proc/pr_close.3proc
101 file path=usr/share/man/man3proc/pr_creat.3proc
102 file path=usr/share/man/man3proc/pr_door_info.3proc
103 file path=usr/share/man/man3proc/pr_exit.3proc
104 file path=usr/share/man/man3proc/pr_fcntl.3proc
105 file path=usr/share/man/man3proc/pr_fstatvfs.3proc
106 file path=usr/share/man/man3proc/pr_getitimer.3proc
107 file path=usr/share/man/man3proc/pr_getpeername.3proc
108 file path=usr/share/man/man3proc/pr_getpeerucred.3proc
109 file path=usr/share/man/man3proc/pr_getprojid.3proc
110 file path=usr/share/man/man3proc/pr_getrctl.3proc
111 file path=usr/share/man/man3proc/pr_getrlimit.3proc
112 file path=usr/share/man/man3proc/pr_getsockname.3proc
113 file path=usr/share/man/man3proc/pr_getsockopt.3proc
114 file path=usr/share/man/man3proc/pr_gettaskid.3proc
115 file path=usr/share/man/man3proc/pr_getzoneid.3proc
116 file path=usr/share/man/man3proc/pr_ioctl.3proc
117 file path=usr/share/man/man3proc/pr_link.3proc
118 file path=usr/share/man/man3proc/pr_llseek.3proc
119 file path=usr/share/man/man3proc/pr_lseek.3proc
120 file path=usr/share/man/man3proc/pr_mementl.3proc
121 file path=usr/share/man/man3proc/pr_meminfo.3proc
122 file path=usr/share/man/man3proc/pr_mmap.3proc
123 file path=usr/share/man/man3proc/pr_munmap.3proc
124 file path=usr/share/man/man3proc/pr_open.3proc
125 file path=usr/share/man/man3proc/pr_processor_bind.3proc
126 file path=usr/share/man/man3proc/pr_rename.3proc
127 file path=usr/share/man/man3proc/pr_setitimer.3proc
```

```

128 file path=usr/share/man/man3proc/pr_setrctl.3proc
129 file path=usr/share/man/man3proc/pr_setrlimit.3proc
130 file path=usr/share/man/man3proc/pr_settaskid.3proc
131 file path=usr/share/man/man3proc/pr_sigaction.3proc
132 file path=usr/share/man/man3proc/pr_stat.3proc
133 file path=usr/share/man/man3proc/pr_statvfs.3proc
134 file path=usr/share/man/man3proc/pr_unlink.3proc
135 file path=usr/share/man/man3proc/pr_waitid.3proc
136 file path=usr/share/man/man3proc/Prd_agent.3proc
137 file path=usr/share/man/man3proc/Pread.3proc
138 file path=usr/share/man/man3proc/Prelease.3proc
139 file path=usr/share/man/man3proc/Preopen.3proc
140 file path=usr/share/man/man3proc/Preset_maps.3proc
141 file path=usr/share/man/man3proc/proc_arg_grab.3proc
142 file path=usr/share/man/man3proc/proc_arg_psinfo.3proc
143 file path=usr/share/man/man3proc/proc_content2str.3proc
144 file path=usr/share/man/man3proc/proc_fltname.3proc
145 file path=usr/share/man/man3proc/procfltset2str.3proc
146 file path=usr/share/man/man3proc/proc_get_auxv.3proc
147 file path=usr/share/man/man3proc/proc_get_cred.3proc
148 file path=usr/share/man/man3proc/proc_get_priv.3proc
149 file path=usr/share/man/man3proc/proc_get_psinfo.3proc
150 file path=usr/share/man/man3proc/proc_get_status.3proc
151 file path=usr/share/man/man3proc/proc_initstdio.3proc
152 file path=usr/share/man/man3proc/proc_lwp_in_set.3proc
153 file path=usr/share/man/man3proc/proc_str2flt.3proc
154 file path=usr/share/man/man3proc/proc_str2fltset.3proc
155 file path=usr/share/man/man3proc/proc_uncntrl_psinfo.3proc
156 file path=usr/share/man/man3proc/proc_walk.3proc
157 file path=usr/share/man/man3proc/Psecflags.3proc
158 file path=usr/share/man/man3proc/Psetbkpt.3proc
159 file path=usr/share/man/man3proc/Psetcred.3proc
160 file path=usr/share/man/man3proc/Psetfault.3proc
161 file path=usr/share/man/man3proc/Psetflags.3proc
162 file path=usr/share/man/man3proc/Psetpriv.3proc
163 file path=usr/share/man/man3proc/Psetrun.3proc
164 file path=usr/share/man/man3proc/Psetsignal.3proc
165 file path=usr/share/man/man3proc/Psetsysentry.3proc
166 file path=usr/share/man/man3proc/Psetwapt.3proc
167 file path=usr/share/man/man3proc/Psetzoneid.3proc
168 file path=usr/share/man/man3proc/Psignal.3proc
169 file path=usr/share/man/man3proc/Pstack_iter.3proc
170 file path=usr/share/man/man3proc/Pstate.3proc
171 file path=usr/share/man/man3proc/Pstatus.3proc
172 file path=usr/share/man/man3proc/Pstopstatus.3proc
173 file path=usr/share/man/man3proc/Psymbol_iter.3proc
174 file path=usr/share/man/man3proc/Psync.3proc
175 file path=usr/share/man/man3proc/Psysentry.3proc
176 file path=usr/share/man/man3proc/Puname.3proc
177 file path=usr/share/man/man3proc/Pupdate_maps.3proc
178 file path=usr/share/man/man3proc/Pupdate_syms.3proc
179 file path=usr/share/man/man3proc/Pwrite.3proc
180 file path=usr/share/man/man3proc/Pxecbkpt.3proc
181 file path=usr/share/man/man3proc/Pzonenumber.3proc
182 link path=usr/share/man/man3proc/Lalt_stack.3proc target=Plwp_stack.3proc
183 link path=usr/share/man/man3proc/Lclearfault.3proc target=Pclearfault.3proc
184 link path=usr/share/man/man3proc/Lclearsig.3proc target=Pclearsig.3proc
185 link path=usr/share/man/man3proc/Ldstop.3proc target=Pstopstatus.3proc
186 link path=usr/share/man/man3proc/Lgetareg.3proc target=Pgetareg.3proc
187 link path=usr/share/man/man3proc/Lmain_stack.3proc target=Plwp_stack.3proc
188 link path=usr/share/man/man3proc/Lputareg.3proc target=Pgetareg.3proc
189 link path=usr/share/man/man3proc/Lsetrun.3proc target=Psetrun.3proc
190 link path=usr/share/man/man3proc/Lstack.3proc target=Plwp_stack.3proc
191 link path=usr/share/man/man3proc/Lstop.3proc target=Pstopstatus.3proc
192 link path=usr/share/man/man3proc/Lsync.3proc target=Psync.3proc
193 link path=usr/share/man/man3proc/Lwait.3proc target=Pstopstatus.3proc

```

```

194 link path=usr/share/man/man3proc/Lxecbkpt.3proc target=Pxecbkpt.3proc
195 link path=usr/share/man/man3proc/Lxecwapt.3proc target=Pxecbkpt.3proc
196 link path=usr/share/man/man3proc/Addr_to_text_map.3proc target=Addr_to_map.3pr
197 link path=usr/share/man/man3proc/Pcreate_callback.3proc target=Pcreate.3proc
198 link path=usr/share/man/man3proc/Pdstop.3proc target=Pstopstatus.3proc
199 link path=usr/share/man/man3proc/Pfgcore.3proc target=Pgcore.3proc
200 link path=usr/share/man/man3proc/Pfgrab_core.3proc target=Pgrab_core.3proc
201 link path=usr/share/man/man3proc/Pfree.3proc target=Prelease.3proc
202 link path=usr/share/man/man3proc/Pissyscall_prev.3proc target=Pissyscall.3proc
203 link path=usr/share/man/man3proc/Plmid_to_ctf.3proc target=Addr_to_ctf.3proc
204 link path=usr/share/man/man3proc/Plmid_to_loadobj.3proc target=Addr_to_loadobj.
205 link path=usr/share/man/man3proc/Plmid_to_map.3proc target=Addr_to_map.3proc
206 link path=usr/share/man/man3proc/Pllookup_by_name.3proc target=Pllookup_by_addr.3p
207 link path=usr/share/man/man3proc/Plwp_alt_stack.3proc target=Plwp_stack.3proc
208 link path=usr/share/man/man3proc/Plwp_getfpregs.3proc target=Plwp_getregs.3proc
209 link path=usr/share/man/man3proc/Plwp_iter_all.3proc target=Plwp_iter.3proc
210 link path=usr/share/man/man3proc/Plwp_main_stack.3proc target=Plwp_stack.3proc
211 link path=usr/share/man/man3proc/Plwp_setasrs.3proc target=Plwp_getasrs.3proc
212 link path=usr/share/man/man3proc/Plwp_setfpregs.3proc target=Plwp_getregs.3proc
213 link path=usr/share/man/man3proc/Plwp_setregs.3proc target=Plwp_getregs.3proc
214 link path=usr/share/man/man3proc/Plwp_setxregs.3proc target=Plwp_getxregs.3proc
215 link path=usr/share/man/man3proc/Pmapping_iter_resolved.3proc target=Pmapping_it
216 link path=usr/share/man/man3proc/Pname_to_ctf.3proc target=Addr_to_ctf.3proc
217 link path=usr/share/man/man3proc/Pname_to_loadobj.3proc target=Addr_to_loadobj.
218 link path=usr/share/man/man3proc/Pname_to_map.3proc target=Addr_to_map.3proc
219 link path=usr/share/man/man3proc/Pobject_iter_resolved.3proc target=Pmapping_ite
220 link path=usr/share/man/man3proc/Pobject_iter.3proc target=Pmapping_iter.3proc
221 link path=usr/share/man/man3proc/Pobjname_resolved.3proc target=Pobjname.3proc
222 link path=usr/share/man/man3proc/Ppriv_free.3proc target=Ppriv.3proc
223 link path=usr/share/man/man3proc/Pputareg.3proc target=Pgetareg.3proc
224 link path=usr/share/man/man3proc/pr_fstat.3proc target=pr_stat.3proc
225 link path=usr/share/man/man3proc/pr_fstat64.3proc target=pr_stat.3proc
226 link path=usr/share/man/man3proc/pr_getrlimit64.3proc target=pr_getrlimit.3proc
227 link path=usr/share/man/man3proc/pr_lstat.3proc target=pr_stat.3proc
228 link path=usr/share/man/man3proc/pr_lstat64.3proc target=pr_stat.3proc
229 link path=usr/share/man/man3proc/pr_setrlimit64.3proc target=pr_setrlimit.3proc
230 link path=usr/share/man/man3proc/pr_stat64.3proc target=pr_stat.3proc
231 link path=usr/share/man/man3proc/Pread_string.3proc target=Pread.3proc
232 link path=usr/share/man/man3proc/proc_arg_xgrab.3proc target=proc_arg_grab.3proc
233 link path=usr/share/man/man3proc/proc_arg_xpsinfo.3proc target=proc_arg_psinfo.3
234 link path=usr/share/man/man3proc/proc_dmodelname.3proc target=proc_fltname.3proc
235 link path=usr/share/man/man3proc/proc_finistdio.3proc target=proc_initstdio.3pr
236 link path=usr/share/man/man3proc/proc_flushstdio.3proc target=proc_initstdio.3pr
237 link path=usr/share/man/man3proc/proc_free_priv.3proc target=proc_get_priv.3proc
238 link path=usr/share/man/man3proc/proc_get_ldt.3proc target=Pldt.3proc
239 link path=usr/share/man/man3proc/proc_lwp_range_valid.3proc target=proc_lwp_in_s
240 link path=usr/share/man/man3proc/proc_signame.3proc target=proc_fltname.3proc
241 link path=usr/share/man/man3proc/proc_sigset2str.3proc target=procfltset2str.3p
242 link path=usr/share/man/man3proc/proc_str2content.3proc target=proc_content2str.
243 link path=usr/share/man/man3proc/proc_str2sig.3proc target=proc_str2flt.3proc
244 link path=usr/share/man/man3proc/proc_str2sigset.3proc target=proc_str2fltset.3p
245 link path=usr/share/man/man3proc/proc_str2sysv.3proc target=proc_str2flt.3proc
246 link path=usr/share/man/man3proc/proc_str2sysset.3proc target=proc_str2fltset.3p
247 link path=usr/share/man/man3proc/proc_sysname.3proc target=proc_fltname.3proc
248 link path=usr/share/man/man3proc/proc_sysset2str.3proc target=procfltset2str.3p
249 link path=usr/share/man/man3proc/Psecflags_free.3proc target=Psecflags.3proc
250 link path=usr/share/man/man3proc/Psetsysexit.3proc target=Psetsysentry.3proc
251 link path=usr/share/man/man3proc/Pstop.3proc target=Pstopstatus.3proc
252 link path=usr/share/man/man3proc/Psymbol_iter_by_addr.3proc target=Psymbol_iter.
253 link path=usr/share/man/man3proc/Psymbol_iter_by_lmid.3proc target=Psymbol_iter.
254 link path=usr/share/man/man3proc/Psymbol_iter_by_name.3proc target=Psymbol_iter.
255 link path=usr/share/man/man3proc/Psysexit.3proc target=Psysentry.3proc
256 link path=usr/share/man/man3proc/Punsetflags.3proc target=Psetflags.3proc
257 link path=usr/share/man/man3proc/Pwait.3proc target=Pstopstatus.3proc
258 link path=usr/share/man/man3proc/Pxcreate.3proc target=Pcreate.3proc
259 link path=usr/share/man/man3proc/Pxecwapt.3proc target=Pxecbkpt.3proc

```



**new/usr/src/pkg/manifests/system-library.man3proc.inc**

**5**

```
260 link path=usr/share/man/man3proc/Pxlookup_by_addr_resolved.3proc target=Plookup_  
261 link path=usr/share/man/man3proc/Pxlookup_by_addr.3proc target=Plookup_by_addr.3  
262 link path=usr/share/man/man3proc/Pxlookup_by_name.3proc target=Plookup_by_addr.3  
263 link path=usr/share/man/man3proc/Pxsymbol_iter.3proc target=Psymbol_iter.3proc  
264 link path=usr/share/man/man3proc/Pzonepath.3proc target=Pzonename.3proc  
265 link path=usr/share/man/man3proc/Pzoneroot.3proc target=Pzonename.3proc
```