

```

*****
10837 Fri May 26 19:16:38 2017
new/usr/src/cmd/Makefile
8277 EOF filesync
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 1989, 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2016 Joyent, Inc.
25 # Copyright (c) 2012 by Delphix. All rights reserved.
26 # Copyright (c) 2013 DEY Storage Systems, Inc. All rights reserved.
27 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
28 # Copyright 2016 Toomas Soome <tsoome@me.com>
29 # Copyright 2016 Nexenta Systems, Inc.
30 #
31 #
32 include ../Makefile.master
33 #
34 #
35 # Note that the commands 'lp', and 'perl' are first in
36 # the list, violating alphabetical order. This is because they are very
37 # long-running and should be given the most wall-clock time for a
38 # parallel build.
39 #
40 # Commands in the FIRST_SUBDIRS list are built before starting the build
41 # of other commands. Currently this includes only 'isaexec' and
42 # 'platexec'. This is necessary because $(ROOT)/usr/lib/isaexec or
43 # $(ROOT)/usr/lib/platexec must exist when some other commands are built
44 # because their 'make install' creates a hard link to one of them.
45 #
46 # Commands are listed one per line so that TeamWare can auto-merge most
47 # changes.
48 #
49 #
50 FIRST_SUBDIRS= \
51 isaexec \
52 platexec
53 #
54 COMMON_SUBDIRS= \
55 allocate \
56 availdevs \
57 lp \
58 perl \
59 Adm \
60 abi \
61 adbgen \

```

```

62 acct \
63 acctadm \
64 arch \
65 asa \
66 ast \
67 audio \
68 auths \
69 autopush \
70 avs \
71 awk \
72 awk_xpg4 \
73 backup \
74 banner \
75 bart \
76 basename \
77 bc \
78 bdiff \
79 beadm \
80 bnu \
81 boot \
82 busstat \
83 cal \
84 calendar \
85 captainfo \
86 cat \
87 cdrw \
88 cfgadm \
89 checkeq \
90 checknr \
91 chgrp \
92 chmod \
93 chown \
94 chroot \
95 clear \
96 clinfo \
97 cmd-crypto \
98 cmd-inet \
99 col \
100 compress \
101 consadm \
102 coreadm \
103 cpio \
104 cpc \
105 cron \
106 crypt \
107 csh \
108 csplit \
109 ctrun \
110 ctstat \
111 ctwatch \
112 datadm \
113 date \
114 dc \
115 dd \
116 deroff \
117 devfsadm \
118 syseventd \
119 devctl \
120 devinfo \
121 devmgmt \
122 devprop \
123 dfs.cmds \
124 diff \
125 diff3 \
126 diffmk \
127 dircmp \

```

new/usr/src/cmd/Makefile

```

128     dirname      //
129     dis           //
130     diskinfo     //
131     diskmgtd     //
132     dispadmin    //
133     dladm        //
134     dlstat       //
135     dmesg        //
136     dodatadm     //
137     dtrace       //
138     du           //
139     dumpadm      //
140     dumpcs       //
141     echo         //
142     ed           //
143     eeprom       //
144     egrep        //
145     eject        //
146     emul64ioct1 //
147     enhance      //
148     env          //
149     eqn          //
150     expand       //
151     expr         //
152     exstr        //
153     factor       //
154     false        //
155     fcinfo       //
156     fcoesvc     //
157     fdetach      //
158     fdformat     //
159     fdisk        //
160     ficl         //
161     filesync     //
161     fgrep        //
162     file         //
163     find         //
164     flowadm      //
165     flowstat     //
166     fm           //
167     fmt          //
168     fmthard     //
169     fmtmsg       //
170     fold         //
171     format       //
172     fs.d         //
173     fstyp        //
174     fuser        //
175     fwflash      //
176     gcore        //
177     gencat       //
178     geniconvtbl //
179     genmsg       //
180     getconf      //
181     getdevpolicy //
182     getent       //
183     getfacl      //
184     getmajor     //
185     getopt       //
186     gettext      //
187     gettxt       //
188     grep         //
189     grep_xpg4    //
190     groups       //
191     growfs       //
192     grpck        //

```

3

new/usr/src/cmd/Makefile

```

193     gss          //
194     hal          //
195     halt         //
196     head        //
197     hostid      //
198     hostname    //
199     hotplug     //
200     hotplugd    //
201     ibd_upgrade //
202     iconv       //
203     id          //
204     idmap       //
205     infocmp     //
206     init        //
207     initpkg     //
208     install.d   //
209     intrd       //
210     intrstat    //
211     ipcrm       //
212     ipcs        //
213     ipdadm      //
214     ipf         //
215     isainfo     //
216     isalist     //
217     itutools    //
218     iscsiadm    //
219     iscsid      //
220     iscsitsvc  //
221     isns        //
222     itadm       //
223     kbd         //
224     keyserv     //
225     killall     //
226     krb5        //
227     ksh         //
228     kvmstat     //
229     last        //
230     lastcomm    //
231     latencytop  //
232     ldap        //
233     ldapcachemgr //
234     lgrpinfo    //
235     line        //
236     link        //
237     dlmgmt      //
238     listen      //
239     loadkeys    //
240     locale      //
241     localedef   //
242     lockstat    //
243     locator     //
244     lofiadm     //
245     logadm      //
246     logger      //
247     login       //
248     logins      //
249     look        //
250     ls          //
251     luxadm      //
252     mach        //
253     mail        //
254     mailwrapper //
255     mailx       //
256     make        //
257     makekey     //
258     man         //

```

4

new/usr/src/cmd/Makefile

259 mandoc //
260 mdb //
261 mesg //
262 mkdir //
263 mkfifo //
264 mkfile //
265 mkmsgs //
266 mknod //
267 mkpwdict //
268 mktemp //
269 modload //
270 more //
271 mpathadm //
272 msgfmt //
273 msgid //
274 mt //
275 mv //
276 mvdir //
277 ndmpadm //
278 ndmpd //
279 ndmpstat //
280 netadm //
281 netfiles //
282 newform //
283 newgrp //
284 news //
285 newtask //
286 nice //
287 nl //
288 nlsadmin //
289 nohup //
290 nsadmin //
291 nscd //
292 oamuser //
293 oawk //
294 od //
295 pack //
296 pagesize //
297 passgmt //
298 passwd //
299 pathchk //
300 pbind //
301 pcidr //
302 pcitool //
303 pfexec //
304 pfexecd //
305 pginfo //
306 pgstat //
307 pgrep //
308 picl //
309 plimit //
310 policykit //
311 pools //
312 power //
313 powertop //
314 ppgsz //
315 pg //
316 plockstat //
317 pr //
318 prctl //
319 print //
320 printf //
321 priocntl //
322 profiles //
323 projadd //
324 projects //

new/usr/src/cmd/Makefile

325 prstat //
326 prtconf //
327 prtdiag //
328 prtvtoc //
329 ps //
330 psradm //
331 psrinfo //
332 psrset //
333 ptools //
334 pwck //
335 pwconv //
336 pwd //
337 pyzfs //
338 raidctl //
339 ramdiskadm //
340 rcap //
341 rcm_daemon //
342 rctladm //
343 refer //
344 regcmp //
345 renice //
346 rm //
347 rmdir //
348 rmformat //
349 rmmount //
350 rmt //
351 rmvolmgr //
352 roles //
353 rpcbind //
354 rpcgen //
355 rpcinfo //
356 rpcsvc //
357 runat //
358 sa //
359 saf //
360 sasinfo //
361 savecore //
362 sbdadm //
363 script //
364 scsi //
365 sdiff //
366 sdpadm //
367 sed //
368 sendmail //
369 setfacl //
370 setmnt //
371 setpgrp //
372 setuname //
373 sgs //
374 sh //
375 shcomp //
376 sbios //
377 smbsrv //
378 smserverd //
379 soelim //
380 sort //
381 spell //
382 split //
383 sqlite //
384 srchtxt //
385 srptadm //
386 srptsvc //
387 ssh //
388 stat //
389 stmfadm //
390 stmfproxy //

new/usr/src/cmd/Makefile

```

391      stmfsvc      \|
392      stmsboot    \|
393      streams     \|
394      strings     \|
395      su          \|
396      sulogin     \|
397      sunpc      \|
398      svc        \|
399      svr4pkg    \|
400      swap       \|
401      sync       \|
402      sysdef     \|
403      syseventadm \|
404      syslogd    \|
405      tabs       \|
406      tail       \|
407      tar        \|
408      tbl        \|
409      tcopy      \|
410      tcpd       \|
411      th_tools   \|
412      tic        \|
413      time       \|
414      tip        \|
415      tnf        \|
416      touch     \|
417      tput      \|
418      tr         \|
419      trapstat  \|
420      troff     \|
421      true      \|
422      truss     \|
423      tsol      \|
424      tty       \|
425      ttymon   \|
426      tzreload \|
427      uadmin   \|
428      ul       \|
429      uname    \|
430      units    \|
431      unlink   \|
432      unpack   \|
433      userattr \|
434      users    \|
435      utmp_update \|
436      utmpd    \|
437      uuidgen  \|
438      valtools \|
439      vgrind   \|
440      vi       \|
441      volcheck \|
442      volrmmount \|
443      vrrpadm  \|
444      vscan   \|
445      vt      \|
446      w       \|
447      wall    \|
448      which   \|
449      who     \|
450      whodo   \|
451      wracct  \|
452      write   \|
453      xargs   \|
454      xhci    \|
455      xstr    \|
456      yes     \|

```

7

new/usr/src/cmd/Makefile

```

457      ypcmd      \|
458      yppasswd   \|
459      zdb         \|
460      zdump      \|
461      zfs        \|
462      zhack      \|
463      zic        \|
464      zinject    \|
465      zlogin     \|
466      zoneadm    \|
467      zoneadm    \|
468      zonecfg    \|
469      zonename   \|
470      zpool      \|
471      zlook      \|
472      zonestat   \|
473      zstreamdump \|
474      ztest      \|

476      i386_SUBDIRS= \|
477      acpi         \|
478      acpihp      \|
479      addbadsec   \|
480      biosdev     \|
481      diskscan    \|
482      rtc         \|
483      ucodeadm    \|
484      xvm         \|

486      sparc_SUBDIRS= \|
487      cvcd        \|
488      dcs         \|
489      device_remap \|
490      drd         \|
491      fruadm      \|
492      ldmd        \|
493      oplhpd     \|
494      prtldscp   \|
495      prtfru     \|
496      scadm      \|
497      sckmd      \|
498      sf880drd   \|
499      virtinfo    \|
500      vntsd      \|

502 #
503 # Commands that are messaged. Note that 'lp' comes first
504 # (see previous comment about 'lp'.)
505 #
506      MSGSUBDIRS= \|
507      lp          \|
508      abi         \|
509      acctadm     \|
510      allocate    \|
511      asa         \|
512      audio       \|
513      audit       \|
514      auditconfig \|
515      auditd      \|
516      auditrecord \|
517      auditset    \|
518      auths       \|
519      autopush    \|
520      avs         \|
521      awk         \|
522      awk_xpg4    \|

```

8

new/usr/src/cmd/Makefile

```

523 backup //
524 banner //
525 bart //
526 basename //
527 beadm //
528 bnu //
529 busstat //
530 cal //
531 cat //
532 cdrw //
533 cfgadm //
534 checkeg //
535 checknr //
536 chgrp //
537 chmod //
538 chown //
539 cmd-crypto //
540 cmd-inet //
541 col //
542 compress //
543 consadm //
544 coreadm //
545 cpio //
546 cpc //
547 cron //
548 csh //
549 csplit //
550 ctrun //
551 ctstat //
552 ctwatch //
553 datadm //
554 date //
555 dc //
556 dcs //
557 dd //
558 deroff //
559 devfsadm //
560 dfs.cmds //
561 diff //
562 diffmk //
563 dladm //
564 dlstat //
565 du //
566 dumpcs //
567 ed //
568 eject //
569 env //
570 eqn //
571 expand //
572 expr //
573 fcinfo //
574 fgrep //
575 file //
577 filesync //
576 find //
577 flowadm //
578 flowstat //
579 fm //
580 fold //
581 fs.d //
582 fwflash //
583 geniconvtbl //
584 genmsg //
585 getconf //
586 getent //
587 gettext //

```

9

new/usr/src/cmd/Makefile

```

588 gettxt //
589 grep //
590 grep_xpg4 //
591 grpck //
592 gss //
593 halt //
594 head //
595 hostname //
596 hotplug //
597 iconv //
598 id //
599 idmap //
600 isaexec //
601 iscsiadm //
602 iscsid //
603 isns //
604 itadm //
605 kbd //
606 krb5 //
607 ksh //
608 last //
609 ldap //
610 ldapcachemgr //
611 lgrpinfo //
612 locale //
613 lofiadm //
614 logadm //
615 logger //
616 logins //
617 ls //
618 luxadm //
619 mailx //
620 make //
621 man //
622 msg //
623 mkdir //
624 mkpwdict //
625 mktemp //
626 more //
627 mpathadm //
628 msgfmt //
629 mv //
630 ndmpadm //
631 ndmpstat //
632 newgrp //
633 newtask //
634 nice //
635 nohup //
636 oawk //
637 pack //
638 passwd //
639 passmgmt //
640 pathchk //
641 pfexec //
642 pg //
643 pgrep //
644 picl //
645 pools //
646 power //
647 pr //
648 praudit //
649 print //
650 profiles //
651 projadd //
652 projects //
653 prstat //

```

10

```

654      prtdiag      \
655      ps           \
656      psrinfo     \
657      ptools      \
658      pwconv       \
659      pwd          \
660      pyzfs        \
661      raidctl      \
662      ramdiskadm   \
663      rcap         \
664      rcm_daemon   \
665      refer        \
666      regcmp       \
667      renice       \
668      roles        \
669      rm           \
670      rmdir        \
671      rmformat     \
672      rmmount      \
673      rmvolmgr     \
674      sasinfo      \
675      sbdadm       \
676      scadm        \
677      script       \
678      scsi         \
679      sdiff        \
680      sdpadm       \
681      sgs          \
682      sh           \
683      shcomp       \
684      smbstrv      \
685      sort         \
686      split        \
687      srptadm      \
688      stat         \
689      stmfadm      \
690      stmsboot     \
691      strings      \
692      su           \
693      svc          \
694      svr4pkg      \
695      swap         \
696      syseventadm  \
697      syseventd    \
698      tabs         \
699      tar          \
700      tbl          \
701      time         \
702      tnf          \
703      touch        \
704      tput         \
705      troff        \
706      tsol         \
707      tty          \
708      ttymon       \
709      tzreload     \
710      ul           \
711      uname        \
712      units        \
713      unlink       \
714      unpack       \
715      userattr     \
716      valtools     \
717      vgrind       \
718      vi           \
719      volcheck     \

```

```

720      volrmmount  \
721      vrrpadm     \
722      vsca        \
723      w           \
724      who         \
725      whodo       \
726      wracct      \
727      write       \
728      xargs       \
729      yppasswd    \
730      zdump       \
731      zfs         \
732      zic         \
733      zlogin      \
734      zoneadm     \
735      zoneadmd    \
736      zonecfg     \
737      zonename    \
738      zpool       \
739      zonestat    \

741      sparc_MSGSUBDIRS= \
742      fruadm       \
743      prtdscp     \
744      prtfru      \
745      virtinfo    \
746      vntsd       \

748      i386_MSGSUBDIRS= \
749      ucodeadm    \

751 #
752 # commands that use dcgettext for localized time, LC_TIME
753 #
754      DCSUBDIRS= \
755      cal          \
756      cfgadm      \
757      diff        \
758      ls          \
759      pr          \
760      ps          \
761      tar         \
762      w           \
763      who         \
764      whodo       \
765      write       \

767 #
768 # commands that belong only to audit.
769 #
770      AUDITSUBDIRS= \
771      amt         \
772      audit       \
773      audit_warn  \
774      auditconfig \
775      auditd      \
776      auditrecord \
777      auditreduce \
778      auditset    \
779      auditstat   \
780      praudit     \

782 #
783 # commands not owned by the systems group
784 #
785      BWOSDIRS=

```

```
788 all :=          TARGET = all
789 install :=      TARGET = install
790 clean :=        TARGET = clean
791 clobber :=      TARGET = clobber
792 lint :=         TARGET = lint
793 _msg :=         TARGET = _msg
794 _dc :=          TARGET = _dc

796 .KEEP_STATE:

798 SUBDIRS = $(COMMON_SUBDIRS) $($ (MACH)_SUBDIRS)

800 .PARALLEL:      $(BWOSDIRS) $(SUBDIRS) $(MSGSUBDIRS) $(AUDITSUBDIRS)

802 all install clean clobber lint: $(FIRST_SUBDIRS) .WAIT $(SUBDIRS) \
803     $(AUDITSUBDIRS)

805 #
806 # Manifests cannot be checked in parallel, because we are using
807 # the global repository that is in $(SRC)/cmd/svc/seed/global.db.
808 # For this reason, to avoid .PARALLEL and .NO_PARALLEL conflicts,
809 # we spawn off a sub-make to perform the non-parallel 'make check'
810 #
811 check:
812     $(MAKE) -f Makefile.check check

814 #
815 # The .WAIT directive works around an apparent bug in parallel make.
816 # Evidently make was getting the target _msg vs. _dc confused under
817 # some level of parallelization, causing some of the _dc objects
818 # not to be built.
819 #
820 _msg: $(MSGSUBDIRS) $($ (MACH)_MSGSUBDIRS) .WAIT _dc

822 _dc: $(DCSUBDIRS)

824 #
825 # Dependencies
826 #
827 fs.d:    fstyp
828 ksh:     shcomp isaexec
829 print:  lp
830 fmt:    mailx

832 $(FIRST_SUBDIRS) $(BWOSDIRS) $(SUBDIRS) $(AUDITSUBDIRS): FRC
833     @if [ -f $@/Makefile ]; then \
834         cd $@; pwd; $(MAKE) $(TARGET); \
835     else \
836         true; \
837     fi

839 FRC:
```

```

*****
12437 Fri May 26 19:16:46 2017
new/usr/src/man/man1/Makefile
8277 EOF filesync
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015 Nexenta Systems, Inc. All rights reserved.
15 # Copyright 2014 Garrett D'Amore <garrett@damore.org>
16 #
17 #
18 include      $(SRC)/Makefile.master
19 #
20 MANSECT=     1
21 #
22 MANFILES=    acctcom.1      \|
23              adb.1         \|
24              addbib.1       \|
25              alias.1        \|
26              allocate.1     \|
27              amt.1          \|
28              appcert.1      \|
29              apptrace.1     \|
30              apropos.1      \|
31              ar.1           \|
32              arch.1         \|
33              asa.1          \|
34              at.1           \|
35              atq.1          \|
36              atrm.1         \|
37              audioconvert.1 \|
38              audiocvt.1     \|
39              audioplay.1    \|
40              audiorecord.1  \|
41              audiotest.1    \|
42              auths.1        \|
43              awk.1          \|
44              banner.1       \|
45              basename.1     \|
46              bc.1           \|
47              bdiff.1        \|
48              break.1        \|
49              builtin.1      \|
50              cal.1          \|
51              calendar.1     \|
52              cancel.1       \|
53              cat.1          \|
54              cd.1           \|
55              cdrw.1         \|
56              checknr.1      \|
57              chgrp.1        \|
58              chkey.1        \|
59              chmod.1        \|
60              chown.1        \|
61              ckdate.1       \|

```

```

62              ckgid.1        \|
63              ckint.1        \|
64              ckitem.1       \|
65              ckkeywd.1     \|
66              ckpath.1      \|
67              ckrange.1     \|
68              ckstr.1        \|
69              cksum.1        \|
70              cktime.1       \|
71              ckuid.1        \|
72              ckyorn.1       \|
73              clear.1        \|
74              cmp.1          \|
75              col.1          \|
76              comm.1         \|
77              command.1     \|
78              compress.1    \|
79              cp.1           \|
80              cpio.1         \|
81              cputrack.1    \|
82              crle.1         \|
83              crontab.1     \|
84              crypt.1        \|
85              csh.1          \|
86              csplit.1       \|
87              ctags.1        \|
88              ctrun.1        \|
89              ctstat.1       \|
90              ctwatch.1     \|
91              cut.1          \|
92              date.1         \|
93              dc.1           \|
94              deallocate.1   \|
95              deroff.1       \|
96              dhcpinfo.1    \|
97              diff.1         \|
98              diff3.1        \|
99              diffmk.1       \|
100             digest.1       \|
101             dircmp.1        \|
102             dis.1           \|
103             disown.1        \|
104             dispgid.1       \|
105             dispuid.1      \|
106             dos2unix.1     \|
107             download.1     \|
108             dpost.1        \|
109             du.1            \|
110             dump.1         \|
111             dumpcs.1        \|
112             echo.1         \|
113             ed.1           \|
114             egrep.1         \|
115             eject.1         \|
116             elfdump.1       \|
117             elfedit.1       \|
118             elfsign.1       \|
119             elfwrap.1       \|
120             enable.1        \|
121             encrypt.1       \|
122             enhance.1      \|
123             env.1           \|
124             eqn.1           \|
125             exec.1          \|
126             exit.1          \|
127             expand.1        \|

```



```

128      expr.1
129      exstr.1
130      factor.1
131      fdformat.1
132      fgrep.1
133      file.1
134      filesync.1
134      find.1
135      finger.1
136      fmt.1
137      fntmsg.1
138      fold.1
139      ftp.1
140      gcore.1
141      gencat.1
142      genmsg.1
143      getconf.1
144      getfacl.1
145      getlabel.1
146      getopt.1
147      getoptcv.1
148      getopts.1
149      gettext.1
150      gettxt.1
151      getzonepath.1
152      glob.1
153      gprof.1
154      grep.1
155      groups.1
156      hash.1
157      head.1
158      history.1
159      hostid.1
160      hostname.1
161      iconv.1
162      idxbib.1
163      Intro.1
164      ipcrm.1
165      ipcs.1
166      isainfo.1
167      isalist.1
168      jobs.1
169      join.1
170      kbd.1
171      kdestroy.1
172      keylogin.1
173      keylogout.1
174      kill.1
175      kinit.1
176      klist.1
177      kmdb.1
178      kmfcfg.1
179      kpasswd.1
180      krb5-config.1
181      ksh93.1
182      ktutil.1
183      kvmstat.1
184      lari.1
185      last.1
186      lastcomm.1
187      ld.1
188      ldap.1
189      ldapdelete.1
190      ldaplist.1
191      ldapmodify.1
192      ldapmodr.1

```

```

193      ldapsearch.1
194      ldd.1
195      ld.so.1.1
196      let.1
197      lex.1
198      lgrpinfo.1
199      limit.1
200      line.1
201      list_devices.1
202      listusers.1
203      ln.1
204      loadkeys.1
205      locale.1
206      localedef.1
207      logger.1
208      login.1
209      logname.1
210      logout.1
211      look.1
212      lookbib.1
213      lorder.1
214      lp.1
215      lpstat.1
216      ls.1
217      m4.1
218      mac.1
219      mach.1
220      madv.so.1.1
221      mail.1
222      mailcompat.1
223      mailstats.1
224      mailx.1
225      make.1
226      makekey.1
227      man.1
228      mandoc.1
229      mconnect.1
230      mcs.1
231      mdb.1
232      msg.1
233      mkdir.1
234      mkmsgs.1
235      mktemp.1
236      moe.1
237      more.1
238      mpss.so.1.1
239      msgcc.1
240      msgcpp.1
241      msgcvt.1
242      msgfmt.1
243      msggen.1
244      msgget.1
245      mt.1
246      mv.1
247      nawk.1
248      nc.1
249      nca.1
250      ncab2clf.1
251      ncakmod.1
252      newform.1
253      newgrp.1
254      news.1
255      newtask.1
256      nice.1
257      nl.1
258      nm.1

```

```

259      nohup.1
260      nroff.1
261      od.1
262      optisa.1
263      pack.1
264      pagesize.1
265      pargs.1
266      passwd.1
267      paste.1
268      pathchk.1
269      pax.1
270      pfexec.1
271      pg.1
272      pgrep.1
273      pkginfo.1
274      pkgmk.1
275      pkgparam.1
276      pkgproto.1
277      pkgtrans.1
278      pktool.1
279      plabel.1
280      plgrp.1
281      plimit.1
282      pmadvise.1
283      pmap.1
284      postio.1
285      postprint.1
286      postreverse.1
287      ppgsz.1
288      ppriv.1
289      pr.1
290      praliases.1
291      prctl.1
292      preap.1
293      prex.1
294      print.1
295      printf.1
296      priocntl.1
297      proc.1
298      prof.1
299      profiles.1
300      projects.1
301      ps.1
302      psecflags.1
303      ptree.1
304      pvs.1
305      pwd.1
306      ranlib.1
307      rcapstat.1
308      rcp.1
309      rdist.1
310      read.1
311      readonly.1
312      refer.1
313      regcmp.1
314      renice.1
315      rev.1
316      rlogin.1
317      rm.1
318      rmformat.1
319      rmmount.1
320      roffbib.1
321      roles.1
322      rpcgen.1
323      rsh.1
324      runat.1

```

```

325      sar.1
326      script.1
327      sdiff.1
328      sed.1
329      sendmail-mailq.1
330      set.1
331      setfacl.1
332      setlabel.1
333      setpgrp.1
334      shcomp.1
335      shell_builtins.1
336      shift.1
337      size.1
338      sleep.1
339      smbutil.1
340      soelim.1
341      sort.1
342      sortbib.1
343      sotruss.1
344      spell.1
345      split.1
346      srchtxt.1
347      strchg.1
348      strings.1
349      strip.1
350      stty.1
351      sum.1
352      suspend.1
353      svcprop.1
354      svcs.1
355      symorder.1
356      sysV-make.1
357      sys-suspend.1
358      tabs.1
359      tail.1
360      talk.1
361      tar.1
362      tbl.1
363      tcopy.1
364      tee.1
365      telnet.1
366      test.1
367      tftp.1
368      time.1
369      times.1
370      timex.1
371      tip.1
372      tnfdump.1
373      tnfxtract.1
374      touch.1
375      tput.1
376      tr.1
377      trap.1
378      troff.1
379      true.1
380      truss.1
381      tsort.1
382      tty.1
383      type.1
384      typeset.1
385      ul.1
386      umask.1
387      uname.1
388      unifdef.1
389      uniq.1
390      units.1

```

```

391         unix2dos.1      \|
392         uptime.1       \|
393         uuidgen.1      \|
394         vacation.1    \|
395         vgrind.1       \|
396         volcheck.1    \|
397         volrmmount.1  \|
398         w.1            \|
399         wait.1         \|
400         wc.1           \|
401         which.1        \|
402         who.1          \|
403         whocalls.1    \|
404         whois.1        \|
405         write.1        \|
406         xargs.1        \|
407         xgettext.1    \|
408         xstr.1         \|
409         yacc.1         \|
410         yes.1          \|
411         ypcat.1        \|
412         ypmatch.1     \|
413         yppasswd.1    \|
414         ypwhich.1     \|
415         zlogin.1      \|
416         zonename.1   \|

418 MANLINKS= batch.1 \|
419             bg.1     \|
420             case.1  \|
421             chdir.1 \|
422             checkeg.1 \|
423             continue.1 \|
424             decrypt.1 \|
425             dirname.1 \|
426             dirs.1   \|
427             disable.1 \|
428             dmake.1  \|
429             dumpkeys.1 \|
430             edit.1   \|
431             errange.1 \|
432             errdate.1 \|
433             errgid.1 \|
434             errint.1 \|
435             erritem.1 \|
436             errpath.1 \|
437             errstr.1 \|
438             errtime.1 \|
439             erruid.1 \|
440             erryorn.1 \|
441             eval.1   \|
442             export.1 \|
443             false.1 \|
444             fc.1     \|
445             fg.1     \|
446             for.1    \|
447             foreach.1 \|
448             function.1 \|
449             goto.1   \|
450             hashcheck.1 \|
451             hashmake.1 \|
452             hashstat.1 \|
453             helpdate.1 \|
454             helpgid.1 \|
455             helpint.1 \|
456             helpitem.1 \|

```

```

457         helppath.1    \|
458         helprange.1   \|
459         helpstr.1     \|
460         helptime.1    \|
461         helpuid.1     \|
462         helpyorn.1    \|
463         hist.1        \|
464         if.1          \|
465         intro.1       \|
466         jsh.1         \|
467         ksh.1         \|
468         ldapadd.1     \|
469         mailq.1       \|
470         negn.1        \|
471         notify.1     \|
472         onintr.1     \|
473         page.1        \|
474         pcat.1        \|
475         pcred.1       \|
476         pfcsh.1       \|
477         pfiles.1      \|
478         pfksh.1       \|
479         pflags.1      \|
480         pfsn.1        \|
481         pkill.1       \|
482         pldd.1        \|
483         popd.1        \|
484         prun.1        \|
485         psig.1        \|
486         pstack.1     \|
487         pstop.1      \|
488         ptime.1      \|
489         pushd.1      \|
490         pwait.1      \|
491         pwdx.1       \|
492         red.1        \|
493         rehash.1     \|
494         remote_shell.1 \|
495         remsh.1      \|
496         repeat.1     \|
497         return.1     \|
498         rksh.1       \|
499         rksh93.1     \|
500         rmail.1      \|
501         rmdir.1      \|
502         rmumount.1  \|
503         select.1     \|
504         setenv.1     \|
505         settime.1    \|
506         sh.1         \|
507         snca.1       \|
508         source.1     \|
509         spellin.1    \|
510         stop.1       \|
511         strconf.1    \|
512         switch.1     \|
513         ulimit.1     \|
514         unalias.1    \|
515         uncompress.1 \|
516         unexpand.1   \|
517         unhash.1     \|
518         unlimit.1    \|
519         unpack.1     \|
520         unset.1      \|
521         unsetenv.1   \|
522         until.1      \|

```

```

523          valdate.1      \|
524          valgid.1       \|
525          valint.1       \|
526          valpath.1     \|
527          valrange.1    \|
528          valstr.1      \|
529          valtime.1     \|
530          valuid.1      \|
531          valyorn.1     \|
532          vedit.1       \|
533          whatis.1      \|
534          whence.1     \|
535          while.1       \|
536          zcat.1

538 intro.1      := LINKSRC = Intro.1

540 whatis.1     := LINKSRC = apropos.1

542 unalias.1    := LINKSRC = alias.1

544 batch.1     := LINKSRC = at.1

546 dirname.1   := LINKSRC = basename.1

548 continue.1  := LINKSRC = break.1

550 chdir.1     := LINKSRC = cd.1
551 dirs.1      := LINKSRC = cd.1
552 popd.1      := LINKSRC = cd.1
553 pushd.1     := LINKSRC = cd.1

555 errdate.1   := LINKSRC = ckdate.1
556 helpdate.1 := LINKSRC = ckdate.1
557 valdate.1   := LINKSRC = ckdate.1

559 errgid.1    := LINKSRC = ckgid.1
560 helpgid.1   := LINKSRC = ckgid.1
561 valgid.1    := LINKSRC = ckgid.1

563 errint.1    := LINKSRC = ckint.1
564 helpint.1   := LINKSRC = ckint.1
565 valint.1    := LINKSRC = ckint.1

567 erritem.1   := LINKSRC = ckitem.1
568 helpitem.1  := LINKSRC = ckitem.1

570 errpath.1   := LINKSRC = ckpath.1
571 helppath.1  := LINKSRC = ckpath.1
572 valpath.1   := LINKSRC = ckpath.1

574 errrange.1 := LINKSRC = ckrange.1
575 helprange.1 := LINKSRC = ckrange.1
576 valrange.1 := LINKSRC = ckrange.1

578 errstr.1    := LINKSRC = ckstr.1
579 helpstr.1   := LINKSRC = ckstr.1
580 valstr.1    := LINKSRC = ckstr.1

582 errtime.1   := LINKSRC = cktime.1
583 helptime.1  := LINKSRC = cktime.1
584 valtime.1   := LINKSRC = cktime.1

586 erruid.1    := LINKSRC = ckuid.1
587 helpuid.1   := LINKSRC = ckuid.1
588 valuid.1    := LINKSRC = ckuid.1

```

```

590 erryorn.1   := LINKSRC = ckyorn.1
591 helpyorn.1  := LINKSRC = ckyorn.1
592 valyorn.1   := LINKSRC = ckyorn.1

594 uncompress.1 := LINKSRC = compress.1
595 zcat.1      := LINKSRC = compress.1

597 red.1      := LINKSRC = ed.1

599 disable.1  := LINKSRC = enable.1

601 decrypt.1  := LINKSRC = encrypt.1

603 dmake.1    := LINKSRC = make.1

605 checkeq.1  := LINKSRC = eqn.1
606 neqn.1     := LINKSRC = eqn.1

608 eval.1     := LINKSRC = exec.1
609 source.1   := LINKSRC = exec.1

611 goto.1     := LINKSRC = exit.1
612 return.1   := LINKSRC = exit.1

614 unexpand.1 := LINKSRC = expand.1

616 hashstat.1 := LINKSRC = hash.1
617 rehash.1   := LINKSRC = hash.1
618 unhash.1   := LINKSRC = hash.1

620 fc.1       := LINKSRC = history.1
621 hist.1     := LINKSRC = history.1

623 bg.1       := LINKSRC = jobs.1
624 fg.1       := LINKSRC = jobs.1
625 notify.1   := LINKSRC = jobs.1
626 stop.1     := LINKSRC = jobs.1

628 jsh.1      := LINKSRC = ksh93.1
629 ksh.1      := LINKSRC = ksh93.1
630 rksh.1     := LINKSRC = ksh93.1
631 rksh93.1   := LINKSRC = ksh93.1
632 sh.1       := LINKSRC = ksh93.1

634 ldapadd.1 := LINKSRC = ldapmodify.1

636 mailq.1    := LINKSRC = sendmail-mailq.1

638 ulimit.1   := LINKSRC = limit.1
639 unlimit.1  := LINKSRC = limit.1

641 dumpkeys.1 := LINKSRC = loadkeys.1

643 rmail.1    := LINKSRC = mail.1

645 page.1     := LINKSRC = more.1

647 snca.1     := LINKSRC = nca.1

649 pcat.1     := LINKSRC = pack.1
650 unpack.1   := LINKSRC = pack.1

652 pfcsh.1    := LINKSRC = pfexec.1
653 pfksh.1    := LINKSRC = pfexec.1
654 pfsh.1     := LINKSRC = pfexec.1

```

```
656 pkill.1      := LINKSRC = pgrep.1

658 pcred.1      := LINKSRC = proc.1
659 pfiles.1     := LINKSRC = proc.1
660 pflags.1     := LINKSRC = proc.1
661 pldd.1       := LINKSRC = proc.1
662 prun.1       := LINKSRC = proc.1
663 psig.1       := LINKSRC = proc.1
664 pstack.1     := LINKSRC = proc.1
665 pstop.1      := LINKSRC = proc.1
666 ptime.1     := LINKSRC = proc.1
667 pwait.1     := LINKSRC = proc.1
668 pwdx.1       := LINKSRC = proc.1

670 rmdir.1      := LINKSRC = rm.1

672 rmumount.1   := LINKSRC = rmmount.1

674 remote_shell.1 := LINKSRC = rsh.1
675 remsh.1     := LINKSRC = rsh.1

677 export.1     := LINKSRC = set.1
678 setenv.1     := LINKSRC = set.1
679 unset.1     := LINKSRC = set.1
680 unsetenv.1   := LINKSRC = set.1

682 case.1       := LINKSRC = shell_builtins.1
683 for.1         := LINKSRC = shell_builtins.1
684 foreach.1    := LINKSRC = shell_builtins.1
685 function.1   := LINKSRC = shell_builtins.1
686 if.1         := LINKSRC = shell_builtins.1
687 repeat.1     := LINKSRC = shell_builtins.1
688 select.1     := LINKSRC = shell_builtins.1
689 switch.1     := LINKSRC = shell_builtins.1
690 until.1      := LINKSRC = shell_builtins.1
691 while.1      := LINKSRC = shell_builtins.1

693 hashcheck.1  := LINKSRC = spell.1
694 hashmake.1   := LINKSRC = spell.1
695 spellin.1    := LINKSRC = spell.1

698 strconf.1   := LINKSRC = strchg.1

700 settime.1    := LINKSRC = touch.1

702 onintr.1    := LINKSRC = trap.1

704 false.1     := LINKSRC = true.1

706 whence.1    := LINKSRC = typeset.1

708 # Links to usr/has/man
710 edit.1      := LINKSRC = ../../../has/man/man1has/edit.1has
712 vedit.1     := LINKSRC = ../../../has/man/man1has/vi.1has
714 .KEEP_STATE:
716 include     $(SRC)/man/Makefile.man
718 install:    $(ROOTMANFILES) $(ROOTMANLINKS)
```

```

*****
5561 Fri May 26 19:16:47 2017
new/usr/src/man/man4/Makefile
8277 EOF filesync
*****
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
10 #
11 #
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2015, Joyent, Inc.
15 # Copyright 2016 Nexenta Systems, Inc.
16 #
17 #
18 include $(SRC)/Makefile.master
19 #
20 MANSECT= 4
21 #
22 _MANFILES= Intro.4 \
23 NISLDAPmapping.4 \
24 a.out.4 \
25 admin.4 \
26 alias.4 \
27 aliases.4 \
28 au.4 \
29 audit.log.4 \
30 audit_class.4 \
31 audit_event.4 \
32 auth_attr.4 \
33 autofs.4 \
34 bart_manifest.4 \
35 bart_rules.4 \
36 bootparams.4 \
37 cardbus.4 \
38 compver.4 \
39 contents.4 \
40 contract.4 \
41 copyright.4 \
42 core.4 \
43 crypt.conf.4 \
44 crypto_certs.4 \
45 ctf.4 \
46 d_passwd.4 \
47 dacf.conf.4 \
48 dat.conf.4 \
49 default_fs.4 \
50 defaultdomain.4 \
51 defaultrouter.4 \
52 depend.4 \
53 device_allocate.4 \
54 device_contract.4 \
55 device_maps.4 \
56 devices.4 \
57 dfstab.4 \
58 dhcp_inittab.4 \
59 dialups.4 \
60 dir_ufs.4 \
61 driver.conf.4 \

```

```

62 ds.log.4 \
63 ethers.4 \
64 exec_attr.4 \
65 fdi.4 \
66 format.dat.4 \
67 fspec.4 \
68 fstypes.4 \
69 ftp.4 \
70 ftpusers.4 \
71 fx_dptbl.4 \
72 gateways.4 \
73 group.4 \
74 gsscred.conf.4 \
75 hba.conf.4 \
76 holidays.4 \
77 hosts.4 \
78 hosts.equiv.4 \
79 hosts_access.4 \
80 hosts_options.4 \
81 ib.4 \
82 ike.config.4 \
83 ike.preshared.4 \
84 ipf.4 \
85 ipmon.4 \
86 ipnat.4 \
87 ippool.4 \
88 inet_type.4 \
89 inetd.conf.4 \
90 init.4 \
91 init.d.4 \
92 inittab.4 \
93 ipaddrsel.conf.4 \
94 ipnodes.4 \
95 issue.4 \
96 kadm5.acl.4 \
97 kdc.conf.4 \
98 keytables.4 \
99 krb5.conf.4 \
100 ldapfilter.conf.4 \
101 ldapsearchprefs.conf.4 \
102 ldaptemplates.conf.4 \
103 loader.conf.4 \
104 logadm.conf.4 \
105 logindevperm.4 \
106 loginlog.4 \
107 magic.4 \
108 mailer.conf.4 \
109 mech.4 \
110 mnttab.4 \
111 mpapi.conf.4 \
112 nca.if.4 \
113 ncad_addr.4 \
114 ncakmod.conf.4 \
115 ncalogd.conf.4 \
116 ncaport.conf.4 \
117 ndmp.4 \
118 ndpd.conf.4 \
119 netconfig.4 \
120 netgroup.4 \
121 netid.4 \
122 netmasks.4 \
123 netrc.4 \
124 networks.4 \
125 nfs.4 \
126 nfslog.conf.4 \
127 nfssec.conf.4 \

```

```

128          nodename.4
129          nologin.4
130          note.4
131          notrouter.4
132          nscd.conf.4
133          nsmbrc.4
134          nss.4
135          nsswitch.conf.4
136          packingrules.4
136          pam.conf.4
137          passwd.4
138          path_to_inst.4
139          pci.4
140          phones.4
141          pkginfo.4
142          pkgmap.4
143          policy.conf.4
144          power.conf.4
145          printers.4
146          printers.conf.4
147          priv_names.4
148          proc.4
149          process.4
150          prof_attr.4
151          profile.4
152          project.4
153          protocols.4
154          prototype.4
155          pseudo.4
156          publickey.4
157          queuedefs.4
158          rcmscript.4
159          rdc.cf.4
160          remote.4
161          resolv.conf.4
162          rmtab.4
163          rpc.4
164          rt_dptbl.4
165          sasl_appname.conf.4
166          scsi.4
167          securenets.4
168          sel_config.4
169          sendmail.4
170          service_bundle.4
171          service_provider.conf.4
172          services.4
173          shadow.4
174          sharetab.4
175          shells.4
176          slp.conf.4
177          slpd.reg.4
178          smb.4
179          smbautohome.4
180          smhba.conf.4
181          sndr.4
182          sock2path.d.4
183          space.4
184          sulog.4
185          syslog.conf.4
186          system.4
187          term.4
188          terminfo.4
189          timezone.4
190          tnfn_kernel_probes.4
191          ts_dptbl.4
192          ttydefs.4

```

```

193          ttysrch.4
194          ufsdump.4
195          updaters.4
196          user_attr.4
197          utmp.4
198          utmpx.4
199          vfstab.4
200          wanboot.conf.4
201          warn.conf.4
202          ypfiles.4
203          yppasswdd.4
204          ypserv.4
205          zoneinfo.4

207 sparc_MANFILES= sbus.4

209 i386_MANFILES= sysbus.4

211 _MANLINKS= addresses.4
212            devid_cache.4
213            devname_cache.4
214            dir.4
215            dumpdates.4
216            fbtab.4
217            forward.4
218            fs.4
219            hosts.allow.4
220            hosts.deny.4
221            intro.4
222            ipf.conf.4
223            ipf6.conf.4
224            ipmon.conf.4
225            ipnat.conf.4
226            ippool.conf.4
227            mdi_ib_cache.4
228            mdi_scsi_vhci_cache.4
229            pci_unitaddr_persistent.4
230            pcie.4
231            qop.4
232            rhosts.4
233            sendmail.cf.4
234            snapshot_cache.4
235            submit.cf.4
236            wttmp.4
237            wttmpx.4

239 i386_MANLINKS= isa.4

241 MANFILES= $(_MANFILES) $($MACH)_MANFILES)
242 MANLINKS= $(_MANLINKS) $($MACH)_MANLINKS)

244 intro.4 := LINKSRC = Intro.4

246 addresses.4 := LINKSRC = aliases.4
247 forward.4 := LINKSRC = aliases.4

249 fs.4 := LINKSRC = default_fs.4

251 devid_cache.4 := LINKSRC = devices.4
252 devname_cache.4 := LINKSRC = devices.4
253 mdi_ib_cache.4 := LINKSRC = devices.4
254 mdi_scsi_vhci_cache.4 := LINKSRC = devices.4
255 pci_unitaddr_persistent.4 := LINKSRC = devices.4
256 snapshot_cache.4 := LINKSRC = devices.4

258 dir.4 := LINKSRC = dir_ufs.4

```

```
260 rhosts.4           := LINKSRC = hosts.equiv.4
262 hosts.allow.4     := LINKSRC = hosts_access.4
263 hosts.deny.4      := LINKSRC = hosts_access.4
265 ipf.conf.4        := LINKSRC = ipf.4
266 ipf6.conf.4       := LINKSRC = ipf.4
268 ipmon.conf.4      := LINKSRC = ipmon.4
270 ipnat.conf.4      := LINKSRC = ipnat.4
272 ippool.conf.4     := LINKSRC = ippool.4
274 fbtab.4           := LINKSRC = logindevperm.4
276 qop.4             := LINKSRC = mech.4
278 pcie.4            := LINKSRC = pci.4
280 sendmail.cf.4     := LINKSRC = sendmail.4
281 submit.cf.4       := LINKSRC = sendmail.4
283 isa.4             := LINKSRC = sysbus.4
285 dumpdates.4      := LINKSRC = ufsdump.4
287 wtmp.4            := LINKSRC = utmp.4
289 wtmpx.4           := LINKSRC = utmpx.4
291 .KEEP_STATE:
293 include             $(SRC)/man/Makefile.man
295 install:           $(ROOTMANFILES) $(ROOTMANLINKS)
```


new/usr/src/pkg/manifests/SUNWcs.man4.inc

1

4798 Fri May 26 19:16:48 2017

new/usr/src/pkg/manifests/SUNWcs.man4.inc

8277 EOF filesync

```
1 #
2 # This file and its contents are supplied under the terms of the
3 # Common Development and Distribution License ("CDDL"), version 1.0.
4 # You may only use this file in accordance with the terms of version
5 # 1.0 of the CDDL.
6 #
7 # A full copy of the text of the CDDL should have accompanied this
8 # source. A copy of the CDDL is also available via the Internet
9 # at http://www.illumos.org/license/CDDL.
```

10 #

```
12 #
13 # Copyright 2011, Richard Lowe
14 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
15 #
```

```
17 file path=usr/share/man/man4/Intro.4
18 file path=usr/share/man/man4/audit.log.4
19 file path=usr/share/man/man4/audit_class.4
20 file path=usr/share/man/man4/audit_event.4
21 file path=usr/share/man/man4/auth_attr.4
22 file path=usr/share/man/man4/contract.4
23 file path=usr/share/man/man4/core.4
24 file path=usr/share/man/man4/crypt.conf.4
25 file path=usr/share/man/man4/crypto_certs.4
26 file path=usr/share/man/man4/ctf.4
27 file path=usr/share/man/man4/d_passwd.4
28 file path=usr/share/man/man4/dacf.conf.4
29 file path=usr/share/man/man4/default_fs.4
30 file path=usr/share/man/man4/defaultrouter.4
31 file path=usr/share/man/man4/device_allocate.4
32 file path=usr/share/man/man4/device_contract.4
33 file path=usr/share/man/man4/device_maps.4
34 file path=usr/share/man/man4/devices.4
35 file path=usr/share/man/man4/dfstab.4
36 file path=usr/share/man/man4/dhcp_inittab.4
37 file path=usr/share/man/man4/dialups.4
38 file path=usr/share/man/man4/ethers.4
39 file path=usr/share/man/man4/exec_attr.4
40 file path=usr/share/man/man4/format.dat.4
41 file path=usr/share/man/man4/fspec.4
42 file path=usr/share/man/man4/fstypes.4
43 file path=usr/share/man/man4/ftpusers.4
44 file path=usr/share/man/man4/fx_dptbl.4
45 file path=usr/share/man/man4/group.4
46 file path=usr/share/man/man4/hosts.4
47 file path=usr/share/man/man4/ike.config.4
48 file path=usr/share/man/man4/ike.preshared.4
49 file path=usr/share/man/man4/inet_type.4
50 file path=usr/share/man/man4/inetd.conf.4
51 file path=usr/share/man/man4/init.4
52 file path=usr/share/man/man4/init.d.4
53 file path=usr/share/man/man4/inittab.4
54 file path=usr/share/man/man4/ipaddrsel.conf.4
55 file path=usr/share/man/man4/ipnodes.4
56 file path=usr/share/man/man4/issue.4
57 file path=usr/share/man/man4/logadm.conf.4
58 file path=usr/share/man/man4/logindevperm.4
59 file path=usr/share/man/man4/loginlog.4
60 file path=usr/share/man/man4/magic.4
61 file path=usr/share/man/man4/mnttab.4
```

new/usr/src/pkg/manifests/SUNWcs.man4.inc

2

```
62 file path=usr/share/man/man4/ndpd.conf.4
63 file path=usr/share/man/man4/netconfig.4
64 file path=usr/share/man/man4/netgroup.4
65 file path=usr/share/man/man4/netid.4
66 file path=usr/share/man/man4/netmasks.4
67 file path=usr/share/man/man4/networks.4
68 file path=usr/share/man/man4/nodename.4
69 file path=usr/share/man/man4/nologin.4
70 file path=usr/share/man/man4/notrouter.4
71 file path=usr/share/man/man4/nscd.conf.4
72 file path=usr/share/man/man4/nsswitch.conf.4
73 file path=usr/share/man/man4/packgrules.4
73 file path=usr/share/man/man4/pam.conf.4
74 file path=usr/share/man/man4/passwd.4
75 file path=usr/share/man/man4/phones.4
76 file path=usr/share/man/man4/policy.conf.4
77 file path=usr/share/man/man4/prof_attr.4
78 file path=usr/share/man/man4/profile.4
79 file path=usr/share/man/man4/project.4
80 file path=usr/share/man/man4/protocols.4
81 file path=usr/share/man/man4/queuedefs.4
82 file path=usr/share/man/man4/rcmscript.4
83 file path=usr/share/man/man4/remote.4
84 file path=usr/share/man/man4/rpc.4
85 file path=usr/share/man/man4/rt_dptbl.4
86 file path=usr/share/man/man4/service_bundle.4
87 file path=usr/share/man/man4/service_provider.conf.4
88 file path=usr/share/man/man4/services.4
89 file path=usr/share/man/man4/shadow.4
90 file path=usr/share/man/man4/sharetab.4
91 file path=usr/share/man/man4/shells.4
92 file path=usr/share/man/man4/sulog.4
93 file path=usr/share/man/man4/syslog.conf.4
94 file path=usr/share/man/man4/term.4
95 file path=usr/share/man/man4/terminfo.4
96 file path=usr/share/man/man4/timezone.4
97 file path=usr/share/man/man4/ttydefs.4
98 file path=usr/share/man/man4/ttysrch.4
99 file path=usr/share/man/man4/ufsdump.4
100 file path=usr/share/man/man4/user_attr.4
101 file path=usr/share/man/man4/utmp.4
102 file path=usr/share/man/man4/utmpx.4
103 file path=usr/share/man/man4/vfstab.4
104 file path=usr/share/man/man4/wanboot.conf.4
105 file path=usr/share/man/man4/zoneinfo.4
106 link path=usr/share/man/man4/devid_cache.4 target=devices.4
107 link path=usr/share/man/man4/devname_cache.4 target=devices.4
108 link path=usr/share/man/man4/dumpdates.4 target=ufsdump.4
109 link path=usr/share/man/man4/fbtabs.4 target=logindevperm.4
110 link path=usr/share/man/man4/fs.4 target=default_fs.4
111 link path=usr/share/man/man4/intro.4 target=Intro.4
112 link path=usr/share/man/man4/mdi_ib_cache.4 target=devices.4
113 link path=usr/share/man/man4/mdi_scsi_vhci_cache.4 target=devices.4
114 link path=usr/share/man/man4/pci_unitaddr_persistent.4 target=devices.4
115 link path=usr/share/man/man4/snapshot_cache.4 target=devices.4
116 link path=usr/share/man/man4/wtmp.4 target=utmp.4
117 link path=usr/share/man/man4/wtmpx.4 target=utmpx.4
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

1

```
*****
2985 Fri May 26 19:16:49 2017
new/usr/src/pkg/manifests/service-network-network-clients.mf
8277 EOF filesync
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
24 # Copyright 2012 Nexenta Systems, Inc. All rights reserved.
25 #
26 #
27 set name=pkg.fmri value=pkg:/service/network/network-clients@$(PKGVERS)
28 set name=pkg.description \
29     value="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)"
30 set name=pkg.summary value="Remote Network Client Commands"
31 set name=info.classification value=org.opensolaris.category.2008:System/Core
32 set name=variant.arch value=$(ARCH)
33 dir path=usr group=sys
34 dir path=usr/bin
35 dir path=usr/lib
36 dir path=usr/sbin
37 dir path=usr/share/man/man1
38 dir path=usr/share/man/man1m
39 file path=usr/bin/filesync mode=0555
40 file path=usr/bin/rcp mode=4555
41 file path=usr/bin/rdate mode=0555
42 file path=usr/bin/rdist mode=4555
43 file path=usr/bin/rlogin mode=4555
44 file path=usr/bin/rsh mode=0555
45 file path=usr/sbin/rmt mode=0555
46 file path=usr/sbin/snoop mode=0555
47 file path=usr/share/man/man1/filesync.1
48 file path=usr/share/man/man1/rcp.1
49 file path=usr/share/man/man1/rdist.1
50 file path=usr/share/man/man1/rlogin.1
51 file path=usr/share/man/man1/rsh.1
52 file path=usr/share/man/man1m/rdate.lm
53 file path=usr/share/man/man1m/rmt.lm
54 file path=usr/share/man/man1m/snoop.lm
55 legacy pkg=SUNWrcmdc \
56     desc="Remote Network Client Commands (rsh, rlogin, rcp, rsh, ...)" \
57     name="Remote Network Client Commands"
58 license cr_Sun license=cr_Sun
59 license lic_CDDL license=lic_CDDL
```

new/usr/src/pkg/manifests/service-network-network-clients.mf

2

```
60 license usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd \
61     license=usr/src/cmd/cmd-inet/THIRDPARTYLICENSE.kcmd
62 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp \
63     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rcp
64 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh \
65     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.rsh
66 license usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois \
67     license=usr/src/cmd/cmd-inet/usr.bin/THIRDPARTYLICENSE.whois
68 license usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE \
69     license=usr/src/cmd/cmd-inet/usr.bin/rdist/THIRDPARTYLICENSE
70 link path=usr/bin/remsh target=./rsh
71 link path=usr/lib/sunw/rcp target=./bin/rcp
72 link path=usr/share/man/man1/remote_shell.1 target=rsh.1
73 link path=usr/share/man/man1/remsh.1 target=rsh.1
```