

new/usr/src/lib/iconv\_modules/Makefile

1

\*\*\*\*\*

1222 Thu Jul 11 01:13:11 2019

new/usr/src/lib/iconv\_modules/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS      =      common euro hi_IN ja ko th_TH zh utf-8 vi
```

```
30 install      :=      TARGET = install
31 all           :=      TARGET = all
32 lint          :=      TARGET = lint
33 clean         :=      TARGET = clean
34 clobber       :=      TARGET = clobber
```

```
36 all install lint clean clobber: $(SUBDIRS)
```

```
38 .PARALLEL: $(SUBDIRS)
```

```
40 #endif /* ! codereview */
```

```
41 $(SUBDIRS): FRC
```

```
42     cd $@; $(MAKE) $(TARGET)
```

```
44 FRC:
```

new/usr/src/lib/iconv\_modules/common/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:12 2019

new/usr/src/lib/iconv\_modules/common/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```

new/usr/src/lib/iconv\_modules/euro/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:12 2019

new/usr/src/lib/iconv\_modules/euro/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```

new/usr/src/lib/iconv\_modules/euro/Makefile.com

1

\*\*\*\*\*

2267 Thu Jul 11 01:13:13 2019  
new/usr/src/lib/iconv\_modules/euro/Makefile.com  
11394 iconv\_modules build could be much more parallel  
\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
23 #
24
25 include $(SRC)/Makefile.master
26
27
28 # let the .so compilation be driven by present recoding tables
29 TABLES:sh =      cd ../tbls/ && ls *tbl
30
31 ALL_SOS:sh =      (cd ../tbls/ && ls *tbl | sed -e s:_%:g -e 's:\\.tbl$:.so:g')
32
33 LDLIBS          = -lc
34
35 LINK_TARGETS = 646%8859-1.so
36
37 .NO_PARALLEL:
38
39 .PARALLEL: $(ALL_SOS)
40
41 all: $(ALL_SOS)
42
43 include $(SRC)/lib/iconv_modules/Makefile.iconv
44
45 LDFLAGS = $(DYNFLAGS) $(LDLIBS)
46
47 CFLAGS      += $(XREGSFLAG) -D_REENTRANT
48 CFLAGS      += $(INCLUDES) $(XREGSFLAG) -D_REENTRANT
49
50 CLEANFILES += tbl.h
51 CLEANFILES += core ../common/tbl.h
52
53 $(ALL_SOS): ../common/euro.h ../common/euro.c tbl.h
54 $(ALL_SOS): ../common/euro.h ../common/euro.c ../common/tbl.h
55 TABLE='echo $@ | $(TR) -d "-" | sed -e s:_%:~:g | /usr/bin/cut -d. -f1' ;
56 $(CC) $(CFLAGS) $(CPPFLAGS) -DT_$$TABLE ../common/euro.c -c -o $@.o ; \
57 $(CC) $(CFLAGS) -DT_$$TABLE ../common/euro.c -c -o $@.o ; \
58 $(LD) $(LDFLAGS) -o $@ $@.o $(LDLIBS)
59 $(POST_PROCESS_SO)
60
61 tbl.h: ../genincl $(TABLES:%=../tbls/%)
```

new/usr/src/lib/iconv\_modules/euro/Makefile.com

2

```
58      (cd ../genincl) > $@
57 ../common/tbl.h: ../genincl $(TABLES:%=../tbls/%)
58      cd ../genincl > common/tbl.h
59
60 $(CREATE_LINKS): $(ICONV_LINK_TARGETS)
61 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-15.so
62 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-2.so
63 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-4.so
64 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-5.so
65 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-6.so
66 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-7.so
67 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-8.so
68 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%8859-9.so
69 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%CP1251.so
70 $(SYMLINK) -f 646%8859-1.so $(ICONV_DIR)/646%KOI8-R.so
71 $(TOUCH) $@
72
73 FRC:
```

new/usr/src/lib/iconv\_modules/hi\_IN/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:13 2019

new/usr/src/lib/iconv\_modules/hi\_IN/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```

new/usr/src/lib/iconv\_modules/ja/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:14 2019

new/usr/src/lib/iconv\_modules/ja/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```

new/usr/src/lib/iconv\_modules/ko/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:14 2019

new/usr/src/lib/iconv\_modules/ko/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #

26 include $(SRC)/Makefile.master

28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)

31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo

38 .KEEP_STATE:

40 all clean clobber install lint echo: $(SUBDIRS)

42 .PARALLEL: $(SUBDIRS)

44 #endif /* ! codereview */
45 $(SUBDIRS): FRC
46 @cd $@; pwd; $(MAKE) $(TARGET)

48 FRC:
```

new/usr/src/lib/iconv\_modules/th\_TH/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:15 2019

new/usr/src/lib/iconv\_modules/th\_TH/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```



new/usr/src/lib/iconv\_modules/utf-8/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:15 2019

new/usr/src/lib/iconv\_modules/utf-8/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```

new/usr/src/lib/iconv\_modules/utf-8/Makefile.com

1

```
*****
8762 Thu Jul 11 01:13:16 2019
new/usr/src/lib/iconv_modules/utf-8/Makefile.com
11394 iconv_modules build could be much more parallel
*****

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2010 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
25 # Copyright (c) 2018, Joyent, Inc.

27 include $(SRC)/Makefile.master

29 BTS_DIR                = $(ROOT)/usr/lib/iconv/geniconvtbl/binarytables

31 # geniconvtbl loadmodule
32 GENICONVTBL= /usr/bin/geniconvtbl
33 #
34 # Common sources come from following directory:
35 COMMON              = ../common/
36 GENI_SRCS           = ../common/binarytables/srcs

38 include $(SRC)/lib/iconv_modules/Makefile.iconv
39 include $(SRC)/lib/iconv_modules/utf-8/Makefile.iconv

41 CLEANFILES = *.o *.so *.bt
41 CLEANFILES = *.o *.so core *.bt

43 .NO_PARALLEL:

45 .PARALLEL: $(DYNOBJS) $(BINARYTABLES)

48 all: $(DYNOBJS) $(BINARYTABLES)

50 install: all $(ICONV_DIR) $(BTS_DIR) $(ICONV_DIR)/alias
51     for f in $(BINARYTABLES) ; do \
52         TMP='echo $$f | $(TR) "+" "%" ' ; \
53         echo installing $$TMP to $(BTS_DIR) ; \
54         $(RM) $(BTS_DIR)/$$TMP ; \
55         $(CP) $$f $(BTS_DIR)/$$TMP ; \
56         $(CHMOD) 444 $(BTS_DIR)/$$TMP ; \
57     done
58     for f in $(DYNOBJS) ; do \
59         TMP='echo $$f | $(TR) "+" "%" ' ; \
60         echo installing $$TMP to $(ICONV_DIR) ; \
```

new/usr/src/lib/iconv\_modules/utf-8/Makefile.com

2

```
61         $(RM) $(ICONV_DIR)/$$TMP ; \
62         $(CP) $$f $(ICONV_DIR)/$$TMP ; \
63         $(CHMOD) 755 $(ICONV_DIR)/$$TMP ; \
64     done
65     -@echo "done."

68 $(BTS_DIR):
69     $(INS.dir) $@

71 clobber: clean

73 $(ICONV_DIR)/alias:=      FILEMODE=0444

75 LDLIBS                  = -lc

77 LDFLAGS = $(DYNFLAGS) $(LDLIBS) $(CFLAG_OPT)

79 # needs work
80 SMATCH=off

82 $(DYNOBJS)              := CFLAGS += $(XREGSFLAG) $(C_PICFLAGS) -D_REENTRANT \
83                          -I$(COMMON) -I$(COMMON)/tbls \
84                          -I$(ADJUNCT_PROTO)/usr/include

86 $(UCS_2_SOS)            := CFLAGS += -DUCS_2
87 $(UCS_2BE_SOS)         := CFLAGS += -DUCS_2BE
88 $(UCS_2LE_SOS)         := CFLAGS += -DUCS_2LE

90 $(UTF_16_SOS)          := CFLAGS += -DUTF_16
91 $(UTF_16BE_SOS)        := CFLAGS += -DUTF_16BE
92 $(UTF_16LE_SOS)        := CFLAGS += -DUTF_16LE

94 $(UTF_32_SOS)          := CFLAGS += -DUTF_32
95 $(UTF_32BE_SOS)        := CFLAGS += -DUTF_32BE
96 $(UTF_32LE_SOS)        := CFLAGS += -DUTF_32LE

98 $(UCS_4_SOS)           := CFLAGS += -DUCS_4
99 $(UCS_4BE_SOS)         := CFLAGS += -DUCS_4BE
100 $(UCS_4LE_SOS)        := CFLAGS += -DUCS_4LE

102 $(UTF_8_SOS)           := CFLAGS += -DUTF_8

104 $(US_ASCII_SOS)        := CFLAGS += -DUS_ASCII
105 $(ISO_8859_1_SOS)      := CFLAGS += -DISO_8859_1
106 $(ISO_8859_2_SOS)      := CFLAGS += -DISO_8859_2
107 $(ISO_8859_3_SOS)      := CFLAGS += -DISO_8859_3
108 $(ISO_8859_4_SOS)      := CFLAGS += -DISO_8859_4
109 $(ISO_8859_5_SOS)      := CFLAGS += -DISO_8859_5
110 $(ISO_8859_6_SOS)      := CFLAGS += -DISO_8859_6
111 $(ISO_8859_7_SOS)      := CFLAGS += -DISO_8859_7
112 $(ISO_8859_8_SOS)      := CFLAGS += -DISO_8859_8
113 $(ISO_8859_9_SOS)      := CFLAGS += -DISO_8859_9
114 $(ISO_8859_10_SOS)     := CFLAGS += -DISO_8859_10
115 $(ISO_8859_13_SOS)     := CFLAGS += -DISO_8859_13
116 $(ISO_8859_14_SOS)     := CFLAGS += -DISO_8859_14
117 $(ISO_8859_15_SOS)     := CFLAGS += -DISO_8859_15
118 $(ISO_8859_16_SOS)     := CFLAGS += -DISO_8859_16
119 $(KOI8_R)              := CFLAGS += -DKOI8_R
120 $(KOI8_U)              := CFLAGS += -DKOI8_U
121 $(PTCP154)             := CFLAGS += -DPTCP154
122 $(CP437_SOS)           := CFLAGS += -DCP437
123 $(CP720_SOS)           := CFLAGS += -DCP720
124 $(CP737_SOS)           := CFLAGS += -DCP737
125 $(CP775_SOS)           := CFLAGS += -DCP775
126 $(CP850_SOS)           := CFLAGS += -DCP850
```

```

127 $(CP852_SOS)      := CFLAGS += -DCP852
128 $(CP855_SOS)      := CFLAGS += -DCP855
129 $(CP857_SOS)      := CFLAGS += -DCP857
130 $(CP860_SOS)      := CFLAGS += -DCP860
131 $(CP861_SOS)      := CFLAGS += -DCP861
132 $(CP862_SOS)      := CFLAGS += -DCP862
133 $(CP863_SOS)      := CFLAGS += -DCP863
134 $(CP864_SOS)      := CFLAGS += -DCP864
135 $(CP865_SOS)      := CFLAGS += -DCP865
136 $(CP866_SOS)      := CFLAGS += -DCP866
137 $(CP869_SOS)      := CFLAGS += -DCP869
138 $(CP874_SOS)      := CFLAGS += -DCP874
139 $(CP1250_SOS)     := CFLAGS += -DCP1250
140 $(CP1251_SOS)     := CFLAGS += -DCP1251
141 $(CP1252_SOS)     := CFLAGS += -DCP1252
142 $(CP1253_SOS)     := CFLAGS += -DCP1253
143 $(CP1254_SOS)     := CFLAGS += -DCP1254
144 $(CP1255_SOS)     := CFLAGS += -DCP1255
145 $(CP1256_SOS)     := CFLAGS += -DCP1256
146 $(CP1257_SOS)     := CFLAGS += -DCP1257
147 $(CP1258_SOS)     := CFLAGS += -DCP1258

149 $(ACE_TO_UTF_8_S0) := CFLAGS += -DICV_ACE_TO_UTF8
150 $(ACE_ALLOW_UNAS_TO_UTF_8_S0) := CFLAGS += -DICV_ACE_TO_UTF8 \
151                                     -DICV_IDN_ALLOW_UNASSIGNED
152 $(UTF_8_TO_ACE_S0) := CFLAGS += -DICV_UTF8_TO_ACE
153 $(UTF_8_TO_ACE_ALLOW_UNAS_S0) := CFLAGS += -DICV_UTF8_TO_ACE \
154                                     -DICV_IDN_ALLOW_UNASSIGNED
155 #
156 # Dependencies and actual compilations are defined at below.
157 $(SB_TO_UCS_SOS): $(COMMON)/common_defs.h $(COMMON)/sb_to_ucs.h $(COMMON)/sb_to_
158                 $(CC) $(CFLAGS) $(COMMON)/sb_to_ucs.c -c -o $@.o
159                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
160                 $(POST_PROCESS_S0)

162 $(UCS_TO_SB_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs_to_sb.h $(COMMON)/ucs_to
163                 $(CC) $(CFLAGS) $(COMMON)/ucs_to_sb.c -c -o $@.o
164                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
165                 $(POST_PROCESS_S0)

167 $(SB_TO_UTF_8_SOS): $(COMMON)/common_defs.h $(COMMON)/sb_to_utf8.h $(COMMON)/sb_
168                 $(CC) $(CFLAGS) $(COMMON)/sb_to_utf8.c -c -o $@.o
169                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
170                 $(POST_PROCESS_S0)

172 $(UTF_8_TO_SB_SOS): $(COMMON)/common_defs.h $(COMMON)/utf8_to_sb.h $(COMMON)/utf
173                 $(CC) $(CFLAGS) $(COMMON)/utf8_to_sb.c -c -o $@.o
174                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
175                 $(POST_PROCESS_S0)

177 $(UCS_4_TO_UCS_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs4_to_ucs.h $(COMMON)/u
178                 $(CC) $(CFLAGS) $(COMMON)/ucs4_to_ucs.c -c -o $@.o
179                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
180                 $(POST_PROCESS_S0)

182 $(UCS_TO_UCS_4_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs_to_ucs4.h $(COMMON)/u
183                 $(CC) $(CFLAGS) $(COMMON)/ucs_to_ucs4.c -c -o $@.o
184                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
185                 $(POST_PROCESS_S0)

187 $(UCS_4_TO_UTF_32_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs4_to_ucs.h $(COMMON)
188                 $(CC) $(CFLAGS) $(COMMON)/ucs4_to_utf32.c -c -o $@.o
189                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
190                 $(POST_PROCESS_S0)

192 $(UTF_32_TO_UCS_4_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs_to_ucs4.h $(COMMON)

```

```

193                 $(CC) $(CFLAGS) $(COMMON)/utf32_to_ucs4.c -c -o $@.o
194                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
195                 $(POST_PROCESS_S0)

197 $(UCS_TO_UTF_8_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs_to_utf8.h $(COMMON)/u
198                 $(CC) $(CFLAGS) $(COMMON)/ucs_to_utf8.c -c -o $@.o
199                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
200                 $(POST_PROCESS_S0)

202 $(UTF_8_TO_UCS_SOS): $(COMMON)/common_defs.h $(COMMON)/utf8_to_ucs.h $(COMMON)/u
203                 $(CC) $(CFLAGS) $(COMMON)/utf8_to_ucs.c -c -o $@.o
204                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
205                 $(POST_PROCESS_S0)

207 $(UCS_TO_UTF_7_SOS): $(COMMON)/common_defs.h $(COMMON)/ucs_to_utf7.h $(COMMON)/u
208                 $(CC) $(CFLAGS) $(COMMON)/ucs_to_utf7.c -c -o $@.o
209                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
210                 $(POST_PROCESS_S0)

212 $(UTF_7_TO_UCS_SOS): $(COMMON)/common_defs.h $(COMMON)/utf7_to_ucs.h $(COMMON)/u
213                 $(CC) $(CFLAGS) $(COMMON)/utf7_to_ucs.c -c -o $@.o
214                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
215                 $(POST_PROCESS_S0)

217 $(UTF_8_TO_UTF_EBCDIC_S0): $(COMMON)/common_defs.h $(COMMON)/utf8_to_utf_ebcdic.
218                 $(CC) $(CFLAGS) $(COMMON)/utf8_to_utf_ebcdic.c -c -o $@.o
219                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
220                 $(POST_PROCESS_S0)

222 $(UTF_EBCDIC_TO_UTF_8_S0): $(COMMON)/common_defs.h $(COMMON)/utf_ebcdic_to_utf8.
223                 $(CC) $(CFLAGS) $(COMMON)/utf_ebcdic_to_utf8.c -c -o $@.o
224                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
225                 $(POST_PROCESS_S0)

227 $(ACE_TO_UTF_8_S0): $(COMMON)/ace.h $(COMMON)/ace_utf8.c
228                 $(CC) $(CFLAGS) $(COMMON)/ace_utf8.c -c -o $@.o
229                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
230                 $(POST_PROCESS_S0)

232 $(ACE_ALLOW_UNAS_TO_UTF_8_S0): $(COMMON)/ace.h $(COMMON)/ace_utf8.c
233                 $(CC) $(CFLAGS) $(COMMON)/ace_utf8.c -c -o $@.o
234                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
235                 $(POST_PROCESS_S0)

237 $(UTF_8_TO_ACE_S0): $(COMMON)/ace.h $(COMMON)/ace_utf8.c
238                 $(CC) $(CFLAGS) $(COMMON)/ace_utf8.c -c -o $@.o
239                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
240                 $(POST_PROCESS_S0)

242 $(UTF_8_TO_ACE_ALLOW_UNAS_S0): $(COMMON)/ace.h $(COMMON)/ace_utf8.c
243                 $(CC) $(CFLAGS) $(COMMON)/ace_utf8.c -c -o $@.o
244                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
245                 $(POST_PROCESS_S0)

247 $(UTF_8_TO_UTF_8_S0): $(COMMON)/common_defs.h $(COMMON)/utf8.c
248                 $(CC) $(CFLAGS) $(COMMON)/utf8.c -c -o $@.o
249                 $(CC) $(LDFLAGS) $(CFLAGS) -o $@ $@.o
250                 $(POST_PROCESS_S0)

253 #
254 # Rules for binary tables:
255 .SUFFIXES: $(SUFFIXES) .src
256 .SUFFIXES: $(SUFFIXES) .bt

258 %.bt: $(GENI_SRCS)/%.src

```

new/usr/src/lib/iconv\_modules/utf-8/Makefile.com

5

259 \$(GENICONTBL) -o \$@ -f \$<

new/usr/src/lib/iconv\_modules/vi/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:16 2019

new/usr/src/lib/iconv\_modules/vi/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #

26 include $(SRC)/Makefile.master

28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)

31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo

38 .KEEP_STATE:

40 all clean clobber install lint echo: $(SUBDIRS)

42 .PARALLEL: $(SUBDIRS)

44 #endif /* ! codereview */
45 $(SUBDIRS): FRC
46 @cd $@; pwd; $(MAKE) $(TARGET)

48 FRC:
```

new/usr/src/lib/iconv\_modules/zh/Makefile

1

\*\*\*\*\*

1308 Thu Jul 11 01:13:17 2019

new/usr/src/lib/iconv\_modules/zh/Makefile

11394 iconv\_modules build could be much more parallel

\*\*\*\*\*

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 # Copyright 2006 Sun Microsystems, Inc. All rights reserved.
23 # Use is subject to license terms.
24 #
```

```
26 include $(SRC)/Makefile.master
```

```
28 SUBDIRS = $(MACH)
29 $(BUILD64)SUBDIRS += $(MACH64)
```

```
31 all := TARGET = all
32 clean := TARGET = clean
33 clobber := TARGET = clobber
34 install := TARGET = install
35 lint := TARGET = lint
36 echo := TARGET = echo
```

```
38 .KEEP_STATE:
```

```
40 all clean clobber install lint echo: $(SUBDIRS)
```

```
42 .PARALLEL: $(SUBDIRS)
```

```
44 #endif /* ! codereview */
```

```
45 $(SUBDIRS): FRC
```

```
46 @cd $@; pwd; $(MAKE) $(TARGET)
```

```
48 FRC:
```